

# 2015

## Fertility Clinic Tables

IDAHO-NEW YORK



# IDAHO CENTER FOR REPRODUCTIVE MEDICINE BOISE, IDAHO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Cristin C. Slater, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	57%	Tubal factor	6%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 7%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	12%	Male factor	27%	
Used gestational carrier	5%			Diminished ovarian reserve	32%	Other factor	16%	
				Endometriosis	8%	Unknown factor	11%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 480 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	86	41	15	6	5	1
Percentage of cancellations before retrieval (%)	3.5	19.5	3 / 15	2 / 6	0 / 5	1 / 1
Average number of embryos transferred	1.8	1.7	2.2	1.3	2.8	
Percentage of embryos transferred resulting in implantation (%)	45.0	40.5	2 / 11	2 / 5	1 / 11	
Percentage of elective single embryo transfers (eSET) (%)	8.5	2 / 19	0 / 4	0 / 1	0 / 4	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.6	14.6	1 / 15	0 / 6	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	19.8	17.1	2 / 15	0 / 6	1 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	16.3	4.9	0 / 15	1 / 6	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	37.2	22.0	2 / 15	1 / 6	1 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)	41.9	36.6	2 / 15	1 / 6	1 / 5	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	65	24	5	4	4	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.6	25.0	1 / 5	0 / 4	0 / 4	
Percentage of transfers resulting in singleton live births (%)	26.2	29.2	2 / 5	0 / 4	1 / 4	
Percentage of transfers resulting in twin live births (%)	21.5	8.3	0 / 5	1 / 4	0 / 4	
Percentage of transfers resulting in live births (%)	49.2	37.5	2 / 5	1 / 4	1 / 4	
Percentage of transfers resulting in pregnancies (%)	55.4	62.5	2 / 5	1 / 4	1 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	58	35	17	4	0	0
Number of transfers	57	33	17	4	0	0
Estimated average number of transfers per retrieval	1.3	1.7	0.6	0.5	0.0	0.0
Average number of embryos transferred	1.7	1.8	1.8	1.5		
Percentage of embryos transferred resulting in implantation (%)	40.4	35.8	20.7	6 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.8	33.3	1 / 17	2 / 4		
Percentage of transfers resulting in singleton live births (%)	45.6	36.4	1 / 17	3 / 4		
Percentage of transfers resulting in twin live births (%)	7.0	9.1	0 / 17	0 / 4		
Percentage of transfers resulting in live births (%)	52.6	45.5	1 / 17	3 / 4		
Percentage of transfers resulting in pregnancies (%)	59.6	54.5	6 / 17	4 / 4		
<b>Number of Egg/Embryo Banking Cycles</b>						
	20	8	21	8	2	8
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	58			85		
Number of transfers	51			78		
Average number of embryos transferred	1.8			1.8		
Percentage of embryos transferred resulting in implantation (%)	66.3			42.9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.4			33.3		
Percentage of transfers resulting in singleton live births (%)	39.2			39.7		
Percentage of transfers resulting in twin live births (%)	33.3			11.5		
Percentage of transfers resulting in live births (%)	74.5			51.3		
Percentage of transfers resulting in pregnancies (%)	78.4			61.5		

## CURRENT SERVICES & PROFILE

Current Name: Idaho Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# RUSH-COPLEY CENTER FOR REPRODUCTIVE HEALTH AURORA, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Zvi Binor, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	11%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 6%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	42%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	15%	
				Endometriosis	19%	Unknown factor	3%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 129 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	69	20	16	3	0	1
Percentage of cancellations before retrieval (%)	8.7	15.0	6 / 16	2 / 3		0 / 1
Average number of embryos transferred	2.0	1.9	2.1	3.0		2.0
Percentage of embryos transferred resulting in implantation (%)	17.1	16.1	2 / 15	1 / 3		0 / 2
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 16	0 / 7	0 / 1		0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5.8	10.0	0 / 16	1 / 3		0 / 1
Percentage of cycles resulting in singleton live births (%)	15.9	10.0	2 / 16	1 / 3		0 / 1
Percentage of cycles resulting in twin live births (%)	2.9	5.0	0 / 16	0 / 3		0 / 1
Percentage of cycles resulting in live births (%)	18.8	15.0	2 / 16	1 / 3		0 / 1
Percentage of cycles resulting in pregnancies (%)	23.2	25.0	2 / 16	1 / 3		0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	58	17	7	1	0	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6.9	2 / 17	0 / 7	1 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	19.0	2 / 17	2 / 7	1 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	3.4	1 / 17	0 / 7	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	22.4	3 / 17	2 / 7	1 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)	27.6	5 / 17	2 / 7	1 / 1		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	12	2	0	0	0	0
Number of transfers	12	2	0	0	0	0
Estimated average number of transfers per retrieval	1.1					
Average number of embryos transferred	2.1	2.0				
Percentage of embryos transferred resulting in implantation (%)	12.0	0 / 4				
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 12	0 / 2				
Percentage of transfers resulting in singleton live births (%)	2 / 12	0 / 2				
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 2				
Percentage of transfers resulting in live births (%)	2 / 12	0 / 2				
Percentage of transfers resulting in pregnancies (%)	3 / 12	0 / 2				
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			3		
Number of transfers	3			3		
Average number of embryos transferred	2.3			1.7		
Percentage of embryos transferred resulting in implantation (%)	0 / 7			1 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 3			0 / 3		
Percentage of transfers resulting in singleton live births (%)	0 / 3			1 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 3			0 / 3		
Percentage of transfers resulting in live births (%)	0 / 3			1 / 3		
Percentage of transfers resulting in pregnancies (%)	0 / 3			1 / 3		

## CURRENT SERVICES & PROFILE

Current Name: Rush-Copley Center for Reproductive Health

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CENTERS OF ILLINOIS-RIVER NORTH IVF CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Christopher Sipe, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	81%	Tubal factor	6%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 8%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	21%	Male factor	22%	
Used gestational carrier	1%			Diminished ovarian reserve	30%	Other factor	14%	
				Endometriosis	3%	Unknown factor	17%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 3,159 (includes 79 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	620	366	296	129	79	18
Percentage of cancellations before retrieval (%)	12.9	16.7	21.6	19.4	30.4	6 / 18
Average number of embryos transferred	1.4	1.8	2.0	2.1	2.8	2.4
Percentage of embryos transferred resulting in implantation (%)	45.5	33.6	21.4	12.8	11.5	0 / 19
Percentage of elective single embryo transfers (eSET) (%)	54.9	26.4	6.4	3.4	0.0	0 / 5
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.3	20.8	13.5	4.7	3.8	0 / 18
Percentage of cycles resulting in singleton live births (%)	30.3	22.4	14.5	6.2	3.8	0 / 18
Percentage of cycles resulting in twin live births (%)	4.5	5.5	3.0	2.3	1.3	0 / 18
Percentage of cycles resulting in live births (%)	35.0	27.9	17.6	8.5	5.1	0 / 18
Percentage of cycles resulting in pregnancies (%)	39.8	33.6	24.0	13.2	13.9	0 / 18
<b>Outcomes per Transfer</b>						
Number of transfers	435	250	182	72	34	8
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.5	30.4	22.0	8.3	8.8	0 / 8
Percentage of transfers resulting in singleton live births (%)	43.2	32.8	23.6	11.1	8.8	0 / 8
Percentage of transfers resulting in twin live births (%)	6.4	8.0	4.9	4.2	2.9	0 / 8
Percentage of transfers resulting in live births (%)	49.9	40.8	28.6	15.3	11.8	0 / 8
Percentage of transfers resulting in pregnancies (%)	56.8	49.2	39.0	23.6	32.4	0 / 8
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	430	229	184	63	21	4
Number of transfers	397	205	161	56	19	4
Estimated average number of transfers per retrieval	1.4	1.0	1.0	0.7	0.8	0.8
Average number of embryos transferred	1.4	1.4	1.5	1.4	1.6	1.3
Percentage of embryos transferred resulting in implantation (%)	50.7	43.0	36.8	34.6	25.9	3 / 5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.5	30.7	27.3	35.7	2 / 19	1 / 4
Percentage of transfers resulting in singleton live births (%)	42.1	36.1	30.4	35.7	3 / 19	1 / 4
Percentage of transfers resulting in twin live births (%)	9.1	6.3	5.0	1.8	1 / 19	1 / 4
Percentage of transfers resulting in live births (%)	51.6	42.9	35.4	37.5	4 / 19	2 / 4
Percentage of transfers resulting in pregnancies (%)	61.5	52.2	49.1	46.4	7 / 19	2 / 4
<b>Number of Egg/Embryo Banking Cycles</b>						
	105	123	111	65	19	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		83			132	
Number of transfers		61			120	
Average number of embryos transferred		1.5			1.5	
Percentage of embryos transferred resulting in implantation (%)		63.9			46.3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		50.8			27.5	
Percentage of transfers resulting in singleton live births (%)		60.7			35.8	
Percentage of transfers resulting in twin live births (%)		11.5			6.7	
Percentage of transfers resulting in live births (%)		72.1			42.5	
Percentage of transfers resulting in pregnancies (%)		78.7			60.8	

## CURRENT SERVICES & PROFILE

This clinic has reorganized since 2015. Contact the NASS Help Desk for further information.

**Current Name:** Fertility Centers of Illinois-River North IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# INSTITUTE FOR HUMAN REPRODUCTION (IHR) CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by David P. Cohen, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	64%	Tubal factor	13%	Uterine factor	8%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 17%
Unstimulated	<1%	PGD/PGS	2%	Ovulatory dysfunction	12%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	16%	
				Endometriosis	2%	Unknown factor	15%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 610 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	76	39	51	20	18	12
Percentage of cancellations before retrieval (%)	15.8	2.6	13.7	5.0	4 / 18	0 / 12
Average number of embryos transferred	1.4	1.8	2.1	2.1	2.0	1.2
Percentage of embryos transferred resulting in implantation (%)	23.6	28.8	8.6	4.0	0 / 10	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	55.3	29.6	11.5	0 / 10	0 / 4	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	9.2	7.7	3.9	5.0	0 / 18	0 / 12
Percentage of cycles resulting in singleton live births (%)	10.5	7.7	5.9	5.0	0 / 18	0 / 12
Percentage of cycles resulting in twin live births (%)	2.6	7.7	0.0	0.0	0 / 18	0 / 12
Percentage of cycles resulting in live births (%)	13.2	15.4	5.9	5.0	0 / 18	0 / 12
Percentage of cycles resulting in pregnancies (%)	22.4	28.2	7.8	5.0	0 / 18	0 / 12
<b>Outcomes per Transfer</b>						
Number of transfers	53	30	27	12	5	5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.2	10.0	7.4	1 / 12	0 / 5	0 / 5
Percentage of transfers resulting in singleton live births (%)	15.1	10.0	11.1	1 / 12	0 / 5	0 / 5
Percentage of transfers resulting in twin live births (%)	3.8	10.0	0.0	0 / 12	0 / 5	0 / 5
Percentage of transfers resulting in live births (%)	18.9	20.0	11.1	1 / 12	0 / 5	0 / 5
Percentage of transfers resulting in pregnancies (%)	32.1	36.7	14.8	1 / 12	0 / 5	0 / 5
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	100	43	28	6	6	1
Number of transfers	87	39	23	4	5	1
Estimated average number of transfers per retrieval	1.1	0.8	0.4	0.3	0.3	0.2
Average number of embryos transferred	1.3	1.3	1.4	1.3	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	39.8	55.1	40.6	3 / 4	2 / 6	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.0	48.7	26.1	1 / 4	2 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.5	51.3	30.4	2 / 4	2 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	4.6	7.7	8.7	0 / 4	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	39.1	59.0	39.1	2 / 4	2 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	47.1	64.1	43.5	3 / 4	2 / 5	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	46	33	46	15	15	6
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		13		36		
Number of transfers		6		31		
Average number of embryos transferred		1.3		1.5		
Percentage of embryos transferred resulting in implantation (%)		3 / 7		47.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 6		22.6		
Percentage of transfers resulting in singleton live births (%)		2 / 6		22.6		
Percentage of transfers resulting in twin live births (%)		0 / 6		16.1		
Percentage of transfers resulting in live births (%)		2 / 6		38.7		
Percentage of transfers resulting in pregnancies (%)		4 / 6		61.3		

## CURRENT SERVICES & PROFILE

Current Name: Institute for Human Reproduction (IHR)

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NORTHWESTERN UNIVERSITY CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Mary Ellen Pavone, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	82%	Tubal factor	8%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 10%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	13%	Male factor	28%	
Used gestational carrier	1%			Diminished ovarian reserve	31%	Other factor	5%	
				Endometriosis	4%	Unknown factor	24%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,028 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	260	128	136	45	39	1
Percentage of cancellations before retrieval (%)	3.5	8.6	16.9	13.3	20.5	0 / 1
Average number of embryos transferred	1.7	1.8	2.3	2.6	2.6	4.0
Percentage of embryos transferred resulting in implantation (%)	32.9	35.8	16.6	11.5	1.4	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	25.4	19.8	1.0	3.7	0.0	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.1	22.7	15.4	6.7	0.0	0 / 1
Percentage of cycles resulting in singleton live births (%)	25.0	25.8	19.1	8.9	0.0	0 / 1
Percentage of cycles resulting in twin live births (%)	6.5	10.2	3.7	2.2	0.0	0 / 1
Percentage of cycles resulting in live births (%)	31.9	36.7	22.8	11.1	0.0	0 / 1
Percentage of cycles resulting in pregnancies (%)	40.4	42.2	26.5	22.2	5.1	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	233	106	106	35	28	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.8	27.4	19.8	8.6	0.0	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.9	31.1	24.5	11.4	0.0	0 / 1
Percentage of transfers resulting in twin live births (%)	7.3	12.3	4.7	2.9	0.0	0 / 1
Percentage of transfers resulting in live births (%)	35.6	44.3	29.2	14.3	0.0	0 / 1
Percentage of transfers resulting in pregnancies (%)	45.1	50.9	34.0	28.6	7.1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	98	57	27	13	3	2
Number of transfers	93	50	24	13	3	2
Estimated average number of transfers per retrieval	0.7	0.9	0.7	1.1	0.3	
Average number of embryos transferred	1.5	1.5	1.6	1.8	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	46.7	46.6	26.3	25.0	2 / 4	0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.6	32.0	29.2	3 / 13	2 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	39.8	38.0	29.2	3 / 13	2 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	9.7	8.0	4.2	1 / 13	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	49.5	46.0	33.3	4 / 13	2 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	57.0	56.0	37.5	5 / 13	2 / 3	0 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	70	36	25	7	10	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		32			34	
Number of transfers		27			26	
Average number of embryos transferred		1.7			1.4	
Percentage of embryos transferred resulting in implantation (%)		39.5			22.2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		48.1			11.5	
Percentage of transfers resulting in singleton live births (%)		51.9			26.9	
Percentage of transfers resulting in twin live births (%)		0.0			0.0	
Percentage of transfers resulting in live births (%)		51.9			26.9	
Percentage of transfers resulting in pregnancies (%)		63.0			30.8	

## CURRENT SERVICES & PROFILE

Current Name: Northwestern University

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY OF CHICAGO MEDICINE CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Helen Kim, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	42%	Tubal factor	12%	Uterine factor	7%	Multiple Factors: Female factors only 17% Female & male factors 7%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	12%	Male factor	19%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	22%	
				Endometriosis	8%	Unknown factor	29%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 154 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	24	12	13	8	2	1
Percentage of cancellations before retrieval (%)	16.7	2 / 12	3 / 13	4 / 8	1 / 2	0 / 1
Average number of embryos transferred	1.2	1.8	1.9	2.7	1.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 18	4 / 14	4 / 10	2 / 8	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	11 / 14	2 / 8	1 / 7	0 / 3		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.7	1 / 12	2 / 13	0 / 8	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	20.8	1 / 12	2 / 13	0 / 8	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	0.0	1 / 12	1 / 13	1 / 8	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	20.8	2 / 12	3 / 13	1 / 8	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	20.8	3 / 12	5 / 13	1 / 8	0 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	16	8	8	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 16	1 / 8	2 / 8	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 16	1 / 8	2 / 8	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 16	1 / 8	1 / 8	1 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	5 / 16	2 / 8	3 / 8	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	5 / 16	3 / 8	5 / 8	1 / 3	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	31	18	11	2	4	0
Number of transfers	30	17	10	2	4	0
Estimated average number of transfers per retrieval	1.5	1.9	1.7	2.0	4.0	0.0
Average number of embryos transferred	1.6	1.4	1.7	1.5	1.8	
Percentage of embryos transferred resulting in implantation (%)	48.9	45.0	6 / 15	0 / 3	2 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.3	5 / 17	2 / 10	0 / 2	1 / 4	
Percentage of transfers resulting in singleton live births (%)	23.3	6 / 17	2 / 10	0 / 2	1 / 4	
Percentage of transfers resulting in twin live births (%)	23.3	0 / 17	1 / 10	0 / 2	0 / 4	
Percentage of transfers resulting in live births (%)	46.7	6 / 17	3 / 10	0 / 2	1 / 4	
Percentage of transfers resulting in pregnancies (%)	50.0	11 / 17	6 / 10	0 / 2	3 / 4	
<b>Number of Egg/Embryo Banking Cycles</b>						
	9	5	1	0	1	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	4			7		
Number of transfers	3			7		
Average number of embryos transferred	1.7			1.1		
Percentage of embryos transferred resulting in implantation (%)	5 / 5			2 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3			2 / 7		
Percentage of transfers resulting in singleton live births (%)	1 / 3			2 / 7		
Percentage of transfers resulting in twin live births (%)	2 / 3			0 / 7		
Percentage of transfers resulting in live births (%)	3 / 3			2 / 7		
Percentage of transfers resulting in pregnancies (%)	3 / 3			2 / 7		

## CURRENT SERVICES & PROFILE

Current Name: University of Chicago Medicine Center for Reproductive Medicine and Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY OF ILLINOIS AT CHICAGO IVF PROGRAM CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Humberto Scoccia, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	64%	Tubal factor	23%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 23% Female & male factors 24%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	42%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	10%	
				Endometriosis	11%	Unknown factor	9%	

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 193 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		47	21	30	21	14	0
Percentage of cancellations before retrieval (%)		10.6	23.8	16.7	33.3	5 / 14	
Average number of embryos transferred		1.6	1.8	2.3	2.7	2.3	
Percentage of embryos transferred resulting in implantation (%)		41.7	40.7	30.4	3.3	0 / 14	
Percentage of elective single embryo transfers (eSET) (%)		33.3	2 / 13	1 / 19	0 / 8	0 / 4	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		21.3	19.0	13.3	4.8	0 / 14	
Percentage of cycles resulting in singleton live births (%)		27.7	23.8	20.0	4.8	0 / 14	
Percentage of cycles resulting in twin live births (%)		4.3	9.5	3.3	0.0	0 / 14	
Percentage of cycles resulting in live births (%)		31.9	33.3	26.7	4.8	0 / 14	
Percentage of cycles resulting in pregnancies (%)		36.2	38.1	26.7	4.8	0 / 14	
<b>Outcomes per Transfer</b>							
Number of transfers		32	15	20	11	6	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		31.3	4 / 15	20.0	1 / 11	0 / 6	
Percentage of transfers resulting in singleton live births (%)		40.6	5 / 15	30.0	1 / 11	0 / 6	
Percentage of transfers resulting in twin live births (%)		6.3	2 / 15	5.0	0 / 11	0 / 6	
Percentage of transfers resulting in live births (%)		46.9	7 / 15	40.0	1 / 11	0 / 6	
Percentage of transfers resulting in pregnancies (%)		53.1	8 / 15	40.0	1 / 11	0 / 6	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		18	12	6	1	3	1
Number of transfers		17	10	6	1	3	1
Estimated average number of transfers per retrieval		1.7	10.0	0.8		1.5	
Average number of embryos transferred		1.4	1.2	1.8	1.0	1.7	3.0
Percentage of embryos transferred resulting in implantation (%)		45.5	9 / 12	1 / 11	2 / 1	1 / 5	1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 17	2 / 10	0 / 6	0 / 1	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)		6 / 17	4 / 10	0 / 6	0 / 1	1 / 3	1 / 1
Percentage of transfers resulting in twin live births (%)		0 / 17	1 / 10	0 / 6	1 / 1	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)		6 / 17	5 / 10	0 / 6	1 / 1	1 / 3	1 / 1
Percentage of transfers resulting in pregnancies (%)		10 / 17	8 / 10	1 / 6	1 / 1	1 / 3	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>							
		2	1	3	0	2	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		7			4		
Number of transfers		7			4		
Average number of embryos transferred		1.4			1.3		
Percentage of embryos transferred resulting in implantation (%)		4 / 10			4 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 7			2 / 4		
Percentage of transfers resulting in singleton live births (%)		2 / 7			3 / 4		
Percentage of transfers resulting in twin live births (%)		1 / 7			0 / 4		
Percentage of transfers resulting in live births (%)		3 / 7			3 / 4		
Percentage of transfers resulting in pregnancies (%)		3 / 7			3 / 4		

CURRENT SERVICES & PROFILE		Current Name: University of Illinois at Chicago IVF Program					
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## WOMEN'S HEALTH CONSULTANTS CHICAGO, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by Mary W. Molo, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	84%	Tubal factor	27%	Uterine factor	41%	<i>Multiple Factors:</i> Female factors only 42% Female & male factors 39%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	36%	Male factor	46%	
Used gestational carrier	<1%			Diminished ovarian reserve	50%	Other factor	30%	
				Endometriosis	12%	Unknown factor	<1%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 306 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	34	22	22	25	9	16
Percentage of cancellations before retrieval (%)	0.0	4.5	0.0	24.0	3 / 9	5 / 16
Average number of embryos transferred	2.0	1.8	2.2	2.5	1.8	2.1
Percentage of embryos transferred resulting in implantation (%)	17.2	25.0	23.9	0.0	1 / 9	0 / 15
Percentage of elective single embryo transfers (eSET) (%)	10.3	5 / 16	0 / 18	0 / 13	0 / 3	0 / 5
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.7	18.2	27.3	0.0	0 / 9	0 / 16
Percentage of cycles resulting in singleton live births (%)	23.5	22.7	31.8	0.0	0 / 9	0 / 16
Percentage of cycles resulting in twin live births (%)	2.9	4.5	0.0	0.0	0 / 9	0 / 16
Percentage of cycles resulting in live births (%)	26.5	27.3	31.8	0.0	0 / 9	0 / 16
Percentage of cycles resulting in pregnancies (%)	29.4	31.8	45.5	0.0	1 / 9	0 / 16
<b>Outcomes per Transfer</b>						
Number of transfers	32	18	21	15	5	7
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.6	4 / 18	28.6	0 / 15	0 / 5	0 / 7
Percentage of transfers resulting in singleton live births (%)	25.0	5 / 18	33.3	0 / 15	0 / 5	0 / 7
Percentage of transfers resulting in twin live births (%)	3.1	1 / 18	0.0	0 / 15	0 / 5	0 / 7
Percentage of transfers resulting in live births (%)	28.1	6 / 18	33.3	0 / 15	0 / 5	0 / 7
Percentage of transfers resulting in pregnancies (%)	31.3	7 / 18	47.6	0 / 15	1 / 5	0 / 7
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	45	31	13	11	4	2
Number of transfers	43	27	13	10	4	1
Estimated average number of transfers per retrieval	1.4	1.1	0.8	0.8	1.3	0.5
Average number of embryos transferred	2.0	2.0	2.2	2.2	1.8	3.0
Percentage of embryos transferred resulting in implantation (%)	31.0	22.2	31.0	27.3	2 / 7	1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.9	18.5	4 / 13	1 / 10	2 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.2	18.5	5 / 13	1 / 10	2 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	7.0	7.4	1 / 13	1 / 10	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	37.2	25.9	6 / 13	2 / 10	2 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	46.5	29.6	6 / 13	5 / 10	2 / 4	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	23	13	15	8	2	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		2			7	
Number of transfers		2			7	
Average number of embryos transferred		2.0			2.0	
Percentage of embryos transferred resulting in implantation (%)		2 / 4			0 / 14	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 2			0 / 7	
Percentage of transfers resulting in singleton live births (%)		0 / 2			0 / 7	
Percentage of transfers resulting in twin live births (%)		0 / 2			0 / 7	
Percentage of transfers resulting in live births (%)		0 / 2			0 / 7	
Percentage of transfers resulting in pregnancies (%)		2 / 2			0 / 7	

### CURRENT SERVICES & PROFILE

Current Name: Women's Health Consultants

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CENTER FOR REPRODUCTIVE HEALTH/JOLIET IVF CREST HILL, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Scott Springer, DO				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	93%	Tubal factor	8%	Uterine factor	1%	Multiple Factors: Female factors only <1% Female & male factors 0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	3%	
				Endometriosis	<1%	Unknown factor	34%	

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 220 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		22	7	5	4	3	0
Percentage of cancellations before retrieval (%)		4.5	0 / 7	0 / 5	0 / 4	0 / 3	
Average number of embryos transferred		1.8	2.0	2.0	2.0	2.3	
Percentage of embryos transferred resulting in implantation (%)		27.3	4 / 8	2 / 10	3 / 8	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)		2 / 16	0 / 4	0 / 4	0 / 3	0 / 2	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		22.7	1 / 7	0 / 5	0 / 4	0 / 3	
Percentage of cycles resulting in singleton live births (%)		22.7	1 / 7	1 / 5	0 / 4	0 / 3	
Percentage of cycles resulting in twin live births (%)		9.1	1 / 7	0 / 5	1 / 4	0 / 3	
Percentage of cycles resulting in live births (%)		31.8	2 / 7	1 / 5	1 / 4	0 / 3	
Percentage of cycles resulting in pregnancies (%)		31.8	3 / 7	2 / 5	2 / 4	0 / 3	
<b>Outcomes per Transfer</b>							
Number of transfers		18	4	5	4	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		5 / 18	1 / 4	0 / 5	0 / 4	0 / 3	
Percentage of transfers resulting in singleton live births (%)		5 / 18	1 / 4	1 / 5	0 / 4	0 / 3	
Percentage of transfers resulting in twin live births (%)		2 / 18	1 / 4	0 / 5	1 / 4	0 / 3	
Percentage of transfers resulting in live births (%)		7 / 18	2 / 4	1 / 5	1 / 4	0 / 3	
Percentage of transfers resulting in pregnancies (%)		7 / 18	3 / 4	2 / 5	2 / 4	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		56	32	9	3	0	0
Number of transfers		54	32	9	3	0	0
Estimated average number of transfers per retrieval		1.0	1.5	1.1	0.6		0.0
Average number of embryos transferred		1.6	1.6	1.9	1.3		
Percentage of embryos transferred resulting in implantation (%)		36.1	36.0	6 / 17	1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		33.3	31.3	3 / 9	1 / 3		
Percentage of transfers resulting in singleton live births (%)		44.4	34.4	4 / 9	1 / 3		
Percentage of transfers resulting in twin live births (%)		3.7	6.3	1 / 9	0 / 3		
Percentage of transfers resulting in live births (%)		48.1	40.6	5 / 9	1 / 3		
Percentage of transfers resulting in pregnancies (%)		57.4	50.0	5 / 9	1 / 3		
<b>Number of Egg/Embryo Banking Cycles</b>							
		45	20	7	4	0	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0			2		
Number of transfers		0			2		
Average number of embryos transferred					1.5		
Percentage of embryos transferred resulting in implantation (%)					1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)					0 / 2		
Percentage of transfers resulting in singleton live births (%)					0 / 2		
Percentage of transfers resulting in twin live births (%)					0 / 2		
Percentage of transfers resulting in live births (%)					0 / 2		
Percentage of transfers resulting in pregnancies (%)					1 / 2		

CURRENT SERVICES & PROFILE		Current Name: Center for Reproductive Health/Joliet IVF					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MIDWEST FERTILITY CENTER DOWNERS GROVE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Amos E. Madanes, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	45%	Tubal factor	22%	Uterine factor	22%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 15%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	11%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	7%	
				Endometriosis	7%	Unknown factor	<1%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 140 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	40	15	14	9	10	5
Percentage of cancellations before retrieval (%)	2.5	2 / 15	0 / 14	1 / 9	0 / 10	1 / 5
Average number of embryos transferred	2.0	2.6	2.5	3.5	4.1	2.3
Percentage of embryos transferred resulting in implantation (%)	23.7	17.6	3.1	0.0	5.3	0 / 7
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 13	0 / 11	0 / 7	0 / 10	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7.5	1 / 15	0 / 14	0 / 9	1 / 10	0 / 5
Percentage of cycles resulting in singleton live births (%)	12.5	1 / 15	1 / 14	0 / 9	1 / 10	0 / 5
Percentage of cycles resulting in twin live births (%)	10.0	2 / 15	0 / 14	0 / 9	0 / 10	0 / 5
Percentage of cycles resulting in live births (%)	22.5	3 / 15	1 / 14	0 / 9	1 / 10	0 / 5
Percentage of cycles resulting in pregnancies (%)	35.0	3 / 15	1 / 14	1 / 9	3 / 10	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	38	13	13	8	10	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7.9	1 / 13	0 / 13	0 / 8	1 / 10	0 / 3
Percentage of transfers resulting in singleton live births (%)	13.2	1 / 13	1 / 13	0 / 8	1 / 10	0 / 3
Percentage of transfers resulting in twin live births (%)	10.5	2 / 13	0 / 13	0 / 8	0 / 10	0 / 3
Percentage of transfers resulting in live births (%)	23.7	3 / 13	1 / 13	0 / 8	1 / 10	0 / 3
Percentage of transfers resulting in pregnancies (%)	36.8	3 / 13	1 / 13	1 / 8	3 / 10	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	14	5	5	2	0	0
Number of transfers	14	5	5	2	0	0
Estimated average number of transfers per retrieval	1.6	5.0	5.0		0.0	
Average number of embryos transferred	1.8	1.8	1.8	2.5		
Percentage of embryos transferred resulting in implantation (%)	12.0	2 / 9	1 / 9	1 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 14	2 / 5	1 / 5	0 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 14	2 / 5	1 / 5	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 14	0 / 5	0 / 5	0 / 2		
Percentage of transfers resulting in live births (%)	2 / 14	2 / 5	1 / 5	0 / 2		
Percentage of transfers resulting in pregnancies (%)	3 / 14	2 / 5	1 / 5	1 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	0	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	10			9		
Number of transfers	8			8		
Average number of embryos transferred	2.1			2.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 17			2 / 16		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 8			1 / 8		
Percentage of transfers resulting in singleton live births (%)	2 / 8			2 / 8		
Percentage of transfers resulting in twin live births (%)	1 / 8			0 / 8		
Percentage of transfers resulting in live births (%)	3 / 8			2 / 8		
Percentage of transfers resulting in pregnancies (%)	3 / 8			2 / 8		

## CURRENT SERVICES & PROFILE

Current Name: Midwest Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CHICAGO INFERTILITY ASSOCIATES, LTD. ELK GROVE VILLAGE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by Ketan N. Jobanputra, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	91%	Tubal factor	0%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 16%
Unstimulated	0%	PGD/PGS	27%	Ovulatory dysfunction	16%	Male factor	60%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	8%	
				Endometriosis	4%	Unknown factor	12%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 25 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	13	4	2	3	0	0
Percentage of cancellations before retrieval (%)	0 / 13	0 / 4	0 / 2	0 / 3		
Average number of embryos transferred	2.1	2.3	1.0	3.0		
Percentage of embryos transferred resulting in implantation (%)	31.8	1 / 9	1 / 2	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	0 / 10	0 / 3	1 / 1	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 13	1 / 4	1 / 2	0 / 3		
Percentage of cycles resulting in singleton live births (%)	2 / 13	1 / 4	1 / 2	0 / 3		
Percentage of cycles resulting in twin live births (%)	2 / 13	0 / 4	0 / 2	0 / 3		
Percentage of cycles resulting in live births (%)	4 / 13	1 / 4	1 / 2	0 / 3		
Percentage of cycles resulting in pregnancies (%)	6 / 13	1 / 4	1 / 2	1 / 3		
<b>Outcomes per Transfer</b>						
Number of transfers	12	4	2	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 12	1 / 4	1 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 12	1 / 4	1 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 12	0 / 4	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	4 / 12	1 / 4	1 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)	6 / 12	1 / 4	1 / 2	1 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	0	0	1	0	0
Number of transfers	2	0	0	1	0	0
Estimated average number of transfers per retrieval	1.0			1.0		
Average number of embryos transferred	2.5			2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 5			0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 2			0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 2			0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 2			0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 2			0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

### CURRENT SERVICES & PROFILE

Current Name: Chicago Infertility Associates, Ltd.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# DAVIES FERTILITY & IVF SPECIALISTS, SC GLENVIEW, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Susan Davies, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	5%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 1%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	16%	Male factor	14%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	8%	
				Endometriosis	8%	Unknown factor	20%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 286 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	79	30	36	18	25	0
Percentage of cancellations before retrieval (%)	12.7	10.0	13.9	3 / 18	40.0	
Average number of embryos transferred	1.9	1.8	2.4	2.8	2.4	
Percentage of embryos transferred resulting in implantation (%)	24.3	37.5	23.1	0 / 12	0 / 18	
Percentage of elective single embryo transfers (eSET) (%)	11.4	0 / 11	0 / 14	0 / 5	0 / 6	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	11.4	6.7	5.6	0 / 18	0.0	
Percentage of cycles resulting in singleton live births (%)	11.4	10.0	5.6	0 / 18	0.0	
Percentage of cycles resulting in twin live births (%)	2.5	3.3	2.8	0 / 18	0.0	
Percentage of cycles resulting in live births (%)	15.2	16.7	8.3	0 / 18	0.0	
Percentage of cycles resulting in pregnancies (%)	16.5	16.7	16.7	1 / 18	4.0	
<b>Outcomes per Transfer</b>						
Number of transfers	40	13	16	5	8	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.5	2 / 13	2 / 16	0 / 5	0 / 8	
Percentage of transfers resulting in singleton live births (%)	22.5	3 / 13	2 / 16	0 / 5	0 / 8	
Percentage of transfers resulting in twin live births (%)	5.0	1 / 13	1 / 16	0 / 5	0 / 8	
Percentage of transfers resulting in live births (%)	30.0	5 / 13	3 / 16	0 / 5	0 / 8	
Percentage of transfers resulting in pregnancies (%)	32.5	5 / 13	6 / 16	1 / 5	1 / 8	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	34	12	8	4	1	0
Number of transfers	31	12	8	3	1	0
Estimated average number of transfers per retrieval	0.8	0.9	0.5	0.3	0.2	
Average number of embryos transferred	1.9	1.7	1.6	1.7	4.0	
Percentage of embryos transferred resulting in implantation (%)	37.3	45.0	7 / 9	4 / 5	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.6	5 / 12	1 / 8	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	25.8	5 / 12	2 / 8	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	16.1	1 / 12	2 / 8	1 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	41.9	6 / 12	4 / 8	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	48.4	8 / 12	7 / 8	1 / 3	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	11	2	6	6	5	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	5			3		
Number of transfers	2			3		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 4			4 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 2			2 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 2			2 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 2			1 / 3		
Percentage of transfers resulting in live births (%)	2 / 2			3 / 3		
Percentage of transfers resulting in pregnancies (%)	2 / 2			3 / 3		

## CURRENT SERVICES & PROFILE

Current Name: Davies Fertility & IVF Specialists, SC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ADVANCED FERTILITY CENTER OF CHICAGO GURNEE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by Richard P. Sherbahn, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	91%	Tubal factor	9%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 11%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	11%	Male factor	29%	
Used gestational carrier	<1%			Diminished ovarian reserve	38%	Other factor	4%	
				Endometriosis	6%	Unknown factor	19%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 799 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	244	69	76	25	13	2
Percentage of cancellations before retrieval (%)	1.2	0.0	18.4	16.0	1 / 13	1 / 2
Average number of embryos transferred	1.8	1.9	2.4	3.0	3.7	5.0
Percentage of embryos transferred resulting in implantation (%)	52.8	49.2	29.6	8.3	3.1	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	14.0	11.1	0.0	0 / 16	0 / 10	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.7	34.8	18.4	4.0	0 / 13	0 / 2
Percentage of cycles resulting in singleton live births (%)	32.8	42.0	23.7	8.0	0 / 13	0 / 2
Percentage of cycles resulting in twin live births (%)	22.1	15.9	7.9	4.0	0 / 13	0 / 2
Percentage of cycles resulting in live births (%)	55.7	58.0	31.6	12.0	0 / 13	0 / 2
Percentage of cycles resulting in pregnancies (%)	63.5	66.7	43.4	16.0	2 / 13	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	235	68	57	17	10	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.8	35.3	24.6	1 / 17	0 / 10	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.0	42.6	31.6	2 / 17	0 / 10	0 / 1
Percentage of transfers resulting in twin live births (%)	23.0	16.2	10.5	1 / 17	0 / 10	0 / 1
Percentage of transfers resulting in live births (%)	57.9	58.8	42.1	3 / 17	0 / 10	0 / 1
Percentage of transfers resulting in pregnancies (%)	66.0	67.6	57.9	4 / 17	2 / 10	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	114	42	30	2	1	0
Number of transfers	111	42	30	2	1	0
Estimated average number of transfers per retrieval	2.1	1.7	1.5	0.4		
Average number of embryos transferred	1.5	1.3	1.4	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	60.4	49.0	56.1	2 / 2	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	41.4	40.5	26.7	2 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	47.7	40.5	50.0	2 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	17.1	7.1	6.7	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	64.9	47.6	56.7	2 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	72.1	57.1	66.7	2 / 2	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	19	17	16	5	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		63			56	
Number of transfers		59			55	
Average number of embryos transferred		1.7			1.5	
Percentage of embryos transferred resulting in implantation (%)		78.0			55.8	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		40.7			25.5	
Percentage of transfers resulting in singleton live births (%)		45.8			32.7	
Percentage of transfers resulting in twin live births (%)		37.3			12.7	
Percentage of transfers resulting in live births (%)		83.1			47.3	
Percentage of transfers resulting in pregnancies (%)		89.8			65.5	

### CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Center of Chicago

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CENTERS OF ILLINOIS-HIGHLAND PARK IVF CENTER HIGHLAND PARK, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Angeline N. Beltsos, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	4%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 24% Female & male factors 19%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	17%	Male factor	29%	
Used gestational carrier	<1%			Diminished ovarian reserve	42%	Other factor	46%	
				Endometriosis	4%	Unknown factor	10%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 2,713 (includes 38 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	285	163	158	115	67	25
Percentage of cancellations before retrieval (%)	6.3	15.3	17.1	22.6	29.9	44.0
Average number of embryos transferred	1.6	1.8	1.9	2.1	2.5	2.6
Percentage of embryos transferred resulting in implantation (%)	34.2	31.0	8.7	9.7	3.8	0 / 18
Percentage of elective single embryo transfers (eSET) (%)	42.2	15.6	4.3	0.0	5.0	0 / 5
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.7	12.3	5.1	3.5	1.5	0.0
Percentage of cycles resulting in singleton live births (%)	15.8	13.5	5.7	4.3	1.5	0.0
Percentage of cycles resulting in twin live births (%)	2.1	2.5	0.0	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	17.9	16.0	5.7	4.3	1.5	0.0
Percentage of cycles resulting in pregnancies (%)	20.7	19.6	7.6	8.7	3.0	0.0
<b>Outcomes per Transfer</b>						
Number of transfers	130	73	59	34	21	7
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.0	27.4	13.6	11.8	4.8	0 / 7
Percentage of transfers resulting in singleton live births (%)	34.6	30.1	15.3	14.7	4.8	0 / 7
Percentage of transfers resulting in twin live births (%)	4.6	5.5	0.0	0.0	0.0	0 / 7
Percentage of transfers resulting in live births (%)	39.2	35.6	15.3	14.7	4.8	0 / 7
Percentage of transfers resulting in pregnancies (%)	45.4	43.8	20.3	29.4	9.5	0 / 7
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	412	236	195	85	47	4
Number of transfers	377	222	170	72	38	2
Estimated average number of transfers per retrieval	1.2	1.0	0.8	0.6	0.7	0.1
Average number of embryos transferred	1.4	1.3	1.4	1.5	1.4	1.0
Percentage of embryos transferred resulting in implantation (%)	44.6	40.9	36.0	31.1	23.9	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.6	32.9	27.6	22.2	15.8	1 / 2
Percentage of transfers resulting in singleton live births (%)	36.3	35.6	31.8	25.0	18.4	1 / 2
Percentage of transfers resulting in twin live births (%)	8.5	3.6	4.7	5.6	0.0	0 / 2
Percentage of transfers resulting in live births (%)	44.8	39.2	36.5	30.6	18.4	1 / 2
Percentage of transfers resulting in pregnancies (%)	53.1	49.5	47.6	43.1	39.5	1 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	152	165	166	87	43	23
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		44			203	
Number of transfers		31			183	
Average number of embryos transferred		1.7			1.5	
Percentage of embryos transferred resulting in implantation (%)		51.0			55.9	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		35.5			39.3	
Percentage of transfers resulting in singleton live births (%)		45.2			44.8	
Percentage of transfers resulting in twin live births (%)		9.7			10.9	
Percentage of transfers resulting in live births (%)		54.8			56.3	
Percentage of transfers resulting in pregnancies (%)		71.0			69.4	

## CURRENT SERVICES & PROFILE

Current Name: Fertility Centers of Illinois-Highland Park IVF Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HINSDALE CENTER FOR REPRODUCTION HINSDALE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Michael J. Hickey, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	89%	Tubal factor	3%	Uterine factor	10%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 23%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	6%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	64%	
				Endometriosis	1%	Unknown factor	0%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 77 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	25	9	11	0	0	0
Percentage of cancellations before retrieval (%)	16.0	1 / 9	0 / 11			
Average number of embryos transferred	2.0	2.2	2.1			
Percentage of embryos transferred resulting in implantation (%)	20.6	4 / 13	2 / 17			
Percentage of elective single embryo transfers (eSET) (%)	0 / 16	0 / 6	0 / 7			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	12.0	2 / 9	2 / 11			
Percentage of cycles resulting in singleton live births (%)	12.0	2 / 9	2 / 11			
Percentage of cycles resulting in twin live births (%)	8.0	0 / 9	0 / 11			
Percentage of cycles resulting in live births (%)	20.0	2 / 9	2 / 11			
Percentage of cycles resulting in pregnancies (%)	20.0	3 / 9	2 / 11			
<b>Outcomes per Transfer</b>						
Number of transfers	17	6	8	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 17	2 / 6	2 / 8			
Percentage of transfers resulting in singleton live births (%)	3 / 17	2 / 6	2 / 8			
Percentage of transfers resulting in twin live births (%)	2 / 17	0 / 6	0 / 8			
Percentage of transfers resulting in live births (%)	5 / 17	2 / 6	2 / 8			
Percentage of transfers resulting in pregnancies (%)	5 / 17	3 / 6	2 / 8			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	13	7	2	1	0	0
Number of transfers	13	6	2	1	0	0
Estimated average number of transfers per retrieval	1.1	1.2	0.7			
Average number of embryos transferred	2.0	2.0	2.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	45.8	6 / 12	0 / 3	1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7 / 13	4 / 6	0 / 2	1 / 1		
Percentage of transfers resulting in singleton live births (%)	7 / 13	4 / 6	0 / 2	1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 13	0 / 6	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	8 / 13	4 / 6	0 / 2	1 / 1		
Percentage of transfers resulting in pregnancies (%)	10 / 13	4 / 6	1 / 2	1 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	6	1	1	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				3.0		
Percentage of embryos transferred resulting in implantation (%)				1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 1		
Percentage of transfers resulting in singleton live births (%)				1 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				1 / 1		
Percentage of transfers resulting in pregnancies (%)				1 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Hinsdale Center for Reproduction

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# INVIA FERTILITY SPECIALISTS HOFFMAN ESTATES, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Vishvanath C. Karande, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	75%	Tubal factor	6%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 4%
Unstimulated	<1%	PGD/PGS	2%	Ovulatory dysfunction	21%	Male factor	18%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	9%	
				Endometriosis	6%	Unknown factor	31%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 755 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	164	90	66	16	23	6
Percentage of cancellations before retrieval (%)	4.3	11.1	9.1	3 / 16	26.1	0 / 6
Average number of embryos transferred	1.6	1.9	2.0	2.8	2.5	2.0
Percentage of embryos transferred resulting in implantation (%)	47.0	33.0	18.2	13.6	1 / 17	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	33.8	7.8	8.6	1 / 8	0 / 5	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.7	14.4	12.1	1 / 16	0.0	0 / 6
Percentage of cycles resulting in singleton live births (%)	18.9	18.9	15.2	1 / 16	0.0	0 / 6
Percentage of cycles resulting in twin live births (%)	7.3	5.6	1.5	1 / 16	0.0	0 / 6
Percentage of cycles resulting in live births (%)	26.2	25.6	16.7	2 / 16	0.0	0 / 6
Percentage of cycles resulting in pregnancies (%)	30.5	27.8	19.7	2 / 16	8.7	0 / 6
<b>Outcomes per Transfer</b>						
Number of transfers	85	53	39	8	8	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	34.1	24.5	20.5	1 / 8	0 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	36.5	32.1	25.6	1 / 8	0 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	14.1	9.4	2.6	1 / 8	0 / 8	0 / 1
Percentage of transfers resulting in live births (%)	50.6	43.4	28.2	2 / 8	0 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.8	47.2	33.3	2 / 8	2 / 8	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	146	64	37	6	0	2
Number of transfers	146	64	37	6	0	2
Estimated average number of transfers per retrieval	1.3	1.2	0.8	0.7	0.0	0.4
Average number of embryos transferred	1.3	1.5	1.6	1.2		1.0
Percentage of embryos transferred resulting in implantation (%)	51.9	40.9	47.5	2 / 6		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.8	31.3	45.9	2 / 6		0 / 2
Percentage of transfers resulting in singleton live births (%)	36.3	39.1	56.8	2 / 6		0 / 2
Percentage of transfers resulting in twin live births (%)	10.3	4.7	2.7	0 / 6		0 / 2
Percentage of transfers resulting in live births (%)	47.3	43.8	59.5	2 / 6		0 / 2
Percentage of transfers resulting in pregnancies (%)	55.5	54.7	64.9	3 / 6		0 / 2
<b>Number of Egg/Embryo Banking Cycles</b>	32	15	21	8	1	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		17			35	
Number of transfers		15			35	
Average number of embryos transferred		1.5			1.2	
Percentage of embryos transferred resulting in implantation (%)		60.9			35.7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		6 / 15			25.7	
Percentage of transfers resulting in singleton live births (%)		7 / 15			34.3	
Percentage of transfers resulting in twin live births (%)		2 / 15			2.9	
Percentage of transfers resulting in live births (%)		9 / 15			37.1	
Percentage of transfers resulting in pregnancies (%)		10 / 15			42.9	

## CURRENT SERVICES & PROFILE

Current Name: InVia Fertility Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## REENA JABAMONI, MD, SC HOFFMAN ESTATES, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by Reena Jabamoni, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	81%	Tubal factor	23%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 7%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	28%	Male factor	16%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	3%	
				Endometriosis	2%	Unknown factor	5%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 68 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	15	7	8	2	2	3
Percentage of cancellations before retrieval (%)	1 / 15	2 / 7	1 / 8	0 / 2	1 / 2	1 / 3
Average number of embryos transferred	1.2	2.0	2.8	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 7	2 / 4	0 / 11	0 / 1	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	5 / 6	1 / 2	0 / 4		0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 15	0 / 7	0 / 8	0 / 2	0 / 2	0 / 3
Percentage of cycles resulting in singleton live births (%)	3 / 15	0 / 7	0 / 8	0 / 2	0 / 2	0 / 3
Percentage of cycles resulting in twin live births (%)	0 / 15	1 / 7	0 / 8	0 / 2	0 / 2	0 / 3
Percentage of cycles resulting in live births (%)	3 / 15	1 / 7	0 / 8	0 / 2	0 / 2	0 / 3
Percentage of cycles resulting in pregnancies (%)	3 / 15	1 / 7	0 / 8	0 / 2	0 / 2	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	6	2	4	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 6	0 / 2	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 6	0 / 2	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 6	1 / 2	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 6	1 / 2	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 6	1 / 2	0 / 4	0 / 1	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	12	3	5	2	0	0
Number of transfers	11	3	5	2	0	0
Estimated average number of transfers per retrieval	1.6	0.8	1.3			0.0
Average number of embryos transferred	1.0	1.7	1.4	2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 11	2 / 5	2 / 5	0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 11	2 / 3	1 / 5	0 / 2		
Percentage of transfers resulting in singleton live births (%)	5 / 11	2 / 3	2 / 5	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 3	0 / 5	0 / 2		
Percentage of transfers resulting in live births (%)	5 / 11	2 / 3	2 / 5	0 / 2		
Percentage of transfers resulting in pregnancies (%)	5 / 11	2 / 3	3 / 5	0 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	1	2	0	0	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

### CURRENT SERVICES & PROFILE

Current Name: Reena Jabamoni, MD, SC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE HEALTH SPECIALISTS, LTD. JOLIET, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Marek W. Piekos, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	36%	Tubal factor	14%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 7%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	43%	Male factor	7%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	14%	
				Endometriosis	29%	Unknown factor	0%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 16 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	5	6	1	2	0	0
Percentage of cancellations before retrieval (%)	0 / 5	0 / 6	0 / 1	0 / 2		
Average number of embryos transferred	2.6	2.2	3.0	2.5		
Percentage of embryos transferred resulting in implantation (%)	1 / 13	0 / 13	1 / 3	1 / 5		
Percentage of elective single embryo transfers (eSET) (%)	0 / 5	0 / 6	0 / 1	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 5	0 / 6	1 / 1	1 / 2		
Percentage of cycles resulting in singleton live births (%)	1 / 5	0 / 6	1 / 1	1 / 2		
Percentage of cycles resulting in twin live births (%)	0 / 5	0 / 6	0 / 1	0 / 2		
Percentage of cycles resulting in live births (%)	1 / 5	0 / 6	1 / 1	1 / 2		
Percentage of cycles resulting in pregnancies (%)	1 / 5	0 / 6	1 / 1	1 / 2		
<b>Outcomes per Transfer</b>						
Number of transfers	5	6	1	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 5	0 / 6	1 / 1	1 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 5	0 / 6	1 / 1	1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 6	0 / 1	0 / 2		
Percentage of transfers resulting in live births (%)	1 / 5	0 / 6	1 / 1	1 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 5	0 / 6	1 / 1	1 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Specialists, Ltd.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE ADVANCED IVF INSTITUTE  
CHARLES E. MILLER, MD, SC & ASSOCIATES  
NAPERVILLE, ILLINOIS**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2015 ART CYCLE PROFILE**

Data verified by Charles E. Miller, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	9%	Uterine factor	13%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 29%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	31%	Male factor	37%	
Used gestational carrier	<1%			Diminished ovarian reserve	38%	Other factor	5%	
				Endometriosis	8%	Unknown factor	10%	

**2015 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 610 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	135	93	74	33	17	6
Percentage of cancellations before retrieval (%)	10.4	22.6	25.7	27.3	7 / 17	3 / 6
Average number of embryos transferred	1.8	2.1	2.0	2.3	2.8	3.3
Percentage of embryos transferred resulting in implantation (%)	40.6	22.7	12.7	17.6	1 / 17	0 / 10
Percentage of elective single embryo transfers (eSET) (%)	15.4	0.0	0.0	0 / 12	0 / 5	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	11.9	6.5	9.5	0.0	1 / 17	0 / 6
Percentage of cycles resulting in singleton live births (%)	13.3	7.5	13.5	0.0	1 / 17	0 / 6
Percentage of cycles resulting in twin live births (%)	3.7	2.2	0.0	6.1	0 / 17	0 / 6
Percentage of cycles resulting in live births (%)	17.8	10.8	13.5	6.1	1 / 17	0 / 6
Percentage of cycles resulting in pregnancies (%)	24.4	17.2	13.5	12.1	1 / 17	0 / 6
<b>Outcomes per Transfer</b>						
Number of transfers	59	43	39	15	6	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.1	14.0	17.9	0 / 15	1 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	30.5	16.3	25.6	0 / 15	1 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	8.5	4.7	0.0	2 / 15	0 / 6	0 / 3
Percentage of transfers resulting in live births (%)	40.7	23.3	25.6	2 / 15	1 / 6	0 / 3
Percentage of transfers resulting in pregnancies (%)	55.9	37.2	25.6	4 / 15	1 / 6	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	90	40	23	7	2	0
Number of transfers	87	39	22	7	2	0
Estimated average number of transfers per retrieval	1.4	1.1	1.0	1.8	0.4	0.0
Average number of embryos transferred	1.6	1.6	1.9	2.0	3.5	
Percentage of embryos transferred resulting in implantation (%)	55.3	39.0	38.1	3 / 14	0 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.9	23.1	27.3	2 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)	47.1	28.2	45.5	2 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)	14.9	10.3	9.1	0 / 7	0 / 2	
Percentage of transfers resulting in live births (%)	62.1	38.5	54.5	2 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	70.1	51.3	59.1	3 / 7	0 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>	17	12	7	2	2	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		33		13		
Number of transfers		24		12		
Average number of embryos transferred		1.8		1.8		
Percentage of embryos transferred resulting in implantation (%)		52.3		38.1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		37.5		6 / 12		
Percentage of transfers resulting in singleton live births (%)		45.8		6 / 12		
Percentage of transfers resulting in twin live births (%)		20.8		0 / 12		
Percentage of transfers resulting in live births (%)		66.7		6 / 12		
Percentage of transfers resulting in pregnancies (%)		75.0		7 / 12		

**CURRENT SERVICES & PROFILE**

Current Name: The Advanced IVF Institute, Charles E. Miller, MD, SC & Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# IVF1 NAPERVILLE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Randy S. Morris, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	5%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 8%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	4%	Male factor	11%	
Used gestational carrier	<1%			Diminished ovarian reserve	8%	Other factor	3%	
				Endometriosis	3%	Unknown factor	78%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 702 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	91	23	16	15	13	4
Percentage of cancellations before retrieval (%)	7.7	21.7	4 / 16	8 / 15	3 / 13	1 / 4
Average number of embryos transferred	1.7	1.9	2.0		3.5	
Percentage of embryos transferred resulting in implantation (%)	53.2	22.7	2 / 14		0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	24.3	1 / 11	0 / 6		0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.8	13.0	2 / 16	0 / 15	0 / 13	0 / 4
Percentage of cycles resulting in singleton live births (%)	33.0	17.4	2 / 16	0 / 15	0 / 13	0 / 4
Percentage of cycles resulting in twin live births (%)	18.7	0.0	0 / 16	0 / 15	0 / 13	0 / 4
Percentage of cycles resulting in live births (%)	51.6	17.4	2 / 16	0 / 15	0 / 13	0 / 4
Percentage of cycles resulting in pregnancies (%)	59.3	26.1	2 / 16	0 / 15	1 / 13	0 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	77	12	7	0	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.4	3 / 12	2 / 7		0 / 2	
Percentage of transfers resulting in singleton live births (%)	39.0	4 / 12	2 / 7		0 / 2	
Percentage of transfers resulting in twin live births (%)	22.1	0 / 12	0 / 7		0 / 2	
Percentage of transfers resulting in live births (%)	61.0	4 / 12	2 / 7		0 / 2	
Percentage of transfers resulting in pregnancies (%)	70.1	6 / 12	2 / 7		1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	102	70	57	13	1	2
Number of transfers	89	63	47	10	1	2
Estimated average number of transfers per retrieval	1.2	1.1	0.7	0.3	0.1	0.2
Average number of embryos transferred	1.6	1.6	1.5	1.5	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	66.7	51.0	50.0	9 / 15		1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.8	38.1	40.4	5 / 10	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	34.8	47.6	46.8	5 / 10	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	29.2	9.5	8.5	2 / 10	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	64.0	58.7	55.3	7 / 10	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	79.8	68.3	63.8	7 / 10	1 / 1	1 / 2
<b>Number of Egg/Embryo Banking Cycles</b>	47	53	65	34	12	8
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		17			58	
Number of transfers		14			51	
Average number of embryos transferred		1.7			1.6	
Percentage of embryos transferred resulting in implantation (%)		63.6			43.0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 14			31.4	
Percentage of transfers resulting in singleton live births (%)		4 / 14			37.3	
Percentage of transfers resulting in twin live births (%)		5 / 14			7.8	
Percentage of transfers resulting in live births (%)		9 / 14			47.1	
Percentage of transfers resulting in pregnancies (%)		10 / 14			56.9	

## CURRENT SERVICES & PROFILE

Current Name: IVF1

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE MEDICINE INSTITUTE OAK BROOK, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Nasiruddin Rana, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	86%	Tubal factor	10%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 11%
Unstimulated	<1%	PGD/PGS	2%	Ovulatory dysfunction	21%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	12%	
				Endometriosis	6%	Unknown factor	15%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,105 (includes 6 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	217	111	85	57	34	10
Percentage of cancellations before retrieval (%)	6.5	7.2	15.3	5.3	11.8	5 / 10
Average number of embryos transferred	1.7	2.0	2.3	2.4	2.5	2.0
Percentage of embryos transferred resulting in implantation (%)	36.0	17.6	25.2	4.2	8.5	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	24.6	8.6	2.2	0.0	0 / 14	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.7	10.8	11.8	3.5	0.0	0 / 10
Percentage of cycles resulting in singleton live births (%)	16.6	11.7	15.3	3.5	0.0	0 / 10
Percentage of cycles resulting in twin live births (%)	7.4	3.6	4.7	1.8	0.0	0 / 10
Percentage of cycles resulting in live births (%)	24.4	15.3	20.0	5.3	0.0	0 / 10
Percentage of cycles resulting in pregnancies (%)	29.0	18.0	27.1	10.5	8.8	0 / 10
<b>Outcomes per Transfer</b>						
Number of transfers	135	68	50	43	19	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.7	17.6	20.0	4.7	0 / 19	0 / 1
Percentage of transfers resulting in singleton live births (%)	26.7	19.1	26.0	4.7	0 / 19	0 / 1
Percentage of transfers resulting in twin live births (%)	11.9	5.9	8.0	2.3	0 / 19	0 / 1
Percentage of transfers resulting in live births (%)	39.3	25.0	34.0	7.0	0 / 19	0 / 1
Percentage of transfers resulting in pregnancies (%)	46.7	29.4	46.0	14.0	3 / 19	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	171	93	46	25	9	0
Number of transfers	154	88	38	23	9	0
Estimated average number of transfers per retrieval	1.2	1.4	0.8	1.0	1.8	0.0
Average number of embryos transferred	1.8	1.6	1.8	1.7	1.6	
Percentage of embryos transferred resulting in implantation (%)	43.2	37.1	38.8	25.0	2 / 13	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.3	31.8	31.6	21.7	1 / 9	
Percentage of transfers resulting in singleton live births (%)	33.8	40.9	34.2	34.8	2 / 9	
Percentage of transfers resulting in twin live births (%)	14.3	5.7	5.3	0.0	0 / 9	
Percentage of transfers resulting in live births (%)	48.1	46.6	39.5	34.8	2 / 9	
Percentage of transfers resulting in pregnancies (%)	60.4	53.4	57.9	43.5	3 / 9	
<b>Number of Egg/Embryo Banking Cycles</b>						
	49	29	32	15	3	6
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		26			81	
Number of transfers		20			78	
Average number of embryos transferred		1.9			1.7	
Percentage of embryos transferred resulting in implantation (%)		55.6			30.2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		20.0			25.6	
Percentage of transfers resulting in singleton live births (%)		30.0			32.1	
Percentage of transfers resulting in twin live births (%)		20.0			5.1	
Percentage of transfers resulting in live births (%)		50.0			37.2	
Percentage of transfers resulting in pregnancies (%)		70.0			47.4	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# DANIEL ROSTEIN, MD, SC OAK BROOK, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Daniel A. Rostein, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	50%	Tubal factor	20%	Uterine factor	0%	Multiple Factors: Female factors only 20% Female & male factors 0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	0%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	80%	
				Endometriosis	0%	Unknown factor	0%	

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 5 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		0	0	2	0	0	0
Percentage of cancellations before retrieval (%)				0 / 2			
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation (%)							
Percentage of elective single embryo transfers (eSET) (%)							
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 2			
Percentage of cycles resulting in singleton live births (%)				0 / 2			
Percentage of cycles resulting in twin live births (%)				0 / 2			
Percentage of cycles resulting in live births (%)				0 / 2			
Percentage of cycles resulting in pregnancies (%)				0 / 2			
<b>Outcomes per Transfer</b>							
Number of transfers		0	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)							
Percentage of transfers resulting in singleton live births (%)							
Percentage of transfers resulting in twin live births (%)							
Percentage of transfers resulting in live births (%)							
Percentage of transfers resulting in pregnancies (%)							
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		0	0	1	0	0	0
Number of transfers		0	0	1	0	0	0
Estimated average number of transfers per retrieval				1.0			
Average number of embryos transferred				1.0			
Percentage of embryos transferred resulting in implantation (%)				0 / 1			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 1			
Percentage of transfers resulting in singleton live births (%)				0 / 1			
Percentage of transfers resulting in twin live births (%)				0 / 1			
Percentage of transfers resulting in live births (%)				0 / 1			
Percentage of transfers resulting in pregnancies (%)				0 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>							
		0	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles			0			2	
Number of transfers			0			2	
Average number of embryos transferred						2.0	
Percentage of embryos transferred resulting in implantation (%)						0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						0 / 2	
Percentage of transfers resulting in singleton live births (%)						0 / 2	
Percentage of transfers resulting in twin live births (%)						0 / 2	
Percentage of transfers resulting in live births (%)						0 / 2	
Percentage of transfers resulting in pregnancies (%)						0 / 2	

CURRENT SERVICES & PROFILE		Current Name: Daniel Rostein, MD, SC					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-CENTRAL ILLINOIS PEORIA, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Adelina M. Emmi, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	97%	With ICSI	92%	Tubal factor	11%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 17% Female & male factors 35%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	10%	Male factor	47%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	67%	
				Endometriosis	9%	Unknown factor	3%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 200 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	69	25	12	3	0	0
Percentage of cancellations before retrieval (%)	1.4	8.0	3 / 12	1 / 3		
Average number of embryos transferred	1.7	2.0	2.3	1.5		
Percentage of embryos transferred resulting in implantation (%)	28.6	15.0	1 / 16	1 / 3		
Percentage of elective single embryo transfers (eSET) (%)	22.9	1 / 19	0 / 8	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.4	16.0	0 / 12	0 / 3		
Percentage of cycles resulting in singleton live births (%)	23.2	16.0	1 / 12	0 / 3		
Percentage of cycles resulting in twin live births (%)	7.2	4.0	0 / 12	0 / 3		
Percentage of cycles resulting in live births (%)	30.4	20.0	1 / 12	0 / 3		
Percentage of cycles resulting in pregnancies (%)	34.8	20.0	2 / 12	1 / 3		
<b>Outcomes per Transfer</b>						
Number of transfers	58	20	8	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.7	20.0	0 / 8	0 / 2		
Percentage of transfers resulting in singleton live births (%)	27.6	20.0	1 / 8	0 / 2		
Percentage of transfers resulting in twin live births (%)	8.6	5.0	0 / 8	0 / 2		
Percentage of transfers resulting in live births (%)	36.2	25.0	1 / 8	0 / 2		
Percentage of transfers resulting in pregnancies (%)	41.4	25.0	2 / 8	1 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	37	16	6	0	3	0
Number of transfers	33	14	6	0	1	0
Estimated average number of transfers per retrieval	2.2	1.2	0.5	0.0		
Average number of embryos transferred	1.4	1.5	1.8		1.0	
Percentage of embryos transferred resulting in implantation (%)	26.2	30.0	2 / 11		0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.2	1 / 14	2 / 6		0 / 1	
Percentage of transfers resulting in singleton live births (%)	27.3	2 / 14	2 / 6		0 / 1	
Percentage of transfers resulting in twin live births (%)	3.0	2 / 14	0 / 6		0 / 1	
Percentage of transfers resulting in live births (%)	30.3	4 / 14	2 / 6		0 / 1	
Percentage of transfers resulting in pregnancies (%)	39.4	5 / 14	2 / 6		0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	6	10	4	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		3			6	
Number of transfers		1			6	
Average number of embryos transferred		2.0			1.7	
Percentage of embryos transferred resulting in implantation (%)		1 / 2			1 / 10	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 1			0 / 6	
Percentage of transfers resulting in singleton live births (%)		1 / 1			1 / 6	
Percentage of transfers resulting in twin live births (%)		0 / 1			0 / 6	
Percentage of transfers resulting in live births (%)		1 / 1			1 / 6	
Percentage of transfers resulting in pregnancies (%)		1 / 1			1 / 6	

## CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-Central Illinois

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ADVANCED REPRODUCTIVE CENTER ROCKFORD, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Todd D. Deutch, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	67%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 7% Female & male factors 7%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	22%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	9%	
				Endometriosis	9%	Unknown factor	19%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 121 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	44	18	12	3	2	0
Percentage of cancellations before retrieval (%)	4.5	1 / 18	1 / 12	0 / 3	0 / 2	
Average number of embryos transferred	1.7	1.5	1.7	2.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	47.7	25.0	2 / 12	0 / 2	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	24.2	4 / 11	1 / 4	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.2	1 / 18	0 / 12	0 / 3	0 / 2	
Percentage of cycles resulting in singleton live births (%)	25.0	3 / 18	1 / 12	0 / 3	0 / 2	
Percentage of cycles resulting in twin live births (%)	13.6	1 / 18	0 / 12	0 / 3	0 / 2	
Percentage of cycles resulting in live births (%)	38.6	4 / 18	1 / 12	0 / 3	0 / 2	
Percentage of cycles resulting in pregnancies (%)	50.0	4 / 18	2 / 12	0 / 3	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	38	13	7	1	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.1	1 / 13	0 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	28.9	3 / 13	1 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	15.8	1 / 13	0 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	44.7	4 / 13	1 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	57.9	4 / 13	2 / 7	0 / 1	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	20	7	4	1	0	0
Number of transfers	19	7	3	1	0	0
Estimated average number of transfers per retrieval	2.4	3.5	1.0			
Average number of embryos transferred	1.7	1.4	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	43.8	3 / 10	1 / 3	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 19	3 / 7	0 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	7 / 19	3 / 7	1 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	3 / 19	0 / 7	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	10 / 19	3 / 7	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)	11 / 19	3 / 7	1 / 3	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	10			0		
Number of transfers	10			0		
Average number of embryos transferred	1.6					
Percentage of embryos transferred resulting in implantation (%)	10 / 15					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 10					
Percentage of transfers resulting in singleton live births (%)	4 / 10					
Percentage of transfers resulting in twin live births (%)	3 / 10					
Percentage of transfers resulting in live births (%)	7 / 10					
Percentage of transfers resulting in pregnancies (%)	8 / 10					

## CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE HEALTH AND FERTILITY CENTER ROCKFORD, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Chiravudh Sawetawan, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	91%	Tubal factor	23%	Uterine factor	30%	<i>Multiple Factors:</i> Female factors only 33% Female & male factors 27%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	27%	
				Endometriosis	26%	Unknown factor	8%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 228 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	71	14	18	5	1	0
Percentage of cancellations before retrieval (%)	7.0	0 / 14	3 / 18	0 / 5	0 / 1	
Average number of embryos transferred	1.6	1.7	3.4	2.0		
Percentage of embryos transferred resulting in implantation (%)	10.5	27.3	2.3	0 / 6		
Percentage of elective single embryo transfers (eSET) (%)	32.7	2 / 10	0 / 12	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5.6	4 / 14	1 / 18	0 / 5	0 / 1	
Percentage of cycles resulting in singleton live births (%)	5.6	4 / 14	1 / 18	0 / 5	0 / 1	
Percentage of cycles resulting in twin live births (%)	4.2	0 / 14	0 / 18	0 / 5	0 / 1	
Percentage of cycles resulting in live births (%)	9.9	4 / 14	1 / 18	0 / 5	0 / 1	
Percentage of cycles resulting in pregnancies (%)	11.3	6 / 14	1 / 18	0 / 5	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	60	13	13	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6.7	4 / 13	1 / 13	0 / 3		
Percentage of transfers resulting in singleton live births (%)	6.7	4 / 13	1 / 13	0 / 3		
Percentage of transfers resulting in twin live births (%)	5.0	0 / 13	0 / 13	0 / 3		
Percentage of transfers resulting in live births (%)	11.7	4 / 13	1 / 13	0 / 3		
Percentage of transfers resulting in pregnancies (%)	13.3	6 / 13	1 / 13	0 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	42	15	12	3	1	0
Number of transfers	40	9	11	3	1	0
Estimated average number of transfers per retrieval	1.6	1.8	2.8	1.0		
Average number of embryos transferred	1.7	1.7	2.3	2.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	22.4	3 / 12	8.3	0 / 7	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.0	0 / 9	0 / 11	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	17.5	1 / 9	0 / 11	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	7.5	1 / 9	1 / 11	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	25.0	2 / 9	1 / 11	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	30.0	3 / 9	2 / 11	0 / 3	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	2	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		14			30	
Number of transfers		14			24	
Average number of embryos transferred		1.6			1.8	
Percentage of embryos transferred resulting in implantation (%)		38.1			16.3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		5 / 14			8.3	
Percentage of transfers resulting in singleton live births (%)		7 / 14			8.3	
Percentage of transfers resulting in twin live births (%)		0 / 14			8.3	
Percentage of transfers resulting in live births (%)		7 / 14			16.7	
Percentage of transfers resulting in pregnancies (%)		9 / 14			20.8	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Health and Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CHICAGO IVF SKOKIE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Joel G. Brasch, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	90%	Tubal factor	30%	Uterine factor	12%	<i>Multiple Factors:</i> Female factors only 24% Female & male factors 33%
Unstimulated	<1%	PGD/PGS	1%	Ovulatory dysfunction	33%	Male factor	42%	
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	5%	
				Endometriosis	12%	Unknown factor	4%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 641 (includes 21 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	156	62	49	26	20	15
Percentage of cancellations before retrieval (%)	1.3	3.2	0.0	3.8	0.0	2 / 15
Average number of embryos transferred	1.9	2.1	2.3	3.2	3.0	1.4
Percentage of embryos transferred resulting in implantation (%)	24.8	26.8	6.3	8.1	4.2	0 / 11
Percentage of elective single embryo transfers (eSET) (%)	11.9	10.9	3.1	5.0	0 / 13	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.5	19.4	6.1	3.8	0.0	0 / 15
Percentage of cycles resulting in singleton live births (%)	22.4	21.0	6.1	3.8	0.0	0 / 15
Percentage of cycles resulting in twin live births (%)	7.1	8.1	0.0	3.8	0.0	0 / 15
Percentage of cycles resulting in live births (%)	29.5	30.6	6.1	7.7	0.0	0 / 15
Percentage of cycles resulting in pregnancies (%)	37.2	43.5	18.4	26.9	10.0	0 / 15
<b>Outcomes per Transfer</b>						
Number of transfers	145	59	39	22	16	8
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.1	20.3	7.7	4.5	0 / 16	0 / 8
Percentage of transfers resulting in singleton live births (%)	24.1	22.0	7.7	4.5	0 / 16	0 / 8
Percentage of transfers resulting in twin live births (%)	7.6	8.5	0.0	4.5	0 / 16	0 / 8
Percentage of transfers resulting in live births (%)	31.7	32.2	7.7	9.1	0 / 16	0 / 8
Percentage of transfers resulting in pregnancies (%)	40.0	45.8	23.1	31.8	2 / 16	0 / 8
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	114	42	25	13	3	3
Number of transfers	112	42	23	13	3	3
Estimated average number of transfers per retrieval	1.7	1.7	1.2	0.7	0.4	0.4
Average number of embryos transferred	1.9	1.9	1.9	2.5	2.3	1.7
Percentage of embryos transferred resulting in implantation (%)	13.2	15.6	18.2	12.1	0 / 7	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	10.7	11.9	21.7	3 / 13	0 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	14.3	16.7	21.7	3 / 13	0 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	3.6	2.4	0.0	0 / 13	0 / 3	0 / 3
Percentage of transfers resulting in live births (%)	17.9	19.0	21.7	3 / 13	0 / 3	0 / 3
Percentage of transfers resulting in pregnancies (%)	22.3	28.6	30.4	4 / 13	0 / 3	0 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	23	5	15	12	4	5
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		4			24	
Number of transfers		4			24	
Average number of embryos transferred		2.0			2.1	
Percentage of embryos transferred resulting in implantation (%)		2 / 8			10.4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 4			4.2	
Percentage of transfers resulting in singleton live births (%)		0 / 4			8.3	
Percentage of transfers resulting in twin live births (%)		1 / 4			4.2	
Percentage of transfers resulting in live births (%)		1 / 4			12.5	
Percentage of transfers resulting in pregnancies (%)		1 / 4			25.0	

## CURRENT SERVICES & PROFILE

Current Name: Chicago IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NORTH SHORE FERTILITY SKOKIE, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Anne Borkowski, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	82%	Tubal factor	9%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 2%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	68%	Male factor	9%	
Used gestational carrier	0%			Diminished ovarian reserve	<1%	Other factor	12%	
				Endometriosis	0%	Unknown factor	4%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 187 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	33	15	28	13	8	7
Percentage of cancellations before retrieval (%)	6.1	1 / 15	3.6	1 / 13	0 / 8	1 / 7
Average number of embryos transferred	1.6	1.3	2.0	2.0	2.0	1.7
Percentage of embryos transferred resulting in implantation (%)	56.5	2 / 9	9.1	0 / 10	0 / 4	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	7 / 18	3 / 5	1 / 9	0 / 4	0 / 1	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0.0	0 / 15	0.0	0 / 13	0 / 8	0 / 7
Percentage of cycles resulting in singleton live births (%)	0.0	0 / 15	0.0	0 / 13	0 / 8	0 / 7
Percentage of cycles resulting in twin live births (%)	0.0	0 / 15	0.0	0 / 13	0 / 8	0 / 7
Percentage of cycles resulting in live births (%)	0.0	0 / 15	0.0	0 / 13	0 / 8	0 / 7
Percentage of cycles resulting in pregnancies (%)	36.4	2 / 15	7.1	0 / 13	0 / 8	0 / 7
<b>Outcomes per Transfer</b>						
Number of transfers	19	7	11	5	2	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 19	0 / 7	0 / 11	0 / 5	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	0 / 19	0 / 7	0 / 11	0 / 5	0 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 19	0 / 7	0 / 11	0 / 5	0 / 2	0 / 3
Percentage of transfers resulting in live births (%)	0 / 19	0 / 7	0 / 11	0 / 5	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	12 / 19	2 / 7	2 / 11	0 / 5	0 / 2	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	24	16	13	6	0	1
Number of transfers	23	16	13	6	0	1
Estimated average number of transfers per retrieval	0.9	1.5	1.3	1.2	0.0	0.5
Average number of embryos transferred	1.4	1.3	1.5	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	50.0	40.0	8 / 18	1 / 10		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	8.7	0 / 16	1 / 13	1 / 6		0 / 1
Percentage of transfers resulting in singleton live births (%)	21.7	2 / 16	1 / 13	1 / 6		0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 16	1 / 13	0 / 6		0 / 1
Percentage of transfers resulting in live births (%)	21.7	2 / 16	2 / 13	1 / 6		0 / 1
Percentage of transfers resulting in pregnancies (%)	60.9	9 / 16	7 / 13	2 / 6		0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	8	4	3	0	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			7		
Number of transfers	0			7		
Average number of embryos transferred				1.4		
Percentage of embryos transferred resulting in implantation (%)				0 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 7		
Percentage of transfers resulting in singleton live births (%)				0 / 7		
Percentage of transfers resulting in twin live births (%)				0 / 7		
Percentage of transfers resulting in live births (%)				0 / 7		
Percentage of transfers resulting in pregnancies (%)				0 / 7		

## CURRENT SERVICES & PROFILE

Current Name: North Shore Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SOUTHERN ILLINOIS UNIVERSITY SCHOOL OF MEDICINE FERTILITY AND IVF CENTER SPRINGFIELD, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by J. Ricardo Loret de Mola, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	29%	Tubal factor	19%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 12%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	23%	Male factor	27%	
Used gestational carrier	2%			Diminished ovarian reserve	18%	Other factor	8%	
				Endometriosis	18%	Unknown factor	6%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 190 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	82	28	16	2	1	0
Percentage of cancellations before retrieval (%)	4.9	14.3	3 / 16	0 / 2	0 / 1	
Average number of embryos transferred	1.8	2.1	2.3		3.0	
Percentage of embryos transferred resulting in implantation (%)	43.0	35.3	13.3		0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	16.7	0.0	1 / 11		0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.3	14.3	2 / 16	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	37.8	17.9	2 / 16	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	9.8	17.9	0 / 16	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)	48.8	35.7	2 / 16	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancies (%)	54.9	42.9	4 / 16	0 / 2	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	75	24	13	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.0	16.7	2 / 13		0 / 1	
Percentage of transfers resulting in singleton live births (%)	41.3	20.8	2 / 13		0 / 1	
Percentage of transfers resulting in twin live births (%)	10.7	20.8	0 / 13		0 / 1	
Percentage of transfers resulting in live births (%)	53.3	41.7	2 / 13		0 / 1	
Percentage of transfers resulting in pregnancies (%)	60.0	50.0	4 / 13		0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	19	3	3	2	0	0
Number of transfers	17	3	3	2	0	0
Estimated average number of transfers per retrieval	5.7	0.8	1.0	0.5		
Average number of embryos transferred	1.8	1.7	2.3	2.0		
Percentage of embryos transferred resulting in implantation (%)	41.9	2 / 5	0 / 7	1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 17	0 / 3	0 / 3	0 / 2		
Percentage of transfers resulting in singleton live births (%)	8 / 17	1 / 3	0 / 3	1 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 17	0 / 3	0 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	10 / 17	1 / 3	0 / 3	1 / 2		
Percentage of transfers resulting in pregnancies (%)	10 / 17	2 / 3	0 / 3	1 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	2	2	3	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	17			10		
Number of transfers	17			10		
Average number of embryos transferred	1.8			1.9		
Percentage of embryos transferred resulting in implantation (%)	78.6			7 / 19		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 17			4 / 10		
Percentage of transfers resulting in singleton live births (%)	7 / 17			4 / 10		
Percentage of transfers resulting in twin live births (%)	5 / 17			1 / 10		
Percentage of transfers resulting in live births (%)	12 / 17			5 / 10		
Percentage of transfers resulting in pregnancies (%)	15 / 17			6 / 10		

## CURRENT SERVICES & PROFILE

Current Name: Southern Illinois University School of Medicine Fertility and IVF Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SETH LEVRANT, MD, PC PARTNERS IN REPRODUCTIVE HEALTH TINLEY PARK, ILLINOIS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Seth G. Levrant, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	71%	Tubal factor	32%	Uterine factor	15%	<i>Multiple Factors:</i> Female factors only 33% Female & male factors 25%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	29%	Male factor	34%	
Used gestational carrier	2%			Diminished ovarian reserve	29%	Other factor	16%	
				Endometriosis	18%	Unknown factor	11%	

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 77 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		16	10	21	0	2	2
Percentage of cancellations before retrieval (%)		0 / 16	0 / 10	19.0		1 / 2	1 / 2
Average number of embryos transferred		1.5	2.0	2.1		1.0	2.0
Percentage of embryos transferred resulting in implantation (%)		39.1	2 / 18	14.3		0 / 1	1 / 2
Percentage of elective single embryo transfers (eSET) (%)		8 / 15	0 / 9	1 / 16			0 / 1
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		6 / 16	1 / 10	4.8		0 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)		8 / 16	1 / 10	9.5		0 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)		0 / 16	0 / 10	0.0		0 / 2	0 / 2
Percentage of cycles resulting in live births (%)		8 / 16	1 / 10	9.5		0 / 2	0 / 2
Percentage of cycles resulting in pregnancies (%)		9 / 16	2 / 10	19.0		0 / 2	1 / 2
<b>Outcomes per Transfer</b>							
Number of transfers		15	9	17	0	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		6 / 15	1 / 9	1 / 17		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)		8 / 15	1 / 9	2 / 17		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 15	0 / 9	0 / 17		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)		8 / 15	1 / 9	2 / 17		0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)		9 / 15	2 / 9	4 / 17		0 / 1	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		13	6	3	1	0	0
Number of transfers		11	4	2	1	0	0
Estimated average number of transfers per retrieval		2.8		2.0	1.0		
Average number of embryos transferred		1.5	1.5	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)		3 / 17	2 / 5	1 / 4	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 11	1 / 4	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)		1 / 11	1 / 4	0 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)		1 / 11	0 / 4	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)		2 / 11	1 / 4	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)		2 / 11	3 / 4	1 / 2	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>							
		1	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		1			1		
Number of transfers		1			1		
Average number of embryos transferred		2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)		2 / 2			0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1			0 / 1		
Percentage of transfers resulting in singleton live births (%)		0 / 1			0 / 1		
Percentage of transfers resulting in twin live births (%)		1 / 1			0 / 1		
Percentage of transfers resulting in live births (%)		1 / 1			0 / 1		
Percentage of transfers resulting in pregnancies (%)		1 / 1			0 / 1		

CURRENT SERVICES & PROFILE		Current Name: Seth Levrant, MD, PC, Partners in Reproductive Health					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MIDWEST FERTILITY SPECIALISTS CARMEL, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Laura M. Reuter, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	82%	Tubal factor	9%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 11%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	12%	Male factor	32%	
Used gestational carrier	2%			Diminished ovarian reserve	19%	Other factor	26%	
				Endometriosis	8%	Unknown factor	11%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 881 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	297	75	55	17	5	1
Percentage of cancellations before retrieval (%)	5.4	10.7	9.1	4 / 17	0 / 5	0 / 1
Average number of embryos transferred	1.8	1.8	2.2	2.4	3.5	
Percentage of embryos transferred resulting in implantation (%)	33.0	35.7	14.9	9.1	0 / 14	
Percentage of elective single embryo transfers (eSET) (%)	11.3	10.6	0.0	0 / 9	0 / 4	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.9	17.3	3.6	0 / 17	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	22.2	25.3	3.6	0 / 17	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	6.4	8.0	7.3	1 / 17	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	30.0	33.3	10.9	1 / 17	0 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)	35.0	37.3	14.5	1 / 17	0 / 5	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	228	56	36	9	4	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.9	23.2	5.6	0 / 9	0 / 4	
Percentage of transfers resulting in singleton live births (%)	28.9	33.9	5.6	0 / 9	0 / 4	
Percentage of transfers resulting in twin live births (%)	8.3	10.7	11.1	1 / 9	0 / 4	
Percentage of transfers resulting in live births (%)	39.0	44.6	16.7	1 / 9	0 / 4	
Percentage of transfers resulting in pregnancies (%)	45.6	50.0	22.2	1 / 9	0 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	153	34	31	6	3	1
Number of transfers	144	28	22	4	1	0
Estimated average number of transfers per retrieval	1.2	1.3	1.1	0.7	0.3	0.0
Average number of embryos transferred	1.5	1.8	1.5	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	33.0	30.0	27.3	0 / 6	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.1	42.9	31.8	0 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	35.4	46.4	40.9	0 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	4.9	3.6	0.0	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	40.3	50.0	40.9	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	45.8	50.0	40.9	0 / 4	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	25	12	13	4	3	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		59			80	
Number of transfers		52			66	
Average number of embryos transferred		1.8			1.8	
Percentage of embryos transferred resulting in implantation (%)		44.3			29.2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		23.1			15.2	
Percentage of transfers resulting in singleton live births (%)		28.8			21.2	
Percentage of transfers resulting in twin live births (%)		19.2			10.6	
Percentage of transfers resulting in live births (%)		48.1			31.8	
Percentage of transfers resulting in pregnancies (%)		57.7			40.9	

## CURRENT SERVICES & PROFILE

Current Name: Midwest Fertility Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**ADVANCED REPRODUCTION INSTITUTE, LLC  
ADVANCED FERTILITY GROUP  
EVANSVILLE, INDIANA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2015 ART CYCLE PROFILE**

Data verified by William L. Gentry, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	29%	Tubal factor	16%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 17%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	54%	Male factor	28%	
Used gestational carrier	1%			Diminished ovarian reserve	17%	Other factor	6%	
				Endometriosis	12%	Unknown factor	3%	

**2015 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 161 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	56	15	8	5	1	1
Percentage of cancellations before retrieval (%)	10.7	2 / 15	2 / 8	0 / 5	0 / 1	1 / 1
Average number of embryos transferred	2.0	2.1	1.8	2.2	3.0	
Percentage of embryos transferred resulting in implantation (%)	37.1	28.0	1 / 11	2 / 11		
Percentage of elective single embryo transfers (eSET) (%)	6.1	0 / 12	0 / 4	0 / 4	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.6	2 / 15	0 / 8	1 / 5	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	21.4	3 / 15	0 / 8	1 / 5	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	12.5	2 / 15	0 / 8	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	35.7	5 / 15	0 / 8	1 / 5	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	48.2	5 / 15	1 / 8	2 / 5	1 / 1	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	49	12	6	5	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.4	2 / 12	0 / 6	1 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	24.5	3 / 12	0 / 6	1 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	14.3	2 / 12	0 / 6	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	40.8	5 / 12	0 / 6	1 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	55.1	5 / 12	1 / 6	2 / 5	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	34	10	6	1	0	0
Number of transfers	32	10	6	1	0	0
Estimated average number of transfers per retrieval	2.9	2.5	3.0			
Average number of embryos transferred	1.5	2.1	1.8	2.0		
Percentage of embryos transferred resulting in implantation (%)	27.7	4.8	3 / 9	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.0	1 / 10	3 / 6	0 / 1		
Percentage of transfers resulting in singleton live births (%)	28.1	1 / 10	3 / 6	0 / 1		
Percentage of transfers resulting in twin live births (%)	3.1	0 / 10	0 / 6	0 / 1		
Percentage of transfers resulting in live births (%)	31.3	1 / 10	3 / 6	0 / 1		
Percentage of transfers resulting in pregnancies (%)	34.4	1 / 10	4 / 6	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	1	1	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	6			14		
Number of transfers	4			13		
Average number of embryos transferred	1.8			1.9		
Percentage of embryos transferred resulting in implantation (%)	1 / 5			34.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 4			1 / 13		
Percentage of transfers resulting in singleton live births (%)	1 / 4			2 / 13		
Percentage of transfers resulting in twin live births (%)	0 / 4			1 / 13		
Percentage of transfers resulting in live births (%)	1 / 4			4 / 13		
Percentage of transfers resulting in pregnancies (%)	2 / 4			6 / 13		

**CURRENT SERVICES & PROFILE**

Current Name: Advanced Reproduction Institute, LLC, Advanced Fertility Group

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ADVANCED FERTILITY GROUP INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by William Gentry, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	40%	Tubal factor	5%	Uterine factor	10%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 17%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	19%	Male factor	44%	
Used gestational carrier	2%			Diminished ovarian reserve	22%	Other factor	10%	
				Endometriosis	11%	Unknown factor	3%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 84 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	14	13	14	4	3	2
Percentage of cancellations before retrieval (%)	0 / 14	0 / 13	5 / 14	3 / 4	1 / 3	0 / 2
Average number of embryos transferred	1.9	1.9	2.0	3.0	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	9 / 19	21.7	2 / 16	0 / 3	0 / 4	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 11	0 / 7	0 / 1	0 / 2	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 14	3 / 13	2 / 14	0 / 4	0 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)	3 / 14	3 / 13	2 / 14	0 / 4	0 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)	3 / 14	1 / 13	0 / 14	0 / 4	0 / 3	0 / 2
Percentage of cycles resulting in live births (%)	6 / 14	4 / 13	2 / 14	0 / 4	0 / 3	0 / 2
Percentage of cycles resulting in pregnancies (%)	8 / 14	4 / 13	2 / 14	0 / 4	0 / 3	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	12	12	8	1	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 12	3 / 12	2 / 8	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 12	3 / 12	2 / 8	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 12	1 / 12	0 / 8	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	6 / 12	4 / 12	2 / 8	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	8 / 12	4 / 12	2 / 8	0 / 1	0 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	12	6	8	0	1	0
Number of transfers	12	6	8	0	1	0
Estimated average number of transfers per retrieval	1.5	1.5	8.0			
Average number of embryos transferred	1.7	1.7	1.8		2.0	
Percentage of embryos transferred resulting in implantation (%)	45.0	6 / 10	0 / 14		1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 12	1 / 6	0 / 8		1 / 1	
Percentage of transfers resulting in singleton live births (%)	4 / 12	2 / 6	0 / 8		1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 12	1 / 6	0 / 8		0 / 1	
Percentage of transfers resulting in live births (%)	4 / 12	3 / 6	0 / 8		1 / 1	
Percentage of transfers resulting in pregnancies (%)	9 / 12	5 / 6	0 / 8		1 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	4	1	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	2.0			3.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			2 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1			1 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Group

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**BONAVENTURA REPRODUCTIVE MEDICINE  
INDIANAPOLIS, INDIANA**

---

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

# COMMUNITY REPRODUCTIVE ENDOCRINOLOGY INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by David E. Carnovale, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	78%	Tubal factor	4%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 28%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	57%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	7%	
				Endometriosis	35%	Unknown factor	5%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 143 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	53	15	8	1	1	0
Percentage of cancellations before retrieval (%)	11.3	5 / 15	1 / 8	0 / 1	0 / 1	
Average number of embryos transferred	1.7	2.0	2.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	57.4	2 / 10	4 / 6	0 / 2	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	25.0	0 / 6	0 / 4	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.4	2 / 15	0 / 8	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	26.4	2 / 15	0 / 8	0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	15.1	0 / 15	2 / 8	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	41.5	2 / 15	2 / 8	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancies (%)	45.3	3 / 15	3 / 8	0 / 1	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	36	6	4	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	38.9	2 / 6	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	38.9	2 / 6	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	22.2	0 / 6	2 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	61.1	2 / 6	2 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	66.7	3 / 6	3 / 4	0 / 1	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	20	5	6	1	0	0
Number of transfers	20	5	6	1	0	0
Estimated average number of transfers per retrieval	1.1	0.8	1.2	0.3		
Average number of embryos transferred	1.4	1.6	1.8	2.0		
Percentage of embryos transferred resulting in implantation (%)	28.0	2 / 8	3 / 11	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.0	1 / 5	2 / 6	0 / 1		
Percentage of transfers resulting in singleton live births (%)	25.0	1 / 5	3 / 6	0 / 1		
Percentage of transfers resulting in twin live births (%)	0.0	0 / 5	0 / 6	0 / 1		
Percentage of transfers resulting in live births (%)	25.0	1 / 5	3 / 6	0 / 1		
Percentage of transfers resulting in pregnancies (%)	40.0	2 / 5	3 / 6	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	11	3	4	2	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	4			8		
Number of transfers	4			8		
Average number of embryos transferred	2.0			1.8		
Percentage of embryos transferred resulting in implantation (%)	4 / 8			7 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 4			2 / 8		
Percentage of transfers resulting in singleton live births (%)	2 / 4			3 / 8		
Percentage of transfers resulting in twin live births (%)	1 / 4			2 / 8		
Percentage of transfers resulting in live births (%)	3 / 4			5 / 8		
Percentage of transfers resulting in pregnancies (%)	3 / 4			6 / 8		

## CURRENT SERVICES & PROFILE

Current Name: Community Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FAMILY BEGINNINGS, PC INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by James G. Donahue, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	72%	Tubal factor	17%	Uterine factor	0%	Multiple Factors: Female factors only <1% Female & male factors 9%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	16%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	10%	Other factor	10%	
				Endometriosis	5%	Unknown factor	22%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 193 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	58	21	14	3	1	2
Percentage of cancellations before retrieval (%)	19.0	19.0	6 / 14	2 / 3	0 / 1	0 / 2
Average number of embryos transferred	1.8	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	32.3	8.3	2 / 12			
Percentage of elective single embryo transfers (eSET) (%)	6.7	0 / 11	0 / 5			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.5	0.0	0 / 14	0 / 3	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	17.2	0.0	1 / 14	0 / 3	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	5.2	0.0	0 / 14	0 / 3	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	22.4	0.0	1 / 14	0 / 3	0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)	25.9	9.5	2 / 14	0 / 3	0 / 1	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	34	12	6	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.5	0 / 12	0 / 6			
Percentage of transfers resulting in singleton live births (%)	29.4	0 / 12	1 / 6			
Percentage of transfers resulting in twin live births (%)	8.8	0 / 12	0 / 6			
Percentage of transfers resulting in live births (%)	38.2	0 / 12	1 / 6			
Percentage of transfers resulting in pregnancies (%)	44.1	2 / 12	2 / 6			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	36	14	5	1	2	1
Number of transfers	34	12	3	1	2	1
Estimated average number of transfers per retrieval	1.5	0.6	1.0	0.5	0.5	1.0
Average number of embryos transferred	1.6	1.8	1.0	2.0	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	15.4	47.6	1 / 3	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	8.8	4 / 12	1 / 3	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	14.7	6 / 12	1 / 3	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	1 / 12	0 / 3	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	14.7	7 / 12	1 / 3	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	23.5	8 / 12	1 / 3	0 / 1	0 / 2	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	8	12	3	2	3	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			2		
Number of transfers	3			1		
Average number of embryos transferred	2.0			1.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 6			1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3			1 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 3			1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 3			0 / 1		
Percentage of transfers resulting in live births (%)	2 / 3			1 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 3			1 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Family Beginnings, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# INDIANA UNIVERSITY HOSPITAL INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Marguerite K. Shepard, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	60%	Tubal factor	13%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 7%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	47%	
				Endometriosis	0%	Unknown factor	7%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 17 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	3	1	1	0	0	0
Percentage of cancellations before retrieval (%)	0 / 3	0 / 1	0 / 1			
Average number of embryos transferred	1.7					
Percentage of embryos transferred resulting in implantation (%)	2 / 5					
Percentage of elective single embryo transfers (eSET) (%)	1 / 3					
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3	0 / 1	0 / 1			
Percentage of cycles resulting in singleton live births (%)	2 / 3	0 / 1	0 / 1			
Percentage of cycles resulting in twin live births (%)	0 / 3	0 / 1	0 / 1			
Percentage of cycles resulting in live births (%)	2 / 3	0 / 1	0 / 1			
Percentage of cycles resulting in pregnancies (%)	2 / 3	0 / 1	0 / 1			
<b>Outcomes per Transfer</b>						
Number of transfers	3	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 3					
Percentage of transfers resulting in singleton live births (%)	2 / 3					
Percentage of transfers resulting in twin live births (%)	0 / 3					
Percentage of transfers resulting in live births (%)	2 / 3					
Percentage of transfers resulting in pregnancies (%)	2 / 3					
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	4	5	1	0	0	0
Number of transfers	4	4	0	0	0	0
Estimated average number of transfers per retrieval	4.0	2.0	0.0			
Average number of embryos transferred	2.3	2.0				
Percentage of embryos transferred resulting in implantation (%)	2 / 9	6 / 8				
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 4	0 / 4				
Percentage of transfers resulting in singleton live births (%)	1 / 4	0 / 4				
Percentage of transfers resulting in twin live births (%)	0 / 4	3 / 4				
Percentage of transfers resulting in live births (%)	1 / 4	3 / 4				
Percentage of transfers resulting in pregnancies (%)	2 / 4	3 / 4				
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	1	1	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: Indiana University Hospital

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**JOHN C. JARRETT, II, MD**  
**AMERICAN HEALTH NETWORK REPRODUCTIVE MEDICINE**  
**INDIANAPOLIS, INDIANA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by John C. Jarrett, II, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	77%	Tubal factor	9%	Uterine factor	5%	Multiple Factors: Female factors only 15% Female & male factors 9%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	22%	Male factor	20%	
Used gestational carrier	<1%			Diminished ovarian reserve	14%	Other factor	21%	
				Endometriosis	23%	Unknown factor	14%	

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 542 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		184	61	41	17	14	4
Percentage of cancellations before retrieval (%)		10.3	8.2	17.1	2 / 17	3 / 14	1 / 4
Average number of embryos transferred		1.6	1.8	1.8	1.4	1.8	2.5
Percentage of embryos transferred resulting in implantation (%)		48.2	32.5	40.0	2 / 13	1 / 15	0 / 5
Percentage of elective single embryo transfers (eSET) (%)		28.8	5.3	1 / 18	0 / 4	0 / 4	0 / 2
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		24.5	18.0	19.5	1 / 17	0 / 14	0 / 4
Percentage of cycles resulting in singleton live births (%)		30.4	18.0	24.4	1 / 17	0 / 14	0 / 4
Percentage of cycles resulting in twin live births (%)		6.5	8.2	4.9	0 / 17	0 / 14	0 / 4
Percentage of cycles resulting in live births (%)		37.5	26.2	29.3	1 / 17	0 / 14	0 / 4
Percentage of cycles resulting in pregnancies (%)		43.5	36.1	36.6	1 / 17	2 / 14	0 / 4
<b>Outcomes per Transfer</b>							
Number of transfers		125	46	24	9	10	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		36.0	23.9	33.3	1 / 9	0 / 10	0 / 2
Percentage of transfers resulting in singleton live births (%)		44.8	23.9	41.7	1 / 9	0 / 10	0 / 2
Percentage of transfers resulting in twin live births (%)		9.6	10.9	8.3	0 / 9	0 / 10	0 / 2
Percentage of transfers resulting in live births (%)		55.2	34.8	50.0	1 / 9	0 / 10	0 / 2
Percentage of transfers resulting in pregnancies (%)		64.0	47.8	62.5	1 / 9	2 / 10	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		90	26	16	0	1	1
Number of transfers		88	23	16	0	1	1
Estimated average number of transfers per retrieval		1.7	1.5	1.6	0.0	0.1	
Average number of embryos transferred		1.6	1.6	1.8		1.0	5.0
Percentage of embryos transferred resulting in implantation (%)		35.9	21.6	13.8		0 / 1	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		29.5	13.0	3 / 16		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)		31.8	17.4	3 / 16		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)		8.0	4.3	0 / 16		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)		39.8	21.7	3 / 16		0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)		51.1	26.1	4 / 16		0 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>							
		9	2	5	4	5	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		34			27		
Number of transfers		32			27		
Average number of embryos transferred		1.7			1.8		
Percentage of embryos transferred resulting in implantation (%)		34.7			24.5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		18.8			18.5		
Percentage of transfers resulting in singleton live births (%)		21.9			25.9		
Percentage of transfers resulting in twin live births (%)		12.5			7.4		
Percentage of transfers resulting in live births (%)		34.4			33.3		
Percentage of transfers resulting in pregnancies (%)		50.0			37.0		

CURRENT SERVICES & PROFILE		Current Name: Indiana Fertility Institute					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE CARE OF INDIANA INDIANAPOLIS, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Michael A. Henry, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	46%	Tubal factor	6%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 3%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	17%	Male factor	18%	
Used gestational carrier	5%			Diminished ovarian reserve	15%	Other factor	26%	
				Endometriosis	7%	Unknown factor	15%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 106 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	46	9	4	2	0	0
Percentage of cancellations before retrieval (%)	15.2	1 / 9	0 / 4	0 / 2		
Average number of embryos transferred	2.1	2.1	3.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	60.6	4 / 15	5 / 12	1 / 2		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 5	0 / 4	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	10.9	1 / 9	1 / 4	1 / 2		
Percentage of cycles resulting in singleton live births (%)	15.2	2 / 9	1 / 4	1 / 2		
Percentage of cycles resulting in twin live births (%)	34.8	0 / 9	2 / 4	0 / 2		
Percentage of cycles resulting in live births (%)	50.0	2 / 9	3 / 4	1 / 2		
Percentage of cycles resulting in pregnancies (%)	52.2	3 / 9	3 / 4	1 / 2		
<b>Outcomes per Transfer</b>						
Number of transfers	34	7	4	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.7	1 / 7	1 / 4	1 / 1		
Percentage of transfers resulting in singleton live births (%)	20.6	2 / 7	1 / 4	1 / 1		
Percentage of transfers resulting in twin live births (%)	47.1	0 / 7	2 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	67.6	2 / 7	3 / 4	1 / 1		
Percentage of transfers resulting in pregnancies (%)	70.6	3 / 7	3 / 4	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	14	4	4	0	0	0
Number of transfers	14	4	4	0	0	0
Estimated average number of transfers per retrieval	2.3	2.0	1.0			
Average number of embryos transferred	1.6	2.5	2.8			
Percentage of embryos transferred resulting in implantation (%)	59.1	2 / 10	1 / 11			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7 / 14	1 / 4	1 / 4			
Percentage of transfers resulting in singleton live births (%)	9 / 14	1 / 4	1 / 4			
Percentage of transfers resulting in twin live births (%)	2 / 14	0 / 4	0 / 4			
Percentage of transfers resulting in live births (%)	11 / 14	1 / 4	1 / 4			
Percentage of transfers resulting in pregnancies (%)	11 / 14	2 / 4	1 / 4			
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	0	2	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	12			5		
Number of transfers	9			5		
Average number of embryos transferred	2.0			2.4		
Percentage of embryos transferred resulting in implantation (%)	2 / 18			2 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 9			2 / 5		
Percentage of transfers resulting in singleton live births (%)	2 / 9			2 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 9			0 / 5		
Percentage of transfers resulting in live births (%)	2 / 9			2 / 5		
Percentage of transfers resulting in pregnancies (%)	2 / 9			2 / 5		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Care of Indiana

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## BOSTON IVF AT THE WOMEN'S HOSPITAL NEWBURGH, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Daniel W. Griffin, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	63%	Tubal factor	15%	Uterine factor	6%	Multiple Factors: Female factors only 9% Female & male factors 27%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	27%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	10%	
				Endometriosis	15%	Unknown factor	10%	

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 218 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		74	14	14	9	6	0
Percentage of cancellations before retrieval (%)		4.1	1 / 14	7 / 14	1 / 9	3 / 6	
Average number of embryos transferred		1.7	1.9	1.8	2.4	1.7	
Percentage of embryos transferred resulting in implantation (%)		36.8	2 / 17	3 / 9	1 / 12	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)		21.3	0 / 9	0 / 4	0 / 3	0 / 1	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		17.6	2 / 14	3 / 14	0 / 9	0 / 6	
Percentage of cycles resulting in singleton live births (%)		20.3	2 / 14	3 / 14	0 / 9	0 / 6	
Percentage of cycles resulting in twin live births (%)		9.5	0 / 14	0 / 14	0 / 9	0 / 6	
Percentage of cycles resulting in live births (%)		29.7	2 / 14	3 / 14	0 / 9	0 / 6	
Percentage of cycles resulting in pregnancies (%)		33.8	3 / 14	3 / 14	1 / 9	1 / 6	
<b>Outcomes per Transfer</b>							
Number of transfers		51	10	5	5	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		25.5	2 / 10	3 / 5	0 / 5	0 / 3	
Percentage of transfers resulting in singleton live births (%)		29.4	2 / 10	3 / 5	0 / 5	0 / 3	
Percentage of transfers resulting in twin live births (%)		13.7	0 / 10	0 / 5	0 / 5	0 / 3	
Percentage of transfers resulting in live births (%)		43.1	2 / 10	3 / 5	0 / 5	0 / 3	
Percentage of transfers resulting in pregnancies (%)		49.0	3 / 10	3 / 5	1 / 5	1 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		56	16	4	1	0	0
Number of transfers		52	14	3	1	0	0
Estimated average number of transfers per retrieval		1.2	2.0	0.6	0.5		
Average number of embryos transferred		1.5	1.6	1.7	2.0		
Percentage of embryos transferred resulting in implantation (%)		39.7	34.8	3 / 5	1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		30.8	5 / 14	0 / 3	1 / 1		
Percentage of transfers resulting in singleton live births (%)		40.4	7 / 14	0 / 3	1 / 1		
Percentage of transfers resulting in twin live births (%)		3.8	0 / 14	1 / 3	0 / 1		
Percentage of transfers resulting in live births (%)		46.2	7 / 14	1 / 3	1 / 1		
Percentage of transfers resulting in pregnancies (%)		51.9	8 / 14	2 / 3	1 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>							
		11	4	4	2	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0			1		
Number of transfers		0			1		
Average number of embryos transferred					2.0		
Percentage of embryos transferred resulting in implantation (%)					1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)					1 / 1		
Percentage of transfers resulting in singleton live births (%)					1 / 1		
Percentage of transfers resulting in twin live births (%)					0 / 1		
Percentage of transfers resulting in live births (%)					1 / 1		
Percentage of transfers resulting in pregnancies (%)					1 / 1		

CURRENT SERVICES & PROFILE		Current Name: Boston IVF at the Women's Hospital					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WOMEN'S SPECIALTY HEALTH CENTERS, PC NOBLESVILLE, INDIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by David S. McLaughlin, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	100%	Tubal factor	0%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 100% Female & male factors 0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	67%	Male factor	0%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	0%	
				Endometriosis	100%	Unknown factor	0%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 6 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	0	1	0	0	0	0
Percentage of cancellations before retrieval (%)		0 / 1				
Average number of embryos transferred		1.0				
Percentage of embryos transferred resulting in implantation (%)		1 / 1				
Percentage of elective single embryo transfers (eSET) (%)		1 / 1				
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 1				
Percentage of cycles resulting in singleton live births (%)		1 / 1				
Percentage of cycles resulting in twin live births (%)		0 / 1				
Percentage of cycles resulting in live births (%)		1 / 1				
Percentage of cycles resulting in pregnancies (%)		1 / 1				
<b>Outcomes per Transfer</b>						
Number of transfers	0	1	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 1				
Percentage of transfers resulting in singleton live births (%)		1 / 1				
Percentage of transfers resulting in twin live births (%)		0 / 1				
Percentage of transfers resulting in live births (%)		1 / 1				
Percentage of transfers resulting in pregnancies (%)		1 / 1				
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Estimated average number of transfers per retrieval	0.5	0.0				
Average number of embryos transferred	1.0					
Percentage of embryos transferred resulting in implantation (%)	1 / 1					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	0 / 1					
Percentage of transfers resulting in twin live births (%)	0 / 1					
Percentage of transfers resulting in live births (%)	0 / 1					
Percentage of transfers resulting in pregnancies (%)	1 / 1					
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	1	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 1		
Percentage of transfers resulting in singleton live births (%)				0 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				0 / 1		
Percentage of transfers resulting in pregnancies (%)				0 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Women's Specialty Health Centers, PC

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## MID-IOWA FERTILITY, PC CLIVE, IOWA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by Donald C. Young, DO

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	84%	Tubal factor	10%	Uterine factor	<1%	Multiple Factors: Female factors only <1% Female & male factors 2%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	13%	Male factor	32%	
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	9%	
				Endometriosis	8%	Unknown factor	11%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 610 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	138	32	16	4	1	0
Percentage of cancellations before retrieval (%)	13.0	12.5	5 / 16	1 / 4	1 / 1	
Average number of embryos transferred	1.8	1.8	1.6	3.0		
Percentage of embryos transferred resulting in implantation (%)	56.5	74.2	3 / 11	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	9.6	2 / 16	0 / 4	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.9	21.9	2 / 16	0 / 4	0 / 1	
Percentage of cycles resulting in singleton live births (%)	27.5	25.0	2 / 16	0 / 4	0 / 1	
Percentage of cycles resulting in twin live births (%)	17.4	21.9	0 / 16	0 / 4	0 / 1	
Percentage of cycles resulting in live births (%)	44.9	46.9	2 / 16	0 / 4	0 / 1	
Percentage of cycles resulting in pregnancies (%)	47.8	50.0	3 / 16	0 / 4	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	95	17	7	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	34.7	7 / 17	2 / 7	0 / 1		
Percentage of transfers resulting in singleton live births (%)	40.0	8 / 17	2 / 7	0 / 1		
Percentage of transfers resulting in twin live births (%)	25.3	7 / 17	0 / 7	0 / 1		
Percentage of transfers resulting in live births (%)	65.3	15 / 17	2 / 7	0 / 1		
Percentage of transfers resulting in pregnancies (%)	69.5	16 / 17	3 / 7	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	132	48	20	5	0	0
Number of transfers	130	47	20	5	0	0
Estimated average number of transfers per retrieval	1.3	1.1	1.1	1.3	0.0	0.0
Average number of embryos transferred	1.3	1.5	1.4	1.2		
Percentage of embryos transferred resulting in implantation (%)	64.6	59.1	62.5	5 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	39.2	46.8	25.0	4 / 5		
Percentage of transfers resulting in singleton live births (%)	46.2	53.2	30.0	4 / 5		
Percentage of transfers resulting in twin live births (%)	11.5	12.8	5.0	0 / 5		
Percentage of transfers resulting in live births (%)	58.5	66.0	40.0	4 / 5		
Percentage of transfers resulting in pregnancies (%)	72.3	72.3	65.0	5 / 5		
<b>Number of Egg/Embryo Banking Cycles</b>	76	38	16	3	1	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		20			56	
Number of transfers		17			54	
Average number of embryos transferred		1.8			1.4	
Percentage of embryos transferred resulting in implantation (%)		82.8			50.7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		5 / 17			27.8	
Percentage of transfers resulting in singleton live births (%)		5 / 17			42.6	
Percentage of transfers resulting in twin live births (%)		9 / 17			11.1	
Percentage of transfers resulting in live births (%)		14 / 17			53.7	
Percentage of transfers resulting in pregnancies (%)		16 / 17			61.1	

### CURRENT SERVICES & PROFILE

Current Name: Mid-Iowa Fertility, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF IOWA HOSPITALS AND CLINICS  
CENTER FOR ADVANCED REPRODUCTIVE CARE  
IOWA CITY, IOWA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2015 ART CYCLE PROFILE**

Data verified by Bradley J. Van Voorhis, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	42%	Tubal factor	19%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 17% Female & male factors 17%
Unstimulated	<1%	PGD/PGS	0%	Ovulatory dysfunction	21%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	19%	
				Endometriosis	12%	Unknown factor	18%	

**2015 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 766 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	202	74	51	24	5	0
Percentage of cancellations before retrieval (%)	11.9	17.6	7.8	29.2	0 / 5	
Average number of embryos transferred	1.2	1.4	2.1	2.1	2.6	
Percentage of embryos transferred resulting in implantation (%)	53.1	47.0	28.0	9.7	0 / 11	
Percentage of elective single embryo transfers (eSET) (%)	74.7	56.9	9.8	0 / 13	0 / 5	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	41.1	33.8	19.6	8.3	0 / 5	
Percentage of cycles resulting in singleton live births (%)	46.0	39.2	19.6	12.5	0 / 5	
Percentage of cycles resulting in twin live births (%)	2.5	4.1	9.8	0.0	0 / 5	
Percentage of cycles resulting in live births (%)	48.5	43.2	29.4	12.5	0 / 5	
Percentage of cycles resulting in pregnancies (%)	51.5	48.6	39.2	16.7	1 / 5	
<b>Outcomes per Transfer</b>						
Number of transfers	167	61	45	16	5	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	49.7	41.0	22.2	2 / 16	0 / 5	
Percentage of transfers resulting in singleton live births (%)	55.7	47.5	22.2	3 / 16	0 / 5	
Percentage of transfers resulting in twin live births (%)	3.0	4.9	11.1	0 / 16	0 / 5	
Percentage of transfers resulting in live births (%)	58.7	52.5	33.3	3 / 16	0 / 5	
Percentage of transfers resulting in pregnancies (%)	62.3	59.0	44.4	4 / 16	1 / 5	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	184	71	38	17	5	1
Number of transfers	158	65	31	14	5	1
Estimated average number of transfers per retrieval	2.5	2.8	1.8	1.3	1.0	
Average number of embryos transferred	1.2	1.2	1.3	1.3	1.6	1.0
Percentage of embryos transferred resulting in implantation (%)	60.4	54.9	45.0	6 / 17	3 / 8	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	39.9	43.1	35.5	4 / 14	1 / 5	1 / 1
Percentage of transfers resulting in singleton live births (%)	49.4	52.3	41.9	6 / 14	1 / 5	1 / 1
Percentage of transfers resulting in twin live births (%)	5.7	1.5	3.2	0 / 14	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	55.1	53.8	45.2	6 / 14	1 / 5	1 / 1
Percentage of transfers resulting in pregnancies (%)	65.2	64.6	54.8	7 / 14	3 / 5	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>	19	11	6	5	1	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		15		34		
Number of transfers		12		29		
Average number of embryos transferred		1.3		1.3		
Percentage of embryos transferred resulting in implantation (%)		8 / 15		43.2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		5 / 12		24.1		
Percentage of transfers resulting in singleton live births (%)		6 / 12		44.8		
Percentage of transfers resulting in twin live births (%)		1 / 12		0.0		
Percentage of transfers resulting in live births (%)		7 / 12		44.8		
Percentage of transfers resulting in pregnancies (%)		7 / 12		51.7		

**CURRENT SERVICES & PROFILE**

Current Name: University of Iowa Hospitals and Clinics, Center for Advanced Reproductive Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MIDWEST REPRODUCTIVE CENTER, PA OLATHE, KANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Dan L. Gehlbach, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	84%	Tubal factor	17%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 37%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	30%	Male factor	57%	
Used gestational carrier	<1%			Diminished ovarian reserve	22%	Other factor	11%	
				Endometriosis	11%	Unknown factor	7%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 405 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	90	31	26	7	9	0
Percentage of cancellations before retrieval (%)	3.3	9.7	23.1	1 / 7	3 / 9	
Average number of embryos transferred	1.8	1.9	2.1	2.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	36.0	17.1	6.3	2 / 12	0 / 12	
Percentage of elective single embryo transfers (eSET) (%)	21.4	0 / 16	0 / 13	0 / 4	0 / 4	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	10.0	12.9	0.0	1 / 7	0 / 9	
Percentage of cycles resulting in singleton live births (%)	10.0	12.9	0.0	1 / 7	0 / 9	
Percentage of cycles resulting in twin live births (%)	4.4	3.2	0.0	0 / 7	0 / 9	
Percentage of cycles resulting in live births (%)	14.4	16.1	0.0	1 / 7	0 / 9	
Percentage of cycles resulting in pregnancies (%)	15.6	16.1	7.7	2 / 7	0 / 9	
<b>Outcomes per Transfer</b>						
Number of transfers	28	18	15	5	6	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.1	4 / 18	0 / 15	1 / 5	0 / 6	
Percentage of transfers resulting in singleton live births (%)	32.1	4 / 18	0 / 15	1 / 5	0 / 6	
Percentage of transfers resulting in twin live births (%)	14.3	1 / 18	0 / 15	0 / 5	0 / 6	
Percentage of transfers resulting in live births (%)	46.4	5 / 18	0 / 15	1 / 5	0 / 6	
Percentage of transfers resulting in pregnancies (%)	50.0	5 / 18	2 / 15	2 / 5	0 / 6	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	134	24	21	2	2	0
Number of transfers	132	24	20	2	2	0
Estimated average number of transfers per retrieval	1.8	1.5	1.8	0.7		
Average number of embryos transferred	1.7	1.6	2.0	2.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	37.1	23.7	30.8	1 / 4	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.6	12.5	30.0	1 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	38.6	25.0	30.0	1 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	6.8	4.2	10.0	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	46.2	29.2	40.0	1 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	52.3	33.3	50.0	1 / 2	0 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	13	6	3	2	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	15			17		
Number of transfers	13			17		
Average number of embryos transferred	1.7			1.8		
Percentage of embryos transferred resulting in implantation (%)	40.9			36.7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 13			2 / 17		
Percentage of transfers resulting in singleton live births (%)	3 / 13			4 / 17		
Percentage of transfers resulting in twin live births (%)	0 / 13			2 / 17		
Percentage of transfers resulting in live births (%)	4 / 13			6 / 17		
Percentage of transfers resulting in pregnancies (%)	7 / 13			9 / 17		

## CURRENT SERVICES & PROFILE

Current Name: Midwest Reproductive Center, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CENTER FOR ADVANCED REPRODUCTIVE MEDICINE OVERLAND PARK, KANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Courtney A. Marsh, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	75%	Tubal factor	13%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 16%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	12%	Male factor	47%	
Used gestational carrier	2%			Diminished ovarian reserve	19%	Other factor	16%	
				Endometriosis	10%	Unknown factor	11%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 677 (includes 25 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	114	40	15	7	2	0
Percentage of cancellations before retrieval (%)	9.6	30.0	7 / 15	3 / 7	1 / 2	
Average number of embryos transferred	1.4	1.4		2.0		
Percentage of embryos transferred resulting in implantation (%)	43.5	6 / 13		0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	57.1	3 / 7		0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.2	10.0	0 / 15	0 / 7	0 / 2	
Percentage of cycles resulting in singleton live births (%)	16.7	10.0	0 / 15	0 / 7	0 / 2	
Percentage of cycles resulting in twin live births (%)	0.9	0.0	0 / 15	0 / 7	0 / 2	
Percentage of cycles resulting in live births (%)	17.5	10.0	0 / 15	0 / 7	0 / 2	
Percentage of cycles resulting in pregnancies (%)	22.8	15.0	0 / 15	0 / 7	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	46	9	0	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.6	4 / 9		0 / 1		
Percentage of transfers resulting in singleton live births (%)	41.3	4 / 9		0 / 1		
Percentage of transfers resulting in twin live births (%)	2.2	0 / 9		0 / 1		
Percentage of transfers resulting in live births (%)	43.5	4 / 9		0 / 1		
Percentage of transfers resulting in pregnancies (%)	56.5	6 / 9		0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	182	63	37	7	1	1
Number of transfers	160	60	29	4	1	0
Estimated average number of transfers per retrieval	1.3	1.1	0.8	0.3	0.5	
Average number of embryos transferred	1.4	1.3	1.1	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	54.5	44.9	53.1	2 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.6	25.0	48.3	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	42.5	28.3	55.2	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	11.9	6.7	0.0	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	54.4	35.0	55.2	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	61.9	51.7	58.6	2 / 4	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	68	37	29	11	2	0
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		8			28	
Number of transfers		6			20	
Average number of embryos transferred		1.2			1.4	
Percentage of embryos transferred resulting in implantation (%)		4 / 6			44.4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 6			35.0	
Percentage of transfers resulting in singleton live births (%)		2 / 6			40.0	
Percentage of transfers resulting in twin live births (%)		1 / 6			0.0	
Percentage of transfers resulting in live births (%)		3 / 6			45.0	
Percentage of transfers resulting in pregnancies (%)		4 / 6			50.0	

## CURRENT SERVICES & PROFILE

Current Name: Center for Advanced Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE RESOURCE CENTER OF GREATER KANSAS CITY OVERLAND PARK, KANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Celeste Brabec, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	89%	Tubal factor	5%	Uterine factor	4%	Multiple Factors: Female factors only 21% Female & male factors 19%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	27%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	27%	
				Endometriosis	9%	Unknown factor	7%	

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 377 (includes 42 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		104	24	21	7	1	0
Percentage of cancellations before retrieval (%)		3.8	8.3	23.8	1 / 7	0 / 1	
Average number of embryos transferred		1.8	1.7	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)		57.7	6 / 18	5 / 10	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)		5.7	2 / 10	0 / 5	0 / 1		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		23.1	8.3	9.5	0 / 7	0 / 1	
Percentage of cycles resulting in singleton live births (%)		24.0	8.3	9.5	0 / 7	0 / 1	
Percentage of cycles resulting in twin live births (%)		14.4	4.2	0.0	0 / 7	0 / 1	
Percentage of cycles resulting in live births (%)		38.5	12.5	9.5	0 / 7	0 / 1	
Percentage of cycles resulting in pregnancies (%)		44.2	20.8	23.8	0 / 7	0 / 1	
<b>Outcomes per Transfer</b>							
Number of transfers		63	12	5	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		38.1	2 / 12	2 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)		39.7	2 / 12	2 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)		23.8	1 / 12	0 / 5	0 / 1		
Percentage of transfers resulting in live births (%)		63.5	3 / 12	2 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)		73.0	5 / 12	5 / 5	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		77	22	13	5	4	1
Number of transfers		73	21	13	5	3	1
Estimated average number of transfers per retrieval		1.6	1.4	1.2	1.3		
Average number of embryos transferred		1.4	1.4	1.2	1.0	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)		52.9	48.3	7 / 14	2 / 5	1 / 2	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		30.1	23.8	4 / 13	0 / 5	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)		37.0	42.9	4 / 13	2 / 5	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)		9.6	9.5	1 / 13	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)		47.9	52.4	5 / 13	2 / 5	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)		57.5	57.1	7 / 13	2 / 5	2 / 3	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>							
		29	8	7	4	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		3			5		
Number of transfers		0			5		
Average number of embryos transferred					1.0		
Percentage of embryos transferred resulting in implantation (%)					1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)					1 / 5		
Percentage of transfers resulting in singleton live births (%)					1 / 5		
Percentage of transfers resulting in twin live births (%)					0 / 5		
Percentage of transfers resulting in live births (%)					1 / 5		
Percentage of transfers resulting in pregnancies (%)					2 / 5		

CURRENT SERVICES & PROFILE		Current Name: Reproductive Resource Center of Greater Kansas City					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE CENTER FOR REPRODUCTIVE MEDICINE WICHITA, KANSAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Bruce L. Tjaden, DO

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	70%	Tubal factor	16%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 27%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	17%	Male factor	44%	
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	10%	
				Endometriosis	17%	Unknown factor	3%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 249 (includes 15 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	62	27	14	5	1	0
Percentage of cancellations before retrieval (%)	12.9	7.4	2 / 14	1 / 5	0 / 1	
Average number of embryos transferred	1.5	1.7	2.4	2.0		
Percentage of embryos transferred resulting in implantation (%)	44.1	42.4	13.6	0 / 4		
Percentage of elective single embryo transfers (eSET) (%)	46.5	5 / 18	0 / 10	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.0	18.5	3 / 14	0 / 5	0 / 1	
Percentage of cycles resulting in singleton live births (%)	32.3	18.5	3 / 14	0 / 5	0 / 1	
Percentage of cycles resulting in twin live births (%)	6.5	14.8	0 / 14	0 / 5	0 / 1	
Percentage of cycles resulting in live births (%)	38.7	33.3	3 / 14	0 / 5	0 / 1	
Percentage of cycles resulting in pregnancies (%)	43.5	33.3	4 / 14	0 / 5	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	48	20	10	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.5	25.0	3 / 10	0 / 2		
Percentage of transfers resulting in singleton live births (%)	41.7	25.0	3 / 10	0 / 2		
Percentage of transfers resulting in twin live births (%)	8.3	20.0	0 / 10	0 / 2		
Percentage of transfers resulting in live births (%)	50.0	45.0	3 / 10	0 / 2		
Percentage of transfers resulting in pregnancies (%)	56.3	45.0	4 / 10	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	64	24	3	2	1	0
Number of transfers	61	20	3	2	1	0
Estimated average number of transfers per retrieval	1.7	1.4	0.6	1.0	1.0	
Average number of embryos transferred	1.3	1.4	1.3	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	35.4	22.2	3 / 4	1 / 2	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.9	20.0	1 / 3	1 / 2	1 / 1	
Percentage of transfers resulting in singleton live births (%)	34.4	25.0	1 / 3	1 / 2	1 / 1	
Percentage of transfers resulting in twin live births (%)	3.3	0.0	0 / 3	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	37.7	25.0	1 / 3	1 / 2	1 / 1	
Percentage of transfers resulting in pregnancies (%)	42.6	30.0	2 / 3	1 / 2	1 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	18	7	3	1	1	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		0		1		
Number of transfers		0		1		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 1		
Percentage of transfers resulting in singleton live births (%)				0 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				0 / 1		
Percentage of transfers resulting in pregnancies (%)				1 / 1		

## CURRENT SERVICES & PROFILE

Current Name: The Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## BLUEGRASS FERTILITY CENTER LEXINGTON, KENTUCKY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by James W. Akin, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	82%	Tubal factor	21%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 34%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	22%	Male factor	66%	
Used gestational carrier	0%			Diminished ovarian reserve	10%	Other factor	4%	
				Endometriosis	16%	Unknown factor	4%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 173 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	73	27	5	5	4	2
Percentage of cancellations before retrieval (%)	1.4	7.4	1 / 5	1 / 5	1 / 4	1 / 2
Average number of embryos transferred	2.1	2.1	2.5	2.7	3.3	4.0
Percentage of embryos transferred resulting in implantation (%)	43.4	37.5	0 / 5	2 / 8	1 / 7	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	1.5	4.5	0 / 2	0 / 3	0 / 3	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.5	25.9	0 / 5	0 / 5	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)	26.0	29.6	0 / 5	0 / 5	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)	20.5	7.4	0 / 5	1 / 5	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)	46.6	40.7	0 / 5	1 / 5	0 / 4	0 / 2
Percentage of cycles resulting in pregnancies (%)	54.8	51.9	0 / 5	1 / 5	2 / 4	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	70	23	2	3	3	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.4	30.4	0 / 2	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.1	34.8	0 / 2	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	21.4	8.7	0 / 2	1 / 3	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	48.6	47.8	0 / 2	1 / 3	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	57.1	60.9	0 / 2	1 / 3	2 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	32	9	8	2	0	0
Number of transfers	32	9	8	2	0	0
Estimated average number of transfers per retrieval	2.0	1.8	8.0			
Average number of embryos transferred	1.9	2.0	1.8	1.0		
Percentage of embryos transferred resulting in implantation (%)	18.5	5 / 18	2 / 14	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.8	2 / 9	2 / 8	0 / 2		
Percentage of transfers resulting in singleton live births (%)	21.9	2 / 9	2 / 8	0 / 2		
Percentage of transfers resulting in twin live births (%)	3.1	0 / 9	0 / 8	0 / 2		
Percentage of transfers resulting in live births (%)	25.0	2 / 9	2 / 8	0 / 2		
Percentage of transfers resulting in pregnancies (%)	34.4	4 / 9	2 / 8	0 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	1	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		2		3		
Number of transfers		2		3		
Average number of embryos transferred		2.0		2.7		
Percentage of embryos transferred resulting in implantation (%)		1 / 4		1 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 2		0 / 3		
Percentage of transfers resulting in singleton live births (%)		1 / 2		0 / 3		
Percentage of transfers resulting in twin live births (%)		0 / 2		0 / 3		
Percentage of transfers resulting in live births (%)		1 / 2		0 / 3		
Percentage of transfers resulting in pregnancies (%)		1 / 2		1 / 3		

### CURRENT SERVICES & PROFILE

Current Name: Bluegrass Fertility Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## LEXINGTON FERTILITY CENTER LEXINGTON, KENTUCKY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by George M. Veloudis, DO

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	88%	Tubal factor	21%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 21%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	32%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	11%	
				Endometriosis	5%	Unknown factor	0%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 23 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	6	1	1	0	0	0
Percentage of cancellations before retrieval (%)	0 / 6	0 / 1	0 / 1			
Average number of embryos transferred	1.8	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 11	0 / 2	0 / 2			
Percentage of elective single embryo transfers (eSET) (%)	1 / 6	0 / 1	0 / 1			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 6	0 / 1	0 / 1			
Percentage of cycles resulting in singleton live births (%)	1 / 6	0 / 1	0 / 1			
Percentage of cycles resulting in twin live births (%)	0 / 6	0 / 1	0 / 1			
Percentage of cycles resulting in live births (%)	1 / 6	0 / 1	0 / 1			
Percentage of cycles resulting in pregnancies (%)	1 / 6	0 / 1	0 / 1			
<b>Outcomes per Transfer</b>						
Number of transfers	6	1	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 6	0 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 6	0 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	1 / 6	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 6	0 / 1	0 / 1			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	4	2	4	0	0	0
Number of transfers	4	2	4	0	0	0
Estimated average number of transfers per retrieval	1.3	2.0				
Average number of embryos transferred	2.0	1.5	2.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 8	0 / 3	0 / 6			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 4	0 / 2	0 / 4			
Percentage of transfers resulting in singleton live births (%)	1 / 4	0 / 2	0 / 4			
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 2	0 / 4			
Percentage of transfers resulting in live births (%)	1 / 4	0 / 2	0 / 4			
Percentage of transfers resulting in pregnancies (%)	1 / 4	0 / 2	1 / 4			
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	1	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 1		
Percentage of transfers resulting in singleton live births (%)				0 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				0 / 1		
Percentage of transfers resulting in pregnancies (%)				0 / 1		

### CURRENT SERVICES & PROFILE

Current Name: Lexington Fertility Center

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FERTILITY AND ENDOCRINE ASSOCIATES  
LOUISVILLE REPRODUCTIVE CENTER  
LOUISVILLE, KENTUCKY**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2015 ART CYCLE PROFILE**

Data verified by Robert J. Homm, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	93%	Tubal factor	9%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 62%
Unstimulated	0%	PGD/PGS	25%	Ovulatory dysfunction	5%	Male factor	71%	
Used gestational carrier	1%			Diminished ovarian reserve	53%	Other factor	13%	
				Endometriosis	37%	Unknown factor	<1%	

**2015 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 184 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	49	11	11	9	0	0
Percentage of cancellations before retrieval (%)	0.0	1 / 11	2 / 11	2 / 9		
Average number of embryos transferred	1.6	1.8	1.7	2.0		
Percentage of embryos transferred resulting in implantation (%)	25.5	3 / 11	2 / 10	0 / 6		
Percentage of elective single embryo transfers (eSET) (%)	34.4	1 / 6	0 / 4	0 / 3		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	12.2	0 / 11	0 / 11	0 / 9		
Percentage of cycles resulting in singleton live births (%)	20.4	1 / 11	0 / 11	0 / 9		
Percentage of cycles resulting in twin live births (%)	0.0	1 / 11	0 / 11	0 / 9		
Percentage of cycles resulting in live births (%)	20.4	2 / 11	0 / 11	0 / 9		
Percentage of cycles resulting in pregnancies (%)	28.6	2 / 11	1 / 11	0 / 9		
<b>Outcomes per Transfer</b>						
Number of transfers	34	6	6	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.6	0 / 6	0 / 6	0 / 3		
Percentage of transfers resulting in singleton live births (%)	29.4	1 / 6	0 / 6	0 / 3		
Percentage of transfers resulting in twin live births (%)	0.0	1 / 6	0 / 6	0 / 3		
Percentage of transfers resulting in live births (%)	29.4	2 / 6	0 / 6	0 / 3		
Percentage of transfers resulting in pregnancies (%)	41.2	2 / 6	1 / 6	0 / 3		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	41	20	8	7	0	0
Number of transfers	41	20	8	6	0	0
Estimated average number of transfers per retrieval	1.9	3.3	2.0	1.2		
Average number of embryos transferred	1.6	1.4	1.4	1.2		
Percentage of embryos transferred resulting in implantation (%)	27.1	23.1	2 / 11	1 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	9.8	5.0	1 / 8	0 / 6		
Percentage of transfers resulting in singleton live births (%)	17.1	10.0	1 / 8	0 / 6		
Percentage of transfers resulting in twin live births (%)	2.4	5.0	0 / 8	0 / 6		
Percentage of transfers resulting in live births (%)	19.5	15.0	1 / 8	0 / 6		
Percentage of transfers resulting in pregnancies (%)	43.9	30.0	2 / 8	1 / 6		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		9			19	
Number of transfers		5			19	
Average number of embryos transferred		1.8			1.9	
Percentage of embryos transferred resulting in implantation (%)		2 / 7			20.6	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 5			2 / 19	
Percentage of transfers resulting in singleton live births (%)		0 / 5			3 / 19	
Percentage of transfers resulting in twin live births (%)		0 / 5			1 / 19	
Percentage of transfers resulting in live births (%)		0 / 5			4 / 19	
Percentage of transfers resulting in pregnancies (%)		3 / 5			7 / 19	

**CURRENT SERVICES & PROFILE**

Current Name: Fertility and Endocrine Associates, Louisville Reproductive Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY FIRST REPRODUCTIVE ENDOCRINE SERVICES LOUISVILLE, KENTUCKY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Johanna S. Archer, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	58%	Tubal factor	15%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 27% Female & male factors 33%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	45%	Male factor	38%	
Used gestational carrier	2%			Diminished ovarian reserve	13%	Other factor	17%	
				Endometriosis	28%	Unknown factor	8%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 61 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	38	6	5	1	0	0
Percentage of cancellations before retrieval (%)	21.1	2 / 6	1 / 5	0 / 1		
Average number of embryos transferred	1.8	2.0	2.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	34.8	1 / 8	1 / 8	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)	4.3	0 / 4	0 / 4			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.2	1 / 6	0 / 5	0 / 1		
Percentage of cycles resulting in singleton live births (%)	21.1	1 / 6	0 / 5	0 / 1		
Percentage of cycles resulting in twin live births (%)	10.5	0 / 6	0 / 5	0 / 1		
Percentage of cycles resulting in live births (%)	31.6	1 / 6	0 / 5	0 / 1		
Percentage of cycles resulting in pregnancies (%)	34.2	1 / 6	2 / 5	0 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	26	4	4	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.2	1 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)	30.8	1 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)	15.4	0 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	46.2	1 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)	50.0	1 / 4	2 / 4	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	8	2	0	0	0	0
Number of transfers	8	2	0	0	0	0
Estimated average number of transfers per retrieval	1.3	2.0		0.0		
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation (%)	9 / 16	2 / 4				
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 8	2 / 2				
Percentage of transfers resulting in singleton live births (%)	3 / 8	2 / 2				
Percentage of transfers resulting in twin live births (%)	3 / 8	0 / 2				
Percentage of transfers resulting in live births (%)	6 / 8	2 / 2				
Percentage of transfers resulting in pregnancies (%)	6 / 8	2 / 2				
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: Fertility First, Reproductive Endocrine Services

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF LOUISVILLE PHYSICIANS OB/GYN &  
WOMEN'S HEALTH FERTILITY CENTER  
LOUISVILLE, KENTUCKY**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2015 ART CYCLE PROFILE**

Data verified by Kelly Pagidas, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	73%	Tubal factor	10%	Uterine factor	2%	Multiple Factors: Female factors only 14% Female & male factors 34%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	26%	Male factor	60%	
Used gestational carrier	1%			Diminished ovarian reserve	26%	Other factor	15%	
				Endometriosis	18%	Unknown factor	3%	

**2015 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 139 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	46	15	10	1	2	0
Percentage of cancellations before retrieval (%)	0.0	1 / 15	1 / 10	0 / 1	0 / 2	
Average number of embryos transferred	1.8	2.0	2.2		2.5	
Percentage of embryos transferred resulting in implantation (%)	40.9	40.0	0 / 11		0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	20.8	0 / 9	0 / 5		0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.4	3 / 15	0 / 10	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	34.8	4 / 15	0 / 10	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	2.2	0 / 15	0 / 10	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	37.0	4 / 15	0 / 10	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)	37.0	7 / 15	1 / 10	0 / 1	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	25	10	6	0	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	56.0	3 / 10	0 / 6		0 / 2	
Percentage of transfers resulting in singleton live births (%)	64.0	4 / 10	0 / 6		0 / 2	
Percentage of transfers resulting in twin live births (%)	4.0	0 / 10	0 / 6		0 / 2	
Percentage of transfers resulting in live births (%)	68.0	4 / 10	0 / 6		0 / 2	
Percentage of transfers resulting in pregnancies (%)	68.0	7 / 10	1 / 6		0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	34	5	7	1	1	0
Number of transfers	34	5	7	0	1	0
Estimated average number of transfers per retrieval	1.4	1.3	1.0			
Average number of embryos transferred	1.4	1.6	1.6		2.0	
Percentage of embryos transferred resulting in implantation (%)	45.2	4 / 8	5 / 11		0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	38.2	3 / 5	0 / 7		0 / 1	
Percentage of transfers resulting in singleton live births (%)	47.1	3 / 5	0 / 7		0 / 1	
Percentage of transfers resulting in twin live births (%)	0.0	0 / 5	2 / 7		0 / 1	
Percentage of transfers resulting in live births (%)	47.1	3 / 5	2 / 7		0 / 1	
Percentage of transfers resulting in pregnancies (%)	58.8	4 / 5	3 / 7		0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	4	1	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		5			4	
Number of transfers		2			4	
Average number of embryos transferred		1.5			1.0	
Percentage of embryos transferred resulting in implantation (%)		2 / 3			1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 2			1 / 4	
Percentage of transfers resulting in singleton live births (%)		2 / 2			1 / 4	
Percentage of transfers resulting in twin live births (%)		0 / 2			0 / 4	
Percentage of transfers resulting in live births (%)		2 / 2			1 / 4	
Percentage of transfers resulting in pregnancies (%)		2 / 2			1 / 4	

**CURRENT SERVICES & PROFILE**

This clinic has reorganized since 2015. Contact the NASS Help Desk for further information.

**Current Name:** University of Louisville Physicians OB/GYN & Women's Health Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## FERTILITY ANSWERS, LLC-BATON ROUGE BATON ROUGE, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by John Storment, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	7%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 47%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	12%	Male factor	67%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	43%	
				Endometriosis	7%	Unknown factor	9%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 144 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	41	11	15	3	1	2
Percentage of cancellations before retrieval (%)	7.3	1 / 11	5 / 15	2 / 3	1 / 1	2 / 2
Average number of embryos transferred	1.8	1.8	1.8			
Percentage of embryos transferred resulting in implantation (%)	32.7	2 / 7	1 / 16			
Percentage of elective single embryo transfers (eSET) (%)	8.7	0 / 3	0 / 6			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7.3	1 / 11	1 / 15	0 / 3	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	9.8	1 / 11	1 / 15	0 / 3	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	12.2	0 / 11	0 / 15	0 / 3	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	22.0	1 / 11	1 / 15	0 / 3	0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)	24.4	2 / 11	1 / 15	0 / 3	0 / 1	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	28	4	9	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	10.7	1 / 4	1 / 9			
Percentage of transfers resulting in singleton live births (%)	14.3	1 / 4	1 / 9			
Percentage of transfers resulting in twin live births (%)	17.9	0 / 4	0 / 9			
Percentage of transfers resulting in live births (%)	32.1	1 / 4	1 / 9			
Percentage of transfers resulting in pregnancies (%)	35.7	2 / 4	1 / 9			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	23	13	3	0	0	0
Number of transfers	21	11	2	0	0	0
Estimated average number of transfers per retrieval	1.1	1.1	0.5	0.0		
Average number of embryos transferred	1.4	1.1	1.5			
Percentage of embryos transferred resulting in implantation (%)	24.1	2 / 11	1 / 1			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.8	2 / 11	0 / 2			
Percentage of transfers resulting in singleton live births (%)	28.6	2 / 11	0 / 2			
Percentage of transfers resulting in twin live births (%)	0.0	0 / 11	0 / 2			
Percentage of transfers resulting in live births (%)	28.6	2 / 11	0 / 2			
Percentage of transfers resulting in pregnancies (%)	33.3	3 / 11	2 / 2			
<b>Number of Egg/Embryo Banking Cycles</b>						
	11	6	2	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			8		
Number of transfers	2			7		
Average number of embryos transferred	1.5			1.6		
Percentage of embryos transferred resulting in implantation (%)	1 / 3			3 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 2			0 / 7		
Percentage of transfers resulting in singleton live births (%)	1 / 2			1 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 2			1 / 7		
Percentage of transfers resulting in live births (%)	1 / 2			2 / 7		
Percentage of transfers resulting in pregnancies (%)	1 / 2			2 / 7		

### CURRENT SERVICES & PROFILE

Current Name: Fertility Answers, LLC-Baton Rouge

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## FERTILITY ANSWERS, LLC-LAFAYETTE LAFAYETTE, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by John Storment, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	90%	Tubal factor	22%	Uterine factor	6%	Multiple Factors: Female factors only 4% Female & male factors 12%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	14%	Male factor	40%	
Used gestational carrier	1%			Diminished ovarian reserve	3%	Other factor	5%	
				Endometriosis	6%	Unknown factor	22%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 167 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	55	12	3	2	0	1
Percentage of cancellations before retrieval (%)	10.9	1 / 12	0 / 3	0 / 2		0 / 1
Average number of embryos transferred	1.7	1.9	1.5	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	60.4	9 / 15	0 / 3	1 / 2		0 / 2
Percentage of elective single embryo transfers (eSET) (%)	29.0	1 / 8	0 / 1	0 / 1		0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.5	3 / 12	0 / 3	0 / 2		0 / 1
Percentage of cycles resulting in singleton live births (%)	25.5	3 / 12	0 / 3	0 / 2		0 / 1
Percentage of cycles resulting in twin live births (%)	12.7	3 / 12	0 / 3	0 / 2		0 / 1
Percentage of cycles resulting in live births (%)	38.2	6 / 12	0 / 3	0 / 2		0 / 1
Percentage of cycles resulting in pregnancies (%)	41.8	6 / 12	0 / 3	1 / 2		0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	31	8	2	1	0	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	45.2	3 / 8	0 / 2	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	45.2	3 / 8	0 / 2	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	22.6	3 / 8	0 / 2	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	67.7	6 / 8	0 / 2	0 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)	74.2	6 / 8	0 / 2	1 / 1		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	47	12	7	0	0	0
Number of transfers	44	11	6	0	0	0
Estimated average number of transfers per retrieval	1.7	0.9	1.2	0.0		
Average number of embryos transferred	1.6	1.6	1.5			
Percentage of embryos transferred resulting in implantation (%)	46.2	5 / 18	4 / 9			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	52.3	1 / 11	2 / 6			
Percentage of transfers resulting in singleton live births (%)	54.5	1 / 11	2 / 6			
Percentage of transfers resulting in twin live births (%)	4.5	1 / 11	1 / 6			
Percentage of transfers resulting in live births (%)	59.1	2 / 11	3 / 6			
Percentage of transfers resulting in pregnancies (%)	70.5	4 / 11	3 / 6			
<b>Number of Egg/Embryo Banking Cycles</b>						
	13	10	4	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

### CURRENT SERVICES & PROFILE

Current Name: Fertility Answers, LLC-Lafayette

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY INSTITUTE OF NEW ORLEANS MANDEVILLE, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Richard P. Dickey, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	56%	Tubal factor	19%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 14%
Unstimulated	<1%	PGD/PGS	4%	Ovulatory dysfunction	27%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	10%	Other factor	27%	
				Endometriosis	10%	Unknown factor	2%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 754 (includes 12 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	174	75	48	17	9	1
Percentage of cancellations before retrieval (%)	12.6	16.0	12.5	2 / 17	3 / 9	0 / 1
Average number of embryos transferred	1.8	1.7	1.9	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	45.3	35.1	19.0	1 / 10	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	12.3	11.1	2 / 19	2 / 5		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.4	6.7	4.2	1 / 17	0 / 9	0 / 1
Percentage of cycles resulting in singleton live births (%)	16.1	9.3	4.2	1 / 17	0 / 9	0 / 1
Percentage of cycles resulting in twin live births (%)	6.9	5.3	0.0	0 / 17	0 / 9	0 / 1
Percentage of cycles resulting in live births (%)	24.7	14.7	4.2	1 / 17	0 / 9	0 / 1
Percentage of cycles resulting in pregnancies (%)	29.3	18.7	14.6	1 / 17	0 / 9	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	92	33	22	7	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.2	15.2	9.1	1 / 7	0 / 2	
Percentage of transfers resulting in singleton live births (%)	30.4	21.2	9.1	1 / 7	0 / 2	
Percentage of transfers resulting in twin live births (%)	13.0	12.1	0.0	0 / 7	0 / 2	
Percentage of transfers resulting in live births (%)	46.7	33.3	9.1	1 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	55.4	42.4	31.8	1 / 7	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	165	72	50	14	5	3
Number of transfers	137	56	42	14	4	1
Estimated average number of transfers per retrieval	1.4	1.3	1.2	1.0	0.5	
Average number of embryos transferred	1.8	1.7	1.7	2.1	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	35.8	33.0	29.2	25.9	1 / 6	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.8	25.0	26.2	3 / 14	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	29.9	28.6	35.7	4 / 14	1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	11.7	3.6	4.8	1 / 14	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	41.6	32.1	40.5	5 / 14	1 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	48.9	42.9	45.2	7 / 14	1 / 4	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>	35	17	21	10	7	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			16		
Number of transfers	2			15		
Average number of embryos transferred	2.0			1.6		
Percentage of embryos transferred resulting in implantation (%)	1 / 4			40.9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2			4 / 15		
Percentage of transfers resulting in singleton live births (%)	0 / 2			5 / 15		
Percentage of transfers resulting in twin live births (%)	0 / 2			1 / 15		
Percentage of transfers resulting in live births (%)	0 / 2			6 / 15		
Percentage of transfers resulting in pregnancies (%)	1 / 2			9 / 15		

## CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of New Orleans

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# AUDUBON FERTILITY & REPRODUCTIVE MEDICINE NEW ORLEANS, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Lindsay Wells, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	78%	Tubal factor	15%	Uterine factor	4%	Multiple Factors: Female factors only 20% Female & male factors 22%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	29%	Male factor	40%	
Used gestational carrier	3%			Diminished ovarian reserve	17%	Other factor	29%	
				Endometriosis	7%	Unknown factor	4%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 278 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	53	13	19	7	1	1
Percentage of cancellations before retrieval (%)	11.3	3 / 13	7 / 19	2 / 7	0 / 1	0 / 1
Average number of embryos transferred	1.4	1.7	2.0			
Percentage of embryos transferred resulting in implantation (%)	3 / 11	3 / 5	2 / 8			
Percentage of elective single embryo transfers (eSET) (%)	5 / 8	1 / 3	0 / 4			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5.7	1 / 13	0 / 19	0 / 7	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	5.7	1 / 13	0 / 19	0 / 7	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	0.0	0 / 13	1 / 19	0 / 7	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	5.7	1 / 13	1 / 19	0 / 7	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	5.7	3 / 13	1 / 19	0 / 7	0 / 1	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	8	3	4	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 8	1 / 3	0 / 4			
Percentage of transfers resulting in singleton live births (%)	3 / 8	1 / 3	0 / 4			
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 3	1 / 4			
Percentage of transfers resulting in live births (%)	3 / 8	1 / 3	1 / 4			
Percentage of transfers resulting in pregnancies (%)	3 / 8	3 / 3	1 / 4			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	67	18	19	6	0	1
Number of transfers	54	14	19	6	0	1
Estimated average number of transfers per retrieval	1.2	0.8	0.8	0.5	0.0	1.0
Average number of embryos transferred	1.5	1.3	1.3	1.7		2.0
Percentage of embryos transferred resulting in implantation (%)	57.5	9 / 14	40.9	3 / 10		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.0	6 / 14	4 / 19	2 / 6		0 / 1
Percentage of transfers resulting in singleton live births (%)	44.4	7 / 14	5 / 19	2 / 6		0 / 1
Percentage of transfers resulting in twin live births (%)	14.8	1 / 14	1 / 19	0 / 6		0 / 1
Percentage of transfers resulting in live births (%)	59.3	8 / 14	6 / 19	2 / 6		0 / 1
Percentage of transfers resulting in pregnancies (%)	66.7	10 / 14	10 / 19	3 / 6		0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	10	13	16	5	2	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			26		
Number of transfers	0			19		
Average number of embryos transferred				1.4		
Percentage of embryos transferred resulting in implantation (%)				61.5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				6 / 19		
Percentage of transfers resulting in singleton live births (%)				7 / 19		
Percentage of transfers resulting in twin live births (%)				2 / 19		
Percentage of transfers resulting in live births (%)				9 / 19		
Percentage of transfers resulting in pregnancies (%)				13 / 19		

## CURRENT SERVICES & PROFILE

Current Name: Audubon Fertility & Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ARKLATEX FERTILITY AND REPRODUCTIVE MEDICINE SHREVEPORT, LOUISIANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by David T. Vandermolen, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	71%	Tubal factor	24%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 13%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	14%	Male factor	33%	
Used gestational carrier	2%			Diminished ovarian reserve	14%	Other factor	8%	
				Endometriosis	18%	Unknown factor	9%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 162 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	62	15	10	8	2	0
Percentage of cancellations before retrieval (%)	8.1	1 / 15	0 / 10	3 / 8	0 / 2	
Average number of embryos transferred	1.9	2.4	2.4	4.3	4.5	
Percentage of embryos transferred resulting in implantation (%)	34.0	25.8	2 / 17	1 / 17	1 / 9	
Percentage of elective single embryo transfers (eSET) (%)	24.0	1 / 12	1 / 7	0 / 4	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.1	3 / 15	1 / 10	0 / 8	1 / 2	
Percentage of cycles resulting in singleton live births (%)	22.6	5 / 15	2 / 10	1 / 8	1 / 2	
Percentage of cycles resulting in twin live births (%)	11.3	1 / 15	0 / 10	0 / 8	0 / 2	
Percentage of cycles resulting in live births (%)	33.9	6 / 15	2 / 10	1 / 8	1 / 2	
Percentage of cycles resulting in pregnancies (%)	40.3	7 / 15	2 / 10	1 / 8	1 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	51	13	7	4	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.6	3 / 13	1 / 7	0 / 4	1 / 2	
Percentage of transfers resulting in singleton live births (%)	27.5	5 / 13	2 / 7	1 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)	13.7	1 / 13	0 / 7	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	41.2	6 / 13	2 / 7	1 / 4	1 / 2	
Percentage of transfers resulting in pregnancies (%)	49.0	7 / 13	2 / 7	1 / 4	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	33	9	9	2	0	0
Number of transfers	28	6	8	2	0	0
Estimated average number of transfers per retrieval	2.3	2.0	1.1	2.0		
Average number of embryos transferred	1.8	1.7	1.5	1.5		
Percentage of embryos transferred resulting in implantation (%)	62.0	4 / 10	5 / 12	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	50.0	0 / 6	2 / 8	0 / 2		
Percentage of transfers resulting in singleton live births (%)	67.9	1 / 6	2 / 8	0 / 2		
Percentage of transfers resulting in twin live births (%)	14.3	1 / 6	0 / 8	0 / 2		
Percentage of transfers resulting in live births (%)	82.1	2 / 6	2 / 8	0 / 2		
Percentage of transfers resulting in pregnancies (%)	85.7	3 / 6	5 / 8	0 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	1	3	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			0		
Number of transfers	2			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	2 / 4					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2					
Percentage of transfers resulting in singleton live births (%)	0 / 2					
Percentage of transfers resulting in twin live births (%)	1 / 2					
Percentage of transfers resulting in live births (%)	1 / 2					
Percentage of transfers resulting in pregnancies (%)	1 / 2					

## CURRENT SERVICES & PROFILE

Current Name: Arklatex Fertility and Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# BOSTON IVF, THE MAINE CENTER SOUTH PORTLAND, MAINE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Michael M. Alper, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	34%	Tubal factor	17%	Uterine factor	4%	Multiple Factors: Female factors only 12% Female & male factors 8%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	10%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	22%	
				Endometriosis	9%	Unknown factor	18%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 385 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	119	44	47	16	2	1
Percentage of cancellations before retrieval (%)	6.7	6.8	4.3	2 / 16	0 / 2	1 / 1
Average number of embryos transferred	1.2	1.4	1.8	2.3	3.0	
Percentage of embryos transferred resulting in implantation (%)	48.6	38.9	22.2	20.0	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	75.0	51.5	15.2	0 / 9	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.1	22.7	17.0	2 / 16	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	34.5	25.0	23.4	2 / 16	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	2.5	6.8	4.3	0 / 16	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	37.0	31.8	27.7	2 / 16	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	42.0	43.2	31.9	4 / 16	0 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	91	38	42	11	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.7	26.3	19.0	2 / 11	0 / 2	
Percentage of transfers resulting in singleton live births (%)	45.1	28.9	26.2	2 / 11	0 / 2	
Percentage of transfers resulting in twin live births (%)	3.3	7.9	4.8	0 / 11	0 / 2	
Percentage of transfers resulting in live births (%)	48.4	36.8	31.0	2 / 11	0 / 2	
Percentage of transfers resulting in pregnancies (%)	54.9	50.0	35.7	4 / 11	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	66	34	20	6	2	0
Number of transfers	63	30	18	6	2	0
Estimated average number of transfers per retrieval	1.9	2.5	1.6	1.5	1.0	
Average number of embryos transferred	1.3	1.5	1.7	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	41.3	48.9	33.3	5 / 9	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.4	36.7	3 / 18	2 / 6	1 / 2	
Percentage of transfers resulting in singleton live births (%)	34.9	46.7	5 / 18	2 / 6	1 / 2	
Percentage of transfers resulting in twin live births (%)	6.3	6.7	1 / 18	1 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	41.3	53.3	6 / 18	3 / 6	1 / 2	
Percentage of transfers resulting in pregnancies (%)	50.8	63.3	8 / 18	3 / 6	1 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	3	1	1	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			14		
Number of transfers	1			14		
Average number of embryos transferred	1.0			1.1		
Percentage of embryos transferred resulting in implantation (%)	1 / 1			5 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 1			4 / 14		
Percentage of transfers resulting in singleton live births (%)	1 / 1			5 / 14		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 14		
Percentage of transfers resulting in live births (%)	1 / 1			5 / 14		
Percentage of transfers resulting in pregnancies (%)	1 / 1			5 / 14		

## CURRENT SERVICES & PROFILE

Current Name: Boston IVF, The Maine Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE A.R.T. INSTITUTE OF WASHINGTON, INC.  
WALTER REED NATIONAL MILITARY MEDICAL CENTER  
BETHESDA, MARYLAND**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2015 ART CYCLE PROFILE**

Data verified by John Csokmay, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	83%	Tubal factor	24%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 17%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	6%	Other factor	<1%	
				Endometriosis	12%	Unknown factor	19%	

**2015 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 556 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	154	86	73	43	0	0
Percentage of cancellations before retrieval (%)	6.5	8.1	5.5	14.0		
Average number of embryos transferred	1.2	1.3	1.9	2.0		
Percentage of embryos transferred resulting in implantation (%)	50.4	33.7	20.0	21.3		
Percentage of elective single embryo transfers (eSET) (%)	72.0	65.0	10.7	0.0		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.2	27.9	13.7	14.0		
Percentage of cycles resulting in singleton live births (%)	31.2	29.1	16.4	16.3		
Percentage of cycles resulting in twin live births (%)	5.2	2.3	4.1	0.0		
Percentage of cycles resulting in live births (%)	36.4	31.4	20.5	16.3		
Percentage of cycles resulting in pregnancies (%)	39.0	32.6	28.8	27.9		
<b>Outcomes per Transfer</b>						
Number of transfers	109	69	60	30	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	41.3	34.8	16.7	20.0		
Percentage of transfers resulting in singleton live births (%)	44.0	36.2	20.0	23.3		
Percentage of transfers resulting in twin live births (%)	7.3	2.9	5.0	0.0		
Percentage of transfers resulting in live births (%)	51.4	39.1	25.0	23.3		
Percentage of transfers resulting in pregnancies (%)	55.0	40.6	35.0	40.0		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	100	49	32	13	1	1
Number of transfers	98	48	31	12	1	1
Estimated average number of transfers per retrieval	2.2	3.0	1.6	1.2		
Average number of embryos transferred	1.3	1.3	1.6	1.8	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	59.6	66.1	46.8	6 / 19	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.7	47.9	19.4	2 / 12	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	41.8	52.1	32.3	4 / 12	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	7.1	10.4	12.9	0 / 12	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	50.0	62.5	45.2	4 / 12	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	68.4	75.0	61.3	7 / 12	0 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	1	1	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

**CURRENT SERVICES & PROFILE**

Current Name: The A.R.T. Institute of Washington, Inc.,  
Walter Reed National Military Medical Center

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ENDRIKA HINTON, MD LUTHERVILLE, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by Endrika L. Hinton, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	16%	Tubal factor	40%	Uterine factor	17%	<i>Multiple Factors:</i> Female factors only 70% Female & male factors 7%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	30%	Male factor	7%	
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	0%	
				Endometriosis	57%	Unknown factor	7%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 45 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	5	6	8	0	0	0
Percentage of cancellations before retrieval (%)	0 / 5	0 / 6	2 / 8			
Average number of embryos transferred	1.0	1.5	2.0			
Percentage of embryos transferred resulting in implantation (%)	2 / 3	5 / 6	1 / 4			
Percentage of elective single embryo transfers (eSET) (%)	3 / 3	2 / 4	0 / 2			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 5	1 / 6	1 / 8			
Percentage of cycles resulting in singleton live births (%)	2 / 5	1 / 6	1 / 8			
Percentage of cycles resulting in twin live births (%)	0 / 5	1 / 6	0 / 8			
Percentage of cycles resulting in live births (%)	2 / 5	2 / 6	1 / 8			
Percentage of cycles resulting in pregnancies (%)	2 / 5	3 / 6	1 / 8			
<b>Outcomes per Transfer</b>						
Number of transfers	3	4	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 3	1 / 4	1 / 2			
Percentage of transfers resulting in singleton live births (%)	2 / 3	1 / 4	1 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 3	1 / 4	0 / 2			
Percentage of transfers resulting in live births (%)	2 / 3	2 / 4	1 / 2			
Percentage of transfers resulting in pregnancies (%)	2 / 3	3 / 4	1 / 2			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	4	3	4	0	0	0
Number of transfers	4	3	4	0	0	0
Estimated average number of transfers per retrieval	0.7	0.4	0.4	0.0		
Average number of embryos transferred	1.3	1.7	1.3			
Percentage of embryos transferred resulting in implantation (%)	3 / 5	2 / 5	3 / 5			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 4	0 / 3	3 / 4			
Percentage of transfers resulting in singleton live births (%)	3 / 4	0 / 3	3 / 4			
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 3	0 / 4			
Percentage of transfers resulting in live births (%)	3 / 4	1 / 3	3 / 4			
Percentage of transfers resulting in pregnancies (%)	3 / 4	1 / 3	3 / 4			
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	4	6	2	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

### CURRENT SERVICES & PROFILE

Current Name: Endrika Hinton, MD

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# JOHNS HOPKINS FERTILITY CENTER LUTHERVILLE, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Jairo E. Garcia, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	49%	Tubal factor	15%	Uterine factor	9%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 10%
Unstimulated	1%	PGD/PGS	2%	Ovulatory dysfunction	13%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	11%	
				Endometriosis	11%	Unknown factor	4%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 594 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	104	52	63	53	14	9
Percentage of cancellations before retrieval (%)	15.4	13.5	39.7	34.0	5 / 14	3 / 9
Average number of embryos transferred	1.4	1.6	1.9	1.4	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	28.7	19.6	17.1	12.5	1 / 12	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	54.5	26.9	4.8	3 / 10	0 / 3	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.3	5.8	3.2	1.9	1 / 14	0 / 9
Percentage of cycles resulting in singleton live births (%)	17.3	7.7	3.2	3.8	1 / 14	0 / 9
Percentage of cycles resulting in twin live births (%)	1.0	0.0	1.6	0.0	0 / 14	0 / 9
Percentage of cycles resulting in live births (%)	18.3	7.7	4.8	3.8	1 / 14	0 / 9
Percentage of cycles resulting in pregnancies (%)	22.1	19.2	11.1	5.7	1 / 14	0 / 9
<b>Outcomes per Transfer</b>						
Number of transfers	62	31	23	17	7	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.4	9.7	8.7	1 / 17	1 / 7	0 / 3
Percentage of transfers resulting in singleton live births (%)	29.0	12.9	8.7	2 / 17	1 / 7	0 / 3
Percentage of transfers resulting in twin live births (%)	1.6	0.0	4.3	0 / 17	0 / 7	0 / 3
Percentage of transfers resulting in live births (%)	30.6	12.9	13.0	2 / 17	1 / 7	0 / 3
Percentage of transfers resulting in pregnancies (%)	37.1	32.3	30.4	3 / 17	1 / 7	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	63	24	18	13	7	1
Number of transfers	62	24	17	12	7	0
Estimated average number of transfers per retrieval	0.6	1.1	0.4	0.6	0.7	0.0
Average number of embryos transferred	1.4	1.5	1.4	1.8	1.9	
Percentage of embryos transferred resulting in implantation (%)	38.1	31.4	30.4	18.2	0 / 13	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.4	8.3	5 / 17	2 / 12	0 / 7	
Percentage of transfers resulting in singleton live births (%)	32.3	20.8	6 / 17	2 / 12	0 / 7	
Percentage of transfers resulting in twin live births (%)	8.1	4.2	0 / 17	0 / 12	0 / 7	
Percentage of transfers resulting in live births (%)	40.3	25.0	6 / 17	2 / 12	0 / 7	
Percentage of transfers resulting in pregnancies (%)	46.8	41.7	7 / 17	4 / 12	0 / 7	
<b>Number of Egg/Embryo Banking Cycles</b>						
	74	16	35	15	8	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		5			14	
Number of transfers		1			14	
Average number of embryos transferred		2.0			1.1	
Percentage of embryos transferred resulting in implantation (%)		0 / 2			5 / 16	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1			2 / 14	
Percentage of transfers resulting in singleton live births (%)		0 / 1			4 / 14	
Percentage of transfers resulting in twin live births (%)		0 / 1			0 / 14	
Percentage of transfers resulting in live births (%)		0 / 1			4 / 14	
Percentage of transfers resulting in pregnancies (%)		0 / 1			5 / 14	

## CURRENT SERVICES & PROFILE

Current Name: Johns Hopkins Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE MEDICINE  
ROCKVILLE, MARYLAND**

---

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

# MONTGOMERY FERTILITY CENTER ROCKVILLE, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Oluyemisi Famuyiwa, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	86%	Tubal factor	21%	Uterine factor	18%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 27%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	16%	Male factor	47%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	6%	
				Endometriosis	4%	Unknown factor	4%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 84 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	24	5	15	7	3	3
Percentage of cancellations before retrieval (%)	8.3	1 / 5	1 / 15	1 / 7	0 / 3	0 / 3
Average number of embryos transferred	2.2	2.8	2.4	2.4	2.5	1.7
Percentage of embryos transferred resulting in implantation (%)	24.3	0 / 11	0.0	0 / 12	0 / 5	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	1 / 17	0 / 4	0 / 10	0 / 4	0 / 1	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4.2	0 / 5	0 / 15	0 / 7	0 / 3	0 / 3
Percentage of cycles resulting in singleton live births (%)	8.3	0 / 5	0 / 15	0 / 7	0 / 3	0 / 3
Percentage of cycles resulting in twin live births (%)	8.3	0 / 5	0 / 15	0 / 7	0 / 3	0 / 3
Percentage of cycles resulting in live births (%)	16.7	0 / 5	0 / 15	0 / 7	0 / 3	0 / 3
Percentage of cycles resulting in pregnancies (%)	20.8	0 / 5	0 / 15	0 / 7	0 / 3	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	17	4	12	5	2	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 17	0 / 4	0 / 12	0 / 5	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	2 / 17	0 / 4	0 / 12	0 / 5	0 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	2 / 17	0 / 4	0 / 12	0 / 5	0 / 2	0 / 3
Percentage of transfers resulting in live births (%)	4 / 17	0 / 4	0 / 12	0 / 5	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	5 / 17	0 / 4	0 / 12	0 / 5	0 / 2	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	5	0	1	1	0	0
Number of transfers	5	0	1	1	0	0
Estimated average number of transfers per retrieval	0.6		0.5		0.0	0.0
Average number of embryos transferred	2.0		2.0	3.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 10		0 / 2	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 5		0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 5		0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 5		0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	0 / 5		0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 5		0 / 1	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	4	0	2	0	1	6
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			4		
Number of transfers	1			4		
Average number of embryos transferred	2.0			2.5		
Percentage of embryos transferred resulting in implantation (%)	0 / 2			0 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			0 / 4		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 4		
Percentage of transfers resulting in live births (%)	0 / 1			0 / 4		
Percentage of transfers resulting in pregnancies (%)	0 / 1			0 / 4		

## CURRENT SERVICES & PROFILE

Current Name: Montgomery Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SIU NG-WAGNER, MD  
ROCKVILLE, MARYLAND**

---

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

# SHADY GROVE FERTILITY REPRODUCTIVE SCIENCE CENTER ROCKVILLE, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Michael J. Levy, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	61%	Tubal factor	10%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 8%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	10%	Male factor	25%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	15%	
				Endometriosis	4%	Unknown factor	21%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 8,555 (includes 184 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	1,358	753	807	447	235	37
Percentage of cancellations before retrieval (%)	6.0	10.4	15.6	20.1	20.9	21.6
Average number of embryos transferred	1.4	1.5	1.8	2.2	2.4	2.9
Percentage of embryos transferred resulting in implantation (%)	42.6	35.8	23.9	11.9	5.6	3.6
Percentage of elective single embryo transfers (eSET) (%)	59.8	40.2	16.7	2.0	2.6	0 / 18
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.3	21.1	13.3	8.1	3.4	2.7
Percentage of cycles resulting in singleton live births (%)	31.0	24.4	16.1	9.2	3.4	2.7
Percentage of cycles resulting in twin live births (%)	4.3	5.0	2.4	0.9	0.4	0.0
Percentage of cycles resulting in live births (%)	35.3	29.6	18.5	10.1	3.8	2.7
Percentage of cycles resulting in pregnancies (%)	41.2	36.0	25.5	15.7	8.1	8.1
<b>Outcomes per Transfer</b>						
Number of transfers	1,096	584	544	288	138	20
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.9	27.2	19.7	12.5	5.8	5.0
Percentage of transfers resulting in singleton live births (%)	38.4	31.5	23.9	14.2	5.8	5.0
Percentage of transfers resulting in twin live births (%)	5.3	6.5	3.5	1.4	0.7	0.0
Percentage of transfers resulting in live births (%)	43.7	38.2	27.4	15.6	6.5	5.0
Percentage of transfers resulting in pregnancies (%)	51.1	46.4	37.9	24.3	13.8	15.0
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	915	587	475	166	75	20
Number of transfers	874	569	442	149	69	17
Estimated average number of transfers per retrieval	1.5	1.1	0.9	0.6	0.8	0.7
Average number of embryos transferred	1.2	1.2	1.3	1.3	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	52.6	49.2	42.8	36.5	30.5	25.0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	34.9	31.8	29.9	22.8	24.6	2 / 17
Percentage of transfers resulting in singleton live births (%)	41.3	37.3	34.8	28.2	29.0	3 / 17
Percentage of transfers resulting in twin live births (%)	6.1	5.3	4.1	1.3	1.4	0 / 17
Percentage of transfers resulting in live births (%)	47.4	42.7	38.9	29.5	30.4	3 / 17
Percentage of transfers resulting in pregnancies (%)	58.7	56.1	51.6	49.7	42.0	8 / 17
<b>Number of Egg/Embryo Banking Cycles</b>						
	224	337	313	170	49	20
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		704			679	
Number of transfers		558			612	
Average number of embryos transferred		1.3			1.2	
Percentage of embryos transferred resulting in implantation (%)		48.7			42.8	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		34.8			26.3	
Percentage of transfers resulting in singleton live births (%)		40.9			33.7	
Percentage of transfers resulting in twin live births (%)		5.9			3.1	
Percentage of transfers resulting in live births (%)		47.0			36.8	
Percentage of transfers resulting in pregnancies (%)		56.6			48.2	

## CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility Reproductive Science Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CENTER OF MARYLAND TOWSON, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Santiago L. Padilla, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	32%	Tubal factor	22%	Uterine factor	14%	<i>Multiple Factors:</i> Female factors only 19% Female & male factors 22%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	30%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	8%	
				Endometriosis	7%	Unknown factor	9%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 318 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	80	51	48	27	17	3
Percentage of cancellations before retrieval (%)	15.0	7.8	27.1	37.0	9 / 17	0 / 3
Average number of embryos transferred	1.5	1.8	2.2	3.2	3.4	1.5
Percentage of embryos transferred resulting in implantation (%)	32.2	32.9	17.9	5.6	0.0	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	45.3	31.6	0.0	0 / 14	0 / 8	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.3	29.4	10.4	7.4	0 / 17	0 / 3
Percentage of cycles resulting in singleton live births (%)	28.8	31.4	20.8	7.4	0 / 17	0 / 3
Percentage of cycles resulting in twin live births (%)	1.3	3.9	0.0	0.0	0 / 17	0 / 3
Percentage of cycles resulting in live births (%)	30.0	35.3	20.8	7.4	0 / 17	0 / 3
Percentage of cycles resulting in pregnancies (%)	37.5	37.3	25.0	14.8	1 / 17	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	62	41	31	17	8	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.9	36.6	16.1	2 / 17	0 / 8	0 / 2
Percentage of transfers resulting in singleton live births (%)	37.1	39.0	32.3	2 / 17	0 / 8	0 / 2
Percentage of transfers resulting in twin live births (%)	1.6	4.9	0.0	0 / 17	0 / 8	0 / 2
Percentage of transfers resulting in live births (%)	38.7	43.9	32.3	2 / 17	0 / 8	0 / 2
Percentage of transfers resulting in pregnancies (%)	48.4	46.3	38.7	4 / 17	1 / 8	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	34	30	12	8	2	1
Number of transfers	33	30	11	4	2	1
Estimated average number of transfers per retrieval	2.5	2.7	2.8	4.0	2.0	
Average number of embryos transferred	1.3	1.6	1.8	2.8	2.5	1.0
Percentage of embryos transferred resulting in implantation (%)	36.6	22.7	20.0	3 / 11	1 / 5	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.2	30.0	2 / 11	2 / 4	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	24.2	30.0	2 / 11	2 / 4	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	6.1	0.0	1 / 11	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	30.3	30.0	3 / 11	2 / 4	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	48.5	40.0	3 / 11	3 / 4	1 / 2	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		2			3	
Number of transfers		2			2	
Average number of embryos transferred		1.0			1.5	
Percentage of embryos transferred resulting in implantation (%)		1 / 1			0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 2			0 / 2	
Percentage of transfers resulting in singleton live births (%)		1 / 2			0 / 2	
Percentage of transfers resulting in twin live births (%)		0 / 2			0 / 2	
Percentage of transfers resulting in live births (%)		1 / 2			0 / 2	
Percentage of transfers resulting in pregnancies (%)		2 / 2			0 / 2	

## CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Maryland

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## SHADY GROVE FERTILITY RSC-TOWSON TOWSON, MARYLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by Eugene Katz, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	67%	Tubal factor	13%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 11%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	15%	Male factor	31%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	11%	
				Endometriosis	6%	Unknown factor	17%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,952 (includes 32 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	533	216	169	97	29	3
Percentage of cancellations before retrieval (%)	3.2	8.8	9.5	23.7	20.7	0 / 3
Average number of embryos transferred	1.2	1.4	1.9	2.2	2.6	3.0
Percentage of embryos transferred resulting in implantation (%)	42.9	44.1	27.7	18.5	9.5	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	70.5	49.6	9.4	1.9	0 / 16	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.0	27.8	18.3	9.3	6.9	0 / 3
Percentage of cycles resulting in singleton live births (%)	32.6	31.5	24.3	9.3	6.9	0 / 3
Percentage of cycles resulting in twin live births (%)	3.4	6.9	1.8	1.0	0.0	0 / 3
Percentage of cycles resulting in live births (%)	36.0	38.4	26.0	11.3	6.9	0 / 3
Percentage of cycles resulting in pregnancies (%)	40.7	43.5	33.7	23.7	17.2	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	450	181	122	62	17	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.1	33.1	25.4	14.5	2 / 17	0 / 3
Percentage of transfers resulting in singleton live births (%)	38.7	37.6	33.6	14.5	2 / 17	0 / 3
Percentage of transfers resulting in twin live births (%)	4.0	8.3	2.5	1.6	0 / 17	0 / 3
Percentage of transfers resulting in live births (%)	42.7	45.9	36.1	17.7	2 / 17	0 / 3
Percentage of transfers resulting in pregnancies (%)	48.2	51.9	46.7	37.1	5 / 17	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	272	96	69	23	6	0
Number of transfers	261	90	66	21	4	0
Estimated average number of transfers per retrieval	1.3	1.2	0.8	0.6	0.3	0.0
Average number of embryos transferred	1.2	1.3	1.4	1.6	1.3	
Percentage of embryos transferred resulting in implantation (%)	47.1	54.2	42.9	25.9	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.2	35.6	19.7	28.6	0 / 4	
Percentage of transfers resulting in singleton live births (%)	36.8	42.2	27.3	28.6	0 / 4	
Percentage of transfers resulting in twin live births (%)	4.2	5.6	4.5	0.0	0 / 4	
Percentage of transfers resulting in live births (%)	41.0	48.9	33.3	28.6	0 / 4	
Percentage of transfers resulting in pregnancies (%)	53.3	60.0	51.5	47.6	2 / 4	
<b>Number of Egg/Embryo Banking Cycles</b>						
	69	45	62	27	8	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		107			86	
Number of transfers		85			82	
Average number of embryos transferred		1.2			1.2	
Percentage of embryos transferred resulting in implantation (%)		51.6			30.4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		34.1			24.4	
Percentage of transfers resulting in singleton live births (%)		42.4			25.6	
Percentage of transfers resulting in twin live births (%)		3.5			1.2	
Percentage of transfers resulting in live births (%)		45.9			26.8	
Percentage of transfers resulting in pregnancies (%)		60.0			37.8	

### CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility RSC-Towson

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# BRIGHAM AND WOMEN'S HOSPITAL CENTER FOR ASSISTED REPRODUCTIVE TECHNOLOGY BOSTON, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Elizabeth S. Ginsburg, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	50%	Tubal factor	9%	Uterine factor	4%	Multiple Factors: Female factors only 10% Female & male factors 13%
Unstimulated	<1%	PGD/PGS	1%	Ovulatory dysfunction	10%	Male factor	27%	
Used gestational carrier	<1%			Diminished ovarian reserve	38%	Other factor	11%	
				Endometriosis	7%	Unknown factor	23%	

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 2,013 (includes 13 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		295	224	257	143	82	5
Percentage of cancellations before retrieval (%)		5.8	4.0	7.0	8.4	6.1	2 / 5
Average number of embryos transferred		1.3	1.5	2.0	3.2	3.9	3.0
Percentage of embryos transferred resulting in implantation (%)		35.0	24.6	22.5	9.1	7.1	0 / 6
Percentage of elective single embryo transfers (eSET) (%)		70.9	49.7	21.1	4.0	0.0	0 / 1
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		26.1	19.6	17.1	11.9	8.5	0 / 5
Percentage of cycles resulting in singleton live births (%)		28.8	25.0	23.0	12.6	8.5	0 / 5
Percentage of cycles resulting in twin live births (%)		3.1	1.8	2.7	0.7	1.2	0 / 5
Percentage of cycles resulting in live births (%)		31.9	26.8	25.7	13.3	9.8	0 / 5
Percentage of cycles resulting in pregnancies (%)		39.3	34.4	33.5	29.4	24.4	0 / 5
<b>Outcomes per Transfer</b>							
Number of transfers		266	201	213	123	70	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		28.9	21.9	20.7	13.8	10.0	0 / 2
Percentage of transfers resulting in singleton live births (%)		32.0	27.9	27.7	14.6	10.0	0 / 2
Percentage of transfers resulting in twin live births (%)		3.4	2.0	3.3	0.8	1.4	0 / 2
Percentage of transfers resulting in live births (%)		35.3	29.9	31.0	15.4	11.4	0 / 2
Percentage of transfers resulting in pregnancies (%)		43.6	38.3	40.4	34.1	28.6	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		223	190	144	65	26	3
Number of transfers		210	178	138	59	23	2
Estimated average number of transfers per retrieval		1.1	1.5	1.2	1.1	1.2	0.5
Average number of embryos transferred		1.2	1.4	1.6	1.9	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)		58.4	45.0	30.9	28.4	23.8	1 / 4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		36.7	27.5	27.5	30.5	26.1	1 / 2
Percentage of transfers resulting in singleton live births (%)		47.1	35.4	31.2	33.9	30.4	1 / 2
Percentage of transfers resulting in twin live births (%)		6.2	6.2	5.1	1.7	4.3	0 / 2
Percentage of transfers resulting in live births (%)		53.3	41.6	36.2	35.6	34.8	1 / 2
Percentage of transfers resulting in pregnancies (%)		67.1	54.5	43.5	47.5	47.8	1 / 2
<b>Number of Egg/Embryo Banking Cycles</b>							
		110	51	53	29	6	4
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		45			45		
Number of transfers		40			45		
Average number of embryos transferred		1.3			1.2		
Percentage of embryos transferred resulting in implantation (%)		48.9			52.9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		37.5			35.6		
Percentage of transfers resulting in singleton live births (%)		47.5			44.4		
Percentage of transfers resulting in twin live births (%)		2.5			6.7		
Percentage of transfers resulting in live births (%)		50.0			51.1		
Percentage of transfers resulting in pregnancies (%)		62.5			57.8		

CURRENT SERVICES & PROFILE		Current Name: Brigham and Women's Hospital Center for Assisted Reproductive Technology					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MASSACHUSETTS GENERAL HOSPITAL FERTILITY CENTER BOSTON, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Thomas L. Toth, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	51%	Tubal factor	16%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 17%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	10%	Male factor	38%	
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	8%	
				Endometriosis	7%	Unknown factor	21%	

## 2015 ART SUCCESS RATES<sup>c</sup> Total number of cycles<sup>d</sup>: 919 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	246	144	136	56	25	0
Percentage of cancellations before retrieval (%)	6.1	5.6	9.6	10.7	4.0	
Average number of embryos transferred	1.3	1.5	2.2	3.1	3.6	
Percentage of embryos transferred resulting in implantation (%)	50.0	33.5	22.9	8.7	7.0	
Percentage of elective single embryo transfers (eSET) (%)	58.4	41.7	3.0	0.0	0.0	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.0	29.9	23.5	3.6	8.0	
Percentage of cycles resulting in singleton live births (%)	40.2	32.6	25.7	3.6	8.0	
Percentage of cycles resulting in twin live births (%)	5.7	2.1	4.4	3.6	0.0	
Percentage of cycles resulting in live births (%)	45.9	34.7	30.1	7.1	8.0	
Percentage of cycles resulting in pregnancies (%)	52.0	41.7	36.0	16.1	28.0	
<b>Outcomes per Transfer</b>						
Number of transfers	215	131	116	48	22	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.0	32.8	27.6	4.2	9.1	
Percentage of transfers resulting in singleton live births (%)	46.0	35.9	30.2	4.2	9.1	
Percentage of transfers resulting in twin live births (%)	6.5	2.3	5.2	4.2	0.0	
Percentage of transfers resulting in live births (%)	52.6	38.2	35.3	8.3	9.1	
Percentage of transfers resulting in pregnancies (%)	59.5	45.8	42.2	18.8	31.8	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	78	61	32	8	8	1
Number of transfers	78	61	32	7	7	1
Estimated average number of transfers per retrieval	1.3	1.3	0.9	1.4	3.5	
Average number of embryos transferred	1.2	1.3	1.5	1.3	2.3	1.0
Percentage of embryos transferred resulting in implantation (%)	42.1	38.0	27.1	5 / 9	3 / 14	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.5	36.1	31.3	2 / 7	1 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	38.5	42.6	40.6	2 / 7	1 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	1.3	1.6	0.0	0 / 7	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)	39.7	44.3	40.6	2 / 7	1 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	48.7	49.2	40.6	3 / 7	4 / 7	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	24	25	24	3	1	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		30			17	
Number of transfers		27			16	
Average number of embryos transferred		1.4			1.3	
Percentage of embryos transferred resulting in implantation (%)		63.9			52.4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		48.1			5 / 16	
Percentage of transfers resulting in singleton live births (%)		51.9			6 / 16	
Percentage of transfers resulting in twin live births (%)		14.8			2 / 16	
Percentage of transfers resulting in live births (%)		66.7			8 / 16	
Percentage of transfers resulting in pregnancies (%)		74.1			8 / 16	

## CURRENT SERVICES & PROFILE Current Name: Massachusetts General Hospital Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY SOLUTIONS, PC DEDHAM, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Ania Kowalik, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	46%	Tubal factor	9%	Uterine factor	2%	Multiple Factors: Female factors only 3% Female & male factors 7%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	9%	Male factor	26%	
Used gestational carrier	<1%			Diminished ovarian reserve	20%	Other factor	4%	
				Endometriosis	5%	Unknown factor	37%	

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 709 (includes 22 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		138	88	70	53	28	3
Percentage of cancellations before retrieval (%)		2.2	8.0	18.6	17.0	28.6	2 / 3
Average number of embryos transferred		1.3	1.6	2.0	2.7	2.9	
Percentage of embryos transferred resulting in implantation (%)		40.7	32.4	25.0	10.5	8.0	
Percentage of elective single embryo transfers (eSET) (%)		63.6	33.3	13.0	2.8	0 / 14	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		27.5	15.9	21.4	9.4	0.0	0 / 3
Percentage of cycles resulting in singleton live births (%)		35.5	18.2	21.4	11.3	0.0	0 / 3
Percentage of cycles resulting in twin live births (%)		4.3	6.8	1.4	1.9	3.6	0 / 3
Percentage of cycles resulting in live births (%)		39.9	25.0	22.9	13.2	3.6	0 / 3
Percentage of cycles resulting in pregnancies (%)		43.5	38.6	32.9	18.9	10.7	0 / 3
<b>Outcomes per Transfer</b>							
Number of transfers		125	75	51	39	17	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		30.4	18.7	29.4	12.8	0 / 17	
Percentage of transfers resulting in singleton live births (%)		39.2	21.3	29.4	15.4	0 / 17	
Percentage of transfers resulting in twin live births (%)		4.8	8.0	2.0	2.6	1 / 17	
Percentage of transfers resulting in live births (%)		44.0	29.3	31.4	17.9	1 / 17	
Percentage of transfers resulting in pregnancies (%)		48.0	45.3	45.1	25.6	3 / 17	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		80	72	37	18	8	2
Number of transfers		74	61	36	15	6	0
Estimated average number of transfers per retrieval		1.4	1.6	1.2	0.9	0.7	0.0
Average number of embryos transferred		1.2	1.4	1.3	1.3	2.3	
Percentage of embryos transferred resulting in implantation (%)		50.0	36.9	30.4	20.0	1 / 14	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		29.7	27.9	22.2	2 / 15	0 / 6	
Percentage of transfers resulting in singleton live births (%)		33.8	31.1	27.8	2 / 15	0 / 6	
Percentage of transfers resulting in twin live births (%)		5.4	4.9	2.8	1 / 15	0 / 6	
Percentage of transfers resulting in live births (%)		39.2	36.1	30.6	3 / 15	0 / 6	
Percentage of transfers resulting in pregnancies (%)		55.4	49.2	38.9	3 / 15	1 / 6	
<b>Number of Egg/Embryo Banking Cycles</b>							
		15	12	17	11	5	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		11			18		
Number of transfers		11			17		
Average number of embryos transferred		1.5			1.1		
Percentage of embryos transferred resulting in implantation (%)		6 / 16			8 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 11			8 / 17		
Percentage of transfers resulting in singleton live births (%)		3 / 11			8 / 17		
Percentage of transfers resulting in twin live births (%)		1 / 11			0 / 17		
Percentage of transfers resulting in live births (%)		4 / 11			8 / 17		
Percentage of transfers resulting in pregnancies (%)		5 / 11			9 / 17		

CURRENT SERVICES & PROFILE		Current Name: Fertility Solutions, PC					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## IVF NEW ENGLAND LEXINGTON, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by Samuel C. Pang, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	39%	Tubal factor	15%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 19%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	15%	Male factor	40%	
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	9%	
				Endometriosis	7%	Unknown factor	18%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 2,700 (includes 77 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	568	352	279	148	41	1
Percentage of cancellations before retrieval (%)	1.9	4.3	4.3	10.1	14.6	0 / 1
Average number of embryos transferred	1.2	1.5	2.0	2.9	3.0	6.0
Percentage of embryos transferred resulting in implantation (%)	44.9	34.8	18.9	10.8	4.8	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	74.2	47.4	7.9	3.1	0.0	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.9	16.8	7.9	6.1	4.9	0 / 1
Percentage of cycles resulting in singleton live births (%)	35.4	20.7	10.0	8.1	4.9	0 / 1
Percentage of cycles resulting in twin live births (%)	2.5	5.1	5.4	4.1	2.4	0 / 1
Percentage of cycles resulting in live births (%)	37.9	26.1	15.4	12.2	7.3	0 / 1
Percentage of cycles resulting in pregnancies (%)	44.0	34.1	24.4	17.6	7.3	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	476	275	222	108	28	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.7	21.5	9.9	8.3	7.1	0 / 1
Percentage of transfers resulting in singleton live births (%)	42.2	26.5	12.6	11.1	7.1	0 / 1
Percentage of transfers resulting in twin live births (%)	2.9	6.5	6.8	5.6	3.6	0 / 1
Percentage of transfers resulting in live births (%)	45.2	33.5	19.4	16.7	10.7	0 / 1
Percentage of transfers resulting in pregnancies (%)	52.5	43.6	30.6	24.1	10.7	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	451	270	155	40	9	3
Number of transfers	409	241	138	38	6	3
Estimated average number of transfers per retrieval	1.6	1.3	1.1	0.9	0.5	3.0
Average number of embryos transferred	1.2	1.2	1.4	1.9	2.8	2.0
Percentage of embryos transferred resulting in implantation (%)	46.9	52.8	46.2	18.3	4 / 14	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.7	35.3	31.9	15.8	1 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	41.3	41.9	41.3	23.7	1 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	2.9	4.6	4.3	2.6	0 / 6	0 / 3
Percentage of transfers resulting in live births (%)	44.3	46.5	45.7	26.3	1 / 6	0 / 3
Percentage of transfers resulting in pregnancies (%)	52.3	57.7	58.7	36.8	3 / 6	1 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	74	74	53	21	6	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		17			60	
Number of transfers		17			50	
Average number of embryos transferred		1.1			1.0	
Percentage of embryos transferred resulting in implantation (%)		13 / 19			55.1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		7 / 17			30.0	
Percentage of transfers resulting in singleton live births (%)		8 / 17			48.0	
Percentage of transfers resulting in twin live births (%)		2 / 17			0.0	
Percentage of transfers resulting in live births (%)		10 / 17			48.0	
Percentage of transfers resulting in pregnancies (%)		11 / 17			60.0	

### CURRENT SERVICES & PROFILE

Current Name: IVF New England

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FERTILITY CENTERS OF NEW ENGLAND, INC.  
NEW ENGLAND CLINICS OF REPRODUCTIVE MEDICINE, INC.  
READING, MASSACHUSETTS**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2015 ART CYCLE PROFILE**

Data verified by Danielle Vitiello, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	57%	Tubal factor	9%	Uterine factor	5%	Multiple Factors: Female factors only 3% Female & male factors 6%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	8%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	19%	
				Endometriosis	5%	Unknown factor	31%	

**2015 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 1,383 (includes 20 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	358	173	117	50	19	2
Percentage of cancellations before retrieval (%)	2.0	5.2	4.3	14.0	1 / 19	1 / 2
Average number of embryos transferred	1.1	1.3	1.6	1.6	1.7	1.0
Percentage of embryos transferred resulting in implantation (%)	44.6	34.0	22.2	10.3	0 / 15	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	87.0	56.8	17.2	1 / 15	0 / 6	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.6	17.3	14.5	6.0	0 / 19	0 / 2
Percentage of cycles resulting in singleton live births (%)	27.7	18.5	17.9	6.0	0 / 19	0 / 2
Percentage of cycles resulting in twin live births (%)	1.1	1.7	2.6	0.0	0 / 19	0 / 2
Percentage of cycles resulting in live births (%)	28.8	20.2	20.5	6.0	0 / 19	0 / 2
Percentage of cycles resulting in pregnancies (%)	31.6	25.4	22.2	8.0	0 / 19	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	238	115	82	24	9	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.0	26.1	20.7	12.5	0 / 9	0 / 1
Percentage of transfers resulting in singleton live births (%)	41.6	27.8	25.6	12.5	0 / 9	0 / 1
Percentage of transfers resulting in twin live births (%)	1.7	2.6	3.7	0.0	0 / 9	0 / 1
Percentage of transfers resulting in live births (%)	43.3	30.4	29.3	12.5	0 / 9	0 / 1
Percentage of transfers resulting in pregnancies (%)	47.5	38.3	31.7	16.7	0 / 9	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	230	116	58	26	9	2
Number of transfers	223	110	49	24	7	1
Estimated average number of transfers per retrieval	1.3	1.2	1.0	1.1	0.6	0.2
Average number of embryos transferred	1.1	1.2	1.4	1.3	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	53.8	58.6	43.3	34.4	3 / 7	2 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	41.7	30.9	30.6	16.7	3 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	47.1	40.0	36.7	25.0	3 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	5.8	5.5	10.2	4.2	0 / 7	1 / 1
Percentage of transfers resulting in live births (%)	53.4	45.5	46.9	29.2	3 / 7	1 / 1
Percentage of transfers resulting in pregnancies (%)	53.8	50.0	46.9	37.5	3 / 7	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>	39	31	26	9	7	6
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		18		67		
Number of transfers		1		60		
Average number of embryos transferred		1.0		1.1		
Percentage of embryos transferred resulting in implantation (%)		1 / 1		40.3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 1		28.3		
Percentage of transfers resulting in singleton live births (%)		1 / 1		35.0		
Percentage of transfers resulting in twin live births (%)		0 / 1		5.0		
Percentage of transfers resulting in live births (%)		1 / 1		40.0		
Percentage of transfers resulting in pregnancies (%)		1 / 1		40.0		

**CURRENT SERVICES & PROFILE**

This clinic has reorganized since 2015. Contact the NASS Help Desk for further information.

**Current Name:** Fertility Centers of New England, Inc., New England Clinics of Reproductive Medicine, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## BAYSTATE REPRODUCTIVE MEDICINE SPRINGFIELD, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by Kelly Lynch, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	37%	Tubal factor	11%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 9%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	15%	Male factor	26%	
Used gestational carrier	<1%			Diminished ovarian reserve	17%	Other factor	11%	
				Endometriosis	8%	Unknown factor	26%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 564 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	130	70	54	29	9	0
Percentage of cancellations before retrieval (%)	3.8	2.9	16.7	17.2	1 / 9	
Average number of embryos transferred	1.1	1.2	1.7	2.1	3.3	
Percentage of embryos transferred resulting in implantation (%)	59.6	55.6	43.5	25.9	0 / 13	
Percentage of elective single embryo transfers (eSET) (%)	88.9	74.3	33.3	1 / 12	0 / 4	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.0	30.0	13.0	17.2	0 / 9	
Percentage of cycles resulting in singleton live births (%)	35.4	34.3	16.7	17.2	0 / 9	
Percentage of cycles resulting in twin live births (%)	2.3	1.4	3.7	0.0	0 / 9	
Percentage of cycles resulting in live births (%)	37.7	35.7	20.4	17.2	0 / 9	
Percentage of cycles resulting in pregnancies (%)	43.8	40.0	29.6	20.7	0 / 9	
<b>Outcomes per Transfer</b>						
Number of transfers	92	45	29	13	4	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	42.4	46.7	24.1	5 / 13	0 / 4	
Percentage of transfers resulting in singleton live births (%)	50.0	53.3	31.0	5 / 13	0 / 4	
Percentage of transfers resulting in twin live births (%)	3.3	2.2	6.9	0 / 13	0 / 4	
Percentage of transfers resulting in live births (%)	53.3	55.6	37.9	5 / 13	0 / 4	
Percentage of transfers resulting in pregnancies (%)	62.0	62.2	55.2	6 / 13	0 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	92	74	41	9	6	2
Number of transfers	85	59	33	8	5	1
Estimated average number of transfers per retrieval	1.5	1.9	1.3	0.9	2.5	
Average number of embryos transferred	1.2	1.2	1.4	1.5	2.2	1.0
Percentage of embryos transferred resulting in implantation (%)	60.2	33.9	47.5	7 / 12	3 / 7	2 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	48.2	16.9	12.1	3 / 8	1 / 5	1 / 1
Percentage of transfers resulting in singleton live births (%)	56.5	23.7	24.2	4 / 8	2 / 5	1 / 1
Percentage of transfers resulting in twin live births (%)	0.0	1.7	6.1	0 / 8	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	56.5	25.4	30.3	4 / 8	2 / 5	1 / 1
Percentage of transfers resulting in pregnancies (%)	68.2	45.8	54.5	6 / 8	4 / 5	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	11	6	6	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		9			15	
Number of transfers		8			13	
Average number of embryos transferred		1.4			1.5	
Percentage of embryos transferred resulting in implantation (%)		7 / 9			4 / 18	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 8			1 / 13	
Percentage of transfers resulting in singleton live births (%)		4 / 8			1 / 13	
Percentage of transfers resulting in twin live births (%)		1 / 8			0 / 13	
Percentage of transfers resulting in live births (%)		5 / 8			1 / 13	
Percentage of transfers resulting in pregnancies (%)		6 / 8			5 / 13	

### CURRENT SERVICES & PROFILE

Current Name: Baystate Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CARDONE REPRODUCTIVE MEDICINE AND INFERTILITY, LLC STONEHAM, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Vito R. Cardone, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	37%	Tubal factor	10%	Uterine factor	4%	Multiple Factors: Female factors only 7% Female & male factors 3%
Unstimulated	<1%	PGD/PGS	6%	Ovulatory dysfunction	15%	Male factor	10%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	10%	
				Endometriosis	6%	Unknown factor	27%	

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 215 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		35	26	20	13	11	5
Percentage of cancellations before retrieval (%)		0.0	19.2	5.0	0 / 13	0 / 11	2 / 5
Average number of embryos transferred		1.5	1.4	2.2	2.0	3.0	1.5
Percentage of embryos transferred resulting in implantation (%)		42.6	34.6	12.5	0.0	3.7	0 / 3
Percentage of elective single embryo transfers (eSET) (%)		42.3	5 / 12	1 / 16	0 / 7	0 / 5	0 / 1
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		37.1	11.5	5.0	0 / 13	0 / 11	0 / 5
Percentage of cycles resulting in singleton live births (%)		40.0	15.4	5.0	0 / 13	0 / 11	0 / 5
Percentage of cycles resulting in twin live births (%)		5.7	3.8	5.0	0 / 13	0 / 11	0 / 5
Percentage of cycles resulting in live births (%)		45.7	19.2	10.0	0 / 13	0 / 11	0 / 5
Percentage of cycles resulting in pregnancies (%)		45.7	26.9	20.0	0 / 13	1 / 11	0 / 5
<b>Outcomes per Transfer</b>							
Number of transfers		32	18	19	12	9	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		40.6	3 / 18	1 / 19	0 / 12	0 / 9	0 / 2
Percentage of transfers resulting in singleton live births (%)		43.8	4 / 18	1 / 19	0 / 12	0 / 9	0 / 2
Percentage of transfers resulting in twin live births (%)		6.3	1 / 18	1 / 19	0 / 12	0 / 9	0 / 2
Percentage of transfers resulting in live births (%)		50.0	5 / 18	2 / 19	0 / 12	0 / 9	0 / 2
Percentage of transfers resulting in pregnancies (%)		50.0	7 / 18	4 / 19	0 / 12	1 / 9	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		14	13	10	7	1	1
Number of transfers		13	10	10	5	1	1
Estimated average number of transfers per retrieval		1.6	1.4	1.4	0.6	0.3	1.0
Average number of embryos transferred		1.6	1.4	1.5	1.4	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)		23.8	5 / 14	4 / 14	0 / 7	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 13	4 / 10	2 / 10	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)		3 / 13	4 / 10	2 / 10	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 13	0 / 10	1 / 10	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)		3 / 13	4 / 10	3 / 10	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)		5 / 13	5 / 10	4 / 10	0 / 5	0 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>							
		0	3	3	3	4	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		26			19		
Number of transfers		23			17		
Average number of embryos transferred		1.7			1.5		
Percentage of embryos transferred resulting in implantation (%)		50.0			36.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		13.0			4 / 17		
Percentage of transfers resulting in singleton live births (%)		21.7			6 / 17		
Percentage of transfers resulting in twin live births (%)		26.1			1 / 17		
Percentage of transfers resulting in live births (%)		47.8			7 / 17		
Percentage of transfers resulting in pregnancies (%)		60.9			9 / 17		

CURRENT SERVICES & PROFILE		Current Name: Cardone Reproductive Medicine and Infertility, LLC					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## BOSTON IVF WALTHAM, MASSACHUSETTS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by Michael M. Alper, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	39%	Tubal factor	7%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 12%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	15%	Male factor	26%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	15%	
				Endometriosis	5%	Unknown factor	26%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 3,403 (includes 174 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	548	326	361	204	80	11
Percentage of cancellations before retrieval (%)	5.1	5.2	9.4	10.8	7.5	0 / 11
Average number of embryos transferred	1.3	1.5	1.9	2.6	2.8	2.6
Percentage of embryos transferred resulting in implantation (%)	41.2	34.5	21.3	8.2	4.8	0.0
Percentage of elective single embryo transfers (eSET) (%)	65.2	46.2	15.2	5.8	0.0	0 / 8
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.5	19.3	12.7	3.9	1.3	0 / 11
Percentage of cycles resulting in singleton live births (%)	27.7	23.3	13.9	5.4	1.3	0 / 11
Percentage of cycles resulting in twin live births (%)	2.9	3.7	4.4	1.0	0.0	0 / 11
Percentage of cycles resulting in live births (%)	30.7	27.0	18.3	6.4	1.3	0 / 11
Percentage of cycles resulting in pregnancies (%)	36.5	33.1	24.7	13.2	7.5	0 / 11
<b>Outcomes per Transfer</b>						
Number of transfers	422	234	269	128	52	9
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.6	26.9	17.1	6.3	1.9	0 / 9
Percentage of transfers resulting in singleton live births (%)	36.0	32.5	18.6	8.6	1.9	0 / 9
Percentage of transfers resulting in twin live births (%)	3.8	5.1	5.9	1.6	0.0	0 / 9
Percentage of transfers resulting in live births (%)	39.8	37.6	24.5	10.2	1.9	0 / 9
Percentage of transfers resulting in pregnancies (%)	47.4	46.2	33.1	21.1	11.5	0 / 9
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	394	280	219	65	27	3
Number of transfers	371	265	204	60	23	3
Estimated average number of transfers per retrieval	1.1	1.2	0.9	0.5	0.7	1.0
Average number of embryos transferred	1.2	1.2	1.4	1.5	1.9	1.3
Percentage of embryos transferred resulting in implantation (%)	51.2	39.4	36.8	23.3	22.7	1 / 4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.0	29.1	25.0	16.7	26.1	1 / 3
Percentage of transfers resulting in singleton live births (%)	39.1	33.6	30.9	18.3	26.1	1 / 3
Percentage of transfers resulting in twin live births (%)	5.1	3.0	3.4	3.3	4.3	0 / 3
Percentage of transfers resulting in live births (%)	44.2	36.6	34.3	21.7	30.4	1 / 3
Percentage of transfers resulting in pregnancies (%)	54.4	46.0	46.1	33.3	39.1	1 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	128	131	129	80	25	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		48			167	
Number of transfers		44			152	
Average number of embryos transferred		1.4			1.4	
Percentage of embryos transferred resulting in implantation (%)		53.3			39.0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		38.6			21.7	
Percentage of transfers resulting in singleton live births (%)		43.2			32.2	
Percentage of transfers resulting in twin live births (%)		13.6			5.3	
Percentage of transfers resulting in live births (%)		56.8			38.2	
Percentage of transfers resulting in pregnancies (%)		61.4			48.7	

### CURRENT SERVICES & PROFILE

Current Name: Boston IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CENTER FOR REPRODUCTIVE MEDICINE UNIVERSITY OF MICHIGAN REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY ANN ARBOR, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Michael Lanham, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	58%	Tubal factor	11%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 13% Female & male factors 23%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	28%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	13%	
				Endometriosis	7%	Unknown factor	10%	

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 480 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		112	47	37	24	0	0
Percentage of cancellations before retrieval (%)		6.3	27.7	21.6	41.7		
Average number of embryos transferred		1.0	1.4	1.7	1.8		
Percentage of embryos transferred resulting in implantation (%)		57.3	56.3	24.3	1 / 12		
Percentage of elective single embryo transfers (eSET) (%)		94.4	8 / 18	2 / 18	1 / 7		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		28.6	21.3	13.5	0.0		
Percentage of cycles resulting in singleton live births (%)		33.9	23.4	13.5	0.0		
Percentage of cycles resulting in twin live births (%)		4.5	2.1	2.7	0.0		
Percentage of cycles resulting in live births (%)		38.4	25.5	16.2	0.0		
Percentage of cycles resulting in pregnancies (%)		42.0	36.2	21.6	8.3		
<b>Outcomes per Transfer</b>							
Number of transfers		88	24	23	8	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		36.4	41.7	21.7	0 / 8		
Percentage of transfers resulting in singleton live births (%)		43.2	45.8	21.7	0 / 8		
Percentage of transfers resulting in twin live births (%)		5.7	4.2	4.3	0 / 8		
Percentage of transfers resulting in live births (%)		48.9	50.0	26.1	0 / 8		
Percentage of transfers resulting in pregnancies (%)		53.4	70.8	34.8	2 / 8		
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		79	43	29	7	2	0
Number of transfers		77	39	23	5	2	0
Estimated average number of transfers per retrieval		1.1	1.0	0.9	1.0		
Average number of embryos transferred		1.2	1.3	1.2	1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)		36.9	25.0	19.2	2 / 6	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		27.3	10.3	13.0	1 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)		28.6	23.1	17.4	1 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)		1.3	2.6	0.0	0 / 5	0 / 2	
Percentage of transfers resulting in live births (%)		31.2	25.6	17.4	1 / 5	0 / 2	
Percentage of transfers resulting in pregnancies (%)		41.6	33.3	30.4	2 / 5	1 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>							
		36	34	16	5	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		4			4		
Number of transfers		2			4		
Average number of embryos transferred		1.0			1.0		
Percentage of embryos transferred resulting in implantation (%)		0 / 2			1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 2			1 / 4		
Percentage of transfers resulting in singleton live births (%)		0 / 2			1 / 4		
Percentage of transfers resulting in twin live births (%)		0 / 2			0 / 4		
Percentage of transfers resulting in live births (%)		0 / 2			1 / 4		
Percentage of transfers resulting in pregnancies (%)		0 / 2			1 / 4		

## CURRENT SERVICES & PROFILE This clinic has reorganized since 2015. Contact the NASS Help Desk for further information.

<b>Current Name:</b> Center for Reproductive Medicine, University of Michigan Reproductive Endocrinology and Infertility							
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ADVANCED REPRODUCTIVE MEDICINE AND SURGERY, PC BLOOMFIELD HILLS, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Carole L. Kowalczyk, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	14%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 26% Female & male factors 20%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	10%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	28%	
				Endometriosis	22%	Unknown factor	8%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 191 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	33	23	14	19	8	0
Percentage of cancellations before retrieval (%)	15.2	8.7	0 / 14	9 / 19	3 / 8	
Average number of embryos transferred	2.0	1.9	2.5	2.9	2.4	
Percentage of embryos transferred resulting in implantation (%)	34.7	41.7	33.3	7.7	0 / 12	
Percentage of elective single embryo transfers (eSET) (%)	29.2	3 / 15	0 / 12	0 / 9	0 / 5	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.2	13.0	6 / 14	0 / 19	0 / 8	
Percentage of cycles resulting in singleton live births (%)	24.2	17.4	6 / 14	0 / 19	0 / 8	
Percentage of cycles resulting in twin live births (%)	9.1	13.0	2 / 14	1 / 19	0 / 8	
Percentage of cycles resulting in live births (%)	33.3	34.8	8 / 14	1 / 19	0 / 8	
Percentage of cycles resulting in pregnancies (%)	42.4	43.5	8 / 14	1 / 19	0 / 8	
<b>Outcomes per Transfer</b>						
Number of transfers	24	19	13	9	5	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.0	3 / 19	6 / 13	0 / 9	0 / 5	
Percentage of transfers resulting in singleton live births (%)	33.3	4 / 19	6 / 13	0 / 9	0 / 5	
Percentage of transfers resulting in twin live births (%)	12.5	3 / 19	2 / 13	1 / 9	0 / 5	
Percentage of transfers resulting in live births (%)	45.8	8 / 19	8 / 13	1 / 9	0 / 5	
Percentage of transfers resulting in pregnancies (%)	58.3	10 / 19	8 / 13	1 / 9	0 / 5	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	16	13	7	4	2	1
Number of transfers	16	11	7	4	2	1
Estimated average number of transfers per retrieval	2.3	1.1	1.0	0.6	2.0	0.5
Average number of embryos transferred	1.8	1.6	1.3	1.5	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	34.5	8 / 18	2 / 9	2 / 6	2 / 3	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	7 / 16	4 / 11	2 / 7	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	8 / 16	4 / 11	2 / 7	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 16	2 / 11	0 / 7	1 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	8 / 16	6 / 11	2 / 7	1 / 4	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 16	6 / 11	2 / 7	1 / 4	1 / 2	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	5	7	6	1	2
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	8			19		
Number of transfers	5			16		
Average number of embryos transferred	1.2			1.6		
Percentage of embryos transferred resulting in implantation (%)	2 / 6			26.9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 5			3 / 16		
Percentage of transfers resulting in singleton live births (%)	2 / 5			3 / 16		
Percentage of transfers resulting in twin live births (%)	0 / 5			2 / 16		
Percentage of transfers resulting in live births (%)	2 / 5			5 / 16		
Percentage of transfers resulting in pregnancies (%)	2 / 5			5 / 16		

## CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Medicine and Surgery, PC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# IVF MICHIGAN FERTILITY CENTER BLOOMFIELD HILLS, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Ahmad O. Hammoud, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	92%	Tubal factor	9%	Uterine factor	4%	Multiple Factors: Female factors only 7% Female & male factors 13%
Unstimulated	1%	PGD/PGS	4%	Ovulatory dysfunction	19%	Male factor	39%	
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	10%	
				Endometriosis	5%	Unknown factor	6%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,098 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	293	92	76	24	14	8
Percentage of cancellations before retrieval (%)	3.8	6.5	9.2	12.5	4 / 14	1 / 8
Average number of embryos transferred	1.9	2.0	1.9	2.2	2.0	1.7
Percentage of embryos transferred resulting in implantation (%)	43.7	30.5	20.7	17.5	0 / 12	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	4.4	5.4	4.4	0 / 14	0 / 6	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.5	27.2	11.8	8.3	0 / 14	0 / 8
Percentage of cycles resulting in singleton live births (%)	25.6	29.3	13.2	12.5	0 / 14	0 / 8
Percentage of cycles resulting in twin live births (%)	17.7	5.4	5.3	4.2	0 / 14	0 / 8
Percentage of cycles resulting in live births (%)	43.3	34.8	19.7	16.7	0 / 14	0 / 8
Percentage of cycles resulting in pregnancies (%)	51.2	43.5	23.7	20.8	1 / 14	0 / 8
<b>Outcomes per Transfer</b>						
Number of transfers	261	79	58	18	7	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.1	31.6	15.5	2 / 18	0 / 7	0 / 3
Percentage of transfers resulting in singleton live births (%)	28.7	34.2	17.2	3 / 18	0 / 7	0 / 3
Percentage of transfers resulting in twin live births (%)	19.9	6.3	6.9	1 / 18	0 / 7	0 / 3
Percentage of transfers resulting in live births (%)	48.7	40.5	25.9	4 / 18	0 / 7	0 / 3
Percentage of transfers resulting in pregnancies (%)	57.5	50.6	31.0	5 / 18	1 / 7	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	150	55	36	14	2	5
Number of transfers	145	54	35	12	2	5
Estimated average number of transfers per retrieval	1.2	1.1	0.5	0.5	0.3	0.6
Average number of embryos transferred	1.8	1.8	1.5	1.7	1.5	1.6
Percentage of embryos transferred resulting in implantation (%)	46.2	31.1	46.2	6 / 17	1 / 3	4 / 7
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.1	18.5	34.3	2 / 12	0 / 2	2 / 5
Percentage of transfers resulting in singleton live births (%)	31.0	25.9	40.0	2 / 12	1 / 2	3 / 5
Percentage of transfers resulting in twin live births (%)	17.2	11.1	11.4	2 / 12	0 / 2	0 / 5
Percentage of transfers resulting in live births (%)	48.3	37.0	51.4	4 / 12	1 / 2	3 / 5
Percentage of transfers resulting in pregnancies (%)	57.2	46.3	51.4	5 / 12	1 / 2	4 / 5
<b>Number of Egg/Embryo Banking Cycles</b>	74	37	57	22	7	6
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		66			56	
Number of transfers		59			55	
Average number of embryos transferred		1.9			1.9	
Percentage of embryos transferred resulting in implantation (%)		44.9			34.7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		22.0			14.5	
Percentage of transfers resulting in singleton live births (%)		32.2			18.2	
Percentage of transfers resulting in twin live births (%)		16.9			16.4	
Percentage of transfers resulting in live births (%)		49.2			34.5	
Percentage of transfers resulting in pregnancies (%)		61.0			49.1	

## CURRENT SERVICES & PROFILE

Current Name: IVF Michigan Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MICHIGAN REPRODUCTIVE MEDICINE BLOOMFIELD HILLS, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Michael S. Mersol-Barg, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	85%	Tubal factor	6%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 25%
Unstimulated	0%	PGD/PGS	46%	Ovulatory dysfunction	21%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	6%	
				Endometriosis	9%	Unknown factor	17%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 191 (includes 27 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	29	17	17	10	7	2
Percentage of cancellations before retrieval (%)	3.4	2 / 17	3 / 17	1 / 10	1 / 7	1 / 2
Average number of embryos transferred	1.4	1.1	1.3	1.3	1.5	3.0
Percentage of embryos transferred resulting in implantation (%)	20.0	1 / 9	1 / 6	1 / 5	0 / 3	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	9 / 18	4 / 5	3 / 5	0 / 1	0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.7	0 / 17	0 / 17	1 / 10	0 / 7	0 / 2
Percentage of cycles resulting in singleton live births (%)	20.7	1 / 17	0 / 17	1 / 10	0 / 7	0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	0 / 17	0 / 17	0 / 10	0 / 7	0 / 2
Percentage of cycles resulting in live births (%)	20.7	1 / 17	0 / 17	1 / 10	0 / 7	0 / 2
Percentage of cycles resulting in pregnancies (%)	24.1	1 / 17	2 / 17	1 / 10	0 / 7	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	22	8	6	4	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.3	0 / 8	0 / 6	1 / 4	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.3	1 / 8	0 / 6	1 / 4	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 8	0 / 6	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	27.3	1 / 8	0 / 6	1 / 4	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	31.8	1 / 8	2 / 6	1 / 4	0 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	21	5	3	3	1	0
Number of transfers	21	5	2	3	1	0
Estimated average number of transfers per retrieval	0.9	0.5	0.2	0.4	0.3	0.0
Average number of embryos transferred	1.4	1.4	1.0	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	44.8	0 / 7	0 / 1	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.8	0 / 5	0 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	33.3	0 / 5	0 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	9.5	0 / 5	0 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	42.9	0 / 5	0 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	57.1	0 / 5	1 / 2	0 / 3	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	15	7	8	5	2	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		3			8	
Number of transfers		2			8	
Average number of embryos transferred		1.5			1.5	
Percentage of embryos transferred resulting in implantation (%)		3 / 3			4 / 12	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 2			1 / 8	
Percentage of transfers resulting in singleton live births (%)		2 / 2			2 / 8	
Percentage of transfers resulting in twin live births (%)		0 / 2			1 / 8	
Percentage of transfers resulting in live births (%)		2 / 2			3 / 8	
Percentage of transfers resulting in pregnancies (%)		2 / 2			3 / 8	

## CURRENT SERVICES & PROFILE

Current Name: Michigan Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# GAGO IVF BRIGHTON, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Laura A. Gago, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	86%	Tubal factor	19%	Uterine factor	8%	<i>Multiple Factors:</i> Female factors only 26% Female & male factors 27%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	19%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	44%	Other factor	23%	
				Endometriosis	18%	Unknown factor	<1%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 143 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	19	7	4	9	3	1
Percentage of cancellations before retrieval (%)	0 / 19	1 / 7	1 / 4	0 / 9	1 / 3	0 / 1
Average number of embryos transferred	2.0	2.0	2.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	45.0	1 / 8	2 / 5	0 / 4		
Percentage of elective single embryo transfers (eSET) (%)	0 / 10	0 / 4	0 / 2	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 19	1 / 7	1 / 4	0 / 9	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 19	1 / 7	2 / 4	0 / 9	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	3 / 19	0 / 7	0 / 4	0 / 9	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	6 / 19	1 / 7	2 / 4	0 / 9	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	6 / 19	1 / 7	2 / 4	0 / 9	0 / 3	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	10	4	2	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 10	1 / 4	1 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	3 / 10	1 / 4	2 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	3 / 10	0 / 4	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	6 / 10	1 / 4	2 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)	6 / 10	1 / 4	2 / 2	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	23	9	5	1	0	0
Number of transfers	23	9	5	1	0	0
Estimated average number of transfers per retrieval	1.0	1.3	0.4	0.3	0.0	
Average number of embryos transferred	1.7	1.8	1.2	2.0		
Percentage of embryos transferred resulting in implantation (%)	71.8	9 / 16	3 / 6	2 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	52.2	4 / 9	0 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)	56.5	5 / 9	1 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)	26.1	2 / 9	1 / 5	1 / 1		
Percentage of transfers resulting in live births (%)	82.6	7 / 9	2 / 5	1 / 1		
Percentage of transfers resulting in pregnancies (%)	91.3	7 / 9	2 / 5	1 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	19	5	11	3	3	0
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		6			15	
Number of transfers		4			15	
Average number of embryos transferred		1.5			1.4	
Percentage of embryos transferred resulting in implantation (%)		5 / 6			38.1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 4			4 / 15	
Percentage of transfers resulting in singleton live births (%)		2 / 4			4 / 15	
Percentage of transfers resulting in twin live births (%)		1 / 4			1 / 15	
Percentage of transfers resulting in live births (%)		3 / 4			5 / 15	
Percentage of transfers resulting in pregnancies (%)		4 / 4			7 / 15	

## CURRENT SERVICES & PROFILE

Current Name: Gago IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MICHIGAN COMPREHENSIVE FERTILITY CENTER DEARBORN, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by David M. Magyar, DO

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	23%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 33%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	32%	Male factor	57%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	5%	
				Endometriosis	10%	Unknown factor	8%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 147 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	46	34	16	3	0	0
Percentage of cancellations before retrieval (%)	17.4	23.5	3 / 16	1 / 3		
Average number of embryos transferred	1.9	1.8	2.6	3.0		
Percentage of embryos transferred resulting in implantation (%)	16.9	10.0	12.5	0 / 6		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 19	0 / 13	0 / 2		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6.5	8.8	3 / 16	0 / 3		
Percentage of cycles resulting in singleton live births (%)	8.7	8.8	4 / 16	0 / 3		
Percentage of cycles resulting in twin live births (%)	6.5	0.0	0 / 16	0 / 3		
Percentage of cycles resulting in live births (%)	15.2	8.8	4 / 16	0 / 3		
Percentage of cycles resulting in pregnancies (%)	17.4	11.8	5 / 16	0 / 3		
<b>Outcomes per Transfer</b>						
Number of transfers	34	23	13	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	8.8	13.0	3 / 13	0 / 2		
Percentage of transfers resulting in singleton live births (%)	11.8	13.0	4 / 13	0 / 2		
Percentage of transfers resulting in twin live births (%)	8.8	0.0	0 / 13	0 / 2		
Percentage of transfers resulting in live births (%)	20.6	13.0	4 / 13	0 / 2		
Percentage of transfers resulting in pregnancies (%)	23.5	17.4	5 / 13	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	10	7	2	0	0	0
Number of transfers	10	5	1	0	0	0
Estimated average number of transfers per retrieval	1.0	2.5	1.0		0.0	
Average number of embryos transferred	1.2	1.4	1.0			
Percentage of embryos transferred resulting in implantation (%)	2 / 12	0 / 7	0 / 1			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 10	0 / 5	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 10	0 / 5	0 / 1			
Percentage of transfers resulting in twin live births (%)	1 / 10	0 / 5	0 / 1			
Percentage of transfers resulting in live births (%)	1 / 10	0 / 5	0 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 10	0 / 5	0 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	1	1	0	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			11		
Number of transfers	1			10		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	0 / 2			0 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			0 / 10		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 10		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 10		
Percentage of transfers resulting in live births (%)	0 / 1			0 / 10		
Percentage of transfers resulting in pregnancies (%)	0 / 1			0 / 10		

## CURRENT SERVICES & PROFILE

Current Name: Michigan Comprehensive Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MICHIGAN REPRODUCTIVE & IVF CENTER, PC GRAND RAPIDS, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by William G. Dodds, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	88%	Tubal factor	16%	Uterine factor	4%	Multiple Factors: Female factors only 8% Female & male factors 29%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	17%	Male factor	60%	
Used gestational carrier	<1%			Diminished ovarian reserve	14%	Other factor	11%	
				Endometriosis	15%	Unknown factor	7%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 975 (includes 20 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	272	93	57	26	5	1
Percentage of cancellations before retrieval (%)	7.4	16.1	8.8	11.5	1 / 5	0 / 1
Average number of embryos transferred	2.0	2.2	2.8	2.9	2.5	3.0
Percentage of embryos transferred resulting in implantation (%)	47.4	28.0	13.0	26.5	1 / 5	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	2.0	3.0	2.6	0 / 13	0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.9	23.7	8.8	7.7	1 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	27.6	26.9	10.5	19.2	1 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	18.8	6.5	3.5	7.7	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	46.3	33.3	14.0	26.9	1 / 5	0 / 1
Percentage of cycles resulting in pregnancies (%)	52.6	39.8	21.1	38.5	1 / 5	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	217	70	43	17	2	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.0	31.4	11.6	2 / 17	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.6	35.7	14.0	5 / 17	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	23.5	8.6	4.7	2 / 17	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	58.1	44.3	18.6	7 / 17	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	65.9	52.9	27.9	10 / 17	1 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	245	79	43	9	2	0
Number of transfers	230	74	41	9	2	0
Estimated average number of transfers per retrieval	2.7	3.7	2.4	3.0		
Average number of embryos transferred	2.1	2.1	2.5	3.1	1.5	
Percentage of embryos transferred resulting in implantation (%)	33.4	24.8	18.4	10.7	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.1	29.7	19.5	2 / 9	0 / 2	
Percentage of transfers resulting in singleton live births (%)	31.3	33.8	24.4	2 / 9	0 / 2	
Percentage of transfers resulting in twin live births (%)	13.0	6.8	4.9	0 / 9	0 / 2	
Percentage of transfers resulting in live births (%)	45.7	40.5	31.7	2 / 9	0 / 2	
Percentage of transfers resulting in pregnancies (%)	50.0	47.3	36.6	3 / 9	0 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	14	0	3	1	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		24			81	
Number of transfers		17			76	
Average number of embryos transferred		2.1			2.2	
Percentage of embryos transferred resulting in implantation (%)		36.4			22.4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		6 / 17			25.0	
Percentage of transfers resulting in singleton live births (%)		8 / 17			26.3	
Percentage of transfers resulting in twin live births (%)		2 / 17			6.6	
Percentage of transfers resulting in live births (%)		10 / 17			32.9	
Percentage of transfers resulting in pregnancies (%)		11 / 17			42.1	

## CURRENT SERVICES & PROFILE

Current Name: Michigan Reproductive & IVF Center, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## IVF MICHIGAN ROCHESTER HILLS & FLINT, PC ROCHESTER HILLS, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by Mostafa I. Abuzeid, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	>99%	With ICSI	91%	Tubal factor	19%	Uterine factor	24%	<i>Multiple Factors:</i> Female factors only 21% Female & male factors 43%
Unstimulated	10%	PGD/PGS	2%	Ovulatory dysfunction	26%	Male factor	56%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	10%	
				Endometriosis	21%	Unknown factor	<1%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 346 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	118	43	55	15	15	7
Percentage of cancellations before retrieval (%)	7.6	4.7	10.9	2 / 15	2 / 15	0 / 7
Average number of embryos transferred	2.1	2.1	2.4	2.6	2.8	3.0
Percentage of embryos transferred resulting in implantation (%)	41.2	50.0	24.1	9.7	13.9	0.0
Percentage of elective single embryo transfers (eSET) (%)	5.3	0.0	2.9	0 / 9	0 / 10	0 / 5
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.6	18.6	10.9	1 / 15	3 / 15	0 / 7
Percentage of cycles resulting in singleton live births (%)	26.3	27.9	14.5	1 / 15	3 / 15	0 / 7
Percentage of cycles resulting in twin live births (%)	17.8	18.6	7.3	0 / 15	1 / 15	0 / 7
Percentage of cycles resulting in live births (%)	44.1	46.5	23.6	1 / 15	4 / 15	0 / 7
Percentage of cycles resulting in pregnancies (%)	51.7	58.1	34.5	3 / 15	4 / 15	0 / 7
<b>Outcomes per Transfer</b>						
Number of transfers	104	37	46	12	13	7
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.9	21.6	13.0	1 / 12	3 / 13	0 / 7
Percentage of transfers resulting in singleton live births (%)	29.8	32.4	17.4	1 / 12	3 / 13	0 / 7
Percentage of transfers resulting in twin live births (%)	20.2	21.6	8.7	0 / 12	1 / 13	0 / 7
Percentage of transfers resulting in live births (%)	50.0	54.1	28.3	1 / 12	4 / 13	0 / 7
Percentage of transfers resulting in pregnancies (%)	58.7	67.6	41.3	3 / 12	4 / 13	0 / 7
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	42	15	14	3	2	2
Number of transfers	35	15	11	3	2	2
Estimated average number of transfers per retrieval	1.8	3.0	1.4		1.0	0.7
Average number of embryos transferred	2.0	1.9	1.6	1.7	2.5	1.5
Percentage of embryos transferred resulting in implantation (%)	40.6	36.0	4 / 18	0 / 5	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.3	0 / 15	2 / 11	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	17.1	1 / 15	3 / 11	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	25.7	3 / 15	0 / 11	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	42.9	4 / 15	3 / 11	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	54.3	8 / 15	4 / 11	0 / 3	0 / 2	0 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	9	1	3	0	1	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

### CURRENT SERVICES & PROFILE

Current Name: IVF Michigan Rochester Hills & Flint, PC

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**WAYNE STATE UNIVERSITY PHYSICIAN GROUP  
UNIVERSITY WOMEN'S CARE  
SOUTHFIELD, MICHIGAN**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Elizabeth E. Puscheck, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	90%	Tubal factor	17%	Uterine factor	6%	Multiple Factors: Female factors only 11% Female & male factors 26%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	21%	Male factor	42%	
Used gestational carrier	2%			Diminished ovarian reserve	27%	Other factor	19%	
				Endometriosis	8%	Unknown factor	8%	

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 125 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		21	11	15	4	1	0
Percentage of cancellations before retrieval (%)		4.8	1 / 11	3 / 15	0 / 4	0 / 1	
Average number of embryos transferred		1.6	2.2	2.0	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)		20.0	30.0	1 / 19	1 / 5	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)		8 / 19	1 / 10	3 / 11	0 / 2	0 / 1	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		14.3	1 / 11	1 / 15	0 / 4	0 / 1	
Percentage of cycles resulting in singleton live births (%)		23.8	1 / 11	1 / 15	1 / 4	0 / 1	
Percentage of cycles resulting in twin live births (%)		0.0	2 / 11	0 / 15	0 / 4	0 / 1	
Percentage of cycles resulting in live births (%)		23.8	3 / 11	1 / 15	1 / 4	0 / 1	
Percentage of cycles resulting in pregnancies (%)		28.6	5 / 11	2 / 15	1 / 4	0 / 1	
<b>Outcomes per Transfer</b>							
Number of transfers		19	10	11	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 19	1 / 10	1 / 11	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)		5 / 19	1 / 10	1 / 11	1 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 19	2 / 10	0 / 11	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)		5 / 19	3 / 10	1 / 11	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)		6 / 19	5 / 10	2 / 11	1 / 3	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		29	8	15	5	0	0
Number of transfers		29	8	13	5	0	0
Estimated average number of transfers per retrieval		1.7	1.1	1.9	1.7		
Average number of embryos transferred		2.0	2.3	2.5	2.4		
Percentage of embryos transferred resulting in implantation (%)		26.3	2 / 18	10.0	1 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		20.7	2 / 8	0 / 13	1 / 5		
Percentage of transfers resulting in singleton live births (%)		24.1	2 / 8	1 / 13	1 / 5		
Percentage of transfers resulting in twin live births (%)		10.3	0 / 8	0 / 13	0 / 5		
Percentage of transfers resulting in live births (%)		34.5	2 / 8	1 / 13	1 / 5		
Percentage of transfers resulting in pregnancies (%)		37.9	2 / 8	4 / 13	1 / 5		
<b>Number of Egg/Embryo Banking Cycles</b>							
		2	3	1	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		6			4		
Number of transfers		5			3		
Average number of embryos transferred		2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)		4 / 10			2 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 5			2 / 3		
Percentage of transfers resulting in singleton live births (%)		0 / 5			2 / 3		
Percentage of transfers resulting in twin live births (%)		2 / 5			0 / 3		
Percentage of transfers resulting in live births (%)		2 / 5			2 / 3		
Percentage of transfers resulting in pregnancies (%)		2 / 5			2 / 3		

CURRENT SERVICES & PROFILE		Current Name: Wayne State University Physician Group, University Women's Care					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HENRY FORD REPRODUCTIVE MEDICINE TROY, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Nicole Budrys, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	82%	Tubal factor	19%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 27%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	59%	
Used gestational carrier	0%			Diminished ovarian reserve	6%	Other factor	24%	
				Endometriosis	7%	Unknown factor	2%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 82 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	16	9	4	5	0	0
Percentage of cancellations before retrieval (%)	3 / 16	0 / 9	0 / 4	3 / 5		
Average number of embryos transferred	2.0	1.9	1.8	2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 14	3 / 13	1 / 7	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	0 / 7	1 / 7	0 / 3	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 16	1 / 9	0 / 4	0 / 5		
Percentage of cycles resulting in singleton live births (%)	2 / 16	2 / 9	0 / 4	0 / 5		
Percentage of cycles resulting in twin live births (%)	1 / 16	0 / 9	0 / 4	0 / 5		
Percentage of cycles resulting in live births (%)	3 / 16	2 / 9	0 / 4	0 / 5		
Percentage of cycles resulting in pregnancies (%)	4 / 16	3 / 9	1 / 4	0 / 5		
<b>Outcomes per Transfer</b>						
Number of transfers	7	7	4	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 7	1 / 7	0 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)	2 / 7	2 / 7	0 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 7	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	3 / 7	2 / 7	0 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)	4 / 7	3 / 7	1 / 4	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	22	8	3	1	0	0
Number of transfers	20	7	3	1	0	0
Estimated average number of transfers per retrieval	1.8	1.8	0.5	0.3		0.0
Average number of embryos transferred	1.8	1.9	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	32.4	8 / 13	1 / 4	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.0	0 / 7	1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	35.0	0 / 7	1 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	5.0	2 / 7	0 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	40.0	2 / 7	1 / 3	0 / 1		
Percentage of transfers resulting in pregnancies (%)	55.0	5 / 7	1 / 3	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	2	5	2	0	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: Henry Ford Reproductive Medicine

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## BRENDA L. MOSKOVITZ, MD, PC TROY, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Brenda L. Moskowitz, MD					
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>					
IVF	100%	With ICSI	90%	Tubal factor	0%	Uterine factor	0%	<i>Multiple Factors:</i>	
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	36%	Male factor	43%	Female factors only	7%
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	0%	Female & male factors	36%
				Endometriosis	7%	Unknown factor	29%		

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 18 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		5	2	3	0	0	0
Percentage of cancellations before retrieval (%)		1 / 5	0 / 2	0 / 3			
Average number of embryos transferred		1.3	1.5	2.0			
Percentage of embryos transferred resulting in implantation (%)		3 / 4	2 / 3	0 / 2			
Percentage of elective single embryo transfers (eSET) (%)		1 / 2	0 / 1	0 / 1			
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 5	1 / 2	0 / 3			
Percentage of cycles resulting in singleton live births (%)		2 / 5	1 / 2	0 / 3			
Percentage of cycles resulting in twin live births (%)		0 / 5	0 / 2	0 / 3			
Percentage of cycles resulting in live births (%)		2 / 5	1 / 2	0 / 3			
Percentage of cycles resulting in pregnancies (%)		2 / 5	1 / 2	0 / 3			
<b>Outcomes per Transfer</b>							
Number of transfers		3	2	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 3	1 / 2	0 / 1			
Percentage of transfers resulting in singleton live births (%)		2 / 3	1 / 2	0 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 3	0 / 2	0 / 1			
Percentage of transfers resulting in live births (%)		2 / 3	1 / 2	0 / 1			
Percentage of transfers resulting in pregnancies (%)		2 / 3	1 / 2	0 / 1			
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		3	0	0	0	0	0
Number of transfers		2	0	0	0	0	0
Estimated average number of transfers per retrieval		2.0		0.0	0.0		
Average number of embryos transferred		1.5					
Percentage of embryos transferred resulting in implantation (%)		1 / 3					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 2					
Percentage of transfers resulting in singleton live births (%)		0 / 2					
Percentage of transfers resulting in twin live births (%)		0 / 2					
Percentage of transfers resulting in live births (%)		0 / 2					
Percentage of transfers resulting in pregnancies (%)		1 / 2					
<b>Number of Egg/Embryo Banking Cycles</b>							
		0	0	2	1	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles			1			0	
Number of transfers			1			0	
Average number of embryos transferred			2.0				
Percentage of embryos transferred resulting in implantation (%)			2 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)			0 / 1				
Percentage of transfers resulting in singleton live births (%)			0 / 1				
Percentage of transfers resulting in twin live births (%)			1 / 1				
Percentage of transfers resulting in live births (%)			1 / 1				
Percentage of transfers resulting in pregnancies (%)			1 / 1				

CURRENT SERVICES & PROFILE		Current Name: Brenda L. Moskowitz, MD, PC					
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE MEDICINE ASSOCIATES OF MICHIGAN TROY, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Brad T. Miller, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	60%	Tubal factor	12%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 12%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	13%	Male factor	32%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	14%	
				Endometriosis	13%	Unknown factor	14%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 598 (includes 22 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	152	49	50	18	10	20
Percentage of cancellations before retrieval (%)	5.9	10.2	20.0	3 / 18	1 / 10	60.0
Average number of embryos transferred	1.7	2.1	2.3	2.1	2.5	2.2
Percentage of embryos transferred resulting in implantation (%)	39.8	36.6	29.3	20.8	0 / 15	0 / 11
Percentage of elective single embryo transfers (eSET) (%)	29.5	15.0	6.5	1 / 11	0 / 5	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.1	28.6	12.0	3 / 18	0 / 10	0.0
Percentage of cycles resulting in singleton live births (%)	23.7	34.7	14.0	3 / 18	0 / 10	0.0
Percentage of cycles resulting in twin live births (%)	10.5	4.1	8.0	1 / 18	0 / 10	0.0
Percentage of cycles resulting in live births (%)	34.9	40.8	22.0	4 / 18	0 / 10	0.0
Percentage of cycles resulting in pregnancies (%)	41.4	49.0	30.0	6 / 18	0 / 10	0.0
<b>Outcomes per Transfer</b>						
Number of transfers	119	40	32	13	6	5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.4	35.0	18.8	3 / 13	0 / 6	0 / 5
Percentage of transfers resulting in singleton live births (%)	30.3	42.5	21.9	3 / 13	0 / 6	0 / 5
Percentage of transfers resulting in twin live births (%)	13.4	5.0	12.5	1 / 13	0 / 6	0 / 5
Percentage of transfers resulting in live births (%)	44.5	50.0	34.4	4 / 13	0 / 6	0 / 5
Percentage of transfers resulting in pregnancies (%)	52.9	60.0	46.9	6 / 13	0 / 6	0 / 5
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	89	38	26	7	3	0
Number of transfers	83	35	24	6	3	0
Estimated average number of transfers per retrieval	1.4	2.2	0.9	0.9	1.5	0.0
Average number of embryos transferred	1.6	1.5	1.5	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	52.4	58.3	37.5	3 / 8	1 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.5	28.6	20.8	2 / 6	1 / 3	
Percentage of transfers resulting in singleton live births (%)	41.0	40.0	25.0	3 / 6	1 / 3	
Percentage of transfers resulting in twin live births (%)	13.3	8.6	0.0	0 / 6	0 / 3	
Percentage of transfers resulting in live births (%)	54.2	48.6	25.0	3 / 6	1 / 3	
Percentage of transfers resulting in pregnancies (%)	67.5	65.7	54.2	3 / 6	1 / 3	
<b>Number of Egg/Embryo Banking Cycles</b>						
	16	5	15	5	2	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		25			44	
Number of transfers		20			39	
Average number of embryos transferred		1.8			1.5	
Percentage of embryos transferred resulting in implantation (%)		66.7			52.7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		10.0			20.5	
Percentage of transfers resulting in singleton live births (%)		15.0			30.8	
Percentage of transfers resulting in twin live births (%)		30.0			15.4	
Percentage of transfers resulting in live births (%)		50.0			46.2	
Percentage of transfers resulting in pregnancies (%)		75.0			59.0	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Michigan

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MICHIGAN CENTER FOR FERTILITY AND WOMEN'S HEALTH, PLC WARREN, MICHIGAN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Carole L. Kowalczyk, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	78%	Tubal factor	11%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 12%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	4%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	5%	
				Endometriosis	3%	Unknown factor	14%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 261 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	45	21	12	3	4	0
Percentage of cancellations before retrieval (%)	11.1	9.5	3 / 12	2 / 3	2 / 4	
Average number of embryos transferred	1.7	1.8	2.1			
Percentage of embryos transferred resulting in implantation (%)	50.0	32.0	1 / 17			
Percentage of elective single embryo transfers (eSET) (%)	25.8	1 / 12	0 / 8			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.8	14.3	1 / 12	0 / 3	0 / 4	
Percentage of cycles resulting in singleton live births (%)	37.8	14.3	1 / 12	0 / 3	0 / 4	
Percentage of cycles resulting in twin live births (%)	8.9	9.5	0 / 12	0 / 3	0 / 4	
Percentage of cycles resulting in live births (%)	46.7	23.8	1 / 12	0 / 3	0 / 4	
Percentage of cycles resulting in pregnancies (%)	51.1	28.6	1 / 12	0 / 3	0 / 4	
<b>Outcomes per Transfer</b>						
Number of transfers	34	14	8	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	50.0	3 / 14	1 / 8			
Percentage of transfers resulting in singleton live births (%)	50.0	3 / 14	1 / 8			
Percentage of transfers resulting in twin live births (%)	11.8	2 / 14	0 / 8			
Percentage of transfers resulting in live births (%)	61.8	5 / 14	1 / 8			
Percentage of transfers resulting in pregnancies (%)	67.6	6 / 14	1 / 8			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	21	21	22	0	0	0
Number of transfers	21	20	22	0	0	0
Estimated average number of transfers per retrieval	1.1	0.8	0.9	0.0	0.0	0.0
Average number of embryos transferred	1.7	1.5	1.2			
Percentage of embryos transferred resulting in implantation (%)	38.9	24.1	38.5			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.6	25.0	22.7			
Percentage of transfers resulting in singleton live births (%)	33.3	25.0	31.8			
Percentage of transfers resulting in twin live births (%)	14.3	0.0	0.0			
Percentage of transfers resulting in live births (%)	47.6	25.0	31.8			
Percentage of transfers resulting in pregnancies (%)	52.4	35.0	40.9			
<b>Number of Egg/Embryo Banking Cycles</b>						
	15	21	23	11	2	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		15		24		
Number of transfers		15		23		
Average number of embryos transferred		1.8		1.6		
Percentage of embryos transferred resulting in implantation (%)		44.4		44.4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 15		21.7		
Percentage of transfers resulting in singleton live births (%)		5 / 15		34.8		
Percentage of transfers resulting in twin live births (%)		3 / 15		8.7		
Percentage of transfers resulting in live births (%)		8 / 15		43.5		
Percentage of transfers resulting in pregnancies (%)		9 / 15		60.9		

## CURRENT SERVICES & PROFILE

Current Name: Michigan Center for Fertility and Women's Health, PLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CCRM MINNEAPOLIS EDINA, MINNESOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by April E. Batcheller, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	83%	Tubal factor	5%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 25% Female & male factors 20%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	40%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	10%	Other factor	30%	
				Endometriosis	10%	Unknown factor	15%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 67 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	3	2	1	0	0	0
Percentage of cancellations before retrieval (%)	0 / 3	0 / 2	0 / 1			
Average number of embryos transferred	2.0	2.0				
Percentage of embryos transferred resulting in implantation (%)	2 / 4	1 / 4				
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	0 / 2				
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 3	1 / 2	0 / 1			
Percentage of cycles resulting in singleton live births (%)	0 / 3	1 / 2	0 / 1			
Percentage of cycles resulting in twin live births (%)	1 / 3	0 / 2	0 / 1			
Percentage of cycles resulting in live births (%)	1 / 3	1 / 2	0 / 1			
Percentage of cycles resulting in pregnancies (%)	1 / 3	1 / 2	0 / 1			
<b>Outcomes per Transfer</b>						
Number of transfers	2	2	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2	1 / 2				
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 2				
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 2				
Percentage of transfers resulting in live births (%)	1 / 2	1 / 2				
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 2				
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	5	4	3	0	0	0
Number of transfers	5	4	3	0	0	0
Estimated average number of transfers per retrieval	0.4	0.3	0.2	0.0		0.0
Average number of embryos transferred	1.4	1.0	1.0			
Percentage of embryos transferred resulting in implantation (%)	4 / 7	3 / 4	3 / 3			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 5	2 / 4	2 / 3			
Percentage of transfers resulting in singleton live births (%)	3 / 5	2 / 4	3 / 3			
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 4	0 / 3			
Percentage of transfers resulting in live births (%)	3 / 5	2 / 4	3 / 3			
Percentage of transfers resulting in pregnancies (%)	4 / 5	3 / 4	3 / 3			
<b>Number of Egg/Embryo Banking Cycles</b>						
	12	12	14	8	0	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			2		
Number of transfers	0			2		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				2 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 2		
Percentage of transfers resulting in singleton live births (%)				0 / 2		
Percentage of transfers resulting in twin live births (%)				0 / 2		
Percentage of transfers resulting in live births (%)				0 / 2		
Percentage of transfers resulting in pregnancies (%)				1 / 2		

## CURRENT SERVICES & PROFILE

Current Name: CCRM Minneapolis

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE MIDWEST CENTER FOR REPRODUCTIVE HEALTH, PA MAPLE GROVE, MINNESOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Randle S. Corfman, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	72%	Tubal factor	12%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 11%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	61%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	1%	Other factor	2%	
				Endometriosis	9%	Unknown factor	11%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 250 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	98	31	14	3	0	0
Percentage of cancellations before retrieval (%)	2.0	6.5	3 / 14	1 / 3		
Average number of embryos transferred	1.9	1.8	1.8	1.5		
Percentage of embryos transferred resulting in implantation (%)	53.7	37.5	30.0	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	4.5	11.5	0 / 9	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.6	12.9	1 / 14	0 / 3		
Percentage of cycles resulting in singleton live births (%)	29.6	12.9	2 / 14	0 / 3		
Percentage of cycles resulting in twin live births (%)	26.5	16.1	0 / 14	0 / 3		
Percentage of cycles resulting in live births (%)	57.1	29.0	3 / 14	0 / 3		
Percentage of cycles resulting in pregnancies (%)	62.2	45.2	4 / 14	0 / 3		
<b>Outcomes per Transfer</b>						
Number of transfers	96	29	11	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.1	13.8	1 / 11	0 / 2		
Percentage of transfers resulting in singleton live births (%)	30.2	13.8	2 / 11	0 / 2		
Percentage of transfers resulting in twin live births (%)	27.1	17.2	0 / 11	0 / 2		
Percentage of transfers resulting in live births (%)	58.3	31.0	3 / 11	0 / 2		
Percentage of transfers resulting in pregnancies (%)	63.5	48.3	4 / 11	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	28	17	8	3	0	0
Number of transfers	28	15	8	3	0	0
Estimated average number of transfers per retrieval	7.0	7.5	8.0	3.0		
Average number of embryos transferred	1.5	1.3	1.3	1.7		
Percentage of embryos transferred resulting in implantation (%)	21.4	6 / 19	3 / 10	0 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.4	4 / 15	3 / 8	0 / 3		
Percentage of transfers resulting in singleton live births (%)	21.4	4 / 15	3 / 8	0 / 3		
Percentage of transfers resulting in twin live births (%)	3.6	1 / 15	0 / 8	0 / 3		
Percentage of transfers resulting in live births (%)	25.0	5 / 15	3 / 8	0 / 3		
Percentage of transfers resulting in pregnancies (%)	28.6	5 / 15	3 / 8	0 / 3		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		30			18	
Number of transfers		28			18	
Average number of embryos transferred		1.9			1.5	
Percentage of embryos transferred resulting in implantation (%)		50.0			16.7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		25.0			2 / 18	
Percentage of transfers resulting in singleton live births (%)		32.1			3 / 18	
Percentage of transfers resulting in twin live births (%)		25.0			0 / 18	
Percentage of transfers resulting in live births (%)		57.1			3 / 18	
Percentage of transfers resulting in pregnancies (%)		64.3			6 / 18	

## CURRENT SERVICES & PROFILE

Current Name: The Midwest Center for Reproductive Health, PA

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**CENTER FOR REPRODUCTIVE MEDICINE  
ADVANCED REPRODUCTIVE TECHNOLOGIES  
MINNEAPOLIS, MINNESOTA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2015 ART CYCLE PROFILE**

Data verified by Colleen Casey, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	57%	Tubal factor	10%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 12%
Unstimulated	<1%	PGD/PGS	3%	Ovulatory dysfunction	15%	Male factor	32%	
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	14%	
				Endometriosis	9%	Unknown factor	17%	

**2015 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 1,368 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	373	135	113	35	16	4
Percentage of cancellations before retrieval (%)	3.2	10.4	14.2	17.1	5 / 16	1 / 4
Average number of embryos transferred	1.5	1.6	1.9	1.9	1.7	1.7
Percentage of embryos transferred resulting in implantation (%)	53.6	48.5	34.1	18.2	0 / 12	1 / 5
Percentage of elective single embryo transfers (eSET) (%)	41.2	31.1	7.8	0 / 12	0 / 4	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.8	28.9	14.2	5.7	0 / 16	1 / 4
Percentage of cycles resulting in singleton live births (%)	36.5	32.6	16.8	8.6	0 / 16	1 / 4
Percentage of cycles resulting in twin live births (%)	12.1	11.1	7.1	2.9	0 / 16	0 / 4
Percentage of cycles resulting in live births (%)	49.1	43.7	24.8	11.4	0 / 16	1 / 4
Percentage of cycles resulting in pregnancies (%)	54.2	48.9	33.6	17.1	0 / 16	1 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	321	106	77	18	7	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	39.3	36.8	20.8	2 / 18	0 / 7	1 / 3
Percentage of transfers resulting in singleton live births (%)	42.4	41.5	24.7	3 / 18	0 / 7	1 / 3
Percentage of transfers resulting in twin live births (%)	14.0	14.2	10.4	1 / 18	0 / 7	0 / 3
Percentage of transfers resulting in live births (%)	57.0	55.7	36.4	4 / 18	0 / 7	1 / 3
Percentage of transfers resulting in pregnancies (%)	62.9	62.3	49.4	6 / 18	0 / 7	1 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	185	96	67	20	3	0
Number of transfers	174	89	58	19	2	0
Estimated average number of transfers per retrieval	1.6	1.2	1.0	0.6	0.3	0.0
Average number of embryos transferred	1.4	1.5	1.3	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	58.9	52.3	54.8	42.9	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.2	39.3	39.7	5 / 19	0 / 2	
Percentage of transfers resulting in singleton live births (%)	45.4	46.1	44.8	6 / 19	0 / 2	
Percentage of transfers resulting in twin live births (%)	12.6	11.2	3.4	0 / 19	0 / 2	
Percentage of transfers resulting in live births (%)	58.0	57.3	50.0	6 / 19	0 / 2	
Percentage of transfers resulting in pregnancies (%)	69.0	64.0	67.2	10 / 19	1 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>	47	46	41	27	5	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		75			69	
Number of transfers		64			65	
Average number of embryos transferred		1.4			1.6	
Percentage of embryos transferred resulting in implantation (%)		70.9			53.5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		32.8			41.5	
Percentage of transfers resulting in singleton live births (%)		37.5			49.2	
Percentage of transfers resulting in twin live births (%)		23.4			9.2	
Percentage of transfers resulting in live births (%)		60.9			58.5	
Percentage of transfers resulting in pregnancies (%)		75.0			69.2	

**CURRENT SERVICES & PROFILE**

Current Name: Center for Reproductive Medicine, Advanced Reproductive Technologies

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**REPRODUCTIVE MEDICINE CENTER  
MINNEAPOLIS, MINNESOTA**

---

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

# MAYO CLINIC ASSISTED REPRODUCTIVE TECHNOLOGIES ROCHESTER, MINNESOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Charles C. Coddington, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	70%	Tubal factor	8%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 18%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	25%	Male factor	33%	
Used gestational carrier	1%			Diminished ovarian reserve	27%	Other factor	15%	
				Endometriosis	6%	Unknown factor	12%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 436 (includes 11 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	86	27	21	14	6	0
Percentage of cancellations before retrieval (%)	3.5	11.1	9.5	2 / 14	1 / 6	
Average number of embryos transferred	1.5	1.7	2.1	2.3	2.7	
Percentage of embryos transferred resulting in implantation (%)	40.0	53.1	22.7	9.5	0 / 8	
Percentage of elective single embryo transfers (eSET) (%)	52.7	4 / 17	1 / 11	1 / 9	0 / 3	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.3	25.9	4.8	0 / 14	0 / 6	
Percentage of cycles resulting in singleton live births (%)	22.1	25.9	19.0	0 / 14	0 / 6	
Percentage of cycles resulting in twin live births (%)	5.8	7.4	0.0	1 / 14	0 / 6	
Percentage of cycles resulting in live births (%)	27.9	33.3	19.0	1 / 14	0 / 6	
Percentage of cycles resulting in pregnancies (%)	31.4	44.4	28.6	1 / 14	0 / 6	
<b>Outcomes per Transfer</b>						
Number of transfers	56	19	12	9	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.0	7 / 19	1 / 12	0 / 9	0 / 3	
Percentage of transfers resulting in singleton live births (%)	33.9	7 / 19	4 / 12	0 / 9	0 / 3	
Percentage of transfers resulting in twin live births (%)	8.9	2 / 19	0 / 12	1 / 9	0 / 3	
Percentage of transfers resulting in live births (%)	42.9	9 / 19	4 / 12	1 / 9	0 / 3	
Percentage of transfers resulting in pregnancies (%)	48.2	12 / 19	6 / 12	1 / 9	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	109	29	25	7	7	4
Number of transfers	105	26	25	6	5	4
Estimated average number of transfers per retrieval	1.8	1.9	1.0	0.4	1.3	
Average number of embryos transferred	1.5	1.5	1.7	1.7	1.6	1.5
Percentage of embryos transferred resulting in implantation (%)	36.2	25.0	26.2	1 / 10	1 / 8	2 / 6
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.8	19.2	20.0	1 / 6	1 / 5	1 / 4
Percentage of transfers resulting in singleton live births (%)	25.7	23.1	20.0	1 / 6	1 / 5	1 / 4
Percentage of transfers resulting in twin live births (%)	5.7	7.7	8.0	0 / 6	0 / 5	0 / 4
Percentage of transfers resulting in live births (%)	31.4	30.8	28.0	1 / 6	1 / 5	1 / 4
Percentage of transfers resulting in pregnancies (%)	46.7	30.8	36.0	1 / 6	1 / 5	2 / 4
<b>Number of Egg/Embryo Banking Cycles</b>						
	27	10	18	10	2	0
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		8			15	
Number of transfers		6			15	
Average number of embryos transferred		1.5			1.4	
Percentage of embryos transferred resulting in implantation (%)		7 / 9			5 / 19	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 6			2 / 15	
Percentage of transfers resulting in singleton live births (%)		4 / 6			3 / 15	
Percentage of transfers resulting in twin live births (%)		1 / 6			1 / 15	
Percentage of transfers resulting in live births (%)		5 / 6			4 / 15	
Percentage of transfers resulting in pregnancies (%)		5 / 6			5 / 15	

## CURRENT SERVICES & PROFILE

This clinic has reorganized since 2015. Contact the NASS Help Desk for further information.

**Current Name:** Mayo Clinic Assisted Reproductive Technologies

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE MEDICINE & INFERTILITY ASSOCIATES WOODBURY, MINNESOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Jacques P. Stassart, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	96%	Tubal factor	14%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 45%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	23%	Male factor	74%	
Used gestational carrier	1%			Diminished ovarian reserve	8%	Other factor	19%	
				Endometriosis	15%	Unknown factor	5%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 645 (includes 12 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	211	81	43	12	6	0
Percentage of cancellations before retrieval (%)	1.4	2.5	4.7	0 / 12	0 / 6	
Average number of embryos transferred	1.7	2.0	2.5	2.9	3.3	
Percentage of embryos transferred resulting in implantation (%)	41.6	33.8	28.2	4.0	0.0	
Percentage of elective single embryo transfers (eSET) (%)	33.9	6.0	0.0	0 / 9	0 / 5	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.9	22.2	9.3	0 / 12	0 / 6	
Percentage of cycles resulting in singleton live births (%)	33.2	24.7	14.0	1 / 12	0 / 6	
Percentage of cycles resulting in twin live births (%)	11.4	11.1	14.0	0 / 12	0 / 6	
Percentage of cycles resulting in live births (%)	45.0	35.8	27.9	1 / 12	0 / 6	
Percentage of cycles resulting in pregnancies (%)	52.1	48.1	41.9	3 / 12	0 / 6	
<b>Outcomes per Transfer</b>						
Number of transfers	200	72	36	11	6	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.5	25.0	11.1	0 / 11	0 / 6	
Percentage of transfers resulting in singleton live births (%)	35.0	27.8	16.7	1 / 11	0 / 6	
Percentage of transfers resulting in twin live births (%)	12.0	12.5	16.7	0 / 11	0 / 6	
Percentage of transfers resulting in live births (%)	47.5	40.3	33.3	1 / 11	0 / 6	
Percentage of transfers resulting in pregnancies (%)	55.0	54.2	50.0	3 / 11	0 / 6	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	110	65	8	3	3	0
Number of transfers	109	64	8	2	2	0
Estimated average number of transfers per retrieval	1.8	1.9	1.6	0.5		
Average number of embryos transferred	1.7	1.5	1.5	1.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	32.4	27.2	4 / 10	0 / 2	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.4	26.6	2 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	32.1	26.6	2 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	5.5	3.1	0 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	37.6	29.7	2 / 8	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	49.5	39.1	4 / 8	0 / 2	0 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>						
	11	5	3	4	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	39			29		
Number of transfers	38			29		
Average number of embryos transferred	1.6			1.4		
Percentage of embryos transferred resulting in implantation (%)	50.0			33.3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.7			13.8		
Percentage of transfers resulting in singleton live births (%)	31.6			27.6		
Percentage of transfers resulting in twin live births (%)	13.2			6.9		
Percentage of transfers resulting in live births (%)	44.7			34.5		
Percentage of transfers resulting in pregnancies (%)	63.2			37.9		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine & Infertility Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MISSISSIPPI REPRODUCTIVE MEDICINE, PLLC FLOWOOD, MISSISSIPPI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Randall S. Hines, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	16%	Uterine factor	36%	<i>Multiple Factors:</i> Female factors only 34% Female & male factors 19%
Unstimulated	7%	PGD/PGS	2%	Ovulatory dysfunction	17%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	11%	
				Endometriosis	37%	Unknown factor	3%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 171 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	28	10	3	2	1	2
Percentage of cancellations before retrieval (%)	14.3	3 / 10	2 / 3	0 / 2	1 / 1	1 / 2
Average number of embryos transferred	1.8	2.0		1.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 18	1 / 4		0 / 1		
Percentage of elective single embryo transfers (eSET) (%)	1 / 9	0 / 2				
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3.6	0 / 10	0 / 3	0 / 2	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	3.6	1 / 10	0 / 3	0 / 2	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	3.6	0 / 10	0 / 3	0 / 2	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	7.1	1 / 10	0 / 3	0 / 2	0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)	7.1	1 / 10	0 / 3	0 / 2	0 / 1	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	10	2	0	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 10	0 / 2		0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 10	1 / 2		0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 10	0 / 2		0 / 1		
Percentage of transfers resulting in live births (%)	2 / 10	1 / 2		0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 10	1 / 2		0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	36	13	4	1	1	0
Number of transfers	33	13	3	1	1	0
Estimated average number of transfers per retrieval	1.1	1.4	1.5	1.0	0.5	0.0
Average number of embryos transferred	1.2	1.3	2.0	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	8 / 16	1 / 6	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.4	4 / 13	1 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	36.4	4 / 13	1 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	6.1	2 / 13	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	42.4	6 / 13	1 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	57.6	7 / 13	1 / 3	0 / 1	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	19	7	2	1	1	1
<b>Donor Eggs</b>						
		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		7			32	
Number of transfers		2			31	
Average number of embryos transferred		2.0			1.3	
Percentage of embryos transferred resulting in implantation (%)		1 / 4			20.5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 2			12.9	
Percentage of transfers resulting in singleton live births (%)		1 / 2			19.4	
Percentage of transfers resulting in twin live births (%)		0 / 2			3.2	
Percentage of transfers resulting in live births (%)		1 / 2			22.6	
Percentage of transfers resulting in pregnancies (%)		1 / 2			22.6	

## CURRENT SERVICES & PROFILE

Current Name: Mississippi Reproductive Medicine, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY OF MISSISSIPPI MEDICAL CENTER FLOWOOD, MISSISSIPPI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by J. Preston Parry, MD					
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>					
IVF	100%	With ICSI	88%	Tubal factor	27%	Uterine factor	13%	<i>Multiple Factors:</i>	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	11%	Male factor	33%	Female factors only	16%
Used gestational carrier	2%			Diminished ovarian reserve	19%	Other factor	2%	Female & male factors	17%
				Endometriosis	18%	Unknown factor	18%		

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 173 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		55	21	18	4	0	0
Percentage of cancellations before retrieval (%)		7.3	14.3	3 / 18	0 / 4		
Average number of embryos transferred		1.7	1.9	2.1	2.0		
Percentage of embryos transferred resulting in implantation (%)		41.9	30.8	4 / 19	0 / 4		
Percentage of elective single embryo transfers (eSET) (%)		28.6	2 / 13	0 / 11	0 / 1		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		25.5	14.3	2 / 18	0 / 4		
Percentage of cycles resulting in singleton live births (%)		27.3	23.8	4 / 18	0 / 4		
Percentage of cycles resulting in twin live births (%)		10.9	4.8	0 / 18	0 / 4		
Percentage of cycles resulting in live births (%)		38.2	28.6	4 / 18	0 / 4		
Percentage of cycles resulting in pregnancies (%)		47.3	28.6	6 / 18	0 / 4		
<b>Outcomes per Transfer</b>							
Number of transfers		44	14	11	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		31.8	3 / 14	2 / 11	0 / 2		
Percentage of transfers resulting in singleton live births (%)		34.1	5 / 14	4 / 11	0 / 2		
Percentage of transfers resulting in twin live births (%)		13.6	1 / 14	0 / 11	0 / 2		
Percentage of transfers resulting in live births (%)		47.7	6 / 14	4 / 11	0 / 2		
Percentage of transfers resulting in pregnancies (%)		59.1	6 / 14	6 / 11	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		30	11	10	1	0	0
Number of transfers		30	10	9	1	0	0
Estimated average number of transfers per retrieval		2.5	2.0	3.0	0.5	0.0	
Average number of embryos transferred		1.5	1.3	1.8	2.0		
Percentage of embryos transferred resulting in implantation (%)		50.0	3 / 11	5 / 14	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		30.0	0 / 10	1 / 9	0 / 1		
Percentage of transfers resulting in singleton live births (%)		33.3	1 / 10	2 / 9	0 / 1		
Percentage of transfers resulting in twin live births (%)		13.3	1 / 10	1 / 9	0 / 1		
Percentage of transfers resulting in live births (%)		46.7	2 / 10	3 / 9	0 / 1		
Percentage of transfers resulting in pregnancies (%)		56.7	3 / 10	5 / 9	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>							
		0	0	1	2	1	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		9			9		
Number of transfers		8			7		
Average number of embryos transferred		1.4			1.3		
Percentage of embryos transferred resulting in implantation (%)		6 / 11			0 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 8			0 / 7		
Percentage of transfers resulting in singleton live births (%)		2 / 8			0 / 7		
Percentage of transfers resulting in twin live births (%)		1 / 8			0 / 7		
Percentage of transfers resulting in live births (%)		3 / 8			0 / 7		
Percentage of transfers resulting in pregnancies (%)		5 / 8			1 / 7		

CURRENT SERVICES & PROFILE		Current Name: University of Mississippi Medical Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# INFERTILITY CENTER OF ST. LOUIS CHESTERFIELD, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Sherman J. Silber, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	98%	Tubal factor	11%	Uterine factor	13%	<i>Multiple Factors:</i> Female factors only 18% Female & male factors 16%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	18%	Male factor	32%	
Used gestational carrier	2%			Diminished ovarian reserve	51%	Other factor	7%	
				Endometriosis	2%	Unknown factor	5%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 870 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	33	9	7	0	1	0
Percentage of cancellations before retrieval (%)	0.0	0 / 9	0 / 7		0 / 1	
Average number of embryos transferred	1.9	2.1	2.8		4.0	
Percentage of embryos transferred resulting in implantation (%)	31.9	3 / 17	1 / 14		0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	3.4	0 / 9	0 / 5		0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.3	1 / 9	1 / 7		0 / 1	
Percentage of cycles resulting in singleton live births (%)	39.4	1 / 9	1 / 7		0 / 1	
Percentage of cycles resulting in twin live births (%)	3.0	1 / 9	0 / 7		0 / 1	
Percentage of cycles resulting in live births (%)	42.4	2 / 9	1 / 7		0 / 1	
Percentage of cycles resulting in pregnancies (%)	63.6	3 / 9	1 / 7		0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	31	9	5	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.3	1 / 9	1 / 5		0 / 1	
Percentage of transfers resulting in singleton live births (%)	41.9	1 / 9	1 / 5		0 / 1	
Percentage of transfers resulting in twin live births (%)	3.2	1 / 9	0 / 5		0 / 1	
Percentage of transfers resulting in live births (%)	45.2	2 / 9	1 / 5		0 / 1	
Percentage of transfers resulting in pregnancies (%)	67.7	3 / 9	1 / 5		0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	138	63	50	40	31	29
Number of transfers	129	59	47	38	27	23
Estimated average number of transfers per retrieval	1.0	0.9	0.6	0.9	0.6	0.4
Average number of embryos transferred	1.9	1.8	2.0	2.2	2.4	2.8
Percentage of embryos transferred resulting in implantation (%)	29.6	29.2	21.2	15.8	6.6	0.0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.3	20.3	17.0	10.5	7.4	0.0
Percentage of transfers resulting in singleton live births (%)	20.2	28.8	21.3	13.2	14.8	0.0
Percentage of transfers resulting in twin live births (%)	10.1	6.8	2.1	2.6	0.0	0.0
Percentage of transfers resulting in live births (%)	31.8	35.6	23.4	15.8	14.8	0.0
Percentage of transfers resulting in pregnancies (%)	43.4	50.8	40.4	34.2	18.5	4.3
<b>Number of Egg/Embryo Banking Cycles</b>						
	120	61	83	44	43	53
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		23			39	
Number of transfers		20			34	
Average number of embryos transferred		1.9			1.7	
Percentage of embryos transferred resulting in implantation (%)		40.0			33.9	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		35.0			20.6	
Percentage of transfers resulting in singleton live births (%)		40.0			35.3	
Percentage of transfers resulting in twin live births (%)		15.0			2.9	
Percentage of transfers resulting in live births (%)		55.0			41.2	
Percentage of transfers resulting in pregnancies (%)		60.0			50.0	

## CURRENT SERVICES & PROFILE

Current Name: Infertility Center of St. Louis

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

# MID-MISSOURI REPRODUCTIVE MEDICINE AND SURGERY, INC. COLUMBIA, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Gilbert Wilshire, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	87%	Tubal factor	20%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 61%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	33%	Male factor	72%	
Used gestational carrier	4%			Diminished ovarian reserve	34%	Other factor	5%	
				Endometriosis	12%	Unknown factor	1%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 167 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	59	18	7	2	0	0
Percentage of cancellations before retrieval (%)	10.2	1 / 18	0 / 7	0 / 2		
Average number of embryos transferred	1.9	2.0	2.2	1.5		
Percentage of embryos transferred resulting in implantation (%)	29.0	25.0	3 / 13	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	17.6	3 / 15	0 / 5	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.6	4 / 18	1 / 7	0 / 2		
Percentage of cycles resulting in singleton live births (%)	23.7	6 / 18	1 / 7	0 / 2		
Percentage of cycles resulting in twin live births (%)	10.2	1 / 18	1 / 7	0 / 2		
Percentage of cycles resulting in live births (%)	33.9	7 / 18	2 / 7	0 / 2		
Percentage of cycles resulting in pregnancies (%)	35.6	7 / 18	2 / 7	0 / 2		
<b>Outcomes per Transfer</b>						
Number of transfers	52	16	6	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.2	4 / 16	1 / 6	0 / 2		
Percentage of transfers resulting in singleton live births (%)	26.9	6 / 16	1 / 6	0 / 2		
Percentage of transfers resulting in twin live births (%)	11.5	1 / 16	1 / 6	0 / 2		
Percentage of transfers resulting in live births (%)	38.5	7 / 16	2 / 6	0 / 2		
Percentage of transfers resulting in pregnancies (%)	40.4	7 / 16	2 / 6	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	31	11	6	1	0	0
Number of transfers	28	8	6	1	0	0
Estimated average number of transfers per retrieval	2.0	1.3	3.0		0.0	
Average number of embryos transferred	1.7	1.5	1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	29.8	1 / 12	2 / 9	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.0	1 / 8	2 / 6	0 / 1		
Percentage of transfers resulting in singleton live births (%)	32.1	1 / 8	2 / 6	0 / 1		
Percentage of transfers resulting in twin live births (%)	3.6	0 / 8	0 / 6	0 / 1		
Percentage of transfers resulting in live births (%)	35.7	1 / 8	2 / 6	0 / 1		
Percentage of transfers resulting in pregnancies (%)	39.3	1 / 8	2 / 6	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	6	1	2	0	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	9			13		
Number of transfers	7			11		
Average number of embryos transferred	1.7			1.5		
Percentage of embryos transferred resulting in implantation (%)	6 / 12			3 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 7			3 / 11		
Percentage of transfers resulting in singleton live births (%)	2 / 7			3 / 11		
Percentage of transfers resulting in twin live births (%)	2 / 7			0 / 11		
Percentage of transfers resulting in live births (%)	4 / 7			3 / 11		
Percentage of transfers resulting in pregnancies (%)	4 / 7			3 / 11		

## CURRENT SERVICES & PROFILE

Current Name: Mid-Missouri Reproductive Medicine and Surgery, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**MISSOURI CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY  
UNIVERSITY OF MISSOURI  
COLUMBIA, MISSOURI**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

<b>2015 ART CYCLE PROFILE</b>				Data verified by Danny J. Schust, MD				
<b>Type of ART and Procedural Factors<sup>a</sup></b>				<b>Patient Diagnosis<sup>b</sup></b>				
IVF	100%	With ICSI	63%	Tubal factor	19%	Uterine factor	19%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 22%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	4%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	30%	
				Endometriosis	0%	Unknown factor	19%	

<b>2015 ART SUCCESS RATES<sup>c</sup></b>		Total number of cycles <sup>d</sup> : 34 (includes 0 cycle[s] using frozen eggs)					
<b>Type of Cycle</b>	<b>Age of Woman</b>						
	<b>&lt;35</b>	<b>35–37</b>	<b>38–40</b>	<b>41–42</b>	<b>43–44</b>	<b>&gt;44</b>	
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles	10	4	5	0	0	0	
Percentage of cancellations before retrieval (%)	0 / 10	0 / 4	1 / 5				
Average number of embryos transferred	1.7	2.0	1.7				
Percentage of embryos transferred resulting in implantation (%)	9 / 15	0 / 4	0 / 5				
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	0 / 2	0 / 1				
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 10	0 / 4	0 / 5				
Percentage of cycles resulting in singleton live births (%)	1 / 10	0 / 4	0 / 5				
Percentage of cycles resulting in twin live births (%)	3 / 10	0 / 4	0 / 5				
Percentage of cycles resulting in live births (%)	4 / 10	0 / 4	0 / 5				
Percentage of cycles resulting in pregnancies (%)	5 / 10	0 / 4	0 / 5				
<b>Outcomes per Transfer</b>							
Number of transfers	9	2	3	0	0	0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 9	0 / 2	0 / 3				
Percentage of transfers resulting in singleton live births (%)	1 / 9	0 / 2	0 / 3				
Percentage of transfers resulting in twin live births (%)	3 / 9	0 / 2	0 / 3				
Percentage of transfers resulting in live births (%)	4 / 9	0 / 2	0 / 3				
Percentage of transfers resulting in pregnancies (%)	5 / 9	0 / 2	0 / 3				
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles	4	2	0	0	0	0	
Number of transfers	3	2	0	0	0	0	
Estimated average number of transfers per retrieval	0.4	2.0					
Average number of embryos transferred	1.7	1.0					
Percentage of embryos transferred resulting in implantation (%)	0 / 5	0 / 2					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 3	0 / 2					
Percentage of transfers resulting in singleton live births (%)	0 / 3	0 / 2					
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 2					
Percentage of transfers resulting in live births (%)	0 / 3	0 / 2					
Percentage of transfers resulting in pregnancies (%)	0 / 3	0 / 2					
<b>Number of Egg/Embryo Banking Cycles</b>							
	6	1	0	0	0	0	
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0		2			
Number of transfers		0		2			
Average number of embryos transferred				1.5			
Percentage of embryos transferred resulting in implantation (%)				0 / 3			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 2			
Percentage of transfers resulting in singleton live births (%)				0 / 2			
Percentage of transfers resulting in twin live births (%)				0 / 2			
Percentage of transfers resulting in live births (%)				0 / 2			
Percentage of transfers resulting in pregnancies (%)				0 / 2			

<b>CURRENT SERVICES &amp; PROFILE</b>		Current Name: Missouri Center for Reproductive Medicine and Fertility, University of Missouri					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-ST. LOUIS CREVE COEUR, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Molina B. Dayal, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	98%	Tubal factor	5%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 2%
Unstimulated	0%	PGD/PGS	20%	Ovulatory dysfunction	12%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	21%	
				Endometriosis	1%	Unknown factor	5%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 494 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	166	48	23	12	2	0
Percentage of cancellations before retrieval (%)	0.6	0.0	8.7	0 / 12	0 / 2	
Average number of embryos transferred	1.8	1.6	1.5	1.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	36.6	33.3	3 / 7	0 / 1	1 / 3	
Percentage of elective single embryo transfers (eSET) (%)	8.0	15.0	0 / 3		0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.9	12.5	0.0	0 / 12	0 / 2	
Percentage of cycles resulting in singleton live births (%)	19.3	20.8	0.0	0 / 12	0 / 2	
Percentage of cycles resulting in twin live births (%)	13.3	4.2	4.3	0 / 12	0 / 2	
Percentage of cycles resulting in live births (%)	33.1	25.0	4.3	0 / 12	0 / 2	
Percentage of cycles resulting in pregnancies (%)	36.1	25.0	13.0	0 / 12	1 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	126	28	6	1	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.3	21.4	0 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	25.4	35.7	0 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	17.5	7.1	1 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	43.7	42.9	1 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	47.6	42.9	3 / 6	0 / 1	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	76	46	30	5	3	1
Number of transfers	74	42	28	5	3	1
Estimated average number of transfers per retrieval	1.5	1.7	1.3	0.7	1.5	0.5
Average number of embryos transferred	1.5	1.5	1.2	1.4	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	42.5	30.5	18.8	3 / 7	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.6	26.2	3.6	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.1	28.6	14.3	1 / 5	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	12.2	4.8	3.6	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	43.2	33.3	17.9	1 / 5	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	52.7	40.5	25.0	3 / 5	0 / 3	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	5	11	14	3	2	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		17			28	
Number of transfers		9			28	
Average number of embryos transferred		2.0			1.5	
Percentage of embryos transferred resulting in implantation (%)		11 / 18			47.5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 9			25.0	
Percentage of transfers resulting in singleton live births (%)		3 / 9			39.3	
Percentage of transfers resulting in twin live births (%)		4 / 9			14.3	
Percentage of transfers resulting in live births (%)		7 / 9			53.6	
Percentage of transfers resulting in pregnancies (%)		7 / 9			57.1	

## CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-St. Louis

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MIDWEST WOMEN'S HEALTHCARE SPECIALISTS KANSAS CITY, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Gregory C. Starks, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	21%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 34%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	29%	Male factor	47%	
Used gestational carrier	1%			Diminished ovarian reserve	27%	Other factor	3%	
				Endometriosis	26%	Unknown factor	5%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 120 (includes 18 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	42	21	7	0	0	0
Percentage of cancellations before retrieval (%)	14.3	28.6	1 / 7			
Average number of embryos transferred	1.9	1.9	1.8			
Percentage of embryos transferred resulting in implantation (%)	36.4	24.0	2 / 9			
Percentage of elective single embryo transfers (eSET) (%)	7.1	0 / 12	0 / 4			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.3	14.3	1 / 7			
Percentage of cycles resulting in singleton live births (%)	16.7	14.3	2 / 7			
Percentage of cycles resulting in twin live births (%)	11.9	4.8	0 / 7			
Percentage of cycles resulting in live births (%)	31.0	19.0	2 / 7			
Percentage of cycles resulting in pregnancies (%)	31.0	23.8	2 / 7			
<b>Outcomes per Transfer</b>						
Number of transfers	29	13	5	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.7	3 / 13	1 / 5			
Percentage of transfers resulting in singleton live births (%)	24.1	3 / 13	2 / 5			
Percentage of transfers resulting in twin live births (%)	17.2	1 / 13	0 / 5			
Percentage of transfers resulting in live births (%)	44.8	4 / 13	2 / 5			
Percentage of transfers resulting in pregnancies (%)	44.8	5 / 13	2 / 5			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	14	2	4	1	0	0
Number of transfers	13	2	4	1	0	0
Estimated average number of transfers per retrieval	1.4	1.0	2.0			
Average number of embryos transferred	1.4	1.5	1.8	2.0		
Percentage of embryos transferred resulting in implantation (%)	10 / 17	1 / 3	2 / 6	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 13	1 / 2	2 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 13	1 / 2	2 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)	3 / 13	0 / 2	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	6 / 13	1 / 2	2 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)	8 / 13	1 / 2	3 / 4	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	4	1	1	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			5		
Number of transfers	0			5		
Average number of embryos transferred				1.0		
Percentage of embryos transferred resulting in implantation (%)				1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				1 / 5		
Percentage of transfers resulting in singleton live births (%)				1 / 5		
Percentage of transfers resulting in twin live births (%)				0 / 5		
Percentage of transfers resulting in live births (%)				1 / 5		
Percentage of transfers resulting in pregnancies (%)				3 / 5		

## CURRENT SERVICES & PROFILE

Current Name: Midwest Women's Healthcare Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY PARTNERSHIP SAINT PETERS, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by David E. Simckes, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	94%	Tubal factor	20%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 15%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	19%	Male factor	28%	
Used gestational carrier	3%			Diminished ovarian reserve	24%	Other factor	5%	
				Endometriosis	16%	Unknown factor	8%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 183 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	46	17	18	5	2	1
Percentage of cancellations before retrieval (%)	6.5	0 / 17	0 / 18	0 / 5	0 / 2	1 / 1
Average number of embryos transferred	1.9	1.9	1.8	1.5	3.0	
Percentage of embryos transferred resulting in implantation (%)	55.4	19.4	25.0	1 / 6	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	14.6	2 / 14	2 / 11	1 / 2	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.1	6 / 17	1 / 18	1 / 5	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	34.8	6 / 17	2 / 18	1 / 5	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	21.7	0 / 17	1 / 18	0 / 5	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	56.5	6 / 17	3 / 18	1 / 5	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	67.4	6 / 17	6 / 18	1 / 5	0 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	42	16	16	4	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.6	6 / 16	1 / 16	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	38.1	6 / 16	2 / 16	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	23.8	0 / 16	1 / 16	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	61.9	6 / 16	3 / 16	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	73.8	6 / 16	6 / 16	1 / 4	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	33	19	8	2	0	0
Number of transfers	31	14	8	1	0	0
Estimated average number of transfers per retrieval	1.9	1.8	2.0	0.3	0.0	0.0
Average number of embryos transferred	2.1	1.9	1.8	1.0		
Percentage of embryos transferred resulting in implantation (%)	38.5	19.2	5 / 14	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.4	3 / 14	2 / 8	0 / 1		
Percentage of transfers resulting in singleton live births (%)	38.7	4 / 14	2 / 8	0 / 1		
Percentage of transfers resulting in twin live births (%)	16.1	0 / 14	1 / 8	0 / 1		
Percentage of transfers resulting in live births (%)	54.8	4 / 14	3 / 8	0 / 1		
Percentage of transfers resulting in pregnancies (%)	61.3	6 / 14	4 / 8	0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	8	4	3	4	1	2
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			8		
Number of transfers	0			6		
Average number of embryos transferred				1.8		
Percentage of embryos transferred resulting in implantation (%)				4 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				2 / 6		
Percentage of transfers resulting in singleton live births (%)				2 / 6		
Percentage of transfers resulting in twin live births (%)				0 / 6		
Percentage of transfers resulting in live births (%)				2 / 6		
Percentage of transfers resulting in pregnancies (%)				4 / 6		

## CURRENT SERVICES & PROFILE

Current Name: Fertility Partnership

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CENTER FOR REPRODUCTIVE MEDICINE & ROBOTIC SURGERY ST. LOUIS, MISSOURI

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Saji Jacob, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	100%	Tubal factor	24%	Uterine factor	9%	Multiple Factors: Female factors only 27% Female & male factors 30%
Unstimulated	4%	PGD/PGS	15%	Ovulatory dysfunction	33%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	12%	
				Endometriosis	27%	Unknown factor	3%	

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 53 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		16	5	5	1	0	0
Percentage of cancellations before retrieval (%)		0 / 16	0 / 5	0 / 5	0 / 1		
Average number of embryos transferred		1.9	2.0	2.3			
Percentage of embryos transferred resulting in implantation (%)		53.8	4 / 8	2 / 7			
Percentage of elective single embryo transfers (eSET) (%)		1 / 13	0 / 4	0 / 3			
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 16	2 / 5	2 / 5	0 / 1		
Percentage of cycles resulting in singleton live births (%)		5 / 16	4 / 5	2 / 5	0 / 1		
Percentage of cycles resulting in twin live births (%)		4 / 16	0 / 5	0 / 5	0 / 1		
Percentage of cycles resulting in live births (%)		9 / 16	4 / 5	2 / 5	0 / 1		
Percentage of cycles resulting in pregnancies (%)		10 / 16	4 / 5	2 / 5	0 / 1		
<b>Outcomes per Transfer</b>							
Number of transfers		14	4	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 14	2 / 4	2 / 3			
Percentage of transfers resulting in singleton live births (%)		5 / 14	4 / 4	2 / 3			
Percentage of transfers resulting in twin live births (%)		4 / 14	0 / 4	0 / 3			
Percentage of transfers resulting in live births (%)		9 / 14	4 / 4	2 / 3			
Percentage of transfers resulting in pregnancies (%)		10 / 14	4 / 4	2 / 3			
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		4	0	1	0	0	0
Number of transfers		2	0	1	0	0	0
Estimated average number of transfers per retrieval		0.2	0.0	0.2	0.0		0.0
Average number of embryos transferred		2.0		1.0			
Percentage of embryos transferred resulting in implantation (%)		1 / 4		1 / 1			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 2		1 / 1			
Percentage of transfers resulting in singleton live births (%)		1 / 2		1 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 2		0 / 1			
Percentage of transfers resulting in live births (%)		1 / 2		1 / 1			
Percentage of transfers resulting in pregnancies (%)		1 / 2		1 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>		9	5	4	1	0	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0			1		
Number of transfers		0			1		
Average number of embryos transferred					2.0		
Percentage of embryos transferred resulting in implantation (%)					1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)					1 / 1		
Percentage of transfers resulting in singleton live births (%)					1 / 1		
Percentage of transfers resulting in twin live births (%)					0 / 1		
Percentage of transfers resulting in live births (%)					1 / 1		
Percentage of transfers resulting in pregnancies (%)					1 / 1		

CURRENT SERVICES & PROFILE		Current Name: Center for Reproductive Medicine & Robotic Surgery					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE INFERTILITY AND REPRODUCTIVE MEDICINE CENTER  
AT WASHINGTON UNIVERSITY SCHOOL OF MEDICINE AND BARNES-JEWISH HOSPITAL  
ST. LOUIS, MISSOURI**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2015 ART CYCLE PROFILE**

Data verified by Randall R. Odem, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	68%	Tubal factor	16%	Uterine factor	1%	Multiple Factors: Female factors only 8% Female & male factors 12%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	26%	Male factor	28%	
Used gestational carrier	<1%			Diminished ovarian reserve	14%	Other factor	9%	
				Endometriosis	8%	Unknown factor	19%	

**2015 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 757 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	258	82	71	31	4	0
Percentage of cancellations before retrieval (%)	4.7	13.4	8.5	12.9	1 / 4	
Average number of embryos transferred	1.8	2.0	2.8	4.0	2.3	
Percentage of embryos transferred resulting in implantation (%)	41.5	43.7	18.0	9.0	0 / 7	
Percentage of elective single embryo transfers (eSET) (%)	15.9	6.3	1.8	0.0	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.6	32.9	18.3	9.7	0 / 4	
Percentage of cycles resulting in singleton live births (%)	38.0	39.0	19.7	9.7	0 / 4	
Percentage of cycles resulting in twin live births (%)	12.0	8.5	7.0	3.2	0 / 4	
Percentage of cycles resulting in live births (%)	50.0	47.6	26.8	12.9	0 / 4	
Percentage of cycles resulting in pregnancies (%)	55.0	52.4	32.4	22.6	0 / 4	
<b>Outcomes per Transfer</b>						
Number of transfers	229	65	61	25	3	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.7	41.5	21.3	12.0	0 / 3	
Percentage of transfers resulting in singleton live births (%)	42.8	49.2	23.0	12.0	0 / 3	
Percentage of transfers resulting in twin live births (%)	13.5	10.8	8.2	4.0	0 / 3	
Percentage of transfers resulting in live births (%)	56.3	60.0	31.1	16.0	0 / 3	
Percentage of transfers resulting in pregnancies (%)	62.0	66.2	37.7	28.0	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	107	49	36	9	1	0
Number of transfers	93	43	29	9	1	0
Estimated average number of transfers per retrieval	1.2	1.5	1.1	1.5	0.5	
Average number of embryos transferred	1.6	1.6	2.0	1.9	1.0	
Percentage of embryos transferred resulting in implantation (%)	49.3	29.2	30.2	3 / 17	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	38.7	25.6	20.7	3 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	44.1	32.6	31.0	3 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	9.7	0.0	6.9	0 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	54.8	32.6	37.9	3 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	63.4	44.2	48.3	3 / 9	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	34	14	15	4	2	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		13			23	
Number of transfers		12			20	
Average number of embryos transferred		1.8			1.7	
Percentage of embryos transferred resulting in implantation (%)		57.1			21.9	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		5 / 12			30.0	
Percentage of transfers resulting in singleton live births (%)		5 / 12			35.0	
Percentage of transfers resulting in twin live births (%)		3 / 12			0.0	
Percentage of transfers resulting in live births (%)		8 / 12			35.0	
Percentage of transfers resulting in pregnancies (%)		8 / 12			40.0	

**CURRENT SERVICES & PROFILE**

Current Name: Fertility and Reproductive Medicine Center at Washington University School of Medicine and Barnes-Jewish Hospital

Donor embryos?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Gestational carriers?	Yes			SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# BILLINGS CLINIC REPRODUCTIVE MEDICINE AND FERTILITY CARE BILLINGS, MONTANA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Stacy Shomento, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	53%	Tubal factor	19%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 12%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	23%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	5%	
				Endometriosis	15%	Unknown factor	20%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 152 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	60	19	9	5	0	0
Percentage of cancellations before retrieval (%)	6.7	0 / 19	0 / 9	0 / 5		
Average number of embryos transferred	1.8	1.8	2.6	3.4		
Percentage of embryos transferred resulting in implantation (%)	48.1	44.4	5 / 16	1 / 14		
Percentage of elective single embryo transfers (eSET) (%)	18.6	1 / 12	0 / 8	0 / 5		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.3	6 / 19	1 / 9	1 / 5		
Percentage of cycles resulting in singleton live births (%)	28.3	8 / 19	2 / 9	1 / 5		
Percentage of cycles resulting in twin live births (%)	15.0	1 / 19	0 / 9	0 / 5		
Percentage of cycles resulting in live births (%)	43.3	9 / 19	2 / 9	1 / 5		
Percentage of cycles resulting in pregnancies (%)	48.3	11 / 19	4 / 9	2 / 5		
<b>Outcomes per Transfer</b>						
Number of transfers	45	16	8	5	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.1	6 / 16	1 / 8	1 / 5		
Percentage of transfers resulting in singleton live births (%)	37.8	8 / 16	2 / 8	1 / 5		
Percentage of transfers resulting in twin live births (%)	20.0	1 / 16	0 / 8	0 / 5		
Percentage of transfers resulting in live births (%)	57.8	9 / 16	2 / 8	1 / 5		
Percentage of transfers resulting in pregnancies (%)	64.4	11 / 16	4 / 8	2 / 5		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	38	7	0	2	0	0
Number of transfers	32	7	0	2	0	0
Estimated average number of transfers per retrieval	1.8	1.8	0.0	1.0		
Average number of embryos transferred	1.8	1.3		1.5		
Percentage of embryos transferred resulting in implantation (%)	61.8	4 / 9		2 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.1	2 / 7		2 / 2		
Percentage of transfers resulting in singleton live births (%)	28.1	2 / 7		2 / 2		
Percentage of transfers resulting in twin live births (%)	37.5	1 / 7		0 / 2		
Percentage of transfers resulting in live births (%)	65.6	3 / 7		2 / 2		
Percentage of transfers resulting in pregnancies (%)	68.8	3 / 7		2 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	2	2	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			2		
Number of transfers	1			2		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			3 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 1			0 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 1			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in live births (%)	1 / 1			1 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 1			2 / 2		

## CURRENT SERVICES & PROFILE

Current Name: Billings Clinic, Reproductive Medicine and Fertility Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE HEALTH SPECIALISTS ELKHORN, NEBRASKA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Carolyn M. Doherty, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	87%	Tubal factor	22%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 21%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	14%	Male factor	44%	
Used gestational carrier	<1%			Diminished ovarian reserve	6%	Other factor	27%	
				Endometriosis	12%	Unknown factor	6%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 488 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	125	39	34	11	0	0
Percentage of cancellations before retrieval (%)	4.8	10.3	35.3	4 / 11		
Average number of embryos transferred	1.7	1.9	2.1	3.3		
Percentage of embryos transferred resulting in implantation (%)	33.3	31.8	21.1	2 / 13		
Percentage of elective single embryo transfers (eSET) (%)	18.6	9.1	1 / 16	0 / 4		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	12.8	20.5	2.9	2 / 11		
Percentage of cycles resulting in singleton live births (%)	16.8	20.5	8.8	2 / 11		
Percentage of cycles resulting in twin live births (%)	7.2	5.1	0.0	0 / 11		
Percentage of cycles resulting in live births (%)	24.0	25.6	11.8	2 / 11		
Percentage of cycles resulting in pregnancies (%)	27.2	30.8	14.7	2 / 11		
<b>Outcomes per Transfer</b>						
Number of transfers	80	24	18	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.0	33.3	1 / 18	2 / 4		
Percentage of transfers resulting in singleton live births (%)	26.3	33.3	3 / 18	2 / 4		
Percentage of transfers resulting in twin live births (%)	11.3	8.3	0 / 18	0 / 4		
Percentage of transfers resulting in live births (%)	37.5	41.7	4 / 18	2 / 4		
Percentage of transfers resulting in pregnancies (%)	42.5	50.0	5 / 18	2 / 4		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	137	44	20	4	3	0
Number of transfers	128	37	16	4	1	0
Estimated average number of transfers per retrieval	1.9	1.4	1.2	0.6		
Average number of embryos transferred	1.5	1.5	1.8	1.8	1.0	
Percentage of embryos transferred resulting in implantation (%)	50.3	31.6	34.5	1 / 7	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.9	18.9	4 / 16	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	43.8	32.4	5 / 16	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	9.4	5.4	2 / 16	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	53.1	37.8	7 / 16	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	63.3	40.5	7 / 16	1 / 4	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	13	13	1	4	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		15		24		
Number of transfers		12		19		
Average number of embryos transferred		1.6		1.4		
Percentage of embryos transferred resulting in implantation (%)		9 / 19		32.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		6 / 12		3 / 19		
Percentage of transfers resulting in singleton live births (%)		8 / 12		4 / 19		
Percentage of transfers resulting in twin live births (%)		0 / 12		0 / 19		
Percentage of transfers resulting in live births (%)		8 / 12		4 / 19		
Percentage of transfers resulting in pregnancies (%)		8 / 12		9 / 19		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HEARTLAND CENTER FOR REPRODUCTIVE MEDICINE, PC OMAHA, NEBRASKA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Victoria M. Maclin, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	51%	Tubal factor	22%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 24%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	7%	Male factor	48%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	3%	
				Endometriosis	11%	Unknown factor	13%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 346 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	120	35	29	11	3	0
Percentage of cancellations before retrieval (%)	10.8	11.4	13.8	2 / 11	1 / 3	
Average number of embryos transferred	1.7	1.7	2.1	2.0	2.5	
Percentage of embryos transferred resulting in implantation (%)	62.1	50.0	32.3	1 / 10	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	20.6	2 / 17	1 / 14	0 / 4	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.3	28.6	31.0	1 / 11	0 / 3	
Percentage of cycles resulting in singleton live births (%)	29.2	28.6	31.0	1 / 11	0 / 3	
Percentage of cycles resulting in twin live births (%)	14.2	8.6	0.0	0 / 11	0 / 3	
Percentage of cycles resulting in live births (%)	43.3	37.1	31.0	1 / 11	0 / 3	
Percentage of cycles resulting in pregnancies (%)	47.5	42.9	31.0	2 / 11	0 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	77	21	15	6	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.4	47.6	9 / 15	1 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	45.5	47.6	9 / 15	1 / 6	0 / 2	
Percentage of transfers resulting in twin live births (%)	22.1	14.3	0 / 15	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	67.5	61.9	9 / 15	1 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	74.0	71.4	9 / 15	2 / 6	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	55	21	11	0	1	0
Number of transfers	51	21	10	0	1	0
Estimated average number of transfers per retrieval	1.7	1.9	1.0	0.0		
Average number of embryos transferred	1.6	1.5	1.9		2.0	
Percentage of embryos transferred resulting in implantation (%)	55.3	51.9	5 / 18		0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	41.2	14.3	1 / 10		0 / 1	
Percentage of transfers resulting in singleton live births (%)	45.1	23.8	2 / 10		0 / 1	
Percentage of transfers resulting in twin live births (%)	13.7	14.3	1 / 10		0 / 1	
Percentage of transfers resulting in live births (%)	58.8	38.1	3 / 10		0 / 1	
Percentage of transfers resulting in pregnancies (%)	66.7	61.9	4 / 10		0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	6	2	5	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	29			17		
Number of transfers	28			15		
Average number of embryos transferred	1.5			1.4		
Percentage of embryos transferred resulting in implantation (%)	68.6			15.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	42.9			0 / 15		
Percentage of transfers resulting in singleton live births (%)	50.0			0 / 15		
Percentage of transfers resulting in twin live births (%)	7.1			1 / 15		
Percentage of transfers resulting in live births (%)	57.1			1 / 15		
Percentage of transfers resulting in pregnancies (%)	78.6			3 / 15		

## CURRENT SERVICES & PROFILE

Current Name: Heartland Center for Reproductive Medicine, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## GREEN VALLEY FERTILITY PARTNERS HENDERSON, NEVADA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by Jeffrey D. Fisch, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	93%	Tubal factor	27%	Uterine factor	<1%	Multiple Factors: Female factors only 10% Female & male factors 10%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	8%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	15%	
				Endometriosis	7%	Unknown factor	15%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 205 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	47	16	18	24	5	2
Percentage of cancellations before retrieval (%)	0.0	1 / 16	2 / 18	4.2	0 / 5	1 / 2
Average number of embryos transferred	1.4	1.4	1.9	1.8	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	51.7	4 / 13	5 / 19	10.0	1 / 6	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	46.9	3 / 7	0 / 8	1 / 12	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.5	2 / 16	3 / 18	12.5	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	29.8	2 / 16	4 / 18	12.5	1 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	10.6	0 / 16	0 / 18	0.0	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	40.4	2 / 16	4 / 18	12.5	1 / 5	0 / 2
Percentage of cycles resulting in pregnancies (%)	48.9	4 / 16	5 / 18	12.5	1 / 5	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	41	9	10	17	3	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.3	2 / 9	3 / 10	3 / 17	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.1	2 / 9	4 / 10	3 / 17	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	12.2	0 / 9	0 / 10	0 / 17	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	46.3	2 / 9	4 / 10	3 / 17	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	56.1	4 / 9	5 / 10	3 / 17	1 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	33	7	9	5	1	1
Number of transfers	31	7	8	5	1	0
Estimated average number of transfers per retrieval	1.9	0.8	1.0	2.5	0.5	0.0
Average number of embryos transferred	1.5	1.4	1.5	1.6	1.0	
Percentage of embryos transferred resulting in implantation (%)	34.9	3 / 10	4 / 12	1 / 8	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.6	1 / 7	0 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	25.8	3 / 7	3 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	6.5	0 / 7	0 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	32.3	3 / 7	3 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	45.2	3 / 7	4 / 8	1 / 5	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	6	6	6	2	0	3
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	6			8		
Number of transfers	6			8		
Average number of embryos transferred	1.5			1.6		
Percentage of embryos transferred resulting in implantation (%)	5 / 9			3 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 6			0 / 8		
Percentage of transfers resulting in singleton live births (%)	3 / 6			0 / 8		
Percentage of transfers resulting in twin live births (%)	1 / 6			1 / 8		
Percentage of transfers resulting in live births (%)	4 / 6			1 / 8		
Percentage of transfers resulting in pregnancies (%)	4 / 6			4 / 8		

### CURRENT SERVICES & PROFILE

Current Name: Green Valley Fertility Partners

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CENTER OF LAS VEGAS LAS VEGAS, NEVADA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Bruce S. Shapiro, MD, PhD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	100%	Tubal factor	9%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 16%
Unstimulated	0%	PGD/PGS	20%	Ovulatory dysfunction	3%	Male factor	31%	
Used gestational carrier	40%			Diminished ovarian reserve	48%	Other factor	25%	
				Endometriosis	1%	Unknown factor	5%	

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 981 (includes 7 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		5	4	0	0	0	1
Percentage of cancellations before retrieval (%)		0 / 5	0 / 4				0 / 1
Average number of embryos transferred		1.0	1.8				
Percentage of embryos transferred resulting in implantation (%)		1 / 3	5 / 7				
Percentage of elective single embryo transfers (eSET) (%)		2 / 2	0 / 3				
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 5	2 / 4				0 / 1
Percentage of cycles resulting in singleton live births (%)		1 / 5	3 / 4				0 / 1
Percentage of cycles resulting in twin live births (%)		0 / 5	1 / 4				0 / 1
Percentage of cycles resulting in live births (%)		1 / 5	4 / 4				0 / 1
Percentage of cycles resulting in pregnancies (%)		1 / 5	4 / 4				0 / 1
<b>Outcomes per Transfer</b>							
Number of transfers		3	4	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 3	2 / 4				
Percentage of transfers resulting in singleton live births (%)		1 / 3	3 / 4				
Percentage of transfers resulting in twin live births (%)		0 / 3	1 / 4				
Percentage of transfers resulting in live births (%)		1 / 3	4 / 4				
Percentage of transfers resulting in pregnancies (%)		1 / 3	4 / 4				
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		174	85	71	14	9	7
Number of transfers		168	81	68	14	8	7
Estimated average number of transfers per retrieval		1.0	0.9	0.8	0.6	0.7	0.5
Average number of embryos transferred		1.3	1.4	1.3	1.1	1.3	1.1
Percentage of embryos transferred resulting in implantation (%)		70.0	66.4	57.1	11 / 15	5 / 10	4 / 8
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		40.5	32.1	30.9	5 / 14	2 / 8	1 / 7
Percentage of transfers resulting in singleton live births (%)		51.8	37.0	41.2	7 / 14	5 / 8	2 / 7
Percentage of transfers resulting in twin live births (%)		12.5	18.5	10.3	2 / 14	0 / 8	0 / 7
Percentage of transfers resulting in live births (%)		64.3	55.6	51.5	9 / 14	5 / 8	2 / 7
Percentage of transfers resulting in pregnancies (%)		77.4	69.1	63.2	10 / 14	5 / 8	4 / 7
<b>Number of Egg/Embryo Banking Cycles</b>							
		157	94	90	23	12	14
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		90			124		
Number of transfers		69			118		
Average number of embryos transferred		1.4			1.4		
Percentage of embryos transferred resulting in implantation (%)		64.6			54.6		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		36.2			29.7		
Percentage of transfers resulting in singleton live births (%)		47.8			43.2		
Percentage of transfers resulting in twin live births (%)		17.4			12.7		
Percentage of transfers resulting in live births (%)		65.2			55.9		
Percentage of transfers resulting in pregnancies (%)		73.9			66.1		

CURRENT SERVICES & PROFILE		Current Name: Fertility Center of Las Vegas					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## RED ROCK FERTILITY CENTER LAS VEGAS, NEVADA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by Eva D. Littman, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	86%	Tubal factor	7%	Uterine factor	4%	Multiple Factors: Female factors only 0% Female & male factors 3%
Unstimulated	0%	PGD/PGS	44%	Ovulatory dysfunction	11%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	2%	
				Endometriosis	4%	Unknown factor	38%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 261 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	29	13	14	4	2	4
Percentage of cancellations before retrieval (%)	6.9	0 / 13	1 / 14	2 / 4	1 / 2	2 / 4
Average number of embryos transferred	1.8	1.7	1.4	2.0		
Percentage of embryos transferred resulting in implantation (%)	22.2	3 / 15	1 / 7	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	0 / 12	1 / 7	1 / 3	0 / 1		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.8	3 / 13	1 / 14	0 / 4	0 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	13.8	3 / 13	1 / 14	0 / 4	0 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	3.4	0 / 13	0 / 14	0 / 4	0 / 2	0 / 4
Percentage of cycles resulting in live births (%)	17.2	3 / 13	1 / 14	0 / 4	0 / 2	0 / 4
Percentage of cycles resulting in pregnancies (%)	20.7	3 / 13	1 / 14	0 / 4	0 / 2	0 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	16	9	5	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 16	3 / 9	1 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)	4 / 16	3 / 9	1 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 16	0 / 9	0 / 5	0 / 1		
Percentage of transfers resulting in live births (%)	5 / 16	3 / 9	1 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)	6 / 16	3 / 9	1 / 5	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	43	27	17	2	2	2
Number of transfers	43	27	17	2	1	2
Estimated average number of transfers per retrieval	1.0	0.8	0.6	0.4	1.0	2.0
Average number of embryos transferred	1.7	1.6	1.5	1.5	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	37.0	52.4	46.2	2 / 3	1 / 2	1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.6	37.0	6 / 17	1 / 2	1 / 1	1 / 2
Percentage of transfers resulting in singleton live births (%)	34.9	44.4	6 / 17	1 / 2	1 / 1	1 / 2
Percentage of transfers resulting in twin live births (%)	14.0	14.8	3 / 17	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	48.8	59.3	9 / 17	1 / 2	1 / 1	1 / 2
Percentage of transfers resulting in pregnancies (%)	51.2	66.7	9 / 17	2 / 2	1 / 1	1 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	33	31	27	5	1	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			2		
Number of transfers	1			2		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	2 / 2			0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 1			0 / 2		
Percentage of transfers resulting in live births (%)	1 / 1			0 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 1			0 / 2		

### CURRENT SERVICES & PROFILE

Current Name: Red Rock Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-LAS VEGAS LAS VEGAS, NEVADA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Mark Severino, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	97%	Tubal factor	12%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 44% Female & male factors 21%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	6%	Male factor	28%	
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	78%	
				Endometriosis	25%	Unknown factor	4%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 452 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	94	45	26	4	2	0
Percentage of cancellations before retrieval (%)	2.1	0.0	0.0	0 / 4	0 / 2	
Average number of embryos transferred	1.8	1.6	1.8		1.0	
Percentage of embryos transferred resulting in implantation (%)	26.8	21.1	17.9		0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	12.2	8.3	0 / 12			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	12.8	11.1	7.7	0 / 4	0 / 2	
Percentage of cycles resulting in singleton live births (%)	17.0	17.8	11.5	0 / 4	0 / 2	
Percentage of cycles resulting in twin live births (%)	11.7	4.4	3.8	0 / 4	0 / 2	
Percentage of cycles resulting in live births (%)	28.7	22.2	15.4	0 / 4	0 / 2	
Percentage of cycles resulting in pregnancies (%)	30.9	24.4	15.4	0 / 4	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	83	36	16	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.5	13.9	2 / 16		0 / 1	
Percentage of transfers resulting in singleton live births (%)	19.3	22.2	3 / 16		0 / 1	
Percentage of transfers resulting in twin live births (%)	13.3	5.6	1 / 16		0 / 1	
Percentage of transfers resulting in live births (%)	32.5	27.8	4 / 16		0 / 1	
Percentage of transfers resulting in pregnancies (%)	34.9	30.6	4 / 16		0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	37	21	22	7	11	5
Number of transfers	37	20	20	7	11	4
Estimated average number of transfers per retrieval	0.9	0.6	0.4	0.4	0.7	0.6
Average number of embryos transferred	1.5	1.5	1.8	1.6	1.5	1.3
Percentage of embryos transferred resulting in implantation (%)	28.6	21.4	11.1	2 / 11	3 / 16	1 / 5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.9	20.0	15.0	1 / 7	1 / 11	1 / 4
Percentage of transfers resulting in singleton live births (%)	27.0	30.0	20.0	1 / 7	3 / 11	1 / 4
Percentage of transfers resulting in twin live births (%)	2.7	0.0	0.0	0 / 7	0 / 11	0 / 4
Percentage of transfers resulting in live births (%)	29.7	30.0	20.0	1 / 7	3 / 11	1 / 4
Percentage of transfers resulting in pregnancies (%)	40.5	35.0	20.0	2 / 7	3 / 11	1 / 4
<b>Number of Egg/Embryo Banking Cycles</b>						
	25	27	54	16	15	7
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		10			24	
Number of transfers		9			23	
Average number of embryos transferred		1.9			1.6	
Percentage of embryos transferred resulting in implantation (%)		3 / 17			18.9	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 9			17.4	
Percentage of transfers resulting in singleton live births (%)		1 / 9			30.4	
Percentage of transfers resulting in twin live births (%)		1 / 9			0.0	
Percentage of transfers resulting in live births (%)		2 / 9			30.4	
Percentage of transfers resulting in pregnancies (%)		2 / 9			30.4	

## CURRENT SERVICES & PROFILE

This clinic has reorganized since 2015. Contact the NASS Help Desk for further information.

**Current Name:** Sher Institute for Reproductive Medicine-Las Vegas

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE NEVADA CENTER FOR REPRODUCTIVE MEDICINE RENO, NEVADA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Scott J. Whitten, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	27%	Uterine factor	10%	<i>Multiple Factors:</i> Female factors only 29% Female & male factors 19%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	12%	
				Endometriosis	11%	Unknown factor	6%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 416 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	57	32	36	14	5	3
Percentage of cancellations before retrieval (%)	5.3	3.1	0.0	1 / 14	1 / 5	0 / 3
Average number of embryos transferred	1.5	1.8	1.9	2.3	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	40.0	34.2	21.2	14.3	1 / 1	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	46.7	1 / 18	1 / 18	0 / 9		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.8	21.9	13.9	3 / 14	1 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)	21.1	21.9	16.7	3 / 14	1 / 5	0 / 3
Percentage of cycles resulting in twin live births (%)	5.3	9.4	0.0	0 / 14	0 / 5	0 / 3
Percentage of cycles resulting in live births (%)	26.3	31.3	16.7	3 / 14	1 / 5	0 / 3
Percentage of cycles resulting in pregnancies (%)	29.8	31.3	25.0	3 / 14	1 / 5	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	34	21	19	9	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.5	33.3	5 / 19	3 / 9	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.3	33.3	6 / 19	3 / 9	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	8.8	14.3	0 / 19	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	44.1	47.6	6 / 19	3 / 9	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	50.0	47.6	9 / 19	3 / 9	1 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	55	26	31	12	3	0
Number of transfers	55	26	31	12	3	0
Estimated average number of transfers per retrieval	1.1	1.0	0.8	0.8	0.4	0.0
Average number of embryos transferred	1.5	1.6	1.7	1.6	1.0	
Percentage of embryos transferred resulting in implantation (%)	59.7	56.1	38.5	4 / 19	1 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.7	50.0	32.3	3 / 12	1 / 3	
Percentage of transfers resulting in singleton live births (%)	43.6	57.7	45.2	4 / 12	1 / 3	
Percentage of transfers resulting in twin live births (%)	16.4	3.8	3.2	0 / 12	0 / 3	
Percentage of transfers resulting in live births (%)	60.0	61.5	48.4	4 / 12	1 / 3	
Percentage of transfers resulting in pregnancies (%)	74.5	76.9	64.5	4 / 12	1 / 3	
<b>Number of Egg/Embryo Banking Cycles</b>						
	26	15	24	13	8	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		8			45	
Number of transfers		6			45	
Average number of embryos transferred		1.3			1.6	
Percentage of embryos transferred resulting in implantation (%)		5 / 8			49.2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 6			31.1	
Percentage of transfers resulting in singleton live births (%)		3 / 6			44.4	
Percentage of transfers resulting in twin live births (%)		0 / 6			8.9	
Percentage of transfers resulting in live births (%)		3 / 6			53.3	
Percentage of transfers resulting in pregnancies (%)		5 / 6			71.1	

## CURRENT SERVICES & PROFILE

Current Name: The Nevada Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# DARTMOUTH-HITCHCOCK MEDICAL CENTER LEBANON, NEW HAMPSHIRE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Misty B. Porter, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	40%	Tubal factor	12%	Uterine factor	2%	Multiple Factors: Female factors only 0% Female & male factors 5%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	4%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	10%	Other factor	20%	
				Endometriosis	9%	Unknown factor	27%	

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 186 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		49	27	34	12	2	0
Percentage of cancellations before retrieval (%)		8.2	14.8	29.4	1 / 12	0 / 2	
Average number of embryos transferred		1.8	2.1	2.7	4.1	2.5	
Percentage of embryos transferred resulting in implantation (%)		20.8	24.5	11.3	0.0	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)		31.0	13.6	0.0	0 / 11	0 / 2	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		26.5	11.1	5.9	0 / 12	0 / 2	
Percentage of cycles resulting in singleton live births (%)		26.5	14.8	8.8	0 / 12	0 / 2	
Percentage of cycles resulting in twin live births (%)		2.0	7.4	2.9	0 / 12	0 / 2	
Percentage of cycles resulting in live births (%)		28.6	25.9	11.8	0 / 12	0 / 2	
Percentage of cycles resulting in pregnancies (%)		30.6	29.6	20.6	0 / 12	1 / 2	
<b>Outcomes per Transfer</b>							
Number of transfers		43	23	23	11	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		30.2	13.0	8.7	0 / 11	0 / 2	
Percentage of transfers resulting in singleton live births (%)		30.2	17.4	13.0	0 / 11	0 / 2	
Percentage of transfers resulting in twin live births (%)		2.3	8.7	4.3	0 / 11	0 / 2	
Percentage of transfers resulting in live births (%)		32.6	30.4	17.4	0 / 11	0 / 2	
Percentage of transfers resulting in pregnancies (%)		34.9	34.8	30.4	0 / 11	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		18	14	4	3	2	1
Number of transfers		17	12	3	3	1	1
Estimated average number of transfers per retrieval		0.9	1.7	0.8	1.5		
Average number of embryos transferred		1.4	1.5	1.3	3.0	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)		18.2	2 / 18	0 / 4	1 / 9	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 17	2 / 12	0 / 3	1 / 3	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)		4 / 17	2 / 12	0 / 3	1 / 3	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 17	0 / 12	0 / 3	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)		4 / 17	2 / 12	0 / 3	1 / 3	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)		5 / 17	2 / 12	0 / 3	1 / 3	0 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>							
		11	1	0	1	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		2			5		
Number of transfers		2			4		
Average number of embryos transferred		1.5			2.0		
Percentage of embryos transferred resulting in implantation (%)		1 / 3			0 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 2			0 / 4		
Percentage of transfers resulting in singleton live births (%)		1 / 2			0 / 4		
Percentage of transfers resulting in twin live births (%)		0 / 2			0 / 4		
Percentage of transfers resulting in live births (%)		1 / 2			0 / 4		
Percentage of transfers resulting in pregnancies (%)		1 / 2			0 / 4		

CURRENT SERVICES & PROFILE		Current Name: Dartmouth-Hitchcock Medical Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-NEW JERSEY ASBURY, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Albert J. Peters, DO

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	81%	Tubal factor	4%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 13% Female & male factors 20%
Unstimulated	0%	PGD/PGS	17%	Ovulatory dysfunction	15%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	51%	Other factor	22%	
				Endometriosis	7%	Unknown factor	3%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 199 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	26	12	20	11	12	8
Percentage of cancellations before retrieval (%)	15.4	1 / 12	15.0	0 / 11	4 / 12	3 / 8
Average number of embryos transferred	1.6	1.6	1.7	2.0	1.6	2.0
Percentage of embryos transferred resulting in implantation (%)	35.7	9 / 16	2 / 19	0 / 2	1 / 8	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	2 / 12	1 / 5	0 / 7	0 / 1	0 / 2	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	11.5	3 / 12	10.0	0 / 11	1 / 12	0 / 8
Percentage of cycles resulting in singleton live births (%)	11.5	4 / 12	10.0	0 / 11	1 / 12	0 / 8
Percentage of cycles resulting in twin live births (%)	11.5	1 / 12	0.0	0 / 11	0 / 12	0 / 8
Percentage of cycles resulting in live births (%)	23.1	5 / 12	10.0	0 / 11	1 / 12	0 / 8
Percentage of cycles resulting in pregnancies (%)	23.1	6 / 12	10.0	0 / 11	1 / 12	0 / 8
<b>Outcomes per Transfer</b>						
Number of transfers	17	10	11	1	5	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 17	3 / 10	2 / 11	0 / 1	1 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	3 / 17	4 / 10	2 / 11	0 / 1	1 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	3 / 17	1 / 10	0 / 11	0 / 1	0 / 5	0 / 3
Percentage of transfers resulting in live births (%)	6 / 17	5 / 10	2 / 11	0 / 1	1 / 5	0 / 3
Percentage of transfers resulting in pregnancies (%)	6 / 17	6 / 10	2 / 11	0 / 1	1 / 5	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	21	15	9	3	5	3
Number of transfers	21	15	9	3	4	3
Estimated average number of transfers per retrieval	1.4	1.0	1.5	0.6	0.7	
Average number of embryos transferred	1.6	1.3	1.6	1.0	1.8	2.3
Percentage of embryos transferred resulting in implantation (%)	17.6	25.0	3 / 14	0 / 3	1 / 7	0 / 7
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.0	0 / 15	2 / 9	0 / 3	1 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	19.0	1 / 15	2 / 9	0 / 3	1 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)	4.8	1 / 15	0 / 9	0 / 3	0 / 4	0 / 3
Percentage of transfers resulting in live births (%)	23.8	2 / 15	2 / 9	0 / 3	1 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)	23.8	4 / 15	3 / 9	0 / 3	1 / 4	0 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	12	12	4	4	3	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		6			13	
Number of transfers		6			13	
Average number of embryos transferred		1.8			1.5	
Percentage of embryos transferred resulting in implantation (%)		2 / 11			4 / 19	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 6			2 / 13	
Percentage of transfers resulting in singleton live births (%)		2 / 6			3 / 13	
Percentage of transfers resulting in twin live births (%)		0 / 6			0 / 13	
Percentage of transfers resulting in live births (%)		2 / 6			3 / 13	
Percentage of transfers resulting in pregnancies (%)		2 / 6			4 / 13	

## CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-New Jersey

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE MEDICINE ASSOCIATES OF NEW JERSEY BASKING RIDGE, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Michael R. Drews, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	89%	Tubal factor	12%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 46%
Unstimulated	<1%	PGD/PGS	43%	Ovulatory dysfunction	22%	Male factor	65%	
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	30%	
				Endometriosis	5%	Unknown factor	0%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 5,379 (includes 30 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	782	423	342	117	76	15
Percentage of cancellations before retrieval (%)	2.7	7.6	12.6	16.2	27.6	3 / 15
Average number of embryos transferred	1.2	1.3	1.3	1.2	1.2	
Percentage of embryos transferred resulting in implantation (%)	70.1	61.2	61.2	68.2	2 / 6	
Percentage of elective single embryo transfers (eSET) (%)	75.3	66.9	69.6	6 / 10	1 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.3	18.2	16.1	5.1	0.0	0 / 15
Percentage of cycles resulting in singleton live births (%)	23.5	19.9	18.1	7.7	2.6	0 / 15
Percentage of cycles resulting in twin live births (%)	4.5	3.3	2.0	0.0	0.0	0 / 15
Percentage of cycles resulting in live births (%)	28.0	23.2	20.2	7.7	2.6	0 / 15
Percentage of cycles resulting in pregnancies (%)	31.3	25.8	21.9	11.1	2.6	0 / 15
<b>Outcomes per Transfer</b>						
Number of transfers	333	163	109	20	5	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	47.7	47.2	50.5	30.0	0 / 5	
Percentage of transfers resulting in singleton live births (%)	55.3	51.5	56.9	45.0	2 / 5	
Percentage of transfers resulting in twin live births (%)	10.5	8.6	6.4	0.0	0 / 5	
Percentage of transfers resulting in live births (%)	65.8	60.1	63.3	45.0	2 / 5	
Percentage of transfers resulting in pregnancies (%)	73.6	66.9	68.8	65.0	2 / 5	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	934	513	449	170	63	16
Number of transfers	917	495	426	150	57	13
Estimated average number of transfers per retrieval	1.2	1.0	1.0	0.7	0.6	0.6
Average number of embryos transferred	1.2	1.2	1.2	1.2	1.2	1.4
Percentage of embryos transferred resulting in implantation (%)	67.8	62.9	58.5	60.4	56.3	10 / 17
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	44.8	45.3	40.1	40.7	36.8	5 / 13
Percentage of transfers resulting in singleton live births (%)	52.7	52.3	47.4	46.7	43.9	5 / 13
Percentage of transfers resulting in twin live births (%)	8.8	6.5	5.6	6.0	5.3	0 / 13
Percentage of transfers resulting in live births (%)	61.6	59.0	53.1	52.7	49.1	5 / 13
Percentage of transfers resulting in pregnancies (%)	72.5	70.1	66.0	66.7	59.6	9 / 13
<b>Number of Egg/Embryo Banking Cycles</b>						
	342	246	271	175	83	17
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		94			221	
Number of transfers		68			215	
Average number of embryos transferred		1.3			1.3	
Percentage of embryos transferred resulting in implantation (%)		70.7			57.0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		42.6			36.7	
Percentage of transfers resulting in singleton live births (%)		52.9			47.0	
Percentage of transfers resulting in twin live births (%)		10.3			5.6	
Percentage of transfers resulting in live births (%)		63.2			52.6	
Percentage of transfers resulting in pregnancies (%)		76.5			64.7	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of New Jersey

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CLIFTON LOW COST IVF CLIFTON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Charles Haddad, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	70%	Tubal factor	14%	Uterine factor	0%	Multiple Factors: Female factors only 2% Female & male factors 15%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	17%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	5%	
				Endometriosis	0%	Unknown factor	36%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 59 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	17	9	13	2	1	1
Percentage of cancellations before retrieval (%)	0 / 17	0 / 9	0 / 13	0 / 2	0 / 1	0 / 1
Average number of embryos transferred	1.6	1.8	1.6	1.0	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	66.7	3 / 14	3 / 13	0 / 1	0 / 1	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	3 / 11	0 / 6	0 / 5			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 17	2 / 9	1 / 13	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 17	3 / 9	3 / 13	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	5 / 17	0 / 9	0 / 13	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	8 / 17	3 / 9	3 / 13	0 / 2	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	9 / 17	3 / 9	3 / 13	0 / 2	0 / 1	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	13	8	8	1	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 13	2 / 8	1 / 8	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 13	3 / 8	3 / 8	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	5 / 13	0 / 8	0 / 8	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	8 / 13	3 / 8	3 / 8	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 13	3 / 8	3 / 8	0 / 1	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	10	2	3	0	0	0
Number of transfers	10	2	2	0	0	0
Estimated average number of transfers per retrieval	2.5	2.0	2.0			
Average number of embryos transferred	1.8	1.5	1.5			
Percentage of embryos transferred resulting in implantation (%)	8 / 18	1 / 3	1 / 3			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 10	0 / 2	0 / 2			
Percentage of transfers resulting in singleton live births (%)	6 / 10	0 / 2	1 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 2	0 / 2			
Percentage of transfers resulting in live births (%)	6 / 10	0 / 2	1 / 2			
Percentage of transfers resulting in pregnancies (%)	7 / 10	1 / 2	1 / 2			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 1		
Percentage of transfers resulting in singleton live births (%)				1 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				1 / 1		
Percentage of transfers resulting in pregnancies (%)				1 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Clifton Low Cost IVF

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NJ BEST OB/GYN CLIFTON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Fares Diarbakerli, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	50%	Tubal factor	25%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 8%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	8%	
				Endometriosis	8%	Unknown factor	33%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 12 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	1	5	3	1	0	0
Percentage of cancellations before retrieval (%)	0 / 1	1 / 5	0 / 3	0 / 1		
Average number of embryos transferred	2.0	2.0	1.5			
Percentage of embryos transferred resulting in implantation (%)	1 / 2	8 / 8	1 / 3			
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 4	0 / 1			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1	0 / 5	0 / 3	0 / 1		
Percentage of cycles resulting in singleton live births (%)	1 / 1	0 / 5	0 / 3	0 / 1		
Percentage of cycles resulting in twin live births (%)	0 / 1	3 / 5	0 / 3	0 / 1		
Percentage of cycles resulting in live births (%)	1 / 1	3 / 5	0 / 3	0 / 1		
Percentage of cycles resulting in pregnancies (%)	1 / 1	4 / 5	1 / 3	0 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	1	4	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1	0 / 4	0 / 2			
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 4	0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 1	3 / 4	0 / 2			
Percentage of transfers resulting in live births (%)	1 / 1	3 / 4	0 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 1	4 / 4	1 / 2			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	0	1	0	0
Number of transfers	0	0	0	1	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				1 / 1		
Percentage of transfers resulting in singleton live births (%)				1 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				1 / 1		
Percentage of transfers resulting in pregnancies (%)				1 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	1			0		
Number of transfers	1			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	0 / 2					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	0 / 1					
Percentage of transfers resulting in twin live births (%)	0 / 1					
Percentage of transfers resulting in live births (%)	0 / 1					
Percentage of transfers resulting in pregnancies (%)	0 / 1					

## CURRENT SERVICES & PROFILE

Current Name: NJ Best OB/GYN

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE SCIENCE CENTER OF NEW JERSEY EATONTOWN, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by William Ziegler, DO

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	56%	Tubal factor	18%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 50%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	30%	Male factor	61%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	7%	
				Endometriosis	16%	Unknown factor	1%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 275 (includes 20 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	62	43	27	12	5	2
Percentage of cancellations before retrieval (%)	6.5	16.3	14.8	2 / 12	0 / 5	0 / 2
Average number of embryos transferred	1.1	1.5	1.7	2.2	1.8	3.0
Percentage of embryos transferred resulting in implantation (%)	66.7	46.5	23.3	1 / 19	2 / 9	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	86.7	30.4	0 / 14	0 / 7	0 / 3	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.1	18.6	18.5	0 / 12	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	46.8	23.3	25.9	1 / 12	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	7.0	0.0	0 / 12	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	46.8	30.2	25.9	1 / 12	0 / 5	0 / 2
Percentage of cycles resulting in pregnancies (%)	56.5	39.5	33.3	2 / 12	1 / 5	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	47	30	20	10	5	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	48.9	26.7	25.0	0 / 10	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	61.7	33.3	35.0	1 / 10	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	10.0	0.0	0 / 10	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	61.7	43.3	35.0	1 / 10	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	74.5	56.7	45.0	2 / 10	1 / 5	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	32	15	8	2	3	1
Number of transfers	30	13	7	2	3	1
Estimated average number of transfers per retrieval	1.9	0.7	0.9	0.4	3.0	
Average number of embryos transferred	1.3	1.4	1.3	1.5	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	52.8	7 / 17	3 / 9	1 / 3	1 / 2	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.3	4 / 13	3 / 7	1 / 2	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	26.7	4 / 13	3 / 7	1 / 2	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	10.0	1 / 13	0 / 7	0 / 2	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	36.7	5 / 13	3 / 7	1 / 2	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	53.3	7 / 13	3 / 7	1 / 2	2 / 3	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	5	13	8	5	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			10		
Number of transfers	2			10		
Average number of embryos transferred	1.0			1.2		
Percentage of embryos transferred resulting in implantation (%)	1 / 1			4 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2			2 / 10		
Percentage of transfers resulting in singleton live births (%)	1 / 2			3 / 10		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 10		
Percentage of transfers resulting in live births (%)	1 / 2			3 / 10		
Percentage of transfers resulting in pregnancies (%)	2 / 2			5 / 10		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Science Center of New Jersey

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CENTER FOR ADVANCED REPRODUCTIVE MEDICINE & FERTILITY EDISON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Gregory H. Corsan, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	52%	Tubal factor	12%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 9%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	20%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	<1%	
				Endometriosis	5%	Unknown factor	17%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 379 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	89	26	29	18	9	2
Percentage of cancellations before retrieval (%)	1.1	7.7	17.2	4 / 18	1 / 9	0 / 2
Average number of embryos transferred	1.6	1.9	1.9	2.2	2.6	1.0
Percentage of embryos transferred resulting in implantation (%)	37.2	27.0	33.3	2 / 18	0 / 13	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	40.0	2 / 18	1 / 11	0 / 8	0 / 5	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.9	19.2	10.3	1 / 18	0 / 9	0 / 2
Percentage of cycles resulting in singleton live births (%)	24.7	19.2	10.3	2 / 18	0 / 9	0 / 2
Percentage of cycles resulting in twin live births (%)	4.5	3.8	3.4	0 / 18	0 / 9	0 / 2
Percentage of cycles resulting in live births (%)	29.2	23.1	13.8	2 / 18	0 / 9	0 / 2
Percentage of cycles resulting in pregnancies (%)	32.6	34.6	24.1	3 / 18	0 / 9	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	62	20	12	10	5	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.2	25.0	3 / 12	1 / 10	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.5	25.0	3 / 12	2 / 10	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	6.5	5.0	1 / 12	0 / 10	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	41.9	30.0	4 / 12	2 / 10	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	46.8	45.0	7 / 12	3 / 10	0 / 5	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	58	23	17	2	0	1
Number of transfers	58	23	17	2	0	1
Estimated average number of transfers per retrieval	1.2	1.0	1.1	0.3	0.0	0.3
Average number of embryos transferred	1.4	1.3	1.4	1.5		3.0
Percentage of embryos transferred resulting in implantation (%)	38.3	34.6	57.1	0 / 3		1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.8	21.7	8 / 17	0 / 2		1 / 1
Percentage of transfers resulting in singleton live births (%)	24.1	26.1	9 / 17	0 / 2		1 / 1
Percentage of transfers resulting in twin live births (%)	3.4	4.3	1 / 17	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	27.6	30.4	10 / 17	0 / 2		1 / 1
Percentage of transfers resulting in pregnancies (%)	46.6	52.2	12 / 17	0 / 2		1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	26	21	14	7	6	4
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		11			13	
Number of transfers		9			13	
Average number of embryos transferred		1.6			1.3	
Percentage of embryos transferred resulting in implantation (%)		11 / 14			7 / 16	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 9			5 / 13	
Percentage of transfers resulting in singleton live births (%)		2 / 9			5 / 13	
Percentage of transfers resulting in twin live births (%)		4 / 9			0 / 13	
Percentage of transfers resulting in live births (%)		6 / 9			5 / 13	
Percentage of transfers resulting in pregnancies (%)		7 / 9			8 / 13	

## CURRENT SERVICES & PROFILE

Current Name: Center for Advanced Reproductive Medicine & Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WOMEN'S FERTILITY CENTER ENGLEWOOD, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Philip R. Lesorgen, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	81%	Tubal factor	18%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 16%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	18%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	12%	
				Endometriosis	2%	Unknown factor	10%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 53 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	25	6	2	6	2	1
Percentage of cancellations before retrieval (%)	8.0	1 / 6	0 / 2	0 / 6	1 / 2	0 / 1
Average number of embryos transferred	1.9	2.3	3.0	2.0	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	36.4	2 / 7	1 / 3	1 / 8	0 / 3	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	1 / 18	0 / 3	0 / 1	0 / 2	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4.0	1 / 6	0 / 2	1 / 6	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	12.0	1 / 6	0 / 2	1 / 6	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	12.0	0 / 6	0 / 2	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	24.0	1 / 6	0 / 2	1 / 6	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	48.0	2 / 6	1 / 2	1 / 6	0 / 2	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	20	3	1	4	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5.0	1 / 3	0 / 1	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	15.0	1 / 3	0 / 1	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	15.0	0 / 3	0 / 1	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	30.0	1 / 3	0 / 1	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	60.0	2 / 3	1 / 1	1 / 4	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	2	1	0	0	0
Number of transfers	6	1	1	0	0	0
Estimated average number of transfers per retrieval	1.2		0.5			
Average number of embryos transferred	1.7	3.0	1.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 3	0 / 3	0 / 1			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 6	0 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 6	0 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	1 / 6	0 / 1	0 / 1			
Percentage of transfers resulting in pregnancies (%)	4 / 6	0 / 1	0 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	1	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: Women's Fertility Center

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NORTH HUDSON I.V.F. CENTER FOR FERTILITY AND GYNECOLOGY ENGLEWOOD CLIFFS, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Jane E. Miller, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	83%	Tubal factor	5%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 20% Female & male factors 15%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	55%	Other factor	15%	
				Endometriosis	5%	Unknown factor	5%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 24 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	2	1	2	0	0	1
Percentage of cancellations before retrieval (%)	0 / 2	0 / 1	0 / 2			0 / 1
Average number of embryos transferred	2.0	3.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 2	0 / 3				
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1				
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 2	0 / 1	0 / 2			0 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 2	0 / 1	0 / 2			0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 2	0 / 1	0 / 2			0 / 1
Percentage of cycles resulting in live births (%)	1 / 2	0 / 1	0 / 2			0 / 1
Percentage of cycles resulting in pregnancies (%)	1 / 2	0 / 1	0 / 2			0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	1	1	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 1	0 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 1	0 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 1				
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	2	1	0	1	0	0
Number of transfers	2	1	0	1	0	0
Estimated average number of transfers per retrieval	2.0	1.0	0.0			
Average number of embryos transferred	2.0	1.0		3.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 4	1 / 1		2 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 2	1 / 1		0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 1		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1		1 / 1		
Percentage of transfers resulting in live births (%)	1 / 2	1 / 1		1 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 1		1 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	1	2	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	4			6		
Number of transfers	2			6		
Average number of embryos transferred	2.0			2.3		
Percentage of embryos transferred resulting in implantation (%)	1 / 4			4 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 2			0 / 6		
Percentage of transfers resulting in singleton live births (%)	1 / 2			2 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 2			1 / 6		
Percentage of transfers resulting in live births (%)	1 / 2			3 / 6		
Percentage of transfers resulting in pregnancies (%)	1 / 2			3 / 6		

## CURRENT SERVICES & PROFILE

Current Name: North Hudson I.V.F., Center for Fertility and Gynecology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY REPRODUCTIVE ASSOCIATES, PC HASBROUCK HEIGHTS, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Peter G. McGovern, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	73%	Tubal factor	18%	Uterine factor	8%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 31%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	12%	Male factor	56%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	11%	
				Endometriosis	3%	Unknown factor	9%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 573 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	88	60	39	14	15	8
Percentage of cancellations before retrieval (%)	0.0	1.7	0.0	0 / 14	0 / 15	1 / 8
Average number of embryos transferred	1.7	1.7	1.8	2.0	1.9	1.5
Percentage of embryos transferred resulting in implantation (%)	35.0	33.3	19.3	5.0	3.4	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	17.6	8.7	13.3	0 / 11	0 / 11	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.9	15.0	12.8	0 / 14	0 / 15	0 / 8
Percentage of cycles resulting in singleton live births (%)	29.5	20.0	17.9	1 / 14	0 / 15	0 / 8
Percentage of cycles resulting in twin live births (%)	11.4	13.3	2.6	0 / 14	0 / 15	0 / 8
Percentage of cycles resulting in live births (%)	40.9	33.3	20.5	1 / 14	0 / 15	0 / 8
Percentage of cycles resulting in pregnancies (%)	48.9	43.3	25.6	3 / 14	1 / 15	1 / 8
<b>Outcomes per Transfer</b>						
Number of transfers	86	57	33	12	15	6
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.4	15.8	15.2	0 / 12	0 / 15	0 / 6
Percentage of transfers resulting in singleton live births (%)	30.2	21.1	21.2	1 / 12	0 / 15	0 / 6
Percentage of transfers resulting in twin live births (%)	11.6	14.0	3.0	0 / 12	0 / 15	0 / 6
Percentage of transfers resulting in live births (%)	41.9	35.1	24.2	1 / 12	0 / 15	0 / 6
Percentage of transfers resulting in pregnancies (%)	50.0	45.6	30.3	3 / 12	1 / 15	1 / 6
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	60	17	36	9	0	3
Number of transfers	56	17	34	9	0	3
Estimated average number of transfers per retrieval	0.9	0.4	0.5	0.3	0.0	0.3
Average number of embryos transferred	1.3	1.3	1.3	1.4		1.3
Percentage of embryos transferred resulting in implantation (%)	38.9	14.3	31.8	3 / 12		1 / 4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.2	3 / 17	29.4	2 / 9		1 / 3
Percentage of transfers resulting in singleton live births (%)	30.4	3 / 17	29.4	2 / 9		1 / 3
Percentage of transfers resulting in twin live births (%)	3.6	0 / 17	2.9	0 / 9		0 / 3
Percentage of transfers resulting in live births (%)	35.7	3 / 17	32.4	2 / 9		1 / 3
Percentage of transfers resulting in pregnancies (%)	42.9	4 / 17	38.2	4 / 9		1 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	44	41	54	26	16	9
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			28		
Number of transfers	1			28		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			36.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			14.3		
Percentage of transfers resulting in singleton live births (%)	0 / 1			32.1		
Percentage of transfers resulting in twin live births (%)	0 / 1			7.1		
Percentage of transfers resulting in live births (%)	0 / 1			39.3		
Percentage of transfers resulting in pregnancies (%)	1 / 1			50.0		

## CURRENT SERVICES & PROFILE

Current Name: University Reproductive Associates, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SHORE INSTITUTE FOR REPRODUCTIVE MEDICINE LAKEWOOD, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Allen Morgan, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	31%	Tubal factor	26%	Uterine factor	6%	Multiple Factors: Female factors only 4% Female & male factors 4%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	6%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	7%	
				Endometriosis	7%	Unknown factor	23%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 114 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	45	17	18	7	1	0
Percentage of cancellations before retrieval (%)	20.0	2 / 17	3 / 18	2 / 7	0 / 1	
Average number of embryos transferred	1.6	2.0	1.7	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	48.7	8 / 16	5 / 19	2 / 8	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	2 / 17	0 / 7	0 / 7	0 / 3	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	11.1	1 / 17	2 / 18	1 / 7	0 / 1	
Percentage of cycles resulting in singleton live births (%)	11.1	2 / 17	3 / 18	1 / 7	0 / 1	
Percentage of cycles resulting in twin live births (%)	13.3	3 / 17	1 / 18	0 / 7	0 / 1	
Percentage of cycles resulting in live births (%)	24.4	5 / 17	4 / 18	1 / 7	0 / 1	
Percentage of cycles resulting in pregnancies (%)	33.3	5 / 17	4 / 18	2 / 7	0 / 1	
<b>Outcomes per Transfer</b>						
Number of transfers	29	8	11	5	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.2	1 / 8	2 / 11	1 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	17.2	2 / 8	3 / 11	1 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	20.7	3 / 8	1 / 11	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	37.9	5 / 8	4 / 11	1 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	51.7	5 / 8	4 / 11	2 / 5	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	11	7	1	0	0	0
Number of transfers	9	6	1	0	0	0
Estimated average number of transfers per retrieval	0.9	1.0	0.5			
Average number of embryos transferred	1.8	2.0	1.0			
Percentage of embryos transferred resulting in implantation (%)	4 / 14	4 / 12	0 / 1			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 9	0 / 6	0 / 1			
Percentage of transfers resulting in singleton live births (%)	3 / 9	0 / 6	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 9	2 / 6	0 / 1			
Percentage of transfers resulting in live births (%)	3 / 9	2 / 6	0 / 1			
Percentage of transfers resulting in pregnancies (%)	5 / 9	2 / 6	0 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	0	1	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			1		
Number of transfers	1			1		
Average number of embryos transferred	1.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 1			2 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1			1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1			1 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 1			1 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Shore Institute for Reproductive Medicine,  
Morgan Fertility and Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**DELAWARE VALLEY OBGYN & INFERTILITY GROUP, PC  
PRINCETON IVF  
LAWRENCEVILLE, NEW JERSEY**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2015 ART CYCLE PROFILE**

Data verified by Seth G. Derman, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	69%	Tubal factor	10%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 18% Female & male factors 36%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	43%	Male factor	51%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	5%	
				Endometriosis	4%	Unknown factor	10%	

**2015 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 87 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	25	14	17	7	2	0
Percentage of cancellations before retrieval (%)	4.0	2 / 14	1 / 17	1 / 7	0 / 2	
Average number of embryos transferred	2.0	2.6	2.5	2.7	5.0	
Percentage of embryos transferred resulting in implantation (%)	26.7	25.9	5.7	0 / 16	1 / 10	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 11	0 / 11	0 / 5	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.0	3 / 14	1 / 17	0 / 7	0 / 2	
Percentage of cycles resulting in singleton live births (%)	32.0	4 / 14	2 / 17	0 / 7	0 / 2	
Percentage of cycles resulting in twin live births (%)	4.0	1 / 14	0 / 17	0 / 7	0 / 2	
Percentage of cycles resulting in live births (%)	36.0	5 / 14	2 / 17	0 / 7	0 / 2	
Percentage of cycles resulting in pregnancies (%)	40.0	7 / 14	2 / 17	0 / 7	1 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	23	11	14	6	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.7	3 / 11	1 / 14	0 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	34.8	4 / 11	2 / 14	0 / 6	0 / 2	
Percentage of transfers resulting in twin live births (%)	4.3	1 / 11	0 / 14	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	39.1	5 / 11	2 / 14	0 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	43.5	7 / 11	2 / 14	0 / 6	1 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	5	3	1	0	0	0
Number of transfers	5	2	1	0	0	0
Estimated average number of transfers per retrieval	5.0	1.0				
Average number of embryos transferred	1.8	1.5	1.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 9	2 / 3	1 / 1			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 5	0 / 2	1 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 5	0 / 2	1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 5	1 / 2	0 / 1			
Percentage of transfers resulting in live births (%)	1 / 5	1 / 2	1 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 5	1 / 2	1 / 1			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	2	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		8		2		
Number of transfers		8		2		
Average number of embryos transferred		2.1		2.5		
Percentage of embryos transferred resulting in implantation (%)		8 / 17		2 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 8		0 / 2		
Percentage of transfers resulting in singleton live births (%)		1 / 8		0 / 2		
Percentage of transfers resulting in twin live births (%)		2 / 8		1 / 2		
Percentage of transfers resulting in live births (%)		3 / 8		1 / 2		
Percentage of transfers resulting in pregnancies (%)		6 / 8		1 / 2		

**CURRENT SERVICES & PROFILE**

Current Name: Delaware Valley OBGYN & Infertility Group, PC, Princeton IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INSTITUTE FOR REPRODUCTIVE MEDICINE AND SCIENCE  
SAINT BARNABAS MEDICAL CENTER  
LIVINGSTON, NEW JERSEY**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2015 ART CYCLE PROFILE**

Data verified by Margaret G. Garrisi, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	62%	Tubal factor	19%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 12%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	12%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	49%	Other factor	6%	
				Endometriosis	7%	Unknown factor	10%	

**2015 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 1,139 (includes 21 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	188	123	122	70	27	11
Percentage of cancellations before retrieval (%)	6.9	11.4	16.4	22.9	29.6	4 / 11
Average number of embryos transferred	1.3	1.4	1.9	2.3	2.4	2.7
Percentage of embryos transferred resulting in implantation (%)	42.4	41.6	22.7	13.4	3.0	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	60.0	50.0	12.9	5.1	0 / 9	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.5	22.0	11.5	14.3	3.7	0 / 11
Percentage of cycles resulting in singleton live births (%)	29.8	28.5	14.8	15.7	3.7	0 / 11
Percentage of cycles resulting in twin live births (%)	2.7	4.9	3.3	1.4	0.0	0 / 11
Percentage of cycles resulting in live births (%)	32.4	33.3	18.0	17.1	3.7	0 / 11
Percentage of cycles resulting in pregnancies (%)	41.5	39.8	26.2	20.0	3.7	0 / 11
<b>Outcomes per Transfer</b>						
Number of transfers	150	96	87	49	14	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.0	28.1	16.1	20.4	1 / 14	0 / 3
Percentage of transfers resulting in singleton live births (%)	37.3	36.5	20.7	22.4	1 / 14	0 / 3
Percentage of transfers resulting in twin live births (%)	3.3	6.3	4.6	2.0	0 / 14	0 / 3
Percentage of transfers resulting in live births (%)	40.7	42.7	25.3	24.5	1 / 14	0 / 3
Percentage of transfers resulting in pregnancies (%)	52.0	51.0	36.8	28.6	1 / 14	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	108	79	60	19	4	2
Number of transfers	102	79	59	19	3	2
Estimated average number of transfers per retrieval	1.0	1.1	0.6	0.5	0.2	0.3
Average number of embryos transferred	1.2	1.1	1.2	1.2	1.7	1.0
Percentage of embryos transferred resulting in implantation (%)	50.0	61.6	48.5	40.9	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	38.2	39.2	42.4	5 / 19	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	43.1	44.3	45.8	8 / 19	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	3.9	6.3	1.7	0 / 19	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	47.1	50.6	47.5	8 / 19	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	54.9	60.8	57.6	10 / 19	0 / 3	1 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	60	47	71	28	16	7
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		24			52	
Number of transfers		19			51	
Average number of embryos transferred		1.2			1.2	
Percentage of embryos transferred resulting in implantation (%)		52.4			37.1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		8 / 19			25.5	
Percentage of transfers resulting in singleton live births (%)		11 / 19			29.4	
Percentage of transfers resulting in twin live births (%)		0 / 19			3.9	
Percentage of transfers resulting in live births (%)		11 / 19			33.3	
Percentage of transfers resulting in pregnancies (%)		13 / 19			43.1	

**CURRENT SERVICES & PROFILE**

Current Name: Institute for Reproductive Medicine and Science, Saint Barnabas Medical Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# DELAWARE VALLEY INSTITUTE OF FERTILITY AND GENETICS MARLTON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by George S. Taliadouros, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	40%	Tubal factor	23%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 20%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	27%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	12%	
				Endometriosis	3%	Unknown factor	<1%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 146 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	34	11	12	8	9	1
Percentage of cancellations before retrieval (%)	0.0	0 / 11	0 / 12	0 / 8	0 / 9	0 / 1
Average number of embryos transferred	1.7	1.9	2.6	3.4	3.8	5.0
Percentage of embryos transferred resulting in implantation (%)	38.9	19.0	20.8	16.7	3.3	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	33.3	1 / 11	0 / 11	0 / 8	0 / 8	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.5	2 / 11	2 / 12	1 / 8	1 / 9	0 / 1
Percentage of cycles resulting in singleton live births (%)	29.4	4 / 11	3 / 12	2 / 8	1 / 9	0 / 1
Percentage of cycles resulting in twin live births (%)	11.8	0 / 11	0 / 12	0 / 8	0 / 9	0 / 1
Percentage of cycles resulting in live births (%)	41.2	4 / 11	3 / 12	2 / 8	1 / 9	0 / 1
Percentage of cycles resulting in pregnancies (%)	50.0	4 / 11	6 / 12	4 / 8	1 / 9	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	33	11	12	8	8	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.3	2 / 11	2 / 12	1 / 8	1 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.3	4 / 11	3 / 12	2 / 8	1 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	12.1	0 / 11	0 / 12	0 / 8	0 / 8	0 / 1
Percentage of transfers resulting in live births (%)	42.4	4 / 11	3 / 12	2 / 8	1 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	51.5	4 / 11	6 / 12	4 / 8	1 / 8	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	20	6	5	1	3	0
Number of transfers	19	6	5	1	1	0
Estimated average number of transfers per retrieval	2.4	2.0		0.5	1.0	0.0
Average number of embryos transferred	1.5	1.3	1.2	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	48.3	2 / 8	2 / 6	2 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 19	1 / 6	2 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	7 / 19	2 / 6	2 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 19	0 / 6	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	9 / 19	2 / 6	2 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	11 / 19	2 / 6	2 / 5	1 / 1	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	1	0	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	10			22		
Number of transfers	9			22		
Average number of embryos transferred	1.9			1.7		
Percentage of embryos transferred resulting in implantation (%)	8 / 15			21.1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 9			22.7		
Percentage of transfers resulting in singleton live births (%)	5 / 9			22.7		
Percentage of transfers resulting in twin live births (%)	1 / 9			4.5		
Percentage of transfers resulting in live births (%)	6 / 9			27.3		
Percentage of transfers resulting in pregnancies (%)	8 / 9			31.8		

## CURRENT SERVICES & PROFILE

Current Name: Delaware Valley Institute of Fertility and Genetics

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SOUTH JERSEY FERTILITY CENTER MARLTON, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Robert A. Skaf, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	55%	Tubal factor	23%	Uterine factor	3%	Multiple Factors: Female factors only 25% Female & male factors 27%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	26%	Male factor	40%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	35%	
				Endometriosis	11%	Unknown factor	7%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 535 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	136	55	44	23	7	3
Percentage of cancellations before retrieval (%)	6.6	7.3	15.9	17.4	3 / 7	0 / 3
Average number of embryos transferred	1.7	1.8	2.3	4.0	2.5	2.7
Percentage of embryos transferred resulting in implantation (%)	43.9	34.4	19.7	6.7	0 / 5	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	29.7	17.2	0.0	0 / 12	0 / 3	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.3	14.5	11.4	4.3	0 / 7	0 / 3
Percentage of cycles resulting in singleton live births (%)	29.4	16.4	15.9	4.3	0 / 7	0 / 3
Percentage of cycles resulting in twin live births (%)	10.3	7.3	2.3	0.0	0 / 7	0 / 3
Percentage of cycles resulting in live births (%)	39.7	23.6	18.2	4.3	0 / 7	0 / 3
Percentage of cycles resulting in pregnancies (%)	42.6	29.1	27.3	13.0	1 / 7	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	103	36	28	12	4	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.0	22.2	17.9	1 / 12	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	38.8	25.0	25.0	1 / 12	0 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)	13.6	11.1	3.6	0 / 12	0 / 4	0 / 3
Percentage of transfers resulting in live births (%)	52.4	36.1	28.6	1 / 12	0 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)	56.3	44.4	42.9	3 / 12	1 / 4	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	86	51	27	6	2	1
Number of transfers	83	48	26	5	2	1
Estimated average number of transfers per retrieval	1.5	1.5	0.9	0.8	1.0	0.5
Average number of embryos transferred	1.5	1.6	1.9	1.6	2.0	4.0
Percentage of embryos transferred resulting in implantation (%)	41.2	37.3	20.0	3 / 8	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.5	22.9	23.1	3 / 5	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.9	35.4	23.1	3 / 5	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	8.4	4.2	3.8	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	43.4	39.6	26.9	3 / 5	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	54.2	60.4	34.6	3 / 5	1 / 2	1 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	20	11	19	5	2	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		12		17		
Number of transfers		11		15		
Average number of embryos transferred		1.4		1.5		
Percentage of embryos transferred resulting in implantation (%)		7 / 14		47.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 11		6 / 15		
Percentage of transfers resulting in singleton live births (%)		3 / 11		6 / 15		
Percentage of transfers resulting in twin live births (%)		2 / 11		2 / 15		
Percentage of transfers resulting in live births (%)		5 / 11		8 / 15		
Percentage of transfers resulting in pregnancies (%)		6 / 11		9 / 15		

## CURRENT SERVICES & PROFILE

Current Name: South Jersey Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# DIAMOND INSTITUTE FOR INFERTILITY MILLBURN, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Arie Birkenfeld, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	61%	Tubal factor	7%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 12%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	15%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	1%	
				Endometriosis	2%	Unknown factor	16%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 321 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	58	36	20	11	2	0
Percentage of cancellations before retrieval (%)	5.2	8.3	15.0	0 / 11	0 / 2	
Average number of embryos transferred	1.6	1.7	2.2	1.9		
Percentage of embryos transferred resulting in implantation (%)	35.6	36.2	15.4	0 / 14		
Percentage of elective single embryo transfers (eSET) (%)	36.1	20.0	0 / 12	1 / 7		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.2	22.2	15.0	0 / 11	0 / 2	
Percentage of cycles resulting in singleton live births (%)	24.1	27.8	15.0	0 / 11	0 / 2	
Percentage of cycles resulting in twin live births (%)	1.7	2.8	0.0	0 / 11	0 / 2	
Percentage of cycles resulting in live births (%)	25.9	30.6	15.0	0 / 11	0 / 2	
Percentage of cycles resulting in pregnancies (%)	32.8	44.4	25.0	1 / 11	0 / 2	
<b>Outcomes per Transfer</b>						
Number of transfers	37	29	13	9	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.0	27.6	3 / 13	0 / 9		
Percentage of transfers resulting in singleton live births (%)	37.8	34.5	3 / 13	0 / 9		
Percentage of transfers resulting in twin live births (%)	2.7	3.4	0 / 13	0 / 9		
Percentage of transfers resulting in live births (%)	40.5	37.9	3 / 13	0 / 9		
Percentage of transfers resulting in pregnancies (%)	51.4	55.2	5 / 13	1 / 9		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	41	13	8	1	1	2
Number of transfers	41	13	7	1	1	2
Estimated average number of transfers per retrieval	1.4	0.7	0.9	0.5	0.2	0.3
Average number of embryos transferred	1.4	1.3	2.0	2.0	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	44.1	4 / 17	4 / 14	0 / 2	0 / 3	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.5	3 / 13	3 / 7	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	29.3	3 / 13	3 / 7	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	7.3	0 / 13	0 / 7	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	36.6	3 / 13	3 / 7	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	46.3	4 / 13	4 / 7	0 / 1	0 / 1	1 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	16	14	6	2	6	7
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		22		54		
Number of transfers		13		53		
Average number of embryos transferred		1.5		1.4		
Percentage of embryos transferred resulting in implantation (%)		7 / 17		28.9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 13		15.1		
Percentage of transfers resulting in singleton live births (%)		3 / 13		22.6		
Percentage of transfers resulting in twin live births (%)		2 / 13		3.8		
Percentage of transfers resulting in live births (%)		5 / 13		26.4		
Percentage of transfers resulting in pregnancies (%)		6 / 13		35.8		

## CURRENT SERVICES & PROFILE

Current Name: Diamond Institute for Infertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# COOPER INSTITUTE FOR REPRODUCTIVE HORMONAL DISORDERS MOUNT LAUREL, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Jerome H. Check, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	33%	Tubal factor	16%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 11%
Unstimulated	2%	PGD/PGS	0%	Ovulatory dysfunction	8%	Male factor	29%	
Used gestational carrier	<1%			Diminished ovarian reserve	47%	Other factor	5%	
				Endometriosis	2%	Unknown factor	10%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 663 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	110	86	84	88	60	21
Percentage of cancellations before retrieval (%)	14.5	14.0	22.6	29.5	21.7	9.5
Average number of embryos transferred	1.8	1.9	1.9	2.0	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	40.0	28.4	17.9	5.3	3.7	0.0
Percentage of elective single embryo transfers (eSET) (%)	11.7	5.7	6.1	0.0	1 / 14	0 / 6
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.4	12.8	7.1	2.3	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	20.9	14.0	9.5	2.3	0.0	0.0
Percentage of cycles resulting in twin live births (%)	7.3	8.1	2.4	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	29.1	22.1	11.9	2.3	0.0	0.0
Percentage of cycles resulting in pregnancies (%)	34.5	29.1	16.7	8.0	3.3	4.8
<b>Outcomes per Transfer</b>						
Number of transfers	67	62	47	41	32	12
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.9	17.7	12.8	4.9	0.0	0 / 12
Percentage of transfers resulting in singleton live births (%)	34.3	19.4	17.0	4.9	0.0	0 / 12
Percentage of transfers resulting in twin live births (%)	11.9	11.3	4.3	0.0	0.0	0 / 12
Percentage of transfers resulting in live births (%)	47.8	30.6	21.3	4.9	0.0	0 / 12
Percentage of transfers resulting in pregnancies (%)	56.7	40.3	29.8	17.1	6.3	1 / 12
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	46	23	26	14	9	9
Number of transfers	38	21	21	9	7	7
Estimated average number of transfers per retrieval	2.1	1.4	1.4	0.6	0.5	1.0
Average number of embryos transferred	1.8	1.7	2.1	2.4	3.1	3.3
Percentage of embryos transferred resulting in implantation (%)	33.8	14.3	11.1	10.0	3 / 18	4.3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.1	14.3	9.5	2 / 9	2 / 7	1 / 7
Percentage of transfers resulting in singleton live births (%)	23.7	14.3	9.5	2 / 9	3 / 7	1 / 7
Percentage of transfers resulting in twin live births (%)	10.5	0.0	4.8	0 / 9	0 / 7	0 / 7
Percentage of transfers resulting in live births (%)	34.2	14.3	14.3	2 / 9	3 / 7	1 / 7
Percentage of transfers resulting in pregnancies (%)	47.4	19.0	19.0	3 / 9	4 / 7	1 / 7
<b>Number of Egg/Embryo Banking Cycles</b>						
	6	2	5	6	7	3
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	17			37		
Number of transfers	16			30		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation (%)	36.7			30.4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 16			26.7		
Percentage of transfers resulting in singleton live births (%)	2 / 16			33.3		
Percentage of transfers resulting in twin live births (%)	3 / 16			6.7		
Percentage of transfers resulting in live births (%)	5 / 16			40.0		
Percentage of transfers resulting in pregnancies (%)	9 / 16			50.0		

## CURRENT SERVICES & PROFILE

Current Name: Cooper Institute for Reproductive Hormonal Disorders

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## VALLEY HOSPITAL FERTILITY CENTER PARAMUS, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by Ali Nasser, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	42%	Tubal factor	13%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 11%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	18%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	9%	
				Endometriosis	7%	Unknown factor	12%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 486 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	57	32	20	22	9	2
Percentage of cancellations before retrieval (%)	7.0	15.6	25.0	9.1	3 / 9	0 / 2
Average number of embryos transferred	1.5	1.4	1.8	1.8	2.4	1.0
Percentage of embryos transferred resulting in implantation (%)	29.2	26.5	29.6	9.1	2 / 12	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	41.5	4 / 14	0 / 12	0 / 15	0 / 4	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.5	12.5	10.0	9.1	0 / 9	0 / 2
Percentage of cycles resulting in singleton live births (%)	21.1	15.6	15.0	9.1	0 / 9	0 / 2
Percentage of cycles resulting in twin live births (%)	5.3	3.1	5.0	0.0	1 / 9	0 / 2
Percentage of cycles resulting in live births (%)	26.3	18.8	20.0	9.1	1 / 9	0 / 2
Percentage of cycles resulting in pregnancies (%)	31.6	21.9	30.0	13.6	1 / 9	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	50	24	15	18	5	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.0	16.7	2 / 15	2 / 18	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	24.0	20.8	3 / 15	2 / 18	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	6.0	4.2	1 / 15	0 / 18	1 / 5	0 / 2
Percentage of transfers resulting in live births (%)	30.0	25.0	4 / 15	2 / 18	1 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	36.0	29.2	6 / 15	3 / 18	1 / 5	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	62	45	32	19	5	0
Number of transfers	59	44	26	17	5	0
Estimated average number of transfers per retrieval	1.0	1.0	0.6	0.7	0.2	0.0
Average number of embryos transferred	1.4	1.2	1.3	1.1	1.6	
Percentage of embryos transferred resulting in implantation (%)	34.2	39.2	51.5	6 / 17	2 / 8	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.1	38.6	34.6	5 / 17	1 / 5	
Percentage of transfers resulting in singleton live births (%)	32.2	40.9	42.3	5 / 17	1 / 5	
Percentage of transfers resulting in twin live births (%)	1.7	2.3	0.0	0 / 17	0 / 5	
Percentage of transfers resulting in live births (%)	33.9	43.2	42.3	5 / 17	1 / 5	
Percentage of transfers resulting in pregnancies (%)	45.8	45.5	61.5	7 / 17	2 / 5	
<b>Number of Egg/Embryo Banking Cycles</b>						
	43	38	42	21	18	7
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	6			5		
Number of transfers	6			5		
Average number of embryos transferred	1.8			1.4		
Percentage of embryos transferred resulting in implantation (%)	7 / 11			3 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 6			2 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 6			3 / 5		
Percentage of transfers resulting in twin live births (%)	3 / 6			0 / 5		
Percentage of transfers resulting in live births (%)	4 / 6			3 / 5		
Percentage of transfers resulting in pregnancies (%)	4 / 6			3 / 5		

### CURRENT SERVICES & PROFILE

Current Name: Valley Hospital Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

# DAMIEN FERTILITY PARTNERS SHREWSBURY, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Miguel Damien, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	53%	Tubal factor	10%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 13% Female & male factors 15%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	8%	Male factor	31%	
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	18%	
				Endometriosis	16%	Unknown factor	14%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 359 (includes 23 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	83	34	48	20	25	6
Percentage of cancellations before retrieval (%)	1.2	5.9	12.5	5.0	12.0	0 / 6
Average number of embryos transferred	1.9	1.8	2.3	2.7	3.5	
Percentage of embryos transferred resulting in implantation (%)	51.3	54.3	24.3	20.0	3.6	
Percentage of elective single embryo transfers (eSET) (%)	1.9	5.0	0.0	0 / 10	0 / 13	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.1	26.5	18.8	5.0	4.0	0 / 6
Percentage of cycles resulting in singleton live births (%)	26.5	38.2	25.0	5.0	4.0	0 / 6
Percentage of cycles resulting in twin live births (%)	20.5	14.7	0.0	5.0	0.0	0 / 6
Percentage of cycles resulting in live births (%)	47.0	52.9	27.1	10.0	4.0	0 / 6
Percentage of cycles resulting in pregnancies (%)	50.6	61.8	37.5	20.0	8.0	0 / 6
<b>Outcomes per Transfer</b>						
Number of transfers	63	27	33	11	16	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.7	33.3	27.3	1 / 11	1 / 16	
Percentage of transfers resulting in singleton live births (%)	34.9	48.1	36.4	1 / 11	1 / 16	
Percentage of transfers resulting in twin live births (%)	27.0	18.5	0.0	1 / 11	0 / 16	
Percentage of transfers resulting in live births (%)	61.9	66.7	39.4	2 / 11	1 / 16	
Percentage of transfers resulting in pregnancies (%)	66.7	77.8	54.5	4 / 11	2 / 16	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	33	12	8	2	0	0
Number of transfers	32	12	8	2	0	0
Estimated average number of transfers per retrieval	1.0	0.9	0.4	0.3	0.0	
Average number of embryos transferred	1.9	1.7	1.8	2.0		
Percentage of embryos transferred resulting in implantation (%)	50.0	50.0	9 / 13	2 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.3	3 / 12	3 / 8	1 / 2		
Percentage of transfers resulting in singleton live births (%)	40.6	3 / 12	3 / 8	1 / 2		
Percentage of transfers resulting in twin live births (%)	21.9	2 / 12	3 / 8	0 / 2		
Percentage of transfers resulting in live births (%)	62.5	5 / 12	6 / 8	1 / 2		
Percentage of transfers resulting in pregnancies (%)	68.8	6 / 12	7 / 8	2 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	13	8	14	4	4	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	4			18		
Number of transfers	3			18		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation (%)	5 / 6			44.1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 3			3 / 18		
Percentage of transfers resulting in singleton live births (%)	2 / 3			5 / 18		
Percentage of transfers resulting in twin live births (%)	0 / 3			4 / 18		
Percentage of transfers resulting in live births (%)	2 / 3			9 / 18		
Percentage of transfers resulting in pregnancies (%)	3 / 3			11 / 18		

## CURRENT SERVICES & PROFILE

Current Name: Damien Fertility Partners

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**IVF NEW JERSEY  
SOMERSET, NEW JERSEY**

---

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

**CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY**  
**LOUIS R. MANARA, DO**  
**VOORHEES, NEW JERSEY**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2015 ART CYCLE PROFILE**

Data verified by Louis R. Manara, DO

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	46%	Tubal factor	6%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 9%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	19%	
				Endometriosis	5%	Unknown factor	28%	

**2015 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 248 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	57	21	25	2	4	3
Percentage of cancellations before retrieval (%)	3.5	19.0	32.0	1 / 2	0 / 4	2 / 3
Average number of embryos transferred	1.4	1.9	1.8		1.8	3.0
Percentage of embryos transferred resulting in implantation (%)	5 / 17	2 / 13	2 / 12		1 / 7	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	3 / 8	0 / 5	0 / 6		0 / 2	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5.3	0.0	4.0	0 / 2	0 / 4	0 / 3
Percentage of cycles resulting in singleton live births (%)	5.3	0.0	4.0	0 / 2	0 / 4	0 / 3
Percentage of cycles resulting in twin live births (%)	1.8	4.8	0.0	0 / 2	0 / 4	0 / 3
Percentage of cycles resulting in live births (%)	7.0	4.8	4.0	0 / 2	0 / 4	0 / 3
Percentage of cycles resulting in pregnancies (%)	7.0	4.8	12.0	0 / 2	1 / 4	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	12	7	8	0	4	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 12	0 / 7	1 / 8		0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 12	0 / 7	1 / 8		0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 12	1 / 7	0 / 8		0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	4 / 12	1 / 7	1 / 8		0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	4 / 12	1 / 7	3 / 8		1 / 4	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	68	20	19	6	1	2
Number of transfers	66	18	19	5	1	1
Estimated average number of transfers per retrieval	1.7	2.3	1.6	0.8	0.5	
Average number of embryos transferred	1.2	1.2	1.1	1.2	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	56.6	36.4	50.0	4 / 6	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	39.4	5 / 18	10 / 19	3 / 5	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	47.0	8 / 18	10 / 19	3 / 5	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	6.1	0 / 18	0 / 19	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	53.0	8 / 18	10 / 19	3 / 5	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	59.1	8 / 18	11 / 19	3 / 5	0 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	1	2	3	2	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	4			8		
Number of transfers	3			8		
Average number of embryos transferred	1.3			1.3		
Percentage of embryos transferred resulting in implantation (%)	3 / 4			3 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 3			0 / 8		
Percentage of transfers resulting in singleton live births (%)	3 / 3			2 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 3			0 / 8		
Percentage of transfers resulting in live births (%)	3 / 3			2 / 8		
Percentage of transfers resulting in pregnancies (%)	3 / 3			3 / 8		

**CURRENT SERVICES & PROFILE**

Current Name: Center For Reproductive Medicine and Fertility, Louis R. Manara, DO

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY INSTITUTE OF NEW JERSEY AND NEW YORK WESTWOOD, NEW JERSEY

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Zalman Levine, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	65%	Tubal factor	22%	Uterine factor	28%	<i>Multiple Factors:</i> Female factors only 30% Female & male factors 33%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	27%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	59%	Other factor	16%	
				Endometriosis	6%	Unknown factor	3%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 380 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	46	26	20	27	14	0
Percentage of cancellations before retrieval (%)	10.9	19.2	20.0	29.6	3 / 14	
Average number of embryos transferred	2.0	2.2	2.8	3.5	2.7	
Percentage of embryos transferred resulting in implantation (%)	34.8	18.2	24.0	7.1	0.0	
Percentage of elective single embryo transfers (eSET) (%)	14.3	0 / 8	0 / 9	0 / 15	0 / 8	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.4	11.5	5.0	7.4	0 / 14	
Percentage of cycles resulting in singleton live births (%)	21.7	11.5	10.0	7.4	0 / 14	
Percentage of cycles resulting in twin live births (%)	13.0	0.0	5.0	0.0	0 / 14	
Percentage of cycles resulting in live births (%)	34.8	11.5	15.0	7.4	0 / 14	
Percentage of cycles resulting in pregnancies (%)	39.1	11.5	30.0	14.8	1 / 14	
<b>Outcomes per Transfer</b>						
Number of transfers	35	10	10	16	10	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.9	3 / 10	1 / 10	2 / 16	0 / 10	
Percentage of transfers resulting in singleton live births (%)	28.6	3 / 10	2 / 10	2 / 16	0 / 10	
Percentage of transfers resulting in twin live births (%)	17.1	0 / 10	1 / 10	0 / 16	0 / 10	
Percentage of transfers resulting in live births (%)	45.7	3 / 10	3 / 10	2 / 16	0 / 10	
Percentage of transfers resulting in pregnancies (%)	51.4	3 / 10	6 / 10	4 / 16	1 / 10	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	51	23	20	10	0	0
Number of transfers	49	22	19	9	0	0
Estimated average number of transfers per retrieval	0.9	0.7	0.6	0.4	0.0	0.0
Average number of embryos transferred	1.7	1.8	2.2	1.6		
Percentage of embryos transferred resulting in implantation (%)	60.3	48.6	22.5	8 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.6	40.9	5 / 19	5 / 9		
Percentage of transfers resulting in singleton live births (%)	38.8	50.0	5 / 19	7 / 9		
Percentage of transfers resulting in twin live births (%)	22.4	13.6	1 / 19	0 / 9		
Percentage of transfers resulting in live births (%)	61.2	63.6	6 / 19	7 / 9		
Percentage of transfers resulting in pregnancies (%)	75.5	68.2	8 / 19	8 / 9		
<b>Number of Egg/Embryo Banking Cycles</b>						
	35	20	24	21	3	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		24			14	
Number of transfers		23			14	
Average number of embryos transferred		1.8			1.9	
Percentage of embryos transferred resulting in implantation (%)		61.5			44.4	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		39.1			5 / 14	
Percentage of transfers resulting in singleton live births (%)		52.2			7 / 14	
Percentage of transfers resulting in twin live births (%)		21.7			1 / 14	
Percentage of transfers resulting in live births (%)		73.9			8 / 14	
Percentage of transfers resulting in pregnancies (%)		82.6			9 / 14	

## CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of New Jersey and New York

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CENTER FOR REPRODUCTIVE MEDICINE OF NEW MEXICO ALBUQUERQUE, NEW MEXICO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Douglas J. Thompson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	5%	Uterine factor	12%	<i>Multiple Factors:</i> Female factors only <1% Female & male factors 44%
Unstimulated	0%	PGD/PGS	35%	Ovulatory dysfunction	11%	Male factor	87%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	4%	
				Endometriosis	3%	Unknown factor	3%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 155 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	9	5	4	0	1	1
Percentage of cancellations before retrieval (%)	1 / 9	2 / 5	1 / 4		0 / 1	0 / 1
Average number of embryos transferred	2.0				1.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 8				0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	0 / 4					
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 9	0 / 5	0 / 4		0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 9	0 / 5	0 / 4		0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 9	0 / 5	0 / 4		0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	2 / 9	0 / 5	0 / 4		0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	4 / 9	0 / 5	0 / 4		0 / 1	0 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	4	0	0	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 4				0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 4				0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 4				0 / 1	
Percentage of transfers resulting in live births (%)	2 / 4				0 / 1	
Percentage of transfers resulting in pregnancies (%)	4 / 4				0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	34	14	15	4	2	0
Number of transfers	34	14	13	4	1	0
Estimated average number of transfers per retrieval	1.7	1.3	1.6	0.6	0.3	0.0
Average number of embryos transferred	1.4	1.6	1.6	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	26.7	34.8	19.0	1 / 5	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	14.7	4 / 14	2 / 13	0 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	20.6	4 / 14	4 / 13	0 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	2.9	0 / 14	0 / 13	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	23.5	5 / 14	4 / 13	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	35.3	5 / 14	4 / 13	1 / 4	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	19	10	8	7	3	3
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			16		
Number of transfers	0			16		
Average number of embryos transferred				1.6		
Percentage of embryos transferred resulting in implantation (%)				50.0		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				2 / 16		
Percentage of transfers resulting in singleton live births (%)				5 / 16		
Percentage of transfers resulting in twin live births (%)				1 / 16		
Percentage of transfers resulting in live births (%)				6 / 16		
Percentage of transfers resulting in pregnancies (%)				10 / 16		

## CURRENT SERVICES & PROFILE

This clinic has closed since 2015. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE FERTILITY INSTITUTE AT NEW YORK METHODIST HOSPITAL BROOKLYN, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by George D. Kofinas, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	93%	Tubal factor	37%	Uterine factor	20%	<i>Multiple Factors:</i> Female factors only 41% Female & male factors 11%
Unstimulated	1%	PGD/PGS	0%	Ovulatory dysfunction	7%	Male factor	15%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	10%	
				Endometriosis	43%	Unknown factor	1%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 515 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	35	36	44	32	38	13
Percentage of cancellations before retrieval (%)	0.0	5.6	2.3	3.1	10.5	1 / 13
Average number of embryos transferred	2.0	2.3	2.6	3.4	2.6	1.9
Percentage of embryos transferred resulting in implantation (%)	36.4	33.8	13.4	7.4	7.8	0 / 15
Percentage of elective single embryo transfers (eSET) (%)	6.3	20.0	3.3	0.0	0.0	0 / 5
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.6	16.7	13.6	9.4	5.3	0 / 13
Percentage of cycles resulting in singleton live births (%)	31.4	22.2	13.6	12.5	5.3	0 / 13
Percentage of cycles resulting in twin live births (%)	14.3	19.4	0.0	0.0	2.6	0 / 13
Percentage of cycles resulting in live births (%)	45.7	41.7	13.6	12.5	7.9	0 / 13
Percentage of cycles resulting in pregnancies (%)	54.3	50.0	25.0	21.9	13.2	0 / 13
<b>Outcomes per Transfer</b>						
Number of transfers	35	34	37	28	31	8
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.6	17.6	16.2	10.7	6.5	0 / 8
Percentage of transfers resulting in singleton live births (%)	31.4	23.5	16.2	14.3	6.5	0 / 8
Percentage of transfers resulting in twin live births (%)	14.3	20.6	0.0	0.0	3.2	0 / 8
Percentage of transfers resulting in live births (%)	45.7	44.1	16.2	14.3	9.7	0 / 8
Percentage of transfers resulting in pregnancies (%)	54.3	52.9	29.7	25.0	16.1	0 / 8
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	59	30	29	9	13	5
Number of transfers	54	29	28	9	13	4
Estimated average number of transfers per retrieval	0.9	0.8	1.0	0.7	0.4	0.4
Average number of embryos transferred	1.6	1.8	2.1	2.3	2.5	2.8
Percentage of embryos transferred resulting in implantation (%)	49.4	30.2	25.4	19.0	9.1	2 / 11
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.7	31.0	14.3	2 / 9	2 / 13	1 / 4
Percentage of transfers resulting in singleton live births (%)	50.0	37.9	21.4	2 / 9	2 / 13	1 / 4
Percentage of transfers resulting in twin live births (%)	7.4	0.0	7.1	0 / 9	0 / 13	0 / 4
Percentage of transfers resulting in live births (%)	57.4	37.9	28.6	2 / 9	2 / 13	1 / 4
Percentage of transfers resulting in pregnancies (%)	70.4	55.2	42.9	4 / 9	3 / 13	2 / 4
<b>Number of Egg/Embryo Banking Cycles</b>						
	53	30	19	11	23	9
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		8			14	
Number of transfers		7			13	
Average number of embryos transferred		1.9			1.8	
Percentage of embryos transferred resulting in implantation (%)		8 / 13			26.1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 7			3 / 13	
Percentage of transfers resulting in singleton live births (%)		2 / 7			5 / 13	
Percentage of transfers resulting in twin live births (%)		2 / 7			0 / 13	
Percentage of transfers resulting in live births (%)		4 / 7			5 / 13	
Percentage of transfers resulting in pregnancies (%)		6 / 7			6 / 13	

## CURRENT SERVICES & PROFILE

Current Name: The Fertility Institute at New York Methodist Hospital

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# GENESIS FERTILITY & REPRODUCTIVE MEDICINE BROOKLYN, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Richard V. Grazi, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	48%	Tubal factor	21%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 29%
Unstimulated	<1%	PGD/PGS	3%	Ovulatory dysfunction	13%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	18%	
				Endometriosis	5%	Unknown factor	11%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 743 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	127	55	78	27	37	3
Percentage of cancellations before retrieval (%)	7.9	21.8	21.8	14.8	37.8	0 / 3
Average number of embryos transferred	1.6	1.7	2.3	2.4	2.5	
Percentage of embryos transferred resulting in implantation (%)	37.0	39.0	17.0	7.7	0.0	
Percentage of elective single embryo transfers (eSET) (%)	50.0	26.5	4.3	0 / 16	0 / 11	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.8	21.8	14.1	0.0	0.0	0 / 3
Percentage of cycles resulting in singleton live births (%)	28.3	21.8	15.4	0.0	0.0	0 / 3
Percentage of cycles resulting in twin live births (%)	5.5	5.5	2.6	3.7	0.0	0 / 3
Percentage of cycles resulting in live births (%)	33.9	27.3	17.9	3.7	0.0	0 / 3
Percentage of cycles resulting in pregnancies (%)	37.0	40.0	24.4	14.8	2.7	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	95	39	49	18	17	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.5	30.8	22.4	0 / 18	0 / 17	
Percentage of transfers resulting in singleton live births (%)	37.9	30.8	24.5	0 / 18	0 / 17	
Percentage of transfers resulting in twin live births (%)	7.4	7.7	4.1	1 / 18	0 / 17	
Percentage of transfers resulting in live births (%)	45.3	38.5	28.6	1 / 18	0 / 17	
Percentage of transfers resulting in pregnancies (%)	49.5	56.4	38.8	4 / 18	1 / 17	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	135	44	33	13	19	4
Number of transfers	120	36	31	13	13	3
Estimated average number of transfers per retrieval	1.4	1.3	0.7	0.5	0.3	0.6
Average number of embryos transferred	1.4	1.5	1.9	1.8	2.5	1.7
Percentage of embryos transferred resulting in implantation (%)	39.6	25.0	23.2	8.7	6.1	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.0	25.0	25.8	2 / 13	1 / 13	0 / 3
Percentage of transfers resulting in singleton live births (%)	28.3	25.0	32.3	2 / 13	1 / 13	0 / 3
Percentage of transfers resulting in twin live births (%)	7.5	0.0	3.2	0 / 13	0 / 13	0 / 3
Percentage of transfers resulting in live births (%)	35.8	25.0	35.5	2 / 13	1 / 13	0 / 3
Percentage of transfers resulting in pregnancies (%)	49.2	41.7	41.9	2 / 13	2 / 13	0 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	37	18	25	17	29	5
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		20			14	
Number of transfers		16			13	
Average number of embryos transferred		1.4			1.6	
Percentage of embryos transferred resulting in implantation (%)		55.0			38.1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		7 / 16			7 / 13	
Percentage of transfers resulting in singleton live births (%)		8 / 16			8 / 13	
Percentage of transfers resulting in twin live births (%)		1 / 16			0 / 13	
Percentage of transfers resulting in live births (%)		9 / 16			8 / 13	
Percentage of transfers resulting in pregnancies (%)		11 / 16			8 / 13	

## CURRENT SERVICES & PROFILE

Current Name: Genesis Fertility & Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# INFERTILITY & IVF MEDICAL ASSOCIATES OF WESTERN NEW YORK BUFFALO, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Adam M. Griffin, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	71%	Tubal factor	16%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 10%
Unstimulated	<1%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	36%	
Used gestational carrier	<1%			Diminished ovarian reserve	17%	Other factor	1%	
				Endometriosis	13%	Unknown factor	18%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 523 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	222	85	72	36	6	2
Percentage of cancellations before retrieval (%)	9.5	20.0	26.4	27.8	1 / 6	0 / 2
Average number of embryos transferred	1.9	2.3	2.2	3.1	2.5	2.0
Percentage of embryos transferred resulting in implantation (%)	38.5	13.7	10.8	1.4	1 / 10	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	11.2	3.2	2.5	0.0	0 / 3	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.9	5.9	4.2	2.8	1 / 6	0 / 2
Percentage of cycles resulting in singleton live births (%)	26.1	9.4	4.2	2.8	1 / 6	0 / 2
Percentage of cycles resulting in twin live births (%)	14.9	5.9	4.2	0.0	0 / 6	0 / 2
Percentage of cycles resulting in live births (%)	41.0	15.3	8.3	2.8	1 / 6	0 / 2
Percentage of cycles resulting in pregnancies (%)	45.0	20.0	13.9	5.6	1 / 6	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	186	66	50	24	4	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.5	7.6	6.0	4.2	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	31.2	12.1	6.0	4.2	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	17.7	7.6	6.0	0.0	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	48.9	19.7	12.0	4.2	1 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	53.8	25.8	20.0	8.3	1 / 4	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	45	16	5	0	0	0
Number of transfers	40	15	4	0	0	0
Estimated average number of transfers per retrieval	0.9	0.9	1.3	0.0		0.0
Average number of embryos transferred	1.6	1.5	1.3			
Percentage of embryos transferred resulting in implantation (%)	32.7	13.0	1 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	22.5	3 / 15	1 / 4			
Percentage of transfers resulting in singleton live births (%)	27.5	3 / 15	1 / 4			
Percentage of transfers resulting in twin live births (%)	5.0	0 / 15	0 / 4			
Percentage of transfers resulting in live births (%)	32.5	3 / 15	1 / 4			
Percentage of transfers resulting in pregnancies (%)	47.5	3 / 15	2 / 4			
<b>Number of Egg/Embryo Banking Cycles</b>						
	7	5	0	2	0	1
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	7			2		
Number of transfers	6			1		
Average number of embryos transferred	2.0			1.0		
Percentage of embryos transferred resulting in implantation (%)	7 / 12			0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5 / 6			0 / 1		
Percentage of transfers resulting in singleton live births (%)	5 / 6			0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 6			0 / 1		
Percentage of transfers resulting in live births (%)	6 / 6			0 / 1		
Percentage of transfers resulting in pregnancies (%)	6 / 6			0 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Infertility & IVF Medical Associates of Western New York

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HUDSON VALLEY FERTILITY, PLLC FISHKILL, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Daniel W. Levine, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	71%	Tubal factor	26%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 19% Female & male factors 26%
Unstimulated	3%	PGD/PGS	3%	Ovulatory dysfunction	23%	Male factor	40%	
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	<1%	
				Endometriosis	4%	Unknown factor	6%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 177 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	26	14	14	5	3	0
Percentage of cancellations before retrieval (%)	19.2	3 / 14	3 / 14	2 / 5	2 / 3	
Average number of embryos transferred	1.9	2.2	2.4	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	39.5	50.0	29.2	0 / 4	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	1 / 19	0 / 9	0 / 10	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.4	2 / 14	4 / 14	0 / 5	0 / 3	
Percentage of cycles resulting in singleton live births (%)	15.4	2 / 14	4 / 14	0 / 5	0 / 3	
Percentage of cycles resulting in twin live births (%)	15.4	1 / 14	0 / 14	0 / 5	0 / 3	
Percentage of cycles resulting in live births (%)	30.8	4 / 14	4 / 14	0 / 5	0 / 3	
Percentage of cycles resulting in pregnancies (%)	30.8	6 / 14	5 / 14	0 / 5	0 / 3	
<b>Outcomes per Transfer</b>						
Number of transfers	20	9	10	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.0	2 / 9	4 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	20.0	2 / 9	4 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	20.0	1 / 9	0 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	40.0	4 / 9	4 / 10	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	40.0	6 / 9	5 / 10	0 / 2	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	17	11	14	8	4	0
Number of transfers	17	9	13	6	4	0
Estimated average number of transfers per retrieval	0.8	0.9	0.8	0.8	0.5	0.0
Average number of embryos transferred	2.0	2.1	2.5	2.5	3.0	
Percentage of embryos transferred resulting in implantation (%)	44.1	10 / 16	13.8	0 / 9	2 / 12	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 17	1 / 9	1 / 13	0 / 6	0 / 4	
Percentage of transfers resulting in singleton live births (%)	5 / 17	2 / 9	2 / 13	0 / 6	0 / 4	
Percentage of transfers resulting in twin live births (%)	3 / 17	3 / 9	1 / 13	0 / 6	0 / 4	
Percentage of transfers resulting in live births (%)	8 / 17	5 / 9	3 / 13	0 / 6	0 / 4	
Percentage of transfers resulting in pregnancies (%)	9 / 17	7 / 9	3 / 13	2 / 6	1 / 4	
<b>Number of Egg/Embryo Banking Cycles</b>						
	17	7	14	7	7	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		1			1	
Number of transfers		1			1	
Average number of embryos transferred		3.0			1.0	
Percentage of embryos transferred resulting in implantation (%)		0 / 3			1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1			1 / 1	
Percentage of transfers resulting in singleton live births (%)		0 / 1			1 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 1			0 / 1	
Percentage of transfers resulting in live births (%)		0 / 1			1 / 1	
Percentage of transfers resulting in pregnancies (%)		0 / 1			1 / 1	

## CURRENT SERVICES & PROFILE

Current Name: Hudson Valley Fertility, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE NEW YORK FERTILITY CENTER FLUSHING, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Tony Tsai, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	87%	Tubal factor	14%	Uterine factor	13%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors <1%
Unstimulated	1%	PGD/PGS	4%	Ovulatory dysfunction	18%	Male factor	9%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	1%	
				Endometriosis	6%	Unknown factor	23%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 283 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	85	38	45	22	17	14
Percentage of cancellations before retrieval (%)	5.9	18.4	4.4	13.6	1 / 17	0 / 14
Average number of embryos transferred	3.6	3.7	3.1	2.8	4.0	2.5
Percentage of embryos transferred resulting in implantation (%)	11.0	9.0	9.8	0.0	10.0	0.0
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0.0	0 / 8	0 / 10	0 / 7
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4.7	5.3	8.9	0.0	2 / 17	0 / 14
Percentage of cycles resulting in singleton live births (%)	10.6	13.2	17.8	0.0	3 / 17	0 / 14
Percentage of cycles resulting in twin live births (%)	3.5	2.6	2.2	0.0	0 / 17	0 / 14
Percentage of cycles resulting in live births (%)	14.1	15.8	20.0	0.0	3 / 17	0 / 14
Percentage of cycles resulting in pregnancies (%)	24.7	15.8	22.2	0.0	5 / 17	0 / 14
<b>Outcomes per Transfer</b>						
Number of transfers	66	23	34	13	12	11
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6.1	8.7	11.8	0 / 13	2 / 12	0 / 11
Percentage of transfers resulting in singleton live births (%)	13.6	21.7	23.5	0 / 13	3 / 12	0 / 11
Percentage of transfers resulting in twin live births (%)	4.5	4.3	2.9	0 / 13	0 / 12	0 / 11
Percentage of transfers resulting in live births (%)	18.2	26.1	26.5	0 / 13	3 / 12	0 / 11
Percentage of transfers resulting in pregnancies (%)	31.8	26.1	29.4	0 / 13	5 / 12	0 / 11
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	25	9	6	5	2	4
Number of transfers	25	9	6	4	2	3
Estimated average number of transfers per retrieval	1.6	1.3	3.0	1.3		1.5
Average number of embryos transferred	3.2	2.9	3.7	2.8	1.0	3.0
Percentage of embryos transferred resulting in implantation (%)	7.0	3.8	0.0	0 / 7	0 / 2	0 / 9
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	8.0	0 / 9	0 / 6	0 / 4	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	8.0	1 / 9	0 / 6	0 / 4	0 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	4.0	0 / 9	0 / 6	0 / 4	0 / 2	0 / 3
Percentage of transfers resulting in live births (%)	12.0	1 / 9	0 / 6	0 / 4	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	24.0	1 / 9	0 / 6	1 / 4	0 / 2	0 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			11		
Number of transfers	0			9		
Average number of embryos transferred				2.3		
Percentage of embryos transferred resulting in implantation (%)				33.3		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 9		
Percentage of transfers resulting in singleton live births (%)				4 / 9		
Percentage of transfers resulting in twin live births (%)				1 / 9		
Percentage of transfers resulting in live births (%)				5 / 9		
Percentage of transfers resulting in pregnancies (%)				6 / 9		

## CURRENT SERVICES & PROFILE

Current Name: The New York Fertility Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MONTEFIORE'S INSTITUTE FOR REPRODUCTIVE MEDICINE AND HEALTH HARTSDALE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Harry J. Lieman, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	50%	Tubal factor	31%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 19% Female & male factors 20%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	12%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	14%	
				Endometriosis	4%	Unknown factor	13%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 275 (includes 16 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	48	36	40	13	7	3
Percentage of cancellations before retrieval (%)	6.3	16.7	17.5	1 / 13	2 / 7	0 / 3
Average number of embryos transferred	1.5	1.9	2.2	1.9	2.6	1.0
Percentage of embryos transferred resulting in implantation (%)	22.9	31.9	17.6	2 / 15	1 / 13	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	34.5	0.0	0.0	1 / 7	0 / 4	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	12.5	16.7	12.5	1 / 13	1 / 7	0 / 3
Percentage of cycles resulting in singleton live births (%)	14.6	19.4	17.5	2 / 13	1 / 7	0 / 3
Percentage of cycles resulting in twin live births (%)	2.1	5.6	2.5	0 / 13	0 / 7	0 / 3
Percentage of cycles resulting in live births (%)	16.7	25.0	20.0	2 / 13	1 / 7	0 / 3
Percentage of cycles resulting in pregnancies (%)	27.1	36.1	27.5	2 / 13	1 / 7	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	35	27	26	8	5	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.1	22.2	19.2	1 / 8	1 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	20.0	25.9	26.9	2 / 8	1 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	2.9	7.4	3.8	0 / 8	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	22.9	33.3	30.8	2 / 8	1 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	37.1	48.1	42.3	2 / 8	1 / 5	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	25	11	13	2	4	0
Number of transfers	22	7	12	1	4	0
Estimated average number of transfers per retrieval	0.8	0.7	0.9	0.1	1.3	0.0
Average number of embryos transferred	1.5	2.1	1.6	1.0	2.3	
Percentage of embryos transferred resulting in implantation (%)	50.0	5 / 13	7 / 16	0 / 1	0 / 9	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	36.4	0 / 7	3 / 12	0 / 1	0 / 4	
Percentage of transfers resulting in singleton live births (%)	54.5	1 / 7	4 / 12	0 / 1	0 / 4	
Percentage of transfers resulting in twin live births (%)	9.1	1 / 7	1 / 12	0 / 1	0 / 4	
Percentage of transfers resulting in live births (%)	63.6	2 / 7	5 / 12	0 / 1	0 / 4	
Percentage of transfers resulting in pregnancies (%)	63.6	4 / 7	8 / 12	0 / 1	0 / 4	
<b>Number of Egg/Embryo Banking Cycles</b>						
	11	9	9	8	3	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		6		8		8
Number of transfers		4		8		8
Average number of embryos transferred		2.0		1.8		1.8
Percentage of embryos transferred resulting in implantation (%)		6 / 8		4 / 14		4 / 14
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 4		0 / 8		0 / 8
Percentage of transfers resulting in singleton live births (%)		2 / 4		1 / 8		1 / 8
Percentage of transfers resulting in twin live births (%)		1 / 4		1 / 8		1 / 8
Percentage of transfers resulting in live births (%)		3 / 4		2 / 8		2 / 8
Percentage of transfers resulting in pregnancies (%)		3 / 4		3 / 8		3 / 8

## CURRENT SERVICES & PROFILE

Current Name: Montefiore's Institute for Reproductive Medicine and Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## NEW YORK REPRODUCTIVE WELLNESS JERICHO, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Gregory Zapantis, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	88%	Tubal factor	22%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 26% Female & male factors 28%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	42%	
Used gestational carrier	0%			Diminished ovarian reserve	43%	Other factor	33%	
				Endometriosis	9%	Unknown factor	6%	

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 174 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		24	18	16	5	4	2
Percentage of cancellations before retrieval (%)		4.2	1 / 18	0 / 16	0 / 5	1 / 4	1 / 2
Average number of embryos transferred		1.5	1.3	1.8	2.5	1.5	
Percentage of embryos transferred resulting in implantation (%)		56.7	7 / 11	3 / 18	0 / 10	2 / 3	
Percentage of elective single embryo transfers (eSET) (%)		8 / 18	3 / 6	0 / 7	0 / 4	0 / 1	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		41.7	2 / 18	2 / 16	0 / 5	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)		41.7	3 / 18	2 / 16	0 / 5	1 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)		12.5	1 / 18	0 / 16	0 / 5	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)		54.2	4 / 18	2 / 16	0 / 5	1 / 4	0 / 2
Percentage of cycles resulting in pregnancies (%)		58.3	6 / 18	4 / 16	0 / 5	2 / 4	0 / 2
<b>Outcomes per Transfer</b>							
Number of transfers		20	9	11	4	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		50.0	2 / 9	2 / 11	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)		50.0	3 / 9	2 / 11	0 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)		15.0	1 / 9	0 / 11	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)		65.0	4 / 9	2 / 11	0 / 4	1 / 2	
Percentage of transfers resulting in pregnancies (%)		70.0	6 / 9	4 / 11	0 / 4	2 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		15	15	7	9	0	5
Number of transfers		15	15	6	9	0	5
Estimated average number of transfers per retrieval		1.0	0.8	0.5	1.3	0.0	1.3
Average number of embryos transferred		1.5	1.6	1.5	2.3		1.8
Percentage of embryos transferred resulting in implantation (%)		63.6	54.2	3 / 9	1 / 13		2 / 9
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		8 / 15	5 / 15	1 / 6	1 / 9		0 / 5
Percentage of transfers resulting in singleton live births (%)		8 / 15	7 / 15	1 / 6	1 / 9		0 / 5
Percentage of transfers resulting in twin live births (%)		2 / 15	2 / 15	0 / 6	0 / 9		0 / 5
Percentage of transfers resulting in live births (%)		10 / 15	9 / 15	1 / 6	1 / 9		0 / 5
Percentage of transfers resulting in pregnancies (%)		11 / 15	10 / 15	2 / 6	4 / 9		2 / 5
<b>Number of Egg/Embryo Banking Cycles</b>							
		13	13	11	5	2	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		1			6		
Number of transfers		1			5		
Average number of embryos transferred		2.0			1.6		
Percentage of embryos transferred resulting in implantation (%)		1 / 2			4 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1			0 / 5		
Percentage of transfers resulting in singleton live births (%)		1 / 1			0 / 5		
Percentage of transfers resulting in twin live births (%)		0 / 1			2 / 5		
Percentage of transfers resulting in live births (%)		1 / 1			2 / 5		
Percentage of transfers resulting in pregnancies (%)		1 / 1			2 / 5		

CURRENT SERVICES & PROFILE		Current Name: New York Reproductive Wellness					
Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# BOSTON IVF, THE ALBANY CENTER LOUDONVILLE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Steven Bayer, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	33%	Tubal factor	17%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 11%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	13%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	6%	
				Endometriosis	7%	Unknown factor	18%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 258 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	77	36	25	9	3	1
Percentage of cancellations before retrieval (%)	2.6	8.3	20.0	1 / 9	0 / 3	0 / 1
Average number of embryos transferred	1.7	1.7	2.3	2.5	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	31.6	24.5	27.0	1 / 15	0 / 1	1 / 1
Percentage of elective single embryo transfers (eSET) (%)	26.0	18.2	0 / 15	0 / 5		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.2	22.2	20.0	1 / 9	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	23.4	30.6	20.0	1 / 9	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	7.8	2.8	4.0	0 / 9	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	31.2	33.3	24.0	1 / 9	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	33.8	33.3	28.0	1 / 9	0 / 3	1 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	60	31	16	6	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.3	25.8	5 / 16	1 / 6	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.0	35.5	5 / 16	1 / 6	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	10.0	3.2	1 / 16	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	40.0	38.7	6 / 16	1 / 6	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	43.3	38.7	7 / 16	1 / 6	0 / 1	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	44	14	5	2	0	0
Number of transfers	39	11	5	2	0	0
Estimated average number of transfers per retrieval	1.5	2.2	2.5	2.0		
Average number of embryos transferred	1.3	1.6	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)	27.5	1 / 14	1 / 4	1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.2	0 / 11	1 / 5	1 / 2		
Percentage of transfers resulting in singleton live births (%)	30.8	1 / 11	1 / 5	1 / 2		
Percentage of transfers resulting in twin live births (%)	0.0	0 / 11	0 / 5	0 / 2		
Percentage of transfers resulting in live births (%)	30.8	1 / 11	1 / 5	1 / 2		
Percentage of transfers resulting in pregnancies (%)	38.5	3 / 11	3 / 5	1 / 2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	3	1	0	0	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		23			15	
Number of transfers		20			12	
Average number of embryos transferred		1.7			1.3	
Percentage of embryos transferred resulting in implantation (%)		45.5			3 / 14	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		25.0			0 / 12	
Percentage of transfers resulting in singleton live births (%)		30.0			1 / 12	
Percentage of transfers resulting in twin live births (%)		15.0			1 / 12	
Percentage of transfers resulting in live births (%)		45.0			2 / 12	
Percentage of transfers resulting in pregnancies (%)		55.0			3 / 12	

## CURRENT SERVICES & PROFILE

Current Name: Boston IVF, The Albany Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NORTH SHORE UNIVERSITY HOSPITAL THE CENTER FOR HUMAN REPRODUCTION MANHASSET, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Avner Hershlag, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	9%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 6%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	9%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	7%	
				Endometriosis	4%	Unknown factor	26%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,477 (includes 29 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	226	146	164	79	47	4
Percentage of cancellations before retrieval (%)	8.8	20.5	18.3	27.8	36.2	1 / 4
Average number of embryos transferred	1.4	2.0	2.2	2.4	2.7	4.0
Percentage of embryos transferred resulting in implantation (%)	35.2	21.4	13.8	6.1	2.1	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	56.1	11.6	2.0	2.7	0 / 17	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.6	9.6	6.1	3.8	0.0	0 / 4
Percentage of cycles resulting in singleton live births (%)	23.0	10.3	9.8	7.6	0.0	0 / 4
Percentage of cycles resulting in twin live births (%)	3.1	7.5	3.0	0.0	0.0	0 / 4
Percentage of cycles resulting in live births (%)	26.5	17.8	13.4	7.6	0.0	0 / 4
Percentage of cycles resulting in pregnancies (%)	32.7	21.9	18.3	8.9	4.3	0 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	168	102	119	47	20	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.0	13.7	8.4	6.4	0.0	0 / 2
Percentage of transfers resulting in singleton live births (%)	31.0	14.7	13.4	12.8	0.0	0 / 2
Percentage of transfers resulting in twin live births (%)	4.2	10.8	4.2	0.0	0.0	0 / 2
Percentage of transfers resulting in live births (%)	35.7	25.5	18.5	12.8	0.0	0 / 2
Percentage of transfers resulting in pregnancies (%)	44.0	31.4	25.2	14.9	10.0	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	219	111	94	30	10	2
Number of transfers	218	110	90	30	10	2
Estimated average number of transfers per retrieval	1.5	1.2	0.8	1.3	0.5	2.0
Average number of embryos transferred	1.4	1.5	1.4	1.8	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	46.4	37.7	31.7	31.4	2 / 15	2 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	35.8	27.3	20.0	16.7	1 / 10	1 / 2
Percentage of transfers resulting in singleton live births (%)	41.3	33.6	28.9	23.3	2 / 10	1 / 2
Percentage of transfers resulting in twin live births (%)	6.9	3.6	2.2	6.7	0 / 10	0 / 2
Percentage of transfers resulting in live births (%)	48.2	37.3	31.1	30.0	2 / 10	1 / 2
Percentage of transfers resulting in pregnancies (%)	55.0	50.0	41.1	46.7	3 / 10	2 / 2
<b>Number of Egg/Embryo Banking Cycles</b>						
	55	57	77	16	14	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		28			68	
Number of transfers		21			67	
Average number of embryos transferred		1.5			1.3	
Percentage of embryos transferred resulting in implantation (%)		53.1			36.0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		42.9			31.3	
Percentage of transfers resulting in singleton live births (%)		52.4			35.8	
Percentage of transfers resulting in twin live births (%)		9.5			1.5	
Percentage of transfers resulting in live births (%)		61.9			37.3	
Percentage of transfers resulting in pregnancies (%)		66.7			46.3	

## CURRENT SERVICES & PROFILE

Current Name: North Shore University Hospital, The Center for Human Reproduction

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# LONG ISLAND IVF MELVILLE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Daniel Kenigsberg, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	78%	Tubal factor	15%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 6%
Unstimulated	<1%	PGD/PGS	4%	Ovulatory dysfunction	5%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	0%	
				Endometriosis	4%	Unknown factor	33%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,184 (includes 16 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	213	139	134	66	42	7
Percentage of cancellations before retrieval (%)	5.2	2.2	7.5	12.1	14.3	1 / 7
Average number of embryos transferred	1.5	1.7	2.2	2.7	2.6	3.0
Percentage of embryos transferred resulting in implantation (%)	37.3	27.1	22.8	14.8	1.4	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	37.5	20.9	5.4	2.3	0.0	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.2	19.4	11.2	7.6	0.0	0 / 7
Percentage of cycles resulting in singleton live births (%)	25.8	24.5	14.9	15.2	0.0	0 / 7
Percentage of cycles resulting in twin live births (%)	6.6	1.4	5.2	3.0	0.0	0 / 7
Percentage of cycles resulting in live births (%)	32.9	25.9	20.1	18.2	0.0	0 / 7
Percentage of cycles resulting in pregnancies (%)	37.1	33.1	29.1	25.8	7.1	1 / 7
<b>Outcomes per Transfer</b>						
Number of transfers	171	110	101	47	29	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	24.0	24.5	14.9	10.6	0.0	0 / 3
Percentage of transfers resulting in singleton live births (%)	32.2	30.9	19.8	21.3	0.0	0 / 3
Percentage of transfers resulting in twin live births (%)	8.2	1.8	6.9	4.3	0.0	0 / 3
Percentage of transfers resulting in live births (%)	40.9	32.7	26.7	25.5	0.0	0 / 3
Percentage of transfers resulting in pregnancies (%)	46.2	41.8	38.6	36.2	10.3	1 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	130	90	67	36	16	10
Number of transfers	124	82	65	33	14	10
Estimated average number of transfers per retrieval	1.5	1.4	1.1	1.1	1.0	2.5
Average number of embryos transferred	1.7	1.6	1.7	2.0	2.4	1.6
Percentage of embryos transferred resulting in implantation (%)	32.8	33.1	24.3	10.8	2.9	2 / 16
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.2	23.2	18.5	12.1	0 / 14	0 / 10
Percentage of transfers resulting in singleton live births (%)	37.9	29.3	21.5	21.2	0 / 14	0 / 10
Percentage of transfers resulting in twin live births (%)	5.6	3.7	4.6	0.0	0 / 14	1 / 10
Percentage of transfers resulting in live births (%)	43.5	32.9	26.2	21.2	0 / 14	1 / 10
Percentage of transfers resulting in pregnancies (%)	49.2	45.1	38.5	24.2	1 / 14	1 / 10
<b>Number of Egg/Embryo Banking Cycles</b>						
	22	24	35	11	10	4
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		35			77	
Number of transfers		34			75	
Average number of embryos transferred		1.9			1.6	
Percentage of embryos transferred resulting in implantation (%)		53.1			24.2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		20.6			24.0	
Percentage of transfers resulting in singleton live births (%)		26.5			24.0	
Percentage of transfers resulting in twin live births (%)		26.5			2.7	
Percentage of transfers resulting in live births (%)		52.9			26.7	
Percentage of transfers resulting in pregnancies (%)		64.7			36.0	

## CURRENT SERVICES & PROFILE

Current Name: Long Island IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE SPECIALISTS OF NEW YORK MINEOLA, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by James Stelling, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	60%	Tubal factor	17%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 15%
Unstimulated	2%	PGD/PGS	4%	Ovulatory dysfunction	15%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	16%	
				Endometriosis	5%	Unknown factor	11%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,461 (includes 16 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	211	128	150	97	90	46
Percentage of cancellations before retrieval (%)	6.6	15.6	12.0	15.5	21.1	23.9
Average number of embryos transferred	1.5	1.7	1.8	2.3	2.4	1.9
Percentage of embryos transferred resulting in implantation (%)	33.6	27.5	20.3	10.5	4.2	0.0
Percentage of elective single embryo transfers (eSET) (%)	39.9	22.5	17.5	8.3	2.4	0 / 8
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.2	10.2	14.0	5.2	2.2	0.0
Percentage of cycles resulting in singleton live births (%)	19.9	12.5	17.3	7.2	2.2	0.0
Percentage of cycles resulting in twin live births (%)	5.7	5.5	0.7	0.0	1.1	0.0
Percentage of cycles resulting in live births (%)	25.6	18.0	18.0	7.2	3.3	0.0
Percentage of cycles resulting in pregnancies (%)	29.9	24.2	22.7	13.4	6.7	2.2
<b>Outcomes per Transfer</b>						
Number of transfers	153	83	101	58	56	17
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.9	15.7	20.8	8.6	3.6	0 / 17
Percentage of transfers resulting in singleton live births (%)	27.5	19.3	25.7	12.1	3.6	0 / 17
Percentage of transfers resulting in twin live births (%)	7.8	8.4	1.0	0.0	1.8	0 / 17
Percentage of transfers resulting in live births (%)	35.3	27.7	26.7	12.1	5.4	0 / 17
Percentage of transfers resulting in pregnancies (%)	41.2	37.3	33.7	22.4	10.7	1 / 17
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	214	94	96	48	21	6
Number of transfers	201	86	90	38	16	4
Estimated average number of transfers per retrieval	1.6	1.3	0.9	0.8	0.4	0.7
Average number of embryos transferred	1.4	1.4	1.5	1.6	1.4	1.8
Percentage of embryos transferred resulting in implantation (%)	35.3	36.8	23.2	21.1	9.1	0 / 7
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.4	22.1	16.7	2.6	0 / 16	0 / 4
Percentage of transfers resulting in singleton live births (%)	30.3	29.1	21.1	13.2	0 / 16	0 / 4
Percentage of transfers resulting in twin live births (%)	6.0	5.8	3.3	5.3	0 / 16	0 / 4
Percentage of transfers resulting in live births (%)	36.8	34.9	24.4	18.4	0 / 16	0 / 4
Percentage of transfers resulting in pregnancies (%)	43.8	46.5	30.0	31.6	2 / 16	0 / 4
<b>Number of Egg/Embryo Banking Cycles</b>						
	45	28	52	33	27	6
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		12			41	
Number of transfers		12			39	
Average number of embryos transferred		1.5			1.2	
Percentage of embryos transferred resulting in implantation (%)		7 / 17			40.9	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 12			25.6	
Percentage of transfers resulting in singleton live births (%)		3 / 12			25.6	
Percentage of transfers resulting in twin live births (%)		2 / 12			2.6	
Percentage of transfers resulting in live births (%)		5 / 12			28.2	
Percentage of transfers resulting in pregnancies (%)		6 / 12			46.2	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Specialists of New York

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## WESTCHESTER REPRODUCTIVE MEDICINE MT. KISCO, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by Rachel A. Bennett, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	66%	Tubal factor	14%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 16%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	16%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	18%	
				Endometriosis	0%	Unknown factor	10%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 53 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	8	11	2	9	1	1
Percentage of cancellations before retrieval (%)	0 / 8	2 / 11	0 / 2	1 / 9	0 / 1	0 / 1
Average number of embryos transferred	1.6	1.8	1.5	3.0	4.0	5.0
Percentage of embryos transferred resulting in implantation (%)	4 / 11	5 / 11	2 / 3	12.5		
Percentage of elective single embryo transfers (eSET) (%)	3 / 6	1 / 5	1 / 2	0 / 7	0 / 1	0 / 1
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 8	1 / 11	1 / 2	1 / 9	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	4 / 8	1 / 11	1 / 2	1 / 9	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 8	2 / 11	0 / 2	1 / 9	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	4 / 8	3 / 11	1 / 2	2 / 9	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	4 / 8	3 / 11	2 / 2	2 / 9	1 / 1	1 / 1
<b>Outcomes per Transfer</b>						
Number of transfers	7	6	2	8	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 7	1 / 6	1 / 2	1 / 8	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 7	1 / 6	1 / 2	1 / 8	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 7	2 / 6	0 / 2	1 / 8	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	4 / 7	3 / 6	1 / 2	2 / 8	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	4 / 7	3 / 6	2 / 2	2 / 8	1 / 1	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	8	0	1	0	0
Number of transfers	6	8	0	1	0	0
Estimated average number of transfers per retrieval	2.0	4.0	0.0	1.0		
Average number of embryos transferred	1.3	1.3		1.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 7	4 / 10		0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 6	2 / 8		0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 6	2 / 8		0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 6	1 / 8		0 / 1		
Percentage of transfers resulting in live births (%)	3 / 6	3 / 8		0 / 1		
Percentage of transfers resulting in pregnancies (%)	4 / 6	3 / 8		0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	0	1	1	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			0		
Number of transfers	2			0		
Average number of embryos transferred	1.5					
Percentage of embryos transferred resulting in implantation (%)	0 / 1					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2					
Percentage of transfers resulting in singleton live births (%)	0 / 2					
Percentage of transfers resulting in twin live births (%)	0 / 2					
Percentage of transfers resulting in live births (%)	0 / 2					
Percentage of transfers resulting in pregnancies (%)	1 / 2					

### CURRENT SERVICES & PROFILE

Current Name: Westchester Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ADVANCED FERTILITY SERVICES NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by Hugh D. Melnick, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	97%	Tubal factor	27%	Uterine factor	1%	Multiple Factors: Female factors only 0% Female & male factors 1%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	2%	Male factor	10%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	7%	
				Endometriosis	2%	Unknown factor	24%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 94 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	9	16	14	5	15	0
Percentage of cancellations before retrieval (%)	0 / 9	0 / 16	0 / 14	0 / 5	0 / 15	
Average number of embryos transferred	1.8	1.8	1.5	1.3	2.1	
Percentage of embryos transferred resulting in implantation (%)	2 / 7	16.7	4 / 19	0 / 4	0.0	
Percentage of elective single embryo transfers (eSET) (%)	1 / 4	1 / 11	2 / 9	0 / 1	0 / 9	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 9	3 / 16	0 / 14	0 / 5	0 / 15	
Percentage of cycles resulting in singleton live births (%)	0 / 9	3 / 16	1 / 14	0 / 5	0 / 15	
Percentage of cycles resulting in twin live births (%)	0 / 9	0 / 16	0 / 14	0 / 5	0 / 15	
Percentage of cycles resulting in live births (%)	0 / 9	3 / 16	1 / 14	0 / 5	0 / 15	
Percentage of cycles resulting in pregnancies (%)	2 / 9	4 / 16	4 / 14	0 / 5	0 / 15	
<b>Outcomes per Transfer</b>						
Number of transfers	4	14	13	4	11	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 4	3 / 14	0 / 13	0 / 4	0 / 11	
Percentage of transfers resulting in singleton live births (%)	0 / 4	3 / 14	1 / 13	0 / 4	0 / 11	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 14	0 / 13	0 / 4	0 / 11	
Percentage of transfers resulting in live births (%)	0 / 4	3 / 14	1 / 13	0 / 4	0 / 11	
Percentage of transfers resulting in pregnancies (%)	2 / 4	4 / 14	4 / 13	0 / 4	0 / 11	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	6	5	8	1	1	0
Number of transfers	5	5	6	1	1	0
Estimated average number of transfers per retrieval	1.3	1.3	0.9			
Average number of embryos transferred	1.2	1.6	1.5	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 6	4 / 8	0 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 5	0 / 5	0 / 6	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 5	0 / 5	0 / 6	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 5	1 / 5	0 / 6	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 5	1 / 5	0 / 6	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	4 / 5	2 / 5	0 / 6	0 / 1	0 / 1	
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	1	3	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			7		
Number of transfers	1			7		
Average number of embryos transferred	2.0			1.9		
Percentage of embryos transferred resulting in implantation (%)	2 / 2			4 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 1			0 / 7		
Percentage of transfers resulting in singleton live births (%)	0 / 1			2 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 7		
Percentage of transfers resulting in live births (%)	0 / 1			2 / 7		
Percentage of transfers resulting in pregnancies (%)	1 / 1			4 / 7		

### CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Services

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**BROOKLYN/WESTSIDE FERTILITY CENTER  
BROOKLYN FERTILITY CENTER  
NEW YORK, NEW YORK**

---

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

# CHELSEA FERTILITY NYC NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Paul Gindoff, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	97%	Tubal factor	16%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 7%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	3%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	0%	
				Endometriosis	0%	Unknown factor	32%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 31 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	13	4	6	2	3	2
Percentage of cancellations before retrieval (%)	0 / 13	0 / 4	0 / 6	0 / 2	0 / 3	0 / 2
Average number of embryos transferred	1.5	2.7	2.3	2.0	2.3	3.0
Percentage of embryos transferred resulting in implantation (%)	7 / 19	1 / 5	3 / 14	0 / 4	3 / 7	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	2 / 9	0 / 3	0 / 4	0 / 2	0 / 3	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 13	0 / 4	0 / 6	0 / 2	1 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)	6 / 13	1 / 4	1 / 6	0 / 2	1 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 13	0 / 4	1 / 6	0 / 2	1 / 3	0 / 2
Percentage of cycles resulting in live births (%)	6 / 13	1 / 4	2 / 6	0 / 2	2 / 3	0 / 2
Percentage of cycles resulting in pregnancies (%)	8 / 13	2 / 4	2 / 6	0 / 2	2 / 3	0 / 2
<b>Outcomes per Transfer</b>						
Number of transfers	13	3	6	2	3	2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 13	0 / 3	0 / 6	0 / 2	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	6 / 13	1 / 3	1 / 6	0 / 2	1 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 13	0 / 3	1 / 6	0 / 2	1 / 3	0 / 2
Percentage of transfers resulting in live births (%)	6 / 13	1 / 3	2 / 6	0 / 2	2 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	8 / 13	2 / 3	2 / 6	0 / 2	2 / 3	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				1.0		
Percentage of embryos transferred resulting in implantation (%)				1 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				1 / 1		
Percentage of transfers resulting in singleton live births (%)				1 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				1 / 1		
Percentage of transfers resulting in pregnancies (%)				1 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Chelsea Fertility NYC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# COLUMBIA UNIVERSITY CENTER FOR WOMEN'S REPRODUCTIVE CARE NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Michael M. Guarnaccia, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	53%	Tubal factor	9%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 18%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	8%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	51%	Other factor	17%	
				Endometriosis	3%	Unknown factor	6%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,505 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	153	157	195	122	94	24
Percentage of cancellations before retrieval (%)	18.3	15.9	25.6	32.0	45.7	33.3
Average number of embryos transferred	1.2	1.3	1.6	1.4	1.6	1.5
Percentage of embryos transferred resulting in implantation (%)	35.0	21.4	15.8	14.9	11.5	0 / 7
Percentage of elective single embryo transfers (eSET) (%)	72.6	50.0	13.3	2 / 15	0 / 10	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	15.0	12.7	6.7	3.3	2.1	0.0
Percentage of cycles resulting in singleton live births (%)	18.3	13.4	7.2	4.9	2.1	0.0
Percentage of cycles resulting in twin live births (%)	3.3	2.5	0.5	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	21.6	15.9	7.7	4.9	2.1	0.0
Percentage of cycles resulting in pregnancies (%)	26.8	19.7	13.8	6.6	4.3	4.2
<b>Outcomes per Transfer</b>						
Number of transfers	105	109	98	35	18	6
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.9	18.3	13.3	11.4	2 / 18	0 / 6
Percentage of transfers resulting in singleton live births (%)	26.7	19.3	14.3	17.1	2 / 18	0 / 6
Percentage of transfers resulting in twin live births (%)	4.8	3.7	1.0	0.0	0 / 18	0 / 6
Percentage of transfers resulting in live births (%)	31.4	22.9	15.3	17.1	2 / 18	0 / 6
Percentage of transfers resulting in pregnancies (%)	39.0	28.4	27.6	22.9	4 / 18	1 / 6
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	99	90	57	31	9	5
Number of transfers	94	84	55	28	8	5
Estimated average number of transfers per retrieval	0.9	0.8	0.5	0.5	0.4	0.4
Average number of embryos transferred	1.3	1.3	1.4	1.4	1.0	1.6
Percentage of embryos transferred resulting in implantation (%)	37.7	41.4	24.6	16.7	1 / 7	0 / 8
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.7	27.4	14.5	21.4	1 / 8	0 / 5
Percentage of transfers resulting in singleton live births (%)	30.9	31.0	16.4	21.4	1 / 8	0 / 5
Percentage of transfers resulting in twin live births (%)	4.3	4.8	3.6	0.0	0 / 8	0 / 5
Percentage of transfers resulting in live births (%)	35.1	35.7	20.0	21.4	1 / 8	0 / 5
Percentage of transfers resulting in pregnancies (%)	47.9	53.6	36.4	32.1	2 / 8	0 / 5
<b>Number of Egg/Embryo Banking Cycles</b>						
	62	86	97	45	21	12
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		42			99	
Number of transfers		36			98	
Average number of embryos transferred		1.6			1.3	
Percentage of embryos transferred resulting in implantation (%)		43.1			31.7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		27.8			21.4	
Percentage of transfers resulting in singleton live births (%)		36.1			25.5	
Percentage of transfers resulting in twin live births (%)		11.1			5.1	
Percentage of transfers resulting in live births (%)		47.2			30.6	
Percentage of transfers resulting in pregnancies (%)		52.8			37.8	

## CURRENT SERVICES & PROFILE

This clinic has reorganized since 2015. Contact the NASS Help Desk for further information.

**Current Name:** Columbia University Center for Women's Reproductive Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# LIBERA MEDICAL, PLLC NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Drew V. Tortoriello, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	4%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 2%
Unstimulated	4%	PGD/PGS	6%	Ovulatory dysfunction	3%	Male factor	6%	
Used gestational carrier	0%			Diminished ovarian reserve	54%	Other factor	9%	
				Endometriosis	5%	Unknown factor	26%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 1,248 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	115	124	128	99	69	28
Percentage of cancellations before retrieval (%)	9.6	16.9	18.0	22.2	21.7	35.7
Average number of embryos transferred	1.7	1.8	1.9	2.2	2.3	2.2
Percentage of embryos transferred resulting in implantation (%)	25.4	23.8	20.0	4.3	3.7	0.0
Percentage of elective single embryo transfers (eSET) (%)	23.9	18.6	6.7	0.0	0.0	0 / 4
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	13.0	8.9	10.2	2.0	1.4	0.0
Percentage of cycles resulting in singleton live births (%)	13.9	9.7	10.2	3.0	1.4	0.0
Percentage of cycles resulting in twin live births (%)	5.2	4.8	2.3	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	19.1	14.5	12.5	3.0	1.4	0.0
Percentage of cycles resulting in pregnancies (%)	26.1	19.4	15.6	5.1	2.9	0.0
<b>Outcomes per Transfer</b>						
Number of transfers	82	80	65	43	35	11
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	18.3	13.8	20.0	4.7	2.9	0 / 11
Percentage of transfers resulting in singleton live births (%)	19.5	15.0	20.0	7.0	2.9	0 / 11
Percentage of transfers resulting in twin live births (%)	7.3	7.5	4.6	0.0	0.0	0 / 11
Percentage of transfers resulting in live births (%)	26.8	22.5	24.6	7.0	2.9	0 / 11
Percentage of transfers resulting in pregnancies (%)	36.6	30.0	30.8	11.6	5.7	0 / 11
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	99	84	71	40	6	10
Number of transfers	93	77	66	40	5	7
Estimated average number of transfers per retrieval	0.9	0.8	0.6	0.6	0.3	0.7
Average number of embryos transferred	1.7	1.7	1.6	2.1	1.4	1.4
Percentage of embryos transferred resulting in implantation (%)	26.5	44.8	27.9	18.8	3 / 7	2 / 10
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.7	27.3	15.2	20.0	1 / 5	1 / 7
Percentage of transfers resulting in singleton live births (%)	25.8	29.9	19.7	20.0	2 / 5	1 / 7
Percentage of transfers resulting in twin live births (%)	5.4	9.1	3.0	0.0	0 / 5	0 / 7
Percentage of transfers resulting in live births (%)	31.2	40.3	22.7	20.0	2 / 5	1 / 7
Percentage of transfers resulting in pregnancies (%)	35.5	54.5	37.9	35.0	3 / 5	2 / 7
<b>Number of Egg/Embryo Banking Cycles</b>						
	75	75	85	49	18	9
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		24			35	
Number of transfers		14			33	
Average number of embryos transferred		1.6			1.5	
Percentage of embryos transferred resulting in implantation (%)		43.5			36.0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 14			30.3	
Percentage of transfers resulting in singleton live births (%)		6 / 14			30.3	
Percentage of transfers resulting in twin live births (%)		2 / 14			6.1	
Percentage of transfers resulting in live births (%)		8 / 14			36.4	
Percentage of transfers resulting in pregnancies (%)		8 / 14			48.5	

## CURRENT SERVICES & PROFILE

Current Name: Libera Medical, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ANDREW LOUCOPOULOS, MD, PhD NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by Andrew Loucopoulos, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>		Patient Diagnosis <sup>b</sup>				
IVF	With ICSI	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 0%
Unstimulated	PGD/PGS	Ovulatory dysfunction	0%	Male factor	0%	
Used gestational carrier		Diminished ovarian reserve	0%	Other factor	0%	
		Endometriosis	0%	Unknown factor	100%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 21 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	0	0	0	0
Percentage of cancellations before retrieval (%)						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of elective single embryo transfers (eSET) (%)						
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of cycles resulting in singleton live births (%)						
Percentage of cycles resulting in twin live births (%)						
Percentage of cycles resulting in live births (%)						
Percentage of cycles resulting in pregnancies (%)						
<b>Outcomes per Transfer</b>						
Number of transfers	0	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	0	1	0	0
Number of transfers	0	0	0	1	0	0
Estimated average number of transfers per retrieval	0.0	0.0	0.0	0.5		
Average number of embryos transferred				1.0		
Percentage of embryos transferred resulting in implantation (%)				0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				0 / 1		
Percentage of transfers resulting in singleton live births (%)				0 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				0 / 1		
Percentage of transfers resulting in pregnancies (%)				0 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>	3	9	6	2	0	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

### CURRENT SERVICES & PROFILE

Current Name: Andrew Loucopoulos, MD, PhD

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MANHATTAN REPRODUCTIVE MEDICINE NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Hanna Jesionowska, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	100%	Tubal factor	67%	Uterine factor	5%	
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	7%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	7%	
				Endometriosis	4%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				19%
				Female & male factors				26%

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 64 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		12	6	8	4	0	0
Percentage of cancellations before retrieval (%)		0 / 12	0 / 6	0 / 8	0 / 4		
Average number of embryos transferred		2.1	2.3	2.8	2.8		
Percentage of embryos transferred resulting in implantation (%)		39.1	3 / 14	27.3	2 / 11		
Percentage of elective single embryo transfers (eSET) (%)		0 / 10	0 / 6	0 / 8	0 / 3		
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 12	1 / 6	3 / 8	0 / 4		
Percentage of cycles resulting in singleton live births (%)		4 / 12	1 / 6	4 / 8	0 / 4		
Percentage of cycles resulting in twin live births (%)		2 / 12	1 / 6	1 / 8	0 / 4		
Percentage of cycles resulting in live births (%)		6 / 12	2 / 6	5 / 8	0 / 4		
Percentage of cycles resulting in pregnancies (%)		7 / 12	2 / 6	5 / 8	2 / 4		
<b>Outcomes per Transfer</b>							
Number of transfers		11	6	8	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 11	1 / 6	3 / 8	0 / 4		
Percentage of transfers resulting in singleton live births (%)		4 / 11	1 / 6	4 / 8	0 / 4		
Percentage of transfers resulting in twin live births (%)		2 / 11	1 / 6	1 / 8	0 / 4		
Percentage of transfers resulting in live births (%)		6 / 11	2 / 6	5 / 8	0 / 4		
Percentage of transfers resulting in pregnancies (%)		7 / 11	2 / 6	5 / 8	2 / 4		
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		3	0	0	0	0	2
Number of transfers		3	0	0	0	0	2
Estimated average number of transfers per retrieval		1.5			0.0	0.0	2.0
Average number of embryos transferred		2.0					3.0
Percentage of embryos transferred resulting in implantation (%)		2 / 6					1 / 6
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 3					0 / 2
Percentage of transfers resulting in singleton live births (%)		0 / 3					0 / 2
Percentage of transfers resulting in twin live births (%)		1 / 3					0 / 2
Percentage of transfers resulting in live births (%)		1 / 3					0 / 2
Percentage of transfers resulting in pregnancies (%)		1 / 3					1 / 2
<b>Number of Egg/Embryo Banking Cycles</b>							
		2	0	0	3	1	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		19			3		
Number of transfers		19			2		
Average number of embryos transferred		2.3			2.5		
Percentage of embryos transferred resulting in implantation (%)		34.9			1 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		6 / 19			1 / 2		
Percentage of transfers resulting in singleton live births (%)		7 / 19			1 / 2		
Percentage of transfers resulting in twin live births (%)		1 / 19			0 / 2		
Percentage of transfers resulting in live births (%)		9 / 19			1 / 2		
Percentage of transfers resulting in pregnancies (%)		10 / 19			1 / 2		

CURRENT SERVICES & PROFILE		Current Name: Manhattan Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MEDICAL OFFICES FOR HUMAN REPRODUCTION CENTER FOR HUMAN REPRODUCTION (CHR) NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Norbert Gleicher, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	71%	Tubal factor	12%	Uterine factor	8%	<i>Multiple Factors:</i> Female factors only 19% Female & male factors 28%
Unstimulated	<1%	PGD/PGS	4%	Ovulatory dysfunction	2%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	88%	Other factor	13%	
				Endometriosis	7%	Unknown factor	<1%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 658 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	64	59	61	79	57	102
Percentage of cancellations before retrieval (%)	18.8	16.9	21.3	16.5	22.8	17.6
Average number of embryos transferred	1.6	1.8	2.4	2.5	2.4	2.2
Percentage of embryos transferred resulting in implantation (%)	25.7	14.5	17.2	7.4	3.6	0.8
Percentage of elective single embryo transfers (eSET) (%)	17.2	6.3	3.4	2.6	0.0	0.0
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.9	15.3	6.6	5.1	1.8	0.0
Percentage of cycles resulting in singleton live births (%)	23.4	15.3	11.5	6.3	1.8	0.0
Percentage of cycles resulting in twin live births (%)	1.6	1.7	4.9	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	25.0	16.9	16.4	6.3	1.8	0.0
Percentage of cycles resulting in pregnancies (%)	28.1	18.6	23.0	13.9	7.0	1.0
<b>Outcomes per Transfer</b>						
Number of transfers	45	45	39	50	36	60
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	31.1	20.0	10.3	8.0	2.8	0.0
Percentage of transfers resulting in singleton live births (%)	33.3	20.0	17.9	10.0	2.8	0.0
Percentage of transfers resulting in twin live births (%)	2.2	2.2	7.7	0.0	0.0	0.0
Percentage of transfers resulting in live births (%)	35.6	22.2	25.6	10.0	2.8	0.0
Percentage of transfers resulting in pregnancies (%)	40.0	24.4	35.9	22.0	11.1	1.7
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	17	15	9	7	3	7
Number of transfers	17	14	9	7	3	7
Estimated average number of transfers per retrieval	1.3	0.7	1.1	0.6	0.2	0.3
Average number of embryos transferred	2.0	2.1	1.9	2.6	2.3	3.9
Percentage of embryos transferred resulting in implantation (%)	12.5	20.0	3 / 17	1 / 18	0 / 7	7.4
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 17	3 / 14	3 / 9	1 / 7	0 / 3	1 / 7
Percentage of transfers resulting in singleton live births (%)	3 / 17	3 / 14	3 / 9	1 / 7	0 / 3	2 / 7
Percentage of transfers resulting in twin live births (%)	0 / 17	1 / 14	0 / 9	0 / 7	0 / 3	0 / 7
Percentage of transfers resulting in live births (%)	3 / 17	4 / 14	3 / 9	1 / 7	0 / 3	2 / 7
Percentage of transfers resulting in pregnancies (%)	5 / 17	5 / 14	3 / 9	1 / 7	0 / 3	2 / 7
<b>Number of Egg/Embryo Banking Cycles</b>						
	4	15	6	6	13	17
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	59			56		
Number of transfers	55			53		
Average number of embryos transferred	1.7			1.8		
Percentage of embryos transferred resulting in implantation (%)	28.7			17.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.5			11.3		
Percentage of transfers resulting in singleton live births (%)	32.7			17.0		
Percentage of transfers resulting in twin live births (%)	5.5			3.8		
Percentage of transfers resulting in live births (%)	38.2			20.8		
Percentage of transfers resulting in pregnancies (%)	45.5			30.2		

## CURRENT SERVICES & PROFILE

Current Name: Medical Offices for Human Reproduction, Center for Human Reproduction (CHR)

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# METROPOLITAN REPRODUCTIVE MEDICINE, PC NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Susan Lobel, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	52%	Tubal factor	21%	Uterine factor	25%	Multiple Factors: Female factors only 25% Female & male factors 6%
Unstimulated	3%	PGD/PGS	0%	Ovulatory dysfunction	2%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	52%	Other factor	2%	
				Endometriosis	10%	Unknown factor	19%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 52 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	3	3	16	7	2	0
Percentage of cancellations before retrieval (%)	0/3	0/3	1/16	0/7	0/2	
Average number of embryos transferred	1.0	2.0	3.4	3.9	2.5	
Percentage of embryos transferred resulting in implantation (%)	2/2	2/4	5.9	14.8	0/5	
Percentage of elective single embryo transfers (eSET) (%)	2/2	0/2	0/9	0/6	0/2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1/3	2/3	2/16	1/7	0/2	
Percentage of cycles resulting in singleton live births (%)	2/3	2/3	2/16	1/7	0/2	
Percentage of cycles resulting in twin live births (%)	0/3	0/3	0/16	0/7	0/2	
Percentage of cycles resulting in live births (%)	2/3	2/3	2/16	1/7	0/2	
Percentage of cycles resulting in pregnancies (%)	2/3	2/3	2/16	4/7	0/2	
<b>Outcomes per Transfer</b>						
Number of transfers	2	2	10	7	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1/2	2/2	2/10	1/7	0/2	
Percentage of transfers resulting in singleton live births (%)	2/2	2/2	2/10	1/7	0/2	
Percentage of transfers resulting in twin live births (%)	0/2	0/2	0/10	0/7	0/2	
Percentage of transfers resulting in live births (%)	2/2	2/2	2/10	1/7	0/2	
Percentage of transfers resulting in pregnancies (%)	2/2	2/2	2/10	4/7	0/2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	0	6	0	0	0
Number of transfers	1	0	6	0	0	0
Estimated average number of transfers per retrieval	1.0	0.0	0.7		0.0	
Average number of embryos transferred	3.0		2.3			
Percentage of embryos transferred resulting in implantation (%)	2/3		2/10			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0/1		1/6			
Percentage of transfers resulting in singleton live births (%)	0/1		1/6			
Percentage of transfers resulting in twin live births (%)	1/1		0/6			
Percentage of transfers resulting in live births (%)	1/1		1/6			
Percentage of transfers resulting in pregnancies (%)	1/1		4/6			
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	1	2	0	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	3			7		
Number of transfers	2			7		
Average number of embryos transferred	1.5			1.6		
Percentage of embryos transferred resulting in implantation (%)	0/3			0/9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0/2			0/7		
Percentage of transfers resulting in singleton live births (%)	0/2			0/7		
Percentage of transfers resulting in twin live births (%)	0/2			0/7		
Percentage of transfers resulting in live births (%)	0/2			0/7		
Percentage of transfers resulting in pregnancies (%)	0/2			1/7		

## CURRENT SERVICES & PROFILE

Current Name: Metropolitan Reproductive Medicine, PC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NEW HOPE FERTILITY CENTER-WEST SIDE NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by John J. Zhang, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	50%	Tubal factor	16%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 8%
Unstimulated	14%	PGD/PGS	2%	Ovulatory dysfunction	4%	Male factor	14%	
Used gestational carrier	0%			Diminished ovarian reserve	69%	Other factor	4%	
				Endometriosis	4%	Unknown factor	11%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 2,938 (includes 20 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	102	95	170	233	118	7
Percentage of cancellations before retrieval (%)	10.8	16.8	12.4	15.0	11.0	1 / 7
Average number of embryos transferred	1.5	1.6	1.4	1.7	1.8	2.0
Percentage of embryos transferred resulting in implantation (%)	26.8	28.9	13.9	5.6	12.0	0 / 10
Percentage of elective single embryo transfers (eSET) (%)	40.6	33.3	8 / 18	0 / 12	1 / 10	1 / 6
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	11.8	5.3	2.4	0.9	1.7	0 / 7
Percentage of cycles resulting in singleton live births (%)	12.7	8.4	2.9	0.9	2.5	0 / 7
Percentage of cycles resulting in twin live births (%)	1.0	1.1	0.0	0.0	0.0	0 / 7
Percentage of cycles resulting in live births (%)	13.7	9.5	2.9	0.9	2.5	0 / 7
Percentage of cycles resulting in pregnancies (%)	13.7	9.5	2.9	0.9	2.5	1 / 7
<b>Outcomes per Transfer</b>						
Number of transfers	37	24	25	21	14	6
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.4	20.8	16.0	9.5	2 / 14	0 / 6
Percentage of transfers resulting in singleton live births (%)	35.1	33.3	20.0	9.5	3 / 14	0 / 6
Percentage of transfers resulting in twin live births (%)	2.7	4.2	0.0	0.0	0 / 14	0 / 6
Percentage of transfers resulting in live births (%)	37.8	37.5	20.0	9.5	3 / 14	0 / 6
Percentage of transfers resulting in pregnancies (%)	37.8	37.5	20.0	9.5	3 / 14	1 / 6
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	177	161	143	143	73	97
Number of transfers	174	160	140	139	73	96
Estimated average number of transfers per retrieval	0.8	0.6	0.3	0.4	0.5	16.0
Average number of embryos transferred	1.4	1.2	1.3	1.3	1.3	1.6
Percentage of embryos transferred resulting in implantation (%)	58.9	50.0	33.3	33.1	28.9	5.6
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	51.1	41.3	28.6	26.6	21.9	3.1
Percentage of transfers resulting in singleton live births (%)	54.6	46.9	33.6	31.7	28.8	5.2
Percentage of transfers resulting in twin live births (%)	10.9	5.6	3.6	0.0	0.0	0.0
Percentage of transfers resulting in live births (%)	66.1	52.5	37.1	31.7	28.8	5.2
Percentage of transfers resulting in pregnancies (%)	67.2	55.0	40.0	43.2	41.1	14.6
<b>Number of Egg/Embryo Banking Cycles</b>						
	188	234	426	295	111	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		0			143	
Number of transfers		0			142	
Average number of embryos transferred					1.2	
Percentage of embryos transferred resulting in implantation (%)					41.9	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)					34.5	
Percentage of transfers resulting in singleton live births (%)					41.5	
Percentage of transfers resulting in twin live births (%)					2.1	
Percentage of transfers resulting in live births (%)					43.7	
Percentage of transfers resulting in pregnancies (%)					47.9	

## CURRENT SERVICES & PROFILE

Current Name: New Hope Fertility Center-West Side

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NEW YORK FERTILITY INSTITUTE NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Majid Fateh, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	78%	Tubal factor	3%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 5%
Unstimulated	5%	PGD/PGS	17%	Ovulatory dysfunction	15%	Male factor	6%	
Used gestational carrier	0%			Diminished ovarian reserve	31%	Other factor	6%	
				Endometriosis	20%	Unknown factor	16%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 205 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	13	7	10	5	1	5
Percentage of cancellations before retrieval (%)	0 / 13	0 / 7	3 / 10	2 / 5	0 / 1	1 / 5
Average number of embryos transferred	1.9	2.3	2.0	3.0	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	26.1	3 / 16	1 / 8	0 / 3	0 / 3	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	3 / 12	1 / 7	0 / 4	0 / 1	0 / 1	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 13	0 / 7	0 / 10	0 / 5	0 / 1	0 / 5
Percentage of cycles resulting in singleton live births (%)	2 / 13	0 / 7	0 / 10	0 / 5	0 / 1	0 / 5
Percentage of cycles resulting in twin live births (%)	2 / 13	1 / 7	0 / 10	0 / 5	0 / 1	0 / 5
Percentage of cycles resulting in live births (%)	4 / 13	1 / 7	0 / 10	0 / 5	0 / 1	0 / 5
Percentage of cycles resulting in pregnancies (%)	4 / 13	2 / 7	1 / 10	0 / 5	0 / 1	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	12	7	4	1	1	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 12	0 / 7	0 / 4	0 / 1	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	2 / 12	0 / 7	0 / 4	0 / 1	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	2 / 12	1 / 7	0 / 4	0 / 1	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)	4 / 12	1 / 7	0 / 4	0 / 1	0 / 1	0 / 3
Percentage of transfers resulting in pregnancies (%)	4 / 12	2 / 7	1 / 4	0 / 1	0 / 1	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	23	5	12	2	3	5
Number of transfers	21	5	12	2	2	4
Estimated average number of transfers per retrieval	0.6	0.6	0.5	0.1	0.3	0.3
Average number of embryos transferred	1.4	2.0	1.8	1.0	1.5	2.3
Percentage of embryos transferred resulting in implantation (%)	14.3	2 / 10	14.3	0 / 2	2 / 3	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	9.5	1 / 5	1 / 12	0 / 2	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	9.5	1 / 5	1 / 12	0 / 2	0 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	0.0	0 / 5	1 / 12	0 / 2	1 / 2	0 / 4
Percentage of transfers resulting in live births (%)	9.5	1 / 5	2 / 12	0 / 2	1 / 2	0 / 4
Percentage of transfers resulting in pregnancies (%)	23.8	2 / 5	2 / 12	0 / 2	1 / 2	2 / 4
<b>Number of Egg/Embryo Banking Cycles</b>						
	29	5	23	18	8	13
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		2			14	
Number of transfers		2			14	
Average number of embryos transferred		2.0			1.7	
Percentage of embryos transferred resulting in implantation (%)		3 / 4			14.3	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		1 / 2			1 / 14	
Percentage of transfers resulting in singleton live births (%)		1 / 2			1 / 14	
Percentage of transfers resulting in twin live births (%)		0 / 2			0 / 14	
Percentage of transfers resulting in live births (%)		1 / 2			1 / 14	
Percentage of transfers resulting in pregnancies (%)		2 / 2			5 / 14	

## CURRENT SERVICES & PROFILE

Current Name: New York Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NEW YORK FERTILITY SERVICES, PC BATZOFIN FERTILITY SERVICES, PC NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Joel Batzofin, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	86%	Tubal factor	6%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 1%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	15%	Male factor	8%	
Used gestational carrier	4%			Diminished ovarian reserve	28%	Other factor	25%	
				Endometriosis	3%	Unknown factor	13%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 143 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	19	18	9	2	8	0
Percentage of cancellations before retrieval (%)	0 / 19	0 / 18	0 / 9	0 / 2	2 / 8	
Average number of embryos transferred	2.1	1.8	2.2	2.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	24.0	0.0	4 / 13	0 / 2	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	1 / 12	0 / 9	0 / 4	0 / 1	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 19	0 / 18	0 / 9	0 / 2	0 / 8	
Percentage of cycles resulting in singleton live births (%)	4 / 19	0 / 18	0 / 9	0 / 2	0 / 8	
Percentage of cycles resulting in twin live births (%)	0 / 19	0 / 18	2 / 9	0 / 2	0 / 8	
Percentage of cycles resulting in live births (%)	4 / 19	0 / 18	2 / 9	0 / 2	0 / 8	
Percentage of cycles resulting in pregnancies (%)	5 / 19	0 / 18	2 / 9	0 / 2	0 / 8	
<b>Outcomes per Transfer</b>						
Number of transfers	12	14	6	1	2	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	4 / 12	0 / 14	0 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 12	0 / 14	0 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 14	2 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	4 / 12	0 / 14	2 / 6	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	5 / 12	0 / 14	2 / 6	0 / 1	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	5	12	4	1	0	1
Number of transfers	5	12	4	1	0	0
Estimated average number of transfers per retrieval	0.5	0.5	0.5	0.5	0.0	0.0
Average number of embryos transferred	1.2	1.7	1.3	2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 6	0.0	0 / 5	1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 5	0 / 12	0 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 5	0 / 12	0 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 12	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	0 / 5	0 / 12	0 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 5	0 / 12	0 / 4	1 / 1		
<b>Number of Egg/Embryo Banking Cycles</b>	8	17	7	2	4	2
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>		<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		5		11		
Number of transfers		4		11		
Average number of embryos transferred		1.8		1.9		
Percentage of embryos transferred resulting in implantation (%)		2 / 7		4.8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 4		0 / 11		
Percentage of transfers resulting in singleton live births (%)		1 / 4		0 / 11		
Percentage of transfers resulting in twin live births (%)		0 / 4		0 / 11		
Percentage of transfers resulting in live births (%)		1 / 4		0 / 11		
Percentage of transfers resulting in pregnancies (%)		2 / 4		1 / 11		

## CURRENT SERVICES & PROFILE

Current Name: New York Fertility Services, PC, Batzofin Fertility Services, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NEW YORK REPRODUCTIVE MEDICAL SERVICES, PC NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Galina Karpenko, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	85%	Tubal factor	5%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 13% Female & male factors 7%
Unstimulated	45%	PGD/PGS	3%	Ovulatory dysfunction	9%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	45%	Other factor	1%	
				Endometriosis	16%	Unknown factor	18%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 108 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	12	9	13	9	13	9
Percentage of cancellations before retrieval (%)	0 / 12	0 / 9	0 / 13	0 / 9	0 / 13	0 / 9
Average number of embryos transferred	1.3	1.6	1.8	1.7	1.9	2.7
Percentage of embryos transferred resulting in implantation (%)	6 / 13	3 / 13	1 / 16	1 / 10	1 / 19	1 / 16
Percentage of elective single embryo transfers (eSET) (%)	5 / 8	2 / 7	0 / 6	0 / 3	0 / 6	0 / 4
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 12	1 / 9	0 / 13	1 / 9	0 / 13	0 / 9
Percentage of cycles resulting in singleton live births (%)	3 / 12	1 / 9	0 / 13	1 / 9	0 / 13	0 / 9
Percentage of cycles resulting in twin live births (%)	1 / 12	0 / 9	0 / 13	0 / 9	0 / 13	0 / 9
Percentage of cycles resulting in live births (%)	4 / 12	1 / 9	0 / 13	1 / 9	0 / 13	0 / 9
Percentage of cycles resulting in pregnancies (%)	5 / 12	3 / 9	1 / 13	1 / 9	1 / 13	1 / 9
<b>Outcomes per Transfer</b>						
Number of transfers	10	8	9	6	10	6
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 10	1 / 8	0 / 9	1 / 6	0 / 10	0 / 6
Percentage of transfers resulting in singleton live births (%)	3 / 10	1 / 8	0 / 9	1 / 6	0 / 10	0 / 6
Percentage of transfers resulting in twin live births (%)	1 / 10	0 / 8	0 / 9	0 / 6	0 / 10	0 / 6
Percentage of transfers resulting in live births (%)	4 / 10	1 / 8	0 / 9	1 / 6	0 / 10	0 / 6
Percentage of transfers resulting in pregnancies (%)	5 / 10	3 / 8	1 / 9	1 / 6	1 / 10	1 / 6
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	5	7	3	3	1	3
Number of transfers	5	7	3	3	1	3
Estimated average number of transfers per retrieval	0.6	0.9	1.0	0.5	0.3	
Average number of embryos transferred	1.6	1.3	1.3	1.3	1.0	1.7
Percentage of embryos transferred resulting in implantation (%)	3 / 8	6 / 9	1 / 4	2 / 4	0 / 1	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 5	4 / 7	1 / 3	2 / 3	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	0 / 5	4 / 7	1 / 3	2 / 3	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	1 / 5	1 / 7	0 / 3	0 / 3	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)	1 / 5	5 / 7	1 / 3	2 / 3	0 / 1	0 / 3
Percentage of transfers resulting in pregnancies (%)	2 / 5	5 / 7	1 / 3	2 / 3	0 / 1	0 / 3
<b>Number of Egg/Embryo Banking Cycles</b>						
	4	4	3	6	4	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

## CURRENT SERVICES & PROFILE

Current Name: New York Reproductive Medical Services, PC

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NEWAY MEDICAL NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Janelle Luk, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	86%	Tubal factor	5%	Uterine factor	2%	Multiple Factors: Female factors only 8% Female & male factors 6%
Unstimulated	22%	PGD/PGS	5%	Ovulatory dysfunction	8%	Male factor	15%	
Used gestational carrier	0%			Diminished ovarian reserve	57%	Other factor	14%	
				Endometriosis	2%	Unknown factor	11%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 691 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	74	42	50	55	47	42
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	1.8	0.0	0.0
Average number of embryos transferred	1.4	1.6	1.9	1.9	2.4	1.8
Percentage of embryos transferred resulting in implantation (%)	44.6	27.7	21.3	8.2	5.1	10.0
Percentage of elective single embryo transfers (eSET) (%)	48.0	25.0	16.0	1 / 16	0 / 12	0 / 7
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.7	11.9	8.0	7.3	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	32.4	14.3	10.0	7.3	0.0	0.0
Percentage of cycles resulting in twin live births (%)	8.1	4.8	4.0	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	40.5	19.0	16.0	7.3	0.0	0.0
Percentage of cycles resulting in pregnancies (%)	48.6	23.8	16.0	7.3	4.3	2.4
<b>Outcomes per Transfer</b>						
Number of transfers	66	29	32	26	16	11
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.3	17.2	12.5	15.4	0 / 16	0 / 11
Percentage of transfers resulting in singleton live births (%)	36.4	20.7	15.6	15.4	0 / 16	0 / 11
Percentage of transfers resulting in twin live births (%)	9.1	6.9	6.3	0.0	0 / 16	0 / 11
Percentage of transfers resulting in live births (%)	45.5	27.6	25.0	15.4	0 / 16	0 / 11
Percentage of transfers resulting in pregnancies (%)	54.5	34.5	25.0	15.4	2 / 16	1 / 11
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	24	18	22	11	15	9
Number of transfers	24	18	22	11	15	9
Estimated average number of transfers per retrieval	0.6	0.3	0.4	0.2	0.2	0.2
Average number of embryos transferred	1.7	1.4	1.7	1.7	1.7	2.2
Percentage of embryos transferred resulting in implantation (%)	19.5	26.9	7.9	4 / 17	12.0	0.0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	8.3	4 / 18	0.0	2 / 11	1 / 15	0 / 9
Percentage of transfers resulting in singleton live births (%)	8.3	6 / 18	4.5	2 / 11	1 / 15	0 / 9
Percentage of transfers resulting in twin live births (%)	8.3	0 / 18	4.5	0 / 11	0 / 15	0 / 9
Percentage of transfers resulting in live births (%)	16.7	6 / 18	9.1	2 / 11	1 / 15	0 / 9
Percentage of transfers resulting in pregnancies (%)	25.0	7 / 18	9.1	4 / 11	3 / 15	0 / 9
<b>Number of Egg/Embryo Banking Cycles</b>						
	31	46	51	57	56	35
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		2			2	
Number of transfers		2			2	
Average number of embryos transferred		1.0			1.0	
Percentage of embryos transferred resulting in implantation (%)		1 / 2			2 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 2			1 / 2	
Percentage of transfers resulting in singleton live births (%)		1 / 2			1 / 2	
Percentage of transfers resulting in twin live births (%)		0 / 2			0 / 2	
Percentage of transfers resulting in live births (%)		1 / 2			1 / 2	
Percentage of transfers resulting in pregnancies (%)		1 / 2			2 / 2	

## CURRENT SERVICES & PROFILE

Current Name: Neway Medical

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NOBLE FERTILITY CENTER NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Peter L. Chang, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	26%	Uterine factor	14%	Multiple Factors: Female factors only 11% Female & male factors 27%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	10%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	0%	
				Endometriosis	3%	Unknown factor	14%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 210 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	44	15	25	17	16	5
Percentage of cancellations before retrieval (%)	4.5	2 / 15	12.0	5 / 17	5 / 16	0 / 5
Average number of embryos transferred	1.8	1.9	2.1	3.1	3.0	3.0
Percentage of embryos transferred resulting in implantation (%)	10.0	9.5	12.5	9.7	4.2	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	9.5	1 / 11	3 / 14	0 / 9	0 / 6	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	9.1	1 / 15	8.0	1 / 17	0 / 16	0 / 5
Percentage of cycles resulting in singleton live births (%)	9.1	1 / 15	16.0	2 / 17	0 / 16	0 / 5
Percentage of cycles resulting in twin live births (%)	0.0	0 / 15	0.0	0 / 17	0 / 16	0 / 5
Percentage of cycles resulting in live births (%)	9.1	1 / 15	16.0	2 / 17	0 / 16	0 / 5
Percentage of cycles resulting in pregnancies (%)	9.1	2 / 15	20.0	3 / 17	1 / 16	0 / 5
<b>Outcomes per Transfer</b>						
Number of transfers	23	11	16	10	8	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	17.4	1 / 11	2 / 16	1 / 10	0 / 8	0 / 3
Percentage of transfers resulting in singleton live births (%)	17.4	1 / 11	4 / 16	2 / 10	0 / 8	0 / 3
Percentage of transfers resulting in twin live births (%)	0.0	0 / 11	0 / 16	0 / 10	0 / 8	0 / 3
Percentage of transfers resulting in live births (%)	17.4	1 / 11	4 / 16	2 / 10	0 / 8	0 / 3
Percentage of transfers resulting in pregnancies (%)	17.4	2 / 11	5 / 16	3 / 10	1 / 8	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	28	11	10	7	0	1
Number of transfers	27	11	10	7	0	1
Estimated average number of transfers per retrieval	1.2	1.6	1.3	0.9	0.0	0.5
Average number of embryos transferred	2.0	1.8	2.8	3.3		2.0
Percentage of embryos transferred resulting in implantation (%)	39.2	45.0	21.4	17.4		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	40.7	6 / 11	3 / 10	1 / 7		0 / 1
Percentage of transfers resulting in singleton live births (%)	44.4	8 / 11	3 / 10	2 / 7		0 / 1
Percentage of transfers resulting in twin live births (%)	11.1	0 / 11	0 / 10	0 / 7		0 / 1
Percentage of transfers resulting in live births (%)	55.6	8 / 11	3 / 10	2 / 7		0 / 1
Percentage of transfers resulting in pregnancies (%)	63.0	9 / 11	6 / 10	4 / 7		0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	4	2	4	3	2
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	9			5		
Number of transfers	9			5		
Average number of embryos transferred	1.8			2.2		
Percentage of embryos transferred resulting in implantation (%)	7 / 16			2 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 9			0 / 5		
Percentage of transfers resulting in singleton live births (%)	3 / 9			0 / 5		
Percentage of transfers resulting in twin live births (%)	2 / 9			1 / 5		
Percentage of transfers resulting in live births (%)	5 / 9			1 / 5		
Percentage of transfers resulting in pregnancies (%)	5 / 9			2 / 5		

## CURRENT SERVICES & PROFILE

Current Name: Noble Fertility Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NYU FERTILITY CENTER NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by James A. Grifo, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	28%	Tubal factor	6%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 7%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	11%	Male factor	14%	
Used gestational carrier	<1%			Diminished ovarian reserve	36%	Other factor	22%	
				Endometriosis	4%	Unknown factor	24%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 2,727 (includes 51 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	104	85	124	85	63	18
Percentage of cancellations before retrieval (%)	10.6	21.2	37.1	49.4	39.7	6 / 18
Average number of embryos transferred	1.3	1.3	1.5	2.0	2.3	
Percentage of embryos transferred resulting in implantation (%)	41.1	29.0	23.6	17.8	4.3	
Percentage of elective single embryo transfers (eSET) (%)	73.3	66.7	37.8	1 / 19	0 / 17	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	25.0	9.4	8.9	2.4	1.6	0 / 18
Percentage of cycles resulting in singleton live births (%)	28.8	11.8	8.9	4.7	3.2	0 / 18
Percentage of cycles resulting in twin live births (%)	1.0	3.5	0.0	1.2	0.0	0 / 18
Percentage of cycles resulting in live births (%)	29.8	15.3	8.9	5.9	3.2	0 / 18
Percentage of cycles resulting in pregnancies (%)	38.5	22.4	13.7	10.6	4.8	0 / 18
<b>Outcomes per Transfer</b>						
Number of transfers	77	52	50	24	21	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	33.8	15.4	22.0	8.3	4.8	
Percentage of transfers resulting in singleton live births (%)	39.0	19.2	22.0	16.7	9.5	
Percentage of transfers resulting in twin live births (%)	1.3	5.8	0.0	4.2	0.0	
Percentage of transfers resulting in live births (%)	40.3	25.0	22.0	20.8	9.5	
Percentage of transfers resulting in pregnancies (%)	51.9	36.5	34.0	37.5	14.3	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	210	185	194	75	63	16
Number of transfers	201	169	183	69	54	13
Estimated average number of transfers per retrieval	0.7	0.5	0.4	0.3	0.5	0.4
Average number of embryos transferred	1.1	1.1	1.1	1.1	1.2	1.1
Percentage of embryos transferred resulting in implantation (%)	58.3	52.0	57.4	57.9	37.9	7 / 14
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	43.3	34.3	37.7	34.8	29.6	6 / 13
Percentage of transfers resulting in singleton live births (%)	53.2	41.4	45.4	49.3	37.0	7 / 13
Percentage of transfers resulting in twin live births (%)	3.0	4.1	2.7	1.4	0.0	0 / 13
Percentage of transfers resulting in live births (%)	56.2	45.6	48.1	50.7	37.0	7 / 13
Percentage of transfers resulting in pregnancies (%)	64.7	56.8	62.8	62.3	48.1	7 / 13
<b>Number of Egg/Embryo Banking Cycles</b>						
	257	324	404	198	103	36
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		21			111	
Number of transfers		16			99	
Average number of embryos transferred		1.2			1.1	
Percentage of embryos transferred resulting in implantation (%)		10 / 19			56.2	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		3 / 16			31.3	
Percentage of transfers resulting in singleton live births (%)		7 / 16			47.5	
Percentage of transfers resulting in twin live births (%)		1 / 16			1.0	
Percentage of transfers resulting in live births (%)		8 / 16			48.5	
Percentage of transfers resulting in pregnancies (%)		9 / 16			60.6	

## CURRENT SERVICES & PROFILE

Current Name: NYU Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# OFFICES FOR FERTILITY AND REPRODUCTIVE MEDICINE, PC NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Cecilia Schmidt-Sarosi, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	78%	Tubal factor	20%	Uterine factor	6%	Multiple Factors: Female factors only 14% Female & male factors 71%
Unstimulated	11%	PGD/PGS	11%	Ovulatory dysfunction	57%	Male factor	71%	
Used gestational carrier	0%			Diminished ovarian reserve	43%	Other factor	31%	
				Endometriosis	4%	Unknown factor	0%	

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 128 (includes 5 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
Number of cycles		1	2	1	2	1	2
Percentage of cancellations before retrieval (%)		0 / 1	0 / 2	0 / 1	0 / 2	0 / 1	1 / 2
Average number of embryos transferred		2.0	1.0	1.0	2.0	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)		0 / 2	0 / 2	0 / 1	0 / 2	0 / 2	0 / 1
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	1 / 1		0 / 1	0 / 1	
<b>Outcomes per Cycle</b>							
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1	0 / 2	0 / 1	0 / 2	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)		0 / 1	0 / 2	0 / 1	0 / 2	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)		0 / 1	0 / 2	0 / 1	0 / 2	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)		0 / 1	0 / 2	0 / 1	0 / 2	0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)		0 / 1	0 / 2	0 / 1	0 / 2	0 / 1	0 / 2
<b>Outcomes per Transfer</b>							
Number of transfers		1	2	1	1	1	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		0 / 1	0 / 2	0 / 1	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)		0 / 1	0 / 2	0 / 1	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 2	0 / 1	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)		0 / 1	0 / 2	0 / 1	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)		0 / 1	0 / 2	0 / 1	0 / 1	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>							
Number of cycles		10	4	14	1	3	1
Number of transfers		10	4	14	1	2	0
Estimated average number of transfers per retrieval		0.6	0.3	0.7	0.1	0.5	0.0
Average number of embryos transferred		1.6	1.0	1.4	1.0	2.5	
Percentage of embryos transferred resulting in implantation (%)		5 / 16	1 / 4	5 / 19	0 / 1	0 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		4 / 10	1 / 4	4 / 14	0 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)		5 / 10	1 / 4	4 / 14	0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)		0 / 10	0 / 4	0 / 14	0 / 1	0 / 2	
Percentage of transfers resulting in live births (%)		5 / 10	1 / 4	4 / 14	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)		5 / 10	1 / 4	5 / 14	0 / 1	0 / 2	
<b>Number of Egg/Embryo Banking Cycles</b>							
		15	14	21	17	3	4
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles		0			7		
Number of transfers		0			7		
Average number of embryos transferred					1.1		
Percentage of embryos transferred resulting in implantation (%)					3 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)					2 / 7		
Percentage of transfers resulting in singleton live births (%)					3 / 7		
Percentage of transfers resulting in twin live births (%)					0 / 7		
Percentage of transfers resulting in live births (%)					3 / 7		
Percentage of transfers resulting in pregnancies (%)					3 / 7		

CURRENT SERVICES & PROFILE		Current Name: Offices for Fertility and Reproductive Medicine, PC					
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE MEDICINE ASSOCIATES OF NEW YORK, LLP NEW YORK, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Lawrence Grunfeld, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	58%	Tubal factor	10%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 7%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	9%	Male factor	22%	
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	14%	
				Endometriosis	5%	Unknown factor	30%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 3,997 (includes 62 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	395	232	299	169	114	27
Percentage of cancellations before retrieval (%)	7.6	12.5	20.7	22.5	30.7	14.8
Average number of embryos transferred	1.4	1.7	1.8	2.0	2.3	2.9
Percentage of embryos transferred resulting in implantation (%)	52.1	40.6	26.4	16.8	0.0	0 / 19
Percentage of elective single embryo transfers (eSET) (%)	59.9	23.9	17.4	3.6	6.5	0 / 6
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.1	19.8	11.7	8.3	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	34.4	23.7	14.4	8.3	0.0	0.0
Percentage of cycles resulting in twin live births (%)	7.8	6.9	3.0	1.8	0.0	0.0
Percentage of cycles resulting in live births (%)	42.3	30.6	17.4	10.1	0.0	0.0
Percentage of cycles resulting in pregnancies (%)	49.1	37.9	25.4	16.0	0.9	3.7
<b>Outcomes per Transfer</b>						
Number of transfers	314	159	169	79	42	8
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	37.9	28.9	20.7	17.7	0.0	0 / 8
Percentage of transfers resulting in singleton live births (%)	43.3	34.6	25.4	17.7	0.0	0 / 8
Percentage of transfers resulting in twin live births (%)	9.9	10.1	5.3	3.8	0.0	0 / 8
Percentage of transfers resulting in live births (%)	53.2	44.7	30.8	21.5	0.0	0 / 8
Percentage of transfers resulting in pregnancies (%)	61.8	55.3	45.0	34.2	2.4	1 / 8
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	460	310	265	89	23	6
Number of transfers	445	298	259	87	22	6
Estimated average number of transfers per retrieval	1.0	0.7	0.6	0.5	0.3	0.4
Average number of embryos transferred	1.2	1.2	1.2	1.2	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	57.7	52.2	45.7	37.4	34.8	2 / 9
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	38.0	37.6	32.8	31.0	18.2	0 / 6
Percentage of transfers resulting in singleton live births (%)	44.5	43.0	38.2	35.6	27.3	1 / 6
Percentage of transfers resulting in twin live births (%)	9.0	5.0	3.5	1.1	0.0	0 / 6
Percentage of transfers resulting in live births (%)	53.9	48.0	41.7	36.8	27.3	1 / 6
Percentage of transfers resulting in pregnancies (%)	62.7	60.4	54.1	48.3	50.0	1 / 6
<b>Number of Egg/Embryo Banking Cycles</b>	327	342	369	150	74	13
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		126			145	
Number of transfers		111			138	
Average number of embryos transferred		1.2			1.2	
Percentage of embryos transferred resulting in implantation (%)		57.0			50.0	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		45.0			28.3	
Percentage of transfers resulting in singleton live births (%)		53.2			36.2	
Percentage of transfers resulting in twin live births (%)		5.4			7.2	
Percentage of transfers resulting in live births (%)		58.6			43.5	
Percentage of transfers resulting in pregnancies (%)		64.9			55.8	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of New York, LLP

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**WEILL MEDICAL COLLEGE OF CORNELL UNIVERSITY  
CENTER FOR REPRODUCTIVE MEDICINE  
NEW YORK, NEW YORK**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Zev Rosenwaks, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	67%	Tubal factor	14%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 17% Female & male factors 22%
Unstimulated	2%	PGD/PGS	2%	Ovulatory dysfunction	7%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	64%	Other factor	5%	
				Endometriosis	9%	Unknown factor	6%	

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 5,031 (includes 77 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
	Number of cycles	674	457	576	400	280	106
	Percentage of cancellations before retrieval (%)	10.4	15.1	15.6	23.3	25.0	26.4
	Average number of embryos transferred	1.6	2.1	2.4	2.8	3.0	3.4
	Percentage of embryos transferred resulting in implantation (%)	38.1	27.5	17.3	10.7	5.1	0.5
	Percentage of elective single embryo transfers (eSET) (%)	35.8	17.4	7.8	2.6	0.6	0.0
<b>Outcomes per Cycle</b>							
	Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.1	19.7	13.4	7.3	3.6	0.9
	Percentage of cycles resulting in singleton live births (%)	25.5	23.9	15.3	8.8	4.6	0.9
	Percentage of cycles resulting in twin live births (%)	7.6	6.8	3.6	2.5	0.0	0.0
	Percentage of cycles resulting in live births (%)	33.1	30.6	18.9	11.3	4.6	0.9
	Percentage of cycles resulting in pregnancies (%)	38.7	36.5	26.4	19.3	11.1	1.9
<b>Outcomes per Transfer</b>							
	Number of transfers	504	357	441	273	195	64
	Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.2	25.2	17.5	10.6	5.1	1.6
	Percentage of transfers resulting in singleton live births (%)	34.1	30.5	20.0	12.8	6.7	1.6
	Percentage of transfers resulting in twin live births (%)	10.1	8.7	4.8	3.7	0.0	0.0
	Percentage of transfers resulting in live births (%)	44.2	39.2	24.7	16.5	6.7	1.6
	Percentage of transfers resulting in pregnancies (%)	51.8	46.8	34.5	28.2	15.9	3.1
<b>Frozen Embryos from Nondonor Eggs</b>							
	Number of cycles	401	284	234	148	57	27
	Number of transfers	361	254	213	126	50	19
	Estimated average number of transfers per retrieval	0.9	0.8	0.6	0.6	0.4	0.6
	Average number of embryos transferred	1.4	1.3	1.4	1.6	1.5	2.3
	Percentage of embryos transferred resulting in implantation (%)	45.8	42.3	39.6	29.8	33.3	9.5
	Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	28.3	33.1	33.8	22.2	26.0	2 / 19
	Percentage of transfers resulting in singleton live births (%)	34.1	35.4	38.5	30.2	34.0	3 / 19
	Percentage of transfers resulting in twin live births (%)	8.6	5.1	2.8	4.8	0.0	0 / 19
	Percentage of transfers resulting in live births (%)	42.7	40.6	41.3	34.9	34.0	3 / 19
	Percentage of transfers resulting in pregnancies (%)	53.7	51.2	50.2	43.7	54.0	5 / 19
<b>Number of Egg/Embryo Banking Cycles</b>		264	247	288	175	107	32
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
	Number of cycles	98			99		
	Number of transfers	96			85		
	Average number of embryos transferred	1.4			1.3		
	Percentage of embryos transferred resulting in implantation (%)	53.6			40.0		
	Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	38.5			22.4		
	Percentage of transfers resulting in singleton live births (%)	49.0			29.4		
	Percentage of transfers resulting in twin live births (%)	6.3			7.1		
	Percentage of transfers resulting in live births (%)	55.2			36.5		
	Percentage of transfers resulting in pregnancies (%)	65.6			47.1		

CURRENT SERVICES & PROFILE		Current Name: Weill Medical College of Cornell University, Center for Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## WESTMED REPRODUCTIVE SERVICES PURCHASE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by Martin D. Keltz, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	55%	Tubal factor	21%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 29%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	18%	Male factor	46%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	14%	
				Endometriosis	14%	Unknown factor	11%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 37 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	7	10	4	0	1	0
Percentage of cancellations before retrieval (%)	0/7	0/10	0/4		0/1	
Average number of embryos transferred	1.6	1.7	1.7		1.0	
Percentage of embryos transferred resulting in implantation (%)	8/11	6/15	3/5		0/1	
Percentage of elective single embryo transfers (eSET) (%)	3/7	1/8	1/2			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1/7	2/10	2/4		0/1	
Percentage of cycles resulting in singleton live births (%)	3/7	2/10	3/4		0/1	
Percentage of cycles resulting in twin live births (%)	2/7	2/10	0/4		0/1	
Percentage of cycles resulting in live births (%)	5/7	4/10	3/4		0/1	
Percentage of cycles resulting in pregnancies (%)	6/7	5/10	3/4		0/1	
<b>Outcomes per Transfer</b>						
Number of transfers	7	10	3	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1/7	2/10	2/3		0/1	
Percentage of transfers resulting in singleton live births (%)	3/7	2/10	3/3		0/1	
Percentage of transfers resulting in twin live births (%)	2/7	2/10	0/3		0/1	
Percentage of transfers resulting in live births (%)	5/7	4/10	3/3		0/1	
Percentage of transfers resulting in pregnancies (%)	6/7	5/10	3/3		0/1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	1	3	0	2	0	0
Number of transfers	1	3	0	2	0	0
Estimated average number of transfers per retrieval	0.2	1.0	0.0	2.0	0.0	
Average number of embryos transferred	1.0	1.3		1.0		
Percentage of embryos transferred resulting in implantation (%)	1/1	1/4		1/2		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1/1	1/3		1/2		
Percentage of transfers resulting in singleton live births (%)	1/1	1/3		1/2		
Percentage of transfers resulting in twin live births (%)	0/1	0/3		0/2		
Percentage of transfers resulting in live births (%)	1/1	1/3		1/2		
Percentage of transfers resulting in pregnancies (%)	1/1	1/3		1/2		
<b>Number of Egg/Embryo Banking Cycles</b>						
	5	1	1	1	1	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

### CURRENT SERVICES & PROFILE

Current Name: WESTMED Reproductive Services

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ROCHESTER FERTILITY CARE, PC ROCHESTER, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

### 2015 ART CYCLE PROFILE

Data verified by Rosalind A. Hayes, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	82%	Tubal factor	17%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 22% Female & male factors 18%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	43%	
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	28%	
				Endometriosis	22%	Unknown factor	13%	

### 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 101 (includes 13 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	34	10	11	1	0	0
Percentage of cancellations before retrieval (%)	26.5	0 / 10	0 / 11	1 / 1		
Average number of embryos transferred	1.9	2.0	2.2			
Percentage of embryos transferred resulting in implantation (%)	8 / 17	9 / 16	3 / 11			
Percentage of elective single embryo transfers (eSET) (%)	0 / 8	0 / 8	0 / 5			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	5.9	3 / 10	1 / 11	0 / 1		
Percentage of cycles resulting in singleton live births (%)	5.9	3 / 10	1 / 11	0 / 1		
Percentage of cycles resulting in twin live births (%)	8.8	2 / 10	1 / 11	0 / 1		
Percentage of cycles resulting in live births (%)	14.7	5 / 10	2 / 11	0 / 1		
Percentage of cycles resulting in pregnancies (%)	14.7	6 / 10	2 / 11	0 / 1		
<b>Outcomes per Transfer</b>						
Number of transfers	9	8	5	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	2 / 9	3 / 8	1 / 5			
Percentage of transfers resulting in singleton live births (%)	2 / 9	3 / 8	1 / 5			
Percentage of transfers resulting in twin live births (%)	3 / 9	2 / 8	1 / 5			
Percentage of transfers resulting in live births (%)	5 / 9	5 / 8	2 / 5			
Percentage of transfers resulting in pregnancies (%)	5 / 9	6 / 8	2 / 5			
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	21	4	4	0	0	0
Number of transfers	17	3	4	0	0	0
Estimated average number of transfers per retrieval	1.5	3.0	1.0			
Average number of embryos transferred	1.6	1.7	2.0			
Percentage of embryos transferred resulting in implantation (%)	25.9	2 / 5	1 / 8			
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	3 / 17	1 / 3	1 / 4			
Percentage of transfers resulting in singleton live births (%)	3 / 17	1 / 3	1 / 4			
Percentage of transfers resulting in twin live births (%)	2 / 17	0 / 3	0 / 4			
Percentage of transfers resulting in live births (%)	5 / 17	1 / 3	1 / 4			
Percentage of transfers resulting in pregnancies (%)	5 / 17	2 / 3	1 / 4			
<b>Number of Egg/Embryo Banking Cycles</b>						
	1	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	2			0		
Number of transfers	2			0		
Average number of embryos transferred	1.5					
Percentage of embryos transferred resulting in implantation (%)	1 / 3					
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2					
Percentage of transfers resulting in singleton live births (%)	0 / 2					
Percentage of transfers resulting in twin live births (%)	0 / 2					
Percentage of transfers resulting in live births (%)	0 / 2					
Percentage of transfers resulting in pregnancies (%)	1 / 2					

### CURRENT SERVICES & PROFILE

Current Name: Rochester Fertility Care, PC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# STRONG FERTILITY CENTER ROCHESTER, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by John T. Queenan, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	74%	Tubal factor	11%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 14%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	17%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	7%	
				Endometriosis	7%	Unknown factor	11%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 381 (includes 20 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	82	30	22	10	0	0
Percentage of cancellations before retrieval (%)	3.7	6.7	0.0	1 / 10		
Average number of embryos transferred	1.6	1.9	2.5	3.4		
Percentage of embryos transferred resulting in implantation (%)	38.1	28.6	12.8	7.4		
Percentage of elective single embryo transfers (eSET) (%)	34.8	9.1	0 / 19	0 / 7		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.7	13.3	4.5	1 / 10		
Percentage of cycles resulting in singleton live births (%)	24.4	16.7	4.5	2 / 10		
Percentage of cycles resulting in twin live births (%)	9.8	10.0	4.5	0 / 10		
Percentage of cycles resulting in live births (%)	34.1	26.7	9.1	2 / 10		
Percentage of cycles resulting in pregnancies (%)	40.2	30.0	18.2	2 / 10		
<b>Outcomes per Transfer</b>						
Number of transfers	71	23	19	8	0	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.9	17.4	1 / 19	1 / 8		
Percentage of transfers resulting in singleton live births (%)	28.2	21.7	1 / 19	2 / 8		
Percentage of transfers resulting in twin live births (%)	11.3	13.0	1 / 19	0 / 8		
Percentage of transfers resulting in live births (%)	39.4	34.8	2 / 19	2 / 8		
Percentage of transfers resulting in pregnancies (%)	46.5	39.1	4 / 19	2 / 8		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	67	31	34	6	1	1
Number of transfers	65	31	33	5	1	1
Estimated average number of transfers per retrieval	1.4	1.3	1.1	1.0	0.3	
Average number of embryos transferred	1.6	1.5	1.9	2.4	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	35.3	34.1	37.1	0 / 12	1 / 1	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	27.7	25.8	27.3	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.4	25.8	36.4	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	3.1	6.5	12.1	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	38.5	32.3	48.5	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	50.8	45.2	54.5	0 / 5	1 / 1	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	20	10	13	2	4	0
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		9		19		
Number of transfers		7		17		
Average number of embryos transferred		1.9		1.6		
Percentage of embryos transferred resulting in implantation (%)		8 / 13		25.9		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		2 / 7		2 / 17		
Percentage of transfers resulting in singleton live births (%)		3 / 7		3 / 17		
Percentage of transfers resulting in twin live births (%)		2 / 7		1 / 17		
Percentage of transfers resulting in live births (%)		5 / 7		4 / 17		
Percentage of transfers resulting in pregnancies (%)		5 / 7		5 / 17		

## CURRENT SERVICES & PROFILE

Current Name: Strong Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ISLAND REPRODUCTIVE SERVICES, PC STATEN ISLAND, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Eric S. Knochenhauer, MD					
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>					
IVF	100%	With ICSI	80%	Tubal factor	25%	Uterine factor	11%	<i>Multiple Factors:</i>	
Unstimulated	0%	PGD/PGS	30%	Ovulatory dysfunction	14%	Male factor	45%	Female factors only	14%
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	6%	Female & male factors	31%
				Endometriosis	14%	Unknown factor	4%		

2015 ART SUCCESS RATES <sup>c</sup>		Total number of cycles <sup>d</sup> : 388 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>							
	Number of cycles	62	28	24	14	10	4
	Percentage of cancellations before retrieval (%)	8.1	10.7	12.5	6 / 14	6 / 10	2 / 4
	Average number of embryos transferred	1.7	1.7	1.8	2.6	3.0	
	Percentage of embryos transferred resulting in implantation (%)	33.7	28.6	16.7	3 / 18	1 / 9	
	Percentage of elective single embryo transfers (eSET) (%)	24.0	25.0	0 / 15	0 / 7	0 / 3	
<b>Outcomes per Cycle</b>							
	Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	29.0	28.6	20.8	1 / 14	1 / 10	0 / 4
	Percentage of cycles resulting in singleton live births (%)	30.6	32.1	20.8	1 / 14	1 / 10	0 / 4
	Percentage of cycles resulting in twin live births (%)	4.8	0.0	0.0	1 / 14	0 / 10	0 / 4
	Percentage of cycles resulting in live births (%)	35.5	32.1	20.8	2 / 14	1 / 10	0 / 4
	Percentage of cycles resulting in pregnancies (%)	40.3	42.9	29.2	2 / 14	1 / 10	0 / 4
<b>Outcomes per Transfer</b>							
	Number of transfers	53	25	21	7	3	0
	Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	34.0	32.0	23.8	1 / 7	1 / 3	
	Percentage of transfers resulting in singleton live births (%)	35.8	36.0	23.8	1 / 7	1 / 3	
	Percentage of transfers resulting in twin live births (%)	5.7	0.0	0.0	1 / 7	0 / 3	
	Percentage of transfers resulting in live births (%)	41.5	36.0	23.8	2 / 7	1 / 3	
	Percentage of transfers resulting in pregnancies (%)	47.2	48.0	33.3	2 / 7	1 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>							
	Number of cycles	82	22	15	12	0	0
	Number of transfers	79	21	15	12	0	0
	Estimated average number of transfers per retrieval	1.1	1.1	0.9	1.2		0.0
	Average number of embryos transferred	1.4	1.3	1.5	1.7		
	Percentage of embryos transferred resulting in implantation (%)	29.7	25.9	22.7	10.0		
	Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	21.5	14.3	3 / 15	1 / 12		
	Percentage of transfers resulting in singleton live births (%)	29.1	23.8	3 / 15	1 / 12		
	Percentage of transfers resulting in twin live births (%)	5.1	0.0	0 / 15	0 / 12		
	Percentage of transfers resulting in live births (%)	34.2	23.8	3 / 15	1 / 12		
	Percentage of transfers resulting in pregnancies (%)	36.7	33.3	5 / 15	2 / 12		
<b>Number of Egg/Embryo Banking Cycles</b>		46	16	15	9	0	1
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
	Number of cycles	1			25		
	Number of transfers	1			24		
	Average number of embryos transferred	1.0			1.5		
	Percentage of embryos transferred resulting in implantation (%)	1 / 1			31.4		
	Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	1 / 1			16.7		
	Percentage of transfers resulting in singleton live births (%)	1 / 1			25.0		
	Percentage of transfers resulting in twin live births (%)	0 / 1			8.3		
	Percentage of transfers resulting in live births (%)	1 / 1			33.3		
	Percentage of transfers resulting in pregnancies (%)	1 / 1			37.5		

CURRENT SERVICES & PROFILE		Current Name: Island Reproductive Services, PC					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CNY FERTILITY CENTER SYRACUSE, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Robert J. Kiltz, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	90%	Tubal factor	17%	Uterine factor	9%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 11%
Unstimulated	<1%	PGD/PGS	1%	Ovulatory dysfunction	15%	Male factor	23%	
Used gestational carrier	1%			Diminished ovarian reserve	19%	Other factor	19%	
				Endometriosis	12%	Unknown factor	18%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 2,647 (includes 68 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	564	265	240	123	57	22
Percentage of cancellations before retrieval (%)	3.4	7.5	9.6	11.4	15.8	9.1
Average number of embryos transferred	1.8	2.0	2.2	2.4	2.5	2.8
Percentage of embryos transferred resulting in implantation (%)	33.0	22.9	15.6	7.1	6.5	0.0
Percentage of elective single embryo transfers (eSET) (%)	22.3	7.0	4.5	3.0	0.0	0 / 7
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	16.7	18.5	8.8	7.3	7.0	0.0
Percentage of cycles resulting in singleton live births (%)	21.5	20.4	10.0	9.8	7.0	0.0
Percentage of cycles resulting in twin live births (%)	8.7	3.4	3.8	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	30.5	23.8	13.8	9.8	7.0	0.0
Percentage of cycles resulting in pregnancies (%)	37.6	30.9	20.0	12.2	10.5	4.5
<b>Outcomes per Transfer</b>						
Number of transfers	462	207	165	82	31	10
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	20.3	23.7	12.7	11.0	12.9	0 / 10
Percentage of transfers resulting in singleton live births (%)	26.2	26.1	14.5	14.6	12.9	0 / 10
Percentage of transfers resulting in twin live births (%)	10.6	4.3	5.5	0.0	0.0	0 / 10
Percentage of transfers resulting in live births (%)	37.2	30.4	20.0	14.6	12.9	0 / 10
Percentage of transfers resulting in pregnancies (%)	45.9	39.6	29.1	18.3	19.4	1 / 10
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	439	207	137	53	13	8
Number of transfers	412	196	126	51	11	6
Estimated average number of transfers per retrieval	1.6	1.7	1.2	1.1	0.6	0.2
Average number of embryos transferred	1.7	1.8	1.9	1.6	2.1	1.7
Percentage of embryos transferred resulting in implantation (%)	33.3	24.9	13.7	11.0	5.0	0 / 9
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	23.5	20.4	10.3	5.9	0 / 11	0 / 6
Percentage of transfers resulting in singleton live births (%)	27.4	25.5	13.5	7.8	0 / 11	0 / 6
Percentage of transfers resulting in twin live births (%)	9.2	5.1	1.6	0.0	0 / 11	0 / 6
Percentage of transfers resulting in live births (%)	36.7	31.1	15.1	7.8	0 / 11	0 / 6
Percentage of transfers resulting in pregnancies (%)	45.1	37.8	25.4	19.6	2 / 11	1 / 6
<b>Number of Egg/Embryo Banking Cycles</b>						
	47	30	40	24	13	18
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		106			173	
Number of transfers		80			157	
Average number of embryos transferred		2.0			1.9	
Percentage of embryos transferred resulting in implantation (%)		39.1			19.9	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)		21.3			17.2	
Percentage of transfers resulting in singleton live births (%)		30.0			19.7	
Percentage of transfers resulting in twin live births (%)		18.8			3.8	
Percentage of transfers resulting in live births (%)		48.8			23.6	
Percentage of transfers resulting in pregnancies (%)		55.0			35.0	

## CURRENT SERVICES & PROFILE

Current Name: CNY Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY IVF  
SUNY UPSTATE MEDICAL UNIVERSITY  
SYRACUSE, NEW YORK**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

**2015 ART CYCLE PROFILE**

Data verified by Shawky Z. Badawy, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	46%	Tubal factor	15%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	54%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	8%	
				Endometriosis	0%	Unknown factor	23%	

**2015 ART SUCCESS RATES<sup>c</sup>**

Total number of cycles<sup>d</sup>: 13 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	6	2	1	0	4	0
Percentage of cancellations before retrieval (%)	1 / 6	0 / 2	0 / 1		2 / 4	
Average number of embryos transferred	2.5	3.0	1.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 5	0 / 3	0 / 1		0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	0 / 1			0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 6	0 / 2	0 / 1		0 / 4	
Percentage of cycles resulting in singleton live births (%)	0 / 6	0 / 2	0 / 1		0 / 4	
Percentage of cycles resulting in twin live births (%)	0 / 6	0 / 2	0 / 1		0 / 4	
Percentage of cycles resulting in live births (%)	0 / 6	0 / 2	0 / 1		0 / 4	
Percentage of cycles resulting in pregnancies (%)	0 / 6	0 / 2	0 / 1		0 / 4	
<b>Outcomes per Transfer</b>						
Number of transfers	2	1	1	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	0 / 2	0 / 1	0 / 1		0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 1	0 / 1		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	0 / 1		0 / 1	
Percentage of transfers resulting in live births (%)	0 / 2	0 / 1	0 / 1		0 / 1	
Percentage of transfers resulting in pregnancies (%)	0 / 2	0 / 1	0 / 1		0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
<b>Number of Egg/Embryo Banking Cycles</b>						
	0	0	0	0	0	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

**CURRENT SERVICES & PROFILE**

Current Name: University IVF, SUNY Upstate Medical University

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WESTCHESTER FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY WHITE PLAINS, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Michael B. Blotner, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	90%	Tubal factor	43%	Uterine factor	12%	<i>Multiple Factors:</i> Female factors only 21% Female & male factors 21%
Unstimulated	0%	PGD/PGS	22%	Ovulatory dysfunction	13%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	32%	Other factor	1%	
				Endometriosis	6%	Unknown factor	6%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 168 (includes 6 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	26	15	18	13	11	3
Percentage of cancellations before retrieval (%)	3.8	1 / 15	1 / 18	2 / 13	1 / 11	1 / 3
Average number of embryos transferred	1.6	1.9	2.0	1.9	1.9	1.0
Percentage of embryos transferred resulting in implantation (%)	33.3	6 / 17	30.0	2 / 16	1 / 13	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	4 / 16	0 / 8	0 / 8	0 / 5	0 / 5	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	30.8	3 / 15	1 / 18	1 / 13	0 / 11	0 / 3
Percentage of cycles resulting in singleton live births (%)	30.8	4 / 15	1 / 18	2 / 13	0 / 11	0 / 3
Percentage of cycles resulting in twin live births (%)	3.8	1 / 15	2 / 18	0 / 13	0 / 11	0 / 3
Percentage of cycles resulting in live births (%)	34.6	5 / 15	3 / 18	2 / 13	0 / 11	0 / 3
Percentage of cycles resulting in pregnancies (%)	46.2	5 / 15	4 / 18	3 / 13	1 / 11	0 / 3
<b>Outcomes per Transfer</b>						
Number of transfers	21	9	10	9	7	1
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	38.1	3 / 9	1 / 10	1 / 9	0 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	38.1	4 / 9	1 / 10	2 / 9	0 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	4.8	1 / 9	2 / 10	0 / 9	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)	42.9	5 / 9	3 / 10	2 / 9	0 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	57.1	5 / 9	4 / 10	3 / 9	1 / 7	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	12	10	19	2	4	1
Number of transfers	11	9	14	2	4	1
Estimated average number of transfers per retrieval	2.2	0.6	1.2	1.0	0.5	1.0
Average number of embryos transferred	1.6	1.8	1.6	2.5	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	7 / 16	6 / 16	18.2	2 / 3	0 / 8	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	6 / 11	4 / 9	2 / 14	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 11	5 / 9	3 / 14	0 / 2	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 9	0 / 14	1 / 2	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	6 / 11	5 / 9	3 / 14	1 / 2	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	8 / 11	6 / 9	4 / 14	2 / 2	0 / 4	0 / 1
<b>Number of Egg/Embryo Banking Cycles</b>						
	2	11	4	0	4	0
<b>Donor Eggs</b>						
	<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>		
Number of cycles	0			7		
Number of transfers	0			7		
Average number of embryos transferred				1.3		
Percentage of embryos transferred resulting in implantation (%)				3 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)				2 / 7		
Percentage of transfers resulting in singleton live births (%)				2 / 7		
Percentage of transfers resulting in twin live births (%)				0 / 7		
Percentage of transfers resulting in live births (%)				2 / 7		
Percentage of transfers resulting in pregnancies (%)				4 / 7		

## CURRENT SERVICES & PROFILE

Current Name: Westchester Fertility and Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**BRAVERMAN REPRODUCTIVE IMMUNOLOGY, PC  
WOODBURY, NEW YORK**

---

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

# GOLD COAST IVF REPRODUCTIVE MEDICINE AND SURGERY CENTER WOODBURY, NEW YORK

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

## 2015 ART CYCLE PROFILE

Data verified by Steven F. Palter, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>b</sup>				
IVF	100%	With ICSI	94%	Tubal factor	21%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 27%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	46%	
Used gestational carrier	0%			Diminished ovarian reserve	40%	Other factor	6%	
				Endometriosis	8%	Unknown factor	5%	

## 2015 ART SUCCESS RATES<sup>c</sup>

Total number of cycles<sup>d</sup>: 287 (includes 17 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
<b>Fresh Embryos from Nondonor Eggs</b>						
Number of cycles	77	33	26	11	8	4
Percentage of cancellations before retrieval (%)	1.3	6.1	3.8	0 / 11	1 / 8	0 / 4
Average number of embryos transferred	1.8	2.0	2.4	2.6	2.6	3.3
Percentage of embryos transferred resulting in implantation (%)	52.4	40.4	37.5	14.3	4 / 18	0 / 10
Percentage of elective single embryo transfers (eSET) (%)	10.0	0.0	0 / 18	0 / 8	0 / 5	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in term, normal weight & singleton live births <sup>e</sup> (%)	19.5	27.3	11.5	1 / 11	0 / 8	0 / 4
Percentage of cycles resulting in singleton live births (%)	29.9	39.4	19.2	2 / 11	1 / 8	0 / 4
Percentage of cycles resulting in twin live births (%)	16.9	6.1	19.2	0 / 11	1 / 8	0 / 4
Percentage of cycles resulting in live births (%)	46.8	45.5	38.5	2 / 11	2 / 8	0 / 4
Percentage of cycles resulting in pregnancies (%)	51.9	48.5	50.0	3 / 11	3 / 8	0 / 4
<b>Outcomes per Transfer</b>						
Number of transfers	56	23	20	8	7	3
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	26.8	39.1	15.0	1 / 8	0 / 7	0 / 3
Percentage of transfers resulting in singleton live births (%)	41.1	56.5	25.0	2 / 8	1 / 7	0 / 3
Percentage of transfers resulting in twin live births (%)	23.2	8.7	25.0	0 / 8	1 / 7	0 / 3
Percentage of transfers resulting in live births (%)	64.3	65.2	50.0	2 / 8	2 / 7	0 / 3
Percentage of transfers resulting in pregnancies (%)	71.4	69.6	65.0	3 / 8	3 / 7	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	28	20	12	6	3	0
Number of transfers	28	20	12	6	3	0
Estimated average number of transfers per retrieval	1.1	1.5	0.9	0.9	0.6	0.0
Average number of embryos transferred	1.8	1.5	1.7	1.5	2.3	
Percentage of embryos transferred resulting in implantation (%)	51.0	43.3	40.0	4 / 9	1 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)	32.1	30.0	5 / 12	1 / 6	0 / 3	
Percentage of transfers resulting in singleton live births (%)	35.7	35.0	5 / 12	2 / 6	1 / 3	
Percentage of transfers resulting in twin live births (%)	21.4	10.0	1 / 12	0 / 6	0 / 3	
Percentage of transfers resulting in live births (%)	57.1	45.0	6 / 12	2 / 6	1 / 3	
Percentage of transfers resulting in pregnancies (%)	67.9	55.0	7 / 12	3 / 6	1 / 3	
<b>Number of Egg/Embryo Banking Cycles</b>						
	10	6	8	5	4	3
<b>Donor Eggs</b>		<b>Fresh Embryos<sup>f</sup></b>			<b>Frozen Embryos<sup>f</sup></b>	
Number of cycles		0			6	
Number of transfers		0			6	
Average number of embryos transferred					1.3	
Percentage of embryos transferred resulting in implantation (%)					2 / 8	
Percentage of transfers resulting in term, normal weight & singleton live births <sup>e</sup> (%)					0 / 6	
Percentage of transfers resulting in singleton live births (%)					0 / 6	
Percentage of transfers resulting in twin live births (%)					0 / 6	
Percentage of transfers resulting in live births (%)					0 / 6	
Percentage of transfers resulting in pregnancies (%)					2 / 6	

## CURRENT SERVICES & PROFILE

Current Name: Gold Coast IVF, Reproductive Medicine and Surgery Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

<sup>a</sup> Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.