


2015

Fertility Clinic Tables

NORTH CAROLINA–WISCONSIN



NORTH CAROLINA CENTER FOR REPRODUCTIVE MEDICINE THE TALBERT FERTILITY INSTITUTE CARY, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Sameh K. Toma, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	16%	Uterine factor	17%	<i>Multiple Factors:</i> Female factors only 20% Female & male factors 21%
Unstimulated	1%	PGD/PGS	<1%	Ovulatory dysfunction	17%	Male factor	35%	
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	9%	
				Endometriosis	8%	Unknown factor	3%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 393 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		80	35	36	8	1	0
Percentage of cancellations before retrieval (%)		11.3	20.0	36.1	4 / 8	0 / 1	
Average number of embryos transferred		1.5		2.0			
Percentage of embryos transferred resulting in implantation (%)		0 / 1		1 / 2			
Percentage of elective single embryo transfers (eSET) (%)		0 / 1		0 / 1			
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		0.0	0.0	2.8	0 / 8	0 / 1	
Percentage of cycles resulting in singleton live births (%)		0.0	0.0	2.8	0 / 8	0 / 1	
Percentage of cycles resulting in twin live births (%)		0.0	0.0	0.0	0 / 8	0 / 1	
Percentage of cycles resulting in live births (%)		0.0	0.0	2.8	0 / 8	0 / 1	
Percentage of cycles resulting in pregnancies (%)		1.3	0.0	2.8	0 / 8	0 / 1	
Outcomes per Transfer							
Number of transfers		2	0	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 2		1 / 1			
Percentage of transfers resulting in singleton live births (%)		0 / 2		1 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 2		0 / 1			
Percentage of transfers resulting in live births (%)		0 / 2		1 / 1			
Percentage of transfers resulting in pregnancies (%)		1 / 2		1 / 1			
Frozen Embryos from Nondonor Eggs							
Number of cycles		82	29	31	11	1	4
Number of transfers		80	29	28	11	0	4
Estimated average number of transfers per retrieval		1.2	1.4	2.2	1.6		
Average number of embryos transferred		1.9	1.9	2.0	1.9		2.3
Percentage of embryos transferred resulting in implantation (%)		56.8	43.4	34.0	28.6		1 / 9
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		32.5	41.4	21.4	3 / 11		1 / 4
Percentage of transfers resulting in singleton live births (%)		42.5	55.2	32.1	3 / 11		1 / 4
Percentage of transfers resulting in twin live births (%)		26.3	3.4	7.1	1 / 11		0 / 4
Percentage of transfers resulting in live births (%)		68.8	58.6	39.3	4 / 11		1 / 4
Percentage of transfers resulting in pregnancies (%)		77.5	72.4	60.7	5 / 11		1 / 4
Number of Egg/Embryo Banking Cycles							
		11	3	3	3	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		28			25		
Number of transfers		15			21		
Average number of embryos transferred		2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)		56.7			46.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		8 / 15			19.0		
Percentage of transfers resulting in singleton live births (%)		10 / 15			38.1		
Percentage of transfers resulting in twin live births (%)		3 / 15			19.0		
Percentage of transfers resulting in live births (%)		13 / 15			57.1		
Percentage of transfers resulting in pregnancies (%)		14 / 15			61.9		

CURRENT SERVICES & PROFILE		Current Name: North Carolina Center for Reproductive Medicine, The Talbert Fertility Institute					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PROGRAM FOR ASSISTED REPRODUCTION AT CAROLINAS MEDICAL CENTER CMC WOMEN'S INSTITUTE CHARLOTTE, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Bradley S. Hurst, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	12%	Uterine factor	2%	Multiple Factors: Female factors only 16% Female & male factors 18%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	32%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	25%	
				Endometriosis	5%	Unknown factor	11%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 581 (includes 22 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		98	24	18	2	0	0
Percentage of cancellations before retrieval (%)		5.1	12.5	7 / 18	0 / 2		
Average number of embryos transferred		1.1	2.0	2.8	1.0		
Percentage of embryos transferred resulting in implantation (%)		35.6	20.8	2 / 17	1 / 1		
Percentage of elective single embryo transfers (eSET) (%)		84.1	0 / 12	0 / 6			
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		19.4	12.5	2 / 18	0 / 2		
Percentage of cycles resulting in singleton live births (%)		20.4	12.5	2 / 18	0 / 2		
Percentage of cycles resulting in twin live births (%)		0.0	4.2	0 / 18	0 / 2		
Percentage of cycles resulting in live births (%)		20.4	16.7	2 / 18	0 / 2		
Percentage of cycles resulting in pregnancies (%)		23.5	20.8	2 / 18	1 / 2		
Outcomes per Transfer							
Number of transfers		54	13	6	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		35.2	3 / 13	2 / 6	0 / 1		
Percentage of transfers resulting in singleton live births (%)		37.0	3 / 13	2 / 6	0 / 1		
Percentage of transfers resulting in twin live births (%)		0.0	1 / 13	0 / 6	0 / 1		
Percentage of transfers resulting in live births (%)		37.0	4 / 13	2 / 6	0 / 1		
Percentage of transfers resulting in pregnancies (%)		42.6	5 / 13	2 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		175	60	26	9	3	0
Number of transfers		148	52	23	7	3	0
Estimated average number of transfers per retrieval		1.4	1.2	1.0	0.5	0.6	
Average number of embryos transferred		1.1	1.2	1.1	1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)		48.4	45.8	64.0	6 / 8	1 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		38.5	36.5	39.1	6 / 7	1 / 3	
Percentage of transfers resulting in singleton live births (%)		43.9	38.5	56.5	6 / 7	1 / 3	
Percentage of transfers resulting in twin live births (%)		0.7	5.8	4.3	0 / 7	0 / 3	
Percentage of transfers resulting in live births (%)		44.6	44.2	60.9	6 / 7	1 / 3	
Percentage of transfers resulting in pregnancies (%)		56.8	50.0	69.6	6 / 7	1 / 3	
Number of Egg/Embryo Banking Cycles		45	37	23	11	5	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		3			20		
Number of transfers		3			20		
Average number of embryos transferred		1.0			1.3		
Percentage of embryos transferred resulting in implantation (%)		0 / 2			37.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 3			20.0		
Percentage of transfers resulting in singleton live births (%)		0 / 3			35.0		
Percentage of transfers resulting in twin live births (%)		0 / 3			5.0		
Percentage of transfers resulting in live births (%)		0 / 3			40.0		
Percentage of transfers resulting in pregnancies (%)		1 / 3			45.0		

CURRENT SERVICES & PROFILE		Current Name: Program for Assisted Reproduction at Carolinas Medical Center, CMC Women's Institute					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ENDOCRINOLOGY ASSOCIATES OF CHARLOTTE CHARLOTTE, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Seth Katz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 7% Female & male factors 8%
Unstimulated	<1%	PGD/PGS	3%	Ovulatory dysfunction	23%	Male factor	25%	
Used gestational carrier	2%			Diminished ovarian reserve	22%	Other factor	13%	
				Endometriosis	8%	Unknown factor	11%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,191 (includes 48 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	210	105	88	48	25	13
Percentage of cancellations before retrieval (%)	5.7	10.5	15.9	22.9	28.0	2 / 13
Average number of embryos transferred	1.9	1.8	2.0	2.1	2.5	1.5
Percentage of embryos transferred resulting in implantation (%)	31.1	37.3	12.3	20.7	0.0	0 / 6
Percentage of elective single embryo transfers (eSET) (%)	11.0	11.4	3.2	0 / 13	0 / 11	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	6.7	10.5	6.8	4.2	0.0	0 / 13
Percentage of cycles resulting in singleton live births (%)	8.1	11.4	9.1	4.2	0.0	0 / 13
Percentage of cycles resulting in twin live births (%)	5.2	6.7	0.0	2.1	0.0	0 / 13
Percentage of cycles resulting in live births (%)	13.8	18.1	9.1	6.3	0.0	0 / 13
Percentage of cycles resulting in pregnancies (%)	16.2	21.9	12.5	10.4	12.0	0 / 13
Outcomes per Transfer						
Number of transfers	80	45	41	15	13	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.5	24.4	14.6	2 / 15	0 / 13	0 / 4
Percentage of transfers resulting in singleton live births (%)	21.3	26.7	19.5	2 / 15	0 / 13	0 / 4
Percentage of transfers resulting in twin live births (%)	13.8	15.6	0.0	1 / 15	0 / 13	0 / 4
Percentage of transfers resulting in live births (%)	36.3	42.2	19.5	3 / 15	0 / 13	0 / 4
Percentage of transfers resulting in pregnancies (%)	42.5	51.1	26.8	5 / 15	3 / 13	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	240	92	65	15	8	1
Number of transfers	219	89	60	14	8	1
Estimated average number of transfers per retrieval	1.5	1.3	0.9	0.6	1.0	0.2
Average number of embryos transferred	1.6	1.4	1.5	1.6	1.8	1.0
Percentage of embryos transferred resulting in implantation (%)	56.5	43.3	42.2	9 / 18	2 / 12	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.0	28.1	23.3	3 / 14	2 / 8	1 / 1
Percentage of transfers resulting in singleton live births (%)	46.6	31.5	33.3	3 / 14	2 / 8	1 / 1
Percentage of transfers resulting in twin live births (%)	14.6	7.9	8.3	1 / 14	0 / 8	0 / 1
Percentage of transfers resulting in live births (%)	61.2	39.3	41.7	5 / 14	2 / 8	1 / 1
Percentage of transfers resulting in pregnancies (%)	71.2	52.8	53.3	10 / 14	3 / 8	1 / 1
Number of Egg/Embryo Banking Cycles						
	51	32	38	12	6	6
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		31			57	
Number of transfers		27			56	
Average number of embryos transferred		1.8			1.3	
Percentage of embryos transferred resulting in implantation (%)		66.0			47.8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		29.6			26.8	
Percentage of transfers resulting in singleton live births (%)		37.0			35.7	
Percentage of transfers resulting in twin live births (%)		22.2			7.1	
Percentage of transfers resulting in live births (%)		63.0			42.9	
Percentage of transfers resulting in pregnancies (%)		74.1			55.4	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Endocrinology Associates of Charlotte

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DUKE FERTILITY CENTER DUKE UNIVERSITY MEDICAL CENTER DURHAM, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Jennifer L. Eaton, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	9%	Uterine factor	2%	Multiple Factors: Female factors only 4% Female & male factors 16%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	43%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	8%	
				Endometriosis	8%	Unknown factor	19%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 307 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
	Number of cycles	60	33	22	7	3	0
	Percentage of cancellations before retrieval (%)	6.7	12.1	18.2	2 / 7	1 / 3	
	Average number of embryos transferred	1.6	1.8	2.4	2.8	3.5	
	Percentage of embryos transferred resulting in implantation (%)	29.5	28.6	17.9	2 / 11	1 / 7	
	Percentage of elective single embryo transfers (eSET) (%)	42.6	19.0	0 / 15	0 / 3	0 / 2	
Outcomes per Cycle							
	Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.0	24.2	18.2	0 / 7	1 / 3	
	Percentage of cycles resulting in singleton live births (%)	26.7	24.2	27.3	0 / 7	1 / 3	
	Percentage of cycles resulting in twin live births (%)	5.0	3.0	0.0	0 / 7	0 / 3	
	Percentage of cycles resulting in live births (%)	31.7	27.3	27.3	0 / 7	1 / 3	
	Percentage of cycles resulting in pregnancies (%)	38.3	33.3	36.4	1 / 7	1 / 3	
Outcomes per Transfer							
	Number of transfers	50	23	17	4	2	0
	Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.0	34.8	4 / 17	0 / 4	1 / 2	
	Percentage of transfers resulting in singleton live births (%)	32.0	34.8	6 / 17	0 / 4	1 / 2	
	Percentage of transfers resulting in twin live births (%)	6.0	4.3	0 / 17	0 / 4	0 / 2	
	Percentage of transfers resulting in live births (%)	38.0	39.1	6 / 17	0 / 4	1 / 2	
	Percentage of transfers resulting in pregnancies (%)	46.0	47.8	8 / 17	1 / 4	1 / 2	
Frozen Embryos from Nondonor Eggs							
	Number of cycles	61	34	11	3	5	0
	Number of transfers	55	29	10	3	5	0
	Estimated average number of transfers per retrieval	1.3	1.6	1.0	3.0		
	Average number of embryos transferred	1.4	1.6	2.3	2.7	2.2	
	Percentage of embryos transferred resulting in implantation (%)	22.2	36.2	4 / 16	1 / 8	1 / 9	
	Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	34.5	3 / 10	1 / 3	1 / 5	
	Percentage of transfers resulting in singleton live births (%)	25.5	37.9	3 / 10	1 / 3	1 / 5	
	Percentage of transfers resulting in twin live births (%)	0.0	10.3	0 / 10	0 / 3	0 / 5	
	Percentage of transfers resulting in live births (%)	25.5	48.3	3 / 10	1 / 3	1 / 5	
	Percentage of transfers resulting in pregnancies (%)	34.5	48.3	6 / 10	1 / 3	2 / 5	
Number of Egg/Embryo Banking Cycles							
		19	8	7	1	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
	Number of cycles	18			13		
	Number of transfers	14			11		
	Average number of embryos transferred	1.4			1.1		
	Percentage of embryos transferred resulting in implantation (%)	12 / 18			6 / 12		
	Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	8 / 14			4 / 11		
	Percentage of transfers resulting in singleton live births (%)	9 / 14			5 / 11		
	Percentage of transfers resulting in twin live births (%)	0 / 14			0 / 11		
	Percentage of transfers resulting in live births (%)	9 / 14			5 / 11		
	Percentage of transfers resulting in pregnancies (%)	12 / 14			6 / 11		

CURRENT SERVICES & PROFILE		Current Name: Duke Fertility Center, Duke University Medical Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMACK ARMY MEDICAL CENTER FORT BRAGG, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Jason Parker, DO				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	38%	Uterine factor	3%	Multiple Factors: Female factors only 4% Female & male factors 4%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	2%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	1%	
				Endometriosis	8%	Unknown factor	27%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 162 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		70	29	15	10	1	1
Percentage of cancellations before retrieval (%)		0.0	3.4	0 / 15	0 / 10	0 / 1	0 / 1
Average number of embryos transferred		2.0	2.6	2.4	2.1	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)		27.0	21.5	2.8	0 / 17	1 / 3	0 / 2
Percentage of elective single embryo transfers (eSET) (%)		1.6	0.0	0 / 14	0 / 4	0 / 1	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		20.0	17.2	0 / 15	0 / 10	1 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)		24.3	24.1	0 / 15	0 / 10	1 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)		12.9	6.9	0 / 15	0 / 10	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)		37.1	31.0	0 / 15	0 / 10	1 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)		40.0	41.4	1 / 15	0 / 10	1 / 1	0 / 1
Outcomes per Transfer							
Number of transfers		67	26	15	9	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		20.9	19.2	0 / 15	0 / 9	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)		25.4	26.9	0 / 15	0 / 9	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)		13.4	7.7	0 / 15	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)		38.8	34.6	0 / 15	0 / 9	1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)		41.8	46.2	1 / 15	0 / 9	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs							
Number of cycles		10	6	5	1	1	0
Number of transfers		9	6	5	1	1	0
Estimated average number of transfers per retrieval		1.3	6.0	1.3			
Average number of embryos transferred		2.1	2.2	1.8	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)		6 / 19	4 / 13	1 / 9	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 9	2 / 6	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)		4 / 9	2 / 6	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)		1 / 9	1 / 6	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)		5 / 9	3 / 6	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)		5 / 9	3 / 6	1 / 5	0 / 1	1 / 1	
Number of Egg/Embryo Banking Cycles							
		5	1	2	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			5		
Number of transfers		0			5		
Average number of embryos transferred					3.0		
Percentage of embryos transferred resulting in implantation (%)					5 / 15		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					2 / 5		
Percentage of transfers resulting in singleton live births (%)					3 / 5		
Percentage of transfers resulting in twin live births (%)					1 / 5		
Percentage of transfers resulting in live births (%)					4 / 5		
Percentage of transfers resulting in pregnancies (%)					4 / 5		

CURRENT SERVICES & PROFILE		Current Name: Womack Army Medical Center					
Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PREMIER FERTILITY CENTER
HIGH POINT REGIONAL HEALTH SYSTEM
HIGH POINT, NORTH CAROLINA**

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

ADVANCED REPRODUCTIVE CONCEPTS HUNTERSVILLE, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Mark L. Jutras, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	14%	Uterine factor	0%	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	19%	Male factor	53%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	0%	
				Endometriosis	7%	Unknown factor	25%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				26%

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 104 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		26	7	5	0	1	0
Percentage of cancellations before retrieval (%)		7.7	0 / 7	4 / 5		0 / 1	
Average number of embryos transferred		1.7	1.7	1.0			
Percentage of embryos transferred resulting in implantation (%)		9 / 19	9 / 12	0 / 1			
Percentage of elective single embryo transfers (eSET) (%)		4 / 12	1 / 6				
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		15.4	2 / 7	0 / 5		0 / 1	
Percentage of cycles resulting in singleton live births (%)		15.4	2 / 7	0 / 5		0 / 1	
Percentage of cycles resulting in twin live births (%)		7.7	2 / 7	0 / 5		0 / 1	
Percentage of cycles resulting in live births (%)		23.1	4 / 7	0 / 5		0 / 1	
Percentage of cycles resulting in pregnancies (%)		26.9	6 / 7	0 / 5		0 / 1	
Outcomes per Transfer							
Number of transfers		12	7	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 12	2 / 7	0 / 1			
Percentage of transfers resulting in singleton live births (%)		4 / 12	2 / 7	0 / 1			
Percentage of transfers resulting in twin live births (%)		2 / 12	2 / 7	0 / 1			
Percentage of transfers resulting in live births (%)		6 / 12	4 / 7	0 / 1			
Percentage of transfers resulting in pregnancies (%)		7 / 12	6 / 7	0 / 1			
Frozen Embryos from Nondonor Eggs							
Number of cycles		29	11	7	0	1	0
Number of transfers		29	10	7	0	1	0
Estimated average number of transfers per retrieval		1.3	2.5	3.5		0.5	
Average number of embryos transferred		1.6	1.4	1.6		1.0	
Percentage of embryos transferred resulting in implantation (%)		54.8	6 / 11	5 / 10		2 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		27.6	2 / 10	3 / 7		0 / 1	
Percentage of transfers resulting in singleton live births (%)		27.6	3 / 10	3 / 7		0 / 1	
Percentage of transfers resulting in twin live births (%)		24.1	1 / 10	1 / 7		1 / 1	
Percentage of transfers resulting in live births (%)		51.7	4 / 10	4 / 7		1 / 1	
Percentage of transfers resulting in pregnancies (%)		62.1	7 / 10	5 / 7		1 / 1	
Number of Egg/Embryo Banking Cycles							
		10	3	2	0	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			1		
Number of transfers		0			1		
Average number of embryos transferred					1.0		
Percentage of embryos transferred resulting in implantation (%)					0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					0 / 1		
Percentage of transfers resulting in singleton live births (%)					0 / 1		
Percentage of transfers resulting in twin live births (%)					0 / 1		
Percentage of transfers resulting in live births (%)					0 / 1		
Percentage of transfers resulting in pregnancies (%)					0 / 1		

CURRENT SERVICES & PROFILE		Current Name: Advanced Reproductive Concepts					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ATLANTIC REPRODUCTIVE MEDICINE SPECIALISTS RALEIGH, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Susannah D. Copland, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	76%	Tubal factor	12%	Uterine factor	13%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 36%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	16%	Male factor	51%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	18%	
				Endometriosis	11%	Unknown factor	7%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 211 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	20	19	14	5	3
Percentage of cancellations before retrieval (%)	11.1	10.0	3 / 19	2 / 14	1 / 5	0 / 3
Average number of embryos transferred	1.5	1.5	1.8	1.8	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	30.8	57.1	5 / 14	2 / 8	1 / 3	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	6 / 16	3 / 10	1 / 6	0 / 4	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.5	35.0	1 / 19	2 / 14	1 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)	22.2	40.0	3 / 19	2 / 14	1 / 5	0 / 3
Percentage of cycles resulting in twin live births (%)	3.7	5.0	1 / 19	0 / 14	0 / 5	0 / 3
Percentage of cycles resulting in live births (%)	25.9	45.0	4 / 19	2 / 14	1 / 5	0 / 3
Percentage of cycles resulting in pregnancies (%)	33.3	55.0	4 / 19	3 / 14	1 / 5	1 / 3
Outcomes per Transfer						
Number of transfers	19	14	8	5	2	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 19	7 / 14	1 / 8	2 / 5	1 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	6 / 19	8 / 14	3 / 8	2 / 5	1 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 19	1 / 14	1 / 8	0 / 5	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	7 / 19	9 / 14	4 / 8	2 / 5	1 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	9 / 19	11 / 14	4 / 8	3 / 5	1 / 2	1 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	31	9	11	2	1	0
Number of transfers	31	8	11	2	1	0
Estimated average number of transfers per retrieval	1.2	1.0	1.6	1.0	1.0	0.0
Average number of embryos transferred	1.2	1.5	1.5	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	45.7	7 / 12	4 / 16	1 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.3	5 / 8	2 / 11	1 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	35.5	5 / 8	2 / 11	1 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	0.0	0 / 8	0 / 11	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	35.5	5 / 8	2 / 11	1 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	51.6	6 / 8	3 / 11	2 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles						
	21	7	5	2	1	5
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		11			17	
Number of transfers		11			17	
Average number of embryos transferred		1.1			1.2	
Percentage of embryos transferred resulting in implantation (%)		7 / 10			9 / 19	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		6 / 11			3 / 17	
Percentage of transfers resulting in singleton live births (%)		7 / 11			6 / 17	
Percentage of transfers resulting in twin live births (%)		0 / 11			0 / 17	
Percentage of transfers resulting in live births (%)		7 / 11			6 / 17	
Percentage of transfers resulting in pregnancies (%)		9 / 11			9 / 17	

CURRENT SERVICES & PROFILE

Current Name: Atlantic Reproductive Medicine Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CAROLINA CONCEPTIONS, PA RALEIGH, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by John K. Park, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	12%	Uterine factor	7%	Multiple Factors: Female factors only 10% Female & male factors 20%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	19%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	11%	
				Endometriosis	10%	Unknown factor	11%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 700 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	153	65	53	21	10	0
Percentage of cancellations before retrieval (%)	3.3	12.3	15.1	19.0	3 / 10	
Average number of embryos transferred	1.8	1.9	2.0	2.6	2.7	
Percentage of embryos transferred resulting in implantation (%)	52.4	30.9	12.8	17.6	0 / 16	
Percentage of elective single embryo transfers (eSET) (%)	22.2	13.0	12.9	0 / 12	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.8	20.0	17.0	4.8	0 / 10	
Percentage of cycles resulting in singleton live births (%)	30.1	21.5	17.0	4.8	0 / 10	
Percentage of cycles resulting in twin live births (%)	15.0	10.8	0.0	0.0	0 / 10	
Percentage of cycles resulting in live births (%)	46.4	32.3	17.0	4.8	0 / 10	
Percentage of cycles resulting in pregnancies (%)	52.9	35.4	17.0	19.0	0 / 10	
Outcomes per Transfer						
Number of transfers	124	51	39	13	6	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.1	25.5	23.1	1 / 13	0 / 6	
Percentage of transfers resulting in singleton live births (%)	37.1	27.5	23.1	1 / 13	0 / 6	
Percentage of transfers resulting in twin live births (%)	18.5	13.7	0.0	0 / 13	0 / 6	
Percentage of transfers resulting in live births (%)	57.3	41.2	23.1	1 / 13	0 / 6	
Percentage of transfers resulting in pregnancies (%)	65.3	45.1	23.1	4 / 13	0 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	86	38	22	4	2	0
Number of transfers	84	36	22	4	1	0
Estimated average number of transfers per retrieval	1.3	0.8	1.0	0.5	0.3	0.0
Average number of embryos transferred	1.5	1.5	1.5	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	39.8	56.0	52.9	2 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.1	41.7	36.4	2 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	34.5	44.4	40.9	2 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	9.5	11.1	13.6	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	44.0	55.6	54.5	2 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	51.2	72.2	68.2	3 / 4	0 / 1	
Number of Egg/Embryo Banking Cycles	33	38	16	7	4	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		45		97		
Number of transfers		41		92		
Average number of embryos transferred		1.7		1.7		
Percentage of embryos transferred resulting in implantation (%)		55.6		48.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		31.7		35.9		
Percentage of transfers resulting in singleton live births (%)		36.6		44.6		
Percentage of transfers resulting in twin live births (%)		17.1		9.8		
Percentage of transfers resulting in live births (%)		53.7		55.4		
Percentage of transfers resulting in pregnancies (%)		73.2		65.2		

CURRENT SERVICES & PROFILE

Current Name: Carolina Conceptions, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNC FERTILITY RALEIGH, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Jennifer E. Mersereau, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	61%	Tubal factor	16%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 9%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	13%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	6%	
				Endometriosis	6%	Unknown factor	20%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 426 (includes 13 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	110	50	44	16	2	1
Percentage of cancellations before retrieval (%)	4.5	10.0	11.4	6 / 16	1 / 2	1 / 1
Average number of embryos transferred	1.2	1.8	2.2	3.0		
Percentage of embryos transferred resulting in implantation (%)	42.0	39.1	34.2	18.5		
Percentage of elective single embryo transfers (eSET) (%)	74.4	15.6	3.1	0 / 8		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.1	24.0	15.9	1 / 16	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	36.4	30.0	20.5	2 / 16	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	1.8	8.0	11.4	1 / 16	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	38.2	38.0	31.8	3 / 16	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	46.4	42.0	45.5	4 / 16	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	96	39	35	9	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	30.8	20.0	1 / 9		
Percentage of transfers resulting in singleton live births (%)	41.7	38.5	25.7	2 / 9		
Percentage of transfers resulting in twin live births (%)	2.1	10.3	14.3	1 / 9		
Percentage of transfers resulting in live births (%)	43.8	48.7	40.0	3 / 9		
Percentage of transfers resulting in pregnancies (%)	53.1	53.8	57.1	4 / 9		
Frozen Embryos from Nondonor Eggs						
Number of cycles	64	26	24	3	1	2
Number of transfers	62	25	23	3	1	0
Estimated average number of transfers per retrieval	1.2	1.6	0.7	0.6	1.0	
Average number of embryos transferred	1.4	1.5	1.6	1.7	1.0	
Percentage of embryos transferred resulting in implantation (%)	45.9	50.0	43.2	3 / 5	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.5	28.0	26.1	1 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	41.9	32.0	30.4	1 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	9.7	20.0	13.0	1 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	51.6	52.0	43.5	2 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	54.8	56.0	56.5	2 / 3	0 / 1	
Number of Egg/Embryo Banking Cycles						
	13	7	16	4	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		11			18	
Number of transfers		10			16	
Average number of embryos transferred		1.3			1.5	
Percentage of embryos transferred resulting in implantation (%)		10 / 13			34.8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		6 / 10			2 / 16	
Percentage of transfers resulting in singleton live births (%)		6 / 10			2 / 16	
Percentage of transfers resulting in twin live births (%)		2 / 10			2 / 16	
Percentage of transfers resulting in live births (%)		8 / 10			4 / 16	
Percentage of transfers resulting in pregnancies (%)		8 / 10			6 / 16	

CURRENT SERVICES & PROFILE

Current Name: UNC Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CAROLINAS FERTILITY INSTITUTE WINSTON SALEM, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Tamer M. Yalcinkaya, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	98%	Tubal factor	14%	Uterine factor	2%	Multiple Factors: Female factors only 14% Female & male factors 21%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	18%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	9%	
				Endometriosis	19%	Unknown factor	6%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 211 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		44	28	6	5	5	3
Percentage of cancellations before retrieval (%)		0.0	3.6	0/6	0/5	0/5	0/3
Average number of embryos transferred		1.6	1.8	2.0	2.3	2.5	2.5
Percentage of embryos transferred resulting in implantation (%)		65.7	47.1	1/2	1/9	0/5	0/5
Percentage of elective single embryo transfers (eSET) (%)		40.5	3/17	0/3	0/3	0/2	0/1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		43.2	17.9	1/6	1/5	0/5	0/3
Percentage of cycles resulting in singleton live births (%)		56.8	17.9	1/6	1/5	0/5	0/3
Percentage of cycles resulting in twin live births (%)		20.5	14.3	0/6	0/5	0/5	0/3
Percentage of cycles resulting in live births (%)		77.3	32.1	1/6	1/5	0/5	0/3
Percentage of cycles resulting in pregnancies (%)		81.8	39.3	3/6	1/5	0/5	0/3
Outcomes per Transfer							
Number of transfers		43	19	3	4	2	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		44.2	5/19	1/3	1/4	0/2	0/2
Percentage of transfers resulting in singleton live births (%)		58.1	5/19	1/3	1/4	0/2	0/2
Percentage of transfers resulting in twin live births (%)		20.9	4/19	0/3	0/4	0/2	0/2
Percentage of transfers resulting in live births (%)		79.1	9/19	1/3	1/4	0/2	0/2
Percentage of transfers resulting in pregnancies (%)		83.7	11/19	3/3	1/4	0/2	0/2
Frozen Embryos from Nondonor Eggs							
Number of cycles		16	14	9	7	2	1
Number of transfers		15	14	9	7	2	1
Estimated average number of transfers per retrieval		1.2	0.7	0.5	0.6	0.4	0.3
Average number of embryos transferred		1.5	1.4	1.4	1.4	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)		60.9	55.0	8/13	2/6	0/1	0/1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		7/15	4/14	5/9	0/7	0/2	0/1
Percentage of transfers resulting in singleton live births (%)		8/15	6/14	6/9	1/7	0/2	0/1
Percentage of transfers resulting in twin live births (%)		2/15	2/14	0/9	0/7	0/2	0/1
Percentage of transfers resulting in live births (%)		10/15	8/14	6/9	1/7	0/2	0/1
Percentage of transfers resulting in pregnancies (%)		12/15	9/14	6/9	4/7	1/2	0/1
Number of Egg/Embryo Banking Cycles							
		9	13	16	8	4	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		10			9		
Number of transfers		8			9		
Average number of embryos transferred		1.1			1.7		
Percentage of embryos transferred resulting in implantation (%)		6/9			8/15		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3/8			3/9		
Percentage of transfers resulting in singleton live births (%)		5/8			4/9		
Percentage of transfers resulting in twin live births (%)		0/8			2/9		
Percentage of transfers resulting in live births (%)		5/8			6/9		
Percentage of transfers resulting in pregnancies (%)		6/8			6/9		

CURRENT SERVICES & PROFILE		Current Name: Carolinas Fertility Institute					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WAKE FOREST UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE WINSTON SALEM, NORTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Erika B. Johnston-MacAnanny, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	11%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 13%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	12%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	5%	
				Endometriosis	9%	Unknown factor	26%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 251 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		54	19	24	11	1	1
Percentage of cancellations before retrieval (%)		1.9	0 / 19	33.3	3 / 11	0 / 1	0 / 1
Average number of embryos transferred		1.6	2.0	2.5	2.7	1.0	
Percentage of embryos transferred resulting in implantation (%)		66.2	35.3	26.5	4 / 19	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)		43.5	1 / 18	0 / 16	0 / 7		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		38.9	3 / 19	20.8	1 / 11	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)		46.3	5 / 19	25.0	1 / 11	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)		16.7	3 / 19	4.2	1 / 11	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)		63.0	8 / 19	29.2	2 / 11	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)		70.4	10 / 19	41.7	2 / 11	0 / 1	0 / 1
Outcomes per Transfer							
Number of transfers		46	19	16	7	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		45.7	3 / 19	5 / 16	1 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)		54.3	5 / 19	6 / 16	1 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)		19.6	3 / 19	1 / 16	1 / 7	0 / 1	
Percentage of transfers resulting in live births (%)		73.9	8 / 19	7 / 16	2 / 7	0 / 1	
Percentage of transfers resulting in pregnancies (%)		82.6	10 / 19	10 / 16	2 / 7	0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		46	24	14	11	3	1
Number of transfers		40	22	13	6	3	1
Estimated average number of transfers per retrieval		1.8	2.0	1.2	1.2		0.3
Average number of embryos transferred		1.5	1.5	1.7	1.5	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)		58.2	46.2	45.5	2 / 9	3 / 5	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		37.5	27.3	8 / 13	2 / 6	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)		42.5	31.8	8 / 13	2 / 6	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)		17.5	9.1	1 / 13	0 / 6	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)		60.0	40.9	9 / 13	2 / 6	2 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)		72.5	59.1	9 / 13	2 / 6	2 / 3	0 / 1
Number of Egg/Embryo Banking Cycles							
		8	6	7	3	0	4
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		9			4		
Number of transfers		7			3		
Average number of embryos transferred		2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)		8 / 14			2 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 7			1 / 3		
Percentage of transfers resulting in singleton live births (%)		4 / 7			2 / 3		
Percentage of transfers resulting in twin live births (%)		1 / 7			0 / 3		
Percentage of transfers resulting in live births (%)		5 / 7			2 / 3		
Percentage of transfers resulting in pregnancies (%)		5 / 7			2 / 3		

CURRENT SERVICES & PROFILE		Current Name: Wake Forest University Center for Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANFORD HEALTH REPRODUCTIVE MEDICINE INSTITUTE FARGO, NORTH DAKOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Steffen P. Christensen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	17%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 15%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	19%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	10%	
				Endometriosis	9%	Unknown factor	15%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 335 (includes 18 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	126	42	14	7	3	0
Percentage of cancellations before retrieval (%)	7.9	11.9	4 / 14	2 / 7	1 / 3	
Average number of embryos transferred	1.8	1.9	2.0	2.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	26.8	19.7	0 / 16	2 / 10	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	20.5	3.2	0 / 8	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.3	9.5	0 / 14	0 / 7	0 / 3	
Percentage of cycles resulting in singleton live births (%)	19.0	11.9	0 / 14	0 / 7	0 / 3	
Percentage of cycles resulting in twin live births (%)	7.9	7.1	0 / 14	1 / 7	0 / 3	
Percentage of cycles resulting in live births (%)	27.0	19.0	0 / 14	1 / 7	0 / 3	
Percentage of cycles resulting in pregnancies (%)	29.4	23.8	0 / 14	1 / 7	0 / 3	
Outcomes per Transfer						
Number of transfers	97	33	8	4	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.7	12.1	0 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	24.7	15.2	0 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	10.3	9.1	0 / 8	1 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	35.1	24.2	0 / 8	1 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	38.1	30.3	0 / 8	1 / 4	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	68	21	13	2	1	0
Number of transfers	65	21	13	2	1	0
Estimated average number of transfers per retrieval	1.4	1.6	1.3	2.0		
Average number of embryos transferred	1.6	1.4	1.5	2.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	41.2	48.1	5.0	2 / 5	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.5	19.0	1 / 13	2 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	27.7	19.0	1 / 13	2 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	12.3	19.0	0 / 13	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	41.5	38.1	1 / 13	2 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	52.3	52.4	1 / 13	2 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles						
	8	3	4	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			5	
Number of transfers		0			5	
Average number of embryos transferred					1.4	
Percentage of embryos transferred resulting in implantation (%)					1 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					1 / 5	
Percentage of transfers resulting in singleton live births (%)					1 / 5	
Percentage of transfers resulting in twin live births (%)					0 / 5	
Percentage of transfers resulting in live births (%)					1 / 5	
Percentage of transfers resulting in pregnancies (%)					1 / 5	

CURRENT SERVICES & PROFILE

Current Name: Sanford Health Reproductive Medicine Institute

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY UNLIMITED, INC. NORTHEASTERN OHIO FERTILITY CENTER AKRON, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Nicholas J. Spirtos, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	62%	Tubal factor	11%	Uterine factor	11%	Multiple Factors: Female factors only 14% Female & male factors 53%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	8%	Male factor	64%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	28%	
				Endometriosis	42%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 40 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	9	3	1	0	0	0
Percentage of cancellations before retrieval (%)	2 / 9	0 / 3	0 / 1			
Average number of embryos transferred	1.6	1.5	2.0			
Percentage of embryos transferred resulting in implantation (%)	4 / 11	0 / 3	0 / 2			
Percentage of elective single embryo transfers (eSET) (%)	3 / 7	0 / 1	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4 / 9	0 / 3	0 / 1			
Percentage of cycles resulting in singleton live births (%)	4 / 9	0 / 3	0 / 1			
Percentage of cycles resulting in twin live births (%)	0 / 9	0 / 3	0 / 1			
Percentage of cycles resulting in live births (%)	4 / 9	0 / 3	0 / 1			
Percentage of cycles resulting in pregnancies (%)	4 / 9	0 / 3	0 / 1			
Outcomes per Transfer						
Number of transfers	7	2	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 7	0 / 2	0 / 1			
Percentage of transfers resulting in singleton live births (%)	4 / 7	0 / 2	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 2	0 / 1			
Percentage of transfers resulting in live births (%)	4 / 7	0 / 2	0 / 1			
Percentage of transfers resulting in pregnancies (%)	4 / 7	0 / 2	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	8	0	3	0	0	0
Number of transfers	8	0	3	0	0	0
Estimated average number of transfers per retrieval	1.6					
Average number of embryos transferred	1.4		2.7			
Percentage of embryos transferred resulting in implantation (%)	1 / 11		0 / 8			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 8		0 / 3			
Percentage of transfers resulting in singleton live births (%)	1 / 8		0 / 3			
Percentage of transfers resulting in twin live births (%)	0 / 8		0 / 3			
Percentage of transfers resulting in live births (%)	1 / 8		0 / 3			
Percentage of transfers resulting in pregnancies (%)	1 / 8		0 / 3			
Number of Egg/Embryo Banking Cycles						
	2	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	9			3		
Number of transfers	9			3		
Average number of embryos transferred	1.9			1.7		
Percentage of embryos transferred resulting in implantation (%)	6 / 17			0 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 9			0 / 3		
Percentage of transfers resulting in singleton live births (%)	2 / 9			0 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 9			0 / 3		
Percentage of transfers resulting in live births (%)	3 / 9			0 / 3		
Percentage of transfers resulting in pregnancies (%)	5 / 9			0 / 3		

CURRENT SERVICES & PROFILE

Current Name: Fertility Unlimited, Inc., Northeastern Ohio Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE GYNECOLOGY, INC.-AKRON AKRON, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Richard W. Moretuzzo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	56%	Tubal factor	26%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 19% Female & male factors 31%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	8%	
				Endometriosis	21%	Unknown factor	4%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 475 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	136	51	36	18	2	3
Percentage of cancellations before retrieval (%)	0.7	9.8	19.4	6 / 18	0 / 2	1 / 3
Average number of embryos transferred	2.0	2.0	2.4	2.7	3.5	1.0
Percentage of embryos transferred resulting in implantation (%)	37.9	31.3	14.0	0.0	0 / 7	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	4.7	0.0	0 / 16	0 / 11	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.2	7.8	11.1	0 / 18	0 / 2	0 / 3
Percentage of cycles resulting in singleton live births (%)	33.1	13.7	11.1	0 / 18	0 / 2	0 / 3
Percentage of cycles resulting in twin live births (%)	9.6	9.8	2.8	0 / 18	0 / 2	0 / 3
Percentage of cycles resulting in live births (%)	43.4	23.5	13.9	0 / 18	0 / 2	0 / 3
Percentage of cycles resulting in pregnancies (%)	49.3	31.4	16.7	1 / 18	0 / 2	0 / 3
Outcomes per Transfer						
Number of transfers	111	35	20	12	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	11.4	20.0	0 / 12	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.5	20.0	20.0	0 / 12	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	11.7	14.3	5.0	0 / 12	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	53.2	34.3	25.0	0 / 12	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	60.4	45.7	30.0	1 / 12	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	104	28	25	1	1	1
Number of transfers	100	27	19	1	1	1
Estimated average number of transfers per retrieval	1.7	1.8	1.3			
Average number of embryos transferred	1.8	1.9	1.9	2.0	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	57.7	30.4	33.3	0 / 2	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.0	29.6	6 / 19	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	41.0	33.3	8 / 19	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	24.0	3.7	0 / 19	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	65.0	37.0	8 / 19	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	74.0	48.1	13 / 19	0 / 1	0 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	17	4	2	0	0	0
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		22			22	
Number of transfers		17			20	
Average number of embryos transferred		1.8			1.9	
Percentage of embryos transferred resulting in implantation (%)		58.1			35.3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 17			25.0	
Percentage of transfers resulting in singleton live births (%)		5 / 17			30.0	
Percentage of transfers resulting in twin live births (%)		4 / 17			0.0	
Percentage of transfers resulting in live births (%)		9 / 17			35.0	
Percentage of transfers resulting in pregnancies (%)		11 / 17			55.0	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Gynecology, Inc.-Akron

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLEVELAND CLINIC FERTILITY CENTER BEACHWOOD, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Cynthia Austin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	11%	Uterine factor	4%	Multiple Factors: Female factors only 13% Female & male factors 27%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	16%	Male factor	47%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	28%	
				Endometriosis	12%	Unknown factor	10%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 729 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	169	75	70	16	6	0
Percentage of cancellations before retrieval (%)	10.1	10.7	21.4	1 / 16	0 / 6	
Average number of embryos transferred	1.7	1.9	1.8	2.1	2.2	
Percentage of embryos transferred resulting in implantation (%)	56.1	46.8	41.6	3.4	1 / 13	
Percentage of elective single embryo transfers (eSET) (%)	27.0	14.0	14.6	1 / 11	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.8	18.7	21.4	1 / 16	0 / 6	
Percentage of cycles resulting in singleton live births (%)	33.1	22.7	22.9	1 / 16	0 / 6	
Percentage of cycles resulting in twin live births (%)	13.0	14.7	7.1	0 / 16	0 / 6	
Percentage of cycles resulting in live births (%)	46.2	37.3	31.4	1 / 16	0 / 6	
Percentage of cycles resulting in pregnancies (%)	55.6	50.7	42.9	1 / 16	1 / 6	
Outcomes per Transfer						
Number of transfers	128	61	51	14	6	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.7	23.0	29.4	1 / 14	0 / 6	
Percentage of transfers resulting in singleton live births (%)	43.8	27.9	31.4	1 / 14	0 / 6	
Percentage of transfers resulting in twin live births (%)	17.2	18.0	9.8	0 / 14	0 / 6	
Percentage of transfers resulting in live births (%)	60.9	45.9	43.1	1 / 14	0 / 6	
Percentage of transfers resulting in pregnancies (%)	73.4	62.3	58.8	1 / 14	1 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	120	50	56	13	3	1
Number of transfers	117	47	55	13	3	1
Estimated average number of transfers per retrieval	1.8	1.6	1.2	1.2	0.8	0.5
Average number of embryos transferred	1.6	1.6	1.5	1.3	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	49.7	47.9	42.2	2 / 17	3 / 6	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	40.2	34.0	29.1	1 / 13	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	42.7	36.2	36.4	1 / 13	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	12.0	12.8	9.1	0 / 13	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	54.7	51.1	45.5	1 / 13	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	65.0	55.3	54.5	2 / 13	2 / 3	0 / 1
Number of Egg/Embryo Banking Cycles						
	24	21	34	9	4	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	15			36		
Number of transfers	11			34		
Average number of embryos transferred	1.7			1.5		
Percentage of embryos transferred resulting in implantation (%)	11 / 17			38.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 11			23.5		
Percentage of transfers resulting in singleton live births (%)	0 / 11			41.2		
Percentage of transfers resulting in twin live births (%)	4 / 11			5.9		
Percentage of transfers resulting in live births (%)	4 / 11			47.1		
Percentage of transfers resulting in pregnancies (%)	7 / 11			50.0		

CURRENT SERVICES & PROFILE

Current Name: Cleveland Clinic Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY HOSPITALS FERTILITY CENTER BEACHWOOD, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by James Goldfarb, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	15%	Uterine factor	3%	Multiple Factors: Female factors only 8% Female & male factors 7%
Unstimulated	<1%	PGD/PGS	1%	Ovulatory dysfunction	8%	Male factor	28%	
Used gestational carrier	<1%			Diminished ovarian reserve	14%	Other factor	19%	
				Endometriosis	7%	Unknown factor	23%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 625 (includes 9 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	164	62	52	22	8	1
Percentage of cancellations before retrieval (%)	19.5	30.6	48.1	22.7	6 / 8	0 / 1
Average number of embryos transferred	1.8	1.9	2.6	3.1	3.0	3.0
Percentage of embryos transferred resulting in implantation (%)	45.7	30.4	20.4	5.7	0 / 1	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	15.7	5.9	4.8	0 / 13	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.2	22.6	13.5	4.5	0 / 8	0 / 1
Percentage of cycles resulting in singleton live births (%)	26.2	22.6	15.4	4.5	0 / 8	0 / 1
Percentage of cycles resulting in twin live births (%)	12.8	3.2	1.9	0.0	0 / 8	0 / 1
Percentage of cycles resulting in live births (%)	39.0	25.8	17.3	4.5	0 / 8	0 / 1
Percentage of cycles resulting in pregnancies (%)	47.0	30.6	17.3	22.7	1 / 8	0 / 1
Outcomes per Transfer						
Number of transfers	117	37	21	15	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.5	37.8	33.3	1 / 15	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	36.8	37.8	38.1	1 / 15	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	17.9	5.4	4.8	0 / 15	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	54.7	43.2	42.9	1 / 15	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	65.8	51.4	42.9	5 / 15	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	86	47	25	15	6	3
Number of transfers	79	43	21	12	5	2
Estimated average number of transfers per retrieval	0.9	1.0	1.2	2.0	1.0	2.0
Average number of embryos transferred	1.7	1.7	1.9	2.3	1.6	3.0
Percentage of embryos transferred resulting in implantation (%)	28.7	20.9	10.8	10.7	0 / 6	0 / 6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.8	23.3	9.5	1 / 12	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	26.6	25.6	14.3	1 / 12	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	7.6	0.0	0.0	0 / 12	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	35.4	25.6	14.3	1 / 12	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	43.0	34.9	19.0	3 / 12	1 / 5	0 / 2
Number of Egg/Embryo Banking Cycles						
	33	15	8	1	4	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	23			40		
Number of transfers	18			34		
Average number of embryos transferred	1.5			1.4		
Percentage of embryos transferred resulting in implantation (%)	50.0			45.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	8 / 18			29.4		
Percentage of transfers resulting in singleton live births (%)	9 / 18			38.2		
Percentage of transfers resulting in twin live births (%)	2 / 18			5.9		
Percentage of transfers resulting in live births (%)	11 / 18			44.1		
Percentage of transfers resulting in pregnancies (%)	12 / 18			52.9		

CURRENT SERVICES & PROFILE

Current Name: University Hospitals Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SPRINGCREEK FERTILITY CENTERVILLE, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Jeremy M. Groll, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	16%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 28%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	26%	Male factor	47%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	3%	
				Endometriosis	16%	Unknown factor	9%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 111 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	9	10	1	1	0
Percentage of cancellations before retrieval (%)	0.0	0 / 9	0 / 10	1 / 1	0 / 1	
Average number of embryos transferred	1.5	1.8	1.7			
Percentage of embryos transferred resulting in implantation (%)	47.4	4 / 16	2 / 17			
Percentage of elective single embryo transfers (eSET) (%)	45.8	2 / 9	1 / 8			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.9	2 / 9	0 / 10	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	48.1	3 / 9	1 / 10	0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	7.4	0 / 9	0 / 10	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	55.6	3 / 9	1 / 10	0 / 1	0 / 1	
Percentage of cycles resulting in pregnancies (%)	59.3	4 / 9	2 / 10	0 / 1	0 / 1	
Outcomes per Transfer						
Number of transfers	25	9	10	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.0	2 / 9	0 / 10			
Percentage of transfers resulting in singleton live births (%)	52.0	3 / 9	1 / 10			
Percentage of transfers resulting in twin live births (%)	8.0	0 / 9	0 / 10			
Percentage of transfers resulting in live births (%)	60.0	3 / 9	1 / 10			
Percentage of transfers resulting in pregnancies (%)	64.0	4 / 9	2 / 10			
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	9	6	0	0	0
Number of transfers	19	9	6	0	0	0
Estimated average number of transfers per retrieval	0.9	1.3	1.2			
Average number of embryos transferred	1.3	1.8	1.2			
Percentage of embryos transferred resulting in implantation (%)	36.0	4 / 16	0 / 7			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 19	1 / 9	0 / 6			
Percentage of transfers resulting in singleton live births (%)	7 / 19	2 / 9	0 / 6			
Percentage of transfers resulting in twin live births (%)	0 / 19	0 / 9	0 / 6			
Percentage of transfers resulting in live births (%)	7 / 19	2 / 9	0 / 6			
Percentage of transfers resulting in pregnancies (%)	8 / 19	4 / 9	0 / 6			
Number of Egg/Embryo Banking Cycles						
	15	5	4	0	0	0
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		1			4	
Number of transfers		1			4	
Average number of embryos transferred		2.0			1.5	
Percentage of embryos transferred resulting in implantation (%)		1 / 2			1 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1			1 / 4	
Percentage of transfers resulting in singleton live births (%)		0 / 1			1 / 4	
Percentage of transfers resulting in twin live births (%)		0 / 1			0 / 4	
Percentage of transfers resulting in live births (%)		0 / 1			1 / 4	
Percentage of transfers resulting in pregnancies (%)		1 / 1			1 / 4	

CURRENT SERVICES & PROFILE

Current Name: SpringCreek Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BETHESDA FERTILITY CENTER CINCINNATI, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Kasey Reynolds, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	8%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 17%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	15%	Male factor	24%	
Used gestational carrier	3%			Diminished ovarian reserve	45%	Other factor	9%	
				Endometriosis	7%	Unknown factor	14%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 274 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	76	29	13	12	10	2
Percentage of cancellations before retrieval (%)	18.4	17.2	3 / 13	6 / 12	3 / 10	2 / 2
Average number of embryos transferred	2.0	2.0	2.0	2.8	2.8	
Percentage of embryos transferred resulting in implantation (%)	33.9	30.8	15.0	1 / 14	0 / 17	
Percentage of elective single embryo transfers (eSET) (%)	1.7	4.5	1 / 10	0 / 5	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.4	13.8	1 / 13	0 / 12	0 / 10	0 / 2
Percentage of cycles resulting in singleton live births (%)	21.1	13.8	2 / 13	1 / 12	0 / 10	0 / 2
Percentage of cycles resulting in twin live births (%)	13.2	6.9	0 / 13	0 / 12	0 / 10	0 / 2
Percentage of cycles resulting in live births (%)	34.2	20.7	2 / 13	1 / 12	0 / 10	0 / 2
Percentage of cycles resulting in pregnancies (%)	38.2	37.9	3 / 13	1 / 12	0 / 10	0 / 2
Outcomes per Transfer						
Number of transfers	59	22	10	5	6	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.7	18.2	1 / 10	0 / 5	0 / 6	
Percentage of transfers resulting in singleton live births (%)	27.1	18.2	2 / 10	1 / 5	0 / 6	
Percentage of transfers resulting in twin live births (%)	16.9	9.1	0 / 10	0 / 5	0 / 6	
Percentage of transfers resulting in live births (%)	44.1	27.3	2 / 10	1 / 5	0 / 6	
Percentage of transfers resulting in pregnancies (%)	49.2	50.0	3 / 10	1 / 5	0 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	13	8	3	0	0
Number of transfers	37	13	8	3	0	0
Estimated average number of transfers per retrieval	1.4	1.4	2.0	0.8	0.0	
Average number of embryos transferred	1.8	1.6	1.8	2.7		
Percentage of embryos transferred resulting in implantation (%)	26.3	6 / 19	6 / 14	0 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.2	2 / 13	1 / 8	0 / 3		
Percentage of transfers resulting in singleton live births (%)	21.6	3 / 13	1 / 8	0 / 3		
Percentage of transfers resulting in twin live births (%)	8.1	1 / 13	2 / 8	0 / 3		
Percentage of transfers resulting in live births (%)	29.7	4 / 13	3 / 8	0 / 3		
Percentage of transfers resulting in pregnancies (%)	40.5	6 / 13	4 / 8	0 / 3		
Number of Egg/Embryo Banking Cycles						
	9	2	1	1	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	22			32		
Number of transfers	17			31		
Average number of embryos transferred	2.0			1.5		
Percentage of embryos transferred resulting in implantation (%)	35.3			17.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 17			16.1		
Percentage of transfers resulting in singleton live births (%)	7 / 17			16.1		
Percentage of transfers resulting in twin live births (%)	2 / 17			3.2		
Percentage of transfers resulting in live births (%)	9 / 17			19.4		
Percentage of transfers resulting in pregnancies (%)	10 / 17			22.6		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2015. Contact the NASS Help Desk for further information.

Current Name: Bethesda Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR REPRODUCTIVE HEALTH CINCINNATI, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Sherif G. Awadalla, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	15%	Uterine factor	14%	<i>Multiple Factors:</i> Female factors only 19% Female & male factors 19%
Unstimulated	<1%	PGD/PGS	3%	Ovulatory dysfunction	27%	Male factor	38%	
Used gestational carrier	<1%			Diminished ovarian reserve	16%	Other factor	11%	
				Endometriosis	17%	Unknown factor	8%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,176 (includes 14 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	386	162	95	46	8	1
Percentage of cancellations before retrieval (%)	6.5	13.0	15.8	30.4	1 / 8	1 / 1
Average number of embryos transferred	1.6	2.0	2.4	2.8	2.3	
Percentage of embryos transferred resulting in implantation (%)	34.7	30.1	11.9	11.1	2 / 16	
Percentage of elective single embryo transfers (eSET) (%)	36.2	5.7	5.5	0.0	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.6	18.5	13.7	15.2	1 / 8	0 / 1
Percentage of cycles resulting in singleton live births (%)	32.9	22.2	15.8	15.2	1 / 8	0 / 1
Percentage of cycles resulting in twin live births (%)	5.2	8.6	1.1	0.0	0 / 8	0 / 1
Percentage of cycles resulting in live births (%)	38.3	32.1	16.8	15.2	1 / 8	0 / 1
Percentage of cycles resulting in pregnancies (%)	41.7	35.8	22.1	21.7	1 / 8	0 / 1
Outcomes per Transfer						
Number of transfers	329	129	78	28	7	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.9	23.3	16.7	25.0	1 / 7	
Percentage of transfers resulting in singleton live births (%)	38.6	27.9	19.2	25.0	1 / 7	
Percentage of transfers resulting in twin live births (%)	6.1	10.9	1.3	0.0	0 / 7	
Percentage of transfers resulting in live births (%)	45.0	40.3	20.5	25.0	1 / 7	
Percentage of transfers resulting in pregnancies (%)	48.9	45.0	26.9	35.7	1 / 7	
Frozen Embryos from Nondonor Eggs						
Number of cycles	219	65	26	5	1	0
Number of transfers	211	60	25	4	1	0
Estimated average number of transfers per retrieval	1.4	1.6	0.8	4.0		
Average number of embryos transferred	1.6	1.7	1.6	2.3	5.0	
Percentage of embryos transferred resulting in implantation (%)	40.4	38.5	35.9	2 / 9	0 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.2	21.7	24.0	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	30.8	25.0	36.0	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	13.3	10.0	4.0	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	44.1	36.7	40.0	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	52.6	50.0	52.0	2 / 4	0 / 1	
Number of Egg/Embryo Banking Cycles						
	25	5	13	1	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		51			53	
Number of transfers		48			47	
Average number of embryos transferred		1.4			1.6	
Percentage of embryos transferred resulting in implantation (%)		51.6			42.7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		43.8			34.0	
Percentage of transfers resulting in singleton live births (%)		45.8			40.4	
Percentage of transfers resulting in twin live births (%)		10.4			12.8	
Percentage of transfers resulting in live births (%)		56.3			53.2	
Percentage of transfers resulting in pregnancies (%)		62.5			57.4	

CURRENT SERVICES & PROFILE

Current Name: Institute for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

METROHEALTH MEDICAL CENTER CLEVELAND, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Brian M. Mercer, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	0%	Tubal factor	0%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	0%	Male factor	0%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	0%	
				Endometriosis	0%	Unknown factor	100%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 1 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		1	0	0	0	0	0
Percentage of cancellations before retrieval (%)		0 / 1					
Average number of embryos transferred		5.0					
Percentage of embryos transferred resulting in implantation (%)		1 / 5					
Percentage of elective single embryo transfers (eSET) (%)		0 / 1					
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		1 / 1					
Percentage of cycles resulting in singleton live births (%)		1 / 1					
Percentage of cycles resulting in twin live births (%)		0 / 1					
Percentage of cycles resulting in live births (%)		1 / 1					
Percentage of cycles resulting in pregnancies (%)		1 / 1					
Outcomes per Transfer							
Number of transfers		1	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 1					
Percentage of transfers resulting in singleton live births (%)		1 / 1					
Percentage of transfers resulting in twin live births (%)		0 / 1					
Percentage of transfers resulting in live births (%)		1 / 1					
Percentage of transfers resulting in pregnancies (%)		1 / 1					
Frozen Embryos from Nondonor Eggs							
Number of cycles		0	0	0	0	0	0
Number of transfers		0	0	0	0	0	0
Estimated average number of transfers per retrieval							
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation (%)							
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)							
Percentage of transfers resulting in singleton live births (%)							
Percentage of transfers resulting in twin live births (%)							
Percentage of transfers resulting in live births (%)							
Percentage of transfers resulting in pregnancies (%)							
Number of Egg/Embryo Banking Cycles		0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation (%)							
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)							
Percentage of transfers resulting in singleton live births (%)							
Percentage of transfers resulting in twin live births (%)							
Percentage of transfers resulting in live births (%)							
Percentage of transfers resulting in pregnancies (%)							

CURRENT SERVICES & PROFILE		This clinic has reorganized since 2015. Contact the NASS Help Desk for further information.					
Current Name: MetroHealth Medical Center							
Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OHIO REPRODUCTIVE MEDICINE COLUMBUS, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Grant Schmidt, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	33%	Tubal factor	22%	Uterine factor	10%	<i>Multiple Factors:</i> Female factors only 20% Female & male factors 12%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	17%	Male factor	29%	
Used gestational carrier	1%			Diminished ovarian reserve	31%	Other factor	10%	
				Endometriosis	10%	Unknown factor	14%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 755 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	250	90	73	33	16	5
Percentage of cancellations before retrieval (%)	6.0	11.1	12.3	24.2	5 / 16	2 / 5
Average number of embryos transferred	1.7	2.0	2.1	2.8	3.0	1.7
Percentage of embryos transferred resulting in implantation (%)	41.8	29.7	21.9	7.3	0 / 12	1 / 5
Percentage of elective single embryo transfers (eSET) (%)	25.6	9.9	4.2	0 / 17	0 / 6	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.2	14.4	19.2	6.1	0 / 16	0 / 5
Percentage of cycles resulting in singleton live births (%)	23.6	20.0	20.5	9.1	0 / 16	0 / 5
Percentage of cycles resulting in twin live births (%)	12.8	13.3	4.1	0.0	0 / 16	0 / 5
Percentage of cycles resulting in live births (%)	37.2	33.3	24.7	9.1	0 / 16	0 / 5
Percentage of cycles resulting in pregnancies (%)	43.2	38.9	28.8	12.1	2 / 16	1 / 5
Outcomes per Transfer						
Number of transfers	211	76	55	20	6	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.7	17.1	25.5	10.0	0 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	28.0	23.7	27.3	15.0	0 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	15.2	15.8	5.5	0.0	0 / 6	0 / 3
Percentage of transfers resulting in live births (%)	44.1	39.5	32.7	15.0	0 / 6	0 / 3
Percentage of transfers resulting in pregnancies (%)	51.2	46.1	38.2	20.0	2 / 6	1 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	112	29	22	5	2	0
Number of transfers	111	28	22	5	2	0
Estimated average number of transfers per retrieval	1.7	1.9	1.3	1.0	0.3	0.0
Average number of embryos transferred	1.5	1.3	1.5	2.8	2.5	
Percentage of embryos transferred resulting in implantation (%)	40.9	55.9	15.6	3 / 14	1 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.0	35.7	18.2	2 / 5	1 / 2	
Percentage of transfers resulting in singleton live births (%)	31.5	39.3	18.2	2 / 5	1 / 2	
Percentage of transfers resulting in twin live births (%)	8.1	7.1	0.0	0 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	40.5	46.4	18.2	2 / 5	1 / 2	
Percentage of transfers resulting in pregnancies (%)	51.4	64.3	27.3	2 / 5	1 / 2	
Number of Egg/Embryo Banking Cycles						
	26	11	8	4	4	1
Donor Eggs			Fresh Embryos^f		Frozen Embryos^f	
Number of cycles			31		33	
Number of transfers			28		32	
Average number of embryos transferred			1.6		1.5	
Percentage of embryos transferred resulting in implantation (%)			29.5		39.1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			32.1		15.6	
Percentage of transfers resulting in singleton live births (%)			32.1		15.6	
Percentage of transfers resulting in twin live births (%)			7.1		15.6	
Percentage of transfers resulting in live births (%)			39.3		31.3	
Percentage of transfers resulting in pregnancies (%)			42.9		43.8	

CURRENT SERVICES & PROFILE

Current Name: Ohio Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WRIGHT STATE PHYSICIANS OB/GYN DAYTON, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Steven R. Lindheim, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	57%	Tubal factor	0%	Uterine factor	25%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 9%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	0%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	41%	
				Endometriosis	0%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 34 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	2	2	0	0	0
Percentage of cancellations before retrieval (%)	2 / 3	0 / 2	1 / 2			
Average number of embryos transferred	2.0	1.5	2.0			
Percentage of embryos transferred resulting in implantation (%)	2 / 2	0 / 3	1 / 2			
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	1 / 2	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 3	0 / 2	0 / 2			
Percentage of cycles resulting in singleton live births (%)	0 / 3	0 / 2	1 / 2			
Percentage of cycles resulting in twin live births (%)	1 / 3	0 / 2	0 / 2			
Percentage of cycles resulting in live births (%)	1 / 3	0 / 2	1 / 2			
Percentage of cycles resulting in pregnancies (%)	1 / 3	0 / 2	1 / 2			
Outcomes per Transfer						
Number of transfers	1	2	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1	0 / 2	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 2	1 / 1			
Percentage of transfers resulting in twin live births (%)	1 / 1	0 / 2	0 / 1			
Percentage of transfers resulting in live births (%)	1 / 1	0 / 2	1 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 2	1 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	3	1	0	0	0
Number of transfers	1	3	1	0	0	0
Estimated average number of transfers per retrieval	0.5	1.5				
Average number of embryos transferred	1.0	1.3	2.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 1	0 / 3	1 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1	0 / 3	1 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 3	1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 3	0 / 1			
Percentage of transfers resulting in live births (%)	1 / 1	0 / 3	1 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 3	1 / 1			
Number of Egg/Embryo Banking Cycles						
	2	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			13		
Number of transfers	7			12		
Average number of embryos transferred	1.7			1.8		
Percentage of embryos transferred resulting in implantation (%)	2 / 10			13.6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 7			2 / 12		
Percentage of transfers resulting in singleton live births (%)	2 / 7			3 / 12		
Percentage of transfers resulting in twin live births (%)	0 / 7			0 / 12		
Percentage of transfers resulting in live births (%)	2 / 7			3 / 12		
Percentage of transfers resulting in pregnancies (%)	3 / 7			3 / 12		

CURRENT SERVICES & PROFILE

Current Name: Wright State Physicians OB/GYN

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KETTERING REPRODUCTIVE MEDICINE KETTERING, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Mark C. Bidwell, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	70%	Tubal factor	14%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 23%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	5%	
				Endometriosis	22%	Unknown factor	3%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 184 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	70	19	13	3	0	0
Percentage of cancellations before retrieval (%)	7.1	0 / 19	0 / 13	0 / 3		
Average number of embryos transferred	1.9	1.9	2.1	3.0		
Percentage of embryos transferred resulting in implantation (%)	35.2	45.2	24.0	0 / 5		
Percentage of elective single embryo transfers (eSET) (%)	4.9	0 / 15	0 / 13	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	10.0	6 / 19	2 / 13	0 / 3		
Percentage of cycles resulting in singleton live births (%)	17.1	6 / 19	2 / 13	0 / 3		
Percentage of cycles resulting in twin live births (%)	18.6	4 / 19	2 / 13	0 / 3		
Percentage of cycles resulting in live births (%)	37.1	10 / 19	4 / 13	0 / 3		
Percentage of cycles resulting in pregnancies (%)	40.0	10 / 19	5 / 13	1 / 3		
Outcomes per Transfer						
Number of transfers	63	16	13	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	11.1	6 / 16	2 / 13	0 / 3		
Percentage of transfers resulting in singleton live births (%)	19.0	6 / 16	2 / 13	0 / 3		
Percentage of transfers resulting in twin live births (%)	20.6	4 / 16	2 / 13	0 / 3		
Percentage of transfers resulting in live births (%)	41.3	10 / 16	4 / 13	0 / 3		
Percentage of transfers resulting in pregnancies (%)	44.4	10 / 16	5 / 13	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	16	3	6	1	0
Number of transfers	40	16	3	6	1	0
Estimated average number of transfers per retrieval	2.0	3.2	0.8	6.0		
Average number of embryos transferred	2.0	1.8	2.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	31.6	16.0	1 / 6	2 / 12	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.0	1 / 16	0 / 3	0 / 6	0 / 1	
Percentage of transfers resulting in singleton live births (%)	25.0	4 / 16	0 / 3	0 / 6	0 / 1	
Percentage of transfers resulting in twin live births (%)	12.5	0 / 16	0 / 3	1 / 6	0 / 1	
Percentage of transfers resulting in live births (%)	37.5	4 / 16	0 / 3	1 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 16	1 / 3	1 / 6	0 / 1	
Number of Egg/Embryo Banking Cycles						
	1	0	2	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	7			2		
Number of transfers	6			2		
Average number of embryos transferred	1.8			2.0		
Percentage of embryos transferred resulting in implantation (%)	6 / 9			0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 6			0 / 2		
Percentage of transfers resulting in singleton live births (%)	3 / 6			0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 6			0 / 2		
Percentage of transfers resulting in live births (%)	4 / 6			0 / 2		
Percentage of transfers resulting in pregnancies (%)	5 / 6			0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Kettering Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY WELLNESS INSTITUTE OF OHIO MASON, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Neeoo W. Chin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	28%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 45% Female & male factors 14%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	47%	Male factor	21%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	9%	
				Endometriosis	47%	Unknown factor	9%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 58 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	22	6	9	3	0	0
Percentage of cancellations before retrieval (%)	0.0	0 / 6	3 / 9	1 / 3		
Average number of embryos transferred	2.0	2.0	2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	51.2	7 / 10	2 / 12	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	0 / 18	0 / 6	0 / 6	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	13.6	0 / 6	2 / 9	0 / 3		
Percentage of cycles resulting in singleton live births (%)	31.8	1 / 6	2 / 9	0 / 3		
Percentage of cycles resulting in twin live births (%)	22.7	2 / 6	0 / 9	0 / 3		
Percentage of cycles resulting in live births (%)	54.5	3 / 6	2 / 9	0 / 3		
Percentage of cycles resulting in pregnancies (%)	72.7	5 / 6	2 / 9	0 / 3		
Outcomes per Transfer						
Number of transfers	21	6	6	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	14.3	0 / 6	2 / 6	0 / 2		
Percentage of transfers resulting in singleton live births (%)	33.3	1 / 6	2 / 6	0 / 2		
Percentage of transfers resulting in twin live births (%)	23.8	2 / 6	0 / 6	0 / 2		
Percentage of transfers resulting in live births (%)	57.1	3 / 6	2 / 6	0 / 2		
Percentage of transfers resulting in pregnancies (%)	76.2	5 / 6	2 / 6	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	5	1	0	0	0	0
Number of transfers	5	1	0	0	0	0
Estimated average number of transfers per retrieval	1.7					
Average number of embryos transferred	1.6	2.0				
Percentage of embryos transferred resulting in implantation (%)	2 / 8	0 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 5	0 / 1				
Percentage of transfers resulting in singleton live births (%)	2 / 5	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 1				
Percentage of transfers resulting in live births (%)	2 / 5	0 / 1				
Percentage of transfers resulting in pregnancies (%)	2 / 5	0 / 1				
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			6		
Number of transfers	5			5		
Average number of embryos transferred	2.0			1.2		
Percentage of embryos transferred resulting in implantation (%)	9 / 10			0 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 5			0 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 5			0 / 5		
Percentage of transfers resulting in twin live births (%)	3 / 5			0 / 5		
Percentage of transfers resulting in live births (%)	4 / 5			0 / 5		
Percentage of transfers resulting in pregnancies (%)	5 / 5			0 / 5		

CURRENT SERVICES & PROFILE

Current Name: The Fertility Wellness Institute of Ohio

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**FERTILITY CENTER OF NORTHWEST OHIO
TOLEDO, OHIO**

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

UC CENTER FOR REPRODUCTIVE HEALTH WEST CHESTER, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Michael A. Thomas, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	56%	Tubal factor	15%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 13% Female & male factors 30%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	34%	Male factor	43%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	5%	
				Endometriosis	13%	Unknown factor	7%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 238 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	91	30	17	3	0	0
Percentage of cancellations before retrieval (%)	12.1	16.7	3 / 17	1 / 3		
Average number of embryos transferred	1.9	1.8	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	49.6	32.5	19.2	1 / 4		
Percentage of elective single embryo transfers (eSET) (%)	11.3	2 / 19	1 / 13	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.7	16.7	2 / 17	1 / 3		
Percentage of cycles resulting in singleton live births (%)	23.1	20.0	5 / 17	1 / 3		
Percentage of cycles resulting in twin live births (%)	15.4	6.7	0 / 17	0 / 3		
Percentage of cycles resulting in live births (%)	39.6	26.7	5 / 17	1 / 3		
Percentage of cycles resulting in pregnancies (%)	51.6	33.3	5 / 17	1 / 3		
Outcomes per Transfer						
Number of transfers	72	22	13	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.6	22.7	2 / 13	1 / 2		
Percentage of transfers resulting in singleton live births (%)	29.2	27.3	5 / 13	1 / 2		
Percentage of transfers resulting in twin live births (%)	19.4	9.1	0 / 13	0 / 2		
Percentage of transfers resulting in live births (%)	50.0	36.4	5 / 13	1 / 2		
Percentage of transfers resulting in pregnancies (%)	65.3	45.5	5 / 13	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	5	4	2	2	0
Number of transfers	27	4	4	1	1	0
Estimated average number of transfers per retrieval	0.7	0.4	0.8			
Average number of embryos transferred	1.8	1.5	1.8	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	16.3	1 / 6	0 / 7	0 / 2	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	7.4	1 / 4	0 / 4	0 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)	18.5	1 / 4	0 / 4	0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	0.0	0 / 4	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	18.5	1 / 4	0 / 4	0 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	25.9	1 / 4	0 / 4	0 / 1	1 / 1	
Number of Egg/Embryo Banking Cycles						
	18	8	4	0	0	0
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		12			10	
Number of transfers		11			9	
Average number of embryos transferred		1.8			2.0	
Percentage of embryos transferred resulting in implantation (%)		35.0			1 / 18	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 11			1 / 9	
Percentage of transfers resulting in singleton live births (%)		3 / 11			1 / 9	
Percentage of transfers resulting in twin live births (%)		1 / 11			0 / 9	
Percentage of transfers resulting in live births (%)		4 / 11			1 / 9	
Percentage of transfers resulting in pregnancies (%)		6 / 11			1 / 9	

CURRENT SERVICES & PROFILE

Current Name: UC Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE GYNECOLOGY, INC.-WESTERVILLE WESTERVILLE, OHIO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Richard Moretuzzo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	51%	Tubal factor	17%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 20%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	19%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	8%	
				Endometriosis	16%	Unknown factor	9%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 231 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	69	27	19	6	4	0
Percentage of cancellations before retrieval (%)	2.9	7.4	0 / 19	2 / 6	3 / 4	
Average number of embryos transferred	1.6	2.2	2.8	3.0	5.0	
Percentage of embryos transferred resulting in implantation (%)	36.5	38.0	10.0	0 / 6		
Percentage of elective single embryo transfers (eSET) (%)	35.2	0.0	0 / 16	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.1	22.2	4 / 19	0 / 6	0 / 4	
Percentage of cycles resulting in singleton live births (%)	27.5	25.9	4 / 19	0 / 6	0 / 4	
Percentage of cycles resulting in twin live births (%)	2.9	22.2	0 / 19	0 / 6	0 / 4	
Percentage of cycles resulting in live births (%)	31.9	48.1	4 / 19	0 / 6	0 / 4	
Percentage of cycles resulting in pregnancies (%)	43.5	48.1	5 / 19	0 / 6	1 / 4	
Outcomes per Transfer						
Number of transfers	58	23	16	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.0	26.1	4 / 16	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	32.8	30.4	4 / 16	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	3.4	26.1	0 / 16	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	37.9	56.5	4 / 16	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	51.7	56.5	5 / 16	0 / 2	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	56	16	10	5	0	0
Number of transfers	52	13	8	5	0	0
Estimated average number of transfers per retrieval	2.3	2.6	1.3	2.5		
Average number of embryos transferred	1.6	1.8	2.5	2.6		
Percentage of embryos transferred resulting in implantation (%)	53.2	61.9	5 / 18	4 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	42.3	4 / 13	2 / 8	1 / 5		
Percentage of transfers resulting in singleton live births (%)	42.3	4 / 13	2 / 8	2 / 5		
Percentage of transfers resulting in twin live births (%)	15.4	4 / 13	1 / 8	1 / 5		
Percentage of transfers resulting in live births (%)	57.7	8 / 13	3 / 8	3 / 5		
Percentage of transfers resulting in pregnancies (%)	67.3	9 / 13	5 / 8	3 / 5		
Number of Egg/Embryo Banking Cycles						
	5	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			6		
Number of transfers	7			6		
Average number of embryos transferred	1.6			1.5		
Percentage of embryos transferred resulting in implantation (%)	6 / 11			5 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 7			2 / 6		
Percentage of transfers resulting in singleton live births (%)	3 / 7			2 / 6		
Percentage of transfers resulting in twin live births (%)	1 / 7			0 / 6		
Percentage of transfers resulting in live births (%)	4 / 7			2 / 6		
Percentage of transfers resulting in pregnancies (%)	4 / 7			3 / 6		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Gynecology, Inc.-Westerville

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY G. BENNETT, JR., FERTILITY INSTITUTE OKLAHOMA CITY, OKLAHOMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Eli Reshef, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	20%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 29%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	16%	Male factor	61%	
Used gestational carrier	0%			Diminished ovarian reserve	8%	Other factor	18%	
				Endometriosis	19%	Unknown factor	4%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 310 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	134	54	31	7	0	0
Percentage of cancellations before retrieval (%)	9.0	1.9	6.5	0 / 7		
Average number of embryos transferred	1.9	2.2	2.3	1.9		
Percentage of embryos transferred resulting in implantation (%)	41.0	26.5	14.5	2 / 12		
Percentage of elective single embryo transfers (eSET) (%)	4.5	2.0	0.0	1 / 6		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.1	18.5	6.5	0 / 7		
Percentage of cycles resulting in singleton live births (%)	32.1	24.1	9.7	0 / 7		
Percentage of cycles resulting in twin live births (%)	14.2	7.4	6.5	1 / 7		
Percentage of cycles resulting in live births (%)	47.0	31.5	16.1	1 / 7		
Percentage of cycles resulting in pregnancies (%)	53.0	50.0	32.3	2 / 7		
Outcomes per Transfer						
Number of transfers	117	51	28	7	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	19.6	7.1	0 / 7		
Percentage of transfers resulting in singleton live births (%)	36.8	25.5	10.7	0 / 7		
Percentage of transfers resulting in twin live births (%)	16.2	7.8	7.1	1 / 7		
Percentage of transfers resulting in live births (%)	53.8	33.3	17.9	1 / 7		
Percentage of transfers resulting in pregnancies (%)	60.7	52.9	35.7	2 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	12	5	5	0	0
Number of transfers	32	7	5	4	0	0
Estimated average number of transfers per retrieval	3.2	1.8	5.0	4.0		
Average number of embryos transferred	1.8	1.9	1.4	2.0		
Percentage of embryos transferred resulting in implantation (%)	30.8	4 / 13	4 / 7	2 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.1	2 / 7	0 / 5	1 / 4		
Percentage of transfers resulting in singleton live births (%)	28.1	3 / 7	2 / 5	1 / 4		
Percentage of transfers resulting in twin live births (%)	9.4	0 / 7	1 / 5	0 / 4		
Percentage of transfers resulting in live births (%)	37.5	3 / 7	3 / 5	1 / 4		
Percentage of transfers resulting in pregnancies (%)	46.9	3 / 7	3 / 5	2 / 4		
Number of Egg/Embryo Banking Cycles						
	0	1	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		11			14	
Number of transfers		11			14	
Average number of embryos transferred		1.9			1.8	
Percentage of embryos transferred resulting in implantation (%)		38.1			24.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 11			3 / 14	
Percentage of transfers resulting in singleton live births (%)		4 / 11			4 / 14	
Percentage of transfers resulting in twin live births (%)		2 / 11			1 / 14	
Percentage of transfers resulting in live births (%)		6 / 11			5 / 14	
Percentage of transfers resulting in pregnancies (%)		6 / 11			5 / 14	

CURRENT SERVICES & PROFILE

Current Name: Henry G. Bennett, Jr., Fertility Institute

Donor eggs?	Yes	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OU PHYSICIANS REPRODUCTIVE MEDICINE OKLAHOMA CITY, OKLAHOMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE Data verified by LaTasha B. Craig, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	15%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 26%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	16%	Male factor	48%	
Used gestational carrier	1%			Diminished ovarian reserve	22%	Other factor	29%	
				Endometriosis	12%	Unknown factor	11%	

2015 ART SUCCESS RATES^c Total number of cycles^d: 261 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	104	26	25	3	1	0
Percentage of cancellations before retrieval (%)	3.8	11.5	4.0	0 / 3	0 / 1	
Average number of embryos transferred	1.8	2.0	2.6	2.3		
Percentage of embryos transferred resulting in implantation (%)	46.2	28.9	23.5	0 / 7		
Percentage of elective single embryo transfers (eSET) (%)	22.9	10.0	5.0	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.9	11.5	16.0	0 / 3	0 / 1	
Percentage of cycles resulting in singleton live births (%)	33.7	19.2	28.0	0 / 3	0 / 1	
Percentage of cycles resulting in twin live births (%)	14.4	11.5	4.0	0 / 3	0 / 1	
Percentage of cycles resulting in live births (%)	49.0	30.8	32.0	0 / 3	0 / 1	
Percentage of cycles resulting in pregnancies (%)	60.6	38.5	40.0	0 / 3	0 / 1	
Outcomes per Transfer						
Number of transfers	97	23	20	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.9	13.0	20.0	0 / 3		
Percentage of transfers resulting in singleton live births (%)	36.1	21.7	35.0	0 / 3		
Percentage of transfers resulting in twin live births (%)	15.5	13.0	5.0	0 / 3		
Percentage of transfers resulting in live births (%)	52.6	34.8	40.0	0 / 3		
Percentage of transfers resulting in pregnancies (%)	64.9	43.5	50.0	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	41	10	7	1	0	0
Number of transfers	40	10	7	1	0	0
Estimated average number of transfers per retrieval	1.7	1.7	3.5			
Average number of embryos transferred	1.7	1.7	1.9	2.0		
Percentage of embryos transferred resulting in implantation (%)	27.3	3 / 13	0 / 11	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	20.0	0 / 10	0 / 7	0 / 1		
Percentage of transfers resulting in singleton live births (%)	22.5	0 / 10	0 / 7	0 / 1		
Percentage of transfers resulting in twin live births (%)	10.0	1 / 10	0 / 7	0 / 1		
Percentage of transfers resulting in live births (%)	32.5	1 / 10	0 / 7	0 / 1		
Percentage of transfers resulting in pregnancies (%)	37.5	4 / 10	1 / 7	0 / 1		
Number of Egg/Embryo Banking Cycles						
	2	1	2	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	13			24		
Number of transfers	12			24		
Average number of embryos transferred	1.6			1.7		
Percentage of embryos transferred resulting in implantation (%)	15 / 18			35.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 12			29.2		
Percentage of transfers resulting in singleton live births (%)	3 / 12			29.2		
Percentage of transfers resulting in twin live births (%)	5 / 12			8.3		
Percentage of transfers resulting in live births (%)	8 / 12			37.5		
Percentage of transfers resulting in pregnancies (%)	10 / 12			54.2		

CURRENT SERVICES & PROFILE Current Name: OU Physicians Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TULSA FERTILITY CENTER TULSA, OKLAHOMA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Stanley G. Prough, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	11%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 26%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	16%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	30%	
				Endometriosis	5%	Unknown factor	11%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 360 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	148	32	32	4	4	1
Percentage of cancellations before retrieval (%)	6.8	15.6	9.4	2 / 4	1 / 4	0 / 1
Average number of embryos transferred	1.7	1.6	1.8	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	32.0	25.9	27.0	1 / 2	1 / 2	
Percentage of elective single embryo transfers (eSET) (%)	12.3	2 / 12	1 / 15	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	12.2	12.5	9.4	1 / 4	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	14.9	18.8	15.6	1 / 4	1 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	10.1	0.0	6.3	0 / 4	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	25.0	18.8	21.9	1 / 4	1 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	27.7	18.8	28.1	1 / 4	1 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	100	17	23	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.0	4 / 17	13.0	1 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	22.0	6 / 17	21.7	1 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	15.0	0 / 17	8.7	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	37.0	6 / 17	30.4	1 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	41.0	6 / 17	39.1	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	52	17	5	1	1	0
Number of transfers	52	17	5	1	1	0
Estimated average number of transfers per retrieval	1.6	1.1	1.3	0.5	0.2	
Average number of embryos transferred	1.5	1.5	1.4	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	39.0	38.1	3 / 6	1 / 2	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.8	6 / 17	1 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	34.6	6 / 17	3 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	9.6	1 / 17	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	44.2	7 / 17	3 / 5	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	50.0	10 / 17	4 / 5	1 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles						
	7	4	4	2	2	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		26			18	
Number of transfers		18			18	
Average number of embryos transferred		1.7			1.8	
Percentage of embryos transferred resulting in implantation (%)		54.8			27.3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		6 / 18			4 / 18	
Percentage of transfers resulting in singleton live births (%)		8 / 18			7 / 18	
Percentage of transfers resulting in twin live births (%)		4 / 18			1 / 18	
Percentage of transfers resulting in live births (%)		12 / 18			8 / 18	
Percentage of transfers resulting in pregnancies (%)		13 / 18			8 / 18	

CURRENT SERVICES & PROFILE

Current Name: Tulsa Fertility Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER OF OREGON EUGENE, OREGON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Douglas J. Austin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	7%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 35%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	32%	Male factor	49%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	16%	
				Endometriosis	11%	Unknown factor	5%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 175 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	26	13	6	1	0
Percentage of cancellations before retrieval (%)	2.3	11.5	0 / 13	0 / 6	0 / 1	
Average number of embryos transferred	2.1	2.1	2.0	2.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	43.5	25.0	26.9	2 / 12	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	4.9	17.4	0 / 12	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.9	15.4	2 / 13	2 / 6	0 / 1	
Percentage of cycles resulting in singleton live births (%)	32.6	26.9	2 / 13	2 / 6	0 / 1	
Percentage of cycles resulting in twin live births (%)	11.6	3.8	0 / 13	0 / 6	0 / 1	
Percentage of cycles resulting in live births (%)	46.5	30.8	3 / 13	2 / 6	0 / 1	
Percentage of cycles resulting in pregnancies (%)	65.1	42.3	5 / 13	2 / 6	0 / 1	
Outcomes per Transfer						
Number of transfers	41	23	13	5	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.3	17.4	2 / 13	2 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	34.1	30.4	2 / 13	2 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	12.2	4.3	0 / 13	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	48.8	34.8	3 / 13	2 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	68.3	47.8	5 / 13	2 / 5	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	12	11	5	1	0
Number of transfers	29	12	11	5	1	0
Estimated average number of transfers per retrieval	2.2	4.0	1.8	1.7		
Average number of embryos transferred	2.1	1.9	2.0	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	26.2	13.0	4.5	1 / 9	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.1	1 / 12	0 / 11	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	31.0	3 / 12	0 / 11	0 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	3.4	0 / 12	0 / 11	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	34.5	3 / 12	0 / 11	0 / 5	0 / 1	
Percentage of transfers resulting in pregnancies (%)	44.8	3 / 12	1 / 11	1 / 5	0 / 1	
Number of Egg/Embryo Banking Cycles						
	2	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	14			12		
Number of transfers	14			12		
Average number of embryos transferred	1.9			2.1		
Percentage of embryos transferred resulting in implantation (%)	51.9			20.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 14			1 / 12		
Percentage of transfers resulting in singleton live births (%)	6 / 14			2 / 12		
Percentage of transfers resulting in twin live births (%)	2 / 14			1 / 12		
Percentage of transfers resulting in live births (%)	8 / 14			3 / 12		
Percentage of transfers resulting in pregnancies (%)	11 / 14			4 / 12		

CURRENT SERVICES & PROFILE

Current Name: The Fertility Center of Oregon

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTHWEST FERTILITY CENTER
PORTLAND, OREGON**

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

OREGON REPRODUCTIVE MEDICINE PORTLAND, OREGON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by John S. Hesla, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	67%	Tubal factor	6%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 8%
Unstimulated	5%	PGD/PGS	14%	Ovulatory dysfunction	7%	Male factor	16%	
Used gestational carrier	<1%			Diminished ovarian reserve	35%	Other factor	31%	
				Endometriosis	7%	Unknown factor	14%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,646 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	137	77	61	29	16	12
Percentage of cancellations before retrieval (%)	12.4	29.9	37.7	24.1	4 / 16	4 / 12
Average number of embryos transferred	1.7	1.8	1.5	1.6		2.5
Percentage of embryos transferred resulting in implantation (%)	56.3	55.6	3 / 17	1 / 8		0 / 5
Percentage of elective single embryo transfers (eSET) (%)	27.3	18.2	3 / 8	0 / 3		0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.7	14.3	1.6	3.4	0 / 16	0 / 12
Percentage of cycles resulting in singleton live births (%)	30.7	18.2	1.6	3.4	0 / 16	0 / 12
Percentage of cycles resulting in twin live births (%)	15.3	10.4	1.6	0.0	0 / 16	0 / 12
Percentage of cycles resulting in live births (%)	46.0	28.6	3.3	3.4	0 / 16	0 / 12
Percentage of cycles resulting in pregnancies (%)	54.0	32.5	3.3	3.4	0 / 16	0 / 12
Outcomes per Transfer						
Number of transfers	100	34	11	5	0	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.0	32.4	1 / 11	1 / 5		0 / 2
Percentage of transfers resulting in singleton live births (%)	42.0	41.2	1 / 11	1 / 5		0 / 2
Percentage of transfers resulting in twin live births (%)	21.0	23.5	1 / 11	0 / 5		0 / 2
Percentage of transfers resulting in live births (%)	63.0	64.7	2 / 11	1 / 5		0 / 2
Percentage of transfers resulting in pregnancies (%)	74.0	73.5	2 / 11	1 / 5		0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	156	94	92	39	8	5
Number of transfers	146	87	82	33	6	2
Estimated average number of transfers per retrieval	1.0	0.6	0.6	0.4	0.1	0.0
Average number of embryos transferred	1.5	1.5	1.5	1.5	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	56.3	65.3	57.1	46.9	5 / 7	1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	41.8	46.0	37.8	42.4	3 / 6	1 / 2
Percentage of transfers resulting in singleton live births (%)	47.3	51.7	42.7	51.5	3 / 6	1 / 2
Percentage of transfers resulting in twin live births (%)	16.4	18.4	19.5	9.1	1 / 6	0 / 2
Percentage of transfers resulting in live births (%)	63.7	71.3	62.2	60.6	4 / 6	1 / 2
Percentage of transfers resulting in pregnancies (%)	70.5	78.2	69.5	60.6	4 / 6	1 / 2
Number of Egg/Embryo Banking Cycles						
	135	125	142	78	44	45
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	54			293		
Number of transfers	38			283		
Average number of embryos transferred	1.6			1.5		
Percentage of embryos transferred resulting in implantation (%)	66.7			67.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	47.4			38.2		
Percentage of transfers resulting in singleton live births (%)	52.6			47.3		
Percentage of transfers resulting in twin live births (%)	18.4			21.6		
Percentage of transfers resulting in live births (%)	73.7			69.3		
Percentage of transfers resulting in pregnancies (%)	81.6			78.4		

CURRENT SERVICES & PROFILE

Current Name: Oregon Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY FERTILITY CONSULTANTS
OREGON HEALTH & SCIENCE UNIVERSITY
PORTLAND, OREGON**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Diana H. Wu, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	13%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 28%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	12%	Male factor	48%	
Used gestational carrier	3%			Diminished ovarian reserve	33%	Other factor	19%	
				Endometriosis	7%	Unknown factor	6%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 520 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	71	37	33	4	1	2
Percentage of cancellations before retrieval (%)	11.3	16.2	15.2	0 / 4	0 / 1	0 / 2
Average number of embryos transferred	1.4	1.7	1.9	2.3		3.0
Percentage of embryos transferred resulting in implantation (%)	53.1	40.7	24.1	0 / 7		0 / 3
Percentage of elective single embryo transfers (eSET) (%)	57.6	5 / 17	2 / 14	0 / 3		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.5	5.4	15.2	0 / 4	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	19.7	13.5	18.2	0 / 4	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	7.0	2.7	0.0	0 / 4	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	26.8	16.2	18.2	0 / 4	0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)	28.2	24.3	24.2	0 / 4	0 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	35	17	16	3	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.4	2 / 17	5 / 16	0 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	40.0	5 / 17	6 / 16	0 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	14.3	1 / 17	0 / 16	0 / 3		0 / 1
Percentage of transfers resulting in live births (%)	54.3	6 / 17	6 / 16	0 / 3		0 / 1
Percentage of transfers resulting in pregnancies (%)	57.1	9 / 17	8 / 16	0 / 3		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	64	51	40	11	3	2
Number of transfers	61	49	39	11	3	1
Estimated average number of transfers per retrieval	1.0	0.8	1.0	0.6	0.4	1.0
Average number of embryos transferred	1.5	1.6	1.4	1.8	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	51.9	41.9	44.9	2 / 18	1 / 4	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.1	38.8	41.0	1 / 11	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	37.7	40.8	46.2	1 / 11	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	11.5	4.1	0.0	0 / 11	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	49.2	44.9	46.2	1 / 11	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	62.3	55.1	66.7	3 / 11	1 / 3	0 / 1
Number of Egg/Embryo Banking Cycles	34	41	33	19	7	1
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		25			37	
Number of transfers		21			35	
Average number of embryos transferred		1.4			1.5	
Percentage of embryos transferred resulting in implantation (%)		62.1			42.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		66.7			28.6	
Percentage of transfers resulting in singleton live births (%)		66.7			34.3	
Percentage of transfers resulting in twin live births (%)		9.5			8.6	
Percentage of transfers resulting in live births (%)		76.2			42.9	
Percentage of transfers resulting in pregnancies (%)		76.2			51.4	

CURRENT SERVICES & PROFILE

Current Name: University Fertility Consultants, Oregon Health & Science University

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ABINGTON REPRODUCTIVE MEDICINE, ABINGTON IVF AND GENETICS TOLL CENTER FOR REPRODUCTIVE SCIENCES ABINGTON, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Annette Lee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	4%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 2% Female & male factors 1%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	10%	Male factor	13%	
Used gestational carrier	<1%			Diminished ovarian reserve	22%	Other factor	33%	
				Endometriosis	2%	Unknown factor	18%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 636 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	169	99	92	37	14	1
Percentage of cancellations before retrieval (%)	8.9	6.1	12.0	10.8	2 / 14	0 / 1
Average number of embryos transferred	1.7	1.9	2.0	2.4	2.8	3.0
Percentage of embryos transferred resulting in implantation (%)	26.2	13.3	12.2	3.2	0 / 14	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	27.3	3.0	1.7	0.0	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.9	9.1	10.9	2.7	0 / 14	0 / 1
Percentage of cycles resulting in singleton live births (%)	21.3	13.1	12.0	2.7	0 / 14	0 / 1
Percentage of cycles resulting in twin live births (%)	4.7	3.0	2.2	0.0	0 / 14	0 / 1
Percentage of cycles resulting in live births (%)	26.0	16.2	14.1	2.7	0 / 14	0 / 1
Percentage of cycles resulting in pregnancies (%)	30.2	18.2	16.3	8.1	0 / 14	0 / 1
Outcomes per Transfer						
Number of transfers	137	79	65	27	5	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.4	11.4	15.4	3.7	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	26.3	16.5	16.9	3.7	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	5.8	3.8	3.1	0.0	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	32.1	20.3	20.0	3.7	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	37.2	22.8	23.1	11.1	0 / 5	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	66	36	12	4	1	0
Number of transfers	66	35	11	4	1	0
Estimated average number of transfers per retrieval	1.1	1.5	0.6	0.8	0.3	
Average number of embryos transferred	1.4	1.6	1.6	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	33.3	25.5	2 / 12	1 / 5	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.7	17.1	2 / 11	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	28.8	20.0	2 / 11	1 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)	4.5	0.0	0 / 11	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	33.3	20.0	2 / 11	1 / 4	1 / 1	
Percentage of transfers resulting in pregnancies (%)	40.9	42.9	5 / 11	2 / 4	1 / 1	
Number of Egg/Embryo Banking Cycles						
	18	13	13	2	4	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		21			34	
Number of transfers		20			33	
Average number of embryos transferred		1.6			1.6	
Percentage of embryos transferred resulting in implantation (%)		31.0			18.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		30.0			15.2	
Percentage of transfers resulting in singleton live births (%)		35.0			15.2	
Percentage of transfers resulting in twin live births (%)		5.0			6.1	
Percentage of transfers resulting in live births (%)		40.0			21.2	
Percentage of transfers resulting in pregnancies (%)		45.0			24.2	

CURRENT SERVICES & PROFILE

Current Name: Abington Reproductive Medicine, Abington IVF and Genetics, Toll Center for Reproductive Sciences

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INFERTILITY SOLUTIONS, PC
ALLENTOWN, PENNSYLVANIA**

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

REPRODUCTIVE MEDICINE ASSOCIATES OF PENNSYLVANIA ALLENTOWN, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Wendy J. Schillings, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	82%	Tubal factor	8%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 13% Female & male factors 46%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	23%	Male factor	53%	
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	53%	
				Endometriosis	14%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 279 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	67	23	8	4	0	0
Percentage of cancellations before retrieval (%)	9.0	13.0	1 / 8	2 / 4		
Average number of embryos transferred	1.4	1.2	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	74.2	8 / 11	6 / 7	1 / 1		
Percentage of elective single embryo transfers (eSET) (%)	9 / 18	6 / 8	4 / 6			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.4	21.7	3 / 8	1 / 4		
Percentage of cycles resulting in singleton live births (%)	17.9	30.4	4 / 8	1 / 4		
Percentage of cycles resulting in twin live births (%)	7.5	0.0	1 / 8	0 / 4		
Percentage of cycles resulting in live births (%)	25.4	30.4	5 / 8	1 / 4		
Percentage of cycles resulting in pregnancies (%)	28.4	34.8	6 / 8	1 / 4		
Outcomes per Transfer						
Number of transfers	23	9	6	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	47.8	5 / 9	3 / 6	1 / 1		
Percentage of transfers resulting in singleton live births (%)	52.2	7 / 9	4 / 6	1 / 1		
Percentage of transfers resulting in twin live births (%)	21.7	0 / 9	1 / 6	0 / 1		
Percentage of transfers resulting in live births (%)	73.9	7 / 9	5 / 6	1 / 1		
Percentage of transfers resulting in pregnancies (%)	82.6	8 / 9	6 / 6	1 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	67	21	14	1	0	1
Number of transfers	65	20	13	1	0	1
Estimated average number of transfers per retrieval	1.2	1.0	3.3	0.1	0.0	1.0
Average number of embryos transferred	1.4	1.3	1.2	1.0		1.0
Percentage of embryos transferred resulting in implantation (%)	61.3	73.9	9 / 16	0 / 1		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	53.8	40.0	4 / 13	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	58.5	45.0	4 / 13	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	12.3	15.0	2 / 13	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	70.8	60.0	6 / 13	0 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)	75.4	75.0	7 / 13	0 / 1		0 / 1
Number of Egg/Embryo Banking Cycles						
	23	12	4	12	4	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		3			7	
Number of transfers		1			7	
Average number of embryos transferred		2.0			1.3	
Percentage of embryos transferred resulting in implantation (%)		1 / 2			3 / 7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 1			2 / 7	
Percentage of transfers resulting in singleton live births (%)		1 / 1			2 / 7	
Percentage of transfers resulting in twin live births (%)		0 / 1			0 / 7	
Percentage of transfers resulting in live births (%)		1 / 1			2 / 7	
Percentage of transfers resulting in pregnancies (%)		1 / 1			4 / 7	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Pennsylvania

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY FERTILITY CENTER BETHLEHEM, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by H. Christina Lee, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	16%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 40%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	26%	Male factor	61%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	16%	
				Endometriosis	1%	Unknown factor	10%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 109 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	28	14	6	1	3	0
Percentage of cancellations before retrieval (%)	0.0	2 / 14	1 / 6	0 / 1	1 / 3	
Average number of embryos transferred	1.3	1.7	2.0		1.0	
Percentage of embryos transferred resulting in implantation (%)	62.5	6 / 12	0 / 8		0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	68.2	1 / 6	1 / 4			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	50.0	2 / 14	0 / 6	0 / 1	0 / 3	
Percentage of cycles resulting in singleton live births (%)	53.6	2 / 14	0 / 6	0 / 1	0 / 3	
Percentage of cycles resulting in twin live births (%)	7.1	2 / 14	0 / 6	0 / 1	0 / 3	
Percentage of cycles resulting in live births (%)	60.7	4 / 14	0 / 6	0 / 1	0 / 3	
Percentage of cycles resulting in pregnancies (%)	64.3	4 / 14	0 / 6	0 / 1	0 / 3	
Outcomes per Transfer						
Number of transfers	25	7	4	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	56.0	2 / 7	0 / 4		0 / 1	
Percentage of transfers resulting in singleton live births (%)	60.0	2 / 7	0 / 4		0 / 1	
Percentage of transfers resulting in twin live births (%)	8.0	2 / 7	0 / 4		0 / 1	
Percentage of transfers resulting in live births (%)	68.0	4 / 7	0 / 4		0 / 1	
Percentage of transfers resulting in pregnancies (%)	72.0	4 / 7	0 / 4		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	6	8	2	0	1
Number of transfers	11	5	7	2	0	1
Estimated average number of transfers per retrieval	0.9	0.7	0.8	0.3		
Average number of embryos transferred	1.1	1.8	1.9	1.5		1.0
Percentage of embryos transferred resulting in implantation (%)	10 / 12	4 / 9	5 / 13	1 / 3		1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	8 / 11	0 / 5	1 / 7	1 / 2		1 / 1
Percentage of transfers resulting in singleton live births (%)	8 / 11	0 / 5	3 / 7	1 / 2		1 / 1
Percentage of transfers resulting in twin live births (%)	1 / 11	2 / 5	0 / 7	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	9 / 11	2 / 5	3 / 7	1 / 2		1 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 11	2 / 5	4 / 7	1 / 2		1 / 1
Number of Egg/Embryo Banking Cycles						
	3	6	5	6	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			6		
Number of transfers	2			6		
Average number of embryos transferred	1.0			1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2			4 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2			2 / 6		
Percentage of transfers resulting in singleton live births (%)	0 / 2			4 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 6		
Percentage of transfers resulting in live births (%)	0 / 2			4 / 6		
Percentage of transfers resulting in pregnancies (%)	0 / 2			4 / 6		

CURRENT SERVICES & PROFILE

Current Name: Family Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MAIN LINE FERTILITY AND REPRODUCTIVE MEDICINE BRYN MAWR, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Michael J. Glassner, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	29%	Tubal factor	14%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 6%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	16%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	13%	
				Endometriosis	7%	Unknown factor	27%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,354 (includes 85 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	224	150	120	54	41	3
Percentage of cancellations before retrieval (%)	7.6	4.0	7.5	18.5	14.6	0 / 3
Average number of embryos transferred	1.9	2.1	2.6	2.7	3.0	3.3
Percentage of embryos transferred resulting in implantation (%)	35.8	26.9	12.4	9.0	6.1	0 / 10
Percentage of elective single embryo transfers (eSET) (%)	16.6	9.0	1.3	3.4	0 / 19	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.9	18.0	10.0	9.3	9.8	0 / 3
Percentage of cycles resulting in singleton live births (%)	21.0	22.7	11.7	9.3	9.8	0 / 3
Percentage of cycles resulting in twin live births (%)	11.2	8.0	1.7	0.0	0.0	0 / 3
Percentage of cycles resulting in live births (%)	33.5	30.7	13.3	9.3	9.8	0 / 3
Percentage of cycles resulting in pregnancies (%)	37.9	38.7	21.7	18.5	12.2	0 / 3
Outcomes per Transfer						
Number of transfers	178	126	84	32	23	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.5	21.4	14.3	15.6	17.4	0 / 3
Percentage of transfers resulting in singleton live births (%)	26.4	27.0	16.7	15.6	17.4	0 / 3
Percentage of transfers resulting in twin live births (%)	14.0	9.5	2.4	0.0	0.0	0 / 3
Percentage of transfers resulting in live births (%)	42.1	36.5	19.0	15.6	17.4	0 / 3
Percentage of transfers resulting in pregnancies (%)	47.8	46.0	31.0	31.3	21.7	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	160	105	63	20	12	3
Number of transfers	146	92	60	19	9	1
Estimated average number of transfers per retrieval	1.0	1.0	0.7	0.8	0.5	
Average number of embryos transferred	1.5	1.4	1.5	1.2	1.6	1.0
Percentage of embryos transferred resulting in implantation (%)	38.5	38.0	31.5	27.3	5 / 14	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.5	32.6	31.7	3 / 19	4 / 9	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.6	35.9	33.3	4 / 19	4 / 9	0 / 1
Percentage of transfers resulting in twin live births (%)	6.8	3.3	5.0	0 / 19	0 / 9	0 / 1
Percentage of transfers resulting in live births (%)	42.5	39.1	38.3	4 / 19	4 / 9	0 / 1
Percentage of transfers resulting in pregnancies (%)	51.4	47.8	41.7	6 / 19	5 / 9	0 / 1
Number of Egg/Embryo Banking Cycles						
	79	70	57	18	14	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		17			59	
Number of transfers		11			58	
Average number of embryos transferred		1.9			1.7	
Percentage of embryos transferred resulting in implantation (%)		57.1			28.9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		5 / 11			24.1	
Percentage of transfers resulting in singleton live births (%)		5 / 11			34.5	
Percentage of transfers resulting in twin live births (%)		3 / 11			3.4	
Percentage of transfers resulting in live births (%)		8 / 11			37.9	
Percentage of transfers resulting in pregnancies (%)		8 / 11			44.8	

CURRENT SERVICES & PROFILE

Current Name: Main Line Fertility and Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEISINGER MEDICAL CENTER FERTILITY PROGRAM DANVILLE, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Jennifer Gell, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	15%	Uterine factor	7%	Multiple Factors: Female factors only 6% Female & male factors 12%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	9%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	10%	
				Endometriosis	7%	Unknown factor	12%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 109 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	12	14	8	4	0
Percentage of cancellations before retrieval (%)	0.0	0 / 12	4 / 14	2 / 8	1 / 4	
Average number of embryos transferred	1.9	1.9	1.8	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	14.0	5 / 19	1 / 16	0 / 5	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	4.8	1 / 9	1 / 8	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	6.9	3 / 12	1 / 14	0 / 8	0 / 4	
Percentage of cycles resulting in singleton live births (%)	6.9	3 / 12	1 / 14	0 / 8	0 / 4	
Percentage of cycles resulting in twin live births (%)	6.9	1 / 12	0 / 14	0 / 8	0 / 4	
Percentage of cycles resulting in live births (%)	13.8	4 / 12	1 / 14	0 / 8	0 / 4	
Percentage of cycles resulting in pregnancies (%)	13.8	4 / 12	2 / 14	0 / 8	0 / 4	
Outcomes per Transfer						
Number of transfers	23	10	10	3	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	8.7	3 / 10	1 / 10	0 / 3	0 / 3	
Percentage of transfers resulting in singleton live births (%)	8.7	3 / 10	1 / 10	0 / 3	0 / 3	
Percentage of transfers resulting in twin live births (%)	8.7	1 / 10	0 / 10	0 / 3	0 / 3	
Percentage of transfers resulting in live births (%)	17.4	4 / 10	1 / 10	0 / 3	0 / 3	
Percentage of transfers resulting in pregnancies (%)	17.4	4 / 10	2 / 10	0 / 3	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	8	2	2	0	0
Number of transfers	13	7	2	2	0	0
Estimated average number of transfers per retrieval	1.4	1.4	2.0	1.0		
Average number of embryos transferred	1.7	1.4	1.5	1.5		
Percentage of embryos transferred resulting in implantation (%)	45.5	0 / 10	0 / 3	1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 13	0 / 7	0 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	6 / 13	0 / 7	0 / 2	1 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 13	0 / 7	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	8 / 13	0 / 7	0 / 2	1 / 2		
Percentage of transfers resulting in pregnancies (%)	8 / 13	0 / 7	0 / 2	1 / 2		
Number of Egg/Embryo Banking Cycles						
	1	0	0	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		1			8	
Number of transfers		0			7	
Average number of embryos transferred					1.6	
Percentage of embryos transferred resulting in implantation (%)					3 / 10	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					2 / 7	
Percentage of transfers resulting in singleton live births (%)					3 / 7	
Percentage of transfers resulting in twin live births (%)					0 / 7	
Percentage of transfers resulting in live births (%)					3 / 7	
Percentage of transfers resulting in pregnancies (%)					4 / 7	

CURRENT SERVICES & PROFILE

Current Name: Geisinger Medical Center Fertility Program

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PENN STATE MILTON S. HERSHEY MEDICAL CENTER HERSHEY, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by William C. Dodson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	13%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 5%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	25%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	1%	Other factor	2%	
				Endometriosis	8%	Unknown factor	18%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 91 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	33	8	13	1	3	0
Percentage of cancellations before retrieval (%)	12.1	3 / 8	2 / 13	0 / 1	0 / 3	
Average number of embryos transferred	2.0	1.8	2.5	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	31.4	2 / 9	36.0	0 / 3	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 4	0 / 9	0 / 1	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.2	0 / 8	1 / 13	0 / 1	0 / 3	
Percentage of cycles resulting in singleton live births (%)	21.2	0 / 8	2 / 13	0 / 1	0 / 3	
Percentage of cycles resulting in twin live births (%)	12.1	0 / 8	3 / 13	0 / 1	0 / 3	
Percentage of cycles resulting in live births (%)	33.3	0 / 8	5 / 13	0 / 1	0 / 3	
Percentage of cycles resulting in pregnancies (%)	36.4	1 / 8	5 / 13	0 / 1	0 / 3	
Outcomes per Transfer						
Number of transfers	25	5	10	1	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.0	0 / 5	1 / 10	0 / 1	0 / 3	
Percentage of transfers resulting in singleton live births (%)	28.0	0 / 5	2 / 10	0 / 1	0 / 3	
Percentage of transfers resulting in twin live births (%)	16.0	0 / 5	3 / 10	0 / 1	0 / 3	
Percentage of transfers resulting in live births (%)	44.0	0 / 5	5 / 10	0 / 1	0 / 3	
Percentage of transfers resulting in pregnancies (%)	48.0	1 / 5	5 / 10	0 / 1	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	19	7	0	0	0	0
Number of transfers	17	6	0	0	0	0
Estimated average number of transfers per retrieval	1.1	6.0				
Average number of embryos transferred	1.5	2.2				
Percentage of embryos transferred resulting in implantation (%)	34.6	3 / 13				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 17	0 / 6				
Percentage of transfers resulting in singleton live births (%)	7 / 17	1 / 6				
Percentage of transfers resulting in twin live births (%)	1 / 17	1 / 6				
Percentage of transfers resulting in live births (%)	8 / 17	2 / 6				
Percentage of transfers resulting in pregnancies (%)	8 / 17	2 / 6				
Number of Egg/Embryo Banking Cycles						
	3	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Penn State Milton S. Hershey Medical Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF PHILADELPHIA KING OF PRUSSIA, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Arthur J. Castelbaum, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	13%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 12%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	6%	Male factor	26%	
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	26%	
				Endometriosis	5%	Unknown factor	19%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 986 (includes 47 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	226	108	45	26	11	1
Percentage of cancellations before retrieval (%)	1.3	5.6	2.2	11.5	0 / 11	0 / 1
Average number of embryos transferred	1.2	1.4	1.9	1.9	1.4	3.0
Percentage of embryos transferred resulting in implantation (%)	41.8	42.3	8.7	2 / 11	2 / 10	0 / 3
Percentage of elective single embryo transfers (eSET) (%)	78.0	52.5	21.7	1 / 5	0 / 3	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.7	20.4	4.4	7.7	1 / 11	0 / 1
Percentage of cycles resulting in singleton live births (%)	27.9	25.0	4.4	7.7	2 / 11	0 / 1
Percentage of cycles resulting in twin live births (%)	3.1	4.6	0.0	0.0	0 / 11	0 / 1
Percentage of cycles resulting in live births (%)	31.0	29.6	4.4	7.7	2 / 11	0 / 1
Percentage of cycles resulting in pregnancies (%)	38.1	34.3	11.1	11.5	2 / 11	0 / 1
Outcomes per Transfer						
Number of transfers	182	71	25	7	7	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.9	31.0	8.0	2 / 7	1 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.6	38.0	8.0	2 / 7	2 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	3.8	7.0	0.0	0 / 7	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)	38.5	45.1	8.0	2 / 7	2 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	47.3	52.1	20.0	3 / 7	2 / 7	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	173	75	39	15	6	0
Number of transfers	164	64	39	10	6	0
Estimated average number of transfers per retrieval	1.3	1.0	0.8	0.4	0.6	0.0
Average number of embryos transferred	1.2	1.3	1.2	1.3	1.8	
Percentage of embryos transferred resulting in implantation (%)	46.8	48.8	42.6	6 / 12	0 / 10	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.1	35.9	28.2	3 / 10	0 / 6	
Percentage of transfers resulting in singleton live births (%)	37.8	40.6	35.9	3 / 10	0 / 6	
Percentage of transfers resulting in twin live births (%)	4.9	6.3	2.6	0 / 10	0 / 6	
Percentage of transfers resulting in live births (%)	42.7	46.9	38.5	3 / 10	0 / 6	
Percentage of transfers resulting in pregnancies (%)	52.4	54.7	51.3	7 / 10	1 / 6	
Number of Egg/Embryo Banking Cycles	39	32	34	21	7	1
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		20		60		
Number of transfers		16		56		
Average number of embryos transferred		1.2		1.2		
Percentage of embryos transferred resulting in implantation (%)		14 / 19		39.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		7 / 16		30.4		
Percentage of transfers resulting in singleton live births (%)		9 / 16		37.5		
Percentage of transfers resulting in twin live births (%)		2 / 16		0.0		
Percentage of transfers resulting in live births (%)		11 / 16		37.5		
Percentage of transfers resulting in pregnancies (%)		12 / 16		46.4		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Philadelphia

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOCIETY HILL REPRODUCTIVE MEDICINE PHILADELPHIA, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Maureen P. Kelly, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	5%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 2%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	10%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	9%	
				Endometriosis	2%	Unknown factor	19%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 96 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	4	5	3	4	3	1
Percentage of cancellations before retrieval (%)	0 / 4	0 / 5	0 / 3	0 / 4	1 / 3	0 / 1
Average number of embryos transferred	2.0	2.0	2.0	3.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 2	5 / 10	2 / 4	1 / 9	0 / 6	
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	1 / 5	0 / 1	0 / 3	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 4	2 / 5	2 / 3	1 / 4	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	0 / 4	2 / 5	2 / 3	1 / 4	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 4	1 / 5	0 / 3	0 / 4	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	1 / 4	3 / 5	2 / 3	1 / 4	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	1 / 4	3 / 5	2 / 3	1 / 4	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	1	5	2	3	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1	2 / 5	2 / 2	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 1	2 / 5	2 / 2	1 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 1	1 / 5	0 / 2	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	1 / 1	3 / 5	2 / 2	1 / 3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 1	3 / 5	2 / 2	1 / 3	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	8	9	1	0	0
Number of transfers	11	7	8	1	0	0
Estimated average number of transfers per retrieval	0.7	0.5	1.1	0.3		
Average number of embryos transferred	1.3	1.4	1.1	2.0		
Percentage of embryos transferred resulting in implantation (%)	8 / 14	4 / 10	1 / 9	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 11	0 / 7	1 / 8	0 / 1		
Percentage of transfers resulting in singleton live births (%)	6 / 11	1 / 7	1 / 8	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 11	1 / 7	0 / 8	0 / 1		
Percentage of transfers resulting in live births (%)	7 / 11	2 / 7	1 / 8	0 / 1		
Percentage of transfers resulting in pregnancies (%)	7 / 11	3 / 7	1 / 8	0 / 1		
Number of Egg/Embryo Banking Cycles						
	14	13	7	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			5		
Number of transfers	4			5		
Average number of embryos transferred	1.8			1.6		
Percentage of embryos transferred resulting in implantation (%)	4 / 7			2 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 4			2 / 5		
Percentage of transfers resulting in singleton live births (%)	2 / 4			2 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 4			0 / 5		
Percentage of transfers resulting in live births (%)	3 / 4			2 / 5		
Percentage of transfers resulting in pregnancies (%)	3 / 4			2 / 5		

CURRENT SERVICES & PROFILE

Current Name: Society Hill Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF PENNSYLVANIA
PENN FERTILITY CARE
PHILADELPHIA, PENNSYLVANIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Clarisa R. Gracia, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	12%	Uterine factor	2%	Multiple Factors: Female factors only 7% Female & male factors 10%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	11%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	17%	
				Endometriosis	8%	Unknown factor	21%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,032 (includes 12 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	171	86	60	39	18	3
Percentage of cancellations before retrieval (%)	10.5	14.0	13.3	10.3	7 / 18	0 / 3
Average number of embryos transferred	1.4	1.6	2.1	2.2	2.8	2.3
Percentage of embryos transferred resulting in implantation (%)	37.3	35.3	14.5	8.9	0 / 14	0 / 7
Percentage of elective single embryo transfers (eSET) (%)	46.6	14.3	9.4	4.5	1 / 5	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.9	17.4	6.7	2.6	0 / 18	0 / 3
Percentage of cycles resulting in singleton live births (%)	23.4	23.3	6.7	2.6	0 / 18	0 / 3
Percentage of cycles resulting in twin live births (%)	3.5	4.7	5.0	2.6	0 / 18	0 / 3
Percentage of cycles resulting in live births (%)	26.9	27.9	11.7	5.1	0 / 18	0 / 3
Percentage of cycles resulting in pregnancies (%)	32.7	31.4	13.3	10.3	0 / 18	0 / 3
Outcomes per Transfer						
Number of transfers	116	54	37	26	5	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.3	27.8	10.8	3.8	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	34.5	37.0	10.8	3.8	0 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	5.2	7.4	8.1	3.8	0 / 5	0 / 3
Percentage of transfers resulting in live births (%)	39.7	44.4	18.9	7.7	0 / 5	0 / 3
Percentage of transfers resulting in pregnancies (%)	48.3	50.0	21.6	15.4	0 / 5	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	191	83	52	25	13	1
Number of transfers	178	76	50	24	13	1
Estimated average number of transfers per retrieval	1.3	1.2	0.8	0.6	0.4	0.5
Average number of embryos transferred	1.3	1.4	1.5	1.6	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	53.5	40.0	30.8	47.1	3 / 15	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.7	25.0	20.0	25.0	1 / 13	0 / 1
Percentage of transfers resulting in singleton live births (%)	42.7	28.9	30.0	45.8	3 / 13	0 / 1
Percentage of transfers resulting in twin live births (%)	8.4	9.2	0.0	4.2	0 / 13	0 / 1
Percentage of transfers resulting in live births (%)	51.1	38.2	30.0	50.0	3 / 13	0 / 1
Percentage of transfers resulting in pregnancies (%)	61.2	48.7	50.0	66.7	5 / 13	0 / 1
Number of Egg/Embryo Banking Cycles	65	43	48	27	23	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		39			32	
Number of transfers		33			29	
Average number of embryos transferred		1.2			1.1	
Percentage of embryos transferred resulting in implantation (%)		56.1			51.6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		60.6			37.9	
Percentage of transfers resulting in singleton live births (%)		63.6			41.4	
Percentage of transfers resulting in twin live births (%)		3.0			0.0	
Percentage of transfers resulting in live births (%)		66.7			41.4	
Percentage of transfers resulting in pregnancies (%)		66.7			51.7	

CURRENT SERVICES & PROFILE

Current Name: University of Pennsylvania, Penn Fertility Care

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE AT WEST PENN ALLEGHENY HEALTH SYSTEM PITTSBURGH, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Bryan R. Hecht, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	23%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 10%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	3%	Male factor	36%	
Used gestational carrier	2%			Diminished ovarian reserve	24%	Other factor	7%	
				Endometriosis	4%	Unknown factor	19%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 95 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	17	4	9	2	0
Percentage of cancellations before retrieval (%)	26.9	6 / 17	0 / 4	0 / 9	0 / 2	
Average number of embryos transferred	1.9	2.2	2.5	3.2	2.0	
Percentage of embryos transferred resulting in implantation (%)	11.4	4 / 13	1 / 10	0 / 13	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	2 / 18	0 / 6	0 / 4	0 / 5	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3.8	4 / 17	0 / 4	0 / 9	0 / 2	
Percentage of cycles resulting in singleton live births (%)	11.5	4 / 17	0 / 4	0 / 9	0 / 2	
Percentage of cycles resulting in twin live births (%)	0.0	0 / 17	0 / 4	0 / 9	0 / 2	
Percentage of cycles resulting in live births (%)	11.5	4 / 17	0 / 4	0 / 9	0 / 2	
Percentage of cycles resulting in pregnancies (%)	15.4	4 / 17	1 / 4	1 / 9	0 / 2	
Outcomes per Transfer						
Number of transfers	18	6	4	5	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 18	4 / 6	0 / 4	0 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 18	4 / 6	0 / 4	0 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 18	0 / 6	0 / 4	0 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	3 / 18	4 / 6	0 / 4	0 / 5	0 / 2	
Percentage of transfers resulting in pregnancies (%)	4 / 18	4 / 6	1 / 4	1 / 5	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	11	2	4	0	0
Number of transfers	6	9	2	1	0	0
Estimated average number of transfers per retrieval	0.8	4.5		0.3		
Average number of embryos transferred	2.0	2.3	2.0	3.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 12	9.5	0 / 4	1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 6	0 / 9	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 6	0 / 9	0 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 6	1 / 9	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	0 / 6	1 / 9	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 6	1 / 9	0 / 2	1 / 1		
Number of Egg/Embryo Banking Cycles						
	3	0	0	2	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			6		
Number of transfers	2			5		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 4			0 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2			0 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 2			0 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 5		
Percentage of transfers resulting in live births (%)	1 / 2			0 / 5		
Percentage of transfers resulting in pregnancies (%)	1 / 2			0 / 5		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2015. Contact the NASS Help Desk for further information.

Current Name: Jones Institute at West Penn Allegheny Health System

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS, INC. PITTSBURGH, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Judith L. Albert, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	12%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 10%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	13%	Male factor	43%	
Used gestational carrier	0%			Diminished ovarian reserve	10%	Other factor	6%	
				Endometriosis	7%	Unknown factor	26%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 400 (includes 18 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	97	56	15	9	0	0
Percentage of cancellations before retrieval (%)	3.1	5.4	1 / 15	1 / 9		
Average number of embryos transferred	1.4	1.6	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	46.0	27.3	6 / 17	2 / 16		
Percentage of elective single embryo transfers (eSET) (%)	52.8	33.3	0 / 6	0 / 8		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.7	14.3	4 / 15	0 / 9		
Percentage of cycles resulting in singleton live births (%)	29.9	17.9	4 / 15	0 / 9		
Percentage of cycles resulting in twin live births (%)	4.1	5.4	0 / 15	1 / 9		
Percentage of cycles resulting in live births (%)	34.0	23.2	4 / 15	1 / 9		
Percentage of cycles resulting in pregnancies (%)	37.1	26.8	5 / 15	1 / 9		
Outcomes per Transfer						
Number of transfers	62	42	11	8	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.7	19.0	4 / 11	0 / 8		
Percentage of transfers resulting in singleton live births (%)	46.8	23.8	4 / 11	0 / 8		
Percentage of transfers resulting in twin live births (%)	6.5	7.1	0 / 11	1 / 8		
Percentage of transfers resulting in live births (%)	53.2	31.0	4 / 11	1 / 8		
Percentage of transfers resulting in pregnancies (%)	58.1	35.7	5 / 11	1 / 8		
Frozen Embryos from Nondonor Eggs						
Number of cycles	84	43	25	4	2	0
Number of transfers	79	41	24	4	2	0
Estimated average number of transfers per retrieval	1.6	2.4	1.7	1.0		
Average number of embryos transferred	1.3	1.2	1.5	1.3	1.5	
Percentage of embryos transferred resulting in implantation (%)	34.7	38.8	32.4	0 / 5	0 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.3	34.1	8.3	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	29.1	41.5	8.3	0 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	3.8	2.4	12.5	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	32.9	43.9	20.8	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	45.6	43.9	37.5	0 / 4	0 / 2	
Number of Egg/Embryo Banking Cycles						
	12	4	9	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		5		17		
Number of transfers		4		16		
Average number of embryos transferred		1.8		1.0		
Percentage of embryos transferred resulting in implantation (%)		5 / 7		6 / 16		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 4		4 / 16		
Percentage of transfers resulting in singleton live births (%)		0 / 4		6 / 16		
Percentage of transfers resulting in twin live births (%)		2 / 4		0 / 16		
Percentage of transfers resulting in live births (%)		2 / 4		6 / 16		
Percentage of transfers resulting in pregnancies (%)		3 / 4		6 / 16		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Specialists, Inc.

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF PITTSBURGH PHYSICIANS
CENTER FOR FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY
PITTSBURGH, PENNSYLVANIA**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Anthony N. Wakim, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	6%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 8%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	11%	Male factor	26%	
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	21%	
				Endometriosis	5%	Unknown factor	11%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 724 (includes 27 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	142	68	50	14	3	6
Percentage of cancellations before retrieval (%)	10.6	10.3	20.0	0 / 14	0 / 3	3 / 6
Average number of embryos transferred	1.6	1.8	2.2	2.3		3.0
Percentage of embryos transferred resulting in implantation (%)	34.0	31.2	19.3	18.5		0 / 6
Percentage of elective single embryo transfers (eSET) (%)	28.9	7.9	0.0	0 / 11		0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.3	14.7	12.0	3 / 14	0 / 3	0 / 6
Percentage of cycles resulting in singleton live births (%)	22.5	17.6	14.0	3 / 14	0 / 3	0 / 6
Percentage of cycles resulting in twin live births (%)	5.6	4.4	0.0	1 / 14	0 / 3	0 / 6
Percentage of cycles resulting in live births (%)	28.2	22.1	14.0	4 / 14	0 / 3	0 / 6
Percentage of cycles resulting in pregnancies (%)	31.0	29.4	20.0	4 / 14	0 / 3	0 / 6
Outcomes per Transfer						
Number of transfers	93	42	26	12	0	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.0	23.8	23.1	3 / 12		0 / 2
Percentage of transfers resulting in singleton live births (%)	34.4	28.6	26.9	3 / 12		0 / 2
Percentage of transfers resulting in twin live births (%)	8.6	7.1	0.0	1 / 12		0 / 2
Percentage of transfers resulting in live births (%)	43.0	35.7	26.9	4 / 12		0 / 2
Percentage of transfers resulting in pregnancies (%)	47.3	47.6	38.5	4 / 12		0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	147	70	35	12	7	2
Number of transfers	138	63	31	9	3	2
Estimated average number of transfers per retrieval	1.6	1.9	1.3	2.3	0.8	1.0
Average number of embryos transferred	1.5	1.6	1.5	1.7	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	27.2	32.0	37.0	1 / 12	0 / 6	1 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.4	30.2	29.0	1 / 9	0 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)	31.9	33.3	35.5	1 / 9	0 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)	2.2	6.3	9.7	0 / 9	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	34.1	39.7	45.2	1 / 9	0 / 3	1 / 2
Percentage of transfers resulting in pregnancies (%)	38.4	44.4	48.4	2 / 9	0 / 3	1 / 2
Number of Egg/Embryo Banking Cycles	36	9	9	2	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		24			60	
Number of transfers		22			47	
Average number of embryos transferred		1.5			1.6	
Percentage of embryos transferred resulting in implantation (%)		33.3			31.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		27.3			29.8	
Percentage of transfers resulting in singleton live births (%)		31.8			34.0	
Percentage of transfers resulting in twin live births (%)		9.1			4.3	
Percentage of transfers resulting in live births (%)		40.9			38.3	
Percentage of transfers resulting in pregnancies (%)		40.9			44.7	

CURRENT SERVICES & PROFILE

Current Name: University of Pittsburgh Physicians,
Center for Fertility and Reproductive Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ENDOCRINOLOGY AND FERTILITY CENTER UPLAND, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Albert El-Roeiy, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	70%	Tubal factor	34%	Uterine factor	15%	<i>Multiple Factors:</i> Female factors only 28% Female & male factors 13%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	13%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	28%	
				Endometriosis	27%	Unknown factor	0%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 115 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		36	16	13	2	0	2
Percentage of cancellations before retrieval (%)		19.4	4 / 16	3 / 13	0 / 2		1 / 2
Average number of embryos transferred		1.9	2.2	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)		17.6	18.2	3 / 18	2 / 2		
Percentage of elective single embryo transfers (eSET) (%)		1 / 17	1 / 10	0 / 9	0 / 1		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		2.8	2 / 16	1 / 13	0 / 2		0 / 2
Percentage of cycles resulting in singleton live births (%)		5.6	3 / 16	1 / 13	0 / 2		0 / 2
Percentage of cycles resulting in twin live births (%)		5.6	0 / 16	1 / 13	0 / 2		0 / 2
Percentage of cycles resulting in live births (%)		11.1	3 / 16	2 / 13	0 / 2		0 / 2
Percentage of cycles resulting in pregnancies (%)		13.9	4 / 16	2 / 13	1 / 2		0 / 2
Outcomes per Transfer							
Number of transfers		19	10	9	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 19	2 / 10	1 / 9	0 / 1		
Percentage of transfers resulting in singleton live births (%)		2 / 19	3 / 10	1 / 9	0 / 1		
Percentage of transfers resulting in twin live births (%)		2 / 19	0 / 10	1 / 9	0 / 1		
Percentage of transfers resulting in live births (%)		4 / 19	3 / 10	2 / 9	0 / 1		
Percentage of transfers resulting in pregnancies (%)		5 / 19	4 / 10	2 / 9	1 / 1		
Frozen Embryos from Nondonor Eggs							
Number of cycles		16	10	5	1	0	0
Number of transfers		13	10	5	1	0	0
Estimated average number of transfers per retrieval		1.1	1.7	0.8	1.0		
Average number of embryos transferred		1.9	1.8	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)		20.0	2 / 18	2 / 10	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 13	2 / 10	0 / 5	0 / 1		
Percentage of transfers resulting in singleton live births (%)		2 / 13	2 / 10	0 / 5	0 / 1		
Percentage of transfers resulting in twin live births (%)		1 / 13	0 / 10	0 / 5	0 / 1		
Percentage of transfers resulting in live births (%)		3 / 13	2 / 10	0 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)		4 / 13	2 / 10	1 / 5	0 / 1		
Number of Egg/Embryo Banking Cycles							
		1	0	3	1	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		5			3		
Number of transfers		3			3		
Average number of embryos transferred		1.7			1.7		
Percentage of embryos transferred resulting in implantation (%)		1 / 5			4 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 3			0 / 3		
Percentage of transfers resulting in singleton live births (%)		1 / 3			0 / 3		
Percentage of transfers resulting in twin live births (%)		0 / 3			2 / 3		
Percentage of transfers resulting in live births (%)		1 / 3			2 / 3		
Percentage of transfers resulting in pregnancies (%)		1 / 3			2 / 3		

CURRENT SERVICES & PROFILE		Current Name: Reproductive Endocrinology and Fertility Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHADY GROVE FERTILITY RSC OF PENNSYLVANIA WAYNE, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Isaac Sasson, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	72%	Tubal factor	13%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 8%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	18%	Male factor	20%	
Used gestational carrier	2%			Diminished ovarian reserve	32%	Other factor	7%	
				Endometriosis	6%	Unknown factor	14%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 758 (includes 19 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	119	38	15	5	6	2
Percentage of cancellations before retrieval (%)	10.1	15.8	5 / 15	2 / 5	1 / 6	1 / 2
Average number of embryos transferred	1.3	1.5	1.8	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	48.5	23.3	0 / 9	0 / 2	1 / 1	
Percentage of elective single embryo transfers (eSET) (%)	70.8	50.0	0 / 4	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	13.4	5.3	0 / 15	0 / 5	0 / 6	0 / 2
Percentage of cycles resulting in singleton live births (%)	17.6	7.9	0 / 15	0 / 5	0 / 6	0 / 2
Percentage of cycles resulting in twin live births (%)	3.4	2.6	0 / 15	0 / 5	0 / 6	0 / 2
Percentage of cycles resulting in live births (%)	21.0	10.5	0 / 15	0 / 5	0 / 6	0 / 2
Percentage of cycles resulting in pregnancies (%)	23.5	15.8	0 / 15	0 / 5	1 / 6	0 / 2
Outcomes per Transfer						
Number of transfers	55	20	5	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.1	10.0	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	38.2	15.0	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	7.3	5.0	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	45.5	20.0	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	50.9	30.0	0 / 5	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	153	79	37	10	3	1
Number of transfers	144	65	33	9	3	1
Estimated average number of transfers per retrieval	1.4	1.0	1.0	0.6	0.8	1.0
Average number of embryos transferred	1.3	1.2	1.3	1.6	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	41.4	44.6	35.0	4 / 14	0 / 6	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.9	36.9	33.3	1 / 9	0 / 3	1 / 1
Percentage of transfers resulting in singleton live births (%)	31.9	38.5	36.4	2 / 9	0 / 3	1 / 1
Percentage of transfers resulting in twin live births (%)	5.6	3.1	0.0	1 / 9	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	37.5	41.5	36.4	3 / 9	0 / 3	1 / 1
Percentage of transfers resulting in pregnancies (%)	51.4	50.8	48.5	3 / 9	0 / 3	1 / 1
Number of Egg/Embryo Banking Cycles						
	41	47	26	12	2	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		69			73	
Number of transfers		54			67	
Average number of embryos transferred		1.4			1.3	
Percentage of embryos transferred resulting in implantation (%)		44.8			26.8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		29.6			13.4	
Percentage of transfers resulting in singleton live births (%)		31.5			17.9	
Percentage of transfers resulting in twin live births (%)		7.4			1.5	
Percentage of transfers resulting in live births (%)		38.9			19.4	
Percentage of transfers resulting in pregnancies (%)		53.7			40.3	

CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility RSC of Pennsylvania

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RHPN WOMEN'S CLINIC & IVF-FERTILITY WEST READING, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Vincent A. Pellegrini, MD					
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b					
IVF	100%	With ICSI	71%	Tubal factor	36%	Uterine factor	3%	<i>Multiple Factors:</i>	
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	25%	Male factor	42%	Female factors only	43%
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	42%	Female & male factors	26%
				Endometriosis	25%	Unknown factor	0%		

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 99 (includes 9 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		28	19	13	0	1	0
Percentage of cancellations before retrieval (%)		3.6	8 / 19	3 / 13		0 / 1	
Average number of embryos transferred		2.2	2.1	2.1		4.0	
Percentage of embryos transferred resulting in implantation (%)		35.3	21.7	5 / 17		0 / 4	
Percentage of elective single embryo transfers (eSET) (%)		0.0	1 / 11	1 / 7		0 / 1	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		28.6	1 / 19	5 / 13		0 / 1	
Percentage of cycles resulting in singleton live births (%)		42.9	1 / 19	5 / 13		0 / 1	
Percentage of cycles resulting in twin live births (%)		0.0	1 / 19	0 / 13		0 / 1	
Percentage of cycles resulting in live births (%)		46.4	2 / 19	5 / 13		0 / 1	
Percentage of cycles resulting in pregnancies (%)		53.6	4 / 19	5 / 13		0 / 1	
Outcomes per Transfer							
Number of transfers		23	11	8	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		34.8	1 / 11	5 / 8		0 / 1	
Percentage of transfers resulting in singleton live births (%)		52.2	1 / 11	5 / 8		0 / 1	
Percentage of transfers resulting in twin live births (%)		0.0	1 / 11	0 / 8		0 / 1	
Percentage of transfers resulting in live births (%)		56.5	2 / 11	5 / 8		0 / 1	
Percentage of transfers resulting in pregnancies (%)		65.2	4 / 11	5 / 8		0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		12	5	6	0	0	0
Number of transfers		11	4	4	0	0	0
Estimated average number of transfers per retrieval		2.8	4.0	2.0			
Average number of embryos transferred		1.6	2.0	1.0			
Percentage of embryos transferred resulting in implantation (%)		6 / 18	3 / 8	1 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 11	1 / 4	1 / 4			
Percentage of transfers resulting in singleton live births (%)		3 / 11	1 / 4	1 / 4			
Percentage of transfers resulting in twin live births (%)		1 / 11	1 / 4	0 / 4			
Percentage of transfers resulting in live births (%)		4 / 11	2 / 4	1 / 4			
Percentage of transfers resulting in pregnancies (%)		5 / 11	2 / 4	1 / 4			
Number of Egg/Embryo Banking Cycles							
		0	0	2	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			4		
Number of transfers		0			2		
Average number of embryos transferred					1.0		
Percentage of embryos transferred resulting in implantation (%)					1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					1 / 2		
Percentage of transfers resulting in singleton live births (%)					1 / 2		
Percentage of transfers resulting in twin live births (%)					0 / 2		
Percentage of transfers resulting in live births (%)					1 / 2		
Percentage of transfers resulting in pregnancies (%)					1 / 2		

CURRENT SERVICES & PROFILE		Current Name: RHPN Women's Clinic & IVF-Fertility					
Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER, LLC YORK, PENNSYLVANIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Robert B. Filer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	97%	Tubal factor	27%	Uterine factor	1%	Multiple Factors: Female factors only 11% Female & male factors 3%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	22%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	7%	
				Endometriosis	3%	Unknown factor	22%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 157 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	16	7	3	6	2
Percentage of cancellations before retrieval (%)	3.4	0 / 16	0 / 7	0 / 3	0 / 6	0 / 2
Average number of embryos transferred	2.0	2.1	1.9	1.3	2.2	2.5
Percentage of embryos transferred resulting in implantation (%)	30.2	41.2	2 / 11	1 / 4	0 / 13	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	5.9	0 / 16	0 / 4	0 / 1	0 / 5	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.3	5 / 16	0 / 7	1 / 3	0 / 6	0 / 2
Percentage of cycles resulting in singleton live births (%)	27.1	5 / 16	0 / 7	1 / 3	0 / 6	0 / 2
Percentage of cycles resulting in twin live births (%)	11.9	4 / 16	1 / 7	0 / 3	0 / 6	0 / 2
Percentage of cycles resulting in live births (%)	39.0	9 / 16	1 / 7	1 / 3	0 / 6	0 / 2
Percentage of cycles resulting in pregnancies (%)	40.7	10 / 16	2 / 7	1 / 3	0 / 6	0 / 2
Outcomes per Transfer						
Number of transfers	55	16	7	3	6	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.4	5 / 16	0 / 7	1 / 3	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	29.1	5 / 16	0 / 7	1 / 3	0 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	12.7	4 / 16	1 / 7	0 / 3	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	41.8	9 / 16	1 / 7	1 / 3	0 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	43.6	10 / 16	2 / 7	1 / 3	0 / 6	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	3	7	2	1	0
Number of transfers	23	3	7	2	1	0
Estimated average number of transfers per retrieval	1.8	0.8	2.3	2.0	0.5	
Average number of embryos transferred	1.9	2.0	2.0	2.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	26.2	2 / 6	1 / 14	1 / 5	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.1	2 / 3	1 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	26.1	2 / 3	1 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	8.7	0 / 3	0 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	34.8	2 / 3	1 / 7	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)	43.5	2 / 3	1 / 7	1 / 2	0 / 1	
Number of Egg/Embryo Banking Cycles						
	2	2	3	0	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			17		
Number of transfers	3			17		
Average number of embryos transferred	1.7			1.8		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			25.8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3			3 / 17		
Percentage of transfers resulting in singleton live births (%)	1 / 3			5 / 17		
Percentage of transfers resulting in twin live births (%)	0 / 3			1 / 17		
Percentage of transfers resulting in live births (%)	1 / 3			6 / 17		
Percentage of transfers resulting in pregnancies (%)	2 / 3			7 / 17		

CURRENT SERVICES & PROFILE

Current Name: The Fertility Center, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PEDRO J. BEAUCHAMP, MD IVF PROGRAM BAYAMON, PUERTO RICO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Pedro J. Beauchamp, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	41%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 23% Female & male factors 47%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	18%	Male factor	61%	
Used gestational carrier	<1%			Diminished ovarian reserve	8%	Other factor	52%	
				Endometriosis	23%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 146 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	40	26	26	16	9	4
Percentage of cancellations before retrieval (%)	7.5	7.7	7.7	1 / 16	4 / 9	0 / 4
Average number of embryos transferred	2.0	2.3	2.5	2.3	2.8	3.5
Percentage of embryos transferred resulting in implantation (%)	52.2	42.9	29.1	19.2	0 / 11	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	5.7	0.0	4.3	0 / 12	0 / 5	0 / 4
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.0	19.2	26.9	1 / 16	0 / 9	0 / 4
Percentage of cycles resulting in singleton live births (%)	32.5	34.6	26.9	1 / 16	0 / 9	0 / 4
Percentage of cycles resulting in twin live births (%)	15.0	15.4	7.7	0 / 16	0 / 9	0 / 4
Percentage of cycles resulting in live births (%)	50.0	50.0	34.6	2 / 16	0 / 9	0 / 4
Percentage of cycles resulting in pregnancies (%)	67.5	65.4	57.7	6 / 16	1 / 9	2 / 4
Outcomes per Transfer						
Number of transfers	37	24	23	15	5	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.0	20.8	30.4	1 / 15	0 / 5	0 / 4
Percentage of transfers resulting in singleton live births (%)	35.1	37.5	30.4	1 / 15	0 / 5	0 / 4
Percentage of transfers resulting in twin live births (%)	16.2	16.7	8.7	0 / 15	0 / 5	0 / 4
Percentage of transfers resulting in live births (%)	54.1	54.2	39.1	2 / 15	0 / 5	0 / 4
Percentage of transfers resulting in pregnancies (%)	73.0	70.8	65.2	6 / 15	1 / 5	2 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	6	2	0	1
Number of transfers	2	2	6	2	0	1
Estimated average number of transfers per retrieval	2.0		2.0	1.0		
Average number of embryos transferred	2.5	3.0	3.3	2.5		3.0
Percentage of embryos transferred resulting in implantation (%)	2 / 5	2 / 3	20.0	1 / 5		0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2	0 / 2	2 / 6	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 2	2 / 6	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 2	0 / 6	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	1 / 2	1 / 2	2 / 6	0 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 2	2 / 2	3 / 6	1 / 2		0 / 1
Number of Egg/Embryo Banking Cycles						
	1	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	11			0		
Number of transfers	11			0		
Average number of embryos transferred	2.1					
Percentage of embryos transferred resulting in implantation (%)	57.1					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 11					
Percentage of transfers resulting in singleton live births (%)	1 / 11					
Percentage of transfers resulting in twin live births (%)	3 / 11					
Percentage of transfers resulting in live births (%)	5 / 11					
Percentage of transfers resulting in pregnancies (%)	7 / 11					

CURRENT SERVICES & PROFILE

Current Name: Pedro J. Beauchamp, MD IVF Program

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLINICA DE FERTILIDAD HIMA-SAN PABLO CAGUAS CAGUAS, PUERTO RICO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Jose R. Cruz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	32%	Uterine factor	0%	Multiple Factors: Female factors only 4% Female & male factors 15%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	6%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	6%	
				Endometriosis	11%	Unknown factor	21%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 53 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	14	13	11	2	0	0
Percentage of cancellations before retrieval (%)	0 / 14	0 / 13	0 / 11	0 / 2		
Average number of embryos transferred	1.7	2.0	2.1	3.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 19	42.3	26.1	0 / 6		
Percentage of elective single embryo transfers (eSET) (%)	3 / 10	0 / 12	0 / 10	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 14	5 / 13	1 / 11	0 / 2		
Percentage of cycles resulting in singleton live births (%)	0 / 14	6 / 13	1 / 11	0 / 2		
Percentage of cycles resulting in twin live births (%)	1 / 14	2 / 13	1 / 11	0 / 2		
Percentage of cycles resulting in live births (%)	1 / 14	8 / 13	2 / 11	0 / 2		
Percentage of cycles resulting in pregnancies (%)	1 / 14	9 / 13	4 / 11	0 / 2		
Outcomes per Transfer						
Number of transfers	11	13	11	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 11	5 / 13	1 / 11	0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 11	6 / 13	1 / 11	0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 11	2 / 13	1 / 11	0 / 2		
Percentage of transfers resulting in live births (%)	1 / 11	8 / 13	2 / 11	0 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 11	9 / 13	4 / 11	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	3	2	1	0	0
Number of transfers	4	3	2	1	0	0
Estimated average number of transfers per retrieval	1.0	1.5	1.0	1.0		
Average number of embryos transferred	1.8	1.7	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 7	0 / 5	0 / 3	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 4	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	0 / 4	0 / 3	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 4	0 / 3	0 / 2	0 / 1		
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			0		
Number of transfers	3			0		
Average number of embryos transferred	1.7					
Percentage of embryos transferred resulting in implantation (%)	0 / 5					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3					
Percentage of transfers resulting in singleton live births (%)	0 / 3					
Percentage of transfers resulting in twin live births (%)	0 / 3					
Percentage of transfers resulting in live births (%)	0 / 3					
Percentage of transfers resulting in pregnancies (%)	0 / 3					

CURRENT SERVICES & PROFILE

Current Name: Clinica de Fertilidad HIMA-San Pablo Caguas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

GREFI
GYNECOLOGY, REPRODUCTIVE ENDOCRINOLOGY & FERTILITY INSTITUTE
SAN JUAN, PUERTO RICO

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Rosa Ileana Cruz, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	17%	Uterine factor	7%	Multiple Factors: Female factors only 3% Female & male factors 7%
Unstimulated	0%	PGD/PGS	47%	Ovulatory dysfunction	3%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	3%	Other factor	40%	
				Endometriosis	10%	Unknown factor	10%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 33 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	8	2	5	2	1	1
Percentage of cancellations before retrieval (%)	0/8	0/2	0/5	0/2	0/1	0/1
Average number of embryos transferred	2.3	2.0	2.5	1.0	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	4/18	0/4	1/10	0/1	1/1	0/2
Percentage of elective single embryo transfers (eSET) (%)	1/8	0/2	0/4			0/1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1/8	0/2	1/5	0/2	1/1	0/1
Percentage of cycles resulting in singleton live births (%)	2/8	0/2	1/5	0/2	1/1	0/1
Percentage of cycles resulting in twin live births (%)	1/8	0/2	0/5	0/2	0/1	0/1
Percentage of cycles resulting in live births (%)	3/8	0/2	1/5	0/2	1/1	0/1
Percentage of cycles resulting in pregnancies (%)	3/8	0/2	1/5	0/2	1/1	0/1
Outcomes per Transfer						
Number of transfers	8	2	4	1	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1/8	0/2	1/4	0/1	1/1	0/1
Percentage of transfers resulting in singleton live births (%)	2/8	0/2	1/4	0/1	1/1	0/1
Percentage of transfers resulting in twin live births (%)	1/8	0/2	0/4	0/1	0/1	0/1
Percentage of transfers resulting in live births (%)	3/8	0/2	1/4	0/1	1/1	0/1
Percentage of transfers resulting in pregnancies (%)	3/8	0/2	1/4	0/1	1/1	0/1
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	2	1	3	2	1
Number of transfers	1	2	1	3	2	1
Estimated average number of transfers per retrieval	1.0	2.0	1.0	3.0		
Average number of embryos transferred	2.0	2.0	1.0	1.7	2.5	1.0
Percentage of embryos transferred resulting in implantation (%)	0/2	0/4	0/1	0/5	2/5	0/1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0/1	0/2	0/1	0/3	0/2	0/1
Percentage of transfers resulting in singleton live births (%)	0/1	0/2	0/1	0/3	0/2	0/1
Percentage of transfers resulting in twin live births (%)	0/1	0/2	0/1	0/3	1/2	0/1
Percentage of transfers resulting in live births (%)	0/1	0/2	0/1	0/3	1/2	0/1
Percentage of transfers resulting in pregnancies (%)	0/1	0/2	0/1	0/3	1/2	0/1
Number of Egg/Embryo Banking Cycles						
	0	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				1.0		
Percentage of embryos transferred resulting in implantation (%)				0/1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0/1		
Percentage of transfers resulting in singleton live births (%)				0/1		
Percentage of transfers resulting in twin live births (%)				0/1		
Percentage of transfers resulting in live births (%)				0/1		
Percentage of transfers resulting in pregnancies (%)				0/1		

CURRENT SERVICES & PROFILE

Current Name: GREFI, Gynecology, Reproductive Endocrinology & Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN AND INFANTS' CENTER FOR REPRODUCTION AND INFERTILITY PROVIDENCE, RHODE ISLAND

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Ruben Alvero, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	8%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 9%
Unstimulated	<1%	PGD/PGS	<1%	Ovulatory dysfunction	13%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	8%	
				Endometriosis	3%	Unknown factor	38%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 605 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	159	110	80	47	12	0
Percentage of cancellations before retrieval (%)	3.1	6.4	5.0	8.5	2 / 12	
Average number of embryos transferred	1.6	1.8	2.7	3.2	4.0	
Percentage of embryos transferred resulting in implantation (%)	33.2	19.4	14.0	5.6	8.3	
Percentage of elective single embryo transfers (eSET) (%)	35.9	17.5	0.0	0.0	0 / 8	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.2	9.1	7.5	4.3	1 / 12	
Percentage of cycles resulting in singleton live births (%)	28.9	11.8	11.3	4.3	1 / 12	
Percentage of cycles resulting in twin live births (%)	3.1	5.5	7.5	2.1	1 / 12	
Percentage of cycles resulting in live births (%)	33.3	17.3	18.8	6.4	2 / 12	
Percentage of cycles resulting in pregnancies (%)	40.9	21.8	25.0	14.9	2 / 12	
Outcomes per Transfer						
Number of transfers	142	92	67	40	9	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.2	10.9	9.0	5.0	1 / 9	
Percentage of transfers resulting in singleton live births (%)	32.4	14.1	13.4	5.0	1 / 9	
Percentage of transfers resulting in twin live births (%)	3.5	6.5	9.0	2.5	1 / 9	
Percentage of transfers resulting in live births (%)	37.3	20.7	22.4	7.5	2 / 9	
Percentage of transfers resulting in pregnancies (%)	45.8	26.1	29.9	17.5	2 / 9	
Frozen Embryos from Nondonor Eggs						
Number of cycles	70	57	22	4	4	2
Number of transfers	66	55	21	4	3	2
Estimated average number of transfers per retrieval	1.3	1.8	2.1	1.0		
Average number of embryos transferred	1.7	1.8	2.0	2.0	4.0	3.0
Percentage of embryos transferred resulting in implantation (%)	25.0	23.2	19.4	2 / 8	0 / 5	0 / 6
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.2	20.0	4.8	1 / 4	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	22.7	27.3	9.5	1 / 4	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	7.6	1.8	4.8	0 / 4	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	30.3	30.9	14.3	1 / 4	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	36.4	36.4	33.3	2 / 4	1 / 3	0 / 2
Number of Egg/Embryo Banking Cycles	6	5	3	1	0	0
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		9		12		
Number of transfers		9		11		
Average number of embryos transferred		2.1		1.9		
Percentage of embryos transferred resulting in implantation (%)		10 / 19		38.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 9		1 / 11		
Percentage of transfers resulting in singleton live births (%)		3 / 9		1 / 11		
Percentage of transfers resulting in twin live births (%)		3 / 9		2 / 11		
Percentage of transfers resulting in live births (%)		6 / 9		3 / 11		
Percentage of transfers resulting in pregnancies (%)		7 / 9		5 / 11		

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2015. Contact the NASS Help Desk for further information.

Current Name: Women and Infants' Center for Reproduction and Infertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF THE CAROLINAS

UNIVERSITY MEDICAL GROUP, DEPARTMENT OF OBSTETRICS AND GYNECOLOGY

GREENVILLE, SOUTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Paul B. Miller, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	11%	Uterine factor	<1%	Multiple Factors: Female factors only 9% Female & male factors 20%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	33%	Male factor	38%	
Used gestational carrier	1%			Diminished ovarian reserve	3%	Other factor	14%	
				Endometriosis	27%	Unknown factor	4%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 209 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	22	21	6	1	0
Percentage of cancellations before retrieval (%)	2.1	4.5	4.8	2 / 6	0 / 1	
Average number of embryos transferred	2.0	2.1	2.4	2.3	3.0	
Percentage of embryos transferred resulting in implantation (%)	45.2	35.7	35.9	0 / 9	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	4.7	0 / 19	0 / 19	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.7	40.9	38.1	0 / 6	0 / 1	
Percentage of cycles resulting in singleton live births (%)	29.8	50.0	42.9	0 / 6	0 / 1	
Percentage of cycles resulting in twin live births (%)	17.0	4.5	4.8	0 / 6	0 / 1	
Percentage of cycles resulting in live births (%)	51.1	54.5	47.6	0 / 6	0 / 1	
Percentage of cycles resulting in pregnancies (%)	57.4	59.1	71.4	0 / 6	0 / 1	
Outcomes per Transfer						
Number of transfers	44	20	19	4	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.5	45.0	8 / 19	0 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	31.8	55.0	9 / 19	0 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	18.2	5.0	1 / 19	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	54.5	60.0	10 / 19	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	61.4	65.0	15 / 19	0 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	13	15	5	3	2
Number of transfers	37	11	15	4	3	2
Estimated average number of transfers per retrieval	2.1	1.4	1.2	1.3		
Average number of embryos transferred	1.5	1.8	1.7	2.3	1.7	2.5
Percentage of embryos transferred resulting in implantation (%)	56.6	35.0	23.1	0 / 6	1 / 5	0 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.1	2 / 11	1 / 15	0 / 4	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	43.2	2 / 11	1 / 15	0 / 4	1 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	13.5	2 / 11	1 / 15	0 / 4	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	56.8	4 / 11	3 / 15	0 / 4	1 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	67.6	4 / 11	3 / 15	1 / 4	1 / 3	0 / 2
Number of Egg/Embryo Banking Cycles						
	10	4	9	2	0	0
Donor Eggs						
		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		4		4		
Number of transfers		3		4		
Average number of embryos transferred		2.0		1.8		
Percentage of embryos transferred resulting in implantation (%)		6 / 6		4 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 3		2 / 4		
Percentage of transfers resulting in singleton live births (%)		0 / 3		2 / 4		
Percentage of transfers resulting in twin live births (%)		3 / 3		1 / 4		
Percentage of transfers resulting in live births (%)		3 / 3		3 / 4		
Percentage of transfers resulting in pregnancies (%)		3 / 3		3 / 4		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of the Carolinas, University Medical Group,
Department of Obstetrics and Gynecology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PIEDMONT REPRODUCTIVE ENDOCRINOLOGY GROUP, PA GREENVILLE, SOUTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by John E. Nichols, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	96%	Tubal factor	11%	Uterine factor	5%	Multiple Factors: Female factors only 6% Female & male factors 33%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	28%	Male factor	50%	
Used gestational carrier	<1%			Diminished ovarian reserve	24%	Other factor	11%	
				Endometriosis	4%	Unknown factor	9%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 399 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		108	47	34	4	7	5
Percentage of cancellations before retrieval (%)		1.9	4.3	5.9	0 / 4	0 / 7	0 / 5
Average number of embryos transferred		1.9	2.3	2.7	2.3	2.3	2.7
Percentage of embryos transferred resulting in implantation (%)		50.0	35.1	18.2	1 / 7	0 / 14	0 / 8
Percentage of elective single embryo transfers (eSET) (%)		21.7	4.7	0.0	0 / 3	0 / 5	0 / 3
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		24.1	29.8	14.7	1 / 4	0 / 7	0 / 5
Percentage of cycles resulting in singleton live births (%)		30.6	34.0	17.6	1 / 4	0 / 7	0 / 5
Percentage of cycles resulting in twin live births (%)		11.1	8.5	8.8	0 / 4	0 / 7	0 / 5
Percentage of cycles resulting in live births (%)		47.2	42.6	26.5	1 / 4	0 / 7	0 / 5
Percentage of cycles resulting in pregnancies (%)		56.5	57.4	32.4	1 / 4	0 / 7	0 / 5
Outcomes per Transfer							
Number of transfers		95	43	29	3	6	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		27.4	32.6	17.2	1 / 3	0 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)		34.7	37.2	20.7	1 / 3	0 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)		12.6	9.3	10.3	0 / 3	0 / 6	0 / 3
Percentage of transfers resulting in live births (%)		53.7	46.5	31.0	1 / 3	0 / 6	0 / 3
Percentage of transfers resulting in pregnancies (%)		64.2	62.8	37.9	1 / 3	0 / 6	0 / 3
Frozen Embryos from Nondonor Eggs							
Number of cycles		62	23	25	2	2	0
Number of transfers		61	23	25	2	2	0
Estimated average number of transfers per retrieval		1.9	2.9	2.5	1.0	0.7	
Average number of embryos transferred		1.7	2.1	1.8	1.5	2.5	
Percentage of embryos transferred resulting in implantation (%)		36.2	31.3	22.2	3 / 3	2 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		26.2	8.7	16.0	1 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)		27.9	17.4	24.0	1 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)		8.2	4.3	4.0	1 / 2	1 / 2	
Percentage of transfers resulting in live births (%)		37.7	21.7	28.0	2 / 2	1 / 2	
Percentage of transfers resulting in pregnancies (%)		45.9	39.1	36.0	2 / 2	1 / 2	
Number of Egg/Embryo Banking Cycles							
		13	0	2	2	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		30			31		
Number of transfers		27			31		
Average number of embryos transferred		1.7			2.0		
Percentage of embryos transferred resulting in implantation (%)		63.0			33.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		14.8			16.1		
Percentage of transfers resulting in singleton live births (%)		22.2			25.8		
Percentage of transfers resulting in twin live births (%)		33.3			12.9		
Percentage of transfers resulting in live births (%)		55.6			41.9		
Percentage of transfers resulting in pregnancies (%)		70.4			48.4		

CURRENT SERVICES & PROFILE		Current Name: Piedmont Reproductive Endocrinology Group, PA					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COASTAL FERTILITY SPECIALISTS MOUNT PLEASANT, SOUTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by John Schnorr, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	69%	Tubal factor	14%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 3%
Unstimulated	<1%	PGD/PGS	2%	Ovulatory dysfunction	6%	Male factor	21%	
Used gestational carrier	<1%			Diminished ovarian reserve	24%	Other factor	9%	
				Endometriosis	8%	Unknown factor	25%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 690 (includes 9 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	127	52	43	10	3	0
Percentage of cancellations before retrieval (%)	3.1	1.9	4.7	2 / 10	0 / 3	
Average number of embryos transferred	1.6	2.0	2.4	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	60.0	17.1	13.2	1 / 6	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	38.1	10.0	1 / 17	0 / 3	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	7.9	5.8	7.0	0 / 10	0 / 3	
Percentage of cycles resulting in singleton live births (%)	9.4	5.8	7.0	0 / 10	0 / 3	
Percentage of cycles resulting in twin live births (%)	1.6	3.8	0.0	0 / 10	0 / 3	
Percentage of cycles resulting in live births (%)	11.0	9.6	7.0	0 / 10	0 / 3	
Percentage of cycles resulting in pregnancies (%)	12.6	9.6	14.0	2 / 10	1 / 3	
Outcomes per Transfer						
Number of transfers	22	21	17	3	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	45.5	14.3	3 / 17	0 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	54.5	14.3	3 / 17	0 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	9.1	9.5	0 / 17	0 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	63.6	23.8	3 / 17	0 / 3	0 / 2	
Percentage of transfers resulting in pregnancies (%)	72.7	23.8	6 / 17	2 / 3	1 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	181	77	45	11	0	0
Number of transfers	170	73	42	9	0	0
Estimated average number of transfers per retrieval	1.3	1.3	1.1	1.0	0.0	
Average number of embryos transferred	1.4	1.5	1.9	2.3		
Percentage of embryos transferred resulting in implantation (%)	65.2	66.0	37.1	14.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	44.7	35.6	26.2	2 / 9		
Percentage of transfers resulting in singleton live births (%)	50.0	43.8	31.0	3 / 9		
Percentage of transfers resulting in twin live births (%)	15.9	16.4	9.5	0 / 9		
Percentage of transfers resulting in live births (%)	65.9	60.3	40.5	3 / 9		
Percentage of transfers resulting in pregnancies (%)	74.1	76.7	64.3	3 / 9		
Number of Egg/Embryo Banking Cycles	33	18	13	4	1	0
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		29			34	
Number of transfers		28			32	
Average number of embryos transferred		1.3			1.3	
Percentage of embryos transferred resulting in implantation (%)		61.1			43.9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		50.0			21.9	
Percentage of transfers resulting in singleton live births (%)		64.3			28.1	
Percentage of transfers resulting in twin live births (%)		7.1			12.5	
Percentage of transfers resulting in live births (%)		71.4			40.6	
Percentage of transfers resulting in pregnancies (%)		75.0			46.9	

CURRENT SERVICES & PROFILE

Current Name: Coastal Fertility Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY CENTER OF CHARLESTON MOUNT PLEASANT, SOUTH CAROLINA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Stephanie D. Singleton, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	61%	Tubal factor	8%	Uterine factor	2%	Multiple Factors: Female factors only 3% Female & male factors 24%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	43%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	2%	
				Endometriosis	2%	Unknown factor	14%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 217 (includes 15 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		65	19	18	5	0	0
Percentage of cancellations before retrieval (%)		3.1	0 / 19	2 / 18	1 / 5		
Average number of embryos transferred		1.7	1.9	1.9	2.3		
Percentage of embryos transferred resulting in implantation (%)		35.1	36.0	8.7	0 / 7		
Percentage of elective single embryo transfers (eSET) (%)		25.6	1 / 14	0 / 9	0 / 3		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		13.8	1 / 19	0 / 18	0 / 5		
Percentage of cycles resulting in singleton live births (%)		16.9	1 / 19	2 / 18	0 / 5		
Percentage of cycles resulting in twin live births (%)		9.2	4 / 19	0 / 18	0 / 5		
Percentage of cycles resulting in live births (%)		26.2	5 / 19	2 / 18	0 / 5		
Percentage of cycles resulting in pregnancies (%)		30.8	6 / 19	2 / 18	0 / 5		
Outcomes per Transfer							
Number of transfers		46	14	12	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		19.6	1 / 14	0 / 12	0 / 3		
Percentage of transfers resulting in singleton live births (%)		23.9	1 / 14	2 / 12	0 / 3		
Percentage of transfers resulting in twin live births (%)		13.0	4 / 14	0 / 12	0 / 3		
Percentage of transfers resulting in live births (%)		37.0	5 / 14	2 / 12	0 / 3		
Percentage of transfers resulting in pregnancies (%)		43.5	6 / 14	2 / 12	0 / 3		
Frozen Embryos from Nondonor Eggs							
Number of cycles		44	19	8	1	0	1
Number of transfers		43	19	8	1	0	1
Estimated average number of transfers per retrieval		1.4	1.9	2.0	0.5		
Average number of embryos transferred		1.6	1.7	2.0	2.0		1.0
Percentage of embryos transferred resulting in implantation (%)		49.3	34.4	3 / 14	0 / 2		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		39.5	2 / 19	3 / 8	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)		44.2	4 / 19	3 / 8	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)		14.0	3 / 19	0 / 8	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)		58.1	7 / 19	3 / 8	0 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)		62.8	8 / 19	4 / 8	0 / 1		0 / 1
Number of Egg/Embryo Banking Cycles							
		8	4	2	2	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			6		
Number of transfers		0			6		
Average number of embryos transferred					1.7		
Percentage of embryos transferred resulting in implantation (%)					4 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					0 / 6		
Percentage of transfers resulting in singleton live births (%)					1 / 6		
Percentage of transfers resulting in twin live births (%)					1 / 6		
Percentage of transfers resulting in live births (%)					2 / 6		
Percentage of transfers resulting in pregnancies (%)					4 / 6		

CURRENT SERVICES & PROFILE		Current Name: The Fertility Center of Charleston					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SOUTHEASTERN FERTILITY CENTER
NORTH CHARLESTON, SOUTH CAROLINA**

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

SANFORD WOMEN'S HEALTH SIOUX FALLS, SOUTH DAKOTA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Keith A. Hansen, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	70%	Tubal factor	15%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 19% Female & male factors 28%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	19%	Male factor	50%	
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	28%	
				Endometriosis	10%	Unknown factor	3%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 385 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	118	33	19	3	3	0
Percentage of cancellations before retrieval (%)	12.7	27.3	5 / 19	1 / 3	1 / 3	
Average number of embryos transferred	1.8	1.9	2.0			
Percentage of embryos transferred resulting in implantation (%)	38.1	18.2	19.2			
Percentage of elective single embryo transfers (eSET) (%)	20.5	2 / 16	0 / 9			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.6	6.1	2 / 19	0 / 3	0 / 3	
Percentage of cycles resulting in singleton live births (%)	29.7	9.1	2 / 19	0 / 3	0 / 3	
Percentage of cycles resulting in twin live births (%)	8.5	3.0	0 / 19	0 / 3	0 / 3	
Percentage of cycles resulting in live births (%)	39.0	12.1	3 / 19	0 / 3	0 / 3	
Percentage of cycles resulting in pregnancies (%)	40.7	15.2	3 / 19	0 / 3	0 / 3	
Outcomes per Transfer						
Number of transfers	95	17	13	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.5	2 / 17	2 / 13			
Percentage of transfers resulting in singleton live births (%)	36.8	3 / 17	2 / 13			
Percentage of transfers resulting in twin live births (%)	10.5	1 / 17	0 / 13			
Percentage of transfers resulting in live births (%)	48.4	4 / 17	3 / 13			
Percentage of transfers resulting in pregnancies (%)	50.5	5 / 17	3 / 13			
Frozen Embryos from Nondonor Eggs						
Number of cycles	88	35	17	3	1	0
Number of transfers	70	25	14	3	1	0
Estimated average number of transfers per retrieval	1.7	1.3	1.2	0.5	0.5	
Average number of embryos transferred	1.4	1.6	1.3	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	41.2	28.2	8 / 18	5 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.7	24.0	2 / 14	2 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	30.0	28.0	4 / 14	2 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	10.0	8.0	1 / 14	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	40.0	36.0	5 / 14	3 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	47.1	36.0	7 / 14	3 / 3	0 / 1	
Number of Egg/Embryo Banking Cycles						
	23	14	9	6	2	0
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		1			10	
Number of transfers		1			9	
Average number of embryos transferred		2.0			1.6	
Percentage of embryos transferred resulting in implantation (%)		1 / 2			5 / 14	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 1			3 / 9	
Percentage of transfers resulting in singleton live births (%)		1 / 1			3 / 9	
Percentage of transfers resulting in twin live births (%)		0 / 1			1 / 9	
Percentage of transfers resulting in live births (%)		1 / 1			4 / 9	
Percentage of transfers resulting in pregnancies (%)		1 / 1			4 / 9	

CURRENT SERVICES & PROFILE

Current Name: Sanford Women's Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER, LLC CHATTANOOGA, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Barry W. Donesky, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	73%	Tubal factor	12%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only <1% Female & male factors 4%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	27%	
Used gestational carrier	3%			Diminished ovarian reserve	24%	Other factor	3%	
				Endometriosis	8%	Unknown factor	11%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 212 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	11	9	5	1	6
Percentage of cancellations before retrieval (%)	10.0	2 / 11	6 / 9	0 / 5	0 / 1	1 / 6
Average number of embryos transferred	1.5	2.0				
Percentage of embryos transferred resulting in implantation (%)	2 / 3	0 / 2				
Percentage of elective single embryo transfers (eSET) (%)	1 / 2	0 / 1				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0.0	0 / 11	0 / 9	0 / 5	0 / 1	0 / 6
Percentage of cycles resulting in singleton live births (%)	0.0	0 / 11	0 / 9	0 / 5	0 / 1	0 / 6
Percentage of cycles resulting in twin live births (%)	3.3	0 / 11	0 / 9	0 / 5	0 / 1	0 / 6
Percentage of cycles resulting in live births (%)	3.3	0 / 11	0 / 9	0 / 5	0 / 1	0 / 6
Percentage of cycles resulting in pregnancies (%)	3.3	0 / 11	0 / 9	0 / 5	0 / 1	0 / 6
Outcomes per Transfer						
Number of transfers	2	1	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2	0 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 1				
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 1				
Percentage of transfers resulting in live births (%)	1 / 2	0 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 2	0 / 1				
Frozen Embryos from Nondonor Eggs						
Number of cycles	63	12	4	2	2	0
Number of transfers	63	12	2	2	2	0
Estimated average number of transfers per retrieval	1.6	0.8	0.2	0.3	2.0	0.0
Average number of embryos transferred	1.5	1.4	1.5	1.5	1.5	
Percentage of embryos transferred resulting in implantation (%)	45.2	9 / 17	2 / 3	0 / 3	2 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.7	3 / 12	1 / 2	0 / 2	1 / 2	
Percentage of transfers resulting in singleton live births (%)	38.1	4 / 12	1 / 2	0 / 2	1 / 2	
Percentage of transfers resulting in twin live births (%)	6.3	2 / 12	0 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	44.4	6 / 12	1 / 2	0 / 2	1 / 2	
Percentage of transfers resulting in pregnancies (%)	57.1	6 / 12	2 / 2	0 / 2	1 / 2	
Number of Egg/Embryo Banking Cycles						
	15	10	10	7	1	3
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		3			14	
Number of transfers		3			14	
Average number of embryos transferred		1.3			1.4	
Percentage of embryos transferred resulting in implantation (%)		2 / 4			11 / 19	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 3			1 / 14	
Percentage of transfers resulting in singleton live births (%)		2 / 3			1 / 14	
Percentage of transfers resulting in twin live births (%)		0 / 3			4 / 14	
Percentage of transfers resulting in live births (%)		2 / 3			5 / 14	
Percentage of transfers resulting in pregnancies (%)		2 / 3			8 / 14	

CURRENT SERVICES & PROFILE

Current Name: Fertility Center, LLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TENNESSEE REPRODUCTIVE MEDICINE CHATTANOOGA, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Ringland S. Murray, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	91%	Tubal factor	22%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 24% Female & male factors 16%
Unstimulated	6%	PGD/PGS	3%	Ovulatory dysfunction	12%	Male factor	32%	
Used gestational carrier	3%			Diminished ovarian reserve	13%	Other factor	42%	
				Endometriosis	12%	Unknown factor	12%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 240 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	18	11	8	0	1
Percentage of cancellations before retrieval (%)	5.0	0 / 18	1 / 11	0 / 8		0 / 1
Average number of embryos transferred	1.8	1.8	1.5	1.6		
Percentage of embryos transferred resulting in implantation (%)	40.3	5 / 19	3 / 9	2 / 8		
Percentage of elective single embryo transfers (eSET) (%)	28.6	1 / 10	0 / 3	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.3	1 / 18	2 / 11	0 / 8		0 / 1
Percentage of cycles resulting in singleton live births (%)	30.0	3 / 18	2 / 11	0 / 8		0 / 1
Percentage of cycles resulting in twin live births (%)	10.0	1 / 18	0 / 11	1 / 8		0 / 1
Percentage of cycles resulting in live births (%)	40.0	4 / 18	2 / 11	1 / 8		0 / 1
Percentage of cycles resulting in pregnancies (%)	45.0	5 / 18	2 / 11	1 / 8		0 / 1
Outcomes per Transfer						
Number of transfers	45	11	6	5	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.1	1 / 11	2 / 6	0 / 5		
Percentage of transfers resulting in singleton live births (%)	40.0	3 / 11	2 / 6	0 / 5		
Percentage of transfers resulting in twin live births (%)	13.3	1 / 11	0 / 6	1 / 5		
Percentage of transfers resulting in live births (%)	53.3	4 / 11	2 / 6	1 / 5		
Percentage of transfers resulting in pregnancies (%)	60.0	5 / 11	2 / 6	1 / 5		
Frozen Embryos from Nondonor Eggs						
Number of cycles	38	22	13	3	1	0
Number of transfers	38	21	13	2	1	0
Estimated average number of transfers per retrieval	1.9	1.6	0.9	0.5	1.0	
Average number of embryos transferred	1.5	1.6	1.5	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	64.3	60.6	11 / 18	2 / 4	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.2	42.9	3 / 13	1 / 2	1 / 1	
Percentage of transfers resulting in singleton live births (%)	44.7	57.1	7 / 13	1 / 2	1 / 1	
Percentage of transfers resulting in twin live births (%)	18.4	9.5	1 / 13	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	63.2	66.7	8 / 13	1 / 2	1 / 1	
Percentage of transfers resulting in pregnancies (%)	71.1	81.0	11 / 13	2 / 2	1 / 1	
Number of Egg/Embryo Banking Cycles						
	8	8	13	2	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			17		
Number of transfers	1			15		
Average number of embryos transferred	1.0			1.3		
Percentage of embryos transferred resulting in implantation (%)	0 / 1			10 / 17		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			5 / 15		
Percentage of transfers resulting in singleton live births (%)	0 / 1			6 / 15		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 15		
Percentage of transfers resulting in live births (%)	0 / 1			6 / 15		
Percentage of transfers resulting in pregnancies (%)	0 / 1			10 / 15		

CURRENT SERVICES & PROFILE

Current Name: Tennessee Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

QUILLEN FERTILITY AND WOMEN'S SERVICES JOHNSON CITY, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Norman A. Assad, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	69%	Tubal factor	18%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 9%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	25%	Male factor	21%	
Used gestational carrier	2%			Diminished ovarian reserve	9%	Other factor	9%	
				Endometriosis	31%	Unknown factor	5%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 120 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	22	16	5	0	0
Percentage of cancellations before retrieval (%)	15.2	27.3	3 / 16	1 / 5		
Average number of embryos transferred	2.0	2.1	2.5	2.5		
Percentage of embryos transferred resulting in implantation (%)	40.8	39.4	9.4	0 / 10		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 16	0 / 12	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	32.6	13.6	3 / 16	0 / 5		
Percentage of cycles resulting in singleton live births (%)	39.1	18.2	3 / 16	0 / 5		
Percentage of cycles resulting in twin live births (%)	10.9	13.6	0 / 16	0 / 5		
Percentage of cycles resulting in live births (%)	50.0	31.8	3 / 16	0 / 5		
Percentage of cycles resulting in pregnancies (%)	56.5	40.9	4 / 16	0 / 5		
Outcomes per Transfer						
Number of transfers	38	16	13	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.5	3 / 16	3 / 13	0 / 4		
Percentage of transfers resulting in singleton live births (%)	47.4	4 / 16	3 / 13	0 / 4		
Percentage of transfers resulting in twin live births (%)	13.2	3 / 16	0 / 13	0 / 4		
Percentage of transfers resulting in live births (%)	60.5	7 / 16	3 / 13	0 / 4		
Percentage of transfers resulting in pregnancies (%)	68.4	9 / 16	4 / 13	0 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	6	4	1	1	0
Number of transfers	10	5	4	1	1	0
Estimated average number of transfers per retrieval	1.4	1.7				
Average number of embryos transferred	1.7	1.6	1.8	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 17	1 / 8	3 / 7	1 / 1	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 10	0 / 5	0 / 4	1 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 10	1 / 5	1 / 4	1 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 5	1 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 10	1 / 5	2 / 4	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 10	1 / 5	2 / 4	1 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles						
	1	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			1		
Number of transfers	1			0		
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	0 / 2					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	0 / 1					
Percentage of transfers resulting in twin live births (%)	0 / 1					
Percentage of transfers resulting in live births (%)	0 / 1					
Percentage of transfers resulting in pregnancies (%)	0 / 1					

CURRENT SERVICES & PROFILE

Current Name: Quillen Fertility and Women's Services

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST TENNESSEE IVF AND ANDROLOGY CENTER KNOXVILLE, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Gayla Harris, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	33%	Tubal factor	28%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 33% Female & male factors 39%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	39%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	0%	
				Endometriosis	44%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 18 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	2	1	0	0	0
Percentage of cancellations before retrieval (%)	0 / 12	0 / 2	0 / 1			
Average number of embryos transferred	1.4	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	6 / 15	0 / 4	0 / 2			
Percentage of elective single embryo transfers (eSET) (%)	3 / 8	0 / 2	0 / 1			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3 / 12	0 / 2	0 / 1			
Percentage of cycles resulting in singleton live births (%)	4 / 12	0 / 2	0 / 1			
Percentage of cycles resulting in twin live births (%)	1 / 12	0 / 2	0 / 1			
Percentage of cycles resulting in live births (%)	5 / 12	0 / 2	0 / 1			
Percentage of cycles resulting in pregnancies (%)	6 / 12	0 / 2	0 / 1			
Outcomes per Transfer						
Number of transfers	12	2	1	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 12	0 / 2	0 / 1			
Percentage of transfers resulting in singleton live births (%)	4 / 12	0 / 2	0 / 1			
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 2	0 / 1			
Percentage of transfers resulting in live births (%)	5 / 12	0 / 2	0 / 1			
Percentage of transfers resulting in pregnancies (%)	6 / 12	0 / 2	0 / 1			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	0	0	0	0	0
Number of transfers	3	0	0	0	0	0
Estimated average number of transfers per retrieval	1.5					
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	1 / 6					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3					
Percentage of transfers resulting in singleton live births (%)	1 / 3					
Percentage of transfers resulting in twin live births (%)	0 / 3					
Percentage of transfers resulting in live births (%)	1 / 3					
Percentage of transfers resulting in pregnancies (%)	1 / 3					
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: East Tennessee IVF and Andrology Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JEFFREY A. KEENAN, MD DBA
SOUTHEASTERN CENTER FOR FERTILITY AND REPRODUCTIVE SURGERY
KNOXVILLE, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Jeffrey A. Keenan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	48%	Tubal factor	2%	Uterine factor	0%	Multiple Factors: Female factors only 2% Female & male factors 17%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	8%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	11%	Other factor	3%	
				Endometriosis	19%	Unknown factor	44%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 185 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	6	5	1	0	0
Percentage of cancellations before retrieval (%)	1 / 15	1 / 6	0 / 5	0 / 1		
Average number of embryos transferred	2.1	1.8	2.3			
Percentage of embryos transferred resulting in implantation (%)	56.5	5 / 9	2 / 7			
Percentage of elective single embryo transfers (eSET) (%)	0 / 12	1 / 5	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 15	2 / 6	0 / 5	0 / 1		
Percentage of cycles resulting in singleton live births (%)	2 / 15	2 / 6	2 / 5	0 / 1		
Percentage of cycles resulting in twin live births (%)	4 / 15	0 / 6	0 / 5	0 / 1		
Percentage of cycles resulting in live births (%)	6 / 15	3 / 6	2 / 5	0 / 1		
Percentage of cycles resulting in pregnancies (%)	8 / 15	3 / 6	2 / 5	0 / 1		
Outcomes per Transfer						
Number of transfers	12	5	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 12	2 / 5	0 / 3			
Percentage of transfers resulting in singleton live births (%)	2 / 12	2 / 5	2 / 3			
Percentage of transfers resulting in twin live births (%)	4 / 12	0 / 5	0 / 3			
Percentage of transfers resulting in live births (%)	6 / 12	3 / 5	2 / 3			
Percentage of transfers resulting in pregnancies (%)	8 / 12	3 / 5	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	4	5	0	0	0
Number of transfers	10	4	3	0	0	0
Estimated average number of transfers per retrieval	2.5	1.3	1.0			
Average number of embryos transferred	2.0	1.8	2.3			
Percentage of embryos transferred resulting in implantation (%)	20.0	0 / 7	0 / 7			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 10	0 / 4	0 / 3			
Percentage of transfers resulting in singleton live births (%)	0 / 10	0 / 4	0 / 3			
Percentage of transfers resulting in twin live births (%)	1 / 10	0 / 4	0 / 3			
Percentage of transfers resulting in live births (%)	1 / 10	0 / 4	0 / 3			
Percentage of transfers resulting in pregnancies (%)	3 / 10	0 / 4	0 / 3			
Number of Egg/Embryo Banking Cycles						
	0	1	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		0		138		
Number of transfers		0		136		
Average number of embryos transferred				2.5		
Percentage of embryos transferred resulting in implantation (%)				25.6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				17.6		
Percentage of transfers resulting in singleton live births (%)				24.3		
Percentage of transfers resulting in twin live births (%)				9.6		
Percentage of transfers resulting in live births (%)				36.0		
Percentage of transfers resulting in pregnancies (%)				49.3		

CURRENT SERVICES & PROFILE

Current Name: Jeffrey A. Keenan, MD dba,
Southeastern Center for Fertility and Reproductive Surgery

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KUTTEH KE FERTILITY ASSOCIATES OF MEMPHIS, PLLC MEMPHIS, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Raymond W. Ke, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	87%	Tubal factor	14%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 18%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	16%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	7%	
				Endometriosis	14%	Unknown factor	15%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 521 (includes 20 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	66	36	21	8	2	0
Percentage of cancellations before retrieval (%)	6.1	11.1	4.8	1 / 8	1 / 2	
Average number of embryos transferred	1.8	1.8	1.8	1.7	1.0	
Percentage of embryos transferred resulting in implantation (%)	47.4	40.0	30.0	1 / 10	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)	21.9	14.3	0 / 9	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.2	5.6	23.8	1 / 8	0 / 2	
Percentage of cycles resulting in singleton live births (%)	24.2	11.1	23.8	1 / 8	0 / 2	
Percentage of cycles resulting in twin live births (%)	7.6	13.9	0.0	0 / 8	0 / 2	
Percentage of cycles resulting in live births (%)	31.8	25.0	23.8	1 / 8	0 / 2	
Percentage of cycles resulting in pregnancies (%)	33.3	30.6	28.6	1 / 8	0 / 2	
Outcomes per Transfer						
Number of transfers	32	22	11	6	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	43.8	9.1	5 / 11	1 / 6	0 / 1	
Percentage of transfers resulting in singleton live births (%)	50.0	18.2	5 / 11	1 / 6	0 / 1	
Percentage of transfers resulting in twin live births (%)	15.6	22.7	0 / 11	0 / 6	0 / 1	
Percentage of transfers resulting in live births (%)	65.6	40.9	5 / 11	1 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	68.8	50.0	6 / 11	1 / 6	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	134	43	36	14	3	0
Number of transfers	118	38	29	11	1	0
Estimated average number of transfers per retrieval	1.3	1.3	1.1	0.9	0.3	0.0
Average number of embryos transferred	1.5	1.7	1.5	1.9	2.0	
Percentage of embryos transferred resulting in implantation (%)	64.0	60.0	45.2	33.3	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	40.7	34.2	24.1	4 / 11	0 / 1	
Percentage of transfers resulting in singleton live births (%)	49.2	42.1	31.0	5 / 11	0 / 1	
Percentage of transfers resulting in twin live births (%)	16.1	18.4	10.3	0 / 11	0 / 1	
Percentage of transfers resulting in live births (%)	65.3	60.5	41.4	5 / 11	0 / 1	
Percentage of transfers resulting in pregnancies (%)	72.9	73.7	55.2	6 / 11	0 / 1	
Number of Egg/Embryo Banking Cycles	63	21	16	9	4	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			23		
Number of transfers	1			16		
Average number of embryos transferred	1.0			1.4		
Percentage of embryos transferred resulting in implantation (%)	0 / 1			45.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			3 / 16		
Percentage of transfers resulting in singleton live births (%)	0 / 1			4 / 16		
Percentage of transfers resulting in twin live births (%)	0 / 1			1 / 16		
Percentage of transfers resulting in live births (%)	0 / 1			5 / 16		
Percentage of transfers resulting in pregnancies (%)	0 / 1			10 / 16		

CURRENT SERVICES & PROFILE

Current Name: Kutteh Ke Fertility Associates of Memphis, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REGIONAL ONE HEALTH REPRODUCTIVE MEDICINE MEMPHIS, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Laura Detti, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	11%	Uterine factor	18%	<i>Multiple Factors:</i> Female factors only 32% Female & male factors 44%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	66%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	18%	
				Endometriosis	14%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 85 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	11	8	1	1	6
Percentage of cancellations before retrieval (%)	7.4	0 / 11	1 / 8	0 / 1	0 / 1	4 / 6
Average number of embryos transferred	1.8	1.7	2.0	3.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	7 / 12	4 / 10	0 / 3	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	20.0	1 / 6	0 / 5	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.9	2 / 11	2 / 8	0 / 1	0 / 1	0 / 6
Percentage of cycles resulting in singleton live births (%)	29.6	2 / 11	2 / 8	0 / 1	0 / 1	0 / 6
Percentage of cycles resulting in twin live births (%)	18.5	1 / 11	1 / 8	0 / 1	0 / 1	0 / 6
Percentage of cycles resulting in live births (%)	48.1	3 / 11	3 / 8	0 / 1	0 / 1	0 / 6
Percentage of cycles resulting in pregnancies (%)	51.9	4 / 11	3 / 8	0 / 1	0 / 1	0 / 6
Outcomes per Transfer						
Number of transfers	21	7	5	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	2 / 7	2 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	38.1	2 / 7	2 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	23.8	1 / 7	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	61.9	3 / 7	3 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	66.7	4 / 7	3 / 5	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	9	3	1	0	0	1
Number of transfers	8	2	1	0	0	1
Estimated average number of transfers per retrieval	1.0	1.0	0.3		0.0	0.3
Average number of embryos transferred	1.8	2.0	2.0			1.0
Percentage of embryos transferred resulting in implantation (%)	4 / 14	0 / 2	2 / 2			0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 8	0 / 2	0 / 1			0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 8	0 / 2	0 / 1			0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 2	1 / 1			0 / 1
Percentage of transfers resulting in live births (%)	3 / 8	0 / 2	1 / 1			0 / 1
Percentage of transfers resulting in pregnancies (%)	4 / 8	1 / 2	1 / 1			0 / 1
Number of Egg/Embryo Banking Cycles						
	0	1	4	0	1	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	5			0		
Number of transfers	3			0		
Average number of embryos transferred	1.7					
Percentage of embryos transferred resulting in implantation (%)	4 / 5					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3					
Percentage of transfers resulting in singleton live births (%)	2 / 3					
Percentage of transfers resulting in twin live births (%)	1 / 3					
Percentage of transfers resulting in live births (%)	3 / 3					
Percentage of transfers resulting in pregnancies (%)	3 / 3					

CURRENT SERVICES & PROFILE

Current Name: Regional One Health Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE HEALTH NASHVILLE, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Jaime M. Vasquez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	10%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 50%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	45%	Male factor	67%	
Used gestational carrier	2%			Diminished ovarian reserve	35%	Other factor	1%	
				Endometriosis	10%	Unknown factor	2%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 150 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	32	10	5	0	0	1
Percentage of cancellations before retrieval (%)	0.0	0 / 10	0 / 5			0 / 1
Average number of embryos transferred	2.0	2.0	1.5			1.0
Percentage of embryos transferred resulting in implantation (%)	35.7	1 / 9	1 / 3			0 / 1
Percentage of elective single embryo transfers (eSET) (%)	1 / 15	0 / 4	1 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	6.3	0 / 10	0 / 5			0 / 1
Percentage of cycles resulting in singleton live births (%)	9.4	0 / 10	1 / 5			0 / 1
Percentage of cycles resulting in twin live births (%)	9.4	0 / 10	0 / 5			0 / 1
Percentage of cycles resulting in live births (%)	18.8	0 / 10	1 / 5			0 / 1
Percentage of cycles resulting in pregnancies (%)	21.9	2 / 10	1 / 5			0 / 1
Outcomes per Transfer						
Number of transfers	15	5	2	0	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 15	0 / 5	0 / 2			0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 15	0 / 5	1 / 2			0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 15	0 / 5	0 / 2			0 / 1
Percentage of transfers resulting in live births (%)	6 / 15	0 / 5	1 / 2			0 / 1
Percentage of transfers resulting in pregnancies (%)	7 / 15	2 / 5	1 / 2			0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	8	6	0	0	0
Number of transfers	28	8	4	0	0	0
Estimated average number of transfers per retrieval	2.0	1.3	1.3			
Average number of embryos transferred	2.0	1.9	1.8			
Percentage of embryos transferred resulting in implantation (%)	37.7	6 / 15	1 / 4			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.9	2 / 8	1 / 4			
Percentage of transfers resulting in singleton live births (%)	28.6	2 / 8	1 / 4			
Percentage of transfers resulting in twin live births (%)	14.3	2 / 8	0 / 4			
Percentage of transfers resulting in live births (%)	42.9	4 / 8	1 / 4			
Percentage of transfers resulting in pregnancies (%)	60.7	4 / 8	3 / 4			
Number of Egg/Embryo Banking Cycles						
	0	2	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	22			34		
Number of transfers	19			32		
Average number of embryos transferred	1.9			2.0		
Percentage of embryos transferred resulting in implantation (%)	34.3			20.6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 19			18.8		
Percentage of transfers resulting in singleton live births (%)	4 / 19			34.4		
Percentage of transfers resulting in twin live births (%)	3 / 19			0.0		
Percentage of transfers resulting in live births (%)	7 / 19			34.4		
Percentage of transfers resulting in pregnancies (%)	10 / 19			40.6		

CURRENT SERVICES & PROFILE

Current Name: The Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NASHVILLE FERTILITY CENTER NASHVILLE, TENNESSEE

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by George A. Hill, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	76%	Tubal factor	21%	Uterine factor	6%	Multiple Factors: Female factors only 25% Female & male factors 23%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	20%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	24%	
				Endometriosis	17%	Unknown factor	8%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 823 (includes 36 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	189	73	63	8	6	0
Percentage of cancellations before retrieval (%)	15.3	24.7	23.8	2 / 8	2 / 6	
Average number of embryos transferred	1.6	1.9	2.3	2.6	3.3	
Percentage of embryos transferred resulting in implantation (%)	34.0	31.2	22.1	0 / 13	0 / 13	
Percentage of elective single embryo transfers (eSET) (%)	43.4	7.7	0.0	0 / 5	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.4	17.8	7.9	0 / 8	0 / 6	
Percentage of cycles resulting in singleton live births (%)	27.5	21.9	9.5	0 / 8	0 / 6	
Percentage of cycles resulting in twin live births (%)	3.2	5.5	4.8	0 / 8	0 / 6	
Percentage of cycles resulting in live births (%)	30.7	28.8	14.3	0 / 8	0 / 6	
Percentage of cycles resulting in pregnancies (%)	36.5	31.5	23.8	0 / 8	0 / 6	
Outcomes per Transfer						
Number of transfers	129	49	36	5	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.2	26.5	13.9	0 / 5	0 / 4	
Percentage of transfers resulting in singleton live births (%)	40.3	32.7	16.7	0 / 5	0 / 4	
Percentage of transfers resulting in twin live births (%)	4.7	8.2	8.3	0 / 5	0 / 4	
Percentage of transfers resulting in live births (%)	45.0	42.9	25.0	0 / 5	0 / 4	
Percentage of transfers resulting in pregnancies (%)	53.5	46.9	41.7	0 / 5	0 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	154	59	39	12	3	1
Number of transfers	144	51	35	11	3	1
Estimated average number of transfers per retrieval	1.4	1.2	0.8	1.4	1.5	1.0
Average number of embryos transferred	1.4	1.5	1.5	1.8	2.3	1.0
Percentage of embryos transferred resulting in implantation (%)	50.0	43.3	34.0	2 / 19	1 / 7	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.9	25.5	31.4	1 / 11	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	38.2	33.3	37.1	2 / 11	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	12.5	7.8	2.9	0 / 11	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	50.7	41.2	40.0	2 / 11	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	57.6	56.9	48.6	3 / 11	1 / 3	0 / 1
Number of Egg/Embryo Banking Cycles						
	57	30	34	6	2	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		4		46		
Number of transfers		3		42		
Average number of embryos transferred		1.3		1.7		
Percentage of embryos transferred resulting in implantation (%)		2 / 4		34.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 3		26.2		
Percentage of transfers resulting in singleton live births (%)		2 / 3		38.1		
Percentage of transfers resulting in twin live births (%)		0 / 3		4.8		
Percentage of transfers resulting in live births (%)		2 / 3		42.9		
Percentage of transfers resulting in pregnancies (%)		2 / 3		52.4		

CURRENT SERVICES & PROFILE

Current Name: Nashville Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DFW CENTER FOR FERTILITY & IVF ALLEN, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Victor E. Beshay, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	46%	Tubal factor	16%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 14% Female & male factors 21%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	9%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	57%	Other factor	0%	
				Endometriosis	7%	Unknown factor	11%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 62 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	13	5	6	1	0	3
Percentage of cancellations before retrieval (%)	0 / 13	0 / 5	0 / 6	1 / 1		1 / 3
Average number of embryos transferred	1.9	2.0	1.8			3.0
Percentage of embryos transferred resulting in implantation (%)	48.0	3 / 10	3 / 7			0 / 3
Percentage of elective single embryo transfers (eSET) (%)	2 / 13	0 / 5	1 / 3			0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2 / 13	1 / 5	2 / 6	0 / 1		0 / 3
Percentage of cycles resulting in singleton live births (%)	3 / 13	1 / 5	2 / 6	0 / 1		0 / 3
Percentage of cycles resulting in twin live births (%)	3 / 13	1 / 5	0 / 6	0 / 1		0 / 3
Percentage of cycles resulting in live births (%)	6 / 13	2 / 5	2 / 6	0 / 1		0 / 3
Percentage of cycles resulting in pregnancies (%)	8 / 13	2 / 5	3 / 6	0 / 1		0 / 3
Outcomes per Transfer						
Number of transfers	13	5	4	0	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 13	1 / 5	2 / 4			0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 13	1 / 5	2 / 4			0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 13	1 / 5	0 / 4			0 / 1
Percentage of transfers resulting in live births (%)	6 / 13	2 / 5	2 / 4			0 / 1
Percentage of transfers resulting in pregnancies (%)	8 / 13	2 / 5	3 / 4			0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	4	5	5	2	0	0
Number of transfers	4	5	5	2	0	0
Estimated average number of transfers per retrieval	0.4	2.5	1.7	0.4	0.0	
Average number of embryos transferred	1.8	1.8	3.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	5 / 7	2 / 8	4 / 15	2 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 4	1 / 5	0 / 5	0 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 4	2 / 5	0 / 5	0 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 4	0 / 5	2 / 5	1 / 2		
Percentage of transfers resulting in live births (%)	3 / 4	2 / 5	2 / 5	1 / 2		
Percentage of transfers resulting in pregnancies (%)	3 / 4	3 / 5	2 / 5	1 / 2		
Number of Egg/Embryo Banking Cycles						
	7	1	3	5	2	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: DFW Center for Fertility & IVF

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUSTIN FERTILITY AND REPRODUCTIVE MEDICINE-WESTLAKE IVF AUSTIN, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Shahryar K. Kavoussi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	16%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 13%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	5%	Male factor	47%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	3%	
				Endometriosis	6%	Unknown factor	11%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 169 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	57	27	30	4	1	0
Percentage of cancellations before retrieval (%)	1.8	3.7	3.3	1 / 4	0 / 1	
Average number of embryos transferred	2.1	2.3	2.7	3.0		
Percentage of embryos transferred resulting in implantation (%)	36.5	32.6	14.3	1 / 6		
Percentage of elective single embryo transfers (eSET) (%)	6.5	10.0	0.0	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.8	22.2	16.7	0 / 4	0 / 1	
Percentage of cycles resulting in singleton live births (%)	17.5	25.9	20.0	0 / 4	0 / 1	
Percentage of cycles resulting in twin live births (%)	22.8	7.4	0.0	0 / 4	0 / 1	
Percentage of cycles resulting in live births (%)	40.4	33.3	20.0	0 / 4	0 / 1	
Percentage of cycles resulting in pregnancies (%)	43.9	40.7	30.0	1 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	49	20	26	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.4	30.0	19.2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	20.4	35.0	23.1	0 / 2		
Percentage of transfers resulting in twin live births (%)	26.5	10.0	0.0	0 / 2		
Percentage of transfers resulting in live births (%)	46.9	45.0	23.1	0 / 2		
Percentage of transfers resulting in pregnancies (%)	51.0	55.0	34.6	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	18	6	2	1	0	0
Number of transfers	18	6	2	1	0	0
Estimated average number of transfers per retrieval	1.2	1.5	0.7			
Average number of embryos transferred	1.7	2.2	1.5	4.0		
Percentage of embryos transferred resulting in implantation (%)	41.4	3 / 13	1 / 3	2 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 18	0 / 6	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	4 / 18	1 / 6	1 / 2	1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 18	1 / 6	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	6 / 18	2 / 6	1 / 2	1 / 1		
Percentage of transfers resulting in pregnancies (%)	10 / 18	2 / 6	1 / 2	1 / 1		
Number of Egg/Embryo Banking Cycles						
	4	3	3	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		6		4		
Number of transfers		4		3		
Average number of embryos transferred		1.8		2.3		
Percentage of embryos transferred resulting in implantation (%)		4 / 7		2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 4		0 / 3		
Percentage of transfers resulting in singleton live births (%)		0 / 4		1 / 3		
Percentage of transfers resulting in twin live births (%)		2 / 4		0 / 3		
Percentage of transfers resulting in live births (%)		2 / 4		1 / 3		
Percentage of transfers resulting in pregnancies (%)		2 / 4		2 / 3		

CURRENT SERVICES & PROFILE

Current Name: Austin Fertility and Reproductive Medicine-Westlake IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUSTIN FERTILITY INSTITUTE, PA AUSTIN, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Kenneth K. Moghadam, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	15%	Uterine factor	9%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 25%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	23%	Male factor	52%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	7%	
				Endometriosis	20%	Unknown factor	4%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 318 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	71	18	15	6	1	1
Percentage of cancellations before retrieval (%)	5.6	1 / 18	5 / 15	1 / 6	0 / 1	0 / 1
Average number of embryos transferred	1.7	1.7	1.8	2.7		4.0
Percentage of embryos transferred resulting in implantation (%)	39.3	7 / 17	2 / 9	0 / 8		0 / 4
Percentage of elective single embryo transfers (eSET) (%)	6 / 18	3 / 10	2 / 5	0 / 3		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	8.5	3 / 18	2 / 15	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	9.9	5 / 18	2 / 15	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	2.8	1 / 18	0 / 15	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	12.7	6 / 18	2 / 15	0 / 6	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	14.1	6 / 18	2 / 15	0 / 6	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	18	10	5	3	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 18	3 / 10	2 / 5	0 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	7 / 18	5 / 10	2 / 5	0 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 18	1 / 10	0 / 5	0 / 3		0 / 1
Percentage of transfers resulting in live births (%)	9 / 18	6 / 10	2 / 5	0 / 3		0 / 1
Percentage of transfers resulting in pregnancies (%)	10 / 18	6 / 10	2 / 5	0 / 3		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	95	34	19	10	4	0
Number of transfers	95	34	18	10	4	0
Estimated average number of transfers per retrieval	1.9	3.4	1.4	2.5	1.3	
Average number of embryos transferred	1.6	1.8	2.3	2.2	2.8	
Percentage of embryos transferred resulting in implantation (%)	52.5	30.4	21.1	9.1	0 / 11	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.9	29.4	4 / 18	0 / 10	0 / 4	
Percentage of transfers resulting in singleton live births (%)	47.4	32.4	4 / 18	1 / 10	0 / 4	
Percentage of transfers resulting in twin live births (%)	12.6	2.9	0 / 18	0 / 10	0 / 4	
Percentage of transfers resulting in live births (%)	60.0	35.3	4 / 18	1 / 10	0 / 4	
Percentage of transfers resulting in pregnancies (%)	66.3	52.9	9 / 18	2 / 10	0 / 4	
Number of Egg/Embryo Banking Cycles						
	8	2	6	2	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			15		
Number of transfers	7			15		
Average number of embryos transferred	1.7			1.5		
Percentage of embryos transferred resulting in implantation (%)	9 / 12			36.4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 7			3 / 15		
Percentage of transfers resulting in singleton live births (%)	1 / 7			3 / 15		
Percentage of transfers resulting in twin live births (%)	4 / 7			2 / 15		
Percentage of transfers resulting in live births (%)	5 / 7			5 / 15		
Percentage of transfers resulting in pregnancies (%)	5 / 7			6 / 15		

CURRENT SERVICES & PROFILE

Current Name: Austin Fertility Institute, PA

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**RMATX.COM, PLLC
RMA OF TEXAS-AUSTIN
AUSTIN, TEXAS**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Francisco Arredondo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	71%	Tubal factor	7%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 11%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	7%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	13%	
				Endometriosis	<1%	Unknown factor	11%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 254 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	14	8	7	1	0
Percentage of cancellations before retrieval (%)	20.7	5 / 14	3 / 8	2 / 7	0 / 1	
Average number of embryos transferred	1.3	1.8	2.0	3.0		
Percentage of embryos transferred resulting in implantation (%)	6 / 13	1 / 7	1 / 2	1 / 6		
Percentage of elective single embryo transfers (eSET) (%)	4 / 7	1 / 4	0 / 1	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.2	1 / 14	1 / 8	0 / 7	0 / 1	
Percentage of cycles resulting in singleton live births (%)	20.7	1 / 14	1 / 8	0 / 7	0 / 1	
Percentage of cycles resulting in twin live births (%)	0.0	0 / 14	0 / 8	0 / 7	0 / 1	
Percentage of cycles resulting in live births (%)	20.7	1 / 14	1 / 8	0 / 7	0 / 1	
Percentage of cycles resulting in pregnancies (%)	20.7	1 / 14	1 / 8	1 / 7	0 / 1	
Outcomes per Transfer						
Number of transfers	10	4	1	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 10	1 / 4	1 / 1	0 / 2		
Percentage of transfers resulting in singleton live births (%)	6 / 10	1 / 4	1 / 1	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 4	0 / 1	0 / 2		
Percentage of transfers resulting in live births (%)	6 / 10	1 / 4	1 / 1	0 / 2		
Percentage of transfers resulting in pregnancies (%)	6 / 10	1 / 4	1 / 1	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	55	16	15	4	0	0
Number of transfers	51	16	15	3	0	0
Estimated average number of transfers per retrieval	1.1	0.6	0.8	0.4		0.0
Average number of embryos transferred	1.1	1.1	1.1	1.0		
Percentage of embryos transferred resulting in implantation (%)	63.8	8 / 18	11 / 16	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	43.1	6 / 16	9 / 15	0 / 3		
Percentage of transfers resulting in singleton live births (%)	51.0	8 / 16	10 / 15	0 / 3		
Percentage of transfers resulting in twin live births (%)	5.9	0 / 16	0 / 15	0 / 3		
Percentage of transfers resulting in live births (%)	56.9	8 / 16	10 / 15	0 / 3		
Percentage of transfers resulting in pregnancies (%)	64.7	8 / 16	11 / 15	0 / 3		
Number of Egg/Embryo Banking Cycles	34	27	20	7	0	1
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		6			10	
Number of transfers		2			10	
Average number of embryos transferred		1.0			1.0	
Percentage of embryos transferred resulting in implantation (%)		1 / 2			7 / 10	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 2			1 / 10	
Percentage of transfers resulting in singleton live births (%)		0 / 2			5 / 10	
Percentage of transfers resulting in twin live births (%)		0 / 2			1 / 10	
Percentage of transfers resulting in live births (%)		0 / 2			6 / 10	
Percentage of transfers resulting in pregnancies (%)		1 / 2			6 / 10	

CURRENT SERVICES & PROFILE

Current Name: RMATX.COM, PLLC, RMA of Texas-Austin

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TEXAS FERTILITY CENTER
VAUGHN, SILVERBERG & ASSOCIATES
AUSTIN, TEXAS**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Kaylen Silverberg, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	60%	Tubal factor	11%	Uterine factor	18%	<i>Multiple Factors:</i> Female factors only 19% Female & male factors 15%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	9%	Male factor	29%	
Used gestational carrier	2%			Diminished ovarian reserve	37%	Other factor	10%	
				Endometriosis	19%	Unknown factor	7%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,826 (includes 47 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	177	93	89	38	20	5
Percentage of cancellations before retrieval (%)	7.3	12.9	13.5	26.3	15.0	0 / 5
Average number of embryos transferred	1.4	1.8	2.0	1.7	2.3	
Percentage of embryos transferred resulting in implantation (%)	49.0	20.5	18.4	0 / 5	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	58.8	20.8	4.3	0 / 2	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	9.0	7.5	4.5	0.0	0.0	0 / 5
Percentage of cycles resulting in singleton live births (%)	10.2	8.6	7.9	0.0	0.0	0 / 5
Percentage of cycles resulting in twin live births (%)	1.7	0.0	0.0	0.0	0.0	0 / 5
Percentage of cycles resulting in live births (%)	11.9	8.6	7.9	0.0	0.0	0 / 5
Percentage of cycles resulting in pregnancies (%)	12.4	12.9	10.1	0.0	5.0	0 / 5
Outcomes per Transfer						
Number of transfers	37	27	25	3	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	43.2	25.9	16.0	0 / 3	0 / 3	
Percentage of transfers resulting in singleton live births (%)	48.6	29.6	28.0	0 / 3	0 / 3	
Percentage of transfers resulting in twin live births (%)	8.1	0.0	0.0	0 / 3	0 / 3	
Percentage of transfers resulting in live births (%)	56.8	29.6	28.0	0 / 3	0 / 3	
Percentage of transfers resulting in pregnancies (%)	59.5	44.4	36.0	0 / 3	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	366	214	132	66	13	7
Number of transfers	341	195	116	58	11	4
Estimated average number of transfers per retrieval	1.3	1.2	1.1	0.8	0.5	0.7
Average number of embryos transferred	1.2	1.3	1.3	1.2	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	54.7	47.7	43.7	42.6	3 / 14	1 / 5
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.8	34.4	34.5	32.8	2 / 11	1 / 4
Percentage of transfers resulting in singleton live births (%)	42.5	39.5	40.5	36.2	3 / 11	1 / 4
Percentage of transfers resulting in twin live births (%)	5.3	5.6	2.6	0.0	0 / 11	0 / 4
Percentage of transfers resulting in live births (%)	47.8	45.1	43.1	37.9	3 / 11	1 / 4
Percentage of transfers resulting in pregnancies (%)	60.4	56.4	53.4	44.8	5 / 11	2 / 4
Number of Egg/Embryo Banking Cycles						
	149	108	69	53	20	4
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		48			108	
Number of transfers		40			101	
Average number of embryos transferred		1.3			1.3	
Percentage of embryos transferred resulting in implantation (%)		56.3			39.8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		37.5			21.8	
Percentage of transfers resulting in singleton live births (%)		50.0			27.7	
Percentage of transfers resulting in twin live births (%)		5.0			8.9	
Percentage of transfers resulting in live births (%)		55.0			36.6	
Percentage of transfers resulting in pregnancies (%)		60.0			41.6	

CURRENT SERVICES & PROFILE

Current Name: Texas Fertility Center, Vaughn, Silverberg & Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

CENTER FOR ASSISTED REPRODUCTION BEDFORD, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Kevin J. Doody, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	16%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 25%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	20%	Male factor	43%	
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	9%	
				Endometriosis	8%	Unknown factor	5%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 547 (includes 6 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	134	50	40	17	11	1
Percentage of cancellations before retrieval (%)	1.5	6.0	7.5	3 / 17	2 / 11	0 / 1
Average number of embryos transferred	1.3	1.8	1.9	2.2	2.3	
Percentage of embryos transferred resulting in implantation (%)	36.9	18.5	35.3	18.2	2 / 14	
Percentage of elective single embryo transfers (eSET) (%)	70.2	21.1	18.5	0 / 8	0 / 6	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.6	12.0	15.0	0 / 17	0 / 11	0 / 1
Percentage of cycles resulting in singleton live births (%)	27.6	16.0	20.0	0 / 17	2 / 11	0 / 1
Percentage of cycles resulting in twin live births (%)	3.7	4.0	5.0	0 / 17	0 / 11	0 / 1
Percentage of cycles resulting in live births (%)	31.3	20.0	25.0	0 / 17	2 / 11	0 / 1
Percentage of cycles resulting in pregnancies (%)	36.6	26.0	37.5	3 / 17	2 / 11	0 / 1
Outcomes per Transfer						
Number of transfers	113	40	29	10	6	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.2	15.0	20.7	0 / 10	0 / 6	
Percentage of transfers resulting in singleton live births (%)	32.7	20.0	27.6	0 / 10	2 / 6	
Percentage of transfers resulting in twin live births (%)	4.4	5.0	6.9	0 / 10	0 / 6	
Percentage of transfers resulting in live births (%)	37.2	25.0	34.5	0 / 10	2 / 6	
Percentage of transfers resulting in pregnancies (%)	43.4	32.5	51.7	3 / 10	2 / 6	
Frozen Embryos from Nondonor Eggs						
Number of cycles	89	48	32	13	10	0
Number of transfers	88	48	31	13	9	0
Estimated average number of transfers per retrieval	1.4	2.4	1.6	0.8	1.5	0.0
Average number of embryos transferred	1.5	1.5	1.5	1.9	2.1	
Percentage of embryos transferred resulting in implantation (%)	46.1	35.7	43.2	24.0	4 / 19	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.0	20.8	22.6	5 / 13	2 / 9	
Percentage of transfers resulting in singleton live births (%)	36.4	29.2	29.0	5 / 13	2 / 9	
Percentage of transfers resulting in twin live births (%)	12.5	6.3	9.7	0 / 13	1 / 9	
Percentage of transfers resulting in live births (%)	48.9	35.4	38.7	5 / 13	3 / 9	
Percentage of transfers resulting in pregnancies (%)	61.4	47.9	51.6	6 / 13	3 / 9	
Number of Egg/Embryo Banking Cycles						
	19	7	10	13	4	3
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	11			29		
Number of transfers	10			29		
Average number of embryos transferred	1.4			1.7		
Percentage of embryos transferred resulting in implantation (%)	9 / 13			46.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 10			31.0		
Percentage of transfers resulting in singleton live births (%)	5 / 10			37.9		
Percentage of transfers resulting in twin live births (%)	2 / 10			13.8		
Percentage of transfers resulting in live births (%)	7 / 10			51.7		
Percentage of transfers resulting in pregnancies (%)	8 / 10			62.1		

CURRENT SERVICES & PROFILE

Current Name: Center for Assisted Reproduction

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DALLAS-FORT WORTH FERTILITY ASSOCIATES DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Samuel J. Chantilis, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	48%	Tubal factor	8%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 20%
Unstimulated	1%	PGD/PGS	5%	Ovulatory dysfunction	20%	Male factor	28%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	5%	
				Endometriosis	4%	Unknown factor	36%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,096 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	242	94	80	54	18	4
Percentage of cancellations before retrieval (%)	10.3	13.8	30.0	31.5	7 / 18	2 / 4
Average number of embryos transferred	1.6	1.9	2.1	2.6	3.1	1.0
Percentage of embryos transferred resulting in implantation (%)	42.2	31.0	16.9	3.7	4.5	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	38.8	19.2	0.0	0.0	0 / 7	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.6	19.1	5.0	1.9	1 / 18	0 / 4
Percentage of cycles resulting in singleton live births (%)	21.9	20.2	6.3	1.9	1 / 18	0 / 4
Percentage of cycles resulting in twin live births (%)	5.4	5.3	3.8	0.0	0 / 18	0 / 4
Percentage of cycles resulting in live births (%)	27.3	25.5	10.0	1.9	1 / 18	0 / 4
Percentage of cycles resulting in pregnancies (%)	28.9	30.9	12.5	9.3	1 / 18	0 / 4
Outcomes per Transfer						
Number of transfers	124	56	34	23	7	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.3	32.1	11.8	4.3	1 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	42.7	33.9	14.7	4.3	1 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	10.5	8.9	8.8	0.0	0 / 7	0 / 2
Percentage of transfers resulting in live births (%)	53.2	42.9	23.5	4.3	1 / 7	0 / 2
Percentage of transfers resulting in pregnancies (%)	56.5	51.8	29.4	21.7	1 / 7	0 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	181	62	43	15	3	1
Number of transfers	179	60	42	14	3	1
Estimated average number of transfers per retrieval	1.1	0.8	0.7	0.6	0.2	0.2
Average number of embryos transferred	1.3	1.4	1.3	1.1	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	64.8	49.4	54.2	7 / 14	1 / 4	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	42.5	31.7	35.7	4 / 14	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	51.4	45.0	40.5	5 / 14	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	9.5	10.0	7.1	1 / 14	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	61.5	55.0	47.6	6 / 14	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	73.2	60.0	64.3	7 / 14	1 / 3	0 / 1
Number of Egg/Embryo Banking Cycles						
	78	47	45	18	16	4
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		39			52	
Number of transfers		25			52	
Average number of embryos transferred		1.4			1.4	
Percentage of embryos transferred resulting in implantation (%)		79.3			56.9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		40.0			36.5	
Percentage of transfers resulting in singleton live births (%)		64.0			42.3	
Percentage of transfers resulting in twin live births (%)		12.0			9.6	
Percentage of transfers resulting in live births (%)		76.0			51.9	
Percentage of transfers resulting in pregnancies (%)		96.0			67.3	

CURRENT SERVICES & PROFILE

Current Name: Dallas-Fort Worth Fertility Associates

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND ADVANCED REPRODUCTIVE MEDICINE DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Orhan Bukulmez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	12%	Uterine factor	8%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 7%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	16%	Male factor	22%	
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	0%	
				Endometriosis	10%	Unknown factor	9%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 166 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	7	7	4	4	0
Percentage of cancellations before retrieval (%)	0 / 15	4 / 7	1 / 7	3 / 4	2 / 4	
Average number of embryos transferred	1.4	2.0	1.7			
Percentage of embryos transferred resulting in implantation (%)	6 / 13	2 / 2	2 / 5			
Percentage of elective single embryo transfers (eSET) (%)	5 / 9	0 / 1	1 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2 / 15	0 / 7	1 / 7	0 / 4	0 / 4	
Percentage of cycles resulting in singleton live births (%)	2 / 15	0 / 7	1 / 7	0 / 4	0 / 4	
Percentage of cycles resulting in twin live births (%)	1 / 15	1 / 7	0 / 7	0 / 4	0 / 4	
Percentage of cycles resulting in live births (%)	3 / 15	1 / 7	1 / 7	0 / 4	0 / 4	
Percentage of cycles resulting in pregnancies (%)	5 / 15	1 / 7	2 / 7	0 / 4	0 / 4	
Outcomes per Transfer						
Number of transfers	9	1	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 9	0 / 1	1 / 3			
Percentage of transfers resulting in singleton live births (%)	2 / 9	0 / 1	1 / 3			
Percentage of transfers resulting in twin live births (%)	1 / 9	1 / 1	0 / 3			
Percentage of transfers resulting in live births (%)	3 / 9	1 / 1	1 / 3			
Percentage of transfers resulting in pregnancies (%)	5 / 9	1 / 1	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	10	8	6	2	1
Number of transfers	13	9	8	6	2	1
Estimated average number of transfers per retrieval	0.4	0.6	0.3	0.3	0.3	
Average number of embryos transferred	1.5	1.4	1.6	1.5	1.0	3.0
Percentage of embryos transferred resulting in implantation (%)	40.0	8 / 13	5 / 13	2 / 9	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 13	0 / 9	1 / 8	1 / 6	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 13	0 / 9	1 / 8	2 / 6	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 13	3 / 9	1 / 8	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	7 / 13	3 / 9	2 / 8	2 / 6	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	7 / 13	5 / 9	4 / 8	2 / 6	0 / 2	0 / 1
Number of Egg/Embryo Banking Cycles						
	25	11	23	23	7	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Fertility and Advanced Reproductive Medicine

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF DALLAS DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by J. Michael Putman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	13%	Uterine factor	25%	<i>Multiple Factors:</i> Female factors only 25% Female & male factors 36%
Unstimulated	0%	PGD/PGS	24%	Ovulatory dysfunction	7%	Male factor	49%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	33%	
				Endometriosis	17%	Unknown factor	2%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 218 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	29	7	6	5	3	1
Percentage of cancellations before retrieval (%)	0.0	0 / 7	0 / 6	0 / 5	0 / 3	0 / 1
Average number of embryos transferred	1.9	2.0	3.0	3.0		5.0
Percentage of embryos transferred resulting in implantation (%)	45.7	5 / 10	0 / 3	1 / 6		0 / 5
Percentage of elective single embryo transfers (eSET) (%)	0 / 18	0 / 5	0 / 1	0 / 2		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.7	3 / 7	0 / 6	0 / 5	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	24.1	3 / 7	0 / 6	0 / 5	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	13.8	1 / 7	0 / 6	0 / 5	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	37.9	4 / 7	0 / 6	0 / 5	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	44.8	4 / 7	0 / 6	1 / 5	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	19	5	1	2	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 19	3 / 5	0 / 1	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	7 / 19	3 / 5	0 / 1	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	4 / 19	1 / 5	0 / 1	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	11 / 19	4 / 5	0 / 1	0 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	13 / 19	4 / 5	0 / 1	1 / 2		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	21	18	3	2	0
Number of transfers	28	21	18	3	1	0
Estimated average number of transfers per retrieval	1.0	0.7	0.8	0.3	0.3	0.0
Average number of embryos transferred	1.7	1.7	1.8	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	53.3	44.1	50.0	0 / 3	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.3	33.3	5 / 18	0 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	53.6	42.9	8 / 18	0 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	14.3	14.3	3 / 18	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	67.9	57.1	11 / 18	0 / 3	1 / 1	
Percentage of transfers resulting in pregnancies (%)	78.6	61.9	13 / 18	0 / 3	1 / 1	
Number of Egg/Embryo Banking Cycles						
	20	26	20	8	4	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		4			10	
Number of transfers		3			10	
Average number of embryos transferred		2.0			1.7	
Percentage of embryos transferred resulting in implantation (%)		0 / 6			9 / 16	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 3			3 / 10	
Percentage of transfers resulting in singleton live births (%)		0 / 3			4 / 10	
Percentage of transfers resulting in twin live births (%)		0 / 3			2 / 10	
Percentage of transfers resulting in live births (%)		0 / 3			6 / 10	
Percentage of transfers resulting in pregnancies (%)		0 / 3			7 / 10	

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Dallas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF INSTITUTE, PA DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Noel Peng, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	24%	Uterine factor	52%	<i>Multiple Factors:</i> Female factors only 32% Female & male factors 24%
Unstimulated	0%	PGD/PGS	50%	Ovulatory dysfunction	8%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	24%	
				Endometriosis	24%	Unknown factor	8%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 54 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	0	0	1	1	0	0
Percentage of cancellations before retrieval (%)			0 / 1	0 / 1		
Average number of embryos transferred			2.0	3.0		
Percentage of embryos transferred resulting in implantation (%)				0 / 3		
Percentage of elective single embryo transfers (eSET) (%)			0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)			0 / 1	0 / 1		
Percentage of cycles resulting in singleton live births (%)			0 / 1	0 / 1		
Percentage of cycles resulting in twin live births (%)			0 / 1	0 / 1		
Percentage of cycles resulting in live births (%)			0 / 1	0 / 1		
Percentage of cycles resulting in pregnancies (%)			1 / 1	0 / 1		
Outcomes per Transfer						
Number of transfers	0	0	1	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)			0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)			0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)			1 / 1	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	6	5	5	0	0
Number of transfers	5	5	4	3	0	0
Estimated average number of transfers per retrieval	0.6	0.8	2.0	0.4	0.0	0.0
Average number of embryos transferred	1.2	1.2	2.0	2.7		
Percentage of embryos transferred resulting in implantation (%)	5 / 6	2 / 6	2 / 8	2 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 5	2 / 5	2 / 4	0 / 3		
Percentage of transfers resulting in singleton live births (%)	2 / 5	2 / 5	2 / 4	0 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 5	0 / 4	1 / 3		
Percentage of transfers resulting in live births (%)	3 / 5	2 / 5	2 / 4	1 / 3		
Percentage of transfers resulting in pregnancies (%)	4 / 5	2 / 5	2 / 4	1 / 3		
Number of Egg/Embryo Banking Cycles						
	9	6	1	6	5	2
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			1	
Number of transfers		0			1	
Average number of embryos transferred					1.0	
Percentage of embryos transferred resulting in implantation (%)					0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					0 / 1	
Percentage of transfers resulting in singleton live births (%)					0 / 1	
Percentage of transfers resulting in twin live births (%)					0 / 1	
Percentage of transfers resulting in live births (%)					0 / 1	
Percentage of transfers resulting in pregnancies (%)					0 / 1	

CURRENT SERVICES & PROFILE

Current Name: IVF Institute, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPROMED FERTILITY CENTER DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Anil B. Pinto, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	84%	Tubal factor	12%	Uterine factor	4%	Multiple Factors: Female factors only 3% Female & male factors <1%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	8%	Male factor	6%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	7%	
				Endometriosis	1%	Unknown factor	37%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 194 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	35	15	11	1	0	0
Percentage of cancellations before retrieval (%)	11.4	3 / 15	1 / 11	1 / 1		
Average number of embryos transferred	1.9	1.9	1.9			
Percentage of embryos transferred resulting in implantation (%)	55.6	42.9	8 / 19			
Percentage of elective single embryo transfers (eSET) (%)	12.5	0 / 10	0 / 9			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.1	1 / 15	1 / 11	0 / 1		
Percentage of cycles resulting in singleton live births (%)	22.9	1 / 15	1 / 11	0 / 1		
Percentage of cycles resulting in twin live births (%)	8.6	1 / 15	3 / 11	0 / 1		
Percentage of cycles resulting in live births (%)	31.4	2 / 15	4 / 11	0 / 1		
Percentage of cycles resulting in pregnancies (%)	48.6	8 / 15	5 / 11	0 / 1		
Outcomes per Transfer						
Number of transfers	24	11	10	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.0	1 / 11	1 / 10			
Percentage of transfers resulting in singleton live births (%)	33.3	1 / 11	1 / 10			
Percentage of transfers resulting in twin live births (%)	12.5	1 / 11	3 / 10			
Percentage of transfers resulting in live births (%)	45.8	2 / 11	4 / 10			
Percentage of transfers resulting in pregnancies (%)	70.8	8 / 11	5 / 10			
Frozen Embryos from Nondonor Eggs						
Number of cycles	28	23	9	7	0	1
Number of transfers	27	20	8	6	0	1
Estimated average number of transfers per retrieval	1.4	1.1	0.7	0.9	0.0	
Average number of embryos transferred	1.8	1.9	1.8	1.8		2.0
Percentage of embryos transferred resulting in implantation (%)	44.7	36.8	6 / 14	3 / 9		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.6	30.0	4 / 8	0 / 6		0 / 1
Percentage of transfers resulting in singleton live births (%)	37.0	30.0	4 / 8	0 / 6		0 / 1
Percentage of transfers resulting in twin live births (%)	7.4	15.0	0 / 8	1 / 6		0 / 1
Percentage of transfers resulting in live births (%)	44.4	45.0	4 / 8	1 / 6		0 / 1
Percentage of transfers resulting in pregnancies (%)	74.1	55.0	5 / 8	3 / 6		0 / 1
Number of Egg/Embryo Banking Cycles						
	13	17	12	7	2	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		4		9		
Number of transfers		4		8		
Average number of embryos transferred		2.0		1.8		
Percentage of embryos transferred resulting in implantation (%)		6 / 8		4 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 4		3 / 8		
Percentage of transfers resulting in singleton live births (%)		3 / 4		4 / 8		
Percentage of transfers resulting in twin live births (%)		1 / 4		0 / 8		
Percentage of transfers resulting in live births (%)		4 / 4		4 / 8		
Percentage of transfers resulting in pregnancies (%)		4 / 4		4 / 8		

CURRENT SERVICES & PROFILE

Current Name: ReproMed Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-DALLAS DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Walid Saleh, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	19%	Uterine factor	8%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 19%
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	7%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	9%	
				Endometriosis	2%	Unknown factor	16%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 268 (includes 3 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	70	29	21	7	6	2
Percentage of cancellations before retrieval (%)	5.7	10.3	0.0	2 / 7	1 / 6	0 / 2
Average number of embryos transferred	1.9	1.8	1.7	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	41.7	51.9	0 / 4	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	4.3	1 / 16	0 / 11	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.4	17.2	23.8	0 / 7	0 / 6	0 / 2
Percentage of cycles resulting in singleton live births (%)	27.1	24.1	33.3	0 / 7	0 / 6	0 / 2
Percentage of cycles resulting in twin live births (%)	14.3	6.9	9.5	0 / 7	0 / 6	0 / 2
Percentage of cycles resulting in live births (%)	41.4	31.0	42.9	0 / 7	0 / 6	0 / 2
Percentage of cycles resulting in pregnancies (%)	50.0	41.4	57.1	0 / 7	0 / 6	0 / 2
Outcomes per Transfer						
Number of transfers	52	20	16	3	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.8	25.0	5 / 16	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	36.5	35.0	7 / 16	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	19.2	10.0	2 / 16	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	55.8	45.0	9 / 16	0 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	67.3	60.0	12 / 16	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	30	19	12	3	0	1
Number of transfers	29	16	12	3	0	0
Estimated average number of transfers per retrieval	1.7	1.2	0.9	0.5		0.0
Average number of embryos transferred	1.7	2.1	1.8	1.3		
Percentage of embryos transferred resulting in implantation (%)	42.6	18.2	50.0	1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.1	2 / 16	2 / 12	1 / 3		
Percentage of transfers resulting in singleton live births (%)	34.5	3 / 16	2 / 12	1 / 3		
Percentage of transfers resulting in twin live births (%)	0.0	0 / 16	2 / 12	0 / 3		
Percentage of transfers resulting in live births (%)	34.5	3 / 16	4 / 12	1 / 3		
Percentage of transfers resulting in pregnancies (%)	55.2	5 / 16	9 / 12	1 / 3		
Number of Egg/Embryo Banking Cycles						
	7	6	10	4	0	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		19		18		
Number of transfers		17		15		
Average number of embryos transferred		2.0		2.1		
Percentage of embryos transferred resulting in implantation (%)		55.9		29.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 17		5 / 15		
Percentage of transfers resulting in singleton live births (%)		5 / 17		5 / 15		
Percentage of transfers resulting in twin live births (%)		6 / 17		1 / 15		
Percentage of transfers resulting in live births (%)		11 / 17		6 / 15		
Percentage of transfers resulting in pregnancies (%)		12 / 17		7 / 15		

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-Dallas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TEXAS CENTER FOR REPRODUCTIVE HEALTH DALLAS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Samuel P. Marynick, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	14%	Uterine factor	17%	Multiple Factors: Female factors only 29% Female & male factors 41%
Unstimulated	0%	PGD/PGS	32%	Ovulatory dysfunction	28%	Male factor	48%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	60%	
				Endometriosis	3%	Unknown factor	5%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 78 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	11	5	2	0	0
Percentage of cancellations before retrieval (%)	0 / 19	0 / 11	0 / 5	0 / 2		
Average number of embryos transferred	1.8	1.8	1.8	1.0		
Percentage of embryos transferred resulting in implantation (%)	40.7	2 / 16	2 / 7	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)	1 / 13	0 / 7	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	5 / 19	2 / 11	2 / 5	0 / 2		
Percentage of cycles resulting in singleton live births (%)	7 / 19	2 / 11	2 / 5	0 / 2		
Percentage of cycles resulting in twin live births (%)	1 / 19	0 / 11	0 / 5	0 / 2		
Percentage of cycles resulting in live births (%)	8 / 19	2 / 11	2 / 5	0 / 2		
Percentage of cycles resulting in pregnancies (%)	11 / 19	2 / 11	2 / 5	0 / 2		
Outcomes per Transfer						
Number of transfers	16	9	4	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 16	2 / 9	2 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)	7 / 16	2 / 9	2 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 16	0 / 9	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	8 / 16	2 / 9	2 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)	11 / 16	2 / 9	2 / 4	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	3	4	1	0	0
Number of transfers	7	3	4	1	0	0
Estimated average number of transfers per retrieval	0.9	0.5	0.5			
Average number of embryos transferred	1.7	2.0	1.3	3.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 12	0 / 6	1 / 5	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 7	0 / 3	1 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 7	0 / 3	1 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 3	0 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	2 / 7	0 / 3	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)	3 / 7	0 / 3	1 / 4	0 / 1		
Number of Egg/Embryo Banking Cycles						
	6	6	7	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			4		
Number of transfers	1			4		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 2			2 / 8		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1			0 / 4		
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 1			0 / 4		
Percentage of transfers resulting in live births (%)	1 / 1			0 / 4		
Percentage of transfers resulting in pregnancies (%)	1 / 1			2 / 4		

CURRENT SERVICES & PROFILE

Current Name: Texas Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST CENTER FOR REPRODUCTIVE HEALTH, PA EL PASO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Luis S. Noble, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	19%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 17% Female & male factors 14%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	29%	Male factor	31%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	5%	
				Endometriosis	32%	Unknown factor	4%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 93 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	18	13	7	4	1
Percentage of cancellations before retrieval (%)	3.8	2 / 18	2 / 13	2 / 7	0 / 4	0 / 1
Average number of embryos transferred	2.0	1.8	2.4	3.0	3.5	4.0
Percentage of embryos transferred resulting in implantation (%)	46.2	36.4	7 / 19	2 / 12	0 / 14	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	1 / 19	1 / 11	1 / 8	0 / 4	0 / 4	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.8	5 / 18	1 / 13	1 / 7	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	34.6	5 / 18	1 / 13	1 / 7	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	11.5	1 / 18	1 / 13	0 / 7	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	46.2	6 / 18	2 / 13	1 / 7	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	53.8	7 / 18	5 / 13	2 / 7	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	20	13	8	4	4	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	40.0	5 / 13	1 / 8	1 / 4	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	45.0	5 / 13	1 / 8	1 / 4	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	15.0	1 / 13	1 / 8	0 / 4	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	60.0	6 / 13	2 / 8	1 / 4	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	70.0	7 / 13	5 / 8	2 / 4	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	10	6	3	1	0
Number of transfers	3	10	6	3	1	0
Estimated average number of transfers per retrieval	1.5	2.5	2.0	3.0		
Average number of embryos transferred	3.3	1.9	2.2	2.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 10	6 / 19	4 / 13	1 / 7	1 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3	2 / 10	3 / 6	1 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 3	5 / 10	3 / 6	1 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 10	0 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 3	5 / 10	3 / 6	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 3	6 / 10	3 / 6	1 / 3	1 / 1	
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 1		
Percentage of transfers resulting in singleton live births (%)				0 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				0 / 1		
Percentage of transfers resulting in pregnancies (%)				1 / 1		

CURRENT SERVICES & PROFILE

Current Name: Southwest Center for Reproductive Health, PA

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BROOKE ARMY MEDICAL CENTER FORT SAM HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Rhiana D. Saunders, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	86%	Tubal factor	31%	Uterine factor	18%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 26%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	10%	Male factor	49%	
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	<1%	
				Endometriosis	14%	Unknown factor	10%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 103 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	64	22	16	1	0	0
Percentage of cancellations before retrieval (%)	1.6	0.0	0 / 16	0 / 1		
Average number of embryos transferred	1.9	2.1	2.7	3.0		
Percentage of embryos transferred resulting in implantation (%)	30.7	17.5	17.1	0 / 3		
Percentage of elective single embryo transfers (eSET) (%)	12.7	4.5	0 / 13	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	29.7	22.7	1 / 16	0 / 1		
Percentage of cycles resulting in singleton live births (%)	32.8	27.3	1 / 16	0 / 1		
Percentage of cycles resulting in twin live births (%)	7.8	0.0	0 / 16	0 / 1		
Percentage of cycles resulting in live births (%)	40.6	27.3	2 / 16	0 / 1		
Percentage of cycles resulting in pregnancies (%)	48.4	40.9	4 / 16	0 / 1		
Outcomes per Transfer						
Number of transfers	63	22	14	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.2	22.7	1 / 14	0 / 1		
Percentage of transfers resulting in singleton live births (%)	33.3	27.3	1 / 14	0 / 1		
Percentage of transfers resulting in twin live births (%)	7.9	0.0	0 / 14	0 / 1		
Percentage of transfers resulting in live births (%)	41.3	27.3	2 / 14	0 / 1		
Percentage of transfers resulting in pregnancies (%)	49.2	40.9	4 / 14	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Number of transfers	0	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0	
Number of transfers		0			0	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Brooke Army Medical Center

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FORT WORTH FERTILITY, PA FORT WORTH, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Robert Kaufmann, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	9%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 9%
Unstimulated	<1%	PGD/PGS	21%	Ovulatory dysfunction	7%	Male factor	32%	
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	13%	
				Endometriosis	4%	Unknown factor	24%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 676 (includes 12 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	132	47	34	17	2	5
Percentage of cancellations before retrieval (%)	6.1	14.9	5.9	0 / 17	0 / 2	2 / 5
Average number of embryos transferred	1.7	1.6	1.8	1.7	1.0	2.3
Percentage of embryos transferred resulting in implantation (%)	38.2	21.2	45.2	0 / 12	0 / 1	1 / 7
Percentage of elective single embryo transfers (eSET) (%)	23.2	3 / 15	0 / 13	0 / 5		0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.4	8.5	5.9	0 / 17	0 / 2	1 / 5
Percentage of cycles resulting in singleton live births (%)	19.7	8.5	5.9	0 / 17	0 / 2	1 / 5
Percentage of cycles resulting in twin live births (%)	7.6	2.1	11.8	0 / 17	0 / 2	0 / 5
Percentage of cycles resulting in live births (%)	27.3	10.6	17.6	0 / 17	0 / 2	1 / 5
Percentage of cycles resulting in pregnancies (%)	30.3	12.8	32.4	0 / 17	0 / 2	1 / 5
Outcomes per Transfer						
Number of transfers	75	21	20	7	1	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.3	19.0	10.0	0 / 7	0 / 1	1 / 3
Percentage of transfers resulting in singleton live births (%)	34.7	19.0	10.0	0 / 7	0 / 1	1 / 3
Percentage of transfers resulting in twin live births (%)	13.3	4.8	20.0	0 / 7	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)	48.0	23.8	30.0	0 / 7	0 / 1	1 / 3
Percentage of transfers resulting in pregnancies (%)	53.3	28.6	55.0	0 / 7	0 / 1	1 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	161	45	39	11	5	0
Number of transfers	157	45	38	6	4	0
Estimated average number of transfers per retrieval	2.0	1.3	1.7	0.5	0.5	0.0
Average number of embryos transferred	1.7	1.7	1.6	1.5	1.3	
Percentage of embryos transferred resulting in implantation (%)	26.0	21.3	21.7	2 / 7	0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.8	17.8	18.4	2 / 6	0 / 4	
Percentage of transfers resulting in singleton live births (%)	22.3	22.2	18.4	2 / 6	0 / 4	
Percentage of transfers resulting in twin live births (%)	7.6	4.4	2.6	0 / 6	0 / 4	
Percentage of transfers resulting in live births (%)	29.9	26.7	21.1	2 / 6	0 / 4	
Percentage of transfers resulting in pregnancies (%)	36.9	31.1	28.9	3 / 6	1 / 4	
Number of Egg/Embryo Banking Cycles						
	28	16	8	7	7	4
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		28			68	
Number of transfers		11			67	
Average number of embryos transferred		2.0			1.6	
Percentage of embryos transferred resulting in implantation (%)		63.6			27.1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 11			20.9	
Percentage of transfers resulting in singleton live births (%)		5 / 11			28.4	
Percentage of transfers resulting in twin live births (%)		4 / 11			4.5	
Percentage of transfers resulting in live births (%)		9 / 11			32.8	
Percentage of transfers resulting in pregnancies (%)		9 / 11			35.8	

CURRENT SERVICES & PROFILE

Current Name: Fort Worth Fertility, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

DALLAS IVF FRISCO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Brian D. Barnett, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	50%	Tubal factor	8%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 12%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	16%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	10%	
				Endometriosis	7%	Unknown factor	26%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 896 (includes 6 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	136	44	34	17	7	1
Percentage of cancellations before retrieval (%)	8.8	13.6	29.4	2 / 17	5 / 7	0 / 1
Average number of embryos transferred	1.5	1.9	2.2	1.9		
Percentage of embryos transferred resulting in implantation (%)	43.2	25.7	30.3	4 / 15		
Percentage of elective single embryo transfers (eSET) (%)	43.4	0 / 16	0 / 14	0 / 7		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	16.9	4.5	8.8	0 / 17	0 / 7	0 / 1
Percentage of cycles resulting in singleton live births (%)	20.6	4.5	11.8	1 / 17	0 / 7	0 / 1
Percentage of cycles resulting in twin live births (%)	2.9	6.8	2.9	1 / 17	0 / 7	0 / 1
Percentage of cycles resulting in live births (%)	23.5	11.4	14.7	2 / 17	0 / 7	0 / 1
Percentage of cycles resulting in pregnancies (%)	25.0	15.9	20.6	3 / 17	0 / 7	0 / 1
Outcomes per Transfer						
Number of transfers	58	20	15	8	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.7	10.0	3 / 15	0 / 8		
Percentage of transfers resulting in singleton live births (%)	48.3	10.0	4 / 15	1 / 8		
Percentage of transfers resulting in twin live births (%)	6.9	15.0	1 / 15	1 / 8		
Percentage of transfers resulting in live births (%)	55.2	25.0	5 / 15	2 / 8		
Percentage of transfers resulting in pregnancies (%)	58.6	35.0	7 / 15	3 / 8		
Frozen Embryos from Nondonor Eggs						
Number of cycles	188	87	44	12	1	0
Number of transfers	187	86	43	12	1	0
Estimated average number of transfers per retrieval	1.4	1.1	0.8	0.5	0.1	0.0
Average number of embryos transferred	1.4	1.5	1.5	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	56.7	50.8	50.0	6 / 14	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.0	29.1	23.3	5 / 12	1 / 1	
Percentage of transfers resulting in singleton live births (%)	46.5	33.7	32.6	5 / 12	1 / 1	
Percentage of transfers resulting in twin live births (%)	11.8	15.1	18.6	0 / 12	0 / 1	
Percentage of transfers resulting in live births (%)	58.3	48.8	51.2	5 / 12	1 / 1	
Percentage of transfers resulting in pregnancies (%)	67.9	62.8	58.1	7 / 12	1 / 1	
Number of Egg/Embryo Banking Cycles						
	80	53	46	22	8	8
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		27			75	
Number of transfers		1			75	
Average number of embryos transferred		2.0			1.4	
Percentage of embryos transferred resulting in implantation (%)		0 / 2			50.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1			34.7	
Percentage of transfers resulting in singleton live births (%)		0 / 1			44.0	
Percentage of transfers resulting in twin live births (%)		0 / 1			10.7	
Percentage of transfers resulting in live births (%)		0 / 1			54.7	
Percentage of transfers resulting in pregnancies (%)		0 / 1			60.0	

CURRENT SERVICES & PROFILE

Current Name: Dallas IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS OF TEXAS, PLLC FRISCO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Jerald S. Goldstein, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	54%	Tubal factor	22%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 11% Female & male factors 23%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	25%	Male factor	39%	
Used gestational carrier	1%			Diminished ovarian reserve	19%	Other factor	9%	
				Endometriosis	9%	Unknown factor	12%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 622 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	184	60	67	13	9	3
Percentage of cancellations before retrieval (%)	11.4	11.7	17.9	4 / 13	1 / 9	0 / 3
Average number of embryos transferred	1.9	1.9	2.2	2.3	2.8	2.3
Percentage of embryos transferred resulting in implantation (%)	51.4	29.9	28.9	2 / 16	4.5	0 / 7
Percentage of elective single embryo transfers (eSET) (%)	6.3	10.3	7.3	0 / 5	0 / 7	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.9	16.7	10.4	1 / 13	0 / 9	0 / 3
Percentage of cycles resulting in singleton live births (%)	19.0	18.3	13.4	2 / 13	0 / 9	0 / 3
Percentage of cycles resulting in twin live births (%)	16.3	8.3	7.5	0 / 13	0 / 9	0 / 3
Percentage of cycles resulting in live births (%)	35.3	26.7	20.9	2 / 13	0 / 9	0 / 3
Percentage of cycles resulting in pregnancies (%)	40.2	30.0	32.8	2 / 13	1 / 9	0 / 3
Outcomes per Transfer						
Number of transfers	114	42	46	7	8	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.9	23.8	15.2	1 / 7	0 / 8	0 / 3
Percentage of transfers resulting in singleton live births (%)	30.7	26.2	19.6	2 / 7	0 / 8	0 / 3
Percentage of transfers resulting in twin live births (%)	26.3	11.9	10.9	0 / 7	0 / 8	0 / 3
Percentage of transfers resulting in live births (%)	57.0	38.1	30.4	2 / 7	0 / 8	0 / 3
Percentage of transfers resulting in pregnancies (%)	64.9	42.9	47.8	2 / 7	1 / 8	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	97	31	31	2	1	0
Number of transfers	95	30	30	2	0	0
Estimated average number of transfers per retrieval	1.0	1.2	1.0	0.7	0.0	0.0
Average number of embryos transferred	1.6	1.7	1.6	1.5		
Percentage of embryos transferred resulting in implantation (%)	56.7	51.9	55.3	2 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.7	16.7	30.0	0 / 2		
Percentage of transfers resulting in singleton live births (%)	40.0	20.0	40.0	0 / 2		
Percentage of transfers resulting in twin live births (%)	20.0	33.3	16.7	1 / 2		
Percentage of transfers resulting in live births (%)	61.1	53.3	56.7	1 / 2		
Percentage of transfers resulting in pregnancies (%)	68.4	56.7	73.3	2 / 2		
Number of Egg/Embryo Banking Cycles						
	34	11	16	3	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	29			24		
Number of transfers	23			24		
Average number of embryos transferred	1.9			1.7		
Percentage of embryos transferred resulting in implantation (%)	56.4			42.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.1			37.5		
Percentage of transfers resulting in singleton live births (%)	43.5			45.8		
Percentage of transfers resulting in twin live births (%)	17.4			8.3		
Percentage of transfers resulting in live births (%)	60.9			54.2		
Percentage of transfers resulting in pregnancies (%)	78.3			62.5		

CURRENT SERVICES & PROFILE

Current Name: Fertility Specialists of Texas, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FRISCO INSTITUTE FOR REPRODUCTIVE MEDICINE FRISCO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Rinku V. Mehta, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	73%	Tubal factor	8%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 23%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	21%	Male factor	57%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	6%	
				Endometriosis	5%	Unknown factor	9%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 320 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	84	16	19	6	6	0
Percentage of cancellations before retrieval (%)	6.0	1 / 16	5 / 19	3 / 6	1 / 6	
Average number of embryos transferred	1.3	1.5	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	9 / 19	4 / 6	5 / 8	0 / 1		
Percentage of elective single embryo transfers (eSET) (%)	9 / 14	2 / 4	0 / 4			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2.4	2 / 16	0 / 19	0 / 6	0 / 6	
Percentage of cycles resulting in singleton live births (%)	3.6	2 / 16	1 / 19	0 / 6	0 / 6	
Percentage of cycles resulting in twin live births (%)	3.6	1 / 16	1 / 19	0 / 6	0 / 6	
Percentage of cycles resulting in live births (%)	7.1	3 / 16	2 / 19	0 / 6	0 / 6	
Percentage of cycles resulting in pregnancies (%)	8.3	3 / 16	3 / 19	0 / 6	0 / 6	
Outcomes per Transfer						
Number of transfers	16	4	4	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 16	2 / 4	0 / 4	0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 16	2 / 4	1 / 4	0 / 1		
Percentage of transfers resulting in twin live births (%)	3 / 16	1 / 4	1 / 4	0 / 1		
Percentage of transfers resulting in live births (%)	6 / 16	3 / 4	2 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)	7 / 16	3 / 4	3 / 4	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	90	20	20	9	4	1
Number of transfers	89	20	20	8	4	1
Estimated average number of transfers per retrieval	1.2	1.8	1.1	1.3	0.8	
Average number of embryos transferred	1.3	1.6	1.5	1.4	2.5	1.0
Percentage of embryos transferred resulting in implantation (%)	57.7	53.1	35.7	3 / 11	3 / 10	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.1	35.0	25.0	3 / 8	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.4	50.0	35.0	3 / 8	1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	13.5	10.0	5.0	0 / 8	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	53.9	60.0	40.0	3 / 8	1 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	62.9	70.0	50.0	3 / 8	1 / 4	0 / 1
Number of Egg/Embryo Banking Cycles						
	16	4	10	5	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	5			4		
Number of transfers	4			4		
Average number of embryos transferred	1.8			1.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 7			2 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 4			2 / 4		
Percentage of transfers resulting in singleton live births (%)	2 / 4			2 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 4			0 / 4		
Percentage of transfers resulting in live births (%)	3 / 4			2 / 4		
Percentage of transfers resulting in pregnancies (%)	3 / 4			2 / 4		

CURRENT SERVICES & PROFILE

Current Name: Frisco Institute for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF TEXAS HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Michael A. Allon, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	96%	Tubal factor	15%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 17% Female & male factors 26%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	25%	Male factor	43%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	30%	
				Endometriosis	15%	Unknown factor	2%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 382 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	65	20	16	7	4	1
Percentage of cancellations before retrieval (%)	0.0	0.0	0 / 16	0 / 7	0 / 4	0 / 1
Average number of embryos transferred	3.0					
Percentage of embryos transferred resulting in implantation (%)	2 / 3					
Percentage of elective single embryo transfers (eSET) (%)	0 / 1					
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0.0	0.0	0 / 16	0 / 7	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	0.0	0.0	0 / 16	0 / 7	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	1.5	0.0	0 / 16	0 / 7	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	1.5	0.0	0 / 16	0 / 7	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	1.5	0.0	0 / 16	0 / 7	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	1	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 1					
Percentage of transfers resulting in singleton live births (%)	0 / 1					
Percentage of transfers resulting in twin live births (%)	1 / 1					
Percentage of transfers resulting in live births (%)	1 / 1					
Percentage of transfers resulting in pregnancies (%)	1 / 1					
Frozen Embryos from Nondonor Eggs						
Number of cycles	84	39	31	7	2	0
Number of transfers	83	39	28	6	2	0
Estimated average number of transfers per retrieval	1.2	1.1	1.3	0.4	0.4	0.0
Average number of embryos transferred	2.0	1.8	1.9	2.7	1.5	
Percentage of embryos transferred resulting in implantation (%)	54.8	53.2	30.0	2 / 16	1 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.5	33.3	14.3	2 / 6	0 / 2	
Percentage of transfers resulting in singleton live births (%)	37.3	35.9	17.9	2 / 6	0 / 2	
Percentage of transfers resulting in twin live births (%)	26.5	20.5	10.7	0 / 6	0 / 2	
Percentage of transfers resulting in live births (%)	63.9	56.4	28.6	2 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	78.3	76.9	42.9	2 / 6	1 / 2	
Number of Egg/Embryo Banking Cycles						
	23	22	10	9	5	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		14		21		
Number of transfers		8		21		
Average number of embryos transferred		2.0		1.9		
Percentage of embryos transferred resulting in implantation (%)		5 / 14		41.7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 8		14.3		
Percentage of transfers resulting in singleton live births (%)		3 / 8		23.8		
Percentage of transfers resulting in twin live births (%)		1 / 8		23.8		
Percentage of transfers resulting in live births (%)		4 / 8		47.6		
Percentage of transfers resulting in pregnancies (%)		5 / 8		57.1		

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Center of Texas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COOPER INSTITUTE FOR ADVANCED REPRODUCTIVE MEDICINE HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by C. James Chuong, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	68%	Tubal factor	32%	Uterine factor	22%	<i>Multiple Factors:</i> Female factors only 13% Female & male factors 36%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	15%	Male factor	43%	
Used gestational carrier	3%			Diminished ovarian reserve	39%	Other factor	7%	
				Endometriosis	3%	Unknown factor	<1%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 134 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	24	12	14	8	7	3
Percentage of cancellations before retrieval (%)	12.5	0 / 12	1 / 14	2 / 8	2 / 7	1 / 3
Average number of embryos transferred	2.6	2.4	2.7	3.0	3.3	
Percentage of embryos transferred resulting in implantation (%)	28.6	1 / 19	0.0	0 / 3	0 / 10	
Percentage of elective single embryo transfers (eSET) (%)	1 / 16	0 / 8	0 / 9	0 / 1	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	8.3	0 / 12	0 / 14	0 / 8	0 / 7	0 / 3
Percentage of cycles resulting in singleton live births (%)	12.5	1 / 12	0 / 14	0 / 8	0 / 7	0 / 3
Percentage of cycles resulting in twin live births (%)	12.5	0 / 12	0 / 14	0 / 8	0 / 7	0 / 3
Percentage of cycles resulting in live births (%)	25.0	1 / 12	0 / 14	0 / 8	0 / 7	0 / 3
Percentage of cycles resulting in pregnancies (%)	33.3	1 / 12	0 / 14	0 / 8	0 / 7	0 / 3
Outcomes per Transfer						
Number of transfers	16	8	10	1	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 16	0 / 8	0 / 10	0 / 1	0 / 3	
Percentage of transfers resulting in singleton live births (%)	3 / 16	1 / 8	0 / 10	0 / 1	0 / 3	
Percentage of transfers resulting in twin live births (%)	3 / 16	0 / 8	0 / 10	0 / 1	0 / 3	
Percentage of transfers resulting in live births (%)	6 / 16	1 / 8	0 / 10	0 / 1	0 / 3	
Percentage of transfers resulting in pregnancies (%)	8 / 16	1 / 8	0 / 10	0 / 1	0 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	5	5	0	1	0
Number of transfers	10	5	4	0	1	0
Estimated average number of transfers per retrieval	2.0	1.3	0.6	0.0	0.5	0.0
Average number of embryos transferred	2.4	2.8	2.5		4.0	
Percentage of embryos transferred resulting in implantation (%)	20.8	2 / 14	0 / 10		0 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 10	2 / 5	0 / 4		0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 10	2 / 5	0 / 4		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 10	0 / 5	0 / 4		0 / 1	
Percentage of transfers resulting in live births (%)	2 / 10	2 / 5	0 / 4		0 / 1	
Percentage of transfers resulting in pregnancies (%)	4 / 10	2 / 5	0 / 4		0 / 1	
Number of Egg/Embryo Banking Cycles						
	0	2	4	3	2	5
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	13			16		
Number of transfers	9			14		
Average number of embryos transferred	2.4			2.1		
Percentage of embryos transferred resulting in implantation (%)	40.9			33.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 9			1 / 14		
Percentage of transfers resulting in singleton live births (%)	2 / 9			2 / 14		
Percentage of transfers resulting in twin live births (%)	2 / 9			4 / 14		
Percentage of transfers resulting in live births (%)	4 / 9			6 / 14		
Percentage of transfers resulting in pregnancies (%)	5 / 9			6 / 14		

CURRENT SERVICES & PROFILE

Current Name: Cooper Institute for Advanced Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY FERTILITY CENTER HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by William E. Gibbons, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	69%	Tubal factor	6%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 11%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	29%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	13%	
				Endometriosis	3%	Unknown factor	6%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 278 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	38	17	15	4	1	2
Percentage of cancellations before retrieval (%)	18.4	5 / 17	2 / 15	3 / 4	0 / 1	0 / 2
Average number of embryos transferred	1.4	1.8	2.1		2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	52.4	7 / 14	3 / 15			0 / 2
Percentage of elective single embryo transfers (eSET) (%)	8 / 14	2 / 5	1 / 6		0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.1	2 / 17	0 / 15	0 / 4	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	23.7	2 / 17	0 / 15	0 / 4	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	2.6	0 / 17	0 / 15	0 / 4	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	26.3	3 / 17	1 / 15	0 / 4	0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)	26.3	3 / 17	1 / 15	0 / 4	1 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	15	8	7	0	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	8 / 15	2 / 8	0 / 7		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	9 / 15	2 / 8	0 / 7		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 8	0 / 7		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	10 / 15	3 / 8	1 / 7		0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	10 / 15	3 / 8	1 / 7		1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	52	9	13	5	3	0
Number of transfers	48	9	12	5	3	0
Estimated average number of transfers per retrieval	0.7	0.5	0.7	0.7	0.3	0.0
Average number of embryos transferred	1.3	1.3	1.5	2.4	3.0	
Percentage of embryos transferred resulting in implantation (%)	47.6	5 / 12	6 / 18	3 / 12	1 / 9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.3	3 / 9	2 / 12	2 / 5	0 / 3	
Percentage of transfers resulting in singleton live births (%)	43.8	3 / 9	2 / 12	3 / 5	0 / 3	
Percentage of transfers resulting in twin live births (%)	4.2	0 / 9	0 / 12	0 / 5	0 / 3	
Percentage of transfers resulting in live births (%)	47.9	3 / 9	2 / 12	3 / 5	0 / 3	
Percentage of transfers resulting in pregnancies (%)	58.3	4 / 9	6 / 12	3 / 5	1 / 3	
Number of Egg/Embryo Banking Cycles						
	56	15	10	7	9	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		6			12	
Number of transfers		5			10	
Average number of embryos transferred		1.0			1.7	
Percentage of embryos transferred resulting in implantation (%)		4 / 5			5 / 17	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 5			2 / 10	
Percentage of transfers resulting in singleton live births (%)		2 / 5			3 / 10	
Percentage of transfers resulting in twin live births (%)		1 / 5			0 / 10	
Percentage of transfers resulting in live births (%)		3 / 5			3 / 10	
Percentage of transfers resulting in pregnancies (%)		3 / 5			4 / 10	

CURRENT SERVICES & PROFILE

Current Name: Family Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE HEARD CLINIC HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Michael J. Heard, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	97%	Tubal factor	18%	Uterine factor	18%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 36%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	32%	Male factor	55%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	23%	
				Endometriosis	14%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 47 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	16	5	3	2	3	0
Percentage of cancellations before retrieval (%)	0 / 16	0 / 5	0 / 3	0 / 2	0 / 3	
Average number of embryos transferred	2.2	2.0	3.5	3.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	8.0	2 / 8	0 / 7	0 / 7	0 / 4	
Percentage of elective single embryo transfers (eSET) (%)	0 / 10	0 / 4	0 / 2	0 / 2	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 16	1 / 5	0 / 3	0 / 2	0 / 3	
Percentage of cycles resulting in singleton live births (%)	1 / 16	2 / 5	0 / 3	0 / 2	0 / 3	
Percentage of cycles resulting in twin live births (%)	0 / 16	0 / 5	0 / 3	0 / 2	0 / 3	
Percentage of cycles resulting in live births (%)	1 / 16	2 / 5	0 / 3	0 / 2	0 / 3	
Percentage of cycles resulting in pregnancies (%)	3 / 16	2 / 5	0 / 3	0 / 2	0 / 3	
Outcomes per Transfer						
Number of transfers	13	4	2	2	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 13	1 / 4	0 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 13	2 / 4	0 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 13	0 / 4	0 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	1 / 13	2 / 4	0 / 2	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	3 / 13	2 / 4	0 / 2	0 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	0	0	1	0	0
Number of transfers	2	0	0	0	0	0
Estimated average number of transfers per retrieval	0.7	0.0				
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	0 / 4					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2					
Percentage of transfers resulting in singleton live births (%)	0 / 2					
Percentage of transfers resulting in twin live births (%)	0 / 2					
Percentage of transfers resulting in live births (%)	0 / 2					
Percentage of transfers resulting in pregnancies (%)	0 / 2					
Number of Egg/Embryo Banking Cycles						
	1	2	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			6		
Number of transfers	6			6		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	4 / 10			0 / 12		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 6			0 / 6		
Percentage of transfers resulting in singleton live births (%)	1 / 6			0 / 6		
Percentage of transfers resulting in twin live births (%)	1 / 6			0 / 6		
Percentage of transfers resulting in live births (%)	2 / 6			0 / 6		
Percentage of transfers resulting in pregnancies (%)	4 / 6			0 / 6		

CURRENT SERVICES & PROFILE

Current Name: The Heard Clinic

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON FERTILITY INSTITUTE HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Ghassan F. Haddad, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	30%	Uterine factor	53%	<i>Multiple Factors:</i> Female factors only 38% Female & male factors 43%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	30%	Male factor	47%	
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	38%	
				Endometriosis	10%	Unknown factor	1%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 3,537 (includes 149 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	474	162	139	63	38	9
Percentage of cancellations before retrieval (%)	1.1	6.2	5.8	7.9	13.2	0 / 9
Average number of embryos transferred	1.8	1.9	1.8	2.0	1.8	2.7
Percentage of embryos transferred resulting in implantation (%)	43.5	27.3	16.7	12.8	0 / 16	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	18.8	5.0	3.8	0 / 18	0 / 6	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	8.0	9.3	6.5	1.6	0.0	0 / 9
Percentage of cycles resulting in singleton live births (%)	9.3	11.7	9.4	3.2	0.0	0 / 9
Percentage of cycles resulting in twin live births (%)	5.7	3.1	0.7	1.6	0.0	0 / 9
Percentage of cycles resulting in live births (%)	15.0	14.8	10.1	4.8	0.0	0 / 9
Percentage of cycles resulting in pregnancies (%)	17.1	17.9	16.5	7.9	0.0	0 / 9
Outcomes per Transfer						
Number of transfers	143	65	63	21	9	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.6	23.1	14.3	4.8	0 / 9	0 / 3
Percentage of transfers resulting in singleton live births (%)	30.8	29.2	20.6	9.5	0 / 9	0 / 3
Percentage of transfers resulting in twin live births (%)	18.9	7.7	1.6	4.8	0 / 9	0 / 3
Percentage of transfers resulting in live births (%)	49.7	36.9	22.2	14.3	0 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)	56.6	44.6	36.5	23.8	0 / 9	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	832	294	226	82	28	1
Number of transfers	778	272	212	77	25	1
Estimated average number of transfers per retrieval	1.2	1.1	1.0	0.8	1.0	0.0
Average number of embryos transferred	1.7	1.6	1.5	1.5	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	48.1	42.5	37.9	34.5	42.1	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.5	27.9	23.6	19.5	28.0	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.1	35.3	30.7	26.0	36.0	0 / 1
Percentage of transfers resulting in twin live births (%)	16.2	9.6	8.5	6.5	4.0	0 / 1
Percentage of transfers resulting in live births (%)	50.6	44.9	39.2	32.5	40.0	0 / 1
Percentage of transfers resulting in pregnancies (%)	60.4	57.0	50.9	45.5	52.0	0 / 1
Number of Egg/Embryo Banking Cycles						
	343	164	173	87	18	21
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		50			184	
Number of transfers		32			170	
Average number of embryos transferred		1.8			1.6	
Percentage of embryos transferred resulting in implantation (%)		50.0			39.5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		21.9			18.8	
Percentage of transfers resulting in singleton live births (%)		25.0			25.9	
Percentage of transfers resulting in twin live births (%)		28.1			13.5	
Percentage of transfers resulting in live births (%)		53.1			39.4	
Percentage of transfers resulting in pregnancies (%)		59.4			48.8	

CURRENT SERVICES & PROFILE

Current Name: Houston Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON FERTILITY SPECIALISTS HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by George M. Grunert, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	66%	Tubal factor	16%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 21% Female & male factors 22%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	19%	Male factor	28%	
Used gestational carrier	<1%			Diminished ovarian reserve	43%	Other factor	24%	
				Endometriosis	13%	Unknown factor	5%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,310 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	80	45	61	29	15	5
Percentage of cancellations before retrieval (%)	13.8	31.1	32.8	44.8	4 / 15	2 / 5
Average number of embryos transferred	1.3	1.8	1.8	2.0		
Percentage of embryos transferred resulting in implantation (%)	13.0	33.3	1 / 12	0 / 6		
Percentage of elective single embryo transfers (eSET) (%)	68.6	1 / 14	0 / 6	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	6.3	11.1	1.6	0.0	0 / 15	0 / 5
Percentage of cycles resulting in singleton live births (%)	8.8	15.6	1.6	0.0	0 / 15	0 / 5
Percentage of cycles resulting in twin live births (%)	0.0	2.2	0.0	0.0	0 / 15	0 / 5
Percentage of cycles resulting in live births (%)	8.8	17.8	1.6	0.0	0 / 15	0 / 5
Percentage of cycles resulting in pregnancies (%)	13.8	17.8	3.3	0.0	0 / 15	0 / 5
Outcomes per Transfer						
Number of transfers	45	17	8	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	11.1	5 / 17	1 / 8	0 / 3		
Percentage of transfers resulting in singleton live births (%)	15.6	7 / 17	1 / 8	0 / 3		
Percentage of transfers resulting in twin live births (%)	0.0	1 / 17	0 / 8	0 / 3		
Percentage of transfers resulting in live births (%)	15.6	8 / 17	1 / 8	0 / 3		
Percentage of transfers resulting in pregnancies (%)	24.4	8 / 17	2 / 8	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	247	149	85	43	13	5
Number of transfers	233	130	74	35	11	3
Estimated average number of transfers per retrieval	1.3	1.0	0.8	0.9	0.5	0.5
Average number of embryos transferred	1.2	1.2	1.1	1.2	1.4	1.0
Percentage of embryos transferred resulting in implantation (%)	51.9	50.0	52.4	56.4	3 / 15	1 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.0	35.4	36.5	40.0	3 / 11	0 / 3
Percentage of transfers resulting in singleton live births (%)	42.5	41.5	41.9	51.4	3 / 11	1 / 3
Percentage of transfers resulting in twin live births (%)	4.3	3.1	4.1	2.9	0 / 11	0 / 3
Percentage of transfers resulting in live births (%)	46.8	44.6	45.9	54.3	3 / 11	1 / 3
Percentage of transfers resulting in pregnancies (%)	56.7	55.4	56.8	68.6	3 / 11	1 / 3
Number of Egg/Embryo Banking Cycles						
	155	122	87	33	19	6
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		26			80	
Number of transfers		17			65	
Average number of embryos transferred		1.3			1.3	
Percentage of embryos transferred resulting in implantation (%)		45.5			39.5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 17			30.8	
Percentage of transfers resulting in singleton live births (%)		6 / 17			36.9	
Percentage of transfers resulting in twin live births (%)		1 / 17			3.1	
Percentage of transfers resulting in live births (%)		7 / 17			40.0	
Percentage of transfers resulting in pregnancies (%)		9 / 17			50.8	

CURRENT SERVICES & PROFILE

Current Name: Houston Fertility Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON INFERTILITY CLINIC SONJA KRISTIENSEN, MD HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Sonja B. Kristiansen, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	80%	Tubal factor	22%	Uterine factor	<1%	Multiple Factors: Female factors only 2% Female & male factors 8%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	2%	Male factor	41%	
Used gestational carrier	2%			Diminished ovarian reserve	20%	Other factor	7%	
				Endometriosis	2%	Unknown factor	15%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 127 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		43	20	14	5	4	5
Percentage of cancellations before retrieval (%)		2.3	10.0	0 / 14	1 / 5	0 / 4	0 / 5
Average number of embryos transferred		2.3	2.3	1.8	3.0	2.0	2.3
Percentage of embryos transferred resulting in implantation (%)		30.0	27.8	12.5	1 / 6	1 / 6	1 / 9
Percentage of elective single embryo transfers (eSET) (%)		2.8	0 / 13	0 / 7	0 / 2	0 / 3	0 / 4
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		16.3	20.0	1 / 14	1 / 5	1 / 4	1 / 5
Percentage of cycles resulting in singleton live births (%)		16.3	30.0	1 / 14	1 / 5	1 / 4	1 / 5
Percentage of cycles resulting in twin live births (%)		18.6	0.0	1 / 14	0 / 5	0 / 4	0 / 5
Percentage of cycles resulting in live births (%)		34.9	30.0	2 / 14	1 / 5	1 / 4	1 / 5
Percentage of cycles resulting in pregnancies (%)		39.5	35.0	2 / 14	1 / 5	1 / 4	1 / 5
Outcomes per Transfer							
Number of transfers		39	16	13	2	3	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		17.9	4 / 16	1 / 13	1 / 2	1 / 3	1 / 4
Percentage of transfers resulting in singleton live births (%)		17.9	6 / 16	1 / 13	1 / 2	1 / 3	1 / 4
Percentage of transfers resulting in twin live births (%)		20.5	0 / 16	1 / 13	0 / 2	0 / 3	0 / 4
Percentage of transfers resulting in live births (%)		38.5	6 / 16	2 / 13	1 / 2	1 / 3	1 / 4
Percentage of transfers resulting in pregnancies (%)		43.6	7 / 16	2 / 13	1 / 2	1 / 3	1 / 4
Frozen Embryos from Nondonor Eggs							
Number of cycles		11	4	3	0	0	0
Number of transfers		11	4	3	0	0	0
Estimated average number of transfers per retrieval		2.8	4.0	1.5	0.0		0.0
Average number of embryos transferred		2.1	2.0	1.7			
Percentage of embryos transferred resulting in implantation (%)		21.7	3 / 8	2 / 5			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 11	3 / 4	1 / 3			
Percentage of transfers resulting in singleton live births (%)		3 / 11	3 / 4	1 / 3			
Percentage of transfers resulting in twin live births (%)		1 / 11	0 / 4	0 / 3			
Percentage of transfers resulting in live births (%)		4 / 11	3 / 4	1 / 3			
Percentage of transfers resulting in pregnancies (%)		4 / 11	3 / 4	2 / 3			
Number of Egg/Embryo Banking Cycles							
		1	1	1	2	0	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		7			5		
Number of transfers		6			5		
Average number of embryos transferred		1.7			2.6		
Percentage of embryos transferred resulting in implantation (%)		5 / 10			2 / 10		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 6			0 / 5		
Percentage of transfers resulting in singleton live births (%)		2 / 6			0 / 5		
Percentage of transfers resulting in twin live births (%)		1 / 6			1 / 5		
Percentage of transfers resulting in live births (%)		3 / 6			1 / 5		
Percentage of transfers resulting in pregnancies (%)		3 / 6			2 / 5		

CURRENT SERVICES & PROFILE		Current Name: Houston Infertility Clinic, Sonja Kristiansen, MD					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HOUSTON IVF HOUSTON, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Timothy N. Hickman, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	94%	Tubal factor	9%	Uterine factor	5%	Multiple Factors: Female factors only 11% Female & male factors 8%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	13%	Male factor	20%	
Used gestational carrier	<1%			Diminished ovarian reserve	40%	Other factor	15%	
				Endometriosis	6%	Unknown factor	14%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 841 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	197	92	68	36	24	1
Percentage of cancellations before retrieval (%)	1.0	1.1	1.5	5.6	4.2	0 / 1
Average number of embryos transferred	1.9	2.0	2.4	2.9	2.1	1.0
Percentage of embryos transferred resulting in implantation (%)	50.8	40.4	15.8	7.7	7.7	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	5.6	5.5	1.9	0.0	0 / 12	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	27.9	19.6	16.2	8.3	8.3	0 / 1
Percentage of cycles resulting in singleton live births (%)	32.0	25.0	20.6	8.3	8.3	0 / 1
Percentage of cycles resulting in twin live births (%)	26.4	16.3	2.9	0.0	0.0	0 / 1
Percentage of cycles resulting in live births (%)	58.9	42.4	23.5	8.3	8.3	0 / 1
Percentage of cycles resulting in pregnancies (%)	62.4	51.1	30.9	16.7	12.5	0 / 1
Outcomes per Transfer						
Number of transfers	189	80	60	27	19	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	29.1	22.5	18.3	11.1	2 / 19	0 / 1
Percentage of transfers resulting in singleton live births (%)	33.3	28.8	23.3	11.1	2 / 19	0 / 1
Percentage of transfers resulting in twin live births (%)	27.5	18.8	3.3	0.0	0 / 19	0 / 1
Percentage of transfers resulting in live births (%)	61.4	48.8	26.7	11.1	2 / 19	0 / 1
Percentage of transfers resulting in pregnancies (%)	65.1	58.8	35.0	22.2	3 / 19	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	97	53	46	9	7	0
Number of transfers	94	53	46	9	7	0
Estimated average number of transfers per retrieval	1.2	1.2	1.0	0.9	1.4	
Average number of embryos transferred	1.7	1.6	1.7	1.3	1.4	
Percentage of embryos transferred resulting in implantation (%)	47.5	40.0	38.2	3 / 11	4 / 10	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.9	32.1	28.3	2 / 9	3 / 7	
Percentage of transfers resulting in singleton live births (%)	38.3	37.7	32.6	2 / 9	3 / 7	
Percentage of transfers resulting in twin live births (%)	17.0	9.4	13.0	0 / 9	0 / 7	
Percentage of transfers resulting in live births (%)	55.3	47.2	45.7	2 / 9	3 / 7	
Percentage of transfers resulting in pregnancies (%)	64.9	54.7	47.8	4 / 9	4 / 7	
Number of Egg/Embryo Banking Cycles						
	55	35	34	9	4	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		41			28	
Number of transfers		39			28	
Average number of embryos transferred		1.9			1.6	
Percentage of embryos transferred resulting in implantation (%)		53.4			28.9	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		33.3			21.4	
Percentage of transfers resulting in singleton live births (%)		41.0			25.0	
Percentage of transfers resulting in twin live births (%)		25.6			10.7	
Percentage of transfers resulting in live births (%)		66.7			35.7	
Percentage of transfers resulting in pregnancies (%)		71.8			35.7	

CURRENT SERVICES & PROFILE

Current Name: Houston IVF

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVFMD IRVING, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Sy Q. Le, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	22%	Uterine factor	3%	
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	14%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	16%	
				Endometriosis	6%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				22%

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 525 (includes 2 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
	Number of cycles	132	48	23	11	8	3
	Percentage of cancellations before retrieval (%)	2.3	4.2	8.7	2 / 11	5 / 8	1 / 3
	Average number of embryos transferred	1.8	1.9	1.8	2.7		
	Percentage of embryos transferred resulting in implantation (%)	44.0	31.7	25.9	1 / 5		
	Percentage of elective single embryo transfers (eSET) (%)	15.2	9.4	1 / 13	0 / 3		
Outcomes per Cycle							
	Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.5	18.8	8.7	1 / 11	0 / 8	0 / 3
	Percentage of cycles resulting in singleton live births (%)	30.3	20.8	8.7	1 / 11	0 / 8	0 / 3
	Percentage of cycles resulting in twin live births (%)	13.6	6.3	4.3	0 / 11	0 / 8	0 / 3
	Percentage of cycles resulting in live births (%)	43.9	27.1	13.0	1 / 11	0 / 8	0 / 3
	Percentage of cycles resulting in pregnancies (%)	47.7	33.3	26.1	2 / 11	0 / 8	0 / 3
Outcomes per Transfer							
	Number of transfers	109	35	15	3	0	0
	Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	24.8	25.7	2 / 15	1 / 3		
	Percentage of transfers resulting in singleton live births (%)	36.7	28.6	2 / 15	1 / 3		
	Percentage of transfers resulting in twin live births (%)	16.5	8.6	1 / 15	0 / 3		
	Percentage of transfers resulting in live births (%)	53.2	37.1	3 / 15	1 / 3		
	Percentage of transfers resulting in pregnancies (%)	57.8	45.7	6 / 15	2 / 3		
Frozen Embryos from Nondonor Eggs							
	Number of cycles	96	42	29	12	7	3
	Number of transfers	92	42	28	10	7	3
	Estimated average number of transfers per retrieval	1.8	1.8	1.5	0.8	0.6	0.8
	Average number of embryos transferred	1.5	1.5	1.6	1.8	1.6	2.0
	Percentage of embryos transferred resulting in implantation (%)	40.3	35.6	31.0	3 / 18	1 / 11	0 / 6
	Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.8	28.6	7.1	3 / 10	1 / 7	0 / 3
	Percentage of transfers resulting in singleton live births (%)	31.5	33.3	28.6	3 / 10	1 / 7	0 / 3
	Percentage of transfers resulting in twin live births (%)	10.9	7.1	3.6	0 / 10	0 / 7	0 / 3
	Percentage of transfers resulting in live births (%)	42.4	40.5	32.1	3 / 10	1 / 7	0 / 3
	Percentage of transfers resulting in pregnancies (%)	53.3	47.6	46.4	3 / 10	1 / 7	0 / 3
Number of Egg/Embryo Banking Cycles		20	13	11	11	8	4
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
	Number of cycles	17			25		
	Number of transfers	11			25		
	Average number of embryos transferred	1.7			1.7		
	Percentage of embryos transferred resulting in implantation (%)	14 / 19			31.4		
	Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 11			24.0		
	Percentage of transfers resulting in singleton live births (%)	4 / 11			28.0		
	Percentage of transfers resulting in twin live births (%)	5 / 11			4.0		
	Percentage of transfers resulting in live births (%)	9 / 11			32.0		
	Percentage of transfers resulting in pregnancies (%)	9 / 11			48.0		

CURRENT SERVICES & PROFILE		Current Name: IVFMD					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTRE FOR REPRODUCTIVE MEDICINE LUBBOCK, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Janelle O. Dorsett, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	25%	Tubal factor	37%	Uterine factor	12%	<i>Multiple Factors:</i> Female factors only 37% Female & male factors 35%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	25%	Male factor	42%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	31%	
				Endometriosis	20%	Unknown factor	3%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 158 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	51	7	10	6	1	2
Percentage of cancellations before retrieval (%)	9.8	0 / 7	1 / 10	1 / 6	0 / 1	0 / 2
Average number of embryos transferred	1.6	1.5	1.6	1.3		
Percentage of embryos transferred resulting in implantation (%)	14.3	3 / 6	2 / 8	0 / 4		
Percentage of elective single embryo transfers (eSET) (%)	0 / 7	0 / 2	0 / 3	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3.9	1 / 7	0 / 10	0 / 6	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	3.9	3 / 7	2 / 10	0 / 6	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	0 / 7	0 / 10	0 / 6	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	3.9	3 / 7	2 / 10	0 / 6	0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)	5.9	3 / 7	2 / 10	0 / 6	0 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	13	4	5	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 13	1 / 4	0 / 5	0 / 3		
Percentage of transfers resulting in singleton live births (%)	2 / 13	3 / 4	2 / 5	0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 13	0 / 4	0 / 5	0 / 3		
Percentage of transfers resulting in live births (%)	2 / 13	3 / 4	2 / 5	0 / 3		
Percentage of transfers resulting in pregnancies (%)	3 / 13	3 / 4	2 / 5	0 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	49	5	2	0	1	0
Number of transfers	47	5	2	0	1	0
Estimated average number of transfers per retrieval	1.5	0.8	0.5	0.0	0.5	
Average number of embryos transferred	1.6	1.4	1.5		1.0	
Percentage of embryos transferred resulting in implantation (%)	47.9	4 / 7	0 / 3		0 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.3	2 / 5	0 / 2		0 / 1	
Percentage of transfers resulting in singleton live births (%)	29.8	2 / 5	0 / 2		0 / 1	
Percentage of transfers resulting in twin live births (%)	19.1	1 / 5	0 / 2		0 / 1	
Percentage of transfers resulting in live births (%)	48.9	3 / 5	0 / 2		0 / 1	
Percentage of transfers resulting in pregnancies (%)	55.3	3 / 5	0 / 2		0 / 1	
Number of Egg/Embryo Banking Cycles						
	1	2	0	2	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	8			11		
Number of transfers	5			9		
Average number of embryos transferred	1.6			1.6		
Percentage of embryos transferred resulting in implantation (%)	6 / 8			5 / 14		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 5			3 / 9		
Percentage of transfers resulting in singleton live births (%)	2 / 5			3 / 9		
Percentage of transfers resulting in twin live births (%)	0 / 5			1 / 9		
Percentage of transfers resulting in live births (%)	3 / 5			4 / 9		
Percentage of transfers resulting in pregnancies (%)	4 / 5			4 / 9		

CURRENT SERVICES & PROFILE

Current Name: The Centre for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TEXAS TECH UNIVERSITY HEALTH SCIENCES CENTER CENTER FOR FERTILITY AND REPRODUCTIVE SURGERY LUBBOCK, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Jaou-Chen Huang, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	97%	Tubal factor	13%	Uterine factor	5%	Multiple Factors: Female factors only 9% Female & male factors 17%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	26%	Male factor	49%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	0%	
				Endometriosis	14%	Unknown factor	4%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 129 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		36	18	6	0	0	1
Percentage of cancellations before retrieval (%)		0.0	2 / 18	0 / 6			0 / 1
Average number of embryos transferred		1.9	1.9	1.8			
Percentage of embryos transferred resulting in implantation (%)		45.3	46.4	2 / 11			
Percentage of elective single embryo transfers (eSET) (%)		11.8	1 / 14	0 / 4			
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		30.6	3 / 18	2 / 6			0 / 1
Percentage of cycles resulting in singleton live births (%)		30.6	5 / 18	2 / 6			0 / 1
Percentage of cycles resulting in twin live births (%)		22.2	2 / 18	0 / 6			0 / 1
Percentage of cycles resulting in live births (%)		52.8	8 / 18	2 / 6			0 / 1
Percentage of cycles resulting in pregnancies (%)		55.6	8 / 18	2 / 6			0 / 1
Outcomes per Transfer							
Number of transfers		34	15	6	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		32.4	3 / 15	2 / 6			
Percentage of transfers resulting in singleton live births (%)		32.4	5 / 15	2 / 6			
Percentage of transfers resulting in twin live births (%)		23.5	2 / 15	0 / 6			
Percentage of transfers resulting in live births (%)		55.9	8 / 15	2 / 6			
Percentage of transfers resulting in pregnancies (%)		58.8	8 / 15	2 / 6			
Frozen Embryos from Nondonor Eggs							
Number of cycles		24	10	5	3	0	0
Number of transfers		20	10	4	3	0	0
Estimated average number of transfers per retrieval		1.3	0.9	0.6			
Average number of embryos transferred		1.8	1.6	1.8	1.3		
Percentage of embryos transferred resulting in implantation (%)		36.1	2 / 16	1 / 7	1 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		35.0	1 / 10	0 / 4	1 / 3		
Percentage of transfers resulting in singleton live births (%)		40.0	2 / 10	1 / 4	1 / 3		
Percentage of transfers resulting in twin live births (%)		10.0	0 / 10	0 / 4	0 / 3		
Percentage of transfers resulting in live births (%)		50.0	2 / 10	1 / 4	1 / 3		
Percentage of transfers resulting in pregnancies (%)		50.0	2 / 10	1 / 4	1 / 3		
Number of Egg/Embryo Banking Cycles							
		8	7	7	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			3		
Number of transfers		0			3		
Average number of embryos transferred					1.7		
Percentage of embryos transferred resulting in implantation (%)					2 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					1 / 3		
Percentage of transfers resulting in singleton live births (%)					2 / 3		
Percentage of transfers resulting in twin live births (%)					0 / 3		
Percentage of transfers resulting in live births (%)					2 / 3		
Percentage of transfers resulting in pregnancies (%)					2 / 3		

CURRENT SERVICES & PROFILE		Current Name: Texas Tech University Health Sciences Center, Center for Fertility and Reproductive Surgery					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE INSTITUTE OF SOUTH TEXAS McALLEN, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Esteban O. Brown, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	42%	Uterine factor	26%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 29%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	18%	Male factor	47%	
Used gestational carrier	<1%			Diminished ovarian reserve	10%	Other factor	7%	
				Endometriosis	4%	Unknown factor	7%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 165 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	16	22	6	2	1
Percentage of cancellations before retrieval (%)	5.1	2 / 16	13.6	1 / 6	0 / 2	0 / 1
Average number of embryos transferred	1.7	1.8	1.8	2.0	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	44.6	25.0	19.2	0 / 6	0 / 3	0 / 2
Percentage of elective single embryo transfers (eSET) (%)	22.5	2 / 11	1 / 14	0 / 2	0 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	20.3	4 / 16	13.6	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	22.0	5 / 16	13.6	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	10.2	0 / 16	4.5	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	32.2	5 / 16	18.2	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	44.1	5 / 16	27.3	0 / 6	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	44	12	17	3	2	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.3	4 / 12	3 / 17	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	29.5	5 / 12	3 / 17	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	13.6	0 / 12	1 / 17	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	43.2	5 / 12	4 / 17	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	59.1	5 / 12	6 / 17	0 / 3	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	16	6	1	0	1
Number of transfers	25	16	6	1	0	1
Estimated average number of transfers per retrieval	2.4	2.7	2.0	1.0		
Average number of embryos transferred	1.8	1.6	1.5	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	59.0	56.5	4 / 8	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.0	5 / 16	2 / 6	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	24.0	8 / 16	4 / 6	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	28.0	2 / 16	0 / 6	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	52.0	10 / 16	4 / 6	0 / 1		0 / 1
Percentage of transfers resulting in pregnancies (%)	64.0	12 / 16	5 / 6	0 / 1		1 / 1
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		3			5	
Number of transfers		2			5	
Average number of embryos transferred		2.5			2.0	
Percentage of embryos transferred resulting in implantation (%)		4 / 5			6 / 10	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 2			2 / 5	
Percentage of transfers resulting in singleton live births (%)		2 / 2			4 / 5	
Percentage of transfers resulting in twin live births (%)		0 / 2			1 / 5	
Percentage of transfers resulting in live births (%)		2 / 2			5 / 5	
Percentage of transfers resulting in pregnancies (%)		2 / 2			5 / 5	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Institute of South Texas

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTERS, PLLC ODESSA, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Botros Rizk, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	13%	Tubal factor	47%	Uterine factor	0%	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	47%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	0%	
				Endometriosis	7%	Unknown factor	0%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				27%

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 15 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		10	1	3	1	0	0
Percentage of cancellations before retrieval (%)		0 / 10	0 / 1	0 / 3	0 / 1		
Average number of embryos transferred		1.3	3.0	3.0			
Percentage of embryos transferred resulting in implantation (%)		0 / 9	1 / 3	0 / 6			
Percentage of elective single embryo transfers (eSET) (%)		0 / 2	0 / 1	0 / 2			
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		0 / 10	1 / 1	0 / 3	0 / 1		
Percentage of cycles resulting in singleton live births (%)		0 / 10	1 / 1	0 / 3	0 / 1		
Percentage of cycles resulting in twin live births (%)		0 / 10	0 / 1	0 / 3	0 / 1		
Percentage of cycles resulting in live births (%)		0 / 10	1 / 1	0 / 3	0 / 1		
Percentage of cycles resulting in pregnancies (%)		0 / 10	1 / 1	0 / 3	0 / 1		
Outcomes per Transfer							
Number of transfers		7	1	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 7	1 / 1	0 / 2			
Percentage of transfers resulting in singleton live births (%)		0 / 7	1 / 1	0 / 2			
Percentage of transfers resulting in twin live births (%)		0 / 7	0 / 1	0 / 2			
Percentage of transfers resulting in live births (%)		0 / 7	1 / 1	0 / 2			
Percentage of transfers resulting in pregnancies (%)		0 / 7	1 / 1	0 / 2			
Frozen Embryos from Nondonor Eggs							
Number of cycles		0	0	0	0	0	0
Number of transfers		0	0	0	0	0	0
Estimated average number of transfers per retrieval							
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation (%)							
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)							
Percentage of transfers resulting in singleton live births (%)							
Percentage of transfers resulting in twin live births (%)							
Percentage of transfers resulting in live births (%)							
Percentage of transfers resulting in pregnancies (%)							
Number of Egg/Embryo Banking Cycles							
		0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			0		
Number of transfers		0			0		
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation (%)							
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)							
Percentage of transfers resulting in singleton live births (%)							
Percentage of transfers resulting in twin live births (%)							
Percentage of transfers resulting in live births (%)							
Percentage of transfers resulting in pregnancies (%)							

CURRENT SERVICES & PROFILE		Current Name: Advanced Fertility Centers, PLLC					
Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF PLANO PLANO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by James Douglas, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	37%	Tubal factor	14%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 18% Female & male factors 39%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	63%	Male factor	43%	
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	13%	
				Endometriosis	9%	Unknown factor	<1%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 328 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	25	31	14	9	6
Percentage of cancellations before retrieval (%)	1.9	0.0	25.8	1 / 14	2 / 9	1 / 6
Average number of embryos transferred	2.3	2.0	2.1	2.6	1.8	2.3
Percentage of embryos transferred resulting in implantation (%)	40.7	2 / 10	7.7	4 / 18	1 / 9	0 / 9
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 3	0 / 12	0 / 7	0 / 3	0 / 3
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	5.7	4.0	0.0	1 / 14	0 / 9	0 / 6
Percentage of cycles resulting in singleton live births (%)	5.7	8.0	3.2	2 / 14	0 / 9	0 / 6
Percentage of cycles resulting in twin live births (%)	3.8	0.0	0.0	0 / 14	0 / 9	0 / 6
Percentage of cycles resulting in live births (%)	9.4	8.0	3.2	2 / 14	0 / 9	0 / 6
Percentage of cycles resulting in pregnancies (%)	11.3	8.0	9.7	3 / 14	1 / 9	0 / 6
Outcomes per Transfer						
Number of transfers	12	5	14	7	5	4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 12	1 / 5	0 / 14	1 / 7	0 / 5	0 / 4
Percentage of transfers resulting in singleton live births (%)	3 / 12	2 / 5	1 / 14	2 / 7	0 / 5	0 / 4
Percentage of transfers resulting in twin live births (%)	2 / 12	0 / 5	0 / 14	0 / 7	0 / 5	0 / 4
Percentage of transfers resulting in live births (%)	5 / 12	2 / 5	1 / 14	2 / 7	0 / 5	0 / 4
Percentage of transfers resulting in pregnancies (%)	6 / 12	2 / 5	3 / 14	3 / 7	1 / 5	0 / 4
Frozen Embryos from Nondonor Eggs						
Number of cycles	69	33	22	4	3	1
Number of transfers	68	32	22	4	3	1
Estimated average number of transfers per retrieval	1.3	1.5	1.6	0.5	1.5	
Average number of embryos transferred	1.7	1.6	1.6	1.5	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	56.6	49.0	44.4	1 / 6	2 / 5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.4	40.6	22.7	1 / 4	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	42.6	46.9	31.8	1 / 4	2 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	14.7	9.4	9.1	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	58.8	56.3	40.9	1 / 4	2 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	70.6	62.5	54.5	1 / 4	2 / 3	1 / 1
Number of Egg/Embryo Banking Cycles						
	24	7	7	2	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		9			7	
Number of transfers		8			7	
Average number of embryos transferred		1.5			2.1	
Percentage of embryos transferred resulting in implantation (%)		8 / 10			6 / 15	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 8			1 / 7	
Percentage of transfers resulting in singleton live births (%)		4 / 8			1 / 7	
Percentage of transfers resulting in twin live births (%)		1 / 8			1 / 7	
Percentage of transfers resulting in live births (%)		5 / 8			2 / 7	
Percentage of transfers resulting in pregnancies (%)		7 / 8			3 / 7	

CURRENT SERVICES & PROFILE

Current Name: IVF Plano

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PRESBYTERIAN HOSPITAL PLANO ARTS PLANO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Alfred J. Rodriguez, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	42%	Tubal factor	14%	Uterine factor	28%	<i>Multiple Factors:</i> Female factors only 46% Female & male factors 18%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	35%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	38%	
				Endometriosis	14%	Unknown factor	<1%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 240 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	5	19	11	1	0
Percentage of cancellations before retrieval (%)	2 / 12	2 / 5	6 / 19	3 / 11	1 / 1	
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of elective single embryo transfers (eSET) (%)						
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 12	0 / 5	0 / 19	0 / 11	0 / 1	
Percentage of cycles resulting in singleton live births (%)	0 / 12	0 / 5	0 / 19	0 / 11	0 / 1	
Percentage of cycles resulting in twin live births (%)	0 / 12	0 / 5	0 / 19	0 / 11	0 / 1	
Percentage of cycles resulting in live births (%)	0 / 12	0 / 5	0 / 19	0 / 11	0 / 1	
Percentage of cycles resulting in pregnancies (%)	0 / 12	0 / 5	0 / 19	0 / 11	0 / 1	
Outcomes per Transfer						
Number of transfers	0	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Frozen Embryos from Nondonor Eggs						
Number of cycles	27	21	16	5	5	2
Number of transfers	27	20	15	5	4	2
Estimated average number of transfers per retrieval	0.9	0.8	0.6	0.3	0.7	0.5
Average number of embryos transferred	1.2	1.4	1.7	1.6	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	51.6	64.3	24.0	1 / 8	1 / 6	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	33.3	45.0	3 / 15	1 / 5	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	37.0	55.0	3 / 15	1 / 5	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	15.0	1 / 15	0 / 5	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	37.0	70.0	4 / 15	1 / 5	1 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	66.7	70.0	5 / 15	1 / 5	1 / 4	1 / 2
Number of Egg/Embryo Banking Cycles						
	27	23	23	15	6	4
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		1			16	
Number of transfers		0			16	
Average number of embryos transferred					1.1	
Percentage of embryos transferred resulting in implantation (%)					11 / 17	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					6 / 16	
Percentage of transfers resulting in singleton live births (%)					8 / 16	
Percentage of transfers resulting in twin live births (%)					1 / 16	
Percentage of transfers resulting in live births (%)					9 / 16	
Percentage of transfers resulting in pregnancies (%)					11 / 16	

CURRENT SERVICES & PROFILE

Current Name: Presbyterian Hospital Plano ARTS

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF SAN ANTONIO SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Joseph E. Martin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	27%	Uterine factor	9%	<i>Multiple Factors:</i> Female factors only 18% Female & male factors 19%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	20%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	23%	Other factor	10%	
				Endometriosis	12%	Unknown factor	10%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 669 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	111	56	41	19	8	5
Percentage of cancellations before retrieval (%)	5.4	5.4	12.2	4 / 19	1 / 8	2 / 5
Average number of embryos transferred	1.8	2.0	2.2	2.7	3.0	4.0
Percentage of embryos transferred resulting in implantation (%)	52.5	42.5	25.4	11.4	1 / 15	1 / 8
Percentage of elective single embryo transfers (eSET) (%)	18.4	0.0	0.0	0 / 11	0 / 5	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	33.3	14.3	17.1	1 / 19	0 / 8	0 / 5
Percentage of cycles resulting in singleton live births (%)	38.7	19.6	22.0	1 / 19	0 / 8	0 / 5
Percentage of cycles resulting in twin live births (%)	18.9	12.5	7.3	0 / 19	0 / 8	0 / 5
Percentage of cycles resulting in live births (%)	57.7	33.9	29.3	1 / 19	0 / 8	0 / 5
Percentage of cycles resulting in pregnancies (%)	64.0	46.4	39.0	3 / 19	1 / 8	1 / 5
Outcomes per Transfer						
Number of transfers	100	45	33	13	5	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.0	17.8	21.2	1 / 13	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	43.0	24.4	27.3	1 / 13	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	21.0	15.6	9.1	0 / 13	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	64.0	42.2	36.4	1 / 13	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	71.0	57.8	48.5	3 / 13	1 / 5	1 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	120	78	53	18	7	1
Number of transfers	114	68	51	16	7	1
Estimated average number of transfers per retrieval	1.8	1.5	2.8	0.9	1.2	0.3
Average number of embryos transferred	1.5	1.4	1.5	1.5	1.6	1.0
Percentage of embryos transferred resulting in implantation (%)	39.6	34.0	37.5	42.9	4 / 11	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.8	30.9	25.5	5 / 16	2 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.2	32.4	35.3	5 / 16	2 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	5.3	2.9	3.9	1 / 16	0 / 7	0 / 1
Percentage of transfers resulting in live births (%)	39.5	35.3	39.2	6 / 16	2 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	51.8	45.6	49.0	9 / 16	2 / 7	0 / 1
Number of Egg/Embryo Banking Cycles						
	41	28	12	16	6	3
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		17		27		
Number of transfers		13		25		
Average number of embryos transferred		2.0		1.6		
Percentage of embryos transferred resulting in implantation (%)		69.2		48.6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		3 / 13		44.0		
Percentage of transfers resulting in singleton live births (%)		5 / 13		56.0		
Percentage of transfers resulting in twin live births (%)		6 / 13		4.0		
Percentage of transfers resulting in live births (%)		11 / 13		60.0		
Percentage of transfers resulting in pregnancies (%)		11 / 13		72.0		

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of San Antonio

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF TEXAS, PLLC SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Susan Hudson, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	44%	Tubal factor	9%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 4%
Unstimulated	6%	PGD/PGS	0%	Ovulatory dysfunction	5%	Male factor	16%	
Used gestational carrier	6%			Diminished ovarian reserve	32%	Other factor	15%	
				Endometriosis	4%	Unknown factor	25%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 121 (includes 14 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		7	1	6	3	0	1
Percentage of cancellations before retrieval (%)		3 / 7	0 / 1	4 / 6	2 / 3		0 / 1
Average number of embryos transferred							
Percentage of embryos transferred resulting in implantation (%)							
Percentage of elective single embryo transfers (eSET) (%)							
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		0 / 7	0 / 1	0 / 6	0 / 3		0 / 1
Percentage of cycles resulting in singleton live births (%)		0 / 7	0 / 1	0 / 6	0 / 3		0 / 1
Percentage of cycles resulting in twin live births (%)		0 / 7	0 / 1	0 / 6	0 / 3		0 / 1
Percentage of cycles resulting in live births (%)		0 / 7	0 / 1	0 / 6	0 / 3		0 / 1
Percentage of cycles resulting in pregnancies (%)		0 / 7	0 / 1	0 / 6	0 / 3		0 / 1
Outcomes per Transfer							
Number of transfers		0	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)							
Percentage of transfers resulting in singleton live births (%)							
Percentage of transfers resulting in twin live births (%)							
Percentage of transfers resulting in live births (%)							
Percentage of transfers resulting in pregnancies (%)							
Frozen Embryos from Nondonor Eggs							
Number of cycles		36	8	9	2	1	0
Number of transfers		28	8	6	1	1	0
Estimated average number of transfers per retrieval		1.0	2.0	1.2	0.5	1.0	
Average number of embryos transferred		1.0	1.1	1.3	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)		62.1	5 / 8	0 / 8	1 / 1	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		46.4	2 / 8	0 / 6	1 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)		53.6	3 / 8	0 / 6	1 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)		3.6	1 / 8	0 / 6	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)		57.1	4 / 8	0 / 6	1 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)		60.7	5 / 8	0 / 6	1 / 1	0 / 1	
Number of Egg/Embryo Banking Cycles							
		24	3	2	1	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles			0			2	
Number of transfers			0			2	
Average number of embryos transferred						1.0	
Percentage of embryos transferred resulting in implantation (%)						2 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						2 / 2	
Percentage of transfers resulting in singleton live births (%)						2 / 2	
Percentage of transfers resulting in twin live births (%)						0 / 2	
Percentage of transfers resulting in live births (%)						2 / 2	
Percentage of transfers resulting in pregnancies (%)						2 / 2	

CURRENT SERVICES & PROFILE		Current Name: Fertility Institute of Texas, PLLC					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS OF SAN ANTONIO SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Gerard M. Honoré, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	70%	Tubal factor	13%	Uterine factor	13%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 21%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	33%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	0%	
				Endometriosis	33%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 32 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	3	3	1	0	1	2
Percentage of cancellations before retrieval (%)	0 / 3	0 / 3	0 / 1		0 / 1	1 / 2
Average number of embryos transferred	2.0	2.0	3.0		1.0	4.0
Percentage of embryos transferred resulting in implantation (%)	0 / 4	1 / 4	1 / 3		0 / 1	0 / 4
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	0 / 2	0 / 1			0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 3	1 / 3	1 / 1		0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	0 / 3	1 / 3	1 / 1		0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 3	0 / 3	0 / 1		0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	0 / 3	1 / 3	1 / 1		0 / 1	0 / 2
Percentage of cycles resulting in pregnancies (%)	0 / 3	1 / 3	1 / 1		0 / 1	0 / 2
Outcomes per Transfer						
Number of transfers	2	2	1	0	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2	1 / 2	1 / 1		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 2	1 / 1		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2	0 / 1		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	0 / 2	1 / 2	1 / 1		0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	0 / 2	1 / 2	1 / 1		0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	10	3	0	0	0	0
Number of transfers	10	3	0	0	0	0
Estimated average number of transfers per retrieval	1.3	1.5			0.0	
Average number of embryos transferred	1.8	1.7				
Percentage of embryos transferred resulting in implantation (%)	4 / 18	2 / 5				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 10	0 / 3				
Percentage of transfers resulting in singleton live births (%)	0 / 10	0 / 3				
Percentage of transfers resulting in twin live births (%)	1 / 10	1 / 3				
Percentage of transfers resulting in live births (%)	1 / 10	1 / 3				
Percentage of transfers resulting in pregnancies (%)	2 / 10	1 / 3				
Number of Egg/Embryo Banking Cycles						
	6	1	0	0	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 1		
Percentage of transfers resulting in singleton live births (%)				0 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				0 / 1		
Percentage of transfers resulting in pregnancies (%)				0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Fertility Specialists of San Antonio

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INSTITUTE FOR WOMEN'S HEALTH
ADVANCED FERTILITY CENTER
SAN ANTONIO, TEXAS**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Joseph R. Garza, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	44%	Tubal factor	5%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 17% Female & male factors 24%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	40%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	55%	Other factor	17%	
				Endometriosis	2%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 89 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	5	5	9	3	4	1
Percentage of cancellations before retrieval (%)	2 / 5	2 / 5	5 / 9	2 / 3	3 / 4	0 / 1
Average number of embryos transferred	1.7	2.0	2.3	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 5	0 / 4	0 / 9	0 / 2	0 / 2	
Percentage of elective single embryo transfers (eSET) (%)	1 / 3	0 / 2	0 / 4	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1 / 5	0 / 5	0 / 9	0 / 3	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 5	0 / 5	0 / 9	0 / 3	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 5	0 / 5	0 / 9	0 / 3	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	1 / 5	0 / 5	0 / 9	0 / 3	0 / 4	0 / 1
Percentage of cycles resulting in pregnancies (%)	2 / 5	0 / 5	0 / 9	0 / 3	0 / 4	0 / 1
Outcomes per Transfer						
Number of transfers	3	2	4	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 3	0 / 2	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 2	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 2	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 3	0 / 2	0 / 4	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 3	0 / 2	0 / 4	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	4	2	3	0	1
Number of transfers	15	4	2	3	0	1
Estimated average number of transfers per retrieval	0.8	0.7	0.7	0.8	0.0	0.5
Average number of embryos transferred	1.4	1.3	2.5	1.7		4.0
Percentage of embryos transferred resulting in implantation (%)	38.1	4 / 5	3 / 5	0 / 5		0 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 15	3 / 4	1 / 2	0 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 15	3 / 4	1 / 2	0 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 15	0 / 4	1 / 2	0 / 3		0 / 1
Percentage of transfers resulting in live births (%)	6 / 15	3 / 4	2 / 2	0 / 3		0 / 1
Percentage of transfers resulting in pregnancies (%)	8 / 15	4 / 4	2 / 2	0 / 3		0 / 1
Number of Egg/Embryo Banking Cycles						
	15	5	3	4	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	2			4		
Number of transfers	2			4		
Average number of embryos transferred	1.5			1.8		
Percentage of embryos transferred resulting in implantation (%)	1 / 3			2 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2			0 / 4		
Percentage of transfers resulting in singleton live births (%)	1 / 2			0 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 2			1 / 4		
Percentage of transfers resulting in live births (%)	1 / 2			1 / 4		
Percentage of transfers resulting in pregnancies (%)	1 / 2			1 / 4		

CURRENT SERVICES & PROFILE

Current Name: Institute for Women's Health, Advanced Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF TEXAS, PA SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Francisco Arredondo, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	91%	Tubal factor	11%	Uterine factor	2%	Multiple Factors: Female factors only 8% Female & male factors 10%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	26%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	12%	
				Endometriosis	9%	Unknown factor	12%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 603 (includes 12 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	120	31	28	7	12	1
Percentage of cancellations before retrieval (%)	3.3	6.5	17.9	1 / 7	2 / 12	0 / 1
Average number of embryos transferred	1.5	1.8	2.1	2.0	1.7	
Percentage of embryos transferred resulting in implantation (%)	55.1	47.8	31.1	3 / 8	0 / 12	
Percentage of elective single embryo transfers (eSET) (%)	44.6	20.0	0.0	0 / 2	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.0	25.8	17.9	0 / 7	0 / 12	0 / 1
Percentage of cycles resulting in singleton live births (%)	36.7	38.7	21.4	0 / 7	0 / 12	0 / 1
Percentage of cycles resulting in twin live births (%)	10.8	16.1	3.6	1 / 7	0 / 12	0 / 1
Percentage of cycles resulting in live births (%)	47.5	54.8	28.6	1 / 7	0 / 12	0 / 1
Percentage of cycles resulting in pregnancies (%)	56.7	61.3	39.3	2 / 7	0 / 12	0 / 1
Outcomes per Transfer						
Number of transfers	100	28	22	4	7	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.0	28.6	22.7	0 / 4	0 / 7	
Percentage of transfers resulting in singleton live births (%)	44.0	42.9	27.3	0 / 4	0 / 7	
Percentage of transfers resulting in twin live births (%)	13.0	17.9	4.5	1 / 4	0 / 7	
Percentage of transfers resulting in live births (%)	57.0	60.7	36.4	1 / 4	0 / 7	
Percentage of transfers resulting in pregnancies (%)	68.0	67.9	50.0	2 / 4	0 / 7	
Frozen Embryos from Nondonor Eggs						
Number of cycles	131	32	23	10	0	0
Number of transfers	129	32	23	10	0	0
Estimated average number of transfers per retrieval	1.3	0.7	0.7	0.7	0.0	0.0
Average number of embryos transferred	1.2	1.1	1.2	1.1		
Percentage of embryos transferred resulting in implantation (%)	54.5	63.9	65.4	5 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	39.5	59.4	52.2	3 / 10		
Percentage of transfers resulting in singleton live births (%)	51.9	65.6	56.5	4 / 10		
Percentage of transfers resulting in twin live births (%)	5.4	3.1	8.7	0 / 10		
Percentage of transfers resulting in live births (%)	57.4	68.8	65.2	4 / 10		
Percentage of transfers resulting in pregnancies (%)	63.6	68.8	73.9	5 / 10		
Number of Egg/Embryo Banking Cycles						
	67	45	35	13	7	1
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		6			22	
Number of transfers		4			22	
Average number of embryos transferred		1.5			1.3	
Percentage of embryos transferred resulting in implantation (%)		3 / 6			46.4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 4			31.8	
Percentage of transfers resulting in singleton live births (%)		3 / 4			45.5	
Percentage of transfers resulting in twin live births (%)		0 / 4			4.5	
Percentage of transfers resulting in live births (%)		3 / 4			50.0	
Percentage of transfers resulting in pregnancies (%)		3 / 4			54.5	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Texas, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UT MEDICINE FERTILITY CENTER SAN ANTONIO, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Randal D. Robinson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	38%	Tubal factor	15%	Uterine factor	11%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 8%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	22%	Male factor	18%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	2%	
				Endometriosis	21%	Unknown factor	19%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 99 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	24	12	7	3	1	1
Percentage of cancellations before retrieval (%)	8.3	1 / 12	0 / 7	1 / 3	0 / 1	0 / 1
Average number of embryos transferred	1.6	1.7	2.3	2.5		3.0
Percentage of embryos transferred resulting in implantation (%)	63.3	7 / 17	4 / 12	1 / 5		0 / 3
Percentage of elective single embryo transfers (eSET) (%)	6 / 16	4 / 10	0 / 6	0 / 2		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	37.5	1 / 12	0 / 7	1 / 3	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	41.7	2 / 12	0 / 7	1 / 3	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	16.7	2 / 12	1 / 7	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	58.3	4 / 12	1 / 7	1 / 3	0 / 1	0 / 1
Percentage of cycles resulting in pregnancies (%)	62.5	5 / 12	4 / 7	1 / 3	0 / 1	0 / 1
Outcomes per Transfer						
Number of transfers	19	10	6	2	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	9 / 19	1 / 10	0 / 6	1 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	10 / 19	2 / 10	0 / 6	1 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	4 / 19	2 / 10	1 / 6	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	14 / 19	4 / 10	1 / 6	1 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	15 / 19	5 / 10	4 / 6	1 / 2		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	11	6	0	0	1
Number of transfers	16	11	6	0	0	1
Estimated average number of transfers per retrieval	1.5	1.8	1.0	0.0	0.0	
Average number of embryos transferred	1.4	1.5	2.0			2.0
Percentage of embryos transferred resulting in implantation (%)	22.7	6 / 16	1 / 12			0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 16	5 / 11	1 / 6			0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 16	6 / 11	1 / 6			0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 11	0 / 6			0 / 1
Percentage of transfers resulting in live births (%)	4 / 16	6 / 11	1 / 6			0 / 1
Percentage of transfers resulting in pregnancies (%)	6 / 16	6 / 11	1 / 6			0 / 1
Number of Egg/Embryo Banking Cycles						
	6	3	3	1	1	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			3		
Number of transfers	0			3		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				1 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				1 / 3		
Percentage of transfers resulting in singleton live births (%)				1 / 3		
Percentage of transfers resulting in twin live births (%)				0 / 3		
Percentage of transfers resulting in live births (%)				1 / 3		
Percentage of transfers resulting in pregnancies (%)				1 / 3		

CURRENT SERVICES & PROFILE

Current Name: UT Medicine Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SCOTT & WHITE TEMPLE, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Thomas J. Wincek, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	77%	Tubal factor	30%	Uterine factor	1%	Multiple Factors: Female factors only 7% Female & male factors 7%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	4%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	2%	
				Endometriosis	29%	Unknown factor	13%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 98 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	37	9	7	8	0	0
Percentage of cancellations before retrieval (%)	18.9	2 / 9	2 / 7	1 / 8		
Average number of embryos transferred	2.0	1.8	2.0	2.3		
Percentage of embryos transferred resulting in implantation (%)	52.6	4 / 9	0 / 8	0 / 14		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 4	0 / 5	0 / 5		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	24.3	4 / 9	0 / 7	0 / 8		
Percentage of cycles resulting in singleton live births (%)	29.7	4 / 9	0 / 7	0 / 8		
Percentage of cycles resulting in twin live births (%)	13.5	0 / 9	0 / 7	0 / 8		
Percentage of cycles resulting in live births (%)	43.2	4 / 9	0 / 7	0 / 8		
Percentage of cycles resulting in pregnancies (%)	54.1	4 / 9	1 / 7	0 / 8		
Outcomes per Transfer						
Number of transfers	29	5	5	6	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.0	4 / 5	0 / 5	0 / 6		
Percentage of transfers resulting in singleton live births (%)	37.9	4 / 5	0 / 5	0 / 6		
Percentage of transfers resulting in twin live births (%)	17.2	0 / 5	0 / 5	0 / 6		
Percentage of transfers resulting in live births (%)	55.2	4 / 5	0 / 5	0 / 6		
Percentage of transfers resulting in pregnancies (%)	69.0	4 / 5	1 / 5	0 / 6		
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	2	3	2	0	1
Number of transfers	26	1	2	2	0	1
Estimated average number of transfers per retrieval						
Average number of embryos transferred	1.8	2.0	1.5	2.5		1.0
Percentage of embryos transferred resulting in implantation (%)	40.9	0 / 2	0 / 1	0 / 5		0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.9	0 / 1	0 / 2	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	34.6	0 / 1	0 / 2	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 1	0 / 2	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	34.6	0 / 1	0 / 2	0 / 2		0 / 1
Percentage of transfers resulting in pregnancies (%)	69.2	0 / 1	1 / 2	0 / 2		0 / 1
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2015. Contact the NASS Help Desk for further information.

Current Name: Scott & White Clinic-Temple

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH HOUSTON CENTER FOR REPRODUCTIVE MEDICINE, PA THE WOODLANDS, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Dorothy J. Roach, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	11%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 21% Female & male factors 35%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	74%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	10%	
				Endometriosis	21%	Unknown factor	5%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 84 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	30	13	8	4	0	0
Percentage of cancellations before retrieval (%)	0.0	0 / 13	0 / 8	0 / 4		
Average number of embryos transferred	1.8	1.8	2.3	2.3		
Percentage of embryos transferred resulting in implantation (%)	50.9	37.5	2 / 18	0 / 9		
Percentage of elective single embryo transfers (eSET) (%)	20.7	1 / 12	1 / 8	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.7	3 / 13	1 / 8	0 / 4		
Percentage of cycles resulting in singleton live births (%)	43.3	4 / 13	1 / 8	0 / 4		
Percentage of cycles resulting in twin live births (%)	16.7	2 / 13	0 / 8	0 / 4		
Percentage of cycles resulting in live births (%)	60.0	6 / 13	1 / 8	0 / 4		
Percentage of cycles resulting in pregnancies (%)	73.3	7 / 13	2 / 8	0 / 4		
Outcomes per Transfer						
Number of transfers	30	13	8	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.7	3 / 13	1 / 8	0 / 4		
Percentage of transfers resulting in singleton live births (%)	43.3	4 / 13	1 / 8	0 / 4		
Percentage of transfers resulting in twin live births (%)	16.7	2 / 13	0 / 8	0 / 4		
Percentage of transfers resulting in live births (%)	60.0	6 / 13	1 / 8	0 / 4		
Percentage of transfers resulting in pregnancies (%)	73.3	7 / 13	2 / 8	0 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	12	7	2	2	0	0
Number of transfers	11	7	2	2	0	0
Estimated average number of transfers per retrieval	3.7	7.0	0.7			
Average number of embryos transferred	1.9	1.6	2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	57.1	3 / 11	0 / 4	0 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 11	3 / 7	0 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	4 / 11	3 / 7	0 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 11	0 / 7	0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	7 / 11	3 / 7	0 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)	8 / 11	3 / 7	0 / 2	0 / 2		
Number of Egg/Embryo Banking Cycles						
	1	0	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		0			4	
Number of transfers		0			4	
Average number of embryos transferred					1.5	
Percentage of embryos transferred resulting in implantation (%)					3 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)					1 / 4	
Percentage of transfers resulting in singleton live births (%)					2 / 4	
Percentage of transfers resulting in twin live births (%)					0 / 4	
Percentage of transfers resulting in live births (%)					2 / 4	
Percentage of transfers resulting in pregnancies (%)					3 / 4	

CURRENT SERVICES & PROFILE

Current Name: North Houston Center for Reproductive Medicine, PA

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER OF REPRODUCTIVE MEDICINE (CORM) WEBSTER, TEXAS

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Vicki L. Schnell, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	78%	Tubal factor	5%	Uterine factor	10%	<i>Multiple Factors:</i> Female factors only <1% Female & male factors 1%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	31%	Male factor	13%	
Used gestational carrier	<1%			Diminished ovarian reserve	27%	Other factor	7%	
				Endometriosis	9%	Unknown factor	<1%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 602 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	102	49	35	14	3	1
Percentage of cancellations before retrieval (%)	9.8	18.4	14.3	2 / 14	2 / 3	1 / 1
Average number of embryos transferred	1.5	1.9	1.9	1.9		
Percentage of embryos transferred resulting in implantation (%)	52.4	27.7	16.2	2 / 15		
Percentage of elective single embryo transfers (eSET) (%)	50.0	5.9	0 / 18	0 / 8		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.6	10.2	8.6	1 / 14	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	28.4	12.2	8.6	1 / 14	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	6.9	8.2	0.0	0 / 14	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	36.3	20.4	8.6	1 / 14	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	42.2	32.7	14.3	2 / 14	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	70	36	21	9	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.6	13.9	14.3	1 / 9		
Percentage of transfers resulting in singleton live births (%)	41.4	16.7	14.3	1 / 9		
Percentage of transfers resulting in twin live births (%)	10.0	11.1	0.0	0 / 9		
Percentage of transfers resulting in live births (%)	52.9	27.8	14.3	1 / 9		
Percentage of transfers resulting in pregnancies (%)	61.4	44.4	23.8	2 / 9		
Frozen Embryos from Nondonor Eggs						
Number of cycles	110	46	41	8	8	1
Number of transfers	99	38	31	7	8	1
Estimated average number of transfers per retrieval	1.8	1.5	0.9	0.6	1.0	0.3
Average number of embryos transferred	1.4	1.6	1.5	1.7	1.8	2.0
Percentage of embryos transferred resulting in implantation (%)	47.1	41.9	23.4	2 / 12	1 / 14	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.4	26.3	16.1	1 / 7	1 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	46.5	34.2	25.8	2 / 7	1 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	6.1	7.9	3.2	0 / 7	0 / 8	0 / 1
Percentage of transfers resulting in live births (%)	53.5	42.1	29.0	2 / 7	1 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)	57.6	52.6	32.3	2 / 7	1 / 8	0 / 1
Number of Egg/Embryo Banking Cycles	26	16	28	9	7	4
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		27			65	
Number of transfers		21			54	
Average number of embryos transferred		1.7			1.5	
Percentage of embryos transferred resulting in implantation (%)		66.7			45.5	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		19.0			31.5	
Percentage of transfers resulting in singleton live births (%)		19.0			40.7	
Percentage of transfers resulting in twin live births (%)		38.1			9.3	
Percentage of transfers resulting in live births (%)		57.1			50.0	
Percentage of transfers resulting in pregnancies (%)		76.2			55.6	

CURRENT SERVICES & PROFILE

Current Name: Center of Reproductive Medicine (CORM)

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UTAH FERTILITY CENTER PLEASANT GROVE, UTAH

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Russell Foulk, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	19%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 16%
Unstimulated	<1%	PGD/PGS	1%	Ovulatory dysfunction	28%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	22%	Other factor	7%	
				Endometriosis	15%	Unknown factor	5%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 904 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	312	67	46	16	4	6
Percentage of cancellations before retrieval (%)	2.2	0.0	10.9	1 / 16	0 / 4	0 / 6
Average number of embryos transferred	1.8	1.9	2.1	1.7	2.5	1.7
Percentage of embryos transferred resulting in implantation (%)	56.5	41.8	33.3	3 / 18	0 / 5	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	20.2	7.1	2.9	1 / 7	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	26.9	20.9	19.6	1 / 16	0 / 4	0 / 6
Percentage of cycles resulting in singleton live births (%)	32.1	28.4	23.9	2 / 16	0 / 4	0 / 6
Percentage of cycles resulting in twin live births (%)	20.5	11.9	10.9	0 / 16	0 / 4	0 / 6
Percentage of cycles resulting in live births (%)	52.9	40.3	34.8	2 / 16	0 / 4	0 / 6
Percentage of cycles resulting in pregnancies (%)	61.5	58.2	45.7	4 / 16	0 / 4	0 / 6
Outcomes per Transfer						
Number of transfers	262	61	37	12	2	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	32.1	23.0	24.3	1 / 12	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	38.2	31.1	29.7	2 / 12	0 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	24.4	13.1	13.5	0 / 12	0 / 2	0 / 3
Percentage of transfers resulting in live births (%)	63.0	44.3	43.2	2 / 12	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	73.3	63.9	56.8	4 / 12	0 / 2	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	189	37	31	15	4	2
Number of transfers	184	36	30	15	4	1
Estimated average number of transfers per retrieval	1.6	1.2	1.0	1.7	1.0	0.5
Average number of embryos transferred	1.7	1.6	1.8	1.5	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	54.8	44.8	47.8	21.7	0 / 8	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.2	38.9	33.3	2 / 15	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	46.7	50.0	33.3	3 / 15	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	14.1	8.3	13.3	1 / 15	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	62.0	58.3	46.7	4 / 15	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	72.8	61.1	70.0	4 / 15	0 / 4	0 / 1
Number of Egg/Embryo Banking Cycles						
	54	22	25	9	3	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		43			16	
Number of transfers		38			16	
Average number of embryos transferred		1.7			1.8	
Percentage of embryos transferred resulting in implantation (%)		68.3			44.4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		21.1			3 / 16	
Percentage of transfers resulting in singleton live births (%)		31.6			6 / 16	
Percentage of transfers resulting in twin live births (%)		31.6			2 / 16	
Percentage of transfers resulting in live births (%)		63.2			8 / 16	
Percentage of transfers resulting in pregnancies (%)		81.6			11 / 16	

CURRENT SERVICES & PROFILE

Current Name: Utah Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EAST BAY FERTILITY CENTER PROVO, UTAH

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Larry G. Andrew, DO

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	92%	Tubal factor	23%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 5% Female & male factors 5%
Unstimulated	6%	PGD/PGS	1%	Ovulatory dysfunction	16%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	0%	
				Endometriosis	12%	Unknown factor	23%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 115 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	56	19	9	2	0	0
Percentage of cancellations before retrieval (%)	3.6	1 / 19	2 / 9	0 / 2		
Average number of embryos transferred	2.1	2.3	2.5	3.0		
Percentage of embryos transferred resulting in implantation (%)	36.9	26.8	1 / 15	2 / 6		
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 16	0 / 5	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.6	2 / 19	0 / 9	0 / 2		
Percentage of cycles resulting in singleton live births (%)	32.1	2 / 19	1 / 9	0 / 2		
Percentage of cycles resulting in twin live births (%)	14.3	3 / 19	0 / 9	0 / 2		
Percentage of cycles resulting in live births (%)	46.4	5 / 19	1 / 9	0 / 2		
Percentage of cycles resulting in pregnancies (%)	53.6	7 / 19	1 / 9	1 / 2		
Outcomes per Transfer						
Number of transfers	52	18	6	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.2	2 / 18	0 / 6	0 / 2		
Percentage of transfers resulting in singleton live births (%)	34.6	2 / 18	1 / 6	0 / 2		
Percentage of transfers resulting in twin live births (%)	15.4	3 / 18	0 / 6	0 / 2		
Percentage of transfers resulting in live births (%)	50.0	5 / 18	1 / 6	0 / 2		
Percentage of transfers resulting in pregnancies (%)	57.7	7 / 18	1 / 6	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	20	2	1	1	0	0
Number of transfers	20	2	1	1	0	0
Estimated average number of transfers per retrieval	2.5		1.0			
Average number of embryos transferred	2.1	2.0	2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	23.1	1 / 4	0 / 2	0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	10.0	1 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	15.0	1 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	15.0	0 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	30.0	1 / 2	0 / 1	0 / 1		
Percentage of transfers resulting in pregnancies (%)	35.0	1 / 2	0 / 1	0 / 1		
Number of Egg/Embryo Banking Cycles						
	4	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			1		
Number of transfers	0			1		
Average number of embryos transferred				3.0		
Percentage of embryos transferred resulting in implantation (%)				1 / 3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 1		
Percentage of transfers resulting in singleton live births (%)				1 / 1		
Percentage of transfers resulting in twin live births (%)				0 / 1		
Percentage of transfers resulting in live births (%)				1 / 1		
Percentage of transfers resulting in pregnancies (%)				1 / 1		

CURRENT SERVICES & PROFILE

Current Name: East Bay Fertility Center

Donor eggs?	No	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UTAH CENTER FOR REPRODUCTIVE MEDICINE SALT LAKE CITY, UTAH

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Erica B. Johnstone, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	46%	Tubal factor	9%	Uterine factor	3%	Multiple Factors: Female factors only 9% Female & male factors 16%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	17%	Male factor	43%	
Used gestational carrier	2%			Diminished ovarian reserve	21%	Other factor	12%	
				Endometriosis	8%	Unknown factor	14%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 634 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		179	44	22	10	7	3
Percentage of cancellations before retrieval (%)		8.4	9.1	0.0	0 / 10	2 / 7	1 / 3
Average number of embryos transferred		1.6	1.7	1.9	2.3	1.0	
Percentage of embryos transferred resulting in implantation (%)		53.3	51.7	48.1	1 / 9	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)		33.1	10.7	2 / 13	0 / 4		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		20.7	34.1	31.8	1 / 10	0 / 7	0 / 3
Percentage of cycles resulting in singleton live births (%)		23.5	43.2	31.8	1 / 10	0 / 7	0 / 3
Percentage of cycles resulting in twin live births (%)		13.4	9.1	9.1	0 / 10	0 / 7	0 / 3
Percentage of cycles resulting in live births (%)		37.4	52.3	40.9	1 / 10	0 / 7	0 / 3
Percentage of cycles resulting in pregnancies (%)		45.3	54.5	50.0	1 / 10	0 / 7	0 / 3
Outcomes per Transfer							
Number of transfers		129	35	15	4	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		28.7	42.9	7 / 15	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)		32.6	54.3	7 / 15	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)		18.6	11.4	2 / 15	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)		51.9	65.7	9 / 15	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)		62.8	68.6	11 / 15	1 / 4	0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		137	33	23	9	7	1
Number of transfers		133	30	21	9	6	1
Estimated average number of transfers per retrieval		1.6	1.0	1.0	0.7	0.5	0.5
Average number of embryos transferred		1.6	1.4	1.8	1.6	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)		48.0	45.0	52.8	7 / 14	1 / 7	0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		31.6	26.7	42.9	4 / 9	1 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)		37.6	40.0	47.6	5 / 9	1 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)		14.3	6.7	14.3	1 / 9	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)		51.9	46.7	61.9	6 / 9	1 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)		63.9	53.3	76.2	6 / 9	2 / 6	0 / 1
Number of Egg/Embryo Banking Cycles							
		33	21	18	11	8	2
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		35			31		
Number of transfers		32			30		
Average number of embryos transferred		1.5			1.5		
Percentage of embryos transferred resulting in implantation (%)		65.9			43.9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		40.6			20.0		
Percentage of transfers resulting in singleton live births (%)		46.9			26.7		
Percentage of transfers resulting in twin live births (%)		18.8			10.0		
Percentage of transfers resulting in live births (%)		65.6			40.0		
Percentage of transfers resulting in pregnancies (%)		75.0			50.0		

CURRENT SERVICES & PROFILE		Current Name: Utah Center for Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE CENTER SANDY, UTAH

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

UTAH

2015 ART CYCLE PROFILE

Data verified by Keith L. Blauer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	8%	Uterine factor	7%	<i>Multiple Factors:</i> Female factors only 12% Female & male factors 29%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	39%	Male factor	47%	
Used gestational carrier	1%			Diminished ovarian reserve	18%	Other factor	9%	
				Endometriosis	16%	Unknown factor	4%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 672 (includes 40 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	204	74	35	12	4	0
Percentage of cancellations before retrieval (%)	3.4	4.1	0.0	0 / 12	0 / 4	
Average number of embryos transferred	1.8	1.8	2.0	2.1	5.0	
Percentage of embryos transferred resulting in implantation (%)	37.8	33.0	18.3	8.7	3 / 15	
Percentage of elective single embryo transfers (eSET) (%)	19.5	24.0	3.8	0 / 8	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.5	17.6	17.1	1 / 12	1 / 4	
Percentage of cycles resulting in singleton live births (%)	25.0	20.3	17.1	2 / 12	1 / 4	
Percentage of cycles resulting in twin live births (%)	11.3	6.8	5.7	0 / 12	0 / 4	
Percentage of cycles resulting in live births (%)	36.3	27.0	22.9	2 / 12	1 / 4	
Percentage of cycles resulting in pregnancies (%)	40.7	37.8	25.7	2 / 12	2 / 4	
Outcomes per Transfer						
Number of transfers	161	56	30	11	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.6	23.2	20.0	1 / 11	1 / 3	
Percentage of transfers resulting in singleton live births (%)	31.7	26.8	20.0	2 / 11	1 / 3	
Percentage of transfers resulting in twin live births (%)	14.3	8.9	6.7	0 / 11	0 / 3	
Percentage of transfers resulting in live births (%)	46.0	35.7	26.7	2 / 11	1 / 3	
Percentage of transfers resulting in pregnancies (%)	51.6	50.0	30.0	2 / 11	2 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	123	60	25	6	0	0
Number of transfers	118	53	24	6	0	0
Estimated average number of transfers per retrieval	1.5	2.0	1.1	0.7	0.0	
Average number of embryos transferred	1.5	1.5	1.5	1.8		
Percentage of embryos transferred resulting in implantation (%)	40.7	29.1	41.2	3 / 11		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.4	17.0	25.0	2 / 6		
Percentage of transfers resulting in singleton live births (%)	38.1	22.6	29.2	3 / 6		
Percentage of transfers resulting in twin live births (%)	5.9	3.8	12.5	0 / 6		
Percentage of transfers resulting in live births (%)	44.1	26.4	41.7	3 / 6		
Percentage of transfers resulting in pregnancies (%)	53.4	37.7	50.0	3 / 6		
Number of Egg/Embryo Banking Cycles						
	18	11	14	7	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		9			29	
Number of transfers		8			29	
Average number of embryos transferred		1.9			1.5	
Percentage of embryos transferred resulting in implantation (%)		3 / 15			27.3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 8			20.7	
Percentage of transfers resulting in singleton live births (%)		2 / 8			34.5	
Percentage of transfers resulting in twin live births (%)		0 / 8			0.0	
Percentage of transfers resulting in live births (%)		2 / 8			34.5	
Percentage of transfers resulting in pregnancies (%)		3 / 8			37.9	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Care Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF VERMONT MEDICAL CENTER
VERMONT CENTER FOR REPRODUCTIVE MEDICINE
BURLINGTON, VERMONT**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Elizabeth McGee, MD

Type of ART and Procedural Factors ^a		Patient Diagnosis ^b				
IVF	With ICSI	Tubal factor	0%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 0%
Unstimulated	PGD/PGS	Ovulatory dysfunction	0%	Male factor	0%	
Used gestational carrier		Diminished ovarian reserve	0%	Other factor	100%	
		Endometriosis	0%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	0	0	0	0	0	0
Percentage of cancellations before retrieval (%)						
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of elective single embryo transfers (eSET) (%)						
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)						
Percentage of cycles resulting in singleton live births (%)						
Percentage of cycles resulting in twin live births (%)						
Percentage of cycles resulting in live births (%)						
Percentage of cycles resulting in pregnancies (%)						
Outcomes per Transfer						
Number of transfers	0	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Frozen Embryos from Nondonor Eggs						
Number of cycles	1	0	0	0	0	0
Number of transfers	1	0	0	0	0	0
Estimated average number of transfers per retrieval						
Average number of embryos transferred	2.0					
Percentage of embryos transferred resulting in implantation (%)	1 / 2					
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1					
Percentage of transfers resulting in singleton live births (%)	1 / 1					
Percentage of transfers resulting in twin live births (%)	0 / 1					
Percentage of transfers resulting in live births (%)	1 / 1					
Percentage of transfers resulting in pregnancies (%)	1 / 1					
Number of Egg/Embryo Banking Cycles	0	0	0	0	0	0
Donor Eggs		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		0		0		
Number of transfers		0		0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: University of Vermont Medical Center, Vermont Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHEASTERN REPRODUCTIVE MEDICINE COLCHESTER, VERMONT

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Peter R. Casson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	60%	Tubal factor	7%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 8%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	13%	Male factor	25%	
Used gestational carrier	3%			Diminished ovarian reserve	35%	Other factor	4%	
				Endometriosis	8%	Unknown factor	15%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 297 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	60	32	35	9	5	3
Percentage of cancellations before retrieval (%)	10.0	15.6	14.3	2 / 9	4 / 5	1 / 3
Average number of embryos transferred	1.8	1.7	2.0	2.0		2.5
Percentage of embryos transferred resulting in implantation (%)	34.7	42.5	17.5	2 / 12		1 / 5
Percentage of elective single embryo transfers (eSET) (%)	29.3	34.6	15.4	0 / 6		0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	21.7	28.1	17.1	2 / 9	0 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)	23.3	34.4	22.9	2 / 9	0 / 5	0 / 3
Percentage of cycles resulting in twin live births (%)	8.3	9.4	0.0	0 / 9	0 / 5	0 / 3
Percentage of cycles resulting in live births (%)	31.7	43.8	22.9	2 / 9	0 / 5	0 / 3
Percentage of cycles resulting in pregnancies (%)	36.7	50.0	25.7	2 / 9	0 / 5	1 / 3
Outcomes per Transfer						
Number of transfers	43	26	28	6	0	2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.2	34.6	21.4	2 / 6		0 / 2
Percentage of transfers resulting in singleton live births (%)	32.6	42.3	28.6	2 / 6		0 / 2
Percentage of transfers resulting in twin live births (%)	11.6	11.5	0.0	0 / 6		0 / 2
Percentage of transfers resulting in live births (%)	44.2	53.8	28.6	2 / 6		0 / 2
Percentage of transfers resulting in pregnancies (%)	51.2	61.5	32.1	2 / 6		1 / 2
Frozen Embryos from Nondonor Eggs						
Number of cycles	40	19	18	4	3	1
Number of transfers	34	17	15	3	1	1
Estimated average number of transfers per retrieval	1.1	0.9	0.9	0.8	0.1	0.2
Average number of embryos transferred	1.4	1.5	1.5	2.0	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	27.1	25.0	27.3	1 / 6		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.5	4 / 17	6 / 15	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	26.5	4 / 17	6 / 15	1 / 3	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	5.9	1 / 17	0 / 15	0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	32.4	5 / 17	6 / 15	1 / 3	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	35.3	7 / 17	6 / 15	1 / 3	1 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	11	10	9	3	10	6
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		12			7	
Number of transfers		10			5	
Average number of embryos transferred		1.5			1.6	
Percentage of embryos transferred resulting in implantation (%)		9 / 15			2 / 8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 10			1 / 5	
Percentage of transfers resulting in singleton live births (%)		4 / 10			2 / 5	
Percentage of transfers resulting in twin live births (%)		2 / 10			0 / 5	
Percentage of transfers resulting in live births (%)		6 / 10			2 / 5	
Percentage of transfers resulting in pregnancies (%)		7 / 10			2 / 5	

CURRENT SERVICES & PROFILE

Current Name: Northeastern Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WASHINGTON FERTILITY CENTER ANNANDALE, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Pierre Asmar, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	58%	Tubal factor	12%	Uterine factor	2%	
Unstimulated	4%	PGD/PGS	2%	Ovulatory dysfunction	16%	Male factor	25%	
Used gestational carrier	0%			Diminished ovarian reserve	42%	Other factor	19%	
				Endometriosis	5%	Unknown factor	6%	
				Multiple Factors:				
				Female factors only				11%
				Female & male factors				15%

2015 ART SUCCESS RATES^c

Total number of cycles^d: 204 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	15	17	13	9	4
Percentage of cancellations before retrieval (%)	0.0	0 / 15	0 / 17	1 / 13	1 / 9	1 / 4
Average number of embryos transferred	1.4	1.5	1.8	1.9	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	29.6	40.0	15.0	2 / 13	0 / 6	0 / 1
Percentage of elective single embryo transfers (eSET) (%)	11 / 19	0 / 7	1 / 10	0 / 6	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	23.1	2 / 15	2 / 17	2 / 13	0 / 9	0 / 4
Percentage of cycles resulting in singleton live births (%)	23.1	2 / 15	2 / 17	2 / 13	0 / 9	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	3 / 15	0 / 17	0 / 13	0 / 9	0 / 4
Percentage of cycles resulting in live births (%)	23.1	5 / 15	2 / 17	2 / 13	0 / 9	0 / 4
Percentage of cycles resulting in pregnancies (%)	38.5	5 / 15	3 / 17	3 / 13	0 / 9	0 / 4
Outcomes per Transfer						
Number of transfers	22	13	11	8	4	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.3	2 / 13	2 / 11	2 / 8	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.3	2 / 13	2 / 11	2 / 8	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	3 / 13	0 / 11	0 / 8	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	27.3	5 / 13	2 / 11	2 / 8	0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	45.5	5 / 13	3 / 11	3 / 8	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	23	11	11	0	6	1
Number of transfers	21	10	8	0	1	1
Estimated average number of transfers per retrieval	1.2	1.1	0.8	0.0	0.3	1.0
Average number of embryos transferred	1.7	1.8	1.9		1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	36.1	7 / 18	8 / 15		1 / 1	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.6	2 / 10	4 / 8		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	28.6	3 / 10	5 / 8		1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	4.8	2 / 10	1 / 8		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	33.3	5 / 10	6 / 8		1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)	47.6	5 / 10	6 / 8		1 / 1	0 / 1
Number of Egg/Embryo Banking Cycles						
	10	6	6	4	4	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		22			14	
Number of transfers		20			13	
Average number of embryos transferred		1.4			1.8	
Percentage of embryos transferred resulting in implantation (%)		40.7			8.7	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		40.0			1 / 13	
Percentage of transfers resulting in singleton live births (%)		40.0			1 / 13	
Percentage of transfers resulting in twin live births (%)		5.0			0 / 13	
Percentage of transfers resulting in live births (%)		45.0			1 / 13	
Percentage of transfers resulting in pregnancies (%)		55.0			2 / 13	

CURRENT SERVICES & PROFILE

Current Name: Washington Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DOMINION FERTILITY AND ENDOCRINOLOGY ARLINGTON, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Michael DiMattina, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	59%	Tubal factor	16%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 37% Female & male factors 26%
Unstimulated	90%	PGD/PGS	0%	Ovulatory dysfunction	4%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	49%	Other factor	66%	
				Endometriosis	5%	Unknown factor	6%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,360 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	115	84	132	84	90	104
Percentage of cancellations before retrieval (%)	18.3	23.8	22.0	28.6	27.8	34.6
Average number of embryos transferred	1.0	1.1	1.0	1.1	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	25.4	27.5	23.4	9.5	7.1	0.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 2	0 / 2	0 / 1	0 / 2	1 / 1	0 / 1
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	11.3	6.0	6.8	2.4	1.1	0.0
Percentage of cycles resulting in singleton live births (%)	12.2	7.1	6.8	2.4	1.1	0.0
Percentage of cycles resulting in twin live births (%)	0.0	2.4	0.0	1.2	0.0	0.0
Percentage of cycles resulting in live births (%)	12.2	9.5	6.8	3.6	1.1	0.0
Percentage of cycles resulting in pregnancies (%)	13.9	10.7	7.6	8.3	2.2	0.0
Outcomes per Transfer						
Number of transfers	60	38	46	43	28	26
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.7	13.2	19.6	4.7	3.6	0.0
Percentage of transfers resulting in singleton live births (%)	23.3	15.8	19.6	4.7	3.6	0.0
Percentage of transfers resulting in twin live births (%)	0.0	5.3	0.0	2.3	0.0	0.0
Percentage of transfers resulting in live births (%)	23.3	21.1	19.6	7.0	3.6	0.0
Percentage of transfers resulting in pregnancies (%)	26.7	23.7	21.7	16.3	7.1	0.0
Frozen Embryos from Nondonor Eggs						
Number of cycles	107	77	38	25	15	1
Number of transfers	101	72	33	22	13	1
Estimated average number of transfers per retrieval	1.0	1.0	0.4	0.4	0.2	0.0
Average number of embryos transferred	1.0	1.2	1.3	1.2	1.2	2.0
Percentage of embryos transferred resulting in implantation (%)	55.9	47.0	39.0	34.6	2 / 14	1 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	42.6	31.9	27.3	27.3	2 / 13	1 / 1
Percentage of transfers resulting in singleton live births (%)	45.5	44.4	33.3	40.9	2 / 13	1 / 1
Percentage of transfers resulting in twin live births (%)	1.0	2.8	6.1	0.0	0 / 13	0 / 1
Percentage of transfers resulting in live births (%)	46.5	47.2	39.4	40.9	2 / 13	1 / 1
Percentage of transfers resulting in pregnancies (%)	57.4	52.8	45.5	40.9	3 / 13	1 / 1
Number of Egg/Embryo Banking Cycles						
	79	66	75	54	51	45
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			117		
Number of transfers	0			105		
Average number of embryos transferred				1.0		
Percentage of embryos transferred resulting in implantation (%)				46.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				26.7		
Percentage of transfers resulting in singleton live births (%)				36.2		
Percentage of transfers resulting in twin live births (%)				1.9		
Percentage of transfers resulting in live births (%)				38.1		
Percentage of transfers resulting in pregnancies (%)				45.7		

CURRENT SERVICES & PROFILE

Current Name: Dominion Fertility and Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND SURGERY CENTER OF VIRGINIA, PLC CHARLOTTESVILLE, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Christopher D. Williams, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	52%	Tubal factor	18%	Uterine factor	12%	<i>Multiple Factors:</i> Female factors only 21% Female & male factors 18%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	16%	
				Endometriosis	20%	Unknown factor	6%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 319 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	69	42	25	8	5	0
Percentage of cancellations before retrieval (%)	11.6	23.8	24.0	2 / 8	1 / 5	
Average number of embryos transferred	1.7	2.1	3.1	3.4	4.3	
Percentage of embryos transferred resulting in implantation (%)	26.2	28.8	19.1	1 / 17	1 / 17	
Percentage of elective single embryo transfers (eSET) (%)	27.7	4.2	0 / 15	0 / 5	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.9	19.0	12.0	0 / 8	0 / 5	
Percentage of cycles resulting in singleton live births (%)	17.4	19.0	16.0	0 / 8	0 / 5	
Percentage of cycles resulting in twin live births (%)	5.8	0.0	0.0	0 / 8	0 / 5	
Percentage of cycles resulting in live births (%)	23.2	21.4	16.0	0 / 8	0 / 5	
Percentage of cycles resulting in pregnancies (%)	27.5	26.2	32.0	1 / 8	1 / 5	
Outcomes per Transfer						
Number of transfers	50	25	16	5	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.0	32.0	3 / 16	0 / 5	0 / 4	
Percentage of transfers resulting in singleton live births (%)	24.0	32.0	4 / 16	0 / 5	0 / 4	
Percentage of transfers resulting in twin live births (%)	8.0	0.0	0 / 16	0 / 5	0 / 4	
Percentage of transfers resulting in live births (%)	32.0	36.0	4 / 16	0 / 5	0 / 4	
Percentage of transfers resulting in pregnancies (%)	38.0	44.0	8 / 16	1 / 5	1 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	69	14	10	4	0	0
Number of transfers	65	14	10	4	0	0
Estimated average number of transfers per retrieval	1.5	0.8	0.6	2.0		
Average number of embryos transferred	1.5	1.4	1.4	1.8		
Percentage of embryos transferred resulting in implantation (%)	43.6	65.0	7 / 14	1 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	27.7	6 / 14	5 / 10	1 / 4		
Percentage of transfers resulting in singleton live births (%)	35.4	6 / 14	5 / 10	1 / 4		
Percentage of transfers resulting in twin live births (%)	7.7	2 / 14	0 / 10	0 / 4		
Percentage of transfers resulting in live births (%)	44.6	8 / 14	5 / 10	1 / 4		
Percentage of transfers resulting in pregnancies (%)	50.8	9 / 14	6 / 10	1 / 4		
Number of Egg/Embryo Banking Cycles						
	12	11	12	1	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		11		25		
Number of transfers		11		24		
Average number of embryos transferred		1.6		1.7		
Percentage of embryos transferred resulting in implantation (%)		9 / 16		36.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 11		29.2		
Percentage of transfers resulting in singleton live births (%)		3 / 11		33.3		
Percentage of transfers resulting in twin live births (%)		3 / 11		8.3		
Percentage of transfers resulting in live births (%)		6 / 11		41.7		
Percentage of transfers resulting in pregnancies (%)		7 / 11		54.2		

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine and Surgery Center of Virginia, PLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Pending
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENETICS & IVF INSTITUTE FAIRFAX, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Laurence C. Udoff, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	67%	Tubal factor	14%	Uterine factor	12%	<i>Multiple Factors:</i> Female factors only 19% Female & male factors 27%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	12%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	50%	Other factor	31%	
				Endometriosis	7%	Unknown factor	3%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 454 (includes 60 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	21	19	13	3	3
Percentage of cancellations before retrieval (%)	19.2	9.5	2 / 19	2 / 13	1 / 3	0 / 3
Average number of embryos transferred	1.4	2.0	1.7	2.3	2.0	1.7
Percentage of embryos transferred resulting in implantation (%)	36.4	7 / 17	6 / 17	2 / 18	0 / 2	0 / 5
Percentage of elective single embryo transfers (eSET) (%)	6 / 12	0 / 8	2 / 9	0 / 6	0 / 1	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	11.5	14.3	2 / 19	2 / 13	0 / 3	0 / 3
Percentage of cycles resulting in singleton live births (%)	19.2	14.3	4 / 19	2 / 13	0 / 3	0 / 3
Percentage of cycles resulting in twin live births (%)	3.8	4.8	0 / 19	0 / 13	0 / 3	0 / 3
Percentage of cycles resulting in live births (%)	23.1	19.0	4 / 19	2 / 13	0 / 3	0 / 3
Percentage of cycles resulting in pregnancies (%)	26.9	28.6	6 / 19	2 / 13	0 / 3	0 / 3
Outcomes per Transfer						
Number of transfers	16	10	11	8	1	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 16	3 / 10	2 / 11	2 / 8	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	5 / 16	3 / 10	4 / 11	2 / 8	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	1 / 16	1 / 10	0 / 11	0 / 8	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)	6 / 16	4 / 10	4 / 11	2 / 8	0 / 1	0 / 3
Percentage of transfers resulting in pregnancies (%)	7 / 16	6 / 10	6 / 11	2 / 8	0 / 1	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	47	28	34	8	4	5
Number of transfers	47	27	32	8	4	5
Estimated average number of transfers per retrieval	1.2	1.4	1.1	0.6	0.4	1.3
Average number of embryos transferred	1.1	1.3	1.4	1.4	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	55.1	50.0	45.5	5 / 11	2 / 6	1 / 10
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	38.3	33.3	25.0	3 / 8	1 / 4	1 / 5
Percentage of transfers resulting in singleton live births (%)	42.6	40.7	43.8	3 / 8	2 / 4	1 / 5
Percentage of transfers resulting in twin live births (%)	2.1	3.7	0.0	0 / 8	0 / 4	0 / 5
Percentage of transfers resulting in live births (%)	46.8	44.4	46.9	3 / 8	2 / 4	1 / 5
Percentage of transfers resulting in pregnancies (%)	57.4	66.7	53.1	5 / 8	2 / 4	1 / 5
Number of Egg/Embryo Banking Cycles						
	26	16	23	11	9	4
Donor Eggs						
		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		12			82	
Number of transfers		11			78	
Average number of embryos transferred		1.5			1.4	
Percentage of embryos transferred resulting in implantation (%)		10 / 15			46.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 11			23.1	
Percentage of transfers resulting in singleton live births (%)		4 / 11			41.0	
Percentage of transfers resulting in twin live births (%)		2 / 11			7.7	
Percentage of transfers resulting in live births (%)		6 / 11			48.7	
Percentage of transfers resulting in pregnancies (%)		8 / 11			55.1	

CURRENT SERVICES & PROFILE

Current Name: Genetics & IVF Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JONES INSTITUTE FOR REPRODUCTIVE MEDICINE NORFOLK, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Laurel A. Stadtmauer, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	81%	Tubal factor	21%	Uterine factor	1%	Multiple Factors: Female factors only 6% Female & male factors 7%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	20%	Male factor	27%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	8%	
				Endometriosis	8%	Unknown factor	7%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 457 (includes 10 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	130	78	39	18	7	1
Percentage of cancellations before retrieval (%)	6.9	12.8	23.1	4 / 18	1 / 7	0 / 1
Average number of embryos transferred	2.0	1.9	2.0	1.8	2.4	
Percentage of embryos transferred resulting in implantation (%)	32.2	14.0	7.8	0.0	0 / 12	
Percentage of elective single embryo transfers (eSET) (%)	1.0	2.3	0.0	0 / 9	0 / 5	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.4	11.5	10.3	0 / 18	0 / 7	0 / 1
Percentage of cycles resulting in singleton live births (%)	26.9	14.1	10.3	0 / 18	0 / 7	0 / 1
Percentage of cycles resulting in twin live births (%)	10.0	1.3	0.0	0 / 18	0 / 7	0 / 1
Percentage of cycles resulting in live births (%)	36.9	15.4	10.3	0 / 18	0 / 7	0 / 1
Percentage of cycles resulting in pregnancies (%)	40.8	16.7	12.8	0 / 18	0 / 7	0 / 1
Outcomes per Transfer						
Number of transfers	104	51	27	12	5	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.7	17.6	14.8	0 / 12	0 / 5	
Percentage of transfers resulting in singleton live births (%)	33.7	21.6	14.8	0 / 12	0 / 5	
Percentage of transfers resulting in twin live births (%)	12.5	2.0	0.0	0 / 12	0 / 5	
Percentage of transfers resulting in live births (%)	46.2	23.5	14.8	0 / 12	0 / 5	
Percentage of transfers resulting in pregnancies (%)	51.0	25.5	18.5	0 / 12	0 / 5	
Frozen Embryos from Nondonor Eggs						
Number of cycles	44	32	15	6	1	2
Number of transfers	41	31	15	5	1	2
Estimated average number of transfers per retrieval	0.9	1.5	1.1	2.5		2.0
Average number of embryos transferred	1.9	1.9	1.9	1.6	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	28.9	36.4	22.2	0 / 8	0 / 2	2 / 4
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	17.1	16.1	2 / 15	0 / 5	0 / 1	1 / 2
Percentage of transfers resulting in singleton live births (%)	19.5	22.6	3 / 15	0 / 5	0 / 1	2 / 2
Percentage of transfers resulting in twin live births (%)	9.8	19.4	1 / 15	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	29.3	41.9	4 / 15	0 / 5	0 / 1	2 / 2
Percentage of transfers resulting in pregnancies (%)	39.0	54.8	5 / 15	0 / 5	0 / 1	2 / 2
Number of Egg/Embryo Banking Cycles						
	18	6	5	0	0	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		23			21	
Number of transfers		19			18	
Average number of embryos transferred		2.0			1.8	
Percentage of embryos transferred resulting in implantation (%)		31.6			24.1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 19			4 / 18	
Percentage of transfers resulting in singleton live births (%)		2 / 19			5 / 18	
Percentage of transfers resulting in twin live births (%)		5 / 19			1 / 18	
Percentage of transfers resulting in live births (%)		7 / 19			6 / 18	
Percentage of transfers resulting in pregnancies (%)		7 / 19			7 / 18	

CURRENT SERVICES & PROFILE

Current Name: Jones Institute for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VIRGINIA CENTER FOR REPRODUCTIVE MEDICINE RESTON, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Fady I. Sharara, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	97%	Tubal factor	17%	Uterine factor	15%	<i>Multiple Factors:</i> Female factors only 32% Female & male factors 43%
Unstimulated	0%	PGD/PGS	53%	Ovulatory dysfunction	29%	Male factor	49%	
Used gestational carrier	3%			Diminished ovarian reserve	43%	Other factor	44%	
				Endometriosis	8%	Unknown factor	<1%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 190 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	31	22	12	8	1	0
Percentage of cancellations before retrieval (%)	3.2	0.0	0 / 12	0 / 8	0 / 1	
Average number of embryos transferred	1.3	1.5	1.3	1.6		
Percentage of embryos transferred resulting in implantation (%)	57.6	66.7	8 / 12	6 / 11		
Percentage of elective single embryo transfers (eSET) (%)	60.0	2 / 11	3 / 6	1 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	38.7	22.7	7 / 12	2 / 8	0 / 1	
Percentage of cycles resulting in singleton live births (%)	45.2	27.3	8 / 12	4 / 8	0 / 1	
Percentage of cycles resulting in twin live births (%)	6.5	22.7	0 / 12	0 / 8	0 / 1	
Percentage of cycles resulting in live births (%)	51.6	50.0	8 / 12	4 / 8	0 / 1	
Percentage of cycles resulting in pregnancies (%)	58.1	59.1	8 / 12	5 / 8	0 / 1	
Outcomes per Transfer						
Number of transfers	26	18	9	7	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	46.2	5 / 18	7 / 9	2 / 7		
Percentage of transfers resulting in singleton live births (%)	53.8	6 / 18	8 / 9	4 / 7		
Percentage of transfers resulting in twin live births (%)	7.7	5 / 18	0 / 9	0 / 7		
Percentage of transfers resulting in live births (%)	61.5	11 / 18	8 / 9	4 / 7		
Percentage of transfers resulting in pregnancies (%)	69.2	13 / 18	8 / 9	5 / 7		
Frozen Embryos from Nondonor Eggs						
Number of cycles	16	8	5	2	2	1
Number of transfers	16	8	5	2	2	1
Estimated average number of transfers per retrieval	1.1	0.4	0.4	0.7	2.0	1.0
Average number of embryos transferred	1.3	1.1	1.4	2.0	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	38.1	2 / 9	0 / 7	1 / 4	1 / 2	1 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 16	2 / 8	0 / 5	0 / 2	0 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 16	2 / 8	0 / 5	1 / 2	1 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 8	0 / 5	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	5 / 16	2 / 8	0 / 5	1 / 2	1 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	7 / 16	2 / 8	0 / 5	1 / 2	1 / 2	1 / 1
Number of Egg/Embryo Banking Cycles						
	10	17	13	3	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	18			18		
Number of transfers	17			18		
Average number of embryos transferred	1.3			1.5		
Percentage of embryos transferred resulting in implantation (%)	77.3			40.0		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	9 / 17			7 / 18		
Percentage of transfers resulting in singleton live births (%)	10 / 17			7 / 18		
Percentage of transfers resulting in twin live births (%)	3 / 17			1 / 18		
Percentage of transfers resulting in live births (%)	13 / 17			8 / 18		
Percentage of transfers resulting in pregnancies (%)	13 / 17			10 / 18		

CURRENT SERVICES & PROFILE

Current Name: Virginia Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF VIRGINIA RICHMOND, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Michael C. Edelstein, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	13%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 9%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	18%	Male factor	38%	
Used gestational carrier	<1%			Diminished ovarian reserve	12%	Other factor	<1%	
				Endometriosis	8%	Unknown factor	21%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 262 (includes 14 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		49	31	14	5	7	0
Percentage of cancellations before retrieval (%)		4.1	16.1	1 / 14	0 / 5	1 / 7	
Average number of embryos transferred		1.7	2.0	2.3	3.0	3.3	
Percentage of embryos transferred resulting in implantation (%)		45.5	43.9	4 / 18	1 / 6	1 / 17	
Percentage of elective single embryo transfers (eSET) (%)		36.0	14.3	0 / 7	0 / 2	0 / 6	
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		24.5	29.0	1 / 14	0 / 5	0 / 7	
Percentage of cycles resulting in singleton live births (%)		26.5	35.5	1 / 14	1 / 5	0 / 7	
Percentage of cycles resulting in twin live births (%)		6.1	6.5	1 / 14	0 / 5	0 / 7	
Percentage of cycles resulting in live births (%)		32.7	41.9	2 / 14	1 / 5	0 / 7	
Percentage of cycles resulting in pregnancies (%)		34.7	45.2	3 / 14	1 / 5	2 / 7	
Outcomes per Transfer							
Number of transfers		26	22	8	2	6	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		46.2	40.9	1 / 8	0 / 2	0 / 6	
Percentage of transfers resulting in singleton live births (%)		50.0	50.0	1 / 8	1 / 2	0 / 6	
Percentage of transfers resulting in twin live births (%)		11.5	9.1	1 / 8	0 / 2	0 / 6	
Percentage of transfers resulting in live births (%)		61.5	59.1	2 / 8	1 / 2	0 / 6	
Percentage of transfers resulting in pregnancies (%)		65.4	63.6	3 / 8	1 / 2	2 / 6	
Frozen Embryos from Nondonor Eggs							
Number of cycles		51	28	21	9	0	0
Number of transfers		50	28	21	9	0	0
Estimated average number of transfers per retrieval		1.7	1.9	1.4	1.5		
Average number of embryos transferred		1.6	1.7	1.7	1.9		
Percentage of embryos transferred resulting in implantation (%)		61.0	48.9	45.2	3 / 13		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		44.0	32.1	19.0	1 / 9		
Percentage of transfers resulting in singleton live births (%)		52.0	46.4	19.0	2 / 9		
Percentage of transfers resulting in twin live births (%)		18.0	10.7	19.0	0 / 9		
Percentage of transfers resulting in live births (%)		70.0	57.1	38.1	2 / 9		
Percentage of transfers resulting in pregnancies (%)		74.0	67.9	57.1	5 / 9		
Number of Egg/Embryo Banking Cycles							
		8	4	8	2	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		2			9		
Number of transfers		2			9		
Average number of embryos transferred		1.5			1.8		
Percentage of embryos transferred resulting in implantation (%)		1 / 3			11 / 16		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 2			4 / 9		
Percentage of transfers resulting in singleton live births (%)		1 / 2			5 / 9		
Percentage of transfers resulting in twin live births (%)		0 / 2			2 / 9		
Percentage of transfers resulting in live births (%)		1 / 2			7 / 9		
Percentage of transfers resulting in pregnancies (%)		1 / 2			8 / 9		

CURRENT SERVICES & PROFILE		Current Name: Fertility Institute of Virginia					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIFESOURCE FERTILITY CENTER RICHMOND, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Joseph G. Gianfortoni, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	89%	Tubal factor	9%	Uterine factor	20%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 61%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	17%	Male factor	77%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	16%	
				Endometriosis	10%	Unknown factor	1%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 115 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	7	5	3	1	2	0
Percentage of cancellations before retrieval (%)	1 / 7	0 / 5	0 / 3	0 / 1	0 / 2	
Average number of embryos transferred	1.5	1.8	2.0	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 9	4 / 9	0 / 6	0 / 2	0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	3 / 6	1 / 5	1 / 3	0 / 1	0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4 / 7	3 / 5	0 / 3	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	4 / 7	3 / 5	0 / 3	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 7	0 / 5	0 / 3	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	4 / 7	3 / 5	0 / 3	0 / 1	0 / 2	
Percentage of cycles resulting in pregnancies (%)	4 / 7	3 / 5	0 / 3	0 / 1	0 / 2	
Outcomes per Transfer						
Number of transfers	6	5	3	1	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 6	3 / 5	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	4 / 6	3 / 5	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 5	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	4 / 6	3 / 5	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	4 / 6	3 / 5	0 / 3	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	29	8	20	2	3	0
Number of transfers	26	8	17	2	2	0
Estimated average number of transfers per retrieval	2.0	2.7	2.8	0.7	2.0	
Average number of embryos transferred	1.2	1.4	1.4	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	58.1	5 / 11	26.1	2 / 4	1 / 4	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	46.2	3 / 8	3 / 17	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	50.0	4 / 8	3 / 17	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	3.8	0 / 8	0 / 17	1 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	53.8	4 / 8	3 / 17	1 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	65.4	4 / 8	5 / 17	1 / 2	1 / 2	
Number of Egg/Embryo Banking Cycles						
	13	3	4	3	0	0
Donor Eggs						
		Fresh Embryos^f		Frozen Embryos^f		
Number of cycles		0		7		
Number of transfers		0		6		
Average number of embryos transferred				1.2		
Percentage of embryos transferred resulting in implantation (%)				4 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				1 / 6		
Percentage of transfers resulting in singleton live births (%)				3 / 6		
Percentage of transfers resulting in twin live births (%)				0 / 6		
Percentage of transfers resulting in live births (%)				3 / 6		
Percentage of transfers resulting in pregnancies (%)				4 / 6		

CURRENT SERVICES & PROFILE

This clinic has closed since 2015. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE RICHMOND CENTER FOR FERTILITY AND ENDOCRINOLOGY RICHMOND, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by George F. Tidey, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	16%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 7% Female & male factors 27%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	17%	Male factor	45%	
Used gestational carrier	2%			Diminished ovarian reserve	22%	Other factor	12%	
				Endometriosis	11%	Unknown factor	9%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 277 (includes 19 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	53	21	15	11	4	0
Percentage of cancellations before retrieval (%)	5.7	0.0	2 / 15	1 / 11	0 / 4	
Average number of embryos transferred	1.7	1.9	1.9	3.2	3.5	
Percentage of embryos transferred resulting in implantation (%)	41.1	31.0	7 / 19	8.3	0 / 12	
Percentage of elective single embryo transfers (eSET) (%)	30.3	1 / 15	3 / 10	0 / 9	0 / 4	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	22.6	28.6	3 / 15	1 / 11	0 / 4	
Percentage of cycles resulting in singleton live births (%)	22.6	28.6	3 / 15	1 / 11	0 / 4	
Percentage of cycles resulting in twin live births (%)	9.4	4.8	1 / 15	0 / 11	0 / 4	
Percentage of cycles resulting in live births (%)	32.1	33.3	4 / 15	1 / 11	0 / 4	
Percentage of cycles resulting in pregnancies (%)	34.0	38.1	6 / 15	3 / 11	1 / 4	
Outcomes per Transfer						
Number of transfers	33	16	10	9	4	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	36.4	6 / 16	3 / 10	1 / 9	0 / 4	
Percentage of transfers resulting in singleton live births (%)	36.4	6 / 16	3 / 10	1 / 9	0 / 4	
Percentage of transfers resulting in twin live births (%)	15.2	1 / 16	1 / 10	0 / 9	0 / 4	
Percentage of transfers resulting in live births (%)	51.5	7 / 16	4 / 10	1 / 9	0 / 4	
Percentage of transfers resulting in pregnancies (%)	54.5	8 / 16	6 / 10	3 / 9	1 / 4	
Frozen Embryos from Nondonor Eggs						
Number of cycles	51	23	23	2	4	0
Number of transfers	49	21	17	2	4	0
Estimated average number of transfers per retrieval	1.3	1.3	1.5	0.5	0.8	
Average number of embryos transferred	1.8	1.6	1.4	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	45.9	48.5	50.0	2 / 3	0 / 8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	22.4	38.1	6 / 17	0 / 2	0 / 4	
Percentage of transfers resulting in singleton live births (%)	28.6	52.4	6 / 17	0 / 2	0 / 4	
Percentage of transfers resulting in twin live births (%)	22.4	9.5	2 / 17	1 / 2	0 / 4	
Percentage of transfers resulting in live births (%)	51.0	61.9	8 / 17	1 / 2	0 / 4	
Percentage of transfers resulting in pregnancies (%)	61.2	61.9	10 / 17	1 / 2	0 / 4	
Number of Egg/Embryo Banking Cycles						
	9	8	7	2	3	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		4			18	
Number of transfers		4			16	
Average number of embryos transferred		1.8			1.6	
Percentage of embryos transferred resulting in implantation (%)		1 / 7			33.3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 4			3 / 16	
Percentage of transfers resulting in singleton live births (%)		0 / 4			3 / 16	
Percentage of transfers resulting in twin live births (%)		0 / 4			1 / 16	
Percentage of transfers resulting in live births (%)		0 / 4			4 / 16	
Percentage of transfers resulting in pregnancies (%)		1 / 4			8 / 16	

CURRENT SERVICES & PROFILE

Current Name: The Richmond Center for Fertility and Endocrinology

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY CENTER FOR ADVANCED REPRODUCTIVE MEDICINE RICHMOND, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE Data verified by Richard S. Lucidi, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	13%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 14%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	10%	Male factor	40%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	32%	
				Endometriosis	1%	Unknown factor	18%	

2015 ART SUCCESS RATES^c Total number of cycles^d: 106 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	27	16	12	4	0	0
Percentage of cancellations before retrieval (%)	7.4	3 / 16	4 / 12	1 / 4		
Average number of embryos transferred	1.8	1.8	2.3	3.0		
Percentage of embryos transferred resulting in implantation (%)	25.0	28.6	1 / 18	2 / 9		
Percentage of elective single embryo transfers (eSET) (%)	18.2	4 / 12	0 / 7	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.8	4 / 16	1 / 12	0 / 4		
Percentage of cycles resulting in singleton live births (%)	22.2	5 / 16	1 / 12	0 / 4		
Percentage of cycles resulting in twin live births (%)	3.7	0 / 16	0 / 12	0 / 4		
Percentage of cycles resulting in live births (%)	25.9	5 / 16	1 / 12	0 / 4		
Percentage of cycles resulting in pregnancies (%)	33.3	7 / 16	1 / 12	2 / 4		
Outcomes per Transfer						
Number of transfers	24	12	8	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.7	4 / 12	1 / 8	0 / 3		
Percentage of transfers resulting in singleton live births (%)	25.0	5 / 12	1 / 8	0 / 3		
Percentage of transfers resulting in twin live births (%)	4.2	0 / 12	0 / 8	0 / 3		
Percentage of transfers resulting in live births (%)	29.2	5 / 12	1 / 8	0 / 3		
Percentage of transfers resulting in pregnancies (%)	37.5	7 / 12	1 / 8	2 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	5	4	0	2	0
Number of transfers	16	5	4	0	1	0
Estimated average number of transfers per retrieval	1.1	0.7	0.7			
Average number of embryos transferred	1.7	1.4	1.5		3.0	
Percentage of embryos transferred resulting in implantation (%)	70.4	2 / 5	3 / 6		1 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	9 / 16	2 / 5	2 / 4		1 / 1	
Percentage of transfers resulting in singleton live births (%)	10 / 16	2 / 5	2 / 4		1 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 16	0 / 5	0 / 4		0 / 1	
Percentage of transfers resulting in live births (%)	12 / 16	2 / 5	2 / 4		1 / 1	
Percentage of transfers resulting in pregnancies (%)	14 / 16	3 / 5	2 / 4		1 / 1	
Number of Egg/Embryo Banking Cycles						
	4	2	2	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			7		
Number of transfers	0			5		
Average number of embryos transferred				1.8		
Percentage of embryos transferred resulting in implantation (%)				4 / 9		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				2 / 5		
Percentage of transfers resulting in singleton live births (%)				2 / 5		
Percentage of transfers resulting in twin live births (%)				1 / 5		
Percentage of transfers resulting in live births (%)				3 / 5		
Percentage of transfers resulting in pregnancies (%)				3 / 5		

CURRENT SERVICES & PROFILE Current Name: VCU Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PARTNERS FOR FERTILITY AND IVF
VIENNA, VIRGINIA**

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

**THE BEACH CENTER FOR INFERTILITY, ENDOCRINOLOGY AND IVF
VIRGINIA BEACH, VIRGINIA**

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

THE NEW HOPE CENTER FOR REPRODUCTIVE MEDICINE VIRGINIA BEACH, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Robin L. Poe-Zeigler, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	20%	Uterine factor	6%	<i>Multiple Factors:</i> Female factors only 15% Female & male factors 32%
Unstimulated	<1%	PGD/PGS	10%	Ovulatory dysfunction	23%	Male factor	42%	
Used gestational carrier	2%			Diminished ovarian reserve	42%	Other factor	8%	
				Endometriosis	15%	Unknown factor	6%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 333 (includes 5 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	70	26	15	8	4	7
Percentage of cancellations before retrieval (%)	0.0	3.8	2 / 15	0 / 8	0 / 4	1 / 7
Average number of embryos transferred	1.8	1.9	2.5	2.0	2.3	2.7
Percentage of embryos transferred resulting in implantation (%)	20.6	1 / 13	3 / 10	2 / 10	0 / 7	0 / 8
Percentage of elective single embryo transfers (eSET) (%)	20.6	1 / 7	0 / 3	0 / 3	0 / 2	0 / 2
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	8.6	3.8	0 / 15	0 / 8	0 / 4	0 / 7
Percentage of cycles resulting in singleton live births (%)	12.9	3.8	1 / 15	0 / 8	0 / 4	0 / 7
Percentage of cycles resulting in twin live births (%)	2.9	0.0	1 / 15	1 / 8	0 / 4	0 / 7
Percentage of cycles resulting in live births (%)	15.7	3.8	2 / 15	1 / 8	0 / 4	0 / 7
Percentage of cycles resulting in pregnancies (%)	18.6	3.8	2 / 15	1 / 8	0 / 4	0 / 7
Outcomes per Transfer						
Number of transfers	38	7	4	5	3	3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	15.8	1 / 7	0 / 4	0 / 5	0 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	23.7	1 / 7	1 / 4	0 / 5	0 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	5.3	0 / 7	1 / 4	1 / 5	0 / 3	0 / 3
Percentage of transfers resulting in live births (%)	28.9	1 / 7	2 / 4	1 / 5	0 / 3	0 / 3
Percentage of transfers resulting in pregnancies (%)	34.2	1 / 7	2 / 4	1 / 5	0 / 3	0 / 3
Frozen Embryos from Nondonor Eggs						
Number of cycles	54	27	14	7	5	0
Number of transfers	52	27	14	3	3	0
Estimated average number of transfers per retrieval	1.3	1.6	1.1	1.5	0.8	0.0
Average number of embryos transferred	1.7	1.9	1.7	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	28.9	25.0	22.7	1 / 6	2 / 6	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.0	18.5	1 / 14	1 / 3	0 / 3	
Percentage of transfers resulting in singleton live births (%)	28.8	25.9	1 / 14	1 / 3	0 / 3	
Percentage of transfers resulting in twin live births (%)	7.7	7.4	2 / 14	0 / 3	1 / 3	
Percentage of transfers resulting in live births (%)	36.5	33.3	3 / 14	1 / 3	1 / 3	
Percentage of transfers resulting in pregnancies (%)	40.4	40.7	4 / 14	1 / 3	1 / 3	
Number of Egg/Embryo Banking Cycles						
	12	2	5	2	3	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	23			43		
Number of transfers	16			41		
Average number of embryos transferred	1.9			1.8		
Percentage of embryos transferred resulting in implantation (%)	60.0			15.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 16			14.6		
Percentage of transfers resulting in singleton live births (%)	2 / 16			19.5		
Percentage of transfers resulting in twin live births (%)	8 / 16			0.0		
Percentage of transfers resulting in live births (%)	10 / 16			19.5		
Percentage of transfers resulting in pregnancies (%)	10 / 16			29.3		

CURRENT SERVICES & PROFILE

Current Name: The New Hope Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FRANCISCO M. IRIANNI, MD WINCHESTER, VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Francisco M. Irianni, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	8%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 12%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	46%	
Used gestational carrier	11%			Diminished ovarian reserve	31%	Other factor	4%	
				Endometriosis	4%	Unknown factor	12%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 26 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	11	4	3	1	0	0
Percentage of cancellations before retrieval (%)	0 / 11	0 / 4	0 / 3	0 / 1		
Average number of embryos transferred	2.4	2.3	3.0			
Percentage of embryos transferred resulting in implantation (%)	15.4	1 / 7	3 / 9			
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 2	0 / 3			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2 / 11	1 / 4	1 / 3	0 / 1		
Percentage of cycles resulting in singleton live births (%)	2 / 11	1 / 4	1 / 3	0 / 1		
Percentage of cycles resulting in twin live births (%)	0 / 11	0 / 4	0 / 3	0 / 1		
Percentage of cycles resulting in live births (%)	2 / 11	1 / 4	1 / 3	0 / 1		
Percentage of cycles resulting in pregnancies (%)	3 / 11	1 / 4	2 / 3	0 / 1		
Outcomes per Transfer						
Number of transfers	11	3	3	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 11	1 / 3	1 / 3			
Percentage of transfers resulting in singleton live births (%)	2 / 11	1 / 3	1 / 3			
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 3	0 / 3			
Percentage of transfers resulting in live births (%)	2 / 11	1 / 3	1 / 3			
Percentage of transfers resulting in pregnancies (%)	3 / 11	1 / 3	2 / 3			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	0	3	1	0	0
Number of transfers	3	0	2	1	0	0
Estimated average number of transfers per retrieval	3.0		2.0	0.5		
Average number of embryos transferred	2.7		1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 8		1 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3		0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 3		0 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	0 / 3		0 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 3		1 / 2	0 / 1		
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Francisco M. Irianni, MD

Donor eggs?	No	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OVERLAKE REPRODUCTIVE HEALTH, INC., PS BELLEVUE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Kevin M. Johnson, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	0%	Tubal factor	47%	Uterine factor	0%	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	55%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	72%	Other factor	<1%	
				Endometriosis	12%	Unknown factor	<1%	
				Multiple Factors:				
				Female factors only				34%
				Female & male factors				47%

2015 ART SUCCESS RATES^c

Total number of cycles^d: 305 (includes 2 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	2	2	0	1	0	2
Percentage of cancellations before retrieval (%)	2 / 2	2 / 2		1 / 1		2 / 2
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of elective single embryo transfers (eSET) (%)						
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	0 / 2	0 / 2		0 / 1		0 / 2
Percentage of cycles resulting in singleton live births (%)	0 / 2	0 / 2		0 / 1		0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 2	0 / 2		0 / 1		0 / 2
Percentage of cycles resulting in live births (%)	0 / 2	0 / 2		0 / 1		0 / 2
Percentage of cycles resulting in pregnancies (%)	0 / 2	0 / 2		0 / 1		0 / 2
Outcomes per Transfer						
Number of transfers	0	0	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						
Frozen Embryos from Nondonor Eggs						
Number of cycles	61	17	14	3	3	1
Number of transfers	61	17	13	3	3	1
Estimated average number of transfers per retrieval	0.8	0.6	0.3	0.2	0.3	0.1
Average number of embryos transferred	1.4	1.3	1.5	1.3	1.0	3.0
Percentage of embryos transferred resulting in implantation (%)	61.4	68.2	7 / 16	1 / 4	2 / 3	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	42.6	11 / 17	5 / 13	0 / 3	2 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	49.2	12 / 17	5 / 13	1 / 3	2 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	14.8	1 / 17	1 / 13	0 / 3	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	63.9	13 / 17	6 / 13	1 / 3	2 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	67.2	14 / 17	8 / 13	1 / 3	2 / 3	0 / 1
Number of Egg/Embryo Banking Cycles						
	72	30	38	19	10	7
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	4			17		
Number of transfers	2			16		
Average number of embryos transferred	1.5			1.3		
Percentage of embryos transferred resulting in implantation (%)	2 / 3			57.1		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 2			6 / 16		
Percentage of transfers resulting in singleton live births (%)	2 / 2			8 / 16		
Percentage of transfers resulting in twin live births (%)	0 / 2			0 / 16		
Percentage of transfers resulting in live births (%)	2 / 2			8 / 16		
Percentage of transfers resulting in pregnancies (%)	2 / 2			9 / 16		

CURRENT SERVICES & PROFILE

Current Name: Overlake Reproductive Health, Inc., PS

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WASHINGTON CENTER FOR REPRODUCTIVE MEDICINE BELLEVUE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by James I. Kustin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	52%	Tubal factor	11%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 3% Female & male factors 4%
Unstimulated	0%	PGD/PGS	77%	Ovulatory dysfunction	1%	Male factor	11%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	59%	
				Endometriosis	1%	Unknown factor	4%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 182 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	46	39	22	5	0	7
Percentage of cancellations before retrieval (%)	4.3	0.0	4.5	0 / 5		2 / 7
Average number of embryos transferred	1.7	1.5	1.4	1.7		1.0
Percentage of embryos transferred resulting in implantation (%)	37.5	25.9	3 / 12	1 / 5		0 / 1
Percentage of elective single embryo transfers (eSET) (%)	29.6	2 / 11	1 / 5	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	17.4	5.1	9.1	1 / 5		0 / 7
Percentage of cycles resulting in singleton live births (%)	21.7	7.7	9.1	1 / 5		0 / 7
Percentage of cycles resulting in twin live births (%)	6.5	5.1	0.0	0 / 5		0 / 7
Percentage of cycles resulting in live births (%)	28.3	12.8	9.1	1 / 5		0 / 7
Percentage of cycles resulting in pregnancies (%)	34.8	12.8	18.2	1 / 5		0 / 7
Outcomes per Transfer						
Number of transfers	30	18	10	3	0	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	26.7	2 / 18	2 / 10	1 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	33.3	3 / 18	2 / 10	1 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	10.0	2 / 18	0 / 10	0 / 3		0 / 1
Percentage of transfers resulting in live births (%)	43.3	5 / 18	2 / 10	1 / 3		0 / 1
Percentage of transfers resulting in pregnancies (%)	53.3	5 / 18	4 / 10	1 / 3		0 / 1
Frozen Embryos from Nondonor Eggs						
Number of cycles	17	27	5	0	0	0
Number of transfers	17	26	5	0	0	0
Estimated average number of transfers per retrieval	2.4	2.4	1.7			
Average number of embryos transferred	1.9	1.7	1.8			
Percentage of embryos transferred resulting in implantation (%)	16.7	30.0	1 / 9			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 17	26.9	0 / 5			
Percentage of transfers resulting in singleton live births (%)	1 / 17	30.8	0 / 5			
Percentage of transfers resulting in twin live births (%)	1 / 17	3.8	0 / 5			
Percentage of transfers resulting in live births (%)	2 / 17	34.6	0 / 5			
Percentage of transfers resulting in pregnancies (%)	7 / 17	42.3	1 / 5			
Number of Egg/Embryo Banking Cycles						
	0	1	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	9			3		
Number of transfers	4			3		
Average number of embryos transferred	1.8			1.7		
Percentage of embryos transferred resulting in implantation (%)	4 / 7			2 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 4			1 / 3		
Percentage of transfers resulting in singleton live births (%)	2 / 4			1 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 4			0 / 3		
Percentage of transfers resulting in live births (%)	3 / 4			1 / 3		
Percentage of transfers resulting in pregnancies (%)	3 / 4			2 / 3		

CURRENT SERVICES & PROFILE

Current Name: Washington Center for Reproductive Medicine

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BELLINGHAM IVF & FERTILITY CARE BELLINGHAM, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Emmett Branigan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	90%	Tubal factor	9%	Uterine factor	8%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 54%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	31%	Male factor	72%	
Used gestational carrier	0%			Diminished ovarian reserve	34%	Other factor	6%	
				Endometriosis	5%	Unknown factor	0%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 66 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	19	10	8	4	0	0
Percentage of cancellations before retrieval (%)	0 / 19	0 / 10	1 / 8	0 / 4		
Average number of embryos transferred	2.1	2.0	2.0	2.3		
Percentage of embryos transferred resulting in implantation (%)	34.3	30.0	4 / 14	1 / 9		
Percentage of elective single embryo transfers (eSET) (%)	0 / 18	0 / 10	0 / 7	0 / 4		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	6 / 19	2 / 10	4 / 8	0 / 4		
Percentage of cycles resulting in singleton live births (%)	7 / 19	4 / 10	4 / 8	1 / 4		
Percentage of cycles resulting in twin live births (%)	2 / 19	1 / 10	0 / 8	0 / 4		
Percentage of cycles resulting in live births (%)	9 / 19	5 / 10	4 / 8	1 / 4		
Percentage of cycles resulting in pregnancies (%)	11 / 19	5 / 10	4 / 8	1 / 4		
Outcomes per Transfer						
Number of transfers	18	10	7	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	6 / 18	2 / 10	4 / 7	0 / 4		
Percentage of transfers resulting in singleton live births (%)	7 / 18	4 / 10	4 / 7	1 / 4		
Percentage of transfers resulting in twin live births (%)	2 / 18	1 / 10	0 / 7	0 / 4		
Percentage of transfers resulting in live births (%)	9 / 18	5 / 10	4 / 7	1 / 4		
Percentage of transfers resulting in pregnancies (%)	11 / 18	5 / 10	4 / 7	1 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	6	3	0	0	0
Number of transfers	6	6	3	0	0	0
Estimated average number of transfers per retrieval		2.0	1.5			
Average number of embryos transferred	2.0	2.0	2.3			
Percentage of embryos transferred resulting in implantation (%)	3 / 12	2 / 12	2 / 7			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 6	2 / 6	0 / 3			
Percentage of transfers resulting in singleton live births (%)	3 / 6	2 / 6	2 / 3			
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 6	0 / 3			
Percentage of transfers resulting in live births (%)	3 / 6	2 / 6	2 / 3			
Percentage of transfers resulting in pregnancies (%)	3 / 6	2 / 6	2 / 3			
Number of Egg/Embryo Banking Cycles						
	0	0	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	6			3		
Number of transfers	6			3		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 8			0 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 6			0 / 3		
Percentage of transfers resulting in singleton live births (%)	3 / 6			0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 6			0 / 3		
Percentage of transfers resulting in live births (%)	3 / 6			0 / 3		
Percentage of transfers resulting in pregnancies (%)	5 / 6			1 / 3		

CURRENT SERVICES & PROFILE

Current Name: Bellingham IVF & Fertility Care

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

POMA FERTILITY KIRKLAND, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Michael S. Opsahl, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	48%	Tubal factor	11%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 10%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	10%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	37%	Other factor	13%	
				Endometriosis	7%	Unknown factor	17%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 414 (includes 11 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	69	36	35	8	7	0
Percentage of cancellations before retrieval (%)	8.7	2.8	2.9	0 / 8	1 / 7	
Average number of embryos transferred	1.8	1.9	2.8	3.7	2.7	
Percentage of embryos transferred resulting in implantation (%)	34.6	50.0	25.3	13.6	1 / 8	
Percentage of elective single embryo transfers (eSET) (%)	26.3	25.8	0.0	0 / 6	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	30.4	41.7	17.1	2 / 8	0 / 7	
Percentage of cycles resulting in singleton live births (%)	31.9	47.2	20.0	2 / 8	0 / 7	
Percentage of cycles resulting in twin live births (%)	7.2	11.1	11.4	0 / 8	0 / 7	
Percentage of cycles resulting in live births (%)	39.1	58.3	31.4	2 / 8	0 / 7	
Percentage of cycles resulting in pregnancies (%)	44.9	61.1	40.0	2 / 8	1 / 7	
Outcomes per Transfer						
Number of transfers	59	31	31	6	3	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	35.6	48.4	19.4	2 / 6	0 / 3	
Percentage of transfers resulting in singleton live births (%)	37.3	54.8	22.6	2 / 6	0 / 3	
Percentage of transfers resulting in twin live births (%)	8.5	12.9	12.9	0 / 6	0 / 3	
Percentage of transfers resulting in live births (%)	45.8	67.7	35.5	2 / 6	0 / 3	
Percentage of transfers resulting in pregnancies (%)	52.5	71.0	45.2	2 / 6	1 / 3	
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	25	21	7	5	3
Number of transfers	31	19	19	7	5	1
Estimated average number of transfers per retrieval	0.9	0.7	0.7	0.8	0.8	0.3
Average number of embryos transferred	1.2	1.2	1.6	1.6	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	76.5	16 / 18	60.0	4 / 9	1 / 10	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	48.4	13 / 19	4 / 19	0 / 7	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	54.8	13 / 19	4 / 19	0 / 7	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	12.9	0 / 19	5 / 19	2 / 7	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	67.7	13 / 19	9 / 19	2 / 7	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	77.4	16 / 19	12 / 19	3 / 7	1 / 5	0 / 1
Number of Egg/Embryo Banking Cycles	23	22	16	9	4	3
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		30			45	
Number of transfers		22			38	
Average number of embryos transferred		1.2			1.3	
Percentage of embryos transferred resulting in implantation (%)		76.2			43.8	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		36.4			39.5	
Percentage of transfers resulting in singleton live births (%)		50.0			44.7	
Percentage of transfers resulting in twin live births (%)		9.1			5.3	
Percentage of transfers resulting in live births (%)		59.1			50.0	
Percentage of transfers resulting in pregnancies (%)		81.8			55.3	

CURRENT SERVICES & PROFILE

Current Name: Poma Fertility

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OLYMPIA WOMEN'S HEALTH OLYMPIA, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by James F. Moruzzi, MD, PhD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	0%	Tubal factor	18%	Uterine factor	0%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	29%	Male factor	9%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	0%	
				Endometriosis	21%	Unknown factor	12%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 36 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	12	2	3	1	0
Percentage of cancellations before retrieval (%)	0 / 10	0 / 12	0 / 2	0 / 3	0 / 1	
Average number of embryos transferred	2.0	2.1	2.5	2.3		
Percentage of embryos transferred resulting in implantation (%)	4 / 16	23.8	2 / 5	1 / 7		
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	0 / 9	0 / 2	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2 / 10	3 / 12	2 / 2	1 / 3	0 / 1	
Percentage of cycles resulting in singleton live births (%)	4 / 10	3 / 12	2 / 2	1 / 3	0 / 1	
Percentage of cycles resulting in twin live births (%)	0 / 10	1 / 12	0 / 2	0 / 3	0 / 1	
Percentage of cycles resulting in live births (%)	4 / 10	4 / 12	2 / 2	1 / 3	0 / 1	
Percentage of cycles resulting in pregnancies (%)	4 / 10	4 / 12	2 / 2	1 / 3	0 / 1	
Outcomes per Transfer						
Number of transfers	8	10	2	3	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 8	3 / 10	2 / 2	1 / 3		
Percentage of transfers resulting in singleton live births (%)	4 / 8	3 / 10	2 / 2	1 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 8	1 / 10	0 / 2	0 / 3		
Percentage of transfers resulting in live births (%)	4 / 8	4 / 10	2 / 2	1 / 3		
Percentage of transfers resulting in pregnancies (%)	4 / 8	4 / 10	2 / 2	1 / 3		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	1	1	0	0	0
Number of transfers	2	1	1	0	0	0
Estimated average number of transfers per retrieval	2.0	1.0	1.0			
Average number of embryos transferred	2.0	1.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	2 / 4	0 / 1	1 / 2			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 1	1 / 1			
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	1 / 2	0 / 1	1 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 2	0 / 1	1 / 1			
Number of Egg/Embryo Banking Cycles						
	0	0	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			2		
Number of transfers	0			2		
Average number of embryos transferred				2.5		
Percentage of embryos transferred resulting in implantation (%)				0 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 2		
Percentage of transfers resulting in singleton live births (%)				0 / 2		
Percentage of transfers resulting in twin live births (%)				0 / 2		
Percentage of transfers resulting in live births (%)				0 / 2		
Percentage of transfers resulting in pregnancies (%)				0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Olympia Women's Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC NORTHWEST FERTILITY AND IVF SPECIALISTS SEATTLE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Lorna A. Marshall, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	74%	Tubal factor	6%	Uterine factor	<1%	<i>Multiple Factors:</i> Female factors only 6% Female & male factors 6%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	11%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	49%	Other factor	8%	
				Endometriosis	6%	Unknown factor	9%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 1,085 (includes 1 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	61	41	27	21	6	4
Percentage of cancellations before retrieval (%)	13.1	22.0	25.9	42.9	3 / 6	1 / 4
Average number of embryos transferred	1.7	1.6	2.1	2.3		
Percentage of embryos transferred resulting in implantation (%)	41.5	9 / 19	3 / 17	3 / 9		
Percentage of elective single embryo transfers (eSET) (%)	25.0	4 / 11	0 / 8	0 / 3		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	11.5	4.9	3.7	0.0	0 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)	11.5	4.9	3.7	0.0	0 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)	6.6	7.3	3.7	0.0	0 / 6	0 / 4
Percentage of cycles resulting in live births (%)	18.0	12.2	7.4	0.0	0 / 6	0 / 4
Percentage of cycles resulting in pregnancies (%)	23.0	14.6	7.4	4.8	0 / 6	0 / 4
Outcomes per Transfer						
Number of transfers	25	12	8	4	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	28.0	2 / 12	1 / 8	0 / 4		
Percentage of transfers resulting in singleton live births (%)	28.0	2 / 12	1 / 8	0 / 4		
Percentage of transfers resulting in twin live births (%)	16.0	3 / 12	1 / 8	0 / 4		
Percentage of transfers resulting in live births (%)	44.0	5 / 12	2 / 8	0 / 4		
Percentage of transfers resulting in pregnancies (%)	56.0	6 / 12	2 / 8	1 / 4		
Frozen Embryos from Nondonor Eggs						
Number of cycles	174	97	98	28	14	2
Number of transfers	159	88	92	27	14	2
Estimated average number of transfers per retrieval	1.4	1.0	0.9	0.6	0.8	0.3
Average number of embryos transferred	1.3	1.2	1.2	1.3	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	60.3	68.9	49.1	41.2	8 / 17	0 / 3
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	46.5	45.5	39.1	25.9	2 / 14	0 / 2
Percentage of transfers resulting in singleton live births (%)	51.6	47.7	43.5	25.9	3 / 14	0 / 2
Percentage of transfers resulting in twin live births (%)	6.3	10.2	0.0	3.7	0 / 14	0 / 2
Percentage of transfers resulting in live births (%)	57.9	58.0	43.5	29.6	3 / 14	0 / 2
Percentage of transfers resulting in pregnancies (%)	69.8	72.7	56.5	48.1	8 / 14	0 / 2
Number of Egg/Embryo Banking Cycles						
	88	73	92	45	13	6
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		53			141	
Number of transfers		22			135	
Average number of embryos transferred		1.1			1.2	
Percentage of embryos transferred resulting in implantation (%)		68.0			63.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		54.5			42.2	
Percentage of transfers resulting in singleton live births (%)		59.1			51.1	
Percentage of transfers resulting in twin live births (%)		4.5			5.2	
Percentage of transfers resulting in live births (%)		63.6			56.3	
Percentage of transfers resulting in pregnancies (%)		72.7			70.4	

CURRENT SERVICES & PROFILE

Current Name: Pacific Northwest Fertility and IVF Specialists

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SEATTLE REPRODUCTIVE MEDICINE INTEGRATED AMERICA SEATTLE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Paul S. Dudley, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	63%	Tubal factor	13%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 8% Female & male factors 13%
Unstimulated	<1%	PGD/PGS	1%	Ovulatory dysfunction	15%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	10%	
				Endometriosis	8%	Unknown factor	12%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 2,183 (includes 145 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	304	163	151	66	59	18
Percentage of cancellations before retrieval (%)	8.9	11.7	22.5	27.3	27.1	6 / 18
Average number of embryos transferred	1.4	1.6	1.7	1.9	2.4	3.3
Percentage of embryos transferred resulting in implantation (%)	44.9	31.1	27.1	5.3	9.5	0.0
Percentage of elective single embryo transfers (eSET) (%)	54.0	34.0	9.3	0.0	0.0	0 / 8
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	25.0	19.0	12.6	1.5	5.1	0 / 18
Percentage of cycles resulting in singleton live births (%)	28.3	19.6	14.6	1.5	5.1	0 / 18
Percentage of cycles resulting in twin live births (%)	7.2	3.7	5.3	0.0	1.7	0 / 18
Percentage of cycles resulting in live births (%)	35.5	23.3	19.9	1.5	6.8	0 / 18
Percentage of cycles resulting in pregnancies (%)	41.4	32.5	23.8	7.6	10.2	0 / 18
Outcomes per Transfer						
Number of transfers	239	123	98	32	28	8
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	31.8	25.2	19.4	3.1	10.7	0 / 8
Percentage of transfers resulting in singleton live births (%)	36.0	26.0	22.4	3.1	10.7	0 / 8
Percentage of transfers resulting in twin live births (%)	9.2	4.9	8.2	0.0	3.6	0 / 8
Percentage of transfers resulting in live births (%)	45.2	30.9	30.6	3.1	14.3	0 / 8
Percentage of transfers resulting in pregnancies (%)	52.7	43.1	36.7	15.6	21.4	0 / 8
Frozen Embryos from Nondonor Eggs						
Number of cycles	313	174	114	36	16	1
Number of transfers	282	152	103	28	12	1
Estimated average number of transfers per retrieval	1.5	1.1	0.9	0.7	0.3	0.1
Average number of embryos transferred	1.2	1.2	1.2	1.1	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	40.8	41.0	53.0	36.7	4 / 14	0 / 1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.1	31.6	39.8	21.4	0 / 12	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.8	35.5	47.6	28.6	0 / 12	0 / 1
Percentage of transfers resulting in twin live births (%)	4.6	2.0	2.9	0.0	1 / 12	0 / 1
Percentage of transfers resulting in live births (%)	39.4	37.5	50.5	28.6	1 / 12	0 / 1
Percentage of transfers resulting in pregnancies (%)	47.9	50.0	59.2	39.3	4 / 12	0 / 1
Number of Egg/Embryo Banking Cycles						
	117	106	96	36	29	9
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		22			208	
Number of transfers		18			177	
Average number of embryos transferred		1.3			1.2	
Percentage of embryos transferred resulting in implantation (%)		65.2			38.0	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		8 / 18			24.3	
Percentage of transfers resulting in singleton live births (%)		9 / 18			31.1	
Percentage of transfers resulting in twin live births (%)		2 / 18			4.0	
Percentage of transfers resulting in live births (%)		11 / 18			35.0	
Percentage of transfers resulting in pregnancies (%)		14 / 18			45.2	

CURRENT SERVICES & PROFILE

Current Name: Seattle Reproductive Medicine, Integrated America

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUND FERTILITY CARE, PLLC SEATTLE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Kathleen Lin, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	26%	Tubal factor	18%	Uterine factor	8%	<i>Multiple Factors:</i> Female factors only 42% Female & male factors 11%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	5%	Male factor	16%	
Used gestational carrier	11%			Diminished ovarian reserve	63%	Other factor	37%	
				Endometriosis	3%	Unknown factor	11%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 65 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	10	2	1	3	2	1
Percentage of cancellations before retrieval (%)	0 / 10	0 / 2	0 / 1	0 / 3	1 / 2	1 / 1
Average number of embryos transferred	2.0	3.0	1.0		3.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 12	0 / 3	0 / 1		0 / 3	
Percentage of elective single embryo transfers (eSET) (%)	2 / 7	0 / 1			0 / 1	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	2 / 10	0 / 2	0 / 1	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	2 / 10	0 / 2	0 / 1	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 10	0 / 2	0 / 1	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	2 / 10	0 / 2	0 / 1	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)	3 / 10	0 / 2	0 / 1	0 / 3	0 / 2	0 / 1
Outcomes per Transfer						
Number of transfers	7	1	1	0	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	2 / 7	0 / 1	0 / 1		0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 7	0 / 1	0 / 1		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 1	0 / 1		0 / 1	
Percentage of transfers resulting in live births (%)	2 / 7	0 / 1	0 / 1		0 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 7	0 / 1	0 / 1		0 / 1	
Frozen Embryos from Nondonor Eggs						
Number of cycles	6	0	4	5	0	2
Number of transfers	6	0	2	2	0	0
Estimated average number of transfers per retrieval	0.6	0.0	0.3	0.3	0.0	0.0
Average number of embryos transferred	1.5		1.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 9		2 / 2	1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 6		2 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 6		2 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 6		0 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	1 / 6		2 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 6		2 / 2	1 / 2		
Number of Egg/Embryo Banking Cycles						
	6	5	8	6	1	1
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	1.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 1			1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1			1 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1			1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1			1 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1			1 / 1		

CURRENT SERVICES & PROFILE

Current Name: Sound Fertility Care, PLLC

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY REPRODUCTIVE CARE
UNIVERSITY OF WASHINGTON
SEATTLE, WASHINGTON**

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Diane Woodford, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	69%	Tubal factor	37%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 19% Female & male factors 49%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	27%	Male factor	63%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	5%	
				Endometriosis	5%	Unknown factor	3%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 78 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	15	11	11	4	1	0
Percentage of cancellations before retrieval (%)	2 / 15	0 / 11	2 / 11	1 / 4	0 / 1	
Average number of embryos transferred	1.5	1.6	2.3	3.0		
Percentage of embryos transferred resulting in implantation (%)	7 / 16	6 / 14	5 / 11	1 / 6		
Percentage of elective single embryo transfers (eSET) (%)	4 / 9	1 / 6	0 / 5	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	3 / 15	2 / 11	3 / 11	1 / 4	0 / 1	
Percentage of cycles resulting in singleton live births (%)	5 / 15	2 / 11	3 / 11	1 / 4	0 / 1	
Percentage of cycles resulting in twin live births (%)	0 / 15	1 / 11	0 / 11	0 / 4	0 / 1	
Percentage of cycles resulting in live births (%)	5 / 15	3 / 11	3 / 11	1 / 4	0 / 1	
Percentage of cycles resulting in pregnancies (%)	6 / 15	4 / 11	5 / 11	1 / 4	0 / 1	
Outcomes per Transfer						
Number of transfers	11	9	6	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 11	2 / 9	3 / 6	1 / 2		
Percentage of transfers resulting in singleton live births (%)	5 / 11	2 / 9	3 / 6	1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 11	1 / 9	0 / 6	0 / 2		
Percentage of transfers resulting in live births (%)	5 / 11	3 / 9	3 / 6	1 / 2		
Percentage of transfers resulting in pregnancies (%)	6 / 11	4 / 9	5 / 6	1 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	7	6	7	3	2	0
Number of transfers	7	5	7	3	1	0
Estimated average number of transfers per retrieval	3.5	5.0	1.4	1.5	0.3	
Average number of embryos transferred	1.3	1.4	1.1	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 9	6 / 7	2 / 8	1 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 7	3 / 5	1 / 7	1 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 7	3 / 5	2 / 7	1 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 7	1 / 5	0 / 7	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 7	4 / 5	2 / 7	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 7	5 / 5	2 / 7	1 / 3	0 / 1	
Number of Egg/Embryo Banking Cycles						
	1	0	5	2	3	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: University Reproductive Care, University of Washington

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE HEALTH SPOKANE, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE Data verified by Edwin Robins, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	85%	Tubal factor	11%	Uterine factor	1%	<i>Multiple Factors:</i> Female factors only 9% Female & male factors 29%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	8%	Male factor	51%	
Used gestational carrier	0%			Diminished ovarian reserve	36%	Other factor	21%	
				Endometriosis	5%	Unknown factor	7%	

2015 ART SUCCESS RATES^c Total number of cycles^d: 304 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	61	20	10	2	6	0
Percentage of cancellations before retrieval (%)	1.6	35.0	3 / 10	1 / 2	1 / 6	
Average number of embryos transferred	1.3	1.3				
Percentage of embryos transferred resulting in implantation (%)	42.5	2 / 5				
Percentage of elective single embryo transfers (eSET) (%)	65.4	3 / 4				
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	18.0	10.0	0 / 10	0 / 2	0 / 6	
Percentage of cycles resulting in singleton live births (%)	21.3	10.0	0 / 10	0 / 2	0 / 6	
Percentage of cycles resulting in twin live births (%)	1.6	0.0	0 / 10	0 / 2	0 / 6	
Percentage of cycles resulting in live births (%)	23.0	10.0	0 / 10	0 / 2	0 / 6	
Percentage of cycles resulting in pregnancies (%)	27.9	10.0	0 / 10	0 / 2	0 / 6	
Outcomes per Transfer						
Number of transfers	32	4	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	34.4	2 / 4				
Percentage of transfers resulting in singleton live births (%)	40.6	2 / 4				
Percentage of transfers resulting in twin live births (%)	3.1	0 / 4				
Percentage of transfers resulting in live births (%)	43.8	2 / 4				
Percentage of transfers resulting in pregnancies (%)	53.1	2 / 4				
Frozen Embryos from Nondonor Eggs						
Number of cycles	68	20	17	4	1	0
Number of transfers	68	20	17	4	1	0
Estimated average number of transfers per retrieval	1.4	1.4	0.9	0.7	1.0	
Average number of embryos transferred	1.4	1.3	1.4	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	63.2	57.7	43.5	2 / 6	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	30.9	40.0	4 / 17	2 / 4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	36.8	55.0	5 / 17	2 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)	17.6	10.0	2 / 17	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	55.9	65.0	7 / 17	2 / 4	1 / 1	
Percentage of transfers resulting in pregnancies (%)	67.6	65.0	8 / 17	2 / 4	1 / 1	
Number of Egg/Embryo Banking Cycles						
	26	12	15	4	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		0		37		
Number of transfers		0		37		
Average number of embryos transferred				1.4		
Percentage of embryos transferred resulting in implantation (%)				45.3		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				29.7		
Percentage of transfers resulting in singleton live births (%)				35.1		
Percentage of transfers resulting in twin live births (%)				8.1		
Percentage of transfers resulting in live births (%)				43.2		
Percentage of transfers resulting in pregnancies (%)				56.8		

CURRENT SERVICES & PROFILE Current Name: The Center for Reproductive Health

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SRM SPOKANE SPOKANE VALLEY, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Brenda Houmard, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	49%	Tubal factor	22%	Uterine factor	<1%	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	18%	Male factor	28%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	5%	
				Endometriosis	5%	Unknown factor	14%	
				Multiple Factors:				
				Female factors only				4%
				Female & male factors				11%

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 145 (includes 16 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		32	14	7	7	2	1
Percentage of cancellations before retrieval (%)		6.3	1 / 14	5 / 7	3 / 7	1 / 2	0 / 1
Average number of embryos transferred		1.4	2.0	2.0	2.5	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)		43.3	5 / 15	1 / 4	1 / 10	0 / 2	1 / 2
Percentage of elective single embryo transfers (eSET) (%)		61.9	1 / 7	0 / 2	0 / 4	0 / 1	0 / 1
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		28.1	0 / 14	0 / 7	1 / 7	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)		28.1	0 / 14	0 / 7	1 / 7	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)		6.3	2 / 14	0 / 7	0 / 7	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)		34.4	2 / 14	0 / 7	1 / 7	0 / 2	0 / 1
Percentage of cycles resulting in pregnancies (%)		34.4	4 / 14	1 / 7	1 / 7	0 / 2	1 / 1
Outcomes per Transfer							
Number of transfers		22	8	2	4	1	1
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		40.9	0 / 8	0 / 2	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)		40.9	0 / 8	0 / 2	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)		9.1	2 / 8	0 / 2	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)		50.0	2 / 8	0 / 2	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)		50.0	4 / 8	1 / 2	1 / 4	0 / 1	1 / 1
Frozen Embryos from Nondonor Eggs							
Number of cycles		22	13	1	0	0	0
Number of transfers		22	10	1	0	0	0
Estimated average number of transfers per retrieval		1.6	1.1	0.5	0.0	0.0	0.0
Average number of embryos transferred		1.3	1.8	1.0			
Percentage of embryos transferred resulting in implantation (%)		53.6	5 / 16	0 / 1			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		50.0	3 / 10	0 / 1			
Percentage of transfers resulting in singleton live births (%)		54.5	3 / 10	0 / 1			
Percentage of transfers resulting in twin live births (%)		4.5	1 / 10	0 / 1			
Percentage of transfers resulting in live births (%)		59.1	4 / 10	0 / 1			
Percentage of transfers resulting in pregnancies (%)		63.6	5 / 10	0 / 1			
Number of Egg/Embryo Banking Cycles		5	4	0	2	1	1
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		1			16		
Number of transfers		1			13		
Average number of embryos transferred		1.0			1.2		
Percentage of embryos transferred resulting in implantation (%)		1 / 1			5 / 16		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 1			5 / 13		
Percentage of transfers resulting in singleton live births (%)		1 / 1			5 / 13		
Percentage of transfers resulting in twin live births (%)		0 / 1			0 / 13		
Percentage of transfers resulting in live births (%)		1 / 1			5 / 13		
Percentage of transfers resulting in pregnancies (%)		1 / 1			5 / 13		

CURRENT SERVICES & PROFILE		Current Name: SRM Spokane					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GYFT CLINIC, PLLC
TACOMA, WASHINGTON**

This clinic provided ART services during 2015 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2015 ART cycle data or the clinic's Medical Director did not approve the clinic's 2015 ART cycle data for inclusion in this report.

MADIGAN ARMY MEDICAL CENTER TACOMA, WASHINGTON

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Ronald D. Beesley, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	66%	Tubal factor	18%	Uterine factor	0%	Multiple Factors: Female factors only 7% Female & male factors 18%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	39%	
Used gestational carrier	0%			Diminished ovarian reserve	22%	Other factor	9%	
				Endometriosis	19%	Unknown factor	5%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 114 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	47	19	11	8	2	0
Percentage of cancellations before retrieval (%)	12.8	2 / 19	3 / 11	1 / 8	0 / 2	
Average number of embryos transferred	1.6	1.9	2.1	1.5	2.5	
Percentage of embryos transferred resulting in implantation (%)	36.7	40.0	4 / 17	0 / 6	0 / 5	
Percentage of elective single embryo transfers (eSET) (%)	35.3	2 / 14	0 / 6	0 / 2	0 / 2	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.1	5 / 19	1 / 11	0 / 8	0 / 2	
Percentage of cycles resulting in singleton live births (%)	19.1	6 / 19	1 / 11	0 / 8	0 / 2	
Percentage of cycles resulting in twin live births (%)	12.8	3 / 19	0 / 11	0 / 8	0 / 2	
Percentage of cycles resulting in live births (%)	31.9	9 / 19	1 / 11	0 / 8	0 / 2	
Percentage of cycles resulting in pregnancies (%)	36.2	10 / 19	3 / 11	0 / 8	0 / 2	
Outcomes per Transfer						
Number of transfers	38	17	8	4	2	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.7	5 / 17	1 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	23.7	6 / 17	1 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	15.8	3 / 17	0 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	39.5	9 / 17	1 / 8	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	44.7	10 / 17	3 / 8	0 / 4	0 / 2	
Frozen Embryos from Nondonor Eggs						
Number of cycles	13	5	3	3	0	1
Number of transfers	13	4	3	3	0	1
Estimated average number of transfers per retrieval	1.9	4.0		1.5		
Average number of embryos transferred	1.3	2.5	1.0	1.7		2.0
Percentage of embryos transferred resulting in implantation (%)	5 / 15	1 / 7	0 / 2	0 / 5		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 13	1 / 4	0 / 3	0 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 13	1 / 4	0 / 3	0 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 13	0 / 4	0 / 3	0 / 3		0 / 1
Percentage of transfers resulting in live births (%)	4 / 13	1 / 4	0 / 3	0 / 3		0 / 1
Percentage of transfers resulting in pregnancies (%)	7 / 13	2 / 4	1 / 3	0 / 3		0 / 1
Number of Egg/Embryo Banking Cycles						
	2	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2015. Contact the NASS Help Desk for further information.

Current Name: Madigan Army Medical Center

Donor eggs?	Yes	Gestational carriers?	No	Single women?	No	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY FERTILITY CENTER CHARLESTON, WEST VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Pickens A. Gantt, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	100%	Tubal factor	2%	Uterine factor	15%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 10%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	0%	
				Endometriosis	2%	Unknown factor	7%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 41 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	2	2	1	0	0
Percentage of cancellations before retrieval (%)	0.0	0 / 2	0 / 2	0 / 1		
Average number of embryos transferred	2.0	1.5	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	23.5	2 / 3	0 / 3	0 / 2		
Percentage of elective single embryo transfers (eSET) (%)	4.8	1 / 2	0 / 1	0 / 1		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	15.4	0 / 2	0 / 2	0 / 1		
Percentage of cycles resulting in singleton live births (%)	26.9	0 / 2	0 / 2	0 / 1		
Percentage of cycles resulting in twin live births (%)	3.8	0 / 2	0 / 2	0 / 1		
Percentage of cycles resulting in live births (%)	34.6	0 / 2	0 / 2	0 / 1		
Percentage of cycles resulting in pregnancies (%)	34.6	1 / 2	0 / 2	0 / 1		
Outcomes per Transfer						
Number of transfers	25	2	2	1	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	16.0	0 / 2	0 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	28.0	0 / 2	0 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	4.0	0 / 2	0 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	36.0	0 / 2	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	36.0	1 / 2	0 / 2	0 / 1		
Frozen Embryos from Nondonor Eggs						
Number of cycles	2	2	0	1	0	0
Number of transfers	2	2	0	1	0	0
Estimated average number of transfers per retrieval	2.0	2.0				
Average number of embryos transferred	2.0	2.0		2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 4	0 / 4		0 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 2	0 / 2		0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 2		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2		0 / 1		
Percentage of transfers resulting in live births (%)	1 / 2	0 / 2		0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 2	0 / 2		0 / 1		
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	3			2		
Number of transfers	3			2		
Average number of embryos transferred	2.0			3.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 4			0 / 6		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3			0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 3			0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 3			0 / 2		
Percentage of transfers resulting in live births (%)	0 / 3			0 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 3			0 / 2		

CURRENT SERVICES & PROFILE

Current Name: West Virginia University Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	No
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CABELL HUNTINGTON HOSPITAL CENTER FOR ADVANCED REPRODUCTIVE MEDICINE HUNTINGTON, WEST VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by William N. Burns, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	88%	Tubal factor	19%	Uterine factor	0%	Multiple Factors: Female factors only 10% Female & male factors 7%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	3%	Male factor	48%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	19%	
				Endometriosis	10%	Unknown factor	0%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 32 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		6	4	4	2	1	0
Percentage of cancellations before retrieval (%)		0 / 6	0 / 4	0 / 4	0 / 2	0 / 1	
Average number of embryos transferred		1.8	2.5	2.5	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)		2 / 9	3 / 10	3 / 10	0 / 4	0 / 1	
Percentage of elective single embryo transfers (eSET) (%)		1 / 5	0 / 3	0 / 2	0 / 2		
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		1 / 6	1 / 4	2 / 4	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)		2 / 6	1 / 4	3 / 4	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)		0 / 6	1 / 4	0 / 4	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)		2 / 6	2 / 4	3 / 4	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancies (%)		2 / 6	2 / 4	3 / 4	0 / 2	0 / 1	
Outcomes per Transfer							
Number of transfers		5	4	4	2	1	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 5	1 / 4	2 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)		2 / 5	1 / 4	3 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 5	1 / 4	0 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)		2 / 5	2 / 4	3 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in pregnancies (%)		2 / 5	2 / 4	3 / 4	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs							
Number of cycles		7	2	0	0	0	0
Number of transfers		6	1	0	0	0	0
Estimated average number of transfers per retrieval		2.0				0.0	
Average number of embryos transferred		1.7	2.0				
Percentage of embryos transferred resulting in implantation (%)		4 / 10	1 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 6	0 / 1				
Percentage of transfers resulting in singleton live births (%)		4 / 6	1 / 1				
Percentage of transfers resulting in twin live births (%)		0 / 6	0 / 1				
Percentage of transfers resulting in live births (%)		4 / 6	1 / 1				
Percentage of transfers resulting in pregnancies (%)		4 / 6	1 / 1				
Number of Egg/Embryo Banking Cycles							
		0	0	0	0	1	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		1			4		
Number of transfers		1			4		
Average number of embryos transferred		2.0			1.8		
Percentage of embryos transferred resulting in implantation (%)		1 / 2			1 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		0 / 1			1 / 4		
Percentage of transfers resulting in singleton live births (%)		1 / 1			1 / 4		
Percentage of transfers resulting in twin live births (%)		0 / 1			0 / 4		
Percentage of transfers resulting in live births (%)		1 / 1			1 / 4		
Percentage of transfers resulting in pregnancies (%)		1 / 1			1 / 4		

CURRENT SERVICES & PROFILE		Current Name: Cabell Huntington Hospital, Center for Advanced Reproductive Medicine					
Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	No	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST VIRGINIA UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE MORGANTOWN, WEST VIRGINIA

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Roger C. Toffle, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	75%	Tubal factor	21%	Uterine factor	5%	<i>Multiple Factors:</i> Female factors only 16% Female & male factors 39%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	69%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	19%	
				Endometriosis	19%	Unknown factor	5%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 90 (includes 4 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	43	14	7	1	0	0
Percentage of cancellations before retrieval (%)	4.7	1 / 14	0 / 7	1 / 1		
Average number of embryos transferred	1.9	1.9	2.2			
Percentage of embryos transferred resulting in implantation (%)	30.6	33.3	1 / 11			
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 9	0 / 5			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	14.0	2 / 14	0 / 7	0 / 1		
Percentage of cycles resulting in singleton live births (%)	16.3	2 / 14	1 / 7	0 / 1		
Percentage of cycles resulting in twin live births (%)	7.0	2 / 14	0 / 7	0 / 1		
Percentage of cycles resulting in live births (%)	23.3	4 / 14	1 / 7	0 / 1		
Percentage of cycles resulting in pregnancies (%)	32.6	5 / 14	1 / 7	0 / 1		
Outcomes per Transfer						
Number of transfers	28	11	5	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	21.4	2 / 11	0 / 5			
Percentage of transfers resulting in singleton live births (%)	25.0	2 / 11	1 / 5			
Percentage of transfers resulting in twin live births (%)	10.7	2 / 11	0 / 5			
Percentage of transfers resulting in live births (%)	35.7	4 / 11	1 / 5			
Percentage of transfers resulting in pregnancies (%)	50.0	5 / 11	1 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	15	2	0	0	0	0
Number of transfers	14	2	0	0	0	0
Estimated average number of transfers per retrieval	1.6	2.0	0.0			
Average number of embryos transferred	1.4	1.0				
Percentage of embryos transferred resulting in implantation (%)	8 / 19	1 / 2				
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	3 / 14	1 / 2				
Percentage of transfers resulting in singleton live births (%)	3 / 14	1 / 2				
Percentage of transfers resulting in twin live births (%)	2 / 14	0 / 2				
Percentage of transfers resulting in live births (%)	5 / 14	1 / 2				
Percentage of transfers resulting in pregnancies (%)	6 / 14	1 / 2				
Number of Egg/Embryo Banking Cycles	1	0	1	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			2		
Number of transfers	0			2		
Average number of embryos transferred				2.0		
Percentage of embryos transferred resulting in implantation (%)				2 / 4		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				0 / 2		
Percentage of transfers resulting in singleton live births (%)				0 / 2		
Percentage of transfers resulting in twin live births (%)				1 / 2		
Percentage of transfers resulting in live births (%)				1 / 2		
Percentage of transfers resulting in pregnancies (%)				1 / 2		

CURRENT SERVICES & PROFILE

Current Name: West Virginia University Center for Reproductive Medicine

Donor eggs?	No	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA HEALTH CARE-AURORA FERTILITY SERVICES THE WOMEN'S CENTER AT AURORA BAYCARE MEDICAL CENTER GREEN BAY, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Aida Shanti, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	83%	Tubal factor	15%	Uterine factor	2%	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	25%	Male factor	77%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	43%	
				Endometriosis	6%	Unknown factor	2%	
				Multiple Factors:				
				Female factors only				9%
				Female & male factors				55%

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 192 (includes 0 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		51	17	5	2	1	0
Percentage of cancellations before retrieval (%)		13.7	4 / 17	1 / 5	0 / 2	1 / 1	
Average number of embryos transferred		1.9	1.8	1.5			
Percentage of embryos transferred resulting in implantation (%)		49.2	8 / 14	0 / 3			
Percentage of elective single embryo transfers (eSET) (%)		0.0	1 / 7	0 / 1			
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		17.6	2 / 17	0 / 5	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)		19.6	3 / 17	0 / 5	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)		13.7	2 / 17	0 / 5	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)		35.3	5 / 17	0 / 5	0 / 2	0 / 1	
Percentage of cycles resulting in pregnancies (%)		41.2	5 / 17	0 / 5	0 / 2	0 / 1	
Outcomes per Transfer							
Number of transfers		34	8	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		26.5	2 / 8	0 / 2			
Percentage of transfers resulting in singleton live births (%)		29.4	3 / 8	0 / 2			
Percentage of transfers resulting in twin live births (%)		20.6	2 / 8	0 / 2			
Percentage of transfers resulting in live births (%)		52.9	5 / 8	0 / 2			
Percentage of transfers resulting in pregnancies (%)		61.8	5 / 8	0 / 2			
Frozen Embryos from Nondonor Eggs							
Number of cycles		49	19	8	6	0	1
Number of transfers		40	18	8	6	0	1
Estimated average number of transfers per retrieval		1.7	1.8	1.6	1.5		
Average number of embryos transferred		1.5	1.4	1.1	1.2		2.0
Percentage of embryos transferred resulting in implantation (%)		52.7	40.9	3 / 7	3 / 7		0 / 2
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		27.5	4 / 18	0 / 8	2 / 6		0 / 1
Percentage of transfers resulting in singleton live births (%)		27.5	5 / 18	1 / 8	2 / 6		0 / 1
Percentage of transfers resulting in twin live births (%)		12.5	1 / 18	0 / 8	0 / 6		0 / 1
Percentage of transfers resulting in live births (%)		40.0	6 / 18	1 / 8	2 / 6		0 / 1
Percentage of transfers resulting in pregnancies (%)		60.0	10 / 18	4 / 8	3 / 6		0 / 1
Number of Egg/Embryo Banking Cycles							
		13	5	4	4	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles		3			4		
Number of transfers		2			4		
Average number of embryos transferred		2.0			1.8		
Percentage of embryos transferred resulting in implantation (%)		3 / 4			4 / 7		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		1 / 2			2 / 4		
Percentage of transfers resulting in singleton live births (%)		1 / 2			2 / 4		
Percentage of transfers resulting in twin live births (%)		1 / 2			1 / 4		
Percentage of transfers resulting in live births (%)		2 / 2			3 / 4		
Percentage of transfers resulting in pregnancies (%)		2 / 2			3 / 4		

CURRENT SERVICES & PROFILE		Current Name: Aurora Health Care-Aurora Fertility Services, The Women's Center at Aurora BayCare Medical Center					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.
^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.
^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FROEDTERT & MEDICAL COLLEGE OF WISCONSIN REPRODUCTIVE MEDICINE CENTER MENOMONEE FALLS, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Estil Strawn, Jr., MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	91%	Tubal factor	14%	Uterine factor	<1%	Multiple Factors: Female factors only 9% Female & male factors 11%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	37%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	5%	
				Endometriosis	7%	Unknown factor	13%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 530 (includes 8 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	108	58	50	4	10	0
Percentage of cancellations before retrieval (%)	2.8	5.2	14.0	0 / 4	2 / 10	
Average number of embryos transferred	1.5	1.9	2.3	2.3	1.6	
Percentage of embryos transferred resulting in implantation (%)	28.8	18.1	12.9	2 / 7	0 / 13	
Percentage of elective single embryo transfers (eSET) (%)	53.7	15.4	6.9	0 / 3	0 / 3	
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	19.4	15.5	8.0	0 / 4	0 / 10	
Percentage of cycles resulting in singleton live births (%)	25.9	15.5	12.0	0 / 4	0 / 10	
Percentage of cycles resulting in twin live births (%)	2.8	5.2	2.0	1 / 4	0 / 10	
Percentage of cycles resulting in live births (%)	28.7	20.7	14.0	1 / 4	0 / 10	
Percentage of cycles resulting in pregnancies (%)	30.6	20.7	14.0	1 / 4	0 / 10	
Outcomes per Transfer						
Number of transfers	90	44	31	3	8	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	23.3	20.5	12.9	0 / 3	0 / 8	
Percentage of transfers resulting in singleton live births (%)	31.1	20.5	19.4	0 / 3	0 / 8	
Percentage of transfers resulting in twin live births (%)	3.3	6.8	3.2	1 / 3	0 / 8	
Percentage of transfers resulting in live births (%)	34.4	27.3	22.6	1 / 3	0 / 8	
Percentage of transfers resulting in pregnancies (%)	36.7	27.3	22.6	1 / 3	0 / 8	
Frozen Embryos from Nondonor Eggs						
Number of cycles	122	51	27	4	1	0
Number of transfers	116	50	24	4	1	0
Estimated average number of transfers per retrieval	2.4	1.9	1.2	1.3		
Average number of embryos transferred	1.3	1.3	1.6	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	35.5	30.8	30.8	1 / 6	0 / 2	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	25.9	18.0	16.7	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	26.7	22.0	16.7	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	7.8	4.0	12.5	0 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	34.5	26.0	29.2	1 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	36.2	32.0	33.3	1 / 4	0 / 1	
Number of Egg/Embryo Banking Cycles						
	13	8	11	3	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		16		36		
Number of transfers		16		33		
Average number of embryos transferred		1.2		1.3		
Percentage of embryos transferred resulting in implantation (%)		5 / 19		37.2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		5 / 16		30.3		
Percentage of transfers resulting in singleton live births (%)		5 / 16		33.3		
Percentage of transfers resulting in twin live births (%)		0 / 16		6.1		
Percentage of transfers resulting in live births (%)		5 / 16		39.4		
Percentage of transfers resulting in pregnancies (%)		5 / 16		42.4		

CURRENT SERVICES & PROFILE

Current Name: Froedtert & Medical College of Wisconsin, Reproductive Medicine Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF WISCONSIN-GENERATIONS FERTILITY CARE MIDDLETON, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Christina E. Broadwell, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	64%	Tubal factor	9%	Uterine factor	2%	<i>Multiple Factors:</i> Female factors only 4% Female & male factors 19%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	42%	
Used gestational carrier	0%			Diminished ovarian reserve	14%	Other factor	3%	
				Endometriosis	8%	Unknown factor	26%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 212 (includes 12 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	68	26	16	4	0	0
Percentage of cancellations before retrieval (%)	11.8	7.7	1 / 16	2 / 4		
Average number of embryos transferred	1.3	1.7	1.8	2.5		
Percentage of embryos transferred resulting in implantation (%)	61.3	60.7	7 / 15	0 / 5		
Percentage of elective single embryo transfers (eSET) (%)	68.6	5 / 17	2 / 11	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	32.4	23.1	2 / 16	0 / 4		
Percentage of cycles resulting in singleton live births (%)	39.7	23.1	3 / 16	0 / 4		
Percentage of cycles resulting in twin live births (%)	11.8	19.2	2 / 16	0 / 4		
Percentage of cycles resulting in live births (%)	51.5	42.3	5 / 16	0 / 4		
Percentage of cycles resulting in pregnancies (%)	54.4	46.2	8 / 16	0 / 4		
Outcomes per Transfer						
Number of transfers	59	18	12	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.3	6 / 18	2 / 12	0 / 2		
Percentage of transfers resulting in singleton live births (%)	45.8	6 / 18	3 / 12	0 / 2		
Percentage of transfers resulting in twin live births (%)	13.6	5 / 18	2 / 12	0 / 2		
Percentage of transfers resulting in live births (%)	59.3	11 / 18	5 / 12	0 / 2		
Percentage of transfers resulting in pregnancies (%)	62.7	12 / 18	8 / 12	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	35	19	11	1	1	0
Number of transfers	35	18	9	1	1	0
Estimated average number of transfers per retrieval	1.7	2.6	1.1	0.5		
Average number of embryos transferred	1.4	1.5	1.6	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	56.5	48.1	7 / 12	0 / 2	1 / 1	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	37.1	6 / 18	4 / 9	0 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)	37.1	7 / 18	5 / 9	0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	14.3	3 / 18	1 / 9	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	51.4	10 / 18	6 / 9	0 / 1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	65.7	10 / 18	7 / 9	0 / 1	1 / 1	
Number of Egg/Embryo Banking Cycles						
	6	3	7	1	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	1			1		
Number of transfers	1			1		
Average number of embryos transferred	2.0			2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 2			1 / 2		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 1			0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1			1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1			1 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1			1 / 1		

CURRENT SERVICES & PROFILE

Current Name: University of Wisconsin-Generations Fertility Care

Donor eggs?	Yes	Gestational carriers?	No	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WISCONSIN FERTILITY INSTITUTE MIDDLETON, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Elizabeth Pritts, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b					
IVF	100%	With ICSI	83%	Tubal factor	6%	Uterine factor	5%	<i>Multiple Factors:</i>	
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	9%	Male factor	14%	Female factors only	5%
Used gestational carrier	<1%			Diminished ovarian reserve	45%	Other factor	9%	Female & male factors	7%
				Endometriosis	4%	Unknown factor	20%		

2015 ART SUCCESS RATES^c

Total number of cycles^d: 366 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	59	23	12	6	3	1
Percentage of cancellations before retrieval (%)	5.1	17.4	2 / 12	1 / 6	1 / 3	1 / 1
Average number of embryos transferred	2.0	1.8	1.8	3.0		
Percentage of embryos transferred resulting in implantation (%)	15.4	0 / 11	3 / 5	0 / 6		
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 5	0 / 2	0 / 2		
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	1.7	0.0	1 / 12	0 / 6	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	1.7	0.0	1 / 12	0 / 6	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	1.7	0.0	1 / 12	0 / 6	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	3.4	0.0	2 / 12	0 / 6	0 / 3	0 / 1
Percentage of cycles resulting in pregnancies (%)	5.1	0.0	3 / 12	0 / 6	0 / 3	0 / 1
Outcomes per Transfer						
Number of transfers	13	6	4	2	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	1 / 13	0 / 6	1 / 4	0 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 13	0 / 6	1 / 4	0 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 13	0 / 6	1 / 4	0 / 2		
Percentage of transfers resulting in live births (%)	2 / 13	0 / 6	2 / 4	0 / 2		
Percentage of transfers resulting in pregnancies (%)	3 / 13	0 / 6	3 / 4	0 / 2		
Frozen Embryos from Nondonor Eggs						
Number of cycles	92	33	19	7	5	0
Number of transfers	82	29	17	6	5	0
Estimated average number of transfers per retrieval	1.8	1.4	1.9	2.0	2.5	
Average number of embryos transferred	1.7	1.9	1.9	2.3	2.2	
Percentage of embryos transferred resulting in implantation (%)	21.6	25.5	24.2	0 / 14	1 / 11	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	18.3	10.3	4 / 17	0 / 6	1 / 5	
Percentage of transfers resulting in singleton live births (%)	22.0	17.2	5 / 17	0 / 6	1 / 5	
Percentage of transfers resulting in twin live births (%)	6.1	10.3	1 / 17	0 / 6	0 / 5	
Percentage of transfers resulting in live births (%)	28.0	27.6	6 / 17	0 / 6	1 / 5	
Percentage of transfers resulting in pregnancies (%)	30.5	37.9	7 / 17	0 / 6	1 / 5	
Number of Egg/Embryo Banking Cycles						
	7	5	4	0	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f	
Number of cycles		18		72		
Number of transfers		7		63		
Average number of embryos transferred		1.9		1.7		
Percentage of embryos transferred resulting in implantation (%)		9 / 12		18.5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		2 / 7		19.0		
Percentage of transfers resulting in singleton live births (%)		4 / 7		22.2		
Percentage of transfers resulting in twin live births (%)		1 / 7		1.6		
Percentage of transfers resulting in live births (%)		5 / 7		23.8		
Percentage of transfers resulting in pregnancies (%)		7 / 7		30.2		

CURRENT SERVICES & PROFILE

Current Name: Wisconsin Fertility Institute

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALTY CENTER MILWAUKEE, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Grace M. Janik, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	65%	Tubal factor	4%	Uterine factor	4%	<i>Multiple Factors:</i> Female factors only 0% Female & male factors 35%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	27%	Male factor	62%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	0%	
				Endometriosis	27%	Unknown factor	4%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 26 (includes 0 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	12	3	2	0	0	0
Percentage of cancellations before retrieval (%)	0 / 12	0 / 3	0 / 2			
Average number of embryos transferred	2.0	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	36.4	2 / 6	1 / 4			
Percentage of elective single embryo transfers (eSET) (%)	0 / 12	0 / 3	0 / 2			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	4 / 12	2 / 3	0 / 2			
Percentage of cycles resulting in singleton live births (%)	5 / 12	2 / 3	1 / 2			
Percentage of cycles resulting in twin live births (%)	1 / 12	0 / 3	0 / 2			
Percentage of cycles resulting in live births (%)	6 / 12	2 / 3	1 / 2			
Percentage of cycles resulting in pregnancies (%)	8 / 12	2 / 3	1 / 2			
Outcomes per Transfer						
Number of transfers	12	3	2	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	4 / 12	2 / 3	0 / 2			
Percentage of transfers resulting in singleton live births (%)	5 / 12	2 / 3	1 / 2			
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 3	0 / 2			
Percentage of transfers resulting in live births (%)	6 / 12	2 / 3	1 / 2			
Percentage of transfers resulting in pregnancies (%)	8 / 12	2 / 3	1 / 2			
Frozen Embryos from Nondonor Eggs						
Number of cycles	3	4	1	0	1	0
Number of transfers	3	4	1	0	1	0
Estimated average number of transfers per retrieval	3.0					
Average number of embryos transferred	1.7	2.0	2.0		3.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 3	4 / 6	1 / 2		1 / 3	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	0 / 3	2 / 4	1 / 1		1 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 3	2 / 4	1 / 1		1 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 4	0 / 1		0 / 1	
Percentage of transfers resulting in live births (%)	1 / 3	3 / 4	1 / 1		1 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 3	4 / 4	1 / 1		1 / 1	
Number of Egg/Embryo Banking Cycles						
	0	0	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			0		
Number of transfers	0			0		
Average number of embryos transferred						
Percentage of embryos transferred resulting in implantation (%)						
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)						
Percentage of transfers resulting in singleton live births (%)						
Percentage of transfers resulting in twin live births (%)						
Percentage of transfers resulting in live births (%)						
Percentage of transfers resulting in pregnancies (%)						

CURRENT SERVICES & PROFILE

Current Name: Reproductive Specialty Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GUNDERSEN FERTILITY CENTER ONALASKA, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE

Data verified by Catherine Ryan, MD

Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	95%	Tubal factor	11%	Uterine factor	3%	<i>Multiple Factors:</i> Female factors only 29% Female & male factors 26%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	39%	Male factor	41%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	29%	
				Endometriosis	30%	Unknown factor	8%	

2015 ART SUCCESS RATES^c

Total number of cycles^d: 74 (includes 7 cycle[s] using frozen eggs)

Type of Cycle	Age of Woman					
	<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs						
Number of cycles	26	10	5	0	0	0
Percentage of cancellations before retrieval (%)	3.8	1 / 10	0 / 5			
Average number of embryos transferred	1.2	1.6	2.0			
Percentage of embryos transferred resulting in implantation (%)	55.0	6 / 13	1 / 10			
Percentage of elective single embryo transfers (eSET) (%)	15 / 18	2 / 7	0 / 5			
Outcomes per Cycle						
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)	34.6	3 / 10	1 / 5			
Percentage of cycles resulting in singleton live births (%)	38.5	3 / 10	1 / 5			
Percentage of cycles resulting in twin live births (%)	0.0	1 / 10	0 / 5			
Percentage of cycles resulting in live births (%)	38.5	4 / 10	1 / 5			
Percentage of cycles resulting in pregnancies (%)	46.2	5 / 10	1 / 5			
Outcomes per Transfer						
Number of transfers	19	8	5	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	9 / 19	3 / 8	1 / 5			
Percentage of transfers resulting in singleton live births (%)	10 / 19	3 / 8	1 / 5			
Percentage of transfers resulting in twin live births (%)	0 / 19	1 / 8	0 / 5			
Percentage of transfers resulting in live births (%)	10 / 19	4 / 8	1 / 5			
Percentage of transfers resulting in pregnancies (%)	12 / 19	5 / 8	1 / 5			
Frozen Embryos from Nondonor Eggs						
Number of cycles	14	3	5	0	0	0
Number of transfers	11	2	4	0	0	0
Estimated average number of transfers per retrieval	1.8	1.0	1.3			
Average number of embryos transferred	2.0	1.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	68.2	2 / 2	3 / 8			
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)	5 / 11	2 / 2	0 / 4			
Percentage of transfers resulting in singleton live births (%)	6 / 11	2 / 2	0 / 4			
Percentage of transfers resulting in twin live births (%)	2 / 11	0 / 2	1 / 4			
Percentage of transfers resulting in live births (%)	8 / 11	2 / 2	1 / 4			
Percentage of transfers resulting in pregnancies (%)	8 / 11	2 / 2	2 / 4			
Number of Egg/Embryo Banking Cycles						
	0	1	0	0	0	0
Donor Eggs						
	Fresh Embryos^f			Frozen Embryos^f		
Number of cycles	0			3		
Number of transfers	0			3		
Average number of embryos transferred				1.7		
Percentage of embryos transferred resulting in implantation (%)				2 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)				2 / 3		
Percentage of transfers resulting in singleton live births (%)				2 / 3		
Percentage of transfers resulting in twin live births (%)				0 / 3		
Percentage of transfers resulting in live births (%)				2 / 3		
Percentage of transfers resulting in pregnancies (%)				2 / 3		

CURRENT SERVICES & PROFILE

Current Name: Gundersen Fertility Center

Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	No	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AURORA HEALTH CARE-AURORA FERTILITY SERVICES, WEST ALLIS WEST ALLIS, WISCONSIN

Comparison of success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–20).

2015 ART CYCLE PROFILE				Data verified by Aida Shanti, MD				
Type of ART and Procedural Factors ^a				Patient Diagnosis ^b				
IVF	100%	With ICSI	79%	Tubal factor	11%	Uterine factor	8%	<i>Multiple Factors:</i> Female factors only 10% Female & male factors 55%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	67%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	42%	
				Endometriosis	6%	Unknown factor	5%	

2015 ART SUCCESS RATES ^c		Total number of cycles ^d : 294 (includes 1 cycle[s] using frozen eggs)					
Type of Cycle		Age of Woman					
		<35	35–37	38–40	41–42	43–44	>44
Fresh Embryos from Nondonor Eggs							
Number of cycles		44	14	3	5	0	0
Percentage of cancellations before retrieval (%)		15.9	1 / 14	1 / 3	3 / 5		
Average number of embryos transferred		1.8	2.0				
Percentage of embryos transferred resulting in implantation (%)		50.0	2 / 2				
Percentage of elective single embryo transfers (eSET) (%)		2 / 13	0 / 1				
Outcomes per Cycle							
Percentage of cycles resulting in term, normal weight & singleton live births ^e (%)		9.1	0 / 14	0 / 3	0 / 5		
Percentage of cycles resulting in singleton live births (%)		9.1	0 / 14	0 / 3	0 / 5		
Percentage of cycles resulting in twin live births (%)		9.1	0 / 14	0 / 3	0 / 5		
Percentage of cycles resulting in live births (%)		18.2	0 / 14	0 / 3	0 / 5		
Percentage of cycles resulting in pregnancies (%)		18.2	1 / 14	0 / 3	0 / 5		
Outcomes per Transfer							
Number of transfers		13	1	0	0	0	0
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		4 / 13	0 / 1				
Percentage of transfers resulting in singleton live births (%)		4 / 13	0 / 1				
Percentage of transfers resulting in twin live births (%)		4 / 13	0 / 1				
Percentage of transfers resulting in live births (%)		8 / 13	0 / 1				
Percentage of transfers resulting in pregnancies (%)		8 / 13	1 / 1				
Frozen Embryos from Nondonor Eggs							
Number of cycles		76	31	9	6	0	0
Number of transfers		67	22	9	5	0	0
Estimated average number of transfers per retrieval		1.2	0.9	0.6	0.6		
Average number of embryos transferred		1.4	1.5	1.1	1.0		
Percentage of embryos transferred resulting in implantation (%)		61.8	65.6	6 / 10	3 / 5		
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)		35.8	40.9	4 / 9	3 / 5		
Percentage of transfers resulting in singleton live births (%)		44.8	54.5	5 / 9	3 / 5		
Percentage of transfers resulting in twin live births (%)		9.0	18.2	0 / 9	0 / 5		
Percentage of transfers resulting in live births (%)		53.7	72.7	5 / 9	3 / 5		
Percentage of transfers resulting in pregnancies (%)		68.7	77.3	6 / 9	3 / 5		
Number of Egg/Embryo Banking Cycles							
		40	20	14	8	0	0
Donor Eggs		Fresh Embryos^f			Frozen Embryos^f		
Number of cycles			12			11	
Number of transfers			5			9	
Average number of embryos transferred			1.6			1.3	
Percentage of embryos transferred resulting in implantation (%)			5 / 8			9 / 12	
Percentage of transfers resulting in term, normal weight & singleton live births ^e (%)			1 / 5			2 / 9	
Percentage of transfers resulting in singleton live births (%)			2 / 5			4 / 9	
Percentage of transfers resulting in twin live births (%)			1 / 5			2 / 9	
Percentage of transfers resulting in live births (%)			3 / 5			6 / 9	
Percentage of transfers resulting in pregnancies (%)			3 / 5			7 / 9	

CURRENT SERVICES & PROFILE		Current Name: Aurora Health Care-Aurora Fertility Services, West Allis					
Donor eggs?	Yes	Gestational carriers?	Yes	Single women?	Yes	Verified lab accreditation?	Yes
Donor embryos?	Yes	Embryo cryopreservation?	Yes	SART member?	Yes	(See Appendix C for details.)	

^a Reflects features of fresh nondonor cycles. If IVF is less than 100%, the remaining cycles are GIFT, ZIFT, or a combination of these procedures with IVF.

^b Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

^c Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

^d Total cycle number includes those using frozen eggs. It excludes 0 cycle(s) evaluating new procedures. Both cycle types are excluded from ART success rates.

^e In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

^f All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

