2016
Fertility Clinic Tables

ALABAMA–HAWAII



ALABAMA FERTILITY SPECIALISTS
BIRMINGHAM, ALABAMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Janet M. Bouknight, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	39%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	24%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	32%	Male factor	44%	Female factors only	18%
Diminished ovarian reserve	21%	Other factor	15%	Female & male factors	33%
Endometriosis	21%	Unknown factor	1%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 92
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	29	11	12	1	0
Percentage of cancellations before retrieval (%)	20.7	6 / 11	3 / 12	0 / 1	
Number of transfers	22	5	9	1	0
Average number of embryos transferred	2.0	2.0	2.6	2.0	
Percentage of elective single embryo transfers (eSET) (%)	0.0	1 / 4	0 / 9	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	27.6	2 / 11	2 / 12	0 / 1	
Percentage of cycles resulting in live births (%)	27.6	1 / 11	2 / 12	0 / 1	
Percentage of cycles resulting in singleton live births (%)	20.7	1 / 11	1 / 12	0 / 1	
Percentage of cycles resulting in twin live births (%)	6.9	0 / 11	1 / 12	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	17.2	1 / 11	1 / 12	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	22.2	1 / 7	21.7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	36.4	2 / 5	2 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	36.4	1 / 5	2 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	27.3	1 / 5	1 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	9.1	0 / 5	1 / 9	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	22.7	1 / 5	1 / 9	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	9	5	0	0
Number of transfers	9	8	5	0	0
Estimated average number of transfers per retrieval	1.8	4.0	1.3		
Average number of embryos transferred	2.1	1.8	2.6		
Percentage of embryos transferred resulting in implantation (%)	6 / 19	2 / 12	3 / 13		
Percentage of transfers resulting in pregnancies (%)	4 / 9	2 / 8	3 / 5		
Percentage of transfers resulting in live births (%)	4 / 9	1 / 8	3 / 5		
Percentage of transfers resulting in singleton live births (%)	2 / 9	0 / 8	3 / 5		
Percentage of transfers resulting in twin live births (%)	2 / 9	1 / 8	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 9	0 / 8	2 / 5		
Number of Egg or Embryo Banking Cycles	1	0	0	0	0
Number of fertility preservation cycles	1	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	4	1	4	6
Number of transfers	4	1	4	5
Average number of embryos transferred	2.0	2.0	2.0	1.6
Percentage of embryos transferred resulting in implantation (%)	4 / 8	0 / 2	1 / 8	1 / 8
Percentage of transfers resulting in pregnancies (%)	2 / 4	0 / 1	1 / 4	1 / 5
Percentage of transfers resulting in live births (%)	2 / 4	0 / 1	1 / 4	1 / 5
Percentage of transfers resulting in singleton live births (%)	2 / 4	0 / 1	1 / 4	1 / 5
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 1	0 / 4	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 4	0 / 1	1 / 4	1 / 5

CURRENT SERVICES & PROFILE

Current Name: Alabama Fertility Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ART FERTILITY PROGRAM OF ALABAMA
BIRMINGHAM, ALABAMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Virginia L. Houserman, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	70%
Unstimulated	<1%	PGD/PGS	6%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	27%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	8%	Male factor	70%	Female factors only	15%
Diminished ovarian reserve	18%	Other factor	56%	Female & male factors	54%
Endometriosis	21%	Unknown factor	1%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 376
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	87	36	21	4	3
Percentage of cancellations before retrieval (%)	5.7	13.9	33.3	0 / 4	2 / 3
Number of transfers	65	24	11	4	1
Average number of embryos transferred	1.7	1.9	2.1	2.5	2.0
Percentage of elective single embryo transfers (eSET) (%)	14.5	0.0	0 / 9	0 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	33.3	44.4	19.0	0 / 4	0 / 3
Percentage of cycles resulting in live births (%)	29.9	36.1	14.3	0 / 4	0 / 3
Percentage of cycles resulting in singleton live births (%)	19.5	16.7	14.3	0 / 4	0 / 3
Percentage of cycles resulting in twin live births (%)	9.2	16.7	0.0	0 / 4	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	18.4	13.9	9.5	0 / 4	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.5	60.5	21.7	0 / 10	0 / 2
Percentage of transfers resulting in pregnancies (%)	44.6	66.7	4 / 11	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	40.0	54.2	3 / 11	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	26.2	25.0	3 / 11	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	12.3	25.0	0 / 11	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	24.6	20.8	2 / 11	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	64	25	18	5	3
Number of transfers	57	17	16	4	2
Estimated average number of transfers per retrieval	1.4	0.9	1.5	1.0	0.7
Average number of embryos transferred	1.6	1.6	1.9	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	36.0	29.6	17.9	2 / 8	1 / 6
Percentage of transfers resulting in pregnancies (%)	47.4	6 / 17	5 / 16	2 / 4	1 / 2
Percentage of transfers resulting in live births (%)	35.1	6 / 17	4 / 16	1 / 4	1 / 2
Percentage of transfers resulting in singleton live births (%)	24.6	5 / 17	3 / 16	1 / 4	1 / 2
Percentage of transfers resulting in twin live births (%)	8.8	1 / 17	1 / 16	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	21.1	3 / 17	1 / 16	0 / 4	0 / 2
Number of Egg or Embryo Banking Cycles	25	15	10	2	3
Number of fertility preservation cycles	2	4	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	7	8	28	12
Number of transfers	6	7	23	9
Average number of embryos transferred	2.0	2.0	1.5	1.9
Percentage of embryos transferred resulting in implantation (%)	5 / 12	5 / 14	25.7	3 / 17
Percentage of transfers resulting in pregnancies (%)	4 / 6	3 / 7	34.8	2 / 9
Percentage of transfers resulting in live births (%)	3 / 6	1 / 7	26.1	2 / 9
Percentage of transfers resulting in singleton live births (%)	2 / 6	0 / 7	21.7	1 / 9
Percentage of transfers resulting in twin live births (%)	1 / 6	1 / 7	4.3	1 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 6	0 / 7	13.0	1 / 9

CURRENT SERVICES & PROFILE

Current Name: ART Fertility Program of Alabama

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF ALABAMA AT BIRMINGHAM
REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
BIRMINGHAM, ALABAMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by G. Wright Bates, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	56%
Unstimulated	0%	PGD/PGS	21%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	21%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	17%	Male factor	33%	Female factors only	16%
Diminished ovarian reserve	26%	Other factor	9%	Female & male factors	18%
Endometriosis	13%	Unknown factor	17%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 289
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	56	12	10	5	2
Percentage of cancellations before retrieval (%)	10.7	0 / 12	2 / 10	0 / 5	1 / 2
Number of transfers	28	4	5	2	0
Average number of embryos transferred	1.3	1.8	2.0	3.0	
Percentage of elective single embryo transfers (eSET) (%)	67.9	0 / 3	0 / 4	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.0	0 / 12	4 / 10	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	25.0	0 / 12	3 / 10	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	23.2	0 / 12	2 / 10	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	1.8	0 / 12	1 / 10	0 / 5	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	21.4	0 / 12	1 / 10	0 / 5	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.5	0 / 7	6 / 10	0 / 6	
Percentage of transfers resulting in pregnancies (%)	50.0	0 / 4	4 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	50.0	0 / 4	3 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)	46.4	0 / 4	2 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)	3.6	0 / 4	1 / 5	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	42.9	0 / 4	1 / 5	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	69	35	18	4	0
Number of transfers	57	32	14	2	0
Estimated average number of transfers per retrieval	1.3	1.3	1.2	1.0	
Average number of embryos transferred	1.2	1.2	1.3	1.5	
Percentage of embryos transferred resulting in implantation (%)	55.7	45.9	9 / 18	0 / 3	
Percentage of transfers resulting in pregnancies (%)	66.7	53.1	9 / 14	0 / 2	
Percentage of transfers resulting in live births (%)	56.1	46.9	6 / 14	0 / 2	
Percentage of transfers resulting in singleton live births (%)	54.4	43.8	6 / 14	0 / 2	
Percentage of transfers resulting in twin live births (%)	1.8	3.1	0 / 14	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	42.1	37.5	4 / 14	0 / 2	
Number of Egg or Embryo Banking Cycles	24	18	11	2	0
Number of fertility preservation cycles	4	2	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	5	2	14	0
Number of transfers	5	1	14	0
Average number of embryos transferred	1.4	1.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	4 / 7	1 / 1	57.1	
Percentage of transfers resulting in pregnancies (%)	4 / 5	1 / 1	10 / 14	
Percentage of transfers resulting in live births (%)	4 / 5	1 / 1	9 / 14	
Percentage of transfers resulting in singleton live births (%)	4 / 5	1 / 1	7 / 14	
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 1	2 / 14	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 5	1 / 1	6 / 14	

CURRENT SERVICES & PROFILE

Current Name: University of Alabama at Birmingham, Reproductive Endocrinology and Infertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HUNTSVILLE REPRODUCTIVE MEDICINE, PC
MADISON, ALABAMA

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

CENTER FOR REPRODUCTIVE MEDICINE
MOBILE, ALABAMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by George T. Koulianos, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	0%	PGD/PGS	7%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	18%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	16%	Male factor	38%	Female factors only	6%
Diminished ovarian reserve	14%	Other factor	6%	Female & male factors	8%
Endometriosis	15%	Unknown factor	3%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 324
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	76	32	20	7	0
Percentage of cancellations before retrieval (%)	5.3	25.0	5.0	5 / 7	
Number of transfers	43	17	13	1	0
Average number of embryos transferred	1.4	1.8	2.2	1.0	
Percentage of elective single embryo transfers (eSET) (%)	55.0	2 / 15	0 / 11		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	27.6	31.3	30.0	0 / 7	
Percentage of cycles resulting in live births (%)	25.0	25.0	30.0	0 / 7	
Percentage of cycles resulting in singleton live births (%)	18.4	18.8	20.0	0 / 7	
Percentage of cycles resulting in twin live births (%)	6.6	6.3	10.0	0 / 7	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	17.1	15.6	15.0	0 / 7	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.7	42.3	32.1	0 / 1	
Percentage of transfers resulting in pregnancies (%)	48.8	10 / 17	6 / 13	0 / 1	
Percentage of transfers resulting in live births (%)	44.2	8 / 17	6 / 13	0 / 1	
Percentage of transfers resulting in singleton live births (%)	32.6	6 / 17	4 / 13	0 / 1	
Percentage of transfers resulting in twin live births (%)	11.6	2 / 17	2 / 13	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.2	5 / 17	3 / 13	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	71	19	20	3	3
Number of transfers	70	19	19	3	2
Estimated average number of transfers per retrieval	1.2	1.5	1.2	0.3	0.4
Average number of embryos transferred	1.5	1.4	1.8	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	44.0	36.0	36.4	2 / 6	1 / 3
Percentage of transfers resulting in pregnancies (%)	54.3	8 / 19	10 / 19	1 / 3	1 / 2
Percentage of transfers resulting in live births (%)	47.1	7 / 19	7 / 19	1 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)	37.1	5 / 19	4 / 19	1 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)	10.0	2 / 19	3 / 19	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.9	5 / 19	4 / 19	0 / 3	0 / 2
Number of Egg or Embryo Banking Cycles	21	5	8	10	5
Number of fertility preservation cycles	5	2	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	16	8	0
Number of transfers	0	11	8	0
Average number of embryos transferred		1.5	1.8	
Percentage of embryos transferred resulting in implantation (%)		5 / 15	1 / 11	
Percentage of transfers resulting in pregnancies (%)		6 / 11	3 / 8	
Percentage of transfers resulting in live births (%)		5 / 11	1 / 8	
Percentage of transfers resulting in singleton live births (%)		5 / 11	1 / 8	
Percentage of transfers resulting in twin live births (%)		0 / 11	0 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		4 / 11	1 / 8	

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH ALABAMA IVF AND ART PROGRAM
MOBILE, ALABAMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Botros M. Rizk, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	33%	Uterine factor	54%	Multiple Factors:	
Ovulatory dysfunction	39%	Male factor	46%	Female factors only	44%
Diminished ovarian reserve	41%	Other factor	10%	Female & male factors	44%
Endometriosis	18%	Unknown factor	0%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 39
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	15	7	3	5	2
Percentage of cancellations before retrieval (%)	2 / 15	2 / 7	0 / 3	0 / 5	0 / 2
Number of transfers	10	5	1	4	2
Average number of embryos transferred	2.8	2.4	2.0	1.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 9	0 / 4	0 / 1	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 15	1 / 7	0 / 3	0 / 5	1 / 2
Percentage of cycles resulting in live births (%)	5 / 15	1 / 7	0 / 3	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	3 / 15	1 / 7	0 / 3	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	2 / 15	0 / 7	0 / 3	0 / 5	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 15	1 / 7	0 / 3	0 / 5	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	25.0	1 / 12	0 / 2	0 / 7	1 / 4
Percentage of transfers resulting in pregnancies (%)	5 / 10	1 / 5	0 / 1	0 / 4	1 / 2
Percentage of transfers resulting in live births (%)	5 / 10	1 / 5	0 / 1	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	3 / 10	1 / 5	0 / 1	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 10	0 / 5	0 / 1	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 10	1 / 5	0 / 1	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	0	1	1	0
Number of transfers	5	0	1	1	0
Estimated average number of transfers per retrieval	1.7			1.0	
Average number of embryos transferred	2.4		2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 12		0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 5		0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 5		0 / 1	0 / 1	
Number of Egg or Embryo Banking Cycles	0	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	0	0
Number of transfers	0	0	0	0
Average number of embryos transferred				
Percentage of embryos transferred resulting in implantation (%)				
Percentage of transfers resulting in pregnancies (%)				
Percentage of transfers resulting in live births (%)				
Percentage of transfers resulting in singleton live births (%)				
Percentage of transfers resulting in twin live births (%)				
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)				

CURRENT SERVICES & PROFILE

Current Name: University of South Alabama IVF and ART Program

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW DIRECTION FERTILITY CENTERS
GILBERT, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark Amols, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	PGD/PGS	52%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	8%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	14%	Male factor	21%	Female factors only	36%
Diminished ovarian reserve	8%	Other factor	98%	Female & male factors	21%
Endometriosis	9%	Unknown factor	<1%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 795
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	1	0	0	1
Percentage of cancellations before retrieval (%)	0 / 3	0 / 1			0 / 1
Number of transfers	3	0	0	0	1
Average number of embryos transferred	1.7				4.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 2				0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 3	0 / 1			0 / 1
Percentage of cycles resulting in live births (%)	3 / 3	0 / 1			0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 3	0 / 1			0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 3	0 / 1			0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	2 / 3	0 / 1			0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 5				0 / 4
Percentage of transfers resulting in pregnancies (%)	3 / 3				0 / 1
Percentage of transfers resulting in live births (%)	3 / 3				0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 3				0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 3				0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 3				0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	184	66	30	8	7
Number of transfers	184	64	30	7	7
Estimated average number of transfers per retrieval	0.8	0.6	0.5	0.2	0.2
Average number of embryos transferred	1.7	1.6	1.7	1.3	1.4
Percentage of embryos transferred resulting in implantation (%)	58.5	51.0	51.0	4 / 9	5 / 10
Percentage of transfers resulting in pregnancies (%)	72.3	64.1	73.3	3 / 7	4 / 7
Percentage of transfers resulting in live births (%)	64.1	59.4	56.7	3 / 7	4 / 7
Percentage of transfers resulting in singleton live births (%)	42.4	42.2	43.3	2 / 7	3 / 7
Percentage of transfers resulting in twin live births (%)	21.2	17.2	13.3	1 / 7	1 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	35.9	29.7	30.0	2 / 7	2 / 7
Number of Egg or Embryo Banking Cycles	235	111	58	38	42
Number of fertility preservation cycles	9	8	4	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	1	6	1
Number of transfers	2	1	6	1
Average number of embryos transferred	2.0	2.0	1.8	1.0
Percentage of embryos transferred resulting in implantation (%)	2 / 4	2 / 2	9 / 11	1 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 1	6 / 6	1 / 1
Percentage of transfers resulting in live births (%)	1 / 2	1 / 1	6 / 6	1 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 1	3 / 6	1 / 1
Percentage of transfers resulting in twin live births (%)	1 / 2	1 / 1	3 / 6	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 2	0 / 1	2 / 6	0 / 1

CURRENT SERVICES & PROFILE

Current Name: New Direction Fertility Centers

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Pending

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TROCHÉ FERTILITY CENTERS
GLENDALE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Vladimir Troché, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	0%	PGD/PGS	10%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	17%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	19%	Male factor	80%	Female factors only	5%
Diminished ovarian reserve	41%	Other factor	6%	Female & male factors	55%
Endometriosis	4%	Unknown factor	1%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 215
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	36	27	14	2	5
Percentage of cancellations before retrieval (%)	0.0	7.4	0 / 14	0 / 2	1 / 5
Number of transfers	30	25	13	2	4
Average number of embryos transferred	1.7	2.2	2.2	5.0	2.8
Percentage of elective single embryo transfers (eSET) (%)	33.3	8.0	0 / 10	0 / 2	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	47.2	59.3	3 / 14	1 / 2	1 / 5
Percentage of cycles resulting in live births (%)	47.2	51.9	1 / 14	1 / 2	0 / 5
Percentage of cycles resulting in singleton live births (%)	25.0	29.6	0 / 14	1 / 2	0 / 5
Percentage of cycles resulting in twin live births (%)	22.2	22.2	1 / 14	0 / 2	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	22.2	22.2	0 / 14	1 / 2	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.1	40.4	12.0	1 / 10	2 / 11
Percentage of transfers resulting in pregnancies (%)	56.7	64.0	3 / 13	1 / 2	1 / 4
Percentage of transfers resulting in live births (%)	56.7	56.0	1 / 13	1 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	30.0	32.0	0 / 13	1 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	26.7	24.0	1 / 13	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.7	24.0	0 / 13	1 / 2	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	14	11	2	6
Number of transfers	40	12	11	2	5
Estimated average number of transfers per retrieval	2.1	1.1	2.8	2.0	1.3
Average number of embryos transferred	1.6	1.5	1.7	2.5	2.2
Percentage of embryos transferred resulting in implantation (%)	22.0	5 / 18	7 / 14	1 / 5	3 / 11
Percentage of transfers resulting in pregnancies (%)	32.5	5 / 12	8 / 11	1 / 2	2 / 5
Percentage of transfers resulting in live births (%)	25.0	5 / 12	5 / 11	1 / 2	2 / 5
Percentage of transfers resulting in singleton live births (%)	20.0	5 / 12	5 / 11	1 / 2	1 / 5
Percentage of transfers resulting in twin live births (%)	5.0	0 / 12	0 / 11	0 / 2	1 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	15.0	5 / 12	5 / 11	1 / 2	1 / 5
Number of Egg or Embryo Banking Cycles	7	8	1	1	3
Number of fertility preservation cycles	1	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	12	0	21	4
Number of transfers	9	0	19	3
Average number of embryos transferred	1.7		1.6	1.7
Percentage of embryos transferred resulting in implantation (%)	6 / 15		23.3	3 / 5
Percentage of transfers resulting in pregnancies (%)	3 / 9		5 / 19	2 / 3
Percentage of transfers resulting in live births (%)	3 / 9		5 / 19	2 / 3
Percentage of transfers resulting in singleton live births (%)	0 / 9		4 / 19	1 / 3
Percentage of transfers resulting in twin live births (%)	3 / 9		0 / 19	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 9		3 / 19	0 / 3

CURRENT SERVICES & PROFILE

Current Name: Troché Fertility Centers

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA REPRODUCTIVE MEDICINE SPECIALISTS
PHOENIX, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Drew V. Moffitt, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	66%
Unstimulated	0%	PGD/PGS	26%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	19%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	17%	Male factor	46%	Female factors only	16%
Diminished ovarian reserve	47%	Other factor	9%	Female & male factors	29%
Endometriosis	10%	Unknown factor	4%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 398
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	0	0	1	1
Percentage of cancellations before retrieval (%)	0 / 1			0 / 1	0 / 1
Number of transfers	1	0	0	1	1
Average number of embryos transferred	1.0			5.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 1			0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 1			1 / 1	0 / 1
Percentage of cycles resulting in live births (%)	0 / 1			1 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	0 / 1			1 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 1			0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 1			1 / 1	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	0 / 1			1 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	0 / 1			1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	0 / 1			1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 1			1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1			1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	101	52	30	6	11
Number of transfers	96	49	27	6	10
Estimated average number of transfers per retrieval	1.4	1.3	0.9	0.5	0.6
Average number of embryos transferred	1.5	1.4	1.5	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	39.4	35.5	44.7	2 / 6	4 / 15
Percentage of transfers resulting in pregnancies (%)	47.9	44.9	59.3	2 / 6	4 / 10
Percentage of transfers resulting in live births (%)	40.6	32.7	48.1	1 / 6	4 / 10
Percentage of transfers resulting in singleton live births (%)	33.3	28.6	37.0	0 / 6	4 / 10
Percentage of transfers resulting in twin live births (%)	6.3	4.1	11.1	1 / 6	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	29.2	24.5	37.0	0 / 6	3 / 10
Number of Egg or Embryo Banking Cycles	66	39	31	12	18
Number of fertility preservation cycles	4	3	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	4	1	21	2
Number of transfers	4	1	20	2
Average number of embryos transferred	1.3	1.0	1.2	2.0
Percentage of embryos transferred resulting in implantation (%)	4 / 5	0 / 1	52.2	1 / 4
Percentage of transfers resulting in pregnancies (%)	3 / 4	0 / 1	55.0	1 / 2
Percentage of transfers resulting in live births (%)	3 / 4	0 / 1	45.0	1 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 4	0 / 1	40.0	1 / 2
Percentage of transfers resulting in twin live births (%)	1 / 4	0 / 1	5.0	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 4	0 / 1	35.0	1 / 2

CURRENT SERVICES & PROFILE

Current Name: Arizona Reproductive Medicine Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GONDRA CENTER FOR REPRODUCTIVE CARE & ADVANCED GYNECOLOGY
PHOENIX, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Maria M. Gondra, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	91%
Unstimulated	0%	PGD/PGS	18%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	18%	Uterine factor	18%	Multiple Factors:	
Ovulatory dysfunction	0%	Male factor	55%	Female factors only	18%
Diminished ovarian reserve	46%	Other factor	0%	Female & male factors	55%
Endometriosis	55%	Unknown factor	9%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 12
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	0	0	1	0
Percentage of cancellations before retrieval (%)	0 / 3			0 / 1	
Number of transfers	2	0	0	1	0
Average number of embryos transferred	2.0			3.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 2			0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 3			1 / 1	
Percentage of cycles resulting in live births (%)	2 / 3			1 / 1	
Percentage of cycles resulting in singleton live births (%)	1 / 3			1 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 3			0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 3			1 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 4			1 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 2			1 / 1	
Percentage of transfers resulting in live births (%)	2 / 2			1 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 2			1 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 2			0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 2			1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	1	2	0	2	0
Number of transfers	1	1	0	2	0
Estimated average number of transfers per retrieval	0.5	1.0		2.0	
Average number of embryos transferred	2.0	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 2	0 / 2		0 / 4	
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 1		0 / 2	
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1		0 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1		0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1		0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1	0 / 1		0 / 2	
Number of Egg or Embryo Banking Cycles	0	1	0	0	0
Number of fertility preservation cycles	0	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	2	0	0
Number of transfers	0	2	0	0
Average number of embryos transferred		1.5		
Percentage of embryos transferred resulting in implantation (%)		1 / 3		
Percentage of transfers resulting in pregnancies (%)		1 / 2		
Percentage of transfers resulting in live births (%)		1 / 2		
Percentage of transfers resulting in singleton live births (%)		1 / 2		
Percentage of transfers resulting in twin live births (%)		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		0 / 2		

CURRENT SERVICES & PROFILE

Current Name: Gondra Center for Reproductive Care & Advanced Gynecology

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FERTILITY CENTER
PHOENIX, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Sujatha Gunnala, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	PGD/PGS	14%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	16%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	17%	Male factor	35%	Female factors only	9%
Diminished ovarian reserve	33%	Other factor	7%	Female & male factors	24%
Endometriosis	12%	Unknown factor	10%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 122
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	24	6	10	2	4
Percentage of cancellations before retrieval (%)	4.2	0 / 6	3 / 10	0 / 2	0 / 4
Number of transfers	19	5	5	2	4
Average number of embryos transferred	1.7	2.0	2.4	2.5	3.3
Percentage of elective single embryo transfers (eSET) (%)	8 / 19	0 / 4	0 / 5	0 / 2	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.7	1 / 6	1 / 10	1 / 2	0 / 4
Percentage of cycles resulting in live births (%)	29.2	1 / 6	1 / 10	1 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	20.8	0 / 6	1 / 10	1 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	8.3	1 / 6	0 / 10	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	16.7	0 / 6	1 / 10	0 / 2	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.7	2 / 10	1 / 12	1 / 5	0 / 13
Percentage of transfers resulting in pregnancies (%)	10 / 19	1 / 5	1 / 5	1 / 2	0 / 4
Percentage of transfers resulting in live births (%)	7 / 19	1 / 5	1 / 5	1 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	5 / 19	0 / 5	1 / 5	1 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	2 / 19	1 / 5	0 / 5	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 19	0 / 5	1 / 5	0 / 2	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	10	6	2	4
Number of transfers	15	10	6	2	4
Estimated average number of transfers per retrieval	1.9	1.3	1.5	0.4	0.7
Average number of embryos transferred	1.7	1.9	1.7	2.0	1.8
Percentage of embryos transferred resulting in implantation (%)	38.5	8 / 17	4 / 10	1 / 4	2 / 7
Percentage of transfers resulting in pregnancies (%)	8 / 15	7 / 10	3 / 6	1 / 2	2 / 4
Percentage of transfers resulting in live births (%)	7 / 15	6 / 10	3 / 6	1 / 2	1 / 4
Percentage of transfers resulting in singleton live births (%)	5 / 15	5 / 10	2 / 6	1 / 2	1 / 4
Percentage of transfers resulting in twin live births (%)	2 / 15	1 / 10	1 / 6	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 15	3 / 10	2 / 6	0 / 2	1 / 4
Number of Egg or Embryo Banking Cycles	5	6	4	4	6
Number of fertility preservation cycles	1	1	2	2	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	3	0	8	2
Number of transfers	3	0	8	1
Average number of embryos transferred	1.7		2.1	1.0
Percentage of embryos transferred resulting in implantation (%)	3 / 5		6 / 17	0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 3		4 / 8	0 / 1
Percentage of transfers resulting in live births (%)	2 / 3		3 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 3		2 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 3		1 / 8	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 3		2 / 8	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Southwest Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CARE, PLLC
SCOTTSDALE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Frederick W. Larsen, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	55%
Unstimulated	0%	PGD/PGS	23%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	16%	Multiple Factors:	
Ovulatory dysfunction	14%	Male factor	50%	Female factors only	14%
Diminished ovarian reserve	40%	Other factor	24%	Female & male factors	37%
Endometriosis	5%	Unknown factor	7%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 430
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	82	53	25	14	3
Percentage of cancellations before retrieval (%)	3.7	15.1	24.0	6 / 14	0 / 3
Number of transfers	73	41	15	7	3
Average number of embryos transferred	1.4	1.5	2.1	2.3	2.7
Percentage of elective single embryo transfers (eSET) (%)	54.4	34.4	0 / 13	0 / 6	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	48.8	41.5	24.0	3 / 14	1 / 3
Percentage of cycles resulting in live births (%)	34.1	37.7	20.0	2 / 14	1 / 3
Percentage of cycles resulting in singleton live births (%)	31.7	28.3	16.0	2 / 14	1 / 3
Percentage of cycles resulting in twin live births (%)	2.4	9.4	4.0	0 / 14	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	30.5	22.6	16.0	1 / 14	1 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.6	43.5	22.6	4 / 16	1 / 8
Percentage of transfers resulting in pregnancies (%)	54.8	53.7	6 / 15	3 / 7	1 / 3
Percentage of transfers resulting in live births (%)	38.4	48.8	5 / 15	2 / 7	1 / 3
Percentage of transfers resulting in singleton live births (%)	35.6	36.6	4 / 15	2 / 7	1 / 3
Percentage of transfers resulting in twin live births (%)	2.7	12.2	1 / 15	0 / 7	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.2	29.3	4 / 15	1 / 7	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	57	35	15	4	0
Number of transfers	54	30	14	3	0
Estimated average number of transfers per retrieval	1.2	0.9	0.5	0.4	0.0
Average number of embryos transferred	1.3	1.2	1.2	1.3	
Percentage of embryos transferred resulting in implantation (%)	73.1	57.1	13 / 16	2 / 4	
Percentage of transfers resulting in pregnancies (%)	74.1	66.7	13 / 14	2 / 3	
Percentage of transfers resulting in live births (%)	63.0	56.7	11 / 14	2 / 3	
Percentage of transfers resulting in singleton live births (%)	51.9	56.7	10 / 14	2 / 3	
Percentage of transfers resulting in twin live births (%)	11.1	0.0	1 / 14	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	42.6	46.7	9 / 14	2 / 3	
Number of Egg or Embryo Banking Cycles	27	27	25	7	2
Number of fertility preservation cycles	2	3	2	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	13	14	17	9
Number of transfers	9	11	16	9
Average number of embryos transferred	1.4	1.5	1.3	1.1
Percentage of embryos transferred resulting in implantation (%)	6 / 13	7 / 17	52.4	4 / 10
Percentage of transfers resulting in pregnancies (%)	5 / 9	5 / 11	9 / 16	4 / 9
Percentage of transfers resulting in live births (%)	5 / 9	4 / 11	8 / 16	4 / 9
Percentage of transfers resulting in singleton live births (%)	4 / 9	2 / 11	7 / 16	4 / 9
Percentage of transfers resulting in twin live births (%)	1 / 9	2 / 11	1 / 16	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 9	2 / 11	5 / 16	3 / 9

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Care, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA ASSOCIATES FOR REPRODUCTIVE HEALTH
SCOTTSDALE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ketan S. Patel, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	70%
Unstimulated	0%	PGD/PGS	21%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	7%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	7%	Male factor	33%	Female factors only	7%
Diminished ovarian reserve	24%	Other factor	22%	Female & male factors	15%
Endometriosis	4%	Unknown factor	27%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 257
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	27	10	10	4	3
Percentage of cancellations before retrieval (%)	25.9	1 / 10	0 / 10	1 / 4	1 / 3
Number of transfers	13	6	4	2	1
Average number of embryos transferred	1.6	1.5	2.0	1.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	3 / 11	2 / 5	0 / 4		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.9	1 / 10	2 / 10	0 / 4	0 / 3
Percentage of cycles resulting in live births (%)	22.2	1 / 10	2 / 10	0 / 4	0 / 3
Percentage of cycles resulting in singleton live births (%)	18.5	1 / 10	2 / 10	0 / 4	0 / 3
Percentage of cycles resulting in twin live births (%)	3.7	0 / 10	0 / 10	0 / 4	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	18.5	1 / 10	2 / 10	0 / 4	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.1	1 / 9	3 / 8	0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	7 / 13	1 / 6	2 / 4	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	6 / 13	1 / 6	2 / 4	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 13	1 / 6	2 / 4	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 13	0 / 6	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 13	1 / 6	2 / 4	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	70	34	25	5	2
Number of transfers	68	27	24	5	2
Estimated average number of transfers per retrieval	1.9	1.6	1.5	2.5	0.7
Average number of embryos transferred	1.3	1.1	1.3	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	61.8	64.5	41.9	3 / 6	1 / 2
Percentage of transfers resulting in pregnancies (%)	69.1	59.3	50.0	3 / 5	1 / 2
Percentage of transfers resulting in live births (%)	58.8	44.4	33.3	3 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	47.1	33.3	29.2	3 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	11.8	11.1	4.2	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	39.7	33.3	29.2	3 / 5	1 / 2
Number of Egg or Embryo Banking Cycles	28	14	15	2	3
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	4	0
Number of transfers	1	0	4	0
Average number of embryos transferred	1.0		1.3	
Percentage of embryos transferred resulting in implantation (%)	1 / 1		2 / 5	
Percentage of transfers resulting in pregnancies (%)	1 / 1		2 / 4	
Percentage of transfers resulting in live births (%)	1 / 1		1 / 4	
Percentage of transfers resulting in singleton live births (%)	1 / 1		1 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 1		1 / 4	

CURRENT SERVICES & PROFILE

Current Name: Arizona Associates for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA CENTER FOR FERTILITY STUDIES (ACFS) SCOTTSDALE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jay S. Nemiro, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated		PGD/PGS	92%
Used gestational carrier	7%		

Patient Diagnosis[a,b]

Tubal factor	8%	Uterine factor	11%	Multiple Factors:	
Ovulatory dysfunction	0%	Male factor	26%	Female factors only	65%
Diminished ovarian reserve	47%	Other factor	90%	Female & male factors	26%
Endometriosis	10%	Unknown factor	5%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 113
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	0	0
Percentage of cancellations before retrieval (%)					
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)					
Percentage of cycles resulting in live births (%)					
Percentage of cycles resulting in singleton live births (%)					
Percentage of cycles resulting in twin live births (%)					
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)					
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	13	8	8	3
Number of transfers	13	13	8	6	3
Estimated average number of transfers per retrieval	0.9	1.4	0.7	0.9	0.3
Average number of embryos transferred	1.8	1.8	2.1	1.8	1.7
Percentage of embryos transferred resulting in implantation (%)	41.7	41.7	13 / 17	6 / 11	5 / 5
Percentage of transfers resulting in pregnancies (%)	7 / 13	8 / 13	8 / 8	4 / 6	3 / 3
Percentage of transfers resulting in live births (%)	7 / 13	7 / 13	6 / 8	3 / 6	2 / 3
Percentage of transfers resulting in singleton live births (%)	4 / 13	6 / 13	2 / 8	1 / 6	1 / 3
Percentage of transfers resulting in twin live births (%)	3 / 13	1 / 13	4 / 8	2 / 6	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 13	4 / 13	2 / 8	1 / 6	1 / 3
Number of Egg or Embryo Banking Cycles	14	9	12	7	9
Number of fertility preservation cycles	2	0	0	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	13	4
Number of transfers	0	0	13	4
Average number of embryos transferred			1.8	2.0
Percentage of embryos transferred resulting in implantation (%)			66.7	3 / 8
Percentage of transfers resulting in pregnancies (%)			12 / 13	3 / 4
Percentage of transfers resulting in live births (%)			10 / 13	3 / 4
Percentage of transfers resulting in singleton live births (%)			8 / 13	3 / 4
Percentage of transfers resulting in twin live births (%)			2 / 13	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			5 / 13	3 / 4

CURRENT SERVICES & PROFILE

Current Name: Arizona Center for Fertility Studies, (ACFS)

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BLOOM REPRODUCTIVE INSTITUTE
SCOTTSDALE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Millie A. Behera, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	56%
Unstimulated	3%	PGD/PGS	45%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	6%	Uterine factor	11%	Multiple Factors:	
Ovulatory dysfunction	29%	Male factor	19%	Female factors only	17%
Diminished ovarian reserve	40%	Other factor	12%	Female & male factors	12%
Endometriosis	10%	Unknown factor	11%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 485
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	20	20	22	8	19
Percentage of cancellations before retrieval (%)	0.0	15.0	18.2	5 / 8	5 / 19
Number of transfers	15	11	9	1	6
Average number of embryos transferred	1.5	1.5	1.4	1.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	5 / 12	2 / 8	1 / 4		0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.0	35.0	22.7	0 / 8	2 / 19
Percentage of cycles resulting in live births (%)	30.0	35.0	18.2	0 / 8	1 / 19
Percentage of cycles resulting in singleton live births (%)	25.0	30.0	13.6	0 / 8	0 / 19
Percentage of cycles resulting in twin live births (%)	5.0	5.0	4.5	0 / 8	1 / 19
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	20.0	25.0	9.1	0 / 8	0 / 19
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	31.8	8 / 17	6 / 13	0 / 1	3 / 14
Percentage of transfers resulting in pregnancies (%)	6 / 15	7 / 11	5 / 9	0 / 1	2 / 6
Percentage of transfers resulting in live births (%)	6 / 15	7 / 11	4 / 9	0 / 1	1 / 6
Percentage of transfers resulting in singleton live births (%)	5 / 15	6 / 11	3 / 9	0 / 1	0 / 6
Percentage of transfers resulting in twin live births (%)	1 / 15	1 / 11	1 / 9	0 / 1	1 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 15	5 / 11	2 / 9	0 / 1	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	84	41	24	9	1
Number of transfers	83	41	22	9	1
Estimated average number of transfers per retrieval	0.8	0.7	0.6	0.4	0.3
Average number of embryos transferred	1.7	1.8	1.5	1.9	1.0
Percentage of embryos transferred resulting in implantation (%)	51.4	62.1	40.7	4 / 16	0 / 1
Percentage of transfers resulting in pregnancies (%)	65.1	75.6	59.1	5 / 9	0 / 1
Percentage of transfers resulting in live births (%)	54.2	65.9	36.4	4 / 9	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.9	36.6	31.8	4 / 9	0 / 1
Percentage of transfers resulting in twin live births (%)	18.1	29.3	4.5	0 / 9	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.9	26.8	22.7	1 / 9	0 / 1
Number of Egg or Embryo Banking Cycles	97	52	36	23	4
Number of fertility preservation cycles	14	22	17	14	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	3	7	15	0
Number of transfers	3	7	15	0
Average number of embryos transferred	1.3	1.6	1.7	
Percentage of embryos transferred resulting in implantation (%)	3 / 4	8 / 11	22.7	
Percentage of transfers resulting in pregnancies (%)	2 / 3	5 / 7	7 / 15	
Percentage of transfers resulting in live births (%)	2 / 3	5 / 7	5 / 15	
Percentage of transfers resulting in singleton live births (%)	2 / 3	2 / 7	5 / 15	
Percentage of transfers resulting in twin live births (%)	0 / 3	3 / 7	0 / 15	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 3	2 / 7	1 / 15	

CURRENT SERVICES & PROFILE

Current Name: Bloom Reproductive Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF, THE ARIZONA CENTER
SCOTTSDALE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Alan Penzias, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	56%
Unstimulated	4%	PGD/PGS	45%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	19%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	28%	Male factor	22%	Female factors only	30%
Diminished ovarian reserve	64%	Other factor	7%	Female & male factors	21%
Endometriosis	9%	Unknown factor	2%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 215
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	17	8	9	2	9
Percentage of cancellations before retrieval (%)	0 / 17	3 / 8	2 / 9	2 / 2	4 / 9
Number of transfers	9	1	3	0	2
Average number of embryos transferred	1.1	2.0	2.7		2.5
Percentage of elective single embryo transfers (eSET) (%)	5 / 6	0 / 1	0 / 3		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 17	1 / 8	2 / 9	0 / 2	0 / 9
Percentage of cycles resulting in live births (%)	2 / 17	1 / 8	2 / 9	0 / 2	0 / 9
Percentage of cycles resulting in singleton live births (%)	1 / 17	0 / 8	2 / 9	0 / 2	0 / 9
Percentage of cycles resulting in twin live births (%)	1 / 17	1 / 8	0 / 9	0 / 2	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 17	0 / 8	2 / 9	0 / 2	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 10	2 / 2	2 / 8		0 / 5
Percentage of transfers resulting in pregnancies (%)	2 / 9	1 / 1	2 / 3		0 / 2
Percentage of transfers resulting in live births (%)	2 / 9	1 / 1	2 / 3		0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 9	0 / 1	2 / 3		0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 9	1 / 1	0 / 3		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 9	0 / 1	2 / 3		0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	49	26	6	4	0
Number of transfers	47	23	5	4	0
Estimated average number of transfers per retrieval	1.0	0.9	0.3	0.8	0.0
Average number of embryos transferred	1.1	1.1	1.6	1.0	
Percentage of embryos transferred resulting in implantation (%)	54.9	53.8	5 / 8	1 / 3	
Percentage of transfers resulting in pregnancies (%)	61.7	56.5	3 / 5	2 / 4	
Percentage of transfers resulting in live births (%)	48.9	52.2	2 / 5	1 / 4	
Percentage of transfers resulting in singleton live births (%)	44.7	52.2	2 / 5	1 / 4	
Percentage of transfers resulting in twin live births (%)	4.3	0.0	0 / 5	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	40.4	47.8	2 / 5	1 / 4	
Number of Egg or Embryo Banking Cycles	36	21	16	4	3
Number of fertility preservation cycles	2	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	3	0
Number of transfers	0	0	3	0
Average number of embryos transferred			1.7	
Percentage of embryos transferred resulting in implantation (%)			5 / 5	
Percentage of transfers resulting in pregnancies (%)			3 / 3	
Percentage of transfers resulting in live births (%)			2 / 3	
Percentage of transfers resulting in singleton live births (%)			0 / 3	
Percentage of transfers resulting in twin live births (%)			2 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			0 / 3	

CURRENT SERVICES & PROFILE

Current Name: Boston IVF, The Arizona Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF PHOENIX
SCOTTSDALE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John L. Couvaras, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	69%
Unstimulated	0%	PGD/PGS	23%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	7%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	4%	Male factor	33%	Female factors only	5%
Diminished ovarian reserve	21%	Other factor	14%	Female & male factors	8%
Endometriosis	2%	Unknown factor	33%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 178
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	35	20	17	8	3
Percentage of cancellations before retrieval (%)	8.6	15.0	3 / 17	0 / 8	0 / 3
Number of transfers	9	7	3	0	1
Average number of embryos transferred	1.7	1.9	2.3		1.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 7	0 / 6	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5.7	5.0	1 / 17	0 / 8	0 / 3
Percentage of cycles resulting in live births (%)	2.9	5.0	1 / 17	0 / 8	0 / 3
Percentage of cycles resulting in singleton live births (%)	0.0	5.0	1 / 17	0 / 8	0 / 3
Percentage of cycles resulting in twin live births (%)	2.9	0.0	0 / 17	0 / 8	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0.0	5.0	1 / 17	0 / 8	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 15	1 / 13	1 / 7		0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 9	1 / 7	1 / 3		0 / 1
Percentage of transfers resulting in live births (%)	1 / 9	1 / 7	1 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 9	1 / 7	1 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 7	0 / 3		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 9	1 / 7	1 / 3		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	21	12	6	3	0
Number of transfers	20	12	6	3	0
Estimated average number of transfers per retrieval	0.7	0.8	0.5	0.6	0.0
Average number of embryos transferred	1.5	1.6	1.5	1.3	
Percentage of embryos transferred resulting in implantation (%)	16.7	6 / 19	4 / 9	1 / 4	
Percentage of transfers resulting in pregnancies (%)	25.0	3 / 12	3 / 6	1 / 3	
Percentage of transfers resulting in live births (%)	25.0	3 / 12	1 / 6	1 / 3	
Percentage of transfers resulting in singleton live births (%)	25.0	0 / 12	0 / 6	1 / 3	
Percentage of transfers resulting in twin live births (%)	0.0	3 / 12	1 / 6	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	25.0	0 / 12	0 / 6	0 / 3	
Number of Egg or Embryo Banking Cycles	19	8	11	4	4
Number of fertility preservation cycles	2	2	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	5	0
Number of transfers	0	0	5	0
Average number of embryos transferred			1.6	
Percentage of embryos transferred resulting in implantation (%)			3 / 8	
Percentage of transfers resulting in pregnancies (%)			2 / 5	
Percentage of transfers resulting in live births (%)			2 / 5	
Percentage of transfers resulting in singleton live births (%)			1 / 5	
Percentage of transfers resulting in twin live births (%)			1 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			0 / 5	

CURRENT SERVICES & PROFILE

Current Name: IVF Phoenix

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY TREATMENT CENTER, PC
TEMPE, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by H. Randall Craig, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	10%	PGD/PGS	11%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	5%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	12%	Male factor	17%	Female factors only	7%
Diminished ovarian reserve	48%	Other factor	6%	Female & male factors	5%
Endometriosis	2%	Unknown factor	19%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 538
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	17	13	19	16	18
Percentage of cancellations before retrieval (%)	6 / 17	6 / 13	11 / 19	8 / 16	8 / 18
Number of transfers	3	1	2	0	1
Average number of embryos transferred	1.7	2.0	2.5		2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	0 / 1	0 / 2		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 17	1 / 13	1 / 19	0 / 16	0 / 18
Percentage of cycles resulting in live births (%)	0 / 17	1 / 13	1 / 19	0 / 16	0 / 18
Percentage of cycles resulting in singleton live births (%)	0 / 17	0 / 13	0 / 19	0 / 16	0 / 18
Percentage of cycles resulting in twin live births (%)	0 / 17	1 / 13	0 / 19	0 / 16	0 / 18
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 17	0 / 13	0 / 19	0 / 16	0 / 18
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	0 / 3	2 / 2	3 / 5		0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 1	1 / 2		0 / 1
Percentage of transfers resulting in live births (%)	0 / 3	1 / 1	1 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 3	0 / 1	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 3	1 / 1	0 / 2		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 3	0 / 1	0 / 2		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	90	56	42	17	9
Number of transfers	88	50	41	17	9
Estimated average number of transfers per retrieval	1.1	1.0	0.9	1.1	0.8
Average number of embryos transferred	2.0	2.2	2.0	2.2	2.4
Percentage of embryos transferred resulting in implantation (%)	45.3	38.2	31.7	21.1	1 / 18
Percentage of transfers resulting in pregnancies (%)	65.9	66.0	58.5	7 / 17	2 / 9
Percentage of transfers resulting in live births (%)	59.1	48.0	34.1	5 / 17	1 / 9
Percentage of transfers resulting in singleton live births (%)	37.5	32.0	26.8	5 / 17	1 / 9
Percentage of transfers resulting in twin live births (%)	21.6	16.0	7.3	0 / 17	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.8	28.0	24.4	4 / 17	1 / 9
Number of Egg or Embryo Banking Cycles	68	46	44	13	11
Number of fertility preservation cycles	1	4	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	21	38
Number of transfers	0	0	19	37
Average number of embryos transferred			1.9	2.1
Percentage of embryos transferred resulting in implantation (%)			47.1	44.3
Percentage of transfers resulting in pregnancies (%)			12 / 19	64.9
Percentage of transfers resulting in live births (%)			11 / 19	51.4
Percentage of transfers resulting in singleton live births (%)			8 / 19	35.1
Percentage of transfers resulting in twin live births (%)			3 / 19	13.5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			7 / 19	27.0

CURRENT SERVICES & PROFILE

Current Name: Fertility Treatment Center, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARIZONA CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
TUCSON, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Timothy J. Gelety, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	36%
Unstimulated	<1%	PGD/PGS	5%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	19%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	19%	Male factor	31%	Female factors only	12%
Diminished ovarian reserve	20%	Other factor	12%	Female & male factors	14%
Endometriosis	17%	Unknown factor	3%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 258
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	61	27	24	9	8
Percentage of cancellations before retrieval (%)	1.6	3.7	8.3	0 / 9	1 / 8
Number of transfers	56	24	20	7	7
Average number of embryos transferred	1.9	2.4	2.6	2.7	1.9
Percentage of elective single embryo transfers (eSET) (%)	2.0	0.0	0 / 18	0 / 6	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	55.7	33.3	12.5	1 / 9	2 / 8
Percentage of cycles resulting in live births (%)	47.5	22.2	8.3	1 / 9	1 / 8
Percentage of cycles resulting in singleton live births (%)	34.4	14.8	4.2	1 / 9	1 / 8
Percentage of cycles resulting in twin live births (%)	11.5	7.4	4.2	0 / 9	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	32.8	14.8	4.2	1 / 9	1 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.6	21.8	7.7	2 / 19	2 / 13
Percentage of transfers resulting in pregnancies (%)	60.7	37.5	15.0	1 / 7	2 / 7
Percentage of transfers resulting in live births (%)	51.8	25.0	10.0	1 / 7	1 / 7
Percentage of transfers resulting in singleton live births (%)	37.5	16.7	5.0	1 / 7	1 / 7
Percentage of transfers resulting in twin live births (%)	12.5	8.3	5.0	0 / 7	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	35.7	16.7	5.0	1 / 7	1 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	56	28	10	1	3
Number of transfers	56	25	10	1	3
Estimated average number of transfers per retrieval	2.4	1.9	1.7		1.5
Average number of embryos transferred	2.1	2.4	2.5	2.0	2.3
Percentage of embryos transferred resulting in implantation (%)	21.2	23.3	20.0	0 / 2	2 / 7
Percentage of transfers resulting in pregnancies (%)	39.3	44.0	5 / 10	0 / 1	2 / 3
Percentage of transfers resulting in live births (%)	33.9	32.0	5 / 10	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	30.4	24.0	5 / 10	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	3.6	4.0	0 / 10	0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.8	20.0	5 / 10	0 / 1	0 / 3
Number of Egg or Embryo Banking Cycles	7	3	3	0	2
Number of fertility preservation cycles	2	1	3	0	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	7	0	7	0
Number of transfers	5	0	7	0
Average number of embryos transferred	2.0		2.3	
Percentage of embryos transferred resulting in implantation (%)	6 / 10		3 / 16	
Percentage of transfers resulting in pregnancies (%)	4 / 5		2 / 7	
Percentage of transfers resulting in live births (%)	4 / 5		1 / 7	
Percentage of transfers resulting in singleton live births (%)	2 / 5		0 / 7	
Percentage of transfers resulting in twin live births (%)	2 / 5		1 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 5		0 / 7	

CURRENT SERVICES & PROFILE

Current Name: Arizona Center for Reproductive Endocrinology and Infertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH CENTER
TUCSON, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Scot M. Hutchison, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	93%
Unstimulated	0%	PGD/PGS	57%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	12%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	16%	Male factor	38%	Female factors only	4%
Diminished ovarian reserve	8%	Other factor	4%	Female & male factors	14%
Endometriosis	7%	Unknown factor	32%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 229
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	49	21	15	9	4
Percentage of cancellations before retrieval (%)	0.0	0.0	0 / 15	0 / 9	0 / 4
Number of transfers	3	5	0	0	0
Average number of embryos transferred	1.0	1.8			
Percentage of elective single embryo transfers (eSET) (%)	2 / 2	1 / 4			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2.0	19.0	0 / 15	0 / 9	0 / 4
Percentage of cycles resulting in live births (%)	2.0	14.3	0 / 15	0 / 9	0 / 4
Percentage of cycles resulting in singleton live births (%)	2.0	9.5	0 / 15	0 / 9	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	4.8	0 / 15	0 / 9	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	2.0	4.8	0 / 15	0 / 9	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 3	5 / 9			
Percentage of transfers resulting in pregnancies (%)	1 / 3	4 / 5			
Percentage of transfers resulting in live births (%)	1 / 3	3 / 5			
Percentage of transfers resulting in singleton live births (%)	1 / 3	2 / 5			
Percentage of transfers resulting in twin live births (%)	0 / 3	1 / 5			
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 3	1 / 5			
Frozen Embryos from Nondonor Eggs					
Number of cycles	60	17	14	3	1
Number of transfers	58	17	14	3	1
Estimated average number of transfers per retrieval	2.0	1.4	2.0	1.5	
Average number of embryos transferred	1.1	1.2	1.1	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	47.6	3 / 18	4 / 13	1 / 6	1 / 1
Percentage of transfers resulting in pregnancies (%)	50.0	5 / 17	5 / 14	1 / 3	1 / 1
Percentage of transfers resulting in live births (%)	37.9	1 / 17	3 / 14	1 / 3	1 / 1
Percentage of transfers resulting in singleton live births (%)	37.9	1 / 17	2 / 14	1 / 3	1 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 17	1 / 14	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.5	1 / 17	2 / 14	1 / 3	1 / 1
Number of Egg or Embryo Banking Cycles	1	1	0	0	0
Number of fertility preservation cycles	1	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	4	9	12	8
Number of transfers	1	7	12	8
Average number of embryos transferred	2.0	1.1	1.1	1.3
Percentage of embryos transferred resulting in implantation (%)		2 / 8	6 / 13	4 / 9
Percentage of transfers resulting in pregnancies (%)	1 / 1	2 / 7	6 / 12	5 / 8
Percentage of transfers resulting in live births (%)	0 / 1	1 / 7	6 / 12	4 / 8
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 7	6 / 12	4 / 8
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 7	0 / 12	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1	1 / 7	6 / 12	1 / 8

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VIVERE ARIZONA REPRODUCTIVE INSTITUTE
TUCSON, ARIZONA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Christine W. Mansfield, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	PGD/PGS	13%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	5%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	15%	Male factor	28%	Female factors only	10%
Diminished ovarian reserve	35%	Other factor	24%	Female & male factors	12%
Endometriosis	8%	Unknown factor	10%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 321
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	68	42	14	5	11
Percentage of cancellations before retrieval (%)	1.5	4.8	2 / 14	0 / 5	1 / 11
Number of transfers	35	28	4	2	2
Average number of embryos transferred	1.9	2.0	2.8	3.5	1.5
Percentage of elective single embryo transfers (eSET) (%)	9.1	4.2	0 / 4	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	23.5	23.8	1 / 14	1 / 5	0 / 11
Percentage of cycles resulting in live births (%)	17.6	16.7	0 / 14	0 / 5	0 / 11
Percentage of cycles resulting in singleton live births (%)	16.2	16.7	0 / 14	0 / 5	0 / 11
Percentage of cycles resulting in twin live births (%)	1.5	0.0	0 / 14	0 / 5	0 / 11
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	13.2	9.5	0 / 14	0 / 5	0 / 11
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	30.8	14.8	0 / 9	0 / 5	0 / 3
Percentage of transfers resulting in pregnancies (%)	45.7	35.7	1 / 4	1 / 2	0 / 2
Percentage of transfers resulting in live births (%)	34.3	25.0	0 / 4	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	31.4	25.0	0 / 4	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	2.9	0.0	0 / 4	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	25.7	14.3	0 / 4	0 / 2	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	67	26	15	5	2
Number of transfers	67	26	15	5	2
Estimated average number of transfers per retrieval	1.2	1.1	0.8	0.5	0.2
Average number of embryos transferred	1.8	1.7	2.1	1.2	2.0
Percentage of embryos transferred resulting in implantation (%)	45.1	30.8	23.3	1 / 6	1 / 4
Percentage of transfers resulting in pregnancies (%)	65.7	50.0	5 / 15	1 / 5	1 / 2
Percentage of transfers resulting in live births (%)	53.7	38.5	3 / 15	1 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	40.3	34.6	1 / 15	1 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	13.4	3.8	2 / 15	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.3	15.4	1 / 15	1 / 5	1 / 2
Number of Egg or Embryo Banking Cycles	21	11	10	7	10
Number of fertility preservation cycles	6	3	3	1	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	3	2	2	0
Number of transfers	3	2	2	0
Average number of embryos transferred	2.0	1.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	3 / 6	2 / 2	0 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 3	2 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	2 / 3	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 2	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 3	0 / 2	0 / 2	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Arizona Reproductive Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARKANSAS FERTILITY CENTER
LITTLE ROCK, ARKANSAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Dean M. Moutos, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	51%
Unstimulated	0%	PGD/PGS	1%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	23%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	17%	Male factor	34%	Female factors only	13%
Diminished ovarian reserve	21%	Other factor	4%	Female & male factors	15%
Endometriosis	13%	Unknown factor	12%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 293
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	103	45	16	4	1
Percentage of cancellations before retrieval (%)	6.8	11.1	3 / 16	1 / 4	0 / 1
Number of transfers	79	36	11	3	1
Average number of embryos transferred	1.7	1.9	2.0	1.3	2.0
Percentage of elective single embryo transfers (eSET) (%)	29.2	10.3	0 / 8	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.6	31.1	7 / 16	1 / 4	0 / 1
Percentage of cycles resulting in live births (%)	37.9	24.4	5 / 16	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	28.2	17.8	4 / 16	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	9.7	4.4	1 / 16	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	26.2	11.1	3 / 16	0 / 4	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.0	25.0	33.3	0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	59.5	38.9	7 / 11	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	49.4	30.6	5 / 11	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	36.7	22.2	4 / 11	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	12.7	5.6	1 / 11	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.2	13.9	3 / 11	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	56	25	12	3	0
Number of transfers	54	22	8	3	0
Estimated average number of transfers per retrieval	1.7	2.2	2.7	1.5	
Average number of embryos transferred	1.4	1.6	1.4	1.3	
Percentage of embryos transferred resulting in implantation (%)	18.2	29.0	1 / 11	2 / 4	
Percentage of transfers resulting in pregnancies (%)	20.4	45.5	1 / 8	2 / 3	
Percentage of transfers resulting in live births (%)	20.4	27.3	1 / 8	2 / 3	
Percentage of transfers resulting in singleton live births (%)	16.7	18.2	1 / 8	2 / 3	
Percentage of transfers resulting in twin live births (%)	3.7	9.1	0 / 8	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	14.8	18.2	1 / 8	2 / 3	
Number of Egg or Embryo Banking Cycles	7	1	3	2	0
Number of fertility preservation cycles	2	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	9	1	3	2
Number of transfers	7	1	3	2
Average number of embryos transferred	1.3	1.0	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	7 / 9	1 / 1	1 / 4	0 / 4
Percentage of transfers resulting in pregnancies (%)	6 / 7	1 / 1	1 / 3	0 / 2
Percentage of transfers resulting in live births (%)	5 / 7	1 / 1	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 7	1 / 1	1 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 1	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 7	1 / 1	1 / 3	0 / 2

CURRENT SERVICES & PROFILE

Current Name: Arkansas Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIFESTART FERTILITY CENTER
AGOURA HILLS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Anita P. Singh, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	15%
Unstimulated	0%	PGD/PGS	15%
Used gestational carrier	8%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	23%	Multiple Factors:	
Ovulatory dysfunction	15%	Male factor	54%	Female factors only	31%
Diminished ovarian reserve	39%	Other factor	8%	Female & male factors	15%
Endometriosis	8%	Unknown factor	0%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 21
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	0	2	0	2
Percentage of cancellations before retrieval (%)	0 / 1		1 / 2		0 / 2
Number of transfers	1	0	1	0	2
Average number of embryos transferred	2.0		2.0		2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 1		0 / 1		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 1		1 / 2		0 / 2
Percentage of cycles resulting in live births (%)	1 / 1		1 / 2		0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 1		1 / 2		0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 1		0 / 2		0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 1		1 / 2		0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 2		1 / 2		0 / 4
Percentage of transfers resulting in pregnancies (%)	1 / 1		1 / 1		0 / 2
Percentage of transfers resulting in live births (%)	1 / 1		1 / 1		0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 1		1 / 1		0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1		1 / 1		0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	3	2	0	0	0
Number of transfers	3	2	0	0	0
Estimated average number of transfers per retrieval	1.5	2.0	0.0	0.0	0.0
Average number of embryos transferred	1.0	1.0			
Percentage of embryos transferred resulting in implantation (%)	2 / 3	2 / 2			
Percentage of transfers resulting in pregnancies (%)	2 / 3	2 / 2			
Percentage of transfers resulting in live births (%)	2 / 3	2 / 2			
Percentage of transfers resulting in singleton live births (%)	2 / 3	2 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 3	1 / 2			
Number of Egg or Embryo Banking Cycles	2	1	2	1	2
Number of fertility preservation cycles	0	1	2	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	1	1
Number of transfers	1	0	1	1
Average number of embryos transferred	2.0		1.0	2.0
Percentage of embryos transferred resulting in implantation (%)			0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 1		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	0 / 1		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1		0 / 1	0 / 1

CURRENT SERVICES & PROFILE

Current Name: LifeStart Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALTA BATES IN VITRO FERTILIZATION PROGRAM
BERKELEY, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ryszard J. Chetkowski, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	56%
Unstimulated	0%	PGD/PGS	38%
Used gestational carrier	18%		

Patient Diagnosis[a,b]

Tubal factor	7%	Uterine factor	13%	Multiple Factors:	
Ovulatory dysfunction	2%	Male factor	11%	Female factors only	11%
Diminished ovarian reserve	24%	Other factor	51%	Female & male factors	7%
Endometriosis	11%	Unknown factor	2%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 63
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	2	0	5	2	0
Percentage of cancellations before retrieval (%)	1 / 2		2 / 5	1 / 2	
Number of transfers	0	0	3	0	0
Average number of embryos transferred			1.3		
Percentage of elective single embryo transfers (eSET) (%)			0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 2		0 / 5	0 / 2	
Percentage of cycles resulting in live births (%)	0 / 2		0 / 5	0 / 2	
Percentage of cycles resulting in singleton live births (%)	0 / 2		0 / 5	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 2		0 / 5	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 2		0 / 5	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)			0 / 4		
Percentage of transfers resulting in pregnancies (%)			0 / 3		
Percentage of transfers resulting in live births (%)			0 / 3		
Percentage of transfers resulting in singleton live births (%)			0 / 3		
Percentage of transfers resulting in twin live births (%)			0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			0 / 3		
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	6	1	0	2
Number of transfers	9	6	1	0	2
Estimated average number of transfers per retrieval	1.1	1.5	0.3	0.0	1.0
Average number of embryos transferred	1.4	1.3	1.0		1.5
Percentage of embryos transferred resulting in implantation (%)	5 / 13	3 / 7	1 / 1		2 / 3
Percentage of transfers resulting in pregnancies (%)	5 / 9	3 / 6	1 / 1		2 / 2
Percentage of transfers resulting in live births (%)	5 / 9	3 / 6	1 / 1		2 / 2
Percentage of transfers resulting in singleton live births (%)	5 / 9	3 / 6	1 / 1		2 / 2
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 6	0 / 1		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 9	3 / 6	1 / 1		2 / 2
Number of Egg or Embryo Banking Cycles	6	4	4	2	2
Number of fertility preservation cycles	1	2	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	17	0
Number of transfers	1	0	15	0
Average number of embryos transferred	2.0		1.4	
Percentage of embryos transferred resulting in implantation (%)	0 / 2		12 / 19	
Percentage of transfers resulting in pregnancies (%)	0 / 1		10 / 15	
Percentage of transfers resulting in live births (%)	0 / 1		7 / 15	
Percentage of transfers resulting in singleton live births (%)	0 / 1		6 / 15	
Percentage of transfers resulting in twin live births (%)	0 / 1		1 / 15	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1		6 / 15	

CURRENT SERVICES & PROFILE

Current Name: Alta Bates In Vitro Fertilization Program

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE HEALTH & GYNECOLOGY (CRH&G) BEVERLY HILLS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Sam Najmabadi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	56%
Unstimulated	0%	PGD/PGS	18%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	0%	Male factor	47%	Female factors only	24%
Diminished ovarian reserve	35%	Other factor	46%	Female & male factors	22%
Endometriosis	2%	Unknown factor	2%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 104
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	7	5	8	3	4
Percentage of cancellations before retrieval (%)	1 / 7	0 / 5	2 / 8	0 / 3	1 / 4
Number of transfers	5	5	6	3	3
Average number of embryos transferred	1.8	2.0	1.8	2.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	1 / 5	0 / 5	1 / 6	1 / 3	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	4 / 7	4 / 5	4 / 8	1 / 3	2 / 4
Percentage of cycles resulting in live births (%)	3 / 7	3 / 5	4 / 8	1 / 3	1 / 4
Percentage of cycles resulting in singleton live births (%)	1 / 7	2 / 5	3 / 8	1 / 3	1 / 4
Percentage of cycles resulting in twin live births (%)	2 / 7	1 / 5	1 / 8	0 / 3	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 7	2 / 5	2 / 8	0 / 3	1 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	6 / 9	5 / 10	5 / 11	1 / 6	1 / 5
Percentage of transfers resulting in pregnancies (%)	4 / 5	4 / 5	4 / 6	1 / 3	2 / 3
Percentage of transfers resulting in live births (%)	3 / 5	3 / 5	4 / 6	1 / 3	1 / 3
Percentage of transfers resulting in singleton live births (%)	1 / 5	2 / 5	3 / 6	1 / 3	1 / 3
Percentage of transfers resulting in twin live births (%)	2 / 5	1 / 5	1 / 6	0 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 5	2 / 5	2 / 6	0 / 3	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	6	2	0	1
Number of transfers	5	6	2	0	0
Estimated average number of transfers per retrieval	0.5	1.0	0.1	0.0	0.0
Average number of embryos transferred	1.6	1.5	1.5		
Percentage of embryos transferred resulting in implantation (%)	4 / 8	4 / 9	3 / 3		
Percentage of transfers resulting in pregnancies (%)	3 / 5	3 / 6	2 / 2		
Percentage of transfers resulting in live births (%)	3 / 5	3 / 6	2 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 5	2 / 6	1 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 5	1 / 6	1 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 5	2 / 6	1 / 2		
Number of Egg or Embryo Banking Cycles	10	6	15	8	10
Number of fertility preservation cycles	10	6	13	8	7

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	6	0	6	2
Number of transfers	6	0	5	2
Average number of embryos transferred	1.8		1.6	2.5
Percentage of embryos transferred resulting in implantation (%)	4 / 11		4 / 8	2 / 5
Percentage of transfers resulting in pregnancies (%)	4 / 6		3 / 5	2 / 2
Percentage of transfers resulting in live births (%)	3 / 6		3 / 5	2 / 2
Percentage of transfers resulting in singleton live births (%)	3 / 6		2 / 5	2 / 2
Percentage of transfers resulting in twin live births (%)	0 / 6		1 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 6		2 / 5	2 / 2

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Health & Gynecology, (CRH&G)

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN CALIFORNIA REPRODUCTIVE CENTER
BEVERLY HILLS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark W. Surrey, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	65%
Unstimulated	0%	PGD/PGS	70%
Used gestational carrier	7%		

Patient Diagnosis[a,b]

Tubal factor	2%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	4%	Male factor	11%	Female factors only	5%
Diminished ovarian reserve	7%	Other factor	74%	Female & male factors	7%
Endometriosis	2%	Unknown factor	11%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,183
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	13	8	14	13	16
Percentage of cancellations before retrieval (%)	0 / 13	0 / 8	1 / 14	0 / 13	0 / 16
Number of transfers	8	2	2	1	1
Average number of embryos transferred	1.4	1.0	2.0	2.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	6 / 8	1 / 1	0 / 2	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	4 / 13	0 / 8	2 / 14	1 / 13	0 / 16
Percentage of cycles resulting in live births (%)	3 / 13	0 / 8	0 / 14	1 / 13	0 / 16
Percentage of cycles resulting in singleton live births (%)	3 / 13	0 / 8	0 / 14	1 / 13	0 / 16
Percentage of cycles resulting in twin live births (%)	0 / 13	0 / 8	0 / 14	0 / 13	0 / 16
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	2 / 13	0 / 8	0 / 14	1 / 13	0 / 16
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 11	0 / 2	1 / 2	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	4 / 8	0 / 2	2 / 2	1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	3 / 8	0 / 2	0 / 2	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 8	0 / 2	0 / 2	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 2	0 / 2	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 8	0 / 2	0 / 2	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	150	59	69	30	24
Number of transfers	149	59	68	29	24
Estimated average number of transfers per retrieval	0.7	0.4	0.4	0.3	0.3
Average number of embryos transferred	1.2	1.3	1.2	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	59.6	55.4	46.8	51.5	31.0
Percentage of transfers resulting in pregnancies (%)	60.4	61.0	57.4	62.1	41.7
Percentage of transfers resulting in live births (%)	55.7	57.6	47.1	58.6	37.5
Percentage of transfers resulting in singleton live births (%)	44.3	50.8	45.6	58.6	37.5
Percentage of transfers resulting in twin live births (%)	11.4	6.8	1.5	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	38.3	47.5	41.2	51.7	25.0
Number of Egg or Embryo Banking Cycles	216	167	190	96	80
Number of fertility preservation cycles	115	110	128	56	53

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	5	0	33	0
Number of transfers	5	0	33	0
Average number of embryos transferred	1.2		1.4	
Percentage of embryos transferred resulting in implantation (%)	3 / 6		38.1	
Percentage of transfers resulting in pregnancies (%)	2 / 5		51.5	
Percentage of transfers resulting in live births (%)	1 / 5		39.4	
Percentage of transfers resulting in singleton live births (%)	0 / 5		36.4	
Percentage of transfers resulting in twin live births (%)	1 / 5		3.0	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 5		24.2	

CURRENT SERVICES & PROFILE

Current Name: Southern California Reproductive Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CARE OF ORANGE COUNTY
BREA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Changnin T. Lee, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	>99%
Unstimulated	0%	PGD/PGS	77%
Used gestational carrier	13%		

Patient Diagnosis[a,b]

Tubal factor	11%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	11%	Male factor	25%	Female factors only	51%
Diminished ovarian reserve	28%	Other factor	94%	Female & male factors	25%
Endometriosis	4%	Unknown factor	19%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 219
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	0	1
Percentage of cancellations before retrieval (%)					0 / 1
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)					0 / 1
Percentage of cycles resulting in live births (%)					0 / 1
Percentage of cycles resulting in singleton live births (%)					0 / 1
Percentage of cycles resulting in twin live births (%)					0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)					0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	33	19	16	13	9
Number of transfers	33	19	15	12	8
Estimated average number of transfers per retrieval	1.2	1.0	0.6	0.7	0.3
Average number of embryos transferred	1.3	1.3	1.4	1.1	1.8
Percentage of embryos transferred resulting in implantation (%)	59.1	83.3	50.0	5 / 12	3 / 10
Percentage of transfers resulting in pregnancies (%)	63.6	16 / 19	8 / 15	6 / 12	4 / 8
Percentage of transfers resulting in live births (%)	51.5	15 / 19	7 / 15	5 / 12	3 / 8
Percentage of transfers resulting in singleton live births (%)	39.4	12 / 19	4 / 15	5 / 12	3 / 8
Percentage of transfers resulting in twin live births (%)	12.1	3 / 19	3 / 15	0 / 12	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	39.4	9 / 19	3 / 15	2 / 12	3 / 8
Number of Egg or Embryo Banking Cycles	27	20	27	17	23
Number of fertility preservation cycles	0	2	2	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	11	2
Number of transfers	1	0	11	1
Average number of embryos transferred	1.0		1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	1 / 1		8 / 11	0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 1		9 / 11	0 / 1
Percentage of transfers resulting in live births (%)	0 / 1		6 / 11	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 1		5 / 11	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1		1 / 11	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1		3 / 11	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Fertility Care of Orange County

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTRAL CALIFORNIA IVF PROGRAM
WOMEN'S SPECIALTY AND FERTILITY CENTER
CLOVIS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by H. Michael Synn, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	70%
Unstimulated	0%	PGD/PGS	4%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	19%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	16%	Male factor	30%	Female factors only	5%
Diminished ovarian reserve	44%	Other factor	<1%	Female & male factors	15%
Endometriosis	3%	Unknown factor	8%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 303
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	72	39	24	8	6
Percentage of cancellations before retrieval (%)	4.2	10.3	12.5	2 / 8	1 / 6
Number of transfers	64	34	21	6	4
Average number of embryos transferred	1.8	2.0	2.3	1.7	1.8
Percentage of elective single embryo transfers (eSET) (%)	16.7	3.3	1 / 19	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.8	35.9	29.2	1 / 8	0 / 6
Percentage of cycles resulting in live births (%)	37.5	28.2	16.7	0 / 8	0 / 6
Percentage of cycles resulting in singleton live births (%)	29.2	25.6	16.7	0 / 8	0 / 6
Percentage of cycles resulting in twin live births (%)	8.3	2.6	0.0	0 / 8	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	25.0	20.5	12.5	0 / 8	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.3	19.7	14.0	0 / 9	0 / 7
Percentage of transfers resulting in pregnancies (%)	51.6	41.2	33.3	1 / 6	0 / 4
Percentage of transfers resulting in live births (%)	42.2	32.4	19.0	0 / 6	0 / 4
Percentage of transfers resulting in singleton live births (%)	32.8	29.4	19.0	0 / 6	0 / 4
Percentage of transfers resulting in twin live births (%)	9.4	2.9	0.0	0 / 6	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.1	23.5	14.3	0 / 6	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	55	22	19	6	2
Number of transfers	45	21	17	3	1
Estimated average number of transfers per retrieval	2.1	1.6	2.1	3.0	
Average number of embryos transferred	1.6	1.6	1.7	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	31.7	28.6	23.1	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	51.1	42.9	8 / 17	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	35.6	28.6	5 / 17	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	28.9	23.8	5 / 17	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	6.7	4.8	0 / 17	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	24.4	23.8	5 / 17	0 / 3	0 / 1
Number of Egg or Embryo Banking Cycles	9	4	4	1	0
Number of fertility preservation cycles	1	0	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	9	7	14	0
Number of transfers	7	7	11	0
Average number of embryos transferred	1.7	1.9	1.6	
Percentage of embryos transferred resulting in implantation (%)	4 / 12	4 / 13	4 / 18	
Percentage of transfers resulting in pregnancies (%)	3 / 7	3 / 7	3 / 11	
Percentage of transfers resulting in live births (%)	2 / 7	3 / 7	2 / 11	
Percentage of transfers resulting in singleton live births (%)	2 / 7	2 / 7	1 / 11	
Percentage of transfers resulting in twin live births (%)	0 / 7	1 / 7	1 / 11	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 7	2 / 7	0 / 11	

CURRENT SERVICES & PROFILE

Current Name: Central California IVF Program, Women's Specialty and Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA IVF FERTILITY CENTER
DAVIS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ernest J. Zeringue, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	34%
Unstimulated	<1%	PGD/PGS	8%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	9%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	11%	Male factor	34%	Female factors only	24%
Diminished ovarian reserve	34%	Other factor	53%	Female & male factors	22%
Endometriosis	5%	Unknown factor	6%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 715
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	17	9	9	8	6
Percentage of cancellations before retrieval (%)	0 / 17	1 / 9	1 / 9	2 / 8	1 / 6
Number of transfers	15	5	6	5	3
Average number of embryos transferred	1.7	1.6	1.7	3.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	3 / 13	0 / 3	0 / 4	0 / 5	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	7 / 17	0 / 9	2 / 9	3 / 8	0 / 6
Percentage of cycles resulting in live births (%)	5 / 17	0 / 9	0 / 9	2 / 8	0 / 6
Percentage of cycles resulting in singleton live births (%)	3 / 17	0 / 9	0 / 9	0 / 8	0 / 6
Percentage of cycles resulting in twin live births (%)	2 / 17	0 / 9	0 / 9	2 / 8	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	3 / 17	0 / 9	0 / 9	0 / 8	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	0 / 8	1 / 8	5 / 11	0 / 6
Percentage of transfers resulting in pregnancies (%)	7 / 15	0 / 5	2 / 6	3 / 5	0 / 3
Percentage of transfers resulting in live births (%)	5 / 15	0 / 5	0 / 6	2 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	3 / 15	0 / 5	0 / 6	0 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	2 / 15	0 / 5	0 / 6	2 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 15	0 / 5	0 / 6	0 / 5	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	93	60	37	9	5
Number of transfers	91	59	37	9	5
Estimated average number of transfers per retrieval	1.2	1.0	1.2	0.5	0.3
Average number of embryos transferred	1.7	1.7	1.7	2.1	2.0
Percentage of embryos transferred resulting in implantation (%)	46.5	47.9	36.8	5 / 19	2 / 10
Percentage of transfers resulting in pregnancies (%)	54.9	69.5	59.5	5 / 9	1 / 5
Percentage of transfers resulting in live births (%)	45.1	54.2	48.6	4 / 9	0 / 5
Percentage of transfers resulting in singleton live births (%)	26.4	45.8	43.2	4 / 9	0 / 5
Percentage of transfers resulting in twin live births (%)	18.7	8.5	5.4	0 / 9	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	20.9	37.3	32.4	3 / 9	0 / 5
Number of Egg or Embryo Banking Cycles	69	54	27	18	15
Number of fertility preservation cycles	9	11	5	2	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	64	0	207	5
Number of transfers	64	0	206	5
Average number of embryos transferred	1.7		1.6	1.4
Percentage of embryos transferred resulting in implantation (%)	54.8		44.9	0 / 7
Percentage of transfers resulting in pregnancies (%)	67.2		61.7	0 / 5
Percentage of transfers resulting in live births (%)	56.3		45.6	0 / 5
Percentage of transfers resulting in singleton live births (%)	34.4		35.0	0 / 5
Percentage of transfers resulting in twin live births (%)	21.9		10.7	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.3		27.7	0 / 5

CURRENT SERVICES & PROFILE

Current Name: California IVF Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE
ENCINITAS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lori L. Arnold, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	PGD/PGS	72%
Used gestational carrier	56%		

Patient Diagnosis[a,b]

Tubal factor	4%	Uterine factor	17%	Multiple Factors:	
Ovulatory dysfunction	10%	Male factor	9%	Female factors only	10%
Diminished ovarian reserve	14%	Other factor	52%	Female & male factors	6%
Endometriosis	1%	Unknown factor	9%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 120
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	0	2	0	0
Percentage of cancellations before retrieval (%)	0 / 1		1 / 2		
Number of transfers	1	0	1	0	0
Average number of embryos transferred	2.0		2.0		
Percentage of elective single embryo transfers (eSET) (%)	0 / 1		0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 1		1 / 2		
Percentage of cycles resulting in live births (%)	0 / 1		1 / 2		
Percentage of cycles resulting in singleton live births (%)	0 / 1		1 / 2		
Percentage of cycles resulting in twin live births (%)	0 / 1		0 / 2		
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 1		1 / 2		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 2		1 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 1		1 / 1		
Percentage of transfers resulting in live births (%)	0 / 1		1 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1		1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1		1 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	17	7	6	0	1
Number of transfers	17	7	6	0	1
Estimated average number of transfers per retrieval	1.1	0.7	0.7	0.0	0.1
Average number of embryos transferred	1.2	1.4	1.0		1.0
Percentage of embryos transferred resulting in implantation (%)	52.4	5 / 10	5 / 6		0 / 1
Percentage of transfers resulting in pregnancies (%)	9 / 17	5 / 7	4 / 6		0 / 1
Percentage of transfers resulting in live births (%)	8 / 17	5 / 7	3 / 6		0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 17	5 / 7	2 / 6		0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 17	0 / 7	1 / 6		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 17	4 / 7	0 / 6		0 / 1
Number of Egg or Embryo Banking Cycles	16	10	9	6	8
Number of fertility preservation cycles	1	0	1	0	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	0	35	0
Number of transfers	2	0	34	0
Average number of embryos transferred	1.5		1.4	
Percentage of embryos transferred resulting in implantation (%)	2 / 3		75.5	
Percentage of transfers resulting in pregnancies (%)	2 / 2		79.4	
Percentage of transfers resulting in live births (%)	2 / 2		70.6	
Percentage of transfers resulting in singleton live births (%)	2 / 2		44.1	
Percentage of transfers resulting in twin live births (%)	0 / 2		26.5	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 2		32.4	

CURRENT SERVICES & PROFILE

Current Name: California Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY INSTITUTES-LOS ANGELES, NEW YORK, GUADALAJARA
ENCINO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jeffrey Steinberg, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	PGD/PGS	67%
Used gestational carrier	13%		

Patient Diagnosis[a,b]

Tubal factor	0%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	1%	Male factor	3%	Female factors only	3%
Diminished ovarian reserve	3%	Other factor	95%	Female & male factors	3%
Endometriosis	<1%	Unknown factor	3%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 213
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	35	30	22	2	2
Percentage of cancellations before retrieval (%)	5.7	0.0	4.5	0 / 2	0 / 2
Number of transfers	30	29	16	1	2
Average number of embryos transferred	1.5	1.6	1.3	1.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	31.8	36.4	2 / 7		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	20.0	30.0	36.4	1 / 2	1 / 2
Percentage of cycles resulting in live births (%)	17.1	30.0	36.4	1 / 2	1 / 2
Percentage of cycles resulting in singleton live births (%)	8.6	26.7	27.3	1 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	8.6	3.3	9.1	0 / 2	1 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	8.6	16.7	22.7	0 / 2	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	22.2	22.2	47.6	1 / 1	2 / 4
Percentage of transfers resulting in pregnancies (%)	23.3	31.0	8 / 16	1 / 1	1 / 2
Percentage of transfers resulting in live births (%)	20.0	31.0	8 / 16	1 / 1	1 / 2
Percentage of transfers resulting in singleton live births (%)	10.0	27.6	6 / 16	1 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	10.0	3.4	2 / 16	0 / 1	1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	10.0	17.2	5 / 16	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	4	11	3	1
Number of transfers	15	4	11	3	1
Estimated average number of transfers per retrieval	0.8	0.2	0.4	0.8	0.1
Average number of embryos transferred	1.5	1.0	1.5	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	13.6	3 / 4	2 / 17	2 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 15	3 / 4	2 / 11	2 / 3	0 / 1
Percentage of transfers resulting in live births (%)	0 / 15	2 / 4	1 / 11	2 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 15	2 / 4	1 / 11	2 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 15	0 / 4	0 / 11	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 15	2 / 4	1 / 11	2 / 3	0 / 1
Number of Egg or Embryo Banking Cycles	13	16	30	3	9
Number of fertility preservation cycles	7	6	11	2	5

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	8	1	7	0
Number of transfers	7	1	6	0
Average number of embryos transferred	1.7	2.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	5 / 12	0 / 2	2 / 9	
Percentage of transfers resulting in pregnancies (%)	5 / 7	0 / 1	2 / 6	
Percentage of transfers resulting in live births (%)	4 / 7	0 / 1	2 / 6	
Percentage of transfers resulting in singleton live births (%)	4 / 7	0 / 1	2 / 6	
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 1	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 7	0 / 1	1 / 6	

CURRENT SERVICES & PROFILE

Current Name: The Fertility Institutes-Los Angeles, New York, Guadalajara

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-ENCINO
ENCINO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael A. Feinman, MD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	79%
Unstimulated	0%	PGD/PGS	57%
Used gestational carrier	9%		

Patient Diagnosis[a,b]

Tubal factor	2%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	3%	Male factor	11%	Female factors only	9%
Diminished ovarian reserve	29%	Other factor	44%	Female & male factors	4%
Endometriosis	2%	Unknown factor	20%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,024
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	105	80	79	44	38
Percentage of cancellations before retrieval (%)	0.0	1.3	7.6	6.8	13.2
Number of transfers	64	37	34	20	10
Average number of embryos transferred	1.6	1.7	2.0	2.3	2.2
Percentage of elective single embryo transfers (eSET) (%)	44.1	37.5	12.5	2 / 15	0 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.7	21.3	24.1	9.1	5.3
Percentage of cycles resulting in live births (%)	37.1	20.0	20.3	6.8	2.6
Percentage of cycles resulting in singleton live births (%)	28.6	15.0	16.5	6.8	2.6
Percentage of cycles resulting in twin live births (%)	8.6	5.0	2.5	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	26.7	12.5	12.7	6.8	2.6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	54.9	33.3	33.9	6.8	4.8
Percentage of transfers resulting in pregnancies (%)	75.0	45.9	55.9	20.0	2 / 10
Percentage of transfers resulting in live births (%)	60.9	43.2	47.1	15.0	1 / 10
Percentage of transfers resulting in singleton live births (%)	46.9	32.4	38.2	15.0	1 / 10
Percentage of transfers resulting in twin live births (%)	14.1	10.8	5.9	0.0	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	43.8	27.0	29.4	15.0	1 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	87	80	72	30	23
Number of transfers	84	77	66	28	18
Estimated average number of transfers per retrieval	1.2	1.0	1.0	0.8	0.4
Average number of embryos transferred	1.6	1.5	1.6	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	62.4	54.4	50.0	21.6	40.7
Percentage of transfers resulting in pregnancies (%)	76.2	71.4	74.2	35.7	10 / 18
Percentage of transfers resulting in live births (%)	70.2	57.1	60.6	25.0	9 / 18
Percentage of transfers resulting in singleton live births (%)	48.8	42.9	51.5	21.4	8 / 18
Percentage of transfers resulting in twin live births (%)	21.4	14.3	9.1	3.6	1 / 18
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	42.9	40.3	40.9	21.4	8 / 18
Number of Egg or Embryo Banking Cycles	23	39	40	27	41
Number of fertility preservation cycles	1	9	10	3	3

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	100	4	107	3
Number of transfers	60	4	106	3
Average number of embryos transferred	1.5	1.3	1.4	1.0
Percentage of embryos transferred resulting in implantation (%)	55.3	3 / 5	56.3	2 / 3
Percentage of transfers resulting in pregnancies (%)	73.3	3 / 4	69.8	2 / 3
Percentage of transfers resulting in live births (%)	63.3	3 / 4	61.3	2 / 3
Percentage of transfers resulting in singleton live births (%)	51.7	3 / 4	49.1	2 / 3
Percentage of transfers resulting in twin live births (%)	11.7	0 / 4	12.3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	46.7	3 / 4	41.5	2 / 3

CURRENT SERVICES & PROFILE

Current Name: HRC Fertility-Encino

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LOS ANGELES REPRODUCTIVE CENTER (LARC)
ENCINO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Nurit Winkler, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	66%
Unstimulated	17%	PGD/PGS	59%
Used gestational carrier	15%		

Patient Diagnosis[a,b]

Tubal factor	8%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	15%	Male factor	26%	Female factors only	28%
Diminished ovarian reserve	38%	Other factor	57%	Female & male factors	23%
Endometriosis	4%	Unknown factor	13%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 128
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	1	0	1	0
Percentage of cancellations before retrieval (%)		0 / 1		0 / 1	
Number of transfers	0	1	0	0	0
Average number of embryos transferred		1.0			
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)		0 / 1		0 / 1	
Percentage of cycles resulting in live births (%)		0 / 1		0 / 1	
Percentage of cycles resulting in singleton live births (%)		0 / 1		0 / 1	
Percentage of cycles resulting in twin live births (%)		0 / 1		0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)		0 / 1		0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		0 / 1			
Percentage of transfers resulting in pregnancies (%)		0 / 1			
Percentage of transfers resulting in live births (%)		0 / 1			
Percentage of transfers resulting in singleton live births (%)		0 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	8	13	3	5
Number of transfers	14	7	12	3	4
Estimated average number of transfers per retrieval	0.7	0.4	0.5	0.8	0.3
Average number of embryos transferred	1.4	1.4	1.3	1.0	1.8
Percentage of embryos transferred resulting in implantation (%)	50.0	4 / 8	7 / 13	1 / 3	4 / 7
Percentage of transfers resulting in pregnancies (%)	9 / 14	6 / 7	6 / 12	1 / 3	2 / 4
Percentage of transfers resulting in live births (%)	9 / 14	4 / 7	3 / 12	1 / 3	2 / 4
Percentage of transfers resulting in singleton live births (%)	8 / 14	4 / 7	2 / 12	1 / 3	1 / 4
Percentage of transfers resulting in twin live births (%)	1 / 14	0 / 7	1 / 12	0 / 3	1 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 14	3 / 7	2 / 12	1 / 3	0 / 4
Number of Egg or Embryo Banking Cycles	19	18	22	4	12
Number of fertility preservation cycles	3	5	8	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	4	0	3	0
Number of transfers	3	0	2	0
Average number of embryos transferred	1.3		2.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 4		1 / 4	
Percentage of transfers resulting in pregnancies (%)	3 / 3		1 / 2	
Percentage of transfers resulting in live births (%)	2 / 3		1 / 2	
Percentage of transfers resulting in singleton live births (%)	2 / 3		1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 3		1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Los Angeles Reproductive Center (LARC)

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTERN FERTILITY INSTITUTE
ENCINO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ashim V. Kumar, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	73%
Unstimulated	11%	PGD/PGS	94%
Used gestational carrier	56%		

Patient Diagnosis[a,b]

Tubal factor	<1%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	0%	Male factor	3%	Female factors only	24%
Diminished ovarian reserve	2%	Other factor	69%	Female & male factors	3%
Endometriosis	2%	Unknown factor	53%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 383
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	2	2	1	2	0
Percentage of cancellations before retrieval (%)	0 / 2	0 / 2	0 / 1	0 / 2	
Number of transfers	1	1	0	0	0
Average number of embryos transferred	1.0	1.0			
Percentage of elective single embryo transfers (eSET) (%)	1 / 1	1 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 2	1 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	1 / 2	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	1 / 2	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 2	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 2	0 / 2	0 / 1	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 1			
Percentage of transfers resulting in live births (%)	1 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 1	0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	27	18	11	5
Number of transfers	38	25	16	11	5
Estimated average number of transfers per retrieval	1.1	0.9	0.6	0.3	0.1
Average number of embryos transferred	1.4	1.1	1.1	1.3	1.4
Percentage of embryos transferred resulting in implantation (%)	75.0	85.2	11 / 18	8 / 13	5 / 7
Percentage of transfers resulting in pregnancies (%)	84.2	88.0	10 / 16	7 / 11	4 / 5
Percentage of transfers resulting in live births (%)	73.7	68.0	10 / 16	5 / 11	4 / 5
Percentage of transfers resulting in singleton live births (%)	52.6	60.0	9 / 16	3 / 11	3 / 5
Percentage of transfers resulting in twin live births (%)	21.1	8.0	1 / 16	2 / 11	1 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	44.7	44.0	7 / 16	3 / 11	2 / 5
Number of Egg or Embryo Banking Cycles	34	29	25	38	38
Number of fertility preservation cycles	0	1	0	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	0	108	0
Number of transfers	1	0	105	0
Average number of embryos transferred	1.0		1.4	
Percentage of embryos transferred resulting in implantation (%)	1 / 1		72.3	
Percentage of transfers resulting in pregnancies (%)	1 / 1		80.0	
Percentage of transfers resulting in live births (%)	1 / 1		60.0	
Percentage of transfers resulting in singleton live births (%)	1 / 1		44.8	
Percentage of transfers resulting in twin live births (%)	0 / 1		15.2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 1		28.6	

CURRENT SERVICES & PROFILE

Current Name: Western Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ZOUVES FERTILITY CENTER
FOSTER CITY, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Christo G. Zouves, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated		PGD/PGS	90%
Used gestational carrier	14%		

Patient Diagnosis[a,b]

Tubal factor	6%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	25%	Male factor	34%	Female factors only	4%
Diminished ovarian reserve	29%	Other factor	10%	Female & male factors	16%
Endometriosis	10%	Unknown factor	2%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 806
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	0	0
Percentage of cancellations before retrieval (%)					
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)					
Percentage of cycles resulting in live births (%)					
Percentage of cycles resulting in singleton live births (%)					
Percentage of cycles resulting in twin live births (%)					
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)					
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	91	74	57	21	15
Number of transfers	90	71	53	20	14
Estimated average number of transfers per retrieval	0.7	0.7	0.4	0.3	0.2
Average number of embryos transferred	1.1	1.1	1.1	1.1	1.2
Percentage of embryos transferred resulting in implantation (%)	45.7	44.4	52.7	8 / 19	7 / 17
Percentage of transfers resulting in pregnancies (%)	46.7	49.3	56.6	45.0	7 / 14
Percentage of transfers resulting in live births (%)	36.7	40.8	52.8	25.0	6 / 14
Percentage of transfers resulting in singleton live births (%)	34.4	39.4	52.8	25.0	6 / 14
Percentage of transfers resulting in twin live births (%)	2.2	1.4	0.0	0.0	0 / 14
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.0	35.2	49.1	20.0	6 / 14
Number of Egg or Embryo Banking Cycles	125	96	128	66	58
Number of fertility preservation cycles	18	20	18	9	4

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	10	65	0
Number of transfers	0	10	63	0
Average number of embryos transferred		1.8	1.3	
Percentage of embryos transferred resulting in implantation (%)		11 / 18	38.0	
Percentage of transfers resulting in pregnancies (%)		7 / 10	42.9	
Percentage of transfers resulting in live births (%)		5 / 10	33.3	
Percentage of transfers resulting in singleton live births (%)		3 / 10	27.0	
Percentage of transfers resulting in twin live births (%)		2 / 10	6.3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		2 / 10	20.6	

CURRENT SERVICES & PROFILE

Current Name: Zouves Fertility Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEST COAST FERTILITY CENTER
FOUNTAIN VALLEY, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David G. Diaz, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	50%
Unstimulated	0%	PGD/PGS	24%
Used gestational carrier	7%		

Patient Diagnosis[a,b]

Tubal factor	26%	Uterine factor	8%	Multiple Factors:	
Ovulatory dysfunction	20%	Male factor	21%	Female factors only	28%
Diminished ovarian reserve	43%	Other factor	23%	Female & male factors	13%
Endometriosis	4%	Unknown factor	0%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 180
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	4	5	4	2	0
Percentage of cancellations before retrieval (%)	0 / 4	0 / 5	0 / 4	0 / 2	
Number of transfers	3	3	3	2	0
Average number of embryos transferred	1.7	1.7	2.3	2.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	0 / 2	0 / 3	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 4	2 / 5	1 / 4	1 / 2	
Percentage of cycles resulting in live births (%)	1 / 4	2 / 5	1 / 4	1 / 2	
Percentage of cycles resulting in singleton live births (%)	1 / 4	1 / 5	0 / 4	1 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 4	0 / 5	1 / 4	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 4	0 / 5	0 / 4	1 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 5	5 / 5	2 / 7	1 / 4	
Percentage of transfers resulting in pregnancies (%)	1 / 3	2 / 3	1 / 3	1 / 2	
Percentage of transfers resulting in live births (%)	1 / 3	2 / 3	1 / 3	1 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 3	0 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 3	0 / 3	0 / 3	1 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	29	7	13	4	5
Number of transfers	29	7	10	3	3
Estimated average number of transfers per retrieval	0.9	0.5	0.5	0.3	0.4
Average number of embryos transferred	1.4	1.9	1.5	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	30.8	3 / 13	3 / 15	0 / 5	0 / 6
Percentage of transfers resulting in pregnancies (%)	41.4	3 / 7	3 / 10	0 / 3	0 / 3
Percentage of transfers resulting in live births (%)	37.9	3 / 7	2 / 10	0 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	34.5	3 / 7	2 / 10	0 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	3.4	0 / 7	0 / 10	0 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.0	2 / 7	2 / 10	0 / 3	0 / 3
Number of Egg or Embryo Banking Cycles	30	13	19	9	8
Number of fertility preservation cycles	30	13	17	7	8

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	10	4	14	0
Number of transfers	8	3	12	0
Average number of embryos transferred	1.3	1.0	1.6	
Percentage of embryos transferred resulting in implantation (%)	5 / 9	3 / 3	5 / 19	
Percentage of transfers resulting in pregnancies (%)	5 / 8	3 / 3	5 / 12	
Percentage of transfers resulting in live births (%)	4 / 8	3 / 3	4 / 12	
Percentage of transfers resulting in singleton live births (%)	3 / 8	3 / 3	4 / 12	
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 3	0 / 12	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 8	3 / 3	3 / 12	

CURRENT SERVICES & PROFILE

Current Name: West Coast Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

XPERT FERTILITY CARE OF CALIFORNIA
MINH N. HO, MD, FACOG
FOUNTAIN VALLEY, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Minh N. Ho, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	70%
Unstimulated	0%	PGD/PGS	23%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	13%	Male factor	40%	Female factors only	0%
Diminished ovarian reserve	30%	Other factor	0%	Female & male factors	20%
Endometriosis	0%	Unknown factor	23%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 30
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	7	2	5	3	4
Percentage of cancellations before retrieval (%)	0 / 7	0 / 2	0 / 5	0 / 3	0 / 4
Number of transfers	7	2	4	3	4
Average number of embryos transferred	2.3	3.0	2.8	3.3	3.5
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	0 / 2	0 / 4	0 / 3	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	6 / 7	1 / 2	2 / 5	1 / 3	0 / 4
Percentage of cycles resulting in live births (%)	4 / 7	0 / 2	2 / 5	1 / 3	0 / 4
Percentage of cycles resulting in singleton live births (%)	4 / 7	0 / 2	2 / 5	1 / 3	0 / 4
Percentage of cycles resulting in twin live births (%)	0 / 7	0 / 2	0 / 5	0 / 3	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	4 / 7	0 / 2	2 / 5	1 / 3	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	6 / 16	1 / 6	2 / 11	1 / 10	0 / 14
Percentage of transfers resulting in pregnancies (%)	6 / 7	1 / 2	2 / 4	1 / 3	0 / 4
Percentage of transfers resulting in live births (%)	4 / 7	0 / 2	2 / 4	1 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)	4 / 7	0 / 2	2 / 4	1 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 2	0 / 4	0 / 3	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 7	0 / 2	2 / 4	1 / 3	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	2	1	1	1	0
Number of transfers	2	1	1	1	0
Estimated average number of transfers per retrieval	1.0	1.0	1.0		
Average number of embryos transferred	2.5	3.0	3.0	4.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 5	0 / 3	1 / 3	0 / 4	
Percentage of transfers resulting in pregnancies (%)	1 / 2	0 / 1	1 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 2	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 2	0 / 1	0 / 1	0 / 1	
Number of Egg or Embryo Banking Cycles	0	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	0	2	0
Number of transfers	1	0	2	0
Average number of embryos transferred	4.0		3.5	
Percentage of embryos transferred resulting in implantation (%)	2 / 4		2 / 7	
Percentage of transfers resulting in pregnancies (%)	1 / 1		2 / 2	
Percentage of transfers resulting in live births (%)	1 / 1		1 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 1		1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 1		1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Xpert Fertility Care of California, Minh N. Ho, MD, FACOG

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH
FREMONT, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lisa Farah-Eways, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	0%	PGD/PGS	14%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	7%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	14%	Male factor	38%	Female factors only	5%
Diminished ovarian reserve	44%	Other factor	11%	Female & male factors	19%
Endometriosis	1%	Unknown factor	9%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,262
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	268	184	136	66	41
Percentage of cancellations before retrieval (%)	7.8	3.8	9.6	16.7	17.1
Number of transfers	220	163	96	46	29
Average number of embryos transferred	1.2	1.4	1.9	2.2	2.4
Percentage of elective single embryo transfers (eSET) (%)	75.7	57.0	15.4	2.8	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	54.1	46.7	35.3	30.3	19.5
Percentage of cycles resulting in live births (%)	47.4	34.2	27.9	21.2	19.5
Percentage of cycles resulting in singleton live births (%)	43.3	31.0	23.5	16.7	17.1
Percentage of cycles resulting in twin live births (%)	4.1	3.3	4.4	4.5	2.4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	38.8	27.2	22.1	13.6	9.8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	59.5	40.9	31.6	25.3	12.9
Percentage of transfers resulting in pregnancies (%)	65.9	52.8	50.0	43.5	27.6
Percentage of transfers resulting in live births (%)	57.7	38.7	39.6	30.4	27.6
Percentage of transfers resulting in singleton live births (%)	52.7	35.0	33.3	23.9	24.1
Percentage of transfers resulting in twin live births (%)	5.0	3.7	6.3	6.5	3.4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	47.3	30.7	31.3	19.6	13.8
Frozen Embryos from Nondonor Eggs					
Number of cycles	120	107	84	25	14
Number of transfers	118	106	77	23	13
Estimated average number of transfers per retrieval	1.6	1.5	1.1	0.7	1.9
Average number of embryos transferred	1.2	1.2	1.2	1.1	1.2
Percentage of embryos transferred resulting in implantation (%)	66.2	53.5	58.2	53.8	5 / 13
Percentage of transfers resulting in pregnancies (%)	70.3	60.4	67.5	56.5	7 / 13
Percentage of transfers resulting in live births (%)	63.6	54.7	53.2	52.2	4 / 13
Percentage of transfers resulting in singleton live births (%)	56.8	49.1	49.4	47.8	4 / 13
Percentage of transfers resulting in twin live births (%)	6.8	5.7	2.6	4.3	0 / 13
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	51.7	41.5	44.2	43.5	4 / 13
Number of Egg or Embryo Banking Cycles	36	40	49	30	7
Number of fertility preservation cycles	5	2	0	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	27	0	24	1
Number of transfers	26	0	22	1
Average number of embryos transferred	1.0		1.1	1.0
Percentage of embryos transferred resulting in implantation (%)	92.6		81.8	1 / 1
Percentage of transfers resulting in pregnancies (%)	92.3		81.8	1 / 1
Percentage of transfers resulting in live births (%)	88.5		54.5	1 / 1
Percentage of transfers resulting in singleton live births (%)	84.6		40.9	1 / 1
Percentage of transfers resulting in twin live births (%)	3.8		13.6	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	69.2		31.8	1 / 1

CURRENT SERVICES & PROFILE

Current Name: Kaiser Permanente Center for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARE FERTILITY
GLENDALE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Rudy Quintero, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	PGD/PGS	17%
Used gestational carrier	5%		

Patient Diagnosis[a,b]

Tubal factor	23%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	7%	Male factor	19%	Female factors only	13%
Diminished ovarian reserve	27%	Other factor	28%	Female & male factors	2%
Endometriosis	1%	Unknown factor	9%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 421
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	19	22	18	8	15
Percentage of cancellations before retrieval (%)	2 / 19	18.2	2 / 18	1 / 8	5 / 15
Number of transfers	9	8	6	4	5
Average number of embryos transferred	1.6	1.9	2.3	2.0	2.6
Percentage of elective single embryo transfers (eSET) (%)	1 / 6	0 / 7	0 / 6	0 / 3	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 19	18.2	1 / 18	0 / 8	0 / 15
Percentage of cycles resulting in live births (%)	4 / 19	18.2	1 / 18	0 / 8	0 / 15
Percentage of cycles resulting in singleton live births (%)	3 / 19	9.1	1 / 18	0 / 8	0 / 15
Percentage of cycles resulting in twin live births (%)	1 / 19	9.1	0 / 18	0 / 8	0 / 15
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	3 / 19	9.1	1 / 18	0 / 8	0 / 15
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	6 / 14	6 / 15	1 / 14	0 / 8	0 / 13
Percentage of transfers resulting in pregnancies (%)	5 / 9	4 / 8	1 / 6	0 / 4	0 / 5
Percentage of transfers resulting in live births (%)	4 / 9	4 / 8	1 / 6	0 / 4	0 / 5
Percentage of transfers resulting in singleton live births (%)	3 / 9	2 / 8	1 / 6	0 / 4	0 / 5
Percentage of transfers resulting in twin live births (%)	1 / 9	2 / 8	0 / 6	0 / 4	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 9	2 / 8	1 / 6	0 / 4	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	73	40	37	11	12
Number of transfers	59	36	28	10	11
Estimated average number of transfers per retrieval	1.1	1.3	0.6	0.7	0.7
Average number of embryos transferred	1.7	1.6	1.6	1.6	1.7
Percentage of embryos transferred resulting in implantation (%)	47.4	38.9	46.7	5 / 16	2 / 19
Percentage of transfers resulting in pregnancies (%)	64.4	55.6	64.3	5 / 10	2 / 11
Percentage of transfers resulting in live births (%)	52.5	38.9	50.0	5 / 10	2 / 11
Percentage of transfers resulting in singleton live births (%)	39.0	27.8	39.3	5 / 10	2 / 11
Percentage of transfers resulting in twin live births (%)	13.6	11.1	10.7	0 / 10	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	33.9	27.8	39.3	4 / 10	1 / 11
Number of Egg or Embryo Banking Cycles	48	24	42	13	15
Number of fertility preservation cycles	11	7	11	2	3

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	4	6	14	0
Number of transfers	1	4	13	0
Average number of embryos transferred	2.0	1.3	1.4	
Percentage of embryos transferred resulting in implantation (%)		1 / 4	10 / 18	
Percentage of transfers resulting in pregnancies (%)	1 / 1	2 / 4	7 / 13	
Percentage of transfers resulting in live births (%)	0 / 1	0 / 4	6 / 13	
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 4	3 / 13	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 4	3 / 13	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1	0 / 4	2 / 13	

CURRENT SERVICES & PROFILE

Current Name: CARE Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

MARIN FERTILITY CENTER
GREENBRAE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Peter S. Uzelac, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	73%
Unstimulated	0%	PGD/PGS	48%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	18%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	18%	Male factor	34%	Female factors only	11%
Diminished ovarian reserve	24%	Other factor	19%	Female & male factors	18%
Endometriosis	10%	Unknown factor	11%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 316
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	14	7	4	2	4
Percentage of cancellations before retrieval (%)	0 / 14	0 / 7	0 / 4	0 / 2	0 / 4
Number of transfers	6	3	3	1	2
Average number of embryos transferred	1.5	2.7	2.0	2.0	4.0
Percentage of elective single embryo transfers (eSET) (%)	3 / 6	1 / 3	0 / 2	0 / 1	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 14	1 / 7	1 / 4	0 / 2	0 / 4
Percentage of cycles resulting in live births (%)	1 / 14	1 / 7	1 / 4	0 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	1 / 14	1 / 7	1 / 4	0 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	0 / 14	0 / 7	0 / 4	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 14	1 / 7	1 / 4	0 / 2	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 9	1 / 8	1 / 6	0 / 2	0 / 8
Percentage of transfers resulting in pregnancies (%)	2 / 6	1 / 3	1 / 3	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	1 / 6	1 / 3	1 / 3	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 6	1 / 3	1 / 3	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 3	0 / 3	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 6	1 / 3	1 / 3	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	47	33	17	13	3
Number of transfers	44	32	15	13	3
Estimated average number of transfers per retrieval	1.1	0.7	0.6	0.4	0.1
Average number of embryos transferred	1.4	1.2	1.5	1.2	3.3
Percentage of embryos transferred resulting in implantation (%)	57.4	51.5	43.5	7 / 12	0 / 10
Percentage of transfers resulting in pregnancies (%)	65.9	56.3	8 / 15	10 / 13	0 / 3
Percentage of transfers resulting in live births (%)	50.0	46.9	8 / 15	6 / 13	0 / 3
Percentage of transfers resulting in singleton live births (%)	40.9	40.6	8 / 15	6 / 13	0 / 3
Percentage of transfers resulting in twin live births (%)	9.1	6.3	0 / 15	0 / 13	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.8	21.9	8 / 15	6 / 13	0 / 3
Number of Egg or Embryo Banking Cycles	33	42	25	34	22
Number of fertility preservation cycles	3	6	2	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	1	13	0
Number of transfers	2	1	12	0
Average number of embryos transferred	1.5	1.0	1.7	
Percentage of embryos transferred resulting in implantation (%)	2 / 3	1 / 1	4 / 18	
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 1	5 / 12	
Percentage of transfers resulting in live births (%)	2 / 2	1 / 1	2 / 12	
Percentage of transfers resulting in singleton live births (%)	2 / 2	1 / 1	2 / 12	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	0 / 12	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 2	0 / 1	2 / 12	

CURRENT SERVICES & PROFILE

Current Name: Marin Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COASTAL FERTILITY MEDICAL CENTER, INC.
IRVINE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lawrence B. Werlin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	78%
Unstimulated	0%	PGD/PGS	47%
Used gestational carrier	6%		

Patient Diagnosis[a,b]

Tubal factor	7%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	6%	Male factor	21%	Female factors only	7%
Diminished ovarian reserve	42%	Other factor	18%	Female & male factors	8%
Endometriosis	2%	Unknown factor	21%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 371
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	16	8	10	2	1
Percentage of cancellations before retrieval (%)	0 / 16	2 / 8	8 / 10	0 / 2	0 / 1
Number of transfers	4	3	0	1	0
Average number of embryos transferred	2.3	2.3		2.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 4	0 / 3		0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 16	2 / 8	0 / 10	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	1 / 16	2 / 8	0 / 10	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 16	1 / 8	0 / 10	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 16	1 / 8	0 / 10	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 16	1 / 8	0 / 10	0 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 9	3 / 7		0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 4	2 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	1 / 4	2 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 4	1 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 3		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 4	1 / 3		0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	51	29	20	5	2
Number of transfers	47	26	19	5	2
Estimated average number of transfers per retrieval	0.5	0.6	0.5	0.7	0.2
Average number of embryos transferred	1.8	1.7	1.7	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	21.4	34.9	28.1	1 / 6	2 / 2
Percentage of transfers resulting in pregnancies (%)	36.2	53.8	9 / 19	1 / 5	2 / 2
Percentage of transfers resulting in live births (%)	21.3	38.5	6 / 19	0 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	19.1	34.6	6 / 19	0 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	2.1	3.8	0 / 19	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	19.1	19.2	5 / 19	0 / 5	1 / 2
Number of Egg or Embryo Banking Cycles	91	45	39	7	9
Number of fertility preservation cycles	64	6	3	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	8	0	25	3
Number of transfers	6	0	24	3
Average number of embryos transferred	2.2		1.8	2.0
Percentage of embryos transferred resulting in implantation (%)	5 / 13		27.3	2 / 6
Percentage of transfers resulting in pregnancies (%)	3 / 6		41.7	2 / 3
Percentage of transfers resulting in live births (%)	3 / 6		29.2	2 / 3
Percentage of transfers resulting in singleton live births (%)	1 / 6		20.8	2 / 3
Percentage of transfers resulting in twin live births (%)	2 / 6		8.3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 6		16.7	2 / 3

CURRENT SERVICES & PROFILE

Current Name: Coastal Fertility Medical Center, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF SOUTHERN CALIFORNIA
IRVINE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ilene E. Hatch, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	0%	PGD/PGS	51%
Used gestational carrier	4%		

Patient Diagnosis[a,b]

Tubal factor	16%	Uterine factor	9%	Multiple Factors:	
Ovulatory dysfunction	18%	Male factor	28%	Female factors only	23%
Diminished ovarian reserve	43%	Other factor	20%	Female & male factors	19%
Endometriosis	10%	Unknown factor	8%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 231
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	7	6	6	4	2
Percentage of cancellations before retrieval (%)	1 / 7	0 / 6	1 / 6	1 / 4	1 / 2
Number of transfers	1	3	1	1	1
Average number of embryos transferred	1.0	2.0	4.0	3.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 1	0 / 2	0 / 1	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 7	2 / 6	1 / 6	0 / 4	1 / 2
Percentage of cycles resulting in live births (%)	1 / 7	2 / 6	0 / 6	0 / 4	1 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 7	1 / 6	0 / 6	0 / 4	1 / 2
Percentage of cycles resulting in twin live births (%)	0 / 7	0 / 6	0 / 6	0 / 4	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 7	1 / 6	0 / 6	0 / 4	1 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 1	5 / 6	1 / 4	0 / 3	1 / 3
Percentage of transfers resulting in pregnancies (%)	1 / 1	2 / 3	1 / 1	0 / 1	1 / 1
Percentage of transfers resulting in live births (%)	1 / 1	2 / 3	0 / 1	0 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 3	0 / 1	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 3	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 1	1 / 3	0 / 1	0 / 1	1 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	26	27	21	18	5
Number of transfers	26	25	18	17	5
Estimated average number of transfers per retrieval	1.0	1.1	0.9	0.9	0.6
Average number of embryos transferred	1.2	1.3	1.2	1.2	1.6
Percentage of embryos transferred resulting in implantation (%)	79.3	69.0	63.6	10 / 19	3 / 8
Percentage of transfers resulting in pregnancies (%)	76.9	76.0	13 / 18	10 / 17	3 / 5
Percentage of transfers resulting in live births (%)	65.4	68.0	12 / 18	9 / 17	2 / 5
Percentage of transfers resulting in singleton live births (%)	53.8	56.0	11 / 18	8 / 17	2 / 5
Percentage of transfers resulting in twin live births (%)	11.5	12.0	1 / 18	1 / 17	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	53.8	56.0	10 / 18	6 / 17	2 / 5
Number of Egg or Embryo Banking Cycles	24	22	16	19	8
Number of fertility preservation cycles	2	4	2	3	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	16	3
Number of transfers	0	0	15	3
Average number of embryos transferred			1.2	1.3
Percentage of embryos transferred resulting in implantation (%)			14 / 18	2 / 4
Percentage of transfers resulting in pregnancies (%)			12 / 15	2 / 3
Percentage of transfers resulting in live births (%)			10 / 15	2 / 3
Percentage of transfers resulting in singleton live births (%)			8 / 15	2 / 3
Percentage of transfers resulting in twin live births (%)			2 / 15	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			7 / 15	2 / 3

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Southern California

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

LIFE IVF CENTER
IRVINE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Frank D. Yelian, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated	75%	PGD/PGS	53%
Used gestational carrier	17%		

Patient Diagnosis[a,b]

Tubal factor	11%	Uterine factor	15%	Multiple Factors:	
Ovulatory dysfunction	8%	Male factor	29%	Female factors only	26%
Diminished ovarian reserve	50%	Other factor	20%	Female & male factors	26%
Endometriosis	14%	Unknown factor	27%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 2,991
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	4	5	5	2	4
Percentage of cancellations before retrieval (%)	0 / 4	0 / 5	0 / 5	0 / 2	0 / 4
Number of transfers	4	5	5	2	4
Average number of embryos transferred	1.3	1.0	1.2	1.0	1.3
Percentage of elective single embryo transfers (eSET) (%)	0 / 1		0 / 1		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 4	1 / 5	1 / 5	0 / 2	0 / 4
Percentage of cycles resulting in live births (%)	1 / 4	1 / 5	0 / 5	0 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	1 / 4	1 / 5	0 / 5	0 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	0 / 4	0 / 5	0 / 5	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 4	1 / 5	0 / 5	0 / 2	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 5	1 / 5	0 / 5	0 / 2	0 / 5
Percentage of transfers resulting in pregnancies (%)	2 / 4	1 / 5	1 / 5	0 / 2	0 / 4
Percentage of transfers resulting in live births (%)	1 / 4	1 / 5	0 / 5	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	1 / 4	1 / 5	0 / 5	0 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 5	0 / 5	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 4	1 / 5	0 / 5	0 / 2	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	104	104	137	63	100
Number of transfers	104	104	135	63	99
Estimated average number of transfers per retrieval	0.4	0.4	0.3	0.2	0.1
Average number of embryos transferred	1.2	1.2	1.2	1.1	1.3
Percentage of embryos transferred resulting in implantation (%)	64.2	60.5	52.0	51.5	23.1
Percentage of transfers resulting in pregnancies (%)	71.2	65.4	58.5	58.7	28.3
Percentage of transfers resulting in live births (%)	62.5	56.7	48.9	42.9	21.2
Percentage of transfers resulting in singleton live births (%)	57.7	51.9	46.7	41.3	16.2
Percentage of transfers resulting in twin live births (%)	4.8	4.8	2.2	1.6	5.1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	53.8	46.2	40.0	33.3	15.2
Number of Egg or Embryo Banking Cycles	297	290	480	370	944
Number of fertility preservation cycles	6	5	8	6	13

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	80	2
Number of transfers	0	0	80	2
Average number of embryos transferred			1.3	1.0
Percentage of embryos transferred resulting in implantation (%)			57.6	1 / 2
Percentage of transfers resulting in pregnancies (%)			66.3	1 / 2
Percentage of transfers resulting in live births (%)			55.0	0 / 2
Percentage of transfers resulting in singleton live births (%)			47.5	0 / 2
Percentage of transfers resulting in twin live births (%)			7.5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			37.5	0 / 2

CURRENT SERVICES & PROFILE

Current Name: Life IVF Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE FERTILITY CENTER
LINFERTILITY FAMILY FOUNDATION
IRVINE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James P. Lin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	98%
Unstimulated	11%	PGD/PGS	61%
Used gestational carrier	6%		

Patient Diagnosis[a,b]

Tubal factor	6%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	3%	Male factor	25%	Female factors only	10%
Diminished ovarian reserve	35%	Other factor	22%	Female & male factors	5%
Endometriosis	1%	Unknown factor	18%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 819
(includes 5 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	14	8	8	2	2
Percentage of cancellations before retrieval (%)	0 / 14	0 / 8	0 / 8	0 / 2	1 / 2
Number of transfers	14	8	7	2	1
Average number of embryos transferred	1.7	1.8	1.6	3.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	4 / 14	1 / 7	0 / 4	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	8 / 14	6 / 8	2 / 8	1 / 2	0 / 2
Percentage of cycles resulting in live births (%)	8 / 14	2 / 8	1 / 8	1 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	5 / 14	2 / 8	1 / 8	1 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	3 / 14	0 / 8	0 / 8	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	4 / 14	1 / 8	0 / 8	1 / 2	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.8	5 / 12	2 / 11	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	8 / 14	6 / 8	2 / 7	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)	8 / 14	2 / 8	1 / 7	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 14	2 / 8	1 / 7	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 14	0 / 8	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 14	1 / 8	0 / 7	1 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	126	77	41	15	14
Number of transfers	126	77	41	15	14
Estimated average number of transfers per retrieval	0.9	0.8	0.5	0.4	0.2
Average number of embryos transferred	1.5	1.6	1.5	1.3	1.9
Percentage of embryos transferred resulting in implantation (%)	57.6	47.0	43.3	5 / 17	48.1
Percentage of transfers resulting in pregnancies (%)	63.5	59.7	63.4	7 / 15	10 / 14
Percentage of transfers resulting in live births (%)	54.8	50.6	51.2	5 / 15	5 / 14
Percentage of transfers resulting in singleton live births (%)	38.1	41.6	48.8	5 / 15	4 / 14
Percentage of transfers resulting in twin live births (%)	15.1	9.1	2.4	0 / 15	1 / 14
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.6	37.7	36.6	5 / 15	3 / 14
Number of Egg or Embryo Banking Cycles	143	92	84	40	90
Number of fertility preservation cycles	1	2	2	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	3	1	54	0
Number of transfers	3	1	54	0
Average number of embryos transferred	2.0	1.0	1.4	
Percentage of embryos transferred resulting in implantation (%)	3 / 4		59.7	
Percentage of transfers resulting in pregnancies (%)	3 / 3	0 / 1	70.4	
Percentage of transfers resulting in live births (%)	2 / 3	0 / 1	53.7	
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 1	44.4	
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 1	9.3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 3	0 / 1	40.7	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Fertility Center, LinFertility Family Foundation

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

REPRODUCTIVE PARTNERS FERTILITY CENTER-SAN DIEGO
LA JOLLA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by V. Gabriel Garzo, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	0%	PGD/PGS	53%
Used gestational carrier	4%		

Patient Diagnosis[a,b]

Tubal factor	6%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	7%	Male factor	26%	Female factors only	2%
Diminished ovarian reserve	27%	Other factor	16%	Female & male factors	2%
Endometriosis	4%	Unknown factor	14%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 900
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	76	56	50	23	26
Percentage of cancellations before retrieval (%)	9.2	12.5	30.0	17.4	42.3
Number of transfers	0	1	0	0	0
Average number of embryos transferred		1.0			
Percentage of elective single embryo transfers (eSET) (%)		1 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0.0	1.8	0.0	0.0	0.0
Percentage of cycles resulting in live births (%)	0.0	1.8	0.0	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	0.0	0.0	0.0	0.0	0.0
Percentage of cycles resulting in twin live births (%)	0.0	1.8	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0.0	0.0	0.0	0.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		2 / 1			
Percentage of transfers resulting in pregnancies (%)		1 / 1			
Percentage of transfers resulting in live births (%)		1 / 1			
Percentage of transfers resulting in singleton live births (%)		0 / 1			
Percentage of transfers resulting in twin live births (%)		1 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	142	106	92	48	24
Number of transfers	120	87	81	38	18
Estimated average number of transfers per retrieval	1.3	1.2	1.2	1.0	0.6
Average number of embryos transferred	1.1	1.1	1.1	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)	72.6	62.8	60.5	39.5	11 / 18
Percentage of transfers resulting in pregnancies (%)	75.8	63.2	64.2	47.4	10 / 18
Percentage of transfers resulting in live births (%)	63.3	50.6	48.1	34.2	8 / 18
Percentage of transfers resulting in singleton live births (%)	60.8	46.0	46.9	34.2	8 / 18
Percentage of transfers resulting in twin live births (%)	2.5	4.6	1.2	0.0	0 / 18
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	58.3	41.4	42.0	34.2	6 / 18
Number of Egg or Embryo Banking Cycles	36	48	35	24	28
Number of fertility preservation cycles	23	27	16	4	7

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	14	0	69	3
Number of transfers	3	0	53	3
Average number of embryos transferred	1.0		1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	2 / 3		70.0	2 / 3
Percentage of transfers resulting in pregnancies (%)	2 / 3		69.8	2 / 3
Percentage of transfers resulting in live births (%)	2 / 3		52.8	2 / 3
Percentage of transfers resulting in singleton live births (%)	2 / 3		52.8	2 / 3
Percentage of transfers resulting in twin live births (%)	0 / 3		0.0	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 3		37.7	1 / 3

CURRENT SERVICES & PROFILE

Current Name: Reproductive Partners Fertility Center-San Diego

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

LOMA LINDA UNIVERSITY CENTER FOR FERTILITY AND IVF
LOMA LINDA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John D. Jacobson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	<1%	PGD/PGS	8%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	18%	Uterine factor	17%	Multiple Factors:	
Ovulatory dysfunction	28%	Male factor	43%	Female factors only	22%
Diminished ovarian reserve	46%	Other factor	12%	Female & male factors	35%
Endometriosis	13%	Unknown factor	6%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 312
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	63	43	30	12	4
Percentage of cancellations before retrieval (%)	1.6	16.3	23.3	3 / 12	2 / 4
Number of transfers	48	31	14	6	1
Average number of embryos transferred	2.0	2.1	2.1	2.7	3.0
Percentage of elective single embryo transfers (eSET) (%)	6.3	6.9	4 / 11	0 / 6	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	46.0	41.9	10.0	1 / 12	0 / 4
Percentage of cycles resulting in live births (%)	39.7	30.2	3.3	1 / 12	0 / 4
Percentage of cycles resulting in singleton live births (%)	27.0	27.9	3.3	1 / 12	0 / 4
Percentage of cycles resulting in twin live births (%)	12.7	2.3	0.0	0 / 12	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	25.4	25.6	0.0	1 / 12	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.7	28.8	10.3	1 / 16	0 / 3
Percentage of transfers resulting in pregnancies (%)	60.4	58.1	3 / 14	1 / 6	0 / 1
Percentage of transfers resulting in live births (%)	52.1	41.9	1 / 14	1 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.4	38.7	1 / 14	1 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	16.7	3.2	0 / 14	0 / 6	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	33.3	35.5	0 / 14	1 / 6	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	25	24	5	3
Number of transfers	38	20	20	4	3
Estimated average number of transfers per retrieval	1.5	1.0	1.5	0.6	1.0
Average number of embryos transferred	1.8	2.0	2.2	2.0	2.7
Percentage of embryos transferred resulting in implantation (%)	34.8	30.8	19.0	1 / 8	0 / 8
Percentage of transfers resulting in pregnancies (%)	55.3	55.0	40.0	1 / 4	0 / 3
Percentage of transfers resulting in live births (%)	42.1	50.0	10.0	1 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	34.2	45.0	10.0	1 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)	7.9	5.0	0.0	0 / 4	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.2	40.0	10.0	1 / 4	0 / 3
Number of Egg or Embryo Banking Cycles	12	12	5	4	2
Number of fertility preservation cycles	5	7	3	0	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	5	0	11	11
Number of transfers	3	0	11	9
Average number of embryos transferred	1.7		1.8	2.4
Percentage of embryos transferred resulting in implantation (%)	5 / 5		5.0	18.2
Percentage of transfers resulting in pregnancies (%)	3 / 3		1 / 11	4 / 9
Percentage of transfers resulting in live births (%)	1 / 3		1 / 11	1 / 9
Percentage of transfers resulting in singleton live births (%)	1 / 3		1 / 11	1 / 9
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 11	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 3		1 / 11	1 / 9

CURRENT SERVICES & PROFILE

Current Name: Loma Linda University Center for Fertility and IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA FERTILITY PARTNERS
LOS ANGELES, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard P. Marrs, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	0%	PGD/PGS	44%
Used gestational carrier	33%		

Patient Diagnosis[a,b]

Tubal factor	9%	Uterine factor	32%	Multiple Factors:	
Ovulatory dysfunction	5%	Male factor	26%	Female factors only	40%
Diminished ovarian reserve	50%	Other factor	66%	Female & male factors	23%
Endometriosis	8%	Unknown factor	1%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,372
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	46	47	42	42	54
Percentage of cancellations before retrieval (%)	15.2	19.1	38.1	50.0	53.7
Number of transfers	26	22	10	8	10
Average number of embryos transferred	1.5	1.4	1.7	1.8	1.4
Percentage of elective single embryo transfers (eSET) (%)	35.0	7 / 16	2 / 7	0 / 5	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.4	12.8	9.5	2.4	9.3
Percentage of cycles resulting in live births (%)	26.1	8.5	7.1	2.4	7.4
Percentage of cycles resulting in singleton live births (%)	19.6	4.3	4.8	2.4	7.4
Percentage of cycles resulting in twin live births (%)	6.5	4.3	2.4	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	15.2	4.3	4.8	2.4	5.6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.2	32.3	5 / 17	1 / 14	5 / 14
Percentage of transfers resulting in pregnancies (%)	53.8	27.3	4 / 10	1 / 8	5 / 10
Percentage of transfers resulting in live births (%)	46.2	18.2	3 / 10	1 / 8	4 / 10
Percentage of transfers resulting in singleton live births (%)	34.6	9.1	2 / 10	1 / 8	4 / 10
Percentage of transfers resulting in twin live births (%)	11.5	9.1	1 / 10	0 / 8	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.9	9.1	2 / 10	1 / 8	3 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	74	69	90	41	71
Number of transfers	62	61	69	34	57
Estimated average number of transfers per retrieval	0.7	0.6	0.6	0.3	0.4
Average number of embryos transferred	1.3	1.3	1.4	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	58.8	44.7	43.0	51.2	41.7
Percentage of transfers resulting in pregnancies (%)	62.9	52.5	53.6	61.8	57.9
Percentage of transfers resulting in live births (%)	58.1	44.3	40.6	58.8	52.6
Percentage of transfers resulting in singleton live births (%)	48.4	41.0	33.3	58.8	49.1
Percentage of transfers resulting in twin live births (%)	9.7	3.3	7.2	0.0	3.5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	35.5	34.4	31.9	50.0	43.9
Number of Egg or Embryo Banking Cycles	83	96	114	115	153
Number of fertility preservation cycles	15	25	11	2	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	38	4	183	9
Number of transfers	25	4	159	7
Average number of embryos transferred	1.7	1.5	1.4	1.7
Percentage of embryos transferred resulting in implantation (%)	54.8	2 / 6	52.6	5 / 10
Percentage of transfers resulting in pregnancies (%)	68.0	1 / 4	61.6	5 / 7
Percentage of transfers resulting in live births (%)	68.0	1 / 4	54.7	3 / 7
Percentage of transfers resulting in singleton live births (%)	48.0	0 / 4	45.9	2 / 7
Percentage of transfers resulting in twin live births (%)	20.0	1 / 4	7.5	1 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	24.0	0 / 4	34.0	0 / 7

CURRENT SERVICES & PROFILE

Current Name: California Fertility Partners

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CEDARS SINAI MEDICAL CENTER
CENTER FOR FERTILITY AND REPRODUCTIVE MEDICINE
LOS ANGELES, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Margareta D. Pisarska, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	71%
Unstimulated	0%	PGD/PGS	27%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	16%	Uterine factor	22%	Multiple Factors:	
Ovulatory dysfunction	8%	Male factor	43%	Female factors only	13%
Diminished ovarian reserve	54%	Other factor	18%	Female & male factors	33%
Endometriosis	2%	Unknown factor	2%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 125
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	4	8	5	10	2
Percentage of cancellations before retrieval (%)	0 / 4	2 / 8	0 / 5	3 / 10	1 / 2
Number of transfers	3	3	3	5	1
Average number of embryos transferred	1.3	1.3	1.3	1.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 3	2 / 3	1 / 2	1 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 4	3 / 8	1 / 5	1 / 10	0 / 2
Percentage of cycles resulting in live births (%)	1 / 4	2 / 8	1 / 5	1 / 10	0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 4	2 / 8	0 / 5	1 / 10	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 4	0 / 8	1 / 5	0 / 10	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 4	2 / 8	0 / 5	1 / 10	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 4	3 / 4	2 / 4	1 / 9	0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 3	3 / 3	1 / 3	1 / 5	0 / 1
Percentage of transfers resulting in live births (%)	1 / 3	2 / 3	1 / 3	1 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 3	2 / 3	0 / 3	1 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 3	1 / 3	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 3	2 / 3	0 / 3	1 / 5	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	2	8	1	2
Number of transfers	12	2	8	1	2
Estimated average number of transfers per retrieval	0.5	0.2	0.5	0.1	2.0
Average number of embryos transferred	1.1	1.5	1.1	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	6 / 13	1 / 3	5 / 9	2 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	6 / 12	1 / 2	5 / 8	1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	6 / 12	1 / 2	5 / 8	1 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	6 / 12	1 / 2	5 / 8	1 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 2	0 / 8	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 12	1 / 2	5 / 8	1 / 1	0 / 2
Number of Egg or Embryo Banking Cycles	22	11	16	13	0
Number of fertility preservation cycles	9	4	7	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	6	0	2	0
Number of transfers	5	0	2	0
Average number of embryos transferred	1.2		1.5	
Percentage of embryos transferred resulting in implantation (%)	2 / 6		1 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 5		2 / 2	
Percentage of transfers resulting in live births (%)	2 / 5		1 / 2	
Percentage of transfers resulting in singleton live births (%)	2 / 5		1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 5		0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 5		1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Cedars Sinai Medical Center, Center for Fertility and Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHA FERTILITY CENTER
LOS ANGELES, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Joshua J. Berger, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	5%	PGD/PGS	49%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	6%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	3%	Male factor	19%	Female factors only	3%
Diminished ovarian reserve	48%	Other factor	12%	Female & male factors	4%
Endometriosis	3%	Unknown factor	12%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 306
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	8	10	6	2	6
Percentage of cancellations before retrieval (%)	0 / 8	0 / 10	1 / 6	1 / 2	1 / 6
Number of transfers	3	4	2	1	2
Average number of embryos transferred	2.3	1.8	1.5	2.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 3	0 / 1	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 8	1 / 10	0 / 6	0 / 2	0 / 6
Percentage of cycles resulting in live births (%)	3 / 8	0 / 10	0 / 6	0 / 2	0 / 6
Percentage of cycles resulting in singleton live births (%)	0 / 8	0 / 10	0 / 6	0 / 2	0 / 6
Percentage of cycles resulting in twin live births (%)	3 / 8	0 / 10	0 / 6	0 / 2	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 8	0 / 10	0 / 6	0 / 2	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	7 / 7	1 / 7	0 / 3	0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	3 / 3	1 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	3 / 3	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 3	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	3 / 3	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 3	0 / 4	0 / 2	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	44	21	15	5	3
Number of transfers	44	19	14	5	3
Estimated average number of transfers per retrieval	1.4	0.7	0.7	0.4	0.1
Average number of embryos transferred	1.7	1.6	1.5	1.6	1.3
Percentage of embryos transferred resulting in implantation (%)	49.3	48.4	42.9	5 / 8	2 / 4
Percentage of transfers resulting in pregnancies (%)	61.4	14 / 19	9 / 14	3 / 5	2 / 3
Percentage of transfers resulting in live births (%)	54.5	12 / 19	8 / 14	3 / 5	2 / 3
Percentage of transfers resulting in singleton live births (%)	38.6	11 / 19	8 / 14	1 / 5	2 / 3
Percentage of transfers resulting in twin live births (%)	13.6	1 / 19	0 / 14	2 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.1	10 / 19	8 / 14	1 / 5	2 / 3
Number of Egg or Embryo Banking Cycles	28	24	20	12	26
Number of fertility preservation cycles	4	9	2	6	9

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	8	1	66	0
Number of transfers	2	1	65	0
Average number of embryos transferred	1.5	2.0	1.9	
Percentage of embryos transferred resulting in implantation (%)	2 / 3	3 / 2	46.7	
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 1	63.1	
Percentage of transfers resulting in live births (%)	2 / 2	1 / 1	61.5	
Percentage of transfers resulting in singleton live births (%)	2 / 2	0 / 1	38.5	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	23.1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 2	0 / 1	26.2	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: CHA Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CMD FERTILITY
LOS ANGELES, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Catherine M. DeUgarte, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	70%
Unstimulated	0%	PGD/PGS	62%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	6%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	11%	Male factor	24%	Female factors only	15%
Diminished ovarian reserve	33%	Other factor	36%	Female & male factors	9%
Endometriosis	0%	Unknown factor	23%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 203
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	8	16	5	4
Percentage of cancellations before retrieval (%)	0 / 3	0 / 8	0 / 16	0 / 5	0 / 4
Number of transfers	3	7	12	1	2
Average number of embryos transferred	1.7	1.3	1.5	1.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 3	1 / 3	1 / 7		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 3	2 / 8	5 / 16	0 / 5	0 / 4
Percentage of cycles resulting in live births (%)	1 / 3	1 / 8	4 / 16	0 / 5	0 / 4
Percentage of cycles resulting in singleton live births (%)	0 / 3	1 / 8	4 / 16	0 / 5	0 / 4
Percentage of cycles resulting in twin live births (%)	1 / 3	0 / 8	0 / 16	0 / 5	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 3	1 / 8	4 / 16	0 / 5	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 5	2 / 9	5 / 18	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 3	2 / 7	5 / 12	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	1 / 3	1 / 7	4 / 12	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 7	4 / 12	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 7	0 / 12	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 3	1 / 7	4 / 12	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	21	19	19	3	2
Number of transfers	21	19	18	3	2
Estimated average number of transfers per retrieval	0.8	0.9	0.6	0.3	0.2
Average number of embryos transferred	1.2	1.3	1.3	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	52.0	58.3	47.6	4 / 4	2 / 2
Percentage of transfers resulting in pregnancies (%)	57.1	11 / 19	10 / 18	3 / 3	2 / 2
Percentage of transfers resulting in live births (%)	52.4	11 / 19	7 / 18	3 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)	47.6	8 / 19	5 / 18	2 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)	4.8	3 / 19	2 / 18	1 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	42.9	4 / 19	5 / 18	2 / 3	1 / 2
Number of Egg or Embryo Banking Cycles	24	21	29	9	10
Number of fertility preservation cycles	12	12	18	7	7

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	3	0	7	0
Number of transfers	3	0	7	0
Average number of embryos transferred	1.7		1.7	
Percentage of embryos transferred resulting in implantation (%)	1 / 5		7 / 12	
Percentage of transfers resulting in pregnancies (%)	1 / 3		4 / 7	
Percentage of transfers resulting in live births (%)	1 / 3		4 / 7	
Percentage of transfers resulting in singleton live births (%)	1 / 3		3 / 7	
Percentage of transfers resulting in twin live births (%)	0 / 3		1 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 3		3 / 7	

CURRENT SERVICES & PROFILE

Current Name: CMD Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

PACIFIC FERTILITY CENTER-LOS ANGELES
LOS ANGELES, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Vicken Sahakian, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	PGD/PGS	73%
Used gestational carrier	24%		

Patient Diagnosis[a,b]

Tubal factor	5%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	1%	Male factor	21%	Female factors only	3%
Diminished ovarian reserve	5%	Other factor	41%	Female & male factors	3%
Endometriosis	2%	Unknown factor	28%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 366
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	2	3	2	2
Percentage of cancellations before retrieval (%)	0 / 3	0 / 2	0 / 3	0 / 2	0 / 2
Number of transfers	3	1	2	2	2
Average number of embryos transferred	2.0	2.0	1.0	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	0 / 1		0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 3	0 / 2	1 / 3	2 / 2	1 / 2
Percentage of cycles resulting in live births (%)	1 / 3	0 / 2	1 / 3	0 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 3	0 / 2	1 / 3	0 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 3	0 / 2	0 / 3	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 3	0 / 2	1 / 3	0 / 2	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 4	0 / 2	1 / 2	1 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 3	0 / 1	1 / 2	2 / 2	1 / 2
Percentage of transfers resulting in live births (%)	1 / 3	0 / 1	1 / 2	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 1	1 / 2	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 1	0 / 2	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 3	0 / 1	1 / 2	0 / 2	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	55	36	9	4	5
Number of transfers	51	34	9	4	5
Estimated average number of transfers per retrieval	0.8	0.6	0.3	0.3	0.2
Average number of embryos transferred	1.6	1.6	1.7	1.5	1.2
Percentage of embryos transferred resulting in implantation (%)	51.9	51.9	4 / 11	1 / 3	2 / 6
Percentage of transfers resulting in pregnancies (%)	68.6	67.6	5 / 9	2 / 4	2 / 5
Percentage of transfers resulting in live births (%)	51.0	58.8	2 / 9	1 / 4	2 / 5
Percentage of transfers resulting in singleton live births (%)	37.3	44.1	2 / 9	1 / 4	2 / 5
Percentage of transfers resulting in twin live births (%)	13.7	14.7	0 / 9	0 / 4	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	17.6	20.6	1 / 9	1 / 4	1 / 5
Number of Egg or Embryo Banking Cycles	60	57	28	15	27
Number of fertility preservation cycles	3	10	1	3	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	3	0	52	0
Number of transfers	3	0	47	0
Average number of embryos transferred	1.7		1.5	
Percentage of embryos transferred resulting in implantation (%)	1 / 5		54.4	
Percentage of transfers resulting in pregnancies (%)	1 / 3		66.0	
Percentage of transfers resulting in live births (%)	1 / 3		48.9	
Percentage of transfers resulting in singleton live births (%)	1 / 3		34.0	
Percentage of transfers resulting in twin live births (%)	0 / 3		14.9	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 3		2.1	

CURRENT SERVICES & PROFILE

Current Name: Pacific Fertility Center-Los Angeles

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCLA FERTILITY CENTER
LOS ANGELES, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kathleen M. Brennan, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	51%
Unstimulated	0%	PGD/PGS	37%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	<1%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	21%	Male factor	23%	Female factors only	7%
Diminished ovarian reserve	2%	Other factor	38%	Female & male factors	10%
Endometriosis	11%	Unknown factor	21%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 232
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	2	5	2	4
Percentage of cancellations before retrieval (%)		1 / 2	2 / 5	0 / 2	0 / 4
Number of transfers	0	0	3	2	4
Average number of embryos transferred			1.7	1.5	2.8
Percentage of elective single embryo transfers (eSET) (%)			1 / 3	0 / 1	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)		0 / 2	2 / 5	0 / 2	1 / 4
Percentage of cycles resulting in live births (%)		0 / 2	1 / 5	0 / 2	1 / 4
Percentage of cycles resulting in singleton live births (%)		0 / 2	1 / 5	0 / 2	1 / 4
Percentage of cycles resulting in twin live births (%)		0 / 2	0 / 5	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)		0 / 2	1 / 5	0 / 2	1 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)			2 / 5	0 / 3	1 / 11
Percentage of transfers resulting in pregnancies (%)			2 / 3	0 / 2	1 / 4
Percentage of transfers resulting in live births (%)			1 / 3	0 / 2	1 / 4
Percentage of transfers resulting in singleton live births (%)			1 / 3	0 / 2	1 / 4
Percentage of transfers resulting in twin live births (%)			0 / 3	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			1 / 3	0 / 2	1 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	55	21	10	6	5
Number of transfers	48	16	9	6	5
Estimated average number of transfers per retrieval	1.3	0.7	0.5	0.3	0.3
Average number of embryos transferred	1.1	1.3	1.2	1.2	1.4
Percentage of embryos transferred resulting in implantation (%)	61.5	8 / 19	6 / 10	4 / 7	1 / 7
Percentage of transfers resulting in pregnancies (%)	66.7	7 / 16	7 / 9	3 / 6	1 / 5
Percentage of transfers resulting in live births (%)	56.3	6 / 16	6 / 9	3 / 6	1 / 5
Percentage of transfers resulting in singleton live births (%)	54.2	5 / 16	6 / 9	2 / 6	1 / 5
Percentage of transfers resulting in twin live births (%)	2.1	1 / 16	0 / 9	1 / 6	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	47.9	4 / 16	6 / 9	2 / 6	1 / 5
Number of Egg or Embryo Banking Cycles	36	24	17	20	16
Number of fertility preservation cycles	1	12	2	6	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	9	0
Number of transfers	0	0	9	0
Average number of embryos transferred			1.1	
Percentage of embryos transferred resulting in implantation (%)			5 / 10	
Percentage of transfers resulting in pregnancies (%)			5 / 9	
Percentage of transfers resulting in live births (%)			5 / 9	
Percentage of transfers resulting in singleton live births (%)			5 / 9	
Percentage of transfers resulting in twin live births (%)			0 / 9	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			4 / 9	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: UCLA Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

USC FERTILITY
LOS ANGELES, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard J. Paulson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	<1%	PGD/PGS	10%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	6%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	11%	Male factor	43%	Female factors only	14%
Diminished ovarian reserve	61%	Other factor	20%	Female & male factors	38%
Endometriosis	8%	Unknown factor	7%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 783
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	68	85	84	53	44
Percentage of cancellations before retrieval (%)	0.0	4.7	6.0	0.0	4.5
Number of transfers	51	68	70	48	35
Average number of embryos transferred	1.8	2.3	2.7	3.3	2.9
Percentage of elective single embryo transfers (eSET) (%)	15.6	3.3	3.1	2.2	3.2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.6	35.3	39.3	26.4	9.1
Percentage of cycles resulting in live births (%)	36.8	28.2	26.2	17.0	2.3
Percentage of cycles resulting in singleton live births (%)	27.9	21.2	23.8	13.2	2.3
Percentage of cycles resulting in twin live births (%)	8.8	7.1	2.4	3.8	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	25.0	20.0	15.5	7.5	2.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.4	26.6	19.0	9.0	2.1
Percentage of transfers resulting in pregnancies (%)	56.9	44.1	47.1	29.2	11.4
Percentage of transfers resulting in live births (%)	49.0	35.3	31.4	18.8	2.9
Percentage of transfers resulting in singleton live births (%)	37.3	26.5	28.6	14.6	2.9
Percentage of transfers resulting in twin live births (%)	11.8	8.8	2.9	4.2	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	33.3	25.0	18.6	8.3	2.9
Frozen Embryos from Nondonor Eggs					
Number of cycles	49	29	25	11	19
Number of transfers	48	29	25	10	19
Estimated average number of transfers per retrieval	0.6	0.3	0.3	0.3	0.8
Average number of embryos transferred	1.7	1.6	2.1	1.8	2.0
Percentage of embryos transferred resulting in implantation (%)	38.8	34.1	30.4	2 / 18	17.1
Percentage of transfers resulting in pregnancies (%)	56.3	51.7	64.0	2 / 10	6 / 19
Percentage of transfers resulting in live births (%)	50.0	31.0	36.0	2 / 10	4 / 19
Percentage of transfers resulting in singleton live births (%)	39.6	31.0	32.0	2 / 10	3 / 19
Percentage of transfers resulting in twin live births (%)	10.4	0.0	4.0	0 / 10	1 / 19
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.3	31.0	32.0	1 / 10	2 / 19
Number of Egg or Embryo Banking Cycles	65	71	63	33	18
Number of fertility preservation cycles	63	63	56	28	13

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	24	14	21	0
Number of transfers	17	14	21	0
Average number of embryos transferred	1.6	1.9	1.6	
Percentage of embryos transferred resulting in implantation (%)	61.5	23.8	52.9	
Percentage of transfers resulting in pregnancies (%)	12 / 17	7 / 14	66.7	
Percentage of transfers resulting in live births (%)	7 / 17	3 / 14	57.1	
Percentage of transfers resulting in singleton live births (%)	4 / 17	2 / 14	42.9	
Percentage of transfers resulting in twin live births (%)	2 / 17	1 / 14	14.3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 17	1 / 14	38.1	

CURRENT SERVICES & PROFILE

Current Name: USC Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

INNOVATIVE FERTILITY CENTER
MANHATTAN BEACH, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark J. Rispler, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	98%
Unstimulated	0%	PGD/PGS	9%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	0%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	0%	Male factor	15%	Female factors only	11%
Diminished ovarian reserve	11%	Other factor	57%	Female & male factors	0%
Endometriosis	0%	Unknown factor	28%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 133
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	1	0	0	0
Percentage of cancellations before retrieval (%)		0 / 1			
Number of transfers	0	1	0	0	0
Average number of embryos transferred		1.0			
Percentage of elective single embryo transfers (eSET) (%)		1 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)		1 / 1			
Percentage of cycles resulting in live births (%)		1 / 1			
Percentage of cycles resulting in singleton live births (%)		1 / 1			
Percentage of cycles resulting in twin live births (%)		0 / 1			
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)		0 / 1			
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		1 / 1			
Percentage of transfers resulting in pregnancies (%)		1 / 1			
Percentage of transfers resulting in live births (%)		1 / 1			
Percentage of transfers resulting in singleton live births (%)		1 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	11	8	14	3	3
Number of transfers	11	8	14	3	3
Estimated average number of transfers per retrieval	0.7	0.4	0.5	0.3	0.2
Average number of embryos transferred	1.3	1.3	1.6	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	10 / 14	6 / 10	43.5	0 / 4	3 / 6
Percentage of transfers resulting in pregnancies (%)	9 / 11	6 / 8	9 / 14	0 / 3	2 / 3
Percentage of transfers resulting in live births (%)	9 / 11	6 / 8	8 / 14	0 / 3	1 / 3
Percentage of transfers resulting in singleton live births (%)	8 / 11	6 / 8	7 / 14	0 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	1 / 11	0 / 8	1 / 14	0 / 3	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	7 / 11	5 / 8	7 / 14	0 / 3	0 / 3
Number of Egg or Embryo Banking Cycles	16	18	28	10	14
Number of fertility preservation cycles	13	15	24	7	11

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	3	0	4	0
Number of transfers	3	0	4	0
Average number of embryos transferred	2.0		1.3	
Percentage of embryos transferred resulting in implantation (%)	2 / 6		3 / 5	
Percentage of transfers resulting in pregnancies (%)	2 / 3		3 / 4	
Percentage of transfers resulting in live births (%)	2 / 3		2 / 4	
Percentage of transfers resulting in singleton live births (%)	2 / 3		2 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 3		2 / 4	

CURRENT SERVICES & PROFILE

Current Name: Innovative Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE FERTILITY AND GYNECOLOGY CENTER
MONTEREY BAY IVF
MONTEREY, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Edward J. Ramirez, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	PGD/PGS	1%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	21%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	35%	Male factor	29%	Female factors only	20%
Diminished ovarian reserve	20%	Other factor	28%	Female & male factors	20%
Endometriosis	1%	Unknown factor	8%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 107
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	18	11	10	8	2
Percentage of cancellations before retrieval (%)	0 / 18	0 / 11	2 / 10	1 / 8	0 / 2
Number of transfers	18	9	6	3	1
Average number of embryos transferred	1.7	2.1	3.7	3.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 14	2 / 9	0 / 5	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	7 / 18	4 / 11	2 / 10	0 / 8	0 / 2
Percentage of cycles resulting in live births (%)	5 / 18	3 / 11	2 / 10	0 / 8	0 / 2
Percentage of cycles resulting in singleton live births (%)	3 / 18	3 / 11	1 / 10	0 / 8	0 / 2
Percentage of cycles resulting in twin live births (%)	2 / 18	0 / 11	1 / 10	0 / 8	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	3 / 18	2 / 11	1 / 10	0 / 8	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.3	4 / 19	13.6	0 / 10	0 / 3
Percentage of transfers resulting in pregnancies (%)	7 / 18	4 / 9	2 / 6	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	5 / 18	3 / 9	2 / 6	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 18	3 / 9	1 / 6	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 18	0 / 9	1 / 6	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 18	2 / 9	1 / 6	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	11	4	3	1
Number of transfers	9	11	4	3	1
Estimated average number of transfers per retrieval	0.9	1.0	0.6	1.5	1.0
Average number of embryos transferred	1.7	1.6	1.0	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	7 / 15	6 / 18	2 / 4	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	6 / 9	5 / 11	2 / 4	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	6 / 9	4 / 11	2 / 4	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 9	3 / 11	2 / 4	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 9	1 / 11	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 9	3 / 11	2 / 4	0 / 3	0 / 1
Number of Egg or Embryo Banking Cycles	5	6	5	2	0
Number of fertility preservation cycles	1	2	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	10	0	1	0
Number of transfers	9	0	1	0
Average number of embryos transferred	1.8		2.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 15		0 / 2	
Percentage of transfers resulting in pregnancies (%)	6 / 9		0 / 1	
Percentage of transfers resulting in live births (%)	5 / 9		0 / 1	
Percentage of transfers resulting in singleton live births (%)	4 / 9		0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 9		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 9		0 / 1	

CURRENT SERVICES & PROFILE

Current Name: The Fertility and Gynecology Center, Monterey Bay IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NOVA IN VITRO FERTILIZATION
MOUNTAIN VIEW, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard J. Schmidt, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	24%
Unstimulated	0%	PGD/PGS	39%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	13%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	20%	Male factor	17%	Female factors only	27%
Diminished ovarian reserve	51%	Other factor	13%	Female & male factors	12%
Endometriosis	18%	Unknown factor	4%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 702
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	26	17	20	7	6
Percentage of cancellations before retrieval (%)	3.8	0 / 17	10.0	0 / 7	0 / 6
Number of transfers	2	1	2	0	2
Average number of embryos transferred	2.0	1.0	2.5		4.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 2		0 / 2		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	7.7	0 / 17	10.0	0 / 7	1 / 6
Percentage of cycles resulting in live births (%)	7.7	0 / 17	10.0	0 / 7	1 / 6
Percentage of cycles resulting in singleton live births (%)	7.7	0 / 17	10.0	0 / 7	1 / 6
Percentage of cycles resulting in twin live births (%)	0.0	0 / 17	0.0	0 / 7	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0.0	0 / 17	5.0	0 / 7	1 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 4	0 / 1	2 / 5		1 / 8
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 1	2 / 2		1 / 2
Percentage of transfers resulting in live births (%)	2 / 2	0 / 1	2 / 2		1 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 2	0 / 1	2 / 2		1 / 2
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	0 / 2		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 2	0 / 1	1 / 2		1 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	73	74	53	27	16
Number of transfers	73	74	53	27	16
Estimated average number of transfers per retrieval	0.8	0.7	0.5	0.6	0.3
Average number of embryos transferred	1.6	1.4	1.9	2.9	4.4
Percentage of embryos transferred resulting in implantation (%)	45.6	57.4	35.7	18.8	3.1
Percentage of transfers resulting in pregnancies (%)	60.3	71.6	56.6	59.3	4 / 16
Percentage of transfers resulting in live births (%)	53.4	63.5	49.1	33.3	1 / 16
Percentage of transfers resulting in singleton live births (%)	43.8	56.8	39.6	33.3	1 / 16
Percentage of transfers resulting in twin live births (%)	9.6	6.8	9.4	0.0	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	39.7	51.4	34.0	22.2	1 / 16
Number of Egg or Embryo Banking Cycles	73	98	91	42	45
Number of fertility preservation cycles	44	55	57	28	27

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	7	0	27	0
Number of transfers	7	0	27	0
Average number of embryos transferred	1.6		1.6	
Percentage of embryos transferred resulting in implantation (%)	2 / 11		41.9	
Percentage of transfers resulting in pregnancies (%)	2 / 7		66.7	
Percentage of transfers resulting in live births (%)	1 / 7		55.6	
Percentage of transfers resulting in singleton live births (%)	1 / 7		55.6	
Percentage of transfers resulting in twin live births (%)	0 / 7		0.0	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 7		48.1	

CURRENT SERVICES & PROFILE

Current Name: Nova In Vitro Fertilization

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CCRM OC FERTILITY-FASHION ISLAND
NEWPORT BEACH, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Sharon E. Moayeri, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	0%	PGD/PGS	80%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	4%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	1%	Male factor	34%	Female factors only	3%
Diminished ovarian reserve	0%	Other factor	24%	Female & male factors	8%
Endometriosis	1%	Unknown factor	40%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 219
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	5	1	1	0	0
Percentage of cancellations before retrieval (%)	0 / 5	0 / 1	0 / 1		
Number of transfers	1	0	0	0	0
Average number of embryos transferred	1.0				
Percentage of elective single embryo transfers (eSET) (%)	1 / 1				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 5	0 / 1	0 / 1		
Percentage of cycles resulting in live births (%)	1 / 5	0 / 1	0 / 1		
Percentage of cycles resulting in singleton live births (%)	1 / 5	0 / 1	0 / 1		
Percentage of cycles resulting in twin live births (%)	0 / 5	0 / 1	0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 5	0 / 1	0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 1				
Percentage of transfers resulting in pregnancies (%)	1 / 1				
Percentage of transfers resulting in live births (%)	1 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1				
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 1				
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	15	20	5	3
Number of transfers	41	15	20	5	3
Estimated average number of transfers per retrieval	1.1	0.5	0.7	0.4	0.2
Average number of embryos transferred	1.2	1.1	1.2	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	63.3	13 / 17	72.7	5 / 6	3 / 4
Percentage of transfers resulting in pregnancies (%)	65.9	11 / 15	80.0	4 / 5	3 / 3
Percentage of transfers resulting in live births (%)	53.7	11 / 15	75.0	3 / 5	2 / 3
Percentage of transfers resulting in singleton live births (%)	43.9	10 / 15	70.0	2 / 5	2 / 3
Percentage of transfers resulting in twin live births (%)	9.8	1 / 15	5.0	1 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.7	8 / 15	45.0	1 / 5	0 / 3
Number of Egg or Embryo Banking Cycles	31	28	30	14	17
Number of fertility preservation cycles	8	14	18	9	10

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	7	0
Number of transfers	0	0	7	0
Average number of embryos transferred			1.0	
Percentage of embryos transferred resulting in implantation (%)			7 / 7	
Percentage of transfers resulting in pregnancies (%)			7 / 7	
Percentage of transfers resulting in live births (%)			6 / 7	
Percentage of transfers resulting in singleton live births (%)			6 / 7	
Percentage of transfers resulting in twin live births (%)			0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			2 / 7	

CURRENT SERVICES & PROFILE

Current Name: CCRM OC Fertility-Fashion Island

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-ORANGE COUNTY
NEWPORT BEACH, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Daniel A. Potter, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	PGD/PGS	73%
Used gestational carrier	7%		

Patient Diagnosis[a,b]

Tubal factor	7%	Uterine factor	9%	Multiple Factors:	
Ovulatory dysfunction	12%	Male factor	42%	Female factors only	14%
Diminished ovarian reserve	31%	Other factor	43%	Female & male factors	26%
Endometriosis	3%	Unknown factor	2%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,058
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	215	105	110	42	40
Percentage of cancellations before retrieval (%)	1.4	1.0	10.0	9.5	17.5
Number of transfers	130	58	58	16	6
Average number of embryos transferred	1.3	1.2	1.3	1.4	1.3
Percentage of elective single embryo transfers (eSET) (%)	67.0	69.8	56.8	2 / 8	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.4	40.0	34.5	19.0	5.0
Percentage of cycles resulting in live births (%)	37.7	35.2	30.0	19.0	2.5
Percentage of cycles resulting in singleton live births (%)	32.6	25.7	27.3	19.0	2.5
Percentage of cycles resulting in twin live births (%)	5.1	8.6	2.7	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	23.3	19.0	22.7	16.7	2.5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	62.1	73.5	55.1	34.8	2 / 8
Percentage of transfers resulting in pregnancies (%)	68.5	72.4	65.5	8 / 16	2 / 6
Percentage of transfers resulting in live births (%)	62.3	63.8	56.9	8 / 16	1 / 6
Percentage of transfers resulting in singleton live births (%)	53.8	46.6	51.7	8 / 16	1 / 6
Percentage of transfers resulting in twin live births (%)	8.5	15.5	5.2	0 / 16	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	38.5	34.5	43.1	7 / 16	1 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	117	66	37	18	29
Number of transfers	112	65	36	15	23
Estimated average number of transfers per retrieval	1.1	1.0	0.8	0.4	1.2
Average number of embryos transferred	1.3	1.3	1.2	1.3	1.4
Percentage of embryos transferred resulting in implantation (%)	67.1	64.6	54.8	10 / 19	48.1
Percentage of transfers resulting in pregnancies (%)	78.6	70.8	63.9	9 / 15	69.6
Percentage of transfers resulting in live births (%)	69.6	61.5	55.6	7 / 15	47.8
Percentage of transfers resulting in singleton live births (%)	59.8	47.7	50.0	5 / 15	47.8
Percentage of transfers resulting in twin live births (%)	8.9	13.8	5.6	2 / 15	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	45.5	41.5	44.4	4 / 15	30.4
Number of Egg or Embryo Banking Cycles	49	38	31	23	17
Number of fertility preservation cycles	7	7	7	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	68	3	34	13
Number of transfers	46	3	34	13
Average number of embryos transferred	1.4	2.3	1.2	1.2
Percentage of embryos transferred resulting in implantation (%)	71.0	2 / 5	66.7	13 / 15
Percentage of transfers resulting in pregnancies (%)	84.8	3 / 3	73.5	11 / 13
Percentage of transfers resulting in live births (%)	73.9	2 / 3	61.8	11 / 13
Percentage of transfers resulting in singleton live births (%)	58.7	2 / 3	52.9	9 / 13
Percentage of transfers resulting in twin live births (%)	15.2	0 / 3	8.8	2 / 13
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	45.7	2 / 3	41.2	6 / 13

CURRENT SERVICES & PROFILE

Current Name: HRC Fertility-Orange County

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEWPORT FERTILITY CENTER
NEWPORT BEACH, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark T. Kan, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	18%
Unstimulated	0%	PGD/PGS	24%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	6%	Uterine factor	18%	Multiple Factors:	
Ovulatory dysfunction	11%	Male factor	24%	Female factors only	43%
Diminished ovarian reserve	49%	Other factor	58%	Female & male factors	16%
Endometriosis	11%	Unknown factor	3%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 241
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	38	38	35	19	16
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	0 / 19	0 / 16
Number of transfers	19	13	13	7	5
Average number of embryos transferred	1.5	1.3	1.5	1.6	1.6
Percentage of elective single embryo transfers (eSET) (%)	4 / 12	1 / 5	1 / 7	0 / 4	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	34.2	21.1	25.7	3 / 19	2 / 16
Percentage of cycles resulting in live births (%)	18.4	18.4	20.0	2 / 19	2 / 16
Percentage of cycles resulting in singleton live births (%)	18.4	15.8	17.1	2 / 19	2 / 16
Percentage of cycles resulting in twin live births (%)	0.0	2.6	2.9	0 / 19	0 / 16
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	18.4	15.8	14.3	2 / 19	2 / 16
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.8	9 / 17	9 / 17	3 / 11	2 / 8
Percentage of transfers resulting in pregnancies (%)	13 / 19	8 / 13	9 / 13	3 / 7	2 / 5
Percentage of transfers resulting in live births (%)	7 / 19	7 / 13	7 / 13	2 / 7	2 / 5
Percentage of transfers resulting in singleton live births (%)	7 / 19	6 / 13	6 / 13	2 / 7	2 / 5
Percentage of transfers resulting in twin live births (%)	0 / 19	1 / 13	1 / 13	0 / 7	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	7 / 19	6 / 13	5 / 13	2 / 7	2 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	11	14	8	0	0
Number of transfers	11	14	8	0	0
Estimated average number of transfers per retrieval	1.2	0.8	0.7	0.0	0.0
Average number of embryos transferred	1.5	1.5	1.3		
Percentage of embryos transferred resulting in implantation (%)	15 / 17	75.0	6 / 8		
Percentage of transfers resulting in pregnancies (%)	10 / 11	12 / 14	7 / 8		
Percentage of transfers resulting in live births (%)	9 / 11	10 / 14	6 / 8		
Percentage of transfers resulting in singleton live births (%)	4 / 11	7 / 14	6 / 8		
Percentage of transfers resulting in twin live births (%)	5 / 11	3 / 14	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 11	7 / 14	6 / 8		
Number of Egg or Embryo Banking Cycles	5	14	9	11	8
Number of fertility preservation cycles	5	13	9	7	5

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	4	0	11	0
Number of transfers	4	0	11	0
Average number of embryos transferred	1.3		1.1	
Percentage of embryos transferred resulting in implantation (%)	3 / 5		6 / 10	
Percentage of transfers resulting in pregnancies (%)	3 / 4		7 / 11	
Percentage of transfers resulting in live births (%)	3 / 4		5 / 11	
Percentage of transfers resulting in singleton live births (%)	3 / 4		5 / 11	
Percentage of transfers resulting in twin live births (%)	0 / 4		0 / 11	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 4		5 / 11	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: CCRM OC Fertility-Jamboree

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

SOUTHERN CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE
NEWPORT BEACH, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Robert E. Anderson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	73%
Unstimulated	0%	PGD/PGS	80%
Used gestational carrier	6%		

Patient Diagnosis[a,b]

Tubal factor	11%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	9%	Male factor	30%	Female factors only	34%
Diminished ovarian reserve	38%	Other factor	66%	Female & male factors	21%
Endometriosis	5%	Unknown factor	4%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 773
(includes 5 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	7	6	11	12	10
Percentage of cancellations before retrieval (%)	1 / 7	2 / 6	7 / 11	3 / 12	8 / 10
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 7	0 / 6	0 / 11	0 / 12	0 / 10
Percentage of cycles resulting in live births (%)	0 / 7	0 / 6	0 / 11	0 / 12	0 / 10
Percentage of cycles resulting in singleton live births (%)	0 / 7	0 / 6	0 / 11	0 / 12	0 / 10
Percentage of cycles resulting in twin live births (%)	0 / 7	0 / 6	0 / 11	0 / 12	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 7	0 / 6	0 / 11	0 / 12	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	124	92	74	24	17
Number of transfers	115	88	67	24	17
Estimated average number of transfers per retrieval	1.4	1.0	0.8	0.6	0.5
Average number of embryos transferred	1.0	1.0	1.0	1.0	1.1
Percentage of embryos transferred resulting in implantation (%)	72.1	66.7	75.0	68.2	7 / 16
Percentage of transfers resulting in pregnancies (%)	72.2	68.2	74.6	66.7	9 / 17
Percentage of transfers resulting in live births (%)	67.8	61.4	65.7	58.3	7 / 17
Percentage of transfers resulting in singleton live births (%)	67.0	61.4	62.7	54.2	7 / 17
Percentage of transfers resulting in twin live births (%)	0.9	0.0	3.0	4.2	0 / 17
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	60.0	54.5	50.7	54.2	7 / 17
Number of Egg or Embryo Banking Cycles	84	85	82	41	35
Number of fertility preservation cycles	8	11	3	1	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	0	56	6
Number of transfers	0	0	47	4
Average number of embryos transferred			1.0	1.3
Percentage of embryos transferred resulting in implantation (%)			54.3	4 / 5
Percentage of transfers resulting in pregnancies (%)			55.3	3 / 4
Percentage of transfers resulting in live births (%)			48.9	3 / 4
Percentage of transfers resulting in singleton live births (%)			48.9	2 / 4
Percentage of transfers resulting in twin live births (%)			0.0	1 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			38.3	1 / 4

CURRENT SERVICES & PROFILE

Current Name: Southern California Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

LANE FERTILITY INSTITUTE
NOVATO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Danielle E. Lane, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	20%
Unstimulated	0%	PGD/PGS	57%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	4%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	7%	Male factor	15%	Female factors only	15%
Diminished ovarian reserve	37%	Other factor	28%	Female & male factors	7%
Endometriosis	4%	Unknown factor	26%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 134
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	1	1	1
Percentage of cancellations before retrieval (%)			0 / 1	0 / 1	1 / 1
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)			0 / 1	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)			0 / 1	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)			0 / 1	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)			0 / 1	0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)			0 / 1	0 / 1	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	14	7	11	3	2
Number of transfers	13	7	10	1	2
Estimated average number of transfers per retrieval	0.4	0.7	0.4	0.1	0.3
Average number of embryos transferred	1.4	1.6	1.6	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	12 / 18	5 / 11	7 / 16	0 / 1	1 / 4
Percentage of transfers resulting in pregnancies (%)	11 / 13	4 / 7	6 / 10	0 / 1	1 / 2
Percentage of transfers resulting in live births (%)	8 / 13	4 / 7	4 / 10	0 / 1	1 / 2
Percentage of transfers resulting in singleton live births (%)	8 / 13	3 / 7	3 / 10	0 / 1	1 / 2
Percentage of transfers resulting in twin live births (%)	0 / 13	1 / 7	1 / 10	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	7 / 13	1 / 7	3 / 10	0 / 1	1 / 2
Number of Egg or Embryo Banking Cycles	31	10	28	11	8
Number of fertility preservation cycles	29	10	28	11	7

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	5	0
Number of transfers	1	0	5	0
Average number of embryos transferred	1.0		1.2	
Percentage of embryos transferred resulting in implantation (%)	1 / 1		2 / 6	
Percentage of transfers resulting in pregnancies (%)	1 / 1		2 / 5	
Percentage of transfers resulting in live births (%)	1 / 1		2 / 5	
Percentage of transfers resulting in singleton live births (%)	1 / 1		2 / 5	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 1		2 / 5	

CURRENT SERVICES & PROFILE

Current Name: Lane Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AMERICAN REPRODUCTIVE CENTERS
PALM SPRINGS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Maher A. Abdallah, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	95%
Unstimulated	3%	PGD/PGS	40%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	18%	Uterine factor	9%	Multiple Factors:	
Ovulatory dysfunction	8%	Male factor	32%	Female factors only	16%
Diminished ovarian reserve	43%	Other factor	14%	Female & male factors	16%
Endometriosis	7%	Unknown factor	4%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 219
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	64	28	35	11	3
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	0 / 11	0 / 3
Number of transfers	50	24	25	7	0
Average number of embryos transferred	1.9	1.8	1.8	2.1	
Percentage of elective single embryo transfers (eSET) (%)	2.3	0 / 17	0 / 17	0 / 5	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.9	46.4	14.3	2 / 11	0 / 3
Percentage of cycles resulting in live births (%)	31.3	42.9	14.3	2 / 11	0 / 3
Percentage of cycles resulting in singleton live births (%)	18.8	32.1	14.3	2 / 11	0 / 3
Percentage of cycles resulting in twin live births (%)	12.5	10.7	0.0	0 / 11	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	18.8	25.0	11.4	1 / 11	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.5	38.6	10.9	2 / 15	
Percentage of transfers resulting in pregnancies (%)	46.0	54.2	20.0	2 / 7	
Percentage of transfers resulting in live births (%)	40.0	50.0	20.0	2 / 7	
Percentage of transfers resulting in singleton live births (%)	24.0	37.5	20.0	2 / 7	
Percentage of transfers resulting in twin live births (%)	16.0	12.5	0.0	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	24.0	29.2	16.0	1 / 7	
Frozen Embryos from Nondonor Eggs					
Number of cycles	21	9	3	1	1
Number of transfers	20	9	3	0	1
Estimated average number of transfers per retrieval	1.6	0.8	0.6	0.0	0.3
Average number of embryos transferred	1.9	1.8	1.7		2.0
Percentage of embryos transferred resulting in implantation (%)	48.6	5 / 16	0 / 5		0 / 2
Percentage of transfers resulting in pregnancies (%)	60.0	5 / 9	0 / 3		0 / 1
Percentage of transfers resulting in live births (%)	60.0	5 / 9	0 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	40.0	5 / 9	0 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	20.0	0 / 9	0 / 3		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	35.0	4 / 9	0 / 3		0 / 1
Number of Egg or Embryo Banking Cycles	8	12	4	2	4
Number of fertility preservation cycles	0	0	0	0	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	5	0	4	2
Number of transfers	4	0	4	1
Average number of embryos transferred	1.8		2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	4 / 7		2 / 8	0 / 3
Percentage of transfers resulting in pregnancies (%)	3 / 4		2 / 4	0 / 1
Percentage of transfers resulting in live births (%)	3 / 4		1 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 4		1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 4		0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 4		1 / 4	0 / 1

CURRENT SERVICES & PROFILE

Current Name: American Reproductive Centers

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAY IVF CENTER
PALO ALTO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Francis Polansky, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	0%	PGD/PGS	8%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	22%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	22%	Male factor	44%	Female factors only	11%
Diminished ovarian reserve	52%	Other factor	6%	Female & male factors	37%
Endometriosis	1%	Unknown factor	5%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 201
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	38	21	30	9	1
Percentage of cancellations before retrieval (%)	10.5	0.0	13.3	0 / 9	0 / 1
Number of transfers	17	9	10	4	0
Average number of embryos transferred	1.6	1.6	1.6	1.3	
Percentage of elective single embryo transfers (eSET) (%)	5 / 14	4 / 9	5 / 10	3 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	26.3	19.0	13.3	0 / 9	0 / 1
Percentage of cycles resulting in live births (%)	26.3	19.0	6.7	0 / 9	0 / 1
Percentage of cycles resulting in singleton live births (%)	23.7	14.3	6.7	0 / 9	0 / 1
Percentage of cycles resulting in twin live births (%)	2.6	4.8	0.0	0 / 9	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	18.4	9.5	3.3	0 / 9	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.3	5 / 14	4 / 16	0 / 5	
Percentage of transfers resulting in pregnancies (%)	10 / 17	4 / 9	4 / 10	0 / 4	
Percentage of transfers resulting in live births (%)	10 / 17	4 / 9	2 / 10	0 / 4	
Percentage of transfers resulting in singleton live births (%)	9 / 17	3 / 9	2 / 10	0 / 4	
Percentage of transfers resulting in twin live births (%)	1 / 17	1 / 9	0 / 10	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	7 / 17	2 / 9	1 / 10	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	27	23	22	7	3
Number of transfers	27	23	22	7	3
Estimated average number of transfers per retrieval	1.2	2.1	1.2	1.8	3.0
Average number of embryos transferred	1.4	1.6	1.7	1.9	1.7
Percentage of embryos transferred resulting in implantation (%)	57.6	42.4	33.3	1 / 13	1 / 5
Percentage of transfers resulting in pregnancies (%)	70.4	60.9	50.0	1 / 7	1 / 3
Percentage of transfers resulting in live births (%)	51.9	43.5	40.9	0 / 7	0 / 3
Percentage of transfers resulting in singleton live births (%)	40.7	30.4	31.8	0 / 7	0 / 3
Percentage of transfers resulting in twin live births (%)	11.1	13.0	9.1	0 / 7	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	33.3	30.4	13.6	0 / 7	0 / 3
Number of Egg or Embryo Banking Cycles	8	2	5	1	0
Number of fertility preservation cycles	0	0	2	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	1	2	0
Number of transfers	1	1	2	0
Average number of embryos transferred	1.0	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 1		2 / 2	
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1	2 / 2	
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1	2 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	2 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1	0 / 1	2 / 2	

CURRENT SERVICES & PROFILE

Current Name: Bay IVF Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

STANFORD MEDICINE FERTILITY & REPRODUCTIVE HEALTH
PALO ALTO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Valerie L. Baker, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	53%
Unstimulated	<1%	PGD/PGS	44%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	4%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	8%	Male factor	66%	Female factors only	4%
Diminished ovarian reserve	32%	Other factor	22%	Female & male factors	41%
Endometriosis	6%	Unknown factor	12%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,339
(includes 9 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	112	98	114	75	65
Percentage of cancellations before retrieval (%)	5.4	3.1	10.5	20.0	32.3
Number of transfers	41	36	31	17	7
Average number of embryos transferred	1.3	1.4	1.7	2.4	3.3
Percentage of elective single embryo transfers (eSET) (%)	62.1	46.4	4 / 19	0 / 14	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	13.4	11.2	5.3	4.0	0.0
Percentage of cycles resulting in live births (%)	12.5	10.2	3.5	1.3	0.0
Percentage of cycles resulting in singleton live births (%)	12.5	9.2	3.5	1.3	0.0
Percentage of cycles resulting in twin live births (%)	0.0	1.0	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	9.8	8.2	3.5	1.3	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	27.5	25.5	9.6	5.4	0.0
Percentage of transfers resulting in pregnancies (%)	36.6	30.6	19.4	3 / 17	0 / 7
Percentage of transfers resulting in live births (%)	34.1	27.8	12.9	1 / 17	0 / 7
Percentage of transfers resulting in singleton live births (%)	34.1	25.0	12.9	1 / 17	0 / 7
Percentage of transfers resulting in twin live births (%)	0.0	2.8	0.0	0 / 17	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.8	22.2	12.9	1 / 17	0 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	149	110	87	30	35
Number of transfers	125	93	72	24	26
Estimated average number of transfers per retrieval	0.7	0.6	0.5	0.5	0.9
Average number of embryos transferred	1.1	1.0	1.2	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	53.5	48.9	39.0	40.0	21.9
Percentage of transfers resulting in pregnancies (%)	57.6	48.4	44.4	45.8	42.3
Percentage of transfers resulting in live births (%)	48.0	45.2	33.3	45.8	19.2
Percentage of transfers resulting in singleton live births (%)	46.4	41.9	29.2	41.7	19.2
Percentage of transfers resulting in twin live births (%)	1.6	3.2	4.2	4.2	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	41.6	36.6	27.8	33.3	15.4
Number of Egg or Embryo Banking Cycles	120	114	104	47	23
Number of fertility preservation cycles	72	81	64	22	9

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	18	1	19	9
Number of transfers	13	1	17	8
Average number of embryos transferred	1.3	1.0	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	10 / 17	1 / 1	30.0	5 / 8
Percentage of transfers resulting in pregnancies (%)	7 / 13	1 / 1	7 / 17	5 / 8
Percentage of transfers resulting in live births (%)	7 / 13	1 / 1	6 / 17	5 / 8
Percentage of transfers resulting in singleton live births (%)	4 / 13	1 / 1	6 / 17	5 / 8
Percentage of transfers resulting in twin live births (%)	3 / 13	0 / 1	0 / 17	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 13	1 / 1	5 / 17	4 / 8

CURRENT SERVICES & PROFILE

Current Name: Stanford Medicine Fertility & Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HRC FERTILITY-PASADENA
PASADENA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John G. Wilcox, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	0%	PGD/PGS	33%
Used gestational carrier	20%		

Patient Diagnosis[a,b]

Tubal factor	3%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	3%	Male factor	14%	Female factors only	7%
Diminished ovarian reserve	39%	Other factor	34%	Female & male factors	5%
Endometriosis	2%	Unknown factor	13%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 3,327
(includes 11 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	193	121	106	47	109
Percentage of cancellations before retrieval (%)	5.7	8.3	14.2	25.5	39.4
Number of transfers	88	64	39	17	9
Average number of embryos transferred	1.8	1.7	1.8	1.8	2.3
Percentage of elective single embryo transfers (eSET) (%)	20.0	26.8	16.7	3 / 13	0 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	24.4	29.8	12.3	8.5	0.9
Percentage of cycles resulting in live births (%)	21.8	25.6	10.4	6.4	0.0
Percentage of cycles resulting in singleton live births (%)	17.1	17.4	9.4	6.4	0.0
Percentage of cycles resulting in twin live births (%)	4.7	8.3	0.9	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	15.0	16.5	7.5	4.3	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.2	44.1	20.9	11.1	0 / 17
Percentage of transfers resulting in pregnancies (%)	53.4	56.3	33.3	4 / 17	1 / 9
Percentage of transfers resulting in live births (%)	47.7	48.4	28.2	3 / 17	0 / 9
Percentage of transfers resulting in singleton live births (%)	37.5	32.8	25.6	3 / 17	0 / 9
Percentage of transfers resulting in twin live births (%)	10.2	15.6	2.6	0 / 17	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	33.0	31.3	20.5	2 / 17	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	337	209	131	64	87
Number of transfers	294	182	110	45	46
Estimated average number of transfers per retrieval	0.7	0.6	0.4	0.3	0.1
Average number of embryos transferred	1.5	1.5	1.4	1.2	1.7
Percentage of embryos transferred resulting in implantation (%)	46.3	46.3	37.0	52.0	23.9
Percentage of transfers resulting in pregnancies (%)	61.2	63.2	47.3	64.4	41.3
Percentage of transfers resulting in live births (%)	51.4	55.5	40.0	53.3	32.6
Percentage of transfers resulting in singleton live births (%)	42.9	50.0	31.8	51.1	28.3
Percentage of transfers resulting in twin live births (%)	8.2	5.5	8.2	2.2	4.3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.7	40.1	30.0	40.0	17.4
Number of Egg or Embryo Banking Cycles	355	263	261	167	324
Number of fertility preservation cycles	33	31	20	11	4

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	159	2	361	20
Number of transfers	49	2	348	20
Average number of embryos transferred	1.8	1.5	1.4	1.4
Percentage of embryos transferred resulting in implantation (%)	63.8	0 / 1	42.7	39.3
Percentage of transfers resulting in pregnancies (%)	81.6	1 / 2	54.6	40.0
Percentage of transfers resulting in live births (%)	75.5	0 / 2	44.8	40.0
Percentage of transfers resulting in singleton live births (%)	49.0	0 / 2	37.1	25.0
Percentage of transfers resulting in twin live births (%)	26.5	0 / 2	7.8	15.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	40.8	0 / 2	25.6	20.0

CURRENT SERVICES & PROFILE

Current Name: HRC Fertility-Pasadena

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE PARTNERS-BEVERLY HILLS, REDONDO BEACH & WESTMINSTER
REDONDO BEACH, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Bill Yee, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	65%
Unstimulated	3%	PGD/PGS	31%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	5%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	7%	Male factor	16%	Female factors only	6%
Diminished ovarian reserve	26%	Other factor	32%	Female & male factors	4%
Endometriosis	3%	Unknown factor	17%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,953
(includes 15 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	51	71	96	79	58
Percentage of cancellations before retrieval (%)	13.7	31.0	36.5	26.6	25.9
Number of transfers	26	30	29	27	16
Average number of embryos transferred	1.7	2.3	2.5	3.0	3.9
Percentage of elective single embryo transfers (eSET) (%)	34.8	0.0	8.0	0.0	0 / 15
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.4	15.5	9.4	13.9	5.2
Percentage of cycles resulting in live births (%)	25.5	12.7	4.2	7.6	3.4
Percentage of cycles resulting in singleton live births (%)	21.6	12.7	4.2	7.6	3.4
Percentage of cycles resulting in twin live births (%)	3.9	0.0	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	17.6	9.9	2.1	5.1	3.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.2	16.7	10.9	10.4	6.5
Percentage of transfers resulting in pregnancies (%)	57.7	36.7	31.0	40.7	3 / 16
Percentage of transfers resulting in live births (%)	50.0	30.0	13.8	22.2	2 / 16
Percentage of transfers resulting in singleton live births (%)	42.3	30.0	13.8	22.2	2 / 16
Percentage of transfers resulting in twin live births (%)	7.7	0.0	0.0	0.0	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.6	23.3	6.9	14.8	2 / 16
Frozen Embryos from Nondonor Eggs					
Number of cycles	225	189	155	61	37
Number of transfers	196	171	133	54	32
Estimated average number of transfers per retrieval	0.9	0.8	0.6	0.4	0.5
Average number of embryos transferred	1.3	1.4	1.4	1.7	1.8
Percentage of embryos transferred resulting in implantation (%)	56.1	52.6	35.9	33.0	17.0
Percentage of transfers resulting in pregnancies (%)	64.3	62.6	52.6	53.7	34.4
Percentage of transfers resulting in live births (%)	55.1	55.6	39.8	38.9	21.9
Percentage of transfers resulting in singleton live births (%)	48.0	48.5	39.1	35.2	21.9
Percentage of transfers resulting in twin live births (%)	6.6	6.4	0.8	3.7	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	42.3	42.1	33.1	29.6	21.9
Number of Egg or Embryo Banking Cycles	194	193	208	118	64
Number of fertility preservation cycles	37	50	56	11	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	10	38	86	5
Number of transfers	5	34	74	4
Average number of embryos transferred	1.2	1.5	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	5 / 5	48.9	44.7	2 / 8
Percentage of transfers resulting in pregnancies (%)	5 / 5	64.7	54.1	2 / 4
Percentage of transfers resulting in live births (%)	4 / 5	50.0	37.8	2 / 4
Percentage of transfers resulting in singleton live births (%)	4 / 5	41.2	32.4	2 / 4
Percentage of transfers resulting in twin live births (%)	0 / 5	8.8	5.4	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 5	35.3	24.3	1 / 4

CURRENT SERVICES & PROFILE

Current Name: Reproductive Partners-Beverly Hills, Redondo Beach & Westminster

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHERN CALIFORNIA FERTILITY MEDICAL CENTER
ROSEVILLE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael Murray, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	69%
Unstimulated	0%	PGD/PGS	16%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	16%	Male factor	49%	Female factors only	18%
Diminished ovarian reserve	35%	Other factor	28%	Female & male factors	36%
Endometriosis	12%	Unknown factor	6%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 734
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	152	61	59	24	16
Percentage of cancellations before retrieval (%)	3.9	6.6	11.9	8.3	3 / 16
Number of transfers	110	43	38	13	9
Average number of embryos transferred	1.7	1.7	2.1	2.5	1.7
Percentage of elective single embryo transfers (eSET) (%)	22.1	15.2	9.1	2 / 10	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.5	29.5	25.4	25.0	2 / 16
Percentage of cycles resulting in live births (%)	31.6	23.0	16.9	4.2	2 / 16
Percentage of cycles resulting in singleton live births (%)	27.0	16.4	16.9	0.0	2 / 16
Percentage of cycles resulting in twin live births (%)	4.6	6.6	0.0	4.2	0 / 16
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	26.3	14.8	11.9	0.0	2 / 16
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.7	29.0	18.6	18.8	2 / 15
Percentage of transfers resulting in pregnancies (%)	49.1	41.9	39.5	6 / 13	2 / 9
Percentage of transfers resulting in live births (%)	43.6	32.6	26.3	1 / 13	2 / 9
Percentage of transfers resulting in singleton live births (%)	37.3	23.3	26.3	0 / 13	2 / 9
Percentage of transfers resulting in twin live births (%)	6.4	9.3	0.0	1 / 13	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	36.4	20.9	18.4	0 / 13	2 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	106	53	49	13	7
Number of transfers	105	53	49	13	7
Estimated average number of transfers per retrieval	1.4	1.2	1.1	0.6	0.9
Average number of embryos transferred	1.6	1.6	1.5	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	50.6	39.2	45.8	4 / 12	6 / 8
Percentage of transfers resulting in pregnancies (%)	60.0	54.7	55.1	6 / 13	7 / 7
Percentage of transfers resulting in live births (%)	52.4	45.3	49.0	4 / 13	5 / 7
Percentage of transfers resulting in singleton live births (%)	38.1	37.7	40.8	4 / 13	5 / 7
Percentage of transfers resulting in twin live births (%)	14.3	7.5	8.2	0 / 13	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.3	34.0	26.5	4 / 13	5 / 7
Number of Egg or Embryo Banking Cycles	29	30	34	14	8
Number of fertility preservation cycles	2	4	3	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	39	0	33	7
Number of transfers	35	0	33	7
Average number of embryos transferred	1.6		1.5	1.7
Percentage of embryos transferred resulting in implantation (%)	52.9		50.0	5 / 12
Percentage of transfers resulting in pregnancies (%)	68.6		54.5	3 / 7
Percentage of transfers resulting in live births (%)	54.3		42.4	3 / 7
Percentage of transfers resulting in singleton live births (%)	40.0		30.3	1 / 7
Percentage of transfers resulting in twin live births (%)	14.3		12.1	2 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.4		30.3	1 / 7

CURRENT SERVICES & PROFILE

Current Name: Northern California Fertility Medical Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH-SACRAMENTO
SACRAMENTO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Sae Sohn, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	53%
Unstimulated	0%	PGD/PGS	6%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	19%	Male factor	40%	Female factors only	8%
Diminished ovarian reserve	24%	Other factor	9%	Female & male factors	17%
Endometriosis	6%	Unknown factor	16%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 656
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	239	104	91	26	13
Percentage of cancellations before retrieval (%)	1.3	5.8	11.0	0.0	0 / 13
Number of transfers	198	91	74	24	13
Average number of embryos transferred	1.3	1.5	1.8	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	58.0	38.6	11.5	0 / 18	3 / 11
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	49.0	49.0	38.5	42.3	3 / 13
Percentage of cycles resulting in live births (%)	39.3	38.5	30.8	30.8	1 / 13
Percentage of cycles resulting in singleton live births (%)	34.7	33.7	25.3	30.8	1 / 13
Percentage of cycles resulting in twin live births (%)	4.6	4.8	5.5	0.0	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	31.0	27.9	19.8	30.8	1 / 13
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	49.2	45.1	32.1	25.5	15.4
Percentage of transfers resulting in pregnancies (%)	59.1	56.0	47.3	45.8	3 / 13
Percentage of transfers resulting in live births (%)	47.5	44.0	37.8	33.3	1 / 13
Percentage of transfers resulting in singleton live births (%)	41.9	38.5	31.1	33.3	1 / 13
Percentage of transfers resulting in twin live births (%)	5.6	5.5	6.8	0.0	0 / 13
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	37.4	31.9	24.3	33.3	1 / 13
Frozen Embryos from Nondonor Eggs					
Number of cycles	69	39	23	2	2
Number of transfers	66	39	21	2	2
Estimated average number of transfers per retrieval	1.1	1.7	1.4	0.5	0.7
Average number of embryos transferred	1.3	1.3	1.5	1.0	2.5
Percentage of embryos transferred resulting in implantation (%)	58.3	63.3	45.2	1 / 1	1 / 5
Percentage of transfers resulting in pregnancies (%)	62.1	74.4	66.7	2 / 2	1 / 2
Percentage of transfers resulting in live births (%)	48.5	61.5	66.7	1 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	42.4	56.4	66.7	1 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	6.1	5.1	0.0	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	39.4	48.7	52.4	1 / 2	0 / 2
Number of Egg or Embryo Banking Cycles	15	6	9	3	1
Number of fertility preservation cycles	3	0	2	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	7	0	7	0
Number of transfers	7	0	7	0
Average number of embryos transferred	1.3		1.3	
Percentage of embryos transferred resulting in implantation (%)	6 / 9		5 / 9	
Percentage of transfers resulting in pregnancies (%)	5 / 7		4 / 7	
Percentage of transfers resulting in live births (%)	5 / 7		2 / 7	
Percentage of transfers resulting in singleton live births (%)	5 / 7		1 / 7	
Percentage of transfers resulting in twin live births (%)	0 / 7		1 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 7		0 / 7	

CURRENT SERVICES & PROFILE

Current Name: Kaiser Permanente Center for Reproductive Health-Sacramento

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SPECIALISTS MEDICAL GROUP
SAN DIEGO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Arlene J. Morales, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	0%	PGD/PGS	34%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	14%	Uterine factor	9%	Multiple Factors:	
Ovulatory dysfunction	12%	Male factor	43%	Female factors only	7%
Diminished ovarian reserve	41%	Other factor	8%	Female & male factors	23%
Endometriosis	4%	Unknown factor	5%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 529
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	31	26	17	11	3
Percentage of cancellations before retrieval (%)	9.7	26.9	4 / 17	5 / 11	2 / 3
Number of transfers	9	8	5	3	1
Average number of embryos transferred	1.3	1.8	2.0	1.7	4.0
Percentage of elective single embryo transfers (eSET) (%)	5 / 8	2 / 7	0 / 4	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	9.7	19.2	1 / 17	0 / 11	0 / 3
Percentage of cycles resulting in live births (%)	9.7	15.4	1 / 17	0 / 11	0 / 3
Percentage of cycles resulting in singleton live births (%)	6.5	15.4	0 / 17	0 / 11	0 / 3
Percentage of cycles resulting in twin live births (%)	3.2	0.0	1 / 17	0 / 11	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0.0	15.4	0 / 17	0 / 11	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 12	4 / 11	2 / 10	0 / 5	0 / 4
Percentage of transfers resulting in pregnancies (%)	3 / 9	5 / 8	1 / 5	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	3 / 9	4 / 8	1 / 5	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 9	4 / 8	0 / 5	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 8	1 / 5	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 9	4 / 8	0 / 5	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	92	58	32	7	3
Number of transfers	92	58	30	7	3
Estimated average number of transfers per retrieval	1.2	1.1	0.6	0.4	0.3
Average number of embryos transferred	1.2	1.3	1.3	1.0	1.3
Percentage of embryos transferred resulting in implantation (%)	49.0	34.7	33.3	4 / 7	1 / 2
Percentage of transfers resulting in pregnancies (%)	56.5	41.4	33.3	4 / 7	2 / 3
Percentage of transfers resulting in live births (%)	47.8	34.5	23.3	2 / 7	1 / 3
Percentage of transfers resulting in singleton live births (%)	44.6	34.5	16.7	2 / 7	1 / 3
Percentage of transfers resulting in twin live births (%)	3.3	0.0	6.7	0 / 7	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	39.1	31.0	16.7	2 / 7	1 / 3
Number of Egg or Embryo Banking Cycles	51	42	46	20	8
Number of fertility preservation cycles	4	11	4	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	9	12	48	11
Number of transfers	8	11	48	11
Average number of embryos transferred	1.1	1.4	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	5 / 9	6 / 15	43.5	7 / 17
Percentage of transfers resulting in pregnancies (%)	4 / 8	6 / 11	54.2	5 / 11
Percentage of transfers resulting in live births (%)	2 / 8	6 / 11	35.4	5 / 11
Percentage of transfers resulting in singleton live births (%)	1 / 8	6 / 11	31.3	5 / 11
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 11	4.2	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 8	5 / 11	25.0	5 / 11

CURRENT SERVICES & PROFILE

Current Name: Fertility Specialists Medical Group

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HANABUSA IVF
SAN DIEGO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lyndon Chang, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	78%
Unstimulated	20%	PGD/PGS	52%
Used gestational carrier	23%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	4%	Male factor	10%	Female factors only	31%
Diminished ovarian reserve	22%	Other factor	69%	Female & male factors	4%
Endometriosis	0%	Unknown factor	13%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 311
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	1	4	8	10
Percentage of cancellations before retrieval (%)	0 / 1	0 / 1	0 / 4	2 / 8	1 / 10
Number of transfers	1	1	1	2	3
Average number of embryos transferred	1.0	2.0	1.0	1.5	1.7
Percentage of elective single embryo transfers (eSET) (%)	1 / 1	0 / 1		0 / 1	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 1	1 / 1	0 / 4	0 / 8	2 / 10
Percentage of cycles resulting in live births (%)	0 / 1	1 / 1	0 / 4	0 / 8	1 / 10
Percentage of cycles resulting in singleton live births (%)	0 / 1	1 / 1	0 / 4	0 / 8	1 / 10
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 1	0 / 4	0 / 8	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 1	1 / 1	0 / 4	0 / 8	1 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	0 / 1	1 / 2	0 / 1	0 / 3	1 / 3
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1	0 / 1	0 / 2	2 / 3
Percentage of transfers resulting in live births (%)	0 / 1	1 / 1	0 / 1	0 / 2	1 / 3
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 1	0 / 1	0 / 2	1 / 3
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0 / 1	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1	1 / 1	0 / 1	0 / 2	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	14	8	11	7	6
Number of transfers	11	7	7	7	3
Estimated average number of transfers per retrieval	0.8	0.3	0.2	0.1	0.0
Average number of embryos transferred	1.1	1.1	1.0	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	2 / 11	4 / 8	4 / 6	2 / 8	1 / 2
Percentage of transfers resulting in pregnancies (%)	3 / 11	4 / 7	4 / 7	2 / 7	2 / 3
Percentage of transfers resulting in live births (%)	2 / 11	4 / 7	3 / 7	2 / 7	1 / 3
Percentage of transfers resulting in singleton live births (%)	2 / 11	4 / 7	2 / 7	2 / 7	1 / 3
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 7	1 / 7	0 / 7	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 11	3 / 7	1 / 7	2 / 7	1 / 3
Number of Egg or Embryo Banking Cycles	14	21	41	59	93
Number of fertility preservation cycles	2	3	4	4	4

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	12	0
Number of transfers	0	0	12	0
Average number of embryos transferred			1.0	
Percentage of embryos transferred resulting in implantation (%)			6 / 11	
Percentage of transfers resulting in pregnancies (%)			7 / 12	
Percentage of transfers resulting in live births (%)			6 / 12	
Percentage of transfers resulting in singleton live births (%)			6 / 12	
Percentage of transfers resulting in twin live births (%)			0 / 12	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			5 / 12	

CURRENT SERVICES & PROFILE

Current Name: Hanabusa IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NAVAL MEDICAL CENTER SAN DIEGO INFERTILITY CLINIC
SAN DIEGO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Larry R. Laufer, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	99%
Unstimulated	2%	PGD/PGS	4%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	23%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	18%	Male factor	28%	Female factors only	5%
Diminished ovarian reserve	6%	Other factor	8%	Female & male factors	2%
Endometriosis	8%	Unknown factor	16%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 266
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	62	30	19	8	0
Percentage of cancellations before retrieval (%)	1.6	0.0	1 / 19	0 / 8	
Number of transfers	34	22	9	3	0
Average number of embryos transferred	1.4	1.7	1.8	2.3	
Percentage of elective single embryo transfers (eSET) (%)	51.6	27.3	1 / 8	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	33.9	40.0	4 / 19	0 / 8	
Percentage of cycles resulting in live births (%)	24.2	23.3	2 / 19	0 / 8	
Percentage of cycles resulting in singleton live births (%)	19.4	20.0	1 / 19	0 / 8	
Percentage of cycles resulting in twin live births (%)	4.8	3.3	1 / 19	0 / 8	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	19.4	16.7	1 / 19	0 / 8	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	53.2	36.8	5 / 16	0 / 7	
Percentage of transfers resulting in pregnancies (%)	61.8	54.5	4 / 9	0 / 3	
Percentage of transfers resulting in live births (%)	44.1	31.8	2 / 9	0 / 3	
Percentage of transfers resulting in singleton live births (%)	35.3	27.3	1 / 9	0 / 3	
Percentage of transfers resulting in twin live births (%)	8.8	4.5	1 / 9	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	35.3	22.7	1 / 9	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	92	34	10	4	3
Number of transfers	89	33	9	3	3
Estimated average number of transfers per retrieval	3.7	3.7	3.0	3.0	
Average number of embryos transferred	1.4	1.4	1.7	1.7	1.7
Percentage of embryos transferred resulting in implantation (%)	46.8	52.2	10 / 15	2 / 5	3 / 5
Percentage of transfers resulting in pregnancies (%)	55.1	54.5	8 / 9	2 / 3	2 / 3
Percentage of transfers resulting in live births (%)	38.2	39.4	7 / 9	2 / 3	1 / 3
Percentage of transfers resulting in singleton live births (%)	32.6	33.3	5 / 9	2 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	5.6	6.1	2 / 9	0 / 3	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	23.6	21.2	4 / 9	2 / 3	0 / 3
Number of Egg or Embryo Banking Cycles	2	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	1	1
Number of transfers	0	0	1	1
Average number of embryos transferred			1.0	1.0
Percentage of embryos transferred resulting in implantation (%)			1 / 1	0 / 1
Percentage of transfers resulting in pregnancies (%)			1 / 1	0 / 1
Percentage of transfers resulting in live births (%)			0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)			0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)			0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			0 / 1	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Naval Medical Center San Diego Infertility Clinic

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCES MEDICAL CENTER
SAN DIEGO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Samuel H. Wood, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	0%	PGD/PGS	92%
Used gestational carrier	44%		

Patient Diagnosis[a,b]

Tubal factor	2%	Uterine factor	9%	Multiple Factors:	
Ovulatory dysfunction	4%	Male factor	22%	Female factors only	4%
Diminished ovarian reserve	6%	Other factor	68%	Female & male factors	11%
Endometriosis	0%	Unknown factor	7%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 432
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	2	0	3	3	3
Percentage of cancellations before retrieval (%)	0 / 2		0 / 3	1 / 3	1 / 3
Number of transfers	0	0	1	0	1
Average number of embryos transferred			2.0		2.0
Percentage of elective single embryo transfers (eSET) (%)			0 / 1		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 2		1 / 3	0 / 3	0 / 3
Percentage of cycles resulting in live births (%)	0 / 2		1 / 3	0 / 3	0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 2		1 / 3	0 / 3	0 / 3
Percentage of cycles resulting in twin live births (%)	0 / 2		0 / 3	0 / 3	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 2		1 / 3	0 / 3	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)			2 / 2		0 / 2
Percentage of transfers resulting in pregnancies (%)			1 / 1		0 / 1
Percentage of transfers resulting in live births (%)			1 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)			1 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)			0 / 1		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			1 / 1		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	46	22	17	9	6
Number of transfers	46	22	17	9	5
Estimated average number of transfers per retrieval	0.6	0.5	0.4	0.3	0.1
Average number of embryos transferred	1.6	1.4	1.5	1.0	1.4
Percentage of embryos transferred resulting in implantation (%)	31.4	66.7	30.4	5 / 8	1 / 7
Percentage of transfers resulting in pregnancies (%)	43.5	72.7	7 / 17	5 / 9	1 / 5
Percentage of transfers resulting in live births (%)	34.8	59.1	4 / 17	3 / 9	0 / 5
Percentage of transfers resulting in singleton live births (%)	32.6	40.9	4 / 17	3 / 9	0 / 5
Percentage of transfers resulting in twin live births (%)	2.2	18.2	0 / 17	0 / 9	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	19.6	31.8	4 / 17	3 / 9	0 / 5
Number of Egg or Embryo Banking Cycles	71	48	45	35	75
Number of fertility preservation cycles	2	4	1	1	8

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	3	3	38	0
Number of transfers	3	0	37	0
Average number of embryos transferred	2.0		1.4	
Percentage of embryos transferred resulting in implantation (%)	2 / 6		44.0	
Percentage of transfers resulting in pregnancies (%)	1 / 3		45.9	
Percentage of transfers resulting in live births (%)	0 / 3		40.5	
Percentage of transfers resulting in singleton live births (%)	0 / 3		35.1	
Percentage of transfers resulting in twin live births (%)	0 / 3		5.4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 3		27.0	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Sciences Medical Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SAN DIEGO FERTILITY CENTER
SAN DIEGO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Sandy Chuan, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	3%	PGD/PGS	38%
Used gestational carrier	16%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	19%	Multiple Factors:	
Ovulatory dysfunction	19%	Male factor	32%	Female factors only	31%
Diminished ovarian reserve	64%	Other factor	26%	Female & male factors	26%
Endometriosis	8%	Unknown factor	4%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,749
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	76	39	63	33	23
Percentage of cancellations before retrieval (%)	13.2	15.4	25.4	18.2	26.1
Number of transfers	20	20	20	5	1
Average number of embryos transferred	1.7	2.0	1.7	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	4 / 17	0 / 17	2 / 14	2 / 5	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	10.5	15.4	12.7	0.0	0.0
Percentage of cycles resulting in live births (%)	9.2	12.8	7.9	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	7.9	10.3	7.9	0.0	0.0
Percentage of cycles resulting in twin live births (%)	1.3	2.6	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	6.6	10.3	4.8	0.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.4	18.9	28.1	0 / 10	0 / 3
Percentage of transfers resulting in pregnancies (%)	40.0	30.0	40.0	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	35.0	25.0	25.0	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.0	20.0	25.0	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	5.0	5.0	0.0	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	25.0	20.0	15.0	0 / 5	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	207	104	95	33	17
Number of transfers	187	95	79	32	14
Estimated average number of transfers per retrieval	1.0	0.7	0.6	0.4	0.1
Average number of embryos transferred	1.6	1.5	1.6	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	41.9	39.2	37.1	23.9	5 / 18
Percentage of transfers resulting in pregnancies (%)	53.5	48.4	53.2	34.4	5 / 14
Percentage of transfers resulting in live births (%)	42.8	43.2	43.0	28.1	2 / 14
Percentage of transfers resulting in singleton live births (%)	33.7	36.8	35.4	25.0	2 / 14
Percentage of transfers resulting in twin live births (%)	9.1	6.3	7.6	3.1	0 / 14
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	27.8	30.5	30.4	18.8	2 / 14
Number of Egg or Embryo Banking Cycles	148	126	105	64	109
Number of fertility preservation cycles	17	17	11	9	5

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	90	5	396	13
Number of transfers	70	3	355	12
Average number of embryos transferred	1.7	1.7	1.6	1.8
Percentage of embryos transferred resulting in implantation (%)	54.5	3 / 5	36.5	7 / 18
Percentage of transfers resulting in pregnancies (%)	65.7	2 / 3	50.1	7 / 12
Percentage of transfers resulting in live births (%)	57.1	1 / 3	39.4	5 / 12
Percentage of transfers resulting in singleton live births (%)	32.9	0 / 3	29.0	4 / 12
Percentage of transfers resulting in twin live births (%)	24.3	1 / 3	10.4	1 / 12
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.6	0 / 3	22.5	4 / 12

CURRENT SERVICES & PROFILE

Current Name: San Diego Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

LAUREL FERTILITY CARE
SAN FRANCISCO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Collin B. Smikle, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	0%	PGD/PGS	25%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	12%	Uterine factor	10%	Multiple Factors:	
Ovulatory dysfunction	22%	Male factor	24%	Female factors only	8%
Diminished ovarian reserve	20%	Other factor	8%	Female & male factors	11%
Endometriosis	4%	Unknown factor	23%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 322
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	37	14	7	7	5
Percentage of cancellations before retrieval (%)	0.0	0 / 14	1 / 7	1 / 7	0 / 5
Number of transfers	32	10	5	4	4
Average number of embryos transferred	1.5	1.8	2.0	2.5	3.8
Percentage of elective single embryo transfers (eSET) (%)	43.3	1 / 9	0 / 5	1 / 3	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.5	6 / 14	0 / 7	1 / 7	0 / 5
Percentage of cycles resulting in live births (%)	32.4	4 / 14	0 / 7	1 / 7	0 / 5
Percentage of cycles resulting in singleton live births (%)	29.7	3 / 14	0 / 7	1 / 7	0 / 5
Percentage of cycles resulting in twin live births (%)	2.7	1 / 14	0 / 7	0 / 7	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	24.3	2 / 14	0 / 7	1 / 7	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.7	7 / 16	0 / 10	1 / 10	0 / 15
Percentage of transfers resulting in pregnancies (%)	46.9	6 / 10	0 / 5	1 / 4	0 / 4
Percentage of transfers resulting in live births (%)	37.5	4 / 10	0 / 5	1 / 4	0 / 4
Percentage of transfers resulting in singleton live births (%)	34.4	3 / 10	0 / 5	1 / 4	0 / 4
Percentage of transfers resulting in twin live births (%)	3.1	1 / 10	0 / 5	0 / 4	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.1	2 / 10	0 / 5	1 / 4	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	52	32	30	15	4
Number of transfers	49	28	29	14	3
Estimated average number of transfers per retrieval	1.4	1.0	0.8	1.3	1.0
Average number of embryos transferred	1.5	1.5	1.2	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	57.1	45.0	45.5	8 / 17	2 / 4
Percentage of transfers resulting in pregnancies (%)	63.3	53.6	51.7	8 / 14	2 / 3
Percentage of transfers resulting in live births (%)	53.1	46.4	34.5	7 / 14	1 / 3
Percentage of transfers resulting in singleton live births (%)	34.7	35.7	31.0	7 / 14	1 / 3
Percentage of transfers resulting in twin live births (%)	16.3	10.7	3.4	0 / 14	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.6	32.1	27.6	4 / 14	1 / 3
Number of Egg or Embryo Banking Cycles	20	26	35	8	3
Number of fertility preservation cycles	6	10	13	1	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	3	3	18	2
Number of transfers	3	3	17	2
Average number of embryos transferred	2.0	2.3	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	0 / 4	3 / 7	10 / 19	0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 3	2 / 3	9 / 17	1 / 2
Percentage of transfers resulting in live births (%)	0 / 3	2 / 3	7 / 17	0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 3	5 / 17	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 3	1 / 3	2 / 17	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 3	0 / 3	4 / 17	0 / 2

CURRENT SERVICES & PROFILE

Current Name: Laurel Fertility Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC FERTILITY CENTER
SAN FRANCISCO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Philip E. Chenette, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	35%
Unstimulated	0%	PGD/PGS	61%
Used gestational carrier	6%		

Patient Diagnosis[a,b]

Tubal factor	5%	Uterine factor	11%	Multiple Factors:	
Ovulatory dysfunction	14%	Male factor	27%	Female factors only	20%
Diminished ovarian reserve	51%	Other factor	22%	Female & male factors	19%
Endometriosis	7%	Unknown factor	14%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 2,056
(includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	28	23	37	35	32
Percentage of cancellations before retrieval (%)	14.3	43.5	45.9	28.6	46.9
Number of transfers	20	8	9	9	5
Average number of embryos transferred	1.2	1.3	1.8	2.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	80.0	5 / 7	1 / 7	1 / 7	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.7	8.7	13.5	5.7	6.3
Percentage of cycles resulting in live births (%)	28.6	4.3	5.4	0.0	6.3
Percentage of cycles resulting in singleton live births (%)	28.6	0.0	5.4	0.0	6.3
Percentage of cycles resulting in twin live births (%)	0.0	4.3	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	28.6	0.0	5.4	0.0	6.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.4	3 / 10	3 / 13	12.0	2 / 10
Percentage of transfers resulting in pregnancies (%)	50.0	2 / 8	5 / 9	2 / 9	2 / 5
Percentage of transfers resulting in live births (%)	40.0	1 / 8	2 / 9	0 / 9	2 / 5
Percentage of transfers resulting in singleton live births (%)	40.0	0 / 8	2 / 9	0 / 9	2 / 5
Percentage of transfers resulting in twin live births (%)	0.0	1 / 8	0 / 9	0 / 9	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	40.0	0 / 8	2 / 9	0 / 9	2 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	177	160	166	74	43
Number of transfers	168	146	158	69	40
Estimated average number of transfers per retrieval	0.7	0.6	0.6	0.6	0.4
Average number of embryos transferred	1.0	1.0	1.0	1.1	1.1
Percentage of embryos transferred resulting in implantation (%)	62.0	64.7	54.8	51.4	41.5
Percentage of transfers resulting in pregnancies (%)	60.7	64.4	57.6	56.5	47.5
Percentage of transfers resulting in live births (%)	55.4	53.4	53.2	44.9	30.0
Percentage of transfers resulting in singleton live births (%)	51.2	50.0	52.5	42.0	30.0
Percentage of transfers resulting in twin live births (%)	4.2	3.4	0.6	2.9	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	45.8	46.6	46.8	39.1	30.0
Number of Egg or Embryo Banking Cycles	214	243	274	113	105
Number of fertility preservation cycles	107	148	136	33	16

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	12	26	288	2
Number of transfers	11	26	264	2
Average number of embryos transferred	1.1	1.3	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)	6 / 11	40.6	46.7	1 / 2
Percentage of transfers resulting in pregnancies (%)	7 / 11	46.2	51.5	1 / 2
Percentage of transfers resulting in live births (%)	5 / 11	38.5	39.8	1 / 2
Percentage of transfers resulting in singleton live births (%)	5 / 11	30.8	37.9	1 / 2
Percentage of transfers resulting in twin live births (%)	0 / 11	7.7	1.9	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 11	26.9	29.9	1 / 2

CURRENT SERVICES & PROFILE

Current Name: Pacific Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SPRING FERTILITY
SAN FRANCISCO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Nam D. Tran, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	0%	PGD/PGS	31%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	11%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	2%	Male factor	22%	Female factors only	2%
Diminished ovarian reserve	0%	Other factor	42%	Female & male factors	7%
Endometriosis	7%	Unknown factor	18%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 218
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	6	6	6	5	4
Percentage of cancellations before retrieval (%)	0 / 6	1 / 6	0 / 6	0 / 5	0 / 4
Number of transfers	4	5	4	3	1
Average number of embryos transferred	1.5	2.4	2.5	5.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 4	0 / 5	0 / 3	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 6	4 / 6	0 / 6	1 / 5	0 / 4
Percentage of cycles resulting in live births (%)	3 / 6	4 / 6	0 / 6	1 / 5	0 / 4
Percentage of cycles resulting in singleton live births (%)	1 / 6	4 / 6	0 / 6	1 / 5	0 / 4
Percentage of cycles resulting in twin live births (%)	2 / 6	0 / 6	0 / 6	0 / 5	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 6	4 / 6	0 / 6	1 / 5	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	5 / 6	4 / 12	0 / 10	1 / 15	0 / 2
Percentage of transfers resulting in pregnancies (%)	3 / 4	4 / 5	0 / 4	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	3 / 4	4 / 5	0 / 4	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 4	4 / 5	0 / 4	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 4	0 / 5	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 4	4 / 5	0 / 4	1 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	11	8	5	1	2
Number of transfers	11	8	5	1	2
Estimated average number of transfers per retrieval	0.1	0.2	0.2	0.1	0.2
Average number of embryos transferred	1.0	1.4	1.0	4.0	4.5
Percentage of embryos transferred resulting in implantation (%)	5 / 11	5 / 11	4 / 5	0 / 4	0 / 9
Percentage of transfers resulting in pregnancies (%)	5 / 11	5 / 8	4 / 5	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	5 / 11	5 / 8	4 / 5	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	5 / 11	5 / 8	4 / 5	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 8	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 11	5 / 8	4 / 5	0 / 1	0 / 2
Number of Egg or Embryo Banking Cycles	79	40	26	9	9
Number of fertility preservation cycles	66	35	20	7	5

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	0	0
Number of transfers	1	0	0	0
Average number of embryos transferred	1.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 1			
Percentage of transfers resulting in live births (%)	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1			

CURRENT SERVICES & PROFILE

Current Name: Spring Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UCSF CENTER FOR REPRODUCTIVE HEALTH
SAN FRANCISCO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Marcelle I. Cedars, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	61%
Unstimulated	<1%	PGD/PGS	17%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	8%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	5%	Male factor	16%	Female factors only	6%
Diminished ovarian reserve	48%	Other factor	15%	Female & male factors	6%
Endometriosis	3%	Unknown factor	17%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 2,612
(includes 16 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	191	172	272	162	99
Percentage of cancellations before retrieval (%)	11.5	16.9	19.9	23.5	27.3
Number of transfers	134	113	164	84	52
Average number of embryos transferred	1.4	1.6	2.5	3.4	3.9
Percentage of elective single embryo transfers (eSET) (%)	59.7	40.0	6.2	0.0	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.7	35.5	27.6	13.6	7.1
Percentage of cycles resulting in live births (%)	34.0	28.5	19.9	8.6	4.0
Percentage of cycles resulting in singleton live births (%)	31.4	23.3	15.4	8.0	3.0
Percentage of cycles resulting in twin live births (%)	2.6	5.2	4.0	0.6	1.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	27.2	19.2	13.2	5.6	2.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.5	41.2	22.4	8.4	4.2
Percentage of transfers resulting in pregnancies (%)	55.2	54.0	45.7	26.2	13.5
Percentage of transfers resulting in live births (%)	48.5	43.4	32.9	16.7	7.7
Percentage of transfers resulting in singleton live births (%)	44.8	35.4	25.6	15.5	5.8
Percentage of transfers resulting in twin live births (%)	3.7	8.0	6.7	1.2	1.9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	38.8	29.2	22.0	10.7	3.8
Frozen Embryos from Nondonor Eggs					
Number of cycles	137	152	198	94	74
Number of transfers	130	136	186	82	66
Estimated average number of transfers per retrieval	0.5	0.5	0.7	0.6	0.7
Average number of embryos transferred	1.3	1.4	1.5	1.8	3.6
Percentage of embryos transferred resulting in implantation (%)	54.4	46.4	38.7	30.8	10.9
Percentage of transfers resulting in pregnancies (%)	61.5	57.4	54.3	56.1	37.9
Percentage of transfers resulting in live births (%)	52.3	46.3	47.3	46.3	25.8
Percentage of transfers resulting in singleton live births (%)	45.4	41.2	44.1	45.1	24.2
Percentage of transfers resulting in twin live births (%)	6.9	5.1	3.2	1.2	1.5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	39.2	33.1	36.6	35.4	19.7
Number of Egg or Embryo Banking Cycles	203	220	224	117	75
Number of fertility preservation cycles	126	150	98	29	24

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	63	17	121	5
Number of transfers	48	16	119	5
Average number of embryos transferred	1.2	1.2	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	64.7	7 / 18	50.4	2 / 5
Percentage of transfers resulting in pregnancies (%)	70.8	8 / 16	55.5	2 / 5
Percentage of transfers resulting in live births (%)	56.3	6 / 16	43.7	2 / 5
Percentage of transfers resulting in singleton live births (%)	50.0	6 / 16	39.5	2 / 5
Percentage of transfers resulting in twin live births (%)	6.3	0 / 16	4.2	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.3	5 / 16	30.3	2 / 5

CURRENT SERVICES & PROFILE

Current Name: UCSF Center for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 2 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PALO ALTO MEDICAL FOUNDATION FERTILITY PHYSICIANS OF NORTHERN CALIFORNIA
SAN JOSE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by G. David Adamson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	0%	PGD/PGS	7%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	12%	Male factor	31%	Female factors only	13%
Diminished ovarian reserve	35%	Other factor	13%	Female & male factors	17%
Endometriosis	9%	Unknown factor	19%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 891
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	103	92	86	63	46
Percentage of cancellations before retrieval (%)	5.8	8.7	16.3	27.0	32.6
Number of transfers	64	70	62	39	22
Average number of embryos transferred	1.2	1.5	2.1	2.6	3.4
Percentage of elective single embryo transfers (eSET) (%)	77.0	49.3	20.7	2.9	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	28.2	35.9	32.6	9.5	4.3
Percentage of cycles resulting in live births (%)	26.2	28.3	16.3	9.5	0.0
Percentage of cycles resulting in singleton live births (%)	23.3	25.0	15.1	6.3	0.0
Percentage of cycles resulting in twin live births (%)	2.9	3.3	1.2	3.2	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	18.4	20.7	15.1	4.8	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.8	33.0	23.1	7.9	1.4
Percentage of transfers resulting in pregnancies (%)	45.3	47.1	45.2	15.4	9.1
Percentage of transfers resulting in live births (%)	42.2	37.1	22.6	15.4	0.0
Percentage of transfers resulting in singleton live births (%)	37.5	32.9	21.0	10.3	0.0
Percentage of transfers resulting in twin live births (%)	4.7	4.3	1.6	5.1	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	29.7	27.1	21.0	7.7	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	100	88	68	25	23
Number of transfers	99	86	66	25	23
Estimated average number of transfers per retrieval	1.2	1.5	1.1	1.3	1.2
Average number of embryos transferred	1.2	1.3	1.5	1.6	1.7
Percentage of embryos transferred resulting in implantation (%)	47.7	37.4	33.3	26.8	11.4
Percentage of transfers resulting in pregnancies (%)	54.5	46.5	43.9	36.0	30.4
Percentage of transfers resulting in live births (%)	42.4	40.7	40.9	36.0	13.0
Percentage of transfers resulting in singleton live births (%)	39.4	39.5	37.9	28.0	13.0
Percentage of transfers resulting in twin live births (%)	3.0	1.2	3.0	8.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.3	31.4	34.8	24.0	4.3
Number of Egg or Embryo Banking Cycles	39	26	42	14	13
Number of fertility preservation cycles	19	15	18	4	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	23	5	30	3
Number of transfers	20	5	30	3
Average number of embryos transferred	1.1	1.0	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)	52.4	3 / 4	26.5	3 / 3
Percentage of transfers resulting in pregnancies (%)	60.0	4 / 5	30.0	2 / 3
Percentage of transfers resulting in live births (%)	45.0	3 / 5	23.3	1 / 3
Percentage of transfers resulting in singleton live births (%)	45.0	3 / 5	23.3	1 / 3
Percentage of transfers resulting in twin live births (%)	0.0	0 / 5	0.0	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	40.0	3 / 5	16.7	1 / 3

CURRENT SERVICES & PROFILE

Current Name: Palo Alto Medical Foundation Fertility Physicians of Northern California

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ALEX STEINLEITNER, MD, INC.
SAN LUIS OBISPO, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Alex J. Steinleitner, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	44%
Unstimulated	0%	PGD/PGS	7%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	13%	Male factor	50%	Female factors only	4%
Diminished ovarian reserve	10%	Other factor	11%	Female & male factors	16%
Endometriosis	5%	Unknown factor	15%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 241
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	36	16	8	9	6
Percentage of cancellations before retrieval (%)	11.1	2 / 16	3 / 8	3 / 9	4 / 6
Number of transfers	20	9	2	5	2
Average number of embryos transferred	1.8	1.9	1.5	3.0	4.0
Percentage of elective single embryo transfers (eSET) (%)	30.0	1 / 9	0 / 1	0 / 5	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	19.4	4 / 16	1 / 8	2 / 9	1 / 6
Percentage of cycles resulting in live births (%)	19.4	3 / 16	1 / 8	1 / 9	1 / 6
Percentage of cycles resulting in singleton live births (%)	19.4	1 / 16	1 / 8	0 / 9	1 / 6
Percentage of cycles resulting in twin live births (%)	0.0	2 / 16	0 / 8	1 / 9	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	11.1	1 / 16	0 / 8	0 / 9	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	22.9	5 / 15	1 / 3	3 / 15	1 / 8
Percentage of transfers resulting in pregnancies (%)	35.0	4 / 9	1 / 2	2 / 5	1 / 2
Percentage of transfers resulting in live births (%)	35.0	3 / 9	1 / 2	1 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	35.0	1 / 9	1 / 2	0 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	0.0	2 / 9	0 / 2	1 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	20.0	1 / 9	0 / 2	0 / 5	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	33	39	5	7	2
Number of transfers	30	36	3	6	2
Estimated average number of transfers per retrieval	0.9	2.3	0.3	1.5	0.3
Average number of embryos transferred	1.6	1.9	1.3	2.8	3.0
Percentage of embryos transferred resulting in implantation (%)	24.4	19.0	0 / 4	0 / 17	0 / 6
Percentage of transfers resulting in pregnancies (%)	36.7	33.3	0 / 3	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	30.0	22.2	0 / 3	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	26.7	19.4	0 / 3	0 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	3.3	2.8	0 / 3	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	13.3	5.6	0 / 3	0 / 6	0 / 2
Number of Egg or Embryo Banking Cycles	24	12	9	1	7
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	8	0	14	4
Number of transfers	5	0	11	4
Average number of embryos transferred	2.0		1.6	2.5
Percentage of embryos transferred resulting in implantation (%)	1 / 10		7 / 18	6 / 10
Percentage of transfers resulting in pregnancies (%)	1 / 5		5 / 11	4 / 4
Percentage of transfers resulting in live births (%)	1 / 5		5 / 11	4 / 4
Percentage of transfers resulting in singleton live births (%)	1 / 5		3 / 11	2 / 4
Percentage of transfers resulting in twin live births (%)	0 / 5		2 / 11	2 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 5		3 / 11	1 / 4

CURRENT SERVICES & PROFILE

Current Name: Alex Steinleitner, MD, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

REPRODUCTIVE SCIENCE CENTER OF THE SAN FRANCISCO BAY AREA
SAN RAMON, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Louis N. Weckstein, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	0%	PGD/PGS	26%
Used gestational carrier	5%		

Patient Diagnosis[a,b]

Tubal factor	12%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	16%	Male factor	27%	Female factors only	27%
Diminished ovarian reserve	36%	Other factor	44%	Female & male factors	19%
Endometriosis	7%	Unknown factor	9%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 2,073
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	255	137	100	32	12
Percentage of cancellations before retrieval (%)	11.0	8.8	35.0	31.3	1 / 12
Number of transfers	155	83	38	12	5
Average number of embryos transferred	1.3	1.4	1.8	1.9	3.0
Percentage of elective single embryo transfers (eSET) (%)	72.5	56.6	10.0	0 / 10	1 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.4	36.5	19.0	12.5	2 / 12
Percentage of cycles resulting in live births (%)	34.1	29.2	14.0	12.5	1 / 12
Percentage of cycles resulting in singleton live births (%)	31.0	27.0	11.0	12.5	1 / 12
Percentage of cycles resulting in twin live births (%)	3.1	2.2	3.0	0.0	0 / 12
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	23.9	22.6	11.0	12.5	1 / 12
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	56.5	47.6	28.1	21.7	1 / 13
Percentage of transfers resulting in pregnancies (%)	63.2	60.2	50.0	4 / 12	2 / 5
Percentage of transfers resulting in live births (%)	56.1	48.2	36.8	4 / 12	1 / 5
Percentage of transfers resulting in singleton live births (%)	51.0	44.6	28.9	4 / 12	1 / 5
Percentage of transfers resulting in twin live births (%)	5.2	3.6	7.9	0 / 12	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	39.4	37.3	28.9	4 / 12	1 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	335	222	171	70	38
Number of transfers	297	204	146	51	26
Estimated average number of transfers per retrieval	1.4	1.2	0.9	0.7	0.7
Average number of embryos transferred	1.2	1.3	1.2	1.2	1.4
Percentage of embryos transferred resulting in implantation (%)	63.5	60.2	65.5	61.0	47.1
Percentage of transfers resulting in pregnancies (%)	69.4	68.1	74.0	62.7	61.5
Percentage of transfers resulting in live births (%)	59.9	59.3	64.4	56.9	42.3
Percentage of transfers resulting in singleton live births (%)	54.2	52.5	61.0	51.0	34.6
Percentage of transfers resulting in twin live births (%)	5.4	6.9	3.4	5.9	7.7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	46.8	45.1	51.4	41.2	34.6
Number of Egg or Embryo Banking Cycles	116	119	135	70	30
Number of fertility preservation cycles	23	24	18	9	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	76	13	131	4
Number of transfers	68	12	102	3
Average number of embryos transferred	1.1	1.6	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	69.4	10 / 19	61.0	1 / 4
Percentage of transfers resulting in pregnancies (%)	72.1	9 / 12	69.6	1 / 3
Percentage of transfers resulting in live births (%)	61.8	8 / 12	60.8	1 / 3
Percentage of transfers resulting in singleton live births (%)	57.4	7 / 12	53.9	1 / 3
Percentage of transfers resulting in twin live births (%)	4.4	1 / 12	6.9	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	45.6	7 / 12	43.1	1 / 3

CURRENT SERVICES & PROFILE

Current Name: Reproductive Science Center of the San Francisco Bay Area

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA BARBARA FERTILITY CENTER
SANTA BARBARA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by René B. Allen, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	0%	PGD/PGS	8%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	5%	Uterine factor	10%	Multiple Factors:	
Ovulatory dysfunction	3%	Male factor	21%	Female factors only	15%
Diminished ovarian reserve	43%	Other factor	26%	Female & male factors	10%
Endometriosis	0%	Unknown factor	18%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 163
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	45	25	18	7	34
Percentage of cancellations before retrieval (%)	0.0	8.0	2 / 18	1 / 7	14.7
Number of transfers	42	21	15	5	24
Average number of embryos transferred	1.5	2.0	2.5	2.2	2.2
Percentage of elective single embryo transfers (eSET) (%)	30.3	1 / 18	0 / 11	0 / 4	2 / 15
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.0	32.0	7 / 18	3 / 7	11.8
Percentage of cycles resulting in live births (%)	33.3	28.0	4 / 18	1 / 7	8.8
Percentage of cycles resulting in singleton live births (%)	24.4	24.0	2 / 18	1 / 7	8.8
Percentage of cycles resulting in twin live births (%)	8.9	4.0	2 / 18	0 / 7	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	24.4	20.0	1 / 18	1 / 7	8.8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.4	22.0	26.5	3 / 7	7.7
Percentage of transfers resulting in pregnancies (%)	42.9	38.1	7 / 15	3 / 5	16.7
Percentage of transfers resulting in live births (%)	35.7	33.3	4 / 15	1 / 5	12.5
Percentage of transfers resulting in singleton live births (%)	26.2	28.6	2 / 15	1 / 5	12.5
Percentage of transfers resulting in twin live births (%)	9.5	4.8	2 / 15	0 / 5	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.2	23.8	1 / 15	1 / 5	12.5
Frozen Embryos from Nondonor Eggs					
Number of cycles	2	0	3	0	0
Number of transfers	2	0	2	0	0
Estimated average number of transfers per retrieval	0.2	0.0	0.5	0.0	0.0
Average number of embryos transferred	1.5		1.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 3		1 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 2		1 / 2		
Percentage of transfers resulting in live births (%)	1 / 2		1 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 2		1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 2		1 / 2		
Number of Egg or Embryo Banking Cycles	7	3	4	2	2
Number of fertility preservation cycles	4	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	5	0	6	0
Number of transfers	3	0	6	0
Average number of embryos transferred	1.7		1.3	
Percentage of embryos transferred resulting in implantation (%)	3 / 5		3 / 6	
Percentage of transfers resulting in pregnancies (%)	2 / 3		4 / 6	
Percentage of transfers resulting in live births (%)	2 / 3		3 / 6	
Percentage of transfers resulting in singleton live births (%)	1 / 3		3 / 6	
Percentage of transfers resulting in twin live births (%)	1 / 3		0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 3		2 / 6	

CURRENT SERVICES & PROFILE

Current Name: Santa Barbara Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA MONICA FERTILITY
SANTA MONICA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John K. Jain, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	>99%
Unstimulated	0%	PGD/PGS	30%
Used gestational carrier	14%		

Patient Diagnosis[a,b]

Tubal factor	1%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	0%	Male factor	4%	Female factors only	14%
Diminished ovarian reserve	14%	Other factor	96%	Female & male factors	3%
Endometriosis	<1%	Unknown factor	1%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 254
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	1	0	0
Percentage of cancellations before retrieval (%)			0 / 1		
Number of transfers	0	0	1	0	0
Average number of embryos transferred			1.0		
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)			1 / 1		
Percentage of cycles resulting in live births (%)			1 / 1		
Percentage of cycles resulting in singleton live births (%)			1 / 1		
Percentage of cycles resulting in twin live births (%)			0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)			0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)			1 / 1		
Percentage of transfers resulting in pregnancies (%)			1 / 1		
Percentage of transfers resulting in live births (%)			1 / 1		
Percentage of transfers resulting in singleton live births (%)			1 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	4	6	4	2
Number of transfers	9	4	6	4	2
Estimated average number of transfers per retrieval	0.8	0.3	0.3	0.3	0.1
Average number of embryos transferred	1.0	1.5	1.7	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	7 / 8	4 / 6	7 / 10	4 / 6	1 / 4
Percentage of transfers resulting in pregnancies (%)	8 / 9	3 / 4	5 / 6	3 / 4	1 / 2
Percentage of transfers resulting in live births (%)	7 / 9	3 / 4	3 / 6	3 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	7 / 9	2 / 4	3 / 6	2 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 9	1 / 4	0 / 6	1 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	6 / 9	2 / 4	3 / 6	1 / 4	0 / 2
Number of Egg or Embryo Banking Cycles	11	14	22	15	38
Number of fertility preservation cycles	6	10	15	6	10

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	29	10	89	0
Number of transfers	29	10	89	0
Average number of embryos transferred	1.1	1.6	1.1	
Percentage of embryos transferred resulting in implantation (%)	82.8	6 / 16	78.0	
Percentage of transfers resulting in pregnancies (%)	89.7	5 / 10	83.1	
Percentage of transfers resulting in live births (%)	65.5	5 / 10	77.5	
Percentage of transfers resulting in singleton live births (%)	65.5	4 / 10	73.0	
Percentage of transfers resulting in twin live births (%)	0.0	1 / 10	4.5	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	55.2	4 / 10	57.3	

CURRENT SERVICES & PROFILE

Current Name: Santa Monica Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SANTA MONICA UCLA GYN SUBSPECIALTIES GROUP
SANTA MONICA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ingrid A. Rodi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	PGD/PGS	32%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	11%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	28%	Male factor	21%	Female factors only	7%
Diminished ovarian reserve	12%	Other factor	34%	Female & male factors	15%
Endometriosis	4%	Unknown factor	12%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 226
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	15	11	12	5	4
Percentage of cancellations before retrieval (%)	1 / 15	1 / 11	4 / 12	2 / 5	2 / 4
Number of transfers	2	3	5	0	1
Average number of embryos transferred	1.5	2.3	2.2		2.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 2	0 / 3	0 / 5		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 15	1 / 11	3 / 12	0 / 5	0 / 4
Percentage of cycles resulting in live births (%)	1 / 15	1 / 11	2 / 12	0 / 5	0 / 4
Percentage of cycles resulting in singleton live births (%)	0 / 15	0 / 11	2 / 12	0 / 5	0 / 4
Percentage of cycles resulting in twin live births (%)	1 / 15	1 / 11	0 / 12	0 / 5	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 15	0 / 11	2 / 12	0 / 5	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 3	2 / 7	2 / 9		0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 3	3 / 5		0 / 1
Percentage of transfers resulting in live births (%)	1 / 2	1 / 3	2 / 5		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 3	2 / 5		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 2	1 / 3	0 / 5		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 2	0 / 3	2 / 5		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	33	22	11	3	2
Number of transfers	28	20	8	3	2
Estimated average number of transfers per retrieval	0.7	0.5	0.3	0.4	0.7
Average number of embryos transferred	1.1	1.2	1.1	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	53.6	39.1	6 / 9	1 / 4	2 / 3
Percentage of transfers resulting in pregnancies (%)	64.3	45.0	5 / 8	1 / 3	2 / 2
Percentage of transfers resulting in live births (%)	46.4	40.0	5 / 8	1 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)	46.4	40.0	4 / 8	1 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)	0.0	0.0	1 / 8	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.1	30.0	3 / 8	1 / 3	1 / 2
Number of Egg or Embryo Banking Cycles	33	33	28	5	3
Number of fertility preservation cycles	12	21	10	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	4	2
Number of transfers	0	0	4	2
Average number of embryos transferred			1.0	1.5
Percentage of embryos transferred resulting in implantation (%)			2 / 4	1 / 3
Percentage of transfers resulting in pregnancies (%)			2 / 4	1 / 2
Percentage of transfers resulting in live births (%)			2 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)			2 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)			0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			1 / 4	0 / 2

CURRENT SERVICES & PROFILE

Current Name: Santa Monica UCLA GYN Subspecialties Group

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY ASSOCIATES MEDICAL GROUP, INC.
SANTA ROSA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jennifer V. Ratcliffe, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	1%	PGD/PGS	7%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	19%	Uterine factor	1%	Multiple Factors:	
Ovulatory dysfunction	10%	Male factor	39%	Female factors only	21%
Diminished ovarian reserve	60%	Other factor	6%	Female & male factors	25%
Endometriosis	7%	Unknown factor	10%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 188
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	40	19	13	12	2
Percentage of cancellations before retrieval (%)	10.0	0 / 19	1 / 13	6 / 12	0 / 2
Number of transfers	32	17	9	5	2
Average number of embryos transferred	1.9	2.4	2.9	2.6	4.0
Percentage of elective single embryo transfers (eSET) (%)	12.9	2 / 16	0 / 9	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.5	9 / 19	5 / 13	1 / 12	1 / 2
Percentage of cycles resulting in live births (%)	40.0	7 / 19	3 / 13	1 / 12	1 / 2
Percentage of cycles resulting in singleton live births (%)	15.0	5 / 19	2 / 13	1 / 12	1 / 2
Percentage of cycles resulting in twin live births (%)	25.0	2 / 19	1 / 13	0 / 12	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	15.0	4 / 19	2 / 13	1 / 12	1 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.3	31.7	21.7	1 / 13	1 / 8
Percentage of transfers resulting in pregnancies (%)	53.1	9 / 17	5 / 9	1 / 5	1 / 2
Percentage of transfers resulting in live births (%)	50.0	7 / 17	3 / 9	1 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	18.8	5 / 17	2 / 9	1 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	31.3	2 / 17	1 / 9	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	18.8	4 / 17	2 / 9	1 / 5	1 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	22	17	8	2	6
Number of transfers	22	16	8	2	5
Estimated average number of transfers per retrieval	1.5	2.3	1.3	0.3	0.7
Average number of embryos transferred	1.8	2.6	2.3	2.5	3.6
Percentage of embryos transferred resulting in implantation (%)	40.5	23.1	6 / 18	0 / 5	0 / 18
Percentage of transfers resulting in pregnancies (%)	54.5	6 / 16	5 / 8	0 / 2	0 / 5
Percentage of transfers resulting in live births (%)	45.5	4 / 16	5 / 8	0 / 2	0 / 5
Percentage of transfers resulting in singleton live births (%)	27.3	2 / 16	4 / 8	0 / 2	0 / 5
Percentage of transfers resulting in twin live births (%)	18.2	2 / 16	1 / 8	0 / 2	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	22.7	2 / 16	4 / 8	0 / 2	0 / 5
Number of Egg or Embryo Banking Cycles	4	3	4	6	5
Number of fertility preservation cycles	2	2	1	2	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	11	0	8	5
Number of transfers	7	0	8	4
Average number of embryos transferred	1.9		1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	6 / 13		5 / 12	2 / 6
Percentage of transfers resulting in pregnancies (%)	4 / 7		5 / 8	1 / 4
Percentage of transfers resulting in live births (%)	4 / 7		4 / 8	1 / 4
Percentage of transfers resulting in singleton live births (%)	2 / 7		4 / 8	0 / 4
Percentage of transfers resulting in twin live births (%)	2 / 7		0 / 8	1 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 7		3 / 8	0 / 4

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Associates Medical Group, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VALLEY CENTER FOR REPRODUCTIVE HEALTH, INC.
TINA KOOPERSMITH, MD
SHERMAN OAKS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Tina B. Koopersmith, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	73%
Unstimulated	0%	PGD/PGS	43%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	14%	Uterine factor	11%	Multiple Factors:	
Ovulatory dysfunction	16%	Male factor	29%	Female factors only	14%
Diminished ovarian reserve	19%	Other factor	18%	Female & male factors	13%
Endometriosis	10%	Unknown factor	19%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 101
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	6	4	3	2	4
Percentage of cancellations before retrieval (%)	0 / 6	0 / 4	0 / 3	0 / 2	1 / 4
Number of transfers	3	2	3	1	2
Average number of embryos transferred	1.3	1.0	2.0	2.0	2.5
Percentage of elective single embryo transfers (eSET) (%)	1 / 2	2 / 2	0 / 3	0 / 1	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 6	1 / 4	0 / 3	1 / 2	0 / 4
Percentage of cycles resulting in live births (%)	2 / 6	1 / 4	0 / 3	1 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	1 / 6	1 / 4	0 / 3	1 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	1 / 6	0 / 4	0 / 3	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 6	0 / 4	0 / 3	1 / 2	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 4	1 / 2	0 / 6	1 / 2	0 / 5
Percentage of transfers resulting in pregnancies (%)	2 / 3	1 / 2	0 / 3	1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	2 / 3	1 / 2	0 / 3	1 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 2	0 / 3	1 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 2	0 / 3	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 3	0 / 2	0 / 3	1 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	8	10	4	1
Number of transfers	13	8	10	4	1
Estimated average number of transfers per retrieval	0.9	1.1	1.0	0.5	0.3
Average number of embryos transferred	1.2	1.5	1.4	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	10 / 15	7 / 12	3 / 14	3 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	9 / 13	6 / 8	3 / 10	2 / 4	0 / 1
Percentage of transfers resulting in live births (%)	8 / 13	6 / 8	3 / 10	2 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	7 / 13	5 / 8	3 / 10	1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 13	1 / 8	0 / 10	1 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	7 / 13	5 / 8	2 / 10	1 / 4	0 / 1
Number of Egg or Embryo Banking Cycles	12	5	10	8	3
Number of fertility preservation cycles	1	2	5	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	1	6	0
Number of transfers	0	0	6	0
Average number of embryos transferred			1.2	
Percentage of embryos transferred resulting in implantation (%)			4 / 7	
Percentage of transfers resulting in pregnancies (%)			4 / 6	
Percentage of transfers resulting in live births (%)			4 / 6	
Percentage of transfers resulting in singleton live births (%)			4 / 6	
Percentage of transfers resulting in twin live births (%)			0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			4 / 6	

CURRENT SERVICES & PROFILE

Current Name: Valley Center for Reproductive Health, Inc., West Coast Women's Reproductive Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR FERTILITY AND GYNECOLOGY
VERMESH CENTER FOR FERTILITY
TARZANA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael Vermesh, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	11%	PGD/PGS	41%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	4%	Uterine factor	1%	Multiple Factors:	
Ovulatory dysfunction	4%	Male factor	25%	Female factors only	14%
Diminished ovarian reserve	46%	Other factor	42%	Female & male factors	15%
Endometriosis	<1%	Unknown factor	8%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 345
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	30	11	15	13	29
Percentage of cancellations before retrieval (%)	0.0	0 / 11	1 / 15	0 / 13	3.4
Number of transfers	22	9	9	12	19
Average number of embryos transferred	1.8	1.9	1.6	2.2	1.9
Percentage of elective single embryo transfers (eSET) (%)	19.0	1 / 9	2 / 7	0 / 10	1 / 10
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.3	4 / 11	3 / 15	2 / 13	10.3
Percentage of cycles resulting in live births (%)	40.0	4 / 11	2 / 15	2 / 13	6.9
Percentage of cycles resulting in singleton live births (%)	23.3	3 / 11	1 / 15	2 / 13	6.9
Percentage of cycles resulting in twin live births (%)	13.3	1 / 11	1 / 15	0 / 13	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	16.7	2 / 11	1 / 15	2 / 13	3.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	64.7	5 / 17	4 / 14	11.5	5.7
Percentage of transfers resulting in pregnancies (%)	72.7	4 / 9	3 / 9	2 / 12	3 / 19
Percentage of transfers resulting in live births (%)	54.5	4 / 9	2 / 9	2 / 12	2 / 19
Percentage of transfers resulting in singleton live births (%)	31.8	3 / 9	1 / 9	2 / 12	2 / 19
Percentage of transfers resulting in twin live births (%)	18.2	1 / 9	1 / 9	0 / 12	0 / 19
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	22.7	2 / 9	1 / 9	2 / 12	1 / 19
Frozen Embryos from Nondonor Eggs					
Number of cycles	35	14	13	13	4
Number of transfers	35	14	13	13	4
Estimated average number of transfers per retrieval	0.8	0.8	0.4	0.6	0.1
Average number of embryos transferred	1.5	1.4	1.5	1.8	2.8
Percentage of embryos transferred resulting in implantation (%)	49.1	60.0	8 / 17	37.5	0 / 11
Percentage of transfers resulting in pregnancies (%)	65.7	10 / 14	9 / 13	7 / 13	0 / 4
Percentage of transfers resulting in live births (%)	45.7	9 / 14	8 / 13	6 / 13	0 / 4
Percentage of transfers resulting in singleton live births (%)	40.0	7 / 14	8 / 13	4 / 13	0 / 4
Percentage of transfers resulting in twin live births (%)	5.7	2 / 14	0 / 13	2 / 13	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.3	6 / 14	8 / 13	4 / 13	0 / 4
Number of Egg or Embryo Banking Cycles	35	17	32	18	29
Number of fertility preservation cycles	9	8	17	9	7

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	11	0	26	0
Number of transfers	3	0	26	0
Average number of embryos transferred	2.0		1.6	
Percentage of embryos transferred resulting in implantation (%)	3 / 6		58.5	
Percentage of transfers resulting in pregnancies (%)	3 / 3		65.4	
Percentage of transfers resulting in live births (%)	2 / 3		57.7	
Percentage of transfers resulting in singleton live births (%)	2 / 3		30.8	
Percentage of transfers resulting in twin live births (%)	0 / 3		26.9	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 3		30.8	

CURRENT SERVICES & PROFILE

Current Name: The Center for Fertility and Gynecology, Vermesh Center for Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TREE OF LIFE CENTER FOR FERTILITY
SNUNIT BEN-OZER, MD
TARZANA, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Snunit Ben-Ozer, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	0%	PGD/PGS	67%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	11%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	11%	Male factor	39%	Female factors only	11%
Diminished ovarian reserve	39%	Other factor	28%	Female & male factors	33%
Endometriosis	0%	Unknown factor	11%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 45
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	1	0
Percentage of cancellations before retrieval (%)				0 / 1	
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)				0 / 1	
Percentage of cycles resulting in live births (%)				0 / 1	
Percentage of cycles resulting in singleton live births (%)				0 / 1	
Percentage of cycles resulting in twin live births (%)				0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)				0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	4	7	4	1	0
Number of transfers	4	7	4	1	0
Estimated average number of transfers per retrieval	0.6	1.2	0.4	1.0	0.0
Average number of embryos transferred	1.5	1.7	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 6	7 / 12	3 / 7	3 / 2	
Percentage of transfers resulting in pregnancies (%)	4 / 4	5 / 7	2 / 4	1 / 1	
Percentage of transfers resulting in live births (%)	4 / 4	4 / 7	2 / 4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 4	2 / 7	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 4	2 / 7	1 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 4	2 / 7	1 / 4	0 / 1	
Number of Egg or Embryo Banking Cycles	7	6	10	1	3
Number of fertility preservation cycles	5	4	4	0	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	1	0
Number of transfers	0	0	1	0
Average number of embryos transferred			1.0	
Percentage of embryos transferred resulting in implantation (%)				
Percentage of transfers resulting in pregnancies (%)			1 / 1	
Percentage of transfers resulting in live births (%)			0 / 1	
Percentage of transfers resulting in singleton live births (%)			0 / 1	
Percentage of transfers resulting in twin live births (%)			0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Tree of Life Center for Fertility, Snunit Ben-Ozer, MD

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND SURGICAL ASSOCIATES OF CALIFORNIA
THOUSAND OAKS, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gary Hubert, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	69%
Unstimulated	0%	PGD/PGS	69%
Used gestational carrier	11%		

Patient Diagnosis[a,b]

Tubal factor	7%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	9%	Male factor	22%	Female factors only	13%
Diminished ovarian reserve	62%	Other factor	17%	Female & male factors	13%
Endometriosis	5%	Unknown factor	2%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,233
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	14	20	26	18	34
Percentage of cancellations before retrieval (%)	1 / 14	0.0	15.4	5 / 18	20.6
Number of transfers	4	0	0	1	3
Average number of embryos transferred	1.3			3.0	1.7
Percentage of elective single embryo transfers (eSET) (%)	0 / 1			0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 14	0.0	0.0	0 / 18	5.9
Percentage of cycles resulting in live births (%)	1 / 14	0.0	0.0	0 / 18	2.9
Percentage of cycles resulting in singleton live births (%)	1 / 14	0.0	0.0	0 / 18	2.9
Percentage of cycles resulting in twin live births (%)	0 / 14	0.0	0.0	0 / 18	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 14	0.0	0.0	0 / 18	2.9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 5			0 / 3	2 / 5
Percentage of transfers resulting in pregnancies (%)	2 / 4			0 / 1	2 / 3
Percentage of transfers resulting in live births (%)	1 / 4			0 / 1	1 / 3
Percentage of transfers resulting in singleton live births (%)	1 / 4			0 / 1	1 / 3
Percentage of transfers resulting in twin live births (%)	0 / 4			0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 4			0 / 1	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	134	145	101	72	28
Number of transfers	128	131	91	67	26
Estimated average number of transfers per retrieval	1.2	1.1	0.8	0.8	0.3
Average number of embryos transferred	1.2	1.3	1.2	1.1	1.2
Percentage of embryos transferred resulting in implantation (%)	62.6	60.1	57.8	38.2	43.3
Percentage of transfers resulting in pregnancies (%)	66.4	69.5	67.0	47.8	50.0
Percentage of transfers resulting in live births (%)	57.8	55.7	56.0	34.3	34.6
Percentage of transfers resulting in singleton live births (%)	50.8	48.9	53.8	34.3	30.8
Percentage of transfers resulting in twin live births (%)	6.3	6.9	2.2	0.0	3.8
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	38.3	41.2	39.6	23.9	19.2
Number of Egg or Embryo Banking Cycles	108	117	111	75	79
Number of fertility preservation cycles	12	18	11	4	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	4	3	134	8
Number of transfers	2	1	124	7
Average number of embryos transferred	1.5	1.0	1.3	1.1
Percentage of embryos transferred resulting in implantation (%)	1 / 3	0 / 1	58.0	6 / 8
Percentage of transfers resulting in pregnancies (%)	1 / 2	0 / 1	66.1	5 / 7
Percentage of transfers resulting in live births (%)	1 / 2	0 / 1	50.8	5 / 7
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 1	43.5	4 / 7
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	7.3	1 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 2	0 / 1	29.0	4 / 7

CURRENT SERVICES & PROFILE

Current Name: Fertility and Surgical Associates of California

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PACIFIC REPRODUCTIVE CENTER
TORRANCE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Rifaat Salem, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	4%	PGD/PGS	31%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	20%	Male factor	35%	Female factors only	18%
Diminished ovarian reserve	28%	Other factor	18%	Female & male factors	12%
Endometriosis	6%	Unknown factor	9%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 310
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	95	40	36	20	19
Percentage of cancellations before retrieval (%)	3.2	10.0	13.9	25.0	2 / 19
Number of transfers	91	35	29	12	16
Average number of embryos transferred	1.8	2.0	2.2	2.7	2.4
Percentage of elective single embryo transfers (eSET) (%)	3.9	6.5	0.0	0 / 11	0 / 13
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	61.1	42.5	44.4	15.0	4 / 19
Percentage of cycles resulting in live births (%)	56.8	40.0	30.6	10.0	1 / 19
Percentage of cycles resulting in singleton live births (%)	33.7	32.5	27.8	10.0	1 / 19
Percentage of cycles resulting in twin live births (%)	23.2	7.5	2.8	0.0	0 / 19
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	27.4	30.0	25.0	10.0	1 / 19
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	50.3	35.8	29.7	6.9	10.3
Percentage of transfers resulting in pregnancies (%)	63.7	48.6	55.2	3 / 12	4 / 16
Percentage of transfers resulting in live births (%)	59.3	45.7	37.9	2 / 12	1 / 16
Percentage of transfers resulting in singleton live births (%)	35.2	37.1	34.5	2 / 12	1 / 16
Percentage of transfers resulting in twin live births (%)	24.2	8.6	3.4	0 / 12	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.6	34.3	31.0	2 / 12	1 / 16
Frozen Embryos from Nondonor Eggs					
Number of cycles	16	13	10	5	4
Number of transfers	16	13	7	3	2
Estimated average number of transfers per retrieval	1.1	1.0	1.0	0.4	0.2
Average number of embryos transferred	2.1	1.8	2.0	2.7	2.0
Percentage of embryos transferred resulting in implantation (%)	30.3	33.3	1 / 14	2 / 8	1 / 4
Percentage of transfers resulting in pregnancies (%)	7 / 16	8 / 13	1 / 7	2 / 3	1 / 2
Percentage of transfers resulting in live births (%)	6 / 16	5 / 13	1 / 7	2 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 16	5 / 13	1 / 7	2 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 16	0 / 13	0 / 7	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 16	3 / 13	1 / 7	2 / 3	0 / 2
Number of Egg or Embryo Banking Cycles	11	10	4	8	11
Number of fertility preservation cycles	4	6	2	6	8

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	4	0	2	0
Number of transfers	4	0	2	0
Average number of embryos transferred	2.0		2.5	
Percentage of embryos transferred resulting in implantation (%)	4 / 8		3 / 5	
Percentage of transfers resulting in pregnancies (%)	3 / 4		2 / 2	
Percentage of transfers resulting in live births (%)	3 / 4		2 / 2	
Percentage of transfers resulting in singleton live births (%)	2 / 4		1 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 4		1 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 4		1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Pacific Reproductive Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY FERTILITY CENTER
TORRANCE, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Omid A. Khorram, MD, PhD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	43%
Unstimulated	1%	PGD/PGS	9%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	22%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	11%	Male factor	18%	Female factors only	2%
Diminished ovarian reserve	11%	Other factor	16%	Female & male factors	3%
Endometriosis	3%	Unknown factor	22%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 229
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	41	31	41	19	6
Percentage of cancellations before retrieval (%)	0.0	6.5	7.3	1 / 19	0 / 6
Number of transfers	31	24	29	15	6
Average number of embryos transferred	2.1	2.3	2.3	2.5	2.7
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0.0	0 / 11	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	56.1	38.7	29.3	1 / 19	0 / 6
Percentage of cycles resulting in live births (%)	34.1	32.3	26.8	0 / 19	0 / 6
Percentage of cycles resulting in singleton live births (%)	14.6	25.8	17.1	0 / 19	0 / 6
Percentage of cycles resulting in twin live births (%)	17.1	6.5	9.8	0 / 19	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	9.8	6.5	9.8	0 / 19	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	57.4	25.9	25.8	2.7	0 / 16
Percentage of transfers resulting in pregnancies (%)	74.2	50.0	41.4	1 / 15	0 / 6
Percentage of transfers resulting in live births (%)	45.2	41.7	37.9	0 / 15	0 / 6
Percentage of transfers resulting in singleton live births (%)	19.4	33.3	24.1	0 / 15	0 / 6
Percentage of transfers resulting in twin live births (%)	22.6	8.3	13.8	0 / 15	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	12.9	8.3	13.8	0 / 15	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	23	8	14	5	3
Number of transfers	23	8	14	5	3
Estimated average number of transfers per retrieval	1.4	1.3	1.8	1.3	1.5
Average number of embryos transferred	2.3	2.4	2.4	2.8	2.3
Percentage of embryos transferred resulting in implantation (%)	46.3	6 / 16	22.6	2 / 14	1 / 7
Percentage of transfers resulting in pregnancies (%)	60.9	5 / 8	6 / 14	2 / 5	1 / 3
Percentage of transfers resulting in live births (%)	39.1	4 / 8	3 / 14	1 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	8.7	2 / 8	2 / 14	1 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	30.4	2 / 8	1 / 14	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4.3	1 / 8	2 / 14	0 / 5	0 / 3
Number of Egg or Embryo Banking Cycles	6	2	2	3	2
Number of fertility preservation cycles	4	1	2	2	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	11	1	8	1
Number of transfers	9	1	8	1
Average number of embryos transferred	2.2	2.0	2.4	3.0
Percentage of embryos transferred resulting in implantation (%)	40.0	1 / 2	6 / 14	1 / 3
Percentage of transfers resulting in pregnancies (%)	5 / 9	1 / 1	6 / 8	1 / 1
Percentage of transfers resulting in live births (%)	5 / 9	1 / 1	3 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 9	1 / 1	2 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 9	0 / 1	1 / 8	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 9	1 / 1	1 / 8	0 / 1

CURRENT SERVICES & PROFILE

Current Name: University Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CALIFORNIA CENTER FOR REPRODUCTIVE HEALTH
REPRODUCTIVE FERTILITY CENTER
WEST HOLLYWOOD, CALIFORNIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Peyman Saadat, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	2%	PGD/PGS	8%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	9%	Male factor	37%	Female factors only	12%
Diminished ovarian reserve	37%	Other factor	37%	Female & male factors	25%
Endometriosis	4%	Unknown factor	5%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 752
(includes 6 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	24	25	35	21	24
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	0.0	0.0
Number of transfers	22	23	25	14	16
Average number of embryos transferred	2.1	2.0	2.4	3.1	2.4
Percentage of elective single embryo transfers (eSET) (%)	0.0	5.0	0.0	0 / 12	2 / 14
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	58.3	48.0	31.4	19.0	12.5
Percentage of cycles resulting in live births (%)	45.8	24.0	22.9	4.8	8.3
Percentage of cycles resulting in singleton live births (%)	33.3	16.0	17.1	4.8	8.3
Percentage of cycles resulting in twin live births (%)	8.3	8.0	5.7	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	29.2	16.0	11.4	0.0	4.2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.4	34.1	20.4	9.8	5.3
Percentage of transfers resulting in pregnancies (%)	63.6	52.2	44.0	4 / 14	3 / 16
Percentage of transfers resulting in live births (%)	50.0	26.1	32.0	1 / 14	2 / 16
Percentage of transfers resulting in singleton live births (%)	36.4	17.4	24.0	1 / 14	2 / 16
Percentage of transfers resulting in twin live births (%)	9.1	8.7	8.0	0 / 14	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.8	17.4	16.0	0 / 14	1 / 16
Frozen Embryos from Nondonor Eggs					
Number of cycles	104	70	63	26	11
Number of transfers	104	70	62	26	10
Estimated average number of transfers per retrieval	1.2	0.9	0.8	0.6	0.2
Average number of embryos transferred	1.8	1.8	2.1	1.7	2.8
Percentage of embryos transferred resulting in implantation (%)	49.7	38.3	30.7	24.4	21.4
Percentage of transfers resulting in pregnancies (%)	62.5	54.3	54.8	42.3	6 / 10
Percentage of transfers resulting in live births (%)	53.8	42.9	41.9	30.8	5 / 10
Percentage of transfers resulting in singleton live births (%)	36.5	31.4	35.5	30.8	5 / 10
Percentage of transfers resulting in twin live births (%)	17.3	11.4	6.5	0.0	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.8	28.6	32.3	26.9	3 / 10
Number of Egg or Embryo Banking Cycles	84	73	74	43	40
Number of fertility preservation cycles	23	20	25	14	9

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	7	1	21	0
Number of transfers	7	1	21	0
Average number of embryos transferred	1.7	2.0	1.8	
Percentage of embryos transferred resulting in implantation (%)	7 / 10	0 / 2	45.5	
Percentage of transfers resulting in pregnancies (%)	5 / 7	0 / 1	57.1	
Percentage of transfers resulting in live births (%)	3 / 7	0 / 1	38.1	
Percentage of transfers resulting in singleton live births (%)	1 / 7	0 / 1	14.3	
Percentage of transfers resulting in twin live births (%)	2 / 7	0 / 1	23.8	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 7	0 / 1	9.5	

CURRENT SERVICES & PROFILE

Current Name: California Center for Reproductive Health, Reproductive Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & FERTILITY CENTER
COLORADO SPRINGS, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Paul C. Magarelli, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	5%
Unstimulated	0%	PGD/PGS	63%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	22%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	12%	Male factor	48%	Female factors only	7%
Diminished ovarian reserve	16%	Other factor	13%	Female & male factors	17%
Endometriosis	7%	Unknown factor	7%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 490
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	1	0	0	0
Percentage of cancellations before retrieval (%)	0 / 1	0 / 1			
Number of transfers	1	1	0	0	0
Average number of embryos transferred	2.0	1.0			
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	1 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 1	0 / 1			
Percentage of cycles resulting in live births (%)	1 / 1	0 / 1			
Percentage of cycles resulting in singleton live births (%)	1 / 1	0 / 1			
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 1			
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 1	0 / 1			
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 2	0 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	1 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 1	0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	127	43	20	8	3
Number of transfers	126	42	20	8	3
Estimated average number of transfers per retrieval	0.9	0.7	0.6	0.4	0.2
Average number of embryos transferred	1.5	1.4	1.6	1.4	1.3
Percentage of embryos transferred resulting in implantation (%)	36.4	49.1	35.7	4 / 10	0 / 4
Percentage of transfers resulting in pregnancies (%)	52.4	61.9	50.0	4 / 8	0 / 3
Percentage of transfers resulting in live births (%)	36.5	52.4	35.0	3 / 8	0 / 3
Percentage of transfers resulting in singleton live births (%)	29.4	45.2	25.0	2 / 8	0 / 3
Percentage of transfers resulting in twin live births (%)	6.3	7.1	10.0	1 / 8	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	23.8	35.7	15.0	1 / 8	0 / 3
Number of Egg or Embryo Banking Cycles	138	59	33	22	14
Number of fertility preservation cycles	1	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	1	14	5
Number of transfers	0	1	14	5
Average number of embryos transferred		2.0	1.4	1.8
Percentage of embryos transferred resulting in implantation (%)		1 / 2	7 / 19	1 / 9
Percentage of transfers resulting in pregnancies (%)		1 / 1	6 / 14	1 / 5
Percentage of transfers resulting in live births (%)		1 / 1	5 / 14	1 / 5
Percentage of transfers resulting in singleton live births (%)		1 / 1	4 / 14	1 / 5
Percentage of transfers resulting in twin live births (%)		0 / 1	1 / 14	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		0 / 1	4 / 14	1 / 5

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: HQA Fertility Centers

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE
UNIVERSITY OF COLORADO
DENVER, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Edward H. Illions, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	0%	PGD/PGS	34%
Used gestational carrier	6%		

Patient Diagnosis[a,b]

Tubal factor	12%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	14%	Male factor	32%	Female factors only	21%
Diminished ovarian reserve	41%	Other factor	39%	Female & male factors	22%
Endometriosis	5%	Unknown factor	8%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 248
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	29	7	0	1	0
Percentage of cancellations before retrieval (%)	0.0	1 / 7		1 / 1	
Number of transfers	10	4	0	0	0
Average number of embryos transferred	1.6	2.0			
Percentage of elective single embryo transfers (eSET) (%)	3 / 9	0 / 4			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	10.3	3 / 7		0 / 1	
Percentage of cycles resulting in live births (%)	3.4	3 / 7		0 / 1	
Percentage of cycles resulting in singleton live births (%)	0.0	3 / 7		0 / 1	
Percentage of cycles resulting in twin live births (%)	3.4	0 / 7		0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0.0	3 / 7		0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 16	3 / 8			
Percentage of transfers resulting in pregnancies (%)	3 / 10	3 / 4			
Percentage of transfers resulting in live births (%)	1 / 10	3 / 4			
Percentage of transfers resulting in singleton live births (%)	0 / 10	3 / 4			
Percentage of transfers resulting in twin live births (%)	1 / 10	0 / 4			
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 10	3 / 4			
Frozen Embryos from Nondonor Eggs					
Number of cycles	56	25	17	8	0
Number of transfers	54	25	16	8	0
Estimated average number of transfers per retrieval	1.0	1.2	1.3	4.0	
Average number of embryos transferred	1.2	1.4	1.3	1.3	
Percentage of embryos transferred resulting in implantation (%)	55.6	21.2	9 / 19	3 / 9	
Percentage of transfers resulting in pregnancies (%)	66.7	36.0	10 / 16	4 / 8	
Percentage of transfers resulting in live births (%)	59.3	20.0	9 / 16	3 / 8	
Percentage of transfers resulting in singleton live births (%)	57.4	20.0	9 / 16	3 / 8	
Percentage of transfers resulting in twin live births (%)	1.9	0.0	0 / 16	0 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	46.3	20.0	5 / 16	2 / 8	
Number of Egg or Embryo Banking Cycles	36	17	12	2	0
Number of fertility preservation cycles	10	5	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	9	25	3
Number of transfers	0	9	25	3
Average number of embryos transferred		1.6	1.2	1.7
Percentage of embryos transferred resulting in implantation (%)		2 / 14	30.8	2 / 5
Percentage of transfers resulting in pregnancies (%)		2 / 9	44.0	2 / 3
Percentage of transfers resulting in live births (%)		2 / 9	32.0	2 / 3
Percentage of transfers resulting in singleton live births (%)		2 / 9	32.0	2 / 3
Percentage of transfers resulting in twin live births (%)		0 / 9	0.0	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		2 / 9	16.0	2 / 3

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Medicine, University of Colorado

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLORADO REPRODUCTIVE ENDOCRINOLOGY
DENVER, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Susan W. Trout, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	13%
Unstimulated	0%	PGD/PGS	6%
Used gestational carrier	6%		

Patient Diagnosis[a,b]

Tubal factor	17%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	25%	Male factor	32%	Female factors only	17%
Diminished ovarian reserve	37%	Other factor	7%	Female & male factors	13%
Endometriosis	3%	Unknown factor	8%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 99
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	21	15	7	3	1
Percentage of cancellations before retrieval (%)	0.0	1 / 15	0 / 7	1 / 3	0 / 1
Number of transfers	14	9	3	1	0
Average number of embryos transferred	1.5	1.8	2.0	1.0	
Percentage of elective single embryo transfers (eSET) (%)	5 / 12	0 / 7	0 / 2		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	9.5	1 / 15	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in live births (%)	9.5	1 / 15	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	4.8	1 / 15	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	4.8	0 / 15	0 / 7	0 / 3	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	4.8	1 / 15	0 / 7	0 / 3	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	14.3	1 / 16	0 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 14	1 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 14	1 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 14	1 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 14	0 / 9	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 14	1 / 9	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	8	7	4	1
Number of transfers	7	7	6	3	1
Estimated average number of transfers per retrieval	1.4	1.2	2.0	0.8	
Average number of embryos transferred	1.6	1.6	1.5	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	3 / 11	4 / 11	2 / 9	2 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 7	4 / 7	2 / 6	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	2 / 7	2 / 7	2 / 6	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 7	2 / 7	2 / 6	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 7	0 / 6	1 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 7	2 / 7	1 / 6	0 / 3	0 / 1
Number of Egg or Embryo Banking Cycles	3	2	0	3	0
Number of fertility preservation cycles	0	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	0	4	5
Number of transfers	2	0	3	5
Average number of embryos transferred	2.0		1.0	1.8
Percentage of embryos transferred resulting in implantation (%)	4 / 4		1 / 3	3 / 9
Percentage of transfers resulting in pregnancies (%)	2 / 2		1 / 3	3 / 5
Percentage of transfers resulting in live births (%)	1 / 2		1 / 3	3 / 5
Percentage of transfers resulting in singleton live births (%)	0 / 2		1 / 3	3 / 5
Percentage of transfers resulting in twin live births (%)	1 / 2		0 / 3	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 2		1 / 3	2 / 5

CURRENT SERVICES & PROFILE

Current Name: Colorado Reproductive Endocrinology

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DENVER FERTILITY-ALBRECHT WOMEN'S CARE
ENGLEWOOD, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Bruce H. Albrecht, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	0%	PGD/PGS	12%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	16%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	16%	Male factor	31%	Female factors only	14%
Diminished ovarian reserve	48%	Other factor	10%	Female & male factors	18%
Endometriosis	7%	Unknown factor	5%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 151
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	23	15	14	6	0
Percentage of cancellations before retrieval (%)	4.3	3 / 15	4 / 14	2 / 6	
Number of transfers	12	5	6	3	0
Average number of embryos transferred	1.8	1.6	1.8	2.0	
Percentage of elective single embryo transfers (eSET) (%)	2 / 10	0 / 3	0 / 5	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	43.5	4 / 15	3 / 14	1 / 6	
Percentage of cycles resulting in live births (%)	34.8	3 / 15	2 / 14	0 / 6	
Percentage of cycles resulting in singleton live births (%)	26.1	3 / 15	2 / 14	0 / 6	
Percentage of cycles resulting in twin live births (%)	8.7	0 / 15	0 / 14	0 / 6	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	26.1	3 / 15	2 / 14	0 / 6	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	61.9	3 / 7	2 / 9	0 / 4	
Percentage of transfers resulting in pregnancies (%)	10 / 12	4 / 5	3 / 6	1 / 3	
Percentage of transfers resulting in live births (%)	8 / 12	3 / 5	2 / 6	0 / 3	
Percentage of transfers resulting in singleton live births (%)	6 / 12	3 / 5	2 / 6	0 / 3	
Percentage of transfers resulting in twin live births (%)	2 / 12	0 / 5	0 / 6	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	6 / 12	3 / 5	2 / 6	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	26	12	10	0	2
Number of transfers	25	10	10	0	2
Estimated average number of transfers per retrieval	1.7	1.4	5.0		0.7
Average number of embryos transferred	1.4	1.5	1.0		1.0
Percentage of embryos transferred resulting in implantation (%)	38.7	4 / 13	3 / 8		1 / 2
Percentage of transfers resulting in pregnancies (%)	52.0	4 / 10	5 / 10		1 / 2
Percentage of transfers resulting in live births (%)	36.0	3 / 10	2 / 10		1 / 2
Percentage of transfers resulting in singleton live births (%)	32.0	2 / 10	2 / 10		1 / 2
Percentage of transfers resulting in twin live births (%)	4.0	1 / 10	0 / 10		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	24.0	2 / 10	2 / 10		1 / 2
Number of Egg or Embryo Banking Cycles	7	4	2	0	3
Number of fertility preservation cycles	1	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	10	1	15	0
Number of transfers	9	1	13	0
Average number of embryos transferred	1.0	1.0	1.2	
Percentage of embryos transferred resulting in implantation (%)	2 / 7	0 / 1	2 / 16	
Percentage of transfers resulting in pregnancies (%)	4 / 9	0 / 1	2 / 13	
Percentage of transfers resulting in live births (%)	2 / 9	0 / 1	2 / 13	
Percentage of transfers resulting in singleton live births (%)	2 / 9	0 / 1	2 / 13	
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 1	0 / 13	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 9	0 / 1	1 / 13	

CURRENT SERVICES & PROFILE

Current Name: Denver Fertility-Albrecht Women's Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCKY MOUNTAIN CENTER FOR REPRODUCTIVE MEDICINE
FORT COLLINS, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kevin E. Bachus, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	89%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	22%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	18%	Male factor	30%	Female factors only	8%
Diminished ovarian reserve	24%	Other factor	6%	Female & male factors	16%
Endometriosis	9%	Unknown factor	11%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 99
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	24	16	9	2	0
Percentage of cancellations before retrieval (%)	4.2	0 / 16	0 / 9	0 / 2	
Number of transfers	21	16	8	2	0
Average number of embryos transferred	1.9	2.1	2.8	3.5	
Percentage of elective single embryo transfers (eSET) (%)	1 / 19	0 / 16	0 / 8	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	54.2	6 / 16	4 / 9	0 / 2	
Percentage of cycles resulting in live births (%)	54.2	6 / 16	2 / 9	0 / 2	
Percentage of cycles resulting in singleton live births (%)	33.3	4 / 16	1 / 9	0 / 2	
Percentage of cycles resulting in twin live births (%)	20.8	1 / 16	1 / 9	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	33.3	2 / 16	1 / 9	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.7	26.5	4 / 19	0 / 7	
Percentage of transfers resulting in pregnancies (%)	61.9	6 / 16	4 / 8	0 / 2	
Percentage of transfers resulting in live births (%)	61.9	6 / 16	2 / 8	0 / 2	
Percentage of transfers resulting in singleton live births (%)	38.1	4 / 16	1 / 8	0 / 2	
Percentage of transfers resulting in twin live births (%)	23.8	1 / 16	1 / 8	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	38.1	2 / 16	1 / 8	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	14	11	7	1	1
Number of transfers	14	11	7	1	1
Estimated average number of transfers per retrieval	3.5	2.2	2.3	0.5	
Average number of embryos transferred	1.8	1.6	1.9	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	28.0	8 / 18	7 / 12	0 / 1	1 / 2
Percentage of transfers resulting in pregnancies (%)	5 / 14	6 / 11	5 / 7	0 / 1	1 / 1
Percentage of transfers resulting in live births (%)	3 / 14	4 / 11	4 / 7	0 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 14	2 / 11	3 / 7	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	1 / 14	2 / 11	1 / 7	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 14	2 / 11	3 / 7	0 / 1	1 / 1
Number of Egg or Embryo Banking Cycles	0	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	10	0	4	0
Number of transfers	9	0	4	0
Average number of embryos transferred	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	13 / 18		3 / 8	
Percentage of transfers resulting in pregnancies (%)	8 / 9		2 / 4	
Percentage of transfers resulting in live births (%)	8 / 9		1 / 4	
Percentage of transfers resulting in singleton live births (%)	3 / 9		0 / 4	
Percentage of transfers resulting in twin live births (%)	5 / 9		1 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 9		0 / 4	

CURRENT SERVICES & PROFILE

Current Name: Rocky Mountain Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONCEPTIONS REPRODUCTIVE ASSOCIATES OF COLORADO
LITTLETON, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark R. Bush, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	98%
Unstimulated	0%	PGD/PGS	86%
Used gestational carrier	4%		

Patient Diagnosis[a,b]

Tubal factor	8%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	19%	Male factor	43%	Female factors only	27%
Diminished ovarian reserve	40%	Other factor	48%	Female & male factors	33%
Endometriosis	5%	Unknown factor	8%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,143
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	13	4	2	2	0
Percentage of cancellations before retrieval (%)	1 / 13	0 / 4	0 / 2	0 / 2	
Number of transfers	10	2	1	2	0
Average number of embryos transferred	1.4	2.0	1.0	1.5	
Percentage of elective single embryo transfers (eSET) (%)	5 / 9	0 / 2	1 / 1	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	6 / 13	2 / 4	1 / 2	0 / 2	
Percentage of cycles resulting in live births (%)	6 / 13	2 / 4	1 / 2	0 / 2	
Percentage of cycles resulting in singleton live births (%)	5 / 13	2 / 4	1 / 2	0 / 2	
Percentage of cycles resulting in twin live births (%)	1 / 13	0 / 4	0 / 2	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	4 / 13	1 / 4	1 / 2	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	7 / 14	2 / 4	1 / 1	0 / 3	
Percentage of transfers resulting in pregnancies (%)	6 / 10	2 / 2	1 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	6 / 10	2 / 2	1 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	5 / 10	2 / 2	1 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 10	0 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 10	1 / 2	1 / 1	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	240	109	71	22	8
Number of transfers	239	106	71	22	8
Estimated average number of transfers per retrieval	0.9	0.8	0.6	0.6	0.2
Average number of embryos transferred	1.2	1.2	1.1	1.1	1.1
Percentage of embryos transferred resulting in implantation (%)	73.8	74.6	67.1	100.0	5 / 9
Percentage of transfers resulting in pregnancies (%)	74.9	77.4	70.4	90.9	4 / 8
Percentage of transfers resulting in live births (%)	68.2	64.2	62.0	86.4	3 / 8
Percentage of transfers resulting in singleton live births (%)	58.2	55.7	59.2	68.2	2 / 8
Percentage of transfers resulting in twin live births (%)	9.2	7.5	2.8	18.2	1 / 8
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	51.0	38.7	47.9	59.1	2 / 8
Number of Egg or Embryo Banking Cycles	248	138	118	34	35
Number of fertility preservation cycles	3	2	4	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	9	85	3
Number of transfers	0	9	82	3
Average number of embryos transferred		1.1	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)		7 / 8	66.7	0 / 3
Percentage of transfers resulting in pregnancies (%)		9 / 9	68.3	0 / 3
Percentage of transfers resulting in live births (%)		5 / 9	61.0	0 / 3
Percentage of transfers resulting in singleton live births (%)		5 / 9	57.3	0 / 3
Percentage of transfers resulting in twin live births (%)		0 / 9	2.4	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		4 / 9	34.1	0 / 3

CURRENT SERVICES & PROFILE

Current Name: Conceptions Reproductive Associates of Colorado

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLORADO CENTER FOR REPRODUCTIVE MEDICINE
LONE TREE, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by William B. Schoolcraft, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	78%
Unstimulated	0%	PGD/PGS	50%
Used gestational carrier	4%		

Patient Diagnosis[a,b]

Tubal factor	5%	Uterine factor	11%	Multiple Factors:	
Ovulatory dysfunction	14%	Male factor	22%	Female factors only	22%
Diminished ovarian reserve	49%	Other factor	21%	Female & male factors	15%
Endometriosis	9%	Unknown factor	18%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 3,740
(includes 42 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	115	66	62	43	63
Percentage of cancellations before retrieval (%)	10.4	28.8	29.0	41.9	23.8
Number of transfers	38	13	5	0	0
Average number of embryos transferred	1.6	1.8	1.6		
Percentage of elective single embryo transfers (eSET) (%)	39.5	2 / 11	1 / 4		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	22.6	15.2	6.5	0.0	0.0
Percentage of cycles resulting in live births (%)	20.9	10.6	4.8	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	16.5	9.1	4.8	0.0	0.0
Percentage of cycles resulting in twin live births (%)	4.3	1.5	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	13.9	6.1	4.8	0.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	53.3	9 / 19	4 / 8		
Percentage of transfers resulting in pregnancies (%)	68.4	10 / 13	4 / 5		
Percentage of transfers resulting in live births (%)	63.2	7 / 13	3 / 5		
Percentage of transfers resulting in singleton live births (%)	50.0	6 / 13	3 / 5		
Percentage of transfers resulting in twin live births (%)	13.2	1 / 13	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	42.1	4 / 13	3 / 5		
Frozen Embryos from Nondonor Eggs					
Number of cycles	474	357	307	159	113
Number of transfers	462	350	299	149	102
Estimated average number of transfers per retrieval	1.0	1.0	0.7	0.6	0.5
Average number of embryos transferred	1.3	1.3	1.3	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	66.4	65.5	72.8	59.3	55.9
Percentage of transfers resulting in pregnancies (%)	73.8	72.0	78.6	64.4	60.8
Percentage of transfers resulting in live births (%)	63.9	62.9	68.2	57.0	54.9
Percentage of transfers resulting in singleton live births (%)	50.0	50.6	52.8	48.3	43.1
Percentage of transfers resulting in twin live births (%)	13.4	12.0	13.7	8.7	10.8
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	42.9	43.4	46.2	38.3	40.2
Number of Egg or Embryo Banking Cycles	408	344	403	242	222
Number of fertility preservation cycles	90	86	104	72	81

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	67	23	215	15
Number of transfers	36	15	215	15
Average number of embryos transferred	1.5	1.7	1.4	1.8
Percentage of embryos transferred resulting in implantation (%)	71.4	66.7	58.6	55.6
Percentage of transfers resulting in pregnancies (%)	83.3	10 / 15	71.6	10 / 15
Percentage of transfers resulting in live births (%)	69.4	7 / 15	57.2	8 / 15
Percentage of transfers resulting in singleton live births (%)	52.8	4 / 15	46.5	4 / 15
Percentage of transfers resulting in twin live births (%)	16.7	3 / 15	10.7	4 / 15
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	33.3	2 / 15	39.5	4 / 15

CURRENT SERVICES & PROFILE

Current Name: Colorado Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCKY MOUNTAIN FERTILITY CENTER
PARKER, COLORADO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Deborah L. Smith, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	97%
Unstimulated	0%	PGD/PGS	12%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	20%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	10%	Male factor	28%	Female factors only	14%
Diminished ovarian reserve	40%	Other factor	10%	Female & male factors	5%
Endometriosis	7%	Unknown factor	4%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 144
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	32	18	8	1	0
Percentage of cancellations before retrieval (%)	0.0	0 / 18	0 / 8	0 / 1	
Number of transfers	31	15	7	0	0
Average number of embryos transferred	1.9	1.9	1.9		
Percentage of elective single embryo transfers (eSET) (%)	7.1	2 / 15	0 / 4		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	9 / 18	0 / 8	0 / 1	
Percentage of cycles resulting in live births (%)	40.6	8 / 18	0 / 8	0 / 1	
Percentage of cycles resulting in singleton live births (%)	34.4	7 / 18	0 / 8	0 / 1	
Percentage of cycles resulting in twin live births (%)	6.3	1 / 18	0 / 8	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	31.3	7 / 18	0 / 8	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.1	33.3	0 / 13		
Percentage of transfers resulting in pregnancies (%)	51.6	9 / 15	0 / 7		
Percentage of transfers resulting in live births (%)	41.9	8 / 15	0 / 7		
Percentage of transfers resulting in singleton live births (%)	35.5	7 / 15	0 / 7		
Percentage of transfers resulting in twin live births (%)	6.5	1 / 15	0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.3	7 / 15	0 / 7		
Frozen Embryos from Nondonor Eggs					
Number of cycles	16	19	3	2	0
Number of transfers	15	18	3	2	0
Estimated average number of transfers per retrieval	1.0	1.6	0.6	1.0	0.0
Average number of embryos transferred	1.6	1.7	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	65.4	1 / 1	1 / 2	
Percentage of transfers resulting in pregnancies (%)	9 / 15	16 / 18	3 / 3	1 / 2	
Percentage of transfers resulting in live births (%)	8 / 15	12 / 18	0 / 3	1 / 2	
Percentage of transfers resulting in singleton live births (%)	5 / 15	9 / 18	0 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)	3 / 15	3 / 18	0 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 15	8 / 18	0 / 3	1 / 2	
Number of Egg or Embryo Banking Cycles	12	6	4	1	1
Number of fertility preservation cycles	0	1	2	0	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	10	1	7	0
Number of transfers	8	1	6	0
Average number of embryos transferred	1.8	2.0	1.3	
Percentage of embryos transferred resulting in implantation (%)	10 / 14	1 / 2	2 / 8	
Percentage of transfers resulting in pregnancies (%)	7 / 8	1 / 1	2 / 6	
Percentage of transfers resulting in live births (%)	6 / 8	1 / 1	1 / 6	
Percentage of transfers resulting in singleton live births (%)	3 / 8	1 / 1	1 / 6	
Percentage of transfers resulting in twin live births (%)	3 / 8	0 / 1	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 8	1 / 1	1 / 6	

CURRENT SERVICES & PROFILE

Current Name: Rocky Mountain Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CT FERTILITY
BRIDGEPORT, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Melvin H. Thornton, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	31%
Unstimulated	3%	PGD/PGS	40%
Used gestational carrier	68%		

Patient Diagnosis[a,b]

Tubal factor	<1%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	3%	Male factor	7%	Female factors only	9%
Diminished ovarian reserve	28%	Other factor	71%	Female & male factors	4%
Endometriosis	<1%	Unknown factor	<1%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 632
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	18	16	11	6	8
Percentage of cancellations before retrieval (%)	2 / 18	5 / 16	2 / 11	4 / 6	1 / 8
Number of transfers	15	9	8	1	6
Average number of embryos transferred	1.7	1.8	2.0	2.0	1.7
Percentage of elective single embryo transfers (eSET) (%)	4 / 15	3 / 8	0 / 7	0 / 1	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 18	1 / 16	2 / 11	0 / 6	0 / 8
Percentage of cycles resulting in live births (%)	1 / 18	1 / 16	2 / 11	0 / 6	0 / 8
Percentage of cycles resulting in singleton live births (%)	1 / 18	1 / 16	2 / 11	0 / 6	0 / 8
Percentage of cycles resulting in twin live births (%)	0 / 18	0 / 16	0 / 11	0 / 6	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 18	1 / 16	2 / 11	0 / 6	0 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	11.5	1 / 16	2 / 16	0 / 2	0 / 10
Percentage of transfers resulting in pregnancies (%)	3 / 15	1 / 9	2 / 8	0 / 1	0 / 6
Percentage of transfers resulting in live births (%)	1 / 15	1 / 9	2 / 8	0 / 1	0 / 6
Percentage of transfers resulting in singleton live births (%)	1 / 15	1 / 9	2 / 8	0 / 1	0 / 6
Percentage of transfers resulting in twin live births (%)	0 / 15	0 / 9	0 / 8	0 / 1	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 15	1 / 9	2 / 8	0 / 1	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	15	12	7	3
Number of transfers	13	15	11	6	3
Estimated average number of transfers per retrieval	0.6	0.6	0.5	0.4	0.1
Average number of embryos transferred	1.5	1.5	1.5	2.0	1.7
Percentage of embryos transferred resulting in implantation (%)	3 / 18	30.4	1 / 15	4 / 12	0 / 5
Percentage of transfers resulting in pregnancies (%)	4 / 13	6 / 15	2 / 11	3 / 6	0 / 3
Percentage of transfers resulting in live births (%)	2 / 13	4 / 15	1 / 11	2 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	2 / 13	4 / 15	1 / 11	2 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 13	0 / 15	0 / 11	0 / 6	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 13	3 / 15	0 / 11	2 / 6	0 / 3
Number of Egg or Embryo Banking Cycles	17	23	20	14	39
Number of fertility preservation cycles	2	1	2	2	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	102	22	269	15
Number of transfers	84	17	227	14
Average number of embryos transferred	1.7	3.1	1.5	2.1
Percentage of embryos transferred resulting in implantation (%)	44.8	7.1	28.7	10.3
Percentage of transfers resulting in pregnancies (%)	54.8	5 / 17	38.8	3 / 14
Percentage of transfers resulting in live births (%)	34.5	2 / 17	25.6	2 / 14
Percentage of transfers resulting in singleton live births (%)	19.0	1 / 17	21.1	2 / 14
Percentage of transfers resulting in twin live births (%)	14.3	1 / 17	4.0	0 / 14
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	14.3	1 / 17	18.9	1 / 14

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: CT Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE SERVICES
FARMINGTON, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John C. Nulsen, MD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	68%
Unstimulated	2%	PGD/PGS	9%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	15%	Male factor	32%	Female factors only	10%
Diminished ovarian reserve	11%	Other factor	24%	Female & male factors	14%
Endometriosis	8%	Unknown factor	22%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,553
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	400	178	154	67	37
Percentage of cancellations before retrieval (%)	11.3	14.0	25.3	35.8	29.7
Number of transfers	291	128	89	33	21
Average number of embryos transferred	1.3	1.7	2.0	2.5	2.1
Percentage of elective single embryo transfers (eSET) (%)	61.0	22.7	8.2	3.6	1 / 15
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	44.3	40.4	24.7	16.4	8.1
Percentage of cycles resulting in live births (%)	37.8	33.7	17.5	7.5	2.7
Percentage of cycles resulting in singleton live births (%)	33.3	25.8	12.3	7.5	2.7
Percentage of cycles resulting in twin live births (%)	4.3	7.9	5.2	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	27.5	19.1	10.4	4.5	2.7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	50.7	40.7	27.5	13.2	4.8
Percentage of transfers resulting in pregnancies (%)	60.8	56.3	42.7	33.3	14.3
Percentage of transfers resulting in live births (%)	51.9	46.9	30.3	15.2	4.8
Percentage of transfers resulting in singleton live births (%)	45.7	35.9	21.3	15.2	4.8
Percentage of transfers resulting in twin live births (%)	5.8	10.9	9.0	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	37.8	26.6	18.0	9.1	4.8
Frozen Embryos from Nondonor Eggs					
Number of cycles	213	104	61	27	10
Number of transfers	198	97	55	27	8
Estimated average number of transfers per retrieval	1.3	1.3	0.9	0.5	0.4
Average number of embryos transferred	1.4	1.4	1.4	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	61.0	55.3	60.0	43.2	2 / 11
Percentage of transfers resulting in pregnancies (%)	68.2	66.0	72.7	63.0	2 / 8
Percentage of transfers resulting in live births (%)	61.1	57.7	56.4	33.3	2 / 8
Percentage of transfers resulting in singleton live births (%)	47.5	44.3	50.9	33.3	2 / 8
Percentage of transfers resulting in twin live births (%)	13.6	13.4	5.5	0.0	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	42.9	40.2	45.5	25.9	2 / 8
Number of Egg or Embryo Banking Cycles	58	36	45	50	17
Number of fertility preservation cycles	2	1	1	2	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	8	45	22	18
Number of transfers	5	43	21	16
Average number of embryos transferred	1.2	1.5	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	2 / 5	48.4	42.3	37.5
Percentage of transfers resulting in pregnancies (%)	3 / 5	58.1	42.9	8 / 16
Percentage of transfers resulting in live births (%)	2 / 5	51.2	42.9	7 / 16
Percentage of transfers resulting in singleton live births (%)	2 / 5	44.2	33.3	6 / 16
Percentage of transfers resulting in twin live births (%)	0 / 5	7.0	9.5	1 / 16
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 5	39.5	33.3	6 / 16

CURRENT SERVICES & PROFILE

Current Name: Center for Advanced Reproductive Services

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREENWICH FERTILITY AND IVF CENTER, PC
GREENWICH, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Barry R. Witt, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	33%
Unstimulated	0%	PGD/PGS	34%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	4%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	10%	Male factor	18%	Female factors only	8%
Diminished ovarian reserve	38%	Other factor	15%	Female & male factors	8%
Endometriosis	2%	Unknown factor	29%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 602
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	68	39	42	19	22
Percentage of cancellations before retrieval (%)	5.9	10.3	19.0	3 / 19	22.7
Number of transfers	50	30	19	4	7
Average number of embryos transferred	1.2	1.3	1.6	2.0	1.4
Percentage of elective single embryo transfers (eSET) (%)	80.5	56.5	2 / 11	0 / 4	1 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.8	35.9	19.0	1 / 19	18.2
Percentage of cycles resulting in live births (%)	30.9	28.2	11.9	0 / 19	18.2
Percentage of cycles resulting in singleton live births (%)	30.9	25.6	11.9	0 / 19	18.2
Percentage of cycles resulting in twin live births (%)	0.0	2.6	0.0	0 / 19	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	27.9	20.5	9.5	0 / 19	18.2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.1	35.9	19.2	0 / 6	4 / 10
Percentage of transfers resulting in pregnancies (%)	50.0	46.7	8 / 19	1 / 4	4 / 7
Percentage of transfers resulting in live births (%)	42.0	36.7	5 / 19	0 / 4	4 / 7
Percentage of transfers resulting in singleton live births (%)	42.0	33.3	5 / 19	0 / 4	4 / 7
Percentage of transfers resulting in twin live births (%)	0.0	3.3	0 / 19	0 / 4	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	38.0	26.7	4 / 19	0 / 4	4 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	91	64	32	10	6
Number of transfers	85	58	27	7	6
Estimated average number of transfers per retrieval	1.1	0.9	0.6	0.3	0.5
Average number of embryos transferred	1.2	1.1	1.0	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)	59.4	63.9	65.4	4 / 8	3 / 6
Percentage of transfers resulting in pregnancies (%)	62.4	63.8	66.7	4 / 7	3 / 6
Percentage of transfers resulting in live births (%)	52.9	51.7	51.9	3 / 7	2 / 6
Percentage of transfers resulting in singleton live births (%)	45.9	41.4	51.9	3 / 7	2 / 6
Percentage of transfers resulting in twin live births (%)	7.1	10.3	0.0	0 / 7	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	41.2	34.5	44.4	3 / 7	1 / 6
Number of Egg or Embryo Banking Cycles	54	51	43	26	11
Number of fertility preservation cycles	10	2	3	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	16	7	0
Number of transfers	1	16	7	0
Average number of embryos transferred	2.0	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 2	9 / 15	3 / 7	
Percentage of transfers resulting in pregnancies (%)	0 / 1	9 / 16	3 / 7	
Percentage of transfers resulting in live births (%)	0 / 1	7 / 16	3 / 7	
Percentage of transfers resulting in singleton live births (%)	0 / 1	6 / 16	3 / 7	
Percentage of transfers resulting in twin live births (%)	0 / 1	1 / 16	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1	6 / 16	2 / 7	

CURRENT SERVICES & PROFILE

Current Name: Greenwich Fertility and IVF Center, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

YALE FERTILITY CENTER
NEW HAVEN, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Pasquale Patrizio, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	<1%	PGD/PGS	12%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	12%	Uterine factor	8%	Multiple Factors:	
Ovulatory dysfunction	13%	Male factor	27%	Female factors only	14%
Diminished ovarian reserve	26%	Other factor	17%	Female & male factors	10%
Endometriosis	5%	Unknown factor	17%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 719
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	130	74	66	45	32
Percentage of cancellations before retrieval (%)	11.5	16.2	12.1	40.0	31.3
Number of transfers	87	46	44	14	18
Average number of embryos transferred	1.4	1.7	2.0	2.1	2.3
Percentage of elective single embryo transfers (eSET) (%)	52.4	31.1	8.1	0 / 11	0 / 12
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.5	31.1	36.4	8.9	12.5
Percentage of cycles resulting in live births (%)	36.9	25.7	28.8	6.7	3.1
Percentage of cycles resulting in singleton live births (%)	28.5	21.6	24.2	4.4	3.1
Percentage of cycles resulting in twin live births (%)	8.5	4.1	4.5	2.2	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	23.8	20.3	24.2	4.4	3.1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.0	41.8	34.1	16.7	9.8
Percentage of transfers resulting in pregnancies (%)	62.1	50.0	54.5	4 / 14	4 / 18
Percentage of transfers resulting in live births (%)	55.2	41.3	43.2	3 / 14	1 / 18
Percentage of transfers resulting in singleton live births (%)	42.5	34.8	36.4	2 / 14	1 / 18
Percentage of transfers resulting in twin live births (%)	12.6	6.5	6.8	1 / 14	0 / 18
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	35.6	32.6	36.4	2 / 14	1 / 18
Frozen Embryos from Nondonor Eggs					
Number of cycles	78	35	50	15	7
Number of transfers	78	34	49	15	7
Estimated average number of transfers per retrieval	0.9	0.9	0.9	0.5	0.6
Average number of embryos transferred	1.5	1.6	1.6	2.0	1.7
Percentage of embryos transferred resulting in implantation (%)	48.7	44.9	46.7	33.3	3 / 12
Percentage of transfers resulting in pregnancies (%)	59.0	64.7	55.1	9 / 15	3 / 7
Percentage of transfers resulting in live births (%)	50.0	50.0	44.9	6 / 15	3 / 7
Percentage of transfers resulting in singleton live births (%)	38.5	41.2	30.6	5 / 15	3 / 7
Percentage of transfers resulting in twin live births (%)	11.5	8.8	14.3	1 / 15	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	33.3	38.2	24.5	5 / 15	3 / 7
Number of Egg or Embryo Banking Cycles	50	24	40	23	8
Number of fertility preservation cycles	25	11	0	5	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	18	0	18	4
Number of transfers	16	0	17	4
Average number of embryos transferred	1.4		1.5	1.3
Percentage of embryos transferred resulting in implantation (%)	70.0		36.0	2 / 4
Percentage of transfers resulting in pregnancies (%)	14 / 16		7 / 17	3 / 4
Percentage of transfers resulting in live births (%)	11 / 16		6 / 17	2 / 4
Percentage of transfers resulting in singleton live births (%)	10 / 16		4 / 17	2 / 4
Percentage of transfers resulting in twin live births (%)	1 / 16		2 / 17	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	8 / 16		4 / 17	2 / 4

CURRENT SERVICES & PROFILE

Current Name: Yale Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF CONNECTICUT
NORWALK, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark P. Leondires, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	61%
Unstimulated	2%	PGD/PGS	33%
Used gestational carrier	7%		

Patient Diagnosis[a,b]

Tubal factor	8%	Uterine factor	9%	Multiple Factors:	
Ovulatory dysfunction	16%	Male factor	25%	Female factors only	30%
Diminished ovarian reserve	40%	Other factor	49%	Female & male factors	18%
Endometriosis	5%	Unknown factor	10%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,535
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	127	66	86	53	47
Percentage of cancellations before retrieval (%)	7.1	6.1	31.4	34.0	36.2
Number of transfers	83	42	25	19	9
Average number of embryos transferred	1.7	1.6	1.5	1.6	1.4
Percentage of elective single embryo transfers (eSET) (%)	28.9	25.0	5 / 18	1 / 13	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.9	28.8	10.5	22.6	2.1
Percentage of cycles resulting in live births (%)	26.8	24.2	8.1	18.9	0.0
Percentage of cycles resulting in singleton live births (%)	20.5	18.2	8.1	17.0	0.0
Percentage of cycles resulting in twin live births (%)	6.3	6.1	0.0	1.9	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	18.9	15.2	5.8	15.1	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.1	33.3	21.6	41.4	1 / 13
Percentage of transfers resulting in pregnancies (%)	45.8	45.2	36.0	12 / 19	1 / 9
Percentage of transfers resulting in live births (%)	41.0	38.1	28.0	10 / 19	0 / 9
Percentage of transfers resulting in singleton live births (%)	31.3	28.6	28.0	9 / 19	0 / 9
Percentage of transfers resulting in twin live births (%)	9.6	9.5	0.0	1 / 19	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.9	23.8	20.0	8 / 19	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	214	141	118	32	13
Number of transfers	185	124	94	29	10
Estimated average number of transfers per retrieval	1.0	0.9	0.5	0.5	0.2
Average number of embryos transferred	1.4	1.3	1.3	1.2	1.2
Percentage of embryos transferred resulting in implantation (%)	63.8	55.0	41.5	52.9	5 / 12
Percentage of transfers resulting in pregnancies (%)	69.2	63.7	47.9	65.5	5 / 10
Percentage of transfers resulting in live births (%)	58.4	46.8	40.4	51.7	4 / 10
Percentage of transfers resulting in singleton live births (%)	44.3	37.9	33.0	48.3	4 / 10
Percentage of transfers resulting in twin live births (%)	13.0	8.9	7.4	3.4	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	39.5	32.3	25.5	41.4	4 / 10
Number of Egg or Embryo Banking Cycles	122	117	153	55	50
Number of fertility preservation cycles	11	19	20	5	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	24	14	103	0
Number of transfers	21	11	84	0
Average number of embryos transferred	1.7	1.8	1.3	
Percentage of embryos transferred resulting in implantation (%)	48.5	30.0	55.0	
Percentage of transfers resulting in pregnancies (%)	71.4	5 / 11	58.3	
Percentage of transfers resulting in live births (%)	52.4	5 / 11	51.2	
Percentage of transfers resulting in singleton live births (%)	47.6	4 / 11	39.3	
Percentage of transfers resulting in twin live births (%)	4.8	1 / 11	11.9	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	38.1	4 / 11	31.0	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Connecticut

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW ENGLAND FERTILITY INSTITUTE
STAMFORD, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gad Lavy, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	0%	PGD/PGS	39%
Used gestational carrier	43%		

Patient Diagnosis[a,b]

Tubal factor	2%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	0%	Male factor	5%	Female factors only	1%
Diminished ovarian reserve	10%	Other factor	15%	Female & male factors	2%
Endometriosis	0%	Unknown factor	71%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 423
(includes 5 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	18	12	17	7	3
Percentage of cancellations before retrieval (%)	0 / 18	0 / 12	0 / 17	0 / 7	0 / 3
Number of transfers	18	12	17	7	3
Average number of embryos transferred	1.8	2.2	2.1	3.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	3 / 17	0 / 12	0 / 13	0 / 7	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	12 / 18	5 / 12	3 / 17	1 / 7	1 / 3
Percentage of cycles resulting in live births (%)	9 / 18	5 / 12	2 / 17	1 / 7	0 / 3
Percentage of cycles resulting in singleton live births (%)	7 / 18	4 / 12	2 / 17	0 / 7	0 / 3
Percentage of cycles resulting in twin live births (%)	2 / 18	1 / 12	0 / 17	1 / 7	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	6 / 18	4 / 12	2 / 17	0 / 7	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.9	23.1	6.1	9.5	0 / 2
Percentage of transfers resulting in pregnancies (%)	12 / 18	5 / 12	3 / 17	1 / 7	1 / 3
Percentage of transfers resulting in live births (%)	9 / 18	5 / 12	2 / 17	1 / 7	0 / 3
Percentage of transfers resulting in singleton live births (%)	7 / 18	4 / 12	2 / 17	0 / 7	0 / 3
Percentage of transfers resulting in twin live births (%)	2 / 18	1 / 12	0 / 17	1 / 7	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	6 / 18	4 / 12	2 / 17	0 / 7	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	36	18	24	10	8
Number of transfers	31	16	22	9	6
Estimated average number of transfers per retrieval	0.8	0.5	0.4	0.8	0.1
Average number of embryos transferred	1.6	1.9	1.5	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	46.8	61.5	36.7	4 / 13	2 / 8
Percentage of transfers resulting in pregnancies (%)	67.7	14 / 16	50.0	3 / 9	3 / 6
Percentage of transfers resulting in live births (%)	58.1	12 / 16	36.4	3 / 9	2 / 6
Percentage of transfers resulting in singleton live births (%)	51.6	9 / 16	27.3	2 / 9	2 / 6
Percentage of transfers resulting in twin live births (%)	6.5	2 / 16	9.1	1 / 9	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	38.7	8 / 16	27.3	1 / 9	2 / 6
Number of Egg or Embryo Banking Cycles	36	28	44	12	41
Number of fertility preservation cycles	4	8	6	1	4

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	8	10	51	35
Number of transfers	8	9	51	29
Average number of embryos transferred	1.9	1.8	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	8 / 15	5 / 16	53.6	21.1
Percentage of transfers resulting in pregnancies (%)	5 / 8	4 / 9	64.7	34.5
Percentage of transfers resulting in live births (%)	4 / 8	3 / 9	56.9	27.6
Percentage of transfers resulting in singleton live births (%)	2 / 8	3 / 9	41.2	27.6
Percentage of transfers resulting in twin live births (%)	2 / 8	0 / 9	15.7	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 8	3 / 9	35.3	20.7

CURRENT SERVICES & PROFILE

Current Name: New England Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE STAMFORD HOSPITAL
STAMFORD, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Frances W. Ginsburg, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	40%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	30%	Uterine factor	20%	Multiple Factors:	
Ovulatory dysfunction	20%	Male factor	30%	Female factors only	30%
Diminished ovarian reserve	40%	Other factor	0%	Female & male factors	20%
Endometriosis	0%	Unknown factor	10%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 11
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	5	1	0	0
Percentage of cancellations before retrieval (%)	0 / 3	2 / 5	0 / 1		
Number of transfers	3	3	1	0	0
Average number of embryos transferred	2.0	2.0	1.0		
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 3			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 3	2 / 5	0 / 1		
Percentage of cycles resulting in live births (%)	2 / 3	2 / 5	0 / 1		
Percentage of cycles resulting in singleton live births (%)	1 / 3	2 / 5	0 / 1		
Percentage of cycles resulting in twin live births (%)	1 / 3	0 / 5	0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 3	2 / 5	0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 4	2 / 6	0 / 1		
Percentage of transfers resulting in pregnancies (%)	3 / 3	2 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	2 / 3	2 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 3	2 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 3	2 / 3	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	1	0	0	0	0
Number of transfers	1	0	0	0	0
Estimated average number of transfers per retrieval				0.0	
Average number of embryos transferred	2.0				
Percentage of embryos transferred resulting in implantation (%)	1 / 2				
Percentage of transfers resulting in pregnancies (%)	1 / 1				
Percentage of transfers resulting in live births (%)	1 / 1				
Percentage of transfers resulting in singleton live births (%)	1 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1				
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 1				
Number of Egg or Embryo Banking Cycles	0	0	0	1	0
Number of fertility preservation cycles	0	0	0	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	0	0
Number of transfers	0	0	0	0
Average number of embryos transferred				
Percentage of embryos transferred resulting in implantation (%)				
Percentage of transfers resulting in pregnancies (%)				
Percentage of transfers resulting in live births (%)				
Percentage of transfers resulting in singleton live births (%)				
Percentage of transfers resulting in twin live births (%)				
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)				

CURRENT SERVICES & PROFILE

This clinic has closed since 2016. Information on current clinic services and profile therefore is not provided here.
Contact the NASS Help Desk for further information.

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PARK AVENUE FERTILITY AND REPRODUCTIVE MEDICINE
TRUMBULL, CONNECTICUT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Andrew J. Levi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	PGD/PGS	5%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	6%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	2%	Male factor	23%	Female factors only	3%
Diminished ovarian reserve	20%	Other factor	5%	Female & male factors	6%
Endometriosis	6%	Unknown factor	47%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 222
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	44	28	29	13	9
Percentage of cancellations before retrieval (%)	6.8	14.3	17.2	3 / 13	6 / 9
Number of transfers	30	15	15	8	3
Average number of embryos transferred	1.2	1.5	1.6	1.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	11 / 18	3 / 10	0 / 9	0 / 6	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	17.9	10.3	1 / 13	1 / 9
Percentage of cycles resulting in live births (%)	50.0	14.3	10.3	1 / 13	0 / 9
Percentage of cycles resulting in singleton live births (%)	38.6	10.7	6.9	1 / 13	0 / 9
Percentage of cycles resulting in twin live births (%)	9.1	3.6	3.4	0 / 13	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	27.3	10.7	6.9	1 / 13	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	78.4	31.8	16.7	1 / 14	0 / 4
Percentage of transfers resulting in pregnancies (%)	73.3	5 / 15	3 / 15	1 / 8	1 / 3
Percentage of transfers resulting in live births (%)	73.3	4 / 15	3 / 15	1 / 8	0 / 3
Percentage of transfers resulting in singleton live births (%)	56.7	3 / 15	2 / 15	1 / 8	0 / 3
Percentage of transfers resulting in twin live births (%)	13.3	1 / 15	1 / 15	0 / 8	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	40.0	3 / 15	2 / 15	1 / 8	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	18	7	8	2	3
Number of transfers	17	6	7	2	3
Estimated average number of transfers per retrieval	1.4	0.9	0.4	0.2	0.3
Average number of embryos transferred	1.2	1.5	1.4	2.0	1.3
Percentage of embryos transferred resulting in implantation (%)	70.0	5 / 7	5 / 10	1 / 4	1 / 4
Percentage of transfers resulting in pregnancies (%)	12 / 17	5 / 6	5 / 7	1 / 2	1 / 3
Percentage of transfers resulting in live births (%)	9 / 17	4 / 6	4 / 7	1 / 2	1 / 3
Percentage of transfers resulting in singleton live births (%)	8 / 17	3 / 6	4 / 7	1 / 2	1 / 3
Percentage of transfers resulting in twin live births (%)	1 / 17	1 / 6	0 / 7	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	6 / 17	2 / 6	3 / 7	1 / 2	1 / 3
Number of Egg or Embryo Banking Cycles	5	6	10	4	10
Number of fertility preservation cycles	0	0	2	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	26	0
Number of transfers	0	0	25	0
Average number of embryos transferred			1.0	
Percentage of embryos transferred resulting in implantation (%)			65.4	
Percentage of transfers resulting in pregnancies (%)			64.0	
Percentage of transfers resulting in live births (%)			52.0	
Percentage of transfers resulting in singleton live births (%)			48.0	
Percentage of transfers resulting in twin live births (%)			4.0	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			44.0	

CURRENT SERVICES & PROFILE

Current Name: Park Avenue Fertility and Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE INSTITUTE FOR REPRODUCTIVE MEDICINE, PA
NEWARK, DELAWARE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jeffrey B. Russell, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	0%	PGD/PGS	63%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	42%	Uterine factor	1%	Multiple Factors:	
Ovulatory dysfunction	5%	Male factor	10%	Female factors only	29%
Diminished ovarian reserve	8%	Other factor	27%	Female & male factors	2%
Endometriosis	26%	Unknown factor	14%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 335
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	54	26	21	8	10
Percentage of cancellations before retrieval (%)	5.6	0.0	14.3	0 / 8	2 / 10
Number of transfers	0	2	0	0	0
Average number of embryos transferred		1.5			
Percentage of elective single embryo transfers (eSET) (%)		1 / 2			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0.0	0.0	0.0	0 / 8	0 / 10
Percentage of cycles resulting in live births (%)	0.0	0.0	0.0	0 / 8	0 / 10
Percentage of cycles resulting in singleton live births (%)	0.0	0.0	0.0	0 / 8	0 / 10
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0.0	0 / 8	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0.0	0.0	0.0	0 / 8	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		0 / 3			
Percentage of transfers resulting in pregnancies (%)		0 / 2			
Percentage of transfers resulting in live births (%)		0 / 2			
Percentage of transfers resulting in singleton live births (%)		0 / 2			
Percentage of transfers resulting in twin live births (%)		0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		0 / 2			
Frozen Embryos from Nondonor Eggs					
Number of cycles	68	36	26	3	0
Number of transfers	67	32	24	3	0
Estimated average number of transfers per retrieval	1.1	1.3	1.0	0.4	0.0
Average number of embryos transferred	1.2	1.2	1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	51.3	45.5	30.4	1 / 3	
Percentage of transfers resulting in pregnancies (%)	56.7	56.3	45.8	1 / 3	
Percentage of transfers resulting in live births (%)	38.8	31.3	20.8	1 / 3	
Percentage of transfers resulting in singleton live births (%)	31.3	31.3	20.8	1 / 3	
Percentage of transfers resulting in twin live births (%)	7.5	0.0	0.0	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	25.4	18.8	12.5	1 / 3	
Number of Egg or Embryo Banking Cycles	14	8	12	4	1
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	16	28
Number of transfers	0	0	16	26
Average number of embryos transferred			1.1	1.1
Percentage of embryos transferred resulting in implantation (%)			9 / 17	60.0
Percentage of transfers resulting in pregnancies (%)			8 / 16	69.2
Percentage of transfers resulting in live births (%)			6 / 16	38.5
Percentage of transfers resulting in singleton live births (%)			5 / 16	38.5
Percentage of transfers resulting in twin live births (%)			1 / 16	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			5 / 16	26.9

CURRENT SERVICES & PROFILE

Current Name: Delaware Institute for Reproductive Medicine, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE ASSOCIATES OF DELAWARE
NEWARK, DELAWARE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ronald F. Feinberg, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	71%
Unstimulated	0%	PGD/PGS	36%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	40%	Uterine factor	56%	Multiple Factors:	
Ovulatory dysfunction	26%	Male factor	46%	Female factors only	41%
Diminished ovarian reserve	38%	Other factor	28%	Female & male factors	42%
Endometriosis	38%	Unknown factor	2%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 724
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	66	12	24	10	7
Percentage of cancellations before retrieval (%)	21.2	1 / 12	50.0	4 / 10	3 / 7
Number of transfers	32	5	4	1	1
Average number of embryos transferred	1.0	1.2	1.0	1.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	96.7	4 / 5	4 / 4		1 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	27.3	2 / 12	4.2	0 / 10	1 / 7
Percentage of cycles resulting in live births (%)	25.8	2 / 12	4.2	0 / 10	0 / 7
Percentage of cycles resulting in singleton live births (%)	25.8	2 / 12	4.2	0 / 10	0 / 7
Percentage of cycles resulting in twin live births (%)	0.0	0 / 12	0.0	0 / 10	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	24.2	2 / 12	4.2	0 / 10	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	54.5	2 / 6	1 / 4	0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)	56.3	2 / 5	1 / 4	0 / 1	1 / 1
Percentage of transfers resulting in live births (%)	53.1	2 / 5	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	53.1	2 / 5	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 5	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	50.0	2 / 5	1 / 4	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	164	74	67	6	8
Number of transfers	154	72	63	6	8
Estimated average number of transfers per retrieval	1.1	2.2	1.2	0.5	1.1
Average number of embryos transferred	1.0	1.0	1.0	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	61.5	55.4	39.7	2 / 6	5 / 8
Percentage of transfers resulting in pregnancies (%)	63.6	56.9	46.0	2 / 6	5 / 8
Percentage of transfers resulting in live births (%)	51.9	47.2	31.7	1 / 6	4 / 8
Percentage of transfers resulting in singleton live births (%)	50.0	47.2	31.7	1 / 6	4 / 8
Percentage of transfers resulting in twin live births (%)	1.9	0.0	0.0	0 / 6	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	43.5	36.1	27.0	1 / 6	4 / 8
Number of Egg or Embryo Banking Cycles	106	28	44	11	7
Number of fertility preservation cycles	1	1	1	0	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	4	23	55	7
Number of transfers	3	19	50	7
Average number of embryos transferred	1.0	1.0	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	3 / 3	7 / 18	48.0	2 / 6
Percentage of transfers resulting in pregnancies (%)	3 / 3	8 / 19	48.0	3 / 7
Percentage of transfers resulting in live births (%)	3 / 3	7 / 19	36.0	2 / 7
Percentage of transfers resulting in singleton live births (%)	3 / 3	7 / 19	36.0	2 / 7
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 19	0.0	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 3	5 / 19	36.0	2 / 7

CURRENT SERVICES & PROFILE

Current Name: Reproductive Associates of Delaware

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA FERTILITY ASSOCIATES
WASHINGTON, DISTRICT OF COLUMBIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Safa Rifka, MD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	53%
Unstimulated	2%	PGD/PGS	16%
Used gestational carrier	5%		

Patient Diagnosis[a,b]

Tubal factor	5%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	9%	Male factor	27%	Female factors only	14%
Diminished ovarian reserve	20%	Other factor	56%	Female & male factors	13%
Endometriosis	4%	Unknown factor	3%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 840
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	85	103	90	68	79
Percentage of cancellations before retrieval (%)	4.7	6.8	5.6	8.8	20.3
Number of transfers	67	65	52	37	37
Average number of embryos transferred	1.5	1.6	1.6	2.1	1.9
Percentage of elective single embryo transfers (eSET) (%)	31.0	9.5	16.7	3.8	4.3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.3	19.4	11.1	7.4	7.6
Percentage of cycles resulting in live births (%)	32.9	16.5	11.1	4.4	6.3
Percentage of cycles resulting in singleton live births (%)	28.2	14.6	11.1	4.4	3.8
Percentage of cycles resulting in twin live births (%)	4.7	1.9	0.0	0.0	2.5
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	25.9	11.7	8.9	1.5	1.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.7	21.0	12.2	5.4	11.4
Percentage of transfers resulting in pregnancies (%)	44.8	30.8	19.2	13.5	16.2
Percentage of transfers resulting in live births (%)	41.8	26.2	19.2	8.1	13.5
Percentage of transfers resulting in singleton live births (%)	35.8	23.1	19.2	8.1	8.1
Percentage of transfers resulting in twin live births (%)	6.0	3.1	0.0	0.0	5.4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.8	18.5	15.4	2.7	2.7
Frozen Embryos from Nondonor Eggs					
Number of cycles	40	47	41	13	11
Number of transfers	35	40	35	12	11
Estimated average number of transfers per retrieval	0.6	0.6	0.5	0.4	0.4
Average number of embryos transferred	1.2	1.3	1.3	1.3	1.1
Percentage of embryos transferred resulting in implantation (%)	43.6	25.0	42.9	4 / 15	5 / 12
Percentage of transfers resulting in pregnancies (%)	48.6	30.0	57.1	3 / 12	5 / 11
Percentage of transfers resulting in live births (%)	37.1	17.5	37.1	3 / 12	5 / 11
Percentage of transfers resulting in singleton live births (%)	31.4	15.0	34.3	2 / 12	5 / 11
Percentage of transfers resulting in twin live births (%)	5.7	2.5	2.9	1 / 12	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.6	15.0	28.6	2 / 12	5 / 11
Number of Egg or Embryo Banking Cycles	45	42	61	25	21
Number of fertility preservation cycles	24	18	34	9	5

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	11	5	42	4
Number of transfers	5	4	38	4
Average number of embryos transferred	1.4	2.0	1.5	2.3
Percentage of embryos transferred resulting in implantation (%)	2 / 7	1 / 8	28.1	2 / 9
Percentage of transfers resulting in pregnancies (%)	2 / 5	1 / 4	36.8	1 / 4
Percentage of transfers resulting in live births (%)	2 / 5	1 / 4	26.3	1 / 4
Percentage of transfers resulting in singleton live births (%)	2 / 5	1 / 4	23.7	0 / 4
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 4	2.6	1 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 5	1 / 4	13.2	0 / 4

CURRENT SERVICES & PROFILE

Current Name: Columbia Fertility Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEORGE WASHINGTON UNIVERSITY MEDICAL FACULTY ASSOCIATES
WASHINGTON, DISTRICT OF COLUMBIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David Frankfurter, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	<1%	PGD/PGS	16%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	2%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	4%	Male factor	16%	Female factors only	2%
Diminished ovarian reserve	35%	Other factor	20%	Female & male factors	6%
Endometriosis	<1%	Unknown factor	32%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 479
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	26	30	31	18	6
Percentage of cancellations before retrieval (%)	15.4	36.7	25.8	4 / 18	3 / 6
Number of transfers	16	10	17	10	3
Average number of embryos transferred	1.4	1.6	2.0	2.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	3 / 10	4 / 9	0 / 12	0 / 6	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	11.5	10.0	6.5	2 / 18	0 / 6
Percentage of cycles resulting in live births (%)	11.5	6.7	6.5	0 / 18	0 / 6
Percentage of cycles resulting in singleton live births (%)	11.5	6.7	3.2	0 / 18	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	0.0	3.2	0 / 18	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	11.5	6.7	0.0	0 / 18	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	13.0	2 / 13	8.8	1 / 18	0 / 7
Percentage of transfers resulting in pregnancies (%)	3 / 16	3 / 10	2 / 17	2 / 10	0 / 3
Percentage of transfers resulting in live births (%)	3 / 16	2 / 10	2 / 17	0 / 10	0 / 3
Percentage of transfers resulting in singleton live births (%)	3 / 16	2 / 10	1 / 17	0 / 10	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 10	1 / 17	0 / 10	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 16	2 / 10	0 / 17	0 / 10	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	47	57	49	22	10
Number of transfers	44	49	42	17	7
Estimated average number of transfers per retrieval	1.1	0.7	0.9	0.7	0.9
Average number of embryos transferred	1.2	1.2	1.4	2.1	2.0
Percentage of embryos transferred resulting in implantation (%)	35.3	48.3	32.7	17.6	5 / 14
Percentage of transfers resulting in pregnancies (%)	40.9	51.0	47.6	7 / 17	4 / 7
Percentage of transfers resulting in live births (%)	34.1	49.0	35.7	5 / 17	2 / 7
Percentage of transfers resulting in singleton live births (%)	34.1	42.9	35.7	5 / 17	1 / 7
Percentage of transfers resulting in twin live births (%)	0.0	6.1	0.0	0 / 17	1 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.8	42.9	33.3	5 / 17	1 / 7
Number of Egg or Embryo Banking Cycles	28	64	40	18	7
Number of fertility preservation cycles	5	22	5	3	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	4	15	0
Number of transfers	0	3	10	0
Average number of embryos transferred		1.0	1.3	
Percentage of embryos transferred resulting in implantation (%)		2 / 3	2 / 13	
Percentage of transfers resulting in pregnancies (%)		2 / 3	2 / 10	
Percentage of transfers resulting in live births (%)		2 / 3	1 / 10	
Percentage of transfers resulting in singleton live births (%)		2 / 3	1 / 10	
Percentage of transfers resulting in twin live births (%)		0 / 3	0 / 10	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		2 / 3	1 / 10	

CURRENT SERVICES & PROFILE

Current Name: George Washington University Medical Faculty Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JAMES A. SIMON, MD, PC
WASHINGTON, DISTRICT OF COLUMBIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James A. Simon, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	50%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	0%	Uterine factor	50%	Multiple Factors:	
Ovulatory dysfunction	0%	Male factor	100%	Female factors only	0%
Diminished ovarian reserve	50%	Other factor	0%	Female & male factors	100%
Endometriosis	0%	Unknown factor	0%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 2
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	0	1	0	0
Percentage of cancellations before retrieval (%)	0 / 1		0 / 1		
Number of transfers	1	0	1	0	0
Average number of embryos transferred	2.0		1.0		
Percentage of elective single embryo transfers (eSET) (%)	0 / 1				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 1		0 / 1		
Percentage of cycles resulting in live births (%)	0 / 1		0 / 1		
Percentage of cycles resulting in singleton live births (%)	0 / 1		0 / 1		
Percentage of cycles resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 1		0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	0 / 2		0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 1		0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1		0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Estimated average number of transfers per retrieval					
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)					
Number of Egg or Embryo Banking Cycles	0	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	0	0
Number of transfers	0	0	0	0
Average number of embryos transferred				
Percentage of embryos transferred resulting in implantation (%)				
Percentage of transfers resulting in pregnancies (%)				
Percentage of transfers resulting in live births (%)				
Percentage of transfers resulting in singleton live births (%)				
Percentage of transfers resulting in twin live births (%)				
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)				

CURRENT SERVICES & PROFILE

Current Name: James A. Simon, MD, PC

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOCAFERTILITY
BOCA RATON, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Moshe (Maurice) R. Peress, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	20%
Unstimulated	0%	PGD/PGS	7%
Used gestational carrier	12%		

Patient Diagnosis[a,b]

Tubal factor	3%	Uterine factor	9%	Multiple Factors:	
Ovulatory dysfunction	13%	Male factor	33%	Female factors only	24%
Diminished ovarian reserve	58%	Other factor	25%	Female & male factors	20%
Endometriosis	6%	Unknown factor	8%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 198
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	25	13	15	4	4
Percentage of cancellations before retrieval (%)	4.0	1 / 13	0 / 15	0 / 4	0 / 4
Number of transfers	6	3	4	1	1
Average number of embryos transferred	1.3	1.3	2.0	3.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	3 / 5	1 / 2	0 / 3	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	12.0	1 / 13	2 / 15	0 / 4	0 / 4
Percentage of cycles resulting in live births (%)	8.0	1 / 13	1 / 15	0 / 4	0 / 4
Percentage of cycles resulting in singleton live births (%)	4.0	1 / 13	1 / 15	0 / 4	0 / 4
Percentage of cycles resulting in twin live births (%)	4.0	0 / 13	0 / 15	0 / 4	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	4.0	1 / 13	1 / 15	0 / 4	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 8	1 / 4	2 / 8	0 / 3	0 / 3
Percentage of transfers resulting in pregnancies (%)	3 / 6	1 / 3	2 / 4	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	2 / 6	1 / 3	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 6	1 / 3	1 / 4	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 3	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 6	1 / 3	1 / 4	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	24	15	13	7	5
Number of transfers	22	13	13	6	4
Estimated average number of transfers per retrieval	1.3	1.1	0.9	1.2	0.3
Average number of embryos transferred	1.3	1.4	1.3	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	53.6	6 / 17	6 / 17	2 / 11	0 / 6
Percentage of transfers resulting in pregnancies (%)	63.6	6 / 13	6 / 13	2 / 6	0 / 4
Percentage of transfers resulting in live births (%)	59.1	5 / 13	5 / 13	2 / 6	0 / 4
Percentage of transfers resulting in singleton live births (%)	50.0	4 / 13	5 / 13	2 / 6	0 / 4
Percentage of transfers resulting in twin live births (%)	9.1	1 / 13	0 / 13	0 / 6	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	36.4	3 / 13	5 / 13	1 / 6	0 / 4
Number of Egg or Embryo Banking Cycles	7	6	10	2	8
Number of fertility preservation cycles	7	6	10	2	8

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	11	0	28	0
Number of transfers	10	0	23	0
Average number of embryos transferred	1.6		1.6	
Percentage of embryos transferred resulting in implantation (%)	10 / 16		44.4	
Percentage of transfers resulting in pregnancies (%)	7 / 10		56.5	
Percentage of transfers resulting in live births (%)	6 / 10		43.5	
Percentage of transfers resulting in singleton live births (%)	3 / 10		26.1	
Percentage of transfers resulting in twin live births (%)	3 / 10		17.4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 10		17.4	

CURRENT SERVICES & PROFILE

Current Name: BocaFertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

PALM BEACH FERTILITY CENTER
BOCA RATON, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark S. Denker, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	0%	PGD/PGS	20%
Used gestational carrier	14%		

Patient Diagnosis[a,b]

Tubal factor	18%	Uterine factor	9%	Multiple Factors:	
Ovulatory dysfunction	14%	Male factor	49%	Female factors only	16%
Diminished ovarian reserve	52%	Other factor	19%	Female & male factors	38%
Endometriosis	8%	Unknown factor	2%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 157
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	34	20	8	5	1
Percentage of cancellations before retrieval (%)	8.8	5.0	0 / 8	0 / 5	0 / 1
Number of transfers	22	13	8	4	1
Average number of embryos transferred	1.5	1.8	2.0	1.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	6 / 18	1 / 11	0 / 5	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.4	25.0	3 / 8	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	29.4	25.0	2 / 8	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	23.5	20.0	2 / 8	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	2.9	5.0	0 / 8	0 / 5	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	17.6	15.0	2 / 8	0 / 5	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.2	25.0	3 / 16	0 / 5	0 / 3
Percentage of transfers resulting in pregnancies (%)	45.5	5 / 13	3 / 8	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	45.5	5 / 13	2 / 8	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	36.4	4 / 13	2 / 8	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	4.5	1 / 13	0 / 8	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	27.3	3 / 13	2 / 8	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	12	3	6	1	0
Number of transfers	7	3	5	1	0
Estimated average number of transfers per retrieval	0.7	0.4	0.8	1.0	0.0
Average number of embryos transferred	1.6	2.0	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 11	3 / 6	2 / 8	0 / 2	
Percentage of transfers resulting in pregnancies (%)	4 / 7	2 / 3	1 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 7	1 / 3	1 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 3	0 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 7	1 / 3	1 / 5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 7	0 / 3	0 / 5	0 / 1	
Number of Egg or Embryo Banking Cycles	3	7	5	1	8
Number of fertility preservation cycles	2	5	1	1	7

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	19	1	23	0
Number of transfers	16	0	22	0
Average number of embryos transferred	1.5		1.6	
Percentage of embryos transferred resulting in implantation (%)	58.3		37.1	
Percentage of transfers resulting in pregnancies (%)	11 / 16		45.5	
Percentage of transfers resulting in live births (%)	10 / 16		45.5	
Percentage of transfers resulting in singleton live births (%)	7 / 16		31.8	
Percentage of transfers resulting in twin live births (%)	3 / 16		13.6	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	6 / 16		22.7	

CURRENT SERVICES & PROFILE

Current Name: Palm Beach Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

POLCZ FERTILITY CENTER
BOYNTON BEACH, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Tibor E. Polcz, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	50%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	29%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	14%	Male factor	50%	Female factors only	14%
Diminished ovarian reserve	29%	Other factor	7%	Female & male factors	36%
Endometriosis	7%	Unknown factor	14%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 14
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	7	3	4	0	0
Percentage of cancellations before retrieval (%)	0 / 7	0 / 3	0 / 4		
Number of transfers	7	3	4	0	0
Average number of embryos transferred	2.3	2.3	2.3		
Percentage of elective single embryo transfers (eSET) (%)	0 / 7	0 / 2	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	6 / 7	2 / 3	3 / 4		
Percentage of cycles resulting in live births (%)	4 / 7	1 / 3	2 / 4		
Percentage of cycles resulting in singleton live births (%)	3 / 7	0 / 3	2 / 4		
Percentage of cycles resulting in twin live births (%)	1 / 7	1 / 3	0 / 4		
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	3 / 7	0 / 3	2 / 4		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	7 / 16	4 / 7	3 / 9		
Percentage of transfers resulting in pregnancies (%)	6 / 7	2 / 3	3 / 4		
Percentage of transfers resulting in live births (%)	4 / 7	1 / 3	2 / 4		
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 3	2 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 7	1 / 3	0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 7	0 / 3	2 / 4		
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Estimated average number of transfers per retrieval					
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)					
Number of Egg or Embryo Banking Cycles	0	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	0	0
Number of transfers	0	0	0	0
Average number of embryos transferred				
Percentage of embryos transferred resulting in implantation (%)				
Percentage of transfers resulting in pregnancies (%)				
Percentage of transfers resulting in live births (%)				
Percentage of transfers resulting in singleton live births (%)				
Percentage of transfers resulting in twin live births (%)				
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)				

CURRENT SERVICES & PROFILE

Current Name: Polcz Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FLORIDA FERTILITY INSTITUTE
CLEARWATER, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark D. Sanchez, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	PGD/PGS	23%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	17%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	22%	Male factor	52%	Female factors only	18%
Diminished ovarian reserve	28%	Other factor	29%	Female & male factors	34%
Endometriosis	8%	Unknown factor	7%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 228
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	57	24	26	5	1
Percentage of cancellations before retrieval (%)	0.0	16.7	11.5	1 / 5	0 / 1
Number of transfers	55	18	20	3	1
Average number of embryos transferred	1.6	1.8	1.9	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	25.6	0 / 13	0 / 14	1 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.1	29.2	30.8	1 / 5	0 / 1
Percentage of cycles resulting in live births (%)	36.8	20.8	23.1	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	31.6	12.5	23.1	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	5.3	8.3	0.0	0 / 5	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	29.8	12.5	23.1	0 / 5	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	30.1	23.3	19.4	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	43.6	7 / 18	40.0	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	38.2	5 / 18	30.0	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	32.7	3 / 18	30.0	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	5.5	2 / 18	0.0	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.9	3 / 18	30.0	0 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	46	15	13	4	0
Number of transfers	42	13	12	4	0
Estimated average number of transfers per retrieval	2.5	3.3	6.0	4.0	
Average number of embryos transferred	1.7	1.8	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	35.8	26.1	16.7	1 / 4	
Percentage of transfers resulting in pregnancies (%)	45.2	6 / 13	3 / 12	1 / 4	
Percentage of transfers resulting in live births (%)	38.1	4 / 13	3 / 12	1 / 4	
Percentage of transfers resulting in singleton live births (%)	21.4	4 / 13	2 / 12	1 / 4	
Percentage of transfers resulting in twin live births (%)	16.7	0 / 13	1 / 12	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	14.3	3 / 13	1 / 12	0 / 4	
Number of Egg or Embryo Banking Cycles	8	3	1	0	0
Number of fertility preservation cycles	2	1	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	3	4	18	0
Number of transfers	3	3	14	0
Average number of embryos transferred	2.0	1.7	1.6	
Percentage of embryos transferred resulting in implantation (%)	1 / 4	2 / 5	40.9	
Percentage of transfers resulting in pregnancies (%)	2 / 3	2 / 3	8 / 14	
Percentage of transfers resulting in live births (%)	1 / 3	2 / 3	8 / 14	
Percentage of transfers resulting in singleton live births (%)	1 / 3	2 / 3	8 / 14	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 3	0 / 14	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 3	2 / 3	7 / 14	

CURRENT SERVICES & PROFILE

Current Name: Florida Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHWEST FLORIDA FERTILITY CENTER, PA
FORT MYERS, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jacob L. Glock, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	49%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	22%	Uterine factor	22%	Multiple Factors:	
Ovulatory dysfunction	14%	Male factor	20%	Female factors only	17%
Diminished ovarian reserve	22%	Other factor	5%	Female & male factors	6%
Endometriosis	6%	Unknown factor	14%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 84
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	13	5	5	6	4
Percentage of cancellations before retrieval (%)	0 / 13	0 / 5	0 / 5	1 / 6	0 / 4
Number of transfers	12	5	4	5	3
Average number of embryos transferred	2.0	1.8	1.8	1.4	2.7
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 3	0 / 2	0 / 1	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 13	3 / 5	0 / 5	0 / 6	1 / 4
Percentage of cycles resulting in live births (%)	5 / 13	3 / 5	0 / 5	0 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)	3 / 13	3 / 5	0 / 5	0 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)	2 / 13	0 / 5	0 / 5	0 / 6	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 13	1 / 5	0 / 5	0 / 6	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.2	3 / 9	0 / 7	0 / 7	1 / 8
Percentage of transfers resulting in pregnancies (%)	5 / 12	3 / 5	0 / 4	0 / 5	1 / 3
Percentage of transfers resulting in live births (%)	5 / 12	3 / 5	0 / 4	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	3 / 12	3 / 5	0 / 4	0 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	2 / 12	0 / 5	0 / 4	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 12	1 / 5	0 / 4	0 / 5	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	12	7	12	7	4
Number of transfers	12	6	9	5	2
Estimated average number of transfers per retrieval	6.0		4.5	1.0	
Average number of embryos transferred	2.3	2.5	2.6	2.2	1.0
Percentage of embryos transferred resulting in implantation (%)	33.3	4 / 15	21.7	1 / 11	0 / 2
Percentage of transfers resulting in pregnancies (%)	7 / 12	2 / 6	4 / 9	1 / 5	0 / 2
Percentage of transfers resulting in live births (%)	7 / 12	2 / 6	4 / 9	1 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	5 / 12	0 / 6	3 / 9	1 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 12	2 / 6	1 / 9	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 12	0 / 6	0 / 9	0 / 5	0 / 2
Number of Egg or Embryo Banking Cycles	0	0	1	4	0
Number of fertility preservation cycles	0	0	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	3	0	1	0
Number of transfers	3	0	1	0
Average number of embryos transferred	2.3		2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 7		1 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 3		1 / 1	
Percentage of transfers resulting in live births (%)	1 / 3		1 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 3		1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 3		1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Southwest Florida Fertility Center, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SPECIALISTS IN REPRODUCTIVE MEDICINE AND SURGERY, PA
EMBRYO DONATION INTERNATIONAL, PL
FORT MYERS, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Craig R. Sweet, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	0%	PGD/PGS	16%
Used gestational carrier	8%		

Patient Diagnosis[a,b]

Tubal factor	17%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	9%	Male factor	16%	Female factors only	18%
Diminished ovarian reserve	50%	Other factor	12%	Female & male factors	10%
Endometriosis	24%	Unknown factor	2%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 179
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	40	17	9	4	0
Percentage of cancellations before retrieval (%)	0.0	2 / 17	1 / 9	0 / 4	
Number of transfers	34	14	7	2	0
Average number of embryos transferred	2.0	2.1	2.7	2.5	
Percentage of elective single embryo transfers (eSET) (%)	21.2	2 / 14	0 / 7	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	47.5	10 / 17	2 / 9	2 / 4	
Percentage of cycles resulting in live births (%)	42.5	7 / 17	1 / 9	1 / 4	
Percentage of cycles resulting in singleton live births (%)	27.5	4 / 17	1 / 9	1 / 4	
Percentage of cycles resulting in twin live births (%)	15.0	3 / 17	0 / 9	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	22.5	4 / 17	1 / 9	1 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.6	44.8	2 / 19	2 / 5	
Percentage of transfers resulting in pregnancies (%)	55.9	10 / 14	2 / 7	2 / 2	
Percentage of transfers resulting in live births (%)	50.0	7 / 14	1 / 7	1 / 2	
Percentage of transfers resulting in singleton live births (%)	32.4	4 / 14	1 / 7	1 / 2	
Percentage of transfers resulting in twin live births (%)	17.6	3 / 14	0 / 7	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.5	4 / 14	1 / 7	1 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	16	9	3	0	0
Number of transfers	15	5	3	0	0
Estimated average number of transfers per retrieval	1.3	0.8	0.8	0.0	0.0
Average number of embryos transferred	2.0	1.6	1.7		
Percentage of embryos transferred resulting in implantation (%)	32.1	1 / 8	1 / 5		
Percentage of transfers resulting in pregnancies (%)	9 / 15	1 / 5	1 / 3		
Percentage of transfers resulting in live births (%)	7 / 15	1 / 5	1 / 3		
Percentage of transfers resulting in singleton live births (%)	6 / 15	1 / 5	1 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 5	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	6 / 15	1 / 5	1 / 3		
Number of Egg or Embryo Banking Cycles	2	4	2	1	2
Number of fertility preservation cycles	0	1	2	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	14	0	15	41
Number of transfers	11	0	14	39
Average number of embryos transferred	1.9		2.2	2.5
Percentage of embryos transferred resulting in implantation (%)	33.3		24.1	31.5
Percentage of transfers resulting in pregnancies (%)	5 / 11		7 / 14	59.0
Percentage of transfers resulting in live births (%)	3 / 11		2 / 14	38.5
Percentage of transfers resulting in singleton live births (%)	2 / 11		2 / 14	20.5
Percentage of transfers resulting in twin live births (%)	1 / 11		0 / 14	15.4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 11		1 / 14	17.9

CURRENT SERVICES & PROFILE

Current Name: Specialists in Reproductive Medicine and Surgery, PA, Embryo Donation International, PL

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UF HEALTH REPRODUCTIVE MEDICINE AT SPRINGHILL
GAINESVILLE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Alice S. Rhoton-Vlasak, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	0%	PGD/PGS	8%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	7%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	22%	Male factor	41%	Female factors only	8%
Diminished ovarian reserve	22%	Other factor	13%	Female & male factors	20%
Endometriosis	12%	Unknown factor	8%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 94
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	21	14	9	2	3
Percentage of cancellations before retrieval (%)	4.8	1 / 14	2 / 9	0 / 2	0 / 3
Number of transfers	13	9	5	2	2
Average number of embryos transferred	1.4	2.3	2.8	2.5	4.0
Percentage of elective single embryo transfers (eSET) (%)	8 / 12	1 / 9	0 / 5	0 / 1	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	23.8	4 / 14	2 / 9	1 / 2	1 / 3
Percentage of cycles resulting in live births (%)	23.8	4 / 14	2 / 9	1 / 2	0 / 3
Percentage of cycles resulting in singleton live births (%)	19.0	4 / 14	2 / 9	1 / 2	0 / 3
Percentage of cycles resulting in twin live births (%)	4.8	0 / 14	0 / 9	0 / 2	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	19.0	4 / 14	1 / 9	1 / 2	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	7 / 18	19.0	2 / 14	1 / 5	1 / 8
Percentage of transfers resulting in pregnancies (%)	5 / 13	4 / 9	2 / 5	1 / 2	1 / 2
Percentage of transfers resulting in live births (%)	5 / 13	4 / 9	2 / 5	1 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 13	4 / 9	2 / 5	1 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 13	0 / 9	0 / 5	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 13	4 / 9	1 / 5	1 / 2	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	17	7	3	0	1
Number of transfers	17	7	3	0	1
Estimated average number of transfers per retrieval	1.5	1.8	1.5		
Average number of embryos transferred	1.5	1.7	2.3		1.0
Percentage of embryos transferred resulting in implantation (%)	60.0	7 / 12	3 / 7		1 / 1
Percentage of transfers resulting in pregnancies (%)	12 / 17	5 / 7	2 / 3		1 / 1
Percentage of transfers resulting in live births (%)	11 / 17	5 / 7	2 / 3		1 / 1
Percentage of transfers resulting in singleton live births (%)	8 / 17	4 / 7	1 / 3		1 / 1
Percentage of transfers resulting in twin live births (%)	3 / 17	1 / 7	1 / 3		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	8 / 17	4 / 7	1 / 3		1 / 1
Number of Egg or Embryo Banking Cycles	4	2	1	0	0
Number of fertility preservation cycles	3	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	3	7	0
Number of transfers	0	3	7	0
Average number of embryos transferred		1.7	1.3	
Percentage of embryos transferred resulting in implantation (%)		3 / 5	5 / 9	
Percentage of transfers resulting in pregnancies (%)		2 / 3	4 / 7	
Percentage of transfers resulting in live births (%)		2 / 3	4 / 7	
Percentage of transfers resulting in singleton live births (%)		1 / 3	4 / 7	
Percentage of transfers resulting in twin live births (%)		1 / 3	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		1 / 3	3 / 7	

CURRENT SERVICES & PROFILE

Current Name: UF Health Reproductive Medicine at Springhill

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ASSISTED FERTILITY PROGRAM
JACKSONVILLE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Marwan M. Shaykh, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	51%
Unstimulated	0%	PGD/PGS	7%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	14%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	22%	Male factor	28%	Female factors only	10%
Diminished ovarian reserve	31%	Other factor	14%	Female & male factors	17%
Endometriosis	4%	Unknown factor	14%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 112
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	27	8	12	4	0
Percentage of cancellations before retrieval (%)	3.7	0 / 8	2 / 12	0 / 4	
Number of transfers	13	5	8	2	0
Average number of embryos transferred	2.4	2.4	2.1	4.0	
Percentage of elective single embryo transfers (eSET) (%)	2 / 13	0 / 4	1 / 6	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	22.2	2 / 8	2 / 12	1 / 4	
Percentage of cycles resulting in live births (%)	18.5	1 / 8	0 / 12	1 / 4	
Percentage of cycles resulting in singleton live births (%)	14.8	0 / 8	0 / 12	1 / 4	
Percentage of cycles resulting in twin live births (%)	3.7	1 / 8	0 / 12	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	11.1	0 / 8	0 / 12	0 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.0	2 / 10	1 / 16	1 / 8	
Percentage of transfers resulting in pregnancies (%)	6 / 13	2 / 5	2 / 8	1 / 2	
Percentage of transfers resulting in live births (%)	5 / 13	1 / 5	0 / 8	1 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 13	0 / 5	0 / 8	1 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 13	1 / 5	0 / 8	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 13	0 / 5	0 / 8	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	28	1	5	1	2
Number of transfers	26	1	5	1	2
Estimated average number of transfers per retrieval	2.0	1.0	1.3	1.0	2.0
Average number of embryos transferred	1.8	2.0	2.2	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	23.3	1 / 2	3 / 11		0 / 2
Percentage of transfers resulting in pregnancies (%)	50.0	1 / 1	2 / 5	1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	30.8	1 / 1	2 / 5	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	30.8	1 / 1	2 / 5	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	0 / 1	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	11.5	0 / 1	0 / 5	0 / 1	0 / 2
Number of Egg or Embryo Banking Cycles	0	0	0	0	1
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	14	1	4	1
Number of transfers	12	1	4	1
Average number of embryos transferred	1.8	2.0	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	3 / 18	2 / 2	1 / 6	1 / 1
Percentage of transfers resulting in pregnancies (%)	6 / 12	1 / 1	1 / 4	1 / 1
Percentage of transfers resulting in live births (%)	2 / 12	1 / 1	0 / 4	1 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 12	1 / 1	0 / 4	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 1	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 12	1 / 1	0 / 4	1 / 1

CURRENT SERVICES & PROFILE

Current Name: Assisted Fertility Program

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BROWN FERTILITY
JACKSONVILLE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Samuel E. Brown, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	96%
Unstimulated	0%	PGD/PGS	10%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	18%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	20%	Male factor	21%	Female factors only	30%
Diminished ovarian reserve	42%	Other factor	18%	Female & male factors	12%
Endometriosis	23%	Unknown factor	6%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 609
(includes 9 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	144	66	44	16	8
Percentage of cancellations before retrieval (%)	8.3	9.1	4.5	0 / 16	0 / 8
Number of transfers	108	48	29	6	7
Average number of embryos transferred	1.3	2.0	1.9	2.8	2.4
Percentage of elective single embryo transfers (eSET) (%)	68.9	17.0	13.8	0 / 6	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.8	39.4	20.5	0 / 16	3 / 8
Percentage of cycles resulting in live births (%)	32.6	33.3	15.9	0 / 16	1 / 8
Percentage of cycles resulting in singleton live births (%)	28.5	19.7	13.6	0 / 16	1 / 8
Percentage of cycles resulting in twin live births (%)	4.2	13.6	2.3	0 / 16	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	28.5	18.2	13.6	0 / 16	1 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.8	37.5	17.3	0 / 17	2 / 13
Percentage of transfers resulting in pregnancies (%)	49.1	54.2	31.0	0 / 6	3 / 7
Percentage of transfers resulting in live births (%)	43.5	45.8	24.1	0 / 6	1 / 7
Percentage of transfers resulting in singleton live births (%)	38.0	27.1	20.7	0 / 6	1 / 7
Percentage of transfers resulting in twin live births (%)	5.6	18.8	3.4	0 / 6	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	38.0	25.0	20.7	0 / 6	1 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	110	52	46	14	5
Number of transfers	109	52	46	14	3
Estimated average number of transfers per retrieval	2.1	2.7	2.3	2.0	1.5
Average number of embryos transferred	1.9	2.0	2.1	1.8	2.7
Percentage of embryos transferred resulting in implantation (%)	28.4	21.4	23.2	28.0	0 / 8
Percentage of transfers resulting in pregnancies (%)	43.1	30.8	37.0	6 / 14	0 / 3
Percentage of transfers resulting in live births (%)	33.9	26.9	21.7	5 / 14	0 / 3
Percentage of transfers resulting in singleton live births (%)	22.9	21.2	17.4	5 / 14	0 / 3
Percentage of transfers resulting in twin live births (%)	11.0	5.8	4.3	0 / 14	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	22.0	19.2	15.2	5 / 14	0 / 3
Number of Egg or Embryo Banking Cycles	2	0	0	0	0
Number of fertility preservation cycles	2	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	24	4	56	9
Number of transfers	21	2	50	9
Average number of embryos transferred	1.5	2.0	1.9	2.1
Percentage of embryos transferred resulting in implantation (%)	51.6	0 / 4	31.1	4 / 19
Percentage of transfers resulting in pregnancies (%)	57.1	0 / 2	44.0	3 / 9
Percentage of transfers resulting in live births (%)	52.4	0 / 2	34.0	1 / 9
Percentage of transfers resulting in singleton live births (%)	33.3	0 / 2	22.0	1 / 9
Percentage of transfers resulting in twin live births (%)	19.0	0 / 2	12.0	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.6	0 / 2	18.0	1 / 9

CURRENT SERVICES & PROFILE

Current Name: Brown Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE
JACKSONVILLE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kevin L. Winslow, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	PGD/PGS	20%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	14%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	15%	Male factor	46%	Female factors only	13%
Diminished ovarian reserve	27%	Other factor	16%	Female & male factors	23%
Endometriosis	13%	Unknown factor	9%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,096
(includes 8 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	121	37	23	9	2
Percentage of cancellations before retrieval (%)	5.8	2.7	8.7	0 / 9	0 / 2
Number of transfers	26	20	9	7	1
Average number of embryos transferred	1.6	1.5	1.4	1.9	3.0
Percentage of elective single embryo transfers (eSET) (%)	39.1	5 / 15	1 / 5	1 / 6	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	13.2	18.9	8.7	2 / 9	0 / 2
Percentage of cycles resulting in live births (%)	12.4	16.2	4.3	0 / 9	0 / 2
Percentage of cycles resulting in singleton live births (%)	9.9	13.5	4.3	0 / 9	0 / 2
Percentage of cycles resulting in twin live births (%)	2.5	2.7	0.0	0 / 9	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	9.1	13.5	4.3	0 / 9	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.8	30.0	2 / 13	2 / 13	0 / 3
Percentage of transfers resulting in pregnancies (%)	61.5	35.0	2 / 9	2 / 7	0 / 1
Percentage of transfers resulting in live births (%)	57.7	30.0	1 / 9	0 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	46.2	25.0	1 / 9	0 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	11.5	5.0	0 / 9	0 / 7	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	42.3	25.0	1 / 9	0 / 7	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	283	117	59	27	9
Number of transfers	274	108	51	22	8
Estimated average number of transfers per retrieval	1.3	1.5	1.4	0.7	1.0
Average number of embryos transferred	1.4	1.4	1.6	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	50.8	43.3	34.6	33.3	3 / 16
Percentage of transfers resulting in pregnancies (%)	60.6	48.1	43.1	50.0	3 / 8
Percentage of transfers resulting in live births (%)	51.1	38.0	39.2	40.9	2 / 8
Percentage of transfers resulting in singleton live births (%)	39.1	32.4	27.5	36.4	2 / 8
Percentage of transfers resulting in twin live births (%)	12.0	4.6	11.8	4.5	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	33.6	27.8	23.5	31.8	1 / 8
Number of Egg or Embryo Banking Cycles	124	52	29	26	8
Number of fertility preservation cycles	41	6	2	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	40	56	65
Number of transfers	0	33	48	62
Average number of embryos transferred		1.4	1.2	1.6
Percentage of embryos transferred resulting in implantation (%)		34.9	42.9	45.2
Percentage of transfers resulting in pregnancies (%)		45.5	50.0	54.8
Percentage of transfers resulting in live births (%)		39.4	37.5	43.5
Percentage of transfers resulting in singleton live births (%)		36.4	35.4	33.9
Percentage of transfers resulting in twin live births (%)		3.0	2.1	9.7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		30.3	27.1	25.8

CURRENT SERVICES & PROFILE

Current Name: Florida Institute for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JACKSONVILLE CENTER FOR REPRODUCTIVE MEDICINE
JACKSONVILLE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael D. Fox, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	29%
Unstimulated	0%	PGD/PGS	8%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	7%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	11%	Male factor	8%	Female factors only	0%
Diminished ovarian reserve	32%	Other factor	5%	Female & male factors	0%
Endometriosis	36%	Unknown factor	0%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 310
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	69	32	17	10	4
Percentage of cancellations before retrieval (%)	11.6	15.6	3 / 17	1 / 10	0 / 4
Number of transfers	42	18	9	6	0
Average number of embryos transferred	1.5	1.4	1.4	1.7	
Percentage of elective single embryo transfers (eSET) (%)	38.2	4 / 12	2 / 6	1 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.4	28.1	3 / 17	1 / 10	0 / 4
Percentage of cycles resulting in live births (%)	27.5	25.0	2 / 17	0 / 10	0 / 4
Percentage of cycles resulting in singleton live births (%)	18.8	18.8	2 / 17	0 / 10	0 / 4
Percentage of cycles resulting in twin live births (%)	8.7	6.3	0 / 17	0 / 10	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	17.4	15.6	2 / 17	0 / 10	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.3	46.2	3 / 13	1 / 10	
Percentage of transfers resulting in pregnancies (%)	50.0	9 / 18	3 / 9	1 / 6	
Percentage of transfers resulting in live births (%)	45.2	8 / 18	2 / 9	0 / 6	
Percentage of transfers resulting in singleton live births (%)	31.0	6 / 18	2 / 9	0 / 6	
Percentage of transfers resulting in twin live births (%)	14.3	2 / 18	0 / 9	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.6	5 / 18	2 / 9	0 / 6	
Frozen Embryos from Nondonor Eggs					
Number of cycles	38	22	15	5	1
Number of transfers	37	21	14	4	1
Estimated average number of transfers per retrieval	1.0	0.9	0.9	0.4	0.5
Average number of embryos transferred	1.4	1.6	1.4	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	5.8	21.2	0 / 18	2 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	8.1	33.3	1 / 14	2 / 4	0 / 1
Percentage of transfers resulting in live births (%)	8.1	19.0	0 / 14	2 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	8.1	14.3	0 / 14	2 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	4.8	0 / 14	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	8.1	14.3	0 / 14	2 / 4	0 / 1
Number of Egg or Embryo Banking Cycles	17	17	9	8	2
Number of fertility preservation cycles	6	6	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	20	2	21	1
Number of transfers	17	2	21	1
Average number of embryos transferred	1.3	1.5	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	33.3	2 / 3	19.2	1 / 1
Percentage of transfers resulting in pregnancies (%)	7 / 17	1 / 2	28.6	1 / 1
Percentage of transfers resulting in live births (%)	6 / 17	1 / 2	23.8	1 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 17	0 / 2	23.8	1 / 1
Percentage of transfers resulting in twin live births (%)	1 / 17	1 / 2	0.0	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 17	0 / 2	23.8	1 / 1

CURRENT SERVICES & PROFILE

Current Name: Jacksonville Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE
LUTZ, FLORIDA

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

IVF FLORIDA REPRODUCTIVE ASSOCIATES
MARGATE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David I. Hoffman, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	61%
Unstimulated	0%	PGD/PGS	8%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	18%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	15%	Male factor	30%	Female factors only	14%
Diminished ovarian reserve	28%	Other factor	20%	Female & male factors	12%
Endometriosis	8%	Unknown factor	5%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,493
(includes 16 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	242	124	174	66	35
Percentage of cancellations before retrieval (%)	4.5	10.5	16.1	15.2	14.3
Number of transfers	158	94	115	42	20
Average number of embryos transferred	1.6	1.9	2.4	3.0	2.6
Percentage of elective single embryo transfers (eSET) (%)	39.2	9.3	1.0	0.0	0 / 14
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	27.7	37.9	15.5	12.1	0.0
Percentage of cycles resulting in live births (%)	23.6	33.1	12.1	10.6	0.0
Percentage of cycles resulting in singleton live births (%)	19.4	25.8	8.6	10.6	0.0
Percentage of cycles resulting in twin live births (%)	4.1	7.3	3.4	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	17.4	21.8	5.7	10.6	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	30.9	32.4	11.6	8.7	0.0
Percentage of transfers resulting in pregnancies (%)	42.4	50.0	23.5	19.0	0.0
Percentage of transfers resulting in live births (%)	36.1	43.6	18.3	16.7	0.0
Percentage of transfers resulting in singleton live births (%)	29.7	34.0	13.0	16.7	0.0
Percentage of transfers resulting in twin live births (%)	6.3	9.6	5.2	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.6	28.7	8.7	16.7	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	213	85	86	32	29
Number of transfers	209	84	83	30	23
Estimated average number of transfers per retrieval	1.2	1.0	0.8	0.8	0.9
Average number of embryos transferred	1.3	1.4	1.6	1.4	1.9
Percentage of embryos transferred resulting in implantation (%)	46.0	36.4	37.4	28.9	11.6
Percentage of transfers resulting in pregnancies (%)	55.0	46.4	50.6	40.0	21.7
Percentage of transfers resulting in live births (%)	45.0	33.3	39.8	26.7	13.0
Percentage of transfers resulting in singleton live births (%)	38.8	27.4	33.7	23.3	13.0
Percentage of transfers resulting in twin live births (%)	6.2	6.0	6.0	3.3	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.1	25.0	31.3	16.7	13.0
Number of Egg or Embryo Banking Cycles	78	49	63	29	21
Number of fertility preservation cycles	22	16	14	2	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	18	84	49	0
Number of transfers	13	72	46	0
Average number of embryos transferred	1.5	1.7	1.3	
Percentage of embryos transferred resulting in implantation (%)	3 / 19	31.3	50.8	
Percentage of transfers resulting in pregnancies (%)	3 / 13	47.2	60.9	
Percentage of transfers resulting in live births (%)	3 / 13	38.9	52.2	
Percentage of transfers resulting in singleton live births (%)	3 / 13	33.3	43.5	
Percentage of transfers resulting in twin live births (%)	0 / 13	5.6	8.7	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 13	27.8	37.0	

CURRENT SERVICES & PROFILE

Current Name: IVF Florida Reproductive Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VIERA FERTILITY CENTER
MELBOURNE, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Diran J. Chamoun, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	43%
Unstimulated	0%	PGD/PGS	2%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	16%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	21%	Male factor	52%	Female factors only	18%
Diminished ovarian reserve	46%	Other factor	12%	Female & male factors	32%
Endometriosis	6%	Unknown factor	0%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 77
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	25	8	8	2	3
Percentage of cancellations before retrieval (%)	12.0	0 / 8	2 / 8	0 / 2	0 / 3
Number of transfers	13	4	5	1	2
Average number of embryos transferred	1.8	1.5	2.6	1.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 11	0 / 2	0 / 5		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.0	1 / 8	1 / 8	1 / 2	0 / 3
Percentage of cycles resulting in live births (%)	20.0	0 / 8	1 / 8	1 / 2	0 / 3
Percentage of cycles resulting in singleton live births (%)	12.0	0 / 8	1 / 8	1 / 2	0 / 3
Percentage of cycles resulting in twin live births (%)	8.0	0 / 8	0 / 8	0 / 2	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	4.0	0 / 8	1 / 8	1 / 2	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	0 / 4	1 / 13	1 / 1	0 / 4
Percentage of transfers resulting in pregnancies (%)	8 / 13	1 / 4	1 / 5	1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	5 / 13	0 / 4	1 / 5	1 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	3 / 13	0 / 4	1 / 5	1 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 13	0 / 4	0 / 5	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 13	0 / 4	1 / 5	1 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	5	0	0	0
Number of transfers	5	4	0	0	0
Estimated average number of transfers per retrieval	0.8	0.6	0.0		
Average number of embryos transferred	1.6	1.5			
Percentage of embryos transferred resulting in implantation (%)	3 / 8	1 / 6			
Percentage of transfers resulting in pregnancies (%)	2 / 5	1 / 4			
Percentage of transfers resulting in live births (%)	2 / 5	0 / 4			
Percentage of transfers resulting in singleton live births (%)	2 / 5	0 / 4			
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 4			
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 5	0 / 4			
Number of Egg or Embryo Banking Cycles	3	5	1	0	0
Number of fertility preservation cycles	0	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	5	0	7	0
Number of transfers	5	0	7	0
Average number of embryos transferred	1.2		1.4	
Percentage of embryos transferred resulting in implantation (%)	1 / 5		2 / 10	
Percentage of transfers resulting in pregnancies (%)	2 / 5		2 / 7	
Percentage of transfers resulting in live births (%)	1 / 5		0 / 7	
Percentage of transfers resulting in singleton live births (%)	1 / 5		0 / 7	
Percentage of transfers resulting in twin live births (%)	0 / 5		0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 5		0 / 7	

CURRENT SERVICES & PROFILE

Current Name: Viera Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CONCEPTIONS FLORIDA: CENTER FOR FERTILITY AND GENETICS
MIAMI, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Armando E. Hernandez-Rey, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	25%
Unstimulated	0%	PGD/PGS	7%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	8%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	5%	Male factor	19%	Female factors only	11%
Diminished ovarian reserve	52%	Other factor	17%	Female & male factors	7%
Endometriosis	8%	Unknown factor	7%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 257
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	48	27	37	16	10
Percentage of cancellations before retrieval (%)	6.3	25.9	8.1	4 / 16	0 / 10
Number of transfers	26	12	20	9	6
Average number of embryos transferred	2.0	1.8	1.9	2.0	2.2
Percentage of elective single embryo transfers (eSET) (%)	0.0	1 / 11	1 / 17	0 / 8	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	20.8	18.5	13.5	1 / 16	2 / 10
Percentage of cycles resulting in live births (%)	18.8	18.5	8.1	1 / 16	0 / 10
Percentage of cycles resulting in singleton live births (%)	14.6	18.5	5.4	1 / 16	0 / 10
Percentage of cycles resulting in twin live births (%)	4.2	0.0	2.7	0 / 16	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	12.5	14.8	5.4	1 / 16	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	22.4	22.7	13.9	1 / 18	1 / 11
Percentage of transfers resulting in pregnancies (%)	38.5	5 / 12	25.0	1 / 9	2 / 6
Percentage of transfers resulting in live births (%)	34.6	5 / 12	15.0	1 / 9	0 / 6
Percentage of transfers resulting in singleton live births (%)	26.9	5 / 12	10.0	1 / 9	0 / 6
Percentage of transfers resulting in twin live births (%)	7.7	0 / 12	5.0	0 / 9	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	23.1	4 / 12	10.0	1 / 9	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	22	7	16	5	1
Number of transfers	22	7	14	5	1
Estimated average number of transfers per retrieval	0.9	0.5	0.6	1.0	1.0
Average number of embryos transferred	1.9	1.9	1.7	1.6	2.0
Percentage of embryos transferred resulting in implantation (%)	30.8	4 / 11	29.2	4 / 8	0 / 2
Percentage of transfers resulting in pregnancies (%)	45.5	5 / 7	6 / 14	3 / 5	0 / 1
Percentage of transfers resulting in live births (%)	40.9	3 / 7	5 / 14	3 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.3	3 / 7	5 / 14	2 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	13.6	0 / 7	0 / 14	1 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	27.3	3 / 7	5 / 14	1 / 5	0 / 1
Number of Egg or Embryo Banking Cycles	12	10	17	3	0
Number of fertility preservation cycles	4	6	4	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	22	2	2	0
Number of transfers	18	2	2	0
Average number of embryos transferred	1.7	2.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	83.9	2 / 4	0 / 3	
Percentage of transfers resulting in pregnancies (%)	17 / 18	1 / 2	0 / 2	
Percentage of transfers resulting in live births (%)	17 / 18	1 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)	10 / 18	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)	7 / 18	1 / 2	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	8 / 18	0 / 2	0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Conceptions Florida: Center for Fertility and Genetics

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & IVF CENTER OF MIAMI, INC.
MIAMI, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael H. Jacobs, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	71%
Unstimulated	2%	PGD/PGS	40%
Used gestational carrier	7%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	9%	Multiple Factors:	
Ovulatory dysfunction	15%	Male factor	30%	Female factors only	31%
Diminished ovarian reserve	33%	Other factor	63%	Female & male factors	22%
Endometriosis	6%	Unknown factor	<1%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 688
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	41	27	40	11	22
Percentage of cancellations before retrieval (%)	14.6	7.4	22.5	2 / 11	22.7
Number of transfers	15	8	14	2	7
Average number of embryos transferred	1.9	1.5	2.1	2.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	2 / 14	2 / 6	0 / 11	1 / 2	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	14.6	11.1	15.0	1 / 11	0.0
Percentage of cycles resulting in live births (%)	12.2	11.1	10.0	1 / 11	0.0
Percentage of cycles resulting in singleton live births (%)	9.8	7.4	7.5	1 / 11	0.0
Percentage of cycles resulting in twin live births (%)	2.4	3.7	2.5	0 / 11	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	7.3	7.4	7.5	1 / 11	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.1	5 / 12	25.0	1 / 4	0 / 16
Percentage of transfers resulting in pregnancies (%)	6 / 15	3 / 8	6 / 14	1 / 2	0 / 7
Percentage of transfers resulting in live births (%)	5 / 15	3 / 8	4 / 14	1 / 2	0 / 7
Percentage of transfers resulting in singleton live births (%)	4 / 15	2 / 8	3 / 14	1 / 2	0 / 7
Percentage of transfers resulting in twin live births (%)	1 / 15	1 / 8	1 / 14	0 / 2	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 15	2 / 8	3 / 14	1 / 2	0 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	115	75	44	24	26
Number of transfers	106	72	41	23	25
Estimated average number of transfers per retrieval	1.2	1.2	0.9	0.8	0.7
Average number of embryos transferred	1.4	1.6	1.5	1.3	1.7
Percentage of embryos transferred resulting in implantation (%)	48.4	50.9	45.2	46.7	31.0
Percentage of transfers resulting in pregnancies (%)	57.5	55.6	53.7	56.5	40.0
Percentage of transfers resulting in live births (%)	45.3	50.0	53.7	47.8	24.0
Percentage of transfers resulting in singleton live births (%)	35.8	34.7	41.5	43.5	16.0
Percentage of transfers resulting in twin live births (%)	9.4	15.3	12.2	4.3	8.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.1	27.8	29.3	43.5	12.0
Number of Egg or Embryo Banking Cycles	68	52	41	26	34
Number of fertility preservation cycles	9	6	3	4	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	6	4	20	9
Number of transfers	6	3	20	9
Average number of embryos transferred	2.0	2.0	1.6	1.9
Percentage of embryos transferred resulting in implantation (%)	6 / 12	4 / 6	76.7	8 / 15
Percentage of transfers resulting in pregnancies (%)	3 / 6	2 / 3	95.0	7 / 9
Percentage of transfers resulting in live births (%)	3 / 6	1 / 3	70.0	5 / 9
Percentage of transfers resulting in singleton live births (%)	1 / 6	0 / 3	50.0	3 / 9
Percentage of transfers resulting in twin live births (%)	2 / 6	1 / 3	20.0	2 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 6	0 / 3	45.0	3 / 9

CURRENT SERVICES & PROFILE

Current Name: Fertility & IVF Center of Miami, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MIAMI INFERTILITY CENTER
MIAMI, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by George R. Attia, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	PGD/PGS	25%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	28%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	<1%	Male factor	31%	Female factors only	5%
Diminished ovarian reserve	29%	Other factor	5%	Female & male factors	8%
Endometriosis	<1%	Unknown factor	16%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 255
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	38	36	29	8	8
Percentage of cancellations before retrieval (%)	10.5	5.6	6.9	1 / 8	2 / 8
Number of transfers	32	32	26	7	5
Average number of embryos transferred	2.0	2.0	2.2	1.9	3.2
Percentage of elective single embryo transfers (eSET) (%)	6.7	7.1	4.2	0 / 4	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	55.3	27.8	31.0	3 / 8	1 / 8
Percentage of cycles resulting in live births (%)	52.6	19.4	10.3	3 / 8	0 / 8
Percentage of cycles resulting in singleton live births (%)	26.3	16.7	10.3	3 / 8	0 / 8
Percentage of cycles resulting in twin live births (%)	23.7	2.8	0.0	0 / 8	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	15.8	13.9	10.3	2 / 8	0 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.4	17.7	19.6	3 / 13	2 / 16
Percentage of transfers resulting in pregnancies (%)	65.6	31.3	34.6	3 / 7	1 / 5
Percentage of transfers resulting in live births (%)	62.5	21.9	11.5	3 / 7	0 / 5
Percentage of transfers resulting in singleton live births (%)	31.3	18.8	11.5	3 / 7	0 / 5
Percentage of transfers resulting in twin live births (%)	28.1	3.1	0.0	0 / 7	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	18.8	15.6	11.5	2 / 7	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	25	17	13	5	5
Number of transfers	22	15	12	3	5
Estimated average number of transfers per retrieval	0.7	0.8	0.7	0.3	1.0
Average number of embryos transferred	1.8	1.6	1.8	2.3	2.2
Percentage of embryos transferred resulting in implantation (%)	56.4	41.7	7 / 19	3 / 7	2 / 11
Percentage of transfers resulting in pregnancies (%)	72.7	8 / 15	5 / 12	3 / 3	2 / 5
Percentage of transfers resulting in live births (%)	50.0	6 / 15	4 / 12	3 / 3	2 / 5
Percentage of transfers resulting in singleton live births (%)	40.9	4 / 15	1 / 12	3 / 3	2 / 5
Percentage of transfers resulting in twin live births (%)	9.1	2 / 15	3 / 12	0 / 3	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	36.4	2 / 15	1 / 12	3 / 3	1 / 5
Number of Egg or Embryo Banking Cycles	25	12	13	9	4
Number of fertility preservation cycles	10	4	4	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	5	0	0
Number of transfers	0	5	0	0
Average number of embryos transferred		1.8		
Percentage of embryos transferred resulting in implantation (%)		5 / 9		
Percentage of transfers resulting in pregnancies (%)		3 / 5		
Percentage of transfers resulting in live births (%)		3 / 5		
Percentage of transfers resulting in singleton live births (%)		1 / 5		
Percentage of transfers resulting in twin live births (%)		2 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		1 / 5		

CURRENT SERVICES & PROFILE

Current Name: University of Miami Infertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE, PA
ORLANDO, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Randall A. Loy, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	59%
Unstimulated	2%	PGD/PGS	19%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	9%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	35%	Male factor	16%	Female factors only	11%
Diminished ovarian reserve	28%	Other factor	14%	Female & male factors	7%
Endometriosis	11%	Unknown factor	4%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,416
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	139	79	71	43	27
Percentage of cancellations before retrieval (%)	5.8	21.5	25.4	27.9	33.3
Number of transfers	19	11	9	5	2
Average number of embryos transferred	1.2	1.5	1.6	2.4	3.5
Percentage of elective single embryo transfers (eSET) (%)	7 / 11	2 / 8	1 / 4	0 / 4	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5.8	6.3	5.6	0.0	0.0
Percentage of cycles resulting in live births (%)	5.0	5.1	4.2	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	5.0	5.1	2.8	0.0	0.0
Percentage of cycles resulting in twin live births (%)	0.0	0.0	1.4	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	3.6	3.8	1.4	0.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.4	5 / 17	4 / 11	0 / 12	0 / 7
Percentage of transfers resulting in pregnancies (%)	8 / 19	5 / 11	4 / 9	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	7 / 19	4 / 11	3 / 9	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	7 / 19	4 / 11	2 / 9	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 19	0 / 11	1 / 9	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 19	3 / 11	1 / 9	0 / 5	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	233	141	120	32	11
Number of transfers	203	122	104	26	7
Estimated average number of transfers per retrieval	0.8	1.4	1.0	0.6	0.4
Average number of embryos transferred	1.3	1.3	1.3	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	47.7	42.6	35.7	35.1	1 / 8
Percentage of transfers resulting in pregnancies (%)	57.6	54.9	45.2	46.2	2 / 7
Percentage of transfers resulting in live births (%)	46.8	45.1	29.8	42.3	0 / 7
Percentage of transfers resulting in singleton live births (%)	42.4	42.6	26.0	34.6	0 / 7
Percentage of transfers resulting in twin live births (%)	4.4	2.5	3.8	7.7	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	37.4	36.9	21.2	26.9	0 / 7
Number of Egg or Embryo Banking Cycles	163	66	80	40	19
Number of fertility preservation cycles	10	10	17	2	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	5	57	87	0
Number of transfers	1	27	65	0
Average number of embryos transferred	2.0	2.1	1.3	
Percentage of embryos transferred resulting in implantation (%)	0 / 2	18.9	46.9	
Percentage of transfers resulting in pregnancies (%)	0 / 1	44.4	60.0	
Percentage of transfers resulting in live births (%)	0 / 1	33.3	47.7	
Percentage of transfers resulting in singleton live births (%)	0 / 1	33.3	43.1	
Percentage of transfers resulting in twin live births (%)	0 / 1	0.0	4.6	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1	29.6	32.3	

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE INSTITUTE
ORLANDO, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Fernando L. Gomez, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	79%
Unstimulated	0%	PGD/PGS	9%
Used gestational carrier	15%		

Patient Diagnosis[a,b]

Tubal factor	36%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	81%	Male factor	13%	Female factors only	55%
Diminished ovarian reserve	17%	Other factor	62%	Female & male factors	13%
Endometriosis	6%	Unknown factor	0%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 56
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	13	6	10	1	2
Percentage of cancellations before retrieval (%)	0 / 13	0 / 6	0 / 10	0 / 1	0 / 2
Number of transfers	11	4	7	0	2
Average number of embryos transferred	2.0	2.0	2.0		3.5
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 4	0 / 5		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	5 / 13	0 / 6	2 / 10	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	3 / 13	0 / 6	2 / 10	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	0 / 13	0 / 6	1 / 10	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	3 / 13	0 / 6	1 / 10	0 / 1	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 13	0 / 6	0 / 10	0 / 1	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.0	0 / 8	3 / 14		0 / 7
Percentage of transfers resulting in pregnancies (%)	5 / 11	0 / 4	2 / 7		0 / 2
Percentage of transfers resulting in live births (%)	3 / 11	0 / 4	2 / 7		0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 11	0 / 4	1 / 7		0 / 2
Percentage of transfers resulting in twin live births (%)	3 / 11	0 / 4	1 / 7		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 11	0 / 4	0 / 7		0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	2	0	0	0
Number of transfers	5	2	0	0	0
Estimated average number of transfers per retrieval	1.0	1.0	0.0	0.0	
Average number of embryos transferred	2.2	2.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 11	2 / 4			
Percentage of transfers resulting in pregnancies (%)	1 / 5	2 / 2			
Percentage of transfers resulting in live births (%)	1 / 5	2 / 2			
Percentage of transfers resulting in singleton live births (%)	1 / 5	2 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 5	0 / 2			
Number of Egg or Embryo Banking Cycles	4	0	2	3	0
Number of fertility preservation cycles	1	0	0	3	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	4	0	1	3
Number of transfers	3	0	1	3
Average number of embryos transferred	2.0		2.0	2.3
Percentage of embryos transferred resulting in implantation (%)	3 / 6		0 / 2	1 / 7
Percentage of transfers resulting in pregnancies (%)	3 / 3		0 / 1	1 / 3
Percentage of transfers resulting in live births (%)	3 / 3		0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	3 / 3		0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 3		0 / 1	0 / 3

CURRENT SERVICES & PROFILE

This clinic has closed since 2016. Information on current clinic services and profile therefore is not provided here.
Contact the NASS Help Desk for further information.

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW LEADERS IN FERTILITY & ENDOCRINOLOGY, LLC
PENSACOLA, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Barry A. Ripps, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	<1%	PGD/PGS	4%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	21%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	10%	Male factor	40%	Female factors only	11%
Diminished ovarian reserve	28%	Other factor	3%	Female & male factors	11%
Endometriosis	13%	Unknown factor	6%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 251
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	101	37	23	12	10
Percentage of cancellations before retrieval (%)	7.9	10.8	26.1	5 / 12	1 / 10
Number of transfers	89	29	13	5	5
Average number of embryos transferred	1.5	1.7	1.8	1.8	1.4
Percentage of elective single embryo transfers (eSET) (%)	35.7	14.3	1 / 9	0 / 4	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.5	51.4	21.7	0 / 12	0 / 10
Percentage of cycles resulting in live births (%)	38.6	40.5	17.4	0 / 12	0 / 10
Percentage of cycles resulting in singleton live births (%)	30.7	27.0	17.4	0 / 12	0 / 10
Percentage of cycles resulting in twin live births (%)	7.9	13.5	0.0	0 / 12	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	25.7	27.0	17.4	0 / 12	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.5	47.9	26.1	0 / 9	0 / 7
Percentage of transfers resulting in pregnancies (%)	51.7	65.5	5 / 13	0 / 5	0 / 5
Percentage of transfers resulting in live births (%)	43.8	51.7	4 / 13	0 / 5	0 / 5
Percentage of transfers resulting in singleton live births (%)	34.8	34.5	4 / 13	0 / 5	0 / 5
Percentage of transfers resulting in twin live births (%)	9.0	17.2	0 / 13	0 / 5	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	29.2	34.5	4 / 13	0 / 5	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	29	7	3	0	1
Number of transfers	29	7	3	0	1
Estimated average number of transfers per retrieval	1.6	1.2	1.0		1.0
Average number of embryos transferred	1.7	1.6	1.3		1.0
Percentage of embryos transferred resulting in implantation (%)	46.5	3 / 11	0 / 4		1 / 1
Percentage of transfers resulting in pregnancies (%)	55.2	3 / 7	0 / 3		1 / 1
Percentage of transfers resulting in live births (%)	44.8	3 / 7	0 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	24.1	3 / 7	0 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	20.7	0 / 7	0 / 3		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	20.7	3 / 7	0 / 3		0 / 1
Number of Egg or Embryo Banking Cycles	6	3	3	0	1
Number of fertility preservation cycles	1	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	15	0	0
Number of transfers	0	10	0	0
Average number of embryos transferred		1.6		
Percentage of embryos transferred resulting in implantation (%)		8 / 16		
Percentage of transfers resulting in pregnancies (%)		7 / 10		
Percentage of transfers resulting in live births (%)		7 / 10		
Percentage of transfers resulting in singleton live births (%)		6 / 10		
Percentage of transfers resulting in twin live births (%)		1 / 10		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		5 / 10		

CURRENT SERVICES & PROFILE

Current Name: New Leaders in Fertility & Endocrinology, LLC

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY & GENETICS
PLANTATION, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mick Abaé, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	0%	PGD/PGS	11%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	36%	Uterine factor	34%	Multiple Factors:	
Ovulatory dysfunction	15%	Male factor	72%	Female factors only	19%
Diminished ovarian reserve	44%	Other factor	16%	Female & male factors	64%
Endometriosis	22%	Unknown factor	0%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 212
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	36	19	23	7	1
Percentage of cancellations before retrieval (%)	8.3	1 / 19	0.0	0 / 7	0 / 1
Number of transfers	24	15	18	5	0
Average number of embryos transferred	1.5	1.4	1.7	1.8	
Percentage of elective single embryo transfers (eSET) (%)	7 / 19	2 / 8	1 / 13	0 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.6	5 / 19	21.7	1 / 7	0 / 1
Percentage of cycles resulting in live births (%)	16.7	5 / 19	13.0	0 / 7	0 / 1
Percentage of cycles resulting in singleton live births (%)	11.1	5 / 19	13.0	0 / 7	0 / 1
Percentage of cycles resulting in twin live births (%)	5.6	0 / 19	0.0	0 / 7	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	11.1	5 / 19	13.0	0 / 7	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	23.8	20.0	1 / 9	
Percentage of transfers resulting in pregnancies (%)	45.8	5 / 15	5 / 18	1 / 5	
Percentage of transfers resulting in live births (%)	25.0	5 / 15	3 / 18	0 / 5	
Percentage of transfers resulting in singleton live births (%)	16.7	5 / 15	3 / 18	0 / 5	
Percentage of transfers resulting in twin live births (%)	8.3	0 / 15	0 / 18	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	16.7	5 / 15	3 / 18	0 / 5	
Frozen Embryos from Nondonor Eggs					
Number of cycles	27	20	14	5	2
Number of transfers	27	19	14	4	2
Estimated average number of transfers per retrieval	1.0	2.1	0.7	0.6	1.0
Average number of embryos transferred	1.3	1.6	1.3	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	25.7	36.7	9 / 18	1 / 7	0 / 3
Percentage of transfers resulting in pregnancies (%)	33.3	9 / 19	8 / 14	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	25.9	7 / 19	7 / 14	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	25.9	7 / 19	7 / 14	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	0 / 19	0 / 14	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	25.9	6 / 19	4 / 14	1 / 4	0 / 2
Number of Egg or Embryo Banking Cycles	10	4	18	6	2
Number of fertility preservation cycles	3	0	2	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	10	0	7	0
Number of transfers	10	0	7	0
Average number of embryos transferred	1.6		1.4	
Percentage of embryos transferred resulting in implantation (%)	5 / 16		5 / 10	
Percentage of transfers resulting in pregnancies (%)	4 / 10		4 / 7	
Percentage of transfers resulting in live births (%)	3 / 10		4 / 7	
Percentage of transfers resulting in singleton live births (%)	2 / 10		4 / 7	
Percentage of transfers resulting in twin live births (%)	1 / 10		0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 10		4 / 7	

CURRENT SERVICES & PROFILE

Current Name: Fertility & Genetics

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER & APPLIED GENETICS OF FLORIDA
SARASOTA, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Julio E. Pabon, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	97%
Unstimulated	0%	PGD/PGS	92%
Used gestational carrier	8%		

Patient Diagnosis[a,b]

Tubal factor	7%	Uterine factor	8%	Multiple Factors:	
Ovulatory dysfunction	6%	Male factor	28%	Female factors only	64%
Diminished ovarian reserve	63%	Other factor	93%	Female & male factors	26%
Endometriosis	15%	Unknown factor	2%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 210
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	2	1	1	0	0
Percentage of cancellations before retrieval (%)	0 / 2	0 / 1	0 / 1		
Number of transfers	0	1	1	0	0
Average number of embryos transferred		1.0	2.0		
Percentage of elective single embryo transfers (eSET) (%)			0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 2	0 / 1	1 / 1		
Percentage of cycles resulting in live births (%)	0 / 2	0 / 1	1 / 1		
Percentage of cycles resulting in singleton live births (%)	0 / 2	0 / 1	1 / 1		
Percentage of cycles resulting in twin live births (%)	0 / 2	0 / 1	0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 2	0 / 1	1 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		0 / 1	2 / 2		
Percentage of transfers resulting in pregnancies (%)		0 / 1	1 / 1		
Percentage of transfers resulting in live births (%)		0 / 1	1 / 1		
Percentage of transfers resulting in singleton live births (%)		0 / 1	1 / 1		
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		0 / 1	1 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	31	18	16	5	1
Number of transfers	30	14	15	3	1
Estimated average number of transfers per retrieval	0.8	0.6	0.4	0.3	0.1
Average number of embryos transferred	1.1	1.2	1.0	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	56.3	10 / 16	6 / 14	2 / 4	1 / 1
Percentage of transfers resulting in pregnancies (%)	60.0	10 / 14	7 / 15	2 / 3	1 / 1
Percentage of transfers resulting in live births (%)	53.3	9 / 14	5 / 15	2 / 3	1 / 1
Percentage of transfers resulting in singleton live births (%)	53.3	8 / 14	5 / 15	2 / 3	1 / 1
Percentage of transfers resulting in twin live births (%)	0.0	1 / 14	0 / 15	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	43.3	8 / 14	5 / 15	1 / 3	0 / 1
Number of Egg or Embryo Banking Cycles	38	23	34	11	15
Number of fertility preservation cycles	0	2	0	2	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	13	1
Number of transfers	0	0	12	1
Average number of embryos transferred			1.0	1.0
Percentage of embryos transferred resulting in implantation (%)			11 / 12	1 / 1
Percentage of transfers resulting in pregnancies (%)			11 / 12	1 / 1
Percentage of transfers resulting in live births (%)			8 / 12	1 / 1
Percentage of transfers resulting in singleton live births (%)			8 / 12	1 / 1
Percentage of transfers resulting in twin live births (%)			0 / 12	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			8 / 12	1 / 1

CURRENT SERVICES & PROFILE

Current Name: Fertility Center & Applied Genetics of Florida

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE
SOUTH MIAMI, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Juergen Eisermann, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	70%
Unstimulated	<1%	PGD/PGS	16%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	14%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	16%	Male factor	42%	Female factors only	18%
Diminished ovarian reserve	39%	Other factor	29%	Female & male factors	31%
Endometriosis	12%	Unknown factor	6%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,432
(includes 12 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	224	110	107	79	14
Percentage of cancellations before retrieval (%)	8.9	10.9	22.4	31.6	3 / 14
Number of transfers	115	46	55	25	4
Average number of embryos transferred	1.6	1.7	1.7	1.7	2.0
Percentage of elective single embryo transfers (eSET) (%)	33.0	23.1	4.7	0 / 18	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.5	27.3	19.6	2.5	1 / 14
Percentage of cycles resulting in live births (%)	25.0	24.5	12.1	1.3	0 / 14
Percentage of cycles resulting in singleton live births (%)	16.5	17.3	8.4	1.3	0 / 14
Percentage of cycles resulting in twin live births (%)	7.6	7.3	3.7	0.0	0 / 14
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	15.2	15.5	6.5	1.3	0 / 14
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	49.4	51.3	24.4	2.4	0 / 6
Percentage of transfers resulting in pregnancies (%)	57.4	65.2	38.2	8.0	1 / 4
Percentage of transfers resulting in live births (%)	48.7	58.7	23.6	4.0	0 / 4
Percentage of transfers resulting in singleton live births (%)	32.2	41.3	16.4	4.0	0 / 4
Percentage of transfers resulting in twin live births (%)	14.8	17.4	7.3	0.0	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	29.6	37.0	12.7	4.0	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	189	96	90	41	23
Number of transfers	181	88	86	37	22
Estimated average number of transfers per retrieval	1.1	0.8	0.7	0.8	1.7
Average number of embryos transferred	1.4	1.5	1.5	1.5	1.3
Percentage of embryos transferred resulting in implantation (%)	62.2	59.4	55.5	30.6	62.1
Percentage of transfers resulting in pregnancies (%)	72.4	73.9	70.9	48.6	68.2
Percentage of transfers resulting in live births (%)	64.1	62.5	54.7	32.4	59.1
Percentage of transfers resulting in singleton live births (%)	50.3	50.0	41.9	32.4	50.0
Percentage of transfers resulting in twin live births (%)	13.8	12.5	12.8	0.0	9.1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	43.6	45.5	34.9	32.4	40.9
Number of Egg or Embryo Banking Cycles	94	69	93	37	11
Number of fertility preservation cycles	29	24	28	5	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	9	90	44	0
Number of transfers	6	67	42	0
Average number of embryos transferred	1.5	1.5	1.4	
Percentage of embryos transferred resulting in implantation (%)	6 / 9	63.6	61.8	
Percentage of transfers resulting in pregnancies (%)	5 / 6	79.1	69.0	
Percentage of transfers resulting in live births (%)	5 / 6	62.7	50.0	
Percentage of transfers resulting in singleton live births (%)	4 / 6	46.3	35.7	
Percentage of transfers resulting in twin live births (%)	1 / 6	16.4	14.3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 6	40.3	26.2	

CURRENT SERVICES & PROFILE

Current Name: IVFMD/South Florida Institute for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE REPRODUCTIVE MEDICINE GROUP
TAMPA, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Timothy R. Yeko, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	70%
Unstimulated	0%	PGD/PGS	54%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	20%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	14%	Male factor	38%	Female factors only	10%
Diminished ovarian reserve	14%	Other factor	16%	Female & male factors	14%
Endometriosis	9%	Unknown factor	14%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 950
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	50	17	9	9	3
Percentage of cancellations before retrieval (%)	10.0	4 / 17	5 / 9	3 / 9	3 / 3
Number of transfers	33	9	0	1	0
Average number of embryos transferred	1.2	1.7		3.0	
Percentage of elective single embryo transfers (eSET) (%)	80.0	3 / 9		0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.0	4 / 17	0 / 9	0 / 9	0 / 3
Percentage of cycles resulting in live births (%)	36.0	4 / 17	0 / 9	0 / 9	0 / 3
Percentage of cycles resulting in singleton live births (%)	36.0	3 / 17	0 / 9	0 / 9	0 / 3
Percentage of cycles resulting in twin live births (%)	0.0	1 / 17	0 / 9	0 / 9	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	26.0	2 / 17	0 / 9	0 / 9	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	51.4	5 / 15		0 / 3	
Percentage of transfers resulting in pregnancies (%)	60.6	4 / 9		0 / 1	
Percentage of transfers resulting in live births (%)	54.5	4 / 9		0 / 1	
Percentage of transfers resulting in singleton live births (%)	54.5	3 / 9		0 / 1	
Percentage of transfers resulting in twin live births (%)	0.0	1 / 9		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	39.4	2 / 9		0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	191	100	71	19	4
Number of transfers	182	97	65	17	3
Estimated average number of transfers per retrieval	1.0	1.0	0.9	0.4	0.1
Average number of embryos transferred	1.2	1.2	1.1	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	62.3	63.6	58.9	9 / 19	2 / 3
Percentage of transfers resulting in pregnancies (%)	64.8	67.0	61.5	9 / 17	2 / 3
Percentage of transfers resulting in live births (%)	56.6	60.8	52.3	6 / 17	2 / 3
Percentage of transfers resulting in singleton live births (%)	48.9	55.7	50.8	6 / 17	2 / 3
Percentage of transfers resulting in twin live births (%)	7.7	5.2	1.5	0 / 17	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	44.0	46.4	43.1	5 / 17	2 / 3
Number of Egg or Embryo Banking Cycles	162	89	74	42	23
Number of fertility preservation cycles	3	4	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	19	0	68	0
Number of transfers	13	0	64	0
Average number of embryos transferred	1.2		1.2	
Percentage of embryos transferred resulting in implantation (%)	12 / 15		44.3	
Percentage of transfers resulting in pregnancies (%)	11 / 13		50.0	
Percentage of transfers resulting in live births (%)	9 / 13		43.8	
Percentage of transfers resulting in singleton live births (%)	8 / 13		40.6	
Percentage of transfers resulting in twin live births (%)	1 / 13		3.1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	6 / 13		34.4	

CURRENT SERVICES & PROFILE

Current Name: The Reproductive Medicine Group

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF SOUTH FLORIDA IVF
TAMPA, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Shayne M. Plosker, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	61%
Unstimulated	<1%	PGD/PGS	7%
Used gestational carrier	7%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	7%	Male factor	46%	Female factors only	7%
Diminished ovarian reserve	31%	Other factor	8%	Female & male factors	22%
Endometriosis	6%	Unknown factor	15%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 423
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	95	48	34	27	6
Percentage of cancellations before retrieval (%)	6.3	6.3	5.9	7.4	1 / 6
Number of transfers	77	38	29	17	5
Average number of embryos transferred	1.7	2.1	2.6	3.1	3.6
Percentage of elective single embryo transfers (eSET) (%)	28.8	15.8	0.0	0 / 15	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	37.9	35.4	29.4	7.4	0 / 6
Percentage of cycles resulting in live births (%)	36.8	31.3	20.6	3.7	0 / 6
Percentage of cycles resulting in singleton live births (%)	28.4	25.0	14.7	3.7	0 / 6
Percentage of cycles resulting in twin live births (%)	8.4	4.2	5.9	0.0	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	23.2	25.0	14.7	0.0	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.4	27.5	17.1	3.8	0 / 18
Percentage of transfers resulting in pregnancies (%)	46.8	44.7	34.5	2 / 17	0 / 5
Percentage of transfers resulting in live births (%)	45.5	39.5	24.1	1 / 17	0 / 5
Percentage of transfers resulting in singleton live births (%)	35.1	31.6	17.2	1 / 17	0 / 5
Percentage of transfers resulting in twin live births (%)	10.4	5.3	6.9	0 / 17	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.6	31.6	17.2	0 / 17	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	52	30	18	11	7
Number of transfers	48	27	15	8	7
Estimated average number of transfers per retrieval	0.9	1.0	1.7	0.9	3.5
Average number of embryos transferred	1.6	1.5	1.5	1.6	1.9
Percentage of embryos transferred resulting in implantation (%)	52.6	53.7	27.3	2 / 13	2 / 13
Percentage of transfers resulting in pregnancies (%)	58.3	70.4	4 / 15	2 / 8	1 / 7
Percentage of transfers resulting in live births (%)	56.3	55.6	3 / 15	2 / 8	0 / 7
Percentage of transfers resulting in singleton live births (%)	33.3	48.1	2 / 15	2 / 8	0 / 7
Percentage of transfers resulting in twin live births (%)	22.9	7.4	1 / 15	0 / 8	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	29.2	44.4	2 / 15	0 / 8	0 / 7
Number of Egg or Embryo Banking Cycles	34	14	8	7	2
Number of fertility preservation cycles	19	6	2	2	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	6	3	20	0
Number of transfers	5	3	16	0
Average number of embryos transferred	1.8	2.0	1.6	
Percentage of embryos transferred resulting in implantation (%)	6 / 9	0 / 6	40.0	
Percentage of transfers resulting in pregnancies (%)	4 / 5	0 / 3	7 / 16	
Percentage of transfers resulting in live births (%)	4 / 5	0 / 3	5 / 16	
Percentage of transfers resulting in singleton live births (%)	3 / 5	0 / 3	4 / 16	
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 3	1 / 16	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 5	0 / 3	4 / 16	

CURRENT SERVICES & PROFILE

Current Name: University of South Florida IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

F.I.R.S.T.
FLORIDA INSTITUTE FOR REPRODUCTIVE SCIENCES AND TECHNOLOGIES
WESTON, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Minna R. Selub, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	0%	PGD/PGS	5%
Used gestational carrier	7%		

Patient Diagnosis[a,b]

Tubal factor	7%	Uterine factor	25%	Multiple Factors:	
Ovulatory dysfunction	21%	Male factor	43%	Female factors only	18%
Diminished ovarian reserve	50%	Other factor	16%	Female & male factors	39%
Endometriosis	5%	Unknown factor	2%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 47
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	10	5	3	1	0
Percentage of cancellations before retrieval (%)	0 / 10	0 / 5	0 / 3	0 / 1	
Number of transfers	9	3	3	1	0
Average number of embryos transferred	1.7	2.0	1.3	2.0	
Percentage of elective single embryo transfers (eSET) (%)	1 / 7	0 / 3	1 / 2	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 10	1 / 5	0 / 3	0 / 1	
Percentage of cycles resulting in live births (%)	1 / 10	1 / 5	0 / 3	0 / 1	
Percentage of cycles resulting in singleton live births (%)	0 / 10	0 / 5	0 / 3	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 10	1 / 5	0 / 3	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 10	0 / 5	0 / 3	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 15	2 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 9	1 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 9	1 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 9	0 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 9	1 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 9	0 / 3	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	2	1	4	0	0
Number of transfers	2	1	3	0	0
Estimated average number of transfers per retrieval	1.0	1.0	0.8	0.0	
Average number of embryos transferred	1.5	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 3	1 / 1	2 / 6		
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 1	1 / 3		
Percentage of transfers resulting in live births (%)	1 / 2	1 / 1	1 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 1	0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	1 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 2	1 / 1	0 / 3		
Number of Egg or Embryo Banking Cycles	0	1	1	1	0
Number of fertility preservation cycles	0	1	1	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	11	0	7	0
Number of transfers	11	0	7	0
Average number of embryos transferred	1.8		1.9	
Percentage of embryos transferred resulting in implantation (%)	20.0		2 / 13	
Percentage of transfers resulting in pregnancies (%)	4 / 11		2 / 7	
Percentage of transfers resulting in live births (%)	4 / 11		1 / 7	
Percentage of transfers resulting in singleton live births (%)	4 / 11		1 / 7	
Percentage of transfers resulting in twin live births (%)	0 / 11		0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 11		1 / 7	

CURRENT SERVICES & PROFILE

Current Name: F.I.R.S.T., Florida Institute for Reproductive Sciences and Technologies

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE SPECIALISTS, LLC
WINTER PARK, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael D. Fox, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	28%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	25%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	0%	Male factor	19%	Female factors only	11%
Diminished ovarian reserve	50%	Other factor	0%	Female & male factors	6%
Endometriosis	22%	Unknown factor	3%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 42
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	8	6	4	2	0
Percentage of cancellations before retrieval (%)	1 / 8	2 / 6	0 / 4	0 / 2	
Number of transfers	4	1	1	1	0
Average number of embryos transferred	1.3	2.0	1.0	2.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1		0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 8	0 / 6	0 / 4	0 / 2	
Percentage of cycles resulting in live births (%)	2 / 8	0 / 6	0 / 4	0 / 2	
Percentage of cycles resulting in singleton live births (%)	2 / 8	0 / 6	0 / 4	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 8	0 / 6	0 / 4	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	2 / 8	0 / 6	0 / 4	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 5	0 / 2	0 / 1	0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 4	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 4	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 4	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 1	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 4	0 / 1	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	1	2	4	0	0
Number of transfers	1	2	3	0	0
Estimated average number of transfers per retrieval	0.5	0.4	1.0		0.0
Average number of embryos transferred	2.0	1.5	1.7		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	2 / 3	0 / 5		
Percentage of transfers resulting in pregnancies (%)	0 / 1	2 / 2	0 / 3		
Percentage of transfers resulting in live births (%)	0 / 1	1 / 2	0 / 3		
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 2	0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1	1 / 2	0 / 3		
Number of Egg or Embryo Banking Cycles	1	2	1	0	2
Number of fertility preservation cycles	1	2	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	9	0
Number of transfers	0	0	8	0
Average number of embryos transferred			1.0	
Percentage of embryos transferred resulting in implantation (%)			1 / 8	
Percentage of transfers resulting in pregnancies (%)			1 / 8	
Percentage of transfers resulting in live births (%)			0 / 8	
Percentage of transfers resulting in singleton live births (%)			0 / 8	
Percentage of transfers resulting in twin live births (%)			0 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			0 / 8	

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Specialists, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CARE
THE IVF CENTER
WINTER PARK, FLORIDA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark P. Trolice, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	0%	PGD/PGS	10%
Used gestational carrier	7%		

Patient Diagnosis[a,b]

Tubal factor	12%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	28%	Male factor	32%	Female factors only	12%
Diminished ovarian reserve	25%	Other factor	14%	Female & male factors	18%
Endometriosis	9%	Unknown factor	12%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 270
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	36	21	15	4	1
Percentage of cancellations before retrieval (%)	5.6	4.8	1 / 15	0 / 4	0 / 1
Number of transfers	6	1	1	1	1
Average number of embryos transferred	1.0	1.0	1.0	2.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	5 / 5	1 / 1		0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	8.3	0.0	0 / 15	1 / 4	0 / 1
Percentage of cycles resulting in live births (%)	8.3	0.0	0 / 15	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	8.3	0.0	0 / 15	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0 / 15	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	8.3	0.0	0 / 15	0 / 4	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 6	0 / 1	0 / 1	2 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	3 / 6	0 / 1	0 / 1	1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	3 / 6	0 / 1	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 6	0 / 1	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 1	0 / 1	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 6	0 / 1	0 / 1	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	62	35	35	4	2
Number of transfers	57	35	31	4	2
Estimated average number of transfers per retrieval	1.4	1.5	1.8	1.0	2.0
Average number of embryos transferred	1.2	1.2	1.6	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	55.6	39.5	18.0	3 / 8	0 / 4
Percentage of transfers resulting in pregnancies (%)	59.6	48.6	19.4	3 / 4	0 / 2
Percentage of transfers resulting in live births (%)	49.1	42.9	16.1	2 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	43.9	42.9	6.5	2 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	5.3	0.0	9.7	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	43.9	40.0	6.5	2 / 4	0 / 2
Number of Egg or Embryo Banking Cycles	13	4	6	2	1
Number of fertility preservation cycles	2	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	3	1	24	1
Number of transfers	1	1	23	1
Average number of embryos transferred	1.0	1.0	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)	1 / 1	1 / 1	54.2	0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 1	56.5	0 / 1
Percentage of transfers resulting in live births (%)	1 / 1	1 / 1	47.8	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 1	47.8	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0.0	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 1	1 / 1	47.8	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Fertility CARE, The IVF Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ATLANTA CENTER FOR REPRODUCTIVE MEDICINE
ATLANTA, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James P. Toner, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	66%
Unstimulated	0%	PGD/PGS	21%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	11%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	16%	Male factor	17%	Female factors only	8%
Diminished ovarian reserve	29%	Other factor	22%	Female & male factors	6%
Endometriosis	4%	Unknown factor	14%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,270
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	193	82	73	35	27
Percentage of cancellations before retrieval (%)	5.7	17.1	27.4	22.9	25.9
Number of transfers	129	33	21	5	4
Average number of embryos transferred	1.1	1.5	1.9	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	84.7	42.3	0 / 15	0 / 3	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.6	19.5	13.7	2.9	0.0
Percentage of cycles resulting in live births (%)	26.9	15.9	8.2	2.9	0.0
Percentage of cycles resulting in singleton live births (%)	25.9	14.6	6.8	2.9	0.0
Percentage of cycles resulting in twin live births (%)	1.0	1.2	1.4	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	22.8	13.4	6.8	2.9	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.2	35.6	28.9	1 / 10	0 / 12
Percentage of transfers resulting in pregnancies (%)	48.8	48.5	47.6	1 / 5	0 / 4
Percentage of transfers resulting in live births (%)	40.3	39.4	28.6	1 / 5	0 / 4
Percentage of transfers resulting in singleton live births (%)	38.8	36.4	23.8	1 / 5	0 / 4
Percentage of transfers resulting in twin live births (%)	1.6	3.0	4.8	0 / 5	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.1	33.3	23.8	1 / 5	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	204	107	68	18	8
Number of transfers	196	97	62	18	5
Estimated average number of transfers per retrieval	1.4	1.1	0.7	0.5	1.0
Average number of embryos transferred	1.2	1.1	1.2	1.2	1.4
Percentage of embryos transferred resulting in implantation (%)	52.9	58.8	54.4	11 / 19	2 / 7
Percentage of transfers resulting in pregnancies (%)	56.6	62.9	54.8	11 / 18	2 / 5
Percentage of transfers resulting in live births (%)	44.9	51.5	38.7	7 / 18	2 / 5
Percentage of transfers resulting in singleton live births (%)	39.8	49.5	33.9	6 / 18	2 / 5
Percentage of transfers resulting in twin live births (%)	4.1	2.1	4.8	1 / 18	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	36.7	44.3	30.6	5 / 18	1 / 5
Number of Egg or Embryo Banking Cycles	76	79	81	35	4
Number of fertility preservation cycles	12	15	9	4	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	6	47	125	1
Number of transfers	5	43	108	1
Average number of embryos transferred	1.4	1.0	1.1	2.0
Percentage of embryos transferred resulting in implantation (%)	2 / 7	53.3	49.1	1 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 5	55.8	51.9	1 / 1
Percentage of transfers resulting in live births (%)	2 / 5	48.8	40.7	1 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 5	48.8	39.8	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 5	0.0	0.9	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 5	34.9	33.3	1 / 1

CURRENT SERVICES & PROFILE

Current Name: Atlanta Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

EMORY REPRODUCTIVE CENTER
ATLANTA, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jennifer F. Kawwass, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	66%
Unstimulated	0%	PGD/PGS	7%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	24%	Uterine factor	10%	Multiple Factors:	
Ovulatory dysfunction	17%	Male factor	33%	Female factors only	24%
Diminished ovarian reserve	39%	Other factor	15%	Female & male factors	21%
Endometriosis	12%	Unknown factor	8%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 488
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	118	67	53	23	22
Percentage of cancellations before retrieval (%)	6.8	7.5	9.4	13.0	22.7
Number of transfers	97	54	45	16	13
Average number of embryos transferred	1.5	1.8	2.6	2.8	2.1
Percentage of elective single embryo transfers (eSET) (%)	51.7	16.3	7.3	0 / 13	2 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	55.9	50.7	32.1	39.1	18.2
Percentage of cycles resulting in live births (%)	51.7	44.8	24.5	26.1	18.2
Percentage of cycles resulting in singleton live births (%)	44.1	32.8	17.0	26.1	18.2
Percentage of cycles resulting in twin live births (%)	7.6	11.9	7.5	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	36.4	26.9	13.2	21.7	18.2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	56.5	44.2	21.7	26.7	14.8
Percentage of transfers resulting in pregnancies (%)	68.0	63.0	37.8	9 / 16	4 / 13
Percentage of transfers resulting in live births (%)	62.9	55.6	28.9	6 / 16	4 / 13
Percentage of transfers resulting in singleton live births (%)	53.6	40.7	20.0	6 / 16	4 / 13
Percentage of transfers resulting in twin live births (%)	9.3	14.8	8.9	0 / 16	0 / 13
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	44.3	33.3	15.6	5 / 16	4 / 13
Frozen Embryos from Nondonor Eggs					
Number of cycles	43	25	23	11	3
Number of transfers	41	20	22	9	2
Estimated average number of transfers per retrieval	0.8	0.7	0.8	0.9	0.4
Average number of embryos transferred	1.4	1.6	2.0	2.3	2.0
Percentage of embryos transferred resulting in implantation (%)	42.6	48.4	22.5	4 / 17	1 / 4
Percentage of transfers resulting in pregnancies (%)	53.7	60.0	36.4	5 / 9	1 / 2
Percentage of transfers resulting in live births (%)	39.0	55.0	31.8	3 / 9	0 / 2
Percentage of transfers resulting in singleton live births (%)	31.7	45.0	22.7	3 / 9	0 / 2
Percentage of transfers resulting in twin live births (%)	7.3	10.0	9.1	0 / 9	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.7	35.0	9.1	2 / 9	0 / 2
Number of Egg or Embryo Banking Cycles	29	17	18	4	2
Number of fertility preservation cycles	23	16	6	2	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	12	5	11	0
Number of transfers	11	5	10	0
Average number of embryos transferred	1.1	1.4	1.3	
Percentage of embryos transferred resulting in implantation (%)	7 / 11	3 / 7	8 / 11	
Percentage of transfers resulting in pregnancies (%)	7 / 11	3 / 5	9 / 10	
Percentage of transfers resulting in live births (%)	6 / 11	2 / 5	7 / 10	
Percentage of transfers resulting in singleton live births (%)	5 / 11	2 / 5	7 / 10	
Percentage of transfers resulting in twin live births (%)	1 / 11	0 / 5	0 / 10	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 11	1 / 5	4 / 10	

CURRENT SERVICES & PROFILE

Current Name: Emory Reproductive Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GEORGIA REPRODUCTIVE SPECIALISTS, LLC
ATLANTA, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark Perloe, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	52%
Unstimulated	0%	PGD/PGS	43%
Used gestational carrier	4%		

Patient Diagnosis[a,b]

Tubal factor	26%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	26%	Male factor	28%	Female factors only	23%
Diminished ovarian reserve	38%	Other factor	17%	Female & male factors	20%
Endometriosis	8%	Unknown factor	6%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 581
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	44	28	11	7	4
Percentage of cancellations before retrieval (%)	6.8	21.4	1 / 11	2 / 7	1 / 4
Number of transfers	31	11	7	4	2
Average number of embryos transferred	1.2	1.5	2.0	2.3	2.5
Percentage of elective single embryo transfers (eSET) (%)	74.1	2 / 7	0 / 6	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.5	7.1	3 / 11	1 / 7	0 / 4
Percentage of cycles resulting in live births (%)	34.1	7.1	1 / 11	1 / 7	0 / 4
Percentage of cycles resulting in singleton live births (%)	34.1	3.6	1 / 11	1 / 7	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	3.6	0 / 11	0 / 7	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	29.5	0.0	1 / 11	1 / 7	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	56.8	4 / 16	3 / 14	1 / 9	0 / 5
Percentage of transfers resulting in pregnancies (%)	64.5	2 / 11	3 / 7	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	48.4	2 / 11	1 / 7	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	48.4	1 / 11	1 / 7	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	1 / 11	0 / 7	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	41.9	0 / 11	1 / 7	1 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	104	67	67	13	10
Number of transfers	99	62	62	10	9
Estimated average number of transfers per retrieval	1.4	1.3	1.6	0.6	0.6
Average number of embryos transferred	1.1	1.3	1.2	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	56.3	44.2	50.7	3 / 7	4 / 12
Percentage of transfers resulting in pregnancies (%)	60.6	48.4	58.1	6 / 10	4 / 9
Percentage of transfers resulting in live births (%)	44.4	40.3	45.2	3 / 10	3 / 9
Percentage of transfers resulting in singleton live births (%)	41.4	32.3	43.5	3 / 10	3 / 9
Percentage of transfers resulting in twin live births (%)	3.0	8.1	1.6	0 / 10	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	35.4	29.0	35.5	2 / 10	2 / 9
Number of Egg or Embryo Banking Cycles	57	38	37	17	15
Number of fertility preservation cycles	3	2	3	5	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	4	19	27	10
Number of transfers	3	14	26	10
Average number of embryos transferred	1.3	1.1	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	3 / 4	9 / 14	48.1	5 / 15
Percentage of transfers resulting in pregnancies (%)	3 / 3	10 / 14	50.0	4 / 10
Percentage of transfers resulting in live births (%)	3 / 3	7 / 14	38.5	4 / 10
Percentage of transfers resulting in singleton live births (%)	3 / 3	7 / 14	30.8	4 / 10
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 14	7.7	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 3	5 / 14	30.8	3 / 10

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Shady Grove Fertility-Atlanta

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE BIOLOGY ASSOCIATES
ATLANTA, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Daniel B. Shapiro, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	70%
Unstimulated	0%	PGD/PGS	22%
Used gestational carrier	4%		

Patient Diagnosis[a,b]

Tubal factor	9%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	10%	Male factor	30%	Female factors only	20%
Diminished ovarian reserve	51%	Other factor	30%	Female & male factors	20%
Endometriosis	5%	Unknown factor	7%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 2,094
(includes 20 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	92	49	37	10	15
Percentage of cancellations before retrieval (%)	9.8	32.7	18.9	1 / 10	6 / 15
Number of transfers	77	27	22	7	4
Average number of embryos transferred	1.2	1.6	2.0	2.1	3.0
Percentage of elective single embryo transfers (eSET) (%)	76.7	37.5	2 / 19	1 / 6	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.1	18.4	21.6	2 / 10	1 / 15
Percentage of cycles resulting in live births (%)	32.6	14.3	18.9	2 / 10	1 / 15
Percentage of cycles resulting in singleton live births (%)	31.5	14.3	16.2	1 / 10	1 / 15
Percentage of cycles resulting in twin live births (%)	1.1	0.0	2.7	1 / 10	0 / 15
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	28.3	8.2	16.2	1 / 10	1 / 15
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.2	20.0	23.3	3 / 15	1 / 12
Percentage of transfers resulting in pregnancies (%)	46.8	33.3	36.4	2 / 7	1 / 4
Percentage of transfers resulting in live births (%)	39.0	25.9	31.8	2 / 7	1 / 4
Percentage of transfers resulting in singleton live births (%)	37.7	25.9	27.3	1 / 7	1 / 4
Percentage of transfers resulting in twin live births (%)	1.3	0.0	4.5	1 / 7	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	33.8	14.8	27.3	1 / 7	1 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	329	184	146	58	34
Number of transfers	323	179	142	55	33
Estimated average number of transfers per retrieval	0.8	1.1	1.0	1.2	1.7
Average number of embryos transferred	1.3	1.3	1.6	1.9	1.5
Percentage of embryos transferred resulting in implantation (%)	55.1	53.2	40.1	25.5	22.9
Percentage of transfers resulting in pregnancies (%)	64.4	63.7	62.0	45.5	39.4
Percentage of transfers resulting in live births (%)	50.5	50.8	45.8	32.7	24.2
Percentage of transfers resulting in singleton live births (%)	42.7	44.7	41.5	29.1	24.2
Percentage of transfers resulting in twin live births (%)	7.7	5.6	4.2	3.6	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	36.5	36.3	35.9	21.8	24.2
Number of Egg or Embryo Banking Cycles	387	149	126	40	17
Number of fertility preservation cycles	37	48	22	7	5

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	175	177	49
Number of transfers	0	172	170	49
Average number of embryos transferred		1.1	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)		56.3	45.8	47.5
Percentage of transfers resulting in pregnancies (%)		59.3	54.1	51.0
Percentage of transfers resulting in live births (%)		48.3	45.9	44.9
Percentage of transfers resulting in singleton live births (%)		44.8	43.5	34.7
Percentage of transfers resulting in twin live births (%)		3.5	2.4	10.2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		37.2	38.2	30.6

CURRENT SERVICES & PROFILE

Current Name: Reproductive Biology Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE AND INFERTILITY ASSOCIATES
AUGUSTA, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Larisa Gavrilova-Jordan, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	PGD/PGS	4%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	34%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	14%	Male factor	37%	Female factors only	25%
Diminished ovarian reserve	25%	Other factor	7%	Female & male factors	16%
Endometriosis	20%	Unknown factor	2%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 119
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	44	13	9	6	3
Percentage of cancellations before retrieval (%)	6.8	1 / 13	1 / 9	0 / 6	1 / 3
Number of transfers	36	12	7	4	2
Average number of embryos transferred	1.6	1.8	2.4	2.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	42.4	2 / 11	1 / 7	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	59.1	8 / 13	2 / 9	3 / 6	0 / 3
Percentage of cycles resulting in live births (%)	50.0	6 / 13	2 / 9	3 / 6	0 / 3
Percentage of cycles resulting in singleton live births (%)	40.9	3 / 13	0 / 9	3 / 6	0 / 3
Percentage of cycles resulting in twin live births (%)	6.8	3 / 13	2 / 9	0 / 6	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	36.4	2 / 13	0 / 9	2 / 6	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	57.4	10 / 19	4 / 17	3 / 9	0 / 6
Percentage of transfers resulting in pregnancies (%)	72.2	8 / 12	2 / 7	3 / 4	0 / 2
Percentage of transfers resulting in live births (%)	61.1	6 / 12	2 / 7	3 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	50.0	3 / 12	0 / 7	3 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	8.3	3 / 12	2 / 7	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	44.4	2 / 12	0 / 7	2 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	21	5	4	3	1
Number of transfers	21	5	4	3	1
Estimated average number of transfers per retrieval	1.9	2.5	0.7	1.5	
Average number of embryos transferred	1.9	1.4	1.8	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	62.9	2 / 7	2 / 7	0 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	76.2	2 / 5	2 / 4	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	52.4	2 / 5	1 / 4	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	19.0	2 / 5	1 / 4	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	33.3	0 / 5	0 / 4	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	9.5	2 / 5	1 / 4	0 / 3	0 / 1
Number of Egg or Embryo Banking Cycles	3	1	2	0	0
Number of fertility preservation cycles	1	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	3	0	1
Number of transfers	0	2	0	1
Average number of embryos transferred		1.5		1.0
Percentage of embryos transferred resulting in implantation (%)		1 / 3		1 / 1
Percentage of transfers resulting in pregnancies (%)		1 / 2		1 / 1
Percentage of transfers resulting in live births (%)		1 / 2		1 / 1
Percentage of transfers resulting in singleton live births (%)		1 / 2		1 / 1
Percentage of transfers resulting in twin live births (%)		0 / 2		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		1 / 2		1 / 1

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine and Infertility Associates

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SERVY MASSEY FERTILITY INSTITUTE
SERVY INSTITUTE FOR REPRODUCTIVE ENDOCRINOLOGY
AUGUSTA, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Edouard J. Servy, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	50%
Unstimulated	<1%	PGD/PGS	6%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	14%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	13%	Male factor	35%	Female factors only	11%
Diminished ovarian reserve	36%	Other factor	17%	Female & male factors	15%
Endometriosis	6%	Unknown factor	5%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 388
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	93	68	56	22	39
Percentage of cancellations before retrieval (%)	7.5	10.3	14.3	13.6	10.3
Number of transfers	68	50	40	14	30
Average number of embryos transferred	1.8	2.0	2.0	2.0	1.9
Percentage of elective single embryo transfers (eSET) (%)	5.0	4.5	3.0	0 / 12	1 / 19
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.7	22.1	33.9	27.3	15.4
Percentage of cycles resulting in live births (%)	34.4	16.2	17.9	22.7	12.8
Percentage of cycles resulting in singleton live births (%)	30.1	10.3	12.5	18.2	10.3
Percentage of cycles resulting in twin live births (%)	4.3	4.4	5.4	4.5	2.6
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	22.6	7.4	8.9	18.2	10.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.1	20.2	26.7	26.9	12.5
Percentage of transfers resulting in pregnancies (%)	52.9	30.0	47.5	6 / 14	20.0
Percentage of transfers resulting in live births (%)	47.1	22.0	25.0	5 / 14	16.7
Percentage of transfers resulting in singleton live births (%)	41.2	14.0	17.5	4 / 14	13.3
Percentage of transfers resulting in twin live births (%)	5.9	6.0	7.5	1 / 14	3.3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.9	10.0	12.5	4 / 14	13.3
Frozen Embryos from Nondonor Eggs					
Number of cycles	27	26	7	5	2
Number of transfers	27	25	7	5	2
Estimated average number of transfers per retrieval	1.2	2.1	1.0	1.0	2.0
Average number of embryos transferred	1.7	1.7	1.9	1.6	2.0
Percentage of embryos transferred resulting in implantation (%)	45.2	40.5	5 / 12	2 / 8	0 / 4
Percentage of transfers resulting in pregnancies (%)	55.6	48.0	5 / 7	2 / 5	0 / 2
Percentage of transfers resulting in live births (%)	29.6	36.0	3 / 7	2 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	18.5	24.0	3 / 7	2 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	11.1	8.0	0 / 7	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	14.8	16.0	3 / 7	2 / 5	0 / 2
Number of Egg or Embryo Banking Cycles	8	4	4	1	0
Number of fertility preservation cycles	3	2	1	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	7	4	15	0
Number of transfers	7	4	15	0
Average number of embryos transferred	1.6	1.8	1.8	
Percentage of embryos transferred resulting in implantation (%)	3 / 9	3 / 7	48.1	
Percentage of transfers resulting in pregnancies (%)	3 / 7	2 / 4	10 / 15	
Percentage of transfers resulting in live births (%)	2 / 7	2 / 4	8 / 15	
Percentage of transfers resulting in singleton live births (%)	1 / 7	1 / 4	5 / 15	
Percentage of transfers resulting in twin live births (%)	1 / 7	1 / 4	3 / 15	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 7	1 / 4	4 / 15	

CURRENT SERVICES & PROFILE

Current Name: Servy Massey Fertility Institute, Servy Institute for Reproductive Endocrinology

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBUS CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY, LLC
COLUMBUS, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Prakash J. Thiruppathi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	PGD/PGS	2%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	42%	Uterine factor	19%	Multiple Factors:	
Ovulatory dysfunction	89%	Male factor	67%	Female factors only	27%
Diminished ovarian reserve	11%	Other factor	6%	Female & male factors	67%
Endometriosis	24%	Unknown factor	0%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 138
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	61	8	11	4	1
Percentage of cancellations before retrieval (%)	13.1	2 / 8	1 / 11	2 / 4	0 / 1
Number of transfers	43	5	8	1	1
Average number of embryos transferred	1.9	1.4	1.8	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	10.3	1 / 3	0 / 6	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	37.7	0 / 8	4 / 11	1 / 4	0 / 1
Percentage of cycles resulting in live births (%)	29.5	0 / 8	3 / 11	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	21.3	0 / 8	3 / 11	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	8.2	0 / 8	0 / 11	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	16.4	0 / 8	3 / 11	0 / 4	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.8	0 / 7	3 / 12	1 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	53.5	0 / 5	4 / 8	1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	41.9	0 / 5	3 / 8	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.2	0 / 5	3 / 8	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	11.6	0 / 5	0 / 8	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	23.3	0 / 5	3 / 8	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	26	7	5	1	0
Number of transfers	26	7	4	1	0
Estimated average number of transfers per retrieval	1.5	3.5	1.0	1.0	
Average number of embryos transferred	1.9	1.7	1.8	3.0	
Percentage of embryos transferred resulting in implantation (%)	31.3	4 / 10	3 / 5	2 / 3	
Percentage of transfers resulting in pregnancies (%)	46.2	4 / 7	3 / 4	1 / 1	
Percentage of transfers resulting in live births (%)	38.5	3 / 7	2 / 4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	26.9	2 / 7	1 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)	11.5	1 / 7	1 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	19.2	1 / 7	1 / 4	1 / 1	
Number of Egg or Embryo Banking Cycles	3	0	3	0	0
Number of fertility preservation cycles	1	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	4	0	1	2
Number of transfers	3	0	1	2
Average number of embryos transferred	2.0		2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	6 / 6		0 / 2	2 / 4
Percentage of transfers resulting in pregnancies (%)	3 / 3		0 / 1	2 / 2
Percentage of transfers resulting in live births (%)	3 / 3		0 / 1	1 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 3		0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	3 / 3		0 / 1	1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 3		0 / 1	0 / 2

CURRENT SERVICES & PROFILE

Current Name: Columbus Center for Reproductive Endocrinology and Infertility, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE GEORGIA CENTER FOR REPRODUCTIVE MEDICINE
SAVANNAH, GEORGIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Patrick L. Blohm, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	66%
Unstimulated	0%	PGD/PGS	1%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	14%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	11%	Male factor	50%	Female factors only	11%
Diminished ovarian reserve	37%	Other factor	12%	Female & male factors	30%
Endometriosis	13%	Unknown factor	9%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 203
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	74	31	17	8	1
Percentage of cancellations before retrieval (%)	5.4	12.9	4 / 17	2 / 8	0 / 1
Number of transfers	70	27	13	6	1
Average number of embryos transferred	1.9	1.9	2.0	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	3.0	0.0	0 / 13	0 / 6	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	66.2	58.1	3 / 17	3 / 8	0 / 1
Percentage of cycles resulting in live births (%)	58.1	48.4	1 / 17	3 / 8	0 / 1
Percentage of cycles resulting in singleton live births (%)	33.8	35.5	0 / 17	3 / 8	0 / 1
Percentage of cycles resulting in twin live births (%)	23.0	12.9	1 / 17	0 / 8	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	28.4	35.5	0 / 17	2 / 8	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	55.6	46.0	12.5	3 / 12	0 / 2
Percentage of transfers resulting in pregnancies (%)	70.0	66.7	3 / 13	3 / 6	0 / 1
Percentage of transfers resulting in live births (%)	61.4	55.6	1 / 13	3 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.7	40.7	0 / 13	3 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	24.3	14.8	1 / 13	0 / 6	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.0	40.7	0 / 13	2 / 6	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	22	15	6	4	5
Number of transfers	22	15	5	4	5
Estimated average number of transfers per retrieval	1.5	3.8	2.5	4.0	
Average number of embryos transferred	1.8	1.5	1.4	1.3	1.8
Percentage of embryos transferred resulting in implantation (%)	17.9	23.8	0 / 7	1 / 4	0 / 9
Percentage of transfers resulting in pregnancies (%)	31.8	5 / 15	0 / 5	2 / 4	0 / 5
Percentage of transfers resulting in live births (%)	27.3	3 / 15	0 / 5	1 / 4	0 / 5
Percentage of transfers resulting in singleton live births (%)	27.3	2 / 15	0 / 5	1 / 4	0 / 5
Percentage of transfers resulting in twin live births (%)	0.0	1 / 15	0 / 5	0 / 4	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	27.3	2 / 15	0 / 5	1 / 4	0 / 5
Number of Egg or Embryo Banking Cycles	3	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	15	1	1	0
Number of transfers	15	1	1	0
Average number of embryos transferred	1.9	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	72.4	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	14 / 15	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	14 / 15	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	7 / 15	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	7 / 15	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 15	0 / 1	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: The Georgia Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CENTER OF HAWAII
HONOLULU, HAWAII

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Christopher T. Huang, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	0%	PGD/PGS	6%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	17%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	0%	Male factor	82%	Female factors only	<1%
Diminished ovarian reserve	13%	Other factor	10%	Female & male factors	30%
Endometriosis	9%	Unknown factor	2%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 225
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	40	14	14	10	8
Percentage of cancellations before retrieval (%)	0.0	0 / 14	0 / 14	0 / 10	0 / 8
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0.0	0 / 14	0 / 14	0 / 10	0 / 8
Percentage of cycles resulting in live births (%)	0.0	0 / 14	0 / 14	0 / 10	0 / 8
Percentage of cycles resulting in singleton live births (%)	0.0	0 / 14	0 / 14	0 / 10	0 / 8
Percentage of cycles resulting in twin live births (%)	0.0	0 / 14	0 / 14	0 / 10	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0.0	0 / 14	0 / 14	0 / 10	0 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	37	19	24	16	10
Number of transfers	34	18	21	14	10
Estimated average number of transfers per retrieval	1.1	1.5	1.2	1.2	1.7
Average number of embryos transferred	1.2	1.8	2.0	2.2	3.2
Percentage of embryos transferred resulting in implantation (%)	52.5	31.0	39.5	21.4	0.0
Percentage of transfers resulting in pregnancies (%)	64.7	8 / 18	61.9	6 / 14	1 / 10
Percentage of transfers resulting in live births (%)	52.9	5 / 18	57.1	4 / 14	0 / 10
Percentage of transfers resulting in singleton live births (%)	50.0	3 / 18	52.4	4 / 14	0 / 10
Percentage of transfers resulting in twin live births (%)	2.9	2 / 18	4.8	0 / 14	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	47.1	3 / 18	42.9	2 / 14	0 / 10
Number of Egg or Embryo Banking Cycles	5	2	8	5	0
Number of fertility preservation cycles	0	0	2	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	1	10	0
Number of transfers	0	1	8	0
Average number of embryos transferred		2.0	1.4	
Percentage of embryos transferred resulting in implantation (%)		0 / 2	5 / 10	
Percentage of transfers resulting in pregnancies (%)		0 / 1	4 / 8	
Percentage of transfers resulting in live births (%)		0 / 1	2 / 8	
Percentage of transfers resulting in singleton live births (%)		0 / 1	0 / 8	
Percentage of transfers resulting in twin live births (%)		0 / 1	2 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		0 / 1	0 / 8	

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Center of Hawaii

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE & GYNECOLOGY OF HAWAII, INC.
HONOLULU, HAWAII

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John L. Frattarelli, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	<1%	PGD/PGS	15%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	23%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	10%	Male factor	69%	Female factors only	3%
Diminished ovarian reserve	19%	Other factor	3%	Female & male factors	34%
Endometriosis	8%	Unknown factor	8%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 470
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	49	29	14	7	4
Percentage of cancellations before retrieval (%)	4.1	0.0	1 / 14	0 / 7	1 / 4
Number of transfers	13	4	4	3	3
Average number of embryos transferred	1.5	1.8	2.3	1.3	2.0
Percentage of elective single embryo transfers (eSET) (%)	4 / 11	0 / 3	0 / 4	0 / 1	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	14.3	6.9	2 / 14	1 / 7	0 / 4
Percentage of cycles resulting in live births (%)	12.2	6.9	1 / 14	1 / 7	0 / 4
Percentage of cycles resulting in singleton live births (%)	10.2	3.4	1 / 14	1 / 7	0 / 4
Percentage of cycles resulting in twin live births (%)	2.0	3.4	0 / 14	0 / 7	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	8.2	0.0	1 / 14	1 / 7	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.0	3 / 7	2 / 9	1 / 4	0 / 6
Percentage of transfers resulting in pregnancies (%)	7 / 13	2 / 4	2 / 4	1 / 3	0 / 3
Percentage of transfers resulting in live births (%)	6 / 13	2 / 4	1 / 4	1 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	5 / 13	1 / 4	1 / 4	1 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	1 / 13	1 / 4	0 / 4	0 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 13	0 / 4	1 / 4	1 / 3	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	88	46	34	9	6
Number of transfers	88	46	34	9	6
Estimated average number of transfers per retrieval	1.2	1.2	1.0	0.8	0.8
Average number of embryos transferred	1.5	1.5	1.6	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	52.8	47.0	50.0	6 / 10	2 / 7
Percentage of transfers resulting in pregnancies (%)	61.4	60.9	70.6	7 / 9	3 / 6
Percentage of transfers resulting in live births (%)	46.6	43.5	61.8	4 / 9	2 / 6
Percentage of transfers resulting in singleton live births (%)	33.0	32.6	50.0	4 / 9	2 / 6
Percentage of transfers resulting in twin live births (%)	12.5	10.9	11.8	0 / 9	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.1	30.4	41.2	4 / 9	1 / 6
Number of Egg or Embryo Banking Cycles	58	25	30	11	8
Number of fertility preservation cycles	58	25	30	11	8

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	13	13	24	2
Number of transfers	0	13	24	2
Average number of embryos transferred		1.4	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)		10 / 18	63.3	3 / 3
Percentage of transfers resulting in pregnancies (%)		8 / 13	83.3	2 / 2
Percentage of transfers resulting in live births (%)		7 / 13	62.5	2 / 2
Percentage of transfers resulting in singleton live births (%)		5 / 13	62.5	1 / 2
Percentage of transfers resulting in twin live births (%)		2 / 13	0.0	1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		4 / 13	50.0	1 / 2

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Medicine & Gynecology of Hawaii, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF HAWAII
HONOLULU, HAWAII

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Benton H. Chun, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	94%
Unstimulated	3%	PGD/PGS	5%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	26%	Male factor	86%	Female factors only	10%
Diminished ovarian reserve	50%	Other factor	19%	Female & male factors	77%
Endometriosis	36%	Unknown factor	0%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 183
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	22	25	29	11	12
Percentage of cancellations before retrieval (%)	9.1	12.0	13.8	1 / 11	1 / 12
Number of transfers	11	9	14	7	9
Average number of embryos transferred	1.5	1.9	2.1	2.7	4.0
Percentage of elective single embryo transfers (eSET) (%)	6 / 11	1 / 9	1 / 12	1 / 6	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	27.3	28.0	24.1	2 / 11	4 / 12
Percentage of cycles resulting in live births (%)	22.7	24.0	17.2	1 / 11	3 / 12
Percentage of cycles resulting in singleton live births (%)	13.6	16.0	6.9	1 / 11	3 / 12
Percentage of cycles resulting in twin live births (%)	9.1	8.0	10.3	0 / 11	0 / 12
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	9.1	16.0	6.9	1 / 11	3 / 12
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	8 / 16	9 / 17	33.3	2 / 19	9.1
Percentage of transfers resulting in pregnancies (%)	6 / 11	7 / 9	7 / 14	2 / 7	4 / 9
Percentage of transfers resulting in live births (%)	5 / 11	6 / 9	5 / 14	1 / 7	3 / 9
Percentage of transfers resulting in singleton live births (%)	3 / 11	4 / 9	2 / 14	1 / 7	3 / 9
Percentage of transfers resulting in twin live births (%)	2 / 11	2 / 9	3 / 14	0 / 7	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 11	4 / 9	2 / 14	1 / 7	3 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	24	11	17	4	2
Number of transfers	23	10	17	4	1
Estimated average number of transfers per retrieval	3.8	1.4	1.1	2.0	0.3
Average number of embryos transferred	1.2	1.8	1.9	1.8	5.0
Percentage of embryos transferred resulting in implantation (%)	54.5	9 / 18	22.6	0 / 4	1 / 5
Percentage of transfers resulting in pregnancies (%)	69.6	6 / 10	8 / 17	2 / 4	1 / 1
Percentage of transfers resulting in live births (%)	47.8	6 / 10	6 / 17	0 / 4	1 / 1
Percentage of transfers resulting in singleton live births (%)	43.5	3 / 10	6 / 17	0 / 4	1 / 1
Percentage of transfers resulting in twin live births (%)	4.3	3 / 10	0 / 17	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.8	1 / 10	4 / 17	0 / 4	1 / 1
Number of Egg or Embryo Banking Cycles	1	0	6	1	3
Number of fertility preservation cycles	0	0	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	13	0
Number of transfers	0	0	13	0
Average number of embryos transferred			1.4	
Percentage of embryos transferred resulting in implantation (%)			10 / 18	
Percentage of transfers resulting in pregnancies (%)			10 / 13	
Percentage of transfers resulting in live births (%)			10 / 13	
Percentage of transfers resulting in singleton live births (%)			10 / 13	
Percentage of transfers resulting in twin live births (%)			0 / 13	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			7 / 13	

CURRENT SERVICES & PROFILE

Current Name: IVF Hawaii

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

PACIFIC IN VITRO FERTILIZATION INSTITUTE
HONOLULU, HAWAII

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Thomas S. Kosasa, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	70%
Unstimulated	1%	PGD/PGS	8%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	14%	Uterine factor	1%	Multiple Factors:	
Ovulatory dysfunction	5%	Male factor	51%	Female factors only	7%
Diminished ovarian reserve	43%	Other factor	5%	Female & male factors	39%
Endometriosis	36%	Unknown factor	0%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 509
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	42	37	25	27	21
Percentage of cancellations before retrieval (%)	7.1	5.4	12.0	7.4	9.5
Number of transfers	19	18	12	15	13
Average number of embryos transferred	2.0	2.5	2.6	2.5	2.6
Percentage of elective single embryo transfers (eSET) (%)	1 / 16	0 / 17	0 / 10	0 / 13	0 / 11
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	11.9	13.5	8.0	7.4	4.8
Percentage of cycles resulting in live births (%)	11.9	10.8	4.0	3.7	4.8
Percentage of cycles resulting in singleton live births (%)	9.5	8.1	4.0	3.7	4.8
Percentage of cycles resulting in twin live births (%)	2.4	2.7	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	7.1	5.4	4.0	3.7	4.8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	18.4	12.2	3.6	2.8	2.9
Percentage of transfers resulting in pregnancies (%)	5 / 19	5 / 18	2 / 12	2 / 15	1 / 13
Percentage of transfers resulting in live births (%)	5 / 19	4 / 18	1 / 12	1 / 15	1 / 13
Percentage of transfers resulting in singleton live births (%)	4 / 19	3 / 18	1 / 12	1 / 15	1 / 13
Percentage of transfers resulting in twin live births (%)	1 / 19	1 / 18	0 / 12	0 / 15	0 / 13
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 19	2 / 18	1 / 12	1 / 15	1 / 13
Frozen Embryos from Nondonor Eggs					
Number of cycles	40	35	24	15	11
Number of transfers	38	33	20	13	10
Estimated average number of transfers per retrieval	2.1	1.8	1.8	1.2	2.5
Average number of embryos transferred	1.9	2.0	2.0	2.2	2.5
Percentage of embryos transferred resulting in implantation (%)	53.0	34.3	25.6	7.7	5 / 19
Percentage of transfers resulting in pregnancies (%)	68.4	48.5	40.0	3 / 13	5 / 10
Percentage of transfers resulting in live births (%)	52.6	36.4	35.0	1 / 13	3 / 10
Percentage of transfers resulting in singleton live births (%)	28.9	24.2	25.0	1 / 13	2 / 10
Percentage of transfers resulting in twin live births (%)	21.1	12.1	10.0	0 / 13	1 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	23.7	21.2	20.0	1 / 13	1 / 10
Number of Egg or Embryo Banking Cycles	2	3	4	4	0
Number of fertility preservation cycles	1	1	1	4	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	87	3	126	1
Number of transfers	79	3	115	1
Average number of embryos transferred	1.8	1.7	1.7	1.0
Percentage of embryos transferred resulting in implantation (%)	55.7	2 / 3	32.5	0 / 1
Percentage of transfers resulting in pregnancies (%)	68.4	2 / 3	47.0	0 / 1
Percentage of transfers resulting in live births (%)	64.6	0 / 3	41.7	0 / 1
Percentage of transfers resulting in singleton live births (%)	44.3	0 / 3	33.9	0 / 1
Percentage of transfers resulting in twin live births (%)	19.0	0 / 3	7.8	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.9	0 / 3	26.1	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Pacific In Vitro Fertilization Institute

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

TRIPLER ARMY MEDICAL CENTER IVF INSTITUTE
TRIPLER AMC, HAWAII

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Nia R. Middleton, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	36%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	14%	Male factor	44%	Female factors only	8%
Diminished ovarian reserve	24%	Other factor	14%	Female & male factors	27%
Endometriosis	7%	Unknown factor	13%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 128
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	29	9	5	4	0
Percentage of cancellations before retrieval (%)	3.4	2 / 9	0 / 5	0 / 4	
Number of transfers	25	5	5	4	0
Average number of embryos transferred	2.1	2.2	2.0	2.3	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 5	0 / 3	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	55.2	2 / 9	1 / 5	2 / 4	
Percentage of cycles resulting in live births (%)	44.8	2 / 9	1 / 5	1 / 4	
Percentage of cycles resulting in singleton live births (%)	34.5	1 / 9	1 / 5	0 / 4	
Percentage of cycles resulting in twin live births (%)	10.3	1 / 9	0 / 5	1 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	31.0	1 / 9	1 / 5	0 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.1	3 / 11	1 / 10	3 / 9	
Percentage of transfers resulting in pregnancies (%)	64.0	2 / 5	1 / 5	2 / 4	
Percentage of transfers resulting in live births (%)	52.0	2 / 5	1 / 5	1 / 4	
Percentage of transfers resulting in singleton live births (%)	40.0	1 / 5	1 / 5	0 / 4	
Percentage of transfers resulting in twin live births (%)	12.0	1 / 5	0 / 5	1 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	36.0	1 / 5	1 / 5	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	18	11	6	3	1
Number of transfers	18	10	3	2	1
Estimated average number of transfers per retrieval	0.8	1.0	0.5	0.5	0.5
Average number of embryos transferred	1.7	1.5	1.7	2.5	1.0
Percentage of embryos transferred resulting in implantation (%)	63.3	8 / 13	3 / 5	4 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	14 / 18	7 / 10	2 / 3	2 / 2	0 / 1
Percentage of transfers resulting in live births (%)	13 / 18	5 / 10	2 / 3	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	9 / 18	4 / 10	2 / 3	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	4 / 18	1 / 10	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	7 / 18	3 / 10	1 / 3	0 / 2	0 / 1
Number of Egg or Embryo Banking Cycles	20	8	6	4	2
Number of fertility preservation cycles	19	8	5	4	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	2	0
Number of transfers	0	0	2	0
Average number of embryos transferred			1.5	
Percentage of embryos transferred resulting in implantation (%)			1 / 1	
Percentage of transfers resulting in pregnancies (%)			2 / 2	
Percentage of transfers resulting in live births (%)			1 / 2	
Percentage of transfers resulting in singleton live births (%)			1 / 2	
Percentage of transfers resulting in twin live births (%)			0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Tripler Army Medical Center IVF Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.