2016
Fertility Clinic Tables

IDAHO–NEW YORK



IDAHO CENTER FOR REPRODUCTIVE MEDICINE
BOISE, IDAHO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Cristin C. Slater, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	53%
Unstimulated	0%	PGD/PGS	28%
Used gestational carrier	24%		

Patient Diagnosis[a,b]

Tubal factor	11%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	10%	Male factor	25%	Female factors only	5%
Diminished ovarian reserve	24%	Other factor	20%	Female & male factors	7%
Endometriosis	6%	Unknown factor	12%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 582
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	79	23	17	5	5
Percentage of cancellations before retrieval (%)	8.9	13.0	3 / 17	1 / 5	1 / 5
Number of transfers	47	8	6	1	1
Average number of embryos transferred	1.7	1.8	2.3	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	23.8	0 / 6	1 / 6	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.7	21.7	2 / 17	0 / 5	0 / 5
Percentage of cycles resulting in live births (%)	31.6	17.4	1 / 17	0 / 5	0 / 5
Percentage of cycles resulting in singleton live births (%)	17.7	8.7	1 / 17	0 / 5	0 / 5
Percentage of cycles resulting in twin live births (%)	13.9	8.7	0 / 17	0 / 5	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	17.7	4.3	1 / 17	0 / 5	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	51.3	7 / 14	1 / 11	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	61.7	5 / 8	2 / 6	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	53.2	4 / 8	1 / 6	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	29.8	2 / 8	1 / 6	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	23.4	2 / 8	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	29.8	1 / 8	1 / 6	0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	95	41	28	8	9
Number of transfers	89	37	27	7	5
Estimated average number of transfers per retrieval	1.4	0.8	0.7	0.7	0.2
Average number of embryos transferred	1.5	1.6	1.4	1.4	1.6
Percentage of embryos transferred resulting in implantation (%)	48.5	53.6	56.4	3 / 10	3 / 6
Percentage of transfers resulting in pregnancies (%)	64.0	64.9	63.0	3 / 7	4 / 5
Percentage of transfers resulting in live births (%)	56.2	45.9	55.6	3 / 7	1 / 5
Percentage of transfers resulting in singleton live births (%)	46.1	32.4	37.0	3 / 7	1 / 5
Percentage of transfers resulting in twin live births (%)	10.1	10.8	18.5	0 / 7	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	40.4	27.0	33.3	3 / 7	1 / 5
Number of Egg or Embryo Banking Cycles	41	35	35	10	24
Number of fertility preservation cycles	1	1	2	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	22	1	93	11
Number of transfers	16	1	92	11
Average number of embryos transferred	1.6	2.0	1.5	1.8
Percentage of embryos transferred resulting in implantation (%)	57.7	0 / 2	51.1	50.0
Percentage of transfers resulting in pregnancies (%)	10 / 16	0 / 1	62.0	8 / 11
Percentage of transfers resulting in live births (%)	8 / 16	0 / 1	55.4	5 / 11
Percentage of transfers resulting in singleton live births (%)	4 / 16	0 / 1	42.4	3 / 11
Percentage of transfers resulting in twin live births (%)	4 / 16	0 / 1	13.0	2 / 11
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 16	0 / 1	37.0	2 / 11

CURRENT SERVICES & PROFILE

Current Name: Idaho Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RUSH-COPLEY CENTER FOR REPRODUCTIVE HEALTH
AURORA, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Zvi Binor, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	45%	Male factor	19%	Female factors only	17%
Diminished ovarian reserve	16%	Other factor	11%	Female & male factors	6%
Endometriosis	19%	Unknown factor	3%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 157
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	54	29	24	13	2
Percentage of cancellations before retrieval (%)	0.0	6.9	12.5	7 / 13	0 / 2
Number of transfers	48	23	19	6	1
Average number of embryos transferred	2.0	2.0	1.8	2.2	1.0
Percentage of elective single embryo transfers (eSET) (%)	2.2	0 / 18	0 / 15	0 / 5	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.6	13.8	8.3	0 / 13	0 / 2
Percentage of cycles resulting in live births (%)	33.3	3.4	0.0	0 / 13	0 / 2
Percentage of cycles resulting in singleton live births (%)	27.8	0.0	0.0	0 / 13	0 / 2
Percentage of cycles resulting in twin live births (%)	5.6	3.4	0.0	0 / 13	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	25.9	0.0	0.0	0 / 13	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	31.8	9.3	0.0	0 / 13	0 / 1
Percentage of transfers resulting in pregnancies (%)	47.9	17.4	2 / 19	0 / 6	0 / 1
Percentage of transfers resulting in live births (%)	37.5	4.3	0 / 19	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.3	0.0	0 / 19	0 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	6.3	4.3	0 / 19	0 / 6	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	29.2	0.0	0 / 19	0 / 6	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	14	8	5	2	0
Number of transfers	14	8	5	1	0
Estimated average number of transfers per retrieval	1.6	4.0	1.3	0.5	
Average number of embryos transferred	1.7	2.1	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	0.0	2 / 15	0 / 8	0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 14	2 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 14	1 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 14	0 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 14	1 / 8	0 / 5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 14	0 / 8	0 / 5	0 / 1	
Number of Egg or Embryo Banking Cycles	0	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	5	0
Number of transfers	0	0	5	0
Average number of embryos transferred			1.8	
Percentage of embryos transferred resulting in implantation (%)			6 / 9	
Percentage of transfers resulting in pregnancies (%)			5 / 5	
Percentage of transfers resulting in live births (%)			2 / 5	
Percentage of transfers resulting in singleton live births (%)			1 / 5	
Percentage of transfers resulting in twin live births (%)			1 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			1 / 5	

CURRENT SERVICES & PROFILE

Current Name: Rush-Copley Center for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTERS OF ILLINOIS-RIVER NORTH IVF
CHICAGO, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Christopher Sipe, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	<1%	PGD/PGS	12%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	5%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	19%	Male factor	24%	Female factors only	12%
Diminished ovarian reserve	29%	Other factor	28%	Female & male factors	11%
Endometriosis	5%	Unknown factor	14%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 3,263
(includes 8 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	634	342	310	158	117
Percentage of cancellations before retrieval (%)	9.0	16.1	19.7	34.8	34.2
Number of transfers	479	229	188	79	41
Average number of embryos transferred	1.4	1.6	1.9	2.4	2.0
Percentage of elective single embryo transfers (eSET) (%)	60.5	37.4	8.8	0.0	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	43.7	31.6	29.7	12.0	3.4
Percentage of cycles resulting in live births (%)	37.5	23.4	21.9	5.1	1.7
Percentage of cycles resulting in singleton live births (%)	33.6	17.5	19.0	4.4	1.7
Percentage of cycles resulting in twin live births (%)	3.9	5.8	2.9	0.6	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	29.5	16.1	14.8	3.8	0.9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.7	36.7	28.7	10.2	3.8
Percentage of transfers resulting in pregnancies (%)	57.8	47.2	48.9	24.1	9.8
Percentage of transfers resulting in live births (%)	49.7	34.9	36.2	10.1	4.9
Percentage of transfers resulting in singleton live births (%)	44.5	26.2	31.4	8.9	4.9
Percentage of transfers resulting in twin live births (%)	5.2	8.7	4.8	1.3	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	39.0	24.0	24.5	7.6	2.4
Frozen Embryos from Nondonor Eggs					
Number of cycles	436	284	166	82	41
Number of transfers	411	256	158	73	37
Estimated average number of transfers per retrieval	1.5	1.3	0.8	0.8	0.6
Average number of embryos transferred	1.3	1.3	1.4	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	47.7	43.0	27.1	41.7	22.6
Percentage of transfers resulting in pregnancies (%)	55.2	50.4	41.1	50.7	29.7
Percentage of transfers resulting in live births (%)	45.5	40.6	25.3	41.1	24.3
Percentage of transfers resulting in singleton live births (%)	40.9	36.7	24.1	37.0	21.6
Percentage of transfers resulting in twin live births (%)	4.6	3.5	1.3	4.1	2.7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	35.0	32.4	20.9	35.6	18.9
Number of Egg or Embryo Banking Cycles	113	122	134	68	44
Number of fertility preservation cycles	43	53	45	11	8

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	48	44	110	2
Number of transfers	32	34	97	2
Average number of embryos transferred	1.4	3.1	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	63.6	18.4	37.5	0 / 3
Percentage of transfers resulting in pregnancies (%)	65.6	47.1	50.5	0 / 2
Percentage of transfers resulting in live births (%)	59.4	41.2	36.1	0 / 2
Percentage of transfers resulting in singleton live births (%)	40.6	29.4	30.9	0 / 2
Percentage of transfers resulting in twin live births (%)	15.6	11.8	5.2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	25.0	20.6	26.8	0 / 2

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Fertility Centers of Illinois-River North IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR HUMAN REPRODUCTION (IHR)
CHICAGO, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David P. Cohen, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	0%	PGD/PGS	31%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	20%	Male factor	30%	Female factors only	9%
Diminished ovarian reserve	38%	Other factor	7%	Female & male factors	21%
Endometriosis	4%	Unknown factor	16%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 691
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	27	19	15	21	28
Percentage of cancellations before retrieval (%)	0.0	3 / 19	4 / 15	47.6	46.4
Number of transfers	22	13	7	8	10
Average number of embryos transferred	1.3	1.6	2.4	1.8	2.2
Percentage of elective single embryo transfers (eSET) (%)	71.4	4 / 12	0 / 7	1 / 6	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.6	8 / 19	2 / 15	4.8	7.1
Percentage of cycles resulting in live births (%)	29.6	6 / 19	2 / 15	0.0	3.6
Percentage of cycles resulting in singleton live births (%)	29.6	4 / 19	2 / 15	0.0	3.6
Percentage of cycles resulting in twin live births (%)	0.0	2 / 19	0 / 15	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	25.9	4 / 19	2 / 15	0.0	3.6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	28.6	9 / 19	2 / 17	1 / 14	13.6
Percentage of transfers resulting in pregnancies (%)	36.4	8 / 13	2 / 7	1 / 8	2 / 10
Percentage of transfers resulting in live births (%)	36.4	6 / 13	2 / 7	0 / 8	1 / 10
Percentage of transfers resulting in singleton live births (%)	36.4	4 / 13	2 / 7	0 / 8	1 / 10
Percentage of transfers resulting in twin live births (%)	0.0	2 / 13	0 / 7	0 / 8	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.8	4 / 13	2 / 7	0 / 8	1 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	112	39	53	20	13
Number of transfers	98	33	40	17	8
Estimated average number of transfers per retrieval	1.0	0.6	0.6	0.3	0.2
Average number of embryos transferred	1.2	1.2	1.2	1.2	1.4
Percentage of embryos transferred resulting in implantation (%)	54.9	36.8	43.5	9 / 19	1 / 10
Percentage of transfers resulting in pregnancies (%)	58.2	45.5	52.5	9 / 17	2 / 8
Percentage of transfers resulting in live births (%)	44.9	33.3	37.5	6 / 17	0 / 8
Percentage of transfers resulting in singleton live births (%)	39.8	30.3	32.5	6 / 17	0 / 8
Percentage of transfers resulting in twin live births (%)	4.1	3.0	5.0	0 / 17	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	35.7	24.2	30.0	6 / 17	0 / 8
Number of Egg or Embryo Banking Cycles	87	45	61	50	49
Number of fertility preservation cycles	1	4	9	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	10	0	37	3
Number of transfers	5	0	34	3
Average number of embryos transferred	1.6		1.4	1.0
Percentage of embryos transferred resulting in implantation (%)	1 / 8		43.9	0 / 3
Percentage of transfers resulting in pregnancies (%)	1 / 5		58.8	0 / 3
Percentage of transfers resulting in live births (%)	1 / 5		41.2	0 / 3
Percentage of transfers resulting in singleton live births (%)	1 / 5		38.2	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 5		2.9	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 5		32.4	0 / 3

CURRENT SERVICES & PROFILE

Current Name: Institute for Human Reproduction (IHR)

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWESTERN FERTILITY AND REPRODUCTIVE MEDICINE
CHICAGO, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mary Ellen Pavone, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	<1%	PGD/PGS	8%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	6%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	9%	Male factor	24%	Female factors only	4%
Diminished ovarian reserve	30%	Other factor	15%	Female & male factors	8%
Endometriosis	2%	Unknown factor	26%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,261
(includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	236	146	112	70	30
Percentage of cancellations before retrieval (%)	5.5	7.5	19.6	10.0	10.0
Number of transfers	198	122	81	58	23
Average number of embryos transferred	1.5	1.7	2.3	2.9	2.7
Percentage of elective single embryo transfers (eSET) (%)	49.2	33.3	4.2	0.0	1 / 17
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.5	33.6	23.2	14.3	10.0
Percentage of cycles resulting in live births (%)	39.0	27.4	19.6	11.4	6.7
Percentage of cycles resulting in singleton live births (%)	35.2	24.7	16.1	8.6	6.7
Percentage of cycles resulting in twin live births (%)	3.8	2.1	3.6	2.9	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	31.8	24.0	15.2	8.6	3.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.6	26.2	16.5	6.4	3.6
Percentage of transfers resulting in pregnancies (%)	49.5	40.2	32.1	17.2	13.0
Percentage of transfers resulting in live births (%)	46.5	32.8	27.2	13.8	8.7
Percentage of transfers resulting in singleton live births (%)	41.9	29.5	22.2	10.3	8.7
Percentage of transfers resulting in twin live births (%)	4.5	2.5	4.9	3.4	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	37.9	28.7	21.0	10.3	4.3
Frozen Embryos from Nondonor Eggs					
Number of cycles	155	89	58	14	13
Number of transfers	142	83	50	13	11
Estimated average number of transfers per retrieval	1.0	0.9	0.7	0.5	0.6
Average number of embryos transferred	1.3	1.4	1.3	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	55.7	42.1	45.2	4 / 16	7 / 15
Percentage of transfers resulting in pregnancies (%)	66.2	54.2	58.0	4 / 13	8 / 11
Percentage of transfers resulting in live births (%)	58.5	49.4	42.0	3 / 13	6 / 11
Percentage of transfers resulting in singleton live births (%)	51.4	43.4	38.0	3 / 13	6 / 11
Percentage of transfers resulting in twin live births (%)	7.0	6.0	4.0	0 / 13	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	45.1	37.3	34.0	3 / 13	6 / 11
Number of Egg or Embryo Banking Cycles	103	60	58	22	18
Number of fertility preservation cycles	62	29	30	5	4

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	39	0	34	0
Number of transfers	29	0	33	0
Average number of embryos transferred	1.2		1.2	
Percentage of embryos transferred resulting in implantation (%)	58.8		52.6	
Percentage of transfers resulting in pregnancies (%)	69.0		54.5	
Percentage of transfers resulting in live births (%)	51.7		45.5	
Percentage of transfers resulting in singleton live births (%)	51.7		36.4	
Percentage of transfers resulting in twin live births (%)	0.0		9.1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	44.8		21.2	

CURRENT SERVICES & PROFILE

Current Name: Northwestern Fertility and Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF CHICAGO MEDICINE CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY CHICAGO, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Helen Kim, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	54%
Unstimulated	0%	PGD/PGS	2%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	30%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	9%	Male factor	18%	Female factors only	14%
Diminished ovarian reserve	14%	Other factor	26%	Female & male factors	12%
Endometriosis	7%	Unknown factor	20%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 155
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	25	18	23	12	4
Percentage of cancellations before retrieval (%)	8.0	2 / 18	17.4	2 / 12	1 / 4
Number of transfers	10	10	12	6	3
Average number of embryos transferred	1.4	1.8	1.8	2.0	3.7
Percentage of elective single embryo transfers (eSET) (%)	5 / 9	1 / 9	1 / 10	0 / 5	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	16.0	6 / 18	21.7	2 / 12	0 / 4
Percentage of cycles resulting in live births (%)	16.0	4 / 18	17.4	1 / 12	0 / 4
Percentage of cycles resulting in singleton live births (%)	16.0	3 / 18	17.4	1 / 12	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	1 / 18	0.0	0 / 12	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	12.0	3 / 18	13.0	1 / 12	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 14	6 / 17	27.3	1 / 10	0 / 11
Percentage of transfers resulting in pregnancies (%)	4 / 10	6 / 10	5 / 12	2 / 6	0 / 3
Percentage of transfers resulting in live births (%)	4 / 10	4 / 10	4 / 12	1 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	4 / 10	3 / 10	4 / 12	1 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 10	1 / 10	0 / 12	0 / 6	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 10	3 / 10	3 / 12	1 / 6	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	24	13	9	3	3
Number of transfers	23	12	8	3	3
Estimated average number of transfers per retrieval	1.4	1.7	0.6	0.6	
Average number of embryos transferred	1.4	1.6	1.6	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	53.3	10 / 19	7 / 13	4 / 5	2 / 4
Percentage of transfers resulting in pregnancies (%)	65.2	7 / 12	7 / 8	3 / 3	2 / 3
Percentage of transfers resulting in live births (%)	26.1	6 / 12	6 / 8	3 / 3	1 / 3
Percentage of transfers resulting in singleton live births (%)	17.4	5 / 12	6 / 8	2 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	8.7	1 / 12	0 / 8	1 / 3	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	13.0	4 / 12	6 / 8	2 / 3	0 / 3
Number of Egg or Embryo Banking Cycles	6	3	9	0	0
Number of fertility preservation cycles	4	2	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	2	1
Number of transfers	0	0	2	1
Average number of embryos transferred			1.0	2.0
Percentage of embryos transferred resulting in implantation (%)			1 / 2	2 / 2
Percentage of transfers resulting in pregnancies (%)			1 / 2	1 / 1
Percentage of transfers resulting in live births (%)			1 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)			1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)			0 / 2	1 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			1 / 2	0 / 1

CURRENT SERVICES & PROFILE

Current Name: University of Chicago Medicine Center for Reproductive Medicine and Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF ILLINOIS AT CHICAGO IVF PROGRAM
CHICAGO, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Humberto Scoccia, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	0%	PGD/PGS	<1%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	26%	Uterine factor	14%	Multiple Factors:	
Ovulatory dysfunction	13%	Male factor	33%	Female factors only	22%
Diminished ovarian reserve	30%	Other factor	13%	Female & male factors	20%
Endometriosis	9%	Unknown factor	17%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 223
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	60	25	42	19	20
Percentage of cancellations before retrieval (%)	10.0	8.0	11.9	8 / 19	45.0
Number of transfers	40	19	33	7	6
Average number of embryos transferred	1.7	2.0	2.5	2.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	26.3	2 / 16	0.0	0 / 4	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.0	32.0	23.8	1 / 19	5.0
Percentage of cycles resulting in live births (%)	28.3	28.0	19.0	1 / 19	5.0
Percentage of cycles resulting in singleton live births (%)	25.0	28.0	16.7	1 / 19	5.0
Percentage of cycles resulting in twin live births (%)	3.3	0.0	2.4	0 / 19	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	18.3	20.0	16.7	1 / 19	5.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.9	23.7	13.6	1 / 16	1 / 15
Percentage of transfers resulting in pregnancies (%)	52.5	8 / 19	30.3	1 / 7	1 / 6
Percentage of transfers resulting in live births (%)	42.5	7 / 19	24.2	1 / 7	1 / 6
Percentage of transfers resulting in singleton live births (%)	37.5	7 / 19	21.2	1 / 7	1 / 6
Percentage of transfers resulting in twin live births (%)	5.0	0 / 19	3.0	0 / 7	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	27.5	5 / 19	21.2	1 / 7	1 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	26	7	9	1	2
Number of transfers	25	7	9	1	2
Estimated average number of transfers per retrieval	2.1	1.0	1.5		
Average number of embryos transferred	1.4	1.4	2.1	1.0	3.5
Percentage of embryos transferred resulting in implantation (%)	38.9	5 / 10	5 / 19		0 / 7
Percentage of transfers resulting in pregnancies (%)	44.0	4 / 7	4 / 9	1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	40.0	4 / 7	4 / 9	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	36.0	3 / 7	4 / 9	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	1 / 7	0 / 9	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.0	2 / 7	4 / 9	0 / 1	0 / 2
Number of Egg or Embryo Banking Cycles	1	0	1	0	0
Number of fertility preservation cycles	1	0	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	5	0	5	0
Number of transfers	5	0	4	0
Average number of embryos transferred	1.4		1.3	
Percentage of embryos transferred resulting in implantation (%)	4 / 7		3 / 5	
Percentage of transfers resulting in pregnancies (%)	3 / 5		3 / 4	
Percentage of transfers resulting in live births (%)	3 / 5		3 / 4	
Percentage of transfers resulting in singleton live births (%)	2 / 5		3 / 4	
Percentage of transfers resulting in twin live births (%)	1 / 5		0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 5		1 / 4	

CURRENT SERVICES & PROFILE

Current Name: University of Illinois at Chicago IVF Program

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S HEALTH CONSULTANTS
CHICAGO, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mary W. Molo, MD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	93%
Unstimulated	0%	PGD/PGS	4%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	33%	Uterine factor	44%	Multiple Factors:	
Ovulatory dysfunction	48%	Male factor	54%	Female factors only	35%
Diminished ovarian reserve	39%	Other factor	40%	Female & male factors	52%
Endometriosis	15%	Unknown factor	<1%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 300
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	28	25	27	18	16
Percentage of cancellations before retrieval (%)	3.6	4.0	7.4	1 / 18	4 / 16
Number of transfers	18	23	22	10	9
Average number of embryos transferred	1.6	1.9	1.8	1.9	2.1
Percentage of elective single embryo transfers (eSET) (%)	5 / 15	13.6	1 / 17	0 / 7	1 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.0	52.0	33.3	1 / 18	1 / 16
Percentage of cycles resulting in live births (%)	21.4	40.0	18.5	1 / 18	1 / 16
Percentage of cycles resulting in singleton live births (%)	21.4	36.0	14.8	1 / 18	1 / 16
Percentage of cycles resulting in twin live births (%)	0.0	4.0	3.7	0 / 18	0 / 16
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	21.4	28.0	14.8	1 / 18	1 / 16
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	24.1	31.8	25.0	1 / 19	1 / 19
Percentage of transfers resulting in pregnancies (%)	7 / 18	56.5	40.9	1 / 10	1 / 9
Percentage of transfers resulting in live births (%)	6 / 18	43.5	22.7	1 / 10	1 / 9
Percentage of transfers resulting in singleton live births (%)	6 / 18	39.1	18.2	1 / 10	1 / 9
Percentage of transfers resulting in twin live births (%)	0 / 18	4.3	4.5	0 / 10	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	6 / 18	30.4	18.2	1 / 10	1 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	50	26	21	3	5
Number of transfers	46	25	18	3	5
Estimated average number of transfers per retrieval	1.6	1.1	2.3	0.3	0.5
Average number of embryos transferred	1.9	1.7	1.7	1.7	2.6
Percentage of embryos transferred resulting in implantation (%)	24.7	20.9	30.0	0 / 5	1 / 13
Percentage of transfers resulting in pregnancies (%)	41.3	32.0	9 / 18	0 / 3	1 / 5
Percentage of transfers resulting in live births (%)	23.9	20.0	6 / 18	0 / 3	1 / 5
Percentage of transfers resulting in singleton live births (%)	21.7	20.0	5 / 18	0 / 3	1 / 5
Percentage of transfers resulting in twin live births (%)	2.2	0.0	1 / 18	0 / 3	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	13.0	16.0	3 / 18	0 / 3	1 / 5
Number of Egg or Embryo Banking Cycles	22	17	5	9	6
Number of fertility preservation cycles	5	1	2	5	5

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	7	0	8	0
Number of transfers	7	0	6	0
Average number of embryos transferred	2.1		1.8	
Percentage of embryos transferred resulting in implantation (%)	4 / 15		2 / 11	
Percentage of transfers resulting in pregnancies (%)	4 / 7		2 / 6	
Percentage of transfers resulting in live births (%)	4 / 7		2 / 6	
Percentage of transfers resulting in singleton live births (%)	4 / 7		2 / 6	
Percentage of transfers resulting in twin live births (%)	0 / 7		0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 7		2 / 6	

CURRENT SERVICES & PROFILE

Current Name: Women's Health Consultants

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE HEALTH/JOLIET IVF
CREST HILL, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Scott Springer, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	99%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	9%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	13%	Male factor	28%	Female factors only	8%
Diminished ovarian reserve	34%	Other factor	15%	Female & male factors	13%
Endometriosis	5%	Unknown factor	14%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 205
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	10	10	12	2	0
Percentage of cancellations before retrieval (%)	0 / 10	0 / 10	0 / 12	0 / 2	
Number of transfers	9	10	12	1	0
Average number of embryos transferred	1.9	1.7	1.8	3.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 8	0 / 7	0 / 7	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 10	5 / 10	0 / 12	0 / 2	
Percentage of cycles resulting in live births (%)	2 / 10	5 / 10	0 / 12	0 / 2	
Percentage of cycles resulting in singleton live births (%)	2 / 10	4 / 10	0 / 12	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 10	1 / 10	0 / 12	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 10	3 / 10	0 / 12	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 15	6 / 17	0.0	0 / 3	
Percentage of transfers resulting in pregnancies (%)	3 / 9	5 / 10	0 / 12	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 9	5 / 10	0 / 12	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 9	4 / 10	0 / 12	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 9	1 / 10	0 / 12	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 9	3 / 10	0 / 12	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	69	14	5	3	5
Number of transfers	68	13	5	3	5
Estimated average number of transfers per retrieval	1.3	1.0	0.6	0.6	1.7
Average number of embryos transferred	1.3	1.4	1.6	2.0	1.2
Percentage of embryos transferred resulting in implantation (%)	38.1	5 / 17	0 / 8	1 / 6	1 / 6
Percentage of transfers resulting in pregnancies (%)	42.6	6 / 13	0 / 5	1 / 3	1 / 5
Percentage of transfers resulting in live births (%)	36.8	5 / 13	0 / 5	1 / 3	1 / 5
Percentage of transfers resulting in singleton live births (%)	32.4	5 / 13	0 / 5	1 / 3	1 / 5
Percentage of transfers resulting in twin live births (%)	4.4	0 / 13	0 / 5	0 / 3	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	27.9	5 / 13	0 / 5	0 / 3	0 / 5
Number of Egg or Embryo Banking Cycles	49	11	6	4	3
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	1	0
Number of transfers	1	0	1	0
Average number of embryos transferred	1.0		1.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 1		0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 1		0 / 1	
Percentage of transfers resulting in live births (%)	0 / 1		0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1		0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Health/Joliet IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY CENTER
DOWNERS GROVE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Amos E. Madanes, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	50%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	31%	Uterine factor	14%	Multiple Factors:	
Ovulatory dysfunction	13%	Male factor	26%	Female factors only	6%
Diminished ovarian reserve	25%	Other factor	10%	Female & male factors	16%
Endometriosis	4%	Unknown factor	3%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 176
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	51	29	20	11	13
Percentage of cancellations before retrieval (%)	7.8	17.2	20.0	2 / 11	0 / 13
Number of transfers	47	24	16	9	12
Average number of embryos transferred	2.0	2.2	2.5	2.7	3.9
Percentage of elective single embryo transfers (eSET) (%)	0.0	0.0	0 / 15	1 / 7	1 / 11
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	23.5	10.3	30.0	1 / 11	2 / 13
Percentage of cycles resulting in live births (%)	13.7	10.3	10.0	1 / 11	1 / 13
Percentage of cycles resulting in singleton live births (%)	13.7	6.9	10.0	1 / 11	1 / 13
Percentage of cycles resulting in twin live births (%)	0.0	3.4	0.0	0 / 11	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	5.9	3.4	10.0	1 / 11	0 / 13
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	11.2	7.7	16.2	4.2	2.2
Percentage of transfers resulting in pregnancies (%)	25.5	12.5	6 / 16	1 / 9	2 / 12
Percentage of transfers resulting in live births (%)	14.9	12.5	2 / 16	1 / 9	1 / 12
Percentage of transfers resulting in singleton live births (%)	14.9	8.3	2 / 16	1 / 9	1 / 12
Percentage of transfers resulting in twin live births (%)	0.0	4.2	0 / 16	0 / 9	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	6.4	4.2	2 / 16	1 / 9	0 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	12	10	8	2	2
Number of transfers	12	10	8	2	2
Estimated average number of transfers per retrieval	2.0	2.5	2.0	0.7	
Average number of embryos transferred	1.9	2.0	2.1	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	28.6	10.0	2 / 17	0 / 1	0 / 4
Percentage of transfers resulting in pregnancies (%)	5 / 12	1 / 10	2 / 8	1 / 2	0 / 2
Percentage of transfers resulting in live births (%)	2 / 12	1 / 10	1 / 8	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 12	0 / 10	1 / 8	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 12	1 / 10	0 / 8	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 12	0 / 10	1 / 8	0 / 2	0 / 2
Number of Egg or Embryo Banking Cycles	2	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	14	0	2	0
Number of transfers	14	0	2	0
Average number of embryos transferred	2.1		2.0	
Percentage of embryos transferred resulting in implantation (%)	23.3		1 / 4	
Percentage of transfers resulting in pregnancies (%)	4 / 14		1 / 2	
Percentage of transfers resulting in live births (%)	4 / 14		1 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 14		1 / 2	
Percentage of transfers resulting in twin live births (%)	3 / 14		0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 14		1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Midwest Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHICAGO INFERTILITY ASSOCIATES, LTD.
ELK GROVE VILLAGE, ILLINOIS

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

DAVIES FERTILITY & IVF SPECIALISTS, SC
GLENVIEW, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Susan A. Davies, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	0%	PGD/PGS	8%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	8%	Multiple Factors:	
Ovulatory dysfunction	18%	Male factor	10%	Female factors only	10%
Diminished ovarian reserve	34%	Other factor	9%	Female & male factors	4%
Endometriosis	1%	Unknown factor	24%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 372
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	87	37	33	18	21
Percentage of cancellations before retrieval (%)	11.5	13.5	18.2	4 / 18	38.1
Number of transfers	21	17	14	3	10
Average number of embryos transferred	1.9	2.0	2.2	2.3	2.7
Percentage of elective single embryo transfers (eSET) (%)	0 / 19	0 / 13	0 / 10	0 / 3	0 / 10
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	12.6	16.2	9.1	2 / 18	19.0
Percentage of cycles resulting in live births (%)	10.3	8.1	3.0	2 / 18	14.3
Percentage of cycles resulting in singleton live births (%)	9.2	8.1	3.0	1 / 18	9.5
Percentage of cycles resulting in twin live births (%)	1.1	0.0	0.0	1 / 18	4.8
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	9.2	5.4	3.0	1 / 18	9.5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.5	15.2	6.9	3 / 7	18.5
Percentage of transfers resulting in pregnancies (%)	52.4	6 / 17	3 / 14	2 / 3	4 / 10
Percentage of transfers resulting in live births (%)	42.9	3 / 17	1 / 14	2 / 3	3 / 10
Percentage of transfers resulting in singleton live births (%)	38.1	3 / 17	1 / 14	1 / 3	2 / 10
Percentage of transfers resulting in twin live births (%)	4.8	0 / 17	0 / 14	1 / 3	1 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	38.1	2 / 17	1 / 14	1 / 3	2 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	64	19	13	9	2
Number of transfers	60	19	13	6	1
Estimated average number of transfers per retrieval	0.9	0.8	0.5	0.4	0.1
Average number of embryos transferred	1.6	1.5	1.6	1.7	3.0
Percentage of embryos transferred resulting in implantation (%)	48.4	50.0	52.4	2 / 10	
Percentage of transfers resulting in pregnancies (%)	61.7	12 / 19	10 / 13	2 / 6	1 / 1
Percentage of transfers resulting in live births (%)	51.7	11 / 19	8 / 13	2 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	43.3	10 / 19	7 / 13	2 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	8.3	1 / 19	1 / 13	0 / 6	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	36.7	9 / 19	6 / 13	2 / 6	0 / 1
Number of Egg or Embryo Banking Cycles	17	8	12	11	8
Number of fertility preservation cycles	3	1	1	2	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	8	0	4	0
Number of transfers	6	0	4	0
Average number of embryos transferred	1.8		1.3	
Percentage of embryos transferred resulting in implantation (%)	9 / 11		2 / 5	
Percentage of transfers resulting in pregnancies (%)	6 / 6		1 / 4	
Percentage of transfers resulting in live births (%)	6 / 6		1 / 4	
Percentage of transfers resulting in singleton live births (%)	5 / 6		0 / 4	
Percentage of transfers resulting in twin live births (%)	1 / 6		1 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 6		0 / 4	

CURRENT SERVICES & PROFILE

Current Name: Davies Fertility & IVF Specialists, SC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY CENTER OF CHICAGO
GURNEE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard P. Sherbahn, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	<1%	PGD/PGS	15%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	9%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	14%	Male factor	26%	Female factors only	13%
Diminished ovarian reserve	37%	Other factor	11%	Female & male factors	8%
Endometriosis	5%	Unknown factor	20%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 979
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	219	69	78	35	16
Percentage of cancellations before retrieval (%)	2.3	5.8	14.1	17.1	1 / 16
Number of transfers	198	57	56	23	9
Average number of embryos transferred	1.8	1.9	2.2	2.7	2.6
Percentage of elective single embryo transfers (eSET) (%)	20.4	3.9	4.1	0.0	0 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.4	44.9	32.1	20.0	1 / 16
Percentage of cycles resulting in live births (%)	48.4	36.2	20.5	14.3	1 / 16
Percentage of cycles resulting in singleton live births (%)	33.3	26.1	17.9	11.4	1 / 16
Percentage of cycles resulting in twin live births (%)	15.1	7.2	2.6	2.9	0 / 16
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	30.1	24.6	15.4	11.4	0 / 16
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.4	36.3	18.9	11.7	4.3
Percentage of transfers resulting in pregnancies (%)	59.1	54.4	44.6	30.4	1 / 9
Percentage of transfers resulting in live births (%)	53.5	43.9	28.6	21.7	1 / 9
Percentage of transfers resulting in singleton live births (%)	36.9	31.6	25.0	17.4	1 / 9
Percentage of transfers resulting in twin live births (%)	16.7	8.8	3.6	4.3	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	33.3	29.8	21.4	17.4	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	147	66	32	14	3
Number of transfers	143	63	31	13	3
Estimated average number of transfers per retrieval	1.2	1.3	0.8	1.1	0.3
Average number of embryos transferred	1.4	1.4	1.3	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	69.2	53.7	69.2	12 / 16	2 / 4
Percentage of transfers resulting in pregnancies (%)	80.4	66.7	83.9	11 / 13	2 / 3
Percentage of transfers resulting in live births (%)	67.1	57.1	74.2	10 / 13	2 / 3
Percentage of transfers resulting in singleton live births (%)	51.7	49.2	74.2	9 / 13	2 / 3
Percentage of transfers resulting in twin live births (%)	15.4	7.9	0.0	1 / 13	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	47.6	41.3	71.0	8 / 13	2 / 3
Number of Egg or Embryo Banking Cycles	72	27	36	10	11
Number of fertility preservation cycles	3	4	3	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	41	54	48	1
Number of transfers	40	51	48	1
Average number of embryos transferred	1.6	1.8	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	93.5	50.5	63.0	2 / 2
Percentage of transfers resulting in pregnancies (%)	97.5	68.6	72.9	1 / 1
Percentage of transfers resulting in live births (%)	90.0	66.7	47.9	1 / 1
Percentage of transfers resulting in singleton live births (%)	45.0	45.1	43.8	0 / 1
Percentage of transfers resulting in twin live births (%)	42.5	21.6	4.2	1 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.5	43.1	33.3	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Center of Chicago

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTERS OF ILLINOIS-HIGHLAND PARK IVF CENTER
HIGHLAND PARK, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Brian R. Kaplan, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	73%
Unstimulated	<1%	PGD/PGS	25%
Used gestational carrier	9%		

Patient Diagnosis[a,b]

Tubal factor	4%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	14%	Male factor	32%	Female factors only	25%
Diminished ovarian reserve	44%	Other factor	54%	Female & male factors	23%
Endometriosis	4%	Unknown factor	10%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 2,470
(includes 11 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	139	131	122	74	73
Percentage of cancellations before retrieval (%)	18.7	25.2	23.0	20.3	23.3
Number of transfers	60	56	41	18	16
Average number of embryos transferred	1.6	1.6	1.8	2.1	2.4
Percentage of elective single embryo transfers (eSET) (%)	38.2	15.0	6.9	0 / 14	0 / 11
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	20.1	18.3	10.7	4.1	2.7
Percentage of cycles resulting in live births (%)	18.7	16.0	9.0	4.1	0.0
Percentage of cycles resulting in singleton live births (%)	13.7	10.7	9.0	4.1	0.0
Percentage of cycles resulting in twin live births (%)	5.0	5.3	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	12.9	8.4	7.4	4.1	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.5	36.0	19.2	10.8	5.3
Percentage of transfers resulting in pregnancies (%)	46.7	42.9	31.7	3 / 18	2 / 16
Percentage of transfers resulting in live births (%)	43.3	37.5	26.8	3 / 18	0 / 16
Percentage of transfers resulting in singleton live births (%)	31.7	25.0	26.8	3 / 18	0 / 16
Percentage of transfers resulting in twin live births (%)	11.7	12.5	0.0	0 / 18	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.0	19.6	22.0	3 / 18	0 / 16
Frozen Embryos from Nondonor Eggs					
Number of cycles	344	229	150	74	36
Number of transfers	312	200	131	64	24
Estimated average number of transfers per retrieval	1.0	0.9	0.7	0.6	0.3
Average number of embryos transferred	1.3	1.4	1.4	1.4	1.4
Percentage of embryos transferred resulting in implantation (%)	49.0	46.2	41.3	28.0	31.0
Percentage of transfers resulting in pregnancies (%)	57.7	55.5	53.4	43.8	45.8
Percentage of transfers resulting in live births (%)	48.4	47.0	41.2	31.3	33.3
Percentage of transfers resulting in singleton live births (%)	44.2	41.5	35.9	31.3	29.2
Percentage of transfers resulting in twin live births (%)	4.2	5.5	5.3	0.0	4.2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	40.1	37.0	32.1	26.6	20.8
Number of Egg or Embryo Banking Cycles	281	210	172	82	69
Number of fertility preservation cycles	49	79	44	17	15

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	44	30	188	11
Number of transfers	33	25	170	11
Average number of embryos transferred	1.6	1.7	1.3	1.8
Percentage of embryos transferred resulting in implantation (%)	52.9	53.5	47.7	40.0
Percentage of transfers resulting in pregnancies (%)	63.6	72.0	58.2	6 / 11
Percentage of transfers resulting in live births (%)	54.5	56.0	50.6	5 / 11
Percentage of transfers resulting in singleton live births (%)	36.4	44.0	44.7	3 / 11
Percentage of transfers resulting in twin live births (%)	18.2	12.0	5.9	2 / 11
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	33.3	32.0	40.0	2 / 11

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Fertility Centers of Illinois-Highland Park IVF Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HINSDALE CENTER FOR REPRODUCTION
HINSDALE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael J. Hickey, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	0%	PGD/PGS	5%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	5%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	7%	Male factor	40%	Female factors only	9%
Diminished ovarian reserve	6%	Other factor	42%	Female & male factors	15%
Endometriosis	20%	Unknown factor	0%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 88
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	19	6	8	1	0
Percentage of cancellations before retrieval (%)	3 / 19	0 / 6	3 / 8	0 / 1	
Number of transfers	3	3	3	1	0
Average number of embryos transferred	2.3	2.0	2.0	1.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 3	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 19	2 / 6	0 / 8	0 / 1	
Percentage of cycles resulting in live births (%)	1 / 19	2 / 6	0 / 8	0 / 1	
Percentage of cycles resulting in singleton live births (%)	0 / 19	1 / 6	0 / 8	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 19	1 / 6	0 / 8	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 19	1 / 6	0 / 8	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	2 / 7	3 / 6	0 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 3	2 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 3	2 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 3	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 3	1 / 3	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	23	12	8	1	1
Number of transfers	23	12	8	1	1
Estimated average number of transfers per retrieval	1.6	2.4	2.0		
Average number of embryos transferred	2.0	2.0	1.5	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	31.1	33.3	3 / 12	0 / 2	1 / 2
Percentage of transfers resulting in pregnancies (%)	47.8	5 / 12	3 / 8	0 / 1	1 / 1
Percentage of transfers resulting in live births (%)	39.1	3 / 12	2 / 8	0 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	26.1	1 / 12	2 / 8	0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	13.0	2 / 12	0 / 8	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.1	0 / 12	2 / 8	0 / 1	1 / 1
Number of Egg or Embryo Banking Cycles	1	0	2	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	5	1	0
Number of transfers	0	3	1	0
Average number of embryos transferred		1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)		3 / 5	1 / 2	
Percentage of transfers resulting in pregnancies (%)		2 / 3	1 / 1	
Percentage of transfers resulting in live births (%)		2 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)		1 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)		1 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		1 / 3	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Hinsdale Center for Reproduction

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INVIA FERTILITY SPECIALISTS
HOFFMAN ESTATES, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Vishvanath C. Karande, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	<1%	PGD/PGS	17%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	5%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	19%	Male factor	15%	Female factors only	2%
Diminished ovarian reserve	17%	Other factor	18%	Female & male factors	4%
Endometriosis	5%	Unknown factor	24%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 712
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	139	62	43	18	19
Percentage of cancellations before retrieval (%)	5.0	9.7	18.6	2 / 18	6 / 19
Number of transfers	70	32	16	7	5
Average number of embryos transferred	1.3	1.3	1.8	1.4	1.6
Percentage of elective single embryo transfers (eSET) (%)	62.7	64.0	2 / 13	0 / 2	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	34.5	16.1	25.6	1 / 18	1 / 19
Percentage of cycles resulting in live births (%)	30.2	14.5	14.0	1 / 18	0 / 19
Percentage of cycles resulting in singleton live births (%)	24.5	12.9	14.0	1 / 18	0 / 19
Percentage of cycles resulting in twin live births (%)	5.8	1.6	0.0	0 / 18	0 / 19
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	20.1	11.3	11.6	1 / 18	0 / 19
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	65.2	26.8	38.5	1 / 10	0 / 6
Percentage of transfers resulting in pregnancies (%)	68.6	31.3	11 / 16	1 / 7	1 / 5
Percentage of transfers resulting in live births (%)	60.0	28.1	6 / 16	1 / 7	0 / 5
Percentage of transfers resulting in singleton live births (%)	48.6	25.0	6 / 16	1 / 7	0 / 5
Percentage of transfers resulting in twin live births (%)	11.4	3.1	0 / 16	0 / 7	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	40.0	21.9	5 / 16	1 / 7	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	148	75	44	11	3
Number of transfers	148	75	44	11	3
Estimated average number of transfers per retrieval	1.8	1.4	1.4	0.9	0.6
Average number of embryos transferred	1.1	1.2	1.3	1.2	1.7
Percentage of embryos transferred resulting in implantation (%)	58.6	57.0	45.5	6 / 13	1 / 5
Percentage of transfers resulting in pregnancies (%)	60.8	65.3	47.7	6 / 11	1 / 3
Percentage of transfers resulting in live births (%)	48.6	49.3	40.9	3 / 11	1 / 3
Percentage of transfers resulting in singleton live births (%)	43.9	45.3	34.1	3 / 11	1 / 3
Percentage of transfers resulting in twin live births (%)	4.7	4.0	6.8	0 / 11	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	35.1	38.7	29.5	3 / 11	1 / 3
Number of Egg or Embryo Banking Cycles	29	24	21	8	5
Number of fertility preservation cycles	4	2	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	18	0	32	13
Number of transfers	8	0	32	13
Average number of embryos transferred	1.3		1.1	1.0
Percentage of embryos transferred resulting in implantation (%)	5 / 10		45.7	6 / 12
Percentage of transfers resulting in pregnancies (%)	5 / 8		46.9	7 / 13
Percentage of transfers resulting in live births (%)	5 / 8		43.8	6 / 13
Percentage of transfers resulting in singleton live births (%)	5 / 8		40.6	6 / 13
Percentage of transfers resulting in twin live births (%)	0 / 8		3.1	0 / 13
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 8		34.4	6 / 13

CURRENT SERVICES & PROFILE

Current Name: InVia Fertility Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REENA JABAMONI, MD, SC
HOFFMAN ESTATES, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Reena Jabamoni, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	4%	PGD/PGS	8%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	29%	Male factor	21%	Female factors only	21%
Diminished ovarian reserve	39%	Other factor	14%	Female & male factors	14%
Endometriosis	4%	Unknown factor	15%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 62
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	14	4	2	1	7
Percentage of cancellations before retrieval (%)	3 / 14	1 / 4	2 / 2	0 / 1	1 / 7
Number of transfers	8	3	0	1	2
Average number of embryos transferred	1.1	2.0		2.0	1.5
Percentage of elective single embryo transfers (eSET) (%)	6 / 7	0 / 3		0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 14	1 / 4	0 / 2	1 / 1	0 / 7
Percentage of cycles resulting in live births (%)	2 / 14	1 / 4	0 / 2	1 / 1	0 / 7
Percentage of cycles resulting in singleton live births (%)	1 / 14	1 / 4	0 / 2	1 / 1	0 / 7
Percentage of cycles resulting in twin live births (%)	1 / 14	0 / 4	0 / 2	0 / 1	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 14	0 / 4	0 / 2	1 / 1	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 9	1 / 6		1 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	2 / 8	1 / 3		1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	2 / 8	1 / 3		1 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 8	1 / 3		1 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 3		0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 8	0 / 3		1 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	17	4	1	0	1
Number of transfers	16	4	1	0	1
Estimated average number of transfers per retrieval	1.6	2.0	0.3	0.0	1.0
Average number of embryos transferred	1.3	1.3	1.0		2.0
Percentage of embryos transferred resulting in implantation (%)	8 / 18	3 / 5	0 / 1		0 / 2
Percentage of transfers resulting in pregnancies (%)	10 / 16	3 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	6 / 16	3 / 4	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 16	3 / 4	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	6 / 16	2 / 4	0 / 1		0 / 1
Number of Egg or Embryo Banking Cycles	5	0	3	1	1
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	1	0
Number of transfers	0	0	1	0
Average number of embryos transferred			1.0	
Percentage of embryos transferred resulting in implantation (%)			0 / 1	
Percentage of transfers resulting in pregnancies (%)			0 / 1	
Percentage of transfers resulting in live births (%)			0 / 1	
Percentage of transfers resulting in singleton live births (%)			0 / 1	
Percentage of transfers resulting in twin live births (%)			0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Reena Jabamoni, MD, SC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

THE ADVANCED IVF INSTITUTE
CHARLES E. MILLER, MD, SC & ASSOCIATES
NAPERVILLE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Charles E. Miller, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	PGD/PGS	12%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	6%	Uterine factor	9%	Multiple Factors:	
Ovulatory dysfunction	28%	Male factor	40%	Female factors only	9%
Diminished ovarian reserve	40%	Other factor	6%	Female & male factors	27%
Endometriosis	6%	Unknown factor	9%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 685
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	130	98	63	39	10
Percentage of cancellations before retrieval (%)	13.1	19.4	22.2	23.1	1 / 10
Number of transfers	73	54	34	23	8
Average number of embryos transferred	1.7	1.8	2.1	2.4	1.9
Percentage of elective single embryo transfers (eSET) (%)	21.9	13.6	3.6	0.0	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.0	34.7	30.2	17.9	1 / 10
Percentage of cycles resulting in live births (%)	34.6	27.6	14.3	7.7	1 / 10
Percentage of cycles resulting in singleton live births (%)	26.2	20.4	12.7	5.1	0 / 10
Percentage of cycles resulting in twin live births (%)	8.5	7.1	1.6	2.6	1 / 10
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	20.0	17.3	9.5	2.6	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.5	41.8	29.0	13.5	2 / 15
Percentage of transfers resulting in pregnancies (%)	71.2	63.0	55.9	30.4	1 / 8
Percentage of transfers resulting in live births (%)	61.6	50.0	26.5	13.0	1 / 8
Percentage of transfers resulting in singleton live births (%)	46.6	37.0	23.5	8.7	0 / 8
Percentage of transfers resulting in twin live births (%)	15.1	13.0	2.9	4.3	1 / 8
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	35.6	31.5	17.6	4.3	0 / 8
Frozen Embryos from Nondonor Eggs					
Number of cycles	114	58	31	11	17
Number of transfers	112	54	31	10	14
Estimated average number of transfers per retrieval	1.4	1.5	1.2	0.8	1.6
Average number of embryos transferred	1.6	1.6	1.5	1.3	1.8
Percentage of embryos transferred resulting in implantation (%)	56.8	51.3	51.1	4 / 11	20.0
Percentage of transfers resulting in pregnancies (%)	66.1	61.1	61.3	6 / 10	5 / 14
Percentage of transfers resulting in live births (%)	56.3	53.7	54.8	4 / 10	5 / 14
Percentage of transfers resulting in singleton live births (%)	39.3	44.4	41.9	4 / 10	5 / 14
Percentage of transfers resulting in twin live births (%)	17.0	9.3	9.7	0 / 10	0 / 14
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.8	37.0	35.5	4 / 10	5 / 14
Number of Egg or Embryo Banking Cycles	45	21	18	12	9
Number of fertility preservation cycles	2	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	8	0	1	0
Number of transfers	5	0	1	0
Average number of embryos transferred	1.6		2.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 5		1 / 2	
Percentage of transfers resulting in pregnancies (%)	5 / 5		1 / 1	
Percentage of transfers resulting in live births (%)	3 / 5		1 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 5		1 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 5		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 5		1 / 1	

CURRENT SERVICES & PROFILE

Current Name: The Advanced IVF Institute, Charles E. Miller, MD, SC & Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF1
NAPERVILLE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Randy S. Morris, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	71%
Unstimulated	0%	PGD/PGS	43%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	13%	Uterine factor	11%	Multiple Factors:	
Ovulatory dysfunction	16%	Male factor	36%	Female factors only	15%
Diminished ovarian reserve	33%	Other factor	15%	Female & male factors	23%
Endometriosis	9%	Unknown factor	14%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 773
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	39	25	11	20	14
Percentage of cancellations before retrieval (%)	10.3	24.0	6 / 11	40.0	2 / 14
Number of transfers	26	13	2	6	2
Average number of embryos transferred	1.3	1.8	2.0	1.7	3.0
Percentage of elective single embryo transfers (eSET) (%)	60.9	3 / 13	0 / 2	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.8	28.0	1 / 11	10.0	0 / 14
Percentage of cycles resulting in live births (%)	23.1	12.0	1 / 11	10.0	0 / 14
Percentage of cycles resulting in singleton live births (%)	15.4	4.0	1 / 11	10.0	0 / 14
Percentage of cycles resulting in twin live births (%)	7.7	8.0	0 / 11	0.0	0 / 14
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	15.4	4.0	1 / 11	10.0	0 / 14
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	5 / 15	1 / 4	2 / 10	0 / 6
Percentage of transfers resulting in pregnancies (%)	46.2	7 / 13	1 / 2	2 / 6	0 / 2
Percentage of transfers resulting in live births (%)	34.6	3 / 13	1 / 2	2 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	23.1	1 / 13	1 / 2	2 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	11.5	2 / 13	0 / 2	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	23.1	1 / 13	1 / 2	2 / 6	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	183	81	50	20	9
Number of transfers	166	74	43	18	5
Estimated average number of transfers per retrieval	1.4	1.0	0.8	0.7	0.2
Average number of embryos transferred	1.2	1.2	1.1	1.2	1.8
Percentage of embryos transferred resulting in implantation (%)	58.2	60.7	69.4	66.7	2 / 9
Percentage of transfers resulting in pregnancies (%)	66.3	70.3	72.1	11 / 18	2 / 5
Percentage of transfers resulting in live births (%)	56.0	62.2	62.8	11 / 18	2 / 5
Percentage of transfers resulting in singleton live births (%)	50.6	59.5	55.8	8 / 18	2 / 5
Percentage of transfers resulting in twin live births (%)	5.4	2.7	7.0	3 / 18	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	47.0	45.9	44.2	8 / 18	2 / 5
Number of Egg or Embryo Banking Cycles	102	62	51	22	20
Number of fertility preservation cycles	5	1	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	8	3	29	24
Number of transfers	6	2	21	23
Average number of embryos transferred	1.0	1.5	1.2	1.4
Percentage of embryos transferred resulting in implantation (%)	6 / 6	0 / 3	56.5	54.8
Percentage of transfers resulting in pregnancies (%)	6 / 6	0 / 2	66.7	73.9
Percentage of transfers resulting in live births (%)	6 / 6	0 / 2	57.1	56.5
Percentage of transfers resulting in singleton live births (%)	6 / 6	0 / 2	52.4	47.8
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 2	4.8	8.7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	6 / 6	0 / 2	38.1	39.1

CURRENT SERVICES & PROFILE

Current Name: IVF1

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE INSTITUTE
OAK BROOK, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Elena Trukhacheva, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	PGD/PGS	14%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	11%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	22%	Male factor	15%	Female factors only	9%
Diminished ovarian reserve	24%	Other factor	15%	Female & male factors	8%
Endometriosis	5%	Unknown factor	24%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,281
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	219	112	140	58	51
Percentage of cancellations before retrieval (%)	5.0	9.8	7.9	3.4	35.3
Number of transfers	127	63	77	37	13
Average number of embryos transferred	1.6	1.9	1.9	2.1	1.9
Percentage of elective single embryo transfers (eSET) (%)	36.6	18.2	10.8	4.2	1 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.1	25.9	12.9	20.7	2.0
Percentage of cycles resulting in live births (%)	26.0	18.8	10.0	10.3	0.0
Percentage of cycles resulting in singleton live births (%)	21.9	13.4	7.1	10.3	0.0
Percentage of cycles resulting in twin live births (%)	4.1	5.4	2.9	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	18.7	9.8	7.1	8.6	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.9	29.9	14.5	14.3	0.0
Percentage of transfers resulting in pregnancies (%)	52.0	46.0	23.4	32.4	1 / 13
Percentage of transfers resulting in live births (%)	44.9	33.3	18.2	16.2	0 / 13
Percentage of transfers resulting in singleton live births (%)	37.8	23.8	13.0	16.2	0 / 13
Percentage of transfers resulting in twin live births (%)	7.1	9.5	5.2	0.0	0 / 13
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.3	17.5	13.0	13.5	0 / 13
Frozen Embryos from Nondonor Eggs					
Number of cycles	209	111	83	32	19
Number of transfers	200	102	72	26	15
Estimated average number of transfers per retrieval	1.3	1.3	0.9	1.1	1.0
Average number of embryos transferred	1.6	1.4	1.5	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	43.0	36.6	28.6	20.5	40.9
Percentage of transfers resulting in pregnancies (%)	58.0	46.1	40.3	30.8	8 / 15
Percentage of transfers resulting in live births (%)	47.5	30.4	30.6	26.9	6 / 15
Percentage of transfers resulting in singleton live births (%)	38.5	25.5	25.0	26.9	5 / 15
Percentage of transfers resulting in twin live births (%)	9.0	4.9	5.6	0.0	1 / 15
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.5	23.5	23.6	26.9	3 / 15
Number of Egg or Embryo Banking Cycles	66	49	55	21	14
Number of fertility preservation cycles	17	5	7	2	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	20	2	18	2
Number of transfers	18	2	17	2
Average number of embryos transferred	1.7	2.0	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	61.3	2 / 4	43.5	0 / 3
Percentage of transfers resulting in pregnancies (%)	12 / 18	2 / 2	9 / 17	0 / 2
Percentage of transfers resulting in live births (%)	10 / 18	1 / 2	7 / 17	0 / 2
Percentage of transfers resulting in singleton live births (%)	5 / 18	1 / 2	5 / 17	0 / 2
Percentage of transfers resulting in twin live births (%)	4 / 18	0 / 2	2 / 17	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 18	1 / 2	3 / 17	0 / 2

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DANIEL ROSTEIN, MD, SC
OAK BROOK, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Daniel A. Rostein, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	PGD/PGS	33%
Used gestational carrier	33%		

Patient Diagnosis[a,b]

Tubal factor	0%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	0%	Male factor	0%	Female factors only	0%
Diminished ovarian reserve	33%	Other factor	67%	Female & male factors	0%
Endometriosis	0%	Unknown factor	0%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 3
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	1	0	0
Percentage of cancellations before retrieval (%)			0 / 1		
Number of transfers	0	0	1	0	0
Average number of embryos transferred			2.0		
Percentage of elective single embryo transfers (eSET) (%)			0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)			0 / 1		
Percentage of cycles resulting in live births (%)			0 / 1		
Percentage of cycles resulting in singleton live births (%)			0 / 1		
Percentage of cycles resulting in twin live births (%)			0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)			0 / 1		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)			0 / 2		
Percentage of transfers resulting in pregnancies (%)			0 / 1		
Percentage of transfers resulting in live births (%)			0 / 1		
Percentage of transfers resulting in singleton live births (%)			0 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Estimated average number of transfers per retrieval					
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)					
Number of Egg or Embryo Banking Cycles	0	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	1	0
Number of transfers	1	0	1	0
Average number of embryos transferred	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 2		0 / 2	
Percentage of transfers resulting in pregnancies (%)	0 / 1		0 / 1	
Percentage of transfers resulting in live births (%)	0 / 1		0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1		0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Daniel Rostein, MD, SC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	No	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-CENTRAL ILLINOIS
PEORIA, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Adelina M. Emmi, MD

Type of ART and Procedural Factors[a]

IVF	99%	With ICSI	58%
Unstimulated	0%	PGD/PGS	7%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	6%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	12%	Male factor	24%	Female factors only	5%
Diminished ovarian reserve	14%	Other factor	34%	Female & male factors	9%
Endometriosis	11%	Unknown factor	16%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 203
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	55	29	5	3	3
Percentage of cancellations before retrieval (%)	3.6	24.1	2 / 5	0 / 3	0 / 3
Number of transfers	50	19	2	2	1
Average number of embryos transferred	1.6	2.1	2.0	2.5	1.0
Percentage of elective single embryo transfers (eSET) (%)	34.1	0 / 16	0 / 2	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.1	20.7	0 / 5	0 / 3	0 / 3
Percentage of cycles resulting in live births (%)	25.5	10.3	0 / 5	0 / 3	0 / 3
Percentage of cycles resulting in singleton live births (%)	21.8	10.3	0 / 5	0 / 3	0 / 3
Percentage of cycles resulting in twin live births (%)	3.6	0.0	0 / 5	0 / 3	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	21.8	6.9	0 / 5	0 / 3	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	21.8	11.1	0 / 4	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	32.0	6 / 19	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	28.0	3 / 19	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	24.0	3 / 19	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	4.0	0 / 19	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	24.0	2 / 19	0 / 2	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	47	12	12	5	1
Number of transfers	42	12	10	5	1
Estimated average number of transfers per retrieval	3.2	1.2	1.3	0.7	0.3
Average number of embryos transferred	1.3	1.4	1.6	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	26.9	2 / 17	5 / 15	2 / 10	1 / 2
Percentage of transfers resulting in pregnancies (%)	35.7	2 / 12	5 / 10	2 / 5	1 / 1
Percentage of transfers resulting in live births (%)	26.2	1 / 12	4 / 10	2 / 5	1 / 1
Percentage of transfers resulting in singleton live births (%)	23.8	1 / 12	3 / 10	2 / 5	1 / 1
Percentage of transfers resulting in twin live births (%)	2.4	0 / 12	1 / 10	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	23.8	1 / 12	3 / 10	2 / 5	1 / 1
Number of Egg or Embryo Banking Cycles	2	6	6	5	3
Number of fertility preservation cycles	1	5	5	5	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	5	0	3	1
Number of transfers	5	0	3	1
Average number of embryos transferred	1.4		1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	3 / 7		2 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 5		3 / 3	1 / 1
Percentage of transfers resulting in live births (%)	2 / 5		2 / 3	1 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 5		2 / 3	1 / 1
Percentage of transfers resulting in twin live births (%)	1 / 5		0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 5		2 / 3	1 / 1

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-Central Illinois

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE CENTER
ROCKFORD, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Todd D. Deutch, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	1%	PGD/PGS	5%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	24%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	6%	Male factor	21%	Female factors only	2%
Diminished ovarian reserve	16%	Other factor	12%	Female & male factors	2%
Endometriosis	2%	Unknown factor	21%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 129
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	43	21	15	7	0
Percentage of cancellations before retrieval (%)	4.7	0.0	3 / 15	0 / 7	
Number of transfers	36	17	9	6	0
Average number of embryos transferred	1.7	1.9	2.1	2.0	
Percentage of elective single embryo transfers (eSET) (%)	18.8	3 / 16	0 / 8	0 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.9	47.6	3 / 15	1 / 7	
Percentage of cycles resulting in live births (%)	39.5	42.9	3 / 15	1 / 7	
Percentage of cycles resulting in singleton live births (%)	27.9	38.1	2 / 15	1 / 7	
Percentage of cycles resulting in twin live births (%)	11.6	4.8	1 / 15	0 / 7	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	23.3	28.6	1 / 15	0 / 7	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.3	36.4	4 / 19	1 / 12	
Percentage of transfers resulting in pregnancies (%)	50.0	10 / 17	3 / 9	1 / 6	
Percentage of transfers resulting in live births (%)	47.2	9 / 17	3 / 9	1 / 6	
Percentage of transfers resulting in singleton live births (%)	33.3	8 / 17	2 / 9	1 / 6	
Percentage of transfers resulting in twin live births (%)	13.9	1 / 17	1 / 9	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	27.8	6 / 17	1 / 9	0 / 6	
Frozen Embryos from Nondonor Eggs					
Number of cycles	20	4	3	1	0
Number of transfers	18	4	3	1	0
Estimated average number of transfers per retrieval	2.6	1.0		1.0	
Average number of embryos transferred	1.6	1.3	1.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	58.6	2 / 5	2 / 3	0 / 3	
Percentage of transfers resulting in pregnancies (%)	13 / 18	2 / 4	2 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	12 / 18	2 / 4	1 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	8 / 18	2 / 4	1 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	4 / 18	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	7 / 18	2 / 4	1 / 3	0 / 1	
Number of Egg or Embryo Banking Cycles	2	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	9	1	3	0
Number of transfers	6	1	3	0
Average number of embryos transferred	1.3	1.0	1.7	
Percentage of embryos transferred resulting in implantation (%)	2 / 8	1 / 1	4 / 5	
Percentage of transfers resulting in pregnancies (%)	2 / 6	1 / 1	2 / 3	
Percentage of transfers resulting in live births (%)	2 / 6	1 / 1	2 / 3	
Percentage of transfers resulting in singleton live births (%)	2 / 6	1 / 1	1 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 1	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 6	1 / 1	1 / 3	

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH AND FERTILITY CENTER
ROCKFORD, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Chiravudh Sawetawan, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	33%	Uterine factor	25%	Multiple Factors:	
Ovulatory dysfunction	37%	Male factor	36%	Female factors only	38%
Diminished ovarian reserve	22%	Other factor	24%	Female & male factors	28%
Endometriosis	25%	Unknown factor	5%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 199
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	52	17	13	7	1
Percentage of cancellations before retrieval (%)	0.0	0 / 17	1 / 13	2 / 7	0 / 1
Number of transfers	44	14	6	4	1
Average number of embryos transferred	1.9	2.0	1.8	3.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	29.3	3 / 14	0 / 3	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	17.3	7 / 17	2 / 13	0 / 7	0 / 1
Percentage of cycles resulting in live births (%)	9.6	6 / 17	1 / 13	0 / 7	0 / 1
Percentage of cycles resulting in singleton live births (%)	9.6	5 / 17	1 / 13	0 / 7	0 / 1
Percentage of cycles resulting in twin live births (%)	0.0	1 / 17	0 / 13	0 / 7	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	9.6	3 / 17	1 / 13	0 / 7	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	12.2	32.1	2 / 11	0 / 12	0 / 1
Percentage of transfers resulting in pregnancies (%)	20.5	7 / 14	2 / 6	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)	11.4	6 / 14	1 / 6	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	11.4	5 / 14	1 / 6	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	1 / 14	0 / 6	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	11.4	3 / 14	1 / 6	0 / 4	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	50	10	0	7	0
Number of transfers	44	10	0	7	0
Estimated average number of transfers per retrieval	2.1	1.0	0.0	1.4	0.0
Average number of embryos transferred	1.5	2.4		2.3	
Percentage of embryos transferred resulting in implantation (%)	18.5	22.7		0 / 14	
Percentage of transfers resulting in pregnancies (%)	29.5	6 / 10		1 / 7	
Percentage of transfers resulting in live births (%)	22.7	4 / 10		0 / 7	
Percentage of transfers resulting in singleton live births (%)	22.7	4 / 10		0 / 7	
Percentage of transfers resulting in twin live births (%)	0.0	0 / 10		0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	22.7	2 / 10		0 / 7	
Number of Egg or Embryo Banking Cycles	5	0	1	1	2
Number of fertility preservation cycles	0	0	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	6	0	21	6
Number of transfers	5	0	20	6
Average number of embryos transferred	2.0		1.4	1.8
Percentage of embryos transferred resulting in implantation (%)	1 / 10		13.6	1 / 11
Percentage of transfers resulting in pregnancies (%)	1 / 5		35.0	1 / 6
Percentage of transfers resulting in live births (%)	1 / 5		5.0	1 / 6
Percentage of transfers resulting in singleton live births (%)	1 / 5		5.0	1 / 6
Percentage of transfers resulting in twin live births (%)	0 / 5		0.0	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 5		5.0	1 / 6

CURRENT SERVICES & PROFILE

This clinic has closed since 2016. Information on current clinic services and profile therefore is not provided here.
Contact the NASS Help Desk for further information.

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHICAGO IVF
SKOKIE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Joel G. Brasch, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	0%	PGD/PGS	5%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	19%	Uterine factor	10%	Multiple Factors:	
Ovulatory dysfunction	27%	Male factor	39%	Female factors only	14%
Diminished ovarian reserve	31%	Other factor	4%	Female & male factors	25%
Endometriosis	8%	Unknown factor	10%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 661
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	163	73	56	32	15
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	0.0	0 / 15
Number of transfers	156	68	52	26	9
Average number of embryos transferred	1.9	1.9	2.6	2.7	2.3
Percentage of elective single embryo transfers (eSET) (%)	14.9	11.3	6.3	0.0	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.8	30.1	19.6	3.1	0 / 15
Percentage of cycles resulting in live births (%)	27.6	20.5	10.7	0.0	0 / 15
Percentage of cycles resulting in singleton live births (%)	19.0	9.6	8.9	0.0	0 / 15
Percentage of cycles resulting in twin live births (%)	6.7	11.0	1.8	0.0	0 / 15
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	17.2	6.8	3.6	0.0	0 / 15
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	26.7	24.4	8.7	2.9	0.0
Percentage of transfers resulting in pregnancies (%)	38.5	32.4	21.2	3.8	0 / 9
Percentage of transfers resulting in live births (%)	28.8	22.1	11.5	0.0	0 / 9
Percentage of transfers resulting in singleton live births (%)	19.9	10.3	9.6	0.0	0 / 9
Percentage of transfers resulting in twin live births (%)	7.1	11.8	1.9	0.0	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	17.9	7.4	3.8	0.0	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	114	57	28	11	7
Number of transfers	113	57	28	11	7
Estimated average number of transfers per retrieval	1.5	1.4	0.9	0.9	1.8
Average number of embryos transferred	1.8	1.8	1.9	2.3	2.6
Percentage of embryos transferred resulting in implantation (%)	20.0	16.7	8.3	4.0	0 / 18
Percentage of transfers resulting in pregnancies (%)	32.7	22.8	10.7	1 / 11	0 / 7
Percentage of transfers resulting in live births (%)	20.4	12.3	7.1	0 / 11	0 / 7
Percentage of transfers resulting in singleton live births (%)	19.5	7.0	3.6	0 / 11	0 / 7
Percentage of transfers resulting in twin live births (%)	0.9	5.3	3.6	0 / 11	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	16.8	3.5	3.6	0 / 11	0 / 7
Number of Egg or Embryo Banking Cycles	21	17	16	9	4
Number of fertility preservation cycles	7	5	6	2	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	18	14	1
Number of transfers	1	16	14	1
Average number of embryos transferred	1.0	1.9	1.8	2.0
Percentage of embryos transferred resulting in implantation (%)	1 / 1	36.7	8.7	1 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 1	8 / 16	3 / 14	1 / 1
Percentage of transfers resulting in live births (%)	1 / 1	6 / 16	2 / 14	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 1	4 / 16	2 / 14	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1	2 / 16	0 / 14	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 1	3 / 16	2 / 14	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Chicago IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH SHORE FERTILITY
SKOKIE, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Anne Borkowski, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	1%	PGD/PGS	11%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	8%	Uterine factor	1%	Multiple Factors:	
Ovulatory dysfunction	33%	Male factor	18%	Female factors only	5%
Diminished ovarian reserve	16%	Other factor	18%	Female & male factors	6%
Endometriosis	4%	Unknown factor	16%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 193
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	21	6	22	22	27
Percentage of cancellations before retrieval (%)	4.8	0 / 6	0.0	13.6	14.8
Number of transfers	9	4	16	8	10
Average number of embryos transferred	1.3	1.5	1.4	2.1	1.6
Percentage of elective single embryo transfers (eSET) (%)	5 / 8	1 / 3	6 / 13	1 / 7	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	14.3	0 / 6	4.5	4.5	3.7
Percentage of cycles resulting in live births (%)	14.3	0 / 6	4.5	0.0	0.0
Percentage of cycles resulting in singleton live births (%)	14.3	0 / 6	0.0	0.0	0.0
Percentage of cycles resulting in twin live births (%)	0.0	0 / 6	4.5	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0.0	0 / 6	0.0	0.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 10	0 / 6	8.7	0 / 16	0 / 14
Percentage of transfers resulting in pregnancies (%)	3 / 9	0 / 4	1 / 16	1 / 8	1 / 10
Percentage of transfers resulting in live births (%)	3 / 9	0 / 4	1 / 16	0 / 8	0 / 10
Percentage of transfers resulting in singleton live births (%)	3 / 9	0 / 4	0 / 16	0 / 8	0 / 10
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 4	1 / 16	0 / 8	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 9	0 / 4	0 / 16	0 / 8	0 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	25	11	14	9	5
Number of transfers	24	11	13	8	5
Estimated average number of transfers per retrieval	1.8	1.6	0.7	0.6	0.7
Average number of embryos transferred	1.3	1.1	1.6	1.4	2.6
Percentage of embryos transferred resulting in implantation (%)	40.0	7 / 12	5 / 19	2 / 11	0 / 13
Percentage of transfers resulting in pregnancies (%)	37.5	7 / 11	5 / 13	2 / 8	0 / 5
Percentage of transfers resulting in live births (%)	8.3	2 / 11	2 / 13	1 / 8	0 / 5
Percentage of transfers resulting in singleton live births (%)	8.3	2 / 11	2 / 13	1 / 8	0 / 5
Percentage of transfers resulting in twin live births (%)	0.0	0 / 11	0 / 13	0 / 8	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0.0	0 / 11	0 / 13	0 / 8	0 / 5
Number of Egg or Embryo Banking Cycles	4	5	5	4	7
Number of fertility preservation cycles	0	2	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	2	3
Number of transfers	0	0	2	3
Average number of embryos transferred			1.0	1.0
Percentage of embryos transferred resulting in implantation (%)			1 / 2	1 / 3
Percentage of transfers resulting in pregnancies (%)			1 / 2	1 / 3
Percentage of transfers resulting in live births (%)			1 / 2	1 / 3
Percentage of transfers resulting in singleton live births (%)			1 / 2	1 / 3
Percentage of transfers resulting in twin live births (%)			0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			0 / 2	0 / 3

CURRENT SERVICES & PROFILE

Current Name: North Shore Fertility

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTHERN ILLINOIS UNIVERSITY SCHOOL OF MEDICINE FERTILITY AND IVF CENTER SPRINGFIELD, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by J. Ricardo Loret de Mola, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	28%
Unstimulated	0%	PGD/PGS	<1%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	14%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	27%	Male factor	23%	Female factors only	6%
Diminished ovarian reserve	18%	Other factor	2%	Female & male factors	11%
Endometriosis	24%	Unknown factor	7%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 199
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	80	36	16	8	1
Percentage of cancellations before retrieval (%)	5.0	8.3	5 / 16	2 / 8	1 / 1
Number of transfers	72	32	11	6	0
Average number of embryos transferred	1.7	1.8	1.8	1.8	
Percentage of elective single embryo transfers (eSET) (%)	25.4	11.1	1 / 9	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	57.5	41.7	5 / 16	2 / 8	0 / 1
Percentage of cycles resulting in live births (%)	55.0	36.1	5 / 16	2 / 8	0 / 1
Percentage of cycles resulting in singleton live births (%)	43.8	27.8	5 / 16	2 / 8	0 / 1
Percentage of cycles resulting in twin live births (%)	11.3	8.3	0 / 16	0 / 8	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	38.8	25.0	5 / 16	1 / 8	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.0	33.3	35.0	4 / 11	
Percentage of transfers resulting in pregnancies (%)	63.9	46.9	5 / 11	2 / 6	
Percentage of transfers resulting in live births (%)	61.1	40.6	5 / 11	2 / 6	
Percentage of transfers resulting in singleton live births (%)	48.6	31.3	5 / 11	2 / 6	
Percentage of transfers resulting in twin live births (%)	12.5	9.4	0 / 11	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	43.1	28.1	5 / 11	1 / 6	
Frozen Embryos from Nondonor Eggs					
Number of cycles	21	3	4	2	0
Number of transfers	18	2	4	2	0
Estimated average number of transfers per retrieval	1.8	2.0	0.6	0.5	
Average number of embryos transferred	1.8	2.0	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	39.4	3 / 4	4 / 7	0 / 4	
Percentage of transfers resulting in pregnancies (%)	9 / 18	2 / 2	3 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	7 / 18	2 / 2	3 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 18	1 / 2	2 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	3 / 18	1 / 2	1 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 18	1 / 2	2 / 4	0 / 2	
Number of Egg or Embryo Banking Cycles	2	1	4	3	0
Number of fertility preservation cycles	0	0	3	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	14	0	4	0
Number of transfers	14	0	3	0
Average number of embryos transferred	1.9		2.0	
Percentage of embryos transferred resulting in implantation (%)	51.9		2 / 6	
Percentage of transfers resulting in pregnancies (%)	10 / 14		2 / 3	
Percentage of transfers resulting in live births (%)	10 / 14		2 / 3	
Percentage of transfers resulting in singleton live births (%)	8 / 14		2 / 3	
Percentage of transfers resulting in twin live births (%)	2 / 14		0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	6 / 14		2 / 3	

CURRENT SERVICES & PROFILE

Current Name: Southern Illinois University School of Medicine Fertility and IVF Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTERS FOR REPRODUCTIVE MEDICINE AND WELLNESS
SWANSEA, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Amber Cooper, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	73%
Unstimulated	0%	PGD/PGS	10%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	5%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	30%	Male factor	22%	Female factors only	13%
Diminished ovarian reserve	41%	Other factor	17%	Female & male factors	19%
Endometriosis	15%	Unknown factor	7%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 199
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	30	26	14	6	5
Percentage of cancellations before retrieval (%)	16.7	42.3	4 / 14	3 / 6	2 / 5
Number of transfers	19	13	8	1	2
Average number of embryos transferred	1.8	1.9	2.0	1.0	2.5
Percentage of elective single embryo transfers (eSET) (%)	5 / 18	0 / 10	0 / 6		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	43.3	26.9	2 / 14	0 / 6	0 / 5
Percentage of cycles resulting in live births (%)	40.0	19.2	1 / 14	0 / 6	0 / 5
Percentage of cycles resulting in singleton live births (%)	26.7	11.5	1 / 14	0 / 6	0 / 5
Percentage of cycles resulting in twin live births (%)	13.3	7.7	0 / 14	0 / 6	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	23.3	11.5	1 / 14	0 / 6	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.9	34.8	2 / 16	0 / 1	0 / 5
Percentage of transfers resulting in pregnancies (%)	13 / 19	7 / 13	2 / 8	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	12 / 19	5 / 13	1 / 8	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	8 / 19	3 / 13	1 / 8	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	4 / 19	2 / 13	0 / 8	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	7 / 19	3 / 13	1 / 8	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	28	13	5	0	0
Number of transfers	23	12	4	0	0
Estimated average number of transfers per retrieval	0.6	0.5	0.4		
Average number of embryos transferred	1.5	1.3	1.3		
Percentage of embryos transferred resulting in implantation (%)	42.4	3 / 15	4 / 5		
Percentage of transfers resulting in pregnancies (%)	60.9	4 / 12	3 / 4		
Percentage of transfers resulting in live births (%)	52.2	3 / 12	3 / 4		
Percentage of transfers resulting in singleton live births (%)	52.2	3 / 12	2 / 4		
Percentage of transfers resulting in twin live births (%)	0.0	0 / 12	1 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	47.8	2 / 12	2 / 4		
Number of Egg or Embryo Banking Cycles	35	21	9	0	0
Number of fertility preservation cycles	5	3	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	2	2	0
Number of transfers	0	1	2	0
Average number of embryos transferred		2.0	1.5	
Percentage of embryos transferred resulting in implantation (%)		2 / 2	2 / 3	
Percentage of transfers resulting in pregnancies (%)		1 / 1	1 / 2	
Percentage of transfers resulting in live births (%)		0 / 1	1 / 2	
Percentage of transfers resulting in singleton live births (%)		0 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)		0 / 1	1 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		0 / 1	0 / 2	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Vios Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SETH LEVRANT, MD, PC
PARTNERS IN REPRODUCTIVE HEALTH
TINLEY PARK, ILLINOIS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Seth G. Levrant, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	44%
Unstimulated	0%	PGD/PGS	4%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	20%	Uterine factor	18%	Multiple Factors:	
Ovulatory dysfunction	42%	Male factor	27%	Female factors only	44%
Diminished ovarian reserve	23%	Other factor	47%	Female & male factors	18%
Endometriosis	19%	Unknown factor	1%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 98
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	31	8	13	3	2
Percentage of cancellations before retrieval (%)	12.9	1 / 8	0 / 13	0 / 3	2 / 2
Number of transfers	25	6	13	3	0
Average number of embryos transferred	1.2	2.2	2.2	2.3	
Percentage of elective single embryo transfers (eSET) (%)	73.9	0 / 6	0 / 13	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.7	2 / 8	2 / 13	0 / 3	0 / 2
Percentage of cycles resulting in live births (%)	35.5	2 / 8	2 / 13	0 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)	32.3	0 / 8	2 / 13	0 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)	3.2	2 / 8	0 / 13	0 / 3	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	29.0	0 / 8	2 / 13	0 / 3	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.9	4 / 13	7.1	0 / 7	
Percentage of transfers resulting in pregnancies (%)	48.0	2 / 6	2 / 13	0 / 3	
Percentage of transfers resulting in live births (%)	44.0	2 / 6	2 / 13	0 / 3	
Percentage of transfers resulting in singleton live births (%)	40.0	0 / 6	2 / 13	0 / 3	
Percentage of transfers resulting in twin live births (%)	4.0	2 / 6	0 / 13	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	36.0	0 / 6	2 / 13	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	19	1	9	1	0
Number of transfers	16	1	5	1	0
Estimated average number of transfers per retrieval	1.5	1.0	1.0		
Average number of embryos transferred	1.4	2.0	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	14.3	0 / 2	2 / 7	1 / 2	
Percentage of transfers resulting in pregnancies (%)	4 / 16	0 / 1	3 / 5	1 / 1	
Percentage of transfers resulting in live births (%)	3 / 16	0 / 1	2 / 5	1 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 16	0 / 1	2 / 5	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 1	0 / 5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 16	0 / 1	1 / 5	1 / 1	
Number of Egg or Embryo Banking Cycles	1	1	1	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	7	0
Number of transfers	1	0	4	0
Average number of embryos transferred	1.0		1.5	
Percentage of embryos transferred resulting in implantation (%)	0 / 1		0 / 4	
Percentage of transfers resulting in pregnancies (%)	0 / 1		1 / 4	
Percentage of transfers resulting in live births (%)	0 / 1		0 / 4	
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1		0 / 4	

CURRENT SERVICES & PROFILE

Current Name: Seth Levrant, MD, PC, Partners in Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST FERTILITY SPECIALISTS
CARMEL, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Laura M. Reuter, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	0%	PGD/PGS	24%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	9%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	14%	Male factor	29%	Female factors only	8%
Diminished ovarian reserve	22%	Other factor	26%	Female & male factors	14%
Endometriosis	7%	Unknown factor	12%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,103
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	158	70	37	14	6
Percentage of cancellations before retrieval (%)	14.6	25.7	32.4	4 / 14	3 / 6
Number of transfers	89	39	15	7	2
Average number of embryos transferred	1.8	1.8	2.2	2.4	2.0
Percentage of elective single embryo transfers (eSET) (%)	12.2	6.1	0 / 14	0 / 7	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	21.5	17.1	5.4	1 / 14	1 / 6
Percentage of cycles resulting in live births (%)	19.6	14.3	2.7	0 / 14	0 / 6
Percentage of cycles resulting in singleton live births (%)	14.6	11.4	2.7	0 / 14	0 / 6
Percentage of cycles resulting in twin live births (%)	5.1	2.9	0.0	0 / 14	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	12.0	8.6	2.7	0 / 14	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	26.6	21.4	6.1	0 / 13	0 / 1
Percentage of transfers resulting in pregnancies (%)	38.2	30.8	2 / 15	1 / 7	1 / 2
Percentage of transfers resulting in live births (%)	34.8	25.6	1 / 15	0 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	25.8	20.5	1 / 15	0 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	9.0	5.1	0 / 15	0 / 7	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	21.3	15.4	1 / 15	0 / 7	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	225	79	42	6	2
Number of transfers	201	66	38	4	2
Estimated average number of transfers per retrieval	1.0	0.9	0.7	0.2	0.4
Average number of embryos transferred	1.3	1.3	1.4	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	48.2	37.8	33.3	1 / 4	0 / 4
Percentage of transfers resulting in pregnancies (%)	55.7	48.5	42.1	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	50.7	37.9	28.9	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	44.3	36.4	28.9	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	6.5	1.5	0.0	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	38.8	31.8	26.3	1 / 4	0 / 2
Number of Egg or Embryo Banking Cycles	165	62	48	25	5
Number of fertility preservation cycles	3	1	3	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	25	21	74	38
Number of transfers	17	15	63	36
Average number of embryos transferred	1.6	1.7	1.3	1.8
Percentage of embryos transferred resulting in implantation (%)	50.0	34.6	48.7	32.8
Percentage of transfers resulting in pregnancies (%)	11 / 17	7 / 15	58.7	52.8
Percentage of transfers resulting in live births (%)	8 / 17	7 / 15	41.3	44.4
Percentage of transfers resulting in singleton live births (%)	5 / 17	5 / 15	34.9	38.9
Percentage of transfers resulting in twin live births (%)	3 / 17	2 / 15	6.3	5.6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 17	4 / 15	31.7	27.8

CURRENT SERVICES & PROFILE

Current Name: Midwest Fertility Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTION INSTITUTE, LLC
ADVANCED FERTILITY GROUP
EVANSVILLE, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by William L. Gentry, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	26%
Unstimulated	0%	PGD/PGS	<1%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	22%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	52%	Male factor	27%	Female factors only	26%
Diminished ovarian reserve	21%	Other factor	8%	Female & male factors	20%
Endometriosis	20%	Unknown factor	0%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 173
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	58	16	11	6	3
Percentage of cancellations before retrieval (%)	8.6	2 / 16	0 / 11	2 / 6	1 / 3
Number of transfers	50	12	11	4	2
Average number of embryos transferred	1.8	2.0	2.0	2.5	2.5
Percentage of elective single embryo transfers (eSET) (%)	17.0	0 / 11	0 / 9	0 / 4	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.4	6 / 16	5 / 11	3 / 6	1 / 3
Percentage of cycles resulting in live births (%)	31.0	4 / 16	4 / 11	0 / 6	0 / 3
Percentage of cycles resulting in singleton live births (%)	20.7	3 / 16	2 / 11	0 / 6	0 / 3
Percentage of cycles resulting in twin live births (%)	5.2	1 / 16	2 / 11	0 / 6	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	15.5	1 / 16	2 / 11	0 / 6	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.3	36.4	30.0	1 / 5	1 / 5
Percentage of transfers resulting in pregnancies (%)	48.0	6 / 12	5 / 11	3 / 4	1 / 2
Percentage of transfers resulting in live births (%)	36.0	4 / 12	4 / 11	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	24.0	3 / 12	2 / 11	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	6.0	1 / 12	2 / 11	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	18.0	1 / 12	2 / 11	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	33	4	4	1	2
Number of transfers	32	4	4	1	2
Estimated average number of transfers per retrieval	2.5	1.0	4.0	0.5	
Average number of embryos transferred	1.7	1.8	1.5	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	43.8	2 / 7	0 / 6	0 / 2	3 / 3
Percentage of transfers resulting in pregnancies (%)	59.4	1 / 4	0 / 4	0 / 1	2 / 2
Percentage of transfers resulting in live births (%)	40.6	1 / 4	0 / 4	0 / 1	2 / 2
Percentage of transfers resulting in singleton live births (%)	31.3	0 / 4	0 / 4	0 / 1	1 / 2
Percentage of transfers resulting in twin live births (%)	9.4	1 / 4	0 / 4	0 / 1	1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.1	0 / 4	0 / 4	0 / 1	1 / 2
Number of Egg or Embryo Banking Cycles	2	2	1	1	0
Number of fertility preservation cycles	2	2	1	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	9	0	12	8
Number of transfers	9	0	9	8
Average number of embryos transferred	1.7		1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	11 / 13		5 / 15	6 / 16
Percentage of transfers resulting in pregnancies (%)	8 / 9		4 / 9	6 / 8
Percentage of transfers resulting in live births (%)	7 / 9		3 / 9	4 / 8
Percentage of transfers resulting in singleton live births (%)	5 / 9		2 / 9	4 / 8
Percentage of transfers resulting in twin live births (%)	2 / 9		1 / 9	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 9		2 / 9	3 / 8

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproduction Institute, LLC, Advanced Fertility Group

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY GROUP
INDIANAPOLIS, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by William L. Gentry, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	41%
Unstimulated	2%	PGD/PGS	6%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	2%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	36%	Male factor	30%	Female factors only	5%
Diminished ovarian reserve	19%	Other factor	9%	Female & male factors	11%
Endometriosis	14%	Unknown factor	1%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 99
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	28	14	10	3	0
Percentage of cancellations before retrieval (%)	17.9	3 / 14	1 / 10	0 / 3	
Number of transfers	22	8	5	3	0
Average number of embryos transferred	2.1	1.9	2.6	2.3	
Percentage of elective single embryo transfers (eSET) (%)	9.1	1 / 8	0 / 5	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	46.4	3 / 14	1 / 10	1 / 3	
Percentage of cycles resulting in live births (%)	46.4	3 / 14	0 / 10	1 / 3	
Percentage of cycles resulting in singleton live births (%)	35.7	3 / 14	0 / 10	1 / 3	
Percentage of cycles resulting in twin live births (%)	7.1	0 / 14	0 / 10	0 / 3	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	35.7	1 / 14	0 / 10	1 / 3	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.1	3 / 15	1 / 13	1 / 7	
Percentage of transfers resulting in pregnancies (%)	59.1	3 / 8	1 / 5	1 / 3	
Percentage of transfers resulting in live births (%)	59.1	3 / 8	0 / 5	1 / 3	
Percentage of transfers resulting in singleton live births (%)	45.5	3 / 8	0 / 5	1 / 3	
Percentage of transfers resulting in twin live births (%)	9.1	0 / 8	0 / 5	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	45.5	1 / 8	0 / 5	1 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	12	7	5	3	2
Number of transfers	12	7	5	3	2
Estimated average number of transfers per retrieval	2.4	1.0	1.0		2.0
Average number of embryos transferred	1.5	1.6	1.4	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	7 / 18	4 / 11	2 / 7	2 / 4	0 / 4
Percentage of transfers resulting in pregnancies (%)	6 / 12	4 / 7	2 / 5	2 / 3	0 / 2
Percentage of transfers resulting in live births (%)	6 / 12	3 / 7	2 / 5	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	5 / 12	3 / 7	2 / 5	1 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 7	0 / 5	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 12	3 / 7	2 / 5	1 / 3	0 / 2
Number of Egg or Embryo Banking Cycles	3	4	3	0	1
Number of fertility preservation cycles	1	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	2	1
Number of transfers	1	0	2	1
Average number of embryos transferred	2.0		1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	0 / 2		0 / 1	3 / 2
Percentage of transfers resulting in pregnancies (%)	0 / 1		1 / 2	1 / 1
Percentage of transfers resulting in live births (%)	0 / 1		0 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1		0 / 2	1 / 1

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Group

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COMMUNITY REPRODUCTIVE ENDOCRINOLOGY
INDIANAPOLIS, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David E. Carnovale, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	0%	PGD/PGS	17%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	2%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	23%	Male factor	65%	Female factors only	2%
Diminished ovarian reserve	9%	Other factor	11%	Female & male factors	32%
Endometriosis	26%	Unknown factor	4%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 180
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	38	13	6	2	0
Percentage of cancellations before retrieval (%)	18.4	2 / 13	3 / 6	1 / 2	
Number of transfers	25	8	2	0	0
Average number of embryos transferred	1.8	1.9	2.0		
Percentage of elective single embryo transfers (eSET) (%)	24.0	1 / 8	0 / 2		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	44.7	3 / 13	1 / 6	0 / 2	
Percentage of cycles resulting in live births (%)	36.8	2 / 13	1 / 6	0 / 2	
Percentage of cycles resulting in singleton live births (%)	31.6	2 / 13	0 / 6	0 / 2	
Percentage of cycles resulting in twin live births (%)	5.3	0 / 13	1 / 6	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	18.4	2 / 13	0 / 6	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.6	2 / 13	2 / 4		
Percentage of transfers resulting in pregnancies (%)	68.0	3 / 8	1 / 2		
Percentage of transfers resulting in live births (%)	56.0	2 / 8	1 / 2		
Percentage of transfers resulting in singleton live births (%)	48.0	2 / 8	0 / 2		
Percentage of transfers resulting in twin live births (%)	8.0	0 / 8	1 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.0	2 / 8	0 / 2		
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	26	11	3	0
Number of transfers	38	26	9	3	0
Estimated average number of transfers per retrieval	2.1	2.0	0.9	1.5	0.0
Average number of embryos transferred	1.6	1.3	1.6	1.0	
Percentage of embryos transferred resulting in implantation (%)	47.3	34.4	2 / 14	1 / 3	
Percentage of transfers resulting in pregnancies (%)	60.5	42.3	2 / 9	1 / 3	
Percentage of transfers resulting in live births (%)	39.5	30.8	2 / 9	1 / 3	
Percentage of transfers resulting in singleton live births (%)	31.6	26.9	2 / 9	1 / 3	
Percentage of transfers resulting in twin live births (%)	7.9	3.8	0 / 9	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.3	23.1	2 / 9	1 / 3	
Number of Egg or Embryo Banking Cycles	11	10	9	2	2
Number of fertility preservation cycles	0	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	1	2
Number of transfers	1	0	1	2
Average number of embryos transferred	2.0		2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	1 / 2		2 / 2	3 / 4
Percentage of transfers resulting in pregnancies (%)	1 / 1		1 / 1	2 / 2
Percentage of transfers resulting in live births (%)	1 / 1		1 / 1	2 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 1		0 / 1	2 / 2
Percentage of transfers resulting in twin live births (%)	0 / 1		1 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 1		0 / 1	2 / 2

CURRENT SERVICES & PROFILE

Current Name: Community Reproductive Endocrinology

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FAMILY BEGINNINGS, PC
INDIANAPOLIS, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James G. Donahue, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	65%
Unstimulated	<1%	PGD/PGS	16%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	20%	Male factor	19%	Female factors only	1%
Diminished ovarian reserve	11%	Other factor	13%	Female & male factors	6%
Endometriosis	3%	Unknown factor	32%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 240
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	55	18	22	7	5
Percentage of cancellations before retrieval (%)	14.5	3 / 18	4.5	4 / 7	2 / 5
Number of transfers	43	10	12	2	2
Average number of embryos transferred	1.7	1.7	1.8	1.5	2.5
Percentage of elective single embryo transfers (eSET) (%)	6.1	1 / 8	0 / 8	1 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	23.6	1 / 18	4.5	0 / 7	0 / 5
Percentage of cycles resulting in live births (%)	20.0	1 / 18	4.5	0 / 7	0 / 5
Percentage of cycles resulting in singleton live births (%)	18.2	1 / 18	0.0	0 / 7	0 / 5
Percentage of cycles resulting in twin live births (%)	1.8	0 / 18	4.5	0 / 7	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	16.4	0 / 18	0.0	0 / 7	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	17.8	1 / 17	9.5	0 / 3	0 / 5
Percentage of transfers resulting in pregnancies (%)	30.2	1 / 10	1 / 12	0 / 2	0 / 2
Percentage of transfers resulting in live births (%)	25.6	1 / 10	1 / 12	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	23.3	1 / 10	0 / 12	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	2.3	0 / 10	1 / 12	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	20.9	0 / 10	0 / 12	0 / 2	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	31	19	9	2	3
Number of transfers	25	13	8	2	1
Estimated average number of transfers per retrieval	0.7	0.9	0.4	1.0	0.2
Average number of embryos transferred	1.5	1.5	1.3	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	16.2	3 / 19	0 / 10	0 / 4	1 / 1
Percentage of transfers resulting in pregnancies (%)	24.0	2 / 13	0 / 8	0 / 2	1 / 1
Percentage of transfers resulting in live births (%)	20.0	2 / 13	0 / 8	0 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	20.0	1 / 13	0 / 8	0 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	0.0	1 / 13	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	16.0	1 / 13	0 / 8	0 / 2	1 / 1
Number of Egg or Embryo Banking Cycles	26	14	13	1	6
Number of fertility preservation cycles	1	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	3	0	5	1
Number of transfers	1	0	3	1
Average number of embryos transferred	2.0		2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	0 / 2		0 / 6	0 / 1
Percentage of transfers resulting in pregnancies (%)	0 / 1		0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	0 / 1		0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1		0 / 3	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Family Beginnings, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INDIANA FERTILITY INSTITUTE
INDIANAPOLIS, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John C. Jarrett II, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	<1%	PGD/PGS	8%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	7%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	24%	Male factor	22%	Female factors only	14%
Diminished ovarian reserve	19%	Other factor	18%	Female & male factors	13%
Endometriosis	22%	Unknown factor	17%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 669
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	282	87	64	24	20
Percentage of cancellations before retrieval (%)	3.5	6.9	7.8	16.7	10.0
Number of transfers	209	53	44	11	12
Average number of embryos transferred	1.5	1.7	1.6	1.7	1.8
Percentage of elective single embryo transfers (eSET) (%)	21.2	2.9	3.8	1 / 9	1 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.4	36.8	26.6	16.7	10.0
Percentage of cycles resulting in live births (%)	35.1	28.7	18.8	12.5	5.0
Percentage of cycles resulting in singleton live births (%)	28.4	18.4	17.2	8.3	5.0
Percentage of cycles resulting in twin live births (%)	6.7	10.3	0.0	4.2	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	23.0	17.2	15.6	4.2	5.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.2	46.8	24.6	5 / 19	5.0
Percentage of transfers resulting in pregnancies (%)	54.5	60.4	38.6	4 / 11	2 / 12
Percentage of transfers resulting in live births (%)	47.4	47.2	27.3	3 / 11	1 / 12
Percentage of transfers resulting in singleton live births (%)	38.3	30.2	25.0	2 / 11	1 / 12
Percentage of transfers resulting in twin live births (%)	9.1	17.0	0.0	1 / 11	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.1	28.3	22.7	1 / 11	1 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	43	15	8	3	0
Number of transfers	41	15	8	3	0
Estimated average number of transfers per retrieval	0.6	0.7	0.3	0.8	0.0
Average number of embryos transferred	1.4	1.3	1.3	1.3	
Percentage of embryos transferred resulting in implantation (%)	27.8	9 / 19	5 / 10	1 / 4	
Percentage of transfers resulting in pregnancies (%)	39.0	7 / 15	5 / 8	1 / 3	
Percentage of transfers resulting in live births (%)	26.8	7 / 15	5 / 8	1 / 3	
Percentage of transfers resulting in singleton live births (%)	26.8	5 / 15	5 / 8	1 / 3	
Percentage of transfers resulting in twin live births (%)	0.0	2 / 15	0 / 8	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.8	5 / 15	5 / 8	1 / 3	
Number of Egg or Embryo Banking Cycles	32	18	17	3	8
Number of fertility preservation cycles	1	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	20	0	25	0
Number of transfers	15	0	21	0
Average number of embryos transferred	1.8		1.6	
Percentage of embryos transferred resulting in implantation (%)	43.5		25.9	
Percentage of transfers resulting in pregnancies (%)	9 / 15		38.1	
Percentage of transfers resulting in live births (%)	6 / 15		23.8	
Percentage of transfers resulting in singleton live births (%)	3 / 15		14.3	
Percentage of transfers resulting in twin live births (%)	3 / 15		9.5	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 15		14.3	

CURRENT SERVICES & PROFILE

Current Name: Indiana Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INDIANA UNIVERSITY HOSPITAL
INDIANAPOLIS, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Marguerite K. Shepard, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	25%
Unstimulated	0%	PGD/PGS	50%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	13%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	50%	Male factor	25%	Female factors only	0%
Diminished ovarian reserve	0%	Other factor	25%	Female & male factors	25%
Endometriosis	13%	Unknown factor	0%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 9
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	1	0	0	0
Percentage of cancellations before retrieval (%)		0 / 1			
Number of transfers	0	1	0	0	0
Average number of embryos transferred		3.0			
Percentage of elective single embryo transfers (eSET) (%)		0 / 1			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)		0 / 1			
Percentage of cycles resulting in live births (%)		0 / 1			
Percentage of cycles resulting in singleton live births (%)		0 / 1			
Percentage of cycles resulting in twin live births (%)		0 / 1			
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)		0 / 1			
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		0 / 3			
Percentage of transfers resulting in pregnancies (%)		0 / 1			
Percentage of transfers resulting in live births (%)		0 / 1			
Percentage of transfers resulting in singleton live births (%)		0 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		0 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	1	5	0	1
Number of transfers	0	1	4	0	1
Estimated average number of transfers per retrieval		1.0			
Average number of embryos transferred		1.0	1.5		2.0
Percentage of embryos transferred resulting in implantation (%)		1 / 1	2 / 6		0 / 2
Percentage of transfers resulting in pregnancies (%)		1 / 1	2 / 4		0 / 1
Percentage of transfers resulting in live births (%)		1 / 1	1 / 4		0 / 1
Percentage of transfers resulting in singleton live births (%)		1 / 1	1 / 4		0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 4		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		1 / 1	1 / 4		0 / 1
Number of Egg or Embryo Banking Cycles	0	1	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	0	0
Number of transfers	0	0	0	0
Average number of embryos transferred				
Percentage of embryos transferred resulting in implantation (%)				
Percentage of transfers resulting in pregnancies (%)				
Percentage of transfers resulting in live births (%)				
Percentage of transfers resulting in singleton live births (%)				
Percentage of transfers resulting in twin live births (%)				
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)				

CURRENT SERVICES & PROFILE

Current Name: Indiana University Hospital

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE CARE OF INDIANA
INDIANAPOLIS, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael A. Henry, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	27%
Unstimulated	0%	PGD/PGS	6%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	8%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	17%	Male factor	16%	Female factors only	4%
Diminished ovarian reserve	12%	Other factor	25%	Female & male factors	5%
Endometriosis	11%	Unknown factor	18%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 148
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	82	18	20	4	8
Percentage of cancellations before retrieval (%)	11.0	3 / 18	20.0	0 / 4	2 / 8
Number of transfers	68	13	15	3	4
Average number of embryos transferred	2.0	2.2	2.6	2.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	3.3	0 / 12	1 / 14	0 / 3	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	56.1	7 / 18	45.0	1 / 4	2 / 8
Percentage of cycles resulting in live births (%)	52.4	7 / 18	45.0	1 / 4	2 / 8
Percentage of cycles resulting in singleton live births (%)	32.9	5 / 18	45.0	1 / 4	1 / 8
Percentage of cycles resulting in twin live births (%)	19.5	1 / 18	0.0	0 / 4	1 / 8
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	30.5	2 / 18	25.0	1 / 4	0 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	50.0	41.4	28.2	1 / 7	3 / 12
Percentage of transfers resulting in pregnancies (%)	67.6	7 / 13	9 / 15	1 / 3	2 / 4
Percentage of transfers resulting in live births (%)	63.2	7 / 13	9 / 15	1 / 3	2 / 4
Percentage of transfers resulting in singleton live births (%)	39.7	5 / 13	9 / 15	1 / 3	1 / 4
Percentage of transfers resulting in twin live births (%)	23.5	1 / 13	0 / 15	0 / 3	1 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	36.8	2 / 13	5 / 15	1 / 3	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	3	2	0	1	0
Number of transfers	3	1	0	1	0
Estimated average number of transfers per retrieval	0.3	0.5		1.0	0.0
Average number of embryos transferred	2.0	2.0		1.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 6	2 / 2		0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 3	1 / 1		0 / 1	
Percentage of transfers resulting in live births (%)	2 / 3	1 / 1		0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 3	0 / 1		0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 1		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 3	0 / 1		0 / 1	
Number of Egg or Embryo Banking Cycles	6	1	0	1	2
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	0	0
Number of transfers	0	0	0	0
Average number of embryos transferred				
Percentage of embryos transferred resulting in implantation (%)				
Percentage of transfers resulting in pregnancies (%)				
Percentage of transfers resulting in live births (%)				
Percentage of transfers resulting in singleton live births (%)				
Percentage of transfers resulting in twin live births (%)				
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)				

CURRENT SERVICES & PROFILE

Current Name: Henry Fertility dba, Reproductive Care of Indiana

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF AT THE WOMEN'S HOSPITAL
NEWBURGH, INDIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Daniel W. Griffin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	0%	PGD/PGS	11%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	12%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	24%	Male factor	45%	Female factors only	15%
Diminished ovarian reserve	26%	Other factor	11%	Female & male factors	26%
Endometriosis	18%	Unknown factor	5%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 375
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	104	27	26	2	7
Percentage of cancellations before retrieval (%)	4.8	29.6	19.2	0 / 2	3 / 7
Number of transfers	69	12	16	1	4
Average number of embryos transferred	1.6	1.8	1.8	2.0	1.8
Percentage of elective single embryo transfers (eSET) (%)	31.7	1 / 9	0 / 11	0 / 1	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	29.8	14.8	19.2	0 / 2	0 / 7
Percentage of cycles resulting in live births (%)	27.9	14.8	19.2	0 / 2	0 / 7
Percentage of cycles resulting in singleton live births (%)	21.2	7.4	19.2	0 / 2	0 / 7
Percentage of cycles resulting in twin live births (%)	5.8	7.4	0.0	0 / 2	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	17.3	7.4	19.2	0 / 2	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.1	28.6	17.2	0 / 2	0 / 7
Percentage of transfers resulting in pregnancies (%)	44.9	4 / 12	5 / 16	0 / 1	0 / 4
Percentage of transfers resulting in live births (%)	42.0	4 / 12	5 / 16	0 / 1	0 / 4
Percentage of transfers resulting in singleton live births (%)	31.9	2 / 12	5 / 16	0 / 1	0 / 4
Percentage of transfers resulting in twin live births (%)	8.7	2 / 12	0 / 16	0 / 1	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.1	2 / 12	5 / 16	0 / 1	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	103	19	22	3	0
Number of transfers	92	19	21	3	0
Estimated average number of transfers per retrieval	1.4	1.5	0.9	0.5	
Average number of embryos transferred	1.4	1.5	1.3	1.3	
Percentage of embryos transferred resulting in implantation (%)	52.4	35.7	48.0	3 / 4	
Percentage of transfers resulting in pregnancies (%)	58.7	7 / 19	61.9	2 / 3	
Percentage of transfers resulting in live births (%)	53.3	6 / 19	42.9	1 / 3	
Percentage of transfers resulting in singleton live births (%)	38.0	4 / 19	42.9	0 / 3	
Percentage of transfers resulting in twin live births (%)	15.2	2 / 19	0.0	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	33.7	2 / 19	42.9	0 / 3	
Number of Egg or Embryo Banking Cycles	21	6	12	6	0
Number of fertility preservation cycles	2	0	0	5	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	6	4	2
Number of transfers	2	5	4	2
Average number of embryos transferred	2.5	2.0	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	0 / 5	4 / 10	1 / 4	1 / 4
Percentage of transfers resulting in pregnancies (%)	0 / 2	2 / 5	2 / 4	1 / 2
Percentage of transfers resulting in live births (%)	0 / 2	2 / 5	1 / 4	1 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 5	1 / 4	1 / 2
Percentage of transfers resulting in twin live births (%)	0 / 2	2 / 5	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 2	0 / 5	1 / 4	1 / 2

CURRENT SERVICES & PROFILE

Current Name: Boston IVF at the Women's Hospital

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-IOWA FERTILITY, PC
CLIVE, IOWA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Donald C. Young, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	0%	PGD/PGS	31%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	7%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	15%	Male factor	32%	Female factors only	<1%
Diminished ovarian reserve	17%	Other factor	7%	Female & male factors	<1%
Endometriosis	10%	Unknown factor	12%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 628
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	127	24	21	4	3
Percentage of cancellations before retrieval (%)	15.7	12.5	38.1	1 / 4	1 / 3
Number of transfers	71	12	6	0	1
Average number of embryos transferred	1.7	1.6	1.3		2.0
Percentage of elective single embryo transfers (eSET) (%)	20.0	2 / 9	1 / 3		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.3	37.5	9.5	0 / 4	1 / 3
Percentage of cycles resulting in live births (%)	30.7	37.5	4.8	0 / 4	0 / 3
Percentage of cycles resulting in singleton live births (%)	20.5	29.2	4.8	0 / 4	0 / 3
Percentage of cycles resulting in twin live births (%)	9.4	8.3	0.0	0 / 4	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	16.5	25.0	4.8	0 / 4	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.3	12 / 19	1 / 7		
Percentage of transfers resulting in pregnancies (%)	57.7	9 / 12	2 / 6		1 / 1
Percentage of transfers resulting in live births (%)	54.9	9 / 12	1 / 6		0 / 1
Percentage of transfers resulting in singleton live births (%)	36.6	7 / 12	1 / 6		0 / 1
Percentage of transfers resulting in twin live births (%)	16.9	2 / 12	0 / 6		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	29.6	6 / 12	1 / 6		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	154	49	31	5	1
Number of transfers	153	49	31	5	1
Estimated average number of transfers per retrieval	1.4	1.0	1.0	1.0	0.5
Average number of embryos transferred	1.3	1.3	1.2	1.2	2.0
Percentage of embryos transferred resulting in implantation (%)	63.3	70.7	63.9	2 / 5	
Percentage of transfers resulting in pregnancies (%)	68.6	79.6	61.3	3 / 5	1 / 1
Percentage of transfers resulting in live births (%)	56.2	69.4	51.6	2 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	47.1	61.2	38.7	2 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	9.2	8.2	9.7	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	43.8	55.1	38.7	2 / 5	0 / 1
Number of Egg or Embryo Banking Cycles	74	40	30	5	2
Number of fertility preservation cycles	2	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	11	1	20	25
Number of transfers	8	0	20	25
Average number of embryos transferred	1.9		1.3	1.1
Percentage of embryos transferred resulting in implantation (%)	8 / 15		50.0	66.7
Percentage of transfers resulting in pregnancies (%)	5 / 8		50.0	68.0
Percentage of transfers resulting in live births (%)	5 / 8		50.0	56.0
Percentage of transfers resulting in singleton live births (%)	3 / 8		35.0	56.0
Percentage of transfers resulting in twin live births (%)	2 / 8		15.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 8		30.0	52.0

CURRENT SERVICES & PROFILE

Current Name: Mid-Iowa Fertility, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF IOWA HOSPITALS AND CLINICS
CENTER FOR ADVANCED REPRODUCTIVE CARE
IOWA CITY, IOWA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Bradley J. Van Voorhis, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	40%
Unstimulated	0%	PGD/PGS	7%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	18%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	19%	Male factor	33%	Female factors only	14%
Diminished ovarian reserve	17%	Other factor	13%	Female & male factors	15%
Endometriosis	11%	Unknown factor	19%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 827
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	207	65	58	29	7
Percentage of cancellations before retrieval (%)	1.9	9.2	13.8	0.0	0 / 7
Number of transfers	175	49	40	24	5
Average number of embryos transferred	1.1	1.2	1.6	1.7	1.6
Percentage of elective single embryo transfers (eSET) (%)	89.9	78.0	25.0	15.0	1 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	58.9	41.5	31.0	34.5	2 / 7
Percentage of cycles resulting in live births (%)	50.7	35.4	22.4	24.1	0 / 7
Percentage of cycles resulting in singleton live births (%)	47.8	35.4	17.2	24.1	0 / 7
Percentage of cycles resulting in twin live births (%)	2.9	0.0	5.2	0.0	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	42.0	29.2	13.8	20.7	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	67.6	45.6	32.8	24.3	3 / 8
Percentage of transfers resulting in pregnancies (%)	69.7	55.1	45.0	41.7	2 / 5
Percentage of transfers resulting in live births (%)	60.0	46.9	32.5	29.2	0 / 5
Percentage of transfers resulting in singleton live births (%)	56.6	46.9	25.0	29.2	0 / 5
Percentage of transfers resulting in twin live births (%)	3.4	0.0	7.5	0.0	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	49.7	38.8	20.0	25.0	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	218	66	51	12	7
Number of transfers	178	58	45	11	7
Estimated average number of transfers per retrieval	2.0	2.1	1.4	1.8	
Average number of embryos transferred	1.1	1.1	1.0	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	58.8	55.0	47.7	5 / 15	3 / 10
Percentage of transfers resulting in pregnancies (%)	62.9	60.3	53.3	5 / 11	2 / 7
Percentage of transfers resulting in live births (%)	53.4	48.3	37.8	4 / 11	2 / 7
Percentage of transfers resulting in singleton live births (%)	50.0	44.8	37.8	4 / 11	1 / 7
Percentage of transfers resulting in twin live births (%)	3.4	3.4	0.0	0 / 11	1 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	44.4	39.7	33.3	4 / 11	1 / 7
Number of Egg or Embryo Banking Cycles	24	15	17	4	0
Number of fertility preservation cycles	2	2	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	6	9	11	20
Number of transfers	4	8	10	16
Average number of embryos transferred	1.0	1.0	1.0	1.1
Percentage of embryos transferred resulting in implantation (%)	3 / 3	4 / 8	7 / 9	9 / 17
Percentage of transfers resulting in pregnancies (%)	4 / 4	4 / 8	8 / 10	8 / 16
Percentage of transfers resulting in live births (%)	2 / 4	4 / 8	6 / 10	8 / 16
Percentage of transfers resulting in singleton live births (%)	2 / 4	4 / 8	6 / 10	8 / 16
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 8	0 / 10	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 4	1 / 8	5 / 10	6 / 16

CURRENT SERVICES & PROFILE

Current Name: University of Iowa Hospitals and Clinics, Center for Advanced Reproductive Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST REPRODUCTIVE CENTER, PA
OLATHE, KANSAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Dan L. Gehlbach, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	0%	PGD/PGS	42%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	19%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	32%	Male factor	53%	Female factors only	12%
Diminished ovarian reserve	19%	Other factor	12%	Female & male factors	30%
Endometriosis	6%	Unknown factor	4%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 457
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	6	2	9	5	2
Percentage of cancellations before retrieval (%)	4 / 6	1 / 2	6 / 9	4 / 5	0 / 2
Number of transfers	1	0	0	1	0
Average number of embryos transferred	1.0			1.0	
Percentage of elective single embryo transfers (eSET) (%)	1 / 1				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 6	0 / 2	0 / 9	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	1 / 6	0 / 2	0 / 9	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 6	0 / 2	0 / 9	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 6	0 / 2	0 / 9	0 / 5	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 6	0 / 2	0 / 9	0 / 5	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 1			0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 1			0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1			0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 1			0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1			0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 1			0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	176	45	23	1	4
Number of transfers	170	45	23	1	4
Estimated average number of transfers per retrieval	1.7	1.1	0.9	0.1	2.0
Average number of embryos transferred	1.4	1.2	1.3	1.0	1.3
Percentage of embryos transferred resulting in implantation (%)	42.0	49.1	23.3	0 / 1	1 / 5
Percentage of transfers resulting in pregnancies (%)	53.5	55.6	26.1	0 / 1	1 / 4
Percentage of transfers resulting in live births (%)	40.6	44.4	21.7	0 / 1	1 / 4
Percentage of transfers resulting in singleton live births (%)	35.9	42.2	17.4	0 / 1	1 / 4
Percentage of transfers resulting in twin live births (%)	4.7	2.2	4.3	0 / 1	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.0	31.1	17.4	0 / 1	1 / 4
Number of Egg or Embryo Banking Cycles	99	40	23	7	2
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	8	0	3	1
Number of transfers	7	0	3	1
Average number of embryos transferred	1.0		2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	5 / 7		4 / 6	1 / 2
Percentage of transfers resulting in pregnancies (%)	5 / 7		2 / 3	1 / 1
Percentage of transfers resulting in live births (%)	5 / 7		2 / 3	1 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 7		0 / 3	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 7		2 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 7		0 / 3	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Midwest Reproductive Center, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE
OVERLAND PARK, KANSAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Courtney A. Marsh, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	0%	PGD/PGS	23%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	12%	Uterine factor	1%	Multiple Factors:	
Ovulatory dysfunction	18%	Male factor	49%	Female factors only	10%
Diminished ovarian reserve	20%	Other factor	18%	Female & male factors	19%
Endometriosis	7%	Unknown factor	9%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 637
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	96	29	17	4	2
Percentage of cancellations before retrieval (%)	11.5	17.2	9 / 17	1 / 4	1 / 2
Number of transfers	23	9	1	0	0
Average number of embryos transferred	1.1	1.4	2.0		
Percentage of elective single embryo transfers (eSET) (%)	85.7	5 / 9	0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	16.7	24.1	0 / 17	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)	16.7	20.7	0 / 17	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)	16.7	13.8	0 / 17	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	6.9	0 / 17	0 / 4	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	14.6	10.3	0 / 17	0 / 4	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	61.5	9 / 13	0 / 2		
Percentage of transfers resulting in pregnancies (%)	69.6	7 / 9	0 / 1		
Percentage of transfers resulting in live births (%)	69.6	6 / 9	0 / 1		
Percentage of transfers resulting in singleton live births (%)	69.6	4 / 9	0 / 1		
Percentage of transfers resulting in twin live births (%)	0.0	2 / 9	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	60.9	3 / 9	0 / 1		
Frozen Embryos from Nondonor Eggs					
Number of cycles	189	60	38	11	1
Number of transfers	164	50	32	7	0
Estimated average number of transfers per retrieval	1.3	1.3	0.9	0.6	0.0
Average number of embryos transferred	1.2	1.1	1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	56.7	44.2	55.9	4 / 6	
Percentage of transfers resulting in pregnancies (%)	61.0	52.0	59.4	5 / 7	
Percentage of transfers resulting in live births (%)	54.3	40.0	37.5	4 / 7	
Percentage of transfers resulting in singleton live births (%)	48.2	40.0	37.5	4 / 7	
Percentage of transfers resulting in twin live births (%)	6.1	0.0	0.0	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	43.3	34.0	37.5	3 / 7	
Number of Egg or Embryo Banking Cycles	75	26	33	11	1
Number of fertility preservation cycles	18	5	5	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	8	33	0
Number of transfers	1	4	29	0
Average number of embryos transferred	1.0	1.0	1.1	
Percentage of embryos transferred resulting in implantation (%)	0 / 1	2 / 4	54.8	
Percentage of transfers resulting in pregnancies (%)	0 / 1	2 / 4	62.1	
Percentage of transfers resulting in live births (%)	0 / 1	1 / 4	55.2	
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 4	51.7	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 4	3.4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1	0 / 4	48.3	

CURRENT SERVICES & PROFILE

Current Name: Center for Advanced Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE RESOURCE CENTER OF GREATER KANSAS CITY
OVERLAND PARK, KANSAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Celeste Brabec, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	0%	PGD/PGS	15%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	4%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	33%	Male factor	24%	Female factors only	11%
Diminished ovarian reserve	30%	Other factor	15%	Female & male factors	12%
Endometriosis	7%	Unknown factor	13%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 363
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	107	30	10	2	3
Percentage of cancellations before retrieval (%)	8.4	16.7	1 / 10	0 / 2	0 / 3
Number of transfers	68	15	6	1	2
Average number of embryos transferred	1.7	1.9	2.3	1.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	21.1	0 / 14	0 / 6		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.5	33.3	5 / 10	0 / 2	0 / 3
Percentage of cycles resulting in live births (%)	44.9	20.0	3 / 10	0 / 2	0 / 3
Percentage of cycles resulting in singleton live births (%)	30.8	16.7	2 / 10	0 / 2	0 / 3
Percentage of cycles resulting in twin live births (%)	13.1	3.3	1 / 10	0 / 2	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	28.0	13.3	1 / 10	0 / 2	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	63.2	39.1	5 / 12	0 / 1	0 / 4
Percentage of transfers resulting in pregnancies (%)	79.4	10 / 15	5 / 6	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	70.6	6 / 15	3 / 6	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	48.5	5 / 15	2 / 6	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	20.6	1 / 15	1 / 6	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	44.1	4 / 15	1 / 6	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	82	30	8	2	3
Number of transfers	78	27	8	2	3
Estimated average number of transfers per retrieval	1.8	1.9	0.8	2.0	3.0
Average number of embryos transferred	1.2	1.3	1.5	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	63.8	57.6	6 / 12	0 / 1	2 / 3
Percentage of transfers resulting in pregnancies (%)	70.5	66.7	4 / 8	1 / 2	2 / 3
Percentage of transfers resulting in live births (%)	60.3	44.4	4 / 8	0 / 2	1 / 3
Percentage of transfers resulting in singleton live births (%)	52.6	40.7	2 / 8	0 / 2	1 / 3
Percentage of transfers resulting in twin live births (%)	7.7	3.7	2 / 8	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	46.2	25.9	1 / 8	0 / 2	1 / 3
Number of Egg or Embryo Banking Cycles	27	10	10	0	1
Number of fertility preservation cycles	3	1	3	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	7	28	3	0
Number of transfers	7	24	2	0
Average number of embryos transferred	1.7	1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 11	65.6	2 / 2	
Percentage of transfers resulting in pregnancies (%)	5 / 7	75.0	2 / 2	
Percentage of transfers resulting in live births (%)	2 / 7	50.0	1 / 2	
Percentage of transfers resulting in singleton live births (%)	2 / 7	29.2	1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 7	20.8	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 7	25.0	1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Resource Center of Greater Kansas City

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE CENTER FOR REPRODUCTIVE MEDICINE
WICHITA, KANSAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Bruce L. Tjaden, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	PGD/PGS	7%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	13%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	27%	Male factor	46%	Female factors only	6%
Diminished ovarian reserve	18%	Other factor	5%	Female & male factors	22%
Endometriosis	14%	Unknown factor	7%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 240
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	78	16	16	2	2
Percentage of cancellations before retrieval (%)	9.0	0 / 16	3 / 16	0 / 2	0 / 2
Number of transfers	62	14	11	2	1
Average number of embryos transferred	1.5	1.9	2.0	3.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	47.3	0 / 12	0 / 8	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.3	5 / 16	4 / 16	1 / 2	0 / 2
Percentage of cycles resulting in live births (%)	38.5	5 / 16	3 / 16	1 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	32.1	3 / 16	2 / 16	1 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	6.4	2 / 16	1 / 16	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	21.8	0 / 16	2 / 16	0 / 2	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.2	26.9	22.7	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	53.2	5 / 14	4 / 11	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)	48.4	5 / 14	3 / 11	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.3	3 / 14	2 / 11	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	8.1	2 / 14	1 / 11	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	27.4	0 / 14	2 / 11	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	58	20	10	5	1
Number of transfers	52	18	7	4	1
Estimated average number of transfers per retrieval	1.8	2.6	2.3	4.0	
Average number of embryos transferred	1.4	1.2	1.0	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	39.4	35.0	1 / 7	2 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	51.9	7 / 18	1 / 7	2 / 4	0 / 1
Percentage of transfers resulting in live births (%)	32.7	5 / 18	1 / 7	2 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	25.0	5 / 18	1 / 7	2 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	7.7	0 / 18	0 / 7	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	21.2	3 / 18	1 / 7	2 / 4	0 / 1
Number of Egg or Embryo Banking Cycles	11	4	0	1	0
Number of fertility preservation cycles	4	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	3	8	3	0
Number of transfers	2	7	3	0
Average number of embryos transferred	1.5	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 3	7 / 14	2 / 3	
Percentage of transfers resulting in pregnancies (%)	1 / 2	4 / 7	2 / 3	
Percentage of transfers resulting in live births (%)	1 / 2	4 / 7	2 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 7	2 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 2	3 / 7	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 2	1 / 7	1 / 3	

CURRENT SERVICES & PROFILE

Current Name: The Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BLUEGRASS FERTILITY CENTER
LEXINGTON, KENTUCKY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James W. Akin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	78%
Unstimulated	<1%	PGD/PGS	5%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	23%	Uterine factor	1%	Multiple Factors:	
Ovulatory dysfunction	17%	Male factor	52%	Female factors only	12%
Diminished ovarian reserve	21%	Other factor	9%	Female & male factors	29%
Endometriosis	16%	Unknown factor	9%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 201
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	74	27	15	10	8
Percentage of cancellations before retrieval (%)	4.1	3.7	5 / 15	3 / 10	3 / 8
Number of transfers	69	21	10	3	3
Average number of embryos transferred	2.0	2.1	2.2	3.0	2.7
Percentage of elective single embryo transfers (eSET) (%)	1.5	0.0	0 / 8	0 / 3	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	47.3	22.2	6 / 15	1 / 10	1 / 8
Percentage of cycles resulting in live births (%)	36.5	18.5	5 / 15	1 / 10	1 / 8
Percentage of cycles resulting in singleton live births (%)	27.0	11.1	4 / 15	1 / 10	1 / 8
Percentage of cycles resulting in twin live births (%)	9.5	7.4	1 / 15	0 / 10	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	24.3	11.1	3 / 15	0 / 10	1 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	30.6	17.1	28.6	1 / 9	1 / 8
Percentage of transfers resulting in pregnancies (%)	50.7	28.6	6 / 10	1 / 3	1 / 3
Percentage of transfers resulting in live births (%)	39.1	23.8	5 / 10	1 / 3	1 / 3
Percentage of transfers resulting in singleton live births (%)	29.0	14.3	4 / 10	1 / 3	1 / 3
Percentage of transfers resulting in twin live births (%)	10.1	9.5	1 / 10	0 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.1	14.3	3 / 10	0 / 3	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	27	5	7	2	1
Number of transfers	27	5	7	2	1
Estimated average number of transfers per retrieval	1.7	1.0	7.0	2.0	
Average number of embryos transferred	1.8	1.8	1.4	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	27.5	6 / 9	0 / 7	0 / 3	2 / 2
Percentage of transfers resulting in pregnancies (%)	48.1	4 / 5	2 / 7	0 / 2	1 / 1
Percentage of transfers resulting in live births (%)	29.6	2 / 5	0 / 7	0 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	22.2	2 / 5	0 / 7	0 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	7.4	0 / 5	0 / 7	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	18.5	1 / 5	0 / 7	0 / 2	0 / 1
Number of Egg or Embryo Banking Cycles	1	2	0	0	0
Number of fertility preservation cycles	1	2	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	9	3	7	0
Number of transfers	8	3	7	0
Average number of embryos transferred	2.0	2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 14	0 / 6	0 / 12	
Percentage of transfers resulting in pregnancies (%)	4 / 8	0 / 3	1 / 7	
Percentage of transfers resulting in live births (%)	2 / 8	0 / 3	0 / 7	
Percentage of transfers resulting in singleton live births (%)	1 / 8	0 / 3	0 / 7	
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 3	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 8	0 / 3	0 / 7	

CURRENT SERVICES & PROFILE

Current Name: Bluegrass Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE LEXINGTON FERTILITY CENTER
LEXINGTON, KENTUCKY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by George M. Veloudis, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	PGD/PGS	21%
Used gestational carrier	8%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	39%	Male factor	33%	Female factors only	23%
Diminished ovarian reserve	28%	Other factor	21%	Female & male factors	28%
Endometriosis	10%	Unknown factor	0%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 39
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	13	2	3	1	1
Percentage of cancellations before retrieval (%)	0 / 13	0 / 2	0 / 3	0 / 1	0 / 1
Number of transfers	11	2	2	0	1
Average number of embryos transferred	2.1	2.0	2.0		3.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 2	0 / 2		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	6 / 13	1 / 2	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	6 / 13	1 / 2	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 13	1 / 2	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	3 / 13	0 / 2	0 / 3	0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	3 / 13	1 / 2	0 / 3	0 / 1	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.1	1 / 4	0 / 4		0 / 3
Percentage of transfers resulting in pregnancies (%)	6 / 11	1 / 2	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	6 / 11	1 / 2	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 11	1 / 2	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 11	0 / 2	0 / 2		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 11	1 / 2	0 / 2		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	3	4	2	0	1
Number of transfers	3	4	2	0	1
Estimated average number of transfers per retrieval	3.0	4.0	1.0		1.0
Average number of embryos transferred	2.0	3.0	2.0		1.0
Percentage of embryos transferred resulting in implantation (%)	2 / 6	1 / 12	0 / 4		0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 3	1 / 4	0 / 2		0 / 1
Percentage of transfers resulting in live births (%)	1 / 3	1 / 4	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 4	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 4	0 / 2		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 3	0 / 4	0 / 2		0 / 1
Number of Egg or Embryo Banking Cycles	0	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	0	2	5
Number of transfers	1	0	2	5
Average number of embryos transferred	1.0		1.5	1.6
Percentage of embryos transferred resulting in implantation (%)	0 / 1		1 / 3	4 / 8
Percentage of transfers resulting in pregnancies (%)	0 / 1		1 / 2	4 / 5
Percentage of transfers resulting in live births (%)	0 / 1		1 / 2	3 / 5
Percentage of transfers resulting in singleton live births (%)	0 / 1		1 / 2	3 / 5
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1		1 / 2	3 / 5

CURRENT SERVICES & PROFILE

Current Name: The Lexington Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND ENDOCRINE ASSOCIATES
LOUISVILLE REPRODUCTIVE CENTER
LOUISVILLE, KENTUCKY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Robert J. Homm, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	0%	PGD/PGS	27%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	22%	Male factor	44%	Female factors only	23%
Diminished ovarian reserve	45%	Other factor	18%	Female & male factors	39%
Endometriosis	29%	Unknown factor	5%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 243
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	45	11	11	2	1
Percentage of cancellations before retrieval (%)	11.1	0 / 11	1 / 11	1 / 2	0 / 1
Number of transfers	28	7	3	1	0
Average number of embryos transferred	1.4	2.0	2.0	2.0	
Percentage of elective single embryo transfers (eSET) (%)	55.6	0 / 7	0 / 3	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	33.3	5 / 11	1 / 11	1 / 2	0 / 1
Percentage of cycles resulting in live births (%)	31.1	5 / 11	1 / 11	1 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	28.9	4 / 11	1 / 11	1 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	2.2	1 / 11	0 / 11	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	20.0	3 / 11	1 / 11	1 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.5	6 / 14	1 / 6	1 / 2	
Percentage of transfers resulting in pregnancies (%)	53.6	5 / 7	1 / 3	1 / 1	
Percentage of transfers resulting in live births (%)	50.0	5 / 7	1 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	46.4	4 / 7	1 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	3.6	1 / 7	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.1	3 / 7	1 / 3	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	50	20	22	5	1
Number of transfers	49	20	21	5	1
Estimated average number of transfers per retrieval	1.6	1.7	2.3	1.7	1.0
Average number of embryos transferred	1.4	1.4	1.3	1.8	1.0
Percentage of embryos transferred resulting in implantation (%)	37.3	32.0	20.8	0 / 9	
Percentage of transfers resulting in pregnancies (%)	49.0	45.0	33.3	0 / 5	1 / 1
Percentage of transfers resulting in live births (%)	34.7	25.0	19.0	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.6	20.0	19.0	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	4.1	5.0	0.0	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.6	15.0	19.0	0 / 5	0 / 1
Number of Egg or Embryo Banking Cycles	18	10	8	3	1
Number of fertility preservation cycles	1	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	0	5	21
Number of transfers	0	0	5	20
Average number of embryos transferred			1.8	1.8
Percentage of embryos transferred resulting in implantation (%)			1 / 9	25.0
Percentage of transfers resulting in pregnancies (%)			1 / 5	45.0
Percentage of transfers resulting in live births (%)			1 / 5	30.0
Percentage of transfers resulting in singleton live births (%)			1 / 5	25.0
Percentage of transfers resulting in twin live births (%)			0 / 5	5.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			1 / 5	20.0

CURRENT SERVICES & PROFILE

Current Name: Fertility and Endocrine Associates, Louisville Reproductive Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY FIRST
REPRODUCTIVE ENDOCRINE SERVICES
LOUISVILLE, KENTUCKY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Johanna S. Archer, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	21%	Uterine factor	13%	Multiple Factors:	
Ovulatory dysfunction	38%	Male factor	38%	Female factors only	32%
Diminished ovarian reserve	21%	Other factor	19%	Female & male factors	32%
Endometriosis	26%	Unknown factor	2%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 47
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	23	3	8	0	0
Percentage of cancellations before retrieval (%)	4.3	0 / 3	3 / 8		
Number of transfers	20	2	4	0	0
Average number of embryos transferred	1.9	2.0	2.3		
Percentage of elective single embryo transfers (eSET) (%)	15.0	0 / 2	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.1	1 / 3	2 / 8		
Percentage of cycles resulting in live births (%)	39.1	0 / 3	2 / 8		
Percentage of cycles resulting in singleton live births (%)	26.1	0 / 3	2 / 8		
Percentage of cycles resulting in twin live births (%)	13.0	0 / 3	0 / 8		
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	21.7	0 / 3	2 / 8		
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.4	1 / 4	2 / 9		
Percentage of transfers resulting in pregnancies (%)	45.0	1 / 2	2 / 4		
Percentage of transfers resulting in live births (%)	45.0	0 / 2	2 / 4		
Percentage of transfers resulting in singleton live births (%)	30.0	0 / 2	2 / 4		
Percentage of transfers resulting in twin live births (%)	15.0	0 / 2	0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	25.0	0 / 2	2 / 4		
Frozen Embryos from Nondonor Eggs					
Number of cycles	8	0	5	0	0
Number of transfers	8	0	5	0	0
Estimated average number of transfers per retrieval	2.7		2.5		
Average number of embryos transferred	1.8		2.2		
Percentage of embryos transferred resulting in implantation (%)	12 / 14		5 / 11		
Percentage of transfers resulting in pregnancies (%)	7 / 8		4 / 5		
Percentage of transfers resulting in live births (%)	7 / 8		4 / 5		
Percentage of transfers resulting in singleton live births (%)	3 / 8		4 / 5		
Percentage of transfers resulting in twin live births (%)	3 / 8		0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 8		2 / 5		
Number of Egg or Embryo Banking Cycles	0	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	0	0
Number of transfers	0	0	0	0
Average number of embryos transferred				
Percentage of embryos transferred resulting in implantation (%)				
Percentage of transfers resulting in pregnancies (%)				
Percentage of transfers resulting in live births (%)				
Percentage of transfers resulting in singleton live births (%)				
Percentage of transfers resulting in twin live births (%)				
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)				

CURRENT SERVICES & PROFILE

Current Name: Fertility First, Reproductive Endocrine Services

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KENTUCKY FERTILITY INSTITUTE, LLC
LOUISVILLE, KENTUCKY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Robert K. Hunter, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	45%
Unstimulated	0%	PGD/PGS	15%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	4%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	23%	Male factor	57%	Female factors only	4%
Diminished ovarian reserve	13%	Other factor	15%	Female & male factors	13%
Endometriosis	4%	Unknown factor	4%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 75
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	12	1	1	0	3
Percentage of cancellations before retrieval (%)	2 / 12	1 / 1	0 / 1		1 / 3
Number of transfers	5	0	0	0	0
Average number of embryos transferred	1.2				
Percentage of elective single embryo transfers (eSET) (%)	3 / 4				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 12	0 / 1	0 / 1		0 / 3
Percentage of cycles resulting in live births (%)	2 / 12	0 / 1	0 / 1		0 / 3
Percentage of cycles resulting in singleton live births (%)	1 / 12	0 / 1	0 / 1		0 / 3
Percentage of cycles resulting in twin live births (%)	1 / 12	0 / 1	0 / 1		0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 12	0 / 1	0 / 1		0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 5				
Percentage of transfers resulting in pregnancies (%)	3 / 5				
Percentage of transfers resulting in live births (%)	2 / 5				
Percentage of transfers resulting in singleton live births (%)	1 / 5				
Percentage of transfers resulting in twin live births (%)	1 / 5				
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 5				
Frozen Embryos from Nondonor Eggs					
Number of cycles	25	3	1	0	0
Number of transfers	19	3	1	0	0
Estimated average number of transfers per retrieval	0.7	1.5	1.0	0.0	
Average number of embryos transferred	1.2	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	47.8	1 / 4	0 / 1		
Percentage of transfers resulting in pregnancies (%)	9 / 19	1 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	9 / 19	1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	7 / 19	1 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 19	0 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	6 / 19	1 / 3	0 / 1		
Number of Egg or Embryo Banking Cycles	23	2	1	2	0
Number of fertility preservation cycles	4	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	0	0
Number of transfers	1	0	0	0
Average number of embryos transferred	1.0			
Percentage of embryos transferred resulting in implantation (%)	1 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 1			
Percentage of transfers resulting in live births (%)	1 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1			

CURRENT SERVICES & PROFILE

Current Name: Kentucky Fertility Institute, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF LOUISVILLE PHYSICIANS OB/GYN & WOMEN'S HEALTH FERTILITY CENTER LOUISVILLE, KENTUCKY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kelly Pagidas, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	48%
Unstimulated	0%	PGD/PGS	5%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	14%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	15%	Male factor	41%	Female factors only	17%
Diminished ovarian reserve	20%	Other factor	25%	Female & male factors	21%
Endometriosis	22%	Unknown factor	12%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 101
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	20	30	4	3	0
Percentage of cancellations before retrieval (%)	5.0	13.3	0 / 4	1 / 3	
Number of transfers	13	19	3	0	0
Average number of embryos transferred	1.7	1.7	2.7		
Percentage of elective single embryo transfers (eSET) (%)	3 / 11	1 / 14	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.0	30.0	2 / 4	0 / 3	
Percentage of cycles resulting in live births (%)	35.0	23.3	2 / 4	0 / 3	
Percentage of cycles resulting in singleton live births (%)	20.0	20.0	2 / 4	0 / 3	
Percentage of cycles resulting in twin live births (%)	15.0	3.3	0 / 4	0 / 3	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	20.0	6.7	1 / 4	0 / 3	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.4	33.3	2 / 8		
Percentage of transfers resulting in pregnancies (%)	9 / 13	9 / 19	2 / 3		
Percentage of transfers resulting in live births (%)	7 / 13	7 / 19	2 / 3		
Percentage of transfers resulting in singleton live births (%)	4 / 13	6 / 19	2 / 3		
Percentage of transfers resulting in twin live births (%)	3 / 13	1 / 19	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 13	2 / 19	1 / 3		
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	8	5	1	1
Number of transfers	14	7	5	1	1
Estimated average number of transfers per retrieval	2.3	1.2	1.0	1.0	
Average number of embryos transferred	1.4	1.1	2.0	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	13 / 18	1 / 7	1 / 10	1 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	11 / 14	2 / 7	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	10 / 14	1 / 7	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	7 / 14	1 / 7	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 14	0 / 7	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	6 / 14	0 / 7	1 / 5	0 / 1	0 / 1
Number of Egg or Embryo Banking Cycles	3	2	3	1	0
Number of fertility preservation cycles	3	0	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	3	1	0
Number of transfers	1	2	1	0
Average number of embryos transferred	2.0	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 2	1 / 4	1 / 1	
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 2	1 / 1	
Percentage of transfers resulting in live births (%)	0 / 1	1 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1	1 / 2	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: University of Louisville Physicians OB/GYN & Women's Health Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY ANSWERS, LLC-BATON ROUGE
BATON ROUGE, LOUISIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John M. Storment, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	0%	PGD/PGS	23%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	13%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	9%	Male factor	43%	Female factors only	15%
Diminished ovarian reserve	18%	Other factor	21%	Female & male factors	13%
Endometriosis	5%	Unknown factor	15%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 142
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	32	15	5	2	3
Percentage of cancellations before retrieval (%)	12.5	1 / 15	0 / 5	0 / 2	2 / 3
Number of transfers	19	9	2	1	0
Average number of embryos transferred	1.4	1.6	1.5	1.0	
Percentage of elective single embryo transfers (eSET) (%)	7 / 15	0 / 5	0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.0	1 / 15	1 / 5	0 / 2	0 / 3
Percentage of cycles resulting in live births (%)	25.0	1 / 15	0 / 5	0 / 2	0 / 3
Percentage of cycles resulting in singleton live births (%)	21.9	0 / 15	0 / 5	0 / 2	0 / 3
Percentage of cycles resulting in twin live births (%)	3.1	1 / 15	0 / 5	0 / 2	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	15.6	0 / 15	0 / 5	0 / 2	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.3	2 / 14	1 / 3	0 / 1	
Percentage of transfers resulting in pregnancies (%)	8 / 19	1 / 9	1 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	8 / 19	1 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	7 / 19	0 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 19	1 / 9	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 19	0 / 9	0 / 2	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	30	13	5	2	0
Number of transfers	29	13	5	2	0
Estimated average number of transfers per retrieval	1.2	0.9	5.0	0.7	0.0
Average number of embryos transferred	1.3	1.2	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	40.5	5 / 12	4 / 7	1 / 2	
Percentage of transfers resulting in pregnancies (%)	51.7	7 / 13	4 / 5	1 / 2	
Percentage of transfers resulting in live births (%)	44.8	4 / 13	3 / 5	1 / 2	
Percentage of transfers resulting in singleton live births (%)	41.4	4 / 13	3 / 5	1 / 2	
Percentage of transfers resulting in twin live births (%)	3.4	0 / 13	0 / 5	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.5	4 / 13	2 / 5	1 / 2	
Number of Egg or Embryo Banking Cycles	16	9	1	2	1
Number of fertility preservation cycles	1	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	3	1	0
Number of transfers	0	3	1	0
Average number of embryos transferred		2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)		2 / 6		
Percentage of transfers resulting in pregnancies (%)		1 / 3	1 / 1	
Percentage of transfers resulting in live births (%)		1 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)		0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)		1 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		0 / 3	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Fertility Answers, LLC-Baton Rouge

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY ANSWERS, LLC-LAFAYETTE
LAFAYETTE, LOUISIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John M. Storment, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	0%	PGD/PGS	13%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	19%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	12%	Male factor	34%	Female factors only	5%
Diminished ovarian reserve	5%	Other factor	4%	Female & male factors	5%
Endometriosis	8%	Unknown factor	26%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 216
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	64	12	2	2	1
Percentage of cancellations before retrieval (%)	15.6	2 / 12	1 / 2	1 / 2	1 / 1
Number of transfers	45	8	0	1	0
Average number of embryos transferred	1.5	1.5		1.0	
Percentage of elective single embryo transfers (eSET) (%)	48.8	2 / 6			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.9	5 / 12	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	29.7	4 / 12	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	23.4	3 / 12	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	6.3	1 / 12	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	10.9	2 / 12	0 / 2	0 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	5 / 11		0 / 1	
Percentage of transfers resulting in pregnancies (%)	51.1	5 / 8		0 / 1	
Percentage of transfers resulting in live births (%)	42.2	4 / 8		0 / 1	
Percentage of transfers resulting in singleton live births (%)	33.3	3 / 8		0 / 1	
Percentage of transfers resulting in twin live births (%)	8.9	1 / 8		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	15.6	2 / 8		0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	61	20	4	0	0
Number of transfers	57	20	3	0	0
Estimated average number of transfers per retrieval	1.2	1.5	0.4	0.0	0.0
Average number of embryos transferred	1.4	1.6	1.3		
Percentage of embryos transferred resulting in implantation (%)	49.3	35.5	4 / 3		
Percentage of transfers resulting in pregnancies (%)	66.7	55.0	3 / 3		
Percentage of transfers resulting in live births (%)	45.6	50.0	1 / 3		
Percentage of transfers resulting in singleton live births (%)	40.4	50.0	1 / 3		
Percentage of transfers resulting in twin live births (%)	5.3	0.0	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	35.1	45.0	1 / 3		
Number of Egg or Embryo Banking Cycles	27	9	6	1	1
Number of fertility preservation cycles	0	0	3	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	1	3	0
Number of transfers	0	1	3	0
Average number of embryos transferred		2.0	1.3	
Percentage of embryos transferred resulting in implantation (%)			3 / 4	
Percentage of transfers resulting in pregnancies (%)		1 / 1	3 / 3	
Percentage of transfers resulting in live births (%)		0 / 1	1 / 3	
Percentage of transfers resulting in singleton live births (%)		0 / 1	1 / 3	
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		0 / 1	1 / 3	

CURRENT SERVICES & PROFILE

Current Name: Fertility Answers, LLC-Lafayette

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF NEW ORLEANS
MANDEVILLE, LOUISIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard P. Dickey, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	55%
Unstimulated	0%	PGD/PGS	11%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	18%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	35%	Male factor	40%	Female factors only	13%
Diminished ovarian reserve	11%	Other factor	25%	Female & male factors	21%
Endometriosis	9%	Unknown factor	1%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 911
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	159	87	47	14	9
Percentage of cancellations before retrieval (%)	10.1	21.8	19.1	1 / 14	2 / 9
Number of transfers	39	16	15	1	2
Average number of embryos transferred	1.7	1.7	1.7	2.0	1.5
Percentage of elective single embryo transfers (eSET) (%)	19.4	0 / 11	0 / 10	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	10.1	6.9	17.0	0 / 14	1 / 9
Percentage of cycles resulting in live births (%)	8.8	5.7	12.8	0 / 14	0 / 9
Percentage of cycles resulting in singleton live births (%)	5.0	2.3	10.6	0 / 14	0 / 9
Percentage of cycles resulting in twin live births (%)	3.8	3.4	2.1	0 / 14	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	5.0	2.3	4.3	0 / 14	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.3	33.3	40.0	0 / 2	1 / 3
Percentage of transfers resulting in pregnancies (%)	41.0	6 / 16	8 / 15	0 / 1	1 / 2
Percentage of transfers resulting in live births (%)	35.9	5 / 16	6 / 15	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	20.5	2 / 16	5 / 15	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	15.4	3 / 16	1 / 15	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	20.5	2 / 16	2 / 15	0 / 1	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	243	119	55	18	13
Number of transfers	202	102	51	15	10
Estimated average number of transfers per retrieval	1.4	1.3	1.2	0.9	2.0
Average number of embryos transferred	1.7	1.7	1.6	1.9	1.4
Percentage of embryos transferred resulting in implantation (%)	43.3	36.5	37.0	28.6	3 / 14
Percentage of transfers resulting in pregnancies (%)	55.4	44.1	41.2	6 / 15	2 / 10
Percentage of transfers resulting in live births (%)	47.0	39.2	33.3	3 / 15	1 / 10
Percentage of transfers resulting in singleton live births (%)	34.2	28.4	17.6	2 / 15	0 / 10
Percentage of transfers resulting in twin live births (%)	12.9	8.8	15.7	1 / 15	1 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.2	26.5	17.6	1 / 15	0 / 10
Number of Egg or Embryo Banking Cycles	49	38	24	8	3
Number of fertility preservation cycles	5	3	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	10	1	4	10
Number of transfers	8	0	3	10
Average number of embryos transferred	1.6		1.7	1.7
Percentage of embryos transferred resulting in implantation (%)	5 / 13		1 / 5	7 / 17
Percentage of transfers resulting in pregnancies (%)	3 / 8		1 / 3	5 / 10
Percentage of transfers resulting in live births (%)	3 / 8		1 / 3	5 / 10
Percentage of transfers resulting in singleton live births (%)	1 / 8		1 / 3	4 / 10
Percentage of transfers resulting in twin live births (%)	2 / 8		0 / 3	1 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 8		1 / 3	3 / 10

CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of New Orleans

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

AUDUBON FERTILITY & REPRODUCTIVE MEDICINE
NEW ORLEANS, LOUISIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lindsay Wells, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	0%	PGD/PGS	22%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	16%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	26%	Male factor	31%	Female factors only	17%
Diminished ovarian reserve	20%	Other factor	22%	Female & male factors	14%
Endometriosis	9%	Unknown factor	11%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 396
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	67	20	20	6	0
Percentage of cancellations before retrieval (%)	10.4	30.0	45.0	1 / 6	
Number of transfers	2	1	0	2	0
Average number of embryos transferred	2.0	1.0		2.5	
Percentage of elective single embryo transfers (eSET) (%)	0 / 2			0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3.0	5.0	0.0	1 / 6	
Percentage of cycles resulting in live births (%)	3.0	5.0	0.0	1 / 6	
Percentage of cycles resulting in singleton live births (%)	3.0	5.0	0.0	0 / 6	
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0.0	1 / 6	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1.5	5.0	0.0	0 / 6	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 4	1 / 1		2 / 5	
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 1		1 / 2	
Percentage of transfers resulting in live births (%)	2 / 2	1 / 1		1 / 2	
Percentage of transfers resulting in singleton live births (%)	2 / 2	1 / 1		0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1		1 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 2	1 / 1		0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	113	22	20	6	2
Number of transfers	101	17	17	5	2
Estimated average number of transfers per retrieval	1.1	0.8	0.4	0.6	0.7
Average number of embryos transferred	1.4	1.3	1.4	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	62.3	85.0	56.5	1 / 7	2 / 3
Percentage of transfers resulting in pregnancies (%)	73.3	16 / 17	12 / 17	1 / 5	1 / 2
Percentage of transfers resulting in live births (%)	63.4	14 / 17	7 / 17	1 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	50.5	12 / 17	7 / 17	1 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	12.9	2 / 17	0 / 17	0 / 5	1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	40.6	10 / 17	7 / 17	1 / 5	0 / 2
Number of Egg or Embryo Banking Cycles	42	12	33	7	2
Number of fertility preservation cycles	7	4	4	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	1	19	3
Number of transfers	1	1	15	3
Average number of embryos transferred	2.0	1.0	1.1	1.7
Percentage of embryos transferred resulting in implantation (%)	1 / 2	0 / 1	11 / 16	2 / 5
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 1	11 / 15	1 / 3
Percentage of transfers resulting in live births (%)	1 / 1	0 / 1	9 / 15	1 / 3
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 1	8 / 15	1 / 3
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	1 / 15	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 1	0 / 1	5 / 15	1 / 3

CURRENT SERVICES & PROFILE

Current Name: Audubon Fertility

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR FERTILITY & WELLNESS
NEW ORLEANS, LOUISIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Paul R. Clisham, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated		PGD/PGS	30%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	20%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	0%	Male factor	70%	Female factors only	10%
Diminished ovarian reserve	30%	Other factor	10%	Female & male factors	30%
Endometriosis	10%	Unknown factor	10%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 19
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	0	0
Percentage of cancellations before retrieval (%)					
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)					
Percentage of cycles resulting in live births (%)					
Percentage of cycles resulting in singleton live births (%)					
Percentage of cycles resulting in twin live births (%)					
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)					
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	0	3	0	0
Number of transfers	5	0	3	0	0
Estimated average number of transfers per retrieval	1.7	0.0	0.6		
Average number of embryos transferred	2.2		1.3		
Percentage of embryos transferred resulting in implantation (%)	4 / 11		2 / 4		
Percentage of transfers resulting in pregnancies (%)	4 / 5		1 / 3		
Percentage of transfers resulting in live births (%)	4 / 5		1 / 3		
Percentage of transfers resulting in singleton live births (%)	4 / 5		0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 5		1 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 5		0 / 3		
Number of Egg or Embryo Banking Cycles	3	1	5	0	0
Number of fertility preservation cycles	1	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	2	0
Number of transfers	0	0	2	0
Average number of embryos transferred			1.0	
Percentage of embryos transferred resulting in implantation (%)			1 / 2	
Percentage of transfers resulting in pregnancies (%)			1 / 2	
Percentage of transfers resulting in live births (%)			1 / 2	
Percentage of transfers resulting in singleton live births (%)			1 / 2	
Percentage of transfers resulting in twin live births (%)			0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			0 / 2	

CURRENT SERVICES & PROFILE

This clinic has closed since 2016. Information on current clinic services and profile therefore is not provided here.
Contact the NASS Help Desk for further information.?

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ARKLATEX FERTILITY AND REPRODUCTIVE MEDICINE
SHREVEPORT, LOUISIANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David T. Vandermolen, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	0%	PGD/PGS	4%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	21%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	26%	Male factor	30%	Female factors only	13%
Diminished ovarian reserve	24%	Other factor	8%	Female & male factors	17%
Endometriosis	12%	Unknown factor	5%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 165
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	64	23	15	5	2
Percentage of cancellations before retrieval (%)	15.6	17.4	2 / 15	1 / 5	1 / 2
Number of transfers	40	17	13	4	0
Average number of embryos transferred	2.0	2.1	2.9	3.3	
Percentage of elective single embryo transfers (eSET) (%)	20.0	2 / 17	0 / 12	0 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	31.3	34.8	9 / 15	1 / 5	0 / 2
Percentage of cycles resulting in live births (%)	23.4	26.1	4 / 15	1 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	15.6	13.0	2 / 15	1 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	4.7	13.0	2 / 15	0 / 5	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	9.4	8.7	1 / 15	1 / 5	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.3	30.3	28.9	1 / 13	
Percentage of transfers resulting in pregnancies (%)	50.0	8 / 17	9 / 13	1 / 4	
Percentage of transfers resulting in live births (%)	37.5	6 / 17	4 / 13	1 / 4	
Percentage of transfers resulting in singleton live births (%)	25.0	3 / 17	2 / 13	1 / 4	
Percentage of transfers resulting in twin live births (%)	7.5	3 / 17	2 / 13	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	15.0	2 / 17	1 / 13	1 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	34	15	3	0	0
Number of transfers	34	15	3	0	0
Estimated average number of transfers per retrieval	1.7	2.1	3.0		
Average number of embryos transferred	1.4	1.7	1.3		
Percentage of embryos transferred resulting in implantation (%)	57.8	43.5	3 / 4		
Percentage of transfers resulting in pregnancies (%)	67.6	7 / 15	3 / 3		
Percentage of transfers resulting in live births (%)	52.9	6 / 15	3 / 3		
Percentage of transfers resulting in singleton live births (%)	47.1	2 / 15	3 / 3		
Percentage of transfers resulting in twin live births (%)	5.9	4 / 15	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	38.2	2 / 15	3 / 3		
Number of Egg or Embryo Banking Cycles	3	0	1	0	0
Number of fertility preservation cycles	1	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	0	0
Number of transfers	0	0	0	0
Average number of embryos transferred				
Percentage of embryos transferred resulting in implantation (%)				
Percentage of transfers resulting in pregnancies (%)				
Percentage of transfers resulting in live births (%)				
Percentage of transfers resulting in singleton live births (%)				
Percentage of transfers resulting in twin live births (%)				
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)				

CURRENT SERVICES & PROFILE

Current Name: Arklatex Fertility and Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF, THE MAINE CENTER
SOUTH PORTLAND, MAINE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael M. Alper, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	24%
Unstimulated	0%	PGD/PGS	6%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	16%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	9%	Male factor	25%	Female factors only	10%
Diminished ovarian reserve	16%	Other factor	20%	Female & male factors	8%
Endometriosis	6%	Unknown factor	25%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 425
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	98	46	39	27	14
Percentage of cancellations before retrieval (%)	5.1	4.3	5.1	18.5	1 / 14
Number of transfers	82	36	34	19	10
Average number of embryos transferred	1.2	1.4	1.8	2.3	2.6
Percentage of elective single embryo transfers (eSET) (%)	77.1	50.0	14.8	0 / 16	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.9	34.8	35.9	7.4	1 / 14
Percentage of cycles resulting in live births (%)	41.8	28.3	17.9	3.7	0 / 14
Percentage of cycles resulting in singleton live births (%)	40.8	17.4	12.8	3.7	0 / 14
Percentage of cycles resulting in twin live births (%)	1.0	10.9	5.1	0.0	0 / 14
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	37.8	13.0	10.3	0.0	0 / 14
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.4	40.8	24.1	4.7	0.0
Percentage of transfers resulting in pregnancies (%)	54.9	44.4	41.2	2 / 19	1 / 10
Percentage of transfers resulting in live births (%)	50.0	36.1	20.6	1 / 19	0 / 10
Percentage of transfers resulting in singleton live births (%)	48.8	22.2	14.7	1 / 19	0 / 10
Percentage of transfers resulting in twin live births (%)	1.2	13.9	5.9	0 / 19	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	45.1	16.7	11.8	0 / 19	0 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	77	40	30	15	3
Number of transfers	74	37	26	13	2
Estimated average number of transfers per retrieval	2.6	1.9	2.6	1.2	0.2
Average number of embryos transferred	1.3	1.4	1.3	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	53.4	42.2	45.2	3 / 19	1 / 2
Percentage of transfers resulting in pregnancies (%)	60.8	59.5	53.8	4 / 13	1 / 2
Percentage of transfers resulting in live births (%)	45.9	40.5	42.3	2 / 13	0 / 2
Percentage of transfers resulting in singleton live births (%)	35.1	40.5	38.5	2 / 13	0 / 2
Percentage of transfers resulting in twin live births (%)	9.5	0.0	3.8	0 / 13	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	29.7	37.8	38.5	0 / 13	0 / 2
Number of Egg or Embryo Banking Cycles	3	7	4	6	7
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	7	1
Number of transfers	1	0	7	1
Average number of embryos transferred	1.0		1.1	2.0
Percentage of embryos transferred resulting in implantation (%)	1 / 1		5 / 8	0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 1		5 / 7	0 / 1
Percentage of transfers resulting in live births (%)	1 / 1		5 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 1		5 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 7	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1		4 / 7	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Boston IVF, The Maine Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE A.R.T. INSTITUTE OF WASHINGTON, INC.
WALTER REED NATIONAL MILITARY MEDICAL CENTER
BETHESDA, MARYLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John Csokmay, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	0%	PGD/PGS	<1%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	25%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	13%	Male factor	44%	Female factors only	7%
Diminished ovarian reserve	5%	Other factor	1%	Female & male factors	19%
Endometriosis	12%	Unknown factor	24%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 621
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	186	60	82	29	2
Percentage of cancellations before retrieval (%)	4.8	15.0	8.5	24.1	0 / 2
Number of transfers	127	41	59	18	2
Average number of embryos transferred	1.2	1.3	1.7	1.6	2.5
Percentage of elective single embryo transfers (eSET) (%)	77.8	67.6	23.5	5 / 15	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	34.9	26.7	32.9	24.1	1 / 2
Percentage of cycles resulting in live births (%)	27.4	18.3	24.4	17.2	1 / 2
Percentage of cycles resulting in singleton live births (%)	25.8	13.3	20.7	17.2	1 / 2
Percentage of cycles resulting in twin live births (%)	1.6	5.0	3.7	0.0	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	19.9	10.0	18.3	13.8	1 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.8	34.7	29.0	20.8	2 / 5
Percentage of transfers resulting in pregnancies (%)	51.2	39.0	45.8	7 / 18	1 / 2
Percentage of transfers resulting in live births (%)	40.2	26.8	33.9	5 / 18	1 / 2
Percentage of transfers resulting in singleton live births (%)	37.8	19.5	28.8	5 / 18	1 / 2
Percentage of transfers resulting in twin live births (%)	2.4	7.3	5.1	0 / 18	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	29.1	14.6	25.4	4 / 18	1 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	134	60	36	18	3
Number of transfers	124	58	36	18	3
Estimated average number of transfers per retrieval	1.7	3.1	2.1	3.0	1.5
Average number of embryos transferred	1.2	1.3	1.5	1.9	1.0
Percentage of embryos transferred resulting in implantation (%)	52.0	49.3	31.4	20.0	3 / 3
Percentage of transfers resulting in pregnancies (%)	58.9	58.6	41.7	7 / 18	2 / 3
Percentage of transfers resulting in live births (%)	51.6	46.6	38.9	7 / 18	1 / 3
Percentage of transfers resulting in singleton live births (%)	47.6	41.4	33.3	7 / 18	1 / 3
Percentage of transfers resulting in twin live births (%)	4.0	5.2	5.6	0 / 18	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	40.3	31.0	25.0	7 / 18	1 / 3
Number of Egg or Embryo Banking Cycles	8	2	0	0	1
Number of fertility preservation cycles	0	1	0	0	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	0	0
Number of transfers	0	0	0	0
Average number of embryos transferred				
Percentage of embryos transferred resulting in implantation (%)				
Percentage of transfers resulting in pregnancies (%)				
Percentage of transfers resulting in live births (%)				
Percentage of transfers resulting in singleton live births (%)				
Percentage of transfers resulting in twin live births (%)				
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)				

CURRENT SERVICES & PROFILE

Current Name: The A.R.T. Institute of Washington, Inc., Walter Reed National Military Medical Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ENDRIKA HINTON, MD
LUTHERVILLE, MARYLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Endrika L. Hinton, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	29%
Unstimulated	0%	PGD/PGS	52%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	5%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	67%	Male factor	14%	Female factors only	52%
Diminished ovarian reserve	14%	Other factor	0%	Female & male factors	10%
Endometriosis	62%	Unknown factor	5%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 34
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	5	3	2	0	1
Percentage of cancellations before retrieval (%)	0 / 5	0 / 3	1 / 2		0 / 1
Number of transfers	3	1	0	0	0
Average number of embryos transferred	1.0	1.0			
Percentage of elective single embryo transfers (eSET) (%)	1 / 1				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 5	1 / 3	0 / 2		0 / 1
Percentage of cycles resulting in live births (%)	1 / 5	1 / 3	0 / 2		0 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 5	1 / 3	0 / 2		0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 5	0 / 3	0 / 2		0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 5	1 / 3	0 / 2		0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 3	1 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 1			
Percentage of transfers resulting in live births (%)	1 / 3	1 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 3	1 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	4	2	3	1	0
Number of transfers	4	2	3	1	0
Estimated average number of transfers per retrieval	0.5	0.4	0.6	1.0	
Average number of embryos transferred	1.0	1.0	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 4	2 / 2	2 / 4	1 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 4	2 / 2	2 / 3	1 / 1	
Percentage of transfers resulting in live births (%)	0 / 4	2 / 2	2 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 4	2 / 2	2 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 4	2 / 2	2 / 3	1 / 1	
Number of Egg or Embryo Banking Cycles	4	5	3	1	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	0	0
Number of transfers	0	0	0	0
Average number of embryos transferred				
Percentage of embryos transferred resulting in implantation (%)				
Percentage of transfers resulting in pregnancies (%)				
Percentage of transfers resulting in live births (%)				
Percentage of transfers resulting in singleton live births (%)				
Percentage of transfers resulting in twin live births (%)				
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)				

CURRENT SERVICES & PROFILE

Current Name: Endrika Hinton, MD

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

JOHNS HOPKINS FERTILITY CENTER
LUTHERVILLE, MARYLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jairo E. Garcia, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	53%
Unstimulated	<1%	PGD/PGS	10%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	14%	Uterine factor	16%	Multiple Factors:	
Ovulatory dysfunction	16%	Male factor	23%	Female factors only	14%
Diminished ovarian reserve	30%	Other factor	12%	Female & male factors	10%
Endometriosis	12%	Unknown factor	7%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 675
(includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	95	66	56	49	18
Percentage of cancellations before retrieval (%)	9.5	24.2	12.5	20.4	5 / 18
Number of transfers	50	32	36	16	6
Average number of embryos transferred	1.4	1.7	1.8	1.8	1.8
Percentage of elective single embryo transfers (eSET) (%)	43.6	23.1	0.0	0 / 10	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	21.1	12.1	14.3	4.1	0 / 18
Percentage of cycles resulting in live births (%)	16.8	7.6	10.7	4.1	0 / 18
Percentage of cycles resulting in singleton live births (%)	13.7	3.0	10.7	4.1	0 / 18
Percentage of cycles resulting in twin live births (%)	3.2	4.5	0.0	0.0	0 / 18
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	9.5	3.0	10.7	2.0	0 / 18
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	31.9	22.6	13.8	6.9	0 / 11
Percentage of transfers resulting in pregnancies (%)	40.0	25.0	22.2	2 / 16	0 / 6
Percentage of transfers resulting in live births (%)	32.0	15.6	16.7	2 / 16	0 / 6
Percentage of transfers resulting in singleton live births (%)	26.0	6.3	16.7	2 / 16	0 / 6
Percentage of transfers resulting in twin live births (%)	6.0	9.4	0.0	0 / 16	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	18.0	6.3	16.7	1 / 16	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	73	62	31	13	12
Number of transfers	73	62	28	9	12
Estimated average number of transfers per retrieval	1.0	1.0	0.5	0.3	1.0
Average number of embryos transferred	1.6	1.5	1.6	1.7	1.9
Percentage of embryos transferred resulting in implantation (%)	29.8	34.1	33.3	4 / 15	4.3
Percentage of transfers resulting in pregnancies (%)	39.7	46.8	46.4	3 / 9	1 / 12
Percentage of transfers resulting in live births (%)	31.5	38.7	39.3	3 / 9	0 / 12
Percentage of transfers resulting in singleton live births (%)	26.0	33.9	32.1	2 / 9	0 / 12
Percentage of transfers resulting in twin live births (%)	5.5	4.8	7.1	1 / 9	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	23.3	29.0	21.4	2 / 9	0 / 12
Number of Egg or Embryo Banking Cycles	52	42	48	22	10
Number of fertility preservation cycles	18	4	5	2	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	3	11	7	1
Number of transfers	0	11	7	1
Average number of embryos transferred		1.4	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)		5 / 15	2 / 12	1 / 2
Percentage of transfers resulting in pregnancies (%)		5 / 11	2 / 7	1 / 1
Percentage of transfers resulting in live births (%)		4 / 11	0 / 7	1 / 1
Percentage of transfers resulting in singleton live births (%)		4 / 11	0 / 7	1 / 1
Percentage of transfers resulting in twin live births (%)		0 / 11	0 / 7	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		4 / 11	0 / 7	1 / 1

CURRENT SERVICES & PROFILE

Current Name: Johns Hopkins Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

MONTGOMERY FERTILITY CENTER
ROCKVILLE, MARYLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Oluyemisi Adesanya-Famuyiwa, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	56%
Unstimulated	0%	PGD/PGS	0%
Used gestational carrier	4%		

Patient Diagnosis[a,b]

Tubal factor	27%	Uterine factor	29%	Multiple Factors:	
Ovulatory dysfunction	19%	Male factor	35%	Female factors only	25%
Diminished ovarian reserve	27%	Other factor	10%	Female & male factors	24%
Endometriosis	0%	Unknown factor	12%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 92
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	13	12	6	5	2
Percentage of cancellations before retrieval (%)	1 / 13	0 / 12	1 / 6	0 / 5	0 / 2
Number of transfers	12	12	5	4	2
Average number of embryos transferred	2.3	3.0	1.8	2.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 11	0 / 12	0 / 3	0 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 13	5 / 12	1 / 6	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	2 / 13	1 / 12	1 / 6	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	2 / 13	1 / 12	0 / 6	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 13	0 / 12	1 / 6	0 / 5	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	2 / 13	1 / 12	0 / 6	0 / 5	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	7.1	12.5	2 / 9	0 / 11	0 / 4
Percentage of transfers resulting in pregnancies (%)	2 / 12	5 / 12	1 / 5	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	2 / 12	1 / 12	1 / 5	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 12	1 / 12	0 / 5	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 12	1 / 5	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 12	1 / 12	0 / 5	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	3	3	0	2
Number of transfers	9	3	3	0	2
Estimated average number of transfers per retrieval	2.3	0.8	0.6	0.0	0.2
Average number of embryos transferred	2.2	1.7	2.0		2.0
Percentage of embryos transferred resulting in implantation (%)	15.0	0 / 5	1 / 6		0 / 4
Percentage of transfers resulting in pregnancies (%)	3 / 9	0 / 3	1 / 3		0 / 2
Percentage of transfers resulting in live births (%)	3 / 9	0 / 3	1 / 3		0 / 2
Percentage of transfers resulting in singleton live births (%)	3 / 9	0 / 3	1 / 3		0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 3	0 / 3		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 9	0 / 3	1 / 3		0 / 2
Number of Egg or Embryo Banking Cycles	3	4	4	4	9
Number of fertility preservation cycles	0	0	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	13	0
Number of transfers	0	0	13	0
Average number of embryos transferred			1.9	
Percentage of embryos transferred resulting in implantation (%)			20.0	
Percentage of transfers resulting in pregnancies (%)			5 / 13	
Percentage of transfers resulting in live births (%)			2 / 13	
Percentage of transfers resulting in singleton live births (%)			2 / 13	
Percentage of transfers resulting in twin live births (%)			0 / 13	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			1 / 13	

CURRENT SERVICES & PROFILE

Current Name: Montgomery Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

SHADY GROVE FERTILITY REPRODUCTIVE SCIENCE CENTER
ROCKVILLE, MARYLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael J. Levy, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	0%	PGD/PGS	14%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	11%	Male factor	23%	Female factors only	7%
Diminished ovarian reserve	26%	Other factor	16%	Female & male factors	8%
Endometriosis	5%	Unknown factor	22%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 9,413
(includes 64 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1,286	760	684	387	251
Percentage of cancellations before retrieval (%)	5.8	11.7	16.1	22.2	19.5
Number of transfers	1,040	564	465	228	147
Average number of embryos transferred	1.3	1.4	1.8	2.1	2.4
Percentage of elective single embryo transfers (eSET) (%)	70.4	51.9	18.9	4.9	1.6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.7	32.9	26.3	17.3	9.6
Percentage of cycles resulting in live births (%)	34.7	26.7	16.8	10.9	4.4
Percentage of cycles resulting in singleton live births (%)	31.7	24.3	14.8	9.0	3.6
Percentage of cycles resulting in twin live births (%)	2.9	2.4	1.9	1.8	0.8
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	27.7	20.4	12.6	8.0	2.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.0	33.7	24.3	16.4	6.7
Percentage of transfers resulting in pregnancies (%)	50.4	44.3	38.7	29.4	16.3
Percentage of transfers resulting in live births (%)	42.9	36.0	24.7	18.4	7.5
Percentage of transfers resulting in singleton live births (%)	39.2	32.8	21.7	15.4	6.1
Percentage of transfers resulting in twin live births (%)	3.6	3.2	2.8	3.1	1.4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.2	27.5	18.5	13.6	3.4
Frozen Embryos from Nondonor Eggs					
Number of cycles	1,049	753	629	251	109
Number of transfers	988	714	584	232	98
Estimated average number of transfers per retrieval	1.3	1.1	0.9	0.8	0.7
Average number of embryos transferred	1.2	1.2	1.2	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	55.8	55.9	49.7	41.9	32.2
Percentage of transfers resulting in pregnancies (%)	61.6	61.8	56.5	51.3	43.9
Percentage of transfers resulting in live births (%)	48.6	48.6	44.7	38.4	27.6
Percentage of transfers resulting in singleton live births (%)	42.7	43.7	42.6	36.2	27.6
Percentage of transfers resulting in twin live births (%)	5.9	4.8	1.9	2.2	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	38.2	39.8	37.8	32.3	25.5
Number of Egg or Embryo Banking Cycles	413	432	497	230	110
Number of fertility preservation cycles	114	207	143	29	10

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	530	136	841	1
Number of transfers	411	98	763	1
Average number of embryos transferred	1.2	1.3	1.2	2.0
Percentage of embryos transferred resulting in implantation (%)	52.3	42.1	45.0	2 / 2
Percentage of transfers resulting in pregnancies (%)	59.9	53.1	51.2	1 / 1
Percentage of transfers resulting in live births (%)	47.0	41.8	39.2	1 / 1
Percentage of transfers resulting in singleton live births (%)	42.1	37.8	35.6	0 / 1
Percentage of transfers resulting in twin live births (%)	4.9	4.1	3.5	1 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.4	29.6	28.0	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility-Rockville

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF MARYLAND
TOWSON, MARYLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Santiago L. Padilla, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	31%
Unstimulated	<1%	PGD/PGS	0%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	19%	Uterine factor	14%	Multiple Factors:	
Ovulatory dysfunction	21%	Male factor	35%	Female factors only	23%
Diminished ovarian reserve	27%	Other factor	16%	Female & male factors	20%
Endometriosis	10%	Unknown factor	14%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 373
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	82	44	63	22	21
Percentage of cancellations before retrieval (%)	7.3	11.4	23.8	31.8	57.1
Number of transfers	71	35	43	14	8
Average number of embryos transferred	1.4	1.5	2.2	3.6	3.5
Percentage of elective single embryo transfers (eSET) (%)	52.6	45.2	17.5	0 / 14	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.9	43.2	25.4	27.3	4.8
Percentage of cycles resulting in live births (%)	28.0	31.8	19.0	13.6	0.0
Percentage of cycles resulting in singleton live births (%)	25.6	27.3	12.7	4.5	0.0
Percentage of cycles resulting in twin live births (%)	2.4	4.5	6.3	9.1	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	22.0	22.7	9.5	0.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	28.7	38.5	21.5	14.0	3.6
Percentage of transfers resulting in pregnancies (%)	38.0	54.3	37.2	6 / 14	1 / 8
Percentage of transfers resulting in live births (%)	32.4	40.0	27.9	3 / 14	0 / 8
Percentage of transfers resulting in singleton live births (%)	29.6	34.3	18.6	1 / 14	0 / 8
Percentage of transfers resulting in twin live births (%)	2.8	5.7	9.3	2 / 14	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	25.4	28.6	14.0	0 / 14	0 / 8
Frozen Embryos from Nondonor Eggs					
Number of cycles	57	42	17	1	3
Number of transfers	49	35	15	0	2
Estimated average number of transfers per retrieval	2.0	2.5	1.9		2.0
Average number of embryos transferred	1.3	1.3	1.3		1.0
Percentage of embryos transferred resulting in implantation (%)	32.3	28.3	25.0		0 / 2
Percentage of transfers resulting in pregnancies (%)	38.8	37.1	4 / 15		0 / 2
Percentage of transfers resulting in live births (%)	32.7	25.7	4 / 15		0 / 2
Percentage of transfers resulting in singleton live births (%)	30.6	22.9	4 / 15		0 / 2
Percentage of transfers resulting in twin live births (%)	2.0	2.9	0 / 15		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	20.4	22.9	4 / 15		0 / 2
Number of Egg or Embryo Banking Cycles	13	3	2	0	1
Number of fertility preservation cycles	1	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	1	1
Number of transfers	0	0	1	1
Average number of embryos transferred			1.0	1.0
Percentage of embryos transferred resulting in implantation (%)			0 / 1	1 / 1
Percentage of transfers resulting in pregnancies (%)			0 / 1	1 / 1
Percentage of transfers resulting in live births (%)			0 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)			0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)			0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			0 / 1	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Maryland

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHADY GROVE FERTILITY RSC-TOWSON
TOWSON, MARYLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Eugene Katz, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	69%
Unstimulated	0%	PGD/PGS	10%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	11%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	16%	Male factor	31%	Female factors only	8%
Diminished ovarian reserve	20%	Other factor	17%	Female & male factors	11%
Endometriosis	6%	Unknown factor	17%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 2,218
(includes 26 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	489	208	195	54	29
Percentage of cancellations before retrieval (%)	4.3	6.3	12.3	18.5	17.2
Number of transfers	394	170	141	33	16
Average number of embryos transferred	1.2	1.4	1.9	2.4	2.6
Percentage of elective single embryo transfers (eSET) (%)	72.1	43.7	7.3	0.0	0 / 14
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.2	38.9	27.7	16.7	17.2
Percentage of cycles resulting in live births (%)	36.0	30.3	17.9	9.3	3.4
Percentage of cycles resulting in singleton live births (%)	33.5	26.0	14.4	7.4	3.4
Percentage of cycles resulting in twin live births (%)	2.5	4.3	3.6	1.9	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	28.8	23.6	12.8	1.9	3.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	49.3	36.0	23.7	12.9	8.6
Percentage of transfers resulting in pregnancies (%)	56.1	47.6	38.3	27.3	5 / 16
Percentage of transfers resulting in live births (%)	44.7	37.1	24.8	15.2	1 / 16
Percentage of transfers resulting in singleton live births (%)	41.6	31.8	19.9	12.1	1 / 16
Percentage of transfers resulting in twin live births (%)	3.0	5.3	5.0	3.0	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	35.8	28.8	17.7	3.0	1 / 16
Frozen Embryos from Nondonor Eggs					
Number of cycles	335	155	97	36	12
Number of transfers	323	146	91	32	7
Estimated average number of transfers per retrieval	1.3	1.1	0.9	0.6	0.3
Average number of embryos transferred	1.2	1.2	1.3	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	56.4	42.2	38.5	17.1	5 / 10
Percentage of transfers resulting in pregnancies (%)	61.3	50.0	46.2	28.1	4 / 7
Percentage of transfers resulting in live births (%)	47.1	37.0	34.1	15.6	3 / 7
Percentage of transfers resulting in singleton live births (%)	42.4	34.2	33.0	12.5	2 / 7
Percentage of transfers resulting in twin live births (%)	4.3	2.7	1.1	3.1	1 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	37.5	30.8	28.6	9.4	2 / 7
Number of Egg or Embryo Banking Cycles	136	86	80	49	17
Number of fertility preservation cycles	23	32	17	6	3

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	103	21	90	0
Number of transfers	83	14	82	0
Average number of embryos transferred	1.2	1.5	1.1	
Percentage of embryos transferred resulting in implantation (%)	51.0	47.6	48.8	
Percentage of transfers resulting in pregnancies (%)	57.8	7 / 14	57.3	
Percentage of transfers resulting in live births (%)	47.0	6 / 14	42.7	
Percentage of transfers resulting in singleton live births (%)	42.2	3 / 14	42.7	
Percentage of transfers resulting in twin live births (%)	4.8	3 / 14	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	36.1	3 / 14	36.6	

CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility-Towson

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BRIGHAM AND WOMEN'S HOSPITAL CENTER FOR ASSISTED REPRODUCTIVE TECHNOLOGY BOSTON, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Elizabeth S. Ginsburg, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	38%
Unstimulated	<1%	PGD/PGS	5%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	8%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	0%	Male factor	28%	Female factors only	7%
Diminished ovarian reserve	35%	Other factor	12%	Female & male factors	12%
Endometriosis	6%	Unknown factor	31%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 2,298
(includes 24 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	294	204	223	104	74
Percentage of cancellations before retrieval (%)	3.4	3.4	7.6	9.6	6.8
Number of transfers	268	189	194	90	62
Average number of embryos transferred	1.2	1.5	2.0	3.1	3.7
Percentage of elective single embryo transfers (eSET) (%)	76.1	53.9	24.0	7.7	1.8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.9	40.2	30.9	19.2	24.3
Percentage of cycles resulting in live births (%)	31.0	30.9	22.9	13.5	14.9
Percentage of cycles resulting in singleton live births (%)	28.2	27.5	17.0	11.5	13.5
Percentage of cycles resulting in twin live births (%)	2.7	3.4	5.8	1.9	1.4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	23.8	21.6	15.7	8.7	12.2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.2	31.8	20.2	7.1	7.1
Percentage of transfers resulting in pregnancies (%)	47.0	43.4	35.6	22.2	29.0
Percentage of transfers resulting in live births (%)	34.0	33.3	26.3	15.6	17.7
Percentage of transfers resulting in singleton live births (%)	31.0	29.6	19.6	13.3	16.1
Percentage of transfers resulting in twin live births (%)	3.0	3.7	6.7	2.2	1.6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.1	23.3	18.0	10.0	14.5
Frozen Embryos from Nondonor Eggs					
Number of cycles	359	270	181	85	41
Number of transfers	330	238	163	73	40
Estimated average number of transfers per retrieval	1.4	1.5	1.3	1.3	1.1
Average number of embryos transferred	1.2	1.3	1.5	1.7	2.1
Percentage of embryos transferred resulting in implantation (%)	54.7	48.1	37.0	28.4	5.6
Percentage of transfers resulting in pregnancies (%)	63.0	60.9	52.8	47.9	25.0
Percentage of transfers resulting in live births (%)	47.3	41.2	37.4	32.9	10.0
Percentage of transfers resulting in singleton live births (%)	43.3	36.6	33.7	28.8	10.0
Percentage of transfers resulting in twin live births (%)	3.9	4.6	3.7	4.1	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	38.2	30.3	28.8	27.4	7.5
Number of Egg or Embryo Banking Cycles	147	80	74	38	17
Number of fertility preservation cycles	51	22	14	3	3

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	33	0	50	0
Number of transfers	32	0	50	0
Average number of embryos transferred	1.1		1.3	
Percentage of embryos transferred resulting in implantation (%)	75.0		52.5	
Percentage of transfers resulting in pregnancies (%)	78.1		64.0	
Percentage of transfers resulting in live births (%)	62.5		54.0	
Percentage of transfers resulting in singleton live births (%)	62.5		50.0	
Percentage of transfers resulting in twin live births (%)	0.0		4.0	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	62.5		42.0	

CURRENT SERVICES & PROFILE

Current Name: Brigham and Women's Hospital Center for Assisted Reproductive Technology

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MASSACHUSETTS GENERAL HOSPITAL FERTILITY CENTER
BOSTON, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John C. Petrozza, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	0%	PGD/PGS	6%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	12%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	12%	Male factor	39%	Female factors only	9%
Diminished ovarian reserve	26%	Other factor	9%	Female & male factors	18%
Endometriosis	6%	Unknown factor	20%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,072
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	244	136	125	53	17
Percentage of cancellations before retrieval (%)	4.9	5.1	9.6	15.1	3 / 17
Number of transfers	220	120	103	41	14
Average number of embryos transferred	1.2	1.5	2.0	2.7	3.1
Percentage of elective single embryo transfers (eSET) (%)	76.5	43.4	4.4	0.0	0 / 12
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	40.4	36.0	26.4	1 / 17
Percentage of cycles resulting in live births (%)	46.3	33.8	29.6	13.2	0 / 17
Percentage of cycles resulting in singleton live births (%)	45.1	31.6	25.6	7.5	0 / 17
Percentage of cycles resulting in twin live births (%)	1.2	2.2	4.0	5.7	0 / 17
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	34.4	26.5	23.2	7.5	0 / 17
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.1	32.4	23.2	17.8	2.3
Percentage of transfers resulting in pregnancies (%)	55.5	45.8	43.7	34.1	1 / 14
Percentage of transfers resulting in live births (%)	51.4	38.3	35.9	17.1	0 / 14
Percentage of transfers resulting in singleton live births (%)	50.0	35.8	31.1	9.8	0 / 14
Percentage of transfers resulting in twin live births (%)	1.4	2.5	4.9	7.3	0 / 14
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	38.2	30.0	28.2	9.8	0 / 14
Frozen Embryos from Nondonor Eggs					
Number of cycles	131	97	64	13	10
Number of transfers	125	95	63	13	10
Estimated average number of transfers per retrieval	1.2	1.4	1.6	0.8	3.3
Average number of embryos transferred	1.1	1.2	1.3	1.4	1.8
Percentage of embryos transferred resulting in implantation (%)	47.6	49.5	37.0	1 / 18	1 / 18
Percentage of transfers resulting in pregnancies (%)	50.4	54.7	42.9	1 / 13	1 / 10
Percentage of transfers resulting in live births (%)	44.0	44.2	33.3	0 / 13	0 / 10
Percentage of transfers resulting in singleton live births (%)	41.6	42.1	30.2	0 / 13	0 / 10
Percentage of transfers resulting in twin live births (%)	2.4	2.1	3.2	0 / 13	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.0	33.7	23.8	0 / 13	0 / 10
Number of Egg or Embryo Banking Cycles	52	36	27	8	3
Number of fertility preservation cycles	22	20	10	2	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	35	1	20	0
Number of transfers	34	1	19	0
Average number of embryos transferred	1.2	2.0	1.1	
Percentage of embryos transferred resulting in implantation (%)	52.4	0 / 2	14 / 19	
Percentage of transfers resulting in pregnancies (%)	61.8	0 / 1	11 / 19	
Percentage of transfers resulting in live births (%)	50.0	0 / 1	8 / 19	
Percentage of transfers resulting in singleton live births (%)	47.1	0 / 1	7 / 19	
Percentage of transfers resulting in twin live births (%)	2.9	0 / 1	1 / 19	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.4	0 / 1	4 / 19	

CURRENT SERVICES & PROFILE

Current Name: Massachusetts General Hospital Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY SOLUTIONS, PC
DEDHAM, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ania Kowalik, MD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	45%
Unstimulated	0%	PGD/PGS	6%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	9%	Uterine factor	1%	Multiple Factors:	
Ovulatory dysfunction	8%	Male factor	25%	Female factors only	4%
Diminished ovarian reserve	20%	Other factor	5%	Female & male factors	9%
Endometriosis	6%	Unknown factor	39%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 710
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	117	94	70	57	21
Percentage of cancellations before retrieval (%)	2.6	14.9	14.3	14.0	28.6
Number of transfers	104	69	51	34	10
Average number of embryos transferred	1.3	1.5	2.1	2.4	2.5
Percentage of elective single embryo transfers (eSET) (%)	63.5	46.6	13.6	0.0	1 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.7	31.9	21.4	12.3	9.5
Percentage of cycles resulting in live births (%)	37.6	24.5	15.7	7.0	4.8
Percentage of cycles resulting in singleton live births (%)	33.3	22.3	12.9	7.0	4.8
Percentage of cycles resulting in twin live births (%)	4.3	2.1	2.9	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	29.9	19.1	11.4	1.8	4.8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.5	29.8	16.2	10.8	8.0
Percentage of transfers resulting in pregnancies (%)	48.1	43.5	29.4	20.6	2 / 10
Percentage of transfers resulting in live births (%)	42.3	33.3	21.6	11.8	1 / 10
Percentage of transfers resulting in singleton live births (%)	37.5	30.4	17.6	11.8	1 / 10
Percentage of transfers resulting in twin live births (%)	4.8	2.9	3.9	0.0	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	33.7	26.1	15.7	2.9	1 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	104	72	49	16	9
Number of transfers	94	67	47	13	3
Estimated average number of transfers per retrieval	2.5	2.2	1.4	1.0	0.4
Average number of embryos transferred	1.2	1.2	1.2	1.7	1.3
Percentage of embryos transferred resulting in implantation (%)	36.7	33.3	33.3	4 / 18	1 / 4
Percentage of transfers resulting in pregnancies (%)	42.6	40.3	42.6	6 / 13	1 / 3
Percentage of transfers resulting in live births (%)	36.2	28.4	29.8	4 / 13	0 / 3
Percentage of transfers resulting in singleton live births (%)	34.0	26.9	29.8	4 / 13	0 / 3
Percentage of transfers resulting in twin live births (%)	2.1	1.5	0.0	0 / 13	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	29.8	22.4	25.5	4 / 13	0 / 3
Number of Egg or Embryo Banking Cycles	13	10	21	6	7
Number of fertility preservation cycles	2	1	4	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	10	12	20	2
Number of transfers	8	9	19	2
Average number of embryos transferred	1.3	1.3	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	7 / 9	7 / 12	41.7	1 / 2
Percentage of transfers resulting in pregnancies (%)	7 / 8	6 / 9	9 / 19	1 / 2
Percentage of transfers resulting in live births (%)	6 / 8	5 / 9	7 / 19	0 / 2
Percentage of transfers resulting in singleton live births (%)	5 / 8	4 / 9	6 / 19	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 8	1 / 9	1 / 19	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 8	2 / 9	5 / 19	0 / 2

CURRENT SERVICES & PROFILE

Current Name: Fertility Solutions, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF NEW ENGLAND
LEXINGTON, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Samuel C. Pang, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	44%
Unstimulated	0%	PGD/PGS	12%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	14%	Male factor	42%	Female factors only	12%
Diminished ovarian reserve	26%	Other factor	19%	Female & male factors	23%
Endometriosis	7%	Unknown factor	16%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 3,050
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	608	336	249	123	45
Percentage of cancellations before retrieval (%)	3.6	6.0	6.8	14.6	8.9
Number of transfers	479	251	193	74	28
Average number of embryos transferred	1.2	1.5	1.9	2.7	3.3
Percentage of elective single embryo transfers (eSET) (%)	72.7	46.5	12.3	3.3	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.7	31.8	28.1	10.6	4.4
Percentage of cycles resulting in live births (%)	31.7	25.3	21.7	5.7	0.0
Percentage of cycles resulting in singleton live births (%)	29.4	23.2	18.9	5.7	0.0
Percentage of cycles resulting in twin live births (%)	2.3	2.1	2.8	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	24.2	19.3	14.9	4.9	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	38.7	30.7	21.5	7.1	0.0
Percentage of transfers resulting in pregnancies (%)	45.3	42.6	36.3	17.6	7.1
Percentage of transfers resulting in live births (%)	40.3	33.9	28.0	9.5	0.0
Percentage of transfers resulting in singleton live births (%)	37.4	31.1	24.4	9.5	0.0
Percentage of transfers resulting in twin live births (%)	2.9	2.8	3.6	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.7	25.9	19.2	8.1	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	522	320	187	56	21
Number of transfers	490	295	170	52	17
Estimated average number of transfers per retrieval	1.4	1.4	1.3	0.7	0.8
Average number of embryos transferred	1.1	1.2	1.2	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	57.3	59.4	43.9	43.5	6 / 18
Percentage of transfers resulting in pregnancies (%)	60.0	65.8	50.6	53.8	8 / 17
Percentage of transfers resulting in live births (%)	53.3	57.3	40.0	44.2	4 / 17
Percentage of transfers resulting in singleton live births (%)	48.0	51.9	37.6	40.4	4 / 17
Percentage of transfers resulting in twin live births (%)	4.9	5.4	2.4	3.8	0 / 17
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	41.8	45.8	31.8	32.7	4 / 17
Number of Egg or Embryo Banking Cycles	152	115	83	53	19
Number of fertility preservation cycles	12	19	11	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	20	59	72	3
Number of transfers	18	49	65	3
Average number of embryos transferred	1.1	1.1	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	10 / 18	42.6	59.4	2 / 3
Percentage of transfers resulting in pregnancies (%)	11 / 18	49.0	60.0	2 / 3
Percentage of transfers resulting in live births (%)	10 / 18	46.9	47.7	2 / 3
Percentage of transfers resulting in singleton live births (%)	10 / 18	46.9	44.6	2 / 3
Percentage of transfers resulting in twin live births (%)	0 / 18	0.0	3.1	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	8 / 18	34.7	36.9	2 / 3

CURRENT SERVICES & PROFILE

This clinic has closed since 2016. Information on current clinic services and profile therefore is not provided here.
Contact the NASS Help Desk for further information.

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTERS OF NEW ENGLAND, INC.
NEW ENGLAND CLINICS OF REPRODUCTIVE MEDICINE, INC.
READING, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Danielle Vitiello, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	0%	PGD/PGS	10%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	1%	Multiple Factors:	
Ovulatory dysfunction	9%	Male factor	28%	Female factors only	7%
Diminished ovarian reserve	13%	Other factor	28%	Female & male factors	11%
Endometriosis	6%	Unknown factor	24%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,485
(includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	362	132	135	51	21
Percentage of cancellations before retrieval (%)	1.7	3.0	8.1	3.9	0.0
Number of transfers	224	79	77	31	12
Average number of embryos transferred	1.3	1.4	1.7	1.7	2.0
Percentage of elective single embryo transfers (eSET) (%)	66.5	46.0	11.7	0.0	0 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	27.1	24.2	25.9	21.6	9.5
Percentage of cycles resulting in live births (%)	24.9	19.7	22.2	19.6	9.5
Percentage of cycles resulting in singleton live births (%)	22.1	15.9	17.8	15.7	4.8
Percentage of cycles resulting in twin live births (%)	2.8	3.8	4.4	3.9	4.8
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	18.2	13.6	17.0	15.7	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.1	37.2	32.3	25.9	12.5
Percentage of transfers resulting in pregnancies (%)	43.8	40.5	45.5	35.5	2 / 12
Percentage of transfers resulting in live births (%)	40.2	32.9	39.0	32.3	2 / 12
Percentage of transfers resulting in singleton live births (%)	35.7	26.6	31.2	25.8	1 / 12
Percentage of transfers resulting in twin live births (%)	4.5	6.3	7.8	6.5	1 / 12
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	29.5	22.8	29.9	25.8	0 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	268	130	78	20	11
Number of transfers	255	120	73	18	11
Estimated average number of transfers per retrieval	1.3	1.3	1.0	0.7	0.6
Average number of embryos transferred	1.2	1.3	1.3	1.6	1.3
Percentage of embryos transferred resulting in implantation (%)	49.2	41.2	40.4	28.6	3 / 14
Percentage of transfers resulting in pregnancies (%)	52.5	44.2	43.8	8 / 18	3 / 11
Percentage of transfers resulting in live births (%)	49.4	42.5	38.4	6 / 18	3 / 11
Percentage of transfers resulting in singleton live births (%)	42.7	35.0	30.1	6 / 18	3 / 11
Percentage of transfers resulting in twin live births (%)	6.7	7.5	8.2	0 / 18	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	37.6	32.5	27.4	6 / 18	3 / 11
Number of Egg or Embryo Banking Cycles	56	48	51	17	16
Number of fertility preservation cycles	4	8	11	0	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	6	3	76	0
Number of transfers	0	3	69	0
Average number of embryos transferred		1.3	1.3	
Percentage of embryos transferred resulting in implantation (%)		1 / 4	39.3	
Percentage of transfers resulting in pregnancies (%)		1 / 3	43.5	
Percentage of transfers resulting in live births (%)		1 / 3	42.0	
Percentage of transfers resulting in singleton live births (%)		1 / 3	37.7	
Percentage of transfers resulting in twin live births (%)		0 / 3	4.3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		1 / 3	30.4	

CURRENT SERVICES & PROFILE

Current Name: Fertility Centers of New England, Inc., New England Clinics of Reproductive Medicine, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BAYSTATE REPRODUCTIVE MEDICINE
SPRINGFIELD, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Kelly Lynch, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	35%
Unstimulated	0%	PGD/PGS	4%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	13%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	18%	Male factor	24%	Female factors only	9%
Diminished ovarian reserve	20%	Other factor	13%	Female & male factors	10%
Endometriosis	7%	Unknown factor	24%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 582
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	128	63	55	29	8
Percentage of cancellations before retrieval (%)	5.5	4.8	14.5	13.8	1 / 8
Number of transfers	84	47	33	17	7
Average number of embryos transferred	1.1	1.3	1.6	1.8	1.7
Percentage of elective single embryo transfers (eSET) (%)	85.7	65.0	37.0	3 / 13	2 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.4	42.9	21.8	37.9	1 / 8
Percentage of cycles resulting in live births (%)	36.7	38.1	14.5	24.1	1 / 8
Percentage of cycles resulting in singleton live births (%)	34.4	25.4	10.9	20.7	1 / 8
Percentage of cycles resulting in twin live births (%)	2.3	12.7	1.8	3.4	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	25.0	23.8	7.3	13.8	1 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	62.0	56.7	27.7	53.3	1 / 12
Percentage of transfers resulting in pregnancies (%)	63.1	57.4	36.4	11 / 17	1 / 7
Percentage of transfers resulting in live births (%)	56.0	51.1	24.2	7 / 17	1 / 7
Percentage of transfers resulting in singleton live births (%)	52.4	34.0	18.2	6 / 17	1 / 7
Percentage of transfers resulting in twin live births (%)	3.6	17.0	3.0	1 / 17	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	38.1	31.9	12.1	4 / 17	1 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	109	68	48	12	9
Number of transfers	89	64	38	10	8
Estimated average number of transfers per retrieval	1.7	2.0	1.3	0.8	0.8
Average number of embryos transferred	1.2	1.2	1.4	1.6	1.0
Percentage of embryos transferred resulting in implantation (%)	51.0	50.7	43.8	3 / 12	2 / 7
Percentage of transfers resulting in pregnancies (%)	56.2	54.7	55.3	4 / 10	3 / 8
Percentage of transfers resulting in live births (%)	46.1	43.8	36.8	2 / 10	2 / 8
Percentage of transfers resulting in singleton live births (%)	41.6	35.9	36.8	1 / 10	2 / 8
Percentage of transfers resulting in twin live births (%)	3.4	7.8	0.0	1 / 10	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	39.3	29.7	31.6	1 / 10	2 / 8
Number of Egg or Embryo Banking Cycles	10	3	8	1	1
Number of fertility preservation cycles	6	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	8	5	16	0
Number of transfers	8	4	16	0
Average number of embryos transferred	1.1	1.3	1.4	
Percentage of embryos transferred resulting in implantation (%)	4 / 9	3 / 5	61.9	
Percentage of transfers resulting in pregnancies (%)	3 / 8	2 / 4	13 / 16	
Percentage of transfers resulting in live births (%)	2 / 8	2 / 4	10 / 16	
Percentage of transfers resulting in singleton live births (%)	2 / 8	1 / 4	9 / 16	
Percentage of transfers resulting in twin live births (%)	0 / 8	1 / 4	1 / 16	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 8	1 / 4	8 / 16	

CURRENT SERVICES & PROFILE

Current Name: Baystate Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CARDONE REPRODUCTIVE MEDICINE AND INFERTILITY, LLC
STONEHAM, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Vito R. Cardone, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	38%
Unstimulated	0%	PGD/PGS	9%
Used gestational carrier	4%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	14%	Male factor	29%	Female factors only	12%
Diminished ovarian reserve	30%	Other factor	20%	Female & male factors	14%
Endometriosis	4%	Unknown factor	14%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 320
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	39	32	37	23	25
Percentage of cancellations before retrieval (%)	2.6	3.1	8.1	8.7	20.0
Number of transfers	29	24	26	14	5
Average number of embryos transferred	1.2	1.7	1.9	2.4	2.4
Percentage of elective single embryo transfers (eSET) (%)	73.9	6 / 19	14.3	0 / 12	0 / 5
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.6	37.5	16.2	13.0	0.0
Percentage of cycles resulting in live births (%)	20.5	31.3	13.5	13.0	0.0
Percentage of cycles resulting in singleton live births (%)	20.5	25.0	10.8	13.0	0.0
Percentage of cycles resulting in twin live births (%)	0.0	6.3	2.7	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	20.5	21.9	5.4	13.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	28.6	34.1	14.3	8.8	0 / 12
Percentage of transfers resulting in pregnancies (%)	34.5	50.0	23.1	3 / 14	0 / 5
Percentage of transfers resulting in live births (%)	27.6	41.7	19.2	3 / 14	0 / 5
Percentage of transfers resulting in singleton live births (%)	27.6	33.3	15.4	3 / 14	0 / 5
Percentage of transfers resulting in twin live births (%)	0.0	8.3	3.8	0 / 14	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	27.6	29.2	7.7	3 / 14	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	34	21	16	13	8
Number of transfers	26	20	12	12	6
Estimated average number of transfers per retrieval	1.2	1.7	0.8	1.1	0.8
Average number of embryos transferred	1.3	1.5	1.2	1.9	2.0
Percentage of embryos transferred resulting in implantation (%)	42.4	44.8	8 / 13	21.7	1 / 12
Percentage of transfers resulting in pregnancies (%)	42.3	55.0	7 / 12	5 / 12	1 / 6
Percentage of transfers resulting in live births (%)	42.3	50.0	6 / 12	3 / 12	1 / 6
Percentage of transfers resulting in singleton live births (%)	30.8	40.0	5 / 12	3 / 12	1 / 6
Percentage of transfers resulting in twin live births (%)	11.5	10.0	1 / 12	0 / 12	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.9	40.0	4 / 12	3 / 12	1 / 6
Number of Egg or Embryo Banking Cycles	8	7	13	4	4
Number of fertility preservation cycles	2	3	0	0	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	13	0	21	2
Number of transfers	13	0	16	2
Average number of embryos transferred	1.7		1.6	2.0
Percentage of embryos transferred resulting in implantation (%)	45.5		52.0	0 / 4
Percentage of transfers resulting in pregnancies (%)	8 / 13		8 / 16	0 / 2
Percentage of transfers resulting in live births (%)	8 / 13		7 / 16	0 / 2
Percentage of transfers resulting in singleton live births (%)	6 / 13		3 / 16	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 13		4 / 16	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 13		2 / 16	0 / 2

CURRENT SERVICES & PROFILE

Current Name: Cardone Reproductive Medicine and Infertility, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF
WALTHAM, MASSACHUSETTS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael M. Alper, MD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	39%
Unstimulated	<1%	PGD/PGS	17%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	7%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	15%	Male factor	25%	Female factors only	11%
Diminished ovarian reserve	28%	Other factor	25%	Female & male factors	12%
Endometriosis	4%	Unknown factor	21%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 3,547
(includes 15 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	485	282	326	187	84
Percentage of cancellations before retrieval (%)	2.5	7.1	8.9	13.9	16.7
Number of transfers	359	192	208	105	49
Average number of embryos transferred	1.2	1.3	1.9	2.3	2.7
Percentage of elective single embryo transfers (eSET) (%)	70.2	56.0	11.3	6.1	2.6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	34.6	19.1	17.8	11.2	4.8
Percentage of cycles resulting in live births (%)	30.7	16.0	12.9	7.0	0.0
Percentage of cycles resulting in singleton live births (%)	27.6	13.8	10.1	4.8	0.0
Percentage of cycles resulting in twin live births (%)	3.1	2.1	2.5	2.1	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	23.9	12.4	7.4	4.8	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.3	22.7	16.8	9.6	3.0
Percentage of transfers resulting in pregnancies (%)	46.8	28.1	27.9	20.0	8.2
Percentage of transfers resulting in live births (%)	41.5	23.4	20.2	12.4	0.0
Percentage of transfers resulting in singleton live births (%)	37.3	20.3	15.9	8.6	0.0
Percentage of transfers resulting in twin live births (%)	4.2	3.1	3.8	3.8	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.3	18.2	11.5	8.6	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	518	347	238	94	42
Number of transfers	464	314	211	83	35
Estimated average number of transfers per retrieval	1.4	1.1	0.9	0.8	0.6
Average number of embryos transferred	1.2	1.1	1.2	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	47.6	46.0	49.0	36.8	21.7
Percentage of transfers resulting in pregnancies (%)	52.6	51.0	56.4	45.8	34.3
Percentage of transfers resulting in live births (%)	45.0	44.3	48.3	37.3	25.7
Percentage of transfers resulting in singleton live births (%)	41.2	41.7	45.0	37.3	25.7
Percentage of transfers resulting in twin live births (%)	3.9	2.2	3.3	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.3	36.6	37.4	32.5	25.7
Number of Egg or Embryo Banking Cycles	160	172	167	75	34
Number of fertility preservation cycles	37	47	30	9	3

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	34	125	161	1
Number of transfers	30	101	144	1
Average number of embryos transferred	1.4	1.5	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	31.7	44.0	41.6	1 / 2
Percentage of transfers resulting in pregnancies (%)	43.3	58.4	50.7	1 / 1
Percentage of transfers resulting in live births (%)	40.0	44.6	42.4	1 / 1
Percentage of transfers resulting in singleton live births (%)	36.7	38.6	38.2	1 / 1
Percentage of transfers resulting in twin live births (%)	3.3	5.0	4.2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	20.0	26.7	34.0	1 / 1

CURRENT SERVICES & PROFILE

Current Name: Boston IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MICHIGAN CENTER FOR REPRODUCTIVE MEDICINE
ANN ARBOR, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael S. Lanham, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	54%
Unstimulated	0%	PGD/PGS	30%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	12%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	29%	Male factor	43%	Female factors only	18%
Diminished ovarian reserve	30%	Other factor	17%	Female & male factors	27%
Endometriosis	9%	Unknown factor	10%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 588
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	139	49	31	26	1
Percentage of cancellations before retrieval (%)	7.2	14.3	35.5	23.1	0 / 1
Number of transfers	100	26	8	8	1
Average number of embryos transferred	1.1	1.3	1.4	1.6	1.0
Percentage of elective single embryo transfers (eSET) (%)	92.1	6 / 14	1 / 4	1 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.4	28.6	6.5	11.5	0 / 1
Percentage of cycles resulting in live births (%)	30.2	24.5	6.5	0.0	0 / 1
Percentage of cycles resulting in singleton live births (%)	28.8	24.5	6.5	0.0	0 / 1
Percentage of cycles resulting in twin live births (%)	1.4	0.0	0.0	0.0	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	25.9	20.4	6.5	0.0	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.0	41.2	2 / 11	2 / 12	0 / 1
Percentage of transfers resulting in pregnancies (%)	45.0	53.8	2 / 8	3 / 8	0 / 1
Percentage of transfers resulting in live births (%)	42.0	46.2	2 / 8	0 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	40.0	46.2	2 / 8	0 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	2.0	0.0	0 / 8	0 / 8	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	36.0	38.5	2 / 8	0 / 8	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	110	59	23	5	3
Number of transfers	102	54	20	5	3
Estimated average number of transfers per retrieval	1.1	1.1	0.6	0.5	1.5
Average number of embryos transferred	1.1	1.1	1.2	1.4	1.0
Percentage of embryos transferred resulting in implantation (%)	33.9	39.7	52.2	4 / 7	3 / 3
Percentage of transfers resulting in pregnancies (%)	36.3	40.7	50.0	3 / 5	3 / 3
Percentage of transfers resulting in live births (%)	33.3	31.5	40.0	3 / 5	2 / 3
Percentage of transfers resulting in singleton live births (%)	32.4	31.5	35.0	2 / 5	2 / 3
Percentage of transfers resulting in twin live births (%)	1.0	0.0	5.0	1 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	29.4	27.8	35.0	2 / 5	2 / 3
Number of Egg or Embryo Banking Cycles	59	34	33	9	1
Number of fertility preservation cycles	4	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	5	0	0
Number of transfers	1	5	0	0
Average number of embryos transferred	1.0	1.2		
Percentage of embryos transferred resulting in implantation (%)	1 / 1	3 / 6		
Percentage of transfers resulting in pregnancies (%)	1 / 1	3 / 5		
Percentage of transfers resulting in live births (%)	1 / 1	3 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 1	3 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1	2 / 5		

CURRENT SERVICES & PROFILE

Current Name: University of Michigan Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED REPRODUCTIVE MEDICINE AND SURGERY, PC
BLOOMFIELD HILLS, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Carole L. Kowalczyk, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	78%
Unstimulated	0%	PGD/PGS	20%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	13%	Uterine factor	10%	Multiple Factors:	
Ovulatory dysfunction	11%	Male factor	37%	Female factors only	20%
Diminished ovarian reserve	30%	Other factor	33%	Female & male factors	26%
Endometriosis	21%	Unknown factor	8%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 158
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	26	15	13	4	10
Percentage of cancellations before retrieval (%)	11.5	3 / 15	3 / 13	2 / 4	3 / 10
Number of transfers	22	9	10	2	7
Average number of embryos transferred	1.6	2.0	2.0	3.5	3.0
Percentage of elective single embryo transfers (eSET) (%)	38.1	0 / 8	0 / 8	0 / 2	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.8	5 / 15	4 / 13	0 / 4	1 / 10
Percentage of cycles resulting in live births (%)	42.3	3 / 15	3 / 13	0 / 4	0 / 10
Percentage of cycles resulting in singleton live births (%)	34.6	0 / 15	3 / 13	0 / 4	0 / 10
Percentage of cycles resulting in twin live births (%)	7.7	2 / 15	0 / 13	0 / 4	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	34.6	0 / 15	3 / 13	0 / 4	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.2	9 / 18	25.0	0 / 7	0 / 16
Percentage of transfers resulting in pregnancies (%)	63.6	5 / 9	4 / 10	0 / 2	1 / 7
Percentage of transfers resulting in live births (%)	50.0	3 / 9	3 / 10	0 / 2	0 / 7
Percentage of transfers resulting in singleton live births (%)	40.9	0 / 9	3 / 10	0 / 2	0 / 7
Percentage of transfers resulting in twin live births (%)	9.1	2 / 9	0 / 10	0 / 2	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	40.9	0 / 9	3 / 10	0 / 2	0 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	32	7	6	5	2
Number of transfers	29	7	6	4	2
Estimated average number of transfers per retrieval	2.1	1.4	0.9	4.0	0.4
Average number of embryos transferred	1.4	1.3	1.2	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	31.6	4 / 9	1 / 7	3 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)	41.4	4 / 7	1 / 6	3 / 4	0 / 2
Percentage of transfers resulting in live births (%)	27.6	4 / 7	0 / 6	2 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	24.1	4 / 7	0 / 6	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	3.4	0 / 7	0 / 6	1 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	24.1	4 / 7	0 / 6	1 / 4	0 / 2
Number of Egg or Embryo Banking Cycles	8	4	5	1	4
Number of fertility preservation cycles	1	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	16	0
Number of transfers	0	0	16	0
Average number of embryos transferred			1.4	
Percentage of embryos transferred resulting in implantation (%)			28.6	
Percentage of transfers resulting in pregnancies (%)			7 / 16	
Percentage of transfers resulting in live births (%)			4 / 16	
Percentage of transfers resulting in singleton live births (%)			4 / 16	
Percentage of transfers resulting in twin live births (%)			0 / 16	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			2 / 16	

CURRENT SERVICES & PROFILE

Current Name: Advanced Reproductive Medicine and Surgery, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF MICHIGAN FERTILITY CENTERS
BLOOMFIELD HILLS, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ahmad O. Hammoud, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	<1%	PGD/PGS	17%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	6%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	18%	Male factor	45%	Female factors only	5%
Diminished ovarian reserve	25%	Other factor	14%	Female & male factors	17%
Endometriosis	6%	Unknown factor	7%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,256
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	330	110	59	21	37
Percentage of cancellations before retrieval (%)	2.7	4.5	6.8	9.5	13.5
Number of transfers	257	86	44	14	22
Average number of embryos transferred	1.9	1.8	2.0	1.7	1.6
Percentage of elective single embryo transfers (eSET) (%)	6.7	4.3	2.4	1 / 11	1 / 14
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.7	41.8	35.6	33.3	32.4
Percentage of cycles resulting in live births (%)	38.5	32.7	27.1	23.8	21.6
Percentage of cycles resulting in singleton live births (%)	22.7	27.3	18.6	19.0	16.2
Percentage of cycles resulting in twin live births (%)	15.5	5.5	8.5	4.8	5.4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	18.2	21.8	15.3	19.0	5.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.9	36.0	29.6	36.4	38.7
Percentage of transfers resulting in pregnancies (%)	54.9	53.5	47.7	7 / 14	54.5
Percentage of transfers resulting in live births (%)	49.4	41.9	36.4	5 / 14	36.4
Percentage of transfers resulting in singleton live births (%)	29.2	34.9	25.0	4 / 14	27.3
Percentage of transfers resulting in twin live births (%)	19.8	7.0	11.4	1 / 14	9.1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	23.3	27.9	20.5	4 / 14	9.1
Frozen Embryos from Nondonor Eggs					
Number of cycles	200	77	47	10	11
Number of transfers	189	71	43	9	10
Estimated average number of transfers per retrieval	1.1	0.9	0.6	0.4	0.7
Average number of embryos transferred	1.7	1.5	1.6	1.7	1.8
Percentage of embryos transferred resulting in implantation (%)	48.4	49.0	46.9	2 / 15	7 / 18
Percentage of transfers resulting in pregnancies (%)	65.1	59.2	60.5	2 / 9	5 / 10
Percentage of transfers resulting in live births (%)	52.4	43.7	46.5	2 / 9	5 / 10
Percentage of transfers resulting in singleton live births (%)	35.4	31.0	39.5	2 / 9	3 / 10
Percentage of transfers resulting in twin live births (%)	16.9	12.7	7.0	0 / 9	2 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.2	25.4	27.9	1 / 9	3 / 10
Number of Egg or Embryo Banking Cycles	89	62	57	19	12
Number of fertility preservation cycles	6	6	6	2	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	81	1	32	1
Number of transfers	67	1	31	1
Average number of embryos transferred	2.0	2.0	1.8	2.0
Percentage of embryos transferred resulting in implantation (%)	68.5	1 / 2	33.3	0 / 2
Percentage of transfers resulting in pregnancies (%)	80.6	1 / 1	48.4	0 / 1
Percentage of transfers resulting in live births (%)	76.1	1 / 1	38.7	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.3	1 / 1	25.8	0 / 1
Percentage of transfers resulting in twin live births (%)	44.8	0 / 1	12.9	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	23.9	0 / 1	16.1	0 / 1

CURRENT SERVICES & PROFILE

Current Name: IVF Michigan Fertility Centers

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN REPRODUCTIVE MEDICINE
BLOOMFIELD HILLS, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael S. Mersol-Barg, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	3%	PGD/PGS	29%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	12%	Male factor	40%	Female factors only	10%
Diminished ovarian reserve	46%	Other factor	8%	Female & male factors	25%
Endometriosis	5%	Unknown factor	14%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 240
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	33	14	17	13	22
Percentage of cancellations before retrieval (%)	3.0	3 / 14	4 / 17	1 / 13	9.1
Number of transfers	26	7	8	6	12
Average number of embryos transferred	1.2	1.3	1.5	1.3	1.3
Percentage of elective single embryo transfers (eSET) (%)	13 / 19	2 / 4	1 / 5	1 / 3	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	51.5	3 / 14	4 / 17	1 / 13	4.5
Percentage of cycles resulting in live births (%)	33.3	3 / 14	2 / 17	1 / 13	0.0
Percentage of cycles resulting in singleton live births (%)	27.3	2 / 14	1 / 17	1 / 13	0.0
Percentage of cycles resulting in twin live births (%)	6.1	1 / 14	1 / 17	0 / 13	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	21.2	2 / 14	1 / 17	1 / 13	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	58.1	4 / 9	4 / 11	1 / 8	1 / 16
Percentage of transfers resulting in pregnancies (%)	65.4	3 / 7	4 / 8	1 / 6	1 / 12
Percentage of transfers resulting in live births (%)	42.3	3 / 7	2 / 8	1 / 6	0 / 12
Percentage of transfers resulting in singleton live births (%)	34.6	2 / 7	1 / 8	1 / 6	0 / 12
Percentage of transfers resulting in twin live births (%)	7.7	1 / 7	1 / 8	0 / 6	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.9	2 / 7	1 / 8	1 / 6	0 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	24	14	9	4	0
Number of transfers	23	13	9	4	0
Estimated average number of transfers per retrieval	1.0	0.7	0.7	0.4	0.0
Average number of embryos transferred	1.3	1.1	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	37.9	6 / 13	5 / 12	2 / 4	
Percentage of transfers resulting in pregnancies (%)	47.8	6 / 13	5 / 9	2 / 4	
Percentage of transfers resulting in live births (%)	39.1	4 / 13	4 / 9	1 / 4	
Percentage of transfers resulting in singleton live births (%)	34.8	3 / 13	4 / 9	1 / 4	
Percentage of transfers resulting in twin live births (%)	4.3	1 / 13	0 / 9	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.8	3 / 13	4 / 9	1 / 4	
Number of Egg or Embryo Banking Cycles	17	17	11	10	3
Number of fertility preservation cycles	8	9	3	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	20	9	1
Number of transfers	0	18	8	1
Average number of embryos transferred		1.3	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)		33.3	1 / 8	0 / 1
Percentage of transfers resulting in pregnancies (%)		7 / 18	1 / 8	0 / 1
Percentage of transfers resulting in live births (%)		6 / 18	0 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)		5 / 18	0 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)		1 / 18	0 / 8	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		5 / 18	0 / 8	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Michigan Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GAGO IVF
BRIGHTON, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Laura A. Gago, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	0%	PGD/PGS	51%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	17%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	9%	Male factor	33%	Female factors only	20%
Diminished ovarian reserve	37%	Other factor	20%	Female & male factors	21%
Endometriosis	17%	Unknown factor	9%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 191
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	12	2	1	2	0
Percentage of cancellations before retrieval (%)	0 / 12	0 / 2	0 / 1	0 / 2	
Number of transfers	8	0	0	0	0
Average number of embryos transferred	1.8				
Percentage of elective single embryo transfers (eSET) (%)	2 / 8				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	6 / 12	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	4 / 12	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	2 / 12	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	2 / 12	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 12	0 / 2	0 / 1	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	7 / 13				
Percentage of transfers resulting in pregnancies (%)	6 / 8				
Percentage of transfers resulting in live births (%)	4 / 8				
Percentage of transfers resulting in singleton live births (%)	2 / 8				
Percentage of transfers resulting in twin live births (%)	2 / 8				
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 8				
Frozen Embryos from Nondonor Eggs					
Number of cycles	40	21	12	4	1
Number of transfers	40	21	12	4	1
Estimated average number of transfers per retrieval	1.2	1.1	0.5	1.0	0.3
Average number of embryos transferred	1.6	1.3	1.3	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	47.5	46.2	5 / 15	3 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	65.0	57.1	4 / 12	3 / 4	0 / 1
Percentage of transfers resulting in live births (%)	60.0	47.6	3 / 12	3 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	52.5	42.9	1 / 12	3 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	7.5	4.8	2 / 12	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	40.0	42.9	1 / 12	3 / 4	0 / 1
Number of Egg or Embryo Banking Cycles	30	17	22	3	4
Number of fertility preservation cycles	4	1	2	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	5	4	8	2
Number of transfers	3	4	8	2
Average number of embryos transferred	1.3	1.0	1.4	2.0
Percentage of embryos transferred resulting in implantation (%)	2 / 4	3 / 4	6 / 11	1 / 4
Percentage of transfers resulting in pregnancies (%)	2 / 3	3 / 4	6 / 8	1 / 2
Percentage of transfers resulting in live births (%)	1 / 3	2 / 4	6 / 8	1 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 3	2 / 4	6 / 8	1 / 2
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 4	0 / 8	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 3	1 / 4	5 / 8	1 / 2

CURRENT SERVICES & PROFILE

Current Name: Gago IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN COMPREHENSIVE FERTILITY CENTER
DEARBORN, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David M. Magyar, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	13%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	18%	Male factor	40%	Female factors only	9%
Diminished ovarian reserve	41%	Other factor	5%	Female & male factors	28%
Endometriosis	11%	Unknown factor	16%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 135
(includes 6 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	35	21	19	11	0
Percentage of cancellations before retrieval (%)	14.3	14.3	7 / 19	4 / 11	
Number of transfers	26	11	9	4	0
Average number of embryos transferred	1.8	1.9	2.1	2.5	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 10	0 / 7	0 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	22.9	4.8	0 / 19	0 / 11	
Percentage of cycles resulting in live births (%)	20.0	4.8	0 / 19	0 / 11	
Percentage of cycles resulting in singleton live births (%)	14.3	4.8	0 / 19	0 / 11	
Percentage of cycles resulting in twin live births (%)	5.7	0.0	0 / 19	0 / 11	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	14.3	4.8	0 / 19	0 / 11	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	19.1	4.8	0 / 19	0 / 10	
Percentage of transfers resulting in pregnancies (%)	30.8	1 / 11	0 / 9	0 / 4	
Percentage of transfers resulting in live births (%)	26.9	1 / 11	0 / 9	0 / 4	
Percentage of transfers resulting in singleton live births (%)	19.2	1 / 11	0 / 9	0 / 4	
Percentage of transfers resulting in twin live births (%)	7.7	0 / 11	0 / 9	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	19.2	1 / 11	0 / 9	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	6	3	1	0	0
Number of transfers	6	2	1	0	0
Estimated average number of transfers per retrieval	2.0		1.0	0.0	
Average number of embryos transferred	1.5	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 9	1 / 2	0 / 2		
Percentage of transfers resulting in pregnancies (%)	3 / 6	1 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	3 / 6	1 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 6	1 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	2 / 6	0 / 2	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 6	1 / 2	0 / 1		
Number of Egg or Embryo Banking Cycles	2	0	1	1	0
Number of fertility preservation cycles	1	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	21	7	1
Number of transfers	0	12	4	1
Average number of embryos transferred		1.8	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)		35.0	0 / 8	0 / 2
Percentage of transfers resulting in pregnancies (%)		6 / 12	0 / 4	0 / 1
Percentage of transfers resulting in live births (%)		5 / 12	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)		3 / 12	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)		2 / 12	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		3 / 12	0 / 4	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Michigan Comprehensive Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN REPRODUCTIVE & IVF CENTER, PC
GRAND RAPIDS, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by William G. Dodds, MD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	76%
Unstimulated	0%	PGD/PGS	1%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	16%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	17%	Male factor	60%	Female factors only	8%
Diminished ovarian reserve	23%	Other factor	9%	Female & male factors	30%
Endometriosis	14%	Unknown factor	7%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,100
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	285	100	74	32	3
Percentage of cancellations before retrieval (%)	8.1	14.0	23.0	18.8	0 / 3
Number of transfers	195	64	35	15	3
Average number of embryos transferred	2.0	2.1	2.7	3.3	2.7
Percentage of elective single embryo transfers (eSET) (%)	2.7	3.3	0.0	0 / 14	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.3	37.0	21.6	12.5	0 / 3
Percentage of cycles resulting in live births (%)	37.5	31.0	13.5	6.3	0 / 3
Percentage of cycles resulting in singleton live births (%)	21.1	24.0	10.8	6.3	0 / 3
Percentage of cycles resulting in twin live births (%)	16.5	6.0	2.7	0.0	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	17.9	22.0	8.1	6.3	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	43.4	34.4	18.8	6.7	0 / 8
Percentage of transfers resulting in pregnancies (%)	57.4	57.8	45.7	4 / 15	0 / 3
Percentage of transfers resulting in live births (%)	54.9	48.4	28.6	2 / 15	0 / 3
Percentage of transfers resulting in singleton live births (%)	30.8	37.5	22.9	2 / 15	0 / 3
Percentage of transfers resulting in twin live births (%)	24.1	9.4	5.7	0 / 15	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.2	34.4	17.1	2 / 15	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	257	98	45	15	3
Number of transfers	244	95	40	14	3
Estimated average number of transfers per retrieval	1.7	1.6	1.0	0.6	3.0
Average number of embryos transferred	1.9	2.1	2.6	3.0	2.3
Percentage of embryos transferred resulting in implantation (%)	30.7	30.3	16.8	20.0	0 / 7
Percentage of transfers resulting in pregnancies (%)	47.5	53.7	35.0	6 / 14	0 / 3
Percentage of transfers resulting in live births (%)	40.2	40.0	27.5	4 / 14	0 / 3
Percentage of transfers resulting in singleton live births (%)	30.3	31.6	25.0	1 / 14	0 / 3
Percentage of transfers resulting in twin live births (%)	9.8	8.4	2.5	3 / 14	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.6	27.4	20.0	1 / 14	0 / 3
Number of Egg or Embryo Banking Cycles	38	19	23	14	0
Number of fertility preservation cycles	7	7	5	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	19	4	21	47
Number of transfers	18	4	21	42
Average number of embryos transferred	1.8	2.0	1.7	2.2
Percentage of embryos transferred resulting in implantation (%)	56.3	1 / 6	37.1	33.0
Percentage of transfers resulting in pregnancies (%)	12 / 18	2 / 4	47.6	54.8
Percentage of transfers resulting in live births (%)	12 / 18	1 / 4	38.1	42.9
Percentage of transfers resulting in singleton live births (%)	7 / 18	1 / 4	28.6	28.6
Percentage of transfers resulting in twin live births (%)	5 / 18	0 / 4	9.5	14.3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	7 / 18	1 / 4	28.6	26.2

CURRENT SERVICES & PROFILE

Current Name: Michigan Reproductive & IVF Center, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

IVF MICHIGAN ROCHESTER HILLS & FLINT, PC
ROCHESTER HILLS, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mostafa I. Abuzeid, MD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	73%
Unstimulated	12%	PGD/PGS	3%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	22%	Uterine factor	34%	Multiple Factors:	
Ovulatory dysfunction	19%	Male factor	58%	Female factors only	19%
Diminished ovarian reserve	24%	Other factor	5%	Female & male factors	46%
Endometriosis	19%	Unknown factor	<1%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 388
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	129	49	71	15	29
Percentage of cancellations before retrieval (%)	10.9	8.2	36.6	1 / 15	48.3
Number of transfers	105	44	43	11	12
Average number of embryos transferred	1.9	2.0	2.2	2.2	2.8
Percentage of elective single embryo transfers (eSET) (%)	8.3	2.4	2.9	0 / 7	0 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.5	57.1	35.2	2 / 15	10.3
Percentage of cycles resulting in live births (%)	43.4	42.9	25.4	1 / 15	3.4
Percentage of cycles resulting in singleton live births (%)	27.9	24.5	16.9	0 / 15	3.4
Percentage of cycles resulting in twin live births (%)	15.5	18.4	8.5	1 / 15	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	22.5	18.4	12.7	0 / 15	3.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.9	45.7	35.2	9.5	10.3
Percentage of transfers resulting in pregnancies (%)	65.7	63.6	58.1	2 / 11	3 / 12
Percentage of transfers resulting in live births (%)	53.3	47.7	41.9	1 / 11	1 / 12
Percentage of transfers resulting in singleton live births (%)	34.3	27.3	27.9	0 / 11	1 / 12
Percentage of transfers resulting in twin live births (%)	19.0	20.5	14.0	1 / 11	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	27.6	20.5	20.9	0 / 11	1 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	50	21	11	2	4
Number of transfers	40	15	8	2	4
Estimated average number of transfers per retrieval	1.8	2.5	2.0	0.7	0.8
Average number of embryos transferred	1.8	1.7	1.9	2.0	2.8
Percentage of embryos transferred resulting in implantation (%)	49.3	54.5	3 / 15	0 / 2	1 / 11
Percentage of transfers resulting in pregnancies (%)	67.5	10 / 15	2 / 8	1 / 2	1 / 4
Percentage of transfers resulting in live births (%)	57.5	7 / 15	2 / 8	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	40.0	5 / 15	1 / 8	0 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	15.0	2 / 15	1 / 8	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.0	5 / 15	1 / 8	0 / 2	0 / 4
Number of Egg or Embryo Banking Cycles	2	3	1	0	1
Number of fertility preservation cycles	0	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	0	0
Number of transfers	0	0	0	0
Average number of embryos transferred				
Percentage of embryos transferred resulting in implantation (%)				
Percentage of transfers resulting in pregnancies (%)				
Percentage of transfers resulting in live births (%)				
Percentage of transfers resulting in singleton live births (%)				
Percentage of transfers resulting in twin live births (%)				
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)				

CURRENT SERVICES & PROFILE

Current Name: IVF Michigan Rochester Hills & Flint, PC

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	No	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WAYNE STATE UNIVERSITY PHYSICIAN GROUP
UNIVERSITY WOMEN'S CARE
SOUTHFIELD, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Awoniyi O. Awonuga, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	75%
Unstimulated	0%	PGD/PGS	11%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	24%	Uterine factor	19%	Multiple Factors:	
Ovulatory dysfunction	24%	Male factor	40%	Female factors only	21%
Diminished ovarian reserve	21%	Other factor	22%	Female & male factors	29%
Endometriosis	8%	Unknown factor	6%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 98
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	18	8	4	2	3
Percentage of cancellations before retrieval (%)	1 / 18	0 / 8	0 / 4	2 / 2	1 / 3
Number of transfers	15	8	3	0	1
Average number of embryos transferred	1.7	2.1	1.7		1.0
Percentage of elective single embryo transfers (eSET) (%)	5 / 15	2 / 8	1 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	10 / 18	4 / 8	1 / 4	0 / 2	0 / 3
Percentage of cycles resulting in live births (%)	8 / 18	3 / 8	1 / 4	0 / 2	0 / 3
Percentage of cycles resulting in singleton live births (%)	6 / 18	2 / 8	1 / 4	0 / 2	0 / 3
Percentage of cycles resulting in twin live births (%)	2 / 18	1 / 8	0 / 4	0 / 2	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	5 / 18	1 / 8	1 / 4	0 / 2	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.0	5 / 16	1 / 5		0 / 1
Percentage of transfers resulting in pregnancies (%)	10 / 15	4 / 8	1 / 3		0 / 1
Percentage of transfers resulting in live births (%)	8 / 15	3 / 8	1 / 3		0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 15	2 / 8	1 / 3		0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 15	1 / 8	0 / 3		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 15	1 / 8	1 / 3		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	12	17	11	4	2
Number of transfers	11	17	11	4	2
Estimated average number of transfers per retrieval	1.6	2.1	2.8		
Average number of embryos transferred	1.6	1.8	2.2	2.3	2.5
Percentage of embryos transferred resulting in implantation (%)	3 / 17	46.2	8.3	1 / 9	0 / 5
Percentage of transfers resulting in pregnancies (%)	4 / 11	11 / 17	2 / 11	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	2 / 11	8 / 17	1 / 11	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	2 / 11	7 / 17	1 / 11	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 11	1 / 17	0 / 11	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 11	6 / 17	0 / 11	0 / 4	0 / 2
Number of Egg or Embryo Banking Cycles	5	5	3	0	0
Number of fertility preservation cycles	1	0	2	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	1	3	0
Number of transfers	0	1	3	0
Average number of embryos transferred		1.0	1.7	
Percentage of embryos transferred resulting in implantation (%)		1 / 1	1 / 3	
Percentage of transfers resulting in pregnancies (%)		1 / 1	2 / 3	
Percentage of transfers resulting in live births (%)		1 / 1	1 / 3	
Percentage of transfers resulting in singleton live births (%)		1 / 1	1 / 3	
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		1 / 1	1 / 3	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Wayne State University Physician Group, University Women's Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HENRY FORD REPRODUCTIVE MEDICINE
TROY, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Nicole Budrys, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	0%	PGD/PGS	16%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	5%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	21%	Male factor	65%	Female factors only	0%
Diminished ovarian reserve	7%	Other factor	9%	Female & male factors	26%
Endometriosis	10%	Unknown factor	8%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 101
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	27	9	8	1	2
Percentage of cancellations before retrieval (%)	7.4	0 / 9	2 / 8	1 / 1	0 / 2
Number of transfers	15	4	5	0	1
Average number of embryos transferred	1.7	1.8	2.0		1.0
Percentage of elective single embryo transfers (eSET) (%)	5 / 15	0 / 3	0 / 5		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	37.0	3 / 9	2 / 8	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	29.6	3 / 9	1 / 8	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	25.9	3 / 9	1 / 8	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	3.7	0 / 9	0 / 8	0 / 1	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	18.5	2 / 9	1 / 8	0 / 1	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.0	3 / 7	2 / 10		0 / 1
Percentage of transfers resulting in pregnancies (%)	10 / 15	3 / 4	2 / 5		0 / 1
Percentage of transfers resulting in live births (%)	8 / 15	3 / 4	1 / 5		0 / 1
Percentage of transfers resulting in singleton live births (%)	7 / 15	3 / 4	1 / 5		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 4	0 / 5		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 15	2 / 4	1 / 5		0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	24	10	4	2	1
Number of transfers	23	9	4	2	1
Estimated average number of transfers per retrieval	1.8	3.0	0.8	2.0	0.5
Average number of embryos transferred	1.5	1.7	1.3	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	54.3	7 / 15	2 / 5	1 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	56.5	5 / 9	2 / 4	1 / 2	1 / 1
Percentage of transfers resulting in live births (%)	47.8	5 / 9	1 / 4	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.4	3 / 9	1 / 4	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	17.4	2 / 9	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.4	2 / 9	1 / 4	1 / 2	0 / 1
Number of Egg or Embryo Banking Cycles	5	0	5	1	2
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	0	0
Number of transfers	0	0	0	0
Average number of embryos transferred				
Percentage of embryos transferred resulting in implantation (%)				
Percentage of transfers resulting in pregnancies (%)				
Percentage of transfers resulting in live births (%)				
Percentage of transfers resulting in singleton live births (%)				
Percentage of transfers resulting in twin live births (%)				
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)				

CURRENT SERVICES & PROFILE

Current Name: Henry Ford Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BRENDA L. MOSKOVITZ, MD, PC
TROY, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Brenda L. Moskovitz, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	50%
Unstimulated	0%	PGD/PGS	10%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	20%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	30%	Male factor	45%	Female factors only	30%
Diminished ovarian reserve	50%	Other factor	5%	Female & male factors	25%
Endometriosis	40%	Unknown factor	0%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 20
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	3	5	1	3
Percentage of cancellations before retrieval (%)	0 / 1	1 / 3	0 / 5	0 / 1	1 / 3
Number of transfers	0	1	5	1	1
Average number of embryos transferred		2.0	1.4	1.0	2.0
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	1 / 3		0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 1	0 / 3	2 / 5	1 / 1	0 / 3
Percentage of cycles resulting in live births (%)	0 / 1	0 / 3	1 / 5	1 / 1	0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 1	0 / 3	1 / 5	1 / 1	0 / 3
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 3	0 / 5	0 / 1	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 1	0 / 3	0 / 5	1 / 1	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		0 / 2	2 / 7	1 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)		0 / 1	2 / 5	1 / 1	0 / 1
Percentage of transfers resulting in live births (%)		0 / 1	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)		0 / 1	1 / 5	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 5	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		0 / 1	0 / 5	1 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	4	3	0	0	0
Number of transfers	4	3	0	0	0
Estimated average number of transfers per retrieval	4.0	3.0			
Average number of embryos transferred	1.8	2.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 5	4 / 6			
Percentage of transfers resulting in pregnancies (%)	1 / 4	2 / 3			
Percentage of transfers resulting in live births (%)	0 / 4	1 / 3			
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 3			
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 3			
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 4	0 / 3			
Number of Egg or Embryo Banking Cycles	0	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	0	0
Number of transfers	0	0	0	0
Average number of embryos transferred				
Percentage of embryos transferred resulting in implantation (%)				
Percentage of transfers resulting in pregnancies (%)				
Percentage of transfers resulting in live births (%)				
Percentage of transfers resulting in singleton live births (%)				
Percentage of transfers resulting in twin live births (%)				
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)				

CURRENT SERVICES & PROFILE

Current Name: Brenda L. Moskovitz, MD, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF MICHIGAN
TROY, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Brad T. Miller, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	56%
Unstimulated	0%	PGD/PGS	13%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	13%	Male factor	42%	Female factors only	21%
Diminished ovarian reserve	26%	Other factor	33%	Female & male factors	23%
Endometriosis	11%	Unknown factor	9%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 649
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	105	45	45	12	26
Percentage of cancellations before retrieval (%)	4.8	15.6	17.8	6 / 12	19.2
Number of transfers	89	37	30	6	20
Average number of embryos transferred	1.7	1.9	2.1	2.5	2.1
Percentage of elective single embryo transfers (eSET) (%)	38.1	11.4	3.8	0 / 5	0 / 13
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	48.6	44.4	24.4	2 / 12	3.8
Percentage of cycles resulting in live births (%)	41.0	33.3	15.6	2 / 12	0.0
Percentage of cycles resulting in singleton live births (%)	29.5	24.4	8.9	2 / 12	0.0
Percentage of cycles resulting in twin live births (%)	11.4	8.9	6.7	0 / 12	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	25.7	24.4	6.7	2 / 12	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.8	40.3	23.7	2 / 15	2.4
Percentage of transfers resulting in pregnancies (%)	57.3	54.1	36.7	2 / 6	5.0
Percentage of transfers resulting in live births (%)	48.3	40.5	23.3	2 / 6	0.0
Percentage of transfers resulting in singleton live births (%)	34.8	29.7	13.3	2 / 6	0.0
Percentage of transfers resulting in twin live births (%)	13.5	10.8	10.0	0 / 6	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.3	29.7	10.0	2 / 6	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	85	52	44	18	3
Number of transfers	82	46	39	11	3
Estimated average number of transfers per retrieval	0.9	1.4	1.1	1.0	0.4
Average number of embryos transferred	1.4	1.3	1.6	1.5	3.0
Percentage of embryos transferred resulting in implantation (%)	60.3	50.9	39.6	9 / 14	0 / 8
Percentage of transfers resulting in pregnancies (%)	70.7	63.0	56.4	8 / 11	1 / 3
Percentage of transfers resulting in live births (%)	51.2	50.0	30.8	5 / 11	0 / 3
Percentage of transfers resulting in singleton live births (%)	40.2	47.8	25.6	4 / 11	0 / 3
Percentage of transfers resulting in twin live births (%)	11.0	2.2	5.1	1 / 11	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.1	41.3	23.1	4 / 11	0 / 3
Number of Egg or Embryo Banking Cycles	61	26	19	11	7
Number of fertility preservation cycles	7	6	3	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	29	12	43	3
Number of transfers	27	10	41	3
Average number of embryos transferred	1.6	1.8	1.5	1.3
Percentage of embryos transferred resulting in implantation (%)	55.0	4 / 18	37.7	0 / 4
Percentage of transfers resulting in pregnancies (%)	63.0	3 / 10	56.1	0 / 3
Percentage of transfers resulting in live births (%)	55.6	3 / 10	36.6	0 / 3
Percentage of transfers resulting in singleton live births (%)	33.3	2 / 10	36.6	0 / 3
Percentage of transfers resulting in twin live births (%)	22.2	1 / 10	0.0	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	33.3	2 / 10	19.5	0 / 3

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Michigan

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MICHIGAN CENTER FOR FERTILITY AND WOMEN'S HEALTH, PLC
WARREN, MICHIGAN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Carole L. Kowalczyk, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	0%	PGD/PGS	26%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	12%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	16%	Male factor	37%	Female factors only	4%
Diminished ovarian reserve	26%	Other factor	7%	Female & male factors	11%
Endometriosis	3%	Unknown factor	13%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 264
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	58	12	10	4	4
Percentage of cancellations before retrieval (%)	6.9	0 / 12	3 / 10	2 / 4	2 / 4
Number of transfers	40	9	3	2	0
Average number of embryos transferred	1.5	2.1	1.7	1.5	
Percentage of elective single embryo transfers (eSET) (%)	51.4	0 / 9	0 / 2	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.7	4 / 12	3 / 10	0 / 4	0 / 4
Percentage of cycles resulting in live births (%)	36.2	4 / 12	2 / 10	0 / 4	0 / 4
Percentage of cycles resulting in singleton live births (%)	29.3	4 / 12	1 / 10	0 / 4	0 / 4
Percentage of cycles resulting in twin live births (%)	6.9	0 / 12	1 / 10	0 / 4	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	24.1	3 / 12	1 / 10	0 / 4	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.4	4 / 19	4 / 5	0 / 3	
Percentage of transfers resulting in pregnancies (%)	57.5	4 / 9	3 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	52.5	4 / 9	2 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	42.5	4 / 9	1 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	10.0	0 / 9	1 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	35.0	3 / 9	1 / 3	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	42	21	21	7	6
Number of transfers	41	21	20	7	6
Estimated average number of transfers per retrieval	1.3	1.0	1.4	0.7	1.2
Average number of embryos transferred	1.6	1.4	1.3	1.1	1.3
Percentage of embryos transferred resulting in implantation (%)	54.8	51.7	48.0	5 / 8	3 / 8
Percentage of transfers resulting in pregnancies (%)	70.7	66.7	60.0	4 / 7	3 / 6
Percentage of transfers resulting in live births (%)	56.1	57.1	50.0	4 / 7	1 / 6
Percentage of transfers resulting in singleton live births (%)	43.9	52.4	50.0	4 / 7	1 / 6
Percentage of transfers resulting in twin live births (%)	12.2	4.8	0.0	0 / 7	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	36.6	38.1	35.0	4 / 7	0 / 6
Number of Egg or Embryo Banking Cycles	14	16	13	8	3
Number of fertility preservation cycles	1	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	12	0	13	0
Number of transfers	12	0	13	0
Average number of embryos transferred	1.3		1.5	
Percentage of embryos transferred resulting in implantation (%)	10 / 15		14 / 19	
Percentage of transfers resulting in pregnancies (%)	8 / 12		10 / 13	
Percentage of transfers resulting in live births (%)	5 / 12		10 / 13	
Percentage of transfers resulting in singleton live births (%)	3 / 12		6 / 13	
Percentage of transfers resulting in twin live births (%)	2 / 12		4 / 13	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 12		5 / 13	

CURRENT SERVICES & PROFILE

Current Name: Michigan Center for Fertility and Women's Health, PLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CCRM MINNEAPOLIS
EDINA, MINNESOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by April E. Batcheller, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	PGD/PGS	48%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	8%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	13%	Male factor	32%	Female factors only	13%
Diminished ovarian reserve	22%	Other factor	32%	Female & male factors	16%
Endometriosis	8%	Unknown factor	16%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 425
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	33	7	13	5	6
Percentage of cancellations before retrieval (%)	3.0	1 / 7	6 / 13	1 / 5	0 / 6
Number of transfers	18	3	3	0	0
Average number of embryos transferred	1.7	1.7	2.3		
Percentage of elective single embryo transfers (eSET) (%)	6 / 18	0 / 2	0 / 3		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.4	2 / 7	1 / 13	0 / 5	0 / 6
Percentage of cycles resulting in live births (%)	36.4	1 / 7	1 / 13	0 / 5	0 / 6
Percentage of cycles resulting in singleton live births (%)	21.2	0 / 7	1 / 13	0 / 5	0 / 6
Percentage of cycles resulting in twin live births (%)	15.2	1 / 7	0 / 13	0 / 5	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	15.2	0 / 7	1 / 13	0 / 5	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	60.0	3 / 5	1 / 7		
Percentage of transfers resulting in pregnancies (%)	13 / 18	2 / 3	1 / 3		
Percentage of transfers resulting in live births (%)	12 / 18	1 / 3	1 / 3		
Percentage of transfers resulting in singleton live births (%)	7 / 18	0 / 3	1 / 3		
Percentage of transfers resulting in twin live births (%)	5 / 18	1 / 3	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 18	0 / 3	1 / 3		
Frozen Embryos from Nondonor Eggs					
Number of cycles	60	30	28	5	1
Number of transfers	56	27	26	5	1
Estimated average number of transfers per retrieval	0.8	0.6	0.5	0.1	0.0
Average number of embryos transferred	1.3	1.2	1.1	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	64.8	80.6	66.7	2 / 5	1 / 2
Percentage of transfers resulting in pregnancies (%)	75.0	88.9	65.4	2 / 5	1 / 1
Percentage of transfers resulting in live births (%)	62.5	77.8	46.2	1 / 5	1 / 1
Percentage of transfers resulting in singleton live births (%)	55.4	70.4	46.2	1 / 5	1 / 1
Percentage of transfers resulting in twin live births (%)	7.1	7.4	0.0	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	44.6	63.0	30.8	0 / 5	1 / 1
Number of Egg or Embryo Banking Cycles	61	46	46	33	23
Number of fertility preservation cycles	6	6	4	2	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	10	5	13	0
Number of transfers	7	3	12	0
Average number of embryos transferred	1.9	2.0	1.3	
Percentage of embryos transferred resulting in implantation (%)	8 / 13	2 / 6	12 / 16	
Percentage of transfers resulting in pregnancies (%)	5 / 7	1 / 3	10 / 12	
Percentage of transfers resulting in live births (%)	4 / 7	0 / 3	8 / 12	
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 3	7 / 12	
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 3	1 / 12	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 7	0 / 3	7 / 12	

CURRENT SERVICES & PROFILE

Current Name: CCRM Minneapolis

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE MIDWEST CENTER FOR REPRODUCTIVE HEALTH, PA
MAPLE GROVE, MINNESOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Randle S. Corfman, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	64%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	7%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	68%	Male factor	24%	Female factors only	8%
Diminished ovarian reserve	2%	Other factor	8%	Female & male factors	16%
Endometriosis	8%	Unknown factor	7%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 250
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	87	34	18	3	1
Percentage of cancellations before retrieval (%)	1.1	11.8	2 / 18	0 / 3	0 / 1
Number of transfers	83	30	16	3	1
Average number of embryos transferred	1.8	1.7	1.9	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	13.5	24.1	0 / 14	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.6	47.1	7 / 18	2 / 3	1 / 1
Percentage of cycles resulting in live births (%)	47.1	38.2	6 / 18	1 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	29.9	20.6	5 / 18	1 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	16.1	17.6	1 / 18	0 / 3	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	28.7	11.8	4 / 18	1 / 3	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.8	41.7	26.7	2 / 6	
Percentage of transfers resulting in pregnancies (%)	53.0	53.3	7 / 16	2 / 3	1 / 1
Percentage of transfers resulting in live births (%)	49.4	43.3	6 / 16	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.3	23.3	5 / 16	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	16.9	20.0	1 / 16	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.1	13.3	4 / 16	1 / 3	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	37	12	10	0	2
Number of transfers	34	11	10	0	2
Estimated average number of transfers per retrieval	1.8	2.8	3.3		
Average number of embryos transferred	1.4	1.4	1.2		1.5
Percentage of embryos transferred resulting in implantation (%)	41.9	3 / 15	5 / 10		0 / 3
Percentage of transfers resulting in pregnancies (%)	50.0	3 / 11	6 / 10		0 / 2
Percentage of transfers resulting in live births (%)	41.2	3 / 11	2 / 10		0 / 2
Percentage of transfers resulting in singleton live births (%)	35.3	3 / 11	2 / 10		0 / 2
Percentage of transfers resulting in twin live births (%)	5.9	0 / 11	0 / 10		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.4	3 / 11	2 / 10		0 / 2
Number of Egg or Embryo Banking Cycles	5	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	21	0	17	3
Number of transfers	20	0	14	3
Average number of embryos transferred	1.8		1.6	2.0
Percentage of embryos transferred resulting in implantation (%)	68.8		27.3	1 / 6
Percentage of transfers resulting in pregnancies (%)	75.0		6 / 14	1 / 3
Percentage of transfers resulting in live births (%)	65.0		6 / 14	1 / 3
Percentage of transfers resulting in singleton live births (%)	30.0		6 / 14	1 / 3
Percentage of transfers resulting in twin live births (%)	35.0		0 / 14	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	20.0		6 / 14	0 / 3

CURRENT SERVICES & PROFILE

Current Name: The Midwest Center for Reproductive Health, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE
ADVANCED REPRODUCTIVE TECHNOLOGIES
MINNEAPOLIS, MINNESOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Colleen L. Casey, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	0%	PGD/PGS	17%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	12%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	17%	Male factor	33%	Female factors only	15%
Diminished ovarian reserve	24%	Other factor	22%	Female & male factors	15%
Endometriosis	8%	Unknown factor	13%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,531
(includes 5 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	351	134	95	41	18
Percentage of cancellations before retrieval (%)	4.6	8.2	13.7	7.3	3 / 18
Number of transfers	293	102	59	23	8
Average number of embryos transferred	1.4	1.6	1.7	1.6	2.0
Percentage of elective single embryo transfers (eSET) (%)	54.5	27.4	13.0	3 / 14	0 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	51.6	35.1	21.1	9.8	0 / 18
Percentage of cycles resulting in live births (%)	46.2	28.4	14.7	9.8	0 / 18
Percentage of cycles resulting in singleton live births (%)	35.3	22.4	10.5	9.8	0 / 18
Percentage of cycles resulting in twin live births (%)	10.5	6.0	4.2	0.0	0 / 18
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	32.5	19.4	8.4	7.3	0 / 18
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	54.3	37.0	21.9	10.8	0 / 16
Percentage of transfers resulting in pregnancies (%)	61.8	46.1	33.9	17.4	0 / 8
Percentage of transfers resulting in live births (%)	55.3	37.3	23.7	17.4	0 / 8
Percentage of transfers resulting in singleton live births (%)	42.3	29.4	16.9	17.4	0 / 8
Percentage of transfers resulting in twin live births (%)	12.6	7.8	6.8	0.0	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	38.9	25.5	13.6	13.0	0 / 8
Frozen Embryos from Nondonor Eggs					
Number of cycles	242	121	98	35	14
Number of transfers	234	116	93	33	12
Estimated average number of transfers per retrieval	1.7	1.8	1.4	0.9	0.5
Average number of embryos transferred	1.4	1.3	1.3	1.4	1.9
Percentage of embryos transferred resulting in implantation (%)	65.3	53.1	55.1	46.3	28.6
Percentage of transfers resulting in pregnancies (%)	76.1	64.7	64.5	57.6	5 / 12
Percentage of transfers resulting in live births (%)	67.5	55.2	50.5	39.4	4 / 12
Percentage of transfers resulting in singleton live births (%)	53.4	48.3	44.1	33.3	3 / 12
Percentage of transfers resulting in twin live births (%)	13.7	6.9	6.5	6.1	1 / 12
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	49.1	42.2	36.6	27.3	2 / 12
Number of Egg or Embryo Banking Cycles	60	34	54	28	21
Number of fertility preservation cycles	19	4	8	0	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	79	15	83	3
Number of transfers	69	15	79	2
Average number of embryos transferred	1.3	1.3	1.4	1.0
Percentage of embryos transferred resulting in implantation (%)	68.2	65.0	51.0	1 / 2
Percentage of transfers resulting in pregnancies (%)	78.3	10 / 15	64.6	1 / 2
Percentage of transfers resulting in live births (%)	69.6	8 / 15	50.6	1 / 2
Percentage of transfers resulting in singleton live births (%)	59.4	7 / 15	44.3	1 / 2
Percentage of transfers resulting in twin live births (%)	10.1	1 / 15	6.3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	50.7	6 / 15	36.7	1 / 2

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine, Advanced Reproductive Technologies

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MAYO CLINIC ASSISTED REPRODUCTIVE TECHNOLOGIES
ROCHESTER, MINNESOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Charles C. Coddington, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	0%	PGD/PGS	10%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	9%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	29%	Male factor	27%	Female factors only	9%
Diminished ovarian reserve	21%	Other factor	16%	Female & male factors	11%
Endometriosis	5%	Unknown factor	15%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 518
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	112	37	30	6	4
Percentage of cancellations before retrieval (%)	8.0	8.1	23.3	2 / 6	1 / 4
Number of transfers	66	29	21	3	3
Average number of embryos transferred	1.3	1.5	2.0	2.0	2.7
Percentage of elective single embryo transfers (eSET) (%)	71.9	51.9	1 / 18	0 / 3	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.1	29.7	30.0	2 / 6	0 / 4
Percentage of cycles resulting in live births (%)	28.6	21.6	20.0	1 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)	25.0	21.6	16.7	1 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)	3.6	0.0	3.3	0 / 6	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	20.5	21.6	16.7	1 / 6	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	48.8	27.3	21.1	3 / 6	0 / 8
Percentage of transfers resulting in pregnancies (%)	54.5	37.9	42.9	2 / 3	0 / 3
Percentage of transfers resulting in live births (%)	48.5	27.6	28.6	1 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	42.4	27.6	23.8	1 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	6.1	0.0	4.8	0 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.8	27.6	23.8	1 / 3	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	146	35	24	7	7
Number of transfers	136	32	22	7	4
Estimated average number of transfers per retrieval	1.7	0.8	1.0	0.7	1.3
Average number of embryos transferred	1.3	1.5	1.4	2.0	1.3
Percentage of embryos transferred resulting in implantation (%)	50.6	25.6	34.5	3 / 14	2 / 5
Percentage of transfers resulting in pregnancies (%)	61.0	40.6	45.5	2 / 7	2 / 4
Percentage of transfers resulting in live births (%)	52.9	25.0	40.9	2 / 7	2 / 4
Percentage of transfers resulting in singleton live births (%)	45.6	25.0	36.4	1 / 7	2 / 4
Percentage of transfers resulting in twin live births (%)	7.4	0.0	4.5	1 / 7	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	42.6	25.0	31.8	1 / 7	2 / 4
Number of Egg or Embryo Banking Cycles	33	23	16	8	3
Number of fertility preservation cycles	11	8	3	2	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	3	10	12	0
Number of transfers	2	9	12	0
Average number of embryos transferred	1.5	1.2	1.1	
Percentage of embryos transferred resulting in implantation (%)	3 / 3	9 / 11	8 / 13	
Percentage of transfers resulting in pregnancies (%)	2 / 2	6 / 9	8 / 12	
Percentage of transfers resulting in live births (%)	2 / 2	6 / 9	8 / 12	
Percentage of transfers resulting in singleton live births (%)	1 / 2	4 / 9	8 / 12	
Percentage of transfers resulting in twin live births (%)	1 / 2	2 / 9	0 / 12	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 2	3 / 9	5 / 12	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Mayo Clinic Assisted Reproductive Technologies

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE & INFERTILITY ASSOCIATES
WOODBURY, MINNESOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jacques P. Stassart, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	PGD/PGS	4%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	13%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	21%	Male factor	66%	Female factors only	6%
Diminished ovarian reserve	13%	Other factor	23%	Female & male factors	42%
Endometriosis	14%	Unknown factor	7%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 798
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	246	100	57	26	7
Percentage of cancellations before retrieval (%)	1.2	4.0	3.5	19.2	1 / 7
Number of transfers	234	91	49	20	5
Average number of embryos transferred	1.6	1.9	2.4	3.0	2.2
Percentage of elective single embryo transfers (eSET) (%)	37.5	8.1	4.4	0 / 18	2 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	53.3	51.0	35.1	26.9	2 / 7
Percentage of cycles resulting in live births (%)	43.9	37.0	28.1	11.5	0 / 7
Percentage of cycles resulting in singleton live births (%)	35.4	26.0	19.3	7.7	0 / 7
Percentage of cycles resulting in twin live births (%)	8.1	11.0	7.0	3.8	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	30.5	20.0	12.3	7.7	0 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.0	36.3	23.7	14.5	2 / 11
Percentage of transfers resulting in pregnancies (%)	56.0	56.0	40.8	35.0	2 / 5
Percentage of transfers resulting in live births (%)	46.2	40.7	32.7	15.0	0 / 5
Percentage of transfers resulting in singleton live births (%)	37.2	28.6	22.4	10.0	0 / 5
Percentage of transfers resulting in twin live births (%)	8.5	12.1	8.2	5.0	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.1	22.0	14.3	10.0	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	128	76	13	12	3
Number of transfers	122	73	13	11	3
Estimated average number of transfers per retrieval	1.3	1.4	1.2	1.8	3.0
Average number of embryos transferred	1.5	1.6	1.5	1.8	1.3
Percentage of embryos transferred resulting in implantation (%)	29.8	32.7	6 / 16	10.0	2 / 4
Percentage of transfers resulting in pregnancies (%)	43.4	43.8	7 / 13	2 / 11	2 / 3
Percentage of transfers resulting in live births (%)	34.4	35.6	5 / 13	1 / 11	1 / 3
Percentage of transfers resulting in singleton live births (%)	29.5	26.0	5 / 13	1 / 11	1 / 3
Percentage of transfers resulting in twin live births (%)	4.9	9.6	0 / 13	0 / 11	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	27.0	19.2	4 / 13	1 / 11	1 / 3
Number of Egg or Embryo Banking Cycles	22	14	4	1	0
Number of fertility preservation cycles	2	2	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	48	4	35	1
Number of transfers	45	2	34	1
Average number of embryos transferred	1.6	1.5	1.4	1.0
Percentage of embryos transferred resulting in implantation (%)	48.4	0 / 3	19.1	0 / 1
Percentage of transfers resulting in pregnancies (%)	57.8	0 / 2	26.5	0 / 1
Percentage of transfers resulting in live births (%)	44.4	0 / 2	14.7	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.1	0 / 2	11.8	0 / 1
Percentage of transfers resulting in twin live births (%)	13.3	0 / 2	2.9	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	24.4	0 / 2	11.8	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine & Infertility Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSISSIPPI REPRODUCTIVE MEDICINE, PLLC
FLOWOOD, MISSISSIPPI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Randall S. Hines, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	0%	PGD/PGS	78%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	14%	Uterine factor	17%	Multiple Factors:	
Ovulatory dysfunction	15%	Male factor	22%	Female factors only	15%
Diminished ovarian reserve	16%	Other factor	7%	Female & male factors	14%
Endometriosis	33%	Unknown factor	18%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 237
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	2	0	0	0
Percentage of cancellations before retrieval (%)	0 / 1	0 / 2			
Number of transfers	1	2	0	0	0
Average number of embryos transferred	2.0	1.0			
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	2 / 2			
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 1	0 / 2			
Percentage of cycles resulting in live births (%)	1 / 1	0 / 2			
Percentage of cycles resulting in singleton live births (%)	1 / 1	0 / 2			
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 2			
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 1	0 / 2			
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 2	0 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 2			
Percentage of transfers resulting in live births (%)	1 / 1	0 / 2			
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 1	0 / 2			
Frozen Embryos from Nondonor Eggs					
Number of cycles	52	21	7	4	1
Number of transfers	48	19	6	4	1
Estimated average number of transfers per retrieval	0.8	0.6	0.7	0.5	0.1
Average number of embryos transferred	1.2	1.2	1.0	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	50.0	45.0	3 / 6	3 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	58.3	11 / 19	3 / 6	3 / 4	0 / 1
Percentage of transfers resulting in live births (%)	56.3	7 / 19	2 / 6	2 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	56.3	7 / 19	2 / 6	2 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 19	0 / 6	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	43.8	5 / 19	2 / 6	0 / 4	0 / 1
Number of Egg or Embryo Banking Cycles	60	30	9	8	8
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	31	3
Number of transfers	0	0	27	3
Average number of embryos transferred			1.0	1.3
Percentage of embryos transferred resulting in implantation (%)			73.1	2 / 4
Percentage of transfers resulting in pregnancies (%)			70.4	1 / 3
Percentage of transfers resulting in live births (%)			51.9	1 / 3
Percentage of transfers resulting in singleton live births (%)			51.9	0 / 3
Percentage of transfers resulting in twin live births (%)			0.0	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			37.0	0 / 3

CURRENT SERVICES & PROFILE

Current Name: Mississippi Reproductive Medicine, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY OF MISSISSIPPI MEDICAL CENTER
FLOWOOD, MISSISSIPPI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John D. Isaacs, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	76%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	33%	Uterine factor	10%	Multiple Factors:	
Ovulatory dysfunction	9%	Male factor	33%	Female factors only	20%
Diminished ovarian reserve	26%	Other factor	4%	Female & male factors	16%
Endometriosis	23%	Unknown factor	8%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 199
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	53	26	16	2	0
Percentage of cancellations before retrieval (%)	1.9	11.5	3 / 16	1 / 2	
Number of transfers	43	17	11	0	0
Average number of embryos transferred	1.3	1.8	2.0		
Percentage of elective single embryo transfers (eSET) (%)	56.7	2 / 14	1 / 9		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	24.5	30.8	2 / 16	0 / 2	
Percentage of cycles resulting in live births (%)	24.5	26.9	1 / 16	0 / 2	
Percentage of cycles resulting in singleton live births (%)	18.9	19.2	1 / 16	0 / 2	
Percentage of cycles resulting in twin live births (%)	5.7	7.7	0 / 16	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	13.2	19.2	1 / 16	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	28.6	31.0	4.8		
Percentage of transfers resulting in pregnancies (%)	30.2	8 / 17	2 / 11		
Percentage of transfers resulting in live births (%)	30.2	7 / 17	1 / 11		
Percentage of transfers resulting in singleton live births (%)	23.3	5 / 17	1 / 11		
Percentage of transfers resulting in twin live births (%)	7.0	2 / 17	0 / 11		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	16.3	5 / 17	1 / 11		
Frozen Embryos from Nondonor Eggs					
Number of cycles	39	14	5	0	2
Number of transfers	38	13	4	0	2
Estimated average number of transfers per retrieval	2.0	1.6	1.3		2.0
Average number of embryos transferred	1.4	1.5	1.0		2.0
Percentage of embryos transferred resulting in implantation (%)	50.0	3 / 19	1 / 4		2 / 4
Percentage of transfers resulting in pregnancies (%)	55.3	3 / 13	1 / 4		1 / 2
Percentage of transfers resulting in live births (%)	47.4	1 / 13	1 / 4		1 / 2
Percentage of transfers resulting in singleton live births (%)	36.8	1 / 13	1 / 4		0 / 2
Percentage of transfers resulting in twin live births (%)	10.5	0 / 13	0 / 4		1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.9	1 / 13	1 / 4		0 / 2
Number of Egg or Embryo Banking Cycles	1	3	0	0	1
Number of fertility preservation cycles	0	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	10	0	16	11
Number of transfers	9	0	15	11
Average number of embryos transferred	1.2		1.4	1.8
Percentage of embryos transferred resulting in implantation (%)	8 / 10		19.0	25.0
Percentage of transfers resulting in pregnancies (%)	6 / 9		4 / 15	4 / 11
Percentage of transfers resulting in live births (%)	4 / 9		4 / 15	3 / 11
Percentage of transfers resulting in singleton live births (%)	3 / 9		4 / 15	2 / 11
Percentage of transfers resulting in twin live births (%)	0 / 9		0 / 15	1 / 11
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 9		4 / 15	0 / 11

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: University of Mississippi Medical Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	No	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY CENTER OF ST. LOUIS
CHESTERFIELD, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Sherman J. Silber, MD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	95%
Unstimulated	<1%	PGD/PGS	<1%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	10%	Multiple Factors:	
Ovulatory dysfunction	23%	Male factor	34%	Female factors only	19%
Diminished ovarian reserve	42%	Other factor	15%	Female & male factors	19%
Endometriosis	3%	Unknown factor	6%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 970
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	85	20	14	5	5
Percentage of cancellations before retrieval (%)	4.7	10.0	1 / 14	0 / 5	0 / 5
Number of transfers	61	15	8	5	5
Average number of embryos transferred	1.9	1.7	1.8	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	3.4	2 / 13	0 / 6	0 / 4	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.5	30.0	2 / 14	1 / 5	0 / 5
Percentage of cycles resulting in live births (%)	34.1	20.0	1 / 14	0 / 5	0 / 5
Percentage of cycles resulting in singleton live births (%)	23.5	20.0	1 / 14	0 / 5	0 / 5
Percentage of cycles resulting in twin live births (%)	10.6	0.0	0 / 14	0 / 5	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	16.5	20.0	1 / 14	0 / 5	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.2	20.8	2 / 14	0 / 8	0 / 15
Percentage of transfers resulting in pregnancies (%)	50.8	6 / 15	2 / 8	1 / 5	0 / 5
Percentage of transfers resulting in live births (%)	47.5	4 / 15	1 / 8	0 / 5	0 / 5
Percentage of transfers resulting in singleton live births (%)	32.8	4 / 15	1 / 8	0 / 5	0 / 5
Percentage of transfers resulting in twin live births (%)	14.8	0 / 15	0 / 8	0 / 5	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	23.0	4 / 15	1 / 8	0 / 5	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	156	58	69	19	51
Number of transfers	140	49	57	14	43
Estimated average number of transfers per retrieval	1.1	0.8	0.7	0.2	0.3
Average number of embryos transferred	1.8	1.8	1.9	2.1	2.4
Percentage of embryos transferred resulting in implantation (%)	35.4	35.4	24.5	25.0	8.7
Percentage of transfers resulting in pregnancies (%)	48.6	51.0	45.6	7 / 14	18.6
Percentage of transfers resulting in live births (%)	42.1	40.8	29.8	4 / 14	11.6
Percentage of transfers resulting in singleton live births (%)	30.0	28.6	26.3	3 / 14	11.6
Percentage of transfers resulting in twin live births (%)	12.1	12.2	3.5	1 / 14	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	27.1	24.5	21.1	2 / 14	9.3
Number of Egg or Embryo Banking Cycles	102	55	73	63	137
Number of fertility preservation cycles	8	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	14	3	38	0
Number of transfers	11	1	33	0
Average number of embryos transferred	2.0	2.0	1.9	
Percentage of embryos transferred resulting in implantation (%)	35.0	0 / 2	47.2	
Percentage of transfers resulting in pregnancies (%)	5 / 11	0 / 1	54.5	
Percentage of transfers resulting in live births (%)	4 / 11	0 / 1	30.3	
Percentage of transfers resulting in singleton live births (%)	2 / 11	0 / 1	15.2	
Percentage of transfers resulting in twin live births (%)	1 / 11	0 / 1	12.1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 11	0 / 1	15.2	

CURRENT SERVICES & PROFILE

Current Name: Infertility Center of St. Louis

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSOURI CENTER FOR REPRODUCTIVE MEDICINE
CHESTERFIELD, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Peter Ahlering, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	95%
Unstimulated	0%	PGD/PGS	50%
Used gestational carrier	4%		

Patient Diagnosis[a,b]

Tubal factor	5%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	30%	Male factor	19%	Female factors only	24%
Diminished ovarian reserve	15%	Other factor	41%	Female & male factors	12%
Endometriosis	7%	Unknown factor	20%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 790
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	22	10	6	5	2
Percentage of cancellations before retrieval (%)	0.0	0 / 10	0 / 6	0 / 5	0 / 2
Number of transfers	20	9	6	5	2
Average number of embryos transferred	2.2	2.0	2.0	1.8	1.5
Percentage of elective single embryo transfers (eSET) (%)	0 / 18	1 / 8	0 / 6	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	68.2	2 / 10	1 / 6	0 / 5	0 / 2
Percentage of cycles resulting in live births (%)	68.2	2 / 10	1 / 6	0 / 5	0 / 2
Percentage of cycles resulting in singleton live births (%)	40.9	2 / 10	1 / 6	0 / 5	0 / 2
Percentage of cycles resulting in twin live births (%)	27.3	0 / 10	0 / 6	0 / 5	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	27.3	2 / 10	0 / 6	0 / 5	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	53.5	2 / 18	1 / 12	0 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)	75.0	2 / 9	1 / 6	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	75.0	2 / 9	1 / 6	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	45.0	2 / 9	1 / 6	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	30.0	0 / 9	0 / 6	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.0	2 / 9	0 / 6	0 / 5	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	138	58	30	8	4
Number of transfers	137	57	29	8	4
Estimated average number of transfers per retrieval	0.6	0.7	0.4	0.2	0.1
Average number of embryos transferred	1.5	1.6	1.4	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	60.8	40.2	58.1	3 / 10	1 / 3
Percentage of transfers resulting in pregnancies (%)	65.0	50.9	55.2	3 / 8	1 / 4
Percentage of transfers resulting in live births (%)	59.9	45.6	55.2	3 / 8	1 / 4
Percentage of transfers resulting in singleton live births (%)	43.1	36.8	51.7	3 / 8	1 / 4
Percentage of transfers resulting in twin live births (%)	16.8	8.8	3.4	0 / 8	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	29.9	26.3	34.5	0 / 8	1 / 4
Number of Egg or Embryo Banking Cycles	232	77	70	47	34
Number of fertility preservation cycles	8	0	0	0	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	4	18	19	4
Number of transfers	3	15	19	4
Average number of embryos transferred	2.0	1.9	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	4 / 6	29.6	48.0	3 / 6
Percentage of transfers resulting in pregnancies (%)	2 / 3	8 / 15	11 / 19	2 / 4
Percentage of transfers resulting in live births (%)	1 / 3	7 / 15	7 / 19	2 / 4
Percentage of transfers resulting in singleton live births (%)	0 / 3	6 / 15	4 / 19	1 / 4
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 15	3 / 19	1 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 3	3 / 15	4 / 19	1 / 4

CURRENT SERVICES & PROFILE

Current Name: Missouri Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MID-MISSOURI REPRODUCTIVE MEDICINE AND SURGERY, INC.
COLUMBIA, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gilbert B. Wilshire, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	PGD/PGS	17%
Used gestational carrier	5%		

Patient Diagnosis[a,b]

Tubal factor	14%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	12%	Male factor	62%	Female factors only	7%
Diminished ovarian reserve	27%	Other factor	3%	Female & male factors	35%
Endometriosis	21%	Unknown factor	1%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 179
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	45	17	13	5	0
Percentage of cancellations before retrieval (%)	0.0	3 / 17	2 / 13	1 / 5	
Number of transfers	36	14	8	4	0
Average number of embryos transferred	1.8	2.0	1.8	2.3	
Percentage of elective single embryo transfers (eSET) (%)	29.4	2 / 13	0 / 6	0 / 4	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.0	5 / 17	3 / 13	2 / 5	
Percentage of cycles resulting in live births (%)	35.6	4 / 17	3 / 13	2 / 5	
Percentage of cycles resulting in singleton live births (%)	24.4	2 / 17	3 / 13	2 / 5	
Percentage of cycles resulting in twin live births (%)	11.1	2 / 17	0 / 13	0 / 5	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	24.4	1 / 17	1 / 13	2 / 5	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.3	25.0	3 / 14	2 / 9	
Percentage of transfers resulting in pregnancies (%)	50.0	5 / 14	3 / 8	2 / 4	
Percentage of transfers resulting in live births (%)	44.4	4 / 14	3 / 8	2 / 4	
Percentage of transfers resulting in singleton live births (%)	30.6	2 / 14	3 / 8	2 / 4	
Percentage of transfers resulting in twin live births (%)	13.9	2 / 14	0 / 8	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.6	1 / 14	1 / 8	2 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	37	8	9	1	0
Number of transfers	36	8	7	1	0
Estimated average number of transfers per retrieval	1.2	1.3	1.0		
Average number of embryos transferred	1.6	1.5	2.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	34.5	6 / 12	4 / 15	0 / 1	
Percentage of transfers resulting in pregnancies (%)	44.4	5 / 8	3 / 7	0 / 1	
Percentage of transfers resulting in live births (%)	41.7	5 / 8	3 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)	36.1	4 / 8	3 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)	5.6	1 / 8	0 / 7	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	33.3	3 / 8	3 / 7	0 / 1	
Number of Egg or Embryo Banking Cycles	14	4	5	0	0
Number of fertility preservation cycles	5	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	4	0	15	1
Number of transfers	3	0	15	1
Average number of embryos transferred	1.7		1.4	2.0
Percentage of embryos transferred resulting in implantation (%)	3 / 5		28.6	0 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 3		6 / 15	0 / 1
Percentage of transfers resulting in live births (%)	2 / 3		4 / 15	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 3		4 / 15	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 3		0 / 15	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 3		2 / 15	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Mid-Missouri Reproductive Medicine and Surgery, Inc.

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MISSOURI CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY
UNIVERSITY OF MISSOURI
COLUMBIA, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Danny J. Schust, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	32%
Unstimulated	0%	PGD/PGS	5%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	32%	Uterine factor	11%	Multiple Factors:	
Ovulatory dysfunction	5%	Male factor	26%	Female factors only	5%
Diminished ovarian reserve	21%	Other factor	26%	Female & male factors	21%
Endometriosis	5%	Unknown factor	21%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 19
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	6	7	4	2	0
Percentage of cancellations before retrieval (%)	0 / 6	0 / 7	0 / 4	0 / 2	
Number of transfers	5	4	3	1	0
Average number of embryos transferred	1.8	2.0	2.0	3.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 4	0 / 4	0 / 3	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 6	1 / 7	0 / 4	1 / 2	
Percentage of cycles resulting in live births (%)	1 / 6	0 / 7	0 / 4	0 / 2	
Percentage of cycles resulting in singleton live births (%)	1 / 6	0 / 7	0 / 4	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 6	0 / 7	0 / 4	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 6	0 / 7	0 / 4	0 / 2	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 9	1 / 6	0 / 6	3 / 3	
Percentage of transfers resulting in pregnancies (%)	1 / 5	1 / 4	0 / 3	1 / 1	
Percentage of transfers resulting in live births (%)	1 / 5	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 5	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 4	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 5	0 / 4	0 / 3	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Estimated average number of transfers per retrieval					
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)					
Number of Egg or Embryo Banking Cycles	0	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	0	0
Number of transfers	0	0	0	0
Average number of embryos transferred				
Percentage of embryos transferred resulting in implantation (%)				
Percentage of transfers resulting in pregnancies (%)				
Percentage of transfers resulting in live births (%)				
Percentage of transfers resulting in singleton live births (%)				
Percentage of transfers resulting in twin live births (%)				
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)				

CURRENT SERVICES & PROFILE

Current Name: Missouri Center for Reproductive Medicine and Fertility, University of Missouri

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MIDWEST WOMEN'S HEALTHCARE SPECIALISTS
KANSAS CITY, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gregory C. Starks, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	66%
Unstimulated	0%	PGD/PGS	<1%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	24%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	29%	Male factor	50%	Female factors only	23%
Diminished ovarian reserve	40%	Other factor	7%	Female & male factors	41%
Endometriosis	30%	Unknown factor	6%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 127
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	43	19	5	1	0
Percentage of cancellations before retrieval (%)	18.6	6 / 19	3 / 5	0 / 1	
Number of transfers	26	13	1	1	0
Average number of embryos transferred	1.9	1.8	2.0	2.0	
Percentage of elective single embryo transfers (eSET) (%)	4.2	0 / 11	0 / 1	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	44.2	7 / 19	1 / 5	1 / 1	
Percentage of cycles resulting in live births (%)	41.9	6 / 19	1 / 5	1 / 1	
Percentage of cycles resulting in singleton live births (%)	32.6	5 / 19	1 / 5	1 / 1	
Percentage of cycles resulting in twin live births (%)	9.3	0 / 19	0 / 5	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	27.9	5 / 19	1 / 5	1 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	49.0	41.7	1 / 2	1 / 2	
Percentage of transfers resulting in pregnancies (%)	73.1	7 / 13	1 / 1	1 / 1	
Percentage of transfers resulting in live births (%)	69.2	6 / 13	1 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)	53.8	5 / 13	1 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	15.4	0 / 13	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	46.2	5 / 13	1 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	16	11	3	0	0
Number of transfers	11	8	2	0	0
Estimated average number of transfers per retrieval	1.1	2.7	0.7		
Average number of embryos transferred	1.6	1.8	1.5		
Percentage of embryos transferred resulting in implantation (%)	9 / 16	4 / 13	1 / 3		
Percentage of transfers resulting in pregnancies (%)	8 / 11	4 / 8	1 / 2		
Percentage of transfers resulting in live births (%)	7 / 11	3 / 8	1 / 2		
Percentage of transfers resulting in singleton live births (%)	5 / 11	2 / 8	1 / 2		
Percentage of transfers resulting in twin live births (%)	2 / 11	1 / 8	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 11	1 / 8	1 / 2		
Number of Egg or Embryo Banking Cycles	7	1	3	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	12	6	0
Number of transfers	0	10	5	0
Average number of embryos transferred		1.7	1.4	
Percentage of embryos transferred resulting in implantation (%)		6 / 17	1 / 7	
Percentage of transfers resulting in pregnancies (%)		5 / 10	1 / 5	
Percentage of transfers resulting in live births (%)		5 / 10	0 / 5	
Percentage of transfers resulting in singleton live births (%)		4 / 10	0 / 5	
Percentage of transfers resulting in twin live births (%)		1 / 10	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		1 / 10	0 / 5	

CURRENT SERVICES & PROFILE

Current Name: Midwest Women's Healthcare Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY PARTNERSHIP
SAINT PETERS, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by David E. Simckes, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	93%
Unstimulated	1%	PGD/PGS	13%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	21%	Uterine factor	9%	Multiple Factors:	
Ovulatory dysfunction	21%	Male factor	29%	Female factors only	23%
Diminished ovarian reserve	26%	Other factor	19%	Female & male factors	19%
Endometriosis	16%	Unknown factor	7%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 177
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	39	15	10	4	1
Percentage of cancellations before retrieval (%)	2.6	0 / 15	2 / 10	0 / 4	1 / 1
Number of transfers	28	12	3	3	0
Average number of embryos transferred	1.6	1.8	2.7	2.0	
Percentage of elective single embryo transfers (eSET) (%)	32.0	1 / 11	0 / 3	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.9	6 / 15	1 / 10	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	33.3	5 / 15	1 / 10	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	30.8	4 / 15	1 / 10	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	2.6	1 / 15	0 / 10	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	23.1	0 / 15	0 / 10	0 / 4	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.6	31.8	1 / 8	0 / 6	
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 12	1 / 3	0 / 3	
Percentage of transfers resulting in live births (%)	46.4	5 / 12	1 / 3	0 / 3	
Percentage of transfers resulting in singleton live births (%)	42.9	4 / 12	1 / 3	0 / 3	
Percentage of transfers resulting in twin live births (%)	3.6	1 / 12	0 / 3	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.1	0 / 12	0 / 3	0 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	31	19	9	8	6
Number of transfers	26	14	8	5	6
Estimated average number of transfers per retrieval	1.1	1.3	1.6	1.3	6.0
Average number of embryos transferred	1.9	1.8	1.5	1.4	1.3
Percentage of embryos transferred resulting in implantation (%)	32.7	52.0	5 / 12	4 / 7	4 / 8
Percentage of transfers resulting in pregnancies (%)	53.8	11 / 14	4 / 8	3 / 5	4 / 6
Percentage of transfers resulting in live births (%)	42.3	10 / 14	4 / 8	3 / 5	4 / 6
Percentage of transfers resulting in singleton live births (%)	34.6	9 / 14	3 / 8	2 / 5	4 / 6
Percentage of transfers resulting in twin live births (%)	7.7	1 / 14	1 / 8	1 / 5	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	23.1	5 / 14	1 / 8	1 / 5	4 / 6
Number of Egg or Embryo Banking Cycles	12	7	4	3	1
Number of fertility preservation cycles	2	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	1	2	2
Number of transfers	2	1	2	2
Average number of embryos transferred	1.5	2.0	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	4 / 3	0 / 2	1 / 3	1 / 4
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 1	1 / 2	1 / 2
Percentage of transfers resulting in live births (%)	2 / 2	0 / 1	1 / 2	1 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 1	1 / 2	1 / 2
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 2	0 / 1	0 / 2	0 / 2

CURRENT SERVICES & PROFILE

Current Name: Fertility Partnership

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE & ROBOTIC SURGERY
ST. LOUIS, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Saji Jacob, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	96%
Unstimulated	0%	PGD/PGS	7%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	16%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	13%	Male factor	22%	Female factors only	36%
Diminished ovarian reserve	42%	Other factor	27%	Female & male factors	18%
Endometriosis	33%	Unknown factor	4%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 68
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	14	8	2	0	2
Percentage of cancellations before retrieval (%)	0 / 14	2 / 8	0 / 2		0 / 2
Number of transfers	13	5	2	0	2
Average number of embryos transferred	1.8	2.0	2.0		2.5
Percentage of elective single embryo transfers (eSET) (%)	2 / 12	0 / 5	0 / 2		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	10 / 14	3 / 8	2 / 2		0 / 2
Percentage of cycles resulting in live births (%)	9 / 14	2 / 8	1 / 2		0 / 2
Percentage of cycles resulting in singleton live births (%)	6 / 14	0 / 8	0 / 2		0 / 2
Percentage of cycles resulting in twin live births (%)	3 / 14	2 / 8	0 / 2		0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	3 / 14	0 / 8	0 / 2		0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	61.9	6 / 10	5 / 4		0 / 5
Percentage of transfers resulting in pregnancies (%)	10 / 13	3 / 5	2 / 2		0 / 2
Percentage of transfers resulting in live births (%)	9 / 13	2 / 5	1 / 2		0 / 2
Percentage of transfers resulting in singleton live births (%)	6 / 13	0 / 5	0 / 2		0 / 2
Percentage of transfers resulting in twin live births (%)	3 / 13	2 / 5	0 / 2		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 13	0 / 5	0 / 2		0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	4	4	0	2	1
Number of transfers	4	3	0	1	1
Estimated average number of transfers per retrieval	0.3	0.8	0.0	0.3	0.3
Average number of embryos transferred	1.8	2.0		2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	2 / 7	0 / 4		0 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 4	1 / 3		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	1 / 4	0 / 3		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 4	0 / 3		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 3		0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 4	0 / 3		0 / 1	0 / 1
Number of Egg or Embryo Banking Cycles	13	3	1	4	2
Number of fertility preservation cycles	1	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	6	0	0
Number of transfers	1	5	0	0
Average number of embryos transferred	2.0	1.8		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	3 / 9		
Percentage of transfers resulting in pregnancies (%)	0 / 1	3 / 5		
Percentage of transfers resulting in live births (%)	0 / 1	3 / 5		
Percentage of transfers resulting in singleton live births (%)	0 / 1	3 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1	3 / 5		

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine & Robotic Surgery

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY AND REPRODUCTIVE MEDICINE CENTER AT WASHINGTON UNIVERSITY SCHOOL OF MEDICINE AND BARNES-JEWISH HOSPITAL ST. LOUIS, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Randall R. Odem, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	60%
Unstimulated	0%	PGD/PGS	4%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	21%	Male factor	30%	Female factors only	9%
Diminished ovarian reserve	15%	Other factor	12%	Female & male factors	12%
Endometriosis	11%	Unknown factor	19%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 834
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	250	125	60	27	12
Percentage of cancellations before retrieval (%)	6.8	12.8	11.7	3.7	0 / 12
Number of transfers	206	102	47	23	10
Average number of embryos transferred	1.7	1.8	2.4	3.0	2.8
Percentage of elective single embryo transfers (eSET) (%)	26.2	16.1	4.7	0 / 18	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	46.0	39.2	38.3	33.3	2 / 12
Percentage of cycles resulting in live births (%)	41.6	29.6	31.7	22.2	2 / 12
Percentage of cycles resulting in singleton live births (%)	32.0	22.4	21.7	18.5	2 / 12
Percentage of cycles resulting in twin live births (%)	9.2	7.2	8.3	3.7	0 / 12
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	25.2	18.4	15.0	14.8	1 / 12
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.9	31.4	26.2	15.9	7.1
Percentage of transfers resulting in pregnancies (%)	55.8	48.0	48.9	39.1	2 / 10
Percentage of transfers resulting in live births (%)	50.5	36.3	40.4	26.1	2 / 10
Percentage of transfers resulting in singleton live births (%)	38.8	27.5	27.7	21.7	2 / 10
Percentage of transfers resulting in twin live births (%)	11.2	8.8	10.6	4.3	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.6	22.5	19.1	17.4	1 / 10
Frozen Embryos from Nondonor Eggs					
Number of cycles	126	63	43	14	10
Number of transfers	113	56	38	11	9
Estimated average number of transfers per retrieval	1.6	1.8	1.4	1.1	4.5
Average number of embryos transferred	1.5	1.5	1.4	1.8	1.6
Percentage of embryos transferred resulting in implantation (%)	49.1	36.9	36.5	4 / 19	5 / 14
Percentage of transfers resulting in pregnancies (%)	56.6	48.2	44.7	5 / 11	4 / 9
Percentage of transfers resulting in live births (%)	48.7	42.9	34.2	1 / 11	3 / 9
Percentage of transfers resulting in singleton live births (%)	34.5	37.5	28.9	1 / 11	2 / 9
Percentage of transfers resulting in twin live births (%)	14.2	5.4	5.3	0 / 11	1 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.3	32.1	23.7	1 / 11	1 / 9
Number of Egg or Embryo Banking Cycles	21	11	15	8	1
Number of fertility preservation cycles	11	6	8	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	16	20	11	0
Number of transfers	14	18	10	0
Average number of embryos transferred	1.6	1.7	1.5	
Percentage of embryos transferred resulting in implantation (%)	71.4	40.0	5 / 14	
Percentage of transfers resulting in pregnancies (%)	12 / 14	8 / 18	5 / 10	
Percentage of transfers resulting in live births (%)	10 / 14	7 / 18	4 / 10	
Percentage of transfers resulting in singleton live births (%)	8 / 14	3 / 18	3 / 10	
Percentage of transfers resulting in twin live births (%)	2 / 14	4 / 18	1 / 10	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	7 / 14	1 / 18	1 / 10	

CURRENT SERVICES & PROFILE

Current Name: Fertility and Reproductive Medicine Center at Washington University School of Medicine and Barnes-Jewish Hospital

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-ST. LOUIS
INTEGRAMED MISSOURI, LLC
ST. LOUIS, MISSOURI

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Molina B. Dayal, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	62%
Unstimulated	0%	PGD/PGS	15%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	6%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	22%	Male factor	17%	Female factors only	4%
Diminished ovarian reserve	32%	Other factor	20%	Female & male factors	5%
Endometriosis	6%	Unknown factor	5%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 569
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	144	41	22	4	8
Percentage of cancellations before retrieval (%)	2.8	4.9	31.8	2 / 4	1 / 8
Number of transfers	104	26	8	1	4
Average number of embryos transferred	1.5	1.6	1.8	1.0	1.5
Percentage of elective single embryo transfers (eSET) (%)	32.1	1 / 17	0 / 5		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.2	36.6	4.5	1 / 4	0 / 8
Percentage of cycles resulting in live births (%)	32.6	31.7	0.0	1 / 4	0 / 8
Percentage of cycles resulting in singleton live births (%)	22.2	29.3	0.0	1 / 4	0 / 8
Percentage of cycles resulting in twin live births (%)	10.4	2.4	0.0	0 / 4	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	17.4	26.8	0.0	1 / 4	0 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.2	40.5	0 / 12	1 / 1	0 / 6
Percentage of transfers resulting in pregnancies (%)	52.9	57.7	1 / 8	1 / 1	0 / 4
Percentage of transfers resulting in live births (%)	45.2	50.0	0 / 8	1 / 1	0 / 4
Percentage of transfers resulting in singleton live births (%)	30.8	46.2	0 / 8	1 / 1	0 / 4
Percentage of transfers resulting in twin live births (%)	14.4	3.8	0 / 8	0 / 1	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	24.0	42.3	0 / 8	1 / 1	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	106	61	37	8	4
Number of transfers	101	50	31	6	3
Estimated average number of transfers per retrieval	1.6	1.5	0.9	0.4	0.4
Average number of embryos transferred	1.4	1.4	1.2	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	55.9	46.3	38.9	3 / 6	0 / 3
Percentage of transfers resulting in pregnancies (%)	59.4	60.0	41.9	4 / 6	0 / 3
Percentage of transfers resulting in live births (%)	49.5	48.0	38.7	3 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	33.7	44.0	35.5	3 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	15.8	4.0	3.2	0 / 6	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.7	36.0	35.5	3 / 6	0 / 3
Number of Egg or Embryo Banking Cycles	20	23	29	15	7
Number of fertility preservation cycles	3	1	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	9	1	23	7
Number of transfers	7	0	23	5
Average number of embryos transferred	1.4		1.4	1.8
Percentage of embryos transferred resulting in implantation (%)	7 / 10		36.7	4 / 8
Percentage of transfers resulting in pregnancies (%)	6 / 7		43.5	4 / 5
Percentage of transfers resulting in live births (%)	5 / 7		34.8	3 / 5
Percentage of transfers resulting in singleton live births (%)	5 / 7		30.4	2 / 5
Percentage of transfers resulting in twin live births (%)	0 / 7		4.3	1 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 7		26.1	2 / 5

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-St. Louis, IntegraMed Missouri, LLC

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BILLINGS CLINIC
REPRODUCTIVE MEDICINE AND FERTILITY CARE
BILLINGS, MONTANA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Colleen Milroy, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	54%
Unstimulated	0%	PGD/PGS	5%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	18%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	28%	Male factor	35%	Female factors only	17%
Diminished ovarian reserve	24%	Other factor	16%	Female & male factors	20%
Endometriosis	12%	Unknown factor	8%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 228
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	57	15	14	4	0
Percentage of cancellations before retrieval (%)	5.3	1 / 15	3 / 14	3 / 4	
Number of transfers	39	11	10	1	0
Average number of embryos transferred	1.5	1.9	2.3	3.0	
Percentage of elective single embryo transfers (eSET) (%)	41.7	0 / 10	0 / 10	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.6	5 / 15	3 / 14	1 / 4	
Percentage of cycles resulting in live births (%)	36.8	5 / 15	3 / 14	0 / 4	
Percentage of cycles resulting in singleton live births (%)	29.8	5 / 15	2 / 14	0 / 4	
Percentage of cycles resulting in twin live births (%)	7.0	0 / 15	1 / 14	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	28.1	4 / 15	2 / 14	0 / 4	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.8	23.8	21.7	1 / 3	
Percentage of transfers resulting in pregnancies (%)	56.4	5 / 11	3 / 10	1 / 1	
Percentage of transfers resulting in live births (%)	53.8	5 / 11	3 / 10	0 / 1	
Percentage of transfers resulting in singleton live births (%)	43.6	5 / 11	2 / 10	0 / 1	
Percentage of transfers resulting in twin live births (%)	10.3	0 / 11	1 / 10	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	41.0	4 / 11	2 / 10	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	56	20	9	1	2
Number of transfers	48	19	8	0	1
Estimated average number of transfers per retrieval	1.3	1.2	1.6	0.0	1.0
Average number of embryos transferred	1.5	1.6	1.8		3.0
Percentage of embryos transferred resulting in implantation (%)	57.7	55.2	7 / 14		1 / 3
Percentage of transfers resulting in pregnancies (%)	62.5	14 / 19	4 / 8		1 / 1
Percentage of transfers resulting in live births (%)	52.1	12 / 19	4 / 8		0 / 1
Percentage of transfers resulting in singleton live births (%)	33.3	9 / 19	3 / 8		0 / 1
Percentage of transfers resulting in twin live births (%)	18.8	3 / 19	1 / 8		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.3	6 / 19	3 / 8		0 / 1
Number of Egg or Embryo Banking Cycles	18	11	3	2	1
Number of fertility preservation cycles	4	1	0	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	8	3	3
Number of transfers	0	5	2	3
Average number of embryos transferred		1.6	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)		4 / 8	1 / 1	4 / 6
Percentage of transfers resulting in pregnancies (%)		3 / 5	2 / 2	2 / 3
Percentage of transfers resulting in live births (%)		2 / 5	0 / 2	2 / 3
Percentage of transfers resulting in singleton live births (%)		1 / 5	0 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)		1 / 5	0 / 2	2 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		1 / 5	0 / 2	0 / 3

CURRENT SERVICES & PROFILE

Current Name: Billings Clinic, Reproductive Medicine and Fertility Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE HEALTH SPECIALISTS
ELKHORN, NEBRASKA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Carolyn M. Doherty, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	78%
Unstimulated	0%	PGD/PGS	31%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	20%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	16%	Male factor	47%	Female factors only	15%
Diminished ovarian reserve	14%	Other factor	25%	Female & male factors	24%
Endometriosis	13%	Unknown factor	4%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 647
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	111	38	16	12	2
Percentage of cancellations before retrieval (%)	9.9	34.2	6 / 16	3 / 12	0 / 2
Number of transfers	61	17	10	7	1
Average number of embryos transferred	1.7	1.9	2.4	2.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	15.7	0 / 13	0 / 10	0 / 5	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	28.8	18.4	5 / 16	1 / 12	1 / 2
Percentage of cycles resulting in live births (%)	26.1	10.5	5 / 16	1 / 12	1 / 2
Percentage of cycles resulting in singleton live births (%)	20.7	10.5	5 / 16	1 / 12	1 / 2
Percentage of cycles resulting in twin live births (%)	5.4	0.0	0 / 16	0 / 12	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	17.1	10.5	3 / 16	0 / 12	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.5	23.3	29.2	1 / 16	3 / 3
Percentage of transfers resulting in pregnancies (%)	52.5	7 / 17	5 / 10	1 / 7	1 / 1
Percentage of transfers resulting in live births (%)	47.5	4 / 17	5 / 10	1 / 7	1 / 1
Percentage of transfers resulting in singleton live births (%)	37.7	4 / 17	5 / 10	1 / 7	1 / 1
Percentage of transfers resulting in twin live births (%)	9.8	0 / 17	0 / 10	0 / 7	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.1	4 / 17	3 / 10	0 / 7	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	200	67	27	3	4
Number of transfers	181	53	20	3	4
Estimated average number of transfers per retrieval	1.4	1.3	1.0	0.8	1.0
Average number of embryos transferred	1.5	1.5	1.5	1.7	1.3
Percentage of embryos transferred resulting in implantation (%)	52.3	52.6	56.7	3 / 5	2 / 5
Percentage of transfers resulting in pregnancies (%)	59.1	58.5	60.0	3 / 3	2 / 4
Percentage of transfers resulting in live births (%)	50.8	41.5	45.0	3 / 3	2 / 4
Percentage of transfers resulting in singleton live births (%)	36.5	30.2	35.0	3 / 3	2 / 4
Percentage of transfers resulting in twin live births (%)	14.4	9.4	10.0	0 / 3	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.5	20.8	25.0	3 / 3	2 / 4
Number of Egg or Embryo Banking Cycles	79	27	18	3	4
Number of fertility preservation cycles	0	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	10	1	25	0
Number of transfers	9	1	18	0
Average number of embryos transferred	1.3	1.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	8 / 12	0 / 1	44.0	
Percentage of transfers resulting in pregnancies (%)	7 / 9	0 / 1	10 / 18	
Percentage of transfers resulting in live births (%)	4 / 9	0 / 1	7 / 18	
Percentage of transfers resulting in singleton live births (%)	3 / 9	0 / 1	5 / 18	
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 1	2 / 18	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 9	0 / 1	2 / 18	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HEARTLAND CENTER FOR REPRODUCTIVE MEDICINE, PC
OMAHA, NEBRASKA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Victoria M. Maclin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	49%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	16%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	10%	Male factor	45%	Female factors only	9%
Diminished ovarian reserve	26%	Other factor	9%	Female & male factors	21%
Endometriosis	10%	Unknown factor	13%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 374
(includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	123	35	15	7	1
Percentage of cancellations before retrieval (%)	9.8	14.3	5 / 15	1 / 7	0 / 1
Number of transfers	93	19	5	5	0
Average number of embryos transferred	1.4	1.9	1.8	2.0	
Percentage of elective single embryo transfers (eSET) (%)	50.0	0 / 18	0 / 3	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	45.5	37.1	2 / 15	1 / 7	0 / 1
Percentage of cycles resulting in live births (%)	42.3	34.3	1 / 15	1 / 7	0 / 1
Percentage of cycles resulting in singleton live births (%)	38.2	25.7	1 / 15	1 / 7	0 / 1
Percentage of cycles resulting in twin live births (%)	4.1	8.6	0 / 15	0 / 7	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	31.7	22.9	1 / 15	0 / 7	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.2	42.9	1 / 7	1 / 10	
Percentage of transfers resulting in pregnancies (%)	60.2	13 / 19	2 / 5	1 / 5	
Percentage of transfers resulting in live births (%)	55.9	12 / 19	1 / 5	1 / 5	
Percentage of transfers resulting in singleton live births (%)	50.5	9 / 19	1 / 5	1 / 5	
Percentage of transfers resulting in twin live births (%)	5.4	3 / 19	0 / 5	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	41.9	8 / 19	1 / 5	0 / 5	
Frozen Embryos from Nondonor Eggs					
Number of cycles	73	17	12	2	0
Number of transfers	68	14	11	2	0
Estimated average number of transfers per retrieval	1.5	1.3	0.8		0.0
Average number of embryos transferred	1.3	1.4	1.7	1.0	
Percentage of embryos transferred resulting in implantation (%)	49.4	6 / 19	10 / 19	0 / 2	
Percentage of transfers resulting in pregnancies (%)	58.8	6 / 14	6 / 11	0 / 2	
Percentage of transfers resulting in live births (%)	48.5	6 / 14	4 / 11	0 / 2	
Percentage of transfers resulting in singleton live births (%)	41.2	6 / 14	3 / 11	0 / 2	
Percentage of transfers resulting in twin live births (%)	7.4	0 / 14	1 / 11	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	35.3	5 / 14	2 / 11	0 / 2	
Number of Egg or Embryo Banking Cycles	27	8	11	0	2
Number of fertility preservation cycles	3	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	17	1	16	3
Number of transfers	14	1	16	3
Average number of embryos transferred	1.1	1.0	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	10 / 15	0 / 1	7 / 17	2 / 4
Percentage of transfers resulting in pregnancies (%)	10 / 14	0 / 1	8 / 16	1 / 3
Percentage of transfers resulting in live births (%)	9 / 14	0 / 1	5 / 16	1 / 3
Percentage of transfers resulting in singleton live births (%)	8 / 14	0 / 1	4 / 16	0 / 3
Percentage of transfers resulting in twin live births (%)	1 / 14	0 / 1	1 / 16	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	8 / 14	0 / 1	2 / 16	0 / 3

CURRENT SERVICES & PROFILE

Current Name: Heartland Center for Reproductive Medicine, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GREEN VALLEY FERTILITY PARTNERS
HENDERSON, NEVADA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jeffrey D. Fisch, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	93%
Unstimulated	0%	PGD/PGS	32%
Used gestational carrier	4%		

Patient Diagnosis[a,b]

Tubal factor	23%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	13%	Male factor	32%	Female factors only	9%
Diminished ovarian reserve	13%	Other factor	11%	Female & male factors	16%
Endometriosis	11%	Unknown factor	19%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 266
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	76	22	32	14	13
Percentage of cancellations before retrieval (%)	3.9	0.0	6.3	2 / 14	4 / 13
Number of transfers	67	12	20	6	3
Average number of embryos transferred	1.6	1.8	1.5	1.8	1.0
Percentage of elective single embryo transfers (eSET) (%)	35.6	2 / 11	5 / 14	0 / 5	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	56.6	31.8	28.1	3 / 14	0 / 13
Percentage of cycles resulting in live births (%)	42.1	22.7	18.8	3 / 14	0 / 13
Percentage of cycles resulting in singleton live births (%)	30.3	13.6	18.8	3 / 14	0 / 13
Percentage of cycles resulting in twin live births (%)	11.8	9.1	0.0	0 / 14	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	22.4	13.6	15.6	2 / 14	0 / 13
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	55.4	42.9	24.0	3 / 11	0 / 3
Percentage of transfers resulting in pregnancies (%)	64.2	7 / 12	45.0	3 / 6	0 / 3
Percentage of transfers resulting in live births (%)	47.8	5 / 12	30.0	3 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	34.3	3 / 12	30.0	3 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	13.4	2 / 12	0.0	0 / 6	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	25.4	3 / 12	25.0	2 / 6	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	46	9	17	3	3
Number of transfers	44	7	15	3	3
Estimated average number of transfers per retrieval	1.4	1.4	1.9	1.0	1.0
Average number of embryos transferred	1.5	1.7	1.6	2.0	1.3
Percentage of embryos transferred resulting in implantation (%)	21.3	6 / 12	29.2	3 / 6	1 / 3
Percentage of transfers resulting in pregnancies (%)	31.8	4 / 7	6 / 15	2 / 3	2 / 3
Percentage of transfers resulting in live births (%)	18.2	3 / 7	4 / 15	1 / 3	0 / 3
Percentage of transfers resulting in singleton live births (%)	15.9	2 / 7	3 / 15	0 / 3	0 / 3
Percentage of transfers resulting in twin live births (%)	2.3	1 / 7	1 / 15	1 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	9.1	1 / 7	2 / 15	0 / 3	0 / 3
Number of Egg or Embryo Banking Cycles	4	4	3	1	2
Number of fertility preservation cycles	2	2	2	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	8	0	9	0
Number of transfers	6	0	8	0
Average number of embryos transferred	1.0		1.5	
Percentage of embryos transferred resulting in implantation (%)	2 / 5		1 / 12	
Percentage of transfers resulting in pregnancies (%)	3 / 6		1 / 8	
Percentage of transfers resulting in live births (%)	2 / 6		1 / 8	
Percentage of transfers resulting in singleton live births (%)	2 / 6		1 / 8	
Percentage of transfers resulting in twin live births (%)	0 / 6		0 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 6		1 / 8	

CURRENT SERVICES & PROFILE

Current Name: Green Valley Fertility Partners

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY CENTER OF LAS VEGAS
LAS VEGAS, NEVADA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Bruce Shapiro, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	71%
Unstimulated	0%	PGD/PGS	30%
Used gestational carrier	12%		

Patient Diagnosis[a,b]

Tubal factor	6%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	3%	Male factor	23%	Female factors only	5%
Diminished ovarian reserve	41%	Other factor	33%	Female & male factors	13%
Endometriosis	<1%	Unknown factor	10%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 945
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	8	2	2	1	0
Percentage of cancellations before retrieval (%)	1 / 8	1 / 2	0 / 2	0 / 1	
Number of transfers	2	0	0	1	0
Average number of embryos transferred	2.0			1.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 2				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 8	0 / 2	0 / 2	1 / 1	
Percentage of cycles resulting in live births (%)	2 / 8	0 / 2	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	0 / 8	0 / 2	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	2 / 8	0 / 2	0 / 2	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 8	0 / 2	0 / 2	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	4 / 4			1 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 2			1 / 1	
Percentage of transfers resulting in live births (%)	2 / 2			0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 2			0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 2			0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 2			0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	168	78	47	17	8
Number of transfers	164	76	44	15	6
Estimated average number of transfers per retrieval	0.9	1.0	0.5	0.4	0.2
Average number of embryos transferred	1.3	1.3	1.2	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)	75.0	58.2	59.3	8 / 16	5 / 6
Percentage of transfers resulting in pregnancies (%)	79.3	68.4	65.9	9 / 15	5 / 6
Percentage of transfers resulting in live births (%)	65.2	59.2	61.4	8 / 15	5 / 6
Percentage of transfers resulting in singleton live births (%)	53.7	51.3	56.8	8 / 15	5 / 6
Percentage of transfers resulting in twin live births (%)	11.6	7.9	4.5	0 / 15	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	46.3	42.1	43.2	7 / 15	5 / 6
Number of Egg or Embryo Banking Cycles	178	74	83	36	28
Number of fertility preservation cycles	0	1	2	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	64	0	148	1
Number of transfers	50	0	147	1
Average number of embryos transferred	1.4		1.4	1.0
Percentage of embryos transferred resulting in implantation (%)	74.6		67.9	1 / 1
Percentage of transfers resulting in pregnancies (%)	78.0		76.9	1 / 1
Percentage of transfers resulting in live births (%)	74.0		66.0	1 / 1
Percentage of transfers resulting in singleton live births (%)	52.0		51.0	1 / 1
Percentage of transfers resulting in twin live births (%)	22.0		15.0	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	48.0		43.5	1 / 1

CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Las Vegas

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

RED ROCK FERTILITY CENTER
LAS VEGAS, NEVADA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Eva D. Littman, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	18%
Unstimulated	0%	PGD/PGS	64%
Used gestational carrier	4%		

Patient Diagnosis[a,b]

Tubal factor	13%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	14%	Male factor	26%	Female factors only	18%
Diminished ovarian reserve	25%	Other factor	31%	Female & male factors	12%
Endometriosis	4%	Unknown factor	22%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 337
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	35	19	9	5	9
Percentage of cancellations before retrieval (%)	0.0	0 / 19	0 / 9	0 / 5	0 / 9
Number of transfers	11	2	5	3	0
Average number of embryos transferred	1.6	1.5	1.6	1.7	
Percentage of elective single embryo transfers (eSET) (%)	2 / 9	0 / 1	2 / 4	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	22.9	0 / 19	2 / 9	2 / 5	0 / 9
Percentage of cycles resulting in live births (%)	14.3	0 / 19	2 / 9	1 / 5	0 / 9
Percentage of cycles resulting in singleton live births (%)	2.9	0 / 19	2 / 9	1 / 5	0 / 9
Percentage of cycles resulting in twin live births (%)	8.6	0 / 19	0 / 9	0 / 5	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0.0	0 / 19	2 / 9	1 / 5	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	12 / 16	0 / 3	2 / 8	2 / 5	
Percentage of transfers resulting in pregnancies (%)	8 / 11	0 / 2	2 / 5	2 / 3	
Percentage of transfers resulting in live births (%)	5 / 11	0 / 2	2 / 5	1 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 11	0 / 2	2 / 5	1 / 3	
Percentage of transfers resulting in twin live births (%)	3 / 11	0 / 2	0 / 5	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 11	0 / 2	2 / 5	1 / 3	
Frozen Embryos from Nondonor Eggs					
Number of cycles	54	37	17	8	4
Number of transfers	54	37	17	6	4
Estimated average number of transfers per retrieval	1.0	0.9	0.9	0.4	0.2
Average number of embryos transferred	1.6	1.4	1.6	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	58.0	28.3	53.6	3 / 7	2 / 6
Percentage of transfers resulting in pregnancies (%)	75.9	35.1	11 / 17	3 / 6	2 / 4
Percentage of transfers resulting in live births (%)	66.7	29.7	10 / 17	2 / 6	2 / 4
Percentage of transfers resulting in singleton live births (%)	51.9	24.3	7 / 17	2 / 6	2 / 4
Percentage of transfers resulting in twin live births (%)	14.8	5.4	3 / 17	0 / 6	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	48.1	18.9	4 / 17	2 / 6	1 / 4
Number of Egg or Embryo Banking Cycles	32	32	17	17	16
Number of fertility preservation cycles	31	30	9	10	13

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	3	0	23	0
Number of transfers	2	0	23	0
Average number of embryos transferred	2.0		1.5	
Percentage of embryos transferred resulting in implantation (%)	0 / 4		35.3	
Percentage of transfers resulting in pregnancies (%)	0 / 2		43.5	
Percentage of transfers resulting in live births (%)	0 / 2		26.1	
Percentage of transfers resulting in singleton live births (%)	0 / 2		21.7	
Percentage of transfers resulting in twin live births (%)	0 / 2		4.3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 2		17.4	

CURRENT SERVICES & PROFILE

Current Name: Red Rock Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-LAS VEGAS
LAS VEGAS, NEVADA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Mark F. Severino, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	65%
Unstimulated	0%	PGD/PGS	25%
Used gestational carrier	5%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	13%	Male factor	21%	Female factors only	26%
Diminished ovarian reserve	23%	Other factor	67%	Female & male factors	14%
Endometriosis	12%	Unknown factor	2%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 424
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	96	34	14	5	4
Percentage of cancellations before retrieval (%)	2.1	2.9	0 / 14	1 / 5	0 / 4
Number of transfers	69	25	8	2	0
Average number of embryos transferred	1.9	1.8	1.6	1.5	
Percentage of elective single embryo transfers (eSET) (%)	6.3	17.4	1 / 6	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.4	26.5	2 / 14	1 / 5	0 / 4
Percentage of cycles resulting in live births (%)	25.0	26.5	1 / 14	0 / 5	0 / 4
Percentage of cycles resulting in singleton live births (%)	16.7	14.7	1 / 14	0 / 5	0 / 4
Percentage of cycles resulting in twin live births (%)	8.3	8.8	0 / 14	0 / 5	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	15.6	11.8	1 / 14	0 / 5	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.9	34.1	1 / 12	1 / 3	
Percentage of transfers resulting in pregnancies (%)	49.3	36.0	2 / 8	1 / 2	
Percentage of transfers resulting in live births (%)	34.8	36.0	1 / 8	0 / 2	
Percentage of transfers resulting in singleton live births (%)	23.2	20.0	1 / 8	0 / 2	
Percentage of transfers resulting in twin live births (%)	11.6	12.0	0 / 8	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	21.7	16.0	1 / 8	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	46	27	24	11	11
Number of transfers	44	23	24	11	10
Estimated average number of transfers per retrieval	0.9	0.6	0.7	0.4	0.6
Average number of embryos transferred	1.5	1.7	1.2	1.2	1.1
Percentage of embryos transferred resulting in implantation (%)	39.7	40.0	20.8	3 / 13	4 / 9
Percentage of transfers resulting in pregnancies (%)	50.0	47.8	29.2	2 / 11	6 / 10
Percentage of transfers resulting in live births (%)	34.1	39.1	16.7	2 / 11	4 / 10
Percentage of transfers resulting in singleton live births (%)	25.0	26.1	16.7	1 / 11	4 / 10
Percentage of transfers resulting in twin live births (%)	9.1	13.0	0.0	1 / 11	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	25.0	21.7	16.7	1 / 11	3 / 10
Number of Egg or Embryo Banking Cycles	27	32	32	27	18
Number of fertility preservation cycles	1	0	2	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	7	0	9	0
Number of transfers	6	0	9	0
Average number of embryos transferred	2.0		1.6	
Percentage of embryos transferred resulting in implantation (%)	6 / 12		5 / 12	
Percentage of transfers resulting in pregnancies (%)	4 / 6		4 / 9	
Percentage of transfers resulting in live births (%)	3 / 6		3 / 9	
Percentage of transfers resulting in singleton live births (%)	2 / 6		1 / 9	
Percentage of transfers resulting in twin live births (%)	1 / 6		2 / 9	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 6		1 / 9	

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-Las Vegas

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE NEVADA CENTER FOR REPRODUCTIVE MEDICINE
RENO, NEVADA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Scott J. Whitten, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	59%
Unstimulated	1%	PGD/PGS	37%
Used gestational carrier	6%		

Patient Diagnosis[a,b]

Tubal factor	18%	Uterine factor	13%	Multiple Factors:	
Ovulatory dysfunction	23%	Male factor	26%	Female factors only	27%
Diminished ovarian reserve	46%	Other factor	16%	Female & male factors	20%
Endometriosis	9%	Unknown factor	7%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 477
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	35	12	13	6	6
Percentage of cancellations before retrieval (%)	2.9	2 / 12	4 / 13	1 / 6	3 / 6
Number of transfers	19	7	4	2	1
Average number of embryos transferred	1.6	1.9	1.8	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	4 / 16	1 / 7	1 / 4	0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	37.1	4 / 12	1 / 13	1 / 6	0 / 6
Percentage of cycles resulting in live births (%)	31.4	4 / 12	0 / 13	0 / 6	0 / 6
Percentage of cycles resulting in singleton live births (%)	28.6	3 / 12	0 / 13	0 / 6	0 / 6
Percentage of cycles resulting in twin live births (%)	2.9	1 / 12	0 / 13	0 / 6	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	25.7	3 / 12	0 / 13	0 / 6	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.9	6 / 13	1 / 7	1 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	13 / 19	4 / 7	1 / 4	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)	11 / 19	4 / 7	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	10 / 19	3 / 7	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 19	1 / 7	0 / 4	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	9 / 19	3 / 7	0 / 4	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	86	26	39	11	4
Number of transfers	80	25	37	11	3
Estimated average number of transfers per retrieval	1.0	1.0	1.0	0.6	0.2
Average number of embryos transferred	1.3	1.3	1.3	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	53.6	67.7	57.8	4 / 14	0 / 3
Percentage of transfers resulting in pregnancies (%)	66.3	80.0	67.6	4 / 11	0 / 3
Percentage of transfers resulting in live births (%)	56.3	72.0	51.4	3 / 11	0 / 3
Percentage of transfers resulting in singleton live births (%)	51.3	60.0	43.2	3 / 11	0 / 3
Percentage of transfers resulting in twin live births (%)	5.0	12.0	8.1	0 / 11	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	42.5	56.0	40.5	2 / 11	0 / 3
Number of Egg or Embryo Banking Cycles	67	21	31	18	20
Number of fertility preservation cycles	5	2	2	2	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	9	2	39	30
Number of transfers	7	0	36	27
Average number of embryos transferred	1.7		1.5	1.6
Percentage of embryos transferred resulting in implantation (%)	7 / 12		58.0	50.0
Percentage of transfers resulting in pregnancies (%)	5 / 7		69.4	59.3
Percentage of transfers resulting in live births (%)	4 / 7		55.6	40.7
Percentage of transfers resulting in singleton live births (%)	2 / 7		41.7	25.9
Percentage of transfers resulting in twin live births (%)	2 / 7		13.9	14.8
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 7		30.6	18.5

CURRENT SERVICES & PROFILE

Current Name: The Nevada Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DARTMOUTH-HITCHCOCK MEDICAL CENTER
LEBANON, NEW HAMPSHIRE

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-NEW JERSEY
ASBURY, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Albert J. Peters, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	PGD/PGS	33%
Used gestational carrier	12%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	15%	Male factor	22%	Female factors only	8%
Diminished ovarian reserve	43%	Other factor	26%	Female & male factors	13%
Endometriosis	1%	Unknown factor	<1%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 200
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	30	14	13	6	10
Percentage of cancellations before retrieval (%)	0.0	2 / 14	1 / 13	0 / 6	2 / 10
Number of transfers	26	7	9	1	5
Average number of embryos transferred	1.5	1.9	1.6	1.0	1.8
Percentage of elective single embryo transfers (eSET) (%)	40.0	1 / 6	1 / 6		0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	1 / 14	2 / 13	0 / 6	1 / 10
Percentage of cycles resulting in live births (%)	40.0	0 / 14	1 / 13	0 / 6	1 / 10
Percentage of cycles resulting in singleton live births (%)	33.3	0 / 14	1 / 13	0 / 6	1 / 10
Percentage of cycles resulting in twin live births (%)	6.7	0 / 14	0 / 13	0 / 6	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	30.0	0 / 14	1 / 13	0 / 6	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.4	2 / 13	2 / 14	0 / 1	1 / 9
Percentage of transfers resulting in pregnancies (%)	57.7	1 / 7	2 / 9	0 / 1	1 / 5
Percentage of transfers resulting in live births (%)	46.2	0 / 7	1 / 9	0 / 1	1 / 5
Percentage of transfers resulting in singleton live births (%)	38.5	0 / 7	1 / 9	0 / 1	1 / 5
Percentage of transfers resulting in twin live births (%)	7.7	0 / 7	0 / 9	0 / 1	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.6	0 / 7	1 / 9	0 / 1	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	17	18	7	7	3
Number of transfers	16	17	7	6	2
Estimated average number of transfers per retrieval	1.1	0.9	0.5	1.2	0.2
Average number of embryos transferred	1.3	1.8	1.3	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	33.3	28.6	3 / 9	3 / 8	0 / 3
Percentage of transfers resulting in pregnancies (%)	5 / 16	7 / 17	3 / 7	3 / 6	0 / 2
Percentage of transfers resulting in live births (%)	5 / 16	4 / 17	2 / 7	3 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	3 / 16	3 / 17	2 / 7	3 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 16	1 / 17	0 / 7	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 16	3 / 17	1 / 7	2 / 6	0 / 2
Number of Egg or Embryo Banking Cycles	8	12	11	4	11
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	5	2	19	2
Number of transfers	4	2	19	2
Average number of embryos transferred	1.5	2.0	1.6	1.5
Percentage of embryos transferred resulting in implantation (%)	2 / 6	1 / 4	29.0	0 / 3
Percentage of transfers resulting in pregnancies (%)	1 / 4	1 / 2	6 / 19	0 / 2
Percentage of transfers resulting in live births (%)	1 / 4	0 / 2	6 / 19	0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 2	4 / 19	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 4	0 / 2	2 / 19	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 4	0 / 2	3 / 19	0 / 2

CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-New Jersey

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW JERSEY
BASKING RIDGE, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael R. Drews, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	0%	PGD/PGS	54%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	11%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	19%	Male factor	59%	Female factors only	10%
Diminished ovarian reserve	27%	Other factor	35%	Female & male factors	42%
Endometriosis	6%	Unknown factor	0%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 6,829
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	785	452	380	144	110
Percentage of cancellations before retrieval (%)	3.7	11.5	17.1	20.1	31.8
Number of transfers	141	56	23	12	7
Average number of embryos transferred	1.2	1.3	1.4	1.6	1.6
Percentage of elective single embryo transfers (eSET) (%)	80.1	69.6	9 / 19	4 / 11	2 / 6
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	14.0	8.2	3.7	6.3	2.7
Percentage of cycles resulting in live births (%)	12.4	7.5	2.6	4.2	1.8
Percentage of cycles resulting in singleton live births (%)	10.2	6.9	1.8	4.2	1.8
Percentage of cycles resulting in twin live births (%)	2.2	0.7	0.8	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	8.9	6.0	1.6	2.8	1.8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	77.6	55.9	54.8	9 / 17	3 / 9
Percentage of transfers resulting in pregnancies (%)	78.0	66.1	60.9	9 / 12	3 / 7
Percentage of transfers resulting in live births (%)	68.8	60.7	43.5	6 / 12	2 / 7
Percentage of transfers resulting in singleton live births (%)	56.7	55.4	30.4	6 / 12	2 / 7
Percentage of transfers resulting in twin live births (%)	12.1	5.4	13.0	0 / 12	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	49.6	48.2	26.1	4 / 12	2 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	1,364	782	595	205	115
Number of transfers	1,278	731	535	177	93
Estimated average number of transfers per retrieval	1.3	1.2	0.9	0.7	0.5
Average number of embryos transferred	1.2	1.2	1.2	1.1	1.2
Percentage of embryos transferred resulting in implantation (%)	67.8	67.3	60.2	53.0	48.0
Percentage of transfers resulting in pregnancies (%)	71.2	72.0	65.8	55.4	54.8
Percentage of transfers resulting in live births (%)	61.3	59.0	55.9	44.6	41.9
Percentage of transfers resulting in singleton live births (%)	54.9	53.5	51.2	40.7	41.9
Percentage of transfers resulting in twin live births (%)	6.2	5.5	4.7	4.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	49.4	46.6	45.4	36.7	36.6
Number of Egg or Embryo Banking Cycles	445	308	352	192	148
Number of fertility preservation cycles	42	42	35	2	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	48	10	341	52
Number of transfers	9	6	316	49
Average number of embryos transferred	1.4	1.2	1.1	1.4
Percentage of embryos transferred resulting in implantation (%)	10 / 13	5 / 5	69.1	53.1
Percentage of transfers resulting in pregnancies (%)	7 / 9	6 / 6	71.8	63.3
Percentage of transfers resulting in live births (%)	7 / 9	4 / 6	58.9	49.0
Percentage of transfers resulting in singleton live births (%)	4 / 9	4 / 6	52.8	42.9
Percentage of transfers resulting in twin live births (%)	3 / 9	0 / 6	6.0	6.1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 9	2 / 6	40.5	32.7

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of New Jersey

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CLIFTON LOW COST IVF
CLIFTON, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Charles Haddad, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	0%	PGD/PGS	14%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	8%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	12%	Male factor	49%	Female factors only	2%
Diminished ovarian reserve	20%	Other factor	0%	Female & male factors	4%
Endometriosis	0%	Unknown factor	18%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 51
(includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	19	7	9	5	1
Percentage of cancellations before retrieval (%)	2 / 19	0 / 7	0 / 9	1 / 5	0 / 1
Number of transfers	13	5	6	2	1
Average number of embryos transferred	1.9	1.8	2.2	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 12	0 / 4	0 / 5	0 / 2	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	12 / 19	3 / 7	1 / 9	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	11 / 19	2 / 7	1 / 9	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	2 / 19	1 / 7	1 / 9	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	9 / 19	1 / 7	0 / 9	0 / 5	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 19	0 / 7	1 / 9	0 / 5	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	84.0	4 / 9	1 / 13	0 / 4	0 / 2
Percentage of transfers resulting in pregnancies (%)	12 / 13	3 / 5	1 / 6	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	11 / 13	2 / 5	1 / 6	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 13	1 / 5	1 / 6	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	9 / 13	1 / 5	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 13	0 / 5	1 / 6	0 / 2	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	1	2	1	0	0
Number of transfers	1	2	1	0	0
Estimated average number of transfers per retrieval		1.0			
Average number of embryos transferred	2.0	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 2	0 / 3	1 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 2	1 / 1		
Percentage of transfers resulting in live births (%)	1 / 1	0 / 2	1 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 2	1 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1	0 / 2	0 / 1		
Number of Egg or Embryo Banking Cycles	0	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	2	0
Number of transfers	0	0	2	0
Average number of embryos transferred			2.0	
Percentage of embryos transferred resulting in implantation (%)			1 / 4	
Percentage of transfers resulting in pregnancies (%)			1 / 2	
Percentage of transfers resulting in live births (%)			1 / 2	
Percentage of transfers resulting in singleton live births (%)			1 / 2	
Percentage of transfers resulting in twin live births (%)			0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			0 / 2	

CURRENT SERVICES & PROFILE

Current Name: Clifton Low Cost IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NJ BEST OB/GYN
CLIFTON, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Fares Diarbakerli, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	100%
Unstimulated	0%	PGD/PGS	29%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	24%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	0%	Male factor	12%	Female factors only	12%
Diminished ovarian reserve	29%	Other factor	18%	Female & male factors	6%
Endometriosis	0%	Unknown factor	41%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 17
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	4	1	1	0
Percentage of cancellations before retrieval (%)	0 / 3	0 / 4	0 / 1	0 / 1	
Number of transfers	2	3	1	1	0
Average number of embryos transferred	1.5	1.3	2.0	2.0	
Percentage of elective single embryo transfers (eSET) (%)	1 / 2	1 / 2	0 / 1	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 3	2 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	2 / 3	1 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	1 / 3	1 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 3	0 / 4	0 / 1	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 3	1 / 4	0 / 1	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 3	1 / 3	0 / 2	0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 2	2 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 2	1 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 3	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 2	1 / 3	0 / 1	0 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	2	2	1	0	0
Number of transfers	2	2	1	0	0
Estimated average number of transfers per retrieval	2.0				
Average number of embryos transferred	1.5	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 3	1 / 3	2 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 2	1 / 1		
Percentage of transfers resulting in live births (%)	1 / 2	1 / 2	1 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2	1 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 2	0 / 2	0 / 1		
Number of Egg or Embryo Banking Cycles	0	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	0	1	0
Number of transfers	2	0	1	0
Average number of embryos transferred	1.0		1.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 2		1 / 1	
Percentage of transfers resulting in pregnancies (%)	0 / 2		1 / 1	
Percentage of transfers resulting in live births (%)	0 / 2		1 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 2		1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 2		0 / 1	

CURRENT SERVICES & PROFILE

Current Name: NJ Best OB/GYN

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SCIENCE CENTER OF NEW JERSEY
EATONTOWN, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by William Ziegler, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	0%	PGD/PGS	9%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	9%	Uterine factor	1%	Multiple Factors:	
Ovulatory dysfunction	26%	Male factor	55%	Female factors only	7%
Diminished ovarian reserve	48%	Other factor	3%	Female & male factors	42%
Endometriosis	12%	Unknown factor	1%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 335
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	85	34	29	12	9
Percentage of cancellations before retrieval (%)	9.4	2.9	3.4	3 / 12	3 / 9
Number of transfers	68	28	21	7	5
Average number of embryos transferred	1.1	1.5	1.8	2.4	1.8
Percentage of elective single embryo transfers (eSET) (%)	80.4	5 / 19	0 / 15	0 / 6	1 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.5	47.1	17.2	2 / 12	1 / 9
Percentage of cycles resulting in live births (%)	31.8	38.2	13.8	1 / 12	0 / 9
Percentage of cycles resulting in singleton live births (%)	30.6	29.4	10.3	1 / 12	0 / 9
Percentage of cycles resulting in twin live births (%)	1.2	8.8	3.4	0 / 12	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	24.7	23.5	10.3	1 / 12	0 / 9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	39.2	45.0	16.7	1 / 14	0 / 8
Percentage of transfers resulting in pregnancies (%)	45.6	57.1	23.8	2 / 7	1 / 5
Percentage of transfers resulting in live births (%)	39.7	46.4	19.0	1 / 7	0 / 5
Percentage of transfers resulting in singleton live births (%)	38.2	35.7	14.3	1 / 7	0 / 5
Percentage of transfers resulting in twin live births (%)	1.5	10.7	4.8	0 / 7	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.9	28.6	14.3	1 / 7	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	41	18	15	6	2
Number of transfers	40	18	14	6	2
Estimated average number of transfers per retrieval	1.1	2.0	1.1	1.0	2.0
Average number of embryos transferred	1.1	1.2	1.4	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	58.1	45.5	4 / 17	3 / 7	0 / 1
Percentage of transfers resulting in pregnancies (%)	60.0	10 / 18	6 / 14	3 / 6	1 / 2
Percentage of transfers resulting in live births (%)	55.0	8 / 18	2 / 14	3 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	52.5	8 / 18	2 / 14	3 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	2.5	0 / 18	0 / 14	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	45.0	7 / 18	2 / 14	3 / 6	0 / 2
Number of Egg or Embryo Banking Cycles	14	8	9	6	0
Number of fertility preservation cycles	2	1	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	22	22	0
Number of transfers	2	20	22	0
Average number of embryos transferred	1.5	1.1	1.1	
Percentage of embryos transferred resulting in implantation (%)	1 / 3	10 / 19	34.8	
Percentage of transfers resulting in pregnancies (%)	1 / 2	55.0	45.5	
Percentage of transfers resulting in live births (%)	1 / 2	25.0	36.4	
Percentage of transfers resulting in singleton live births (%)	1 / 2	20.0	36.4	
Percentage of transfers resulting in twin live births (%)	0 / 2	5.0	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 2	15.0	22.7	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Science Center of New Jersey

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE & FERTILITY
EDISON, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gregory H. Corsan, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	53%
Unstimulated	0%	PGD/PGS	20%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	22%	Male factor	38%	Female factors only	8%
Diminished ovarian reserve	37%	Other factor	2%	Female & male factors	20%
Endometriosis	4%	Unknown factor	14%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 468
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	66	33	25	17	10
Percentage of cancellations before retrieval (%)	0.0	9.1	20.0	3 / 17	3 / 10
Number of transfers	41	21	9	6	2
Average number of embryos transferred	1.4	1.8	1.7	2.0	1.5
Percentage of elective single embryo transfers (eSET) (%)	54.1	2 / 17	1 / 7	0 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.8	30.3	20.0	3 / 17	0 / 10
Percentage of cycles resulting in live births (%)	22.7	21.2	16.0	2 / 17	0 / 10
Percentage of cycles resulting in singleton live births (%)	21.2	12.1	16.0	2 / 17	0 / 10
Percentage of cycles resulting in twin live births (%)	1.5	9.1	0.0	0 / 17	0 / 10
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	13.6	12.1	8.0	2 / 17	0 / 10
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.1	33.3	7 / 15	3 / 12	0 / 3
Percentage of transfers resulting in pregnancies (%)	41.5	47.6	5 / 9	3 / 6	0 / 2
Percentage of transfers resulting in live births (%)	36.6	33.3	4 / 9	2 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	34.1	19.0	4 / 9	2 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	2.4	14.3	0 / 9	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	22.0	19.0	2 / 9	2 / 6	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	96	52	20	15	5
Number of transfers	88	49	17	13	4
Estimated average number of transfers per retrieval	1.4	1.8	0.8	1.1	0.5
Average number of embryos transferred	1.5	1.3	1.6	1.6	1.0
Percentage of embryos transferred resulting in implantation (%)	41.9	48.3	32.0	33.3	0 / 4
Percentage of transfers resulting in pregnancies (%)	53.4	57.1	8 / 17	5 / 13	0 / 4
Percentage of transfers resulting in live births (%)	42.0	46.9	6 / 17	4 / 13	0 / 4
Percentage of transfers resulting in singleton live births (%)	35.2	38.8	5 / 17	3 / 13	0 / 4
Percentage of transfers resulting in twin live births (%)	6.8	8.2	1 / 17	0 / 13	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	29.5	32.7	5 / 17	2 / 13	0 / 4
Number of Egg or Embryo Banking Cycles	43	19	16	11	8
Number of fertility preservation cycles	3	1	2	2	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	6	9	11	6
Number of transfers	5	6	10	5
Average number of embryos transferred	1.4	1.2	1.1	1.4
Percentage of embryos transferred resulting in implantation (%)	3 / 7	4 / 7	7 / 10	8 / 7
Percentage of transfers resulting in pregnancies (%)	2 / 5	4 / 6	7 / 10	5 / 5
Percentage of transfers resulting in live births (%)	2 / 5	4 / 6	6 / 10	5 / 5
Percentage of transfers resulting in singleton live births (%)	1 / 5	4 / 6	5 / 10	2 / 5
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 6	1 / 10	3 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 5	4 / 6	5 / 10	1 / 5

CURRENT SERVICES & PROFILE

Current Name: Center for Advanced Reproductive Medicine & Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WOMEN'S FERTILITY CENTER
ENGLEWOOD, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Philip R. Lesorgen, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	61%
Unstimulated	0%	PGD/PGS	13%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	13%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	12%	Male factor	25%	Female factors only	5%
Diminished ovarian reserve	45%	Other factor	9%	Female & male factors	16%
Endometriosis	0%	Unknown factor	15%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 69
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	19	11	9	14	2
Percentage of cancellations before retrieval (%)	4 / 19	0 / 11	1 / 9	6 / 14	0 / 2
Number of transfers	12	9	8	4	2
Average number of embryos transferred	1.8	2.0	2.9	3.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 11	0 / 9	0 / 7	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	3 / 19	7 / 11	2 / 9	0 / 14	0 / 2
Percentage of cycles resulting in live births (%)	2 / 19	7 / 11	2 / 9	0 / 14	0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 19	7 / 11	2 / 9	0 / 14	0 / 2
Percentage of cycles resulting in twin live births (%)	1 / 19	0 / 11	0 / 9	0 / 14	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 19	6 / 11	2 / 9	0 / 14	0 / 2
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	19.0	7 / 18	8.7	0 / 12	0 / 4
Percentage of transfers resulting in pregnancies (%)	3 / 12	7 / 9	2 / 8	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	2 / 12	7 / 9	2 / 8	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 12	7 / 9	2 / 8	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 9	0 / 8	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 12	6 / 9	2 / 8	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	4	4	2	1	0
Number of transfers	4	4	2	1	0
Estimated average number of transfers per retrieval	0.5	1.0	0.7	1.0	
Average number of embryos transferred	2.0	1.5	2.5	1.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 6	2 / 6	1 / 5	1 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 4	2 / 4	1 / 2	1 / 1	
Percentage of transfers resulting in live births (%)	0 / 4	2 / 4	1 / 2	1 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 4	2 / 4	1 / 2	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 4	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 4	2 / 4	1 / 2	1 / 1	
Number of Egg or Embryo Banking Cycles	0	1	1	0	0
Number of fertility preservation cycles	0	1	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	0	0
Number of transfers	0	0	0	0
Average number of embryos transferred				
Percentage of embryos transferred resulting in implantation (%)				
Percentage of transfers resulting in pregnancies (%)				
Percentage of transfers resulting in live births (%)				
Percentage of transfers resulting in singleton live births (%)				
Percentage of transfers resulting in twin live births (%)				
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)				

CURRENT SERVICES & PROFILE

Current Name: Women's Fertility Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTH HUDSON IVF
CENTER FOR FERTILITY AND GYNECOLOGY
ENGLEWOOD CLIFFS, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jane E. Miller, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	53%
Unstimulated	0%	PGD/PGS	32%
Used gestational carrier	11%		

Patient Diagnosis[a,b]

Tubal factor	0%	Uterine factor	16%	Multiple Factors:	
Ovulatory dysfunction	26%	Male factor	42%	Female factors only	11%
Diminished ovarian reserve	26%	Other factor	11%	Female & male factors	16%
Endometriosis	0%	Unknown factor	5%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 31
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	0	0	0	0
Percentage of cancellations before retrieval (%)	0 / 1				
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 1				
Percentage of cycles resulting in live births (%)	0 / 1				
Percentage of cycles resulting in singleton live births (%)	0 / 1				
Percentage of cycles resulting in twin live births (%)	0 / 1				
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 1				
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	6	3	3	2	0
Number of transfers	5	3	3	2	0
Estimated average number of transfers per retrieval	1.3	1.5	3.0	1.0	0.0
Average number of embryos transferred	1.4	1.7	2.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	1 / 6	1 / 5	1 / 6	0 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 5	1 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	1 / 5	1 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 5	1 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 3	0 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 5	1 / 3	1 / 3	0 / 2	
Number of Egg or Embryo Banking Cycles	3	2	1	2	4
Number of fertility preservation cycles	0	1	0	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	4	0
Number of transfers	0	0	3	0
Average number of embryos transferred			2.0	
Percentage of embryos transferred resulting in implantation (%)			1 / 6	
Percentage of transfers resulting in pregnancies (%)			1 / 3	
Percentage of transfers resulting in live births (%)			1 / 3	
Percentage of transfers resulting in singleton live births (%)			1 / 3	
Percentage of transfers resulting in twin live births (%)			0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			1 / 3	

CURRENT SERVICES & PROFILE

Current Name: North Hudson IVF, Center for Fertility and Gynecology

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

UNIVERSITY REPRODUCTIVE ASSOCIATES, PC
HASBROUCK HEIGHTS, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Peter G. McGovern, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	58%
Unstimulated	2%	PGD/PGS	13%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	16%	Uterine factor	8%	Multiple Factors:	
Ovulatory dysfunction	8%	Male factor	39%	Female factors only	16%
Diminished ovarian reserve	44%	Other factor	16%	Female & male factors	24%
Endometriosis	6%	Unknown factor	13%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 607
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	106	62	61	55	44
Percentage of cancellations before retrieval (%)	0.9	3.2	11.5	10.9	0.0
Number of transfers	78	38	33	27	17
Average number of embryos transferred	1.4	1.6	1.8	1.7	1.6
Percentage of elective single embryo transfers (eSET) (%)	55.6	23.3	3.7	0.0	1 / 12
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	33.0	29.0	13.1	10.9	2.3
Percentage of cycles resulting in live births (%)	28.3	27.4	6.6	7.3	2.3
Percentage of cycles resulting in singleton live births (%)	19.8	21.0	6.6	5.5	2.3
Percentage of cycles resulting in twin live births (%)	8.5	6.5	0.0	1.8	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	18.9	16.1	3.3	3.6	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.4	36.1	13.0	13.6	3.6
Percentage of transfers resulting in pregnancies (%)	44.9	47.4	24.2	22.2	1 / 17
Percentage of transfers resulting in live births (%)	38.5	44.7	12.1	14.8	1 / 17
Percentage of transfers resulting in singleton live births (%)	26.9	34.2	12.1	11.1	1 / 17
Percentage of transfers resulting in twin live births (%)	11.5	10.5	0.0	3.7	0 / 17
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	25.6	26.3	6.1	7.4	0 / 17
Frozen Embryos from Nondonor Eggs					
Number of cycles	66	32	33	13	7
Number of transfers	63	32	32	10	6
Estimated average number of transfers per retrieval	0.9	1.9	0.8	0.6	0.8
Average number of embryos transferred	1.3	1.2	1.4	1.3	1.7
Percentage of embryos transferred resulting in implantation (%)	35.4	33.3	32.6	0 / 13	1 / 10
Percentage of transfers resulting in pregnancies (%)	42.9	40.6	43.8	0 / 10	1 / 6
Percentage of transfers resulting in live births (%)	31.7	40.6	37.5	0 / 10	1 / 6
Percentage of transfers resulting in singleton live births (%)	27.0	40.6	34.4	0 / 10	1 / 6
Percentage of transfers resulting in twin live births (%)	4.8	0.0	3.1	0 / 10	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	19.0	31.3	34.4	0 / 10	1 / 6
Number of Egg or Embryo Banking Cycles	39	9	32	13	4
Number of fertility preservation cycles	7	1	3	0	4

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	1	27	1
Number of transfers	1	1	25	1
Average number of embryos transferred	1.0	2.0	1.6	2.0
Percentage of embryos transferred resulting in implantation (%)	0 / 1	1 / 2	47.4	0 / 2
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1	64.0	0 / 1
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1	44.0	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	36.0	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	8.0	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1	0 / 1	36.0	0 / 1

CURRENT SERVICES & PROFILE

Current Name: University Reproductive Associates, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SHORE INSTITUTE FOR REPRODUCTIVE MEDICINE
LAKEWOOD, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Allen Morgan, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	15%
Unstimulated	3%	PGD/PGS	3%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	5%	Multiple Factors:	
Ovulatory dysfunction	21%	Male factor	19%	Female factors only	4%
Diminished ovarian reserve	23%	Other factor	4%	Female & male factors	4%
Endometriosis	5%	Unknown factor	15%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 157
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	41	28	20	10	18
Percentage of cancellations before retrieval (%)	9.8	21.4	25.0	2 / 10	5 / 18
Number of transfers	23	14	10	4	6
Average number of embryos transferred	1.5	1.8	1.9	1.5	1.3
Percentage of elective single embryo transfers (eSET) (%)	2 / 13	0 / 11	0 / 9	0 / 2	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	31.7	21.4	10.0	0 / 10	0 / 18
Percentage of cycles resulting in live births (%)	29.3	21.4	10.0	0 / 10	0 / 18
Percentage of cycles resulting in singleton live births (%)	22.0	10.7	10.0	0 / 10	0 / 18
Percentage of cycles resulting in twin live births (%)	7.3	7.1	0.0	0 / 10	0 / 18
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	17.1	10.7	10.0	0 / 10	0 / 18
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.1	40.0	2 / 19	0 / 6	0 / 8
Percentage of transfers resulting in pregnancies (%)	56.5	6 / 14	2 / 10	0 / 4	0 / 6
Percentage of transfers resulting in live births (%)	52.2	6 / 14	2 / 10	0 / 4	0 / 6
Percentage of transfers resulting in singleton live births (%)	39.1	3 / 14	2 / 10	0 / 4	0 / 6
Percentage of transfers resulting in twin live births (%)	13.0	2 / 14	0 / 10	0 / 4	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.4	3 / 14	2 / 10	0 / 4	0 / 6
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	5	8	0	0
Number of transfers	11	5	5	0	0
Estimated average number of transfers per retrieval	1.1	1.0	0.7		0.0
Average number of embryos transferred	1.4	1.8	1.8		
Percentage of embryos transferred resulting in implantation (%)	4 / 15	0 / 9	2 / 9		
Percentage of transfers resulting in pregnancies (%)	4 / 11	0 / 5	2 / 5		
Percentage of transfers resulting in live births (%)	4 / 11	0 / 5	1 / 5		
Percentage of transfers resulting in singleton live births (%)	4 / 11	0 / 5	1 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 5	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 11	0 / 5	1 / 5		
Number of Egg or Embryo Banking Cycles	4	1	1	0	1
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	6	0
Number of transfers	0	0	6	0
Average number of embryos transferred			1.5	
Percentage of embryos transferred resulting in implantation (%)			2 / 9	
Percentage of transfers resulting in pregnancies (%)			1 / 6	
Percentage of transfers resulting in live births (%)			0 / 6	
Percentage of transfers resulting in singleton live births (%)			0 / 6	
Percentage of transfers resulting in twin live births (%)			0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			0 / 6	

CURRENT SERVICES & PROFILE

Current Name: Shore Institute for Reproductive Medicine dba, Morgan Fertility and Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE VALLEY OBGYN & INFERTILITY GROUP, PC
PRINCETON IVF
LAWRENCEVILLE, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Seth G. Derman, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	54%
Unstimulated	0%	PGD/PGS	7%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	19%	Uterine factor	1%	Multiple Factors:	
Ovulatory dysfunction	32%	Male factor	33%	Female factors only	13%
Diminished ovarian reserve	21%	Other factor	13%	Female & male factors	21%
Endometriosis	9%	Unknown factor	12%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 98
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	31	18	13	6	5
Percentage of cancellations before retrieval (%)	6.5	0 / 18	1 / 13	0 / 6	1 / 5
Number of transfers	27	15	11	4	2
Average number of embryos transferred	2.1	2.1	2.2	2.3	1.5
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 13	0 / 8	0 / 3	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	38.7	7 / 18	6 / 13	1 / 6	0 / 5
Percentage of cycles resulting in live births (%)	35.5	6 / 18	5 / 13	1 / 6	0 / 5
Percentage of cycles resulting in singleton live births (%)	22.6	4 / 18	4 / 13	1 / 6	0 / 5
Percentage of cycles resulting in twin live births (%)	12.9	2 / 18	1 / 13	0 / 6	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	16.1	3 / 18	3 / 13	1 / 6	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	27.8	27.6	29.2	2 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)	44.4	7 / 15	6 / 11	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	40.7	6 / 15	5 / 11	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	25.9	4 / 15	4 / 11	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	14.8	2 / 15	1 / 11	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	18.5	3 / 15	3 / 11	1 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	5	10	2	0	0
Number of transfers	5	9	2	0	0
Estimated average number of transfers per retrieval	1.3	1.8	1.0		
Average number of embryos transferred	1.8	1.2	2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 9	1 / 11	1 / 2		
Percentage of transfers resulting in pregnancies (%)	4 / 5	1 / 9	2 / 2		
Percentage of transfers resulting in live births (%)	2 / 5	1 / 9	1 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 5	1 / 9	1 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 9	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 5	1 / 9	1 / 2		
Number of Egg or Embryo Banking Cycles	2	3	2	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	1	0
Number of transfers	0	0	1	0
Average number of embryos transferred			2.0	
Percentage of embryos transferred resulting in implantation (%)			1 / 2	
Percentage of transfers resulting in pregnancies (%)			1 / 1	
Percentage of transfers resulting in live births (%)			1 / 1	
Percentage of transfers resulting in singleton live births (%)			1 / 1	
Percentage of transfers resulting in twin live births (%)			0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Delaware Valley OBGYN & Infertility Group, PC, Princeton IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INSTITUTE FOR REPRODUCTIVE MEDICINE AND SCIENCE
SAINT BARNABAS MEDICAL CENTER
LIVINGSTON, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Margaret G. Garrisi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	PGD/PGS	25%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	19%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	18%	Male factor	20%	Female factors only	16%
Diminished ovarian reserve	42%	Other factor	7%	Female & male factors	11%
Endometriosis	6%	Unknown factor	16%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,494
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	184	126	125	76	61
Percentage of cancellations before retrieval (%)	6.0	11.9	27.2	26.3	18.0
Number of transfers	141	96	74	43	27
Average number of embryos transferred	1.3	1.5	1.7	2.1	2.6
Percentage of elective single embryo transfers (eSET) (%)	64.3	41.0	23.2	3.3	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.4	29.4	18.4	15.8	4.9
Percentage of cycles resulting in live births (%)	30.4	23.8	15.2	3.9	4.9
Percentage of cycles resulting in singleton live births (%)	26.6	20.6	14.4	3.9	4.9
Percentage of cycles resulting in twin live births (%)	3.8	3.2	0.8	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	23.4	15.9	12.0	2.6	4.9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	40.0	27.9	20.3	11.9	4.3
Percentage of transfers resulting in pregnancies (%)	47.5	38.5	31.1	27.9	11.1
Percentage of transfers resulting in live births (%)	39.7	31.3	25.7	7.0	11.1
Percentage of transfers resulting in singleton live births (%)	34.8	27.1	24.3	7.0	11.1
Percentage of transfers resulting in twin live births (%)	5.0	4.2	1.4	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.5	20.8	20.3	4.7	11.1
Frozen Embryos from Nondonor Eggs					
Number of cycles	188	124	91	27	8
Number of transfers	188	123	88	26	7
Estimated average number of transfers per retrieval	1.0	1.1	0.7	0.5	0.2
Average number of embryos transferred	1.1	1.1	1.1	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	50.0	48.9	55.4	44.8	3 / 7
Percentage of transfers resulting in pregnancies (%)	54.8	54.5	59.1	53.8	3 / 7
Percentage of transfers resulting in live births (%)	45.7	43.1	51.1	42.3	3 / 7
Percentage of transfers resulting in singleton live births (%)	45.2	43.1	48.9	42.3	3 / 7
Percentage of transfers resulting in twin live births (%)	0.5	0.0	2.3	0.0	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	41.0	39.0	40.9	42.3	3 / 7
Number of Egg or Embryo Banking Cycles	130	86	102	41	32
Number of fertility preservation cycles	19	21	15	2	3

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	17	20	53	0
Number of transfers	13	19	50	0
Average number of embryos transferred	1.3	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	7 / 17	36.0	67.3	
Percentage of transfers resulting in pregnancies (%)	6 / 13	7 / 19	66.0	
Percentage of transfers resulting in live births (%)	6 / 13	7 / 19	52.0	
Percentage of transfers resulting in singleton live births (%)	6 / 13	5 / 19	52.0	
Percentage of transfers resulting in twin live births (%)	0 / 13	2 / 19	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	6 / 13	5 / 19	44.0	

CURRENT SERVICES & PROFILE

Current Name: Institute for Reproductive Medicine and Science, Saint Barnabas Medical Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DELAWARE VALLEY INSTITUTE OF FERTILITY AND GENETICS
MARLTON, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by George S. Taliadouros, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	27%
Unstimulated	0%	PGD/PGS	4%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	25%	Uterine factor	9%	Multiple Factors:	
Ovulatory dysfunction	44%	Male factor	28%	Female factors only	16%
Diminished ovarian reserve	16%	Other factor	11%	Female & male factors	19%
Endometriosis	4%	Unknown factor	<1%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 152
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	31	20	26	3	3
Percentage of cancellations before retrieval (%)	12.9	10.0	34.6	0 / 3	1 / 3
Number of transfers	27	16	17	3	2
Average number of embryos transferred	1.7	2.0	2.5	4.0	4.0
Percentage of elective single embryo transfers (eSET) (%)	33.3	1 / 15	0 / 17	0 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	41.9	40.0	30.8	1 / 3	1 / 3
Percentage of cycles resulting in live births (%)	22.6	25.0	19.2	1 / 3	1 / 3
Percentage of cycles resulting in singleton live births (%)	9.7	20.0	15.4	1 / 3	1 / 3
Percentage of cycles resulting in twin live births (%)	12.9	5.0	3.8	0 / 3	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	6.5	10.0	11.5	1 / 3	1 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.5	27.6	23.3	1 / 12	1 / 8
Percentage of transfers resulting in pregnancies (%)	48.1	8 / 16	8 / 17	1 / 3	1 / 2
Percentage of transfers resulting in live births (%)	25.9	5 / 16	5 / 17	1 / 3	1 / 2
Percentage of transfers resulting in singleton live births (%)	11.1	4 / 16	4 / 17	1 / 3	1 / 2
Percentage of transfers resulting in twin live births (%)	14.8	1 / 16	1 / 17	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	7.4	2 / 16	3 / 17	1 / 3	1 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	15	11	8	0	2
Number of transfers	15	10	8	0	2
Estimated average number of transfers per retrieval	1.3	1.3	0.9	0.0	2.0
Average number of embryos transferred	1.7	1.4	1.6		1.5
Percentage of embryos transferred resulting in implantation (%)	48.0	3 / 14	3 / 10		0 / 3
Percentage of transfers resulting in pregnancies (%)	8 / 15	2 / 10	3 / 8		0 / 2
Percentage of transfers resulting in live births (%)	8 / 15	2 / 10	2 / 8		0 / 2
Percentage of transfers resulting in singleton live births (%)	6 / 15	1 / 10	2 / 8		0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 15	1 / 10	0 / 8		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	6 / 15	1 / 10	2 / 8		0 / 2
Number of Egg or Embryo Banking Cycles	6	5	4	1	1
Number of fertility preservation cycles	3	2	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	0	7	6
Number of transfers	2	0	7	6
Average number of embryos transferred	2.5		1.9	2.0
Percentage of embryos transferred resulting in implantation (%)	2 / 5		5 / 11	5 / 12
Percentage of transfers resulting in pregnancies (%)	1 / 2		4 / 7	3 / 6
Percentage of transfers resulting in live births (%)	1 / 2		2 / 7	2 / 6
Percentage of transfers resulting in singleton live births (%)	0 / 2		0 / 7	1 / 6
Percentage of transfers resulting in twin live births (%)	1 / 2		2 / 7	1 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 2		0 / 7	1 / 6

CURRENT SERVICES & PROFILE

Current Name: Delaware Valley Institute of Fertility and Genetics

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

SOUTH JERSEY FERTILITY CENTER
MARLTON, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Robert A. Skaf, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	54%
Unstimulated	0%	PGD/PGS	13%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	20%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	28%	Male factor	33%	Female factors only	26%
Diminished ovarian reserve	31%	Other factor	24%	Female & male factors	22%
Endometriosis	12%	Unknown factor	11%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 647
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	132	64	39	17	8
Percentage of cancellations before retrieval (%)	1.5	15.6	12.8	1 / 17	1 / 8
Number of transfers	76	34	25	12	5
Average number of embryos transferred	1.5	1.8	1.7	2.8	2.6
Percentage of elective single embryo transfers (eSET) (%)	46.5	3.7	1 / 18	0 / 10	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	28.8	31.3	23.1	3 / 17	2 / 8
Percentage of cycles resulting in live births (%)	23.5	25.0	17.9	3 / 17	1 / 8
Percentage of cycles resulting in singleton live births (%)	18.2	14.1	7.7	3 / 17	1 / 8
Percentage of cycles resulting in twin live births (%)	5.3	10.9	10.3	0 / 17	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	15.2	12.5	5.1	2 / 17	1 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.4	46.7	34.9	11.8	3 / 13
Percentage of transfers resulting in pregnancies (%)	50.0	58.8	36.0	3 / 12	2 / 5
Percentage of transfers resulting in live births (%)	40.8	47.1	28.0	3 / 12	1 / 5
Percentage of transfers resulting in singleton live births (%)	31.6	26.5	12.0	3 / 12	1 / 5
Percentage of transfers resulting in twin live births (%)	9.2	20.6	16.0	0 / 12	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.3	23.5	8.0	2 / 12	1 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	134	45	34	16	5
Number of transfers	124	39	32	14	4
Estimated average number of transfers per retrieval	1.3	1.1	1.0	1.1	0.7
Average number of embryos transferred	1.5	1.3	1.7	1.6	2.5
Percentage of embryos transferred resulting in implantation (%)	47.6	52.9	37.7	13.6	3 / 10
Percentage of transfers resulting in pregnancies (%)	61.3	61.5	53.1	3 / 14	2 / 4
Percentage of transfers resulting in live births (%)	46.8	51.3	43.8	2 / 14	2 / 4
Percentage of transfers resulting in singleton live births (%)	40.3	48.7	40.6	2 / 14	2 / 4
Percentage of transfers resulting in twin live births (%)	6.5	2.6	3.1	0 / 14	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	37.9	41.0	37.5	2 / 14	2 / 4
Number of Egg or Embryo Banking Cycles	43	17	23	9	6
Number of fertility preservation cycles	4	1	0	0	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	18	13	17	5
Number of transfers	16	10	17	5
Average number of embryos transferred	1.2	1.2	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	9 / 19	8 / 12	34.6	2 / 10
Percentage of transfers resulting in pregnancies (%)	9 / 16	8 / 10	7 / 17	2 / 5
Percentage of transfers resulting in live births (%)	8 / 16	7 / 10	4 / 17	2 / 5
Percentage of transfers resulting in singleton live births (%)	8 / 16	7 / 10	4 / 17	2 / 5
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 10	0 / 17	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	6 / 16	7 / 10	4 / 17	1 / 5

CURRENT SERVICES & PROFILE

Current Name: South Jersey Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DIAMOND INSTITUTE FOR INFERTILITY AND MENOPAUSE
MILLBURN, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Matan Yemini, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	74%
Unstimulated	0%	PGD/PGS	17%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	8%	Uterine factor	1%	Multiple Factors:	
Ovulatory dysfunction	11%	Male factor	14%	Female factors only	4%
Diminished ovarian reserve	45%	Other factor	2%	Female & male factors	7%
Endometriosis	2%	Unknown factor	28%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 384
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	71	31	30	4	4
Percentage of cancellations before retrieval (%)	2.8	0.0	0.0	0 / 4	0 / 4
Number of transfers	61	29	26	4	3
Average number of embryos transferred	1.4	1.8	1.6	2.5	2.7
Percentage of elective single embryo transfers (eSET) (%)	50.9	11.1	3 / 19	0 / 4	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	47.9	54.8	50.0	2 / 4	2 / 4
Percentage of cycles resulting in live births (%)	40.8	38.7	33.3	1 / 4	2 / 4
Percentage of cycles resulting in singleton live births (%)	39.4	29.0	26.7	1 / 4	2 / 4
Percentage of cycles resulting in twin live births (%)	1.4	9.7	6.7	0 / 4	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	7.0	0.0	6.7	0 / 4	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	42.5	37.7	41.5	2 / 10	2 / 8
Percentage of transfers resulting in pregnancies (%)	55.7	58.6	57.7	2 / 4	2 / 3
Percentage of transfers resulting in live births (%)	47.5	41.4	38.5	1 / 4	2 / 3
Percentage of transfers resulting in singleton live births (%)	45.9	31.0	30.8	1 / 4	2 / 3
Percentage of transfers resulting in twin live births (%)	1.6	10.3	7.7	0 / 4	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	8.2	0.0	7.7	0 / 4	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	62	23	18	9	8
Number of transfers	61	23	18	9	8
Estimated average number of transfers per retrieval	1.3	1.1	1.1	1.0	0.5
Average number of embryos transferred	1.5	1.4	1.3	1.4	1.0
Percentage of embryos transferred resulting in implantation (%)	46.1	37.5	33.3	4 / 13	4 / 8
Percentage of transfers resulting in pregnancies (%)	55.7	47.8	7 / 18	3 / 9	4 / 8
Percentage of transfers resulting in live births (%)	49.2	34.8	5 / 18	3 / 9	3 / 8
Percentage of transfers resulting in singleton live births (%)	42.6	34.8	5 / 18	2 / 9	3 / 8
Percentage of transfers resulting in twin live births (%)	6.6	0.0	0 / 18	1 / 9	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4.9	8.7	2 / 18	1 / 9	2 / 8
Number of Egg or Embryo Banking Cycles	31	17	12	9	17
Number of fertility preservation cycles	9	4	6	3	6

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	10	0	28	0
Number of transfers	10	0	28	0
Average number of embryos transferred	1.1		1.5	
Percentage of embryos transferred resulting in implantation (%)	5 / 11		42.5	
Percentage of transfers resulting in pregnancies (%)	5 / 10		50.0	
Percentage of transfers resulting in live births (%)	5 / 10		46.4	
Percentage of transfers resulting in singleton live births (%)	5 / 10		35.7	
Percentage of transfers resulting in twin live births (%)	0 / 10		10.7	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 10		3.6	

CURRENT SERVICES & PROFILE

Current Name: Diamond Institute for Infertility and Menopause

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COOPER INSTITUTE FOR REPRODUCTIVE HORMONAL DISORDERS, PC
MOUNT LAUREL, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Jerome H. Check, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	38%
Unstimulated	2%	PGD/PGS	2%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	17%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	9%	Male factor	31%	Female factors only	8%
Diminished ovarian reserve	39%	Other factor	12%	Female & male factors	14%
Endometriosis	4%	Unknown factor	13%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 708
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	105	58	77	53	79
Percentage of cancellations before retrieval (%)	9.5	8.6	29.9	26.4	29.1
Number of transfers	78	38	43	31	38
Average number of embryos transferred	1.8	1.8	1.9	2.1	1.8
Percentage of elective single embryo transfers (eSET) (%)	8.5	7.1	6.9	4.5	1 / 18
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.0	24.1	16.9	11.3	2.5
Percentage of cycles resulting in live births (%)	32.4	17.2	14.3	5.7	0.0
Percentage of cycles resulting in singleton live births (%)	22.9	12.1	13.0	5.7	0.0
Percentage of cycles resulting in twin live births (%)	9.5	5.2	1.3	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	19.0	12.1	11.7	5.7	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	41.0	23.1	17.3	10.9	1.5
Percentage of transfers resulting in pregnancies (%)	52.6	36.8	30.2	19.4	5.3
Percentage of transfers resulting in live births (%)	43.6	26.3	25.6	9.7	0.0
Percentage of transfers resulting in singleton live births (%)	30.8	18.4	23.3	9.7	0.0
Percentage of transfers resulting in twin live births (%)	12.8	7.9	2.3	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	25.6	18.4	20.9	9.7	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	77	46	32	17	16
Number of transfers	65	37	25	15	9
Estimated average number of transfers per retrieval	1.4	1.4	0.6	0.7	0.5
Average number of embryos transferred	2.0	1.8	2.2	2.3	2.4
Percentage of embryos transferred resulting in implantation (%)	22.6	29.9	27.3	24.2	2 / 17
Percentage of transfers resulting in pregnancies (%)	33.8	40.5	44.0	6 / 15	3 / 9
Percentage of transfers resulting in live births (%)	30.8	35.1	36.0	4 / 15	0 / 9
Percentage of transfers resulting in singleton live births (%)	21.5	21.6	32.0	4 / 15	0 / 9
Percentage of transfers resulting in twin live births (%)	9.2	13.5	4.0	0 / 15	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	16.9	18.9	28.0	4 / 15	0 / 9
Number of Egg or Embryo Banking Cycles	17	17	30	13	12
Number of fertility preservation cycles	6	7	12	5	6

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	5	13	34	5
Number of transfers	3	11	21	5
Average number of embryos transferred	2.0	1.7	2.0	2.4
Percentage of embryos transferred resulting in implantation (%)	3 / 6	3 / 17	26.8	5 / 12
Percentage of transfers resulting in pregnancies (%)	2 / 3	3 / 11	28.6	3 / 5
Percentage of transfers resulting in live births (%)	2 / 3	2 / 11	28.6	2 / 5
Percentage of transfers resulting in singleton live births (%)	1 / 3	1 / 11	9.5	1 / 5
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 11	14.3	1 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 3	1 / 11	4.8	1 / 5

CURRENT SERVICES & PROFILE

Current Name: Cooper Institute for Reproductive Hormonal Disorders, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

VALLEY HOSPITAL FERTILITY CENTER
PARAMUS, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ali Nasseri, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	31%
Unstimulated	0%	PGD/PGS	28%
Used gestational carrier	5%		

Patient Diagnosis[a,b]

Tubal factor	17%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	15%	Male factor	29%	Female factors only	10%
Diminished ovarian reserve	25%	Other factor	13%	Female & male factors	11%
Endometriosis	7%	Unknown factor	11%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 423
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	42	38	26	12	13
Percentage of cancellations before retrieval (%)	2.4	5.3	11.5	1 / 12	3 / 13
Number of transfers	35	29	15	9	7
Average number of embryos transferred	1.7	1.8	1.9	1.7	2.7
Percentage of elective single embryo transfers (eSET) (%)	16.1	8.7	0 / 12	1 / 7	0 / 7
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	54.8	34.2	15.4	2 / 12	0 / 13
Percentage of cycles resulting in live births (%)	47.6	28.9	11.5	1 / 12	0 / 13
Percentage of cycles resulting in singleton live births (%)	38.1	21.1	7.7	1 / 12	0 / 13
Percentage of cycles resulting in twin live births (%)	9.5	7.9	3.8	0 / 12	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	33.3	15.8	7.7	1 / 12	0 / 13
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.1	30.6	17.2	2 / 15	0 / 19
Percentage of transfers resulting in pregnancies (%)	65.7	44.8	4 / 15	2 / 9	0 / 7
Percentage of transfers resulting in live births (%)	57.1	37.9	3 / 15	1 / 9	0 / 7
Percentage of transfers resulting in singleton live births (%)	45.7	27.6	2 / 15	1 / 9	0 / 7
Percentage of transfers resulting in twin live births (%)	11.4	10.3	1 / 15	0 / 9	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	40.0	20.7	2 / 15	1 / 9	0 / 7
Frozen Embryos from Nondonor Eggs					
Number of cycles	50	47	20	13	2
Number of transfers	48	44	20	11	2
Estimated average number of transfers per retrieval	0.9	1.1	0.6	0.7	0.3
Average number of embryos transferred	1.3	1.1	1.1	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	55.7	54.2	12 / 19	7 / 10	1 / 2
Percentage of transfers resulting in pregnancies (%)	64.6	61.4	60.0	8 / 11	1 / 2
Percentage of transfers resulting in live births (%)	60.4	47.7	45.0	7 / 11	1 / 2
Percentage of transfers resulting in singleton live births (%)	56.3	45.5	35.0	7 / 11	1 / 2
Percentage of transfers resulting in twin live births (%)	4.2	2.3	5.0	0 / 11	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	45.8	40.9	30.0	5 / 11	1 / 2
Number of Egg or Embryo Banking Cycles	43	32	34	13	7
Number of fertility preservation cycles	13	14	14	6	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	7	0	23	0
Number of transfers	7	0	21	0
Average number of embryos transferred	1.1		1.4	
Percentage of embryos transferred resulting in implantation (%)	3 / 6		51.9	
Percentage of transfers resulting in pregnancies (%)	4 / 7		66.7	
Percentage of transfers resulting in live births (%)	3 / 7		57.1	
Percentage of transfers resulting in singleton live births (%)	3 / 7		52.4	
Percentage of transfers resulting in twin live births (%)	0 / 7		4.8	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 7		38.1	

CURRENT SERVICES & PROFILE

Current Name: Valley Hospital Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

DAMIEN FERTILITY PARTNERS
SHREWSBURY, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Miguel Damien, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	48%
Unstimulated	0%	PGD/PGS	16%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	7%	Male factor	31%	Female factors only	13%
Diminished ovarian reserve	36%	Other factor	19%	Female & male factors	18%
Endometriosis	18%	Unknown factor	7%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 435
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	78	36	43	17	20
Percentage of cancellations before retrieval (%)	2.6	5.6	9.3	1 / 17	20.0
Number of transfers	53	22	24	8	8
Average number of embryos transferred	1.8	1.8	1.5	1.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	6.7	2 / 19	0 / 11	0 / 5	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	50.0	27.8	18.6	2 / 17	5.0
Percentage of cycles resulting in live births (%)	47.4	25.0	11.6	2 / 17	5.0
Percentage of cycles resulting in singleton live births (%)	28.2	19.4	9.3	2 / 17	5.0
Percentage of cycles resulting in twin live births (%)	16.7	5.6	2.3	0 / 17	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	21.8	13.9	7.0	2 / 17	5.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	63.5	31.6	32.4	2 / 14	1 / 16
Percentage of transfers resulting in pregnancies (%)	73.6	45.5	33.3	2 / 8	1 / 8
Percentage of transfers resulting in live births (%)	69.8	40.9	20.8	2 / 8	1 / 8
Percentage of transfers resulting in singleton live births (%)	41.5	31.8	16.7	2 / 8	1 / 8
Percentage of transfers resulting in twin live births (%)	24.5	9.1	4.2	0 / 8	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.1	22.7	12.5	2 / 8	1 / 8
Frozen Embryos from Nondonor Eggs					
Number of cycles	54	15	22	9	2
Number of transfers	54	15	21	9	2
Estimated average number of transfers per retrieval	1.1	0.9	0.6	1.1	0.5
Average number of embryos transferred	1.6	1.6	1.3	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	49.4	59.1	48.0	6 / 11	1 / 3
Percentage of transfers resulting in pregnancies (%)	68.5	13 / 15	71.4	6 / 9	1 / 2
Percentage of transfers resulting in live births (%)	57.4	11 / 15	52.4	3 / 9	1 / 2
Percentage of transfers resulting in singleton live births (%)	51.9	10 / 15	52.4	2 / 9	1 / 2
Percentage of transfers resulting in twin live births (%)	5.6	1 / 15	0.0	1 / 9	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	46.3	6 / 15	38.1	2 / 9	1 / 2
Number of Egg or Embryo Banking Cycles	27	10	28	6	4
Number of fertility preservation cycles	4	1	2	0	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	12	26	23	3
Number of transfers	9	21	23	3
Average number of embryos transferred	1.8	1.8	1.6	1.3
Percentage of embryos transferred resulting in implantation (%)	13 / 16	47.4	45.5	3 / 4
Percentage of transfers resulting in pregnancies (%)	9 / 9	61.9	56.5	2 / 3
Percentage of transfers resulting in live births (%)	7 / 9	57.1	39.1	2 / 3
Percentage of transfers resulting in singleton live births (%)	5 / 9	38.1	26.1	1 / 3
Percentage of transfers resulting in twin live births (%)	2 / 9	19.0	13.0	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 9	19.0	26.1	1 / 3

CURRENT SERVICES & PROFILE

Current Name: Damien Fertility Partners

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY
LOUIS R. MANARA, DO
VOORHEES, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Louis R. Manara, DO

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	55%
Unstimulated	0%	PGD/PGS	4%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	4%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	22%	Male factor	29%	Female factors only	6%
Diminished ovarian reserve	29%	Other factor	16%	Female & male factors	15%
Endometriosis	6%	Unknown factor	17%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 249
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	23	12	9	10	3
Percentage of cancellations before retrieval (%)	17.4	4 / 12	3 / 9	5 / 10	1 / 3
Number of transfers	10	4	4	4	0
Average number of embryos transferred	1.2	1.8	1.5	2.3	
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	1 / 3	0 / 2	0 / 3	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	17.4	1 / 12	0 / 9	0 / 10	0 / 3
Percentage of cycles resulting in live births (%)	13.0	1 / 12	0 / 9	0 / 10	0 / 3
Percentage of cycles resulting in singleton live births (%)	8.7	1 / 12	0 / 9	0 / 10	0 / 3
Percentage of cycles resulting in twin live births (%)	4.3	0 / 12	0 / 9	0 / 10	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	8.7	1 / 12	0 / 9	0 / 10	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	5 / 12	1 / 7	0 / 6	0 / 9	
Percentage of transfers resulting in pregnancies (%)	4 / 10	1 / 4	0 / 4	0 / 4	
Percentage of transfers resulting in live births (%)	3 / 10	1 / 4	0 / 4	0 / 4	
Percentage of transfers resulting in singleton live births (%)	2 / 10	1 / 4	0 / 4	0 / 4	
Percentage of transfers resulting in twin live births (%)	1 / 10	0 / 4	0 / 4	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 10	1 / 4	0 / 4	0 / 4	
Frozen Embryos from Nondonor Eggs					
Number of cycles	57	27	21	2	7
Number of transfers	54	26	21	2	6
Estimated average number of transfers per retrieval	1.5	1.4	1.5	0.4	1.0
Average number of embryos transferred	1.2	1.3	1.2	1.0	1.2
Percentage of embryos transferred resulting in implantation (%)	44.4	45.5	53.8	1 / 2	0 / 7
Percentage of transfers resulting in pregnancies (%)	51.9	50.0	61.9	1 / 2	0 / 6
Percentage of transfers resulting in live births (%)	46.3	50.0	57.1	1 / 2	0 / 6
Percentage of transfers resulting in singleton live births (%)	46.3	42.3	52.4	1 / 2	0 / 6
Percentage of transfers resulting in twin live births (%)	0.0	7.7	4.8	0 / 2	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	44.4	34.6	47.6	1 / 2	0 / 6
Number of Egg or Embryo Banking Cycles	26	16	9	4	3
Number of fertility preservation cycles	0	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	9	0	11	0
Number of transfers	9	0	9	0
Average number of embryos transferred	1.6		1.2	
Percentage of embryos transferred resulting in implantation (%)	11 / 14		3 / 10	
Percentage of transfers resulting in pregnancies (%)	8 / 9		4 / 9	
Percentage of transfers resulting in live births (%)	7 / 9		2 / 9	
Percentage of transfers resulting in singleton live births (%)	5 / 9		2 / 9	
Percentage of transfers resulting in twin live births (%)	2 / 9		0 / 9	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 9		2 / 9	

CURRENT SERVICES & PROFILE

Current Name: Center for Reproductive Medicine and Fertility, Louis R. Manara, DO

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

FERTILITY INSTITUTE OF NEW JERSEY AND NEW YORK
WESTWOOD, NEW JERSEY

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Zalman Levine, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	76%
Unstimulated	0%	PGD/PGS	31%
Used gestational carrier	1%		

Patient Diagnosis[a,b]

Tubal factor	26%	Uterine factor	32%	Multiple Factors:	
Ovulatory dysfunction	35%	Male factor	35%	Female factors only	43%
Diminished ovarian reserve	63%	Other factor	28%	Female & male factors	33%
Endometriosis	6%	Unknown factor	2%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 368
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	24	17	22	14	5
Percentage of cancellations before retrieval (%)	4.2	2 / 17	31.8	4 / 14	0 / 5
Number of transfers	16	13	11	5	3
Average number of embryos transferred	2.1	2.3	2.4	4.2	3.0
Percentage of elective single embryo transfers (eSET) (%)	4 / 15	0 / 11	0 / 9	0 / 5	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	33.3	4 / 17	22.7	0 / 14	0 / 5
Percentage of cycles resulting in live births (%)	25.0	3 / 17	18.2	0 / 14	0 / 5
Percentage of cycles resulting in singleton live births (%)	16.7	2 / 17	18.2	0 / 14	0 / 5
Percentage of cycles resulting in twin live births (%)	8.3	1 / 17	0.0	0 / 14	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	16.7	2 / 17	18.2	0 / 14	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	33.3	16.7	23.1	0.0	0 / 9
Percentage of transfers resulting in pregnancies (%)	8 / 16	4 / 13	5 / 11	0 / 5	0 / 3
Percentage of transfers resulting in live births (%)	6 / 16	3 / 13	4 / 11	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	4 / 16	2 / 13	4 / 11	0 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	2 / 16	1 / 13	0 / 11	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 16	2 / 13	4 / 11	0 / 5	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	55	27	22	4	1
Number of transfers	50	26	21	3	1
Estimated average number of transfers per retrieval	0.9	0.9	0.6	0.1	0.1
Average number of embryos transferred	1.6	1.6	1.4	2.3	5.0
Percentage of embryos transferred resulting in implantation (%)	65.8	63.4	58.6	2 / 6	0 / 5
Percentage of transfers resulting in pregnancies (%)	82.0	69.2	61.9	3 / 3	0 / 1
Percentage of transfers resulting in live births (%)	70.0	53.8	57.1	2 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	52.0	26.9	38.1	2 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	18.0	26.9	19.0	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	42.0	23.1	33.3	2 / 3	0 / 1
Number of Egg or Embryo Banking Cycles	48	27	35	20	9
Number of fertility preservation cycles	6	2	0	2	5

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	17	1	18	2
Number of transfers	16	1	16	2
Average number of embryos transferred	2.4	2.0	1.7	2.0
Percentage of embryos transferred resulting in implantation (%)	36.8	1 / 2	51.9	3 / 4
Percentage of transfers resulting in pregnancies (%)	10 / 16	1 / 1	10 / 16	2 / 2
Percentage of transfers resulting in live births (%)	9 / 16	1 / 1	8 / 16	2 / 2
Percentage of transfers resulting in singleton live births (%)	5 / 16	1 / 1	6 / 16	1 / 2
Percentage of transfers resulting in twin live births (%)	4 / 16	0 / 1	2 / 16	1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 16	1 / 1	4 / 16	1 / 2

CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of New Jersey and New York

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CAPERTON FERTILITY INSTITUTE, LLC
ALBUQUERQUE, NEW MEXICO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Charles L. Caperton, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	98%
Unstimulated	0%	PGD/PGS	93%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	7%	Uterine factor	56%	Multiple Factors:	
Ovulatory dysfunction	46%	Male factor	10%	Female factors only	46%
Diminished ovarian reserve	7%	Other factor	15%	Female & male factors	10%
Endometriosis	20%	Unknown factor	17%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 102
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	1	1	0	0	0
Percentage of cancellations before retrieval (%)	0 / 1	0 / 1			
Number of transfers	1	1	0	0	0
Average number of embryos transferred	2.0	1.0			
Percentage of elective single embryo transfers (eSET) (%)	0 / 1				
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 1	1 / 1			
Percentage of cycles resulting in live births (%)	1 / 1	1 / 1			
Percentage of cycles resulting in singleton live births (%)	1 / 1	1 / 1			
Percentage of cycles resulting in twin live births (%)	0 / 1	0 / 1			
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 1	1 / 1			
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 2	1 / 1			
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 1			
Percentage of transfers resulting in live births (%)	1 / 1	1 / 1			
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 1	1 / 1			
Frozen Embryos from Nondonor Eggs					
Number of cycles	19	3	8	0	2
Number of transfers	19	3	8	0	1
Estimated average number of transfers per retrieval	1.0	0.2	0.8	0.0	0.2
Average number of embryos transferred	1.1	1.7	1.4		1.0
Percentage of embryos transferred resulting in implantation (%)	35.0	3 / 5	4 / 11		1 / 1
Percentage of transfers resulting in pregnancies (%)	8 / 19	2 / 3	3 / 8		1 / 1
Percentage of transfers resulting in live births (%)	6 / 19	2 / 3	2 / 8		0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 19	2 / 3	2 / 8		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 19	0 / 3	0 / 8		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 19	0 / 3	1 / 8		0 / 1
Number of Egg or Embryo Banking Cycles	19	13	10	14	5
Number of fertility preservation cycles	0	0	2	2	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	0	5	0
Number of transfers	2	0	5	0
Average number of embryos transferred	1.5		1.4	
Percentage of embryos transferred resulting in implantation (%)	1 / 3		3 / 5	
Percentage of transfers resulting in pregnancies (%)	1 / 2		4 / 5	
Percentage of transfers resulting in live births (%)	1 / 2		3 / 5	
Percentage of transfers resulting in singleton live births (%)	1 / 2		3 / 5	
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 2		2 / 5	

CURRENT SERVICES & PROFILE

Current Name: Caperton Fertility Institute, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR REPRODUCTIVE MEDICINE OF NEW MEXICO
ALBUQUERQUE, NEW MEXICO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Douglas J. Thompson, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	76%
Unstimulated	0%	PGD/PGS	66%
Used gestational carrier	4%		

Patient Diagnosis[a,b]

Tubal factor	6%	Uterine factor	17%	Multiple Factors:	
Ovulatory dysfunction	9%	Male factor	62%	Female factors only	3%
Diminished ovarian reserve	27%	Other factor	6%	Female & male factors	32%
Endometriosis	6%	Unknown factor	9%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 181
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	8	5	2	1	3
Percentage of cancellations before retrieval (%)	1 / 8	1 / 5	2 / 2	0 / 1	1 / 3
Number of transfers	6	3	0	1	1
Average number of embryos transferred	2.0	2.0		2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	0 / 3		0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 8	1 / 5	0 / 2	1 / 1	0 / 3
Percentage of cycles resulting in live births (%)	1 / 8	1 / 5	0 / 2	0 / 1	0 / 3
Percentage of cycles resulting in singleton live births (%)	1 / 8	0 / 5	0 / 2	0 / 1	0 / 3
Percentage of cycles resulting in twin live births (%)	0 / 8	1 / 5	0 / 2	0 / 1	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 8	0 / 5	0 / 2	0 / 1	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 12	2 / 6		2 / 2	0 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 6	1 / 3		1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	1 / 6	1 / 3		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 6	0 / 3		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 6	1 / 3		0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 6	0 / 3		0 / 1	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	31	16	14	7	3
Number of transfers	31	16	12	7	3
Estimated average number of transfers per retrieval	0.9	1.1	1.1	0.5	1.0
Average number of embryos transferred	1.4	1.4	1.5	1.1	1.7
Percentage of embryos transferred resulting in implantation (%)	47.6	36.4	10 / 18	3 / 8	1 / 5
Percentage of transfers resulting in pregnancies (%)	54.8	6 / 16	9 / 12	3 / 7	1 / 3
Percentage of transfers resulting in live births (%)	45.2	4 / 16	8 / 12	2 / 7	1 / 3
Percentage of transfers resulting in singleton live births (%)	32.3	3 / 16	7 / 12	2 / 7	1 / 3
Percentage of transfers resulting in twin live births (%)	12.9	1 / 16	1 / 12	0 / 7	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	25.8	2 / 16	4 / 12	1 / 7	0 / 3
Number of Egg or Embryo Banking Cycles	29	15	11	13	3
Number of fertility preservation cycles	4	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	9	11
Number of transfers	0	0	9	11
Average number of embryos transferred			1.4	1.4
Percentage of embryos transferred resulting in implantation (%)			5 / 13	4 / 13
Percentage of transfers resulting in pregnancies (%)			3 / 9	6 / 11
Percentage of transfers resulting in live births (%)			2 / 9	3 / 11
Percentage of transfers resulting in singleton live births (%)			1 / 9	3 / 11
Percentage of transfers resulting in twin live births (%)			1 / 9	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			1 / 9	1 / 11

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: The Fertility Center of New Mexico, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

GENESIS FERTILITY & REPRODUCTIVE MEDICINE
BROOKLYN, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Richard V. Grazi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	47%
Unstimulated	4%	PGD/PGS	12%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	26%	Uterine factor	1%	Multiple Factors:	
Ovulatory dysfunction	13%	Male factor	45%	Female factors only	16%
Diminished ovarian reserve	33%	Other factor	17%	Female & male factors	23%
Endometriosis	5%	Unknown factor	8%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 813
(includes 5 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	94	59	77	28	37
Percentage of cancellations before retrieval (%)	9.6	22.0	29.9	17.9	24.3
Number of transfers	74	35	36	18	15
Average number of embryos transferred	1.4	1.5	2.3	2.9	2.5
Percentage of elective single embryo transfers (eSET) (%)	64.7	48.5	3.0	0 / 18	0 / 11
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.1	27.1	11.7	10.7	5.4
Percentage of cycles resulting in live births (%)	29.8	22.0	6.5	3.6	5.4
Percentage of cycles resulting in singleton live births (%)	26.6	22.0	5.2	0.0	5.4
Percentage of cycles resulting in twin live births (%)	3.2	0.0	1.3	3.6	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	22.3	18.6	5.2	0.0	5.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	35.4	30.6	11.5	7.7	5.4
Percentage of transfers resulting in pregnancies (%)	44.6	45.7	25.0	3 / 18	2 / 15
Percentage of transfers resulting in live births (%)	37.8	37.1	13.9	1 / 18	2 / 15
Percentage of transfers resulting in singleton live births (%)	33.8	37.1	11.1	0 / 18	2 / 15
Percentage of transfers resulting in twin live births (%)	4.1	0.0	2.8	1 / 18	0 / 15
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.4	31.4	11.1	0 / 18	2 / 15
Frozen Embryos from Nondonor Eggs					
Number of cycles	144	80	46	19	28
Number of transfers	128	69	33	13	24
Estimated average number of transfers per retrieval	1.8	1.4	0.6	0.4	0.6
Average number of embryos transferred	1.4	1.3	1.7	2.2	2.3
Percentage of embryos transferred resulting in implantation (%)	41.7	33.0	33.3	17.2	3.7
Percentage of transfers resulting in pregnancies (%)	50.8	42.0	45.5	5 / 13	8.3
Percentage of transfers resulting in live births (%)	39.1	37.7	33.3	3 / 13	8.3
Percentage of transfers resulting in singleton live births (%)	32.8	36.2	24.2	3 / 13	8.3
Percentage of transfers resulting in twin live births (%)	6.3	1.4	9.1	0 / 13	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	25.8	31.9	24.2	2 / 13	8.3
Number of Egg or Embryo Banking Cycles	40	33	38	24	32
Number of fertility preservation cycles	5	14	12	6	6

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	11	6	10	2
Number of transfers	9	4	8	1
Average number of embryos transferred	1.7	1.5	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	5 / 15	2 / 5	4 / 12	2 / 2
Percentage of transfers resulting in pregnancies (%)	5 / 9	2 / 4	3 / 8	1 / 1
Percentage of transfers resulting in live births (%)	5 / 9	0 / 4	3 / 8	1 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 9	0 / 4	2 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 4	1 / 8	1 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 9	0 / 4	1 / 8	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Genesis Fertility & Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

KOFINAS FERTILITY GROUP
BROOKLYN, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by George D. Kofinas, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	80%
Unstimulated	1%	PGD/PGS	37%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	41%	Uterine factor	19%	Multiple Factors:	
Ovulatory dysfunction	10%	Male factor	17%	Female factors only	42%
Diminished ovarian reserve	36%	Other factor	11%	Female & male factors	10%
Endometriosis	38%	Unknown factor	<1%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 624
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	12	14	20	23	21
Percentage of cancellations before retrieval (%)	0 / 12	1 / 14	0.0	0.0	4.8
Number of transfers	12	12	20	23	15
Average number of embryos transferred	2.1	2.3	2.8	2.7	2.6
Percentage of elective single embryo transfers (eSET) (%)	0 / 12	0 / 11	0 / 19	0 / 19	0 / 10
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	8 / 12	7 / 14	35.0	34.8	19.0
Percentage of cycles resulting in live births (%)	6 / 12	6 / 14	20.0	17.4	4.8
Percentage of cycles resulting in singleton live births (%)	3 / 12	5 / 14	20.0	17.4	4.8
Percentage of cycles resulting in twin live births (%)	3 / 12	1 / 14	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	3 / 12	5 / 14	10.0	17.4	4.8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	52.0	33.3	14.5	12.7	10.3
Percentage of transfers resulting in pregnancies (%)	8 / 12	7 / 12	35.0	34.8	4 / 15
Percentage of transfers resulting in live births (%)	6 / 12	6 / 12	20.0	17.4	1 / 15
Percentage of transfers resulting in singleton live births (%)	3 / 12	5 / 12	20.0	17.4	1 / 15
Percentage of transfers resulting in twin live births (%)	3 / 12	1 / 12	0.0	0.0	0 / 15
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 12	5 / 12	10.0	17.4	1 / 15
Frozen Embryos from Nondonor Eggs					
Number of cycles	61	44	32	16	10
Number of transfers	61	44	32	16	9
Estimated average number of transfers per retrieval	0.8	0.7	0.6	0.3	0.1
Average number of embryos transferred	1.6	1.6	1.8	1.4	2.1
Percentage of embryos transferred resulting in implantation (%)	47.9	54.3	28.8	50.0	1 / 19
Percentage of transfers resulting in pregnancies (%)	65.6	72.7	50.0	10 / 16	1 / 9
Percentage of transfers resulting in live births (%)	50.8	52.3	37.5	6 / 16	1 / 9
Percentage of transfers resulting in singleton live births (%)	44.3	43.2	34.4	6 / 16	1 / 9
Percentage of transfers resulting in twin live births (%)	6.6	9.1	3.1	0 / 16	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	42.6	34.1	25.0	3 / 16	1 / 9
Number of Egg or Embryo Banking Cycles	72	65	50	48	84
Number of fertility preservation cycles	29	36	25	32	65

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	6	10	34	0
Number of transfers	5	8	34	0
Average number of embryos transferred	1.8	2.0	1.6	
Percentage of embryos transferred resulting in implantation (%)	3 / 9	5 / 16	47.2	
Percentage of transfers resulting in pregnancies (%)	3 / 5	4 / 8	61.8	
Percentage of transfers resulting in live births (%)	2 / 5	4 / 8	50.0	
Percentage of transfers resulting in singleton live births (%)	2 / 5	3 / 8	38.2	
Percentage of transfers resulting in twin live births (%)	0 / 5	1 / 8	11.8	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 5	2 / 8	29.4	

CURRENT SERVICES & PROFILE

Current Name: Kofinas Fertility Group

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

INFERTILITY & IVF MEDICAL ASSOCIATES OF WESTERN NEW YORK, PLLC
BUFFALO, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Adam M. Griffin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	68%
Unstimulated	0%	PGD/PGS	1%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	13%	Uterine factor	<1%	Multiple Factors:	
Ovulatory dysfunction	11%	Male factor	42%	Female factors only	7%
Diminished ovarian reserve	30%	Other factor	5%	Female & male factors	16%
Endometriosis	9%	Unknown factor	14%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 616
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	182	108	86	44	20
Percentage of cancellations before retrieval (%)	8.2	22.2	27.9	27.3	40.0
Number of transfers	155	74	56	29	9
Average number of embryos transferred	1.9	2.0	2.5	2.6	2.6
Percentage of elective single embryo transfers (eSET) (%)	18.2	9.5	0.0	0.0	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.2	25.9	14.0	13.6	10.0
Percentage of cycles resulting in live births (%)	31.3	21.3	9.3	6.8	0.0
Percentage of cycles resulting in singleton live births (%)	20.3	18.5	8.1	6.8	0.0
Percentage of cycles resulting in twin live births (%)	11.0	1.9	1.2	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	17.0	13.9	8.1	4.5	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.8	22.2	9.1	5.9	4.8
Percentage of transfers resulting in pregnancies (%)	41.3	37.8	21.4	20.7	2 / 9
Percentage of transfers resulting in live births (%)	36.8	31.1	14.3	10.3	0 / 9
Percentage of transfers resulting in singleton live births (%)	23.9	27.0	12.5	10.3	0 / 9
Percentage of transfers resulting in twin live births (%)	12.9	2.7	1.8	0.0	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	20.0	20.3	12.5	6.9	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	68	35	13	1	0
Number of transfers	59	34	11	1	0
Estimated average number of transfers per retrieval	1.2	1.7	0.6	0.5	0.0
Average number of embryos transferred	1.4	1.5	1.6	3.0	
Percentage of embryos transferred resulting in implantation (%)	33.3	22.7	2 / 18	0 / 3	
Percentage of transfers resulting in pregnancies (%)	45.8	38.2	2 / 11	0 / 1	
Percentage of transfers resulting in live births (%)	35.6	23.5	2 / 11	0 / 1	
Percentage of transfers resulting in singleton live births (%)	32.2	23.5	2 / 11	0 / 1	
Percentage of transfers resulting in twin live births (%)	3.4	0.0	0 / 11	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.5	20.6	2 / 11	0 / 1	
Number of Egg or Embryo Banking Cycles	13	7	5	1	1
Number of fertility preservation cycles	5	5	3	1	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	5	21	6	0
Number of transfers	5	17	5	0
Average number of embryos transferred	2.0	1.9	1.4	
Percentage of embryos transferred resulting in implantation (%)	4 / 10	33.3	4 / 7	
Percentage of transfers resulting in pregnancies (%)	2 / 5	7 / 17	4 / 5	
Percentage of transfers resulting in live births (%)	2 / 5	6 / 17	4 / 5	
Percentage of transfers resulting in singleton live births (%)	0 / 5	2 / 17	4 / 5	
Percentage of transfers resulting in twin live births (%)	2 / 5	4 / 17	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 5	1 / 17	3 / 5	

CURRENT SERVICES & PROFILE

Current Name: Infertility & IVF Medical Associates of Western New York, PLLC dba, Buffalo IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

HUDSON VALLEY FERTILITY, PLLC
FISHKILL, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Daniel W. Levine, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	71%
Unstimulated	<1%	PGD/PGS	6%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	23%	Uterine factor	11%	Multiple Factors:	
Ovulatory dysfunction	42%	Male factor	27%	Female factors only	22%
Diminished ovarian reserve	23%	Other factor	17%	Female & male factors	22%
Endometriosis	5%	Unknown factor	2%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 294
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	45	20	25	11	14
Percentage of cancellations before retrieval (%)	4.4	5.0	12.0	1 / 11	2 / 14
Number of transfers	37	14	19	6	9
Average number of embryos transferred	1.8	2.1	2.2	1.8	2.9
Percentage of elective single embryo transfers (eSET) (%)	12.5	0 / 11	0 / 17	0 / 3	0 / 9
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	26.7	20.0	28.0	2 / 11	1 / 14
Percentage of cycles resulting in live births (%)	20.0	20.0	12.0	1 / 11	0 / 14
Percentage of cycles resulting in singleton live births (%)	8.9	10.0	8.0	1 / 11	0 / 14
Percentage of cycles resulting in twin live births (%)	11.1	5.0	4.0	0 / 11	0 / 14
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	8.9	10.0	8.0	1 / 11	0 / 14
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	24.6	24.1	21.4	3 / 11	3.8
Percentage of transfers resulting in pregnancies (%)	32.4	4 / 14	7 / 19	2 / 6	1 / 9
Percentage of transfers resulting in live births (%)	24.3	4 / 14	3 / 19	1 / 6	0 / 9
Percentage of transfers resulting in singleton live births (%)	10.8	2 / 14	2 / 19	1 / 6	0 / 9
Percentage of transfers resulting in twin live births (%)	13.5	1 / 14	1 / 19	0 / 6	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	10.8	2 / 14	2 / 19	1 / 6	0 / 9
Frozen Embryos from Nondonor Eggs					
Number of cycles	34	23	22	7	10
Number of transfers	30	17	17	5	7
Estimated average number of transfers per retrieval	0.8	0.9	0.6	0.5	0.6
Average number of embryos transferred	1.8	1.8	2.1	2.8	2.3
Percentage of embryos transferred resulting in implantation (%)	34.5	30.0	23.3	3 / 14	0 / 16
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 17	7 / 17	2 / 5	0 / 7
Percentage of transfers resulting in live births (%)	43.3	6 / 17	3 / 17	2 / 5	0 / 7
Percentage of transfers resulting in singleton live births (%)	36.7	5 / 17	3 / 17	1 / 5	0 / 7
Percentage of transfers resulting in twin live births (%)	6.7	1 / 17	0 / 17	1 / 5	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	33.3	3 / 17	2 / 17	1 / 5	0 / 7
Number of Egg or Embryo Banking Cycles	21	14	20	10	10
Number of fertility preservation cycles	21	14	19	10	10

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	7	1	0
Number of transfers	0	7	1	0
Average number of embryos transferred		2.1	2.0	
Percentage of embryos transferred resulting in implantation (%)		3 / 15	0 / 2	
Percentage of transfers resulting in pregnancies (%)		2 / 7	0 / 1	
Percentage of transfers resulting in live births (%)		2 / 7	0 / 1	
Percentage of transfers resulting in singleton live births (%)		1 / 7	0 / 1	
Percentage of transfers resulting in twin live births (%)		1 / 7	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		1 / 7	0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Hudson Valley Fertility, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

THE NEW YORK FERTILITY CENTER
FLUSHING, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Tony Tsai, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	86%
Unstimulated	<1%	PGD/PGS	6%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	4%	Uterine factor	12%	Multiple Factors:	
Ovulatory dysfunction	9%	Male factor	5%	Female factors only	<1%
Diminished ovarian reserve	25%	Other factor	13%	Female & male factors	0%
Endometriosis	5%	Unknown factor	27%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 389
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	95	50	47	35	70
Percentage of cancellations before retrieval (%)	4.2	4.0	17.0	8.6	18.6
Number of transfers	62	34	26	22	25
Average number of embryos transferred	2.7	2.9	2.3	3.0	2.6
Percentage of elective single embryo transfers (eSET) (%)	0.0	7.4	0 / 16	0 / 19	0 / 16
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.3	24.0	12.8	8.6	2.9
Percentage of cycles resulting in live births (%)	14.7	14.0	2.1	5.7	1.4
Percentage of cycles resulting in singleton live births (%)	10.5	12.0	2.1	5.7	1.4
Percentage of cycles resulting in twin live births (%)	4.2	0.0	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	5.3	6.0	2.1	5.7	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	15.9	14.0	8.8	4.5	3.1
Percentage of transfers resulting in pregnancies (%)	38.7	35.3	23.1	13.6	8.0
Percentage of transfers resulting in live births (%)	22.6	20.6	3.8	9.1	4.0
Percentage of transfers resulting in singleton live births (%)	16.1	17.6	3.8	9.1	4.0
Percentage of transfers resulting in twin live births (%)	6.5	0.0	0.0	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	8.1	8.8	3.8	9.1	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	21	15	14	7	11
Number of transfers	18	14	11	7	9
Estimated average number of transfers per retrieval	0.9	1.4	1.1	2.3	0.6
Average number of embryos transferred	2.9	2.9	2.9	2.6	2.6
Percentage of embryos transferred resulting in implantation (%)	15.1	17.1	6.3	0 / 18	0.0
Percentage of transfers resulting in pregnancies (%)	6 / 18	5 / 14	2 / 11	0 / 7	0 / 9
Percentage of transfers resulting in live births (%)	4 / 18	3 / 14	2 / 11	0 / 7	0 / 9
Percentage of transfers resulting in singleton live births (%)	2 / 18	1 / 14	2 / 11	0 / 7	0 / 9
Percentage of transfers resulting in twin live births (%)	2 / 18	2 / 14	0 / 11	0 / 7	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 18	1 / 14	1 / 11	0 / 7	0 / 9
Number of Egg or Embryo Banking Cycles	0	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	1	16	6
Number of transfers	1	1	15	6
Average number of embryos transferred	2.0	1.0	2.5	3.3
Percentage of embryos transferred resulting in implantation (%)	0 / 2	1 / 1	21.6	5.0
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1	5 / 15	1 / 6
Percentage of transfers resulting in live births (%)	0 / 1	1 / 1	3 / 15	0 / 6
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 1	0 / 15	0 / 6
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	3 / 15	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1	1 / 1	0 / 15	0 / 6

CURRENT SERVICES & PROFILE

Current Name: The New York Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MONTEFIORE'S INSTITUTE FOR REPRODUCTIVE MEDICINE AND HEALTH
HARTSDALE, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Harry J. Lieman, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	48%
Unstimulated	0%	PGD/PGS	4%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	32%	Uterine factor	14%	Multiple Factors:	
Ovulatory dysfunction	15%	Male factor	26%	Female factors only	30%
Diminished ovarian reserve	34%	Other factor	18%	Female & male factors	16%
Endometriosis	3%	Unknown factor	12%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 245
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	38	19	28	20	15
Percentage of cancellations before retrieval (%)	10.5	2 / 19	10.7	25.0	5 / 15
Number of transfers	23	13	18	8	5
Average number of embryos transferred	1.6	1.8	1.8	2.0	2.4
Percentage of elective single embryo transfers (eSET) (%)	45.5	1 / 11	1 / 15	0 / 5	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.8	6 / 19	21.4	0.0	1 / 15
Percentage of cycles resulting in live births (%)	31.6	6 / 19	10.7	0.0	0 / 15
Percentage of cycles resulting in singleton live births (%)	26.3	4 / 19	10.7	0.0	0 / 15
Percentage of cycles resulting in twin live births (%)	5.3	2 / 19	0.0	0.0	0 / 15
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	15.8	4 / 19	10.7	0.0	0 / 15
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	44.1	39.1	10.7	0 / 16	0 / 10
Percentage of transfers resulting in pregnancies (%)	60.9	6 / 13	6 / 18	0 / 8	1 / 5
Percentage of transfers resulting in live births (%)	52.2	6 / 13	3 / 18	0 / 8	0 / 5
Percentage of transfers resulting in singleton live births (%)	43.5	4 / 13	3 / 18	0 / 8	0 / 5
Percentage of transfers resulting in twin live births (%)	8.7	2 / 13	0 / 18	0 / 8	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	26.1	4 / 13	3 / 18	0 / 8	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	31	13	19	6	6
Number of transfers	27	12	17	5	5
Estimated average number of transfers per retrieval	1.1	1.2	0.9	0.5	0.7
Average number of embryos transferred	1.6	1.4	1.6	2.4	2.2
Percentage of embryos transferred resulting in implantation (%)	52.3	8 / 17	46.2	2 / 10	2 / 11
Percentage of transfers resulting in pregnancies (%)	59.3	8 / 12	12 / 17	3 / 5	2 / 5
Percentage of transfers resulting in live births (%)	51.9	8 / 12	11 / 17	0 / 5	1 / 5
Percentage of transfers resulting in singleton live births (%)	37.0	8 / 12	11 / 17	0 / 5	1 / 5
Percentage of transfers resulting in twin live births (%)	14.8	0 / 12	0 / 17	0 / 5	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	22.2	5 / 12	10 / 17	0 / 5	1 / 5
Number of Egg or Embryo Banking Cycles	11	7	10	4	4
Number of fertility preservation cycles	5	3	4	1	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	7	0	7	0
Number of transfers	6	0	7	0
Average number of embryos transferred	1.3		1.6	
Percentage of embryos transferred resulting in implantation (%)	6 / 8		2 / 11	
Percentage of transfers resulting in pregnancies (%)	4 / 6		2 / 7	
Percentage of transfers resulting in live births (%)	3 / 6		1 / 7	
Percentage of transfers resulting in singleton live births (%)	2 / 6		1 / 7	
Percentage of transfers resulting in twin live births (%)	0 / 6		0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 6		0 / 7	

CURRENT SERVICES & PROFILE

Current Name: Montefiore's Institute for Reproductive Medicine and Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK REPRODUCTIVE WELLNESS
JERICHO, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Gregory Zapantis, MD

Type of ART and Procedural Factors[a]

IVF	>99%	With ICSI	91%
Unstimulated	0%	PGD/PGS	8%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	23%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	20%	Male factor	38%	Female factors only	24%
Diminished ovarian reserve	28%	Other factor	22%	Female & male factors	25%
Endometriosis	9%	Unknown factor	11%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 190
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	22	21	15	6	8
Percentage of cancellations before retrieval (%)	0.0	0.0	0 / 15	0 / 6	0 / 8
Number of transfers	20	16	13	5	4
Average number of embryos transferred	1.4	1.5	1.8	1.8	1.8
Percentage of elective single embryo transfers (eSET) (%)	11 / 19	3 / 11	2 / 11	0 / 4	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.9	38.1	5 / 15	1 / 6	1 / 8
Percentage of cycles resulting in live births (%)	31.8	33.3	3 / 15	1 / 6	0 / 8
Percentage of cycles resulting in singleton live births (%)	31.8	28.6	3 / 15	0 / 6	0 / 8
Percentage of cycles resulting in twin live births (%)	0.0	4.8	0 / 15	1 / 6	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	31.8	28.6	2 / 15	0 / 6	0 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.1	36.4	18.2	2 / 9	1 / 7
Percentage of transfers resulting in pregnancies (%)	45.0	8 / 16	5 / 13	1 / 5	1 / 4
Percentage of transfers resulting in live births (%)	35.0	7 / 16	3 / 13	1 / 5	0 / 4
Percentage of transfers resulting in singleton live births (%)	35.0	6 / 16	3 / 13	0 / 5	0 / 4
Percentage of transfers resulting in twin live births (%)	0.0	1 / 16	0 / 13	1 / 5	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	35.0	6 / 16	2 / 13	0 / 5	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	16	21	16	8	7
Number of transfers	16	21	16	8	7
Estimated average number of transfers per retrieval	0.8	1.4	1.2	1.6	0.6
Average number of embryos transferred	1.7	1.4	1.7	1.5	2.3
Percentage of embryos transferred resulting in implantation (%)	22.2	56.0	37.0	2 / 10	0 / 14
Percentage of transfers resulting in pregnancies (%)	5 / 16	61.9	9 / 16	3 / 8	1 / 7
Percentage of transfers resulting in live births (%)	4 / 16	47.6	6 / 16	2 / 8	0 / 7
Percentage of transfers resulting in singleton live births (%)	3 / 16	33.3	5 / 16	2 / 8	0 / 7
Percentage of transfers resulting in twin live births (%)	1 / 16	14.3	1 / 16	0 / 8	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 16	28.6	5 / 16	2 / 8	0 / 7
Number of Egg or Embryo Banking Cycles	12	9	11	3	6
Number of fertility preservation cycles	1	1	0	0	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	0	9
Number of transfers	0	0	0	9
Average number of embryos transferred				1.3
Percentage of embryos transferred resulting in implantation (%)				2 / 12
Percentage of transfers resulting in pregnancies (%)				2 / 9
Percentage of transfers resulting in live births (%)				2 / 9
Percentage of transfers resulting in singleton live births (%)				2 / 9
Percentage of transfers resulting in twin live births (%)				0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)				2 / 9

CURRENT SERVICES & PROFILE

Current Name: New York Reproductive Wellness

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

BOSTON IVF, THE ALBANY CENTER
LOUDONVILLE, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Steven Bayer, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	33%
Unstimulated	0%	PGD/PGS	2%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	18%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	14%	Male factor	24%	Female factors only	12%
Diminished ovarian reserve	36%	Other factor	12%	Female & male factors	10%
Endometriosis	7%	Unknown factor	13%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 293
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	69	35	40	11	4
Percentage of cancellations before retrieval (%)	1.4	5.7	10.0	1 / 11	1 / 4
Number of transfers	57	28	28	4	2
Average number of embryos transferred	1.2	1.5	1.9	1.5	4.0
Percentage of elective single embryo transfers (eSET) (%)	84.1	52.2	9.5	1 / 3	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	33.3	28.6	25.0	1 / 11	0 / 4
Percentage of cycles resulting in live births (%)	24.6	28.6	22.5	0 / 11	0 / 4
Percentage of cycles resulting in singleton live births (%)	24.6	28.6	17.5	0 / 11	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	0.0	5.0	0 / 11	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	20.3	28.6	10.0	0 / 11	0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	32.8	24.4	26.9	0 / 5	0 / 8
Percentage of transfers resulting in pregnancies (%)	40.4	35.7	35.7	1 / 4	0 / 2
Percentage of transfers resulting in live births (%)	29.8	35.7	32.1	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	29.8	35.7	25.0	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	0.0	7.1	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	24.6	35.7	14.3	0 / 4	0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	48	34	13	3	0
Number of transfers	41	31	12	3	0
Estimated average number of transfers per retrieval	1.5	1.9	1.5	0.5	
Average number of embryos transferred	1.3	1.5	1.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	31.4	29.5	4 / 17	1 / 6	
Percentage of transfers resulting in pregnancies (%)	41.5	45.2	4 / 12	1 / 3	
Percentage of transfers resulting in live births (%)	29.3	35.5	4 / 12	1 / 3	
Percentage of transfers resulting in singleton live births (%)	24.4	29.0	4 / 12	1 / 3	
Percentage of transfers resulting in twin live births (%)	4.9	6.5	0 / 12	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	22.0	22.6	4 / 12	1 / 3	
Number of Egg or Embryo Banking Cycles	6	4	2	1	0
Number of fertility preservation cycles	0	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	4	0	18	0
Number of transfers	4	0	14	0
Average number of embryos transferred	1.3		1.6	
Percentage of embryos transferred resulting in implantation (%)	3 / 5		6 / 19	
Percentage of transfers resulting in pregnancies (%)	2 / 4		7 / 14	
Percentage of transfers resulting in live births (%)	2 / 4		4 / 14	
Percentage of transfers resulting in singleton live births (%)	1 / 4		3 / 14	
Percentage of transfers resulting in twin live births (%)	1 / 4		1 / 14	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 4		3 / 14	

CURRENT SERVICES & PROFILE

Current Name: Boston IVF, The Albany Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NORTHWELL HEALTH FERTILITY
MANHASSET, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Christine M. Mullin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	PGD/PGS	23%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	11%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	11%	Male factor	29%	Female factors only	4%
Diminished ovarian reserve	21%	Other factor	11%	Female & male factors	8%
Endometriosis	4%	Unknown factor	23%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,581
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	188	130	104	62	46
Percentage of cancellations before retrieval (%)	10.6	10.0	35.6	33.9	23.9
Number of transfers	125	91	53	28	24
Average number of embryos transferred	1.5	1.8	2.1	2.8	2.8
Percentage of elective single embryo transfers (eSET) (%)	45.6	9.9	7.5	0.0	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	24.5	23.8	13.5	12.9	2.2
Percentage of cycles resulting in live births (%)	22.9	17.7	11.5	8.1	0.0
Percentage of cycles resulting in singleton live births (%)	20.2	12.3	11.5	8.1	0.0
Percentage of cycles resulting in twin live births (%)	2.7	5.4	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	18.1	10.8	9.6	6.5	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	27.6	24.1	13.2	10.0	0.0
Percentage of transfers resulting in pregnancies (%)	36.8	34.1	26.4	28.6	4.2
Percentage of transfers resulting in live births (%)	34.4	25.3	22.6	17.9	0.0
Percentage of transfers resulting in singleton live births (%)	30.4	17.6	22.6	17.9	0.0
Percentage of transfers resulting in twin live births (%)	4.0	7.7	0.0	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	27.2	15.4	18.9	14.3	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	238	137	124	46	17
Number of transfers	234	137	117	45	16
Estimated average number of transfers per retrieval	1.2	1.2	0.9	0.7	0.5
Average number of embryos transferred	1.3	1.4	1.4	1.5	1.3
Percentage of embryos transferred resulting in implantation (%)	52.9	44.6	36.8	31.3	10 / 18
Percentage of transfers resulting in pregnancies (%)	62.4	54.0	47.9	40.0	13 / 16
Percentage of transfers resulting in live births (%)	50.0	44.5	35.0	33.3	6 / 16
Percentage of transfers resulting in singleton live births (%)	44.0	39.4	30.8	26.7	6 / 16
Percentage of transfers resulting in twin live births (%)	6.0	5.1	4.3	6.7	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	41.9	32.1	26.5	22.2	4 / 16
Number of Egg or Embryo Banking Cycles	120	85	101	50	31
Number of fertility preservation cycles	35	29	24	6	4

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	46	6	49	0
Number of transfers	37	4	44	0
Average number of embryos transferred	1.4	1.8	1.4	
Percentage of embryos transferred resulting in implantation (%)	58.1	3 / 7	45.5	
Percentage of transfers resulting in pregnancies (%)	64.9	2 / 4	54.5	
Percentage of transfers resulting in live births (%)	43.2	2 / 4	36.4	
Percentage of transfers resulting in singleton live births (%)	29.7	1 / 4	25.0	
Percentage of transfers resulting in twin live births (%)	13.5	1 / 4	11.4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	24.3	0 / 4	15.9	

CURRENT SERVICES & PROFILE

Current Name: Northwell Health Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LONG ISLAND IVF
MELVILLE, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Daniel Kenigsberg, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	71%
Unstimulated	1%	PGD/PGS	11%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	7%	Male factor	27%	Female factors only	6%
Diminished ovarian reserve	21%	Other factor	2%	Female & male factors	7%
Endometriosis	5%	Unknown factor	31%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,390
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	235	126	109	67	69
Percentage of cancellations before retrieval (%)	5.1	8.7	11.9	11.9	15.9
Number of transfers	194	99	84	55	45
Average number of embryos transferred	1.5	1.5	1.9	2.4	2.4
Percentage of elective single embryo transfers (eSET) (%)	41.4	23.9	14.3	2.4	6.1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	36.2	31.0	29.4	23.9	10.1
Percentage of cycles resulting in live births (%)	29.8	26.2	20.2	14.9	2.9
Percentage of cycles resulting in singleton live births (%)	22.1	23.8	16.5	11.9	1.4
Percentage of cycles resulting in twin live births (%)	7.7	2.4	3.7	3.0	1.4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	19.1	19.8	12.8	6.0	1.4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	36.9	27.2	23.4	13.4	7.0
Percentage of transfers resulting in pregnancies (%)	43.8	39.4	38.1	29.1	15.6
Percentage of transfers resulting in live births (%)	36.1	33.3	26.2	18.2	4.4
Percentage of transfers resulting in singleton live births (%)	26.8	30.3	21.4	14.5	2.2
Percentage of transfers resulting in twin live births (%)	9.3	3.0	4.8	3.6	2.2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	23.2	25.3	16.7	7.3	2.2
Frozen Embryos from Nondonor Eggs					
Number of cycles	168	89	105	34	24
Number of transfers	155	78	93	27	22
Estimated average number of transfers per retrieval	1.3	1.0	1.3	0.5	1.0
Average number of embryos transferred	1.5	1.5	1.6	1.9	1.6
Percentage of embryos transferred resulting in implantation (%)	24.8	37.9	23.8	10.4	6.3
Percentage of transfers resulting in pregnancies (%)	34.2	51.3	34.4	18.5	13.6
Percentage of transfers resulting in live births (%)	27.1	42.3	26.9	14.8	4.5
Percentage of transfers resulting in singleton live births (%)	23.2	39.7	23.7	14.8	4.5
Percentage of transfers resulting in twin live births (%)	3.9	2.6	3.2	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	19.4	33.3	19.4	7.4	4.5
Number of Egg or Embryo Banking Cycles	50	53	56	42	20
Number of fertility preservation cycles	4	8	3	3	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	31	22	66	17
Number of transfers	28	21	62	16
Average number of embryos transferred	1.7	1.6	1.5	1.8
Percentage of embryos transferred resulting in implantation (%)	40.4	26.5	20.2	17.9
Percentage of transfers resulting in pregnancies (%)	57.1	38.1	27.4	5 / 16
Percentage of transfers resulting in live births (%)	53.6	33.3	25.8	4 / 16
Percentage of transfers resulting in singleton live births (%)	42.9	28.6	25.8	4 / 16
Percentage of transfers resulting in twin live births (%)	10.7	4.8	0.0	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.1	28.6	24.2	3 / 16

CURRENT SERVICES & PROFILE

Current Name: Long Island IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE SPECIALISTS OF NEW YORK
MINEOLA, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James R. Stelling, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	57%
Unstimulated	<1%	PGD/PGS	15%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	16%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	12%	Male factor	35%	Female factors only	9%
Diminished ovarian reserve	31%	Other factor	16%	Female & male factors	17%
Endometriosis	4%	Unknown factor	14%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,551
(includes 10 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	181	116	134	81	116
Percentage of cancellations before retrieval (%)	1.7	10.3	10.4	12.3	11.2
Number of transfers	132	68	72	47	47
Average number of embryos transferred	1.6	1.6	1.8	1.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	34.9	35.0	9.3	6.3	3.2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.4	25.0	19.4	13.6	5.2
Percentage of cycles resulting in live births (%)	23.8	19.8	16.4	7.4	3.4
Percentage of cycles resulting in singleton live births (%)	19.3	15.5	11.2	7.4	3.4
Percentage of cycles resulting in twin live births (%)	4.4	4.3	5.2	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	17.1	11.2	10.4	7.4	2.6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	30.0	30.2	26.8	10.4	4.4
Percentage of transfers resulting in pregnancies (%)	41.7	42.6	36.1	23.4	12.8
Percentage of transfers resulting in live births (%)	32.6	33.8	30.6	12.8	8.5
Percentage of transfers resulting in singleton live births (%)	26.5	26.5	20.8	12.8	8.5
Percentage of transfers resulting in twin live births (%)	6.1	7.4	9.7	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	23.5	19.1	19.4	12.8	6.4
Frozen Embryos from Nondonor Eggs					
Number of cycles	214	127	115	55	22
Number of transfers	202	118	106	51	20
Estimated average number of transfers per retrieval	1.1	1.2	1.0	0.9	0.4
Average number of embryos transferred	1.5	1.4	1.4	1.4	1.3
Percentage of embryos transferred resulting in implantation (%)	41.8	37.0	27.0	25.0	19.2
Percentage of transfers resulting in pregnancies (%)	50.0	45.8	35.8	35.3	25.0
Percentage of transfers resulting in live births (%)	35.1	33.9	31.1	23.5	20.0
Percentage of transfers resulting in singleton live births (%)	24.3	25.4	26.4	21.6	20.0
Percentage of transfers resulting in twin live births (%)	9.9	8.5	4.7	2.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	20.3	22.0	20.8	17.6	20.0
Number of Egg or Embryo Banking Cycles	93	66	73	43	49
Number of fertility preservation cycles	31	19	14	7	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	8	16	32	0
Number of transfers	7	15	30	0
Average number of embryos transferred	1.3	1.3	1.3	
Percentage of embryos transferred resulting in implantation (%)	3 / 9	60.0	36.4	
Percentage of transfers resulting in pregnancies (%)	3 / 7	10 / 15	50.0	
Percentage of transfers resulting in live births (%)	3 / 7	7 / 15	30.0	
Percentage of transfers resulting in singleton live births (%)	3 / 7	5 / 15	30.0	
Percentage of transfers resulting in twin live births (%)	0 / 7	2 / 15	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 7	3 / 15	16.7	

CURRENT SERVICES & PROFILE

Current Name: Reproductive Specialists of New York

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTCHESTER REPRODUCTIVE MEDICINE
MOUNT KISCO, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Rachel A. Bennett, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	PGD/PGS	4%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	11%	Uterine factor	9%	Multiple Factors:	
Ovulatory dysfunction	9%	Male factor	48%	Female factors only	11%
Diminished ovarian reserve	41%	Other factor	7%	Female & male factors	28%
Endometriosis	2%	Unknown factor	13%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 51
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	9	4	1	9	3
Percentage of cancellations before retrieval (%)	0 / 9	1 / 4	0 / 1	4 / 9	0 / 3
Number of transfers	7	2	0	5	3
Average number of embryos transferred	1.9	2.0		2.8	4.3
Percentage of elective single embryo transfers (eSET) (%)	1 / 6	0 / 2		0 / 5	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	1 / 9	1 / 4	0 / 1	1 / 9	1 / 3
Percentage of cycles resulting in live births (%)	0 / 9	1 / 4	0 / 1	1 / 9	0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 9	0 / 4	0 / 1	1 / 9	0 / 3
Percentage of cycles resulting in twin live births (%)	0 / 9	1 / 4	0 / 1	0 / 9	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 9	0 / 4	0 / 1	1 / 9	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	0 / 11	2 / 4		1 / 14	1 / 13
Percentage of transfers resulting in pregnancies (%)	1 / 7	1 / 2		1 / 5	1 / 3
Percentage of transfers resulting in live births (%)	0 / 7	1 / 2		1 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	0 / 7	0 / 2		1 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 7	1 / 2		0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 7	0 / 2		1 / 5	0 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	7	5	5	2	0
Number of transfers	7	5	4	0	0
Estimated average number of transfers per retrieval	0.9	1.7	2.0	0.0	
Average number of embryos transferred	1.4	1.4	2.0		
Percentage of embryos transferred resulting in implantation (%)	7 / 10	0 / 7	1 / 8		
Percentage of transfers resulting in pregnancies (%)	5 / 7	0 / 5	1 / 4		
Percentage of transfers resulting in live births (%)	5 / 7	0 / 5	1 / 4		
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 5	1 / 4		
Percentage of transfers resulting in twin live births (%)	2 / 7	0 / 5	0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 7	0 / 5	1 / 4		
Number of Egg or Embryo Banking Cycles	2	1	0	2	0
Number of fertility preservation cycles	0	1	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	1	0	0
Number of transfers	0	1	0	0
Average number of embryos transferred		2.0		
Percentage of embryos transferred resulting in implantation (%)		0 / 2		
Percentage of transfers resulting in pregnancies (%)		0 / 1		
Percentage of transfers resulting in live births (%)		0 / 1		
Percentage of transfers resulting in singleton live births (%)		0 / 1		
Percentage of transfers resulting in twin live births (%)		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		0 / 1		

CURRENT SERVICES & PROFILE

Current Name: Westchester Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ADVANCED FERTILITY SERVICES, PC
NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Hugh D. Melnick, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	83%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	28%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	0%	Male factor	17%	Female factors only	42%
Diminished ovarian reserve	17%	Other factor	44%	Female & male factors	14%
Endometriosis	6%	Unknown factor	53%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 44
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	2	5	1	2	5
Percentage of cancellations before retrieval (%)	0 / 2	1 / 5	0 / 1	0 / 2	0 / 5
Number of transfers	2	3	0	1	4
Average number of embryos transferred	1.0	1.3		2.0	1.3
Percentage of elective single embryo transfers (eSET) (%)	2 / 2	1 / 2		0 / 1	0 / 1
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 2	0 / 5	0 / 1	1 / 2	0 / 5
Percentage of cycles resulting in live births (%)	1 / 2	0 / 5	0 / 1	0 / 2	0 / 5
Percentage of cycles resulting in singleton live births (%)	1 / 2	0 / 5	0 / 1	0 / 2	0 / 5
Percentage of cycles resulting in twin live births (%)	0 / 2	0 / 5	0 / 1	0 / 2	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 2	0 / 5	0 / 1	0 / 2	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	1 / 1	0 / 4		1 / 2	0 / 5
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 3		1 / 1	0 / 4
Percentage of transfers resulting in live births (%)	1 / 2	0 / 3		0 / 1	0 / 4
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 3		0 / 1	0 / 4
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 3		0 / 1	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 2	0 / 3		0 / 1	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	8	2	3	1	0
Number of transfers	7	1	2	0	0
Estimated average number of transfers per retrieval	2.3	1.0	0.7	0.0	
Average number of embryos transferred	1.6	1.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 9		0 / 2		
Percentage of transfers resulting in pregnancies (%)	2 / 7	1 / 1	0 / 2		
Percentage of transfers resulting in live births (%)	1 / 7	0 / 1	0 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 7	0 / 1	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 1	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 7	0 / 1	0 / 2		
Number of Egg or Embryo Banking Cycles	3	1	3	1	0
Number of fertility preservation cycles	0	0	1	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	3	1	1
Number of transfers	0	3	1	1
Average number of embryos transferred		1.3	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)		0 / 4	1 / 2	
Percentage of transfers resulting in pregnancies (%)		0 / 3	1 / 1	1 / 1
Percentage of transfers resulting in live births (%)		0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)		0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)		0 / 3	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		0 / 3	0 / 1	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Services, PC

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

CCRM NEW YORK
NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Janet M. Choi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	96%
Unstimulated	0%	PGD/PGS	89%
Used gestational carrier	4%		

Patient Diagnosis[a,b]

Tubal factor	0%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	11%	Male factor	7%	Female factors only	26%
Diminished ovarian reserve	26%	Other factor	85%	Female & male factors	7%
Endometriosis	4%	Unknown factor	4%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 134
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	2	2	0	0	1
Percentage of cancellations before retrieval (%)	0 / 2	0 / 2			1 / 1
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 2	0 / 2			0 / 1
Percentage of cycles resulting in live births (%)	0 / 2	0 / 2			0 / 1
Percentage of cycles resulting in singleton live births (%)	0 / 2	0 / 2			0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 2	0 / 2			0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 2	0 / 2			0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	11	4	1	2	1
Number of transfers	11	4	1	2	1
Estimated average number of transfers per retrieval	0.4	0.2	0.0	0.1	0.1
Average number of embryos transferred	1.1	1.0	1.0	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	4 / 12	3 / 4	1 / 1	1 / 2	1 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 11	2 / 4	1 / 1	1 / 2	1 / 1
Percentage of transfers resulting in live births (%)	2 / 11	2 / 4	1 / 1	1 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 11	1 / 4	1 / 1	1 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	1 / 11	1 / 4	0 / 1	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 11	1 / 4	1 / 1	1 / 2	1 / 1
Number of Egg or Embryo Banking Cycles	25	25	29	18	10
Number of fertility preservation cycles	10	12	8	0	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	2	0
Number of transfers	1	0	2	0
Average number of embryos transferred	1.0		1.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 1		2 / 2	
Percentage of transfers resulting in pregnancies (%)	0 / 1		2 / 2	
Percentage of transfers resulting in live births (%)	0 / 1		2 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 1		2 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1		2 / 2	

CURRENT SERVICES & PROFILE

Current Name: CCRM New York

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CENTER FOR HUMAN REPRODUCTION (CHR)
NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Norbert Gleicher, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	PGD/PGS	5%
Used gestational carrier	4%		

Patient Diagnosis[a,b]

Tubal factor	8%	Uterine factor	12%	Multiple Factors:	
Ovulatory dysfunction	5%	Male factor	27%	Female factors only	23%
Diminished ovarian reserve	91%	Other factor	13%	Female & male factors	26%
Endometriosis	10%	Unknown factor	<1%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 607
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	47	34	72	70	190
Percentage of cancellations before retrieval (%)	17.0	5.9	29.2	18.6	17.4
Number of transfers	33	26	31	43	105
Average number of embryos transferred	1.7	1.9	2.6	2.5	2.4
Percentage of elective single embryo transfers (eSET) (%)	14.8	1 / 19	0.0	0.0	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	17.0	8.8	8.3	11.4	4.2
Percentage of cycles resulting in live births (%)	14.9	8.8	5.6	5.7	2.6
Percentage of cycles resulting in singleton live births (%)	12.8	5.9	5.6	5.7	2.6
Percentage of cycles resulting in twin live births (%)	2.1	2.9	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	10.6	2.9	5.6	5.7	1.1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	14.5	8.2	7.3	5.3	2.8
Percentage of transfers resulting in pregnancies (%)	24.2	11.5	19.4	18.6	7.6
Percentage of transfers resulting in live births (%)	21.2	11.5	12.9	9.3	4.8
Percentage of transfers resulting in singleton live births (%)	18.2	7.7	12.9	9.3	4.8
Percentage of transfers resulting in twin live births (%)	3.0	3.8	0.0	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	15.2	3.8	12.9	9.3	1.9
Frozen Embryos from Nondonor Eggs					
Number of cycles	19	19	6	8	9
Number of transfers	19	19	6	7	7
Estimated average number of transfers per retrieval	1.1	3.2	0.8	1.0	0.5
Average number of embryos transferred	2.0	2.1	2.0	2.3	3.0
Percentage of embryos transferred resulting in implantation (%)	26.5	12.8	3 / 12	3 / 16	9.5
Percentage of transfers resulting in pregnancies (%)	9 / 19	4 / 19	3 / 6	3 / 7	2 / 7
Percentage of transfers resulting in live births (%)	7 / 19	4 / 19	2 / 6	3 / 7	2 / 7
Percentage of transfers resulting in singleton live births (%)	5 / 19	3 / 19	2 / 6	3 / 7	2 / 7
Percentage of transfers resulting in twin live births (%)	2 / 19	1 / 19	0 / 6	0 / 7	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 19	3 / 19	2 / 6	3 / 7	2 / 7
Number of Egg or Embryo Banking Cycles	4	4	5	4	11
Number of fertility preservation cycles	2	4	3	1	7

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	50	5	49	0
Number of transfers	46	4	45	0
Average number of embryos transferred	1.7	2.0	1.8	
Percentage of embryos transferred resulting in implantation (%)	46.1	2 / 8	24.7	
Percentage of transfers resulting in pregnancies (%)	63.0	1 / 4	37.8	
Percentage of transfers resulting in live births (%)	58.7	1 / 4	31.1	
Percentage of transfers resulting in singleton live births (%)	45.7	0 / 4	24.4	
Percentage of transfers resulting in twin live births (%)	13.0	1 / 4	6.7	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	37.0	0 / 4	17.8	

CURRENT SERVICES & PROFILE

Current Name: Center for Human Reproduction (CHR)

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CHELSEA FERTILITY NYC
NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Paul Gindoff, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	84%
Unstimulated	2%	PGD/PGS	18%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	10%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	28%	Male factor	33%	Female factors only	2%
Diminished ovarian reserve	25%	Other factor	9%	Female & male factors	18%
Endometriosis	2%	Unknown factor	11%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 195
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	18	6	12	6	5
Percentage of cancellations before retrieval (%)	0 / 18	0 / 6	1 / 12	2 / 6	0 / 5
Number of transfers	13	2	9	2	4
Average number of embryos transferred	1.5	1.5	2.6	3.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	6 / 13	1 / 2	0 / 7	0 / 2	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	8 / 18	1 / 6	4 / 12	0 / 6	0 / 5
Percentage of cycles resulting in live births (%)	8 / 18	1 / 6	3 / 12	0 / 6	0 / 5
Percentage of cycles resulting in singleton live births (%)	7 / 18	1 / 6	3 / 12	0 / 6	0 / 5
Percentage of cycles resulting in twin live births (%)	1 / 18	0 / 6	0 / 12	0 / 6	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	7 / 18	0 / 6	3 / 12	0 / 6	0 / 5
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	45.0	1 / 3	17.4	0 / 6	0 / 9
Percentage of transfers resulting in pregnancies (%)	8 / 13	1 / 2	4 / 9	0 / 2	0 / 4
Percentage of transfers resulting in live births (%)	8 / 13	1 / 2	3 / 9	0 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	7 / 13	1 / 2	3 / 9	0 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	1 / 13	0 / 2	0 / 9	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	7 / 13	0 / 2	3 / 9	0 / 2	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	20	12	4	6	0
Number of transfers	20	12	4	5	0
Estimated average number of transfers per retrieval	0.7	0.4	0.1	0.5	0.0
Average number of embryos transferred	1.4	1.2	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	32.0	5 / 13	1 / 5	2 / 5	
Percentage of transfers resulting in pregnancies (%)	45.0	6 / 12	1 / 4	2 / 5	
Percentage of transfers resulting in live births (%)	35.0	5 / 12	1 / 4	2 / 5	
Percentage of transfers resulting in singleton live births (%)	35.0	5 / 12	1 / 4	2 / 5	
Percentage of transfers resulting in twin live births (%)	0.0	0 / 12	0 / 4	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	25.0	5 / 12	0 / 4	1 / 5	
Number of Egg or Embryo Banking Cycles	21	27	31	10	3
Number of fertility preservation cycles	6	17	16	5	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	5	7	0
Number of transfers	2	4	7	0
Average number of embryos transferred	1.5	1.8	1.6	
Percentage of embryos transferred resulting in implantation (%)	1 / 3	4 / 7	3 / 11	
Percentage of transfers resulting in pregnancies (%)	1 / 2	4 / 4	2 / 7	
Percentage of transfers resulting in live births (%)	1 / 2	4 / 4	2 / 7	
Percentage of transfers resulting in singleton live births (%)	1 / 2	4 / 4	1 / 7	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 4	1 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 2	3 / 4	1 / 7	

CURRENT SERVICES & PROFILE

Current Name: Chelsea Fertility NYC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

COLUMBIA UNIVERSITY CENTER FOR WOMEN'S REPRODUCTIVE CARE
NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Eric J. Forman, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	57%
Unstimulated	0%	PGD/PGS	12%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	14%	Uterine factor	9%	Multiple Factors:	
Ovulatory dysfunction	26%	Male factor	53%	Female factors only	22%
Diminished ovarian reserve	46%	Other factor	30%	Female & male factors	40%
Endometriosis	6%	Unknown factor	2%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,434
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	115	133	171	99	81
Percentage of cancellations before retrieval (%)	9.6	13.5	25.7	24.2	43.2
Number of transfers	82	83	72	32	22
Average number of embryos transferred	1.2	1.4	1.7	1.8	1.6
Percentage of elective single embryo transfers (eSET) (%)	71.0	40.0	8.9	8.3	0 / 12
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	25.2	23.3	15.2	7.1	2.5
Percentage of cycles resulting in live births (%)	19.1	15.0	11.1	4.0	0.0
Percentage of cycles resulting in singleton live births (%)	18.3	14.3	9.9	4.0	0.0
Percentage of cycles resulting in twin live births (%)	0.9	0.8	1.2	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	11.3	11.3	8.2	4.0	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	26.1	27.4	21.2	12.3	2.9
Percentage of transfers resulting in pregnancies (%)	35.4	37.3	36.1	21.9	9.1
Percentage of transfers resulting in live births (%)	26.8	24.1	26.4	12.5	0.0
Percentage of transfers resulting in singleton live births (%)	25.6	22.9	23.6	12.5	0.0
Percentage of transfers resulting in twin live births (%)	1.2	1.2	2.8	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	15.9	18.1	19.4	12.5	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	108	83	79	38	14
Number of transfers	103	80	72	36	13
Estimated average number of transfers per retrieval	0.9	0.7	0.6	0.5	0.3
Average number of embryos transferred	1.3	1.3	1.3	1.4	1.6
Percentage of embryos transferred resulting in implantation (%)	39.0	34.7	31.0	37.8	3 / 19
Percentage of transfers resulting in pregnancies (%)	46.6	46.3	38.9	55.6	4 / 13
Percentage of transfers resulting in live births (%)	38.8	28.8	27.8	41.7	3 / 13
Percentage of transfers resulting in singleton live births (%)	35.9	26.3	26.4	41.7	3 / 13
Percentage of transfers resulting in twin live births (%)	2.9	2.5	1.4	0.0	0 / 13
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	33.0	22.5	20.8	33.3	3 / 13
Number of Egg or Embryo Banking Cycles	86	94	107	60	36
Number of fertility preservation cycles	16	22	15	2	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	30	0	73	24
Number of transfers	27	0	61	23
Average number of embryos transferred	1.4		1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	45.7		33.3	21.9
Percentage of transfers resulting in pregnancies (%)	55.6		41.0	26.1
Percentage of transfers resulting in live births (%)	37.0		34.4	21.7
Percentage of transfers resulting in singleton live births (%)	29.6		32.8	21.7
Percentage of transfers resulting in twin live births (%)	7.4		1.6	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	29.6		29.5	17.4

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Columbia University Center for Women's Reproductive Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

LIBERA MEDICAL, PLLC
NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Drew V. Tortoriello, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	70%
Unstimulated	6%	PGD/PGS	14%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	5%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	9%	Male factor	21%	Female factors only	13%
Diminished ovarian reserve	39%	Other factor	29%	Female & male factors	11%
Endometriosis	6%	Unknown factor	15%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 1,072
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	87	72	97	64	62
Percentage of cancellations before retrieval (%)	13.8	11.1	23.7	25.0	41.9
Number of transfers	67	55	55	37	20
Average number of embryos transferred	1.5	1.7	2.0	2.4	2.0
Percentage of elective single embryo transfers (eSET) (%)	49.1	34.0	9.1	3.6	2 / 11
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	39.1	37.5	25.8	7.8	1.6
Percentage of cycles resulting in live births (%)	29.9	29.2	13.4	7.8	1.6
Percentage of cycles resulting in singleton live births (%)	29.9	27.8	13.4	7.8	1.6
Percentage of cycles resulting in twin live births (%)	0.0	1.4	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	27.6	23.6	11.3	6.3	1.6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.0	31.4	21.9	8.0	2.5
Percentage of transfers resulting in pregnancies (%)	50.7	49.1	45.5	13.5	5.0
Percentage of transfers resulting in live births (%)	38.8	38.2	23.6	13.5	5.0
Percentage of transfers resulting in singleton live births (%)	38.8	36.4	23.6	13.5	5.0
Percentage of transfers resulting in twin live births (%)	0.0	1.8	0.0	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	35.8	30.9	20.0	10.8	5.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	107	100	68	26	17
Number of transfers	93	85	58	22	14
Estimated average number of transfers per retrieval	0.8	0.8	0.6	0.4	0.5
Average number of embryos transferred	1.5	1.4	1.3	1.5	2.1
Percentage of embryos transferred resulting in implantation (%)	33.3	32.7	30.4	9.7	3.4
Percentage of transfers resulting in pregnancies (%)	47.3	44.7	44.8	18.2	1 / 14
Percentage of transfers resulting in live births (%)	34.4	28.2	20.7	9.1	1 / 14
Percentage of transfers resulting in singleton live births (%)	33.3	28.2	20.7	9.1	1 / 14
Percentage of transfers resulting in twin live births (%)	1.1	0.0	0.0	0.0	0 / 14
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	25.8	23.5	13.8	9.1	0 / 14
Number of Egg or Embryo Banking Cycles	88	87	89	51	25
Number of fertility preservation cycles	6	8	10	2	3

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	19	0	9	1
Number of transfers	15	0	9	1
Average number of embryos transferred	1.5		1.1	2.0
Percentage of embryos transferred resulting in implantation (%)	52.2		1 / 10	0 / 2
Percentage of transfers resulting in pregnancies (%)	10 / 15		1 / 9	0 / 1
Percentage of transfers resulting in live births (%)	5 / 15		1 / 9	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 15		1 / 9	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 15		0 / 9	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 15		1 / 9	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Libera Medical, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ANDREW LOUCOPOULOS, MD, PHD
NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Andrew L. Loucopoulos, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	96%
Unstimulated		PGD/PGS	32%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	4%	Uterine factor	0%	Multiple Factors:	
Ovulatory dysfunction	8%	Male factor	20%	Female factors only	52%
Diminished ovarian reserve	56%	Other factor	88%	Female & male factors	20%
Endometriosis	0%	Unknown factor	12%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 57
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	0	0	0	0
Percentage of cancellations before retrieval (%)					
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)					
Percentage of cycles resulting in live births (%)					
Percentage of cycles resulting in singleton live births (%)					
Percentage of cycles resulting in twin live births (%)					
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)					
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)					
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	3	4	5	2
Number of transfers	9	3	4	5	2
Estimated average number of transfers per retrieval	0.9	0.4	0.4	1.3	1.0
Average number of embryos transferred	1.2	1.3	1.3	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	6 / 11	0 / 4	1 / 5	0 / 5	0 / 4
Percentage of transfers resulting in pregnancies (%)	5 / 9	0 / 3	1 / 4	0 / 5	0 / 2
Percentage of transfers resulting in live births (%)	5 / 9	0 / 3	1 / 4	0 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 9	0 / 3	1 / 4	0 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 3	0 / 4	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	4 / 9	0 / 3	1 / 4	0 / 5	0 / 2
Number of Egg or Embryo Banking Cycles	10	8	9	3	2
Number of fertility preservation cycles	1	2	2	0	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	2	0
Number of transfers	0	0	2	0
Average number of embryos transferred			1.0	
Percentage of embryos transferred resulting in implantation (%)			2 / 2	
Percentage of transfers resulting in pregnancies (%)			2 / 2	
Percentage of transfers resulting in live births (%)			1 / 2	
Percentage of transfers resulting in singleton live births (%)			1 / 2	
Percentage of transfers resulting in twin live births (%)			0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			1 / 2	

CURRENT SERVICES & PROFILE

Current Name: Andrew Loucopoulos, MD, PhD

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

MANHATTAN REPRODUCTIVE MEDICINE
NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Hanna Jesionowska, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	90%
Unstimulated	24%	PGD/PGS	7%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	36%	Uterine factor	10%	Multiple Factors:	
Ovulatory dysfunction	0%	Male factor	61%	Female factors only	36%
Diminished ovarian reserve	84%	Other factor	58%	Female & male factors	61%
Endometriosis	23%	Unknown factor	7%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 31
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	5	3	11	0	3
Percentage of cancellations before retrieval (%)	1 / 5	0 / 3	1 / 11		1 / 3
Number of transfers	4	3	10	0	2
Average number of embryos transferred	1.8	2.0	2.4		2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 3	0 / 10		0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	4 / 5	1 / 3	5 / 11		0 / 3
Percentage of cycles resulting in live births (%)	2 / 5	1 / 3	5 / 11		0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 5	1 / 3	4 / 11		0 / 3
Percentage of cycles resulting in twin live births (%)	2 / 5	0 / 3	1 / 11		0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 5	1 / 3	3 / 11		0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	6 / 7	1 / 6	25.0		0 / 4
Percentage of transfers resulting in pregnancies (%)	4 / 4	1 / 3	5 / 10		0 / 2
Percentage of transfers resulting in live births (%)	2 / 4	1 / 3	5 / 10		0 / 2
Percentage of transfers resulting in singleton live births (%)	0 / 4	1 / 3	4 / 10		0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 4	0 / 3	1 / 10		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 4	1 / 3	3 / 10		0 / 2
Frozen Embryos from Nondonor Eggs					
Number of cycles	0	0	1	0	0
Number of transfers	0	0	1	0	0
Estimated average number of transfers per retrieval					
Average number of embryos transferred			1.0		
Percentage of embryos transferred resulting in implantation (%)			0 / 1		
Percentage of transfers resulting in pregnancies (%)			0 / 1		
Percentage of transfers resulting in live births (%)			0 / 1		
Percentage of transfers resulting in singleton live births (%)			0 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			0 / 1		
Number of Egg or Embryo Banking Cycles	0	0	0	0	0
Number of fertility preservation cycles	0	0	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	7	0	1	0
Number of transfers	6	0	1	0
Average number of embryos transferred	2.3		2.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 14		1 / 2	
Percentage of transfers resulting in pregnancies (%)	5 / 6		1 / 1	
Percentage of transfers resulting in live births (%)	4 / 6		1 / 1	
Percentage of transfers resulting in singleton live births (%)	4 / 6		1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 6		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 6		1 / 1	

CURRENT SERVICES & PROFILE

Current Name: Manhattan Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

METROPOLITAN REPRODUCTIVE MEDICINE, PC
NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Susan Lobel, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	63%
Unstimulated	0%	PGD/PGS	20%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	10%	Multiple Factors:	
Ovulatory dysfunction	29%	Male factor	34%	Female factors only	15%
Diminished ovarian reserve	39%	Other factor	10%	Female & male factors	32%
Endometriosis	0%	Unknown factor	17%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 63
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	5	4	0	4
Percentage of cancellations before retrieval (%)	0 / 3	0 / 5	0 / 4		0 / 4
Number of transfers	2	5	3	0	4
Average number of embryos transferred	2.0	1.2	4.3		2.3
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	2 / 3	0 / 3		0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	2 / 3	1 / 5	2 / 4		0 / 4
Percentage of cycles resulting in live births (%)	2 / 3	1 / 5	2 / 4		0 / 4
Percentage of cycles resulting in singleton live births (%)	1 / 3	1 / 5	1 / 4		0 / 4
Percentage of cycles resulting in twin live births (%)	1 / 3	0 / 5	1 / 4		0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	1 / 3	1 / 5	1 / 4		0 / 4
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	3 / 4	1 / 6	3 / 13		0 / 9
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 5	2 / 3		0 / 4
Percentage of transfers resulting in live births (%)	2 / 2	1 / 5	2 / 3		0 / 4
Percentage of transfers resulting in singleton live births (%)	1 / 2	1 / 5	1 / 3		0 / 4
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 5	1 / 3		0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 2	1 / 5	1 / 3		0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	8	8	1	0	0
Number of transfers	8	8	1	0	0
Estimated average number of transfers per retrieval	1.0	1.0	0.3		0.0
Average number of embryos transferred	1.1	1.6	1.0		
Percentage of embryos transferred resulting in implantation (%)	2 / 9	4 / 13	0 / 1		
Percentage of transfers resulting in pregnancies (%)	2 / 8	3 / 8	0 / 1		
Percentage of transfers resulting in live births (%)	1 / 8	3 / 8	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 8	2 / 8	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 8	1 / 8	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 8	2 / 8	0 / 1		
Number of Egg or Embryo Banking Cycles	7	5	3	0	7
Number of fertility preservation cycles	4	4	2	0	7

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	0	4	1
Number of transfers	1	0	4	1
Average number of embryos transferred	1.0		1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	0 / 1		2 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	0 / 1		2 / 4	0 / 1
Percentage of transfers resulting in live births (%)	0 / 1		1 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 1		1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1		1 / 4	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Metropolitan Reproductive Medicine, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW HOPE FERTILITY CENTER
NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John Zhang, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	46%
Unstimulated	17%	PGD/PGS	25%
Used gestational carrier	3%		

Patient Diagnosis[a,b]

Tubal factor	13%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	13%	Male factor	11%	Female factors only	24%
Diminished ovarian reserve	72%	Other factor	9%	Female & male factors	7%
Endometriosis	3%	Unknown factor	10%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 4,123
(includes 15 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	103	80	185	203	366
Percentage of cancellations before retrieval (%)	4.9	6.3	10.8	7.4	12.6
Number of transfers	40	19	13	13	46
Average number of embryos transferred	1.4	1.5	1.3	1.6	1.7
Percentage of elective single embryo transfers (eSET) (%)	42.3	4 / 14	2 / 6	2 / 8	4.3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	17.5	5.0	2.7	0.5	0.3
Percentage of cycles resulting in live births (%)	14.6	3.8	2.2	0.0	0.3
Percentage of cycles resulting in singleton live births (%)	12.6	3.8	2.2	0.0	0.3
Percentage of cycles resulting in twin live births (%)	1.9	0.0	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	8.7	1.3	1.6	0.0	0.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.0	18.5	6 / 16	4.8	1.3
Percentage of transfers resulting in pregnancies (%)	45.0	4 / 19	5 / 13	1 / 13	2.2
Percentage of transfers resulting in live births (%)	37.5	3 / 19	4 / 13	0 / 13	2.2
Percentage of transfers resulting in singleton live births (%)	32.5	3 / 19	4 / 13	0 / 13	2.2
Percentage of transfers resulting in twin live births (%)	5.0	0 / 19	0 / 13	0 / 13	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	22.5	1 / 19	3 / 13	0 / 13	2.2
Frozen Embryos from Nondonor Eggs					
Number of cycles	212	147	194	123	259
Number of transfers	206	143	192	122	246
Estimated average number of transfers per retrieval	0.8	0.6	0.4	0.4	0.2
Average number of embryos transferred	1.3	1.3	1.2	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)	63.8	55.8	52.3	32.1	14.2
Percentage of transfers resulting in pregnancies (%)	70.9	60.8	56.3	44.3	20.3
Percentage of transfers resulting in live births (%)	58.3	52.4	45.3	34.4	13.4
Percentage of transfers resulting in singleton live births (%)	46.6	44.1	39.6	32.0	12.6
Percentage of transfers resulting in twin live births (%)	11.2	8.4	5.2	2.5	0.8
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	41.7	39.2	32.8	27.0	9.8
Number of Egg or Embryo Banking Cycles	257	238	395	292	910
Number of fertility preservation cycles	44	60	101	71	231

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	19	121	3
Number of transfers	1	9	119	3
Average number of embryos transferred	1.0	1.7	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	1 / 1	3 / 15	56.4	2 / 4
Percentage of transfers resulting in pregnancies (%)	1 / 1	3 / 9	61.3	1 / 3
Percentage of transfers resulting in live births (%)	1 / 1	3 / 9	49.6	1 / 3
Percentage of transfers resulting in singleton live births (%)	1 / 1	3 / 9	43.7	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 9	5.9	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 1	2 / 9	33.6	0 / 3

CURRENT SERVICES & PROFILE

Current Name: New Hope Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK FERTILITY INSTITUTE
NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Majid Fateh, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	PGD/PGS	61%
Used gestational carrier	16%		

Patient Diagnosis[a,b]

Tubal factor	2%	Uterine factor	15%	Multiple Factors:	
Ovulatory dysfunction	13%	Male factor	7%	Female factors only	20%
Diminished ovarian reserve	12%	Other factor	66%	Female & male factors	5%
Endometriosis	10%	Unknown factor	3%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 128
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	0	1	3	2	1
Percentage of cancellations before retrieval (%)		0 / 1	1 / 3	0 / 2	0 / 1
Number of transfers	0	1	2	2	0
Average number of embryos transferred		4.0	3.0	4.0	
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	0 / 2	0 / 2	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)		1 / 1	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)		1 / 1	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)		1 / 1	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)		0 / 1	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)		1 / 1	0 / 3	0 / 2	0 / 1
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		1 / 4	0 / 6	0 / 8	
Percentage of transfers resulting in pregnancies (%)		1 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in live births (%)		1 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in singleton live births (%)		1 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 2	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		1 / 1	0 / 2	0 / 2	
Frozen Embryos from Nondonor Eggs					
Number of cycles	25	4	11	2	4
Number of transfers	24	4	10	2	2
Estimated average number of transfers per retrieval	1.1	0.3	0.5		0.2
Average number of embryos transferred	1.5	1.3	1.3	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	14.7	1 / 5	4 / 13	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	29.2	1 / 4	4 / 10	1 / 2	0 / 2
Percentage of transfers resulting in live births (%)	16.7	1 / 4	3 / 10	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	16.7	1 / 4	3 / 10	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	0 / 4	0 / 10	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	16.7	1 / 4	3 / 10	0 / 2	0 / 2
Number of Egg or Embryo Banking Cycles	22	15	17	0	13
Number of fertility preservation cycles	1	1	1	0	1

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	0	7	0
Number of transfers	0	0	5	0
Average number of embryos transferred			1.2	
Percentage of embryos transferred resulting in implantation (%)			3 / 5	
Percentage of transfers resulting in pregnancies (%)			4 / 5	
Percentage of transfers resulting in live births (%)			2 / 5	
Percentage of transfers resulting in singleton live births (%)			2 / 5	
Percentage of transfers resulting in twin live births (%)			0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			2 / 5	

CURRENT SERVICES & PROFILE

Current Name: New York Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NEW YORK FERTILITY SERVICES, PC
NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Joel H. Batzofin, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	87%
Unstimulated	0%	PGD/PGS	14%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	8%	Uterine factor	13%	Multiple Factors:	
Ovulatory dysfunction	12%	Male factor	13%	Female factors only	10%
Diminished ovarian reserve	40%	Other factor	24%	Female & male factors	6%
Endometriosis	2%	Unknown factor	5%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 177
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	20	22	14	8	6
Percentage of cancellations before retrieval (%)	0.0	0.0	0 / 14	1 / 8	1 / 6
Number of transfers	17	15	9	3	4
Average number of embryos transferred	1.6	2.1	2.1	1.7	1.8
Percentage of elective single embryo transfers (eSET) (%)	5 / 15	1 / 14	1 / 8	0 / 2	0 / 2
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	20.0	9.1	2 / 14	1 / 8	0 / 6
Percentage of cycles resulting in live births (%)	15.0	4.5	1 / 14	0 / 8	0 / 6
Percentage of cycles resulting in singleton live births (%)	15.0	0.0	1 / 14	0 / 8	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0 / 14	0 / 8	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	5.0	0.0	0 / 14	0 / 8	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	11.5	12.9	1 / 18	0 / 3	0 / 7
Percentage of transfers resulting in pregnancies (%)	4 / 17	2 / 15	2 / 9	1 / 3	0 / 4
Percentage of transfers resulting in live births (%)	3 / 17	1 / 15	1 / 9	0 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)	3 / 17	0 / 15	1 / 9	0 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)	0 / 17	0 / 15	0 / 9	0 / 3	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 17	0 / 15	0 / 9	0 / 3	0 / 4
Frozen Embryos from Nondonor Eggs					
Number of cycles	9	12	8	2	0
Number of transfers	9	12	8	1	0
Estimated average number of transfers per retrieval	0.8	0.8	0.3	0.3	0.0
Average number of embryos transferred	1.7	1.9	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 12	1 / 18	1 / 12	0 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 9	3 / 12	3 / 8	0 / 1	
Percentage of transfers resulting in live births (%)	0 / 9	1 / 12	1 / 8	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 9	1 / 12	1 / 8	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 12	0 / 8	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 9	1 / 12	0 / 8	0 / 1	
Number of Egg or Embryo Banking Cycles	9	7	20	3	2
Number of fertility preservation cycles	5	3	11	1	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	6	16	12	1
Number of transfers	4	13	12	1
Average number of embryos transferred	1.8	1.5	1.8	1.0
Percentage of embryos transferred resulting in implantation (%)	1 / 7	3 / 18	4.5	0 / 1
Percentage of transfers resulting in pregnancies (%)	1 / 4	3 / 13	1 / 12	0 / 1
Percentage of transfers resulting in live births (%)	1 / 4	2 / 13	1 / 12	0 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 4	1 / 13	1 / 12	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 4	1 / 13	0 / 12	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 4	1 / 13	0 / 12	0 / 1

CURRENT SERVICES & PROFILE

Current Name: New York Fertility Services, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

NEWAY MEDICAL
NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Ralf Zimmermann, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	82%
Unstimulated	17%	PGD/PGS	7%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	2%	Uterine factor	1%	Multiple Factors:	
Ovulatory dysfunction	10%	Male factor	19%	Female factors only	6%
Diminished ovarian reserve	50%	Other factor	15%	Female & male factors	7%
Endometriosis	2%	Unknown factor	15%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 887
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	106	71	51	59	118
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	1.7	0.8
Number of transfers	76	40	29	27	33
Average number of embryos transferred	1.4	1.5	1.6	1.6	1.9
Percentage of elective single embryo transfers (eSET) (%)	52.4	31.0	3 / 18	0 / 15	0 / 16
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	32.1	25.4	27.5	6.8	3.4
Percentage of cycles resulting in live births (%)	26.4	21.1	19.6	3.4	0.0
Percentage of cycles resulting in singleton live births (%)	23.6	15.5	15.7	3.4	0.0
Percentage of cycles resulting in twin live births (%)	2.8	5.6	3.9	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	21.7	15.5	11.8	3.4	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.7	36.1	39.1	9.1	4.9
Percentage of transfers resulting in pregnancies (%)	44.7	45.0	48.3	14.8	12.1
Percentage of transfers resulting in live births (%)	36.8	37.5	34.5	7.4	0.0
Percentage of transfers resulting in singleton live births (%)	32.9	27.5	27.6	7.4	0.0
Percentage of transfers resulting in twin live births (%)	3.9	10.0	6.9	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	30.3	27.5	20.7	7.4	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	66	42	34	23	30
Number of transfers	66	42	34	23	30
Estimated average number of transfers per retrieval	0.9	0.8	0.5	0.5	0.3
Average number of embryos transferred	1.5	1.5	1.5	1.7	2.2
Percentage of embryos transferred resulting in implantation (%)	42.6	33.3	33.3	21.1	9.1
Percentage of transfers resulting in pregnancies (%)	53.0	52.4	44.1	34.8	16.7
Percentage of transfers resulting in live births (%)	45.5	38.1	38.2	4.3	6.7
Percentage of transfers resulting in singleton live births (%)	39.4	38.1	32.4	4.3	6.7
Percentage of transfers resulting in twin live births (%)	6.1	0.0	5.9	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.8	33.3	32.4	4.3	3.3
Number of Egg or Embryo Banking Cycles	44	41	57	39	87
Number of fertility preservation cycles	10	12	9	4	17

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	5	6	6	0
Number of transfers	5	6	6	0
Average number of embryos transferred	1.2	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 6	6 / 8	2 / 6	
Percentage of transfers resulting in pregnancies (%)	4 / 5	5 / 6	2 / 6	
Percentage of transfers resulting in live births (%)	3 / 5	5 / 6	2 / 6	
Percentage of transfers resulting in singleton live births (%)	3 / 5	4 / 6	2 / 6	
Percentage of transfers resulting in twin live births (%)	0 / 5	1 / 6	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 5	3 / 6	2 / 6	

CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.
Current Name: Neway Medical

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NOBLE FERTILITY CENTER
NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Peter L. Chang, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	53%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	22%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	4%	Male factor	24%	Female factors only	7%
Diminished ovarian reserve	30%	Other factor	<1%	Female & male factors	8%
Endometriosis	3%	Unknown factor	25%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 240
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	57	22	26	13	7
Percentage of cancellations before retrieval (%)	17.5	4.5	11.5	2 / 13	2 / 7
Number of transfers	22	16	13	5	3
Average number of embryos transferred	1.9	2.1	2.5	4.8	4.7
Percentage of elective single embryo transfers (eSET) (%)	5.0	2 / 16	1 / 12	0 / 5	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	15.8	4.5	7.7	0 / 13	1 / 7
Percentage of cycles resulting in live births (%)	15.8	4.5	3.8	0 / 13	1 / 7
Percentage of cycles resulting in singleton live births (%)	12.3	4.5	3.8	0 / 13	1 / 7
Percentage of cycles resulting in twin live births (%)	3.5	0.0	0.0	0 / 13	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	10.5	4.5	3.8	0 / 13	1 / 7
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	26.8	3.0	6.3	0.0	1 / 14
Percentage of transfers resulting in pregnancies (%)	40.9	1 / 16	2 / 13	0 / 5	1 / 3
Percentage of transfers resulting in live births (%)	40.9	1 / 16	1 / 13	0 / 5	1 / 3
Percentage of transfers resulting in singleton live births (%)	31.8	1 / 16	1 / 13	0 / 5	1 / 3
Percentage of transfers resulting in twin live births (%)	9.1	0 / 16	0 / 13	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	27.3	1 / 16	1 / 13	0 / 5	1 / 3
Frozen Embryos from Nondonor Eggs					
Number of cycles	45	12	16	7	6
Number of transfers	45	12	16	7	6
Estimated average number of transfers per retrieval	1.6	0.9	1.2	1.0	
Average number of embryos transferred	1.9	2.5	2.8	4.0	3.0
Percentage of embryos transferred resulting in implantation (%)	34.1	26.7	22.2	14.3	2 / 18
Percentage of transfers resulting in pregnancies (%)	51.1	8 / 12	8 / 16	4 / 7	1 / 6
Percentage of transfers resulting in live births (%)	44.4	6 / 12	8 / 16	3 / 7	1 / 6
Percentage of transfers resulting in singleton live births (%)	33.3	6 / 12	6 / 16	3 / 7	0 / 6
Percentage of transfers resulting in twin live births (%)	11.1	0 / 12	2 / 16	0 / 7	1 / 6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.1	6 / 12	5 / 16	2 / 7	0 / 6
Number of Egg or Embryo Banking Cycles	0	3	3	4	0
Number of fertility preservation cycles	0	3	3	4	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	9	0	8	0
Number of transfers	8	0	8	0
Average number of embryos transferred	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	9 / 16		9 / 16	
Percentage of transfers resulting in pregnancies (%)	6 / 8		7 / 8	
Percentage of transfers resulting in live births (%)	4 / 8		6 / 8	
Percentage of transfers resulting in singleton live births (%)	1 / 8		5 / 8	
Percentage of transfers resulting in twin live births (%)	3 / 8		1 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	1 / 8		4 / 8	

CURRENT SERVICES & PROFILE

Current Name: Noble Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

NYU LANGONE FERTILITY CENTER
NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by James A. Grifo, MD, PhD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	27%
Unstimulated	<1%	PGD/PGS	45%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	6%	Uterine factor	4%	Multiple Factors:	
Ovulatory dysfunction	10%	Male factor	12%	Female factors only	11%
Diminished ovarian reserve	35%	Other factor	16%	Female & male factors	5%
Endometriosis	4%	Unknown factor	31%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 2,944
(includes 22 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	92	70	120	83	69
Percentage of cancellations before retrieval (%)	14.1	22.9	35.8	53.0	31.9
Number of transfers	56	31	53	18	19
Average number of embryos transferred	1.3	1.4	1.7	1.8	2.5
Percentage of elective single embryo transfers (eSET) (%)	63.3	50.0	28.3	0 / 12	0 / 16
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.9	24.3	12.5	6.0	5.8
Percentage of cycles resulting in live births (%)	28.3	18.6	5.8	3.6	5.8
Percentage of cycles resulting in singleton live births (%)	26.1	17.1	5.8	3.6	5.8
Percentage of cycles resulting in twin live births (%)	2.2	1.4	0.0	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	22.8	11.4	3.3	3.6	4.3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.6	39.5	13.3	12.9	8.5
Percentage of transfers resulting in pregnancies (%)	58.9	54.8	28.3	5 / 18	4 / 19
Percentage of transfers resulting in live births (%)	46.4	41.9	13.2	3 / 18	4 / 19
Percentage of transfers resulting in singleton live births (%)	42.9	38.7	13.2	3 / 18	4 / 19
Percentage of transfers resulting in twin live births (%)	3.6	3.2	0.0	0 / 18	0 / 19
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	37.5	25.8	7.5	3 / 18	3 / 19
Frozen Embryos from Nondonor Eggs					
Number of cycles	238	178	249	86	67
Number of transfers	220	166	224	77	60
Estimated average number of transfers per retrieval	0.6	0.4	0.5	0.4	0.5
Average number of embryos transferred	1.1	1.1	1.1	1.1	1.2
Percentage of embryos transferred resulting in implantation (%)	61.3	62.5	62.2	67.5	39.1
Percentage of transfers resulting in pregnancies (%)	66.4	66.9	68.3	70.1	48.3
Percentage of transfers resulting in live births (%)	55.0	56.0	58.9	58.4	40.0
Percentage of transfers resulting in singleton live births (%)	54.5	55.4	58.5	55.8	40.0
Percentage of transfers resulting in twin live births (%)	0.5	0.6	0.4	1.3	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	49.1	47.6	52.2	45.5	28.3
Number of Egg or Embryo Banking Cycles	341	419	418	195	115
Number of fertility preservation cycles	180	269	190	64	23

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	14	38	130	0
Number of transfers	8	34	119	0
Average number of embryos transferred	1.0	1.1	1.1	
Percentage of embryos transferred resulting in implantation (%)	5 / 7	52.6	52.8	
Percentage of transfers resulting in pregnancies (%)	6 / 8	55.9	55.5	
Percentage of transfers resulting in live births (%)	5 / 8	47.1	49.6	
Percentage of transfers resulting in singleton live births (%)	5 / 8	44.1	47.9	
Percentage of transfers resulting in twin live births (%)	0 / 8	2.9	1.7	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	5 / 8	32.4	31.1	

CURRENT SERVICES & PROFILE

Current Name: NYU Langone Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

OFFICES FOR FERTILITY AND REPRODUCTIVE MEDICINE, PC
NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Cecilia Schmidt-Sarosi, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	26%
Unstimulated	5%	PGD/PGS	49%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	9%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	49%	Male factor	69%	Female factors only	15%
Diminished ovarian reserve	43%	Other factor	40%	Female & male factors	68%
Endometriosis	3%	Unknown factor	0%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 121
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	3	8	5	1	3
Percentage of cancellations before retrieval (%)	0 / 3	0 / 8	0 / 5	0 / 1	1 / 3
Number of transfers	0	2	1	1	0
Average number of embryos transferred		1.5	2.0	2.0	
Percentage of elective single embryo transfers (eSET) (%)		0 / 1	0 / 1	0 / 1	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	0 / 3	2 / 8	0 / 5	1 / 1	0 / 3
Percentage of cycles resulting in live births (%)	0 / 3	1 / 8	0 / 5	1 / 1	0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 3	1 / 8	0 / 5	1 / 1	0 / 3
Percentage of cycles resulting in twin live births (%)	0 / 3	0 / 8	0 / 5	0 / 1	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	0 / 3	1 / 8	0 / 5	1 / 1	0 / 3
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)		3 / 3	0 / 2	2 / 2	
Percentage of transfers resulting in pregnancies (%)		2 / 2	0 / 1	1 / 1	
Percentage of transfers resulting in live births (%)		1 / 2	0 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)		1 / 2	0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 2	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		1 / 2	0 / 1	1 / 1	
Frozen Embryos from Nondonor Eggs					
Number of cycles	13	16	2	4	2
Number of transfers	13	16	2	4	2
Estimated average number of transfers per retrieval	0.8	0.7	0.2	0.5	0.3
Average number of embryos transferred	1.1	1.1	1.5	1.0	2.5
Percentage of embryos transferred resulting in implantation (%)	6 / 14	2 / 16	0 / 3	0 / 4	0 / 5
Percentage of transfers resulting in pregnancies (%)	5 / 13	3 / 16	0 / 2	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	4 / 13	2 / 16	0 / 2	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	3 / 13	2 / 16	0 / 2	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 13	0 / 16	0 / 2	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 13	1 / 16	0 / 2	0 / 4	0 / 2
Number of Egg or Embryo Banking Cycles	15	18	9	8	6
Number of fertility preservation cycles	15	16	7	8	6

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	1	3	4	0
Number of transfers	0	3	4	0
Average number of embryos transferred		1.0	1.5	
Percentage of embryos transferred resulting in implantation (%)		1 / 3	3 / 6	
Percentage of transfers resulting in pregnancies (%)		1 / 3	2 / 4	
Percentage of transfers resulting in live births (%)		1 / 3	2 / 4	
Percentage of transfers resulting in singleton live births (%)		1 / 3	2 / 4	
Percentage of transfers resulting in twin live births (%)		0 / 3	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		0 / 3	1 / 4	

CURRENT SERVICES & PROFILE

Current Name: Offices for Fertility and Reproductive Medicine, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW YORK, LLP
NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Lawrence Grunfeld, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	67%
Unstimulated	0%	PGD/PGS	43%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	9%	Uterine factor	1%	Multiple Factors:	
Ovulatory dysfunction	9%	Male factor	22%	Female factors only	7%
Diminished ovarian reserve	27%	Other factor	23%	Female & male factors	8%
Endometriosis	4%	Unknown factor	19%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 4,862
(includes 27 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	322	188	234	173	181
Percentage of cancellations before retrieval (%)	11.2	12.2	20.1	24.3	30.9
Number of transfers	229	105	104	57	43
Average number of embryos transferred	1.3	1.6	1.7	2.1	1.9
Percentage of elective single embryo transfers (eSET) (%)	61.8	26.7	8.9	0.0	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	42.9	31.4	19.2	8.1	2.8
Percentage of cycles resulting in live births (%)	37.3	28.2	12.4	5.2	0.0
Percentage of cycles resulting in singleton live births (%)	34.2	22.9	11.1	4.0	0.0
Percentage of cycles resulting in twin live births (%)	3.1	5.3	1.3	1.2	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	25.5	17.0	9.0	3.5	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	46.9	39.9	22.1	11.7	0.0
Percentage of transfers resulting in pregnancies (%)	60.3	56.2	43.3	24.6	11.6
Percentage of transfers resulting in live births (%)	52.4	50.5	27.9	15.8	0.0
Percentage of transfers resulting in singleton live births (%)	48.0	41.0	25.0	12.3	0.0
Percentage of transfers resulting in twin live births (%)	4.4	9.5	2.9	3.5	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	35.8	30.5	20.2	10.5	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	624	452	417	161	52
Number of transfers	588	429	388	134	41
Estimated average number of transfers per retrieval	1.1	0.8	0.8	0.5	0.4
Average number of embryos transferred	1.1	1.1	1.1	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	55.2	50.6	44.2	43.2	37.2
Percentage of transfers resulting in pregnancies (%)	62.1	58.3	52.3	50.7	51.2
Percentage of transfers resulting in live births (%)	52.0	45.9	39.9	39.6	34.1
Percentage of transfers resulting in singleton live births (%)	49.1	43.6	37.9	35.8	31.7
Percentage of transfers resulting in twin live births (%)	2.9	2.1	2.1	3.0	2.4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	37.2	34.0	29.1	29.1	24.4
Number of Egg or Embryo Banking Cycles	442	487	459	216	105
Number of fertility preservation cycles	74	159	101	32	14

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	84	25	212	1
Number of transfers	75	22	190	1
Average number of embryos transferred	1.2	1.3	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)	62.5	60.0	43.9	0 / 1
Percentage of transfers resulting in pregnancies (%)	69.3	63.6	50.5	0 / 1
Percentage of transfers resulting in live births (%)	58.7	45.5	40.5	0 / 1
Percentage of transfers resulting in singleton live births (%)	53.3	27.3	37.9	0 / 1
Percentage of transfers resulting in twin live births (%)	5.3	18.2	2.6	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	38.7	18.2	27.9	0 / 1

CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of New York, LLP

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WEILL CORNELL MEDICINE
CENTER FOR REPRODUCTIVE MEDICINE
NEW YORK, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Zev Rosenwaks, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	70%
Unstimulated	1%	PGD/PGS	11%
Used gestational carrier	<1%		

Patient Diagnosis[a,b]

Tubal factor	14%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	7%	Male factor	30%	Female factors only	17%
Diminished ovarian reserve	62%	Other factor	9%	Female & male factors	18%
Endometriosis	7%	Unknown factor	8%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 5,289
(includes 40 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	670	469	564	408	420
Percentage of cancellations before retrieval (%)	8.7	15.4	17.0	19.9	25.2
Number of transfers	539	369	418	295	274
Average number of embryos transferred	1.6	1.9	2.3	2.8	3.1
Percentage of elective single embryo transfers (eSET) (%)	41.7	21.0	7.2	3.6	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	40.7	35.8	28.0	20.6	10.2
Percentage of cycles resulting in live births (%)	35.7	30.5	21.5	13.5	3.1
Percentage of cycles resulting in singleton live births (%)	30.4	24.1	17.2	11.3	3.1
Percentage of cycles resulting in twin live births (%)	5.1	6.4	3.9	2.2	0.0
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	25.8	19.4	13.8	9.3	2.9
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	37.4	30.2	19.9	11.6	3.3
Percentage of transfers resulting in pregnancies (%)	50.6	45.5	37.8	28.5	15.7
Percentage of transfers resulting in live births (%)	44.3	38.8	28.9	18.6	4.7
Percentage of transfers resulting in singleton live births (%)	37.8	30.6	23.2	15.6	4.7
Percentage of transfers resulting in twin live births (%)	6.3	8.1	5.3	3.1	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	32.1	24.7	18.7	12.9	4.4
Frozen Embryos from Nondonor Eggs					
Number of cycles	402	344	323	119	93
Number of transfers	363	313	275	108	79
Estimated average number of transfers per retrieval	0.9	0.8	0.6	0.6	0.6
Average number of embryos transferred	1.3	1.4	1.4	1.5	2.4
Percentage of embryos transferred resulting in implantation (%)	48.3	37.6	42.4	39.6	11.1
Percentage of transfers resulting in pregnancies (%)	57.6	47.6	50.5	53.7	29.1
Percentage of transfers resulting in live births (%)	46.6	39.9	37.8	42.6	19.0
Percentage of transfers resulting in singleton live births (%)	40.2	37.4	32.4	40.7	19.0
Percentage of transfers resulting in twin live births (%)	6.3	2.6	4.7	1.9	0.0
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	33.3	31.0	26.9	31.5	16.5
Number of Egg or Embryo Banking Cycles	295	283	340	152	117
Number of fertility preservation cycles	149	155	133	40	12

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	84	50	116	0
Number of transfers	84	38	98	0
Average number of embryos transferred	1.5	1.8	1.3	
Percentage of embryos transferred resulting in implantation (%)	47.6	37.9	45.5	
Percentage of transfers resulting in pregnancies (%)	61.9	55.3	51.0	
Percentage of transfers resulting in live births (%)	50.0	42.1	37.8	
Percentage of transfers resulting in singleton live births (%)	40.5	31.6	29.6	
Percentage of transfers resulting in twin live births (%)	9.5	10.5	8.2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	29.8	13.2	19.4	

CURRENT SERVICES & PROFILE

Current Name: Weill Cornell Medicine, Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

WESTMED REPRODUCTIVE SERVICES
PURCHASE, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Martin D. Keltz, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	51%
Unstimulated	0%	PGD/PGS	24%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	26%	Uterine factor	10%	Multiple Factors:	
Ovulatory dysfunction	21%	Male factor	41%	Female factors only	23%
Diminished ovarian reserve	26%	Other factor	10%	Female & male factors	27%
Endometriosis	16%	Unknown factor	5%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 166
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	29	19	18	10	15
Percentage of cancellations before retrieval (%)	0.0	0 / 19	0 / 18	0 / 10	0 / 15
Number of transfers	26	15	17	8	12
Average number of embryos transferred	1.2	1.5	1.9	2.1	2.3
Percentage of elective single embryo transfers (eSET) (%)	75.0	4 / 11	0 / 16	0 / 6	0 / 8
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	65.5	10 / 19	11 / 18	2 / 10	3 / 15
Percentage of cycles resulting in live births (%)	48.3	9 / 19	9 / 18	1 / 10	1 / 15
Percentage of cycles resulting in singleton live births (%)	37.9	7 / 19	7 / 18	1 / 10	1 / 15
Percentage of cycles resulting in twin live births (%)	10.3	2 / 19	2 / 18	0 / 10	0 / 15
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	34.5	6 / 19	7 / 18	0 / 10	1 / 15
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	70.0	54.5	38.7	2 / 17	11.1
Percentage of transfers resulting in pregnancies (%)	73.1	10 / 15	11 / 17	2 / 8	3 / 12
Percentage of transfers resulting in live births (%)	53.8	9 / 15	9 / 17	1 / 8	1 / 12
Percentage of transfers resulting in singleton live births (%)	42.3	7 / 15	7 / 17	1 / 8	1 / 12
Percentage of transfers resulting in twin live births (%)	11.5	2 / 15	2 / 17	0 / 8	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	38.5	6 / 15	7 / 17	0 / 8	1 / 12
Frozen Embryos from Nondonor Eggs					
Number of cycles	18	13	4	2	0
Number of transfers	18	13	4	2	0
Estimated average number of transfers per retrieval	0.9	0.7	0.5	0.4	0.0
Average number of embryos transferred	1.2	1.2	1.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	71.4	9 / 15	4 / 4	1 / 3	
Percentage of transfers resulting in pregnancies (%)	15 / 18	9 / 13	3 / 4	1 / 2	
Percentage of transfers resulting in live births (%)	14 / 18	7 / 13	3 / 4	1 / 2	
Percentage of transfers resulting in singleton live births (%)	13 / 18	7 / 13	2 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 18	0 / 13	1 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	11 / 18	5 / 13	2 / 4	1 / 2	
Number of Egg or Embryo Banking Cycles	10	14	7	4	2
Number of fertility preservation cycles	2	2	4	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	0	1	0
Number of transfers	0	0	1	0
Average number of embryos transferred			1.0	
Percentage of embryos transferred resulting in implantation (%)			1 / 1	
Percentage of transfers resulting in pregnancies (%)			1 / 1	
Percentage of transfers resulting in live births (%)			1 / 1	
Percentage of transfers resulting in singleton live births (%)			1 / 1	
Percentage of transfers resulting in twin live births (%)			0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)			0 / 1	

CURRENT SERVICES & PROFILE

Current Name: Westmed Reproductive Services

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

ROCHESTER FERTILITY CARE, PC
ROCHESTER, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Rosalind A. Hayes, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	77%
Unstimulated	0%	PGD/PGS	3%
Used gestational carrier	4%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	28%	Male factor	41%	Female factors only	27%
Diminished ovarian reserve	19%	Other factor	31%	Female & male factors	31%
Endometriosis	23%	Unknown factor	9%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 124
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	35	13	11	1	0
Percentage of cancellations before retrieval (%)	20.0	3 / 13	4 / 11	1 / 1	
Number of transfers	5	0	2	0	0
Average number of embryos transferred	1.8		2.0		
Percentage of elective single embryo transfers (eSET) (%)	1 / 5		0 / 1		
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	11.4	0 / 13	1 / 11	0 / 1	
Percentage of cycles resulting in live births (%)	11.4	0 / 13	1 / 11	0 / 1	
Percentage of cycles resulting in singleton live births (%)	8.6	0 / 13	1 / 11	0 / 1	
Percentage of cycles resulting in twin live births (%)	2.9	0 / 13	0 / 11	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	8.6	0 / 13	1 / 11	0 / 1	
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	5 / 9		2 / 4		
Percentage of transfers resulting in pregnancies (%)	4 / 5		1 / 2		
Percentage of transfers resulting in live births (%)	4 / 5		1 / 2		
Percentage of transfers resulting in singleton live births (%)	3 / 5		1 / 2		
Percentage of transfers resulting in twin live births (%)	1 / 5		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 5		1 / 2		
Frozen Embryos from Nondonor Eggs					
Number of cycles	23	8	9	0	0
Number of transfers	22	7	7	0	0
Estimated average number of transfers per retrieval	1.2	1.2	0.9		
Average number of embryos transferred	1.6	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)	46.9	6 / 11	5 / 14		
Percentage of transfers resulting in pregnancies (%)	63.6	6 / 7	4 / 7		
Percentage of transfers resulting in live births (%)	45.5	5 / 7	3 / 7		
Percentage of transfers resulting in singleton live births (%)	31.8	5 / 7	2 / 7		
Percentage of transfers resulting in twin live births (%)	13.6	0 / 7	1 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	31.8	5 / 7	2 / 7		
Number of Egg or Embryo Banking Cycles	4	1	3	0	0
Number of fertility preservation cycles	1	0	2	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	8	8	0
Number of transfers	0	4	6	0
Average number of embryos transferred		1.8	1.5	
Percentage of embryos transferred resulting in implantation (%)		1 / 7	1 / 9	
Percentage of transfers resulting in pregnancies (%)		1 / 4	1 / 6	
Percentage of transfers resulting in live births (%)		0 / 4	1 / 6	
Percentage of transfers resulting in singleton live births (%)		0 / 4	1 / 6	
Percentage of transfers resulting in twin live births (%)		0 / 4	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		0 / 4	1 / 6	

CURRENT SERVICES & PROFILE

Current Name: Rochester Fertility Care, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

STRONG FERTILITY CENTER
ROCHESTER, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by John T. Queenan, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	73%
Unstimulated	0%	PGD/PGS	11%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	9%	Uterine factor	3%	Multiple Factors:	
Ovulatory dysfunction	17%	Male factor	39%	Female factors only	5%
Diminished ovarian reserve	27%	Other factor	6%	Female & male factors	11%
Endometriosis	5%	Unknown factor	12%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 383
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	115	39	54	15	15
Percentage of cancellations before retrieval (%)	3.5	15.4	0.0	1 / 15	0 / 15
Number of transfers	98	30	50	14	15
Average number of embryos transferred	1.5	1.7	2.1	3.0	1.9
Percentage of elective single embryo transfers (eSET) (%)	26.5	13.6	5.0	0 / 11	2 / 10
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	30.4	33.3	25.9	4 / 15	5 / 15
Percentage of cycles resulting in live births (%)	25.2	30.8	20.4	3 / 15	4 / 15
Percentage of cycles resulting in singleton live births (%)	19.1	28.2	14.8	3 / 15	3 / 15
Percentage of cycles resulting in twin live births (%)	6.1	2.6	5.6	0 / 15	1 / 15
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	18.3	28.2	13.0	2 / 15	1 / 15
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	29.1	26.5	17.5	9.5	21.4
Percentage of transfers resulting in pregnancies (%)	35.7	43.3	28.0	4 / 14	5 / 15
Percentage of transfers resulting in live births (%)	29.6	40.0	22.0	3 / 14	4 / 15
Percentage of transfers resulting in singleton live births (%)	22.4	36.7	16.0	3 / 14	3 / 15
Percentage of transfers resulting in twin live births (%)	7.1	3.3	6.0	0 / 14	1 / 15
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	21.4	36.7	14.0	2 / 14	1 / 15
Frozen Embryos from Nondonor Eggs					
Number of cycles	46	16	14	1	1
Number of transfers	44	16	13	1	1
Estimated average number of transfers per retrieval	1.1	1.5	0.6	0.3	0.3
Average number of embryos transferred	1.6	1.1	1.8	3.0	1.0
Percentage of embryos transferred resulting in implantation (%)	33.8	7 / 18	30.4	1 / 3	1 / 1
Percentage of transfers resulting in pregnancies (%)	45.5	6 / 16	5 / 13	1 / 1	1 / 1
Percentage of transfers resulting in live births (%)	40.9	5 / 16	2 / 13	1 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	38.6	5 / 16	1 / 13	1 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	2.3	0 / 16	1 / 13	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	36.4	4 / 16	1 / 13	1 / 1	1 / 1
Number of Egg or Embryo Banking Cycles	22	9	18	3	4
Number of fertility preservation cycles	4	0	0	2	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	3	2	5	0
Number of transfers	3	2	5	0
Average number of embryos transferred	1.7	1.5	1.4	
Percentage of embryos transferred resulting in implantation (%)	2 / 5	1 / 3	3 / 7	
Percentage of transfers resulting in pregnancies (%)	2 / 3	1 / 2	2 / 5	
Percentage of transfers resulting in live births (%)	2 / 3	1 / 2	2 / 5	
Percentage of transfers resulting in singleton live births (%)	2 / 3	1 / 2	1 / 5	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 2	1 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	2 / 3	1 / 2	0 / 5	

CURRENT SERVICES & PROFILE

Current Name: Strong Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

ISLAND REPRODUCTIVE SERVICES, PC
STATEN ISLAND, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Eric S. Knochenhauer, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	81%
Unstimulated	0%	PGD/PGS	60%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	17%	Uterine factor	7%	Multiple Factors:	
Ovulatory dysfunction	11%	Male factor	33%	Female factors only	18%
Diminished ovarian reserve	39%	Other factor	12%	Female & male factors	14%
Endometriosis	10%	Unknown factor	11%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 480
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	60	16	18	17	6
Percentage of cancellations before retrieval (%)	5.0	1 / 16	2 / 18	3 / 17	2 / 6
Number of transfers	39	14	12	10	1
Average number of embryos transferred	1.7	1.9	2.1	1.7	1.0
Percentage of elective single embryo transfers (eSET) (%)	28.6	2 / 13	1 / 12	1 / 7	
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	35.0	7 / 16	7 / 18	0 / 17	0 / 6
Percentage of cycles resulting in live births (%)	31.7	6 / 16	5 / 18	0 / 17	0 / 6
Percentage of cycles resulting in singleton live births (%)	20.0	5 / 16	4 / 18	0 / 17	0 / 6
Percentage of cycles resulting in twin live births (%)	10.0	1 / 16	1 / 18	0 / 17	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	18.3	5 / 16	3 / 18	0 / 17	0 / 6
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	47.0	30.8	32.0	0 / 17	0 / 1
Percentage of transfers resulting in pregnancies (%)	53.8	7 / 14	7 / 12	0 / 10	0 / 1
Percentage of transfers resulting in live births (%)	48.7	6 / 14	5 / 12	0 / 10	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.8	5 / 14	4 / 12	0 / 10	0 / 1
Percentage of transfers resulting in twin live births (%)	15.4	1 / 14	1 / 12	0 / 10	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	28.2	5 / 14	3 / 12	0 / 10	0 / 1
Frozen Embryos from Nondonor Eggs					
Number of cycles	104	43	28	12	2
Number of transfers	103	37	28	11	2
Estimated average number of transfers per retrieval	1.2	0.9	1.4	0.6	0.4
Average number of embryos transferred	1.3	1.2	1.3	1.2	1.0
Percentage of embryos transferred resulting in implantation (%)	50.0	35.6	37.1	5 / 13	0 / 2
Percentage of transfers resulting in pregnancies (%)	56.3	40.5	46.4	5 / 11	0 / 2
Percentage of transfers resulting in live births (%)	53.4	37.8	35.7	5 / 11	0 / 2
Percentage of transfers resulting in singleton live births (%)	47.6	35.1	35.7	5 / 11	0 / 2
Percentage of transfers resulting in twin live births (%)	5.8	2.7	0.0	0 / 11	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	34.0	35.1	32.1	4 / 11	0 / 2
Number of Egg or Embryo Banking Cycles	70	35	17	12	5
Number of fertility preservation cycles	17	7	6	3	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	14	2	10	9
Number of transfers	14	2	10	7
Average number of embryos transferred	1.5	1.5	1.1	1.9
Percentage of embryos transferred resulting in implantation (%)	61.9	2 / 3	6 / 11	3 / 13
Percentage of transfers resulting in pregnancies (%)	10 / 14	2 / 2	6 / 10	3 / 7
Percentage of transfers resulting in live births (%)	9 / 14	1 / 2	5 / 10	1 / 7
Percentage of transfers resulting in singleton live births (%)	7 / 14	1 / 2	5 / 10	1 / 7
Percentage of transfers resulting in twin live births (%)	2 / 14	0 / 2	0 / 10	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	7 / 14	0 / 2	5 / 10	1 / 7

CURRENT SERVICES & PROFILE

Current Name: Island Reproductive Services, PC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

CNY FERTILITY CENTER
SYRACUSE, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Robert J. Kiltz, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	85%
Unstimulated	1%	PGD/PGS	5%
Used gestational carrier	2%		

Patient Diagnosis[a,b]

Tubal factor	14%	Uterine factor	6%	Multiple Factors:	
Ovulatory dysfunction	17%	Male factor	23%	Female factors only	14%
Diminished ovarian reserve	20%	Other factor	22%	Female & male factors	11%
Endometriosis	10%	Unknown factor	19%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 3,910
(includes 17 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	827	358	296	137	156
Percentage of cancellations before retrieval (%)	4.2	7.3	7.1	9.5	14.1
Number of transfers	512	192	146	61	70
Average number of embryos transferred	1.7	1.9	2.0	2.0	2.2
Percentage of elective single embryo transfers (eSET) (%)	25.8	14.2	7.6	2.3	0.0
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	28.4	23.2	14.5	5.8	5.1
Percentage of cycles resulting in live births (%)	23.5	19.3	8.1	4.4	1.9
Percentage of cycles resulting in singleton live births (%)	16.7	15.1	6.4	3.6	1.3
Percentage of cycles resulting in twin live births (%)	6.4	4.2	1.4	0.7	0.6
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	12.5	10.6	5.1	3.6	0.0
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	34.8	28.0	15.6	6.6	4.2
Percentage of transfers resulting in pregnancies (%)	45.9	43.2	29.5	13.1	11.4
Percentage of transfers resulting in live births (%)	37.9	35.9	16.4	9.8	4.3
Percentage of transfers resulting in singleton live births (%)	27.0	28.1	13.0	8.2	2.9
Percentage of transfers resulting in twin live births (%)	10.4	7.8	2.7	1.6	1.4
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	20.1	19.8	10.3	8.2	0.0
Frozen Embryos from Nondonor Eggs					
Number of cycles	671	284	213	88	66
Number of transfers	646	276	205	80	61
Estimated average number of transfers per retrieval	1.1	1.3	1.1	0.9	1.0
Average number of embryos transferred	1.6	1.6	1.8	1.8	1.8
Percentage of embryos transferred resulting in implantation (%)	40.6	35.5	22.2	11.5	13.9
Percentage of transfers resulting in pregnancies (%)	56.3	49.3	35.1	20.0	23.0
Percentage of transfers resulting in live births (%)	43.0	37.3	26.3	15.0	19.7
Percentage of transfers resulting in singleton live births (%)	33.9	29.3	21.5	15.0	18.0
Percentage of transfers resulting in twin live births (%)	8.8	7.6	4.4	0.0	1.6
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	25.4	23.2	14.6	6.3	16.4
Number of Egg or Embryo Banking Cycles	196	64	55	45	27
Number of fertility preservation cycles	19	19	6	6	8

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	112	165	123	10
Number of transfers	83	139	112	10
Average number of embryos transferred	1.9	1.9	1.7	1.9
Percentage of embryos transferred resulting in implantation (%)	40.3	22.3	22.1	5 / 19
Percentage of transfers resulting in pregnancies (%)	57.8	38.1	31.3	4 / 10
Percentage of transfers resulting in live births (%)	45.8	26.6	25.0	3 / 10
Percentage of transfers resulting in singleton live births (%)	30.1	22.3	22.3	2 / 10
Percentage of transfers resulting in twin live births (%)	15.7	4.3	2.7	1 / 10
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	19.3	15.1	15.2	1 / 10

CURRENT SERVICES & PROFILE

Current Name: CNY Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

WESTCHESTER FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY
WHITE PLAINS, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Michael B. Blotner, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	72%
Unstimulated	0%	PGD/PGS	21%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	53%	Uterine factor	21%	Multiple Factors:	
Ovulatory dysfunction	16%	Male factor	23%	Female factors only	32%
Diminished ovarian reserve	21%	Other factor	8%	Female & male factors	8%
Endometriosis	<1%	Unknown factor	4%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 199
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	15	4	12	6	11
Percentage of cancellations before retrieval (%)	1 / 15	0 / 4	3 / 12	1 / 6	4 / 11
Number of transfers	10	3	3	4	5
Average number of embryos transferred	1.4	1.3	2.0	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	4 / 8	2 / 3	0 / 2	0 / 2	0 / 3
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	6 / 15	2 / 4	0 / 12	0 / 6	0 / 11
Percentage of cycles resulting in live births (%)	4 / 15	2 / 4	0 / 12	0 / 6	0 / 11
Percentage of cycles resulting in singleton live births (%)	3 / 15	2 / 4	0 / 12	0 / 6	0 / 11
Percentage of cycles resulting in twin live births (%)	1 / 15	0 / 4	0 / 12	0 / 6	0 / 11
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	3 / 15	2 / 4	0 / 12	0 / 6	0 / 11
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	7 / 14	2 / 4	0 / 6	0 / 8	0 / 10
Percentage of transfers resulting in pregnancies (%)	6 / 10	2 / 3	0 / 3	0 / 4	0 / 5
Percentage of transfers resulting in live births (%)	4 / 10	2 / 3	0 / 3	0 / 4	0 / 5
Percentage of transfers resulting in singleton live births (%)	3 / 10	2 / 3	0 / 3	0 / 4	0 / 5
Percentage of transfers resulting in twin live births (%)	1 / 10	0 / 3	0 / 3	0 / 4	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	3 / 10	2 / 3	0 / 3	0 / 4	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	30	27	13	7	1
Number of transfers	27	25	10	7	1
Estimated average number of transfers per retrieval	1.9	0.9	0.8	1.0	0.2
Average number of embryos transferred	1.3	1.6	1.5	1.6	2.0
Percentage of embryos transferred resulting in implantation (%)	26.5	30.8	6 / 13	0 / 9	0 / 2
Percentage of transfers resulting in pregnancies (%)	33.3	44.0	7 / 10	1 / 7	0 / 1
Percentage of transfers resulting in live births (%)	22.2	28.0	5 / 10	0 / 7	0 / 1
Percentage of transfers resulting in singleton live births (%)	14.8	24.0	4 / 10	0 / 7	0 / 1
Percentage of transfers resulting in twin live births (%)	7.4	4.0	1 / 10	0 / 7	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	11.1	20.0	3 / 10	0 / 7	0 / 1
Number of Egg or Embryo Banking Cycles	11	22	9	7	5
Number of fertility preservation cycles	1	3	0	0	0

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	2	11	6	0
Number of transfers	1	10	4	0
Average number of embryos transferred	2.0	1.6	1.5	
Percentage of embryos transferred resulting in implantation (%)	0 / 2	2 / 14	2 / 6	
Percentage of transfers resulting in pregnancies (%)	0 / 1	3 / 10	1 / 4	
Percentage of transfers resulting in live births (%)	0 / 1	2 / 10	1 / 4	
Percentage of transfers resulting in singleton live births (%)	0 / 1	2 / 10	0 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 10	1 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	0 / 1	1 / 10	0 / 4	

CURRENT SERVICES & PROFILE

Current Name: Westchester Fertility and Reproductive Endocrinology

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

GOLD COAST IVF
REPRODUCTIVE MEDICINE AND SURGERY CENTER
WOODBURY, NEW YORK

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE

Data verified by Steven F. Palter, MD

Type of ART and Procedural Factors[a]

IVF	100%	With ICSI	88%
Unstimulated	0%	PGD/PGS	7%
Used gestational carrier	0%		

Patient Diagnosis[a,b]

Tubal factor	15%	Uterine factor	2%	Multiple Factors:	
Ovulatory dysfunction	11%	Male factor	30%	Female factors only	15%
Diminished ovarian reserve	46%	Other factor	15%	Female & male factors	19%
Endometriosis	10%	Unknown factor	11%		

2016 ART SUCCESS RATES[c,d]

Total number of cycles[d]: 319
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient <35	35–37	38–40	41–42	>42
Fresh Embryos from Fresh Nondonor Eggs					
Number of cycles	61	36	35	12	8
Percentage of cancellations before retrieval (%)	0.0	0.0	2.9	0 / 12	1 / 8
Number of transfers	47	25	28	10	5
Average number of embryos transferred	1.6	1.7	1.9	2.9	2.2
Percentage of elective single embryo transfers (eSET) (%)	30.2	1 / 19	8.7	0 / 9	0 / 4
Outcomes per Cycle					
Percentage of cycles resulting in pregnancies (%)	52.5	38.9	31.4	1 / 12	0 / 8
Percentage of cycles resulting in live births (%)	49.2	25.0	28.6	1 / 12	0 / 8
Percentage of cycles resulting in singleton live births (%)	36.1	22.2	28.6	1 / 12	0 / 8
Percentage of cycles resulting in twin live births (%)	13.1	2.8	0.0	0 / 12	0 / 8
Percentage of cycles resulting in term, normal weight and singleton live births[e] (%)	27.9	13.9	28.6	1 / 12	0 / 8
Outcomes per Transfer					
Percentage of embryos transferred resulting in implantation (%)	54.5	41.9	21.2	3.4	0 / 11
Percentage of transfers resulting in pregnancies (%)	68.1	56.0	39.3	1 / 10	0 / 5
Percentage of transfers resulting in live births (%)	63.8	36.0	35.7	1 / 10	0 / 5
Percentage of transfers resulting in singleton live births (%)	46.8	32.0	35.7	1 / 10	0 / 5
Percentage of transfers resulting in twin live births (%)	17.0	4.0	0.0	0 / 10	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	36.2	20.0	35.7	1 / 10	0 / 5
Frozen Embryos from Nondonor Eggs					
Number of cycles	42	26	12	7	2
Number of transfers	41	26	11	7	2
Estimated average number of transfers per retrieval	1.9	1.0	0.9	0.7	0.2
Average number of embryos transferred	1.4	1.7	1.6	1.1	1.5
Percentage of embryos transferred resulting in implantation (%)	44.1	47.7	6 / 18	3 / 8	0 / 3
Percentage of transfers resulting in pregnancies (%)	51.2	65.4	6 / 11	3 / 7	0 / 2
Percentage of transfers resulting in live births (%)	39.0	50.0	5 / 11	2 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	26.8	38.5	5 / 11	2 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	12.2	11.5	0 / 11	0 / 7	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)	19.5	38.5	5 / 11	2 / 7	0 / 2
Number of Egg or Embryo Banking Cycles	9	19	8	6	6
Number of fertility preservation cycles	0	5	3	0	2

Donor Eggs[f]	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	24	5	0
Number of transfers	0	24	5	0
Average number of embryos transferred		1.7	1.2	
Percentage of embryos transferred resulting in implantation (%)		63.4	2 / 6	
Percentage of transfers resulting in pregnancies (%)		87.5	2 / 5	
Percentage of transfers resulting in live births (%)		83.3	2 / 5	
Percentage of transfers resulting in singleton live births (%)		62.5	2 / 5	
Percentage of transfers resulting in twin live births (%)		20.8	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births[e] (%)		45.8	1 / 5	

CURRENT SERVICES & PROFILE

Current Name: Gold Coast IVF, Reproductive Medicine and Surgery Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

[a] Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.
[b] Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.
[c] Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.
[d] Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.
[e] In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).
[f] All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.