

# 2016

## Fertility Clinic Tables

**NORTH CAROLINA–WISCONSIN**



**NORTH CAROLINA CENTER FOR REPRODUCTIVE MEDICINE  
THE TALBERT FERTILITY INSTITUTE  
CARY, NORTH CAROLINA**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

<b>2016 ART CYCLE PROFILE</b>				Data verified by Sameh K. Toma, MD				
<b>Type of ART and Procedural Factors<sup>a</sup></b>				<b>Patient Diagnosis<sup>a,b</sup></b>				
IVF	100%	With ICSI	83%	Tubal factor	13%	Uterine factor	15%	Multiple Factors: Female factors only 13% Female & male factors 17%
Unstimulated	<1%	PGD/PGS	6%	Ovulatory dysfunction	10%	Male factor	39%	
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	9%	
				Endometriosis	4%	Unknown factor	4%	

<b>2016 ART SUCCESS RATES<sup>c,d</sup></b>	<b>Total number of cycles<sup>d</sup>: 415 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)</b>				
	<b>Type of Cycle</b>	<b>Age of Patient</b>			
	<b>&lt;35</b>	<b>35–37</b>	<b>38–40</b>	<b>41–42</b>	<b>&gt;42</b>
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	69	31	24	6	2
Percentage of cancellations before retrieval (%)	11.6	19.4	25.0	1 / 6	0 / 2
Number of transfers	1	1	0	0	0
Average number of embryos transferred	2.0	2.0			
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1			
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	1.4	3.2	0.0	0 / 6	0 / 2
Percentage of cycles resulting in live births (%)	1.4	3.2	0.0	0 / 6	0 / 2
Percentage of cycles resulting in singleton live births (%)	0.0	3.2	0.0	0 / 6	0 / 2
Percentage of cycles resulting in twin live births (%)	1.4	0.0	0.0	0 / 6	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0.0	3.2	0.0	0 / 6	0 / 2
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	2 / 2	1 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 1			
Percentage of transfers resulting in live births (%)	1 / 1	1 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 1			
Percentage of transfers resulting in twin live births (%)	1 / 1	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 1	1 / 1			
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	82	39	35	13	9
Number of transfers	79	37	28	11	8
Estimated average number of transfers per retrieval	1.3	1.3	1.2	1.2	4.0
Average number of embryos transferred	1.8	1.9	1.9	1.8	1.8
Percentage of embryos transferred resulting in implantation (%)	47.9	52.1	46.9	40.0	5 / 14
Percentage of transfers resulting in pregnancies (%)	63.3	70.3	67.9	6 / 11	5 / 8
Percentage of transfers resulting in live births (%)	55.7	59.5	46.4	3 / 11	4 / 8
Percentage of transfers resulting in singleton live births (%)	35.4	32.4	35.7	2 / 11	4 / 8
Percentage of transfers resulting in twin live births (%)	20.3	27.0	10.7	1 / 11	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	34.2	29.7	17.9	2 / 11	3 / 8
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	14	9	8	4	1
	2	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	28	5	34	2	
Number of transfers	12	4	30	2	
Average number of embryos transferred	1.8	1.5	1.9	2.0	
Percentage of embryos transferred resulting in implantation (%)	52.4	4 / 6	42.9	2 / 4	
Percentage of transfers resulting in pregnancies (%)	7 / 12	3 / 4	63.3	2 / 2	
Percentage of transfers resulting in live births (%)	6 / 12	2 / 4	46.7	1 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 12	1 / 4	30.0	1 / 2	
Percentage of transfers resulting in twin live births (%)	2 / 12	1 / 4	16.7	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4 / 12	1 / 4	26.7	1 / 2	

<b>CURRENT SERVICES &amp; PROFILE</b>		Current Name: North Carolina Center for Reproductive Medicine, The Talbert Fertility Institute					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PROGRAM FOR ASSISTED REPRODUCTION AT CAROLINAS MEDICAL CENTER CMC WOMEN'S INSTITUTE CHARLOTTE, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Bradley S. Hurst, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	14%	Uterine factor	2%	Multiple Factors: Female factors only 11% Female & male factors 20%
Unstimulated	0%	PGD/PGS	27%	Ovulatory dysfunction	30%	Male factor	37%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	13%	
				Endometriosis	9%	Unknown factor	10%	

2016 ART SUCCESS RATES <sup>c,d</sup>	Total number of cycles <sup>d</sup> : 552 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
	Type of Cycle	Age of Patient			
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	76	19	10	7	3
Percentage of cancellations before retrieval (%)	6.6	2 / 19	4 / 10	3 / 7	0 / 3
Number of transfers	50	14	3	3	2
Average number of embryos transferred	1.1	1.6	1.7	3.3	3.0
Percentage of elective single embryo transfers (eSET) (%)	86.0	5 / 13	0 / 2	0 / 3	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	32.9	8 / 19	1 / 10	0 / 7	0 / 3
Percentage of cycles resulting in live births (%)	27.6	6 / 19	1 / 10	0 / 7	0 / 3
Percentage of cycles resulting in singleton live births (%)	26.3	2 / 19	1 / 10	0 / 7	0 / 3
Percentage of cycles resulting in twin live births (%)	1.3	4 / 19	0 / 10	0 / 7	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	23.7	2 / 19	1 / 10	0 / 7	0 / 3
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	44.4	54.5	1 / 5	0 / 10	0 / 6
Percentage of transfers resulting in pregnancies (%)	50.0	8 / 14	1 / 3	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	42.0	6 / 14	1 / 3	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	40.0	2 / 14	1 / 3	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	2.0	4 / 14	0 / 3	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	36.0	2 / 14	1 / 3	0 / 3	0 / 2

<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	151	71	41	16	8
Number of transfers	135	66	36	14	6
Estimated average number of transfers per retrieval	1.6	1.9	1.1	1.0	1.2
Average number of embryos transferred	1.1	1.1	1.2	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)	48.9	42.4	54.3	9 / 15	4 / 6
Percentage of transfers resulting in pregnancies (%)	51.9	50.0	63.9	9 / 14	3 / 6
Percentage of transfers resulting in live births (%)	41.5	33.3	41.7	7 / 14	3 / 6
Percentage of transfers resulting in singleton live births (%)	39.3	31.8	38.9	7 / 14	2 / 6
Percentage of transfers resulting in twin live births (%)	2.2	1.5	2.8	0 / 14	1 / 6
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	36.3	27.3	27.8	6 / 14	2 / 6

<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	48	27	29	14	5

Donor Eggs <sup>f</sup>	Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos
Number of cycles	0	21	4	2
Number of transfers	0	20	4	2
Average number of embryos transferred		1.3	1.0	1.5
Percentage of embryos transferred resulting in implantation (%)		42.3	2 / 4	0 / 3
Percentage of transfers resulting in pregnancies (%)		45.0	2 / 4	0 / 2
Percentage of transfers resulting in live births (%)		45.0	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)		40.0	1 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)		5.0	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		25.0	1 / 4	0 / 2

CURRENT SERVICES & PROFILE		Current Name: Program for Assisted Reproduction at Carolinas Medical Center, CMC Women's Institute					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE ENDOCRINOLOGY ASSOCIATES OF CHARLOTTE CHARLOTTE, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Seth Katz, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	81%	Tubal factor	11%	Uterine factor	2%	Multiple Factors: Female factors only 14% Female & male factors 11%
Unstimulated	0%	PGD/PGS	20%	Ovulatory dysfunction	19%	Male factor	25%	
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	27%	
				Endometriosis	7%	Unknown factor	8%	

2016 ART SUCCESS RATES <sup>c,d</sup>		Total number of cycles <sup>d</sup> : 1,091 (includes 6 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>						
Number of cycles		185	86	78	44	26
Percentage of cancellations before retrieval (%)		4.9	5.8	10.3	13.6	23.1
Number of transfers		91	51	35	16	8
Average number of embryos transferred		1.7	1.8	1.9	2.5	1.5
Percentage of elective single embryo transfers (eSET) (%)		14.7	11.4	0.0	0 / 12	0 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in pregnancies (%)		23.2	22.1	12.8	6.8	7.7
Percentage of cycles resulting in live births (%)		19.5	12.8	10.3	4.5	0.0
Percentage of cycles resulting in singleton live births (%)		13.5	9.3	9.0	4.5	0.0
Percentage of cycles resulting in twin live births (%)		5.9	3.5	1.3	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)		11.4	8.1	7.7	4.5	0.0
<b>Outcomes per Transfer</b>						
Percentage of embryos transferred resulting in implantation (%)		35.8	24.2	15.4	5.4	2 / 12
Percentage of transfers resulting in pregnancies (%)		47.3	37.3	28.6	3 / 16	2 / 8
Percentage of transfers resulting in live births (%)		39.6	21.6	22.9	2 / 16	0 / 8
Percentage of transfers resulting in singleton live births (%)		27.5	15.7	20.0	2 / 16	0 / 8
Percentage of transfers resulting in twin live births (%)		12.1	5.9	2.9	0 / 16	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		23.1	13.7	17.1	2 / 16	0 / 8
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles		190	84	77	20	12
Number of transfers		176	75	75	17	11
Estimated average number of transfers per retrieval		1.2	1.3	1.1	0.9	1.2
Average number of embryos transferred		1.5	1.6	1.5	1.5	1.8
Percentage of embryos transferred resulting in implantation (%)		52.6	44.2	48.1	30.4	2 / 18
Percentage of transfers resulting in pregnancies (%)		62.5	61.3	58.7	7 / 17	3 / 11
Percentage of transfers resulting in live births (%)		54.0	52.0	48.0	5 / 17	2 / 11
Percentage of transfers resulting in singleton live births (%)		41.5	40.0	40.0	4 / 17	2 / 11
Percentage of transfers resulting in twin live births (%)		12.5	12.0	8.0	1 / 17	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		36.4	36.0	38.7	4 / 17	2 / 11
<b>Number of Egg or Embryo Banking Cycles</b>						
Number of fertility preservation cycles		82	42	48	9	8
		14	3	6	1	0
		<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
<b>Donor Eggs<sup>f</sup></b>						
Number of cycles		22	35	32	5	
Number of transfers		15	30	29	5	
Average number of embryos transferred		1.7	1.8	1.2	1.6	
Percentage of embryos transferred resulting in implantation (%)		42.3	36.5	54.3	2 / 8	
Percentage of transfers resulting in pregnancies (%)		8 / 15	56.7	51.7	1 / 5	
Percentage of transfers resulting in live births (%)		7 / 15	53.3	41.4	1 / 5	
Percentage of transfers resulting in singleton live births (%)		5 / 15	46.7	27.6	0 / 5	
Percentage of transfers resulting in twin live births (%)		2 / 15	3.3	10.3	1 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		4 / 15	43.3	20.7	0 / 5	

CURRENT SERVICES & PROFILE		Current Name: Reproductive Endocrinology Associates of Charlotte					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# DUKE FERTILITY CENTER DUKE UNIVERSITY MEDICAL CENTER DURHAM, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Jennifer L. Eaton, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	62%	Tubal factor	8%	Uterine factor	1%	Multiple Factors: Female factors only 11% Female & male factors 19%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	14%	Male factor	44%	
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	10%	
				Endometriosis	9%	Unknown factor	17%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 358  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	72	35	38	18	3
Percentage of cancellations before retrieval (%)	9.7	17.1	10.5	3 / 18	0 / 3
Number of transfers	48	23	26	8	2
Average number of embryos transferred	1.6	1.7	2.3	3.0	2.5
Percentage of elective single embryo transfers (eSET) (%)	40.9	4 / 19	4.2	0 / 7	0 / 2
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	31.9	28.6	23.7	2 / 18	2 / 3
Percentage of cycles resulting in live births (%)	30.6	20.0	15.8	0 / 18	2 / 3
Percentage of cycles resulting in singleton live births (%)	27.8	17.1	15.8	0 / 18	1 / 3
Percentage of cycles resulting in twin live births (%)	2.8	2.9	0.0	0 / 18	1 / 3
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	25.0	17.1	15.8	0 / 18	1 / 3
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	34.2	28.9	11.3	4.5	3 / 5
Percentage of transfers resulting in pregnancies (%)	47.9	43.5	34.6	2 / 8	2 / 2
Percentage of transfers resulting in live births (%)	45.8	30.4	23.1	0 / 8	2 / 2
Percentage of transfers resulting in singleton live births (%)	41.7	26.1	23.1	0 / 8	1 / 2
Percentage of transfers resulting in twin live births (%)	4.2	4.3	0.0	0 / 8	1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	37.5	26.1	23.1	0 / 8	1 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	77	24	17	2	7
Number of transfers	73	21	17	1	6
Estimated average number of transfers per retrieval	1.8	0.9	1.4	0.3	1.5
Average number of embryos transferred	1.4	1.8	1.9	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	33.3	22.9	20.0	0 / 2	1 / 8
Percentage of transfers resulting in pregnancies (%)	47.9	42.9	7 / 17	0 / 1	3 / 6
Percentage of transfers resulting in live births (%)	39.7	33.3	5 / 17	0 / 1	1 / 6
Percentage of transfers resulting in singleton live births (%)	38.4	33.3	5 / 17	0 / 1	1 / 6
Percentage of transfers resulting in twin live births (%)	1.4	0.0	0 / 17	0 / 1	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	32.9	28.6	5 / 17	0 / 1	1 / 6
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	9	9	1	2	2
	2	7	0	1	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	18	0	24	0	
Number of transfers	18	0	20	0	
Average number of embryos transferred	1.4		1.4		
Percentage of embryos transferred resulting in implantation (%)	28.0		30.8		
Percentage of transfers resulting in pregnancies (%)	6 / 18		45.0		
Percentage of transfers resulting in live births (%)	5 / 18		40.0		
Percentage of transfers resulting in singleton live births (%)	3 / 18		40.0		
Percentage of transfers resulting in twin live births (%)	2 / 18		0.0		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 18		35.0		

## CURRENT SERVICES & PROFILE

Current Name: Duke Fertility Center, Duke University Medical Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WOMACK ARMY MEDICAL CENTER FORT BRAGG, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Jason Parker, DO

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	75%	Tubal factor	29%	Uterine factor	4%	Multiple Factors: Female factors only 7% Female & male factors 6%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	3%	Male factor	15%	
Used gestational carrier	2%			Diminished ovarian reserve	11%	Other factor	10%	
				Endometriosis	7%	Unknown factor	34%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 127  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	48	27	13	7	4
Percentage of cancellations before retrieval (%)	2.1	0.0	0 / 13	0 / 7	0 / 4
Number of transfers	41	26	11	7	4
Average number of embryos transferred	1.9	2.0	1.9	2.1	1.5
Percentage of elective single embryo transfers (eSET) (%)	16.7	4.0	1 / 10	0 / 6	0 / 2
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	47.9	48.1	4 / 13	4 / 7	1 / 4
Percentage of cycles resulting in live births (%)	35.4	37.0	3 / 13	0 / 7	0 / 4
Percentage of cycles resulting in singleton live births (%)	35.4	29.6	3 / 13	0 / 7	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	7.4	0 / 13	0 / 7	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	22.9	25.9	3 / 13	0 / 7	0 / 4
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	29.3	29.4	19.0	4 / 15	1 / 6
Percentage of transfers resulting in pregnancies (%)	56.1	50.0	4 / 11	4 / 7	1 / 4
Percentage of transfers resulting in live births (%)	41.5	38.5	3 / 11	0 / 7	0 / 4
Percentage of transfers resulting in singleton live births (%)	41.5	30.8	3 / 11	0 / 7	0 / 4
Percentage of transfers resulting in twin live births (%)	0.0	7.7	0 / 11	0 / 7	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	26.8	26.9	3 / 11	0 / 7	0 / 4
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	10	8	2	2	0
Number of transfers	10	8	2	1	0
Estimated average number of transfers per retrieval	5.0	2.7			0.0
Average number of embryos transferred	2.0	1.9	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	4 / 15	0 / 4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	6 / 10	2 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	6 / 10	2 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 10	0 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 10	2 / 8	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 10	0 / 8	0 / 2	0 / 1	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	0	2	0	0	1
	0	1	0	0	1
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	3	0	0	
Number of transfers	0	2	0	0	
Average number of embryos transferred		2.0			
Percentage of embryos transferred resulting in implantation (%)		0 / 2			
Percentage of transfers resulting in pregnancies (%)		1 / 2			
Percentage of transfers resulting in live births (%)		0 / 2			
Percentage of transfers resulting in singleton live births (%)		0 / 2			
Percentage of transfers resulting in twin live births (%)		0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		0 / 2			

## CURRENT SERVICES & PROFILE

Current Name: Womack Army Medical Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PREMIER FERTILITY CENTER  
HIGH POINT REGIONAL HEALTH SYSTEM  
HIGH POINT, NORTH CAROLINA**

---

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

# ADVANCED REPRODUCTIVE CONCEPTS HUNTERSVILLE, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Mark L. Jutras, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	88%	Tubal factor	19%	Uterine factor	1%	
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	16%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	8%	
				Endometriosis	10%	Unknown factor	18%	
				Multiple Factors:				
				Female factors only				14%
				Female & male factors				20%

2016 ART SUCCESS RATES <sup>c,d</sup>		Total number of cycles <sup>d</sup> : 107 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>						
Number of cycles		16	6	9	5	1
Percentage of cancellations before retrieval (%)		0 / 16	1 / 6	0 / 9	1 / 5	0 / 1
Number of transfers		6	1	3	2	0
Average number of embryos transferred		1.8	2.0	2.0	1.5	
Percentage of elective single embryo transfers (eSET) (%)		1 / 6	0 / 1	0 / 3	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in pregnancies (%)		1 / 16	0 / 6	1 / 9	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)		1 / 16	0 / 6	1 / 9	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)		0 / 16	0 / 6	0 / 9	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)		1 / 16	0 / 6	1 / 9	0 / 5	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)		0 / 16	0 / 6	0 / 9	0 / 5	0 / 1
<b>Outcomes per Transfer</b>						
Percentage of embryos transferred resulting in implantation (%)		2 / 11	0 / 2	2 / 6	0 / 3	
Percentage of transfers resulting in pregnancies (%)		1 / 6	0 / 1	1 / 3	0 / 2	
Percentage of transfers resulting in live births (%)		1 / 6	0 / 1	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)		0 / 6	0 / 1	0 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)		1 / 6	0 / 1	1 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		0 / 6	0 / 1	0 / 3	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles		30	13	5	1	2
Number of transfers		30	13	5	1	2
Estimated average number of transfers per retrieval		1.8	1.4	1.0	0.5	2.0
Average number of embryos transferred		1.8	1.4	1.2	1.0	1.5
Percentage of embryos transferred resulting in implantation (%)		46.8	6 / 17	3 / 6	1 / 1	1 / 3
Percentage of transfers resulting in pregnancies (%)		66.7	6 / 13	2 / 5	1 / 1	1 / 2
Percentage of transfers resulting in live births (%)		53.3	5 / 13	2 / 5	1 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)		40.0	4 / 13	1 / 5	1 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)		13.3	1 / 13	1 / 5	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		40.0	3 / 13	1 / 5	1 / 1	0 / 2
<b>Number of Egg or Embryo Banking Cycles</b>						
Number of fertility preservation cycles		5	3	3	2	1
		0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>		<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles		0	3	2	0	
Number of transfers		0	3	2	0	
Average number of embryos transferred			1.3	1.5		
Percentage of embryos transferred resulting in implantation (%)			1 / 4	1 / 2		
Percentage of transfers resulting in pregnancies (%)			1 / 3	2 / 2		
Percentage of transfers resulting in live births (%)			1 / 3	1 / 2		
Percentage of transfers resulting in singleton live births (%)			1 / 3	1 / 2		
Percentage of transfers resulting in twin live births (%)			0 / 3	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)			1 / 3	0 / 2		

CURRENT SERVICES & PROFILE		Current Name: Advanced Reproductive Concepts					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ATLANTIC REPRODUCTIVE MEDICINE SPECIALISTS, PA RALEIGH, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

### 2016 ART CYCLE PROFILE

Data verified by Susannah D. Copland, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	77%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 8% Female & male factors 21%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	25%	Male factor	39%	
Used gestational carrier	3%			Diminished ovarian reserve	25%	Other factor	17%	
				Endometriosis	5%	Unknown factor	7%	

### 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 248  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	30	33	21	2	4
Percentage of cancellations before retrieval (%)	0.0	12.1	4.8	1 / 2	0 / 4
Number of transfers	26	22	12	0	2
Average number of embryos transferred	1.4	1.5	2.0		2.0
Percentage of elective single embryo transfers (eSET) (%)	54.5	5 / 16	1 / 11		0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	50.0	30.3	28.6	0 / 2	0 / 4
Percentage of cycles resulting in live births (%)	40.0	24.2	23.8	0 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	40.0	18.2	23.8	0 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	6.1	0.0	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	30.0	18.2	19.0	0 / 2	0 / 4
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	40.0	38.7	27.3		0 / 4
Percentage of transfers resulting in pregnancies (%)	57.7	45.5	6 / 12		0 / 2
Percentage of transfers resulting in live births (%)	46.2	36.4	5 / 12		0 / 2
Percentage of transfers resulting in singleton live births (%)	46.2	27.3	5 / 12		0 / 2
Percentage of transfers resulting in twin live births (%)	0.0	9.1	0 / 12		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	34.6	27.3	4 / 12		0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	40	20	2	2	0
Number of transfers	38	20	2	2	0
Estimated average number of transfers per retrieval	1.1	1.2	0.7	0.3	0.0
Average number of embryos transferred	1.3	1.2	2.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	41.7	34.8	2 / 4	2 / 2	
Percentage of transfers resulting in pregnancies (%)	55.3	45.0	2 / 2	2 / 2	
Percentage of transfers resulting in live births (%)	42.1	35.0	1 / 2	2 / 2	
Percentage of transfers resulting in singleton live births (%)	36.8	35.0	1 / 2	2 / 2	
Percentage of transfers resulting in twin live births (%)	5.3	0.0	0 / 2	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	34.2	25.0	1 / 2	2 / 2	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	31	13	3	5	3
	2	5	0	3	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	14	1	22	2	
Number of transfers	14	0	22	1	
Average number of embryos transferred	1.1		1.2	2.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 15		50.0	0 / 2	
Percentage of transfers resulting in pregnancies (%)	6 / 14		54.5	0 / 1	
Percentage of transfers resulting in live births (%)	6 / 14		45.5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	6 / 14		40.9	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 14		4.5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4 / 14		40.9	0 / 1	

### CURRENT SERVICES & PROFILE

Current Name: Atlantic Reproductive Medicine Specialists, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## CAROLINA CONCEPTIONS, PA RALEIGH, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

### 2016 ART CYCLE PROFILE

Data verified by John K. Park, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	14%	Uterine factor	5%	Multiple Factors: Female factors only 9% Female & male factors 14%
Unstimulated	0%	PGD/PGS	21%	Ovulatory dysfunction	12%	Male factor	33%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	9%	
				Endometriosis	6%	Unknown factor	16%	

### 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 875  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	168	53	40	17	6
Percentage of cancellations before retrieval (%)	6.5	22.6	12.5	5 / 17	1 / 6
Number of transfers	121	31	23	4	4
Average number of embryos transferred	1.6	1.9	1.9	2.8	1.8
Percentage of elective single embryo transfers (eSET) (%)	30.8	3.4	0 / 19	0 / 4	0 / 2
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	51.8	26.4	37.5	1 / 17	0 / 6
Percentage of cycles resulting in live births (%)	45.8	20.8	20.0	0 / 17	0 / 6
Percentage of cycles resulting in singleton live births (%)	33.3	15.1	10.0	0 / 17	0 / 6
Percentage of cycles resulting in twin live births (%)	11.9	5.7	10.0	0 / 17	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	29.8	13.2	7.5	0 / 17	0 / 6
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	57.6	29.1	42.9	0 / 8	0 / 7
Percentage of transfers resulting in pregnancies (%)	71.9	45.2	65.2	1 / 4	0 / 4
Percentage of transfers resulting in live births (%)	63.6	35.5	34.8	0 / 4	0 / 4
Percentage of transfers resulting in singleton live births (%)	46.3	25.8	17.4	0 / 4	0 / 4
Percentage of transfers resulting in twin live births (%)	16.5	9.7	17.4	0 / 4	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	41.3	22.6	13.0	0 / 4	0 / 4
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	136	72	37	9	9
Number of transfers	134	72	37	9	8
Estimated average number of transfers per retrieval	1.3	1.1	1.0	0.6	1.6
Average number of embryos transferred	1.4	1.3	1.2	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	49.7	45.3	48.9	9 / 12	4 / 10
Percentage of transfers resulting in pregnancies (%)	59.7	52.8	59.5	7 / 9	4 / 8
Percentage of transfers resulting in live births (%)	50.7	43.1	51.4	7 / 9	4 / 8
Percentage of transfers resulting in singleton live births (%)	41.8	36.1	48.6	5 / 9	4 / 8
Percentage of transfers resulting in twin live births (%)	8.2	6.9	2.7	2 / 9	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	35.1	31.9	35.1	5 / 9	4 / 8
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	68	51	29	13	5
	10	7	1	1	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	49	6	64	43	
Number of transfers	43	3	62	40	
Average number of embryos transferred	1.9	1.3	1.6	1.8	
Percentage of embryos transferred resulting in implantation (%)	61.5	1 / 4	44.4	58.9	
Percentage of transfers resulting in pregnancies (%)	76.7	1 / 3	64.5	77.5	
Percentage of transfers resulting in live births (%)	67.4	1 / 3	50.0	72.5	
Percentage of transfers resulting in singleton live births (%)	37.2	1 / 3	41.9	55.0	
Percentage of transfers resulting in twin live births (%)	30.2	0 / 3	8.1	17.5	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	27.9	1 / 3	32.3	42.5	

### CURRENT SERVICES & PROFILE

Current Name: Carolina Conceptions, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## UNC FERTILITY RALEIGH, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

### 2016 ART CYCLE PROFILE

Data verified by Jennifer E. Mersereau, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	60%	Tubal factor	14%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 8%
Unstimulated	<1%	PGD/PGS	9%	Ovulatory dysfunction	17%	Male factor	32%	
Used gestational carrier	<1%			Diminished ovarian reserve	17%	Other factor	7%	
				Endometriosis	6%	Unknown factor	20%	

### 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 573  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	134	59	46	17	6
Percentage of cancellations before retrieval (%)	10.4	11.9	28.3	6 / 17	1 / 6
Number of transfers	83	41	27	7	2
Average number of embryos transferred	1.2	1.9	2.4	2.7	2.5
Percentage of elective single embryo transfers (eSET) (%)	75.6	15.0	0.0	0 / 7	0 / 2
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	31.3	39.0	17.4	3 / 17	0 / 6
Percentage of cycles resulting in live births (%)	27.6	33.9	13.0	3 / 17	0 / 6
Percentage of cycles resulting in singleton live births (%)	26.9	22.0	13.0	2 / 17	0 / 6
Percentage of cycles resulting in twin live births (%)	0.7	11.9	0.0	1 / 17	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	22.4	20.3	8.7	2 / 17	0 / 6
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	42.0	42.9	12.1	4 / 19	0 / 5
Percentage of transfers resulting in pregnancies (%)	50.6	56.1	29.6	3 / 7	0 / 2
Percentage of transfers resulting in live births (%)	44.6	48.8	22.2	3 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	43.4	31.7	22.2	2 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	1.2	17.1	0.0	1 / 7	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	36.1	29.3	14.8	2 / 7	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	103	68	29	8	2
Number of transfers	96	62	29	8	2
Estimated average number of transfers per retrieval	1.5	2.2	1.2	1.1	1.0
Average number of embryos transferred	1.3	1.4	1.6	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	61.6	45.1	54.5	8 / 14	0 / 3
Percentage of transfers resulting in pregnancies (%)	71.9	59.7	65.5	6 / 8	0 / 2
Percentage of transfers resulting in live births (%)	60.4	37.1	48.3	6 / 8	0 / 2
Percentage of transfers resulting in singleton live births (%)	55.2	33.9	27.6	4 / 8	0 / 2
Percentage of transfers resulting in twin live births (%)	5.2	3.2	20.7	2 / 8	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	50.0	30.6	20.7	4 / 8	0 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	12	14	16	4	1
	7	6	5	2	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	22	6	24	1	
Number of transfers	20	6	17	1	
Average number of embryos transferred	1.1	1.2	1.2	2.0	
Percentage of embryos transferred resulting in implantation (%)	72.7	5 / 7	70.0	1 / 2	
Percentage of transfers resulting in pregnancies (%)	75.0	4 / 6	13 / 17	1 / 1	
Percentage of transfers resulting in live births (%)	55.0	4 / 6	11 / 17	1 / 1	
Percentage of transfers resulting in singleton live births (%)	50.0	3 / 6	9 / 17	1 / 1	
Percentage of transfers resulting in twin live births (%)	5.0	1 / 6	2 / 17	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	50.0	2 / 6	6 / 17	1 / 1	

### CURRENT SERVICES & PROFILE

Current Name: UNC Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CAROLINAS FERTILITY INSTITUTE WINSTON SALEM, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Tamer M. Yalcinkaya, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	86%	Tubal factor	12%	Uterine factor	4%	
Unstimulated	0%	PGD/PGS	26%	Ovulatory dysfunction	19%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	13%	
				Endometriosis	16%	Unknown factor	13%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				21%

2016 ART SUCCESS RATES <sup>c,d</sup>		Total number of cycles <sup>d</sup> : 387 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>						
Number of cycles		79	38	12	3	7
Percentage of cancellations before retrieval (%)		7.6	13.2	0 / 12	1 / 3	2 / 7
Number of transfers		67	26	8	0	0
Average number of embryos transferred		1.5	2.0	2.1		
Percentage of elective single embryo transfers (eSET) (%)		53.7	4.2	0 / 8		
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in pregnancies (%)		60.8	44.7	5 / 12	0 / 3	0 / 7
Percentage of cycles resulting in live births (%)		50.6	36.8	2 / 12	0 / 3	0 / 7
Percentage of cycles resulting in singleton live births (%)		40.5	26.3	2 / 12	0 / 3	0 / 7
Percentage of cycles resulting in twin live births (%)		10.1	10.5	0 / 12	0 / 3	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)		16.5	15.8	1 / 12	0 / 3	0 / 7
<b>Outcomes per Transfer</b>						
Percentage of embryos transferred resulting in implantation (%)		58.4	44.7	3 / 12		
Percentage of transfers resulting in pregnancies (%)		71.6	65.4	5 / 8		
Percentage of transfers resulting in live births (%)		59.7	53.8	2 / 8		
Percentage of transfers resulting in singleton live births (%)		47.8	38.5	2 / 8		
Percentage of transfers resulting in twin live births (%)		11.9	15.4	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		19.4	23.1	1 / 8		
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles		53	27	32	13	4
Number of transfers		49	24	30	11	3
Estimated average number of transfers per retrieval		1.2	1.7	0.7	0.7	0.2
Average number of embryos transferred		1.5	1.5	1.2	1.2	2.3
Percentage of embryos transferred resulting in implantation (%)		46.2	68.6	68.8	5 / 13	1 / 7
Percentage of transfers resulting in pregnancies (%)		63.3	83.3	76.7	5 / 11	1 / 3
Percentage of transfers resulting in live births (%)		44.9	66.7	63.3	5 / 11	1 / 3
Percentage of transfers resulting in singleton live births (%)		36.7	41.7	56.7	5 / 11	1 / 3
Percentage of transfers resulting in twin live births (%)		8.2	25.0	6.7	0 / 11	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		22.4	29.2	30.0	4 / 11	0 / 3
<b>Number of Egg or Embryo Banking Cycles</b>						
Number of fertility preservation cycles		27	7	41	14	11
		4	2	1	0	0
<b>Donor Eggs<sup>f</sup></b>		<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles		11	0	8	0	
Number of transfers		11	0	8	0	
Average number of embryos transferred		1.0		1.4		
Percentage of embryos transferred resulting in implantation (%)		8 / 11		6 / 11		
Percentage of transfers resulting in pregnancies (%)		8 / 11		6 / 8		
Percentage of transfers resulting in live births (%)		7 / 11		5 / 8		
Percentage of transfers resulting in singleton live births (%)		7 / 11		5 / 8		
Percentage of transfers resulting in twin live births (%)		0 / 11		0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		4 / 11		4 / 8		

CURRENT SERVICES & PROFILE		Current Name: Carolinas Fertility Institute					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## WAKE FOREST UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE WINSTON SALEM, NORTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

### 2016 ART CYCLE PROFILE

Data verified by Erika B. Johnston-MacAnanny, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	>99%	With ICSI	76%	Tubal factor	10%	Uterine factor	<1%	
Unstimulated	0%	PGD/PGS	15%	Ovulatory dysfunction	15%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	11%	
				Endometriosis	10%	Unknown factor	18%	
				Multiple Factors:				
				Female factors only				7%
				Female & male factors				11%

### 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 350  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	60	28	18	9	3
Percentage of cancellations before retrieval (%)	6.7	25.0	1 / 18	3 / 9	0 / 3
Number of transfers	49	18	13	5	2
Average number of embryos transferred	1.3	1.6	2.1	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	68.1	7 / 17	0 / 12	1 / 5	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	46.7	39.3	5 / 18	1 / 9	1 / 3
Percentage of cycles resulting in live births (%)	46.7	35.7	2 / 18	1 / 9	1 / 3
Percentage of cycles resulting in singleton live births (%)	38.3	35.7	1 / 18	1 / 9	1 / 3
Percentage of cycles resulting in twin live births (%)	8.3	0.0	1 / 18	0 / 9	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	30.0	32.1	0 / 18	1 / 9	0 / 3
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	50.8	42.9	24.0	1 / 10	1 / 4
Percentage of transfers resulting in pregnancies (%)	57.1	11 / 18	5 / 13	1 / 5	1 / 2
Percentage of transfers resulting in live births (%)	57.1	10 / 18	2 / 13	1 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	46.9	10 / 18	1 / 13	1 / 5	1 / 2
Percentage of transfers resulting in twin live births (%)	10.2	0 / 18	1 / 13	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	36.7	9 / 18	0 / 13	1 / 5	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	74	31	24	10	2
Number of transfers	68	26	23	10	1
Estimated average number of transfers per retrieval	1.1	1.4	1.2	0.9	0.5
Average number of embryos transferred	1.4	1.5	1.6	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	65.9	50.0	36.1	7 / 11	1 / 2
Percentage of transfers resulting in pregnancies (%)	73.5	61.5	43.5	7 / 10	1 / 1
Percentage of transfers resulting in live births (%)	61.8	46.2	39.1	6 / 10	0 / 1
Percentage of transfers resulting in singleton live births (%)	47.1	34.6	30.4	5 / 10	0 / 1
Percentage of transfers resulting in twin live births (%)	14.7	11.5	8.7	1 / 10	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	39.7	23.1	26.1	4 / 10	0 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	39	13	17	9	2
	15	0	0	2	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	4	5	2	
Number of transfers	0	4	5	2	
Average number of embryos transferred		1.3	1.8	1.5	
Percentage of embryos transferred resulting in implantation (%)		3 / 5	5 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)		3 / 4	3 / 5	1 / 2	
Percentage of transfers resulting in live births (%)		3 / 4	3 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)		3 / 4	1 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)		0 / 4	2 / 5	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		2 / 4	1 / 5	0 / 2	

### CURRENT SERVICES & PROFILE

Current Name: Wake Forest University Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SANFORD HEALTH REPRODUCTIVE MEDICINE INSTITUTE FARGO, NORTH DAKOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Steffen P. Christensen, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	84%	Tubal factor	20%	Uterine factor	<1%	Multiple Factors: Female factors only 15% Female & male factors 17%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	22%	Male factor	32%	
Used gestational carrier	2%			Diminished ovarian reserve	27%	Other factor	17%	
				Endometriosis	10%	Unknown factor	8%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 326  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	51	28	17	5	1
Percentage of cancellations before retrieval (%)	5.9	21.4	3 / 17	1 / 5	1 / 1
Number of transfers	28	17	8	2	0
Average number of embryos transferred	1.9	1.7	2.1	3.0	
Percentage of elective single embryo transfers (eSET) (%)	4.2	1 / 13	1 / 8	0 / 2	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	21.6	25.0	3 / 17	0 / 5	0 / 1
Percentage of cycles resulting in live births (%)	17.6	17.9	2 / 17	0 / 5	0 / 1
Percentage of cycles resulting in singleton live births (%)	15.7	14.3	2 / 17	0 / 5	0 / 1
Percentage of cycles resulting in twin live births (%)	2.0	3.6	0 / 17	0 / 5	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	15.7	14.3	2 / 17	0 / 5	0 / 1
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	22.9	25.9	3 / 17	0 / 6	
Percentage of transfers resulting in pregnancies (%)	39.3	7 / 17	3 / 8	0 / 2	
Percentage of transfers resulting in live births (%)	32.1	5 / 17	2 / 8	0 / 2	
Percentage of transfers resulting in singleton live births (%)	28.6	4 / 17	2 / 8	0 / 2	
Percentage of transfers resulting in twin live births (%)	3.6	1 / 17	0 / 8	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	28.6	4 / 17	2 / 8	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	95	28	12	0	0
Number of transfers	93	26	12	0	0
Estimated average number of transfers per retrieval	1.5	1.1	4.0	0.0	0.0
Average number of embryos transferred	1.6	1.7	1.6		
Percentage of embryos transferred resulting in implantation (%)	46.8	34.9	6 / 17		
Percentage of transfers resulting in pregnancies (%)	55.9	46.2	6 / 12		
Percentage of transfers resulting in live births (%)	48.4	42.3	3 / 12		
Percentage of transfers resulting in singleton live births (%)	32.3	38.5	3 / 12		
Percentage of transfers resulting in twin live births (%)	16.1	3.8	0 / 12		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	29.0	26.9	2 / 12		
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	48	15	2	4	1
	1	1	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	1	11	6	0	
Number of transfers	1	7	6	0	
Average number of embryos transferred	2.0	2.0	1.7		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	9 / 14	3 / 10		
Percentage of transfers resulting in pregnancies (%)	0 / 1	6 / 7	3 / 6		
Percentage of transfers resulting in live births (%)	0 / 1	6 / 7	3 / 6		
Percentage of transfers resulting in singleton live births (%)	0 / 1	3 / 7	3 / 6		
Percentage of transfers resulting in twin live births (%)	0 / 1	3 / 7	0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 1	3 / 7	3 / 6		

## CURRENT SERVICES & PROFILE

Current Name: Sanford Health Reproductive Medicine Institute

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY UNLIMITED, INC. NORTHEASTERN OHIO FERTILITY CENTER AKRON, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Nicholas J. Spirtos, DO

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	68%	Tubal factor	6%	Uterine factor	6%	Multiple Factors: Female factors only 18% Female & male factors 32%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	9%	Male factor	38%	
Used gestational carrier	0%			Diminished ovarian reserve	38%	Other factor	32%	
				Endometriosis	38%	Unknown factor	0%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 36  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	12	5	2	1	2
Percentage of cancellations before retrieval (%)	1 / 12	0 / 5	0 / 2	1 / 1	1 / 2
Number of transfers	11	4	2	0	1
Average number of embryos transferred	1.7	2.0	1.5		1.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 10	0 / 4	0 / 1		
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	8 / 12	2 / 5	1 / 2	0 / 1	0 / 2
Percentage of cycles resulting in live births (%)	7 / 12	2 / 5	1 / 2	0 / 1	0 / 2
Percentage of cycles resulting in singleton live births (%)	4 / 12	0 / 5	1 / 2	0 / 1	0 / 2
Percentage of cycles resulting in twin live births (%)	3 / 12	2 / 5	0 / 2	0 / 1	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 12	0 / 5	1 / 2	0 / 1	0 / 2
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	11 / 19	4 / 8	1 / 3		0 / 1
Percentage of transfers resulting in pregnancies (%)	8 / 11	2 / 4	1 / 2		0 / 1
Percentage of transfers resulting in live births (%)	7 / 11	2 / 4	1 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 11	0 / 4	1 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	3 / 11	2 / 4	0 / 2		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 11	0 / 4	1 / 2		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	3	2	0	0	0
Number of transfers	3	2	0	0	0
Estimated average number of transfers per retrieval	1.5				0.0
Average number of embryos transferred	1.3	1.0			
Percentage of embryos transferred resulting in implantation (%)	2 / 4	1 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 3	1 / 2			
Percentage of transfers resulting in live births (%)	1 / 3	1 / 2			
Percentage of transfers resulting in singleton live births (%)	0 / 3	1 / 2			
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 3	1 / 2			
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	1	0	0	0	1
	0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	2	0	5	0	
Number of transfers	2	0	5	0	
Average number of embryos transferred	2.0		1.8		
Percentage of embryos transferred resulting in implantation (%)	2 / 4		5 / 9		
Percentage of transfers resulting in pregnancies (%)	1 / 2		3 / 5		
Percentage of transfers resulting in live births (%)	1 / 2		3 / 5		
Percentage of transfers resulting in singleton live births (%)	0 / 2		1 / 5		
Percentage of transfers resulting in twin live births (%)	1 / 2		2 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 2		0 / 5		

## CURRENT SERVICES & PROFILE

Current Name: Fertility Unlimited, Inc., Northeastern Ohio Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE GYNECOLOGY, INC.-AKRON AKRON, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by David M. Nash, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	52%	Tubal factor	21%	Uterine factor	10%	Multiple Factors: Female factors only 15% Female & male factors 33%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	17%	Male factor	51%	
Used gestational carrier	<1%			Diminished ovarian reserve	29%	Other factor	10%	
				Endometriosis	21%	Unknown factor	3%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 512  
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	122	42	28	9	3
Percentage of cancellations before retrieval (%)	4.9	4.8	14.3	1 / 9	1 / 3
Number of transfers	48	24	13	5	0
Average number of embryos transferred	1.7	2.0	2.5	1.6	
Percentage of elective single embryo transfers (eSET) (%)	31.9	13.6	0 / 12	0 / 2	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	23.8	21.4	17.9	0 / 9	0 / 3
Percentage of cycles resulting in live births (%)	23.0	14.3	14.3	0 / 9	0 / 3
Percentage of cycles resulting in singleton live births (%)	17.2	14.3	7.1	0 / 9	0 / 3
Percentage of cycles resulting in twin live births (%)	4.9	0.0	7.1	0 / 9	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	14.8	14.3	7.1	0 / 9	0 / 3
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	48.8	19.1	21.9	0 / 8	
Percentage of transfers resulting in pregnancies (%)	60.4	37.5	5 / 13	0 / 5	
Percentage of transfers resulting in live births (%)	58.3	25.0	4 / 13	0 / 5	
Percentage of transfers resulting in singleton live births (%)	43.8	25.0	2 / 13	0 / 5	
Percentage of transfers resulting in twin live births (%)	12.5	0.0	2 / 13	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	37.5	25.0	2 / 13	0 / 5	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	142	59	22	6	2
Number of transfers	131	54	19	6	2
Estimated average number of transfers per retrieval	1.7	1.7	1.1	2.0	0.7
Average number of embryos transferred	1.5	1.6	1.8	2.0	2.0
Percentage of embryos transferred resulting in implantation (%)	53.1	35.3	46.9	1 / 12	0 / 4
Percentage of transfers resulting in pregnancies (%)	65.6	48.1	12 / 19	1 / 6	0 / 2
Percentage of transfers resulting in live births (%)	55.0	42.6	9 / 19	1 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	42.7	35.2	8 / 19	1 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	12.2	7.4	1 / 19	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	40.5	27.8	7 / 19	1 / 6	0 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	11	9	6	1	1
	2	0	1	1	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	25	0	18	4	
Number of transfers	22	0	16	4	
Average number of embryos transferred	1.6		1.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	57.1		26.1	1 / 8	
Percentage of transfers resulting in pregnancies (%)	68.2		6 / 16	1 / 4	
Percentage of transfers resulting in live births (%)	63.6		4 / 16	1 / 4	
Percentage of transfers resulting in singleton live births (%)	40.9		4 / 16	1 / 4	
Percentage of transfers resulting in twin live births (%)	22.7		0 / 16	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	40.9		4 / 16	1 / 4	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Gynecology & Infertility-Akron

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CLEVELAND CLINIC FERTILITY CENTER BEACHWOOD, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Cynthia Austin, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	75%	Tubal factor	12%	Uterine factor	5%	Multiple Factors: Female factors only 13% Female & male factors 27%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	18%	Male factor	46%	
Used gestational carrier	3%			Diminished ovarian reserve	23%	Other factor	28%	
				Endometriosis	8%	Unknown factor	11%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 822  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	118	57	45	17	4
Percentage of cancellations before retrieval (%)	7.6	8.8	24.4	6 / 17	2 / 4
Number of transfers	107	47	31	9	1
Average number of embryos transferred	1.4	1.7	2.0	2.6	3.0
Percentage of elective single embryo transfers (eSET) (%)	52.5	11.1	7.1	0 / 8	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	56.8	49.1	46.7	3 / 17	1 / 4
Percentage of cycles resulting in live births (%)	52.5	38.6	35.6	2 / 17	1 / 4
Percentage of cycles resulting in singleton live births (%)	44.1	24.6	31.1	2 / 17	1 / 4
Percentage of cycles resulting in twin live births (%)	8.5	12.3	2.2	0 / 17	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	37.3	22.8	24.4	2 / 17	1 / 4
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	51.3	48.1	43.6	9.5	1 / 3
Percentage of transfers resulting in pregnancies (%)	62.6	59.6	67.7	3 / 9	1 / 1
Percentage of transfers resulting in live births (%)	57.9	46.8	51.6	2 / 9	1 / 1
Percentage of transfers resulting in singleton live births (%)	48.6	29.8	45.2	2 / 9	1 / 1
Percentage of transfers resulting in twin live births (%)	9.3	14.9	3.2	0 / 9	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	41.1	27.7	35.5	2 / 9	1 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	162	115	54	13	9
Number of transfers	149	99	50	12	7
Estimated average number of transfers per retrieval	1.2	2.0	1.1	0.7	0.9
Average number of embryos transferred	1.4	1.4	1.4	1.4	1.9
Percentage of embryos transferred resulting in implantation (%)	56.2	44.1	51.5	6 / 14	1 / 10
Percentage of transfers resulting in pregnancies (%)	65.1	55.6	66.0	8 / 12	2 / 7
Percentage of transfers resulting in live births (%)	58.4	46.5	56.0	6 / 12	1 / 7
Percentage of transfers resulting in singleton live births (%)	49.0	41.4	50.0	6 / 12	1 / 7
Percentage of transfers resulting in twin live births (%)	9.4	4.0	6.0	0 / 12	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	45.6	34.3	42.0	5 / 12	1 / 7
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	100	36	34	16	8
	18	6	1	0	1
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	2	7	22	3	
Number of transfers	1	6	17	3	
Average number of embryos transferred	1.0	1.8	1.3	1.7	
Percentage of embryos transferred resulting in implantation (%)	0 / 1	3 / 11	65.0	3 / 5	
Percentage of transfers resulting in pregnancies (%)	0 / 1	2 / 6	13 / 17	2 / 3	
Percentage of transfers resulting in live births (%)	0 / 1	2 / 6	10 / 17	2 / 3	
Percentage of transfers resulting in singleton live births (%)	0 / 1	1 / 6	9 / 17	1 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 1	1 / 6	1 / 17	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 1	1 / 6	8 / 17	1 / 3	

## CURRENT SERVICES & PROFILE

Current Name: Cleveland Clinic Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY HOSPITALS FERTILITY CENTER BEACHWOOD, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by James M. Goldfarb, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	69%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 9% Female & male factors 10%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	8%	Male factor	34%	
Used gestational carrier	4%			Diminished ovarian reserve	14%	Other factor	18%	
				Endometriosis	6%	Unknown factor	26%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 607  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	148	77	57	22	7
Percentage of cancellations before retrieval (%)	19.6	41.6	38.6	36.4	3 / 7
Number of transfers	95	38	30	14	4
Average number of embryos transferred	1.7	1.9	2.3	3.7	3.8
Percentage of elective single embryo transfers (eSET) (%)	26.9	8.8	3.4	0 / 14	0 / 4
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	43.2	24.7	24.6	4.5	1 / 7
Percentage of cycles resulting in live births (%)	36.5	18.2	19.3	0.0	0 / 7
Percentage of cycles resulting in singleton live births (%)	26.4	14.3	17.5	0.0	0 / 7
Percentage of cycles resulting in twin live births (%)	10.1	3.9	1.8	0.0	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	23.0	14.3	14.0	0.0	0 / 7
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	49.0	28.8	21.9	0.0	0 / 12
Percentage of transfers resulting in pregnancies (%)	67.4	50.0	46.7	1 / 14	1 / 4
Percentage of transfers resulting in live births (%)	56.8	36.8	36.7	0 / 14	0 / 4
Percentage of transfers resulting in singleton live births (%)	41.1	28.9	33.3	0 / 14	0 / 4
Percentage of transfers resulting in twin live births (%)	15.8	7.9	3.3	0 / 14	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	35.8	28.9	26.7	0 / 14	0 / 4
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	85	53	31	6	5
Number of transfers	77	42	27	6	5
Estimated average number of transfers per retrieval	1.0	1.2	1.1	1.0	0.8
Average number of embryos transferred	1.6	1.5	1.4	2.0	1.8
Percentage of embryos transferred resulting in implantation (%)	38.6	37.3	25.7	2 / 12	1 / 9
Percentage of transfers resulting in pregnancies (%)	54.5	52.4	37.0	2 / 6	1 / 5
Percentage of transfers resulting in live births (%)	40.3	38.1	22.2	2 / 6	1 / 5
Percentage of transfers resulting in singleton live births (%)	31.2	35.7	18.5	2 / 6	1 / 5
Percentage of transfers resulting in twin live births (%)	9.1	2.4	3.7	0 / 6	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	28.6	31.0	11.1	2 / 6	0 / 5
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	31	13	13	2	4
	15	3	4	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	29	0	17	6	
Number of transfers	21	0	15	6	
Average number of embryos transferred	1.5		1.4	1.7	
Percentage of embryos transferred resulting in implantation (%)	43.8		9 / 19	1 / 10	
Percentage of transfers resulting in pregnancies (%)	61.9		9 / 15	1 / 6	
Percentage of transfers resulting in live births (%)	52.4		8 / 15	0 / 6	
Percentage of transfers resulting in singleton live births (%)	47.6		7 / 15	0 / 6	
Percentage of transfers resulting in twin live births (%)	4.8		1 / 15	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	42.9		6 / 15	0 / 6	

## CURRENT SERVICES & PROFILE

Current Name: University Hospitals Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# BETHESDA FERTILITY CENTER CINCINNATI, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Kasey Reynolds, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	64%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 10% Female & male factors 10%
Unstimulated	4%	PGD/PGS	5%	Ovulatory dysfunction	18%	Male factor	24%	
Used gestational carrier	7%			Diminished ovarian reserve	36%	Other factor	13%	
				Endometriosis	2%	Unknown factor	12%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 266  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	60	19	11	10	3
Percentage of cancellations before retrieval (%)	16.7	2 / 19	3 / 11	4 / 10	0 / 3
Number of transfers	45	14	7	5	3
Average number of embryos transferred	1.8	2.1	2.1	2.8	2.7
Percentage of elective single embryo transfers (eSET) (%)	16.7	0 / 13	0 / 7	0 / 5	0 / 3
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	26.7	4 / 19	3 / 11	1 / 10	0 / 3
Percentage of cycles resulting in live births (%)	21.7	3 / 19	3 / 11	0 / 10	0 / 3
Percentage of cycles resulting in singleton live births (%)	16.7	1 / 19	3 / 11	0 / 10	0 / 3
Percentage of cycles resulting in twin live births (%)	5.0	2 / 19	0 / 11	0 / 10	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	11.7	0 / 19	3 / 11	0 / 10	0 / 3
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	23.7	22.2	3 / 15	1 / 14	0 / 8
Percentage of transfers resulting in pregnancies (%)	35.6	4 / 14	3 / 7	1 / 5	0 / 3
Percentage of transfers resulting in live births (%)	28.9	3 / 14	3 / 7	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	22.2	1 / 14	3 / 7	0 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	6.7	2 / 14	0 / 7	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	15.6	0 / 14	3 / 7	0 / 5	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	49	24	10	1	9
Number of transfers	47	23	10	1	7
Estimated average number of transfers per retrieval	1.7	3.3	1.3	0.5	1.8
Average number of embryos transferred	1.7	1.5	1.6	2.0	1.9
Percentage of embryos transferred resulting in implantation (%)	37.5	33.3	2 / 15	0 / 2	6 / 13
Percentage of transfers resulting in pregnancies (%)	40.4	47.8	3 / 10	0 / 1	5 / 7
Percentage of transfers resulting in live births (%)	31.9	39.1	2 / 10	0 / 1	5 / 7
Percentage of transfers resulting in singleton live births (%)	14.9	34.8	2 / 10	0 / 1	4 / 7
Percentage of transfers resulting in twin live births (%)	17.0	4.3	0 / 10	0 / 1	1 / 7
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	12.8	26.1	2 / 10	0 / 1	3 / 7
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	6	2	6	1	4
	4	1	1	1	1
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	27	0	18	6	
Number of transfers	17	0	13	4	
Average number of embryos transferred	1.8		1.7	1.0	
Percentage of embryos transferred resulting in implantation (%)	54.8		20.0	1 / 4	
Percentage of transfers resulting in pregnancies (%)	12 / 17		4 / 13	1 / 4	
Percentage of transfers resulting in live births (%)	10 / 17		3 / 13	1 / 4	
Percentage of transfers resulting in singleton live births (%)	6 / 17		2 / 13	1 / 4	
Percentage of transfers resulting in twin live births (%)	4 / 17		1 / 13	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	5 / 17		2 / 13	1 / 4	

## CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.  
Current Name: Bethesda Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# INSTITUTE FOR REPRODUCTIVE HEALTH CINCINNATI, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Sherif G. Awadalla, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	61%	Tubal factor	18%	Uterine factor	13%	Multiple Factors: Female factors only 19% Female & male factors 20%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	29%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	15%	Other factor	12%	
				Endometriosis	19%	Unknown factor	6%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 1,174  
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	353	137	76	19	6
Percentage of cancellations before retrieval (%)	8.2	10.2	19.7	5 / 19	0 / 6
Number of transfers	299	109	57	11	5
Average number of embryos transferred	1.5	1.9	2.3	2.6	2.4
Percentage of elective single embryo transfers (eSET) (%)	53.4	12.6	3.6	0 / 11	0 / 3
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	38.2	35.0	39.5	2 / 19	0 / 6
Percentage of cycles resulting in live births (%)	32.9	32.1	31.6	1 / 19	0 / 6
Percentage of cycles resulting in singleton live births (%)	28.3	21.2	23.7	1 / 19	0 / 6
Percentage of cycles resulting in twin live births (%)	4.5	10.9	7.9	0 / 19	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	26.1	19.0	19.7	1 / 19	0 / 6
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	35.7	30.8	30.8	6.9	0 / 12
Percentage of transfers resulting in pregnancies (%)	45.2	44.0	52.6	2 / 11	0 / 5
Percentage of transfers resulting in live births (%)	38.8	40.4	42.1	1 / 11	0 / 5
Percentage of transfers resulting in singleton live births (%)	33.4	26.6	31.6	1 / 11	0 / 5
Percentage of transfers resulting in twin live births (%)	5.4	13.8	10.5	0 / 11	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	30.8	23.9	26.3	1 / 11	0 / 5
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	252	94	47	14	0
Number of transfers	231	86	44	10	0
Estimated average number of transfers per retrieval	1.7	1.5	1.3	2.5	
Average number of embryos transferred	1.5	1.5	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	39.0	33.6	37.9	3 / 15	
Percentage of transfers resulting in pregnancies (%)	50.6	47.7	47.7	2 / 10	
Percentage of transfers resulting in live births (%)	41.1	40.7	34.1	2 / 10	
Percentage of transfers resulting in singleton live births (%)	32.0	33.7	25.0	2 / 10	
Percentage of transfers resulting in twin live births (%)	9.1	7.0	9.1	0 / 10	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	27.7	25.6	22.7	2 / 10	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	28	23	16	2	0
	6	8	6	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	56	6	39	3	
Number of transfers	52	6	34	3	
Average number of embryos transferred	1.5	1.3	1.6	2.3	
Percentage of embryos transferred resulting in implantation (%)	41.3	2 / 8	30.4	2 / 7	
Percentage of transfers resulting in pregnancies (%)	50.0	2 / 6	38.2	1 / 3	
Percentage of transfers resulting in live births (%)	46.2	2 / 6	35.3	1 / 3	
Percentage of transfers resulting in singleton live births (%)	36.5	2 / 6	23.5	0 / 3	
Percentage of transfers resulting in twin live births (%)	9.6	0 / 6	11.8	1 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	28.8	2 / 6	17.6	0 / 3	

## CURRENT SERVICES & PROFILE

Current Name: Institute for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# OHIO REPRODUCTIVE MEDICINE COLUMBUS, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Grant E. Schmidt, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	32%	Tubal factor	19%	Uterine factor	5%	Multiple Factors: Female factors only 13% Female & male factors 9%
Unstimulated	<1%	PGD/PGS	3%	Ovulatory dysfunction	11%	Male factor	26%	
Used gestational carrier	2%			Diminished ovarian reserve	30%	Other factor	8%	
				Endometriosis	9%	Unknown factor	18%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 749  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	211	109	66	38	22
Percentage of cancellations before retrieval (%)	3.3	9.2	18.2	34.2	27.3
Number of transfers	163	78	40	17	11
Average number of embryos transferred	1.5	1.6	2.1	2.5	2.6
Percentage of elective single embryo transfers (eSET) (%)	42.3	24.6	0.0	0 / 14	0 / 8
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	44.1	38.5	24.2	13.2	4.5
Percentage of cycles resulting in live births (%)	38.9	32.1	13.6	7.9	4.5
Percentage of cycles resulting in singleton live births (%)	32.2	23.9	10.6	5.3	4.5
Percentage of cycles resulting in twin live births (%)	6.6	7.3	3.0	2.6	0.0
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	28.4	20.2	7.6	5.3	0.0
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	43.9	44.0	22.7	10.8	3.4
Percentage of transfers resulting in pregnancies (%)	57.1	53.8	40.0	5 / 17	1 / 11
Percentage of transfers resulting in live births (%)	50.3	44.9	22.5	3 / 17	1 / 11
Percentage of transfers resulting in singleton live births (%)	41.7	33.3	17.5	2 / 17	1 / 11
Percentage of transfers resulting in twin live births (%)	8.6	10.3	5.0	1 / 17	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	36.8	28.2	12.5	2 / 17	0 / 11
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	120	52	18	13	4
Number of transfers	117	49	16	13	4
Estimated average number of transfers per retrieval	1.9	1.4	0.7	1.6	0.6
Average number of embryos transferred	1.5	1.3	1.3	1.4	2.5
Percentage of embryos transferred resulting in implantation (%)	51.2	44.6	30.0	4 / 18	3 / 8
Percentage of transfers resulting in pregnancies (%)	61.5	57.1	7 / 16	2 / 13	3 / 4
Percentage of transfers resulting in live births (%)	49.6	36.7	4 / 16	2 / 13	2 / 4
Percentage of transfers resulting in singleton live births (%)	39.3	30.6	4 / 16	0 / 13	1 / 4
Percentage of transfers resulting in twin live births (%)	9.4	6.1	0 / 16	2 / 13	1 / 4
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	34.2	26.5	4 / 16	0 / 13	1 / 4
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	17	12	15	3	4
	2	2	0	0	1
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	17	0	20	8	
Number of transfers	14	0	18	8	
Average number of embryos transferred	1.3		1.3	1.8	
Percentage of embryos transferred resulting in implantation (%)	5 / 15		52.2	8 / 14	
Percentage of transfers resulting in pregnancies (%)	7 / 14		10 / 18	6 / 8	
Percentage of transfers resulting in live births (%)	5 / 14		9 / 18	6 / 8	
Percentage of transfers resulting in singleton live births (%)	5 / 14		6 / 18	5 / 8	
Percentage of transfers resulting in twin live births (%)	0 / 14		3 / 18	0 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4 / 14		5 / 18	3 / 8	

## CURRENT SERVICES & PROFILE

Current Name: Ohio Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SPRINGCREEK FERTILITY DAYTON, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Jeremy M. Groll, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	14%	Uterine factor	5%	Multiple Factors: Female factors only 16% Female & male factors 18%
Unstimulated	1%	PGD/PGS	10%	Ovulatory dysfunction	12%	Male factor	39%	
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	18%	
				Endometriosis	14%	Unknown factor	8%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 192  
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	43	7	7	1	9
Percentage of cancellations before retrieval (%)	0.0	0 / 7	0 / 7	0 / 1	1 / 9
Number of transfers	43	6	7	1	5
Average number of embryos transferred	1.6	1.7	2.1	2.0	2.4
Percentage of elective single embryo transfers (eSET) (%)	36.6	1 / 5	1 / 7	0 / 1	0 / 4
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	58.1	3 / 7	3 / 7	0 / 1	0 / 9
Percentage of cycles resulting in live births (%)	51.2	3 / 7	3 / 7	0 / 1	0 / 9
Percentage of cycles resulting in singleton live births (%)	46.5	2 / 7	3 / 7	0 / 1	0 / 9
Percentage of cycles resulting in twin live births (%)	4.7	1 / 7	0 / 7	0 / 1	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	34.9	2 / 7	3 / 7	0 / 1	0 / 9
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	39.1	4 / 10	3 / 15	0 / 2	0 / 12
Percentage of transfers resulting in pregnancies (%)	58.1	3 / 6	3 / 7	0 / 1	0 / 5
Percentage of transfers resulting in live births (%)	51.2	3 / 6	3 / 7	0 / 1	0 / 5
Percentage of transfers resulting in singleton live births (%)	46.5	2 / 6	3 / 7	0 / 1	0 / 5
Percentage of transfers resulting in twin live births (%)	4.7	1 / 6	0 / 7	0 / 1	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	34.9	2 / 6	3 / 7	0 / 1	0 / 5
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	43	9	9	2	1
Number of transfers	42	8	8	2	1
Estimated average number of transfers per retrieval	1.2	0.8	0.6	2.0	1.0
Average number of embryos transferred	1.6	1.5	1.8	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	42.4	7 / 12	4 / 14	1 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	54.8	5 / 8	3 / 8	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)	52.4	5 / 8	2 / 8	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	42.9	3 / 8	1 / 8	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	9.5	2 / 8	1 / 8	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	31.0	2 / 8	1 / 8	0 / 2	0 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	22	9	13	1	0
	5	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	5	3	3	2	
Number of transfers	5	3	3	2	
Average number of embryos transferred	1.8	2.0	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	8 / 9	2 / 6	1 / 5	0 / 4	
Percentage of transfers resulting in pregnancies (%)	5 / 5	1 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	5 / 5	1 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 5	0 / 3	1 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 5	1 / 3	0 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 5	0 / 3	1 / 3	0 / 2	

## CURRENT SERVICES & PROFILE

Current Name: SpringCreek Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WRIGHT STATE PHYSICIANS OB/GYN DAYTON, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Steven R. Lindheim, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	59%	Tubal factor	0%	Uterine factor	22%	Multiple Factors: Female factors only 19% Female & male factors 26%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	11%	Male factor	56%	
Used gestational carrier	7%			Diminished ovarian reserve	37%	Other factor	19%	
				Endometriosis	7%	Unknown factor	0%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 34  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	8	6	0	1	1
Percentage of cancellations before retrieval (%)	0 / 8	1 / 6		0 / 1	0 / 1
Number of transfers	8	5	0	1	1
Average number of embryos transferred	1.9	1.8		1.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 8	0 / 4			0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	1 / 8	0 / 6		0 / 1	1 / 1
Percentage of cycles resulting in live births (%)	1 / 8	0 / 6		0 / 1	1 / 1
Percentage of cycles resulting in singleton live births (%)	1 / 8	0 / 6		0 / 1	1 / 1
Percentage of cycles resulting in twin live births (%)	0 / 8	0 / 6		0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 8	0 / 6		0 / 1	0 / 1
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	1 / 15	0 / 9		0 / 1	1 / 2
Percentage of transfers resulting in pregnancies (%)	1 / 8	0 / 5		0 / 1	1 / 1
Percentage of transfers resulting in live births (%)	1 / 8	0 / 5		0 / 1	1 / 1
Percentage of transfers resulting in singleton live births (%)	1 / 8	0 / 5		0 / 1	1 / 1
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 5		0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 8	0 / 5		0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	3	1	0	0	0
Number of transfers	2	1	0	0	0
Estimated average number of transfers per retrieval	0.3	0.5		0.0	
Average number of embryos transferred	2.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 4	0 / 2			
Percentage of transfers resulting in pregnancies (%)	0 / 2	0 / 1			
Percentage of transfers resulting in live births (%)	0 / 2	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 2	0 / 1			
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	4	2	0	1	0
	2	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	3	0	3	1	
Number of transfers	3	0	3	1	
Average number of embryos transferred	1.7		2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 5		0 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 3		0 / 3	0 / 1	

## CURRENT SERVICES & PROFILE

Current Name: Wright State Physicians OB/GYN

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# KETTERING REPRODUCTIVE MEDICINE KETTERING, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Mark C. Bidwell, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	68%	Tubal factor	13%	Uterine factor	<1%	Multiple Factors: Female factors only 3% Female & male factors 22%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	14%	Male factor	54%	
Used gestational carrier	0%			Diminished ovarian reserve	24%	Other factor	3%	
				Endometriosis	17%	Unknown factor	3%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 210  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	81	22	15	5	3
Percentage of cancellations before retrieval (%)	8.6	9.1	0 / 15	1 / 5	0 / 3
Number of transfers	69	19	15	4	3
Average number of embryos transferred	1.9	2.0	1.9	2.3	2.0
Percentage of elective single embryo transfers (eSET) (%)	11.8	0 / 18	0 / 12	0 / 4	0 / 3
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	53.1	54.5	9 / 15	1 / 5	0 / 3
Percentage of cycles resulting in live births (%)	46.9	50.0	7 / 15	0 / 5	0 / 3
Percentage of cycles resulting in singleton live births (%)	29.6	13.6	6 / 15	0 / 5	0 / 3
Percentage of cycles resulting in twin live births (%)	16.0	36.4	1 / 15	0 / 5	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	25.9	13.6	5 / 15	0 / 5	0 / 3
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	46.8	52.8	37.0	0 / 6	0 / 6
Percentage of transfers resulting in pregnancies (%)	62.3	12 / 19	9 / 15	1 / 4	0 / 3
Percentage of transfers resulting in live births (%)	55.1	11 / 19	7 / 15	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births (%)	34.8	3 / 19	6 / 15	0 / 4	0 / 3
Percentage of transfers resulting in twin live births (%)	18.8	8 / 19	1 / 15	0 / 4	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	30.4	3 / 19	5 / 15	0 / 4	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	41	13	9	1	1
Number of transfers	41	13	9	1	1
Estimated average number of transfers per retrieval	2.7	4.3	3.0		0.3
Average number of embryos transferred	1.6	1.6	1.8	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	24.6	33.3	1 / 15	0 / 1	0 / 2
Percentage of transfers resulting in pregnancies (%)	39.0	5 / 13	2 / 9	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	34.1	4 / 13	1 / 9	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	31.7	3 / 13	1 / 9	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	2.4	1 / 13	0 / 9	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	29.3	3 / 13	0 / 9	0 / 1	0 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	3	2	0	0	2
	2	1	0	0	1
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	7	0	5	0	
Number of transfers	6	0	5	0	
Average number of embryos transferred	2.0		1.6		
Percentage of embryos transferred resulting in implantation (%)	10 / 12		1 / 8		
Percentage of transfers resulting in pregnancies (%)	5 / 6		1 / 5		
Percentage of transfers resulting in live births (%)	5 / 6		1 / 5		
Percentage of transfers resulting in singleton live births (%)	2 / 6		1 / 5		
Percentage of transfers resulting in twin live births (%)	3 / 6		0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 6		1 / 5		

## CURRENT SERVICES & PROFILE

Current Name: Kettering Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE FERTILITY WELLNESS INSTITUTE OF OHIO MASON, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Neeoo W. Chin, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	55%	Tubal factor	33%	Uterine factor	32%	Multiple Factors: Female factors only 46% Female & male factors 22%
Unstimulated	3%	PGD/PGS	0%	Ovulatory dysfunction	27%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	18%	
				Endometriosis	57%	Unknown factor	0%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 94  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	38	13	9	4	4
Percentage of cancellations before retrieval (%)	13.2	1 / 13	1 / 9	4 / 4	2 / 4
Number of transfers	32	12	6	0	1
Average number of embryos transferred	1.9	2.1	2.0		1.0
Percentage of elective single embryo transfers (eSET) (%)	6.9	0 / 12	0 / 5		
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	39.5	8 / 13	3 / 9	0 / 4	0 / 4
Percentage of cycles resulting in live births (%)	36.8	7 / 13	2 / 9	0 / 4	0 / 4
Percentage of cycles resulting in singleton live births (%)	18.4	4 / 13	2 / 9	0 / 4	0 / 4
Percentage of cycles resulting in twin live births (%)	18.4	3 / 13	0 / 9	0 / 4	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	18.4	3 / 13	2 / 9	0 / 4	0 / 4
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	36.7	44.0	4 / 12		0 / 1
Percentage of transfers resulting in pregnancies (%)	46.9	8 / 12	3 / 6		0 / 1
Percentage of transfers resulting in live births (%)	43.8	7 / 12	2 / 6		0 / 1
Percentage of transfers resulting in singleton live births (%)	21.9	4 / 12	2 / 6		0 / 1
Percentage of transfers resulting in twin live births (%)	21.9	3 / 12	0 / 6		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	21.9	3 / 12	2 / 6		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	9	5	3	0	0
Number of transfers	8	5	3	0	0
Estimated average number of transfers per retrieval	2.0		3.0		
Average number of embryos transferred	2.0	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 16	1 / 8	0 / 6		
Percentage of transfers resulting in pregnancies (%)	3 / 8	1 / 5	0 / 3		
Percentage of transfers resulting in live births (%)	3 / 8	1 / 5	0 / 3		
Percentage of transfers resulting in singleton live births (%)	3 / 8	1 / 5	0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 5	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 8	1 / 5	0 / 3		
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	4	0	3	1	
Number of transfers	3	0	3	1	
Average number of embryos transferred	2.7		1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 8		0 / 5	0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 3		0 / 3	0 / 1	

## CURRENT SERVICES & PROFILE

Current Name: The Fertility Wellness Institute of Ohio

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## UC CENTER FOR REPRODUCTIVE HEALTH WEST CHESTER, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

### 2016 ART CYCLE PROFILE

Data verified by Michael A. Thomas, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	63%	Tubal factor	24%	Uterine factor	5%	Multiple Factors: Female factors only 19% Female & male factors 32%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	36%	Male factor	48%	
Used gestational carrier	<1%			Diminished ovarian reserve	18%	Other factor	12%	
				Endometriosis	8%	Unknown factor	8%	

### 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 238  
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	86	28	15	5	0
Percentage of cancellations before retrieval (%)	9.3	7.1	2 / 15	3 / 5	
Number of transfers	75	26	12	2	0
Average number of embryos transferred	1.7	1.8	2.0	2.5	
Percentage of elective single embryo transfers (eSET) (%)	21.1	9.1	1 / 12	0 / 2	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	39.5	32.1	2 / 15	0 / 5	
Percentage of cycles resulting in live births (%)	32.6	25.0	0 / 15	0 / 5	
Percentage of cycles resulting in singleton live births (%)	23.3	17.9	0 / 15	0 / 5	
Percentage of cycles resulting in twin live births (%)	9.3	7.1	0 / 15	0 / 5	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	16.3	14.3	0 / 15	0 / 5	
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	34.7	26.1	9.1	0 / 5	
Percentage of transfers resulting in pregnancies (%)	45.3	34.6	2 / 12	0 / 2	
Percentage of transfers resulting in live births (%)	37.3	26.9	0 / 12	0 / 2	
Percentage of transfers resulting in singleton live births (%)	26.7	19.2	0 / 12	0 / 2	
Percentage of transfers resulting in twin live births (%)	10.7	7.7	0 / 12	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	18.7	15.4	0 / 12	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	42	12	11	0	0
Number of transfers	40	12	11	0	0
Estimated average number of transfers per retrieval	1.3	1.7	0.8	0.0	0.0
Average number of embryos transferred	1.6	1.8	1.4		
Percentage of embryos transferred resulting in implantation (%)	21.1	14.3	1 / 12		
Percentage of transfers resulting in pregnancies (%)	35.0	3 / 12	3 / 11		
Percentage of transfers resulting in live births (%)	25.0	3 / 12	1 / 11		
Percentage of transfers resulting in singleton live births (%)	25.0	3 / 12	1 / 11		
Percentage of transfers resulting in twin live births (%)	0.0	0 / 12	0 / 11		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	20.0	2 / 12	1 / 11		
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	16	0	8	1	1
	13	0	3	0	1
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	7	0	4	0	
Number of transfers	7	0	4	0	
Average number of embryos transferred	1.6		1.3		
Percentage of embryos transferred resulting in implantation (%)	6 / 11		1 / 5		
Percentage of transfers resulting in pregnancies (%)	5 / 7		1 / 4		
Percentage of transfers resulting in live births (%)	5 / 7		1 / 4		
Percentage of transfers resulting in singleton live births (%)	4 / 7		1 / 4		
Percentage of transfers resulting in twin live births (%)	1 / 7		0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 7		0 / 4		

### CURRENT SERVICES & PROFILE

Current Name: UC Center for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE GYNECOLOGY, INC.-WESTERVILLE WESTERVILLE, OHIO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by David M. Nash, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	49%	Tubal factor	12%	Uterine factor	2%	Multiple Factors: Female factors only 8% Female & male factors 20%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	20%	Male factor	42%	
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	8%	
				Endometriosis	10%	Unknown factor	14%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 358  
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	95	28	22	4	0
Percentage of cancellations before retrieval (%)	0.0	0.0	0.0	1 / 4	
Number of transfers	66	24	14	2	0
Average number of embryos transferred	1.5	2.1	2.6	2.5	
Percentage of elective single embryo transfers (eSET) (%)	56.1	17.4	0 / 14	0 / 1	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	36.8	42.9	31.8	0 / 4	
Percentage of cycles resulting in live births (%)	32.6	21.4	13.6	0 / 4	
Percentage of cycles resulting in singleton live births (%)	26.3	17.9	9.1	0 / 4	
Percentage of cycles resulting in twin live births (%)	6.3	3.6	4.5	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	23.2	17.9	9.1	0 / 4	
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	40.9	28.3	22.2	0 / 5	
Percentage of transfers resulting in pregnancies (%)	53.0	50.0	7 / 14	0 / 2	
Percentage of transfers resulting in live births (%)	47.0	25.0	3 / 14	0 / 2	
Percentage of transfers resulting in singleton live births (%)	37.9	20.8	2 / 14	0 / 2	
Percentage of transfers resulting in twin live births (%)	9.1	4.2	1 / 14	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	33.3	20.8	2 / 14	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	90	18	24	7	1
Number of transfers	78	17	21	2	1
Estimated average number of transfers per retrieval	1.2	1.3	1.6	0.5	
Average number of embryos transferred	1.4	1.5	1.9	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	54.6	54.2	28.9	1 / 4	1 / 1
Percentage of transfers resulting in pregnancies (%)	67.9	12 / 17	42.9	1 / 2	1 / 1
Percentage of transfers resulting in live births (%)	59.0	11 / 17	23.8	1 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	51.3	9 / 17	14.3	1 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	6.4	2 / 17	9.5	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	42.3	9 / 17	4.8	0 / 2	1 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	19	5	4	2	0
	10	2	1	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	21	2	14	0	
Number of transfers	20	1	11	0	
Average number of embryos transferred	1.3	1.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	60.0	0 / 1	10 / 13		
Percentage of transfers resulting in pregnancies (%)	75.0	0 / 1	9 / 11		
Percentage of transfers resulting in live births (%)	75.0	0 / 1	6 / 11		
Percentage of transfers resulting in singleton live births (%)	75.0	0 / 1	5 / 11		
Percentage of transfers resulting in twin live births (%)	0.0	0 / 1	1 / 11		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	75.0	0 / 1	5 / 11		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Gynecology & Infertility-Westerville

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HENRY G. BENNETT, JR., FERTILITY INSTITUTE OKLAHOMA CITY, OKLAHOMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Eli Reshef, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	60%	Tubal factor	19%	Uterine factor	4%	Multiple Factors: Female factors only 12% Female & male factors 25%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	16%	Male factor	54%	
Used gestational carrier	0%			Diminished ovarian reserve	13%	Other factor	18%	
				Endometriosis	16%	Unknown factor	7%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 374  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	154	39	36	7	2
Percentage of cancellations before retrieval (%)	7.1	15.4	33.3	1 / 7	0 / 2
Number of transfers	118	31	20	5	2
Average number of embryos transferred	1.8	1.9	2.2	1.6	2.5
Percentage of elective single embryo transfers (eSET) (%)	18.2	3.8	5.0	0 / 3	0 / 2
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	42.2	38.5	22.2	2 / 7	0 / 2
Percentage of cycles resulting in live births (%)	35.1	33.3	16.7	2 / 7	0 / 2
Percentage of cycles resulting in singleton live births (%)	27.9	28.2	13.9	2 / 7	0 / 2
Percentage of cycles resulting in twin live births (%)	7.1	5.1	2.8	0 / 7	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	23.4	28.2	13.9	1 / 7	0 / 2
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	36.0	28.1	20.9	2 / 8	0 / 5
Percentage of transfers resulting in pregnancies (%)	55.1	48.4	40.0	2 / 5	0 / 2
Percentage of transfers resulting in live births (%)	45.8	41.9	30.0	2 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	36.4	35.5	25.0	2 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	9.3	6.5	5.0	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	30.5	35.5	25.0	1 / 5	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	57	16	7	6	4
Number of transfers	48	13	7	5	1
Estimated average number of transfers per retrieval	1.3	4.3	1.2	1.3	
Average number of embryos transferred	1.6	1.8	1.6	1.8	2.0
Percentage of embryos transferred resulting in implantation (%)	36.5	20.8	2 / 11	0 / 9	0 / 2
Percentage of transfers resulting in pregnancies (%)	47.9	5 / 13	2 / 7	0 / 5	0 / 1
Percentage of transfers resulting in live births (%)	43.8	4 / 13	2 / 7	0 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	35.4	4 / 13	2 / 7	0 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	8.3	0 / 13	0 / 7	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	31.3	3 / 13	2 / 7	0 / 5	0 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	7	1	1	2	0
	3	0	1	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	14	0	6	15	
Number of transfers	13	0	6	14	
Average number of embryos transferred	1.9		1.8	1.8	
Percentage of embryos transferred resulting in implantation (%)	32.0		2 / 9	16.0	
Percentage of transfers resulting in pregnancies (%)	6 / 13		3 / 6	4 / 14	
Percentage of transfers resulting in live births (%)	6 / 13		2 / 6	3 / 14	
Percentage of transfers resulting in singleton live births (%)	4 / 13		2 / 6	3 / 14	
Percentage of transfers resulting in twin live births (%)	2 / 13		0 / 6	0 / 14	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 13		2 / 6	2 / 14	

## CURRENT SERVICES & PROFILE

Current Name: Bennett Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	No	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## OU PHYSICIANS REPRODUCTIVE MEDICINE OKLAHOMA CITY, OKLAHOMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

### 2016 ART CYCLE PROFILE

Data verified by LaTasha B. Craig, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	78%	Tubal factor	14%	Uterine factor	2%	Multiple Factors: Female factors only 12% Female & male factors 22%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	13%	Male factor	49%	
Used gestational carrier	<1%			Diminished ovarian reserve	15%	Other factor	26%	
				Endometriosis	11%	Unknown factor	10%	

### 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 283  
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	94	37	21	3	4
Percentage of cancellations before retrieval (%)	3.2	0.0	19.0	0 / 3	2 / 4
Number of transfers	86	37	16	3	2
Average number of embryos transferred	1.7	2.1	2.3	3.3	2.0
Percentage of elective single embryo transfers (eSET) (%)	24.4	5.6	0 / 15	0 / 3	0 / 2
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	57.4	40.5	23.8	1 / 3	0 / 4
Percentage of cycles resulting in live births (%)	50.0	37.8	14.3	1 / 3	0 / 4
Percentage of cycles resulting in singleton live births (%)	28.7	29.7	9.5	1 / 3	0 / 4
Percentage of cycles resulting in twin live births (%)	21.3	5.4	4.8	0 / 3	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	25.5	24.3	9.5	1 / 3	0 / 4
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	51.4	25.6	16.2	1 / 10	0 / 4
Percentage of transfers resulting in pregnancies (%)	62.8	40.5	5 / 16	1 / 3	0 / 2
Percentage of transfers resulting in live births (%)	54.7	37.8	3 / 16	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	31.4	29.7	2 / 16	1 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	23.3	5.4	1 / 16	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	27.9	24.3	2 / 16	1 / 3	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	51	23	7	1	1
Number of transfers	51	22	7	1	1
Estimated average number of transfers per retrieval	2.3	1.8	1.8		
Average number of embryos transferred	1.5	1.5	1.9	2.0	3.0
Percentage of embryos transferred resulting in implantation (%)	34.2	25.8	1 / 10	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	47.1	45.5	3 / 7	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	35.3	36.4	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	29.4	36.4	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	5.9	0.0	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	21.6	36.4	0 / 7	0 / 1	0 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	11	4	1	0	0
	3	2	1	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	5	2	10	6	
Number of transfers	5	2	10	6	
Average number of embryos transferred	1.6	1.5	1.7	1.5	
Percentage of embryos transferred resulting in implantation (%)	4 / 8	3 / 3	3 / 17	4 / 9	
Percentage of transfers resulting in pregnancies (%)	3 / 5	2 / 2	3 / 10	3 / 6	
Percentage of transfers resulting in live births (%)	2 / 5	2 / 2	1 / 10	3 / 6	
Percentage of transfers resulting in singleton live births (%)	2 / 5	1 / 2	1 / 10	2 / 6	
Percentage of transfers resulting in twin live births (%)	0 / 5	1 / 2	0 / 10	1 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 5	1 / 2	1 / 10	1 / 6	

### CURRENT SERVICES & PROFILE

Current Name: OU Physicians Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## TULSA FERTILITY CENTER TULSA, OKLAHOMA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

### 2016 ART CYCLE PROFILE

Data verified by Stanley G. Prough, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	81%	Tubal factor	11%	Uterine factor	<1%	Multiple Factors: Female factors only 11% Female & male factors 28%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	18%	Male factor	54%	
Used gestational carrier	0%			Diminished ovarian reserve	19%	Other factor	26%	
				Endometriosis	6%	Unknown factor	7%	

### 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 392  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	138	31	23	4	2
Percentage of cancellations before retrieval (%)	6.5	16.1	43.5	2 / 4	0 / 2
Number of transfers	74	16	6	1	1
Average number of embryos transferred	1.6	1.6	1.8	3.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	14.5	2 / 11	0 / 4	0 / 1	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	24.6	12.9	21.7	0 / 4	0 / 2
Percentage of cycles resulting in live births (%)	22.5	12.9	17.4	0 / 4	0 / 2
Percentage of cycles resulting in singleton live births (%)	14.5	9.7	17.4	0 / 4	0 / 2
Percentage of cycles resulting in twin live births (%)	8.0	3.2	0.0	0 / 4	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	12.3	9.7	17.4	0 / 4	0 / 2
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	37.3	19.2	4 / 8	0 / 3	0 / 1
Percentage of transfers resulting in pregnancies (%)	45.9	4 / 16	5 / 6	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	41.9	4 / 16	4 / 6	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.0	3 / 16	4 / 6	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	14.9	1 / 16	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	23.0	3 / 16	4 / 6	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	80	16	10	2	0
Number of transfers	79	15	10	1	0
Estimated average number of transfers per retrieval	1.4	0.9	0.5	1.0	
Average number of embryos transferred	1.6	1.7	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)	33.0	29.2	5 / 17	1 / 2	
Percentage of transfers resulting in pregnancies (%)	50.6	7 / 15	4 / 10	1 / 1	
Percentage of transfers resulting in live births (%)	38.0	5 / 15	3 / 10	1 / 1	
Percentage of transfers resulting in singleton live births (%)	34.2	4 / 15	2 / 10	1 / 1	
Percentage of transfers resulting in twin live births (%)	3.8	1 / 15	1 / 10	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	26.6	4 / 15	2 / 10	1 / 1	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	19	11	17	1	0
	4	0	4	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	16	0	14	7	
Number of transfers	13	0	14	6	
Average number of embryos transferred	1.5		1.7	1.3	
Percentage of embryos transferred resulting in implantation (%)	10 / 18		18.2	2 / 6	
Percentage of transfers resulting in pregnancies (%)	8 / 13		3 / 14	3 / 6	
Percentage of transfers resulting in live births (%)	7 / 13		2 / 14	2 / 6	
Percentage of transfers resulting in singleton live births (%)	4 / 13		0 / 14	2 / 6	
Percentage of transfers resulting in twin live births (%)	3 / 13		2 / 14	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 13		0 / 14	1 / 6	

### CURRENT SERVICES & PROFILE

Current Name: Tulsa Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE FERTILITY CENTER OF OREGON EUGENE, OREGON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

OREGON

## 2016 ART CYCLE PROFILE

Data verified by Douglas J. Austin, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	86%	Tubal factor	10%	Uterine factor	2%	Multiple Factors: Female factors only 13% Female & male factors 26%
Unstimulated	0%	PGD/PGS	26%	Ovulatory dysfunction	21%	Male factor	45%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	16%	
				Endometriosis	6%	Unknown factor	11%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 191  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	42	21	13	3	4
Percentage of cancellations before retrieval (%)	7.1	9.5	0 / 13	0 / 3	0 / 4
Number of transfers	38	17	12	1	4
Average number of embryos transferred	2.0	1.8	2.3	2.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	2.9	2 / 14	1 / 11	0 / 1	0 / 3
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	47.6	47.6	8 / 13	0 / 3	2 / 4
Percentage of cycles resulting in live births (%)	40.5	42.9	7 / 13	0 / 3	2 / 4
Percentage of cycles resulting in singleton live births (%)	28.6	28.6	5 / 13	0 / 3	1 / 4
Percentage of cycles resulting in twin live births (%)	11.9	14.3	2 / 13	0 / 3	1 / 4
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	21.4	14.3	3 / 13	0 / 3	1 / 4
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	38.7	43.3	37.0	0 / 2	4 / 9
Percentage of transfers resulting in pregnancies (%)	52.6	10 / 17	8 / 12	0 / 1	2 / 4
Percentage of transfers resulting in live births (%)	44.7	9 / 17	7 / 12	0 / 1	2 / 4
Percentage of transfers resulting in singleton live births (%)	31.6	6 / 17	5 / 12	0 / 1	1 / 4
Percentage of transfers resulting in twin live births (%)	13.2	3 / 17	2 / 12	0 / 1	1 / 4
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	23.7	3 / 17	3 / 12	0 / 1	1 / 4
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	29	25	13	6	3
Number of transfers	29	24	13	6	3
Estimated average number of transfers per retrieval	4.1	24.0			
Average number of embryos transferred	2.0	1.7	1.8	2.2	2.0
Percentage of embryos transferred resulting in implantation (%)	20.8	20.0	19.0	0 / 13	0 / 6
Percentage of transfers resulting in pregnancies (%)	37.9	33.3	5 / 13	0 / 6	0 / 3
Percentage of transfers resulting in live births (%)	31.0	29.2	3 / 13	0 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	27.6	25.0	3 / 13	0 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	3.4	4.2	0 / 13	0 / 6	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	13.8	25.0	3 / 13	0 / 6	0 / 3
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	1	0	0	0	0
	1	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	14	0	14	2	
Number of transfers	14	0	14	2	
Average number of embryos transferred	1.9		1.9	3.0	
Percentage of embryos transferred resulting in implantation (%)	65.4		20.8	0 / 6	
Percentage of transfers resulting in pregnancies (%)	10 / 14		5 / 14	0 / 2	
Percentage of transfers resulting in live births (%)	10 / 14		3 / 14	0 / 2	
Percentage of transfers resulting in singleton live births (%)	4 / 14		3 / 14	0 / 2	
Percentage of transfers resulting in twin live births (%)	6 / 14		0 / 14	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4 / 14		2 / 14	0 / 2	

## CURRENT SERVICES & PROFILE

Current Name: The Fertility Center of Oregon

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**NORTHWEST FERTILITY CENTER  
PORTLAND, OREGON**

---

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

# OREGON REPRODUCTIVE MEDICINE PORTLAND, OREGON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by John S. Hesla, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	75%	Tubal factor	6%	Uterine factor	5%	Multiple Factors: Female factors only 19% Female & male factors 11%
Unstimulated	<1%	PGD/PGS	64%	Ovulatory dysfunction	16%	Male factor	21%	
Used gestational carrier	23%			Diminished ovarian reserve	31%	Other factor	39%	
				Endometriosis	8%	Unknown factor	10%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 1,882  
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	106	52	42	18	23
Percentage of cancellations before retrieval (%)	0.0	3.8	0.0	0 / 18	0.0
Number of transfers	89	32	26	9	11
Average number of embryos transferred	1.7	1.6	1.6	1.4	1.5
Percentage of elective single embryo transfers (eSET) (%)	19.5	18.2	0 / 15	0 / 4	1 / 6
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	61.3	44.2	33.3	3 / 18	26.1
Percentage of cycles resulting in live births (%)	50.9	42.3	26.2	2 / 18	17.4
Percentage of cycles resulting in singleton live births (%)	28.3	30.8	21.4	1 / 18	17.4
Percentage of cycles resulting in twin live births (%)	21.7	9.6	4.8	1 / 18	0.0
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	23.6	28.8	19.0	1 / 18	17.4
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	63.7	62.0	47.6	5 / 13	6 / 16
Percentage of transfers resulting in pregnancies (%)	73.0	71.9	53.8	3 / 9	6 / 11
Percentage of transfers resulting in live births (%)	60.7	68.8	42.3	2 / 9	4 / 11
Percentage of transfers resulting in singleton live births (%)	33.7	50.0	34.6	1 / 9	4 / 11
Percentage of transfers resulting in twin live births (%)	25.8	15.6	7.7	1 / 9	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	28.1	46.9	30.8	1 / 9	4 / 11
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	167	145	95	61	45
Number of transfers	166	143	91	58	40
Estimated average number of transfers per retrieval	0.6	0.7	0.5	0.7	0.4
Average number of embryos transferred	1.4	1.4	1.3	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	65.4	72.6	62.1	58.6	68.6
Percentage of transfers resulting in pregnancies (%)	72.9	81.1	67.0	69.0	65.0
Percentage of transfers resulting in live births (%)	66.3	69.2	53.8	58.6	60.0
Percentage of transfers resulting in singleton live births (%)	48.8	58.0	40.7	55.2	40.0
Percentage of transfers resulting in twin live births (%)	17.5	11.2	12.1	3.4	20.0
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	39.2	52.4	33.0	44.8	27.5
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	243	208	188	85	103
	12	8	7	2	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	17	0	262	20	
Number of transfers	17	0	254	20	
Average number of embryos transferred	1.5		1.6	1.6	
Percentage of embryos transferred resulting in implantation (%)	68.0		74.6	61.3	
Percentage of transfers resulting in pregnancies (%)	12 / 17		83.1	70.0	
Percentage of transfers resulting in live births (%)	12 / 17		71.3	60.0	
Percentage of transfers resulting in singleton live births (%)	9 / 17		42.9	50.0	
Percentage of transfers resulting in twin live births (%)	3 / 17		28.0	10.0	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	7 / 17		32.3	45.0	

## CURRENT SERVICES & PROFILE

Current Name: Oregon Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY FERTILITY CONSULTANTS OREGON HEALTH & SCIENCE UNIVERSITY PORTLAND, OREGON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Diana H. Wu, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	18%	Uterine factor	3%	Multiple Factors: Female factors only 14% Female & male factors 33%
Unstimulated	0%	PGD/PGS	28%	Ovulatory dysfunction	15%	Male factor	48%	
Used gestational carrier	5%			Diminished ovarian reserve	34%	Other factor	21%	
				Endometriosis	9%	Unknown factor	5%	

2016 ART SUCCESS RATES <sup>c,d</sup>		Total number of cycles <sup>d</sup> : 680 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>						
Number of cycles		80	40	32	10	7
Percentage of cancellations before retrieval (%)		13.8	20.0	18.8	2 / 10	4 / 7
Number of transfers		32	14	5	2	2
Average number of embryos transferred		1.6	1.6	1.8	2.5	2.0
Percentage of elective single embryo transfers (eSET) (%)		43.3	3 / 12	0 / 4	0 / 2	0 / 2
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in pregnancies (%)		22.5	22.5	9.4	1 / 10	0 / 7
Percentage of cycles resulting in live births (%)		20.0	20.0	9.4	0 / 10	0 / 7
Percentage of cycles resulting in singleton live births (%)		12.5	15.0	6.3	0 / 10	0 / 7
Percentage of cycles resulting in twin live births (%)		7.5	5.0	3.1	0 / 10	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)		11.3	15.0	6.3	0 / 10	0 / 7
<b>Outcomes per Transfer</b>						
Percentage of embryos transferred resulting in implantation (%)		52.0	52.2	5 / 9	2 / 5	0 / 4
Percentage of transfers resulting in pregnancies (%)		56.3	9 / 14	3 / 5	1 / 2	0 / 2
Percentage of transfers resulting in live births (%)		50.0	8 / 14	3 / 5	0 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)		31.3	6 / 14	2 / 5	0 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)		18.8	2 / 14	1 / 5	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		28.1	6 / 14	2 / 5	0 / 2	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles		108	63	58	24	10
Number of transfers		106	59	55	23	10
Estimated average number of transfers per retrieval		1.1	0.8	0.9	0.7	0.8
Average number of embryos transferred		1.5	1.4	1.3	1.3	1.7
Percentage of embryos transferred resulting in implantation (%)		43.4	55.3	55.1	48.3	8 / 15
Percentage of transfers resulting in pregnancies (%)		53.8	64.4	67.3	56.5	7 / 10
Percentage of transfers resulting in live births (%)		46.2	55.9	54.5	43.5	5 / 10
Percentage of transfers resulting in singleton live births (%)		36.8	44.1	50.9	43.5	3 / 10
Percentage of transfers resulting in twin live births (%)		9.4	10.2	3.6	0.0	2 / 10
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		27.4	37.3	38.2	34.8	3 / 10
<b>Number of Egg or Embryo Banking Cycles</b>						
Number of fertility preservation cycles		58	54	54	27	12
		24	13	8	2	2
<b>Donor Eggs<sup>f</sup></b>		<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles		22	0	20	1	
Number of transfers		20	0	18	1	
Average number of embryos transferred		1.1		1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)		63.6		61.9	1 / 1	
Percentage of transfers resulting in pregnancies (%)		70.0		11 / 18	1 / 1	
Percentage of transfers resulting in live births (%)		70.0		8 / 18	1 / 1	
Percentage of transfers resulting in singleton live births (%)		70.0		6 / 18	1 / 1	
Percentage of transfers resulting in twin live births (%)		0.0		2 / 18	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		45.0		5 / 18	1 / 1	

CURRENT SERVICES & PROFILE		Current Name: University Fertility Consultants, Oregon Health & Science University					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ABINGTON REPRODUCTIVE MEDICINE, ABINGTON IVF AND GENETICS TOLL CENTER FOR REPRODUCTIVE SCIENCES ABINGTON, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Annette Lee, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>					
IVF	100%	With ICSI	65%	Tubal factor	6%	Uterine factor	<1%	Multiple Factors:	
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	20%	Male factor	25%	Female factors only	2%
Used gestational carrier	<1%			Diminished ovarian reserve	28%	Other factor	4%	Female & male factors	6%
				Endometriosis	4%	Unknown factor	20%		

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 716  
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	177	56	57	34	13
Percentage of cancellations before retrieval (%)	2.3	8.9	15.8	17.6	0 / 13
Number of transfers	129	41	33	19	8
Average number of embryos transferred	1.7	2.1	2.2	2.8	3.1
Percentage of elective single embryo transfers (eSET) (%)	29.3	11.4	0.0	0 / 17	0 / 6
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	36.7	30.4	15.8	17.6	1 / 13
Percentage of cycles resulting in live births (%)	30.5	23.2	14.0	11.8	0 / 13
Percentage of cycles resulting in singleton live births (%)	24.3	19.6	12.3	8.8	0 / 13
Percentage of cycles resulting in twin live births (%)	6.2	3.6	1.8	2.9	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	20.3	19.6	10.5	5.9	0 / 13
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	37.0	26.7	13.0	11.8	4.0
Percentage of transfers resulting in pregnancies (%)	50.4	41.5	27.3	6 / 19	1 / 8
Percentage of transfers resulting in live births (%)	41.9	31.7	24.2	4 / 19	0 / 8
Percentage of transfers resulting in singleton live births (%)	33.3	26.8	21.2	3 / 19	0 / 8
Percentage of transfers resulting in twin live births (%)	8.5	4.9	3.0	1 / 19	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	27.9	26.8	18.2	2 / 19	0 / 8
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	131	41	33	9	12
Number of transfers	123	40	29	9	12
Estimated average number of transfers per retrieval	1.3	1.0	0.9	2.3	1.5
Average number of embryos transferred	1.3	1.3	1.3	1.3	1.8
Percentage of embryos transferred resulting in implantation (%)	41.9	47.1	34.3	4 / 12	28.6
Percentage of transfers resulting in pregnancies (%)	47.2	50.0	44.8	4 / 9	5 / 12
Percentage of transfers resulting in live births (%)	41.5	45.0	24.1	4 / 9	5 / 12
Percentage of transfers resulting in singleton live births (%)	35.8	42.5	17.2	4 / 9	4 / 12
Percentage of transfers resulting in twin live births (%)	5.7	2.5	6.9	0 / 9	1 / 12
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	30.9	35.0	17.2	4 / 9	3 / 12
<b>Number of Egg or Embryo Banking Cycles</b>					
	43	33	23	4	5
Number of fertility preservation cycles	12	13	10	1	3
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	17	6	19	1	
Number of transfers	16	6	18	1	
Average number of embryos transferred	1.7	1.5	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)	52.0	4 / 9	23.1	1 / 1	
Percentage of transfers resulting in pregnancies (%)	11 / 16	3 / 6	6 / 18	1 / 1	
Percentage of transfers resulting in live births (%)	10 / 16	3 / 6	6 / 18	1 / 1	
Percentage of transfers resulting in singleton live births (%)	7 / 16	2 / 6	6 / 18	1 / 1	
Percentage of transfers resulting in twin live births (%)	3 / 16	1 / 6	0 / 18	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	6 / 16	2 / 6	2 / 18	1 / 1	

## CURRENT SERVICES & PROFILE

Current Name: Abington Reproductive Medicine, Abington IVF and Genetics,  
Toll Center for Reproductive Sciences

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**INFERTILITY SOLUTIONS, PC  
ALLENTOWN, PENNSYLVANIA**

---

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

# REPRODUCTIVE MEDICINE ASSOCIATES OF PENNSYLVANIA ALLENTOWN, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Wendy J. Schillings, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	81%	Tubal factor	15%	Uterine factor	4%	Multiple Factors: Female factors only 15% Female & male factors 37%
Unstimulated	0%	PGD/PGS	50%	Ovulatory dysfunction	17%	Male factor	51%	
Used gestational carrier	1%			Diminished ovarian reserve	15%	Other factor	54%	
				Endometriosis	4%	Unknown factor	0%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 325  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	67	23	6	2	1
Percentage of cancellations before retrieval (%)	7.5	17.4	1 / 6	0 / 2	0 / 1
Number of transfers	27	4	0	0	0
Average number of embryos transferred	1.4	1.8			
Percentage of elective single embryo transfers (eSET) (%)	53.8	1 / 4			
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	31.3	8.7	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	23.9	8.7	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	16.4	0.0	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	7.5	8.7	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	14.9	0.0	0 / 6	0 / 2	0 / 1
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	75.0	4 / 7			
Percentage of transfers resulting in pregnancies (%)	77.8	2 / 4			
Percentage of transfers resulting in live births (%)	59.3	2 / 4			
Percentage of transfers resulting in singleton live births (%)	40.7	0 / 4			
Percentage of transfers resulting in twin live births (%)	18.5	2 / 4			
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	37.0	0 / 4			
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	78	34	28	5	2
Number of transfers	75	31	26	5	2
Estimated average number of transfers per retrieval	1.4	1.6	1.7	1.3	0.7
Average number of embryos transferred	1.3	1.2	1.2	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	74.5	69.4	53.6	4 / 4	2 / 2
Percentage of transfers resulting in pregnancies (%)	80.0	71.0	61.5	5 / 5	1 / 2
Percentage of transfers resulting in live births (%)	72.0	54.8	57.7	4 / 5	1 / 2
Percentage of transfers resulting in singleton live births (%)	57.3	45.2	57.7	4 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	14.7	9.7	0.0	0 / 5	1 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	52.0	41.9	50.0	4 / 5	0 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	22	11	13	3	3
	1	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	5	0	17	5	
Number of transfers	0	0	17	5	
Average number of embryos transferred			1.1	1.2	
Percentage of embryos transferred resulting in implantation (%)			11 / 19	5 / 6	
Percentage of transfers resulting in pregnancies (%)			11 / 17	4 / 5	
Percentage of transfers resulting in live births (%)			11 / 17	4 / 5	
Percentage of transfers resulting in singleton live births (%)			11 / 17	3 / 5	
Percentage of transfers resulting in twin live births (%)			0 / 17	1 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)			9 / 17	2 / 5	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Pennsylvania

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FAMILY FERTILITY CENTER BETHLEHEM, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by H. Christina Lee, MD				
<b>Type of ART and Procedural Factors<sup>a</sup></b>				<b>Patient Diagnosis<sup>a,b</sup></b>				
IVF	100%	With ICSI	74%	Tubal factor	10%	Uterine factor	0%	
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	25%	Male factor	50%	
Used gestational carrier	<1%			Diminished ovarian reserve	30%	Other factor	15%	
				Endometriosis	10%	Unknown factor	4%	
						Multiple Factors:		
						Female factors only	5%	
						Female & male factors	31%	
2016 ART SUCCESS RATES <sup>c,d</sup>				Total number of cycles <sup>d</sup> : 124 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient							
	<35	35–37	38–40	41–42	>42			
<b>Fresh Embryos from Fresh Nondonor Eggs</b>								
Number of cycles	30	12	6	4	0			
Percentage of cancellations before retrieval (%)	3.3	0 / 12	1 / 6	0 / 4				
Number of transfers	20	8	4	2	0			
Average number of embryos transferred	1.5	1.6	1.8	2.5				
Percentage of elective single embryo transfers (eSET) (%)	7 / 16	2 / 7	0 / 3	0 / 2				
<b>Outcomes per Cycle</b>								
Percentage of cycles resulting in pregnancies (%)	36.7	4 / 12	3 / 6	1 / 4				
Percentage of cycles resulting in live births (%)	36.7	4 / 12	2 / 6	1 / 4				
Percentage of cycles resulting in singleton live births (%)	23.3	3 / 12	2 / 6	1 / 4				
Percentage of cycles resulting in twin live births (%)	13.3	1 / 12	0 / 6	0 / 4				
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	20.0	2 / 12	2 / 6	0 / 4				
<b>Outcomes per Transfer</b>								
Percentage of embryos transferred resulting in implantation (%)	51.7	5 / 13	5 / 7	1 / 5				
Percentage of transfers resulting in pregnancies (%)	55.0	4 / 8	3 / 4	1 / 2				
Percentage of transfers resulting in live births (%)	55.0	4 / 8	2 / 4	1 / 2				
Percentage of transfers resulting in singleton live births (%)	35.0	3 / 8	2 / 4	1 / 2				
Percentage of transfers resulting in twin live births (%)	20.0	1 / 8	0 / 4	0 / 2				
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	30.0	2 / 8	2 / 4	0 / 2				
<b>Frozen Embryos from Nondonor Eggs</b>								
Number of cycles	22	13	6	1	4			
Number of transfers	22	13	5	1	4			
Estimated average number of transfers per retrieval	1.3	2.2	1.0	1.0	4.0			
Average number of embryos transferred	1.2	1.5	1.2	2.0	1.5			
Percentage of embryos transferred resulting in implantation (%)	61.5	6 / 19	4 / 6	3 / 2	2 / 6			
Percentage of transfers resulting in pregnancies (%)	59.1	5 / 13	3 / 5	1 / 1	2 / 4			
Percentage of transfers resulting in live births (%)	59.1	5 / 13	2 / 5	1 / 1	2 / 4			
Percentage of transfers resulting in singleton live births (%)	50.0	4 / 13	2 / 5	1 / 1	2 / 4			
Percentage of transfers resulting in twin live births (%)	9.1	1 / 13	0 / 5	0 / 1	0 / 4			
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	40.9	3 / 13	2 / 5	0 / 1	2 / 4			
<b>Number of Egg or Embryo Banking Cycles</b>								
Number of fertility preservation cycles	3	2	3	0	1			
	0	0	0	0	0			
<b>Donor Eggs<sup>f</sup></b>								
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>				
Number of cycles	5	4	3	5				
Number of transfers	5	3	3	4				
Average number of embryos transferred	1.2	1.3	1.3	1.5				
Percentage of embryos transferred resulting in implantation (%)	4 / 6	2 / 4	2 / 4	0 / 6				
Percentage of transfers resulting in pregnancies (%)	3 / 5	2 / 3	1 / 3	0 / 4				
Percentage of transfers resulting in live births (%)	2 / 5	2 / 3	1 / 3	0 / 4				
Percentage of transfers resulting in singleton live births (%)	2 / 5	2 / 3	0 / 3	0 / 4				
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 3	1 / 3	0 / 4				
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 5	2 / 3	0 / 3	0 / 4				
CURRENT SERVICES & PROFILE				Current Name: Family Fertility Center				
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes	
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes	

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# MAIN LINE FERTILITY AND REPRODUCTIVE MEDICINE BRYN MAWR, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Michael J. Glassner, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	33%	Tubal factor	11%	Uterine factor	2%	Multiple Factors: Female factors only 7% Female & male factors 6%
Unstimulated	0%	PGD/PGS	22%	Ovulatory dysfunction	14%	Male factor	20%	
Used gestational carrier	<1%			Diminished ovarian reserve	26%	Other factor	16%	
				Endometriosis	5%	Unknown factor	22%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 1,182  
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	185	115	96	41	35
Percentage of cancellations before retrieval (%)	4.9	7.8	8.3	17.1	22.9
Number of transfers	140	75	56	22	15
Average number of embryos transferred	1.7	1.9	2.3	2.4	2.9
Percentage of elective single embryo transfers (eSET) (%)	30.2	12.5	6.1	5.0	0 / 11
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	38.4	32.2	21.9	12.2	5.7
Percentage of cycles resulting in live births (%)	33.5	27.8	13.5	9.8	5.7
Percentage of cycles resulting in singleton live births (%)	27.6	20.0	9.4	9.8	5.7
Percentage of cycles resulting in twin live births (%)	5.9	7.0	4.2	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	22.2	18.3	7.3	7.3	5.7
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	35.6	35.3	19.4	9.4	7.0
Percentage of transfers resulting in pregnancies (%)	50.7	49.3	37.5	22.7	2 / 15
Percentage of transfers resulting in live births (%)	44.3	42.7	23.2	18.2	2 / 15
Percentage of transfers resulting in singleton live births (%)	36.4	30.7	16.1	18.2	2 / 15
Percentage of transfers resulting in twin live births (%)	7.9	10.7	7.1	0.0	0 / 15
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	29.3	28.0	12.5	13.6	2 / 15
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	157	90	60	32	10
Number of transfers	143	77	54	31	9
Estimated average number of transfers per retrieval	1.0	1.3	0.8	0.9	0.6
Average number of embryos transferred	1.4	1.4	1.4	1.3	1.4
Percentage of embryos transferred resulting in implantation (%)	36.0	42.5	19.5	31.4	3 / 13
Percentage of transfers resulting in pregnancies (%)	44.8	54.5	25.9	38.7	3 / 9
Percentage of transfers resulting in live births (%)	39.9	50.6	18.5	32.3	3 / 9
Percentage of transfers resulting in singleton live births (%)	33.6	45.5	16.7	29.0	3 / 9
Percentage of transfers resulting in twin live births (%)	5.6	5.2	1.9	3.2	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	31.5	41.6	13.0	29.0	3 / 9
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	111	36	50	24	16
	14	7	2	1	3
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	12	55	53	1	
Number of transfers	8	47	46	1	
Average number of embryos transferred	1.8	1.9	1.4	2.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 12	27.7	28.8	0 / 2	
Percentage of transfers resulting in pregnancies (%)	4 / 8	46.8	41.3	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 8	42.6	37.0	0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 8	36.2	37.0	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 8	6.4	0.0	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 8	29.8	30.4	0 / 1	

## CURRENT SERVICES & PROFILE

Current Name: Main Line Fertility and Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# GEISINGER MEDICAL CENTER FERTILITY PROGRAM DANVILLE, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Jennifer Gell, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	81%	Tubal factor	19%	Uterine factor	3%	Multiple Factors: Female factors only 9% Female & male factors 5%
Unstimulated	1%	PGD/PGS	3%	Ovulatory dysfunction	10%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	7%	
				Endometriosis	6%	Unknown factor	11%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 153  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	29	36	16	6	3
Percentage of cancellations before retrieval (%)	6.9	8.3	1 / 16	2 / 6	0 / 3
Number of transfers	19	26	13	4	1
Average number of embryos transferred	2.0	1.8	1.7	1.8	2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 19	0.0	0 / 9	0 / 3	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	31.0	16.7	6 / 16	1 / 6	0 / 3
Percentage of cycles resulting in live births (%)	27.6	11.1	5 / 16	0 / 6	0 / 3
Percentage of cycles resulting in singleton live births (%)	20.7	8.3	5 / 16	0 / 6	0 / 3
Percentage of cycles resulting in twin live births (%)	6.9	2.8	0 / 16	0 / 6	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	17.2	8.3	4 / 16	0 / 6	0 / 3
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	31.6	13.0	27.3	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	9 / 19	23.1	6 / 13	1 / 4	0 / 1
Percentage of transfers resulting in live births (%)	8 / 19	15.4	5 / 13	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 19	11.5	5 / 13	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 19	3.8	0 / 13	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	5 / 19	11.5	4 / 13	0 / 4	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	20	11	7	3	0
Number of transfers	18	10	6	3	0
Estimated average number of transfers per retrieval	1.5	1.4	1.2	1.0	
Average number of embryos transferred	1.7	1.9	1.5	1.7	
Percentage of embryos transferred resulting in implantation (%)	41.9	3 / 16	1 / 7	3 / 5	
Percentage of transfers resulting in pregnancies (%)	10 / 18	5 / 10	2 / 6	2 / 3	
Percentage of transfers resulting in live births (%)	9 / 18	3 / 10	1 / 6	2 / 3	
Percentage of transfers resulting in singleton live births (%)	6 / 18	3 / 10	1 / 6	2 / 3	
Percentage of transfers resulting in twin live births (%)	3 / 18	0 / 10	0 / 6	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	5 / 18	3 / 10	1 / 6	2 / 3	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	4	1	3	0	0
	0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	4	3	7	0	
Number of transfers	4	3	7	0	
Average number of embryos transferred	2.0	1.7	1.6		
Percentage of embryos transferred resulting in implantation (%)	3 / 8	2 / 5	2 / 11		
Percentage of transfers resulting in pregnancies (%)	2 / 4	1 / 3	1 / 7		
Percentage of transfers resulting in live births (%)	1 / 4	1 / 3	1 / 7		
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 3	0 / 7		
Percentage of transfers resulting in twin live births (%)	1 / 4	1 / 3	1 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 4	0 / 3	0 / 7		

## CURRENT SERVICES & PROFILE

Current Name: Geisinger Medical Center Fertility Program

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	No	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE ENDOCRINOLOGY AND FERTILITY CENTER HAVERTOWN, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Albert El-Roeiy, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	52%	Tubal factor	33%	Uterine factor	10%	Multiple Factors: Female factors only 30% Female & male factors 17%
Unstimulated	1%	PGD/PGS	3%	Ovulatory dysfunction	23%	Male factor	27%	
Used gestational carrier	0%			Diminished ovarian reserve	25%	Other factor	22%	
				Endometriosis	20%	Unknown factor	4%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 109  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	37	9	14	6	7
Percentage of cancellations before retrieval (%)	8.1	2 / 9	3 / 14	0 / 6	1 / 7
Number of transfers	14	2	3	0	3
Average number of embryos transferred	1.6	1.5	2.0		2.0
Percentage of elective single embryo transfers (eSET) (%)	3 / 11	0 / 1	0 / 3		0 / 3
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	18.9	2 / 9	1 / 14	0 / 6	0 / 7
Percentage of cycles resulting in live births (%)	18.9	2 / 9	1 / 14	0 / 6	0 / 7
Percentage of cycles resulting in singleton live births (%)	18.9	1 / 9	0 / 14	0 / 6	0 / 7
Percentage of cycles resulting in twin live births (%)	0.0	1 / 9	1 / 14	0 / 6	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	16.2	1 / 9	0 / 14	0 / 6	0 / 7
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	31.8	3 / 3	2 / 6		0 / 6
Percentage of transfers resulting in pregnancies (%)	7 / 14	2 / 2	1 / 3		0 / 3
Percentage of transfers resulting in live births (%)	7 / 14	2 / 2	1 / 3		0 / 3
Percentage of transfers resulting in singleton live births (%)	7 / 14	1 / 2	0 / 3		0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 14	1 / 2	1 / 3		0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	6 / 14	1 / 2	0 / 3		0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	17	5	4	1	2
Number of transfers	15	4	2	1	2
Estimated average number of transfers per retrieval	1.2	1.0	2.0	1.0	
Average number of embryos transferred	1.7	1.8	1.5	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	26.9	0 / 7	0 / 2	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	4 / 15	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	4 / 15	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 15	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 15	0 / 4	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 15	0 / 4	0 / 2	0 / 1	0 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	2	0	1	0	0
	0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	2	2	0	
Number of transfers	0	1	2	0	
Average number of embryos transferred		2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)		1 / 2	0 / 4		
Percentage of transfers resulting in pregnancies (%)		1 / 1	0 / 2		
Percentage of transfers resulting in live births (%)		1 / 1	0 / 2		
Percentage of transfers resulting in singleton live births (%)		1 / 1	0 / 2		
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		1 / 1	0 / 2		

## CURRENT SERVICES & PROFILE

Current Name: HAN Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PENN STATE MILTON S. HERSHEY MEDICAL CENTER HERSHEY, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by William C. Dodson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	74%	Tubal factor	13%	Uterine factor	5%	Multiple Factors: Female factors only 6% Female & male factors 7%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	4%	Other factor	3%	
				Endometriosis	17%	Unknown factor	24%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 118  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	35	14	8	1	1
Percentage of cancellations before retrieval (%)	5.7	1 / 14	2 / 8	1 / 1	1 / 1
Number of transfers	22	12	1	0	0
Average number of embryos transferred	1.9	2.2	2.0		
Percentage of elective single embryo transfers (eSET) (%)	9.5	0 / 12	0 / 1		
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	20.0	2 / 14	0 / 8	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	20.0	2 / 14	0 / 8	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	11.4	1 / 14	0 / 8	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	8.6	1 / 14	0 / 8	0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	11.4	0 / 14	0 / 8	0 / 1	0 / 1
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	29.3	11.5	0 / 2		
Percentage of transfers resulting in pregnancies (%)	31.8	2 / 12	0 / 1		
Percentage of transfers resulting in live births (%)	31.8	2 / 12	0 / 1		
Percentage of transfers resulting in singleton live births (%)	18.2	1 / 12	0 / 1		
Percentage of transfers resulting in twin live births (%)	13.6	1 / 12	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	18.2	0 / 12	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	26	13	8	0	0
Number of transfers	22	13	6	0	0
Estimated average number of transfers per retrieval	1.2	4.3	3.0	0.0	0.0
Average number of embryos transferred	1.8	1.5	2.0		
Percentage of embryos transferred resulting in implantation (%)	32.5	10.0	4 / 12		
Percentage of transfers resulting in pregnancies (%)	54.5	2 / 13	2 / 6		
Percentage of transfers resulting in live births (%)	45.5	2 / 13	2 / 6		
Percentage of transfers resulting in singleton live births (%)	40.9	2 / 13	0 / 6		
Percentage of transfers resulting in twin live births (%)	4.5	0 / 13	2 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	22.7	1 / 13	0 / 6		
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	4	0	0	1	1
	4	0	0	1	1
		<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>
<b>Donor Eggs<sup>f</sup></b>					
Number of cycles	0	3	2	0	0
Number of transfers	0	3	1	0	0
Average number of embryos transferred		2.0	2.0		
Percentage of embryos transferred resulting in implantation (%)		1 / 6	1 / 2		
Percentage of transfers resulting in pregnancies (%)		1 / 3	1 / 1		
Percentage of transfers resulting in live births (%)		1 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)		1 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)		0 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		0 / 3	0 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Penn State Milton S. Hershey Medical Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE MEDICINE ASSOCIATES OF PHILADELPHIA KING OF PRUSSIA, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Arthur J. Castelbaum, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	69%	Tubal factor	11%	Uterine factor	4%	Multiple Factors: Female factors only 12% Female & male factors 13%
Unstimulated	0%	PGD/PGS	29%	Ovulatory dysfunction	16%	Male factor	28%	
Used gestational carrier	2%			Diminished ovarian reserve	29%	Other factor	17%	
				Endometriosis	4%	Unknown factor	19%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 1,320  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	238	110	69	31	21
Percentage of cancellations before retrieval (%)	1.7	4.5	5.8	19.4	9.5
Number of transfers	165	69	35	11	5
Average number of embryos transferred	1.1	1.2	1.4	1.5	1.6
Percentage of elective single embryo transfers (eSET) (%)	89.9	77.4	53.8	5 / 9	0 / 3
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	35.7	24.5	21.7	16.1	0.0
Percentage of cycles resulting in live births (%)	30.3	20.0	17.4	16.1	0.0
Percentage of cycles resulting in singleton live births (%)	28.6	18.2	15.9	12.9	0.0
Percentage of cycles resulting in twin live births (%)	1.7	1.8	1.4	3.2	0.0
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	22.3	13.6	11.6	12.9	0.0
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	50.9	37.5	32.6	6 / 16	0 / 8
Percentage of transfers resulting in pregnancies (%)	51.5	39.1	42.9	5 / 11	0 / 5
Percentage of transfers resulting in live births (%)	43.6	31.9	34.3	5 / 11	0 / 5
Percentage of transfers resulting in singleton live births (%)	41.2	29.0	31.4	4 / 11	0 / 5
Percentage of transfers resulting in twin live births (%)	2.4	2.9	2.9	1 / 11	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	32.1	21.7	22.9	4 / 11	0 / 5
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	258	135	59	19	8
Number of transfers	250	124	49	16	7
Estimated average number of transfers per retrieval	1.3	1.1	0.7	0.7	0.8
Average number of embryos transferred	1.1	1.2	1.2	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	47.0	41.8	31.6	6 / 18	2 / 9
Percentage of transfers resulting in pregnancies (%)	48.4	47.6	40.8	7 / 16	2 / 7
Percentage of transfers resulting in live births (%)	41.2	36.3	30.6	6 / 16	1 / 7
Percentage of transfers resulting in singleton live births (%)	37.2	32.3	30.6	6 / 16	1 / 7
Percentage of transfers resulting in twin live births (%)	4.0	4.0	0.0	0 / 16	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	28.8	26.6	24.5	5 / 16	0 / 7
<b>Number of Egg or Embryo Banking Cycles</b>					
	95	69	54	18	8
Number of fertility preservation cycles	22	10	7	1	1
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	24	44	50	9	
Number of transfers	20	31	48	8	
Average number of embryos transferred	1.2	1.1	1.1	1.3	
Percentage of embryos transferred resulting in implantation (%)	59.1	70.0	39.6	5 / 10	
Percentage of transfers resulting in pregnancies (%)	60.0	74.2	39.6	4 / 8	
Percentage of transfers resulting in live births (%)	50.0	61.3	33.3	2 / 8	
Percentage of transfers resulting in singleton live births (%)	40.0	58.1	27.1	2 / 8	
Percentage of transfers resulting in twin live births (%)	10.0	3.2	6.3	0 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	35.0	41.9	20.8	2 / 8	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Philadelphia

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SOCIETY HILL REPRODUCTIVE MEDICINE PHILADELPHIA, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Maureen P. Kelly, MD				
<b>Type of ART and Procedural Factors<sup>a</sup></b>				<b>Patient Diagnosis<sup>a,b</sup></b>				
IVF	100%	With ICSI	57%	Tubal factor	10%	Uterine factor	0%	
Unstimulated	0%	PGD/PGS	29%	Ovulatory dysfunction	10%	Male factor	8%	
Used gestational carrier	0%			Diminished ovarian reserve	39%	Other factor	29%	
				Endometriosis	3%	Unknown factor	18%	
						Multiple Factors:		
						Female factors only	13%	
						Female & male factors	3%	
2016 ART SUCCESS RATES <sup>c,d</sup>				Total number of cycles <sup>d</sup> : 139 (includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient							
	<35	35–37	38–40	41–42	>42			
<b>Fresh Embryos from Fresh Nondonor Eggs</b>								
Number of cycles	8	13	2	0	1			
Percentage of cancellations before retrieval (%)	0 / 8	2 / 13	0 / 2		0 / 1			
Number of transfers	2	5		0	1			
Average number of embryos transferred	2.5	2.2	2.0		2.0			
Percentage of elective single embryo transfers (eSET) (%)	0 / 2	1 / 5	0 / 1		0 / 1			
<b>Outcomes per Cycle</b>								
Percentage of cycles resulting in pregnancies (%)	1 / 8	1 / 13	2 / 2		0 / 1			
Percentage of cycles resulting in live births (%)	0 / 8	0 / 13	0 / 2		0 / 1			
Percentage of cycles resulting in singleton live births (%)	0 / 8	0 / 13	0 / 2		0 / 1			
Percentage of cycles resulting in twin live births (%)	0 / 8	0 / 13	0 / 2		0 / 1			
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 8	0 / 13	0 / 2		0 / 1			
<b>Outcomes per Transfer</b>								
Percentage of embryos transferred resulting in implantation (%)	1 / 5	1 / 11	1 / 3		0 / 2			
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 5	2 / 2		0 / 1			
Percentage of transfers resulting in live births (%)	0 / 2	0 / 5	0 / 2		0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 5	0 / 2		0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 5	0 / 2		0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 2	0 / 5	0 / 2		0 / 1			
<b>Frozen Embryos from Nondonor Eggs</b>								
Number of cycles	19	10	4	6	1			
Number of transfers	19	9	3	5	1			
Estimated average number of transfers per retrieval	0.6	0.3	0.3	1.7				
Average number of embryos transferred	1.4	1.2	1.3	1.0	1.0			
Percentage of embryos transferred resulting in implantation (%)	53.8	6 / 10	1 / 4	1 / 5	1 / 1			
Percentage of transfers resulting in pregnancies (%)	12 / 19	7 / 9	1 / 3	1 / 5	1 / 1			
Percentage of transfers resulting in live births (%)	10 / 19	6 / 9	1 / 3	1 / 5	1 / 1			
Percentage of transfers resulting in singleton live births (%)	10 / 19	6 / 9	1 / 3	1 / 5	1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 19	0 / 9	0 / 3	0 / 5	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	10 / 19	4 / 9	0 / 3	1 / 5	1 / 1			
<b>Number of Egg or Embryo Banking Cycles</b>								
Number of fertility preservation cycles	28	27	9	3	0			
	19	17	8	2	0			
<b>Donor Eggs<sup>f</sup></b>								
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>				
Number of cycles	1	2	3	0				
Number of transfers	1	1	3	0				
Average number of embryos transferred	2.0	2.0	1.0					
Percentage of embryos transferred resulting in implantation (%)	1 / 2	0 / 2	2 / 3					
Percentage of transfers resulting in pregnancies (%)	1 / 1	0 / 1	2 / 3					
Percentage of transfers resulting in live births (%)	1 / 1	0 / 1	1 / 3					
Percentage of transfers resulting in singleton live births (%)	1 / 1	0 / 1	1 / 3					
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0 / 3					
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 1	0 / 1	1 / 3					
CURRENT SERVICES & PROFILE				Current Name: Society Hill Reproductive Medicine				
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes	
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes	

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF PENNSYLVANIA  
PENN FERTILITY CARE  
PHILADELPHIA, PENNSYLVANIA**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

**2016 ART CYCLE PROFILE**

Data verified by Clarisa R. Gracia, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	65%	Tubal factor	13%	Uterine factor	5%	Multiple Factors: Female factors only 8% Female & male factors 14%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	11%	Male factor	27%	
Used gestational carrier	1%			Diminished ovarian reserve	24%	Other factor	21%	
				Endometriosis	6%	Unknown factor	16%	

**2016 ART SUCCESS RATES<sup>c,d</sup>**

Total number of cycles<sup>d</sup>: 1,247  
(includes 7 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	168	103	103	38	35
Percentage of cancellations before retrieval (%)	11.9	11.7	20.4	31.6	22.9
Number of transfers	97	52	58	21	12
Average number of embryos transferred	1.3	1.6	1.8	2.1	2.0
Percentage of elective single embryo transfers (eSET) (%)	70.9	37.5	12.5	0 / 17	0 / 9
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	26.8	30.1	22.3	13.2	5.7
Percentage of cycles resulting in live births (%)	20.8	24.3	13.6	7.9	0.0
Percentage of cycles resulting in singleton live births (%)	18.5	19.4	10.7	7.9	0.0
Percentage of cycles resulting in twin live births (%)	2.4	4.9	2.9	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	14.9	15.5	9.7	7.9	0.0
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	37.3	45.6	23.2	11.9	8.3
Percentage of transfers resulting in pregnancies (%)	46.4	59.6	39.7	23.8	2 / 12
Percentage of transfers resulting in live births (%)	36.1	48.1	24.1	14.3	0 / 12
Percentage of transfers resulting in singleton live births (%)	32.0	38.5	19.0	14.3	0 / 12
Percentage of transfers resulting in twin live births (%)	4.1	9.6	5.2	0.0	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	25.8	30.8	17.2	14.3	0 / 12
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	177	119	89	23	19
Number of transfers	164	108	76	21	16
Estimated average number of transfers per retrieval	1.1	1.0	0.7	0.6	0.5
Average number of embryos transferred	1.3	1.3	1.3	1.2	1.8
Percentage of embryos transferred resulting in implantation (%)	61.4	48.2	52.1	36.0	4.0
Percentage of transfers resulting in pregnancies (%)	67.1	57.4	60.5	38.1	2 / 16
Percentage of transfers resulting in live births (%)	58.5	51.9	51.3	33.3	1 / 16
Percentage of transfers resulting in singleton live births (%)	52.4	47.2	50.0	33.3	1 / 16
Percentage of transfers resulting in twin live births (%)	5.5	4.6	1.3	0.0	0 / 16
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	46.3	41.7	44.7	23.8	1 / 16
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	85	63	74	31	24
	41	23	16	0	4
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	29	11	43	6	
Number of transfers	19	9	39	4	
Average number of embryos transferred	1.1	1.2	1.2	1.3	
Percentage of embryos transferred resulting in implantation (%)	55.0	4 / 9	57.8	2 / 5	
Percentage of transfers resulting in pregnancies (%)	11 / 19	5 / 9	69.2	2 / 4	
Percentage of transfers resulting in live births (%)	9 / 19	4 / 9	59.0	2 / 4	
Percentage of transfers resulting in singleton live births (%)	9 / 19	4 / 9	56.4	2 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 19	0 / 9	2.6	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	7 / 19	3 / 9	51.3	0 / 4	

**CURRENT SERVICES & PROFILE**

Current Name: University of Pennsylvania, Penn Fertility Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# JONES INSTITUTE AT WEST PENN ALLEGHENY HEALTH SYSTEM PITTSBURGH, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Lori Homa, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	78%	Tubal factor	10%	Uterine factor	<1%	Multiple Factors: Female factors only 5% Female & male factors 5%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	8%	Male factor	38%	
Used gestational carrier	3%			Diminished ovarian reserve	17%	Other factor	26%	
				Endometriosis	3%	Unknown factor	7%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 122  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	36	13	15	7	2
Percentage of cancellations before retrieval (%)	5.6	2 / 13	0 / 15	0 / 7	0 / 2
Number of transfers	26	10	14	4	1
Average number of embryos transferred	1.7	1.6	1.9	1.5	2.0
Percentage of elective single embryo transfers (eSET) (%)	18.2	4 / 10	0 / 13	0 / 2	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	36.1	6 / 13	5 / 15	1 / 7	0 / 2
Percentage of cycles resulting in live births (%)	25.0	5 / 13	4 / 15	1 / 7	0 / 2
Percentage of cycles resulting in singleton live births (%)	22.2	5 / 13	3 / 15	1 / 7	0 / 2
Percentage of cycles resulting in twin live births (%)	2.8	0 / 13	1 / 15	0 / 7	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	8.3	5 / 13	1 / 15	1 / 7	0 / 2
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	30.0	6 / 16	22.2	1 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 10	5 / 14	1 / 4	0 / 1
Percentage of transfers resulting in live births (%)	34.6	5 / 10	4 / 14	1 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	30.8	5 / 10	3 / 14	1 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	3.8	0 / 10	1 / 14	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	11.5	5 / 10	1 / 14	1 / 4	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	15	5	1	3	0
Number of transfers	14	3	1	3	0
Estimated average number of transfers per retrieval	1.3	0.6	0.3	3.0	
Average number of embryos transferred	1.7	1.3	1.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	20.8	3 / 4	0 / 1	0 / 6	
Percentage of transfers resulting in pregnancies (%)	5 / 14	3 / 3	0 / 1	0 / 3	
Percentage of transfers resulting in live births (%)	5 / 14	2 / 3	0 / 1	0 / 3	
Percentage of transfers resulting in singleton live births (%)	5 / 14	2 / 3	0 / 1	0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 14	0 / 3	0 / 1	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 14	1 / 3	0 / 1	0 / 3	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	5	3	3	0	0
	1	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	3	0	5	6	
Number of transfers	3	0	3	6	
Average number of embryos transferred	1.3		2.0	1.3	
Percentage of embryos transferred resulting in implantation (%)	0 / 4		0 / 6	2 / 8	
Percentage of transfers resulting in pregnancies (%)	0 / 3		0 / 3	2 / 6	
Percentage of transfers resulting in live births (%)	0 / 3		0 / 3	1 / 6	
Percentage of transfers resulting in singleton live births (%)	0 / 3		0 / 3	1 / 6	
Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 3	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 3		0 / 3	1 / 6	

## CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.  
Current Name: AHN Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE HEALTH SPECIALISTS, INC. PITTSBURGH, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Judith L. Albert, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	75%	Tubal factor	13%	Uterine factor	<1%	Multiple Factors: Female factors only 4% Female & male factors 10%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	14%	Male factor	39%	
Used gestational carrier	3%			Diminished ovarian reserve	14%	Other factor	11%	
				Endometriosis	5%	Unknown factor	24%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 448  
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	100	64	29	4	4
Percentage of cancellations before retrieval (%)	6.0	1.6	13.8	1 / 4	1 / 4
Number of transfers	70	53	20	3	1
Average number of embryos transferred	1.4	1.6	1.7	1.7	3.0
Percentage of elective single embryo transfers (eSET) (%)	56.5	22.0	3 / 15	0 / 1	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	39.0	29.7	10.3	1 / 4	1 / 4
Percentage of cycles resulting in live births (%)	34.0	26.6	3.4	1 / 4	1 / 4
Percentage of cycles resulting in singleton live births (%)	30.0	18.8	3.4	1 / 4	0 / 4
Percentage of cycles resulting in twin live births (%)	4.0	7.8	0.0	0 / 4	1 / 4
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	20.0	10.9	3.4	0 / 4	0 / 4
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	44.2	27.4	3.3	1 / 5	2 / 3
Percentage of transfers resulting in pregnancies (%)	55.7	35.8	15.0	1 / 3	1 / 1
Percentage of transfers resulting in live births (%)	48.6	32.1	5.0	1 / 3	1 / 1
Percentage of transfers resulting in singleton live births (%)	42.9	22.6	5.0	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	5.7	9.4	0.0	0 / 3	1 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	28.6	13.2	5.0	0 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	95	45	23	9	6
Number of transfers	87	40	19	8	4
Estimated average number of transfers per retrieval	1.9	1.1	1.2	4.0	
Average number of embryos transferred	1.3	1.4	1.3	1.6	1.3
Percentage of embryos transferred resulting in implantation (%)	30.2	18.9	40.9	1 / 13	0 / 5
Percentage of transfers resulting in pregnancies (%)	40.2	27.5	9 / 19	1 / 8	0 / 4
Percentage of transfers resulting in live births (%)	33.3	22.5	7 / 19	1 / 8	0 / 4
Percentage of transfers resulting in singleton live births (%)	33.3	22.5	6 / 19	1 / 8	0 / 4
Percentage of transfers resulting in twin live births (%)	0.0	0.0	1 / 19	0 / 8	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	31.0	20.0	4 / 19	1 / 8	0 / 4
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	9	12	11	0	0
	4	2	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	10	13	12	0	
Number of transfers	8	10	8	0	
Average number of embryos transferred	1.9	1.3	1.3		
Percentage of embryos transferred resulting in implantation (%)	7 / 15	5 / 13	1 / 8		
Percentage of transfers resulting in pregnancies (%)	5 / 8	4 / 10	2 / 8		
Percentage of transfers resulting in live births (%)	4 / 8	3 / 10	1 / 8		
Percentage of transfers resulting in singleton live births (%)	2 / 8	2 / 10	1 / 8		
Percentage of transfers resulting in twin live births (%)	2 / 8	1 / 10	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 8	1 / 10	1 / 8		

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Health Specialists, Inc.

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY OF PITTSBURGH PHYSICIANS CENTER FOR FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY PITTSBURGH, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Marie N. Menke, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	59%	Tubal factor	6%	Uterine factor	1%	Multiple Factors: Female factors only 5% Female & male factors 7%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	9%	Male factor	28%	
Used gestational carrier	2%			Diminished ovarian reserve	33%	Other factor	24%	
				Endometriosis	3%	Unknown factor	8%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 720  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	161	59	45	10	12
Percentage of cancellations before retrieval (%)	4.3	11.9	11.1	0 / 10	4 / 12
Number of transfers	83	31	29	7	5
Average number of embryos transferred	1.6	1.7	2.0	2.4	2.0
Percentage of elective single embryo transfers (eSET) (%)	34.3	22.2	0.0	0 / 7	0 / 5
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	22.4	28.8	24.4	1 / 10	0 / 12
Percentage of cycles resulting in live births (%)	18.6	20.3	22.2	0 / 10	0 / 12
Percentage of cycles resulting in singleton live births (%)	15.5	18.6	20.0	0 / 10	0 / 12
Percentage of cycles resulting in twin live births (%)	2.5	1.7	2.2	0 / 10	0 / 12
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	12.4	15.3	20.0	0 / 10	0 / 12
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	32.8	36.5	19.3	2 / 17	0 / 10
Percentage of transfers resulting in pregnancies (%)	43.4	54.8	37.9	1 / 7	0 / 5
Percentage of transfers resulting in live births (%)	36.1	38.7	34.5	0 / 7	0 / 5
Percentage of transfers resulting in singleton live births (%)	30.1	35.5	31.0	0 / 7	0 / 5
Percentage of transfers resulting in twin live births (%)	4.8	3.2	3.4	0 / 7	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	24.1	29.0	31.0	0 / 7	0 / 5
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	174	74	31	8	14
Number of transfers	162	70	29	7	12
Estimated average number of transfers per retrieval	1.6	1.8	1.5	0.9	3.0
Average number of embryos transferred	1.4	1.4	1.7	1.6	1.3
Percentage of embryos transferred resulting in implantation (%)	37.9	25.0	17.0	2 / 9	2 / 15
Percentage of transfers resulting in pregnancies (%)	48.8	35.7	27.6	2 / 7	2 / 12
Percentage of transfers resulting in live births (%)	40.7	31.4	17.2	1 / 7	2 / 12
Percentage of transfers resulting in singleton live births (%)	37.0	30.0	13.8	0 / 7	2 / 12
Percentage of transfers resulting in twin live births (%)	3.7	1.4	3.4	1 / 7	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	32.1	27.1	13.8	0 / 7	1 / 12
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	34	12	15	5	2
	9	1	2	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	21	8	31	3	
Number of transfers	17	8	27	3	
Average number of embryos transferred	1.2	1.3	1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	42.9	4 / 10	37.5	1 / 3	
Percentage of transfers resulting in pregnancies (%)	9 / 17	3 / 8	40.7	1 / 3	
Percentage of transfers resulting in live births (%)	8 / 17	2 / 8	33.3	0 / 3	
Percentage of transfers resulting in singleton live births (%)	8 / 17	1 / 8	29.6	0 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 17	1 / 8	3.7	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	8 / 17	1 / 8	29.6	0 / 3	

## CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.  
Current Name: University of Pittsburgh Physicians, Center for Fertility and Reproductive Endocrinology

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SHADY GROVE FERTILITY RSC OF PENNSYLVANIA WAYNE, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Isaac E. Sasson, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	73%	Tubal factor	14%	Uterine factor	2%	Multiple Factors: Female factors only 7% Female & male factors 7%
Unstimulated	0%	PGD/PGS	22%	Ovulatory dysfunction	18%	Male factor	22%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	8%	
				Endometriosis	5%	Unknown factor	15%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 878  
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	115	45	16	10	5
Percentage of cancellations before retrieval (%)	7.0	11.1	1 / 16	5 / 10	3 / 5
Number of transfers	51	16	6	1	1
Average number of embryos transferred	1.2	1.2	1.7	2.0	4.0
Percentage of elective single embryo transfers (eSET) (%)	78.6	10 / 13	1 / 5	0 / 1	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	21.7	8.9	3 / 16	0 / 10	0 / 5
Percentage of cycles resulting in live births (%)	20.0	6.7	3 / 16	0 / 10	0 / 5
Percentage of cycles resulting in singleton live births (%)	19.1	6.7	3 / 16	0 / 10	0 / 5
Percentage of cycles resulting in twin live births (%)	0.9	0.0	0 / 16	0 / 10	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	17.4	6.7	2 / 16	0 / 10	0 / 5
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	44.8	4 / 19	3 / 10	0 / 2	0 / 4
Percentage of transfers resulting in pregnancies (%)	49.0	4 / 16	3 / 6	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	45.1	3 / 16	3 / 6	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	43.1	3 / 16	3 / 6	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	2.0	0 / 16	0 / 6	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	39.2	3 / 16	2 / 6	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	204	82	53	11	10
Number of transfers	194	75	44	10	6
Estimated average number of transfers per retrieval	1.5	1.1	1.2	0.5	0.9
Average number of embryos transferred	1.3	1.2	1.1	1.3	1.8
Percentage of embryos transferred resulting in implantation (%)	45.5	53.3	47.8	5 / 13	2 / 11
Percentage of transfers resulting in pregnancies (%)	54.1	60.0	54.5	5 / 10	2 / 6
Percentage of transfers resulting in live births (%)	41.8	45.3	47.7	5 / 10	1 / 6
Percentage of transfers resulting in singleton live births (%)	37.6	41.3	47.7	5 / 10	1 / 6
Percentage of transfers resulting in twin live births (%)	4.1	4.0	0.0	0 / 10	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	34.5	30.7	45.5	5 / 10	0 / 6
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	58	47	31	18	6
	6	6	2	7	1
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	55	9	101	0	
Number of transfers	43	8	94	0	
Average number of embryos transferred	1.2	1.0	1.3		
Percentage of embryos transferred resulting in implantation (%)	45.8	4 / 7	40.9		
Percentage of transfers resulting in pregnancies (%)	55.8	5 / 8	51.1		
Percentage of transfers resulting in live births (%)	41.9	2 / 8	31.9		
Percentage of transfers resulting in singleton live births (%)	39.5	2 / 8	28.7		
Percentage of transfers resulting in twin live births (%)	2.3	0 / 8	3.2		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	32.6	2 / 8	25.5		

## CURRENT SERVICES & PROFILE

Current Name: Shady Grove Fertility-Pennsylvania

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## RHPN WOMEN'S CLINIC & IVF-FERTILITY WEST READING, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

### 2016 ART CYCLE PROFILE

Data verified by Vincent A. Pellegrini, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	67%	Tubal factor	39%	Uterine factor	5%	Multiple Factors: Female factors only 33% Female & male factors 51%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	42%	Male factor	57%	
Used gestational carrier	0%			Diminished ovarian reserve	48%	Other factor	21%	
				Endometriosis	29%	Unknown factor	0%	

### 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 140  
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	47	30	6	7	0
Percentage of cancellations before retrieval (%)	12.8	36.7	1 / 6	2 / 7	
Number of transfers	33	16	3	4	0
Average number of embryos transferred	2.0	2.0	2.7	2.5	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 15	0 / 3	0 / 4	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	31.9	16.7	2 / 6	0 / 7	
Percentage of cycles resulting in live births (%)	29.8	13.3	2 / 6	0 / 7	
Percentage of cycles resulting in singleton live births (%)	17.0	10.0	1 / 6	0 / 7	
Percentage of cycles resulting in twin live births (%)	12.8	3.3	1 / 6	0 / 7	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	14.9	10.0	1 / 6	0 / 7	
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	33.3	18.8	3 / 8	0 / 10	
Percentage of transfers resulting in pregnancies (%)	45.5	5 / 16	2 / 3	0 / 4	
Percentage of transfers resulting in live births (%)	42.4	4 / 16	2 / 3	0 / 4	
Percentage of transfers resulting in singleton live births (%)	24.2	3 / 16	1 / 3	0 / 4	
Percentage of transfers resulting in twin live births (%)	18.2	1 / 16	1 / 3	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	21.2	3 / 16	1 / 3	0 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	17	6	4	1	1
Number of transfers	16	6	4	0	1
Estimated average number of transfers per retrieval	1.0	0.8	2.0		
Average number of embryos transferred	1.6	1.5	1.3		3.0
Percentage of embryos transferred resulting in implantation (%)	37.5	4 / 9	1 / 5		1 / 3
Percentage of transfers resulting in pregnancies (%)	9 / 16	3 / 6	1 / 4		1 / 1
Percentage of transfers resulting in live births (%)	6 / 16	3 / 6	1 / 4		1 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 16	2 / 6	1 / 4		1 / 1
Percentage of transfers resulting in twin live births (%)	1 / 16	1 / 6	0 / 4		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	5 / 16	2 / 6	1 / 4		1 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	4	3	1	0	0
	1	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	4	5	2	0	
Number of transfers	2	3	2	0	
Average number of embryos transferred	2.0	1.7	1.5		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	1 / 5	0 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	0 / 2	1 / 3	0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 3	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 3	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 2	1 / 3	0 / 2		

### CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility & Reproductive Medicine-Tower Health Medical Group

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE FERTILITY CENTER, LLC YORK, PENNSYLVANIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Robert B. Filer, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	59%	Tubal factor	22%	Uterine factor	0%	Multiple Factors: Female factors only 14% Female & male factors 6%
Unstimulated	3%	PGD/PGS	4%	Ovulatory dysfunction	19%	Male factor	15%	
Used gestational carrier	1%			Diminished ovarian reserve	18%	Other factor	19%	
				Endometriosis	1%	Unknown factor	26%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 188  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	58	14	22	6	9
Percentage of cancellations before retrieval (%)	8.6	1 / 14	13.6	1 / 6	4 / 9
Number of transfers	40	11	13	4	2
Average number of embryos transferred	1.6	1.9	1.8	2.3	1.5
Percentage of elective single embryo transfers (eSET) (%)	32.4	0 / 9	2 / 11	0 / 4	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	22.4	1 / 14	27.3	0 / 6	0 / 9
Percentage of cycles resulting in live births (%)	20.7	1 / 14	13.6	0 / 6	0 / 9
Percentage of cycles resulting in singleton live births (%)	17.2	1 / 14	9.1	0 / 6	0 / 9
Percentage of cycles resulting in twin live births (%)	3.4	0 / 14	4.5	0 / 6	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	12.1	1 / 14	4.5	0 / 6	0 / 9
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	23.8	4.8	27.3	0 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)	32.5	1 / 11	6 / 13	0 / 4	0 / 2
Percentage of transfers resulting in live births (%)	30.0	1 / 11	3 / 13	0 / 4	0 / 2
Percentage of transfers resulting in singleton live births (%)	25.0	1 / 11	2 / 13	0 / 4	0 / 2
Percentage of transfers resulting in twin live births (%)	5.0	0 / 11	1 / 13	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	17.5	1 / 11	1 / 13	0 / 4	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	39	9	7	1	0
Number of transfers	32	8	4	0	0
Estimated average number of transfers per retrieval	1.1	1.1	0.5		
Average number of embryos transferred	1.6	1.8	1.8		
Percentage of embryos transferred resulting in implantation (%)	45.7	5 / 14	4 / 7		
Percentage of transfers resulting in pregnancies (%)	56.3	4 / 8	3 / 4		
Percentage of transfers resulting in live births (%)	31.3	4 / 8	1 / 4		
Percentage of transfers resulting in singleton live births (%)	28.1	3 / 8	0 / 4		
Percentage of transfers resulting in twin live births (%)	0.0	1 / 8	1 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	28.1	2 / 8	0 / 4		
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	3	1	1	0	0
	0	1	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	4	0	8	6	
Number of transfers	2	0	6	6	
Average number of embryos transferred	2.0		1.3	1.8	
Percentage of embryos transferred resulting in implantation (%)	0 / 4		6 / 8	4 / 11	
Percentage of transfers resulting in pregnancies (%)	0 / 2		5 / 6	4 / 6	
Percentage of transfers resulting in live births (%)	0 / 2		5 / 6	4 / 6	
Percentage of transfers resulting in singleton live births (%)	0 / 2		4 / 6	4 / 6	
Percentage of transfers resulting in twin live births (%)	0 / 2		1 / 6	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 2		4 / 6	1 / 6	

## CURRENT SERVICES & PROFILE

Current Name: The Fertility Center, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PEDRO J. BEAUCHAMP, MD IVF PROGRAM DBA  
PUERTO RICO FERTILITY CENTER  
BAYAMON, PUERTO RICO**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

**2016 ART CYCLE PROFILE**

Data verified by Pedro J. Beauchamp, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	90%	Tubal factor	42%	Uterine factor	11%	Multiple Factors: Female factors only 18% Female & male factors 47%
Unstimulated	0%	PGD/PGS	1%	Ovulatory dysfunction	17%	Male factor	59%	
Used gestational carrier	2%			Diminished ovarian reserve	8%	Other factor	30%	
				Endometriosis	27%	Unknown factor	<1%	

**2016 ART SUCCESS RATES<sup>c,d</sup>**

Total number of cycles<sup>d</sup>: 175  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	40	31	39	16	9
Percentage of cancellations before retrieval (%)	2.5	3.2	5.1	5 / 16	2 / 9
Number of transfers	39	28	35	10	5
Average number of embryos transferred	1.9	2.3	2.1	2.1	2.0
Percentage of elective single embryo transfers (eSET) (%)	8.3	0.0	0.0	0 / 8	0 / 5
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	67.5	58.1	46.2	3 / 16	0 / 9
Percentage of cycles resulting in live births (%)	42.5	22.6	20.5	1 / 16	0 / 9
Percentage of cycles resulting in singleton live births (%)	22.5	16.1	12.8	1 / 16	0 / 9
Percentage of cycles resulting in twin live births (%)	15.0	6.5	7.7	0 / 16	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	20.0	12.9	10.3	0 / 16	0 / 9
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	53.6	34.6	31.0	1 / 17	0 / 10
Percentage of transfers resulting in pregnancies (%)	69.2	64.3	51.4	3 / 10	0 / 5
Percentage of transfers resulting in live births (%)	43.6	25.0	22.9	1 / 10	0 / 5
Percentage of transfers resulting in singleton live births (%)	23.1	17.9	14.3	1 / 10	0 / 5
Percentage of transfers resulting in twin live births (%)	15.4	7.1	8.6	0 / 10	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	20.5	14.3	11.4	0 / 10	0 / 5
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	10	5	5	2	1
Number of transfers	10	5	5	2	1
Estimated average number of transfers per retrieval	10.0	1.7	1.0	2.0	1.0
Average number of embryos transferred	2.1	2.0	2.0	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	9 / 19	0 / 7	2 / 10	0 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	8 / 10	2 / 5	1 / 5	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)	7 / 10	0 / 5	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 10	0 / 5	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	2 / 10	0 / 5	0 / 5	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	5 / 10	0 / 5	0 / 5	0 / 2	0 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	1	1	0	0	1
	0	0	0	0	1
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	11	0	2	0	
Number of transfers	11	0	2	0	
Average number of embryos transferred	2.5		3.0		
Percentage of embryos transferred resulting in implantation (%)	4.0		1 / 6		
Percentage of transfers resulting in pregnancies (%)	2 / 11		1 / 2		
Percentage of transfers resulting in live births (%)	0 / 11		0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 11		0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 11		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 11		0 / 2		

**CURRENT SERVICES & PROFILE**

Current Name: Pedro J. Beauchamp, MD IVF Program dba, Puerto Rico Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CLINICA DE FERTILIDAD HIMA-SAN PABLO CAGUAS CAGUAS, PUERTO RICO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Jose R. Cruz, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	63%	Tubal factor	44%	Uterine factor	2%	Multiple Factors: Female factors only 4% Female & male factors 24%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	13%	Male factor	37%	
Used gestational carrier	0%			Diminished ovarian reserve	6%	Other factor	2%	
				Endometriosis	17%	Unknown factor	7%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 55  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	20	11	10	2	2
Percentage of cancellations before retrieval (%)	0.0	0 / 11	0 / 10	0 / 2	0 / 2
Number of transfers	20	11	8	2	1
Average number of embryos transferred	2.0	2.5	2.4	2.5	2.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 18	0 / 11	0 / 6	0 / 2	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	20.0	3 / 11	4 / 10	0 / 2	0 / 2
Percentage of cycles resulting in live births (%)	10.0	2 / 11	2 / 10	0 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	10.0	2 / 11	2 / 10	0 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	0 / 11	0 / 10	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	10.0	2 / 11	2 / 10	0 / 2	0 / 2
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	12.8	16.7	4 / 19	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	20.0	3 / 11	4 / 8	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	10.0	2 / 11	2 / 8	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	10.0	2 / 11	2 / 8	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	0 / 11	0 / 8	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	10.0	2 / 11	2 / 8	0 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	5	1	3	0	0
Number of transfers	5	1	3	0	0
Estimated average number of transfers per retrieval	2.5		1.0		0.0
Average number of embryos transferred	2.0	1.0	2.7		
Percentage of embryos transferred resulting in implantation (%)	0 / 10	0 / 1	0 / 8		
Percentage of transfers resulting in pregnancies (%)	0 / 5	0 / 1	0 / 3		
Percentage of transfers resulting in live births (%)	0 / 5	0 / 1	0 / 3		
Percentage of transfers resulting in singleton live births (%)	0 / 5	0 / 1	0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 1	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 5	0 / 1	0 / 3		
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	0	0	0	0	1
	0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)					

## CURRENT SERVICES & PROFILE

Current Name: Clinica de Fertilidad HIMA-San Pablo Caguas

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

# GREFI GYNECOLOGY, REPRODUCTIVE ENDOCRINOLOGY & FERTILITY INSTITUTE SAN JUAN, PUERTO RICO

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Rosa Ileana Cruz, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	74%	Tubal factor	13%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 7%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	0%	Male factor	32%	
Used gestational carrier	0%			Diminished ovarian reserve	7%	Other factor	26%	
				Endometriosis	23%	Unknown factor	7%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 36  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	11	3	5	2	2
Percentage of cancellations before retrieval (%)	0 / 11	0 / 3	0 / 5	0 / 2	0 / 2
Number of transfers	9	3	4	1	1
Average number of embryos transferred	1.8	2.0	2.5	1.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 8	1 / 3	0 / 4		0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	5 / 11	1 / 3	0 / 5	0 / 2	1 / 2
Percentage of cycles resulting in live births (%)	4 / 11	1 / 3	0 / 5	0 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	4 / 11	1 / 3	0 / 5	0 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	0 / 11	0 / 3	0 / 5	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 11	1 / 3	0 / 5	0 / 2	0 / 2
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	5 / 16	1 / 6	0 / 10	0 / 1	1 / 3
Percentage of transfers resulting in pregnancies (%)	5 / 9	1 / 3	0 / 4	0 / 1	1 / 1
Percentage of transfers resulting in live births (%)	4 / 9	1 / 3	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 9	1 / 3	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 3	0 / 4	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 9	1 / 3	0 / 4	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	1	2	1	0	0
Number of transfers	1	2	1	0	0
Estimated average number of transfers per retrieval	0.5	1.0	0.5	0.0	
Average number of embryos transferred	2.0	2.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 2	1 / 5	0 / 1		
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 2	0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1	1 / 2	0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 2	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 1	1 / 2	0 / 1		
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	2	1	1	1	0
	0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	1	0	2	1	
Number of transfers	1	0	2	1	
Average number of embryos transferred	2.0		2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 2		0 / 4	0 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 1		0 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1		0 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 1		0 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 1		0 / 2	0 / 1	

## CURRENT SERVICES & PROFILE

Current Name: GREFI, Gynecology, Reproductive Endocrinology & Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## WOMEN & INFANTS FERTILITY CENTER PROVIDENCE, RHODE ISLAND

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

### 2016 ART CYCLE PROFILE

Data verified by Ruben Alvero, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	61%	Tubal factor	8%	Uterine factor	3%	Multiple Factors: Female factors only 2% Female & male factors 5%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	12%	Male factor	27%	
Used gestational carrier	1%			Diminished ovarian reserve	5%	Other factor	9%	
				Endometriosis	3%	Unknown factor	40%	

### 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 609  
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	143	81	75	44	13
Percentage of cancellations before retrieval (%)	0.7	11.1	6.7	4.5	1 / 13
Number of transfers	133	62	67	35	11
Average number of embryos transferred	1.4	1.8	2.3	3.0	3.1
Percentage of elective single embryo transfers (eSET) (%)	54.3	25.0	1.7	0.0	0 / 9
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	40.6	32.1	40.0	20.5	0 / 13
Percentage of cycles resulting in live births (%)	35.0	25.9	26.7	4.5	0 / 13
Percentage of cycles resulting in singleton live births (%)	29.4	23.5	20.0	2.3	0 / 13
Percentage of cycles resulting in twin live births (%)	5.6	2.5	6.7	2.3	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	26.6	21.0	14.7	2.3	0 / 13
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	36.1	25.2	22.0	6.5	0.0
Percentage of transfers resulting in pregnancies (%)	43.6	41.9	44.8	25.7	0 / 11
Percentage of transfers resulting in live births (%)	37.6	33.9	29.9	5.7	0 / 11
Percentage of transfers resulting in singleton live births (%)	31.6	30.6	22.4	2.9	0 / 11
Percentage of transfers resulting in twin live births (%)	6.0	3.2	7.5	2.9	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	28.6	27.4	16.4	2.9	0 / 11
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	79	58	27	8	2
Number of transfers	76	56	25	8	1
Estimated average number of transfers per retrieval	1.4	1.4	1.6	0.6	0.2
Average number of embryos transferred	1.4	1.4	1.4	1.8	1.0
Percentage of embryos transferred resulting in implantation (%)	31.4	25.7	42.9	2 / 14	0 / 1
Percentage of transfers resulting in pregnancies (%)	39.5	33.9	48.0	2 / 8	0 / 1
Percentage of transfers resulting in live births (%)	34.2	25.0	36.0	1 / 8	0 / 1
Percentage of transfers resulting in singleton live births (%)	27.6	21.4	28.0	1 / 8	0 / 1
Percentage of transfers resulting in twin live births (%)	6.6	3.6	8.0	0 / 8	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	23.7	16.1	24.0	1 / 8	0 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	15	16	9	7	3
	7	4	2	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	4	14	8	0	
Number of transfers	4	14	8	0	
Average number of embryos transferred	1.0	1.4	1.3		
Percentage of embryos transferred resulting in implantation (%)	2 / 4	35.0	2 / 10		
Percentage of transfers resulting in pregnancies (%)	2 / 4	7 / 14	2 / 8		
Percentage of transfers resulting in live births (%)	2 / 4	7 / 14	2 / 8		
Percentage of transfers resulting in singleton live births (%)	2 / 4	7 / 14	2 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 14	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 4	7 / 14	2 / 8		

### CURRENT SERVICES & PROFILE

Current Name: Women & Infants Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CENTER OF THE CAROLINAS

## UNIVERSITY MEDICAL GROUP, DEPARTMENT OF OBSTETRICS AND GYNECOLOGY

### GREENVILLE, SOUTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

#### 2016 ART CYCLE PROFILE

Data verified by Paul B. Miller, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	9%	Uterine factor	2%	Multiple Factors: Female factors only 11% Female & male factors 20%
Unstimulated	<1%	PGD/PGS	11%	Ovulatory dysfunction	41%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	8%	Other factor	16%	
				Endometriosis	20%	Unknown factor	2%	

#### 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 235  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	67	26	27	0	4
Percentage of cancellations before retrieval (%)	9.0	7.7	18.5		0 / 4
Number of transfers	57	21	19	0	3
Average number of embryos transferred	1.9	2.0	1.9		2.0
Percentage of elective single embryo transfers (eSET) (%)	7.4	0.0	1 / 17		0 / 2
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	50.7	34.6	33.3		0 / 4
Percentage of cycles resulting in live births (%)	44.8	26.9	22.2		0 / 4
Percentage of cycles resulting in singleton live births (%)	31.3	19.2	18.5		0 / 4
Percentage of cycles resulting in twin live births (%)	13.4	7.7	3.7		0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	25.4	19.2	18.5		0 / 4
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	41.7	31.7	28.6		0 / 6
Percentage of transfers resulting in pregnancies (%)	59.6	42.9	9 / 19		0 / 3
Percentage of transfers resulting in live births (%)	52.6	33.3	6 / 19		0 / 3
Percentage of transfers resulting in singleton live births (%)	36.8	23.8	5 / 19		0 / 3
Percentage of transfers resulting in twin live births (%)	15.8	9.5	1 / 19		0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	29.8	23.8	5 / 19		0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	25	24	14	2	3
Number of transfers	25	19	14	2	2
Estimated average number of transfers per retrieval	1.6	1.1	1.1	2.0	
Average number of embryos transferred	1.6	1.6	1.8	2.5	2.5
Percentage of embryos transferred resulting in implantation (%)	47.5	44.8	30.4	3 / 5	0 / 5
Percentage of transfers resulting in pregnancies (%)	52.0	10 / 19	7 / 14	2 / 2	0 / 2
Percentage of transfers resulting in live births (%)	44.0	7 / 19	3 / 14	2 / 2	0 / 2
Percentage of transfers resulting in singleton live births (%)	28.0	5 / 19	2 / 14	1 / 2	0 / 2
Percentage of transfers resulting in twin live births (%)	16.0	2 / 19	1 / 14	1 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	28.0	3 / 19	1 / 14	1 / 2	0 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	10	12	7	1	0
	3	1	2	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	2	5	5	0	
Number of transfers	2	5	5	0	
Average number of embryos transferred	2.0	1.8	2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 4	0 / 9	0 / 10		
Percentage of transfers resulting in pregnancies (%)	1 / 2	0 / 5	0 / 5		
Percentage of transfers resulting in live births (%)	1 / 2	0 / 5	0 / 5		
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 5	0 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 5	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 2	0 / 5	0 / 5		

#### CURRENT SERVICES & PROFILE

Current Name: Fertility Center of the Carolinas, University Medical Group,  
Department of Obstetrics and Gynecology

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PIEDMONT REPRODUCTIVE ENDOCRINOLOGY GROUP, PA GREENVILLE, SOUTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by John E. Nichols, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	85%	Tubal factor	9%	Uterine factor	3%	Multiple Factors: Female factors only 5% Female & male factors 24%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	28%	Male factor	41%	
Used gestational carrier	<1%			Diminished ovarian reserve	23%	Other factor	12%	
				Endometriosis	6%	Unknown factor	10%	

2016 ART SUCCESS RATES <sup>c,d</sup>		Total number of cycles <sup>d</sup> : 693 (includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>						
Number of cycles		159	69	41	16	7
Percentage of cancellations before retrieval (%)		1.9	2.9	7.3	1 / 16	0 / 7
Number of transfers		108	36	24	9	4
Average number of embryos transferred		1.7	1.9	2.3	2.4	1.3
Percentage of elective single embryo transfers (eSET) (%)		37.1	18.2	4.8	2 / 8	2 / 3
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in pregnancies (%)		35.2	24.6	19.5	3 / 16	1 / 7
Percentage of cycles resulting in live births (%)		29.6	20.3	14.6	2 / 16	1 / 7
Percentage of cycles resulting in singleton live births (%)		25.2	18.8	12.2	1 / 16	1 / 7
Percentage of cycles resulting in twin live births (%)		3.1	1.4	2.4	1 / 16	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)		18.9	11.6	7.3	1 / 16	1 / 7
<b>Outcomes per Transfer</b>						
Percentage of embryos transferred resulting in implantation (%)		38.9	28.8	16.1	18.2	1 / 5
Percentage of transfers resulting in pregnancies (%)		51.9	47.2	33.3	3 / 9	1 / 4
Percentage of transfers resulting in live births (%)		43.5	38.9	25.0	2 / 9	1 / 4
Percentage of transfers resulting in singleton live births (%)		37.0	36.1	20.8	1 / 9	1 / 4
Percentage of transfers resulting in twin live births (%)		4.6	2.8	4.2	1 / 9	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		27.8	22.2	12.5	1 / 9	1 / 4
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles		133	62	33	6	5
Number of transfers		131	61	32	6	5
Estimated average number of transfers per retrieval		1.3	1.6	0.9	1.2	1.3
Average number of embryos transferred		1.7	1.8	1.6	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)		42.3	45.8	32.7	4 / 9	1 / 10
Percentage of transfers resulting in pregnancies (%)		57.3	62.3	46.9	4 / 6	1 / 5
Percentage of transfers resulting in live births (%)		44.3	49.2	31.3	0 / 6	1 / 5
Percentage of transfers resulting in singleton live births (%)		35.1	34.4	25.0	0 / 6	1 / 5
Percentage of transfers resulting in twin live births (%)		9.2	14.8	6.3	0 / 6	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		25.2	21.3	18.8	0 / 6	1 / 5
<b>Number of Egg or Embryo Banking Cycles</b>						
Number of fertility preservation cycles		44	18	24	4	3
		6	4	1	0	0
		Fresh Eggs	Frozen Eggs	Frozen Embryos	Donated Embryos	
<b>Donor Eggs<sup>f</sup></b>						
Number of cycles		17	4	31	14	
Number of transfers		13	4	31	14	
Average number of embryos transferred		1.5	1.5	1.7	2.0	
Percentage of embryos transferred resulting in implantation (%)		55.0	3 / 6	38.5	26.9	
Percentage of transfers resulting in pregnancies (%)		9 / 13	3 / 4	58.1	6 / 14	
Percentage of transfers resulting in live births (%)		8 / 13	3 / 4	35.5	5 / 14	
Percentage of transfers resulting in singleton live births (%)		7 / 13	3 / 4	32.3	3 / 14	
Percentage of transfers resulting in twin live births (%)		1 / 13	0 / 4	3.2	2 / 14	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		6 / 13	0 / 4	16.1	3 / 14	

CURRENT SERVICES & PROFILE		Current Name: Piedmont Reproductive Endocrinology Group, PA					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## COASTAL FERTILITY SPECIALISTS MOUNT PLEASANT, SOUTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

### 2016 ART CYCLE PROFILE

Data verified by John A. Schnorr, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	75%	Tubal factor	12%	Uterine factor	<1%	Multiple Factors: Female factors only 5% Female & male factors 7%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	8%	Male factor	29%	
Used gestational carrier	<1%			Diminished ovarian reserve	32%	Other factor	10%	
				Endometriosis	5%	Unknown factor	17%	

### 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 818  
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	138	53	37	16	2
Percentage of cancellations before retrieval (%)	3.6	5.7	5.4	0 / 16	0 / 2
Number of transfers	30	12	9	4	1
Average number of embryos transferred	1.5	1.8	2.3	3.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	51.7	2 / 11	0 / 9	0 / 4	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	13.0	13.2	10.8	2 / 16	0 / 2
Percentage of cycles resulting in live births (%)	11.6	13.2	8.1	0 / 16	0 / 2
Percentage of cycles resulting in singleton live births (%)	10.9	11.3	8.1	0 / 16	0 / 2
Percentage of cycles resulting in twin live births (%)	0.7	1.9	0.0	0 / 16	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	8.0	11.3	8.1	0 / 16	0 / 2
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	41.9	38.1	23.8	1 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)	60.0	7 / 12	4 / 9	2 / 4	0 / 1
Percentage of transfers resulting in live births (%)	53.3	7 / 12	3 / 9	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births (%)	50.0	6 / 12	3 / 9	0 / 4	0 / 1
Percentage of transfers resulting in twin live births (%)	3.3	1 / 12	0 / 9	0 / 4	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	36.7	6 / 12	3 / 9	0 / 4	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	207	77	63	16	5
Number of transfers	200	72	58	15	3
Estimated average number of transfers per retrieval	1.2	1.3	1.5	1.1	1.0
Average number of embryos transferred	1.3	1.5	1.6	1.9	2.0
Percentage of embryos transferred resulting in implantation (%)	65.2	41.6	48.2	24.1	2 / 6
Percentage of transfers resulting in pregnancies (%)	74.5	56.9	63.8	6 / 15	2 / 3
Percentage of transfers resulting in live births (%)	60.0	38.9	48.3	6 / 15	1 / 3
Percentage of transfers resulting in singleton live births (%)	50.0	34.7	39.7	5 / 15	1 / 3
Percentage of transfers resulting in twin live births (%)	9.5	4.2	8.6	1 / 15	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	39.5	29.2	34.5	5 / 15	1 / 3
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	66	18	18	2	2
	4	3	3	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	35	18	42	1	
Number of transfers	33	9	37	1	
Average number of embryos transferred	1.4	1.6	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	53.3	8 / 12	56.8	1 / 2	
Percentage of transfers resulting in pregnancies (%)	57.6	6 / 9	62.2	1 / 1	
Percentage of transfers resulting in live births (%)	57.6	4 / 9	40.5	1 / 1	
Percentage of transfers resulting in singleton live births (%)	42.4	2 / 9	27.0	1 / 1	
Percentage of transfers resulting in twin live births (%)	15.2	2 / 9	13.5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	27.3	2 / 9	13.5	1 / 1	

### CURRENT SERVICES & PROFILE

Current Name: Coastal Fertility Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE FERTILITY CENTER OF CHARLESTON MOUNT PLEASANT, SOUTH CAROLINA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Stephanie D. Singleton, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	72%	Tubal factor	6%	Uterine factor	2%	Multiple Factors: Female factors only 9% Female & male factors 10%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	13%	Male factor	27%	
Used gestational carrier	1%			Diminished ovarian reserve	24%	Other factor	27%	
				Endometriosis	2%	Unknown factor	20%	

2016 ART SUCCESS RATES <sup>c,d</sup>		Total number of cycles <sup>d</sup> : 198 (includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
<b>Fresh Embryos from Fresh Nondonor Eggs</b>						
Number of cycles	28	16	14	1	1	
Percentage of cancellations before retrieval (%)	0.0	0 / 16	1 / 14	0 / 1	0 / 1	
Number of transfers	11	7	8	0	1	
Average number of embryos transferred	1.7	2.0	1.8		1.0	
Percentage of elective single embryo transfers (eSET) (%)	2 / 10	0 / 7	1 / 7			
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in pregnancies (%)	25.0	4 / 16	2 / 14	0 / 1	0 / 1	
Percentage of cycles resulting in live births (%)	25.0	4 / 16	2 / 14	0 / 1	0 / 1	
Percentage of cycles resulting in singleton live births (%)	17.9	3 / 16	2 / 14	0 / 1	0 / 1	
Percentage of cycles resulting in twin live births (%)	7.1	1 / 16	0 / 14	0 / 1	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	14.3	3 / 16	2 / 14	0 / 1	0 / 1	
<b>Outcomes per Transfer</b>						
Percentage of embryos transferred resulting in implantation (%)	9 / 19	5 / 14	2 / 14		0 / 1	
Percentage of transfers resulting in pregnancies (%)	7 / 11	4 / 7	2 / 8		0 / 1	
Percentage of transfers resulting in live births (%)	7 / 11	4 / 7	2 / 8		0 / 1	
Percentage of transfers resulting in singleton live births (%)	5 / 11	3 / 7	2 / 8		0 / 1	
Percentage of transfers resulting in twin live births (%)	2 / 11	1 / 7	0 / 8		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4 / 11	3 / 7	2 / 8		0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	40	17	19	2	0	
Number of transfers	39	17	19	2	0	
Estimated average number of transfers per retrieval	1.4	1.3	1.2	2.0		
Average number of embryos transferred	1.3	1.6	1.6	2.0		
Percentage of embryos transferred resulting in implantation (%)	39.6	52.4	14.8	0 / 4		
Percentage of transfers resulting in pregnancies (%)	43.6	13 / 17	5 / 19	0 / 2		
Percentage of transfers resulting in live births (%)	38.5	8 / 17	3 / 19	0 / 2		
Percentage of transfers resulting in singleton live births (%)	30.8	7 / 17	2 / 19	0 / 2		
Percentage of transfers resulting in twin live births (%)	7.7	1 / 17	1 / 19	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	25.6	7 / 17	2 / 19	0 / 2		
<b>Number of Egg or Embryo Banking Cycles</b>						
Number of fertility preservation cycles	14	7	8	1	0	
	6	3	0	0	0	
<b>Donor Eggs<sup>f</sup></b>						
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>		
Number of cycles	0	21	4	2		
Number of transfers	0	21	4	2		
Average number of embryos transferred		1.2	1.5	1.5		
Percentage of embryos transferred resulting in implantation (%)		50.0	2 / 6	0 / 3		
Percentage of transfers resulting in pregnancies (%)		57.1	2 / 4	0 / 2		
Percentage of transfers resulting in live births (%)		42.9	2 / 4	0 / 2		
Percentage of transfers resulting in singleton live births (%)		38.1	2 / 4	0 / 2		
Percentage of transfers resulting in twin live births (%)		4.8	0 / 4	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		33.3	1 / 4	0 / 2		

CURRENT SERVICES & PROFILE		Current Name: The Fertility Center of Charleston					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**SOUTHEASTERN FERTILITY CENTER  
NORTH CHARLESTON, SOUTH CAROLINA**

---

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

# SANFORD WOMEN'S HEALTH SIOUX FALLS, SOUTH DAKOTA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Keith A. Hansen, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	45%	Tubal factor	14%	Uterine factor	<1%	Multiple Factors: Female factors only 14% Female & male factors 29%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	20%	Male factor	49%	
Used gestational carrier	3%			Diminished ovarian reserve	25%	Other factor	30%	
				Endometriosis	7%	Unknown factor	6%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 355  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	91	34	15	8	2
Percentage of cancellations before retrieval (%)	2.2	23.5	4 / 15	1 / 8	0 / 2
Number of transfers	78	23	7	0	1
Average number of embryos transferred	1.7	2.3	2.3		1.0
Percentage of elective single embryo transfers (eSET) (%)	25.0	0.0	0 / 5		
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	47.3	20.6	4 / 15	0 / 8	0 / 2
Percentage of cycles resulting in live births (%)	42.9	14.7	3 / 15	0 / 8	0 / 2
Percentage of cycles resulting in singleton live births (%)	34.1	8.8	3 / 15	0 / 8	0 / 2
Percentage of cycles resulting in twin live births (%)	7.7	5.9	0 / 15	0 / 8	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	27.5	5.9	2 / 15	0 / 8	0 / 2
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	40.0	17.3	5 / 16		0 / 1
Percentage of transfers resulting in pregnancies (%)	55.1	30.4	4 / 7		0 / 1
Percentage of transfers resulting in live births (%)	50.0	21.7	3 / 7		0 / 1
Percentage of transfers resulting in singleton live births (%)	39.7	13.0	3 / 7		0 / 1
Percentage of transfers resulting in twin live births (%)	9.0	8.7	0 / 7		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	32.1	8.7	2 / 7		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	88	22	16	3	2
Number of transfers	75	20	13	2	2
Estimated average number of transfers per retrieval	1.5	1.5	1.2	0.4	
Average number of embryos transferred	1.5	1.6	1.2	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	35.7	37.5	6 / 16	0 / 3	2 / 4
Percentage of transfers resulting in pregnancies (%)	41.3	50.0	4 / 13	0 / 2	2 / 2
Percentage of transfers resulting in live births (%)	33.3	50.0	4 / 13	0 / 2	2 / 2
Percentage of transfers resulting in singleton live births (%)	24.0	45.0	3 / 13	0 / 2	2 / 2
Percentage of transfers resulting in twin live births (%)	9.3	5.0	0 / 13	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	20.0	40.0	3 / 13	0 / 2	2 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	24	9	8	5	0
	4	1	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	1	25	2	
Number of transfers	0	1	25	2	
Average number of embryos transferred		1.0	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)		0 / 1	42.9	1 / 3	
Percentage of transfers resulting in pregnancies (%)		0 / 1	52.0	1 / 2	
Percentage of transfers resulting in live births (%)		0 / 1	52.0	1 / 2	
Percentage of transfers resulting in singleton live births (%)		0 / 1	48.0	1 / 2	
Percentage of transfers resulting in twin live births (%)		0 / 1	4.0	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		0 / 1	44.0	0 / 2	

## CURRENT SERVICES & PROFILE

Current Name: Sanford Women's Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CENTER, LLC CHATTANOOGA, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Barry W. Donesky, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	77%	Tubal factor	9%	Uterine factor	3%	Multiple Factors: Female factors only 2% Female & male factors 3%
Unstimulated	1%	PGD/PGS	15%	Ovulatory dysfunction	13%	Male factor	29%	
Used gestational carrier	4%			Diminished ovarian reserve	32%	Other factor	6%	
				Endometriosis	2%	Unknown factor	12%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 260  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	40	15	13	9	4
Percentage of cancellations before retrieval (%)	15.0	1 / 15	3 / 13	4 / 9	3 / 4
Number of transfers	1	1	1	0	0
Average number of embryos transferred	2.0	2.0	1.0		
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1			
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	0.0	1 / 15	0 / 13	0 / 9	0 / 4
Percentage of cycles resulting in live births (%)	0.0	0 / 15	0 / 13	0 / 9	0 / 4
Percentage of cycles resulting in singleton live births (%)	0.0	0 / 15	0 / 13	0 / 9	0 / 4
Percentage of cycles resulting in twin live births (%)	0.0	0 / 15	0 / 13	0 / 9	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0.0	0 / 15	0 / 13	0 / 9	0 / 4
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	0 / 2	2 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 1	1 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 1	0 / 1	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	74	24	11	3	0
Number of transfers	71	24	11	3	0
Estimated average number of transfers per retrieval	1.2	1.3	1.0	1.5	0.0
Average number of embryos transferred	1.3	1.3	1.4	1.3	
Percentage of embryos transferred resulting in implantation (%)	42.6	48.4	8 / 15	0 / 4	
Percentage of transfers resulting in pregnancies (%)	47.9	54.2	5 / 11	0 / 3	
Percentage of transfers resulting in live births (%)	42.3	50.0	4 / 11	0 / 3	
Percentage of transfers resulting in singleton live births (%)	35.2	41.7	1 / 11	0 / 3	
Percentage of transfers resulting in twin live births (%)	7.0	8.3	3 / 11	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	31.0	33.3	1 / 11	0 / 3	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	22	9	6	1	1
	0	1	2	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	3	10	13	1	
Number of transfers	1	10	12	1	
Average number of embryos transferred	2.0	1.6	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 2	9 / 16	11 / 16	1 / 2	
Percentage of transfers resulting in pregnancies (%)	0 / 1	7 / 10	10 / 12	1 / 1	
Percentage of transfers resulting in live births (%)	0 / 1	6 / 10	9 / 12	1 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1	4 / 10	8 / 12	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	2 / 10	1 / 12	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 1	2 / 10	7 / 12	1 / 1	

## CURRENT SERVICES & PROFILE

Current Name: Fertility Center, LLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# TENNESSEE REPRODUCTIVE MEDICINE CHATTANOOGA, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Ringland S. Murray, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	69%	Tubal factor	18%	Uterine factor	<1%	
Unstimulated	4%	PGD/PGS	25%	Ovulatory dysfunction	9%	Male factor	35%	
Used gestational carrier	<1%			Diminished ovarian reserve	14%	Other factor	38%	
				Endometriosis	13%	Unknown factor	10%	
				Multiple Factors:				
				Female factors only				16%
				Female & male factors				17%

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 242  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	41	11	9	9	4
Percentage of cancellations before retrieval (%)	2.4	1 / 11	2 / 9	2 / 9	3 / 4
Number of transfers	36	6	4	2	0
Average number of embryos transferred	1.6	1.5	2.3	1.5	
Percentage of elective single embryo transfers (eSET) (%)	34.4	1 / 4	0 / 4	0 / 1	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	56.1	1 / 11	3 / 9	0 / 9	0 / 4
Percentage of cycles resulting in live births (%)	41.5	1 / 11	2 / 9	0 / 9	0 / 4
Percentage of cycles resulting in singleton live births (%)	36.6	1 / 11	2 / 9	0 / 9	0 / 4
Percentage of cycles resulting in twin live births (%)	4.9	0 / 11	0 / 9	0 / 9	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	31.7	1 / 11	1 / 9	0 / 9	0 / 4
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	42.6	1 / 9	2 / 7	0 / 3	
Percentage of transfers resulting in pregnancies (%)	63.9	1 / 6	3 / 4	0 / 2	
Percentage of transfers resulting in live births (%)	47.2	1 / 6	2 / 4	0 / 2	
Percentage of transfers resulting in singleton live births (%)	41.7	1 / 6	2 / 4	0 / 2	
Percentage of transfers resulting in twin live births (%)	5.6	0 / 6	0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	36.1	1 / 6	1 / 4	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	50	27	10	4	0
Number of transfers	50	27	9	4	0
Estimated average number of transfers per retrieval	1.7	1.6	0.6	0.4	0.0
Average number of embryos transferred	1.3	1.3	1.4	1.8	
Percentage of embryos transferred resulting in implantation (%)	50.7	65.7	4 / 13	3 / 7	
Percentage of transfers resulting in pregnancies (%)	64.0	77.8	4 / 9	3 / 4	
Percentage of transfers resulting in live births (%)	58.0	70.4	4 / 9	3 / 4	
Percentage of transfers resulting in singleton live births (%)	54.0	66.7	4 / 9	3 / 4	
Percentage of transfers resulting in twin live births (%)	4.0	3.7	0 / 9	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	40.0	51.9	2 / 9	3 / 4	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	17	13	13	9	4
	1	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	4	5	4	8	
Number of transfers	2	5	4	8	
Average number of embryos transferred	1.0	1.4	1.3	1.4	
Percentage of embryos transferred resulting in implantation (%)	1 / 2	4 / 7	2 / 5	6 / 11	
Percentage of transfers resulting in pregnancies (%)	1 / 2	3 / 5	1 / 4	5 / 8	
Percentage of transfers resulting in live births (%)	0 / 2	2 / 5	1 / 4	5 / 8	
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 5	0 / 4	4 / 8	
Percentage of transfers resulting in twin live births (%)	0 / 2	1 / 5	1 / 4	1 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 2	1 / 5	0 / 4	2 / 8	

## CURRENT SERVICES & PROFILE

Current Name: Tennessee Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# TENNESSEE FERTILITY INSTITUTE FRANKLIN, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Donna R. Session, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	18%	Uterine factor	3%	Multiple Factors: Female factors only 21% Female & male factors 3%
Unstimulated	4%	PGD/PGS	24%	Ovulatory dysfunction	9%	Male factor	9%	
Used gestational carrier	0%			Diminished ovarian reserve	18%	Other factor	18%	
				Endometriosis	0%	Unknown factor	52%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 39  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	10	4	8	2	0
Percentage of cancellations before retrieval (%)	0 / 10	0 / 4	2 / 8	0 / 2	
Number of transfers	7	2	3	1	0
Average number of embryos transferred	1.4	2.0	3.3	3.0	
Percentage of elective single embryo transfers (eSET) (%)	2 / 5	0 / 2	0 / 3	0 / 1	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	5 / 10	1 / 4	1 / 8	1 / 2	
Percentage of cycles resulting in live births (%)	4 / 10	1 / 4	1 / 8	1 / 2	
Percentage of cycles resulting in singleton live births (%)	3 / 10	1 / 4	1 / 8	1 / 2	
Percentage of cycles resulting in twin live births (%)	1 / 10	0 / 4	0 / 8	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 10	0 / 4	1 / 8	0 / 2	
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	6 / 10	1 / 4	1 / 10	1 / 3	
Percentage of transfers resulting in pregnancies (%)	5 / 7	1 / 2	1 / 3	1 / 1	
Percentage of transfers resulting in live births (%)	4 / 7	1 / 2	1 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 7	1 / 2	1 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 2	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 7	0 / 2	1 / 3	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	1	2	2	1	0
Number of transfers	1	2	2	1	0
Estimated average number of transfers per retrieval	0.3	0.7	0.5	1.0	
Average number of embryos transferred	1.0	2.0	2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 1	1 / 4	3 / 4	0 / 3	
Percentage of transfers resulting in pregnancies (%)	1 / 1	1 / 2	2 / 2	0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1	1 / 2	2 / 2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 1	1 / 2	2 / 2	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 2	0 / 2	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 1	0 / 2	2 / 2	0 / 1	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	3	1	2	0	0
	3	1	2	0	0
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	0	0	3	
Number of transfers	0	0	0	3	
Average number of embryos transferred				1.3	
Percentage of embryos transferred resulting in implantation (%)				1 / 4	
Percentage of transfers resulting in pregnancies (%)				1 / 3	
Percentage of transfers resulting in live births (%)				0 / 3	
Percentage of transfers resulting in singleton live births (%)				0 / 3	
Percentage of transfers resulting in twin live births (%)				0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)				0 / 3	

## CURRENT SERVICES & PROFILE

Current Name: Tennessee Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# QUILLEN FERTILITY AND WOMEN'S SERVICES JOHNSON CITY, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Mark X. Ransom, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	41%	Tubal factor	20%	Uterine factor	4%	Multiple Factors: Female factors only 5% Female & male factors 9%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	15%	Male factor	24%	
Used gestational carrier	0%			Diminished ovarian reserve	12%	Other factor	5%	
				Endometriosis	17%	Unknown factor	17%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 75  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	27	14	15	6	0
Percentage of cancellations before retrieval (%)	7.4	1 / 14	1 / 15	2 / 6	
Number of transfers	24	11	10	4	0
Average number of embryos transferred	1.9	1.8	2.5	2.8	
Percentage of elective single embryo transfers (eSET) (%)	0.0	0 / 9	0 / 8	0 / 3	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	55.6	2 / 14	5 / 15	0 / 6	
Percentage of cycles resulting in live births (%)	48.1	1 / 14	1 / 15	0 / 6	
Percentage of cycles resulting in singleton live births (%)	29.6	1 / 14	1 / 15	0 / 6	
Percentage of cycles resulting in twin live births (%)	14.8	0 / 14	0 / 15	0 / 6	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	25.9	1 / 14	0 / 15	0 / 6	
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	45.7	1 / 18	1 / 15	0 / 11	
Percentage of transfers resulting in pregnancies (%)	62.5	2 / 11	5 / 10	0 / 4	
Percentage of transfers resulting in live births (%)	54.2	1 / 11	1 / 10	0 / 4	
Percentage of transfers resulting in singleton live births (%)	33.3	1 / 11	1 / 10	0 / 4	
Percentage of transfers resulting in twin live births (%)	16.7	0 / 11	0 / 10	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	29.2	1 / 11	0 / 10	0 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	6	6	0	0	0
Number of transfers	5	5	0	0	0
Estimated average number of transfers per retrieval	1.7	1.3			
Average number of embryos transferred	2.0	1.8			
Percentage of embryos transferred resulting in implantation (%)	1 / 10	0 / 9			
Percentage of transfers resulting in pregnancies (%)	1 / 5	0 / 5			
Percentage of transfers resulting in live births (%)	1 / 5	0 / 5			
Percentage of transfers resulting in singleton live births (%)	1 / 5	0 / 5			
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 5			
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 5	0 / 5			
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	0	0	1	
Number of transfers	0	0	0	1	
Average number of embryos transferred				3.0	
Percentage of embryos transferred resulting in implantation (%)				0 / 3	
Percentage of transfers resulting in pregnancies (%)				0 / 1	
Percentage of transfers resulting in live births (%)				0 / 1	
Percentage of transfers resulting in singleton live births (%)				0 / 1	
Percentage of transfers resulting in twin live births (%)				0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)				0 / 1	

## CURRENT SERVICES & PROFILE

Current Name: Quillen Fertility and Women's Services

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# EAST TENNESSEE IVF AND ANDROLOGY CENTER KNOXVILLE, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Gayla S. Harris, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	27%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 55% Female & male factors 36%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	36%	Male factor	36%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	46%	
				Endometriosis	64%	Unknown factor	0%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 11  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	6	3	2	0	0
Percentage of cancellations before retrieval (%)	0 / 6	0 / 3	0 / 2		
Number of transfers	6	3	2	0	0
Average number of embryos transferred	1.5	1.3	1.5		
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 1	0 / 1		
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	2 / 6	2 / 3	0 / 2		
Percentage of cycles resulting in live births (%)	2 / 6	1 / 3	0 / 2		
Percentage of cycles resulting in singleton live births (%)	2 / 6	1 / 3	0 / 2		
Percentage of cycles resulting in twin live births (%)	0 / 6	0 / 3	0 / 2		
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 6	1 / 3	0 / 2		
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	2 / 9	3 / 4	0 / 3		
Percentage of transfers resulting in pregnancies (%)	2 / 6	2 / 3	0 / 2		
Percentage of transfers resulting in live births (%)	2 / 6	1 / 3	0 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 6	1 / 3	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 6	0 / 3	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 6	1 / 3	0 / 2		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Estimated average number of transfers per retrieval					
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)					
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)					

## CURRENT SERVICES & PROFILE

Current Name: East Tennessee IVF and Andrology Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	No

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**JEFFREY A. KEENAN, MD DBA  
SOUTHEASTERN CENTER FOR FERTILITY AND REPRODUCTIVE SURGERY  
KNOXVILLE, TENNESSEE**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

**2016 ART CYCLE PROFILE**

Data verified by Jeffrey A. Keenan, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	>99%	With ICSI	19%	Tubal factor	5%	Uterine factor	4%	Multiple Factors: Female factors only 13% Female & male factors 21%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	12%	Male factor	53%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	24%	
				Endometriosis	16%	Unknown factor	10%	

**2016 ART SUCCESS RATES<sup>c,d</sup>**

Total number of cycles<sup>d</sup>: 193  
(includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	15	5	4	1	0
Percentage of cancellations before retrieval (%)	0 / 15	1 / 5	0 / 4	1 / 1	
Number of transfers	10	3	1	0	0
Average number of embryos transferred	2.1	1.3	3.0		
Percentage of elective single embryo transfers (eSET) (%)	0 / 10	2 / 3	0 / 1		
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	5 / 15	3 / 5	0 / 4	0 / 1	
Percentage of cycles resulting in live births (%)	5 / 15	3 / 5	0 / 4	0 / 1	
Percentage of cycles resulting in singleton live births (%)	3 / 15	2 / 5	0 / 4	0 / 1	
Percentage of cycles resulting in twin live births (%)	1 / 15	1 / 5	0 / 4	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 15	2 / 5	0 / 4	0 / 1	
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	38.1	4 / 4	0 / 3		
Percentage of transfers resulting in pregnancies (%)	5 / 10	3 / 3	0 / 1		
Percentage of transfers resulting in live births (%)	5 / 10	3 / 3	0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 10	2 / 3	0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 10	1 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 10	2 / 3	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	14	1	8	0	1
Number of transfers	14	1	8	0	1
Estimated average number of transfers per retrieval	1.8	0.3	1.6		0.1
Average number of embryos transferred	1.9	2.0	2.6		2.0
Percentage of embryos transferred resulting in implantation (%)	18.5	0 / 2	9.5		0 / 2
Percentage of transfers resulting in pregnancies (%)	4 / 14	0 / 1	2 / 8		0 / 1
Percentage of transfers resulting in live births (%)	4 / 14	0 / 1	1 / 8		0 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 14	0 / 1	1 / 8		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 14	0 / 1	0 / 8		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 14	0 / 1	0 / 8		0 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	1	3	0	0	7
	0	2	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	0	0	129	
Number of transfers	0	0	0	125	
Average number of embryos transferred				2.4	
Percentage of embryos transferred resulting in implantation (%)				29.8	
Percentage of transfers resulting in pregnancies (%)				53.6	
Percentage of transfers resulting in live births (%)				43.2	
Percentage of transfers resulting in singleton live births (%)				29.6	
Percentage of transfers resulting in twin live births (%)				12.0	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)				24.0	

**CURRENT SERVICES & PROFILE**

Current Name: Jeffrey A. Keenan, MD dba,  
Southeastern Center for Fertility and Reproductive Surgery

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	No	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	No

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# KUTTEH KE FERTILITY ASSOCIATES OF MEMPHIS, PLLC MEMPHIS, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Raymond W. Ke, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	67%	Tubal factor	21%	Uterine factor	8%	Multiple Factors: Female factors only 13% Female & male factors 23%
Unstimulated	0%	PGD/PGS	9%	Ovulatory dysfunction	16%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	30%	Other factor	7%	
				Endometriosis	13%	Unknown factor	10%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 563  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	42	13	19	12	6
Percentage of cancellations before retrieval (%)	14.3	0 / 13	3 / 19	5 / 12	4 / 6
Number of transfers	15	10	13	3	2
Average number of embryos transferred	1.6	1.7	1.7	2.0	2.5
Percentage of elective single embryo transfers (eSET) (%)	5 / 14	2 / 9	1 / 10	0 / 3	0 / 2
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	16.7	6 / 13	4 / 19	0 / 12	0 / 6
Percentage of cycles resulting in live births (%)	16.7	5 / 13	4 / 19	0 / 12	0 / 6
Percentage of cycles resulting in singleton live births (%)	16.7	5 / 13	4 / 19	0 / 12	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	0 / 13	0 / 19	0 / 12	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	14.3	4 / 13	4 / 19	0 / 12	0 / 6
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	33.3	6 / 17	18.2	0 / 6	0 / 5
Percentage of transfers resulting in pregnancies (%)	7 / 15	6 / 10	4 / 13	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	7 / 15	5 / 10	4 / 13	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	7 / 15	5 / 10	4 / 13	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	0 / 15	0 / 10	0 / 13	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	6 / 15	4 / 10	4 / 13	0 / 3	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	171	59	36	11	6
Number of transfers	151	52	30	6	6
Estimated average number of transfers per retrieval	1.3	1.9	1.8	0.9	1.0
Average number of embryos transferred	1.3	1.5	1.6	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	57.9	43.5	56.5	1 / 11	2 / 8
Percentage of transfers resulting in pregnancies (%)	66.9	55.8	66.7	1 / 6	2 / 6
Percentage of transfers resulting in live births (%)	54.3	38.5	46.7	0 / 6	1 / 6
Percentage of transfers resulting in singleton live births (%)	49.0	32.7	36.7	0 / 6	0 / 6
Percentage of transfers resulting in twin live births (%)	5.3	3.8	10.0	0 / 6	1 / 6
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	43.0	28.8	26.7	0 / 6	0 / 6
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	98	24	15	4	6
	4	1	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	1	17	20	2	
Number of transfers	0	11	17	2	
Average number of embryos transferred		1.5	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)		9 / 16	32.0	2 / 4	
Percentage of transfers resulting in pregnancies (%)		8 / 11	8 / 17	1 / 2	
Percentage of transfers resulting in live births (%)		7 / 11	8 / 17	1 / 2	
Percentage of transfers resulting in singleton live births (%)		6 / 11	8 / 17	0 / 2	
Percentage of transfers resulting in twin live births (%)		1 / 11	0 / 17	1 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		4 / 11	8 / 17	0 / 2	

## CURRENT SERVICES & PROFILE

Current Name: Kutteh Ke Fertility Associates of Memphis, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REGIONAL ONE HEALTH REPRODUCTIVE MEDICINE MEMPHIS, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Laura Detti, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	81%	Tubal factor	19%	Uterine factor	24%	Multiple Factors: Female factors only 42% Female & male factors 52%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	79%	Male factor	52%	
Used gestational carrier	3%			Diminished ovarian reserve	34%	Other factor	65%	
				Endometriosis	15%	Unknown factor	0%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 86  
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	24	5	6	5	0
Percentage of cancellations before retrieval (%)	8.3	0 / 5	0 / 6	1 / 5	
Number of transfers	22	5	5	3	0
Average number of embryos transferred	1.9	1.8	2.8	3.3	
Percentage of elective single embryo transfers (eSET) (%)	18.2	0 / 4	0 / 5	0 / 3	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	41.7	4 / 5	2 / 6	0 / 5	
Percentage of cycles resulting in live births (%)	41.7	4 / 5	2 / 6	0 / 5	
Percentage of cycles resulting in singleton live births (%)	25.0	2 / 5	1 / 6	0 / 5	
Percentage of cycles resulting in twin live births (%)	16.7	2 / 5	1 / 6	0 / 5	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	20.8	2 / 5	1 / 6	0 / 5	
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	35.7	6 / 9	3 / 14	0 / 10	
Percentage of transfers resulting in pregnancies (%)	45.5	4 / 5	2 / 5	0 / 3	
Percentage of transfers resulting in live births (%)	45.5	4 / 5	2 / 5	0 / 3	
Percentage of transfers resulting in singleton live births (%)	27.3	2 / 5	1 / 5	0 / 3	
Percentage of transfers resulting in twin live births (%)	18.2	2 / 5	1 / 5	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	22.7	2 / 5	1 / 5	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	9	7	1	0	1
Number of transfers	8	4	1	0	1
Estimated average number of transfers per retrieval	0.9		0.1	0.0	0.1
Average number of embryos transferred	1.8	1.5	3.0		3.0
Percentage of embryos transferred resulting in implantation (%)	6 / 14	3 / 6	0 / 3		0 / 3
Percentage of transfers resulting in pregnancies (%)	5 / 8	2 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	5 / 8	2 / 4	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 8	1 / 4	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 8	1 / 4	0 / 1		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4 / 8	1 / 4	0 / 1		0 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	4	0	9	3	8
	0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	1	1	0	0	
Number of transfers	1	1	0	0	
Average number of embryos transferred	1.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	0 / 1	0 / 2			
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 1			
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1			
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 1	0 / 1			

## CURRENT SERVICES & PROFILE

Current Name: Regional One Health Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	No

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE CENTER FOR REPRODUCTIVE HEALTH NASHVILLE, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Jaime M. Vasquez, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	11%	Uterine factor	4%	Multiple Factors: Female factors only 9% Female & male factors 40%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	39%	Male factor	59%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	4%	
				Endometriosis	10%	Unknown factor	6%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 137  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	23	14	2	1	0
Percentage of cancellations before retrieval (%)	0.0	0 / 14	0 / 2	0 / 1	
Number of transfers	7	5	1	1	0
Average number of embryos transferred	1.9	2.0	1.0	4.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 6	0 / 5		0 / 1	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	13.0	1 / 14	0 / 2	0 / 1	
Percentage of cycles resulting in live births (%)	13.0	1 / 14	0 / 2	0 / 1	
Percentage of cycles resulting in singleton live births (%)	8.7	1 / 14	0 / 2	0 / 1	
Percentage of cycles resulting in twin live births (%)	4.3	0 / 14	0 / 2	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	8.7	1 / 14	0 / 2	0 / 1	
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	4 / 13	1 / 10	0 / 1	0 / 4	
Percentage of transfers resulting in pregnancies (%)	3 / 7	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 7	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 7	1 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 7	0 / 5	0 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 7	1 / 5	0 / 1	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	26	6	8	0	3
Number of transfers	25	6	7	0	2
Estimated average number of transfers per retrieval	1.8	1.0	2.3	0.0	
Average number of embryos transferred	2.0	1.8	2.1		1.5
Percentage of embryos transferred resulting in implantation (%)	19.6	1 / 11	3 / 11		1 / 3
Percentage of transfers resulting in pregnancies (%)	40.0	1 / 6	5 / 7		1 / 2
Percentage of transfers resulting in live births (%)	36.0	1 / 6	2 / 7		1 / 2
Percentage of transfers resulting in singleton live births (%)	36.0	1 / 6	2 / 7		1 / 2
Percentage of transfers resulting in twin live births (%)	0.0	0 / 6	0 / 7		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	20.0	1 / 6	2 / 7		1 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	3	3	2	1	0
	0	1	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	16	0	22	7	
Number of transfers	15	0	22	7	
Average number of embryos transferred	2.0		2.0	2.0	
Percentage of embryos transferred resulting in implantation (%)			30.2	6 / 14	
Percentage of transfers resulting in pregnancies (%)	9 / 15		54.5	4 / 7	
Percentage of transfers resulting in live births (%)	9 / 15		45.5	3 / 7	
Percentage of transfers resulting in singleton live births (%)	6 / 15		40.9	1 / 7	
Percentage of transfers resulting in twin live births (%)	3 / 15		4.5	2 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4 / 15		9.1	0 / 7	

## CURRENT SERVICES & PROFILE

Current Name: The Center for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NASHVILLE FERTILITY CENTER NASHVILLE, TENNESSEE

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by George A. Hill, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	65%	Tubal factor	20%	Uterine factor	8%	Multiple Factors: Female factors only 29% Female & male factors 23%
Unstimulated	0%	PGD/PGS	27%	Ovulatory dysfunction	19%	Male factor	37%	
Used gestational carrier	3%			Diminished ovarian reserve	36%	Other factor	20%	
				Endometriosis	22%	Unknown factor	6%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 860  
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	117	49	31	8	6
Percentage of cancellations before retrieval (%)	20.5	24.5	22.6	3 / 8	2 / 6
Number of transfers	85	33	24	5	3
Average number of embryos transferred	1.4	2.1	2.3	2.4	2.0
Percentage of elective single embryo transfers (eSET) (%)	58.8	3.2	0.0	0 / 4	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	32.5	40.8	25.8	1 / 8	0 / 6
Percentage of cycles resulting in live births (%)	29.9	30.6	16.1	1 / 8	0 / 6
Percentage of cycles resulting in singleton live births (%)	26.5	20.4	9.7	1 / 8	0 / 6
Percentage of cycles resulting in twin live births (%)	3.4	10.2	6.5	0 / 8	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	23.1	16.3	9.7	1 / 8	0 / 6
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	33.9	35.4	17.3	1 / 12	0 / 6
Percentage of transfers resulting in pregnancies (%)	44.7	60.6	33.3	1 / 5	0 / 3
Percentage of transfers resulting in live births (%)	41.2	45.5	20.8	1 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	36.5	30.3	12.5	1 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	4.7	15.2	8.3	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	31.8	24.2	12.5	1 / 5	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	195	82	60	5	8
Number of transfers	183	74	55	5	6
Estimated average number of transfers per retrieval	1.3	1.4	1.1	0.4	0.8
Average number of embryos transferred	1.3	1.5	1.2	1.6	1.5
Percentage of embryos transferred resulting in implantation (%)	57.1	48.6	59.4	1 / 8	2 / 9
Percentage of transfers resulting in pregnancies (%)	67.2	59.5	65.5	1 / 5	2 / 6
Percentage of transfers resulting in live births (%)	59.6	50.0	54.5	1 / 5	2 / 6
Percentage of transfers resulting in singleton live births (%)	51.4	39.2	50.9	1 / 5	2 / 6
Percentage of transfers resulting in twin live births (%)	8.2	10.8	3.6	0 / 5	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	45.4	36.5	36.4	1 / 5	1 / 6
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	97	45	46	12	8
	6	5	10	1	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	10	15	37	27	
Number of transfers	9	11	33	24	
Average number of embryos transferred	1.2	1.3	1.3	1.7	
Percentage of embryos transferred resulting in implantation (%)	5 / 9	7 / 14	57.5	56.4	
Percentage of transfers resulting in pregnancies (%)	6 / 9	7 / 11	69.7	83.3	
Percentage of transfers resulting in live births (%)	5 / 9	7 / 11	57.6	66.7	
Percentage of transfers resulting in singleton live births (%)	5 / 9	7 / 11	48.5	50.0	
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 11	9.1	16.7	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 9	6 / 11	33.3	41.7	

## CURRENT SERVICES & PROFILE

Current Name: Nashville Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

## ASPIRE FERTILITY-DALLAS ADDISON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

### 2016 ART CYCLE PROFILE

Data verified by Linda C. Elkins, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	100%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 33%
Unstimulated	0%	PGD/PGS	50%	Ovulatory dysfunction	0%	Male factor	67%	
Used gestational carrier	0%			Diminished ovarian reserve	33%	Other factor	17%	
				Endometriosis	17%	Unknown factor	0%	

### 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 15  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	0	0	1	0	0
Percentage of cancellations before retrieval (%)			0 / 1		
Number of transfers	0	0	1	0	0
Average number of embryos transferred			2.0		
Percentage of elective single embryo transfers (eSET) (%)			0 / 1		
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)			0 / 1		
Percentage of cycles resulting in live births (%)			0 / 1		
Percentage of cycles resulting in singleton live births (%)			0 / 1		
Percentage of cycles resulting in twin live births (%)			0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)			0 / 1		
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)			0 / 2		
Percentage of transfers resulting in pregnancies (%)			0 / 1		
Percentage of transfers resulting in live births (%)			0 / 1		
Percentage of transfers resulting in singleton live births (%)			0 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)			0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	3	1	0	0	0
Number of transfers	3	1	0	0	0
Estimated average number of transfers per retrieval	0.4		0.0	0.0	
Average number of embryos transferred	1.0	2.0			
Percentage of embryos transferred resulting in implantation (%)	3 / 3	1 / 2			
Percentage of transfers resulting in pregnancies (%)	3 / 3	1 / 1			
Percentage of transfers resulting in live births (%)	2 / 3	1 / 1			
Percentage of transfers resulting in singleton live births (%)	2 / 3	1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 3	1 / 1			
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	7	0	1	1	0
	0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	1	0	0	
Number of transfers	0	1	0	0	
Average number of embryos transferred		2.0			
Percentage of embryos transferred resulting in implantation (%)		0 / 2			
Percentage of transfers resulting in pregnancies (%)		0 / 1			
Percentage of transfers resulting in live births (%)		0 / 1			
Percentage of transfers resulting in singleton live births (%)		0 / 1			
Percentage of transfers resulting in twin live births (%)		0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		0 / 1			

### CURRENT SERVICES & PROFILE

Current Name: Aspire Fertility-Dallas

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# DFW CENTER FOR FERTILITY & IVF ALLEN, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Victor E. Beshay, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	51%	Tubal factor	11%	Uterine factor	0%	Multiple Factors: Female factors only 11% Female & male factors 14%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	14%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	35%	Other factor	22%	
				Endometriosis	0%	Unknown factor	16%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 56  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	15	2	3	2	2
Percentage of cancellations before retrieval (%)	0 / 15	0 / 2	0 / 3	1 / 2	0 / 2
Number of transfers	15	1	2	1	2
Average number of embryos transferred	1.7	2.0	1.5	2.0	2.5
Percentage of elective single embryo transfers (eSET) (%)	4 / 14	0 / 1	1 / 2	0 / 1	0 / 2
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	8 / 15	1 / 2	1 / 3	0 / 2	1 / 2
Percentage of cycles resulting in live births (%)	8 / 15	1 / 2	1 / 3	0 / 2	1 / 2
Percentage of cycles resulting in singleton live births (%)	4 / 15	1 / 2	1 / 3	0 / 2	1 / 2
Percentage of cycles resulting in twin live births (%)	4 / 15	0 / 2	0 / 3	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 15	1 / 2	1 / 3	0 / 2	1 / 2
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	48.0	1 / 2	1 / 3	0 / 2	1 / 5
Percentage of transfers resulting in pregnancies (%)	8 / 15	1 / 1	1 / 2	0 / 1	1 / 2
Percentage of transfers resulting in live births (%)	8 / 15	1 / 1	1 / 2	0 / 1	1 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 15	1 / 1	1 / 2	0 / 1	1 / 2
Percentage of transfers resulting in twin live births (%)	4 / 15	0 / 1	0 / 2	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 15	1 / 1	1 / 2	0 / 1	1 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	7	2	3	0	0
Number of transfers	7	2	3	0	0
Estimated average number of transfers per retrieval	0.5	0.5	0.8	0.0	
Average number of embryos transferred	1.6	1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	10 / 11	0 / 3	3 / 3		
Percentage of transfers resulting in pregnancies (%)	7 / 7	0 / 2	3 / 3		
Percentage of transfers resulting in live births (%)	6 / 7	0 / 2	2 / 3		
Percentage of transfers resulting in singleton live births (%)	3 / 7	0 / 2	2 / 3		
Percentage of transfers resulting in twin live births (%)	3 / 7	0 / 2	0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 7	0 / 2	2 / 3		
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	10	4	4	1	0
	5	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)					

## CURRENT SERVICES & PROFILE

Current Name: DFW Center for Fertility & IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# AUSTIN FERTILITY AND REPRODUCTIVE MEDICINE-WESTLAKE IVF AUSTIN, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Shahryar K. Kavoussi, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	84%	Tubal factor	9%	Uterine factor	7%	Multiple Factors: Female factors only 5% Female & male factors 23%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	12%	Male factor	53%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	8%	
				Endometriosis	9%	Unknown factor	7%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 188  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	65	31	20	9	0
Percentage of cancellations before retrieval (%)	1.5	3.2	10.0	0 / 9	
Number of transfers	48	21	13	4	0
Average number of embryos transferred	2.1	2.0	2.3	2.3	
Percentage of elective single embryo transfers (eSET) (%)	10.6	0 / 16	0 / 11	1 / 4	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	38.5	22.6	35.0	0 / 9	
Percentage of cycles resulting in live births (%)	35.4	22.6	25.0	0 / 9	
Percentage of cycles resulting in singleton live births (%)	21.5	19.4	20.0	0 / 9	
Percentage of cycles resulting in twin live births (%)	13.8	3.2	0.0	0 / 9	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	20.0	19.4	20.0	0 / 9	
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	38.8	19.5	28.6	0 / 9	
Percentage of transfers resulting in pregnancies (%)	52.1	33.3	7 / 13	0 / 4	
Percentage of transfers resulting in live births (%)	47.9	33.3	5 / 13	0 / 4	
Percentage of transfers resulting in singleton live births (%)	29.2	28.6	4 / 13	0 / 4	
Percentage of transfers resulting in twin live births (%)	18.8	4.8	0 / 13	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	27.1	28.6	4 / 13	0 / 4	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	13	9	3	3	1
Number of transfers	12	9	3	2	1
Estimated average number of transfers per retrieval	0.9	1.1	3.0	0.4	
Average number of embryos transferred	1.8	2.1	1.3	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	33.3	4 / 19	0 / 4	0 / 4	1 / 1
Percentage of transfers resulting in pregnancies (%)	5 / 12	3 / 9	0 / 3	0 / 2	1 / 1
Percentage of transfers resulting in live births (%)	5 / 12	2 / 9	0 / 3	0 / 2	1 / 1
Percentage of transfers resulting in singleton live births (%)	3 / 12	2 / 9	0 / 3	0 / 2	1 / 1
Percentage of transfers resulting in twin live births (%)	2 / 12	0 / 9	0 / 3	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 12	2 / 9	0 / 3	0 / 2	1 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	6	5	1	2	0
	1	0	0	1	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	9	1	9	0	
Number of transfers	8	1	8	0	
Average number of embryos transferred	1.9	2.0	1.6		
Percentage of embryos transferred resulting in implantation (%)	3 / 13	2 / 2	3 / 13		
Percentage of transfers resulting in pregnancies (%)	4 / 8	1 / 1	3 / 8		
Percentage of transfers resulting in live births (%)	2 / 8	1 / 1	3 / 8		
Percentage of transfers resulting in singleton live births (%)	2 / 8	0 / 1	3 / 8		
Percentage of transfers resulting in twin live births (%)	0 / 8	1 / 1	0 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 8	0 / 1	3 / 8		

## CURRENT SERVICES & PROFILE

Current Name: Austin Fertility and Reproductive Medicine-Westlake IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# AUSTIN FERTILITY INSTITUTE, PA AUSTIN, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Kenneth K. Moghadam, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	88%	Tubal factor	17%	Uterine factor	4%	Multiple Factors: Female factors only 11% Female & male factors 18%
Unstimulated	<1%	PGD/PGS	6%	Ovulatory dysfunction	15%	Male factor	50%	
Used gestational carrier	2%			Diminished ovarian reserve	12%	Other factor	13%	
				Endometriosis	16%	Unknown factor	7%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 342  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	67	18	18	4	1
Percentage of cancellations before retrieval (%)	4.5	1 / 18	5 / 18	0 / 4	1 / 1
Number of transfers	18	4	5	3	0
Average number of embryos transferred	1.6	1.5	3.4	2.7	
Percentage of elective single embryo transfers (eSET) (%)	7 / 18	2 / 4	0 / 5	0 / 3	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	10.4	2 / 18	3 / 18	1 / 4	0 / 1
Percentage of cycles resulting in live births (%)	9.0	1 / 18	2 / 18	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	6.0	1 / 18	2 / 18	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	3.0	0 / 18	0 / 18	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4.5	1 / 18	1 / 18	0 / 4	0 / 1
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	29.6	3 / 6	4 / 17	0 / 6	
Percentage of transfers resulting in pregnancies (%)	7 / 18	2 / 4	3 / 5	1 / 3	
Percentage of transfers resulting in live births (%)	6 / 18	1 / 4	2 / 5	0 / 3	
Percentage of transfers resulting in singleton live births (%)	4 / 18	1 / 4	2 / 5	0 / 3	
Percentage of transfers resulting in twin live births (%)	2 / 18	0 / 4	0 / 5	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 18	1 / 4	1 / 5	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	111	45	17	6	1
Number of transfers	111	45	17	6	1
Estimated average number of transfers per retrieval	2.1	1.7	1.1	2.0	0.5
Average number of embryos transferred	1.6	1.8	1.7	2.2	4.0
Percentage of embryos transferred resulting in implantation (%)	39.4	30.4	23.1	5 / 13	
Percentage of transfers resulting in pregnancies (%)	54.1	48.9	7 / 17	3 / 6	1 / 1
Percentage of transfers resulting in live births (%)	42.3	42.2	3 / 17	3 / 6	0 / 1
Percentage of transfers resulting in singleton live births (%)	33.3	35.6	3 / 17	2 / 6	0 / 1
Percentage of transfers resulting in twin live births (%)	9.0	6.7	0 / 17	1 / 6	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	29.7	26.7	2 / 17	2 / 6	0 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	10	13	8	0	2
	2	2	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	7	0	13	0	
Number of transfers	3	0	13	0	
Average number of embryos transferred	1.3		1.5		
Percentage of embryos transferred resulting in implantation (%)	4 / 4		8 / 19		
Percentage of transfers resulting in pregnancies (%)	3 / 3		6 / 13		
Percentage of transfers resulting in live births (%)	3 / 3		5 / 13		
Percentage of transfers resulting in singleton live births (%)	2 / 3		3 / 13		
Percentage of transfers resulting in twin live births (%)	1 / 3		2 / 13		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 3		1 / 13		

## CURRENT SERVICES & PROFILE

Current Name: Austin Fertility Institute, PA

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**RMATX.COM, PLLC  
RMA OF TEXAS-AUSTIN  
AUSTIN, TEXAS**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

**2016 ART CYCLE PROFILE**

Data verified by Francisco Arredondo, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	82%	Tubal factor	7%	Uterine factor	2%	Multiple Factors: Female factors only 6% Female & male factors 13%
Unstimulated	0%	PGD/PGS	56%	Ovulatory dysfunction	13%	Male factor	36%	
Used gestational carrier	5%			Diminished ovarian reserve	33%	Other factor	13%	
				Endometriosis	5%	Unknown factor	11%	

**2016 ART SUCCESS RATES<sup>c,d</sup>**

Total number of cycles<sup>d</sup>: 283  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	13	12	6	6	4
Percentage of cancellations before retrieval (%)	3 / 13	5 / 12	2 / 6	2 / 6	2 / 4
Number of transfers	2	4	1	0	1
Average number of embryos transferred	1.0	1.3	1.0		2.0
Percentage of elective single embryo transfers (eSET) (%)		3 / 4			0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	0 / 13	2 / 12	0 / 6	0 / 6	0 / 4
Percentage of cycles resulting in live births (%)	0 / 13	2 / 12	0 / 6	0 / 6	0 / 4
Percentage of cycles resulting in singleton live births (%)	0 / 13	2 / 12	0 / 6	0 / 6	0 / 4
Percentage of cycles resulting in twin live births (%)	0 / 13	0 / 12	0 / 6	0 / 6	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 13	2 / 12	0 / 6	0 / 6	0 / 4
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	0 / 2	2 / 5	0 / 1		0 / 2
Percentage of transfers resulting in pregnancies (%)	0 / 2	2 / 4	0 / 1		0 / 1
Percentage of transfers resulting in live births (%)	0 / 2	2 / 4	0 / 1		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 2	2 / 4	0 / 1		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 4	0 / 1		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 2	2 / 4	0 / 1		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	45	35	17	9	0
Number of transfers	44	34	16	8	0
Estimated average number of transfers per retrieval	0.9	1.1	0.6	0.7	0.0
Average number of embryos transferred	1.0	1.0	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	59.1	55.9	11 / 16	6 / 8	
Percentage of transfers resulting in pregnancies (%)	59.1	55.9	11 / 16	6 / 8	
Percentage of transfers resulting in live births (%)	59.1	52.9	10 / 16	6 / 8	
Percentage of transfers resulting in singleton live births (%)	59.1	52.9	10 / 16	6 / 8	
Percentage of transfers resulting in twin live births (%)	0.0	0.0	0 / 16	0 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	40.9	44.1	9 / 16	6 / 8	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	45	28	26	11	5
	9	6	5	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	1	5	14	1	
Number of transfers	0	3	14	1	
Average number of embryos transferred		1.3	1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)		1 / 4	7 / 15	1 / 1	
Percentage of transfers resulting in pregnancies (%)		1 / 3	6 / 14	1 / 1	
Percentage of transfers resulting in live births (%)		0 / 3	5 / 14	1 / 1	
Percentage of transfers resulting in singleton live births (%)		0 / 3	4 / 14	1 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 3	1 / 14	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		0 / 3	2 / 14	0 / 1	

**CURRENT SERVICES & PROFILE**

Current Name: RMATX.COM, PLLC, RMA of Texas-Austin

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TEXAS FERTILITY CENTER  
VAUGHN, SILVERBERG & ASSOCIATES  
AUSTIN, TEXAS**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

**2016 ART CYCLE PROFILE**

Data verified by Kaylen Silverberg, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	61%	Tubal factor	11%	Uterine factor	13%	Multiple Factors: Female factors only 22% Female & male factors 14%
Unstimulated	0%	PGD/PGS	33%	Ovulatory dysfunction	8%	Male factor	27%	
Used gestational carrier	2%			Diminished ovarian reserve	33%	Other factor	29%	
				Endometriosis	13%	Unknown factor	9%	

**2016 ART SUCCESS RATES<sup>c,d</sup>**

Total number of cycles<sup>d</sup>: 1,800  
(includes 12 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	110	82	58	44	37
Percentage of cancellations before retrieval (%)	9.1	8.5	13.8	13.6	13.5
Number of transfers	69	43	23	15	12
Average number of embryos transferred	1.2	1.3	1.4	1.5	1.4
Percentage of elective single embryo transfers (eSET) (%)	47.6	30.0	0 / 9	0 / 6	4 / 6
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	38.2	24.4	17.2	15.9	10.8
Percentage of cycles resulting in live births (%)	33.6	23.2	10.3	13.6	5.4
Percentage of cycles resulting in singleton live births (%)	31.8	20.7	8.6	13.6	5.4
Percentage of cycles resulting in twin live births (%)	1.8	2.4	1.7	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	28.2	15.9	3.4	11.4	5.4
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	53.2	37.9	29.6	34.8	4 / 17
Percentage of transfers resulting in pregnancies (%)	60.9	46.5	43.5	7 / 15	4 / 12
Percentage of transfers resulting in live births (%)	53.6	44.2	26.1	6 / 15	2 / 12
Percentage of transfers resulting in singleton live births (%)	50.7	39.5	21.7	6 / 15	2 / 12
Percentage of transfers resulting in twin live births (%)	2.9	4.7	4.3	0 / 15	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	44.9	30.2	8.7	5 / 15	2 / 12
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	314	178	132	39	28
Number of transfers	278	162	107	32	25
Estimated average number of transfers per retrieval	1.1	0.9	0.9	0.5	0.5
Average number of embryos transferred	1.1	1.2	1.1	1.3	1.2
Percentage of embryos transferred resulting in implantation (%)	54.5	46.5	50.0	46.2	44.4
Percentage of transfers resulting in pregnancies (%)	57.6	54.9	57.0	56.3	60.0
Percentage of transfers resulting in live births (%)	49.3	48.1	47.7	40.6	40.0
Percentage of transfers resulting in singleton live births (%)	44.6	46.9	45.8	34.4	40.0
Percentage of transfers resulting in twin live births (%)	4.7	1.2	1.9	6.3	0.0
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	36.0	38.3	37.4	28.1	32.0
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	220	146	114	58	45
	23	17	19	0	4
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	31	23	124	5	
Number of transfers	30	17	109	3	
Average number of embryos transferred	1.1	1.3	1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	68.8	47.6	48.3	2 / 3	
Percentage of transfers resulting in pregnancies (%)	76.7	11 / 17	52.3	2 / 3	
Percentage of transfers resulting in live births (%)	60.0	10 / 17	38.5	2 / 3	
Percentage of transfers resulting in singleton live births (%)	56.7	10 / 17	33.0	2 / 3	
Percentage of transfers resulting in twin live births (%)	3.3	0 / 17	5.5	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	46.7	7 / 17	22.9	2 / 3	

**CURRENT SERVICES & PROFILE**

Current Name: Texas Fertility Center, Vaughn, Silverberg & Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

# CENTER FOR ASSISTED REPRODUCTION BEDFORD, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Kevin J. Doody, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	56%	Tubal factor	17%	Uterine factor	<1%	Multiple Factors: Female factors only 8% Female & male factors 18%
Unstimulated	<1%	PGD/PGS	15%	Ovulatory dysfunction	24%	Male factor	35%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	13%	
				Endometriosis	6%	Unknown factor	8%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 658  
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	75	40	16	10	6
Percentage of cancellations before retrieval (%)	2.7	12.5	5 / 16	4 / 10	2 / 6
Number of transfers	53	29	9	6	3
Average number of embryos transferred	1.1	1.3	1.8	1.8	1.0
Percentage of elective single embryo transfers (eSET) (%)	87.5	58.3	0 / 7	1 / 5	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	29.3	50.0	6 / 16	2 / 10	0 / 6
Percentage of cycles resulting in live births (%)	26.7	47.5	5 / 16	2 / 10	0 / 6
Percentage of cycles resulting in singleton live births (%)	25.3	37.5	2 / 16	1 / 10	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	7.5	3 / 16	1 / 10	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	20.0	32.5	2 / 16	1 / 10	0 / 6
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	40.4	66.7	8 / 14	3 / 11	0 / 3
Percentage of transfers resulting in pregnancies (%)	41.5	69.0	6 / 9	2 / 6	0 / 3
Percentage of transfers resulting in live births (%)	37.7	65.5	5 / 9	2 / 6	0 / 3
Percentage of transfers resulting in singleton live births (%)	35.8	51.7	2 / 9	1 / 6	0 / 3
Percentage of transfers resulting in twin live births (%)	0.0	10.3	3 / 9	1 / 6	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	28.3	44.8	2 / 9	1 / 6	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	164	85	44	12	3
Number of transfers	159	79	40	10	3
Estimated average number of transfers per retrieval	1.7	1.6	1.4	0.8	0.4
Average number of embryos transferred	1.2	1.4	1.4	1.5	2.0
Percentage of embryos transferred resulting in implantation (%)	53.5	27.9	32.0	9 / 15	1 / 5
Percentage of transfers resulting in pregnancies (%)	62.3	43.0	40.0	8 / 10	2 / 3
Percentage of transfers resulting in live births (%)	51.6	30.4	30.0	7 / 10	1 / 3
Percentage of transfers resulting in singleton live births (%)	46.5	27.8	25.0	6 / 10	1 / 3
Percentage of transfers resulting in twin live births (%)	5.0	2.5	5.0	1 / 10	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	39.6	20.3	17.5	5 / 10	1 / 3
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	70	38	25	8	8
	11	7	1	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	8	3	8	33	
Number of transfers	8	1	8	31	
Average number of embryos transferred	1.1	1.0	1.3	1.1	
Percentage of embryos transferred resulting in implantation (%)	6 / 9	0 / 1	8 / 10	55.9	
Percentage of transfers resulting in pregnancies (%)	6 / 8	0 / 1	6 / 8	58.1	
Percentage of transfers resulting in live births (%)	5 / 8	0 / 1	6 / 8	48.4	
Percentage of transfers resulting in singleton live births (%)	5 / 8	0 / 1	5 / 8	45.2	
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 1	1 / 8	3.2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 8	0 / 1	5 / 8	38.7	

## CURRENT SERVICES & PROFILE

Current Name: Center for Assisted Reproduction

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# DALLAS-FORT WORTH FERTILITY ASSOCIATES DALLAS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Samuel J. Chantilis, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	43%	Tubal factor	12%	Uterine factor	10%	Multiple Factors: Female factors only 16% Female & male factors 26%
Unstimulated	<1%	PGD/PGS	26%	Ovulatory dysfunction	28%	Male factor	37%	
Used gestational carrier	2%			Diminished ovarian reserve	39%	Other factor	14%	
				Endometriosis	7%	Unknown factor	9%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 1,271  
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	111	60	66	26	34
Percentage of cancellations before retrieval (%)	12.6	23.3	42.4	26.9	32.4
Number of transfers	67	30	23	11	10
Average number of embryos transferred	1.5	1.6	2.0	1.7	2.1
Percentage of elective single embryo transfers (eSET) (%)	48.3	30.4	0 / 19	0 / 8	0 / 8
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	27.9	20.0	13.6	15.4	2.9
Percentage of cycles resulting in live births (%)	25.2	16.7	9.1	3.8	0.0
Percentage of cycles resulting in singleton live births (%)	21.6	13.3	7.6	3.8	0.0
Percentage of cycles resulting in twin live births (%)	3.6	3.3	1.5	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	18.9	11.7	6.1	3.8	0.0
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	35.7	28.9	17.1	3 / 16	0 / 18
Percentage of transfers resulting in pregnancies (%)	46.3	40.0	39.1	4 / 11	1 / 10
Percentage of transfers resulting in live births (%)	41.8	33.3	26.1	1 / 11	0 / 10
Percentage of transfers resulting in singleton live births (%)	35.8	26.7	21.7	1 / 11	0 / 10
Percentage of transfers resulting in twin live births (%)	6.0	6.7	4.3	0 / 11	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	31.3	23.3	17.4	1 / 11	0 / 10
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	264	126	67	21	9
Number of transfers	262	124	64	20	9
Estimated average number of transfers per retrieval	1.3	1.0	0.8	0.5	0.3
Average number of embryos transferred	1.3	1.3	1.3	1.5	1.4
Percentage of embryos transferred resulting in implantation (%)	54.0	56.9	52.8	44.0	6 / 13
Percentage of transfers resulting in pregnancies (%)	63.0	69.4	70.3	70.0	5 / 9
Percentage of transfers resulting in live births (%)	51.9	54.0	53.1	40.0	4 / 9
Percentage of transfers resulting in singleton live births (%)	46.6	47.6	48.4	40.0	3 / 9
Percentage of transfers resulting in twin live births (%)	5.3	6.5	4.7	0.0	1 / 9
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	40.8	45.2	45.3	40.0	3 / 9
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	162	106	71	37	23
	16	20	9	2	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	36	4	29	16	
Number of transfers	30	3	29	16	
Average number of embryos transferred	1.2	1.7	1.4	1.2	
Percentage of embryos transferred resulting in implantation (%)	55.9	2 / 5	48.7	10 / 18	
Percentage of transfers resulting in pregnancies (%)	63.3	2 / 3	58.6	10 / 16	
Percentage of transfers resulting in live births (%)	50.0	2 / 3	48.3	8 / 16	
Percentage of transfers resulting in singleton live births (%)	40.0	2 / 3	37.9	8 / 16	
Percentage of transfers resulting in twin live births (%)	10.0	0 / 3	10.3	0 / 16	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	36.7	2 / 3	27.6	7 / 16	

## CURRENT SERVICES & PROFILE

Current Name: Dallas-Fort Worth Fertility Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY AND ADVANCED REPRODUCTIVE MEDICINE DALLAS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Orhan Bukulmez, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	68%	Tubal factor	16%	Uterine factor	15%	Multiple Factors: Female factors only 15% Female & male factors 7%
Unstimulated	2%	PGD/PGS	29%	Ovulatory dysfunction	11%	Male factor	15%	
Used gestational carrier	0%			Diminished ovarian reserve	37%	Other factor	11%	
				Endometriosis	10%	Unknown factor	10%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 214  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	14	14	13	12	2
Percentage of cancellations before retrieval (%)	1 / 14	2 / 14	7 / 13	8 / 12	1 / 2
Number of transfers	5	2	0	1	0
Average number of embryos transferred	1.6	1.5		3.0	
Percentage of elective single embryo transfers (eSET) (%)	1 / 4	1 / 2		0 / 1	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	3 / 14	2 / 14	0 / 13	1 / 12	0 / 2
Percentage of cycles resulting in live births (%)	3 / 14	1 / 14	0 / 13	1 / 12	0 / 2
Percentage of cycles resulting in singleton live births (%)	2 / 14	1 / 14	0 / 13	1 / 12	0 / 2
Percentage of cycles resulting in twin live births (%)	1 / 14	0 / 14	0 / 13	0 / 12	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 14	1 / 14	0 / 13	1 / 12	0 / 2
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	4 / 8	2 / 3		1 / 3	
Percentage of transfers resulting in pregnancies (%)	3 / 5	2 / 2		1 / 1	
Percentage of transfers resulting in live births (%)	3 / 5	1 / 2		1 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 5	1 / 2		1 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 5	0 / 2		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 5	1 / 2		1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	22	20	11	5	4
Number of transfers	22	19	11	5	4
Estimated average number of transfers per retrieval	1.1	0.8	0.4	0.2	0.3
Average number of embryos transferred	1.3	1.4	1.2	1.2	1.5
Percentage of embryos transferred resulting in implantation (%)	57.7	55.6	8 / 13	4 / 6	1 / 6
Percentage of transfers resulting in pregnancies (%)	63.6	11 / 19	7 / 11	3 / 5	1 / 4
Percentage of transfers resulting in live births (%)	45.5	11 / 19	6 / 11	3 / 5	1 / 4
Percentage of transfers resulting in singleton live births (%)	36.4	7 / 19	6 / 11	2 / 5	1 / 4
Percentage of transfers resulting in twin live births (%)	9.1	4 / 19	0 / 11	1 / 5	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	27.3	6 / 19	5 / 11	2 / 5	1 / 4
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	15	21	27	22	12
	6	9	7	7	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)					

## CURRENT SERVICES & PROFILE

Current Name: Fertility and Advanced Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CENTER OF DALLAS DALLAS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by J. Michael Putman, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	68%	Tubal factor	12%	Uterine factor	21%	Multiple Factors: Female factors only 19% Female & male factors 42%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	11%	Male factor	59%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	36%	
				Endometriosis	17%	Unknown factor	5%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 220  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	23	4	2	2	1
Percentage of cancellations before retrieval (%)	0.0	1 / 4	0 / 2	0 / 2	0 / 1
Number of transfers	17	2	2	2	1
Average number of embryos transferred	1.5	1.5	2.0	2.0	4.0
Percentage of elective single embryo transfers (eSET) (%)	5 / 13	1 / 2	0 / 2	0 / 2	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	47.8	1 / 4	1 / 2	1 / 2	0 / 1
Percentage of cycles resulting in live births (%)	39.1	1 / 4	0 / 2	1 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	21.7	1 / 4	0 / 2	1 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	17.4	0 / 4	0 / 2	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	17.4	1 / 4	0 / 2	1 / 2	0 / 1
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	59.1	1 / 3	1 / 4	1 / 4	0 / 4
Percentage of transfers resulting in pregnancies (%)	11 / 17	1 / 2	1 / 2	1 / 2	0 / 1
Percentage of transfers resulting in live births (%)	9 / 17	1 / 2	0 / 2	1 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 17	1 / 2	0 / 2	1 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	4 / 17	0 / 2	0 / 2	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4 / 17	1 / 2	0 / 2	1 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	39	27	12	5	3
Number of transfers	38	24	11	5	2
Estimated average number of transfers per retrieval	0.9	1.0	0.6	0.5	0.5
Average number of embryos transferred	1.6	1.7	1.5	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	34.4	40.0	10 / 17	3 / 9	0 / 3
Percentage of transfers resulting in pregnancies (%)	44.7	41.7	7 / 11	3 / 5	0 / 2
Percentage of transfers resulting in live births (%)	42.1	33.3	7 / 11	3 / 5	0 / 2
Percentage of transfers resulting in singleton live births (%)	34.2	12.5	4 / 11	3 / 5	0 / 2
Percentage of transfers resulting in twin live births (%)	7.9	20.8	3 / 11	0 / 5	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	28.9	12.5	4 / 11	3 / 5	0 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
	34	24	18	10	4
Number of fertility preservation cycles	18	10	11	9	3
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	2	0	9	0	
Number of transfers	1	0	7	0	
Average number of embryos transferred	2.0		1.4		
Percentage of embryos transferred resulting in implantation (%)	1 / 2		5 / 10		
Percentage of transfers resulting in pregnancies (%)	1 / 1		4 / 7		
Percentage of transfers resulting in live births (%)	1 / 1		3 / 7		
Percentage of transfers resulting in singleton live births (%)	1 / 1		3 / 7		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 1		2 / 7		

## CURRENT SERVICES & PROFILE

Current Name: Fertility Center of Dallas

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

# REPROMED FERTILITY CENTER DALLAS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Anil B. Pinto, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	59%	Tubal factor	10%	Uterine factor	3%	Multiple Factors: Female factors only 20% Female & male factors 5%
Unstimulated	0%	PGD/PGS	22%	Ovulatory dysfunction	45%	Male factor	6%	
Used gestational carrier	2%			Diminished ovarian reserve	26%	Other factor	27%	
				Endometriosis	2%	Unknown factor	9%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 314  
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	44	16	3	3	0
Percentage of cancellations before retrieval (%)	4.5	1 / 16	0 / 3	1 / 3	
Number of transfers	23	6	1	0	0
Average number of embryos transferred	1.9	2.0	3.0		
Percentage of elective single embryo transfers (eSET) (%)	13.0	0 / 6	0 / 1		
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	34.1	6 / 16	0 / 3	0 / 3	
Percentage of cycles resulting in live births (%)	31.8	6 / 16	0 / 3	0 / 3	
Percentage of cycles resulting in singleton live births (%)	20.5	5 / 16	0 / 3	0 / 3	
Percentage of cycles resulting in twin live births (%)	11.4	1 / 16	0 / 3	0 / 3	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	11.4	3 / 16	0 / 3	0 / 3	
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	46.3	7 / 12	0 / 3		
Percentage of transfers resulting in pregnancies (%)	65.2	6 / 6	0 / 1		
Percentage of transfers resulting in live births (%)	60.9	6 / 6	0 / 1		
Percentage of transfers resulting in singleton live births (%)	39.1	5 / 6	0 / 1		
Percentage of transfers resulting in twin live births (%)	21.7	1 / 6	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	21.7	3 / 6	0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	62	26	11	16	4
Number of transfers	53	23	10	13	4
Estimated average number of transfers per retrieval	1.1	0.9	0.6	0.8	0.4
Average number of embryos transferred	1.7	1.7	2.4	1.5	1.5
Percentage of embryos transferred resulting in implantation (%)	38.8	51.5	20.8	15.0	2 / 6
Percentage of transfers resulting in pregnancies (%)	56.6	60.9	3 / 10	3 / 13	2 / 4
Percentage of transfers resulting in live births (%)	45.3	47.8	3 / 10	3 / 13	2 / 4
Percentage of transfers resulting in singleton live births (%)	34.0	26.1	1 / 10	3 / 13	2 / 4
Percentage of transfers resulting in twin live births (%)	11.3	17.4	2 / 10	0 / 13	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	17.0	21.7	1 / 10	2 / 13	1 / 4
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	32	21	16	17	9
	10	9	10	9	3
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	2	1	24	4	
Number of transfers	2	1	21	4	
Average number of embryos transferred	1.5	2.0	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 3	0 / 2	39.5	1 / 8	
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 1	57.1	1 / 4	
Percentage of transfers resulting in live births (%)	2 / 2	0 / 1	52.4	1 / 4	
Percentage of transfers resulting in singleton live births (%)	1 / 2	0 / 1	38.1	1 / 4	
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 1	14.3	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 2	0 / 1	28.6	1 / 4	

## CURRENT SERVICES & PROFILE

Current Name: ReproMed Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-DALLAS DALLAS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Walid A. Saleh, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	69%	Tubal factor	18%	Uterine factor	4%	Multiple Factors: Female factors only 9% Female & male factors 13%
Unstimulated	0%	PGD/PGS	13%	Ovulatory dysfunction	14%	Male factor	24%	
Used gestational carrier	4%			Diminished ovarian reserve	45%	Other factor	9%	
				Endometriosis	3%	Unknown factor	7%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 217  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	52	30	16	14	3
Percentage of cancellations before retrieval (%)	3.8	0.0	1 / 16	2 / 14	0 / 3
Number of transfers	42	18	11	7	2
Average number of embryos transferred	1.8	1.8	2.0	2.1	1.5
Percentage of elective single embryo transfers (eSET) (%)	5.7	1 / 16	1 / 9	0 / 6	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	53.8	33.3	6 / 16	1 / 14	0 / 3
Percentage of cycles resulting in live births (%)	50.0	30.0	4 / 16	1 / 14	0 / 3
Percentage of cycles resulting in singleton live births (%)	40.4	16.7	4 / 16	1 / 14	0 / 3
Percentage of cycles resulting in twin live births (%)	9.6	13.3	0 / 16	0 / 14	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	30.8	13.3	3 / 16	1 / 14	0 / 3
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	46.6	41.9	31.8	1 / 15	0 / 3
Percentage of transfers resulting in pregnancies (%)	66.7	10 / 18	6 / 11	1 / 7	0 / 2
Percentage of transfers resulting in live births (%)	61.9	9 / 18	4 / 11	1 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	50.0	5 / 18	4 / 11	1 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	11.9	4 / 18	0 / 11	0 / 7	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	38.1	4 / 18	3 / 11	1 / 7	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	24	13	12	0	1
Number of transfers	23	13	11	0	1
Estimated average number of transfers per retrieval	1.6	1.2	1.4	0.0	0.5
Average number of embryos transferred	2.0	2.1	1.9		2.0
Percentage of embryos transferred resulting in implantation (%)	46.3	33.3	5 / 15		0 / 2
Percentage of transfers resulting in pregnancies (%)	65.2	8 / 13	7 / 11		0 / 1
Percentage of transfers resulting in live births (%)	52.2	6 / 13	3 / 11		0 / 1
Percentage of transfers resulting in singleton live births (%)	39.1	5 / 13	3 / 11		0 / 1
Percentage of transfers resulting in twin live births (%)	13.0	1 / 13	0 / 11		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	39.1	4 / 13	3 / 11		0 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	6	7	8	2	2
	2	1	2	0	1
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	9	1	16	0	
Number of transfers	7	1	14	0	
Average number of embryos transferred	1.9	2.0	1.7		
Percentage of embryos transferred resulting in implantation (%)	8 / 13	2 / 2	41.7		
Percentage of transfers resulting in pregnancies (%)	6 / 7	1 / 1	8 / 14		
Percentage of transfers resulting in live births (%)	6 / 7	1 / 1	7 / 14		
Percentage of transfers resulting in singleton live births (%)	4 / 7	0 / 1	5 / 14		
Percentage of transfers resulting in twin live births (%)	2 / 7	1 / 1	2 / 14		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4 / 7	0 / 1	5 / 14		

## CURRENT SERVICES & PROFILE

Current Name: Sher Institute for Reproductive Medicine-Dallas

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# TEXAS CENTER FOR REPRODUCTIVE HEALTH DALLAS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Samuel P. Marynick, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	10%	Uterine factor	12%	Multiple Factors: Female factors only 19% Female & male factors 31%
Unstimulated	0%	PGD/PGS	28%	Ovulatory dysfunction	12%	Male factor	48%	
Used gestational carrier	9%			Diminished ovarian reserve	54%	Other factor	34%	
				Endometriosis	9%	Unknown factor	2%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 80  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	16	13	6	2	1
Percentage of cancellations before retrieval (%)	0 / 16	1 / 13	0 / 6	0 / 2	0 / 1
Number of transfers	12	10	6	2	1
Average number of embryos transferred	1.9	1.9	1.7	2.5	2.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 11	0 / 8	0 / 4	0 / 2	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	7 / 16	6 / 13	5 / 6	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	6 / 16	5 / 13	4 / 6	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	4 / 16	2 / 13	4 / 6	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 16	3 / 13	0 / 6	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4 / 16	2 / 13	3 / 6	0 / 2	0 / 1
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	43.5	9 / 19	5 / 10	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	7 / 12	6 / 10	5 / 6	0 / 2	0 / 1
Percentage of transfers resulting in live births (%)	6 / 12	5 / 10	4 / 6	0 / 2	0 / 1
Percentage of transfers resulting in singleton live births (%)	4 / 12	2 / 10	4 / 6	0 / 2	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 12	3 / 10	0 / 6	0 / 2	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4 / 12	2 / 10	3 / 6	0 / 2	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	16	5	4	0	1
Number of transfers	16	4	4	0	1
Estimated average number of transfers per retrieval	2.0	1.3	1.3	0.0	1.0
Average number of embryos transferred	1.5	1.8	1.3		2.0
Percentage of embryos transferred resulting in implantation (%)	20.8	2 / 7	0 / 5		0 / 2
Percentage of transfers resulting in pregnancies (%)	4 / 16	2 / 4	0 / 4		0 / 1
Percentage of transfers resulting in live births (%)	3 / 16	2 / 4	0 / 4		0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 16	2 / 4	0 / 4		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 16	0 / 4	0 / 4		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 16	2 / 4	0 / 4		0 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	4	3	3	2	1
	0	1	1	2	1
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	2	0	1	0	
Number of transfers	2	0	1	0	
Average number of embryos transferred	2.0		2.0		
Percentage of embryos transferred resulting in implantation (%)	5 / 4		0 / 2		
Percentage of transfers resulting in pregnancies (%)	2 / 2		0 / 1		
Percentage of transfers resulting in live births (%)	2 / 2		0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 2		0 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 2		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 2		0 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Texas Center for Reproductive Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SOUTHWEST CENTER FOR REPRODUCTIVE HEALTH, PA EL PASO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Luis S. Noble, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	92%	Tubal factor	21%	Uterine factor	3%	Multiple Factors: Female factors only 20% Female & male factors 6%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	20%	Male factor	20%	
Used gestational carrier	0%			Diminished ovarian reserve	9%	Other factor	18%	
				Endometriosis	36%	Unknown factor	2%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 118  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	39	17	17	7	6
Percentage of cancellations before retrieval (%)	5.1	1 / 17	2 / 17	1 / 7	0 / 6
Number of transfers	30	15	15	6	6
Average number of embryos transferred	2.0	2.3	2.5	3.5	3.0
Percentage of elective single embryo transfers (eSET) (%)	7.1	1 / 15	0 / 14	0 / 6	0 / 4
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	48.7	7 / 17	4 / 17	0 / 7	0 / 6
Percentage of cycles resulting in live births (%)	46.2	5 / 17	3 / 17	0 / 7	0 / 6
Percentage of cycles resulting in singleton live births (%)	23.1	4 / 17	2 / 17	0 / 7	0 / 6
Percentage of cycles resulting in twin live births (%)	23.1	1 / 17	1 / 17	0 / 7	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	17.9	3 / 17	1 / 17	0 / 7	0 / 6
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	47.5	27.3	13.5	0.0	0 / 18
Percentage of transfers resulting in pregnancies (%)	63.3	7 / 15	4 / 15	0 / 6	0 / 6
Percentage of transfers resulting in live births (%)	60.0	5 / 15	3 / 15	0 / 6	0 / 6
Percentage of transfers resulting in singleton live births (%)	30.0	4 / 15	2 / 15	0 / 6	0 / 6
Percentage of transfers resulting in twin live births (%)	30.0	1 / 15	1 / 15	0 / 6	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	23.3	3 / 15	1 / 15	0 / 6	0 / 6
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	23	2	6	1	0
Number of transfers	23	2	6	1	0
Estimated average number of transfers per retrieval	2.3	1.0	6.0		
Average number of embryos transferred	2.0	2.0	1.8	2.0	
Percentage of embryos transferred resulting in implantation (%)	40.0	1 / 4	2 / 11	2 / 2	
Percentage of transfers resulting in pregnancies (%)	56.5	1 / 2	1 / 6	1 / 1	
Percentage of transfers resulting in live births (%)	43.5	1 / 2	1 / 6	1 / 1	
Percentage of transfers resulting in singleton live births (%)	21.7	1 / 2	0 / 6	0 / 1	
Percentage of transfers resulting in twin live births (%)	21.7	0 / 2	1 / 6	1 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	21.7	1 / 2	0 / 6	0 / 1	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)					

## CURRENT SERVICES & PROFILE

Current Name: Southwest Center for Reproductive Health, PA

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	No

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# BROOKE ARMY MEDICAL CENTER FORT SAM HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Rhiana D. Saunders, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	81%	Tubal factor	24%	Uterine factor	9%	Multiple Factors: Female factors only 11% Female & male factors 25%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	14%	Male factor	54%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	6%	
				Endometriosis	14%	Unknown factor	7%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 130  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	69	32	28	0	0
Percentage of cancellations before retrieval (%)	7.2	0.0	7.1		
Number of transfers	64	30	22	0	0
Average number of embryos transferred	1.6	2.0	2.5		
Percentage of elective single embryo transfers (eSET) (%)	31.7	6.9	0.0		
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	44.9	43.8	46.4		
Percentage of cycles resulting in live births (%)	39.1	34.4	28.6		
Percentage of cycles resulting in singleton live births (%)	30.4	21.9	28.6		
Percentage of cycles resulting in twin live births (%)	8.7	12.5	0.0		
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	20.3	15.6	25.0		
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	35.7	28.3	26.9		
Percentage of transfers resulting in pregnancies (%)	48.4	46.7	59.1		
Percentage of transfers resulting in live births (%)	42.2	36.7	36.4		
Percentage of transfers resulting in singleton live births (%)	32.8	23.3	36.4		
Percentage of transfers resulting in twin live births (%)	9.4	13.3	0.0		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	21.9	16.7	31.8		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	0	0	0	0	0
Number of transfers	0	0	0	0	0
Estimated average number of transfers per retrieval	0.0				
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)					
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	1	0	0	0	0
	1	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)					

## CURRENT SERVICES & PROFILE

Current Name: Brooke Army Medical Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FORT WORTH FERTILITY, PA FORT WORTH, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Robert A. Kaufmann, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	10%	Uterine factor	1%	Multiple Factors: Female factors only 3% Female & male factors 5%
Unstimulated	0%	PGD/PGS	26%	Ovulatory dysfunction	3%	Male factor	31%	
Used gestational carrier	14%			Diminished ovarian reserve	17%	Other factor	16%	
				Endometriosis	4%	Unknown factor	28%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 662  
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	144	41	33	14	9
Percentage of cancellations before retrieval (%)	3.5	4.9	9.1	1 / 14	3 / 9
Number of transfers	72	24	22	10	3
Average number of embryos transferred	1.8	1.6	1.6	1.8	1.7
Percentage of elective single embryo transfers (eSET) (%)	16.9	4 / 18	0 / 14	0 / 7	0 / 2
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	25.7	14.6	18.2	0 / 14	0 / 9
Percentage of cycles resulting in live births (%)	22.2	14.6	15.2	0 / 14	0 / 9
Percentage of cycles resulting in singleton live births (%)	13.2	14.6	9.1	0 / 14	0 / 9
Percentage of cycles resulting in twin live births (%)	8.3	0.0	3.0	0 / 14	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	11.1	9.8	9.1	0 / 14	0 / 9
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	43.7	15.8	27.8	0 / 18	0 / 5
Percentage of transfers resulting in pregnancies (%)	51.4	25.0	27.3	0 / 10	0 / 3
Percentage of transfers resulting in live births (%)	44.4	25.0	22.7	0 / 10	0 / 3
Percentage of transfers resulting in singleton live births (%)	26.4	25.0	13.6	0 / 10	0 / 3
Percentage of transfers resulting in twin live births (%)	16.7	0.0	4.5	0 / 10	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	22.2	16.7	13.6	0 / 10	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	164	42	20	8	1
Number of transfers	162	39	18	7	0
Estimated average number of transfers per retrieval	1.5	1.3	1.3	1.0	0.0
Average number of embryos transferred	1.7	1.7	1.6	1.6	
Percentage of embryos transferred resulting in implantation (%)	35.1	24.2	32.1	4 / 11	
Percentage of transfers resulting in pregnancies (%)	43.8	30.8	9 / 18	3 / 7	
Percentage of transfers resulting in live births (%)	40.1	23.1	9 / 18	2 / 7	
Percentage of transfers resulting in singleton live births (%)	27.8	15.4	9 / 18	1 / 7	
Percentage of transfers resulting in twin live births (%)	11.7	7.7	0 / 18	1 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	21.6	12.8	7 / 18	1 / 7	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	36	10	7	6	9
	5	2	1	1	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	34	2	69	11	
Number of transfers	21	2	66	11	
Average number of embryos transferred	1.8	3.5	1.7	1.9	
Percentage of embryos transferred resulting in implantation (%)	44.7	2 / 7	33.6	52.4	
Percentage of transfers resulting in pregnancies (%)	57.1	2 / 2	42.4	8 / 11	
Percentage of transfers resulting in live births (%)	52.4	1 / 2	36.4	6 / 11	
Percentage of transfers resulting in singleton live births (%)	38.1	1 / 2	24.2	4 / 11	
Percentage of transfers resulting in twin live births (%)	14.3	0 / 2	12.1	2 / 11	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	19.0	0 / 2	22.7	4 / 11	

## CURRENT SERVICES & PROFILE

Current Name: Fort Worth Fertility, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

## DALLAS IVF FRISCO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

### 2016 ART CYCLE PROFILE

Data verified by Brian D. Barnett, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	51%	Tubal factor	12%	Uterine factor	3%	Multiple Factors: Female factors only 5% Female & male factors 15%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	16%	Male factor	38%	
Used gestational carrier	<1%			Diminished ovarian reserve	19%	Other factor	10%	
				Endometriosis	6%	Unknown factor	19%	

### 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 978  
(includes 5 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	122	41	45	37	23
Percentage of cancellations before retrieval (%)	9.8	14.6	28.9	29.7	30.4
Number of transfers	69	24	19	17	8
Average number of embryos transferred	1.5	1.6	1.7	1.8	1.8
Percentage of elective single embryo transfers (eSET) (%)	35.1	2 / 16	1 / 14	0 / 9	0 / 4
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	32.8	34.1	15.6	10.8	4.3
Percentage of cycles resulting in live births (%)	28.7	26.8	11.1	2.7	4.3
Percentage of cycles resulting in singleton live births (%)	22.1	22.0	4.4	2.7	0.0
Percentage of cycles resulting in twin live births (%)	6.6	4.9	6.7	0.0	4.3
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	18.0	14.6	2.2	2.7	0.0
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	44.0	40.5	28.1	7.7	2 / 14
Percentage of transfers resulting in pregnancies (%)	58.0	58.3	7 / 19	4 / 17	1 / 8
Percentage of transfers resulting in live births (%)	50.7	45.8	5 / 19	1 / 17	1 / 8
Percentage of transfers resulting in singleton live births (%)	39.1	37.5	2 / 19	1 / 17	0 / 8
Percentage of transfers resulting in twin live births (%)	11.6	8.3	3 / 19	0 / 17	1 / 8
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	31.9	25.0	1 / 19	1 / 17	0 / 8
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	218	90	45	22	7
Number of transfers	209	88	43	22	7
Estimated average number of transfers per retrieval	1.3	1.4	0.8	0.8	0.6
Average number of embryos transferred	1.3	1.4	1.5	1.5	1.1
Percentage of embryos transferred resulting in implantation (%)	50.0	46.9	55.7	34.4	6 / 7
Percentage of transfers resulting in pregnancies (%)	58.9	58.0	65.1	36.4	5 / 7
Percentage of transfers resulting in live births (%)	48.3	47.7	53.5	27.3	4 / 7
Percentage of transfers resulting in singleton live births (%)	40.7	38.6	34.9	13.6	2 / 7
Percentage of transfers resulting in twin live births (%)	7.7	9.1	18.6	13.6	2 / 7
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	34.9	30.7	34.9	9.1	1 / 7
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	125	55	43	23	9
	6	7	1	2	2
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	7	2	43	16	
Number of transfers	2	2	41	16	
Average number of embryos transferred	1.5	1.5	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	3 / 3	0 / 3	53.7	31.8	
Percentage of transfers resulting in pregnancies (%)	2 / 2	0 / 2	61.0	6 / 16	
Percentage of transfers resulting in live births (%)	2 / 2	0 / 2	58.5	5 / 16	
Percentage of transfers resulting in singleton live births (%)	2 / 2	0 / 2	46.3	3 / 16	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2	12.2	2 / 16	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 2	0 / 2	31.7	3 / 16	

### CURRENT SERVICES & PROFILE

Current Name: Dallas IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY SPECIALISTS OF TEXAS, PLLC FRISCO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Jerald S. Goldstein, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	59%	Tubal factor	19%	Uterine factor	5%	Multiple Factors: Female factors only 9% Female & male factors 20%
Unstimulated	0%	PGD/PGS	24%	Ovulatory dysfunction	20%	Male factor	37%	
Used gestational carrier	5%			Diminished ovarian reserve	20%	Other factor	18%	
				Endometriosis	6%	Unknown factor	9%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 988  
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	43	36	29	10	13
Percentage of cancellations before retrieval (%)	0.0	2.8	3.4	0 / 10	0 / 13
Number of transfers	39	32	26	9	9
Average number of embryos transferred	1.7	1.9	2.0	2.9	3.7
Percentage of elective single embryo transfers (eSET) (%)	18.2	3.8	0.0	0 / 8	0 / 8
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	39.5	36.1	20.7	4 / 10	1 / 13
Percentage of cycles resulting in live births (%)	39.5	36.1	17.2	2 / 10	0 / 13
Percentage of cycles resulting in singleton live births (%)	37.2	30.6	10.3	2 / 10	0 / 13
Percentage of cycles resulting in twin live births (%)	2.3	5.6	6.9	0 / 10	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	34.9	27.8	6.9	1 / 10	0 / 13
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	29.9	26.7	15.7	13.6	0.0
Percentage of transfers resulting in pregnancies (%)	43.6	40.6	23.1	4 / 9	1 / 9
Percentage of transfers resulting in live births (%)	43.6	40.6	19.2	2 / 9	0 / 9
Percentage of transfers resulting in singleton live births (%)	41.0	34.4	11.5	2 / 9	0 / 9
Percentage of transfers resulting in twin live births (%)	2.6	6.3	7.7	0 / 9	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	38.5	31.3	7.7	1 / 9	0 / 9
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	217	71	41	20	2
Number of transfers	215	70	41	20	2
Estimated average number of transfers per retrieval	0.8	0.9	0.6	0.6	0.1
Average number of embryos transferred	1.5	1.5	1.4	1.8	1.5
Percentage of embryos transferred resulting in implantation (%)	62.1	58.4	51.9	35.3	1 / 3
Percentage of transfers resulting in pregnancies (%)	73.0	67.1	68.3	55.0	1 / 2
Percentage of transfers resulting in live births (%)	60.0	55.7	51.2	50.0	1 / 2
Percentage of transfers resulting in singleton live births (%)	44.2	37.1	46.3	40.0	1 / 2
Percentage of transfers resulting in twin live births (%)	15.3	18.6	4.9	10.0	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	37.2	32.9	34.1	40.0	1 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	253	81	70	33	14
	30	17	13	1	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	14	0	37	1	
Number of transfers	13	0	36	1	
Average number of embryos transferred	1.6		1.6	1.0	
Percentage of embryos transferred resulting in implantation (%)	66.7		60.4	0 / 1	
Percentage of transfers resulting in pregnancies (%)	8 / 13		75.0	0 / 1	
Percentage of transfers resulting in live births (%)	8 / 13		61.1	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 13		47.2	0 / 1	
Percentage of transfers resulting in twin live births (%)	5 / 13		13.9	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 13		22.2	0 / 1	

## CURRENT SERVICES & PROFILE

Current Name: Fertility Specialists of Texas, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FRISCO INSTITUTE FOR REPRODUCTIVE MEDICINE FRISCO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Rinku V. Mehta, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	10%	Uterine factor	<1%	Multiple Factors: Female factors only 7% Female & male factors 17%
Unstimulated	0%	PGD/PGS	18%	Ovulatory dysfunction	16%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	21%	Other factor	8%	
				Endometriosis	8%	Unknown factor	12%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 330  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	28	14	10	6	2
Percentage of cancellations before retrieval (%)	10.7	2 / 14	3 / 10	1 / 6	1 / 2
Number of transfers	5	4	4	3	0
Average number of embryos transferred	1.2	1.3	1.8	1.7	
Percentage of elective single embryo transfers (eSET) (%)	3 / 4	2 / 3	0 / 3	0 / 2	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	3.6	3 / 14	1 / 10	1 / 6	0 / 2
Percentage of cycles resulting in live births (%)	3.6	2 / 14	1 / 10	1 / 6	0 / 2
Percentage of cycles resulting in singleton live births (%)	3.6	2 / 14	0 / 10	1 / 6	0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	0 / 14	1 / 10	0 / 6	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3.6	2 / 14	0 / 10	0 / 6	0 / 2
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	2 / 6	3 / 5	2 / 7	1 / 5	
Percentage of transfers resulting in pregnancies (%)	1 / 5	3 / 4	1 / 4	1 / 3	
Percentage of transfers resulting in live births (%)	1 / 5	2 / 4	1 / 4	1 / 3	
Percentage of transfers resulting in singleton live births (%)	1 / 5	2 / 4	0 / 4	1 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 4	1 / 4	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 5	2 / 4	0 / 4	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	94	31	18	7	2
Number of transfers	94	31	18	7	2
Estimated average number of transfers per retrieval	1.2	1.1	1.0	1.8	2.0
Average number of embryos transferred	1.2	1.2	1.2	1.3	1.5
Percentage of embryos transferred resulting in implantation (%)	67.5	52.6	7 / 19	4 / 9	1 / 3
Percentage of transfers resulting in pregnancies (%)	73.4	61.3	9 / 18	4 / 7	1 / 2
Percentage of transfers resulting in live births (%)	66.0	58.1	6 / 18	2 / 7	0 / 2
Percentage of transfers resulting in singleton live births (%)	61.7	54.8	6 / 18	2 / 7	0 / 2
Percentage of transfers resulting in twin live births (%)	4.3	3.2	0 / 18	0 / 7	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	52.1	32.3	5 / 18	1 / 7	0 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	59	25	16	4	1
	1	1	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	4	2	4	3	
Number of transfers	4	1	3	3	
Average number of embryos transferred	1.3	1.0	1.0	1.3	
Percentage of embryos transferred resulting in implantation (%)	0 / 4	1 / 1	3 / 3	2 / 2	
Percentage of transfers resulting in pregnancies (%)	1 / 4	1 / 1	3 / 3	3 / 3	
Percentage of transfers resulting in live births (%)	0 / 4	0 / 1	3 / 3	1 / 3	
Percentage of transfers resulting in singleton live births (%)	0 / 4	0 / 1	3 / 3	1 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 1	0 / 3	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 4	0 / 1	3 / 3	0 / 3	

## CURRENT SERVICES & PROFILE

Current Name: Frisco Institute for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	No	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ADVANCED FERTILITY CENTER OF TEXAS HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Michael A. Allon, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	92%	Tubal factor	15%	Uterine factor	6%	Multiple Factors: Female factors only 20% Female & male factors 18%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	21%	Male factor	35%	
Used gestational carrier	0%			Diminished ovarian reserve	27%	Other factor	25%	
				Endometriosis	13%	Unknown factor	2%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 329  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	0	0	0	0	0
Percentage of cancellations before retrieval (%)					
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)					
Percentage of cycles resulting in live births (%)					
Percentage of cycles resulting in singleton live births (%)					
Percentage of cycles resulting in twin live births (%)					
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)					
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)					
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	59	26	24	10	5
Number of transfers	57	26	24	10	5
Estimated average number of transfers per retrieval	1.0	0.6	0.7	0.5	0.3
Average number of embryos transferred	1.8	1.8	2.0	1.8	2.4
Percentage of embryos transferred resulting in implantation (%)	62.4	40.5	39.0	4 / 13	0 / 12
Percentage of transfers resulting in pregnancies (%)	80.7	73.1	70.8	7 / 10	0 / 5
Percentage of transfers resulting in live births (%)	66.7	46.2	50.0	3 / 10	0 / 5
Percentage of transfers resulting in singleton live births (%)	42.1	42.3	37.5	3 / 10	0 / 5
Percentage of transfers resulting in twin live births (%)	24.6	3.8	12.5	0 / 10	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	33.3	26.9	29.2	1 / 10	0 / 5
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	60	46	33	20	18
	1	2	1	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	6	0	22	0	
Number of transfers	6	0	22	0	
Average number of embryos transferred	1.7		1.8		
Percentage of embryos transferred resulting in implantation (%)	8 / 10		21.1		
Percentage of transfers resulting in pregnancies (%)	6 / 6		31.8		
Percentage of transfers resulting in live births (%)	6 / 6		27.3		
Percentage of transfers resulting in singleton live births (%)	4 / 6		18.2		
Percentage of transfers resulting in twin live births (%)	2 / 6		9.1		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 6		4.5		

## CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Center of Texas

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ASPIRE FERTILITY-HOUSTON HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Barbara Stegmann, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	19%	Uterine factor	8%	Multiple Factors: Female factors only 6% Female & male factors 6%
Unstimulated	0%	PGD/PGS	40%	Ovulatory dysfunction	0%	Male factor	17%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	32%	
				Endometriosis	6%	Unknown factor	15%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 101  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	11	6	6	5	0
Percentage of cancellations before retrieval (%)	3 / 11	1 / 6	1 / 6	2 / 5	
Number of transfers	4	2	0	0	0
Average number of embryos transferred	1.3	1.5			
Percentage of elective single embryo transfers (eSET) (%)	0 / 1	0 / 1			
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	2 / 11	1 / 6	0 / 6	0 / 5	
Percentage of cycles resulting in live births (%)	1 / 11	1 / 6	0 / 6	0 / 5	
Percentage of cycles resulting in singleton live births (%)	1 / 11	1 / 6	0 / 6	0 / 5	
Percentage of cycles resulting in twin live births (%)	0 / 11	0 / 6	0 / 6	0 / 5	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 11	0 / 6	0 / 6	0 / 5	
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	2 / 5	1 / 3			
Percentage of transfers resulting in pregnancies (%)	2 / 4	1 / 2			
Percentage of transfers resulting in live births (%)	1 / 4	1 / 2			
Percentage of transfers resulting in singleton live births (%)	1 / 4	1 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 4	0 / 2			
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	9	7	1	2	0
Number of transfers	8	7	1	2	0
Estimated average number of transfers per retrieval	0.3	0.6	0.2	0.2	0.0
Average number of embryos transferred	1.1	1.1	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 9	4 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in pregnancies (%)	3 / 8	5 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in live births (%)	3 / 8	4 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in singleton live births (%)	2 / 8	4 / 7	0 / 1	1 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 7	0 / 1	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 8	3 / 7	0 / 1	1 / 2	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	21	10	6	8	3
	4	0	2	2	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	1	2	2	0	
Number of transfers	1	0	2	0	
Average number of embryos transferred	1.0		1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 1		1 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1		1 / 2		
Percentage of transfers resulting in live births (%)	0 / 1		0 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 1		0 / 2		

## CURRENT SERVICES & PROFILE

Current Name: Aspire Fertility-Houston

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# COOPER INSTITUTE FOR ADVANCED REPRODUCTIVE MEDICINE HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by C. James Chuong, MD				
<b>Type of ART and Procedural Factors<sup>a</sup></b>				<b>Patient Diagnosis<sup>a,b</sup></b>				
IVF	100%	With ICSI	90%	Tubal factor	30%	Uterine factor	25%	
Unstimulated	2%	PGD/PGS	17%	Ovulatory dysfunction	22%	Male factor	25%	
Used gestational carrier	9%			Diminished ovarian reserve	39%	Other factor	19%	
				Endometriosis	5%	Unknown factor	2%	
						Multiple Factors:		
						Female factors only	27%	
						Female & male factors	22%	
2016 ART SUCCESS RATES <sup>c,d</sup>				Total number of cycles <sup>d</sup> : 120 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient							
	<35	35–37	38–40	41–42	>42			
<b>Fresh Embryos from Fresh Nondonor Eggs</b>								
Number of cycles	22	5	10	3	3			
Percentage of cancellations before retrieval (%)	4.5	0 / 5	2 / 10	1 / 3	1 / 3			
Number of transfers	16	4	5	1	2			
Average number of embryos transferred	2.4	2.8	2.8	4.0	3.5			
Percentage of elective single embryo transfers (eSET) (%)	0 / 14	0 / 4	0 / 5	0 / 1	0 / 2			
<b>Outcomes per Cycle</b>								
Percentage of cycles resulting in pregnancies (%)	22.7	0 / 5	2 / 10	0 / 3	1 / 3			
Percentage of cycles resulting in live births (%)	22.7	0 / 5	1 / 10	0 / 3	0 / 3			
Percentage of cycles resulting in singleton live births (%)	9.1	0 / 5	0 / 10	0 / 3	0 / 3			
Percentage of cycles resulting in twin live births (%)	13.6	0 / 5	0 / 10	0 / 3	0 / 3			
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	9.1	0 / 5	0 / 10	0 / 3	0 / 3			
<b>Outcomes per Transfer</b>								
Percentage of embryos transferred resulting in implantation (%)	23.7	0 / 11	3 / 11	0 / 4	0 / 4			
Percentage of transfers resulting in pregnancies (%)	5 / 16	0 / 4	2 / 5	0 / 1	1 / 2			
Percentage of transfers resulting in live births (%)	5 / 16	0 / 4	1 / 5	0 / 1	0 / 2			
Percentage of transfers resulting in singleton live births (%)	2 / 16	0 / 4	0 / 5	0 / 1	0 / 2			
Percentage of transfers resulting in twin live births (%)	3 / 16	0 / 4	0 / 5	0 / 1	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 16	0 / 4	0 / 5	0 / 1	0 / 2			
<b>Frozen Embryos from Nondonor Eggs</b>								
Number of cycles	9	6	4	2	4			
Number of transfers	9	6	4	2	1			
Estimated average number of transfers per retrieval	1.3	2.0	0.8	0.3	0.1			
Average number of embryos transferred	2.2	2.2	1.8	1.5	1.0			
Percentage of embryos transferred resulting in implantation (%)	30.0	2 / 13	1 / 7	0 / 3	0 / 1			
Percentage of transfers resulting in pregnancies (%)	4 / 9	2 / 6	1 / 4	0 / 2	0 / 1			
Percentage of transfers resulting in live births (%)	4 / 9	2 / 6	1 / 4	0 / 2	0 / 1			
Percentage of transfers resulting in singleton live births (%)	3 / 9	2 / 6	1 / 4	0 / 2	0 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 6	0 / 4	0 / 2	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 9	2 / 6	1 / 4	0 / 2	0 / 1			
<b>Number of Egg or Embryo Banking Cycles</b>								
Number of fertility preservation cycles	4	2	4	6	11			
	0	0	1	0	0			
<b>Donor Eggs<sup>f</sup></b>								
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>				
Number of cycles	9	1	14	1				
Number of transfers	5	0	11	1				
Average number of embryos transferred	2.0		2.5	3.0				
Percentage of embryos transferred resulting in implantation (%)	6 / 10		18.5	0 / 3				
Percentage of transfers resulting in pregnancies (%)	4 / 5		4 / 11	0 / 1				
Percentage of transfers resulting in live births (%)	4 / 5		3 / 11	0 / 1				
Percentage of transfers resulting in singleton live births (%)	2 / 5		2 / 11	0 / 1				
Percentage of transfers resulting in twin live births (%)	2 / 5		1 / 11	0 / 1				
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 5		2 / 11	0 / 1				
CURRENT SERVICES & PROFILE				Current Name: Cooper Institute for Advanced Reproductive Medicine				
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No	
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending	

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FAMILY FERTILITY CENTER HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by William E. Gibbons, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	57%	Tubal factor	8%	Uterine factor	4%	Multiple Factors: Female factors only 7% Female & male factors 11%
Unstimulated	0%	PGD/PGS	36%	Ovulatory dysfunction	21%	Male factor	31%	
Used gestational carrier	4%			Diminished ovarian reserve	22%	Other factor	22%	
				Endometriosis	8%	Unknown factor	2%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 345  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	50	23	17	7	11
Percentage of cancellations before retrieval (%)	8.0	17.4	4 / 17	2 / 7	3 / 11
Number of transfers	25	10	10	3	6
Average number of embryos transferred	1.4	1.5	1.8	1.0	1.7
Percentage of elective single embryo transfers (eSET) (%)	2 / 9	0 / 4	1 / 7		1 / 3
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	14.0	30.4	5 / 17	1 / 7	3 / 11
Percentage of cycles resulting in live births (%)	14.0	30.4	5 / 17	1 / 7	3 / 11
Percentage of cycles resulting in singleton live births (%)	12.0	26.1	4 / 17	1 / 7	3 / 11
Percentage of cycles resulting in twin live births (%)	2.0	4.3	1 / 17	0 / 7	0 / 11
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	12.0	21.7	3 / 17	1 / 7	2 / 11
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	26.5	8 / 15	6 / 18	1 / 3	3 / 10
Percentage of transfers resulting in pregnancies (%)	28.0	7 / 10	5 / 10	1 / 3	3 / 6
Percentage of transfers resulting in live births (%)	28.0	7 / 10	5 / 10	1 / 3	3 / 6
Percentage of transfers resulting in singleton live births (%)	24.0	6 / 10	4 / 10	1 / 3	3 / 6
Percentage of transfers resulting in twin live births (%)	4.0	1 / 10	1 / 10	0 / 3	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	24.0	5 / 10	3 / 10	1 / 3	2 / 6
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	54	19	12	5	3
Number of transfers	49	17	12	3	3
Estimated average number of transfers per retrieval	0.6	0.6	0.5	0.4	0.3
Average number of embryos transferred	1.2	1.2	1.2	1.3	1.3
Percentage of embryos transferred resulting in implantation (%)	59.6	6 / 19	6 / 14	3 / 4	1 / 2
Percentage of transfers resulting in pregnancies (%)	61.2	7 / 17	6 / 12	2 / 3	1 / 3
Percentage of transfers resulting in live births (%)	44.9	4 / 17	5 / 12	2 / 3	1 / 3
Percentage of transfers resulting in singleton live births (%)	36.7	4 / 17	5 / 12	1 / 3	1 / 3
Percentage of transfers resulting in twin live births (%)	6.1	0 / 17	0 / 12	1 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	34.7	2 / 17	4 / 12	1 / 3	0 / 3
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	67	27	23	8	9
	12	4	2	0	1
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	1	1	7	0	
Number of transfers	0	1	7	0	
Average number of embryos transferred		1.0	1.3		
Percentage of embryos transferred resulting in implantation (%)		0 / 1	4 / 9		
Percentage of transfers resulting in pregnancies (%)		0 / 1	4 / 7		
Percentage of transfers resulting in live births (%)		0 / 1	3 / 7		
Percentage of transfers resulting in singleton live births (%)		0 / 1	3 / 7		
Percentage of transfers resulting in twin live births (%)		0 / 1	0 / 7		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		0 / 1	3 / 7		

## CURRENT SERVICES & PROFILE

Current Name: Family Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE HEARD CLINIC HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Michael J. Heard, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	88%	Tubal factor	9%	Uterine factor	19%	Multiple Factors: Female factors only 28% Female & male factors 38%
Unstimulated	0%	PGD/PGS	3%	Ovulatory dysfunction	47%	Male factor	44%	
Used gestational carrier	3%			Diminished ovarian reserve	28%	Other factor	47%	
				Endometriosis	13%	Unknown factor	0%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 37  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	7	9	5	1	1
Percentage of cancellations before retrieval (%)	0 / 7	1 / 9	0 / 5	0 / 1	0 / 1
Number of transfers	4	6	3	1	0
Average number of embryos transferred	2.0	1.8	2.0	1.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 4	0 / 5	0 / 3		
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	3 / 7	2 / 9	1 / 5	0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	3 / 7	2 / 9	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 7	0 / 9	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 7	2 / 9	0 / 5	0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 7	0 / 9	0 / 5	0 / 1	0 / 1
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	3 / 8	4 / 11	1 / 6	0 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 4	2 / 6	1 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 4	2 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 4	0 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	2 / 6	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 4	0 / 6	0 / 3	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	3	2	0	0	0
Number of transfers	2	2	0	0	0
Estimated average number of transfers per retrieval	0.7	1.0	0.0		0.0
Average number of embryos transferred	1.5	1.5			
Percentage of embryos transferred resulting in implantation (%)	0 / 1	1 / 3			
Percentage of transfers resulting in pregnancies (%)	1 / 2	1 / 2			
Percentage of transfers resulting in live births (%)	0 / 2	0 / 2			
Percentage of transfers resulting in singleton live births (%)	0 / 2	0 / 2			
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 2			
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 2	0 / 2			
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	2	1	1	0	1
	2	1	1	0	1
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	2	0	1	1	
Number of transfers	2	0	1	1	
Average number of embryos transferred	1.5		2.0	3.0	
Percentage of embryos transferred resulting in implantation (%)	1 / 3		2 / 2	1 / 3	
Percentage of transfers resulting in pregnancies (%)	1 / 2		1 / 1	1 / 1	
Percentage of transfers resulting in live births (%)	1 / 2		1 / 1	1 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 2		0 / 1	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 2		1 / 1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 2		0 / 1	1 / 1	

## CURRENT SERVICES & PROFILE

Current Name: The Heard Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Pending

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HOUSTON FERTILITY INSTITUTE HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Ghassan F. Haddad, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	84%	Tubal factor	28%	Uterine factor	53%	Multiple Factors: Female factors only 33% Female & male factors 54%
Unstimulated	0%	PGD/PGS	31%	Ovulatory dysfunction	39%	Male factor	57%	
Used gestational carrier	3%			Diminished ovarian reserve	36%	Other factor	43%	
				Endometriosis	10%	Unknown factor	1%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 3,718  
(includes 23 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	397	120	82	33	40
Percentage of cancellations before retrieval (%)	3.8	5.8	9.8	15.2	12.5
Number of transfers	95	30	19	13	6
Average number of embryos transferred	1.5	1.7	1.8	2.0	1.7
Percentage of elective single embryo transfers (eSET) (%)	48.8	14.3	0 / 15	0 / 10	0 / 4
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	15.4	10.8	4.9	9.1	0.0
Percentage of cycles resulting in live births (%)	13.1	7.5	4.9	6.1	0.0
Percentage of cycles resulting in singleton live births (%)	10.8	5.8	3.7	3.0	0.0
Percentage of cycles resulting in twin live births (%)	2.3	1.7	1.2	3.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	9.1	5.8	3.7	3.0	0.0
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	50.8	28.6	14.7	15.4	0 / 10
Percentage of transfers resulting in pregnancies (%)	64.2	43.3	4 / 19	3 / 13	0 / 6
Percentage of transfers resulting in live births (%)	54.7	30.0	4 / 19	2 / 13	0 / 6
Percentage of transfers resulting in singleton live births (%)	45.3	23.3	3 / 19	1 / 13	0 / 6
Percentage of transfers resulting in twin live births (%)	9.5	6.7	1 / 19	1 / 13	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	37.9	23.3	3 / 19	1 / 13	0 / 6
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	937	373	222	87	31
Number of transfers	882	346	211	79	29
Estimated average number of transfers per retrieval	1.2	1.2	0.8	0.7	0.4
Average number of embryos transferred	1.6	1.6	1.5	1.5	1.6
Percentage of embryos transferred resulting in implantation (%)	48.8	53.7	44.7	38.3	13.0
Percentage of transfers resulting in pregnancies (%)	61.1	66.8	58.8	50.6	24.1
Percentage of transfers resulting in live births (%)	50.5	52.9	46.0	44.3	20.7
Percentage of transfers resulting in singleton live births (%)	37.2	38.7	39.3	35.4	20.7
Percentage of transfers resulting in twin live births (%)	13.0	13.3	6.6	8.9	0.0
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	31.1	32.7	27.5	27.8	17.2
<b>Number of Egg or Embryo Banking Cycles</b>					
	453	229	205	97	68
Number of fertility preservation cycles	99	32	36	11	13
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	25	112	176	8	
Number of transfers	20	87	164	7	
Average number of embryos transferred	1.7	1.7	1.6	1.4	
Percentage of embryos transferred resulting in implantation (%)	45.2	54.1	39.0	6 / 10	
Percentage of transfers resulting in pregnancies (%)	60.0	66.7	53.0	6 / 7	
Percentage of transfers resulting in live births (%)	50.0	58.6	42.1	6 / 7	
Percentage of transfers resulting in singleton live births (%)	45.0	34.5	34.8	6 / 7	
Percentage of transfers resulting in twin live births (%)	5.0	23.0	6.7	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	30.0	23.0	26.2	4 / 7	

## CURRENT SERVICES & PROFILE

Current Name: Houston Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# HOUSTON FERTILITY SPECIALISTS HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by George M. Grunert, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	75%	Tubal factor	15%	Uterine factor	11%	Multiple Factors: Female factors only 28% Female & male factors 26%
Unstimulated	0%	PGD/PGS	66%	Ovulatory dysfunction	24%	Male factor	31%	
Used gestational carrier	3%			Diminished ovarian reserve	35%	Other factor	38%	
				Endometriosis	17%	Unknown factor	6%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 1,450  
(includes 11 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	53	21	27	13	5
Percentage of cancellations before retrieval (%)	20.8	38.1	51.9	6 / 13	2 / 5
Number of transfers	31	8	4	1	0
Average number of embryos transferred	1.1	1.4	1.5	2.0	
Percentage of elective single embryo transfers (eSET) (%)	84.0	4 / 7	0 / 2	0 / 1	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	17.0	14.3	3.7	0 / 13	0 / 5
Percentage of cycles resulting in live births (%)	17.0	14.3	3.7	0 / 13	0 / 5
Percentage of cycles resulting in singleton live births (%)	13.2	14.3	3.7	0 / 13	0 / 5
Percentage of cycles resulting in twin live births (%)	3.8	0.0	0.0	0 / 13	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	13.2	4.8	3.7	0 / 13	0 / 5
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	31.4	3 / 11	1 / 6	0 / 2	
Percentage of transfers resulting in pregnancies (%)	29.0	3 / 8	1 / 4	0 / 1	
Percentage of transfers resulting in live births (%)	29.0	3 / 8	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births (%)	22.6	3 / 8	1 / 4	0 / 1	
Percentage of transfers resulting in twin live births (%)	6.5	0 / 8	0 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	22.6	1 / 8	1 / 4	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	304	171	103	41	23
Number of transfers	285	158	90	32	21
Estimated average number of transfers per retrieval	1.1	1.1	0.8	0.6	0.5
Average number of embryos transferred	1.2	1.2	1.2	1.1	1.2
Percentage of embryos transferred resulting in implantation (%)	53.8	44.1	49.5	38.9	29.2
Percentage of transfers resulting in pregnancies (%)	59.3	51.3	58.9	40.6	38.1
Percentage of transfers resulting in live births (%)	48.4	41.1	45.6	37.5	23.8
Percentage of transfers resulting in singleton live births (%)	43.9	38.0	44.4	37.5	23.8
Percentage of transfers resulting in twin live births (%)	4.6	3.2	1.1	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	37.9	34.8	40.0	31.3	19.0
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	244	133	102	51	44
	14	11	5	2	2
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	7	12	83	2	
Number of transfers	4	2	76	1	
Average number of embryos transferred	1.8	1.5	1.2	2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 7	1 / 3	42.5	0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 4	1 / 2	47.4	0 / 1	
Percentage of transfers resulting in live births (%)	2 / 4	1 / 2	38.2	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 4	1 / 2	35.5	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 2	2.6	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 4	1 / 2	23.7	0 / 1	

## CURRENT SERVICES & PROFILE

Current Name: Houston Fertility Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**HOUSTON INFERTILITY CLINIC  
SONJA KRISTIANSEN, MD  
HOUSTON, TEXAS**

---

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

# HOUSTON IVF HOUSTON, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Timothy N Hickman, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	87%	Tubal factor	9%	Uterine factor	5%	Multiple Factors: Female factors only 18% Female & male factors 12%
Unstimulated	<1%	PGD/PGS	21%	Ovulatory dysfunction	13%	Male factor	24%	
Used gestational carrier	3%			Diminished ovarian reserve	40%	Other factor	27%	
				Endometriosis	5%	Unknown factor	12%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 942  
(includes 2 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	167	100	79	30	14
Percentage of cancellations before retrieval (%)	2.4	4.0	6.3	13.3	1 / 14
Number of transfers	152	91	65	21	10
Average number of embryos transferred	1.7	1.9	2.3	2.2	2.3
Percentage of elective single embryo transfers (eSET) (%)	22.4	4.9	1.7	0 / 16	0 / 9
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	46.7	50.0	30.4	13.3	0 / 14
Percentage of cycles resulting in live births (%)	40.7	41.0	20.3	6.7	0 / 14
Percentage of cycles resulting in singleton live births (%)	25.1	30.0	16.5	6.7	0 / 14
Percentage of cycles resulting in twin live births (%)	15.0	11.0	3.8	0.0	0 / 14
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	22.2	20.0	13.9	6.7	0 / 14
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	39.0	35.1	17.5	10.6	0.0
Percentage of transfers resulting in pregnancies (%)	51.3	54.9	36.9	19.0	0 / 10
Percentage of transfers resulting in live births (%)	44.7	45.1	24.6	9.5	0 / 10
Percentage of transfers resulting in singleton live births (%)	27.6	33.0	20.0	9.5	0 / 10
Percentage of transfers resulting in twin live births (%)	16.4	12.1	4.6	0.0	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	24.3	22.0	16.9	9.5	0 / 10
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	115	73	74	14	3
Number of transfers	112	72	72	12	2
Estimated average number of transfers per retrieval	1.2	1.0	1.0	0.5	0.1
Average number of embryos transferred	1.7	1.4	1.5	1.7	1.5
Percentage of embryos transferred resulting in implantation (%)	45.6	44.2	45.9	5 / 17	1 / 3
Percentage of transfers resulting in pregnancies (%)	58.9	55.6	59.7	6 / 12	1 / 2
Percentage of transfers resulting in live births (%)	51.8	44.4	45.8	4 / 12	1 / 2
Percentage of transfers resulting in singleton live births (%)	34.8	34.7	37.5	4 / 12	1 / 2
Percentage of transfers resulting in twin live births (%)	17.0	9.7	8.3	0 / 12	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	29.5	31.9	29.2	4 / 12	0 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	57	59	64	23	14
	18	16	13	10	5
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	29	0	25	0	
Number of transfers	29	0	23	0	
Average number of embryos transferred	1.8		1.7		
Percentage of embryos transferred resulting in implantation (%)	69.4		40.0		
Percentage of transfers resulting in pregnancies (%)	89.7		56.5		
Percentage of transfers resulting in live births (%)	69.0		39.1		
Percentage of transfers resulting in singleton live births (%)	37.9		30.4		
Percentage of transfers resulting in twin live births (%)	31.0		8.7		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	20.7		26.1		

## CURRENT SERVICES & PROFILE

Current Name: Houston IVF

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# IVFMD IRVING, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Sy Q. Le, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	51%	Tubal factor	20%	Uterine factor	4%	Multiple Factors: Female factors only 14% Female & male factors 16%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	11%	Male factor	33%	
Used gestational carrier	3%			Diminished ovarian reserve	28%	Other factor	25%	
				Endometriosis	9%	Unknown factor	5%	

2016 ART SUCCESS RATES <sup>c,d</sup>		Total number of cycles <sup>d</sup> : 552 (includes 4 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle		Age of Patient				
		<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>						
Number of cycles		121	32	25	4	7
Percentage of cancellations before retrieval (%)		1.7	0.0	4.0	1 / 4	0 / 7
Number of transfers		89	29	18	1	3
Average number of embryos transferred		1.6	1.8	1.9	2.0	1.0
Percentage of elective single embryo transfers (eSET) (%)		31.6	11.1	0 / 15	0 / 1	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in pregnancies (%)		44.6	40.6	36.0	0 / 4	0 / 7
Percentage of cycles resulting in live births (%)		37.2	37.5	32.0	0 / 4	0 / 7
Percentage of cycles resulting in singleton live births (%)		28.9	18.8	20.0	0 / 4	0 / 7
Percentage of cycles resulting in twin live births (%)		8.3	18.8	12.0	0 / 4	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)		24.0	12.5	20.0	0 / 4	0 / 7
<b>Outcomes per Transfer</b>						
Percentage of embryos transferred resulting in implantation (%)		46.7	37.3	37.5	0 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)		60.7	44.8	9 / 18	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)		50.6	41.4	8 / 18	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)		39.3	20.7	5 / 18	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)		11.2	20.7	3 / 18	0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		32.6	13.8	5 / 18	0 / 1	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles		114	54	31	12	9
Number of transfers		102	44	26	10	6
Estimated average number of transfers per retrieval		1.5	1.5	0.9	0.9	0.9
Average number of embryos transferred		1.4	1.3	1.7	1.4	1.5
Percentage of embryos transferred resulting in implantation (%)		38.3	45.3	22.2	5 / 14	1 / 9
Percentage of transfers resulting in pregnancies (%)		52.0	56.8	46.2	5 / 10	1 / 6
Percentage of transfers resulting in live births (%)		41.2	45.5	30.8	4 / 10	1 / 6
Percentage of transfers resulting in singleton live births (%)		36.3	40.9	30.8	4 / 10	1 / 6
Percentage of transfers resulting in twin live births (%)		4.9	4.5	0.0	0 / 10	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		30.4	36.4	19.2	3 / 10	0 / 6
<b>Number of Egg or Embryo Banking Cycles</b>						
Number of fertility preservation cycles		33	23	15	10	6
		4	4	2	2	0
<b>Donor Eggs<sup>f</sup></b>		<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles		14	0	37	1	
Number of transfers		11	0	27	1	
Average number of embryos transferred		1.8		1.5	1.0	
Percentage of embryos transferred resulting in implantation (%)		30.0		48.7	1 / 1	
Percentage of transfers resulting in pregnancies (%)		4 / 11		59.3	1 / 1	
Percentage of transfers resulting in live births (%)		4 / 11		51.9	1 / 1	
Percentage of transfers resulting in singleton live births (%)		2 / 11		40.7	1 / 1	
Percentage of transfers resulting in twin live births (%)		2 / 11		11.1	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		2 / 11		29.6	0 / 1	

CURRENT SERVICES & PROFILE		Current Name: IVFMD					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE CENTRE FOR REPRODUCTIVE MEDICINE LUBBOCK, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Janelle O. Dorsett, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	13%	Tubal factor	38%	Uterine factor	4%	Multiple Factors: Female factors only 33% Female & male factors 38%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	22%	Male factor	46%	
Used gestational carrier	3%			Diminished ovarian reserve	28%	Other factor	33%	
				Endometriosis	19%	Unknown factor	<1%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 113  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	37	14	15	4	1
Percentage of cancellations before retrieval (%)	0.0	1 / 14	1 / 15	0 / 4	0 / 1
Number of transfers	29	10	10	3	1
Average number of embryos transferred	1.7	1.7	1.8	1.7	2.0
Percentage of elective single embryo transfers (eSET) (%)	16.7	0 / 7	0 / 8	0 / 1	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	45.9	4 / 14	3 / 15	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	43.2	4 / 14	2 / 15	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	37.8	3 / 14	2 / 15	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	5.4	1 / 14	0 / 15	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	29.7	3 / 14	2 / 15	0 / 4	0 / 1
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	40.8	5 / 17	4 / 18	0 / 5	0 / 2
Percentage of transfers resulting in pregnancies (%)	58.6	4 / 10	3 / 10	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	55.2	4 / 10	2 / 10	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	48.3	3 / 10	2 / 10	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	6.9	1 / 10	0 / 10	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	37.9	3 / 10	2 / 10	0 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	23	4	3	0	1
Number of transfers	23	3	3	0	1
Estimated average number of transfers per retrieval	2.6	1.0	1.0		
Average number of embryos transferred	1.4	1.7	2.0		1.0
Percentage of embryos transferred resulting in implantation (%)	57.6	3 / 5	1 / 6		1 / 1
Percentage of transfers resulting in pregnancies (%)	78.3	2 / 3	1 / 3		1 / 1
Percentage of transfers resulting in live births (%)	65.2	2 / 3	0 / 3		1 / 1
Percentage of transfers resulting in singleton live births (%)	60.9	2 / 3	0 / 3		1 / 1
Percentage of transfers resulting in twin live births (%)	4.3	0 / 3	0 / 3		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	56.5	1 / 3	0 / 3		1 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	1	0	0	0	0
	1	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	4	0	0	6	
Number of transfers	3	0	0	6	
Average number of embryos transferred	2.0			1.8	
Percentage of embryos transferred resulting in implantation (%)	1 / 6			6 / 11	
Percentage of transfers resulting in pregnancies (%)	1 / 3			4 / 6	
Percentage of transfers resulting in live births (%)	1 / 3			4 / 6	
Percentage of transfers resulting in singleton live births (%)	1 / 3			2 / 6	
Percentage of transfers resulting in twin live births (%)	0 / 3			2 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 3			1 / 6	

## CURRENT SERVICES & PROFILE

Current Name: The Centre for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**TEXAS TECH UNIVERSITY HEALTH SCIENCES CENTER  
CENTER FOR FERTILITY AND REPRODUCTIVE SURGERY  
LUBBOCK, TEXAS**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

**2016 ART CYCLE PROFILE**

Data verified by Jaou-Chen Huang, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	8%	Uterine factor	2%	Multiple Factors: Female factors only 11% Female & male factors 11%
Unstimulated	0%	PGD/PGS	29%	Ovulatory dysfunction	14%	Male factor	30%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	9%	
				Endometriosis	27%	Unknown factor	12%	

**2016 ART SUCCESS RATES<sup>c,d</sup>**

Total number of cycles<sup>d</sup>: 169  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	30	11	9	0	1
Percentage of cancellations before retrieval (%)	3.3	1 / 11	2 / 9		0 / 1
Number of transfers	25	8	5	0	1
Average number of embryos transferred	1.9	2.1	2.0		1.0
Percentage of elective single embryo transfers (eSET) (%)	12.0	0 / 8	0 / 5		
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	46.7	1 / 11	2 / 9		0 / 1
Percentage of cycles resulting in live births (%)	46.7	1 / 11	2 / 9		0 / 1
Percentage of cycles resulting in singleton live births (%)	40.0	1 / 11	2 / 9		0 / 1
Percentage of cycles resulting in twin live births (%)	6.7	0 / 11	0 / 9		0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	36.7	1 / 11	2 / 9		0 / 1
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	36.2	1 / 17	2 / 10		0 / 1
Percentage of transfers resulting in pregnancies (%)	56.0	1 / 8	2 / 5		0 / 1
Percentage of transfers resulting in live births (%)	56.0	1 / 8	2 / 5		0 / 1
Percentage of transfers resulting in singleton live births (%)	48.0	1 / 8	2 / 5		0 / 1
Percentage of transfers resulting in twin live births (%)	8.0	0 / 8	0 / 5		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	44.0	1 / 8	2 / 5		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	43	17	8	1	1
Number of transfers	39	16	7	1	1
Estimated average number of transfers per retrieval	1.7	0.8	0.7	1.0	
Average number of embryos transferred	1.6	1.4	1.6	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	19.4	27.3	2 / 11	0 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	25.6	5 / 16	1 / 7	0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	23.1	4 / 16	1 / 7	0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	17.9	3 / 16	0 / 7	0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	5.1	1 / 16	1 / 7	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	15.4	3 / 16	0 / 7	0 / 1	0 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	15	11	10	0	0
	0	1	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	2	9	1	
Number of transfers	0	2	7	1	
Average number of embryos transferred		2.0	1.4	1.0	
Percentage of embryos transferred resulting in implantation (%)		3 / 4	3 / 10	1 / 1	
Percentage of transfers resulting in pregnancies (%)		1 / 2	3 / 7	1 / 1	
Percentage of transfers resulting in live births (%)		1 / 2	3 / 7	1 / 1	
Percentage of transfers resulting in singleton live births (%)		0 / 2	3 / 7	1 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 2	0 / 7	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		0 / 2	3 / 7	1 / 1	

**CURRENT SERVICES & PROFILE**

Current Name: Texas Tech University Health Sciences Center,  
Center for Fertility and Reproductive Surgery

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE INSTITUTE OF SOUTH TEXAS McALLEN, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Esteban O. Brown, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	93%	Tubal factor	37%	Uterine factor	28%	Multiple Factors: Female factors only 30% Female & male factors 39%
Unstimulated	2%	PGD/PGS	5%	Ovulatory dysfunction	13%	Male factor	55%	
Used gestational carrier	2%			Diminished ovarian reserve	18%	Other factor	39%	
				Endometriosis	6%	Unknown factor	3%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 178  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	39	26	21	13	3
Percentage of cancellations before retrieval (%)	2.6	7.7	9.5	1 / 13	1 / 3
Number of transfers	24	19	14	11	1
Average number of embryos transferred	1.5	2.0	1.6	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	6 / 19	0 / 17	1 / 10	0 / 9	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	30.8	23.1	23.8	5 / 13	0 / 3
Percentage of cycles resulting in live births (%)	17.9	7.7	14.3	1 / 13	0 / 3
Percentage of cycles resulting in singleton live births (%)	15.4	3.8	9.5	0 / 13	0 / 3
Percentage of cycles resulting in twin live births (%)	2.6	3.8	4.8	1 / 13	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	12.8	0.0	4.8	0 / 13	0 / 3
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	41.7	21.1	23.8	5 / 19	0 / 2
Percentage of transfers resulting in pregnancies (%)	50.0	6 / 19	5 / 14	5 / 11	0 / 1
Percentage of transfers resulting in live births (%)	29.2	2 / 19	3 / 14	1 / 11	0 / 1
Percentage of transfers resulting in singleton live births (%)	25.0	1 / 19	2 / 14	0 / 11	0 / 1
Percentage of transfers resulting in twin live births (%)	4.2	1 / 19	1 / 14	1 / 11	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	20.8	0 / 19	1 / 14	0 / 11	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	40	14	8	2	0
Number of transfers	33	13	4	2	0
Estimated average number of transfers per retrieval	2.8	3.3	1.0	2.0	
Average number of embryos transferred	1.5	1.5	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	51.0	35.0	0 / 6	1 / 4	
Percentage of transfers resulting in pregnancies (%)	63.6	7 / 13	0 / 4	1 / 2	
Percentage of transfers resulting in live births (%)	48.5	7 / 13	0 / 4	1 / 2	
Percentage of transfers resulting in singleton live births (%)	39.4	7 / 13	0 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)	9.1	0 / 13	0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	18.2	6 / 13	0 / 4	1 / 2	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	2	0	0	0	0
	0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	5	0	3	2	
Number of transfers	2	0	3	2	
Average number of embryos transferred	1.0		1.7	1.5	
Percentage of embryos transferred resulting in implantation (%)	1 / 1		4 / 5	3 / 3	
Percentage of transfers resulting in pregnancies (%)	2 / 2		3 / 3	2 / 2	
Percentage of transfers resulting in live births (%)	1 / 2		2 / 3	2 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 2		1 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 2		1 / 3	1 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 2		1 / 3	1 / 2	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Institute of South Texas

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# ADVANCED FERTILITY CENTERS, PLLC ODESSA, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Botros Rizk, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	91%	Tubal factor	36%	Uterine factor	0%	Multiple Factors: Female factors only 46% Female & male factors 36%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	46%	Male factor	46%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	46%	
				Endometriosis	27%	Unknown factor	0%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 11  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	5	2	0	1	1
Percentage of cancellations before retrieval (%)	0 / 5	0 / 2		0 / 1	0 / 1
Number of transfers	3	2	0	1	1
Average number of embryos transferred	2.7	2.5		4.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 2		0 / 1	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	3 / 5	1 / 2		0 / 1	0 / 1
Percentage of cycles resulting in live births (%)	3 / 5	1 / 2		0 / 1	0 / 1
Percentage of cycles resulting in singleton live births (%)	2 / 5	0 / 2		0 / 1	0 / 1
Percentage of cycles resulting in twin live births (%)	1 / 5	1 / 2		0 / 1	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 5	0 / 2		0 / 1	0 / 1
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	4 / 8	2 / 5		0 / 4	0 / 1
Percentage of transfers resulting in pregnancies (%)	3 / 3	1 / 2		0 / 1	0 / 1
Percentage of transfers resulting in live births (%)	3 / 3	1 / 2		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 3	0 / 2		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 3	1 / 2		0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 3	0 / 2		0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	1	0	0	1	0
Number of transfers	1	0	0	1	0
Estimated average number of transfers per retrieval	1.0				
Average number of embryos transferred	2.0			1.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 2			0 / 1	
Percentage of transfers resulting in pregnancies (%)	1 / 1			0 / 1	
Percentage of transfers resulting in live births (%)	1 / 1			0 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 1			0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 1			0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 1			0 / 1	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)					

## CURRENT SERVICES & PROFILE

Current Name: Advanced Fertility Centers, PLLC

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# IVF PLANO PLANO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by James Douglas, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	43%	Tubal factor	8%	Uterine factor	2%	Multiple Factors: Female factors only 21% Female & male factors 34%
Unstimulated	<1%	PGD/PGS	15%	Ovulatory dysfunction	63%	Male factor	42%	
Used gestational carrier	1%			Diminished ovarian reserve	27%	Other factor	14%	
				Endometriosis	8%	Unknown factor	1%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 315  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	72	29	32	13	19
Percentage of cancellations before retrieval (%)	8.3	3.4	12.5	3 / 13	1 / 19
Number of transfers	28	13	16	4	11
Average number of embryos transferred	1.7	1.4	1.8	2.8	1.7
Percentage of elective single embryo transfers (eSET) (%)	0 / 19	0 / 5	0 / 11	0 / 4	1 / 6
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	29.2	24.1	31.3	0 / 13	5 / 19
Percentage of cycles resulting in live births (%)	25.0	20.7	18.8	0 / 13	4 / 19
Percentage of cycles resulting in singleton live births (%)	19.4	13.8	12.5	0 / 13	4 / 19
Percentage of cycles resulting in twin live births (%)	5.6	6.9	3.1	0 / 13	0 / 19
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	18.1	10.3	9.4	0 / 13	4 / 19
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	52.2	9 / 18	44.0	0 / 11	6 / 19
Percentage of transfers resulting in pregnancies (%)	75.0	7 / 13	10 / 16	0 / 4	5 / 11
Percentage of transfers resulting in live births (%)	64.3	6 / 13	6 / 16	0 / 4	4 / 11
Percentage of transfers resulting in singleton live births (%)	50.0	4 / 13	4 / 16	0 / 4	4 / 11
Percentage of transfers resulting in twin live births (%)	14.3	2 / 13	1 / 16	0 / 4	0 / 11
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	46.4	3 / 13	3 / 16	0 / 4	4 / 11
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	45	22	15	3	5
Number of transfers	45	22	15	3	5
Estimated average number of transfers per retrieval	0.9	1.2	0.8	0.5	0.7
Average number of embryos transferred	1.5	1.5	1.5	2.7	1.4
Percentage of embryos transferred resulting in implantation (%)	68.3	53.1	47.8	4 / 8	1 / 6
Percentage of transfers resulting in pregnancies (%)	80.0	63.6	9 / 15	3 / 3	2 / 5
Percentage of transfers resulting in live births (%)	68.9	54.5	6 / 15	3 / 3	0 / 5
Percentage of transfers resulting in singleton live births (%)	55.6	36.4	5 / 15	3 / 3	0 / 5
Percentage of transfers resulting in twin live births (%)	13.3	18.2	1 / 15	0 / 3	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	40.0	27.3	4 / 15	3 / 3	0 / 5
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	22	7	13	1	2
	1	1	2	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	5	1	8	0	
Number of transfers	2	1	8	0	
Average number of embryos transferred	1.5	2.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	2 / 2	1 / 2	6 / 12		
Percentage of transfers resulting in pregnancies (%)	2 / 2	1 / 1	4 / 8		
Percentage of transfers resulting in live births (%)	1 / 2	1 / 1	4 / 8		
Percentage of transfers resulting in singleton live births (%)	0 / 2	1 / 1	2 / 8		
Percentage of transfers resulting in twin live births (%)	1 / 2	0 / 1	2 / 8		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 2	1 / 1	2 / 8		

## CURRENT SERVICES & PROFILE

Current Name: IVF Plano

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PRESBYTERIAN HOSPITAL ARTS PLANO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Alfred J. Rodriguez, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	49%	Tubal factor	10%	Uterine factor	29%	Multiple Factors: Female factors only 44% Female & male factors 28%
Unstimulated	0%	PGD/PGS	57%	Ovulatory dysfunction	41%	Male factor	33%	
Used gestational carrier	<1%			Diminished ovarian reserve	34%	Other factor	37%	
				Endometriosis	9%	Unknown factor	1%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 248  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	20	15	16	7	4
Percentage of cancellations before retrieval (%)	0.0	1 / 15	3 / 16	2 / 7	1 / 4
Number of transfers	10	7	5	3	3
Average number of embryos transferred	1.3	1.0	1.2	1.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 3		0 / 1		
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	30.0	4 / 15	1 / 16	2 / 7	3 / 4
Percentage of cycles resulting in live births (%)	20.0	4 / 15	1 / 16	2 / 7	3 / 4
Percentage of cycles resulting in singleton live births (%)	15.0	4 / 15	1 / 16	2 / 7	3 / 4
Percentage of cycles resulting in twin live births (%)	5.0	0 / 15	0 / 16	0 / 7	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	5.0	4 / 15	1 / 16	0 / 7	2 / 4
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	6 / 12	4 / 7	1 / 6	2 / 3	3 / 3
Percentage of transfers resulting in pregnancies (%)	6 / 10	4 / 7	1 / 5	2 / 3	3 / 3
Percentage of transfers resulting in live births (%)	4 / 10	4 / 7	1 / 5	2 / 3	3 / 3
Percentage of transfers resulting in singleton live births (%)	3 / 10	4 / 7	1 / 5	2 / 3	3 / 3
Percentage of transfers resulting in twin live births (%)	1 / 10	0 / 7	0 / 5	0 / 3	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 10	4 / 7	1 / 5	0 / 3	2 / 3
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	30	20	12	8	3
Number of transfers	30	18	12	8	2
Estimated average number of transfers per retrieval	0.7	1.0	0.3	0.7	0.7
Average number of embryos transferred	1.1	1.1	1.3	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	64.7	80.0	2 / 15	2 / 8	0 / 2
Percentage of transfers resulting in pregnancies (%)	66.7	14 / 18	2 / 12	2 / 8	0 / 2
Percentage of transfers resulting in live births (%)	53.3	14 / 18	2 / 12	2 / 8	0 / 2
Percentage of transfers resulting in singleton live births (%)	50.0	13 / 18	2 / 12	2 / 8	0 / 2
Percentage of transfers resulting in twin live births (%)	3.3	1 / 18	0 / 12	0 / 8	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	46.7	12 / 18	2 / 12	2 / 8	0 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	35	15	34	11	3
	0	0	1	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	0	15	0	
Number of transfers	0	0	14	0	
Average number of embryos transferred			1.1		
Percentage of embryos transferred resulting in implantation (%)			8 / 16		
Percentage of transfers resulting in pregnancies (%)			7 / 14		
Percentage of transfers resulting in live births (%)			5 / 14		
Percentage of transfers resulting in singleton live births (%)			4 / 14		
Percentage of transfers resulting in twin live births (%)			1 / 14		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)			4 / 14		

## CURRENT SERVICES & PROFILE

Current Name: Presbyterian Hospital ARTS

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY CENTER OF SAN ANTONIO SAN ANTONIO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Gregory S. Neal, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	67%	Tubal factor	28%	Uterine factor	10%	Multiple Factors: Female factors only 19% Female & male factors 16%
Unstimulated	0%	PGD/PGS	11%	Ovulatory dysfunction	20%	Male factor	31%	
Used gestational carrier	1%			Diminished ovarian reserve	26%	Other factor	13%	
				Endometriosis	10%	Unknown factor	10%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 621  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	119	56	53	16	19
Percentage of cancellations before retrieval (%)	2.5	8.9	9.4	3 / 16	5 / 19
Number of transfers	107	47	38	12	10
Average number of embryos transferred	1.7	1.8	2.1	2.4	1.9
Percentage of elective single embryo transfers (eSET) (%)	25.0	9.3	2.9	1 / 11	0 / 8
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	53.8	42.9	24.5	3 / 16	1 / 19
Percentage of cycles resulting in live births (%)	47.9	37.5	15.1	2 / 16	0 / 19
Percentage of cycles resulting in singleton live births (%)	29.4	28.6	11.3	2 / 16	0 / 19
Percentage of cycles resulting in twin live births (%)	18.5	8.9	3.8	0 / 16	0 / 19
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	26.1	25.0	7.5	1 / 16	0 / 19
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	47.8	35.4	18.7	10.3	0 / 17
Percentage of transfers resulting in pregnancies (%)	59.8	51.1	34.2	3 / 12	1 / 10
Percentage of transfers resulting in live births (%)	53.3	44.7	21.1	2 / 12	0 / 10
Percentage of transfers resulting in singleton live births (%)	32.7	34.0	15.8	2 / 12	0 / 10
Percentage of transfers resulting in twin live births (%)	20.6	10.6	5.3	0 / 12	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	29.0	29.8	10.5	1 / 12	0 / 10
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	91	77	41	18	6
Number of transfers	87	76	39	17	6
Estimated average number of transfers per retrieval	2.1	2.1	1.0	1.1	0.5
Average number of embryos transferred	1.5	1.5	1.7	1.4	2.3
Percentage of embryos transferred resulting in implantation (%)	40.8	37.4	31.1	45.5	3 / 14
Percentage of transfers resulting in pregnancies (%)	56.3	48.7	48.7	10 / 17	3 / 6
Percentage of transfers resulting in live births (%)	47.1	36.8	30.8	8 / 17	2 / 6
Percentage of transfers resulting in singleton live births (%)	41.4	28.9	25.6	7 / 17	2 / 6
Percentage of transfers resulting in twin live births (%)	5.7	7.9	5.1	1 / 17	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	35.6	22.4	25.6	5 / 17	2 / 6
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	16	22	27	12	9
	2	4	3	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	19	2	17	0	
Number of transfers	17	1	16	0	
Average number of embryos transferred	1.9	2.0	1.7		
Percentage of embryos transferred resulting in implantation (%)	53.6	0 / 2	38.5		
Percentage of transfers resulting in pregnancies (%)	12 / 17	0 / 1	9 / 16		
Percentage of transfers resulting in live births (%)	8 / 17	0 / 1	8 / 16		
Percentage of transfers resulting in singleton live births (%)	3 / 17	0 / 1	7 / 16		
Percentage of transfers resulting in twin live births (%)	5 / 17	0 / 1	1 / 16		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 17	0 / 1	5 / 16		

## CURRENT SERVICES & PROFILE

Current Name: Fertility Center of San Antonio

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY INSTITUTE OF TEXAS, PLLC SAN ANTONIO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Susan Hudson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	65%	Tubal factor	23%	Uterine factor	3%	Multiple Factors: Female factors only 39% Female & male factors 19%
Unstimulated	0%	PGD/PGS	63%	Ovulatory dysfunction	11%	Male factor	23%	
Used gestational carrier	3%			Diminished ovarian reserve	39%	Other factor	54%	
				Endometriosis	6%	Unknown factor	22%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 118  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	1	0	1	0	0
Percentage of cancellations before retrieval (%)	0 / 1		0 / 1		
Number of transfers	1	0	1	0	0
Average number of embryos transferred	2.0		1.0		
Percentage of elective single embryo transfers (eSET) (%)	0 / 1				
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	0 / 1		0 / 1		
Percentage of cycles resulting in live births (%)	0 / 1		0 / 1		
Percentage of cycles resulting in singleton live births (%)	0 / 1		0 / 1		
Percentage of cycles resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 1		0 / 1		
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	0 / 2		0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 1		0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 1		0 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	29	9	12	2	1
Number of transfers	26	8	9	1	0
Estimated average number of transfers per retrieval	1.1	0.9	0.9	0.2	0.0
Average number of embryos transferred	1.0	1.1	1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	60.0	7 / 9	6 / 9	0 / 1	
Percentage of transfers resulting in pregnancies (%)	65.4	6 / 8	6 / 9	0 / 1	
Percentage of transfers resulting in live births (%)	53.8	5 / 8	3 / 9	0 / 1	
Percentage of transfers resulting in singleton live births (%)	53.8	4 / 8	2 / 9	0 / 1	
Percentage of transfers resulting in twin live births (%)	0.0	1 / 8	1 / 9	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	46.2	4 / 8	2 / 9	0 / 1	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	24	9	9	5	6
	1	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	3	7	0	
Number of transfers	0	3	6	0	
Average number of embryos transferred		1.7	1.2		
Percentage of embryos transferred resulting in implantation (%)		2 / 5	5 / 7		
Percentage of transfers resulting in pregnancies (%)		2 / 3	5 / 6		
Percentage of transfers resulting in live births (%)		2 / 3	5 / 6		
Percentage of transfers resulting in singleton live births (%)		2 / 3	5 / 6		
Percentage of transfers resulting in twin live births (%)		0 / 3	0 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		2 / 3	4 / 6		

## CURRENT SERVICES & PROFILE

Current Name: Fertility Institute of Texas, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY SPECIALISTS OF SAN ANTONIO SAN ANTONIO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Gerard M. Honoré, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	54%	Tubal factor	0%	Uterine factor	0%	Multiple Factors: Female factors only 31% Female & male factors 39%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	8%	Male factor	62%	
Used gestational carrier	0%			Diminished ovarian reserve	46%	Other factor	15%	
				Endometriosis	69%	Unknown factor	0%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 21  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	0	0	2	3	0
Percentage of cancellations before retrieval (%)			0 / 2	1 / 3	
Number of transfers	0	0	0	2	0
Average number of embryos transferred				2.5	
Percentage of elective single embryo transfers (eSET) (%)				0 / 1	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)			0 / 2	0 / 3	
Percentage of cycles resulting in live births (%)			0 / 2	0 / 3	
Percentage of cycles resulting in singleton live births (%)			0 / 2	0 / 3	
Percentage of cycles resulting in twin live births (%)			0 / 2	0 / 3	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)			0 / 2	0 / 3	
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)				0 / 5	
Percentage of transfers resulting in pregnancies (%)				0 / 2	
Percentage of transfers resulting in live births (%)				0 / 2	
Percentage of transfers resulting in singleton live births (%)				0 / 2	
Percentage of transfers resulting in twin live births (%)				0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)				0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	2	0	4	0	0
Number of transfers	2	0	4	0	0
Estimated average number of transfers per retrieval	0.7	0.0	1.0	0.0	0.0
Average number of embryos transferred	1.0		1.8		
Percentage of embryos transferred resulting in implantation (%)	0 / 2		1 / 7		
Percentage of transfers resulting in pregnancies (%)	0 / 2		1 / 4		
Percentage of transfers resulting in live births (%)	0 / 2		1 / 4		
Percentage of transfers resulting in singleton live births (%)	0 / 2		1 / 4		
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 2		1 / 4		
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	3	1	2	1	1
	2	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	1	0	0	0	
Number of transfers	1	0	0	0	
Average number of embryos transferred	1.0				
Percentage of embryos transferred resulting in implantation (%)	0 / 1				
Percentage of transfers resulting in pregnancies (%)	0 / 1				
Percentage of transfers resulting in live births (%)	0 / 1				
Percentage of transfers resulting in singleton live births (%)	0 / 1				
Percentage of transfers resulting in twin live births (%)	0 / 1				
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 1				

## CURRENT SERVICES & PROFILE

This clinic has closed since 2016. Information on current clinic services and profile therefore is not provided here. Contact the NASS Help Desk for further information.

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# INSTITUTE FOR WOMEN'S HEALTH ADVANCED FERTILITY CENTER SAN ANTONIO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Joseph R. Garza, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	60%	Tubal factor	11%	Uterine factor	0%	Multiple Factors: Female factors only 41% Female & male factors 28%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	45%	Male factor	28%	
Used gestational carrier	3%			Diminished ovarian reserve	37%	Other factor	51%	
				Endometriosis	12%	Unknown factor	0%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 109  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	18	8	8	3	12
Percentage of cancellations before retrieval (%)	3 / 18	1 / 8	1 / 8	1 / 3	6 / 12
Number of transfers	12	4	5	1	3
Average number of embryos transferred	1.3	1.3	1.4	2.0	1.3
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 1	0 / 2	0 / 1	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	6 / 18	1 / 8	3 / 8	0 / 3	1 / 12
Percentage of cycles resulting in live births (%)	5 / 18	1 / 8	3 / 8	0 / 3	1 / 12
Percentage of cycles resulting in singleton live births (%)	5 / 18	1 / 8	3 / 8	0 / 3	0 / 12
Percentage of cycles resulting in twin live births (%)	0 / 18	0 / 8	0 / 8	0 / 3	1 / 12
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 18	1 / 8	3 / 8	0 / 3	0 / 12
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	6 / 15	1 / 5	3 / 7	0 / 2	2 / 4
Percentage of transfers resulting in pregnancies (%)	6 / 12	1 / 4	3 / 5	0 / 1	1 / 3
Percentage of transfers resulting in live births (%)	5 / 12	1 / 4	3 / 5	0 / 1	1 / 3
Percentage of transfers resulting in singleton live births (%)	5 / 12	1 / 4	3 / 5	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 4	0 / 5	0 / 1	1 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 12	1 / 4	3 / 5	0 / 1	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	9	6	6	0	1
Number of transfers	7	6	6	0	1
Estimated average number of transfers per retrieval	0.5	0.4	0.7	0.0	
Average number of embryos transferred	1.3	1.3	1.5		1.0
Percentage of embryos transferred resulting in implantation (%)	2 / 9	3 / 7	5 / 7		0 / 1
Percentage of transfers resulting in pregnancies (%)	2 / 7	4 / 6	5 / 6		0 / 1
Percentage of transfers resulting in live births (%)	2 / 7	3 / 6	4 / 6		0 / 1
Percentage of transfers resulting in singleton live births (%)	2 / 7	3 / 6	3 / 6		0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 7	0 / 6	1 / 6		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 7	3 / 6	1 / 6		0 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	13	11	9	2	0
	0	3	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	1	1	1	0	
Number of transfers	1	1	1	0	
Average number of embryos transferred	1.0	2.0	1.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 1	0 / 2	0 / 1		
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 1	0 / 1	0 / 1		

## CURRENT SERVICES & PROFILE

Current Name: Institute for Women's Health, Advanced Fertility Center

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE MEDICINE ASSOCIATES OF TEXAS, PA SAN ANTONIO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Francisco Arredondo, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	9%	Uterine factor	2%	Multiple Factors: Female factors only 5% Female & male factors 9%
Unstimulated	0%	PGD/PGS	43%	Ovulatory dysfunction	22%	Male factor	25%	
Used gestational carrier	2%			Diminished ovarian reserve	28%	Other factor	10%	
				Endometriosis	6%	Unknown factor	12%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 670  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	96	39	24	11	4
Percentage of cancellations before retrieval (%)	7.3	20.5	25.0	4 / 11	0 / 4
Number of transfers	69	24	11	3	2
Average number of embryos transferred	1.4	1.8	1.9	2.3	2.0
Percentage of elective single embryo transfers (eSET) (%)	60.3	22.7	0 / 8	0 / 3	0 / 2
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	50.0	38.5	25.0	2 / 11	0 / 4
Percentage of cycles resulting in live births (%)	41.7	35.9	20.8	2 / 11	0 / 4
Percentage of cycles resulting in singleton live births (%)	33.3	23.1	16.7	2 / 11	0 / 4
Percentage of cycles resulting in twin live births (%)	8.3	7.7	4.2	0 / 11	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	27.1	20.5	16.7	1 / 11	0 / 4
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	60.7	51.2	38.1	2 / 7	0 / 4
Percentage of transfers resulting in pregnancies (%)	69.6	62.5	6 / 11	2 / 3	0 / 2
Percentage of transfers resulting in live births (%)	58.0	58.3	5 / 11	2 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	46.4	37.5	4 / 11	2 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	11.6	12.5	1 / 11	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	37.7	33.3	4 / 11	1 / 3	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	145	66	36	5	7
Number of transfers	140	63	35	5	7
Estimated average number of transfers per retrieval	1.5	0.9	0.7	0.3	0.9
Average number of embryos transferred	1.2	1.2	1.3	1.2	1.3
Percentage of embryos transferred resulting in implantation (%)	57.2	58.8	41.5	3 / 6	2 / 9
Percentage of transfers resulting in pregnancies (%)	62.1	65.1	51.4	2 / 5	2 / 7
Percentage of transfers resulting in live births (%)	57.9	52.4	37.1	2 / 5	2 / 7
Percentage of transfers resulting in singleton live births (%)	50.0	47.6	31.4	1 / 5	2 / 7
Percentage of transfers resulting in twin live births (%)	7.9	4.8	5.7	1 / 5	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	40.7	38.1	28.6	1 / 5	1 / 7
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	71	61	46	15	8
	1	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	3	14	17	1	
Number of transfers	3	8	16	1	
Average number of embryos transferred	1.0	1.6	1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	3 / 3	7 / 12	15 / 19	0 / 1	
Percentage of transfers resulting in pregnancies (%)	3 / 3	5 / 8	13 / 16	0 / 1	
Percentage of transfers resulting in live births (%)	3 / 3	4 / 8	13 / 16	0 / 1	
Percentage of transfers resulting in singleton live births (%)	3 / 3	1 / 8	11 / 16	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3	3 / 8	2 / 16	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 3	1 / 8	7 / 16	0 / 1	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine Associates of Texas, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UT MEDICINE FERTILITY CENTER SAN ANTONIO, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Randal D. Robinson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	40%	Tubal factor	26%	Uterine factor	23%	Multiple Factors: Female factors only 31% Female & male factors 15%
Unstimulated	0%	PGD/PGS	17%	Ovulatory dysfunction	8%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	30%	Other factor	8%	
				Endometriosis	26%	Unknown factor	13%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 144  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	19	14	15	4	1
Percentage of cancellations before retrieval (%)	2 / 19	2 / 14	0 / 15	1 / 4	0 / 1
Number of transfers	12	11	13	3	1
Average number of embryos transferred	1.6	1.7	2.2	1.7	1.0
Percentage of elective single embryo transfers (eSET) (%)	5 / 11	2 / 9	1 / 10	0 / 1	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	5 / 19	7 / 14	5 / 15	0 / 4	0 / 1
Percentage of cycles resulting in live births (%)	5 / 19	5 / 14	3 / 15	0 / 4	0 / 1
Percentage of cycles resulting in singleton live births (%)	5 / 19	5 / 14	3 / 15	0 / 4	0 / 1
Percentage of cycles resulting in twin live births (%)	0 / 19	0 / 14	0 / 15	0 / 4	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	5 / 19	4 / 14	3 / 15	0 / 4	0 / 1
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	5 / 19	6 / 17	17.9	0 / 5	0 / 1
Percentage of transfers resulting in pregnancies (%)	5 / 12	7 / 11	5 / 13	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	5 / 12	5 / 11	3 / 13	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	5 / 12	5 / 11	3 / 13	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 12	0 / 11	0 / 13	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	5 / 12	4 / 11	3 / 13	0 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	25	16	10	5	3
Number of transfers	25	15	10	5	3
Estimated average number of transfers per retrieval	1.8	1.4	1.7	0.8	3.0
Average number of embryos transferred	1.4	1.3	1.2	1.6	1.7
Percentage of embryos transferred resulting in implantation (%)	27.8	6 / 19	2 / 12	1 / 8	0 / 5
Percentage of transfers resulting in pregnancies (%)	32.0	7 / 15	2 / 10	1 / 5	0 / 3
Percentage of transfers resulting in live births (%)	32.0	5 / 15	1 / 10	0 / 5	0 / 3
Percentage of transfers resulting in singleton live births (%)	24.0	5 / 15	1 / 10	0 / 5	0 / 3
Percentage of transfers resulting in twin live births (%)	8.0	0 / 15	0 / 10	0 / 5	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	20.0	4 / 15	1 / 10	0 / 5	0 / 3
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	10	7	5	4	1
	5	2	2	1	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	2	0	3	0	
Number of transfers	2	0	3	0	
Average number of embryos transferred	2.0		1.3		
Percentage of embryos transferred resulting in implantation (%)	1 / 4		0 / 4		
Percentage of transfers resulting in pregnancies (%)	1 / 2		0 / 3		
Percentage of transfers resulting in live births (%)	1 / 2		0 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 2		0 / 3		
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 2		0 / 3		

## CURRENT SERVICES & PROFILE

Current Name: UT Medicine Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SCOTT & WHITE TEMPLE, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Thomas J. Wincek, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	23%	Uterine factor	<1%	Multiple Factors: Female factors only 9% Female & male factors 5%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	11%	Male factor	29%	
Used gestational carrier	0%			Diminished ovarian reserve	0%	Other factor	9%	
				Endometriosis	17%	Unknown factor	26%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 130  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	61	19	10	7	0
Percentage of cancellations before retrieval (%)	23.0	7 / 19	1 / 10	1 / 7	
Number of transfers	40	12	9	6	0
Average number of embryos transferred	1.8	1.8	2.0	1.8	
Percentage of elective single embryo transfers (eSET) (%)	3.0	0 / 10	0 / 9	0 / 5	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	39.3	7 / 19	3 / 10	2 / 7	
Percentage of cycles resulting in live births (%)	29.5	7 / 19	2 / 10	1 / 7	
Percentage of cycles resulting in singleton live births (%)	21.3	7 / 19	2 / 10	1 / 7	
Percentage of cycles resulting in twin live births (%)	8.2	0 / 19	0 / 10	0 / 7	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	9.8	5 / 19	0 / 10	0 / 7	
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	45.7	31.8	4 / 18	3 / 11	
Percentage of transfers resulting in pregnancies (%)	60.0	7 / 12	3 / 9	2 / 6	
Percentage of transfers resulting in live births (%)	45.0	7 / 12	2 / 9	1 / 6	
Percentage of transfers resulting in singleton live births (%)	32.5	7 / 12	2 / 9	1 / 6	
Percentage of transfers resulting in twin live births (%)	12.5	0 / 12	0 / 9	0 / 6	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	15.0	5 / 12	0 / 9	0 / 6	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	18	3	5	3	2
Number of transfers	16	3	4	3	2
Estimated average number of transfers per retrieval					
Average number of embryos transferred	1.5	2.0	1.5	1.0	2.0
Percentage of embryos transferred resulting in implantation (%)	54.2	4 / 6	0 / 6	1 / 3	1 / 4
Percentage of transfers resulting in pregnancies (%)	11 / 16	2 / 3	0 / 4	1 / 3	1 / 2
Percentage of transfers resulting in live births (%)	9 / 16	0 / 3	0 / 4	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	7 / 16	0 / 3	0 / 4	1 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	2 / 16	0 / 3	0 / 4	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 16	0 / 3	0 / 4	0 / 3	0 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	0	1	1	
Number of transfers	0	0	1	0	
Average number of embryos transferred			2.0		
Percentage of embryos transferred resulting in implantation (%)			1 / 2		
Percentage of transfers resulting in pregnancies (%)			1 / 1		
Percentage of transfers resulting in live births (%)			1 / 1		
Percentage of transfers resulting in singleton live births (%)			1 / 1		
Percentage of transfers resulting in twin live births (%)			0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)			0 / 1		

## CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.  
Current Name: Scott & White Clinic-Temple

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	No

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NORTH HOUSTON CENTER FOR REPRODUCTIVE MEDICINE, PA THE WOODLANDS, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Dorothy J. Roach, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	13%	Uterine factor	0%	Multiple Factors: Female factors only 13% Female & male factors 31%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	48%	Male factor	45%	
Used gestational carrier	0%			Diminished ovarian reserve	16%	Other factor	7%	
				Endometriosis	13%	Unknown factor	7%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 85  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	27	15	11	3	1
Percentage of cancellations before retrieval (%)	0.0	1 / 15	1 / 11	0 / 3	0 / 1
Number of transfers	26	14	10	3	1
Average number of embryos transferred	1.7	2.1	1.9	2.7	3.0
Percentage of elective single embryo transfers (eSET) (%)	25.0	0 / 14	0 / 8	0 / 3	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	44.4	8 / 15	6 / 11	1 / 3	0 / 1
Percentage of cycles resulting in live births (%)	40.7	6 / 15	4 / 11	1 / 3	0 / 1
Percentage of cycles resulting in singleton live births (%)	33.3	4 / 15	2 / 11	0 / 3	0 / 1
Percentage of cycles resulting in twin live births (%)	7.4	2 / 15	2 / 11	1 / 3	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	25.9	4 / 15	1 / 11	0 / 3	0 / 1
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	37.8	33.3	8 / 19	2 / 8	0 / 3
Percentage of transfers resulting in pregnancies (%)	46.2	8 / 14	6 / 10	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	42.3	6 / 14	4 / 10	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	34.6	4 / 14	2 / 10	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	7.7	2 / 14	2 / 10	1 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	26.9	4 / 14	1 / 10	0 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	14	6	1	1	2
Number of transfers	14	6	1	1	2
Estimated average number of transfers per retrieval	3.5	6.0	1.0		2.0
Average number of embryos transferred	1.7	1.5	1.0	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	54.2	4 / 9	0 / 1	1 / 2	0 / 3
Percentage of transfers resulting in pregnancies (%)	9 / 14	3 / 6	0 / 1	1 / 1	0 / 2
Percentage of transfers resulting in live births (%)	9 / 14	3 / 6	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	6 / 14	3 / 6	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	3 / 14	0 / 6	0 / 1	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	6 / 14	3 / 6	0 / 1	0 / 1	0 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	0	1	0	0	1
	0	1	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	1	0	1	0	
Number of transfers	1	0	1	0	
Average number of embryos transferred	2.0		2.0		
Percentage of embryos transferred resulting in implantation (%)	1 / 2		0 / 2		
Percentage of transfers resulting in pregnancies (%)	1 / 1		0 / 1		
Percentage of transfers resulting in live births (%)	1 / 1		0 / 1		
Percentage of transfers resulting in singleton live births (%)	1 / 1		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 1		0 / 1		

## CURRENT SERVICES & PROFILE

Current Name: North Houston Center for Reproductive Medicine, PA

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CENTER OF REPRODUCTIVE MEDICINE (CORM) WEBSTER, TEXAS

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Vicki L. Schnell, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	78%	Tubal factor	3%	Uterine factor	7%	Multiple Factors: Female factors only <1% Female & male factors 2%
Unstimulated	0%	PGD/PGS	28%	Ovulatory dysfunction	41%	Male factor	11%	
Used gestational carrier	3%			Diminished ovarian reserve	20%	Other factor	11%	
				Endometriosis	10%	Unknown factor	<1%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 804  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	145	37	19	2	6
Percentage of cancellations before retrieval (%)	6.2	16.2	2 / 19	1 / 2	3 / 6
Number of transfers	63	21	10	1	1
Average number of embryos transferred	1.2	1.5	1.8	3.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	78.0	7 / 18	2 / 9	0 / 1	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	24.1	27.0	4 / 19	1 / 2	0 / 6
Percentage of cycles resulting in live births (%)	20.0	16.2	3 / 19	1 / 2	0 / 6
Percentage of cycles resulting in singleton live births (%)	19.3	16.2	2 / 19	1 / 2	0 / 6
Percentage of cycles resulting in twin live births (%)	0.7	0.0	1 / 19	0 / 2	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	16.6	16.2	1 / 19	0 / 2	0 / 6
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	46.6	37.5	5 / 18	1 / 3	0 / 2
Percentage of transfers resulting in pregnancies (%)	55.6	47.6	4 / 10	1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	46.0	28.6	3 / 10	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	44.4	28.6	2 / 10	1 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	1.6	0.0	1 / 10	0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	38.1	28.6	1 / 10	0 / 1	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	184	69	53	12	8
Number of transfers	170	63	47	11	6
Estimated average number of transfers per retrieval	1.3	1.0	1.1	0.8	0.7
Average number of embryos transferred	1.2	1.3	1.3	1.8	1.7
Percentage of embryos transferred resulting in implantation (%)	57.6	55.1	54.4	45.0	2 / 10
Percentage of transfers resulting in pregnancies (%)	62.4	63.5	66.0	7 / 11	2 / 6
Percentage of transfers resulting in live births (%)	54.1	52.4	46.8	5 / 11	2 / 6
Percentage of transfers resulting in singleton live births (%)	47.1	46.0	44.7	3 / 11	2 / 6
Percentage of transfers resulting in twin live births (%)	6.5	6.3	2.1	2 / 11	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	40.0	33.3	34.0	2 / 11	2 / 6
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	61	48	37	13	9
	3	5	1	2	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	11	12	77	0	
Number of transfers	6	0	60	0	
Average number of embryos transferred	1.3		1.2		
Percentage of embryos transferred resulting in implantation (%)	7 / 8		51.5		
Percentage of transfers resulting in pregnancies (%)	5 / 6		58.3		
Percentage of transfers resulting in live births (%)	4 / 6		50.0		
Percentage of transfers resulting in singleton live births (%)	3 / 6		43.3		
Percentage of transfers resulting in twin live births (%)	1 / 6		6.7		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 6		35.0		

## CURRENT SERVICES & PROFILE

Current Name: Center of Reproductive Medicine (CORM)

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UTAH FERTILITY CENTER PLEASANT GROVE, UTAH

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Russell A. Foulk, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	64%	Tubal factor	13%	Uterine factor	5%	Multiple Factors: Female factors only 11% Female & male factors 11%
Unstimulated	1%	PGD/PGS	22%	Ovulatory dysfunction	27%	Male factor	28%	
Used gestational carrier	4%			Diminished ovarian reserve	21%	Other factor	8%	
				Endometriosis	14%	Unknown factor	7%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 1,209  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	311	73	26	13	17
Percentage of cancellations before retrieval (%)	1.3	2.7	11.5	0 / 13	3 / 17
Number of transfers	284	64	19	10	9
Average number of embryos transferred	1.6	1.9	2.0	2.0	2.4
Percentage of elective single embryo transfers (eSET) (%)	35.2	9.8	2 / 17	0 / 9	1 / 6
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	57.9	47.9	42.3	5 / 13	2 / 17
Percentage of cycles resulting in live births (%)	49.2	37.0	38.5	5 / 13	1 / 17
Percentage of cycles resulting in singleton live births (%)	33.1	27.4	30.8	4 / 13	1 / 17
Percentage of cycles resulting in twin live births (%)	15.4	9.6	7.7	1 / 13	0 / 17
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	28.9	23.3	11.5	2 / 13	1 / 17
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	53.1	37.7	39.5	35.0	9.1
Percentage of transfers resulting in pregnancies (%)	63.4	54.7	11 / 19	5 / 10	2 / 9
Percentage of transfers resulting in live births (%)	53.9	42.2	10 / 19	5 / 10	1 / 9
Percentage of transfers resulting in singleton live births (%)	36.3	31.3	8 / 19	4 / 10	1 / 9
Percentage of transfers resulting in twin live births (%)	16.9	10.9	2 / 19	1 / 10	0 / 9
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	31.7	26.6	3 / 19	2 / 10	1 / 9
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	259	74	56	17	9
Number of transfers	255	71	56	14	7
Estimated average number of transfers per retrieval	1.6	1.5	1.0	0.5	0.2
Average number of embryos transferred	1.5	1.7	1.4	1.4	1.6
Percentage of embryos transferred resulting in implantation (%)	56.3	49.1	46.2	8 / 16	4 / 11
Percentage of transfers resulting in pregnancies (%)	68.6	67.6	55.4	9 / 14	4 / 7
Percentage of transfers resulting in live births (%)	57.6	47.9	35.7	4 / 14	2 / 7
Percentage of transfers resulting in singleton live births (%)	46.3	38.0	32.1	3 / 14	2 / 7
Percentage of transfers resulting in twin live births (%)	11.4	8.5	3.6	1 / 14	0 / 7
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	36.5	28.2	28.6	1 / 14	0 / 7
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	103	28	51	26	30
	10	3	5	1	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	16	2	69	28	
Number of transfers	13	0	69	28	
Average number of embryos transferred	1.8		1.3	1.7	
Percentage of embryos transferred resulting in implantation (%)	60.9		60.2	39.6	
Percentage of transfers resulting in pregnancies (%)	10 / 13		63.8	57.1	
Percentage of transfers resulting in live births (%)	5 / 13		55.1	39.3	
Percentage of transfers resulting in singleton live births (%)	3 / 13		43.5	32.1	
Percentage of transfers resulting in twin live births (%)	1 / 13		10.1	7.1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 13		31.9	25.0	

## CURRENT SERVICES & PROFILE

Current Name: Utah Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**EAST BAY FERTILITY CENTER  
PROVO, UTAH**

---

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

# UTAH CENTER FOR REPRODUCTIVE MEDICINE SALT LAKE CITY, UTAH

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

UTAH

## 2016 ART CYCLE PROFILE

Data verified by Erica B. Johnstone, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	48%	Tubal factor	11%	Uterine factor	2%	Multiple Factors: Female factors only 8% Female & male factors 14%
Unstimulated	<1%	PGD/PGS	9%	Ovulatory dysfunction	17%	Male factor	40%	
Used gestational carrier	1%			Diminished ovarian reserve	17%	Other factor	14%	
				Endometriosis	9%	Unknown factor	14%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 744  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	183	63	29	18	1
Percentage of cancellations before retrieval (%)	5.5	11.1	13.8	3 / 18	0 / 1
Number of transfers	116	44	19	7	0
Average number of embryos transferred	1.5	1.6	1.8	2.3	
Percentage of elective single embryo transfers (eSET) (%)	47.1	30.3	1 / 14	0 / 6	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	29.0	34.9	24.1	2 / 18	0 / 1
Percentage of cycles resulting in live births (%)	26.2	28.6	13.8	0 / 18	0 / 1
Percentage of cycles resulting in singleton live births (%)	19.7	20.6	10.3	0 / 18	0 / 1
Percentage of cycles resulting in twin live births (%)	6.6	7.9	3.4	0 / 18	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	17.5	19.0	6.9	0 / 18	0 / 1
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	38.7	37.3	19.4	2 / 13	
Percentage of transfers resulting in pregnancies (%)	45.7	50.0	7 / 19	2 / 7	
Percentage of transfers resulting in live births (%)	41.4	40.9	4 / 19	0 / 7	
Percentage of transfers resulting in singleton live births (%)	31.0	29.5	3 / 19	0 / 7	
Percentage of transfers resulting in twin live births (%)	10.3	11.4	1 / 19	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	27.6	27.3	2 / 19	0 / 7	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	170	53	36	3	3
Number of transfers	163	51	33	3	2
Estimated average number of transfers per retrieval	1.6	1.9	0.9	0.2	0.3
Average number of embryos transferred	1.4	1.5	1.4	2.0	1.5
Percentage of embryos transferred resulting in implantation (%)	46.1	43.1	60.9	3 / 6	0 / 3
Percentage of transfers resulting in pregnancies (%)	56.4	54.9	69.7	2 / 3	0 / 2
Percentage of transfers resulting in live births (%)	48.5	41.2	60.6	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	39.9	35.3	48.5	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	8.6	5.9	12.1	1 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	33.1	27.5	45.5	0 / 3	0 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	36	15	34	11	6
	10	2	7	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	43	0	34	5	
Number of transfers	38	0	30	5	
Average number of embryos transferred	1.2		1.3	1.4	
Percentage of embryos transferred resulting in implantation (%)	67.4		31.4	4 / 5	
Percentage of transfers resulting in pregnancies (%)	71.1		46.7	5 / 5	
Percentage of transfers resulting in live births (%)	55.3		30.0	4 / 5	
Percentage of transfers resulting in singleton live births (%)	44.7		30.0	4 / 5	
Percentage of transfers resulting in twin live births (%)	10.5		0.0	0 / 5	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	34.2		16.7	3 / 5	

## CURRENT SERVICES & PROFILE

Current Name: Utah Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE CARE CENTER SANDY, UTAH

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Keith L. Blauer, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	65%	Tubal factor	11%	Uterine factor	4%	Multiple Factors: Female factors only 13% Female & male factors 22%
Unstimulated	0%	PGD/PGS	14%	Ovulatory dysfunction	48%	Male factor	36%	
Used gestational carrier	1%			Diminished ovarian reserve	17%	Other factor	10%	
				Endometriosis	13%	Unknown factor	2%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 794  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	295	73	35	11	7
Percentage of cancellations before retrieval (%)	1.0	4.1	8.6	1 / 11	2 / 7
Number of transfers	211	59	27	8	4
Average number of embryos transferred	1.5	1.6	1.8	1.9	2.5
Percentage of elective single embryo transfers (eSET) (%)	48.0	30.0	13.0	0 / 7	0 / 4
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	40.7	30.1	34.3	2 / 11	1 / 7
Percentage of cycles resulting in live births (%)	36.9	27.4	28.6	2 / 11	0 / 7
Percentage of cycles resulting in singleton live births (%)	29.8	19.2	25.7	2 / 11	0 / 7
Percentage of cycles resulting in twin live births (%)	6.8	8.2	2.9	0 / 11	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	25.8	15.1	22.9	2 / 11	0 / 7
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	47.3	31.5	28.6	2 / 15	0 / 8
Percentage of transfers resulting in pregnancies (%)	56.9	37.3	44.4	2 / 8	1 / 4
Percentage of transfers resulting in live births (%)	51.7	33.9	37.0	2 / 8	0 / 4
Percentage of transfers resulting in singleton live births (%)	41.7	23.7	33.3	2 / 8	0 / 4
Percentage of transfers resulting in twin live births (%)	9.5	10.2	3.7	0 / 8	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	36.0	18.6	29.6	2 / 8	0 / 4
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	182	57	20	2	5
Number of transfers	171	53	19	2	5
Estimated average number of transfers per retrieval	1.6	1.3	1.3	0.3	1.7
Average number of embryos transferred	1.4	1.3	1.4	1.5	1.2
Percentage of embryos transferred resulting in implantation (%)	41.6	38.8	32.0	0 / 3	3 / 6
Percentage of transfers resulting in pregnancies (%)	53.8	47.2	7 / 19	0 / 2	3 / 5
Percentage of transfers resulting in live births (%)	46.2	32.1	6 / 19	0 / 2	3 / 5
Percentage of transfers resulting in singleton live births (%)	42.7	28.3	4 / 19	0 / 2	3 / 5
Percentage of transfers resulting in twin live births (%)	3.5	3.8	2 / 19	0 / 2	0 / 5
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	36.8	24.5	4 / 19	0 / 2	1 / 5
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	24	10	7	5	2
	8	2	2	1	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	7	34	11	7	
Number of transfers	7	32	11	7	
Average number of embryos transferred	1.7	1.6	1.2	1.7	
Percentage of embryos transferred resulting in implantation (%)	7 / 12	44.9	3 / 12	3 / 10	
Percentage of transfers resulting in pregnancies (%)	6 / 7	53.1	4 / 11	5 / 7	
Percentage of transfers resulting in live births (%)	6 / 7	40.6	3 / 11	3 / 7	
Percentage of transfers resulting in singleton live births (%)	5 / 7	31.3	3 / 11	3 / 7	
Percentage of transfers resulting in twin live births (%)	1 / 7	6.3	0 / 11	0 / 7	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4 / 7	21.9	2 / 11	2 / 7	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Care Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	No	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY OF VERMONT MEDICAL CENTER  
VERMONT CENTER FOR REPRODUCTIVE MEDICINE  
BURLINGTON, VERMONT**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

**2016 ART CYCLE PROFILE**

Data verified by Elizabeth McGee, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	46%	Tubal factor	11%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 13%
Unstimulated	0%	PGD/PGS	2%	Ovulatory dysfunction	4%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	28%	Other factor	7%	
				Endometriosis	9%	Unknown factor	11%	

**2016 ART SUCCESS RATES<sup>c,d</sup>**

Total number of cycles<sup>d</sup>: 47  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	24	3	7	3	0
Percentage of cancellations before retrieval (%)	12.5	0 / 3	1 / 7	0 / 3	
Number of transfers	20	3	5	3	0
Average number of embryos transferred	1.4	1.7	2.4	2.7	
Percentage of elective single embryo transfers (eSET) (%)	10 / 18	1 / 3	0 / 5	0 / 3	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	50.0	3 / 3	1 / 7	0 / 3	
Percentage of cycles resulting in live births (%)	50.0	3 / 3	1 / 7	0 / 3	
Percentage of cycles resulting in singleton live births (%)	45.8	3 / 3	0 / 7	0 / 3	
Percentage of cycles resulting in twin live births (%)	4.2	0 / 3	1 / 7	0 / 3	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	37.5	3 / 3	0 / 7	0 / 3	
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	46.4	4 / 5	2 / 12	0 / 8	
Percentage of transfers resulting in pregnancies (%)	60.0	3 / 3	1 / 5	0 / 3	
Percentage of transfers resulting in live births (%)	60.0	3 / 3	1 / 5	0 / 3	
Percentage of transfers resulting in singleton live births (%)	55.0	3 / 3	0 / 5	0 / 3	
Percentage of transfers resulting in twin live births (%)	5.0	0 / 3	1 / 5	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	45.0	3 / 3	0 / 5	0 / 3	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	4	0	0	1	0
Number of transfers	4	0	0	1	0
Estimated average number of transfers per retrieval	1.0			1.0	
Average number of embryos transferred	1.3			2.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 5			0 / 2	
Percentage of transfers resulting in pregnancies (%)	2 / 4			0 / 1	
Percentage of transfers resulting in live births (%)	2 / 4			0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 4			0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 4			0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 4			0 / 1	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	1	0	0	0	0
	1	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	1	1	2	0	
Number of transfers	1	1	1	0	
Average number of embryos transferred	2.0	1.0	2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2	0 / 1	2 / 2		
Percentage of transfers resulting in pregnancies (%)	0 / 1	0 / 1	1 / 1		
Percentage of transfers resulting in live births (%)	0 / 1	0 / 1	1 / 1		
Percentage of transfers resulting in singleton live births (%)	0 / 1	0 / 1	0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 1	0 / 1	1 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 1	0 / 1	0 / 1		

**CURRENT SERVICES & PROFILE**

Current Name: University of Vermont Medical Center, Vermont Center for Reproductive Medicine

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# NORTHEASTERN REPRODUCTIVE MEDICINE COLCHESTER, VERMONT

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Peter R. Casson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	54%	Tubal factor	7%	Uterine factor	5%	Multiple Factors: Female factors only 3% Female & male factors 8%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	11%	Male factor	25%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	10%	
				Endometriosis	4%	Unknown factor	18%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 374  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	86	56	47	10	21
Percentage of cancellations before retrieval (%)	4.7	12.5	10.6	0 / 10	33.3
Number of transfers	63	42	36	10	12
Average number of embryos transferred	1.5	1.7	1.7	1.8	1.7
Percentage of elective single embryo transfers (eSET) (%)	27.9	12.9	16.7	2 / 8	1 / 7
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	32.6	28.6	40.4	5 / 10	4.8
Percentage of cycles resulting in live births (%)	30.2	26.8	36.2	5 / 10	4.8
Percentage of cycles resulting in singleton live births (%)	24.4	21.4	27.7	5 / 10	4.8
Percentage of cycles resulting in twin live births (%)	5.8	5.4	8.5	0 / 10	0.0
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	23.3	17.9	25.5	4 / 10	4.8
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	34.8	25.4	36.7	6 / 18	5.0
Percentage of transfers resulting in pregnancies (%)	44.4	38.1	52.8	5 / 10	1 / 12
Percentage of transfers resulting in live births (%)	41.3	35.7	47.2	5 / 10	1 / 12
Percentage of transfers resulting in singleton live births (%)	33.3	28.6	36.1	5 / 10	1 / 12
Percentage of transfers resulting in twin live births (%)	7.9	7.1	11.1	0 / 10	0 / 12
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	31.7	23.8	33.3	4 / 10	1 / 12
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	32	16	12	4	8
Number of transfers	29	12	11	3	4
Estimated average number of transfers per retrieval	0.7	0.5	0.6	0.8	0.2
Average number of embryos transferred	1.3	1.3	1.5	1.3	2.3
Percentage of embryos transferred resulting in implantation (%)	47.1	6 / 14	10 / 17	1 / 4	0 / 9
Percentage of transfers resulting in pregnancies (%)	55.2	6 / 12	7 / 11	1 / 3	0 / 4
Percentage of transfers resulting in live births (%)	41.4	4 / 12	7 / 11	1 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)	31.0	3 / 12	4 / 11	1 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)	10.3	1 / 12	3 / 11	0 / 3	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	31.0	2 / 12	4 / 11	1 / 3	0 / 4
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	19	14	15	3	14
	0	2	1	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	10	0	4	2	
Number of transfers	9	0	3	2	
Average number of embryos transferred	1.1		1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	8 / 10		2 / 3	1 / 2	
Percentage of transfers resulting in pregnancies (%)	6 / 9		2 / 3	1 / 2	
Percentage of transfers resulting in live births (%)	4 / 9		2 / 3	1 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 9		2 / 3	1 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 9		0 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 9		1 / 3	1 / 2	

## CURRENT SERVICES & PROFILE

Current Name: Northeastern Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WASHINGTON FERTILITY CENTER ANNANDALE, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Pierre Asmar, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	42%	Tubal factor	9%	Uterine factor	5%	Multiple Factors: Female factors only 6% Female & male factors 14%
Unstimulated	0%	PGD/PGS	12%	Ovulatory dysfunction	8%	Male factor	22%	
Used gestational carrier	3%			Diminished ovarian reserve	48%	Other factor	12%	
				Endometriosis	5%	Unknown factor	11%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 148  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	16	9	9	7	9
Percentage of cancellations before retrieval (%)	2 / 16	1 / 9	0 / 9	1 / 7	3 / 9
Number of transfers	12	2	3	2	3
Average number of embryos transferred	1.3	1.0	2.0	1.5	1.3
Percentage of elective single embryo transfers (eSET) (%)	5 / 8	1 / 1	0 / 3	0 / 1	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	4 / 16	1 / 9	2 / 9	1 / 7	0 / 9
Percentage of cycles resulting in live births (%)	3 / 16	1 / 9	2 / 9	1 / 7	0 / 9
Percentage of cycles resulting in singleton live births (%)	2 / 16	1 / 9	1 / 9	0 / 7	0 / 9
Percentage of cycles resulting in twin live births (%)	1 / 16	0 / 9	1 / 9	1 / 7	0 / 9
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 16	1 / 9	1 / 9	0 / 7	0 / 9
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	5 / 15	1 / 2	3 / 6	2 / 3	0 / 4
Percentage of transfers resulting in pregnancies (%)	4 / 12	1 / 2	2 / 3	1 / 2	0 / 3
Percentage of transfers resulting in live births (%)	3 / 12	1 / 2	2 / 3	1 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	2 / 12	1 / 2	1 / 3	0 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 2	1 / 3	1 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 12	1 / 2	1 / 3	0 / 2	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	25	6	11	3	4
Number of transfers	22	6	11	2	4
Estimated average number of transfers per retrieval	2.0	0.9	1.4	0.7	0.7
Average number of embryos transferred	1.3	1.5	1.8	1.0	1.0
Percentage of embryos transferred resulting in implantation (%)	45.8	7 / 9	5 / 18	2 / 2	2 / 4
Percentage of transfers resulting in pregnancies (%)	59.1	4 / 6	5 / 11	2 / 2	2 / 4
Percentage of transfers resulting in live births (%)	36.4	4 / 6	4 / 11	2 / 2	0 / 4
Percentage of transfers resulting in singleton live births (%)	36.4	2 / 6	4 / 11	2 / 2	0 / 4
Percentage of transfers resulting in twin live births (%)	0.0	2 / 6	0 / 11	0 / 2	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	36.4	1 / 6	4 / 11	2 / 2	0 / 4
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	7	3	5	2	6
	0	2	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	18	3	5	0	
Number of transfers	11	1	5	0	
Average number of embryos transferred	1.0	1.0	1.2		
Percentage of embryos transferred resulting in implantation (%)	9 / 11	0 / 1	2 / 6		
Percentage of transfers resulting in pregnancies (%)	9 / 11	0 / 1	2 / 5		
Percentage of transfers resulting in live births (%)	9 / 11	0 / 1	2 / 5		
Percentage of transfers resulting in singleton live births (%)	9 / 11	0 / 1	2 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 1	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	6 / 11	0 / 1	1 / 5		

## CURRENT SERVICES & PROFILE

Current Name: Washington Fertility Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# DOMINION FERTILITY AND ENDOCRINOLOGY ARLINGTON, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Michael DiMattina, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	40%	Tubal factor	15%	Uterine factor	4%	Multiple Factors: Female factors only 22% Female & male factors 24%
Unstimulated	91%	PGD/PGS	28%	Ovulatory dysfunction	7%	Male factor	38%	
Used gestational carrier	<1%			Diminished ovarian reserve	55%	Other factor	28%	
				Endometriosis	4%	Unknown factor	6%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 1,529  
(includes 6 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	109	109	113	71	218
Percentage of cancellations before retrieval (%)	14.7	24.8	23.9	29.6	36.7
Number of transfers	61	39	48	22	48
Average number of embryos transferred	1.0	1.0	1.0	1.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	1 / 1		0 / 1	0 / 1	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	26.6	14.7	7.1	1.4	1.8
Percentage of cycles resulting in live births (%)	23.9	12.8	4.4	1.4	0.9
Percentage of cycles resulting in singleton live births (%)	23.9	11.9	2.7	1.4	0.9
Percentage of cycles resulting in twin live births (%)	0.0	0.9	0.9	0.0	0.0
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	22.0	10.1	2.7	1.4	0.9
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	44.8	43.6	17.4	4.3	8.3
Percentage of transfers resulting in pregnancies (%)	47.5	41.0	16.7	4.5	8.3
Percentage of transfers resulting in live births (%)	42.6	35.9	10.4	4.5	4.2
Percentage of transfers resulting in singleton live births (%)	42.6	33.3	6.3	4.5	4.2
Percentage of transfers resulting in twin live births (%)	0.0	2.6	2.1	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	39.3	28.2	6.3	4.5	4.2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	132	89	67	18	21
Number of transfers	119	87	60	17	17
Estimated average number of transfers per retrieval	1.0	1.0	0.6	0.3	0.2
Average number of embryos transferred	1.0	1.1	1.0	1.2	1.1
Percentage of embryos transferred resulting in implantation (%)	55.4	41.2	54.2	47.6	6 / 18
Percentage of transfers resulting in pregnancies (%)	58.0	47.1	50.0	9 / 17	7 / 17
Percentage of transfers resulting in live births (%)	45.4	35.6	45.0	8 / 17	6 / 17
Percentage of transfers resulting in singleton live births (%)	43.7	34.5	40.0	8 / 17	6 / 17
Percentage of transfers resulting in twin live births (%)	1.7	1.1	5.0	0 / 17	0 / 17
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	37.8	29.9	28.3	6 / 17	5 / 17
<b>Number of Egg or Embryo Banking Cycles</b>					
	109	83	100	55	112
Number of fertility preservation cycles	107	81	96	51	98
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	8	1	97	11	
Number of transfers	1	0	88	9	
Average number of embryos transferred	1.0		1.0	1.1	
Percentage of embryos transferred resulting in implantation (%)	0 / 1		51.8	2 / 10	
Percentage of transfers resulting in pregnancies (%)	0 / 1		55.7	2 / 9	
Percentage of transfers resulting in live births (%)	0 / 1		46.6	1 / 9	
Percentage of transfers resulting in singleton live births (%)	0 / 1		46.6	1 / 9	
Percentage of transfers resulting in twin live births (%)	0 / 1		0.0	0 / 9	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 1		42.0	1 / 9	

## CURRENT SERVICES & PROFILE

Current Name: Dominion Fertility and Endocrinology

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE MEDICINE AND SURGERY CENTER OF VIRGINIA, PLC CHARLOTTESVILLE, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Christopher D. Williams, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	51%	Tubal factor	19%	Uterine factor	14%	Multiple Factors: Female factors only 19% Female & male factors 27%
Unstimulated	0%	PGD/PGS	18%	Ovulatory dysfunction	13%	Male factor	43%	
Used gestational carrier	2%			Diminished ovarian reserve	23%	Other factor	12%	
				Endometriosis	27%	Unknown factor	7%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 344  
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	33	19	7	4	0
Percentage of cancellations before retrieval (%)	18.2	3 / 19	3 / 7	3 / 4	
Number of transfers	24	12	3	1	0
Average number of embryos transferred	1.7	2.0	2.3	2.0	
Percentage of elective single embryo transfers (eSET) (%)	30.4	1 / 10	0 / 2	0 / 1	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	39.4	7 / 19	0 / 7	0 / 4	
Percentage of cycles resulting in live births (%)	39.4	6 / 19	0 / 7	0 / 4	
Percentage of cycles resulting in singleton live births (%)	21.2	5 / 19	0 / 7	0 / 4	
Percentage of cycles resulting in twin live births (%)	18.2	1 / 19	0 / 7	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	18.2	5 / 19	0 / 7	0 / 4	
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	47.5	41.7	0 / 7	0 / 2	
Percentage of transfers resulting in pregnancies (%)	54.2	7 / 12	0 / 3	0 / 1	
Percentage of transfers resulting in live births (%)	54.2	6 / 12	0 / 3	0 / 1	
Percentage of transfers resulting in singleton live births (%)	29.2	5 / 12	0 / 3	0 / 1	
Percentage of transfers resulting in twin live births (%)	25.0	1 / 12	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	25.0	5 / 12	0 / 3	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	71	30	18	3	2
Number of transfers	65	29	18	3	2
Estimated average number of transfers per retrieval	1.1	1.1	0.6	0.2	1.0
Average number of embryos transferred	1.2	1.3	1.4	1.3	2.0
Percentage of embryos transferred resulting in implantation (%)	72.0	74.3	60.0	1 / 4	1 / 4
Percentage of transfers resulting in pregnancies (%)	75.4	82.8	13 / 18	1 / 3	1 / 2
Percentage of transfers resulting in live births (%)	63.1	72.4	13 / 18	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	56.9	65.5	11 / 18	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	6.2	6.9	2 / 18	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	49.2	62.1	11 / 18	0 / 3	0 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	52	24	25	15	2
	4	2	4	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	13	1	10	12	
Number of transfers	12	0	10	12	
Average number of embryos transferred	1.2		1.6	1.7	
Percentage of embryos transferred resulting in implantation (%)	9 / 14		8 / 16	55.0	
Percentage of transfers resulting in pregnancies (%)	8 / 12		7 / 10	8 / 12	
Percentage of transfers resulting in live births (%)	8 / 12		6 / 10	7 / 12	
Percentage of transfers resulting in singleton live births (%)	8 / 12		5 / 10	4 / 12	
Percentage of transfers resulting in twin live births (%)	0 / 12		1 / 10	3 / 12	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	6 / 12		3 / 10	3 / 12	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Medicine and Surgery Center of Virginia, PLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# GENETICS & IVF INSTITUTE FAIRFAX, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Laurence C. Udoff, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	64%	Tubal factor	12%	Uterine factor	13%	Multiple Factors: Female factors only 22% Female & male factors 26%
Unstimulated	0%	PGD/PGS	23%	Ovulatory dysfunction	7%	Male factor	34%	
Used gestational carrier	<1%			Diminished ovarian reserve	60%	Other factor	26%	
				Endometriosis	8%	Unknown factor	3%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 329  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	13	7	14	11	6
Percentage of cancellations before retrieval (%)	3 / 13	0 / 7	2 / 14	2 / 11	1 / 6
Number of transfers	8	4	8	6	2
Average number of embryos transferred	1.5	1.0	1.9	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	2 / 6	1 / 1	1 / 7	0 / 5	0 / 2
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	2 / 13	1 / 7	1 / 14	0 / 11	0 / 6
Percentage of cycles resulting in live births (%)	2 / 13	1 / 7	0 / 14	0 / 11	0 / 6
Percentage of cycles resulting in singleton live births (%)	1 / 13	1 / 7	0 / 14	0 / 11	0 / 6
Percentage of cycles resulting in twin live births (%)	1 / 13	0 / 7	0 / 14	0 / 11	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 13	1 / 7	0 / 14	0 / 11	0 / 6
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	3 / 12	1 / 4	1 / 15	0 / 12	0 / 4
Percentage of transfers resulting in pregnancies (%)	2 / 8	1 / 4	1 / 8	0 / 6	0 / 2
Percentage of transfers resulting in live births (%)	2 / 8	1 / 4	0 / 8	0 / 6	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 8	1 / 4	0 / 8	0 / 6	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 4	0 / 8	0 / 6	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 8	1 / 4	0 / 8	0 / 6	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	31	21	15	12	7
Number of transfers	30	21	14	12	4
Estimated average number of transfers per retrieval	1.2	0.9	0.6	0.7	1.0
Average number of embryos transferred	1.1	1.3	1.1	1.1	1.0
Percentage of embryos transferred resulting in implantation (%)	58.8	69.2	10 / 15	6 / 13	1 / 4
Percentage of transfers resulting in pregnancies (%)	63.3	71.4	9 / 14	5 / 12	1 / 4
Percentage of transfers resulting in live births (%)	56.7	57.1	8 / 14	5 / 12	1 / 4
Percentage of transfers resulting in singleton live births (%)	56.7	47.6	8 / 14	4 / 12	1 / 4
Percentage of transfers resulting in twin live births (%)	0.0	9.5	0 / 14	1 / 12	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	46.7	42.9	6 / 14	3 / 12	1 / 4
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	25	22	23	16	4
	2	8	6	3	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	5	44	49	4	
Number of transfers	4	34	44	4	
Average number of embryos transferred	1.0	1.2	1.3	1.3	
Percentage of embryos transferred resulting in implantation (%)	4 / 4	45.2	37.0	3 / 5	
Percentage of transfers resulting in pregnancies (%)	4 / 4	47.1	45.5	2 / 4	
Percentage of transfers resulting in live births (%)	4 / 4	41.2	34.1	1 / 4	
Percentage of transfers resulting in singleton live births (%)	4 / 4	38.2	34.1	0 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 4	0.0	0.0	1 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 4	26.5	20.5	0 / 4	

## CURRENT SERVICES & PROFILE

Current Name: Genetics & IVF Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# JONES INSTITUTE FOR REPRODUCTIVE MEDICINE NORFOLK, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Laurel A. Stadtmauer, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	73%	Tubal factor	20%	Uterine factor	4%	Multiple Factors: Female factors only 9% Female & male factors 7%
Unstimulated	0%	PGD/PGS	5%	Ovulatory dysfunction	21%	Male factor	23%	
Used gestational carrier	1%			Diminished ovarian reserve	27%	Other factor	8%	
				Endometriosis	5%	Unknown factor	7%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 356  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	105	33	27	9	7
Percentage of cancellations before retrieval (%)	8.6	15.2	33.3	3 / 9	3 / 7
Number of transfers	69	27	13	2	3
Average number of embryos transferred	1.9	1.7	1.8	2.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	7.6	9.1	1 / 10	0 / 1	0 / 3
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	38.1	33.3	22.2	2 / 9	1 / 7
Percentage of cycles resulting in live births (%)	32.4	30.3	11.1	1 / 9	1 / 7
Percentage of cycles resulting in singleton live births (%)	21.9	15.2	7.4	1 / 9	1 / 7
Percentage of cycles resulting in twin live births (%)	9.5	15.2	3.7	0 / 9	0 / 7
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	17.1	12.1	3.7	0 / 9	1 / 7
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	43.4	34.0	33.3	2 / 4	3 / 7
Percentage of transfers resulting in pregnancies (%)	58.0	40.7	6 / 13	2 / 2	1 / 3
Percentage of transfers resulting in live births (%)	49.3	37.0	3 / 13	1 / 2	1 / 3
Percentage of transfers resulting in singleton live births (%)	33.3	18.5	2 / 13	1 / 2	1 / 3
Percentage of transfers resulting in twin live births (%)	14.5	18.5	1 / 13	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	26.1	14.8	1 / 13	0 / 2	1 / 3
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	49	15	14	4	7
Number of transfers	49	15	14	4	6
Estimated average number of transfers per retrieval	1.3	1.5	1.2	0.6	3.0
Average number of embryos transferred	1.7	1.9	1.4	1.5	1.8
Percentage of embryos transferred resulting in implantation (%)	32.9	17.9	10 / 19	2 / 6	2 / 11
Percentage of transfers resulting in pregnancies (%)	44.9	5 / 15	7 / 14	2 / 4	2 / 6
Percentage of transfers resulting in live births (%)	38.8	5 / 15	7 / 14	1 / 4	2 / 6
Percentage of transfers resulting in singleton live births (%)	28.6	5 / 15	4 / 14	1 / 4	2 / 6
Percentage of transfers resulting in twin live births (%)	10.2	0 / 15	3 / 14	0 / 4	0 / 6
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	20.4	3 / 15	4 / 14	0 / 4	1 / 6
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	13	6	7	7	2
	2	2	1	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	20	1	10	20	
Number of transfers	18	1	9	17	
Average number of embryos transferred	1.9	2.0	1.7	1.7	
Percentage of embryos transferred resulting in implantation (%)	38.2	2 / 2	3 / 12	42.3	
Percentage of transfers resulting in pregnancies (%)	9 / 18	1 / 1	5 / 9	11 / 17	
Percentage of transfers resulting in live births (%)	9 / 18	1 / 1	2 / 9	7 / 17	
Percentage of transfers resulting in singleton live births (%)	6 / 18	0 / 1	2 / 9	5 / 17	
Percentage of transfers resulting in twin live births (%)	3 / 18	1 / 1	0 / 9	2 / 17	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	5 / 18	0 / 1	2 / 9	4 / 17	

## CURRENT SERVICES & PROFILE

Current Name: Jones Institute for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# VIRGINIA CENTER FOR REPRODUCTIVE MEDICINE RESTON, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Fady I. Sharara, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	89%	Tubal factor	24%	Uterine factor	26%	Multiple Factors: Female factors only 33% Female & male factors 41%
Unstimulated	0%	PGD/PGS	49%	Ovulatory dysfunction	25%	Male factor	45%	
Used gestational carrier	8%			Diminished ovarian reserve	43%	Other factor	45%	
				Endometriosis	10%	Unknown factor	<1%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 171  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	20	18	11	2	1
Percentage of cancellations before retrieval (%)	0.0	1 / 18	0 / 11	0 / 2	0 / 1
Number of transfers	19	12	6	0	0
Average number of embryos transferred	1.4	1.2	1.2		
Percentage of elective single embryo transfers (eSET) (%)	4 / 12	5 / 7	1 / 2		
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	60.0	9 / 18	3 / 11	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	50.0	9 / 18	3 / 11	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	40.0	9 / 18	2 / 11	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	10.0	0 / 18	1 / 11	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	35.0	4 / 18	2 / 11	0 / 2	0 / 1
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	55.6	10 / 14	5 / 7		
Percentage of transfers resulting in pregnancies (%)	12 / 19	9 / 12	3 / 6		
Percentage of transfers resulting in live births (%)	10 / 19	9 / 12	3 / 6		
Percentage of transfers resulting in singleton live births (%)	8 / 19	9 / 12	2 / 6		
Percentage of transfers resulting in twin live births (%)	2 / 19	0 / 12	1 / 6		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	7 / 19	4 / 12	2 / 6		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	11	16	9	3	0
Number of transfers	11	16	9	3	0
Estimated average number of transfers per retrieval	0.7	1.0	0.5	0.6	0.0
Average number of embryos transferred	1.4	1.1	1.7	1.0	
Percentage of embryos transferred resulting in implantation (%)	6 / 13	8 / 18	11 / 15	3 / 3	
Percentage of transfers resulting in pregnancies (%)	7 / 11	8 / 16	8 / 9	2 / 3	
Percentage of transfers resulting in live births (%)	6 / 11	8 / 16	7 / 9	1 / 3	
Percentage of transfers resulting in singleton live births (%)	6 / 11	8 / 16	5 / 9	1 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 16	1 / 9	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	6 / 11	7 / 16	5 / 9	1 / 3	
<b>Number of Egg or Embryo Banking Cycles</b>					
	16	12	17	5	2
Number of fertility preservation cycles	3	1	2	2	1
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	11	6	9	2	
Number of transfers	10	5	8	2	
Average number of embryos transferred	1.9	1.0	1.4	1.5	
Percentage of embryos transferred resulting in implantation (%)	11 / 19	1 / 5	3 / 11	0 / 3	
Percentage of transfers resulting in pregnancies (%)	5 / 10	1 / 5	3 / 8	0 / 2	
Percentage of transfers resulting in live births (%)	5 / 10	1 / 5	3 / 8	0 / 2	
Percentage of transfers resulting in singleton live births (%)	0 / 10	1 / 5	3 / 8	0 / 2	
Percentage of transfers resulting in twin live births (%)	4 / 10	0 / 5	0 / 8	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 10	1 / 5	3 / 8	0 / 2	

## CURRENT SERVICES & PROFILE

Current Name: Virginia Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FERTILITY INSTITUTE OF VIRGINIA RICHMOND, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Michael C. Edelstein, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	79%	Tubal factor	12%	Uterine factor	4%	Multiple Factors: Female factors only 3% Female & male factors 8%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	13%	Male factor	35%	
Used gestational carrier	2%			Diminished ovarian reserve	9%	Other factor	8%	
				Endometriosis	6%	Unknown factor	25%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 324  
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	42	22	18	5	6
Percentage of cancellations before retrieval (%)	2.4	4.5	4 / 18	1 / 5	1 / 6
Number of transfers	11	10	5	3	4
Average number of embryos transferred	1.4	1.7	2.8	3.0	2.3
Percentage of elective single embryo transfers (eSET) (%)	5 / 9	2 / 9	0 / 5	0 / 3	0 / 4
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	11.9	22.7	3 / 18	0 / 5	0 / 6
Percentage of cycles resulting in live births (%)	11.9	13.6	2 / 18	0 / 5	0 / 6
Percentage of cycles resulting in singleton live births (%)	11.9	4.5	1 / 18	0 / 5	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	9.1	1 / 18	0 / 5	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	11.9	4.5	1 / 18	0 / 5	0 / 6
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	5 / 15	6 / 16	4 / 14	0 / 9	0 / 9
Percentage of transfers resulting in pregnancies (%)	5 / 11	5 / 10	3 / 5	0 / 3	0 / 4
Percentage of transfers resulting in live births (%)	5 / 11	3 / 10	2 / 5	0 / 3	0 / 4
Percentage of transfers resulting in singleton live births (%)	5 / 11	1 / 10	1 / 5	0 / 3	0 / 4
Percentage of transfers resulting in twin live births (%)	0 / 11	2 / 10	1 / 5	0 / 3	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	5 / 11	1 / 10	1 / 5	0 / 3	0 / 4
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	76	41	38	8	4
Number of transfers	76	41	37	8	4
Estimated average number of transfers per retrieval	1.7	1.6	1.4	1.6	0.7
Average number of embryos transferred	1.4	1.4	1.3	1.9	2.0
Percentage of embryos transferred resulting in implantation (%)	56.8	57.9	41.9	5 / 15	2 / 8
Percentage of transfers resulting in pregnancies (%)	73.7	70.7	59.5	4 / 8	2 / 4
Percentage of transfers resulting in live births (%)	51.3	63.4	37.8	4 / 8	2 / 4
Percentage of transfers resulting in singleton live births (%)	46.1	53.7	37.8	3 / 8	2 / 4
Percentage of transfers resulting in twin live births (%)	5.3	9.8	0.0	1 / 8	0 / 4
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	42.1	51.2	27.0	2 / 8	2 / 4
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	13	10	18	2	6
	0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	1	5	5	1	
Number of transfers	0	5	5	1	
Average number of embryos transferred		1.4	1.2	2.0	
Percentage of embryos transferred resulting in implantation (%)		5 / 7	3 / 6	1 / 2	
Percentage of transfers resulting in pregnancies (%)		3 / 5	3 / 5	1 / 1	
Percentage of transfers resulting in live births (%)		3 / 5	1 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)		3 / 5	1 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)		0 / 5	0 / 5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		3 / 5	0 / 5	0 / 1	

## CURRENT SERVICES & PROFILE

Current Name: Virginia Fertility Associates

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**THE RICHMOND CENTER FOR FERTILITY AND ENDOCRINOLOGY  
RICHMOND, VIRGINIA**

---

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

# UNIVERSITY CENTER FOR ADVANCED REPRODUCTIVE MEDICINE RICHMOND, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Richard S. Lucidi, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	80%	Tubal factor	12%	Uterine factor	0%	Multiple Factors: Female factors only 9% Female & male factors 11%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	13%	Male factor	24%	
Used gestational carrier	<1%			Diminished ovarian reserve	12%	Other factor	38%	
				Endometriosis	3%	Unknown factor	21%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 144  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	29	10	6	3	2
Percentage of cancellations before retrieval (%)	6.9	1 / 10	1 / 6	0 / 3	1 / 2
Number of transfers	21	7	5	3	1
Average number of embryos transferred	1.2	1.7	1.8	2.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	14 / 18	3 / 7	2 / 5	0 / 3	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	34.5	2 / 10	3 / 6	0 / 3	0 / 2
Percentage of cycles resulting in live births (%)	27.6	2 / 10	3 / 6	0 / 3	0 / 2
Percentage of cycles resulting in singleton live births (%)	27.6	1 / 10	1 / 6	0 / 3	0 / 2
Percentage of cycles resulting in twin live births (%)	0.0	1 / 10	2 / 6	0 / 3	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	24.1	1 / 10	0 / 6	0 / 3	0 / 2
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	38.5	3 / 12	5 / 9	0 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	47.6	2 / 7	3 / 5	0 / 3	0 / 1
Percentage of transfers resulting in live births (%)	38.1	2 / 7	3 / 5	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	38.1	1 / 7	1 / 5	0 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	0.0	1 / 7	2 / 5	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	33.3	1 / 7	0 / 5	0 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	23	19	4	2	0
Number of transfers	18	18	4	2	0
Estimated average number of transfers per retrieval	0.6	1.2	0.8	2.0	
Average number of embryos transferred	1.3	1.2	1.5	2.0	
Percentage of embryos transferred resulting in implantation (%)	50.0	42.9	4 / 6	1 / 4	
Percentage of transfers resulting in pregnancies (%)	9 / 18	9 / 18	3 / 4	1 / 2	
Percentage of transfers resulting in live births (%)	7 / 18	9 / 18	2 / 4	1 / 2	
Percentage of transfers resulting in singleton live births (%)	6 / 18	9 / 18	1 / 4	1 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 18	0 / 18	1 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	5 / 18	9 / 18	1 / 4	1 / 2	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	18	8	5	1	0
	16	3	4	1	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	8	2	3	0	
Number of transfers	3	2	2	0	
Average number of embryos transferred	1.3	1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)	3 / 4	1 / 3	0 / 2		
Percentage of transfers resulting in pregnancies (%)	3 / 3	1 / 2	0 / 2		
Percentage of transfers resulting in live births (%)	2 / 3	1 / 2	0 / 2		
Percentage of transfers resulting in singleton live births (%)	2 / 3	1 / 2	0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 2	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 3	1 / 2	0 / 2		

## CURRENT SERVICES & PROFILE

Current Name: VCU Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**PARTNERS FOR FERTILITY AND IVF  
VIENNA, VIRGINIA**

---

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

# THE NEW HOPE CENTER FOR REPRODUCTIVE MEDICINE

## VIRGINIA BEACH, VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

### 2016 ART CYCLE PROFILE

Data verified by Robin L. Poe-Zeigler, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	17%	Uterine factor	7%	Multiple Factors: Female factors only 21% Female & male factors 40%
Unstimulated	0%	PGD/PGS	25%	Ovulatory dysfunction	30%	Male factor	46%	
Used gestational carrier	3%			Diminished ovarian reserve	47%	Other factor	11%	
				Endometriosis	13%	Unknown factor	<1%	

### 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 390  
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	33	15	16	6	15
Percentage of cancellations before retrieval (%)	0.0	1 / 15	1 / 16	1 / 6	1 / 15
Number of transfers	15	8	4	1	8
Average number of embryos transferred	1.7	1.5	2.3	1.0	1.9
Percentage of elective single embryo transfers (eSET) (%)	1 / 12	0 / 4	0 / 3		0 / 6
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	21.2	0 / 15	2 / 16	0 / 6	2 / 15
Percentage of cycles resulting in live births (%)	18.2	0 / 15	2 / 16	0 / 6	1 / 15
Percentage of cycles resulting in singleton live births (%)	15.2	0 / 15	2 / 16	0 / 6	1 / 15
Percentage of cycles resulting in twin live births (%)	3.0	0 / 15	0 / 16	0 / 6	0 / 15
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	15.2	0 / 15	2 / 16	0 / 6	1 / 15
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	34.6	0 / 12	2 / 9	0 / 1	2 / 15
Percentage of transfers resulting in pregnancies (%)	7 / 15	0 / 8	2 / 4	0 / 1	2 / 8
Percentage of transfers resulting in live births (%)	6 / 15	0 / 8	2 / 4	0 / 1	1 / 8
Percentage of transfers resulting in singleton live births (%)	5 / 15	0 / 8	2 / 4	0 / 1	1 / 8
Percentage of transfers resulting in twin live births (%)	1 / 15	0 / 8	0 / 4	0 / 1	0 / 8
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	5 / 15	0 / 8	2 / 4	0 / 1	1 / 8
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	88	31	14	6	15
Number of transfers	84	27	13	5	14
Estimated average number of transfers per retrieval	1.3	0.9	0.6	0.8	1.2
Average number of embryos transferred	1.7	1.6	2.1	2.0	1.9
Percentage of embryos transferred resulting in implantation (%)	36.2	22.7	18.5	2 / 10	3.8
Percentage of transfers resulting in pregnancies (%)	56.0	37.0	3 / 13	2 / 5	1 / 14
Percentage of transfers resulting in live births (%)	42.9	37.0	3 / 13	2 / 5	1 / 14
Percentage of transfers resulting in singleton live births (%)	36.9	37.0	1 / 13	2 / 5	1 / 14
Percentage of transfers resulting in twin live births (%)	6.0	0.0	2 / 13	0 / 5	0 / 14
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	28.6	37.0	0 / 13	1 / 5	1 / 14
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	50	29	20	6	9
	2	6	3	2	2
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	15	0	6	13	
Number of transfers	13	0	4	12	
Average number of embryos transferred	1.7		2.0	1.9	
Percentage of embryos transferred resulting in implantation (%)	33.3		3 / 8	26.1	
Percentage of transfers resulting in pregnancies (%)	6 / 13		2 / 4	5 / 12	
Percentage of transfers resulting in live births (%)	4 / 13		2 / 4	3 / 12	
Percentage of transfers resulting in singleton live births (%)	2 / 13		1 / 4	2 / 12	
Percentage of transfers resulting in twin live births (%)	2 / 13		1 / 4	1 / 12	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 13		1 / 4	1 / 12	

### CURRENT SERVICES & PROFILE

Current Name: The New Hope Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

# OVERLAKE REPRODUCTIVE HEALTH, INC., PS BELLEVUE, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Kevin M. Johnson, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	58%	Tubal factor	41%	Uterine factor	3%	Multiple Factors: Female factors only 33% Female & male factors 49%
Unstimulated	0%	PGD/PGS	78%	Ovulatory dysfunction	51%	Male factor	50%	
Used gestational carrier	0%			Diminished ovarian reserve	79%	Other factor	18%	
				Endometriosis	8%	Unknown factor	0%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 318  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	2	3	4	4	3
Percentage of cancellations before retrieval (%)	2 / 2	0 / 3	2 / 4	3 / 4	3 / 3
Number of transfers	0	0	0	0	0
Average number of embryos transferred					
Percentage of elective single embryo transfers (eSET) (%)					
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	0 / 2	0 / 3	0 / 4	0 / 4	0 / 3
Percentage of cycles resulting in live births (%)	0 / 2	0 / 3	0 / 4	0 / 4	0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 2	0 / 3	0 / 4	0 / 4	0 / 3
Percentage of cycles resulting in twin live births (%)	0 / 2	0 / 3	0 / 4	0 / 4	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 2	0 / 3	0 / 4	0 / 4	0 / 3
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)					
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	59	21	17	3	1
Number of transfers	57	18	15	3	0
Estimated average number of transfers per retrieval	0.7	0.5	0.5	0.2	0.0
Average number of embryos transferred	1.0	1.0	1.3	1.0	
Percentage of embryos transferred resulting in implantation (%)	71.9	10 / 17	75.0	3 / 3	
Percentage of transfers resulting in pregnancies (%)	75.4	11 / 18	13 / 15	3 / 3	
Percentage of transfers resulting in live births (%)	64.9	9 / 18	12 / 15	3 / 3	
Percentage of transfers resulting in singleton live births (%)	64.9	9 / 18	11 / 15	3 / 3	
Percentage of transfers resulting in twin live births (%)	0.0	0 / 18	1 / 15	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	54.4	7 / 18	7 / 15	3 / 3	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	83	33	32	13	15
	2	0	2	1	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	3	19	3	
Number of transfers	0	0	13	2	
Average number of embryos transferred			1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)			9 / 15	1 / 1	
Percentage of transfers resulting in pregnancies (%)			9 / 13	2 / 2	
Percentage of transfers resulting in live births (%)			8 / 13	1 / 2	
Percentage of transfers resulting in singleton live births (%)			8 / 13	1 / 2	
Percentage of transfers resulting in twin live births (%)			0 / 13	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)			6 / 13	1 / 2	

## CURRENT SERVICES & PROFILE

Current Name: Overlake Reproductive Health, Inc., PS

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WASHINGTON CENTER FOR REPRODUCTIVE MEDICINE BELLEVUE, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by James I. Kustin, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	91%	Tubal factor	8%	Uterine factor	2%	Multiple Factors: Female factors only 1% Female & male factors 4%
Unstimulated	0%	PGD/PGS	65%	Ovulatory dysfunction	4%	Male factor	9%	
Used gestational carrier	1%			Diminished ovarian reserve	7%	Other factor	66%	
				Endometriosis	1%	Unknown factor	7%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 211  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	18	17	13	3	3
Percentage of cancellations before retrieval (%)	1 / 18	0 / 17	0 / 13	0 / 3	0 / 3
Number of transfers	11	8	6	1	3
Average number of embryos transferred	2.0	2.0	1.7	2.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 10	0 / 6	0 / 3	0 / 1	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	7 / 18	1 / 17	2 / 13	1 / 3	1 / 3
Percentage of cycles resulting in live births (%)	6 / 18	1 / 17	2 / 13	1 / 3	0 / 3
Percentage of cycles resulting in singleton live births (%)	4 / 18	1 / 17	2 / 13	1 / 3	0 / 3
Percentage of cycles resulting in twin live births (%)	2 / 18	0 / 17	0 / 13	0 / 3	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 18	0 / 17	1 / 13	1 / 3	0 / 3
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	40.9	1 / 16	2 / 10	1 / 2	1 / 3
Percentage of transfers resulting in pregnancies (%)	7 / 11	1 / 8	2 / 6	1 / 1	1 / 3
Percentage of transfers resulting in live births (%)	6 / 11	1 / 8	2 / 6	1 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	4 / 11	1 / 8	2 / 6	1 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	2 / 11	0 / 8	0 / 6	0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 11	0 / 8	1 / 6	1 / 1	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	33	19	14	2	2
Number of transfers	22	14	11	2	2
Estimated average number of transfers per retrieval	0.6	0.6	1.1	0.4	0.4
Average number of embryos transferred	1.5	1.6	1.5	3.0	2.0
Percentage of embryos transferred resulting in implantation (%)	25.0	26.1	4 / 17	0 / 6	1 / 4
Percentage of transfers resulting in pregnancies (%)	31.8	5 / 14	3 / 11	0 / 2	1 / 2
Percentage of transfers resulting in live births (%)	27.3	4 / 14	3 / 11	0 / 2	1 / 2
Percentage of transfers resulting in singleton live births (%)	22.7	3 / 14	3 / 11	0 / 2	1 / 2
Percentage of transfers resulting in twin live births (%)	4.5	1 / 14	0 / 11	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	22.7	3 / 14	2 / 11	0 / 2	0 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	36	16	9	5	5
	1	0	0	1	1
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	2	0	13	0	
Number of transfers	1	0	10	0	
Average number of embryos transferred	2.0		2.0		
Percentage of embryos transferred resulting in implantation (%)	0 / 2		10.0		
Percentage of transfers resulting in pregnancies (%)	0 / 1		2 / 10		
Percentage of transfers resulting in live births (%)	0 / 1		1 / 10		
Percentage of transfers resulting in singleton live births (%)	0 / 1		1 / 10		
Percentage of transfers resulting in twin live births (%)	0 / 1		0 / 10		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 1		1 / 10		

## CURRENT SERVICES & PROFILE

Current Name: Washington Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# BELLINGHAM IVF & INFERTILITY CARE BELLINGHAM, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Emmett F. Branigan, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	90%	Tubal factor	10%	Uterine factor	9%	Multiple Factors: Female factors only 1% Female & male factors 72%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	27%	Male factor	93%	
Used gestational carrier	0%			Diminished ovarian reserve	29%	Other factor	9%	
				Endometriosis	4%	Unknown factor	5%	

2016 ART SUCCESS RATES <sup>c,d</sup>	Type of Cycle	Total number of cycles <sup>d</sup> : 83 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
		Age of Patient				
		<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>						
	Number of cycles	34	4	5	2	2
	Percentage of cancellations before retrieval (%)	2.9	0 / 4	0 / 5	0 / 2	0 / 2
	Number of transfers	31	4	5	2	2
	Average number of embryos transferred	1.9	2.0	2.0	2.0	2.0
	Percentage of elective single embryo transfers (eSET) (%)	3.3	0 / 4	0 / 5	0 / 2	0 / 2
<b>Outcomes per Cycle</b>						
	Percentage of cycles resulting in pregnancies (%)	50.0	2 / 4	1 / 5	0 / 2	0 / 2
	Percentage of cycles resulting in live births (%)	50.0	1 / 4	1 / 5	0 / 2	0 / 2
	Percentage of cycles resulting in singleton live births (%)	50.0	1 / 4	1 / 5	0 / 2	0 / 2
	Percentage of cycles resulting in twin live births (%)	0.0	0 / 4	0 / 5	0 / 2	0 / 2
	Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	38.2	1 / 4	1 / 5	0 / 2	0 / 2
<b>Outcomes per Transfer</b>						
	Percentage of embryos transferred resulting in implantation (%)	28.3	2 / 8	1 / 10	0 / 4	0 / 4
	Percentage of transfers resulting in pregnancies (%)	54.8	2 / 4	1 / 5	0 / 2	0 / 2
	Percentage of transfers resulting in live births (%)	54.8	1 / 4	1 / 5	0 / 2	0 / 2
	Percentage of transfers resulting in singleton live births (%)	54.8	1 / 4	1 / 5	0 / 2	0 / 2
	Percentage of transfers resulting in twin live births (%)	0.0	0 / 4	0 / 5	0 / 2	0 / 2
	Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	41.9	1 / 4	1 / 5	0 / 2	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>						
	Number of cycles	16	5	4	2	3
	Number of transfers	16	5	4	2	3
	Estimated average number of transfers per retrieval	1.6		1.3	2.0	3.0
	Average number of embryos transferred	1.9	1.8	2.0	2.0	2.3
	Percentage of embryos transferred resulting in implantation (%)	41.4	4 / 9	1 / 8	0 / 4	0 / 7
	Percentage of transfers resulting in pregnancies (%)	11 / 16	4 / 5	1 / 4	0 / 2	0 / 3
	Percentage of transfers resulting in live births (%)	10 / 16	3 / 5	1 / 4	0 / 2	0 / 3
	Percentage of transfers resulting in singleton live births (%)	8 / 16	3 / 5	1 / 4	0 / 2	0 / 3
	Percentage of transfers resulting in twin live births (%)	2 / 16	0 / 5	0 / 4	0 / 2	0 / 3
	Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4 / 16	2 / 5	1 / 4	0 / 2	0 / 3
<b>Number of Egg or Embryo Banking Cycles</b>						
	Number of fertility preservation cycles	1	0	0	0	0
		0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>		<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
	Number of cycles	3	0	2	0	
	Number of transfers	3	0	2	0	
	Average number of embryos transferred	2.0		2.0		
	Percentage of embryos transferred resulting in implantation (%)	2 / 6		0 / 4		
	Percentage of transfers resulting in pregnancies (%)	2 / 3		0 / 2		
	Percentage of transfers resulting in live births (%)	2 / 3		0 / 2		
	Percentage of transfers resulting in singleton live births (%)	2 / 3		0 / 2		
	Percentage of transfers resulting in twin live births (%)	0 / 3		0 / 2		
	Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 3		0 / 2		

CURRENT SERVICES & PROFILE		Current Name: Bellingham IVF & Infertility Care					
Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	No

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# POMA FERTILITY KIRKLAND, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Michael S. Opsahl, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	44%	Tubal factor	13%	Uterine factor	6%	Multiple Factors: Female factors only 11% Female & male factors 19%
Unstimulated	<1%	PGD/PGS	26%	Ovulatory dysfunction	7%	Male factor	35%	
Used gestational carrier	3%			Diminished ovarian reserve	28%	Other factor	21%	
				Endometriosis	10%	Unknown factor	13%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 487  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	70	44	27	2	4
Percentage of cancellations before retrieval (%)	7.1	2.3	14.8	0 / 2	0 / 4
Number of transfers	63	37	21	2	3
Average number of embryos transferred	1.5	2.1	2.4	3.5	2.3
Percentage of elective single embryo transfers (eSET) (%)	46.8	17.1	0 / 18	0 / 2	0 / 2
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	60.0	36.4	48.1	1 / 2	0 / 4
Percentage of cycles resulting in live births (%)	55.7	31.8	44.4	1 / 2	0 / 4
Percentage of cycles resulting in singleton live births (%)	40.0	27.3	29.6	1 / 2	0 / 4
Percentage of cycles resulting in twin live births (%)	15.7	2.3	14.8	0 / 2	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	31.4	25.0	22.2	1 / 2	0 / 4
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	56.8	27.8	41.2	1 / 7	0 / 7
Percentage of transfers resulting in pregnancies (%)	66.7	43.2	61.9	1 / 2	0 / 3
Percentage of transfers resulting in live births (%)	61.9	37.8	57.1	1 / 2	0 / 3
Percentage of transfers resulting in singleton live births (%)	44.4	32.4	38.1	1 / 2	0 / 3
Percentage of transfers resulting in twin live births (%)	17.5	2.7	19.0	0 / 2	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	34.9	29.7	28.6	1 / 2	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	59	42	39	11	5
Number of transfers	48	37	27	4	2
Estimated average number of transfers per retrieval	1.0	1.2	0.9	0.4	0.2
Average number of embryos transferred	1.3	1.1	1.3	2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	37.9	56.1	57.1	3 / 8	1 / 1
Percentage of transfers resulting in pregnancies (%)	47.9	54.1	59.3	2 / 4	2 / 2
Percentage of transfers resulting in live births (%)	39.6	45.9	44.4	2 / 4	1 / 2
Percentage of transfers resulting in singleton live births (%)	37.5	40.5	40.7	2 / 4	1 / 2
Percentage of transfers resulting in twin live births (%)	2.1	5.4	3.7	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	29.2	35.1	33.3	2 / 4	1 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	37	26	30	11	9
	5	2	3	1	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	20	16	31	3	
Number of transfers	12	10	29	3	
Average number of embryos transferred	1.1	1.7	1.3	2.7	
Percentage of embryos transferred resulting in implantation (%)	8 / 13	7 / 17	47.2	2 / 8	
Percentage of transfers resulting in pregnancies (%)	8 / 12	6 / 10	58.6	1 / 3	
Percentage of transfers resulting in live births (%)	8 / 12	6 / 10	44.8	1 / 3	
Percentage of transfers resulting in singleton live births (%)	8 / 12	5 / 10	37.9	1 / 3	
Percentage of transfers resulting in twin live births (%)	0 / 12	1 / 10	6.9	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	7 / 12	3 / 10	27.6	1 / 3	

## CURRENT SERVICES & PROFILE

Current Name: Poma Fertility

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# OLYMPIA WOMEN'S HEALTH OLYMPIA, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by James F. Moruzzi, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	12%	Tubal factor	42%	Uterine factor	0%	Multiple Factors: Female factors only 0% Female & male factors 18%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	10%	Male factor	22%	
Used gestational carrier	2%			Diminished ovarian reserve	30%	Other factor	4%	
				Endometriosis	6%	Unknown factor	4%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 53  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	17	6	4	2	2
Percentage of cancellations before retrieval (%)	0 / 17	0 / 6	0 / 4	0 / 2	0 / 2
Number of transfers	9	5	4	1	2
Average number of embryos transferred	1.9	1.8	2.0	3.0	2.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 8	0 / 4	0 / 3	0 / 1	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	2 / 17	2 / 6	1 / 4	0 / 2	0 / 2
Percentage of cycles resulting in live births (%)	2 / 17	2 / 6	0 / 4	0 / 2	0 / 2
Percentage of cycles resulting in singleton live births (%)	1 / 17	2 / 6	0 / 4	0 / 2	0 / 2
Percentage of cycles resulting in twin live births (%)	1 / 17	0 / 6	0 / 4	0 / 2	0 / 2
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 17	1 / 6	0 / 4	0 / 2	0 / 2
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	3 / 17	2 / 9	1 / 8	0 / 3	0 / 4
Percentage of transfers resulting in pregnancies (%)	2 / 9	2 / 5	1 / 4	0 / 1	0 / 2
Percentage of transfers resulting in live births (%)	2 / 9	2 / 5	0 / 4	0 / 1	0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 9	2 / 5	0 / 4	0 / 1	0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 5	0 / 4	0 / 1	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 9	1 / 5	0 / 4	0 / 1	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	11	1	0	2	0
Number of transfers	11	1	0	2	0
Estimated average number of transfers per retrieval	1.6			0.7	
Average number of embryos transferred	1.9	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	33.3	0 / 2		0 / 4	
Percentage of transfers resulting in pregnancies (%)	5 / 11	0 / 1		0 / 2	
Percentage of transfers resulting in live births (%)	4 / 11	0 / 1		0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 11	0 / 1		0 / 2	
Percentage of transfers resulting in twin live births (%)	1 / 11	0 / 1		0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 11	0 / 1		0 / 2	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	2	0	0	1	0
	0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	3	0	2	0	
Number of transfers	2	0	2	0	
Average number of embryos transferred	2.0		1.5		
Percentage of embryos transferred resulting in implantation (%)	0 / 4		3 / 3		
Percentage of transfers resulting in pregnancies (%)	0 / 2		1 / 2		
Percentage of transfers resulting in live births (%)	0 / 2		1 / 2		
Percentage of transfers resulting in singleton live births (%)	0 / 2		0 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 2		0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 2		0 / 2		

## CURRENT SERVICES & PROFILE

Current Name: Olympia Women's Health

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# PACIFIC NORTHWEST FERTILITY AND IVF SPECIALISTS SEATTLE, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Lorna A. Marshall, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	66%	Tubal factor	6%	Uterine factor	3%	Multiple Factors: Female factors only 3% Female & male factors 3%
Unstimulated	0%	PGD/PGS	37%	Ovulatory dysfunction	7%	Male factor	21%	
Used gestational carrier	3%			Diminished ovarian reserve	42%	Other factor	9%	
				Endometriosis	7%	Unknown factor	13%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 1,142  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	54	34	32	28	13
Percentage of cancellations before retrieval (%)	13.0	23.5	21.9	21.4	3 / 13
Number of transfers	16	6	5	5	1
Average number of embryos transferred	1.5	1.7	1.8	2.0	3.0
Percentage of elective single embryo transfers (eSET) (%)	5 / 13	0 / 4	0 / 4	0 / 4	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	13.0	8.8	3.1	3.6	0 / 13
Percentage of cycles resulting in live births (%)	11.1	5.9	0.0	3.6	0 / 13
Percentage of cycles resulting in singleton live births (%)	11.1	5.9	0.0	3.6	0 / 13
Percentage of cycles resulting in twin live births (%)	0.0	0.0	0.0	0.0	0 / 13
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	11.1	5.9	0.0	3.6	0 / 13
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	29.2	3 / 10	1 / 9	1 / 10	0 / 3
Percentage of transfers resulting in pregnancies (%)	7 / 16	3 / 6	1 / 5	1 / 5	0 / 1
Percentage of transfers resulting in live births (%)	6 / 16	2 / 6	0 / 5	1 / 5	0 / 1
Percentage of transfers resulting in singleton live births (%)	6 / 16	2 / 6	0 / 5	1 / 5	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 16	0 / 6	0 / 5	0 / 5	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	6 / 16	2 / 6	0 / 5	1 / 5	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	171	126	92	46	16
Number of transfers	158	121	80	41	10
Estimated average number of transfers per retrieval	1.3	1.2	0.8	0.7	0.3
Average number of embryos transferred	1.2	1.1	1.1	1.1	1.1
Percentage of embryos transferred resulting in implantation (%)	57.7	59.1	48.4	51.1	8 / 11
Percentage of transfers resulting in pregnancies (%)	62.7	63.6	53.8	58.5	8 / 10
Percentage of transfers resulting in live births (%)	53.8	56.2	46.3	51.2	7 / 10
Percentage of transfers resulting in singleton live births (%)	50.6	52.9	45.0	51.2	7 / 10
Percentage of transfers resulting in twin live births (%)	2.5	3.3	1.3	0.0	0 / 10
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	44.3	50.4	43.8	48.8	7 / 10
<b>Number of Egg or Embryo Banking Cycles</b>					
	98	88	88	55	30
Number of fertility preservation cycles	29	26	26	15	4
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	25	0	109	37	
Number of transfers	18	0	105	35	
Average number of embryos transferred	1.1		1.1	1.0	
Percentage of embryos transferred resulting in implantation (%)	16 / 19		63.1	52.8	
Percentage of transfers resulting in pregnancies (%)	15 / 18		63.8	51.4	
Percentage of transfers resulting in live births (%)	12 / 18		55.2	34.3	
Percentage of transfers resulting in singleton live births (%)	11 / 18		52.4	31.4	
Percentage of transfers resulting in twin live births (%)	1 / 18		2.9	2.9	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	9 / 18		44.8	28.6	

## CURRENT SERVICES & PROFILE

Current Name: Pacific Northwest Fertility and IVF Specialists

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SEATTLE REPRODUCTIVE MEDICINE SEATTLE, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Paul S. Dudley, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	61%	Tubal factor	11%	Uterine factor	3%	Multiple Factors: Female factors only 7% Female & male factors 12%
Unstimulated	<1%	PGD/PGS	15%	Ovulatory dysfunction	13%	Male factor	31%	
Used gestational carrier	<1%			Diminished ovarian reserve	31%	Other factor	11%	
				Endometriosis	7%	Unknown factor	14%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 2,765  
(includes 16 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	346	216	150	112	94
Percentage of cancellations before retrieval (%)	8.7	16.7	21.3	34.8	41.5
Number of transfers	266	159	91	57	29
Average number of embryos transferred	1.3	1.5	1.7	1.9	2.3
Percentage of elective single embryo transfers (eSET) (%)	64.5	38.5	12.7	4.5	0.0
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	40.5	35.2	25.3	12.5	3.2
Percentage of cycles resulting in live births (%)	35.8	31.0	16.7	6.3	1.1
Percentage of cycles resulting in singleton live births (%)	30.6	25.9	12.7	5.4	0.0
Percentage of cycles resulting in twin live births (%)	5.2	5.1	4.0	0.0	1.1
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	28.0	24.1	10.0	4.5	0.0
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	44.9	36.0	31.3	12.9	3.4
Percentage of transfers resulting in pregnancies (%)	52.6	47.8	41.8	24.6	10.3
Percentage of transfers resulting in live births (%)	46.6	42.1	27.5	12.3	3.4
Percentage of transfers resulting in singleton live births (%)	39.8	35.2	20.9	10.5	0.0
Percentage of transfers resulting in twin live births (%)	6.8	6.9	6.6	0.0	3.4
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	36.5	32.7	16.5	8.8	0.0
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	351	230	181	74	42
Number of transfers	310	208	156	61	31
Estimated average number of transfers per retrieval	0.9	1.3	0.9	0.7	0.5
Average number of embryos transferred	1.2	1.2	1.2	1.2	1.4
Percentage of embryos transferred resulting in implantation (%)	51.2	50.2	37.1	38.6	34.1
Percentage of transfers resulting in pregnancies (%)	57.7	54.8	43.6	50.8	45.2
Percentage of transfers resulting in live births (%)	48.7	48.1	34.0	37.7	38.7
Percentage of transfers resulting in singleton live births (%)	43.9	42.8	30.8	37.7	38.7
Percentage of transfers resulting in twin live births (%)	4.5	5.3	3.2	0.0	0.0
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	39.7	39.4	27.6	31.1	32.3
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	258	103	140	74	50
	61	36	43	18	9
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	37	129	98	64	
Number of transfers	32	112	89	59	
Average number of embryos transferred	1.2	1.4	1.2	1.4	
Percentage of embryos transferred resulting in implantation (%)	60.5	52.3	42.0	30.8	
Percentage of transfers resulting in pregnancies (%)	68.8	64.3	48.3	42.4	
Percentage of transfers resulting in live births (%)	56.3	52.7	41.6	39.0	
Percentage of transfers resulting in singleton live births (%)	50.0	45.5	39.3	39.0	
Percentage of transfers resulting in twin live births (%)	6.3	7.1	2.2	0.0	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	46.9	33.9	36.0	30.5	

## CURRENT SERVICES & PROFILE

Current Name: Seattle Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SOUND FERTILITY CARE, PLLC SEATTLE, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Kathleen Lin, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	47%	Tubal factor	13%	Uterine factor	6%	Multiple Factors: Female factors only 15% Female & male factors 16%
Unstimulated	0%	PGD/PGS	38%	Ovulatory dysfunction	9%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	51%	Other factor	15%	
				Endometriosis	7%	Unknown factor	9%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 106  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	7	7	3	0	3
Percentage of cancellations before retrieval (%)	0 / 7	2 / 7	0 / 3		1 / 3
Number of transfers	3	4	2	0	1
Average number of embryos transferred	2.0	1.8	3.0		4.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 3	0 / 3	0 / 2		0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	1 / 7	4 / 7	0 / 3		1 / 3
Percentage of cycles resulting in live births (%)	1 / 7	4 / 7	0 / 3		0 / 3
Percentage of cycles resulting in singleton live births (%)	0 / 7	4 / 7	0 / 3		0 / 3
Percentage of cycles resulting in twin live births (%)	1 / 7	0 / 7	0 / 3		0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 7	4 / 7	0 / 3		0 / 3
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	2 / 6	4 / 7	0 / 6		1 / 4
Percentage of transfers resulting in pregnancies (%)	1 / 3	4 / 4	0 / 2		1 / 1
Percentage of transfers resulting in live births (%)	1 / 3	4 / 4	0 / 2		0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 3	4 / 4	0 / 2		0 / 1
Percentage of transfers resulting in twin live births (%)	1 / 3	0 / 4	0 / 2		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 3	4 / 4	0 / 2		0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	8	3	4	11	2
Number of transfers	8	2	2	4	2
Estimated average number of transfers per retrieval	0.8	0.2	0.1	0.3	0.5
Average number of embryos transferred	1.1	1.0	1.5	1.3	1.0
Percentage of embryos transferred resulting in implantation (%)	7 / 8	0 / 1	0 / 3	1 / 5	2 / 2
Percentage of transfers resulting in pregnancies (%)	7 / 8	1 / 2	0 / 2	1 / 4	2 / 2
Percentage of transfers resulting in live births (%)	5 / 8	0 / 2	0 / 2	1 / 4	2 / 2
Percentage of transfers resulting in singleton live births (%)	4 / 8	0 / 2	0 / 2	1 / 4	2 / 2
Percentage of transfers resulting in twin live births (%)	1 / 8	0 / 2	0 / 2	0 / 4	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4 / 8	0 / 2	0 / 2	1 / 4	2 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	8	9	15	15	4
	1	4	2	5	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	2	0	4	0	
Number of transfers	2	0	3	0	
Average number of embryos transferred	2.0		1.3		
Percentage of embryos transferred resulting in implantation (%)	3 / 4		1 / 4		
Percentage of transfers resulting in pregnancies (%)	2 / 2		1 / 3		
Percentage of transfers resulting in live births (%)	2 / 2		1 / 3		
Percentage of transfers resulting in singleton live births (%)	1 / 2		1 / 3		
Percentage of transfers resulting in twin live births (%)	1 / 2		0 / 3		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 2		0 / 3		

## CURRENT SERVICES & PROFILE

Current Name: Sound Fertility Care, PLLC

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**UNIVERSITY REPRODUCTIVE CARE  
UNIVERSITY OF WASHINGTON  
SEATTLE, WASHINGTON**

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

**2016 ART CYCLE PROFILE**

Data verified by Genevieve S. Neal-Perry, MD, PhD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	62%	Tubal factor	38%	Uterine factor	7%	Multiple Factors: Female factors only 15% Female & male factors 48%
Unstimulated	0%	PGD/PGS	10%	Ovulatory dysfunction	15%	Male factor	64%	
Used gestational carrier	5%			Diminished ovarian reserve	35%	Other factor	16%	
				Endometriosis	4%	Unknown factor	9%	

**2016 ART SUCCESS RATES<sup>c,d</sup>**

Total number of cycles<sup>d</sup>: 139  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	29	10	10	1	6
Percentage of cancellations before retrieval (%)	10.3	3 / 10	1 / 10	1 / 1	2 / 6
Number of transfers	11	4	5	0	0
Average number of embryos transferred	1.3	1.8	1.8		
Percentage of elective single embryo transfers (eSET) (%)	2 / 5	1 / 4	1 / 4		
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	13.8	1 / 10	2 / 10	0 / 1	0 / 6
Percentage of cycles resulting in live births (%)	10.3	1 / 10	1 / 10	0 / 1	0 / 6
Percentage of cycles resulting in singleton live births (%)	10.3	1 / 10	0 / 10	0 / 1	0 / 6
Percentage of cycles resulting in twin live births (%)	0.0	0 / 10	1 / 10	0 / 1	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	10.3	1 / 10	0 / 10	0 / 1	0 / 6
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	4 / 14	1 / 7	3 / 9		
Percentage of transfers resulting in pregnancies (%)	4 / 11	1 / 4	2 / 5		
Percentage of transfers resulting in live births (%)	3 / 11	1 / 4	1 / 5		
Percentage of transfers resulting in singleton live births (%)	3 / 11	1 / 4	0 / 5		
Percentage of transfers resulting in twin live births (%)	0 / 11	0 / 4	1 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 11	1 / 4	0 / 5		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	15	11	7	5	0
Number of transfers	11	9	6	3	0
Estimated average number of transfers per retrieval	0.6	0.5	0.5	1.5	0.0
Average number of embryos transferred	1.2	1.0	1.2	1.7	
Percentage of embryos transferred resulting in implantation (%)	10 / 13	2 / 8	2 / 7	3 / 5	
Percentage of transfers resulting in pregnancies (%)	8 / 11	3 / 9	2 / 6	2 / 3	
Percentage of transfers resulting in live births (%)	7 / 11	1 / 9	1 / 6	2 / 3	
Percentage of transfers resulting in singleton live births (%)	5 / 11	1 / 9	1 / 6	2 / 3	
Percentage of transfers resulting in twin live births (%)	2 / 11	0 / 9	0 / 6	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4 / 11	0 / 9	0 / 6	1 / 3	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	9	18	13	2	3
	2	4	2	2	2
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)					

**CURRENT SERVICES & PROFILE**

Current Name: University Reproductive Care, University of Washington

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# THE CENTER FOR REPRODUCTIVE HEALTH SPOKANE, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Edwin D. Robins, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	65%	Tubal factor	10%	Uterine factor	<1%	Multiple Factors: Female factors only 7% Female & male factors 26%
Unstimulated	0%	PGD/PGS	32%	Ovulatory dysfunction	9%	Male factor	61%	
Used gestational carrier	2%			Diminished ovarian reserve	31%	Other factor	11%	
				Endometriosis	2%	Unknown factor	12%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 237  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	32	15	5	2	6
Percentage of cancellations before retrieval (%)	18.8	6 / 15	1 / 5	0 / 2	4 / 6
Number of transfers	12	3	1	0	0
Average number of embryos transferred	1.4	1.7	2.0		
Percentage of elective single embryo transfers (eSET) (%)	6 / 11	1 / 3	0 / 1		
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	28.1	3 / 15	1 / 5	0 / 2	0 / 6
Percentage of cycles resulting in live births (%)	21.9	3 / 15	1 / 5	0 / 2	0 / 6
Percentage of cycles resulting in singleton live births (%)	18.8	3 / 15	1 / 5	0 / 2	0 / 6
Percentage of cycles resulting in twin live births (%)	3.1	0 / 15	0 / 5	0 / 2	0 / 6
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	15.6	3 / 15	1 / 5	0 / 2	0 / 6
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	11 / 17	3 / 5	1 / 2		
Percentage of transfers resulting in pregnancies (%)	9 / 12	3 / 3	1 / 1		
Percentage of transfers resulting in live births (%)	7 / 12	3 / 3	1 / 1		
Percentage of transfers resulting in singleton live births (%)	6 / 12	3 / 3	1 / 1		
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 3	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	5 / 12	3 / 3	1 / 1		
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	65	26	12	0	1
Number of transfers	64	26	12	0	1
Estimated average number of transfers per retrieval	1.7	1.6	1.7		0.1
Average number of embryos transferred	1.3	1.3	1.3		1.0
Percentage of embryos transferred resulting in implantation (%)	59.5	68.8	10 / 16		0 / 1
Percentage of transfers resulting in pregnancies (%)	65.6	73.1	10 / 12		0 / 1
Percentage of transfers resulting in live births (%)	54.7	61.5	7 / 12		0 / 1
Percentage of transfers resulting in singleton live births (%)	43.8	50.0	7 / 12		0 / 1
Percentage of transfers resulting in twin live births (%)	9.4	11.5	0 / 12		0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	34.4	38.5	7 / 12		0 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	29	14	5	0	4
	2	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	1	20	0	
Number of transfers	0	1	20	0	
Average number of embryos transferred		2.0	1.3		
Percentage of embryos transferred resulting in implantation (%)		0 / 2	73.1		
Percentage of transfers resulting in pregnancies (%)		0 / 1	80.0		
Percentage of transfers resulting in live births (%)		0 / 1	65.0		
Percentage of transfers resulting in singleton live births (%)		0 / 1	60.0		
Percentage of transfers resulting in twin live births (%)		0 / 1	5.0		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		0 / 1	45.0		

## CURRENT SERVICES & PROFILE

Current Name: The Center for Reproductive Health

Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# SRM SPOKANE SPOKANE VALLEY, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Brenda S. Houmar, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	68%	Tubal factor	19%	Uterine factor	<1%	Multiple Factors: Female factors only 2% Female & male factors 10%
Unstimulated	0%	PGD/PGS	7%	Ovulatory dysfunction	18%	Male factor	33%	
Used gestational carrier	0%			Diminished ovarian reserve	15%	Other factor	6%	
				Endometriosis	6%	Unknown factor	15%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 220  
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	40	24	14	9	5
Percentage of cancellations before retrieval (%)	5.0	4.2	1 / 14	4 / 9	3 / 5
Number of transfers	22	19	12	3	2
Average number of embryos transferred	1.1	1.8	1.7	2.0	1.0
Percentage of elective single embryo transfers (eSET) (%)	86.4	4 / 18	0 / 8	0 / 2	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	25.0	12.5	1 / 14	0 / 9	0 / 5
Percentage of cycles resulting in live births (%)	12.5	8.3	1 / 14	0 / 9	0 / 5
Percentage of cycles resulting in singleton live births (%)	10.0	4.2	1 / 14	0 / 9	0 / 5
Percentage of cycles resulting in twin live births (%)	2.5	4.2	0 / 14	0 / 9	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	7.5	0.0	1 / 14	0 / 9	0 / 5
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	38.1	14.3	5.0	0 / 6	0 / 2
Percentage of transfers resulting in pregnancies (%)	45.5	3 / 19	1 / 12	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	22.7	2 / 19	1 / 12	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	18.2	1 / 19	1 / 12	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	4.5	1 / 19	0 / 12	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	13.6	0 / 19	1 / 12	0 / 3	0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	40	15	6	3	0
Number of transfers	39	12	5	2	0
Estimated average number of transfers per retrieval	1.0	1.7	0.7	0.7	0.0
Average number of embryos transferred	1.3	1.3	1.0	1.0	
Percentage of embryos transferred resulting in implantation (%)	39.1	6 / 11	3 / 5	0 / 2	
Percentage of transfers resulting in pregnancies (%)	43.6	7 / 12	3 / 5	0 / 2	
Percentage of transfers resulting in live births (%)	33.3	4 / 12	3 / 5	0 / 2	
Percentage of transfers resulting in singleton live births (%)	20.5	2 / 12	3 / 5	0 / 2	
Percentage of transfers resulting in twin live births (%)	12.8	2 / 12	0 / 5	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	20.5	2 / 12	3 / 5	0 / 2	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	21	1	6	3	1
	3	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	3	20	4	2	
Number of transfers	2	15	4	2	
Average number of embryos transferred	1.5	1.1	1.0	1.5	
Percentage of embryos transferred resulting in implantation (%)	1 / 3	7 / 17	3 / 4	2 / 3	
Percentage of transfers resulting in pregnancies (%)	1 / 2	7 / 15	3 / 4	2 / 2	
Percentage of transfers resulting in live births (%)	1 / 2	5 / 15	3 / 4	2 / 2	
Percentage of transfers resulting in singleton live births (%)	1 / 2	5 / 15	3 / 4	2 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 2	0 / 15	0 / 4	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 2	4 / 15	3 / 4	1 / 2	

## CURRENT SERVICES & PROFILE

Current Name: SRM Spokane

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

**GYFT CLINIC, PLLC  
TACOMA, WASHINGTON**

---

This clinic provided ART services during 2016 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2016 ART cycle data or the clinic's Medical Director did not approve the clinic's 2016 ART cycle data for inclusion in this report.

## MADIGAN ARMY MEDICAL CENTER TACOMA, WASHINGTON

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Ronald D. Beesley, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	56%	Tubal factor	24%	Uterine factor	8%	Multiple Factors: Female factors only 8% Female & male factors 14%
Unstimulated	0%	PGD/PGS	<1%	Ovulatory dysfunction	14%	Male factor	34%	
Used gestational carrier	0%			Diminished ovarian reserve	20%	Other factor	7%	
				Endometriosis	12%	Unknown factor	8%	

2016 ART SUCCESS RATES <sup>c,d</sup>	Total number of cycles <sup>d</sup> : 155 (includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)				
	Type of Cycle	Age of Patient			
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	62	17	25	13	1
Percentage of cancellations before retrieval (%)	6.5	1 / 17	12.0	1 / 13	1 / 1
Number of transfers	52	14	22	8	0
Average number of embryos transferred	1.5	2.1	2.0	2.3	
Percentage of elective single embryo transfers (eSET) (%)	48.9	0 / 12	1 / 19	0 / 7	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	46.8	8 / 17	32.0	4 / 13	0 / 1
Percentage of cycles resulting in live births (%)	41.9	8 / 17	20.0	2 / 13	0 / 1
Percentage of cycles resulting in singleton live births (%)	27.4	6 / 17	16.0	1 / 13	0 / 1
Percentage of cycles resulting in twin live births (%)	14.5	2 / 17	4.0	1 / 13	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	25.8	5 / 17	12.0	1 / 13	0 / 1
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	49.3	33.3	18.6	6 / 18	
Percentage of transfers resulting in pregnancies (%)	55.8	8 / 14	36.4	4 / 8	
Percentage of transfers resulting in live births (%)	50.0	8 / 14	22.7	2 / 8	
Percentage of transfers resulting in singleton live births (%)	32.7	6 / 14	18.2	1 / 8	
Percentage of transfers resulting in twin live births (%)	17.3	2 / 14	4.5	1 / 8	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	30.8	5 / 14	13.6	1 / 8	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	23	7	5	1	0
Number of transfers	20	7	5	1	0
Estimated average number of transfers per retrieval	1.8	1.8	5.0	0.5	
Average number of embryos transferred	1.7	1.7	1.6	2.0	
Percentage of embryos transferred resulting in implantation (%)	45.5	5 / 11	3 / 8	0 / 2	
Percentage of transfers resulting in pregnancies (%)	60.0	4 / 7	3 / 5	0 / 1	
Percentage of transfers resulting in live births (%)	55.0	2 / 7	3 / 5	0 / 1	
Percentage of transfers resulting in singleton live births (%)	45.0	1 / 7	3 / 5	0 / 1	
Percentage of transfers resulting in twin live births (%)	10.0	0 / 7	0 / 5	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	35.0	1 / 7	3 / 5	0 / 1	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	0	0	0	
Number of transfers	0	0	0	0	
Average number of embryos transferred					
Percentage of embryos transferred resulting in implantation (%)					
Percentage of transfers resulting in pregnancies (%)					
Percentage of transfers resulting in live births (%)					
Percentage of transfers resulting in singleton live births (%)					
Percentage of transfers resulting in twin live births (%)					
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)					

CURRENT SERVICES & PROFILE		Current Name: Madigan Army Medical Center					
Donor eggs?	No	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WEST VIRGINIA UNIVERSITY FERTILITY CENTER CHARLESTON, WEST VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

2016 ART CYCLE PROFILE				Data verified by Pickens A. Gantt, MD				
Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	100%	Tubal factor	13%	Uterine factor	5%	
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	26%	Male factor	23%	
Used gestational carrier	0%			Diminished ovarian reserve	41%	Other factor	8%	
				Endometriosis	0%	Unknown factor	8%	
				Multiple Factors:				
				Female factors only				13%
				Female & male factors				10%

2016 ART SUCCESS RATES <sup>c,d</sup>		Total number of cycles <sup>d</sup> : 40 (includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)				
Type of Cycle	Age of Patient					
	<35	35–37	38–40	41–42	>42	
<b>Fresh Embryos from Fresh Nondonor Eggs</b>						
Number of cycles	9	1	2	1	2	
Percentage of cancellations before retrieval (%)	0 / 9	0 / 1	0 / 2	0 / 1	0 / 2	
Number of transfers	8	1	1	1	2	
Average number of embryos transferred	1.9	1.0	2.0	2.0	2.5	
Percentage of elective single embryo transfers (eSET) (%)	0 / 7		0 / 1	0 / 1	0 / 2	
<b>Outcomes per Cycle</b>						
Percentage of cycles resulting in pregnancies (%)	4 / 9	0 / 1	1 / 2	1 / 1	0 / 2	
Percentage of cycles resulting in live births (%)	3 / 9	0 / 1	0 / 2	1 / 1	0 / 2	
Percentage of cycles resulting in singleton live births (%)	3 / 9	0 / 1	0 / 2	1 / 1	0 / 2	
Percentage of cycles resulting in twin live births (%)	0 / 9	0 / 1	0 / 2	0 / 1	0 / 2	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 9	0 / 1	0 / 2	0 / 1	0 / 2	
<b>Outcomes per Transfer</b>						
Percentage of embryos transferred resulting in implantation (%)	4 / 15	0 / 1	1 / 2	1 / 2	0 / 5	
Percentage of transfers resulting in pregnancies (%)	4 / 8	0 / 1	1 / 1	1 / 1	0 / 2	
Percentage of transfers resulting in live births (%)	3 / 8	0 / 1	0 / 1	1 / 1	0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 8	0 / 1	0 / 1	1 / 1	0 / 2	
Percentage of transfers resulting in twin live births (%)	0 / 8	0 / 1	0 / 1	0 / 1	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 8	0 / 1	0 / 1	0 / 1	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>						
Number of cycles	11	2	1	1	0	
Number of transfers	9	2	0	1	0	
Estimated average number of transfers per retrieval	3.0	2.0				
Average number of embryos transferred	2.2	1.0		2.0		
Percentage of embryos transferred resulting in implantation (%)	15.0	0 / 2		0 / 2		
Percentage of transfers resulting in pregnancies (%)	3 / 9	0 / 2		0 / 1		
Percentage of transfers resulting in live births (%)	3 / 9	0 / 2		0 / 1		
Percentage of transfers resulting in singleton live births (%)	3 / 9	0 / 2		0 / 1		
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 2		0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 9	0 / 2		0 / 1		
<b>Number of Egg or Embryo Banking Cycles</b>						
Number of fertility preservation cycles	1	0	0	0	0	
	1	0	0	0	0	
<b>Donor Eggs<sup>f</sup></b>						
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>		
Number of cycles	4	0	5	0		
Number of transfers	4	0	5	0		
Average number of embryos transferred	2.3		1.8			
Percentage of embryos transferred resulting in implantation (%)	2 / 9		1 / 9			
Percentage of transfers resulting in pregnancies (%)	2 / 4		1 / 5			
Percentage of transfers resulting in live births (%)	1 / 4		0 / 5			
Percentage of transfers resulting in singleton live births (%)	1 / 4		0 / 5			
Percentage of transfers resulting in twin live births (%)	0 / 4		0 / 5			
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 4		0 / 5			

CURRENT SERVICES & PROFILE		Current Name: West Virginia University Fertility Center	
Donor eggs?	Yes	Embryo cryopreservation?	Yes
Donor embryos?	No	Egg cryopreservation?	No
		Single women?	Yes
		Gestational carriers?	Yes
		SART member?	No
		Verified lab accreditation?	No

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.  
<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.  
<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.  
<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.  
<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).  
<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# CABELL HUNTINGTON HOSPITAL CENTER FOR ADVANCED REPRODUCTIVE MEDICINE HUNTINGTON, WEST VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by William N. Burns, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	71%	Tubal factor	9%	Uterine factor	0%	Multiple Factors: Female factors only 11% Female & male factors 0%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	9%	Male factor	26%	
Used gestational carrier	0%			Diminished ovarian reserve	17%	Other factor	29%	
				Endometriosis	23%	Unknown factor	0%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 35  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	9	5	3	2	1
Percentage of cancellations before retrieval (%)	0 / 9	0 / 5	0 / 3	0 / 2	0 / 1
Number of transfers	8	5	3	2	0
Average number of embryos transferred	2.3	2.0	4.3	3.0	
Percentage of elective single embryo transfers (eSET) (%)	0 / 8	0 / 4	0 / 3	0 / 2	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	6 / 9	3 / 5	3 / 3	0 / 2	0 / 1
Percentage of cycles resulting in live births (%)	6 / 9	2 / 5	2 / 3	0 / 2	0 / 1
Percentage of cycles resulting in singleton live births (%)	3 / 9	2 / 5	2 / 3	0 / 2	0 / 1
Percentage of cycles resulting in twin live births (%)	2 / 9	0 / 5	0 / 3	0 / 2	0 / 1
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 9	2 / 5	1 / 3	0 / 2	0 / 1
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	10 / 18	4 / 10	4 / 13	0 / 6	
Percentage of transfers resulting in pregnancies (%)	6 / 8	3 / 5	3 / 3	0 / 2	
Percentage of transfers resulting in live births (%)	6 / 8	2 / 5	2 / 3	0 / 2	
Percentage of transfers resulting in singleton live births (%)	3 / 8	2 / 5	2 / 3	0 / 2	
Percentage of transfers resulting in twin live births (%)	2 / 8	0 / 5	0 / 3	0 / 2	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 8	2 / 5	1 / 3	0 / 2	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	5	1	0	1	1
Number of transfers	5	1	0	1	1
Estimated average number of transfers per retrieval	5.0				1.0
Average number of embryos transferred	1.8	1.0		2.0	1.0
Percentage of embryos transferred resulting in implantation (%)	0 / 9	0 / 1		2 / 2	0 / 1
Percentage of transfers resulting in pregnancies (%)	0 / 5	0 / 1		1 / 1	0 / 1
Percentage of transfers resulting in live births (%)	0 / 5	0 / 1		0 / 1	0 / 1
Percentage of transfers resulting in singleton live births (%)	0 / 5	0 / 1		0 / 1	0 / 1
Percentage of transfers resulting in twin live births (%)	0 / 5	0 / 1		0 / 1	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 5	0 / 1		0 / 1	0 / 1
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	0	0	0	0	0
	0	0	0	0	0
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
<b>Donor Eggs<sup>f</sup></b>					
Number of cycles	4	1	2	0	
Number of transfers	4	1	2	0	
Average number of embryos transferred	2.0	3.0	1.5		
Percentage of embryos transferred resulting in implantation (%)	1 / 8	0 / 3	1 / 3		
Percentage of transfers resulting in pregnancies (%)	1 / 4	0 / 1	1 / 2		
Percentage of transfers resulting in live births (%)	1 / 4	0 / 1	1 / 2		
Percentage of transfers resulting in singleton live births (%)	1 / 4	0 / 1	1 / 2		
Percentage of transfers resulting in twin live births (%)	0 / 4	0 / 1	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 4	0 / 1	1 / 2		

## CURRENT SERVICES & PROFILE

Current Name: Cabell Huntington Hospital, Center for Advanced Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	No
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WEST VIRGINIA UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE MORGANTOWN, WEST VIRGINIA

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Gary M. Horowitz, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	76%	Tubal factor	18%	Uterine factor	11%	Multiple Factors: Female factors only 14% Female & male factors 52%
Unstimulated	0%	PGD/PGS	8%	Ovulatory dysfunction	16%	Male factor	69%	
Used gestational carrier	0%			Diminished ovarian reserve	26%	Other factor	25%	
				Endometriosis	17%	Unknown factor	0%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 136  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	51	16	11	3	0
Percentage of cancellations before retrieval (%)	3.9	2 / 16	2 / 11	1 / 3	
Number of transfers	38	12	8	1	0
Average number of embryos transferred	1.8	1.7	1.9	2.0	
Percentage of elective single embryo transfers (eSET) (%)	12.9	1 / 8	1 / 7	0 / 1	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	27.5	3 / 16	2 / 11	1 / 3	
Percentage of cycles resulting in live births (%)	27.5	3 / 16	1 / 11	1 / 3	
Percentage of cycles resulting in singleton live births (%)	23.5	3 / 16	1 / 11	1 / 3	
Percentage of cycles resulting in twin live births (%)	3.9	0 / 16	0 / 11	0 / 3	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	17.6	1 / 16	1 / 11	1 / 3	
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	24.6	15.0	1 / 13	1 / 2	
Percentage of transfers resulting in pregnancies (%)	36.8	3 / 12	2 / 8	1 / 1	
Percentage of transfers resulting in live births (%)	36.8	3 / 12	1 / 8	1 / 1	
Percentage of transfers resulting in singleton live births (%)	31.6	3 / 12	1 / 8	1 / 1	
Percentage of transfers resulting in twin live births (%)	5.3	0 / 12	0 / 8	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	23.7	1 / 12	1 / 8	1 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	24	7	2	0	0
Number of transfers	21	6	1	0	0
Estimated average number of transfers per retrieval	1.2	0.8	0.5		
Average number of embryos transferred	1.4	1.3	1.0		
Percentage of embryos transferred resulting in implantation (%)	23.3	3 / 8	1 / 1		
Percentage of transfers resulting in pregnancies (%)	23.8	3 / 6	1 / 1		
Percentage of transfers resulting in live births (%)	19.0	3 / 6	1 / 1		
Percentage of transfers resulting in singleton live births (%)	9.5	3 / 6	1 / 1		
Percentage of transfers resulting in twin live births (%)	9.5	0 / 6	0 / 1		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4.8	2 / 6	0 / 1		
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	4	8	2	0	0
	3	1	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	4	2	1	1	
Number of transfers	3	2	0	1	
Average number of embryos transferred	1.7	1.5		1.0	
Percentage of embryos transferred resulting in implantation (%)	0 / 5	0 / 3		1 / 1	
Percentage of transfers resulting in pregnancies (%)	0 / 3	0 / 2		1 / 1	
Percentage of transfers resulting in live births (%)	0 / 3	0 / 2		1 / 1	
Percentage of transfers resulting in singleton live births (%)	0 / 3	0 / 2		1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3	0 / 2		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	0 / 3	0 / 2		1 / 1	

## CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.  
Current Name: West Virginia University Center for Reproductive Medicine

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# AURORA HEALTH CARE-AURORA FERTILITY SERVICES THE WOMEN'S CENTER AT AURORA BAYCARE MEDICAL CENTER GREEN BAY, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Estil Y. Strawn, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	83%	Tubal factor	13%	Uterine factor	5%	Multiple Factors: Female factors only 9% Female & male factors 51%
Unstimulated	0%	PGD/PGS	16%	Ovulatory dysfunction	31%	Male factor	68%	
Used gestational carrier	1%			Diminished ovarian reserve	10%	Other factor	47%	
				Endometriosis	7%	Unknown factor	3%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 181  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	54	11	4	1	0
Percentage of cancellations before retrieval (%)	11.1	2 / 11	1 / 4	0 / 1	
Number of transfers	39	5	3	1	0
Average number of embryos transferred	1.7	1.8	2.0	2.0	
Percentage of elective single embryo transfers (eSET) (%)	14.7	0 / 4	0 / 3	0 / 1	
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	42.6	3 / 11	2 / 4	1 / 1	
Percentage of cycles resulting in live births (%)	40.7	3 / 11	1 / 4	1 / 1	
Percentage of cycles resulting in singleton live births (%)	27.8	3 / 11	1 / 4	1 / 1	
Percentage of cycles resulting in twin live births (%)	13.0	0 / 11	0 / 4	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	25.9	2 / 11	1 / 4	0 / 1	
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	45.6	5 / 9	2 / 6	1 / 2	
Percentage of transfers resulting in pregnancies (%)	59.0	3 / 5	2 / 3	1 / 1	
Percentage of transfers resulting in live births (%)	56.4	3 / 5	1 / 3	1 / 1	
Percentage of transfers resulting in singleton live births (%)	38.5	3 / 5	1 / 3	1 / 1	
Percentage of transfers resulting in twin live births (%)	17.9	0 / 5	0 / 3	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	35.9	2 / 5	1 / 3	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	44	18	11	1	0
Number of transfers	41	17	11	1	0
Estimated average number of transfers per retrieval	2.0	1.3	1.2		
Average number of embryos transferred	1.4	1.2	1.2	1.0	
Percentage of embryos transferred resulting in implantation (%)	58.9	52.4	8 / 13	0 / 1	
Percentage of transfers resulting in pregnancies (%)	68.3	9 / 17	8 / 11	0 / 1	
Percentage of transfers resulting in live births (%)	56.1	9 / 17	6 / 11	0 / 1	
Percentage of transfers resulting in singleton live births (%)	39.0	7 / 17	6 / 11	0 / 1	
Percentage of transfers resulting in twin live births (%)	17.1	2 / 17	0 / 11	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	31.7	6 / 17	4 / 11	0 / 1	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	9	10	8	0	0
	1	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	5	0	4	1	
Number of transfers	3	0	4	1	
Average number of embryos transferred	1.3		1.8	1.0	
Percentage of embryos transferred resulting in implantation (%)	2 / 4		5 / 7	1 / 1	
Percentage of transfers resulting in pregnancies (%)	2 / 3		4 / 4	1 / 1	
Percentage of transfers resulting in live births (%)	1 / 3		4 / 4	1 / 1	
Percentage of transfers resulting in singleton live births (%)	1 / 3		3 / 4	1 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3		1 / 4	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 3		1 / 4	1 / 1	

## CURRENT SERVICES & PROFILE

Current Name: Aurora Health Care-Aurora Fertility Services,  
The Women's Center at Aurora BayCare Medical Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# FROEDTERT & MEDICAL COLLEGE OF WISCONSIN REPRODUCTIVE MEDICINE CENTER MENOMONEE FALLS, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Katherine Schoyer, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	82%	Tubal factor	17%	Uterine factor	<1%	Multiple Factors: Female factors only 8% Female & male factors 13%
Unstimulated	<1%	PGD/PGS	8%	Ovulatory dysfunction	20%	Male factor	40%	
Used gestational carrier	<1%			Diminished ovarian reserve	25%	Other factor	6%	
				Endometriosis	7%	Unknown factor	8%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 573  
(includes 3 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	102	67	39	6	5
Percentage of cancellations before retrieval (%)	2.0	6.0	7.7	2 / 6	1 / 5
Number of transfers	73	44	22	3	1
Average number of embryos transferred	1.4	1.6	2.0	2.7	2.0
Percentage of elective single embryo transfers (eSET) (%)	57.4	31.4	0 / 17	0 / 3	0 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	31.4	25.4	17.9	1 / 6	0 / 5
Percentage of cycles resulting in live births (%)	30.4	20.9	17.9	1 / 6	0 / 5
Percentage of cycles resulting in singleton live births (%)	26.5	17.9	15.4	1 / 6	0 / 5
Percentage of cycles resulting in twin live births (%)	3.9	3.0	2.6	0 / 6	0 / 5
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	25.5	11.9	15.4	1 / 6	0 / 5
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	35.3	26.8	17.8	1 / 8	0 / 2
Percentage of transfers resulting in pregnancies (%)	43.8	38.6	31.8	1 / 3	0 / 1
Percentage of transfers resulting in live births (%)	42.5	31.8	31.8	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births (%)	37.0	27.3	27.3	1 / 3	0 / 1
Percentage of transfers resulting in twin live births (%)	5.5	4.5	4.5	0 / 3	0 / 1
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	35.6	18.2	27.3	1 / 3	0 / 1
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	140	66	40	3	4
Number of transfers	132	62	39	2	2
Estimated average number of transfers per retrieval	2.0	1.7	1.2		2.0
Average number of embryos transferred	1.3	1.4	1.5	1.5	1.0
Percentage of embryos transferred resulting in implantation (%)	48.9	32.2	30.5	0 / 3	1 / 2
Percentage of transfers resulting in pregnancies (%)	52.3	37.1	30.8	0 / 2	1 / 2
Percentage of transfers resulting in live births (%)	44.7	32.3	23.1	0 / 2	1 / 2
Percentage of transfers resulting in singleton live births (%)	37.1	30.6	12.8	0 / 2	1 / 2
Percentage of transfers resulting in twin live births (%)	7.6	1.6	10.3	0 / 2	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	31.8	25.8	7.7	0 / 2	0 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	25	9	14	0	1
	8	1	2	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	12	13	19	5	
Number of transfers	11	9	16	4	
Average number of embryos transferred	1.1	1.9	1.3	2.0	
Percentage of embryos transferred resulting in implantation (%)	5 / 12	3 / 17	28.6	2 / 8	
Percentage of transfers resulting in pregnancies (%)	5 / 11	2 / 9	5 / 16	2 / 4	
Percentage of transfers resulting in live births (%)	5 / 11	2 / 9	5 / 16	2 / 4	
Percentage of transfers resulting in singleton live births (%)	5 / 11	1 / 9	4 / 16	2 / 4	
Percentage of transfers resulting in twin live births (%)	0 / 11	1 / 9	1 / 16	0 / 4	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4 / 11	1 / 9	3 / 16	2 / 4	

## CURRENT SERVICES & PROFILE

This clinic has reorganized since 2016. Contact the NASS Help Desk for further information.  
Current Name: Froedtert & Medical College of Wisconsin, Reproductive Medicine Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# UNIVERSITY OF WISCONSIN-GENERATIONS FERTILITY CARE MIDDLETON, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Christina E. Broadwell, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	54%	Tubal factor	13%	Uterine factor	1%	Multiple Factors: Female factors only 6% Female & male factors 24%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	20%	Male factor	43%	
Used gestational carrier	<1%			Diminished ovarian reserve	21%	Other factor	7%	
				Endometriosis	7%	Unknown factor	21%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 258  
(includes 1 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	58	29	17	1	0
Percentage of cancellations before retrieval (%)	8.6	13.8	6 / 17	0 / 1	
Number of transfers	48	21	11	1	0
Average number of embryos transferred	1.3	1.4	1.7	1.0	
Percentage of elective single embryo transfers (eSET) (%)	70.7	10 / 19	0 / 8		
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	43.1	48.3	4 / 17	0 / 1	
Percentage of cycles resulting in live births (%)	36.2	37.9	4 / 17	0 / 1	
Percentage of cycles resulting in singleton live births (%)	31.0	27.6	2 / 17	0 / 1	
Percentage of cycles resulting in twin live births (%)	5.2	10.3	2 / 17	0 / 1	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	27.6	24.1	0 / 17	0 / 1	
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	48.3	53.6	6 / 19	0 / 1	
Percentage of transfers resulting in pregnancies (%)	52.1	66.7	4 / 11	0 / 1	
Percentage of transfers resulting in live births (%)	43.8	52.4	4 / 11	0 / 1	
Percentage of transfers resulting in singleton live births (%)	37.5	38.1	2 / 11	0 / 1	
Percentage of transfers resulting in twin live births (%)	6.3	14.3	2 / 11	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	33.3	33.3	0 / 11	0 / 1	
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	59	28	13	4	0
Number of transfers	58	28	13	3	0
Estimated average number of transfers per retrieval	1.6	2.5	1.9	3.0	0.0
Average number of embryos transferred	1.3	1.3	1.4	1.7	
Percentage of embryos transferred resulting in implantation (%)	52.8	57.6	8 / 18	2 / 5	
Percentage of transfers resulting in pregnancies (%)	62.1	71.4	7 / 13	2 / 3	
Percentage of transfers resulting in live births (%)	50.0	57.1	5 / 13	2 / 3	
Percentage of transfers resulting in singleton live births (%)	44.8	53.6	4 / 13	2 / 3	
Percentage of transfers resulting in twin live births (%)	5.2	3.6	1 / 13	0 / 3	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	37.9	50.0	4 / 13	1 / 3	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	17	4	5	1	2
	6	2	3	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	17	2	0	
Number of transfers	0	14	2	0	
Average number of embryos transferred		1.5	1.0		
Percentage of embryos transferred resulting in implantation (%)		42.9	1 / 2		
Percentage of transfers resulting in pregnancies (%)		7 / 14	1 / 2		
Percentage of transfers resulting in live births (%)		7 / 14	0 / 2		
Percentage of transfers resulting in singleton live births (%)		5 / 14	0 / 2		
Percentage of transfers resulting in twin live births (%)		2 / 14	0 / 2		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		3 / 14	0 / 2		

## CURRENT SERVICES & PROFILE

Current Name: University of Wisconsin-Generations Fertility Care

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	Yes	Gestational carriers?	No	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# WISCONSIN FERTILITY INSTITUTE MIDDLETON, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Elizabeth Pritts, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	71%	Tubal factor	7%	Uterine factor	2%	Multiple Factors: Female factors only 4% Female & male factors 4%
Unstimulated	0%	PGD/PGS	6%	Ovulatory dysfunction	7%	Male factor	14%	
Used gestational carrier	2%			Diminished ovarian reserve	40%	Other factor	7%	
				Endometriosis	4%	Unknown factor	26%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 365  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	42	11	8	1	4
Percentage of cancellations before retrieval (%)	0.0	0 / 11	0 / 8	0 / 1	0 / 4
Number of transfers	6	3	2	0	2
Average number of embryos transferred	2.0	2.0	2.5		1.0
Percentage of elective single embryo transfers (eSET) (%)	0 / 5	0 / 3	0 / 2		1 / 1
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	4.8	0 / 11	1 / 8	0 / 1	0 / 4
Percentage of cycles resulting in live births (%)	4.8	0 / 11	1 / 8	0 / 1	0 / 4
Percentage of cycles resulting in singleton live births (%)	2.4	0 / 11	1 / 8	0 / 1	0 / 4
Percentage of cycles resulting in twin live births (%)	2.4	0 / 11	0 / 8	0 / 1	0 / 4
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2.4	0 / 11	1 / 8	0 / 1	0 / 4
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	3 / 12	0 / 6	1 / 5		0 / 2
Percentage of transfers resulting in pregnancies (%)	2 / 6	0 / 3	1 / 2		0 / 2
Percentage of transfers resulting in live births (%)	2 / 6	0 / 3	1 / 2		0 / 2
Percentage of transfers resulting in singleton live births (%)	1 / 6	0 / 3	1 / 2		0 / 2
Percentage of transfers resulting in twin live births (%)	1 / 6	0 / 3	0 / 2		0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 6	0 / 3	1 / 2		0 / 2
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	104	44	27	3	3
Number of transfers	88	43	24	3	2
Estimated average number of transfers per retrieval	1.6	1.9	1.5	1.5	0.3
Average number of embryos transferred	1.7	1.7	1.8	2.7	2.0
Percentage of embryos transferred resulting in implantation (%)	26.2	28.4	16.3	0 / 8	0 / 4
Percentage of transfers resulting in pregnancies (%)	37.5	41.9	29.2	0 / 3	0 / 2
Percentage of transfers resulting in live births (%)	28.4	34.9	25.0	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births (%)	21.6	30.2	25.0	0 / 3	0 / 2
Percentage of transfers resulting in twin live births (%)	5.7	4.7	0.0	0 / 3	0 / 2
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	18.2	25.6	12.5	0 / 3	0 / 2
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	25	15	12	2	5
	12	10	6	0	4
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	1	0	36	22	
Number of transfers	0	0	31	17	
Average number of embryos transferred			1.5	1.9	
Percentage of embryos transferred resulting in implantation (%)			31.1	24.2	
Percentage of transfers resulting in pregnancies (%)			32.3	6 / 17	
Percentage of transfers resulting in live births (%)			25.8	6 / 17	
Percentage of transfers resulting in singleton live births (%)			16.1	4 / 17	
Percentage of transfers resulting in twin live births (%)			9.7	2 / 17	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)			12.9	4 / 17	

## CURRENT SERVICES & PROFILE

Current Name: Wisconsin Fertility Institute

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# REPRODUCTIVE SPECIALTY CENTER MILWAUKEE, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Grace M. Janik, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	30%	Tubal factor	23%	Uterine factor	0%	Multiple Factors: Female factors only 7% Female & male factors 12%
Unstimulated	0%	PGD/PGS	0%	Ovulatory dysfunction	5%	Male factor	44%	
Used gestational carrier	0%			Diminished ovarian reserve	5%	Other factor	2%	
				Endometriosis	23%	Unknown factor	19%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 44  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	10	5	6	1	3
Percentage of cancellations before retrieval (%)	0 / 10	1 / 5	0 / 6	0 / 1	0 / 3
Number of transfers	9	4	6	1	3
Average number of embryos transferred	1.7	1.8	2.3	2.0	3.3
Percentage of elective single embryo transfers (eSET) (%)	3 / 9	1 / 4	0 / 5	0 / 1	0 / 3
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	7 / 10	1 / 5	1 / 6	0 / 1	0 / 3
Percentage of cycles resulting in live births (%)	5 / 10	1 / 5	1 / 6	0 / 1	0 / 3
Percentage of cycles resulting in singleton live births (%)	4 / 10	1 / 5	1 / 6	0 / 1	0 / 3
Percentage of cycles resulting in twin live births (%)	1 / 10	0 / 5	0 / 6	0 / 1	0 / 3
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4 / 10	1 / 5	1 / 6	0 / 1	0 / 3
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	7 / 14	1 / 7	1 / 14	0 / 2	0 / 10
Percentage of transfers resulting in pregnancies (%)	7 / 9	1 / 4	1 / 6	0 / 1	0 / 3
Percentage of transfers resulting in live births (%)	5 / 9	1 / 4	1 / 6	0 / 1	0 / 3
Percentage of transfers resulting in singleton live births (%)	4 / 9	1 / 4	1 / 6	0 / 1	0 / 3
Percentage of transfers resulting in twin live births (%)	1 / 9	0 / 4	0 / 6	0 / 1	0 / 3
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	4 / 9	1 / 4	1 / 6	0 / 1	0 / 3
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	12	3	1	1	0
Number of transfers	12	3	0	1	0
Estimated average number of transfers per retrieval	2.4	3.0			
Average number of embryos transferred	1.8	2.0		2.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 19	1 / 6		0 / 2	
Percentage of transfers resulting in pregnancies (%)	5 / 12	1 / 3		0 / 1	
Percentage of transfers resulting in live births (%)	3 / 12	1 / 3		0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 12	1 / 3		0 / 1	
Percentage of transfers resulting in twin live births (%)	1 / 12	0 / 3		0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 12	1 / 3		0 / 1	
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	1	0	0	0	0
	1	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	0	0	1	
Number of transfers	0	0	0	1	
Average number of embryos transferred				2.0	
Percentage of embryos transferred resulting in implantation (%)				1 / 2	
Percentage of transfers resulting in pregnancies (%)				1 / 1	
Percentage of transfers resulting in live births (%)				1 / 1	
Percentage of transfers resulting in singleton live births (%)				1 / 1	
Percentage of transfers resulting in twin live births (%)				0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)				1 / 1	

## CURRENT SERVICES & PROFILE

Current Name: Reproductive Specialty Center

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# GUNDERSEN FERTILITY CENTER ONALASKA, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Catherine R. Ryan, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	69%	Tubal factor	17%	Uterine factor	7%	Multiple Factors: Female factors only 17% Female & male factors 30%
Unstimulated	0%	PGD/PGS	4%	Ovulatory dysfunction	29%	Male factor	43%	
Used gestational carrier	1%			Diminished ovarian reserve	21%	Other factor	34%	
				Endometriosis	14%	Unknown factor	7%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 79  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	11	4	1	0	0
Percentage of cancellations before retrieval (%)	1 / 11	1 / 4	0 / 1		
Number of transfers	9	1	0	0	0
Average number of embryos transferred	1.3	2.0			
Percentage of elective single embryo transfers (eSET) (%)	6 / 9	0 / 1			
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	5 / 11	1 / 4	0 / 1		
Percentage of cycles resulting in live births (%)	3 / 11	1 / 4	0 / 1		
Percentage of cycles resulting in singleton live births (%)	3 / 11	1 / 4	0 / 1		
Percentage of cycles resulting in twin live births (%)	0 / 11	0 / 4	0 / 1		
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 11	0 / 4	0 / 1		
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	5 / 12	1 / 2			
Percentage of transfers resulting in pregnancies (%)	5 / 9	1 / 1			
Percentage of transfers resulting in live births (%)	3 / 9	1 / 1			
Percentage of transfers resulting in singleton live births (%)	3 / 9	1 / 1			
Percentage of transfers resulting in twin live births (%)	0 / 9	0 / 1			
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	3 / 9	0 / 1			
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	26	12	5	1	0
Number of transfers	24	10	5	0	0
Estimated average number of transfers per retrieval	2.2	2.5	5.0		
Average number of embryos transferred	1.3	2.0	2.2		
Percentage of embryos transferred resulting in implantation (%)	62.5	50.0	3 / 11		
Percentage of transfers resulting in pregnancies (%)	75.0	7 / 10	3 / 5		
Percentage of transfers resulting in live births (%)	54.2	5 / 10	2 / 5		
Percentage of transfers resulting in singleton live births (%)	50.0	2 / 10	2 / 5		
Percentage of transfers resulting in twin live births (%)	4.2	3 / 10	0 / 5		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	41.7	1 / 10	2 / 5		
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	7	2	0	0	0
	0	0	0	0	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	0	6	4	0	
Number of transfers	0	3	4	0	
Average number of embryos transferred		1.3	1.5		
Percentage of embryos transferred resulting in implantation (%)		1 / 4	3 / 6		
Percentage of transfers resulting in pregnancies (%)		1 / 3	3 / 4		
Percentage of transfers resulting in live births (%)		1 / 3	3 / 4		
Percentage of transfers resulting in singleton live births (%)		1 / 3	3 / 4		
Percentage of transfers resulting in twin live births (%)		0 / 3	0 / 4		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)		0 / 3	1 / 4		

## CURRENT SERVICES & PROFILE

Current Name: Gundersen Fertility Center

Donor eggs?	No	Embryo cryopreservation?	No	Single women?	No	SART member?	Yes
Donor embryos?	No	Egg cryopreservation?	No	Gestational carriers?	No	Verified lab accreditation?	No

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.

# AURORA HEALTH CARE-AURORA FERTILITY SERVICES, WEST ALLIS WEST ALLIS, WISCONSIN

Comparing success rates across clinics may not be meaningful. Patient medical characteristics and treatment approaches vary (see pages 11–21).

## 2016 ART CYCLE PROFILE

Data verified by Estil Y. Strawn, MD

Type of ART and Procedural Factors <sup>a</sup>				Patient Diagnosis <sup>a,b</sup>				
IVF	100%	With ICSI	68%	Tubal factor	17%	Uterine factor	9%	Multiple Factors: Female factors only 15% Female & male factors 59%
Unstimulated	0%	PGD/PGS	44%	Ovulatory dysfunction	12%	Male factor	68%	
Used gestational carrier	1%			Diminished ovarian reserve	31%	Other factor	62%	
				Endometriosis	5%	Unknown factor	<1%	

## 2016 ART SUCCESS RATES<sup>c,d</sup>

Total number of cycles<sup>d</sup>: 266  
(includes 0 cycle[s] using fresh embryos from frozen nondonor eggs)

Type of Cycle	Age of Patient				
	<35	35–37	38–40	41–42	>42
<b>Fresh Embryos from Fresh Nondonor Eggs</b>					
Number of cycles	10	3	4	4	0
Percentage of cancellations before retrieval (%)	3 / 10	1 / 3	3 / 4	4 / 4	
Number of transfers	3	0	0	0	0
Average number of embryos transferred	2.0				
Percentage of elective single embryo transfers (eSET) (%)	0 / 3				
<b>Outcomes per Cycle</b>					
Percentage of cycles resulting in pregnancies (%)	2 / 10	0 / 3	0 / 4	0 / 4	
Percentage of cycles resulting in live births (%)	2 / 10	0 / 3	0 / 4	0 / 4	
Percentage of cycles resulting in singleton live births (%)	1 / 10	0 / 3	0 / 4	0 / 4	
Percentage of cycles resulting in twin live births (%)	1 / 10	0 / 3	0 / 4	0 / 4	
Percentage of cycles resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 10	0 / 3	0 / 4	0 / 4	
<b>Outcomes per Transfer</b>					
Percentage of embryos transferred resulting in implantation (%)	3 / 6				
Percentage of transfers resulting in pregnancies (%)	2 / 3				
Percentage of transfers resulting in live births (%)	2 / 3				
Percentage of transfers resulting in singleton live births (%)	1 / 3				
Percentage of transfers resulting in twin live births (%)	1 / 3				
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	1 / 3				
<b>Frozen Embryos from Nondonor Eggs</b>					
Number of cycles	60	43	18	0	0
Number of transfers	55	33	15	0	0
Estimated average number of transfers per retrieval	1.1	1.0	1.1	0.0	0.0
Average number of embryos transferred	1.3	1.2	1.3		
Percentage of embryos transferred resulting in implantation (%)	68.7	65.0	11 / 19		
Percentage of transfers resulting in pregnancies (%)	80.0	63.6	10 / 15		
Percentage of transfers resulting in live births (%)	63.6	51.5	8 / 15		
Percentage of transfers resulting in singleton live births (%)	60.0	36.4	6 / 15		
Percentage of transfers resulting in twin live births (%)	3.6	15.2	2 / 15		
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	56.4	33.3	6 / 15		
<b>Number of Egg or Embryo Banking Cycles</b>					
Number of fertility preservation cycles	49	32	14	11	3
	3	2	2	1	0
<b>Donor Eggs<sup>f</sup></b>					
	<b>Fresh Eggs</b>	<b>Frozen Eggs</b>	<b>Frozen Embryos</b>	<b>Donated Embryos</b>	
Number of cycles	4	0	10	1	
Number of transfers	3	0	10	1	
Average number of embryos transferred	1.7		1.6	1.0	
Percentage of embryos transferred resulting in implantation (%)	4 / 5		10 / 16		
Percentage of transfers resulting in pregnancies (%)	3 / 3		9 / 10	1 / 1	
Percentage of transfers resulting in live births (%)	2 / 3		9 / 10	0 / 1	
Percentage of transfers resulting in singleton live births (%)	2 / 3		8 / 10	0 / 1	
Percentage of transfers resulting in twin live births (%)	0 / 3		1 / 10	0 / 1	
Percentage of transfers resulting in term, normal weight and singleton live births <sup>e</sup> (%)	2 / 3		7 / 10	0 / 1	

## CURRENT SERVICES & PROFILE

Current Name: Aurora Health Care-Aurora Fertility Services, West Allis

Donor eggs?	Yes	Embryo cryopreservation?	Yes	Single women?	Yes	SART member?	Yes
Donor embryos?	Yes	Egg cryopreservation?	Yes	Gestational carriers?	Yes	Verified lab accreditation?	Yes

<sup>a</sup> Excludes cycles evaluating new procedures and banking cycles; unstimulated percentage includes fresh egg cycles only.

<sup>b</sup> Total patient diagnosis percentages may be greater than 100% because more than one diagnosis can be reported for each ART cycle.

<sup>c</sup> Fractions are used for rates with denominators less than 20. Multiple-infant births (for example, twins) with at least one live infant are counted as one live birth.

<sup>d</sup> Total cycle number and success rates exclude 0 cycle(s) evaluating new procedures. Success rates exclude cycles using fresh embryos from frozen nondonor eggs.

<sup>e</sup> In this report, births are defined as term if at least 37 full weeks gestation and normal birth weight if at least 2,500 grams (approximately 5 pounds, 8 ounces).

<sup>f</sup> All ages are reported together because previous data show that patient age does not materially affect success with donor eggs.