2017
Fertility Clinic Tables

ALABAMA–HAWAII



ALABAMA FERTILITY SPECIALISTS
BIRMINGHAM, ALABAMA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Janet M. Bouknight, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	30	11	12	1	0
Percentage of intended retrievals resulting in live births	33.3%	2 / 11	4 / 12	0 / 1	
Percentage of intended retrievals resulting in singleton live births	20.0%	2 / 11	3 / 12	0 / 1	
Number of **retrievals**	24	5	9	1	0
Percentage of retrievals resulting in live births	41.7%	2 / 5	4 / 9	0 / 1	
Percentage of retrievals resulting in singleton live births	25.0%	2 / 5	3 / 9	0 / 1	
Number of **transfers**	30	8	13	1	0
Percentage of transfers resulting in live births	33.3%	2 / 8	4 / 13	0 / 1	
Percentage of transfers resulting in singleton live births	20.0%	2 / 8	3 / 13	0 / 1	
Number of intended retrievals per live birth	3.0	5.5	3.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	40.9%	1 / 4	3 / 7	0 / 1	
Percentage of new patients having live births after 1 or 2 intended retrievals	40.9%	1 / 4	3 / 7	0 / 1	
Percentage of new patients having live births after all intended retrievals	40.9%	1 / 4	3 / 7	0 / 1	
Average number of intended retrievals per new patient	1.2	1.0	1.1	1.0	
Average number of transfers per intended retrieval	1.0	1.3	1.0	1.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	4	4	1	0
Percentage of transfers resulting in live births	3 / 4	2 / 4	0 / 1	
Percentage of transfers resulting in singleton live births	2 / 4	1 / 4	0 / 1	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	58	19	13	7	5	102
Percentage of cycles cancelled prior to retrieval or thaw	8.6%	2 / 19	2 / 13	1 / 7	2 / 5	11.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.4%	0 / 19	1 / 13	1 / 7	0 / 5	3.9%
Percentage of cycles for fertility preservation	0.0%	1 / 19	0 / 13	0 / 7	0 / 5	1.0%
Percentage of transfers using a gestational carrier	0.0%	0 / 16	0 / 10	0 / 5	0 / 3	0.0%
Percentage of transfers using frozen embryos	25.5%	7 / 16	3 / 10	1 / 5	2 / 3	30.9%
Percentage of transfers of at least one embryo with ICSI	46.8%	6 / 16	7 / 10	2 / 5	1 / 3	46.9%
Percentage of transfers of at least one embryo with PGT	2.1%	0 / 16	0 / 10	0 / 5	1 / 3	2.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	18%
Endometriosis	25%	Egg or embryo banking	5%
Tubal factor	12%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	37%	Other, infertility	11%
Uterine factor	10%	Other, non-infertility	0%
PGT	0%	Unexplained	4%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ART FERTILITY PROGRAM OF ALABAMA
BIRMINGHAM, ALABAMA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Virginia L. Houserman, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	110	49	31	6	4
Percentage of intended retrievals resulting in live births	39.1%	32.7%	19.4%	0 / 6	0 / 4
Percentage of intended retrievals resulting in singleton live births	24.5%	16.3%	19.4%	0 / 6	0 / 4
Number of **retrievals**	105	42	22	6	1
Percentage of retrievals resulting in live births	41.0%	38.1%	27.3%	0 / 6	0 / 1
Percentage of retrievals resulting in singleton live births	25.7%	19.0%	27.3%	0 / 6	0 / 1
Number of **transfers**	105	34	16	6	1
Percentage of transfers resulting in live births	41.0%	47.1%	6 / 16	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births	25.7%	23.5%	6 / 16	0 / 6	0 / 1
Number of intended retrievals per live birth	2.6	3.1	5.2		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	34.7%	27.3%	5 / 18	0 / 3	0 / 2
Percentage of new patients having live births after 1 or 2 intended retrievals	44.0%	36.4%	5 / 18	0 / 3	0 / 2
Percentage of new patients having live births after all intended retrievals	44.0%	36.4%	5 / 18	0 / 3	0 / 2
Average number of intended retrievals per new patient	1.2	1.2	1.1	1.0	1.0
Average number of transfers per intended retrieval	1.0	0.7	0.6	1.0	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	2	3	7	9
Percentage of transfers resulting in live births	1 / 2	2 / 3	4 / 7	3 / 9
Percentage of transfers resulting in singleton live births	0 / 2	1 / 3	4 / 7	1 / 9

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	208	104	55	22	16	405
Percentage of cycles cancelled prior to retrieval or thaw	14.4%	15.4%	21.8%	31.8%	6 / 16	17.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	13.0%	12.5%	16.4%	22.7%	2 / 16	13.8%
Percentage of cycles for fertility preservation	2.4%	6.7%	9.1%	0.0%	0 / 16	4.2%
Percentage of transfers using a gestational carrier	1.6%	0.0%	0.0%	0 / 10	0 / 8	0.9%
Percentage of transfers using frozen embryos	54.1%	58.8%	51.9%	8 / 10	6 / 8	56.9%
Percentage of transfers of at least one embryo with ICSI	88.5%	68.6%	70.4%	6 / 10	5 / 8	79.4%
Percentage of transfers of at least one embryo with PGT	8.2%	15.7%	11.1%	1 / 10	0 / 8	10.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	60%	Diminished ovarian reserve	10%
Endometriosis	27%	Egg or embryo banking	17%
Tubal factor	21%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	15%	Other, infertility	53%
Uterine factor	3%	Other, non-infertility	12%
PGT	6%	Unexplained	1%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY OF ALABAMA AT BIRMINGHAM
REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
BIRMINGHAM, ALABAMA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Deidre D. Gunn, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	76	29	23	5	2
Percentage of intended retrievals resulting in live births	56.6%	34.5%	26.1%	0 / 5	0 / 2
Percentage of intended retrievals resulting in singleton live births	51.3%	34.5%	21.7%	0 / 5	0 / 2
Number of **retrievals**	70	29	21	3	1
Percentage of retrievals resulting in live births	61.4%	34.5%	28.6%	0 / 3	0 / 1
Percentage of retrievals resulting in singleton live births	55.7%	34.5%	23.8%	0 / 3	0 / 1
Number of **transfers**	72	24	14	2	0
Percentage of transfers resulting in live births	59.7%	41.7%	6 / 14	0 / 2	
Percentage of transfers resulting in singleton live births	54.2%	41.7%	5 / 14	0 / 2	
Number of intended retrievals per live birth	1.8	2.9	3.8		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	61.8%	4 / 15	3 / 10	0 / 3	0 / 2
Percentage of new patients having live births after 1 or 2 intended retrievals	63.6%	6 / 15	4 / 10	0 / 3	0 / 2
Percentage of new patients having live births after all intended retrievals	63.6%	6 / 15	5 / 10	0 / 3	0 / 2
Average number of intended retrievals per new patient	1.1	1.3	1.5	1.0	1.0
Average number of transfers per intended retrieval	1.0	0.8	0.6	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	3	2	12	1
Percentage of transfers resulting in live births	2 / 3	1 / 2	8 / 12	0 / 1
Percentage of transfers resulting in singleton live births	2 / 3	1 / 2	7 / 12	0 / 1

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	121	52	42	13	16	244
Percentage of cycles cancelled prior to retrieval or thaw	4.1%	5.8%	14.3%	2 / 13	6 / 16	9.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.1%	5.8%	4.8%	2 / 13	2 / 16	5.7%
Percentage of cycles for fertility preservation	5.0%	1.9%	0.0%	0 / 13	0 / 16	2.9%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 8	0 / 7	0.0%
Percentage of transfers using frozen embryos	78.7%	87.1%	95.0%	5 / 8	5 / 7	81.6%
Percentage of transfers of at least one embryo with ICSI	80.0%	71.0%	60.0%	4 / 8	2 / 7	70.9%
Percentage of transfers of at least one embryo with PGT	45.3%	48.4%	65.0%	4 / 8	3 / 7	48.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	37%	Diminished ovarian reserve	26%
Endometriosis	24%	Egg or embryo banking	28%
Tubal factor	17%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	8%	Other, infertility	11%
Uterine factor	8%	Other, non-infertility	3%
PGT	4%	Unexplained	12%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

HUNTSVILLE REPRODUCTIVE MEDICINE, PC
MADISON, ALABAMA

This clinic provided ART services during 2017 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2017 ART cycle data or the clinic's Medical Director did not approve the clinic's 2017 ART cycle data for inclusion in this report.

CENTER FOR REPRODUCTIVE MEDICINE
MOBILE, ALABAMA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by George T. Koulianos, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	82	34	26	16	5
Percentage of intended retrievals resulting in live births	59.8%	35.3%	38.5%	0 / 16	1 / 5
Percentage of intended retrievals resulting in singleton live births	43.9%	23.5%	23.1%	0 / 16	1 / 5
Number of **retrievals**	78	26	25	11	5
Percentage of retrievals resulting in live births	62.8%	46.2%	40.0%	0 / 11	1 / 5
Percentage of retrievals resulting in singleton live births	46.2%	30.8%	24.0%	0 / 11	1 / 5
Number of **transfers**	105	29	24	3	2
Percentage of transfers resulting in live births	46.7%	41.4%	41.7%	0 / 3	1 / 2
Percentage of transfers resulting in singleton live births	34.3%	27.6%	25.0%	0 / 3	1 / 2
Number of intended retrievals per live birth	1.7	2.8	2.6		5.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	58.3%	31.8%	5 / 14	0 / 3	0 / 1
Percentage of new patients having live births after 1 or 2 intended retrievals	68.3%	36.4%	5 / 14	0 / 3	0 / 1
Percentage of new patients having live births after all intended retrievals	70.0%	36.4%	5 / 14	0 / 3	0 / 1
Average number of intended retrievals per new patient	1.2	1.2	1.1	3.0	2.0
Average number of transfers per intended retrieval	1.2	0.8	0.9	0.2	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	11	4	2
Percentage of transfers resulting in live births	1 / 1	5 / 11	1 / 4	1 / 2
Percentage of transfers resulting in singleton live births	1 / 1	2 / 11	0 / 4	0 / 2

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	186	58	55	21	24	344
Percentage of cycles cancelled prior to retrieval or thaw	10.2%	6.9%	12.7%	28.6%	29.2%	12.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	17.7%	12.1%	9.1%	14.3%	8.3%	14.5%
Percentage of cycles for fertility preservation	3.8%	1.7%	0.0%	9.5%	0.0%	2.9%
Percentage of transfers using a gestational carrier	2.5%	2.3%	0.0%	0 / 8	3 / 14	3.1%
Percentage of transfers using frozen embryos	58.0%	50.0%	55.3%	3 / 8	6 / 14	54.3%
Percentage of transfers of at least one embryo with ICSI	96.6%	95.5%	89.5%	7 / 8	8 / 14	92.4%
Percentage of transfers of at least one embryo with PGT	5.9%	0.0%	15.8%	3 / 8	1 / 14	7.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	43%	Diminished ovarian reserve	12%
Endometriosis	16%	Egg or embryo banking	10%
Tubal factor	18%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	22%	Other, infertility	15%
Uterine factor	3%	Other, non-infertility	2%
PGT	5%	Unexplained	8%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY OF SOUTH ALABAMA IVF AND ART PROGRAM
MOBILE, ALABAMA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Botros M. Rizk, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	15	6	4	3	2
Percentage of intended retrievals resulting in live births	6 / 15	0 / 6	0 / 4	0 / 3	0 / 2
Percentage of intended retrievals resulting in singleton live births	4 / 15	0 / 6	0 / 4	0 / 3	0 / 2
Number of **retrievals**	12	4	3	3	2
Percentage of retrievals resulting in live births	6 / 12	0 / 4	0 / 3	0 / 3	0 / 2
Percentage of retrievals resulting in singleton live births	4 / 12	0 / 4	0 / 3	0 / 3	0 / 2
Number of **transfers**	12	4	3	3	2
Percentage of transfers resulting in live births	6 / 12	0 / 4	0 / 3	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births	4 / 12	0 / 4	0 / 3	0 / 3	0 / 2
Number of intended retrievals per live birth	2.5				
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	4 / 7	0 / 4	0 / 3	0 / 3	
Percentage of new patients having live births after 1 or 2 intended retrievals	5 / 7	0 / 4	0 / 3	0 / 3	
Percentage of new patients having live births after all intended retrievals	5 / 7	0 / 4	0 / 3	0 / 3	
Average number of intended retrievals per new patient	1.3	1.3	1.3	1.0	
Average number of transfers per intended retrieval	0.8	0.6	0.8	1.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	21	11	9	3	5	49
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	1 / 11	0 / 9	0 / 3	0 / 5	2.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	2 / 11	0 / 9	0 / 3	3 / 5	10.2%
Percentage of cycles for fertility preservation	14.3%	1 / 11	0 / 9	1 / 3	1 / 5	12.2%
Percentage of transfers using a gestational carrier	0 / 13	0 / 6	0 / 6	0 / 2	0 / 1	0.0%
Percentage of transfers using frozen embryos	5 / 13	1 / 6	4 / 6	0 / 2	0 / 1	35.7%
Percentage of transfers of at least one embryo with ICSI	13 / 13	6 / 6	6 / 6	2 / 2	1 / 1	100.0%
Percentage of transfers of at least one embryo with PGT	0 / 13	0 / 6	0 / 6	0 / 2	0 / 1	0.0%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	35%	Diminished ovarian reserve	47%
Endometriosis	31%	Egg or embryo banking	35%
Tubal factor	35%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	39%	Other, infertility	8%
Uterine factor	41%	Other, non-infertility	0%
PGT	0%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NEW DIRECTION FERTILITY CENTERS
GILBERT, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mark Amols, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	224	106	53	36	40
Percentage of intended retrievals resulting in live births	63.8%	47.2%	39.6%	5.6%	7.5%
Percentage of intended retrievals resulting in singleton live births	40.6%	34.0%	32.1%	2.8%	5.0%
Number of **retrievals**	223	105	53	36	40
Percentage of retrievals resulting in live births	64.1%	47.6%	39.6%	5.6%	7.5%
Percentage of retrievals resulting in singleton live births	40.8%	34.3%	32.1%	2.8%	5.0%
Number of **transfers**	233	82	36	10	5
Percentage of transfers resulting in live births	61.4%	61.0%	58.3%	2 / 10	3 / 5
Percentage of transfers resulting in singleton live births	39.1%	43.9%	47.2%	1 / 10	2 / 5
Number of intended retrievals per live birth	1.6	2.1	2.5	18.0	13.3
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	68.7%	52.2%	40.0%	1 / 15	2 / 11
Percentage of new patients having live births after 1 or 2 intended retrievals	74.2%	62.7%	50.0%	1 / 15	2 / 11
Percentage of new patients having live births after all intended retrievals	76.1%	62.7%	53.3%	1 / 15	2 / 11
Average number of intended retrievals per new patient	1.2	1.2	1.3	1.7	2.3
Average number of transfers per intended retrieval	1.0	0.8	0.7	0.2	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	0	9	0
Percentage of transfers resulting in live births	1 / 1		7 / 9	
Percentage of transfers resulting in singleton live births	1 / 1		4 / 9	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	458	195	181	59	62	955
Percentage of cycles cancelled prior to retrieval or thaw	1.1%	1.5%	0.6%	5.1%	4.8%	1.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.4%	8.2%	6.6%	22.0%	24.2%	7.0%
Percentage of cycles for fertility preservation	2.4%	1.0%	0.0%	0.0%	0.0%	1.4%
Percentage of transfers using a gestational carrier	0.4%	2.2%	1.5%	0 / 15	1 / 12	1.2%
Percentage of transfers using frozen embryos	99.6%	98.9%	97.0%	15 / 15	11 / 12	98.8%
Percentage of transfers of at least one embryo with ICSI	74.6%	72.0%	69.7%	12 / 15	8 / 12	73.2%
Percentage of transfers of at least one embryo with PGT	18.8%	20.4%	21.2%	6 / 15	4 / 12	20.7%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	22%
Endometriosis	7%	Egg or embryo banking	99%
Tubal factor	10%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	17%	Other, infertility	<1%
Uterine factor	4%	Other, non-infertility	5%
PGT	72%	Unexplained	9%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

TROCHÉ FERTILITY CENTERS
GLENDALE, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Vladimir Troché, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	42	33	16	2	7
Percentage of intended retrievals resulting in live births	54.8%	54.5%	2 / 16	1 / 2	1 / 7
Percentage of intended retrievals resulting in singleton live births	35.7%	36.4%	1 / 16	1 / 2	0 / 7
Number of **retrievals**	42	31	16	2	6
Percentage of retrievals resulting in live births	54.8%	58.1%	2 / 16	1 / 2	1 / 6
Percentage of retrievals resulting in singleton live births	35.7%	38.7%	1 / 16	1 / 2	0 / 6
Number of **transfers**	54	37	17	2	6
Percentage of transfers resulting in live births	42.6%	48.6%	2 / 17	1 / 2	1 / 6
Percentage of transfers resulting in singleton live births	27.8%	32.4%	1 / 17	1 / 2	0 / 6
Number of intended retrievals per live birth	1.8	1.8	8.0	2.0	7.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	58.8%	50.0%	1 / 11	0 / 1	0 / 4
Percentage of new patients having live births after 1 or 2 intended retrievals	61.8%	60.0%	1 / 11	0 / 1	0 / 4
Percentage of new patients having live births after all intended retrievals	61.8%	60.0%	1 / 11	0 / 1	0 / 4
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.0	1.0
Average number of transfers per intended retrieval	1.3	1.1	1.0	1.0	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	9	1	20	5
Percentage of transfers resulting in live births	4 / 9	0 / 1	20.0%	3 / 5
Percentage of transfers resulting in singleton live births	3 / 9	0 / 1	15.0%	1 / 5

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	95	72	42	10	17	236
Percentage of cycles cancelled prior to retrieval or thaw	3.2%	12.5%	0.0%	0 / 10	2 / 17	5.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.4%	4.2%	2.4%	1 / 10	1 / 17	5.5%
Percentage of cycles for fertility preservation	1.1%	1.4%	0.0%	0 / 10	0 / 17	0.8%
Percentage of transfers using a gestational carrier	1.3%	5.3%	5.7%	1 / 8	0 / 13	3.7%
Percentage of transfers using frozen embryos	66.7%	64.9%	51.4%	7 / 8	7 / 13	63.3%
Percentage of transfers of at least one embryo with ICSI	89.3%	80.7%	94.3%	5 / 8	8 / 13	84.6%
Percentage of transfers of at least one embryo with PGT	12.0%	21.1%	17.1%	0 / 8	1 / 13	14.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	71%	Diminished ovarian reserve	21%
Endometriosis	10%	Egg or embryo banking	9%
Tubal factor	20%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	15%	Other, infertility	8%
Uterine factor	4%	Other, non-infertility	1%
PGT	1%	Unexplained	3%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ARIZONA REPRODUCTIVE MEDICINE SPECIALISTS, LLC
PHOENIX, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Drew V. Moffitt, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	56	38	32	8	8
Percentage of intended retrievals resulting in live births	55.4%	36.8%	15.6%	0 / 8	0 / 8
Percentage of intended retrievals resulting in singleton live births	50.0%	36.8%	9.4%	0 / 8	0 / 8
Number of **retrievals**	54	30	23	7	5
Percentage of retrievals resulting in live births	57.4%	46.7%	21.7%	0 / 7	0 / 5
Percentage of retrievals resulting in singleton live births	51.9%	46.7%	13.0%	0 / 7	0 / 5
Number of **transfers**	70	36	16	2	3
Percentage of transfers resulting in live births	44.3%	38.9%	5 / 16	0 / 2	0 / 3
Percentage of transfers resulting in singleton live births	40.0%	38.9%	3 / 16	0 / 2	0 / 3
Number of intended retrievals per live birth	1.8	2.7	6.4		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	53.3%	40.7%	2 / 15	0 / 5	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	57.8%	40.7%	2 / 15	0 / 5	0 / 5
Percentage of new patients having live births after all intended retrievals	57.8%	40.7%	2 / 15	0 / 5	0 / 5
Average number of intended retrievals per new patient	1.0	1.1	1.3	1.4	1.0
Average number of transfers per intended retrieval	1.3	1.0	0.5	0.3	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	4	34	0
Percentage of transfers resulting in live births	1 / 1	2 / 4	47.1%	
Percentage of transfers resulting in singleton live births	1 / 1	2 / 4	47.1%	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	180	83	54	21	31	369
Percentage of cycles cancelled prior to retrieval or thaw	1.7%	10.8%	16.7%	9.5%	12.9%	7.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.1%	3.6%	0.0%	9.5%	0.0%	1.9%
Percentage of cycles for fertility preservation	3.9%	1.2%	3.7%	0.0%	0.0%	2.7%
Percentage of transfers using a gestational carrier	1.1%	0.0%	0.0%	1 / 8	5.0%	1.6%
Percentage of transfers using frozen embryos	97.7%	100.0%	96.2%	7 / 8	95.0%	97.3%
Percentage of transfers of at least one embryo with ICSI	93.1%	73.2%	88.5%	4 / 8	60.0%	82.4%
Percentage of transfers of at least one embryo with PGT	29.9%	39.0%	46.2%	4 / 8	20.0%	34.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	50%	Diminished ovarian reserve	45%
Endometriosis	8%	Egg or embryo banking	46%
Tubal factor	17%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	16%	Other, infertility	15%
Uterine factor	2%	Other, non-infertility	4%
PGT	9%	Unexplained	1%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

GONDRA CENTER FOR REPRODUCTIVE CARE & ADVANCED GYNECOLOGY
PHOENIX, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Maria M. Gondra, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	3	0	0	1	0
Percentage of intended retrievals resulting in live births	2 / 3			1 / 1	
Percentage of intended retrievals resulting in singleton live births	1 / 3			1 / 1	
Number of **retrievals**	3	0	0	1	0
Percentage of retrievals resulting in live births	2 / 3			1 / 1	
Percentage of retrievals resulting in singleton live births	1 / 3			1 / 1	
Number of **transfers**	3	0	0	1	0
Percentage of transfers resulting in live births	2 / 3			1 / 1	
Percentage of transfers resulting in singleton live births	1 / 3			1 / 1	
Number of intended retrievals per live birth	1.5			1.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	0 / 1				
Percentage of new patients having live births after 1 or 2 intended retrievals	1 / 1				
Percentage of new patients having live births after all intended retrievals	1 / 1				
Average number of intended retrievals per new patient	2.0				
Average number of transfers per intended retrieval	1.0				

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	1	2	1
Percentage of transfers resulting in live births	0 / 1	1 / 1	1 / 2	1 / 1
Percentage of transfers resulting in singleton live births	0 / 1	0 / 1	1 / 2	1 / 1

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	19	12	15	3	1	50
Percentage of cycles cancelled prior to retrieval or thaw	0 / 19	0 / 12	1 / 15	0 / 3	0 / 1	2.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4 / 19	4 / 12	5 / 15	1 / 3	0 / 1	28.0%
Percentage of cycles for fertility preservation	1 / 19	0 / 12	0 / 15	0 / 3	0 / 1	2.0%
Percentage of transfers using a gestational carrier	0 / 14	0 / 8	0 / 6		1 / 1	3.4%
Percentage of transfers using frozen embryos	6 / 14	4 / 8	4 / 6		0 / 1	48.3%
Percentage of transfers of at least one embryo with ICSI	14 / 14	8 / 8	5 / 6		1 / 1	96.6%
Percentage of transfers of at least one embryo with PGT	3 / 14	2 / 8	3 / 6		0 / 1	27.6%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	46%	Diminished ovarian reserve	20%
Endometriosis	2%	Egg or embryo banking	12%
Tubal factor	30%	Recurrent pregnancy loss	12%
Ovulatory dysfunction	12%	Other, infertility	12%
Uterine factor	8%	Other, non-infertility	6%
PGT	8%	Unexplained	6%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SOUTHWEST FERTILITY CENTER
PHOENIX, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Sujatha Gunnala, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	28	12	15	4	8
Percentage of intended retrievals resulting in live births	42.9%	7 / 12	3 / 15	2 / 4	1 / 8
Percentage of intended retrievals resulting in singleton live births	32.1%	5 / 12	2 / 15	2 / 4	1 / 8
Number of **retrievals**	27	12	12	4	8
Percentage of retrievals resulting in live births	44.4%	7 / 12	3 / 12	2 / 4	1 / 8
Percentage of retrievals resulting in singleton live births	33.3%	5 / 12	2 / 12	2 / 4	1 / 8
Number of **transfers**	28	15	8	4	6
Percentage of transfers resulting in live births	42.9%	7 / 15	3 / 8	2 / 4	1 / 6
Percentage of transfers resulting in singleton live births	32.1%	5 / 15	2 / 8	2 / 4	1 / 6
Number of intended retrievals per live birth	2.3	1.7	5.0	2.0	8.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	40.0%	6 / 9	2 / 9	1 / 3	0 / 4
Percentage of new patients having live births after 1 or 2 intended retrievals	40.0%	6 / 9	2 / 9	2 / 3	0 / 4
Percentage of new patients having live births after all intended retrievals	40.0%	6 / 9	2 / 9	2 / 3	1 / 4
Average number of intended retrievals per new patient	1.0	1.0	1.2	1.3	1.8
Average number of transfers per intended retrieval	1.1	1.4	0.6	1.0	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	2	2	3	2
Percentage of transfers resulting in live births	1 / 2	0 / 2	0 / 3	0 / 2
Percentage of transfers resulting in singleton live births	1 / 2	0 / 2	0 / 3	0 / 2

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	72	40	29	11	1	153
Percentage of cycles cancelled prior to retrieval or thaw	2.8%	0.0%	6.9%	1 / 11	0 / 1	3.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	12.5%	5.0%	3.4%	0 / 11	0 / 1	7.8%
Percentage of cycles for fertility preservation	2.8%	2.5%	6.9%	0 / 11	0 / 1	3.3%
Percentage of transfers using a gestational carrier	0.0%	10.7%	0 / 14	0 / 7	0 / 1	2.8%
Percentage of transfers using frozen embryos	51.8%	46.4%	5 / 14	4 / 7	0 / 1	48.1%
Percentage of transfers of at least one embryo with ICSI	92.9%	92.9%	13 / 14	7 / 7	1 / 1	93.4%
Percentage of transfers of at least one embryo with PGT	1.8%	14.3%	3 / 14	1 / 7	0 / 1	8.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	35%
Endometriosis	12%	Egg or embryo banking	20%
Tubal factor	20%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	12%	Other, infertility	6%
Uterine factor	8%	Other, non-infertility	2%
PGT	0%	Unexplained	12%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ADVANCED FERTILITY CARE, PLLC
SCOTTSDALE, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Frederick W. Larsen, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	100	66	45	18	2
Percentage of intended retrievals resulting in live births	59.0%	43.9%	31.1%	4 / 18	0 / 2
Percentage of intended retrievals resulting in singleton live births	52.0%	37.9%	26.7%	4 / 18	0 / 2
Number of **retrievals**	96	58	36	11	1
Percentage of retrievals resulting in live births	61.5%	50.0%	38.9%	4 / 11	0 / 1
Percentage of retrievals resulting in singleton live births	54.2%	43.1%	33.3%	4 / 11	0 / 1
Number of **transfers**	123	59	24	10	1
Percentage of transfers resulting in live births	48.0%	49.2%	58.3%	4 / 10	0 / 1
Percentage of transfers resulting in singleton live births	42.3%	42.4%	50.0%	4 / 10	0 / 1
Number of intended retrievals per live birth	1.7	2.3	3.2	4.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	59.5%	46.3%	25.0%	3 / 12	0 / 1
Percentage of new patients having live births after 1 or 2 intended retrievals	63.5%	56.1%	35.7%	3 / 12	0 / 1
Percentage of new patients having live births after all intended retrievals	64.9%	56.1%	35.7%	3 / 12	0 / 1
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.3	1.0
Average number of transfers per intended retrieval	1.3	0.8	0.5	0.5	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	11	21	5
Percentage of transfers resulting in live births	6 / 7	8 / 11	38.1%	5 / 5
Percentage of transfers resulting in singleton live births	4 / 7	8 / 11	33.3%	5 / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	213	116	71	27	25	452
Percentage of cycles cancelled prior to retrieval or thaw	2.3%	6.9%	8.5%	11.1%	8.0%	5.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.2%	0.0%	4.2%	7.4%	20.0%	4.2%
Percentage of cycles for fertility preservation	0.5%	5.2%	5.6%	0.0%	0.0%	2.4%
Percentage of transfers using a gestational carrier	1.8%	3.2%	2.6%	1 / 13	1 / 16	2.9%
Percentage of transfers using frozen embryos	82.3%	83.9%	68.4%	11 / 13	6 / 16	77.7%
Percentage of transfers of at least one embryo with ICSI	64.6%	67.7%	68.4%	7 / 13	11 / 16	65.7%
Percentage of transfers of at least one embryo with PGT	41.6%	56.5%	52.6%	8 / 13	1 / 16	45.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	46%	Diminished ovarian reserve	36%
Endometriosis	6%	Egg or embryo banking	39%
Tubal factor	16%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	12%	Other, infertility	51%
Uterine factor	17%	Other, non-infertility	3%
PGT	48%	Unexplained	4%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ARIZONA ASSOCIATES FOR REPRODUCTIVE HEALTH
SCOTTSDALE, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ketan S. Patel, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	56	25	23	6	5
Percentage of intended retrievals resulting in live births	51.8%	32.0%	34.8%	1 / 6	0 / 5
Percentage of intended retrievals resulting in singleton live births	44.6%	28.0%	34.8%	1 / 6	0 / 5
Number of **retrievals**	49	24	23	5	4
Percentage of retrievals resulting in live births	59.2%	33.3%	34.8%	1 / 5	0 / 4
Percentage of retrievals resulting in singleton live births	51.0%	29.2%	34.8%	1 / 5	0 / 4
Number of **transfers**	61	21	16	3	1
Percentage of transfers resulting in live births	47.5%	38.1%	8 / 16	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births	41.0%	33.3%	8 / 16	1 / 3	0 / 1
Number of intended retrievals per live birth	1.9	3.1	2.9	6.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	45.2%	5 / 11	3 / 6	0 / 1	0 / 2
Percentage of new patients having live births after 1 or 2 intended retrievals	51.6%	5 / 11	4 / 6	0 / 1	0 / 2
Percentage of new patients having live births after all intended retrievals	51.6%	5 / 11	4 / 6	0 / 1	0 / 2
Average number of intended retrievals per new patient	1.1	1.1	1.2	1.0	1.0
Average number of transfers per intended retrieval	1.1	0.9	1.0	1.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	0	4	0
Percentage of transfers resulting in live births	0 / 1		1 / 4	
Percentage of transfers resulting in singleton live births	0 / 1		1 / 4	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	81	59	50	12	3	205
Percentage of cycles cancelled prior to retrieval or thaw	3.7%	6.8%	12.0%	1 / 12	1 / 3	7.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	22.2%	8.5%	10.0%	4 / 12	0 / 3	15.6%
Percentage of cycles for fertility preservation	0.0%	6.8%	0.0%	0 / 12	0 / 3	2.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 3	0 / 1	0.0%
Percentage of transfers using frozen embryos	98.0%	100.0%	96.2%	3 / 3	1 / 1	98.3%
Percentage of transfers of at least one embryo with ICSI	74.5%	91.7%	73.1%	3 / 3	0 / 1	79.5%
Percentage of transfers of at least one embryo with PGT	27.5%	50.0%	53.8%	1 / 3	1 / 1	41.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	32%	Diminished ovarian reserve	32%
Endometriosis	8%	Egg or embryo banking	20%
Tubal factor	9%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	17%	Other, infertility	45%
Uterine factor	2%	Other, non-infertility	4%
PGT	42%	Unexplained	10%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ARIZONA CENTER FOR FERTILITY STUDIES (ACFS)
SCOTTSDALE, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Jay S. Nemiro, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	12	8	9	5	4
Percentage of intended retrievals resulting in live births	4 / 12	4 / 8	5 / 9	1 / 5	0 / 4
Percentage of intended retrievals resulting in singleton live births	3 / 12	3 / 8	2 / 9	0 / 5	0 / 4
Number of **retrievals**	12	8	9	5	4
Percentage of retrievals resulting in live births	4 / 12	4 / 8	5 / 9	1 / 5	0 / 4
Percentage of retrievals resulting in singleton live births	3 / 12	3 / 8	2 / 9	0 / 5	0 / 4
Number of **transfers**	9	8	7	3	0
Percentage of transfers resulting in live births	4 / 9	4 / 8	5 / 7	1 / 3	
Percentage of transfers resulting in singleton live births	3 / 9	3 / 8	2 / 7	0 / 3	
Number of intended retrievals per live birth	3.0	2.0	1.8	5.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	2 / 6	2 / 5	1 / 3	0 / 2	0 / 1
Percentage of new patients having live births after 1 or 2 intended retrievals	2 / 6	2 / 5	1 / 3	0 / 2	0 / 1
Percentage of new patients having live births after all intended retrievals	2 / 6	2 / 5	1 / 3	0 / 2	0 / 1
Average number of intended retrievals per new patient	1.2	1.0	1.0	1.5	2.0
Average number of transfers per intended retrieval	0.9	1.0	0.7	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	7	1
Percentage of transfers resulting in live births			6 / 7	0 / 1
Percentage of transfers resulting in singleton live births			4 / 7	0 / 1

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	22	13	21	1	15	72
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0 / 13	0.0%	0 / 1	0 / 15	0.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	0 / 13	0.0%	0 / 1	2 / 15	2.8%
Percentage of cycles for fertility preservation	0.0%	4 / 13	9.5%	0 / 1	2 / 15	11.1%
Percentage of transfers using a gestational carrier	2 / 11	1 / 4	0 / 7	0 / 1	0 / 6	10.3%
Percentage of transfers using frozen embryos	11 / 11	4 / 4	7 / 7	1 / 1	6 / 6	100.0%
Percentage of transfers of at least one embryo with ICSI	11 / 11	4 / 4	7 / 7	1 / 1	5 / 6	96.6%
Percentage of transfers of at least one embryo with PGT	11 / 11	4 / 4	6 / 7	1 / 1	5 / 6	93.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	24%	Diminished ovarian reserve	60%
Endometriosis	6%	Egg or embryo banking	60%
Tubal factor	13%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	4%	Other, infertility	0%
Uterine factor	3%	Other, non-infertility	0%
PGT	65%	Unexplained	6%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BLOOM REPRODUCTIVE INSTITUTE
SCOTTSDALE, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Millie A. Behera, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	88	66	54	29	20
Percentage of intended retrievals resulting in live births	55.7%	42.4%	18.5%	3.4%	0.0%
Percentage of intended retrievals resulting in singleton live births	38.6%	25.8%	13.0%	3.4%	0.0%
Number of **retrievals**	88	59	47	21	14
Percentage of retrievals resulting in live births	55.7%	47.5%	21.3%	4.8%	0 / 14
Percentage of retrievals resulting in singleton live births	38.6%	28.8%	14.9%	4.8%	0 / 14
Number of **transfers**	94	41	27	5	5
Percentage of transfers resulting in live births	52.1%	68.3%	37.0%	1 / 5	0 / 5
Percentage of transfers resulting in singleton live births	36.2%	41.5%	25.9%	1 / 5	0 / 5
Number of intended retrievals per live birth	1.8	2.4	5.4	29.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	62.1%	44.7%	18.8%	0 / 15	0 / 11
Percentage of new patients having live births after 1 or 2 intended retrievals	63.6%	52.6%	25.0%	1 / 15	0 / 11
Percentage of new patients having live births after all intended retrievals	65.2%	55.3%	28.1%	1 / 15	0 / 11
Average number of intended retrievals per new patient	1.2	1.4	1.4	1.5	1.5
Average number of transfers per intended retrieval	1.1	0.6	0.5	0.2	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	2	21	1
Percentage of transfers resulting in live births		2 / 2	47.6%	1 / 1
Percentage of transfers resulting in singleton live births		1 / 2	38.1%	1 / 1

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	199	98	106	35	44	482
Percentage of cycles cancelled prior to retrieval or thaw	2.5%	6.1%	12.3%	5.7%	15.9%	6.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.5%	6.1%	9.4%	8.6%	15.9%	6.8%
Percentage of cycles for fertility preservation	1.5%	3.1%	8.5%	5.7%	2.3%	3.7%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 11	0.0%	0.0%
Percentage of transfers using frozen embryos	94.4%	100.0%	97.4%	10 / 11	59.1%	92.1%
Percentage of transfers of at least one embryo with ICSI	77.8%	75.0%	56.4%	7 / 11	50.0%	69.3%
Percentage of transfers of at least one embryo with PGT	71.1%	80.0%	59.0%	10 / 11	59.1%	70.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	10%	Diminished ovarian reserve	50%
Endometriosis	9%	Egg or embryo banking	46%
Tubal factor	7%	Recurrent pregnancy loss	<1%
Ovulatory dysfunction	30%	Other, infertility	3%
Uterine factor	4%	Other, non-infertility	1%
PGT	1%	Unexplained	3%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BOSTON IVF, THE ARIZONA CENTER, LLC
SCOTTSDALE, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Alan S. Penzias, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	50	30	24	7	11
Percentage of intended retrievals resulting in live births	58.0%	40.0%	16.7%	1 / 7	0 / 11
Percentage of intended retrievals resulting in singleton live births	48.0%	36.7%	16.7%	1 / 7	0 / 11
Number of **retrievals**	49	27	22	5	6
Percentage of retrievals resulting in live births	59.2%	44.4%	18.2%	1 / 5	0 / 6
Percentage of retrievals resulting in singleton live births	49.0%	40.7%	18.2%	1 / 5	0 / 6
Number of **transfers**	60	21	10	1	3
Percentage of transfers resulting in live births	48.3%	57.1%	4 / 10	1 / 1	0 / 3
Percentage of transfers resulting in singleton live births	40.0%	52.4%	4 / 10	1 / 1	0 / 3
Number of intended retrievals per live birth	1.7	2.5	6.0	7.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	61.4%	6 / 13	2 / 8	0 / 3	0 / 4
Percentage of new patients having live births after 1 or 2 intended retrievals	61.4%	7 / 13	2 / 8	1 / 3	0 / 4
Percentage of new patients having live births after all intended retrievals	61.4%	8 / 13	3 / 8	1 / 3	0 / 4
Average number of intended retrievals per new patient	1.1	1.7	1.6	2.3	1.3
Average number of transfers per intended retrieval	1.2	0.6	0.5	0.1	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	5	4	0
Percentage of transfers resulting in live births		1 / 5	1 / 4	
Percentage of transfers resulting in singleton live births		1 / 5	1 / 4	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	130	31	41	16	14	232
Percentage of cycles cancelled prior to retrieval or thaw	5.4%	3.2%	7.3%	2 / 16	1 / 14	6.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.5%	6.5%	14.6%	2 / 16	3 / 14	10.3%
Percentage of cycles for fertility preservation	1.5%	0.0%	0.0%	0 / 16	0 / 14	0.9%
Percentage of transfers using a gestational carrier	0.0%	0 / 14	0 / 17	0 / 9	0 / 5	0.0%
Percentage of transfers using frozen embryos	83.3%	12 / 14	16 / 17	5 / 9	3 / 5	82.1%
Percentage of transfers of at least one embryo with ICSI	64.1%	9 / 14	12 / 17	6 / 9	5 / 5	66.7%
Percentage of transfers of at least one embryo with PGT	69.2%	11 / 14	12 / 17	3 / 9	3 / 5	67.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	40%	Diminished ovarian reserve	43%
Endometriosis	5%	Egg or embryo banking	33%
Tubal factor	16%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	60%	Other, infertility	10%
Uterine factor	4%	Other, non-infertility	2%
PGT	4%	Unexplained	2%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

IVF PHOENIX
SCOTTSDALE, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by John L. Couvaras, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	55	28	23	13	4
Percentage of intended retrievals resulting in live births	18.2%	10.7%	0.0%	1 / 13	0 / 4
Percentage of intended retrievals resulting in singleton live births	16.4%	7.1%	0.0%	1 / 13	0 / 4
Number of **retrievals**	51	24	20	11	4
Percentage of retrievals resulting in live births	19.6%	12.5%	0.0%	1 / 11	0 / 4
Percentage of retrievals resulting in singleton live births	17.6%	8.3%	0.0%	1 / 11	0 / 4
Number of **transfers**	35	14	6	1	1
Percentage of transfers resulting in live births	28.6%	3 / 14	0 / 6	1 / 1	0 / 1
Percentage of transfers resulting in singleton live births	25.7%	2 / 14	0 / 6	1 / 1	0 / 1
Number of intended retrievals per live birth	5.5	9.3		13.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	14.8%	1 / 13	0 / 14	0 / 5	0 / 4
Percentage of new patients having live births after 1 or 2 intended retrievals	29.6%	2 / 13	0 / 14	0 / 5	0 / 4
Percentage of new patients having live births after all intended retrievals	33.3%	3 / 13	0 / 14	0 / 5	0 / 4
Average number of intended retrievals per new patient	1.4	1.8	1.2	1.2	1.0
Average number of transfers per intended retrieval	0.7	0.6	0.2	0.0	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	0	5	0
Percentage of transfers resulting in live births	1 / 1		3 / 5	
Percentage of transfers resulting in singleton live births	1 / 1		2 / 5	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	51	43	35	19	16	164
Percentage of cycles cancelled prior to retrieval or thaw	5.9%	7.0%	11.4%	2 / 19	0 / 16	7.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	13.7%	16.3%	31.4%	5 / 19	4 / 16	20.7%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 19	0 / 16	0.0%
Percentage of transfers using a gestational carrier	0.0%	0 / 13	1 / 3	2 / 5	0 / 7	5.9%
Percentage of transfers using frozen embryos	95.7%	13 / 13	3 / 3	5 / 5	6 / 7	96.1%
Percentage of transfers of at least one embryo with ICSI	82.6%	13 / 13	3 / 3	3 / 5	5 / 7	84.3%
Percentage of transfers of at least one embryo with PGT	39.1%	9 / 13	3 / 3	1 / 5	2 / 7	47.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	25%	Diminished ovarian reserve	23%
Endometriosis	2%	Egg or embryo banking	41%
Tubal factor	0%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	3%	Other, infertility	5%
Uterine factor	1%	Other, non-infertility	2%
PGT	1%	Unexplained	38%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY TREATMENT CENTER, PC
TEMPE, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by H. Randall Craig, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	86	59	62	30	23
Percentage of intended retrievals resulting in live births	47.7%	39.0%	17.7%	10.0%	4.3%
Percentage of intended retrievals resulting in singleton live births	32.6%	20.3%	14.5%	10.0%	4.3%
Number of **retrievals**	77	52	49	18	12
Percentage of retrievals resulting in live births	53.2%	44.2%	22.4%	3 / 18	1 / 12
Percentage of retrievals resulting in singleton live births	36.4%	23.1%	18.4%	3 / 18	1 / 12
Number of **transfers**	69	46	34	13	5
Percentage of transfers resulting in live births	59.4%	50.0%	32.4%	3 / 13	1 / 5
Percentage of transfers resulting in singleton live births	40.6%	26.1%	26.5%	3 / 13	1 / 5
Number of intended retrievals per live birth	2.1	2.6	5.6	10.0	23.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	53.7%	38.9%	28.6%	0 / 7	1 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	63.0%	44.4%	38.1%	1 / 7	1 / 6
Percentage of new patients having live births after all intended retrievals	63.0%	50.0%	38.1%	1 / 7	1 / 6
Average number of intended retrievals per new patient	1.2	1.4	1.6	2.0	2.0
Average number of transfers per intended retrieval	0.9	0.7	0.5	0.4	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	28	22
Percentage of transfers resulting in live births			28.6%	50.0%
Percentage of transfers resulting in singleton live births			10.7%	36.4%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	156	131	125	53	83	548
Percentage of cycles cancelled prior to retrieval or thaw	3.8%	6.1%	12.0%	15.1%	8.4%	8.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.2%	5.3%	9.6%	15.1%	8.4%	7.1%
Percentage of cycles for fertility preservation	0.0%	4.6%	3.2%	1.9%	0.0%	2.0%
Percentage of transfers using a gestational carrier	1.1%	0.0%	0.0%	0.0%	8.5%	1.7%
Percentage of transfers using frozen embryos	97.8%	100.0%	95.2%	86.4%	97.9%	96.9%
Percentage of transfers of at least one embryo with ICSI	78.9%	83.6%	80.6%	72.7%	57.4%	76.4%
Percentage of transfers of at least one embryo with PGT	15.6%	7.5%	19.4%	13.6%	12.8%	13.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	13%	Diminished ovarian reserve	39%
Endometriosis	1%	Egg or embryo banking	33%
Tubal factor	5%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	31%	Other, infertility	5%
Uterine factor	3%	Other, non-infertility	1%
PGT	2%	Unexplained	9%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ARIZONA CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY
TUCSON, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Timothy J. Gelety, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	67	30	24	9	9
Percentage of intended retrievals resulting in live births	55.2%	30.0%	12.5%	1 / 9	1 / 9
Percentage of intended retrievals resulting in singleton live births	41.8%	20.0%	8.3%	1 / 9	1 / 9
Number of **retrievals**	66	29	22	9	8
Percentage of retrievals resulting in live births	56.1%	31.0%	13.6%	1 / 9	1 / 8
Percentage of retrievals resulting in singleton live births	42.4%	20.7%	9.1%	1 / 9	1 / 8
Number of **transfers**	81	39	23	7	7
Percentage of transfers resulting in live births	45.7%	23.1%	13.0%	1 / 7	1 / 7
Percentage of transfers resulting in singleton live births	34.6%	15.4%	8.7%	1 / 7	1 / 7
Number of intended retrievals per live birth	1.8	3.3	8.0	9.0	9.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	52.7%	34.8%	3 / 18	1 / 5	0 / 3
Percentage of new patients having live births after 1 or 2 intended retrievals	60.0%	34.8%	3 / 18	1 / 5	0 / 3
Percentage of new patients having live births after all intended retrievals	60.0%	34.8%	3 / 18	1 / 5	0 / 3
Average number of intended retrievals per new patient	1.1	1.0	1.2	1.0	1.3
Average number of transfers per intended retrieval	1.2	1.3	1.0	1.0	0.8

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	2	0	10	0
Percentage of transfers resulting in live births	0 / 2		2 / 10	
Percentage of transfers resulting in singleton live births	0 / 2		1 / 10	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	109	48	55	14	24	250
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	1.8%	0 / 14	16.7%	2.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.6%	6.3%	1.8%	1 / 14	16.7%	5.6%
Percentage of cycles for fertility preservation	0.0%	2.1%	0.0%	0 / 14	0.0%	0.4%
Percentage of transfers using a gestational carrier	2.0%	0.0%	0.0%	0 / 13	0 / 15	0.9%
Percentage of transfers using frozen embryos	49.5%	44.2%	40.8%	4 / 13	7 / 15	45.2%
Percentage of transfers of at least one embryo with ICSI	49.5%	34.9%	40.8%	4 / 13	6 / 15	43.0%
Percentage of transfers of at least one embryo with PGT	5.9%	7.0%	4.1%	0 / 13	0 / 15	5.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	40%	Diminished ovarian reserve	20%
Endometriosis	6%	Egg or embryo banking	4%
Tubal factor	18%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	17%	Other, infertility	6%
Uterine factor	4%	Other, non-infertility	<1%
PGT	4%	Unexplained	3%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ARIZONA REPRODUCTIVE INSTITUTE
TUCSON, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Christine W. Mansfield, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	83	52	23	10	20
Percentage of intended retrievals resulting in live births	60.2%	30.8%	13.0%	0 / 10	5.0%
Percentage of intended retrievals resulting in singleton live births	48.2%	26.9%	8.7%	0 / 10	5.0%
Number of **retrievals**	82	49	21	10	19
Percentage of retrievals resulting in live births	61.0%	32.7%	14.3%	0 / 10	1 / 19
Percentage of retrievals resulting in singleton live births	48.8%	28.6%	9.5%	0 / 10	1 / 19
Number of **transfers**	105	53	14	5	4
Percentage of transfers resulting in live births	47.6%	30.2%	3 / 14	0 / 5	1 / 4
Percentage of transfers resulting in singleton live births	38.1%	26.4%	2 / 14	0 / 5	1 / 4
Number of intended retrievals per live birth	1.7	3.3	7.7		20.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	55.6%	40.0%	2 / 15	0 / 6	1 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	60.3%	44.0%	2 / 15	0 / 6	1 / 6
Percentage of new patients having live births after all intended retrievals	60.3%	44.0%	2 / 15	0 / 6	1 / 6
Average number of intended retrievals per new patient	1.1	1.1	1.2	1.3	2.5
Average number of transfers per intended retrieval	1.3	1.2	0.6	0.5	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	4	11	1
Percentage of transfers resulting in live births	3 / 6	1 / 4	2 / 11	1 / 1
Percentage of transfers resulting in singleton live births	1 / 6	1 / 4	1 / 11	1 / 1

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	162	89	70	28	22	371
Percentage of cycles cancelled prior to retrieval or thaw	2.5%	3.4%	5.7%	3.6%	18.2%	4.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.1%	3.4%	8.6%	14.3%	4.5%	5.1%
Percentage of cycles for fertility preservation	4.3%	4.5%	2.9%	3.6%	0.0%	3.8%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 14	0 / 13	0.0%
Percentage of transfers using frozen embryos	58.9%	66.7%	74.4%	7 / 14	5 / 13	61.8%
Percentage of transfers of at least one embryo with ICSI	97.3%	93.3%	89.7%	12 / 14	10 / 13	93.3%
Percentage of transfers of at least one embryo with PGT	16.1%	28.3%	35.9%	5 / 14	3 / 13	23.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	24%	Diminished ovarian reserve	29%
Endometriosis	4%	Egg or embryo banking	27%
Tubal factor	5%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	11%	Other, infertility	23%
Uterine factor	2%	Other, non-infertility	9%
PGT	11%	Unexplained	5%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE HEALTH CENTER
TUCSON, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Scot M. Hutchison, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	51	20	15	9	4
Percentage of intended retrievals resulting in live births	33.3%	20.0%	2 / 15	2 / 9	0 / 4
Percentage of intended retrievals resulting in singleton live births	33.3%	15.0%	2 / 15	2 / 9	0 / 4
Number of **retrievals**	51	20	15	9	4
Percentage of retrievals resulting in live births	33.3%	20.0%	2 / 15	2 / 9	0 / 4
Percentage of retrievals resulting in singleton live births	33.3%	15.0%	2 / 15	2 / 9	0 / 4
Number of **transfers**	46	17	4	3	0
Percentage of transfers resulting in live births	37.0%	4 / 17	2 / 4	2 / 3	
Percentage of transfers resulting in singleton live births	37.0%	3 / 17	2 / 4	2 / 3	
Number of intended retrievals per live birth	3.0	5.0	7.5	4.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	29.3%	3 / 15	2 / 10	1 / 6	0 / 3
Percentage of new patients having live births after 1 or 2 intended retrievals	34.1%	3 / 15	2 / 10	1 / 6	0 / 3
Percentage of new patients having live births after all intended retrievals	34.1%	3 / 15	2 / 10	1 / 6	0 / 3
Average number of intended retrievals per new patient	1.2	1.1	1.3	1.0	1.3
Average number of transfers per intended retrieval	0.9	0.6	0.3	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	3	12	7
Percentage of transfers resulting in live births		1 / 3	7 / 12	2 / 7
Percentage of transfers resulting in singleton live births		1 / 3	6 / 12	1 / 7

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	109	49	37	23	15	233
Percentage of cycles cancelled prior to retrieval or thaw	1.8%	2.0%	2.7%	4.3%	0 / 15	2.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	44.0%	40.8%	54.1%	78.3%	5 / 15	47.6%
Percentage of cycles for fertility preservation	2.8%	10.2%	0.0%	0.0%	0 / 15	3.4%
Percentage of transfers using a gestational carrier	1.8%	0.0%	0 / 16	0 / 4	0 / 10	0.9%
Percentage of transfers using frozen embryos	98.2%	100.0%	16 / 16	3 / 4	9 / 10	97.2%
Percentage of transfers of at least one embryo with ICSI	91.1%	100.0%	15 / 16	4 / 4	8 / 10	92.7%
Percentage of transfers of at least one embryo with PGT	75.0%	65.2%	12 / 16	2 / 4	1 / 10	66.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	24%	Diminished ovarian reserve	17%
Endometriosis	4%	Egg or embryo banking	3%
Tubal factor	11%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	7%	Other, infertility	16%
Uterine factor	3%	Other, non-infertility	0%
PGT	1%	Unexplained	30%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ARKANSAS FERTILITY CENTER
LITTLE ROCK, ARKANSAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Dean M. Moutos, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	108	47	18	6	1
Percentage of intended retrievals resulting in live births	52.8%	29.8%	5 / 18	1 / 6	0 / 1
Percentage of intended retrievals resulting in singleton live births	39.8%	21.3%	5 / 18	1 / 6	0 / 1
Number of **retrievals**	101	42	15	5	1
Percentage of retrievals resulting in live births	56.4%	33.3%	5 / 15	1 / 5	0 / 1
Percentage of retrievals resulting in singleton live births	42.6%	23.8%	5 / 15	1 / 5	0 / 1
Number of **transfers**	122	45	13	4	2
Percentage of transfers resulting in live births	46.7%	31.1%	5 / 13	1 / 4	0 / 2
Percentage of transfers resulting in singleton live births	35.2%	22.2%	5 / 13	1 / 4	0 / 2
Number of intended retrievals per live birth	1.9	3.4	3.6	6.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	55.7%	21.7%	4 / 11	0 / 2	0 / 1
Percentage of new patients having live births after 1 or 2 intended retrievals	62.9%	30.4%	4 / 11	0 / 2	0 / 1
Percentage of new patients having live births after all intended retrievals	64.3%	30.4%	4 / 11	0 / 2	0 / 1
Average number of intended retrievals per new patient	1.1	1.3	1.4	2.5	1.0
Average number of transfers per intended retrieval	1.2	0.9	0.7	0.6	2.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	0	9	0
Percentage of transfers resulting in live births	4 / 8		3 / 9	
Percentage of transfers resulting in singleton live births	3 / 8		3 / 9	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	204	48	53	9	7	321
Percentage of cycles cancelled prior to retrieval or thaw	11.8%	8.3%	18.9%	2 / 9	0 / 7	12.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.4%	8.3%	11.3%	2 / 9	0 / 7	8.4%
Percentage of cycles for fertility preservation	0.5%	0.0%	0.0%	0 / 9	0 / 7	0.3%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 3	0 / 7	0.0%
Percentage of transfers using frozen embryos	47.8%	41.0%	48.5%	2 / 3	4 / 7	47.3%
Percentage of transfers of at least one embryo with ICSI	77.4%	69.2%	78.8%	1 / 3	4 / 7	75.1%
Percentage of transfers of at least one embryo with PGT	3.8%	0.0%	12.1%	0 / 3	0 / 7	4.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	21%
Endometriosis	10%	Egg or embryo banking	4%
Tubal factor	23%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	3%	Other, infertility	7%
Uterine factor	5%	Other, non-infertility	0%
PGT	7%	Unexplained	26%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

LIFESTART FERTILITY CENTER
AGOURA HILLS, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Anita P. Singh, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	3	0	4	1	4
Percentage of intended retrievals resulting in live births	1 / 3		1 / 4	0 / 1	0 / 4
Percentage of intended retrievals resulting in singleton live births	1 / 3		1 / 4	0 / 1	0 / 4
Number of **retrievals**	3	0	2	1	4
Percentage of retrievals resulting in live births	1 / 3		1 / 2	0 / 1	0 / 4
Percentage of retrievals resulting in singleton live births	1 / 3		1 / 2	0 / 1	0 / 4
Number of **transfers**	2	0	1	0	2
Percentage of transfers resulting in live births	1 / 2		1 / 1		0 / 2
Percentage of transfers resulting in singleton live births	1 / 2		1 / 1		0 / 2
Number of intended retrievals per live birth	3.0		4.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	1 / 3		0 / 1	0 / 1	
Percentage of new patients having live births after 1 or 2 intended retrievals	1 / 3		0 / 1	0 / 1	
Percentage of new patients having live births after all intended retrievals	1 / 3		0 / 1	0 / 1	
Average number of intended retrievals per new patient	1.0		1.0	1.0	
Average number of transfers per intended retrieval	0.7		0.0	0.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	0	1	0
Percentage of transfers resulting in live births	1 / 1		1 / 1	
Percentage of transfers resulting in singleton live births	1 / 1		1 / 1	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	9	4	2	5	1	21
Percentage of cycles cancelled prior to retrieval or thaw	0 / 9	1 / 4	0 / 2	0 / 5	0 / 1	4.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0 / 9	0 / 4	1 / 2	0 / 5	0 / 1	4.8%
Percentage of cycles for fertility preservation	0 / 9	1 / 4	0 / 2	0 / 5	0 / 1	4.8%
Percentage of transfers using a gestational carrier	0 / 8	0 / 2	0 / 1	0 / 2	0 / 1	0 / 14
Percentage of transfers using frozen embryos	1 / 8	0 / 2	1 / 1	2 / 2	0 / 1	4 / 14
Percentage of transfers of at least one embryo with ICSI	6 / 8	1 / 2	0 / 1	1 / 2	0 / 1	8 / 14
Percentage of transfers of at least one embryo with PGT	1 / 8	0 / 2	0 / 1	2 / 2	0 / 1	3 / 14

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	67%
Endometriosis	0%	Egg or embryo banking	29%
Tubal factor	14%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	10%	Other, infertility	29%
Uterine factor	0%	Other, non-infertility	5%
PGT	29%	Unexplained	14%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ALTA BATES IN VITRO FERTILIZATION PROGRAM
BERKELEY, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Ryszard J. Chetkowski, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	7	2	8	3	0
Percentage of intended retrievals resulting in live births	3 / 7	2 / 2	1 / 8	0 / 3	
Percentage of intended retrievals resulting in singleton live births	3 / 7	2 / 2	1 / 8	0 / 3	
Number of **retrievals**	6	2	6	2	0
Percentage of retrievals resulting in live births	3 / 6	2 / 2	1 / 6	0 / 2	
Percentage of retrievals resulting in singleton live births	3 / 6	2 / 2	1 / 6	0 / 2	
Number of **transfers**	10	2	4	1	0
Percentage of transfers resulting in live births	3 / 10	2 / 2	1 / 4	0 / 1	
Percentage of transfers resulting in singleton live births	3 / 10	2 / 2	1 / 4	0 / 1	
Number of intended retrievals per live birth	2.3	1.0	8.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	2 / 6	2 / 2	1 / 5	0 / 3	
Percentage of new patients having live births after 1 or 2 intended retrievals	3 / 6	2 / 2	1 / 5	0 / 3	
Percentage of new patients having live births after all intended retrievals	3 / 6	2 / 2	1 / 5	0 / 3	
Average number of intended retrievals per new patient	1.2	1.0	1.4	1.0	
Average number of transfers per intended retrieval	1.4	1.0	0.6	0.3	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	2	0	11	1
Percentage of transfers resulting in live births	2 / 2		5 / 11	0 / 1
Percentage of transfers resulting in singleton live births	2 / 2		5 / 11	0 / 1

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	12	21	28	10	10	81
Percentage of cycles cancelled prior to retrieval or thaw	1 / 12	9.5%	7.1%	0 / 10	1 / 10	7.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1 / 12	9.5%	3.6%	0 / 10	0 / 10	4.9%
Percentage of cycles for fertility preservation	0 / 12	9.5%	3.6%	3 / 10	0 / 10	7.4%
Percentage of transfers using a gestational carrier	0 / 7	1 / 10	2 / 16	1 / 6	3 / 6	15.6%
Percentage of transfers using frozen embryos	6 / 7	8 / 10	13 / 16	4 / 6	6 / 6	82.2%
Percentage of transfers of at least one embryo with ICSI	6 / 7	9 / 10	10 / 16	2 / 6	4 / 6	68.9%
Percentage of transfers of at least one embryo with PGT	5 / 7	7 / 10	10 / 16	4 / 6	4 / 6	66.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	19%	Diminished ovarian reserve	2%
Endometriosis	7%	Egg or embryo banking	35%
Tubal factor	1%	Recurrent pregnancy loss	17%
Ovulatory dysfunction	1%	Other, infertility	56%
Uterine factor	7%	Other, non-infertility	16%
PGT	14%	Unexplained	5%
Gestational carrier	5%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTER FOR REPRODUCTIVE HEALTH & GYNECOLOGY (CRH&G)
BEVERLY HILLS, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Sam Najmabadi, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	11	10	19	4	7
Percentage of intended retrievals resulting in live births	7 / 11	5 / 10	5 / 19	2 / 4	0 / 7
Percentage of intended retrievals resulting in singleton live births	4 / 11	3 / 10	4 / 19	2 / 4	0 / 7
Number of **retrievals**	10	10	15	4	5
Percentage of retrievals resulting in live births	7 / 10	5 / 10	5 / 15	2 / 4	0 / 5
Percentage of retrievals resulting in singleton live births	4 / 10	3 / 10	4 / 15	2 / 4	0 / 5
Number of **transfers**	10	10	8	4	2
Percentage of transfers resulting in live births	7 / 10	5 / 10	5 / 8	2 / 4	0 / 2
Percentage of transfers resulting in singleton live births	4 / 10	3 / 10	4 / 8	2 / 4	0 / 2
Number of intended retrievals per live birth	1.6	2.0	3.8	2.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	5 / 9	4 / 9	3 / 13	1 / 3	0 / 3
Percentage of new patients having live births after 1 or 2 intended retrievals	7 / 9	4 / 9	4 / 13	2 / 3	0 / 3
Percentage of new patients having live births after all intended retrievals	7 / 9	4 / 9	4 / 13	2 / 3	0 / 3
Average number of intended retrievals per new patient	1.2	1.0	1.2	1.3	1.7
Average number of transfers per intended retrieval	0.9	1.0	0.4	1.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	0	4	3
Percentage of transfers resulting in live births	6 / 7		3 / 4	2 / 3
Percentage of transfers resulting in singleton live births	6 / 7		3 / 4	2 / 3

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	32	27	22	16	32	129
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	9.1%	2 / 16	6.3%	4.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.1%	3.7%	4.5%	0 / 16	0.0%	2.3%
Percentage of cycles for fertility preservation	31.3%	33.3%	22.7%	8 / 16	37.5%	34.1%
Percentage of transfers using a gestational carrier	1 / 15	0 / 12	0 / 9	0 / 5	1 / 15	3.6%
Percentage of transfers using frozen embryos	9 / 15	9 / 12	6 / 9	3 / 5	7 / 15	60.7%
Percentage of transfers of at least one embryo with ICSI	13 / 15	9 / 12	7 / 9	4 / 5	12 / 15	80.4%
Percentage of transfers of at least one embryo with PGT	4 / 15	5 / 12	2 / 9	2 / 5	3 / 15	28.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	55%	Diminished ovarian reserve	45%
Endometriosis	2%	Egg or embryo banking	50%
Tubal factor	4%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	6%	Other, infertility	15%
Uterine factor	1%	Other, non-infertility	0%
PGT	11%	Unexplained	0%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SOUTHERN CALIFORNIA REPRODUCTIVE CENTER
BEVERLY HILLS, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mark W. Surrey, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	149	81	102	64	48
Percentage of intended retrievals resulting in live births	41.6%	30.9%	21.6%	14.1%	0.0%
Percentage of intended retrievals resulting in singleton live births	34.9%	27.2%	20.6%	14.1%	0.0%
Number of **retrievals**	148	81	99	61	47
Percentage of retrievals resulting in live births	41.9%	30.9%	22.2%	14.8%	0.0%
Percentage of retrievals resulting in singleton live births	35.1%	27.2%	21.2%	14.8%	0.0%
Number of **transfers**	112	38	38	11	5
Percentage of transfers resulting in live births	55.4%	65.8%	57.9%	9 / 11	0 / 5
Percentage of transfers resulting in singleton live births	46.4%	57.9%	55.3%	9 / 11	0 / 5
Number of intended retrievals per live birth	2.4	3.2	4.6	7.1	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	40.9%	27.7%	20.8%	18.2%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	46.4%	38.3%	33.3%	22.7%	0.0%
Percentage of new patients having live births after all intended retrievals	46.4%	38.3%	39.6%	27.3%	0.0%
Average number of intended retrievals per new patient	1.1	1.3	1.5	1.4	1.5
Average number of transfers per intended retrieval	0.8	0.5	0.4	0.2	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	4	0	65	2
Percentage of transfers resulting in live births	2 / 4		61.5%	0 / 2
Percentage of transfers resulting in singleton live births	1 / 4		47.7%	0 / 2

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	401	305	264	135	164	1,269
Percentage of cycles cancelled prior to retrieval or thaw	1.5%	2.6%	2.3%	2.2%	2.4%	2.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.7%	0.7%	5.7%	4.4%	8.5%	3.5%
Percentage of cycles for fertility preservation	17.7%	30.5%	20.5%	16.3%	5.5%	19.6%
Percentage of transfers using a gestational carrier	5.3%	6.8%	9.9%	19.0%	40.4%	13.0%
Percentage of transfers using frozen embryos	93.2%	97.7%	97.5%	97.6%	93.0%	95.5%
Percentage of transfers of at least one embryo with ICSI	84.1%	73.9%	66.7%	69.0%	47.4%	71.5%
Percentage of transfers of at least one embryo with PGT	83.3%	87.5%	85.2%	92.9%	73.7%	84.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	3%	Diminished ovarian reserve	2%
Endometriosis	1%	Egg or embryo banking	64%
Tubal factor	1%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	1%	Other, infertility	88%
Uterine factor	<1%	Other, non-infertility	1%
PGT	1%	Unexplained	2%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY CARE OF ORANGE COUNTY
BREA, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Changnin T. Lee, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	27	18	27	15	17
Percentage of intended retrievals resulting in live births	48.1%	9 / 18	14.8%	0 / 15	1 / 17
Percentage of intended retrievals resulting in singleton live births	40.7%	7 / 18	11.1%	0 / 15	1 / 17
Number of **retrievals**	23	16	20	13	12
Percentage of retrievals resulting in live births	56.5%	9 / 16	20.0%	0 / 13	1 / 12
Percentage of retrievals resulting in singleton live births	47.8%	7 / 16	15.0%	0 / 13	1 / 12
Number of **transfers**	35	13	14	8	4
Percentage of transfers resulting in live births	37.1%	9 / 13	4 / 14	0 / 8	1 / 4
Percentage of transfers resulting in singleton live births	31.4%	7 / 13	3 / 14	0 / 8	1 / 4
Number of intended retrievals per live birth	2.1	2.0	6.8		17.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	47.6%	8 / 13	3 / 16	0 / 6	1 / 9
Percentage of new patients having live births after 1 or 2 intended retrievals	57.1%	8 / 13	4 / 16	0 / 6	1 / 9
Percentage of new patients having live births after all intended retrievals	57.1%	8 / 13	4 / 16	0 / 6	1 / 9
Average number of intended retrievals per new patient	1.1	1.1	1.4	1.3	1.1
Average number of transfers per intended retrieval	1.4	0.8	0.5	0.4	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	16	2
Percentage of transfers resulting in live births			10 / 16	1 / 2
Percentage of transfers resulting in singleton live births			8 / 16	1 / 2

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	116	74	61	28	42	321
Percentage of cycles cancelled prior to retrieval or thaw	7.8%	13.5%	16.4%	10.7%	23.8%	13.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.7%	0.0%	3.3%	3.6%	2.4%	1.9%
Percentage of cycles for fertility preservation	0.9%	2.7%	1.6%	0.0%	2.4%	1.6%
Percentage of transfers using a gestational carrier	8.2%	8.1%	4.0%	2 / 11	10 / 19	13.7%
Percentage of transfers using frozen embryos	100.0%	97.3%	96.0%	11 / 11	19 / 19	98.7%
Percentage of transfers of at least one embryo with ICSI	98.4%	97.3%	100.0%	10 / 11	18 / 19	97.4%
Percentage of transfers of at least one embryo with PGT	90.2%	62.2%	80.0%	7 / 11	16 / 19	79.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	31%
Endometriosis	1%	Egg or embryo banking	89%
Tubal factor	14%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	7%	Other, infertility	1%
Uterine factor	0%	Other, non-infertility	5%
PGT	66%	Unexplained	17%
Gestational carrier	4%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTRAL CALIFORNIA IVF PROGRAM
WOMEN'S SPECIALTY AND FERTILITY CENTER
CLOVIS, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by H. Michael Synn, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	78	42	26	9	5
Percentage of intended retrievals resulting in live births	51.3%	38.1%	30.8%	0 / 9	0 / 5
Percentage of intended retrievals resulting in singleton live births	42.3%	33.3%	30.8%	0 / 9	0 / 5
Number of **retrievals**	75	38	23	7	3
Percentage of retrievals resulting in live births	53.3%	42.1%	34.8%	0 / 7	0 / 3
Percentage of retrievals resulting in singleton live births	44.0%	36.8%	34.8%	0 / 7	0 / 3
Number of **transfers**	91	43	30	6	3
Percentage of transfers resulting in live births	44.0%	37.2%	26.7%	0 / 6	0 / 3
Percentage of transfers resulting in singleton live births	36.3%	32.6%	26.7%	0 / 6	0 / 3
Number of intended retrievals per live birth	2.0	2.6	3.3		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	51.6%	50.0%	5 / 19	0 / 7	0 / 2
Percentage of new patients having live births after 1 or 2 intended retrievals	53.2%	54.2%	6 / 19	0 / 7	0 / 2
Percentage of new patients having live births after all intended retrievals	54.8%	54.2%	6 / 19	0 / 7	0 / 2
Average number of intended retrievals per new patient	1.1	1.2	1.1	1.0	2.0
Average number of transfers per intended retrieval	1.2	1.0	1.2	0.7	0.8

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	6	10	2
Percentage of transfers resulting in live births	1 / 1	2 / 6	4 / 10	0 / 2
Percentage of transfers resulting in singleton live births	1 / 1	0 / 6	3 / 10	0 / 2

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	152	60	50	21	11	294
Percentage of cycles cancelled prior to retrieval or thaw	7.2%	8.3%	10.0%	14.3%	1 / 11	8.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.2%	3.3%	6.0%	0.0%	0 / 11	5.4%
Percentage of cycles for fertility preservation	5.3%	1.7%	0.0%	4.8%	0 / 11	3.4%
Percentage of transfers using a gestational carrier	1.8%	0.0%	0.0%	0 / 14	1 / 9	1.4%
Percentage of transfers using frozen embryos	54.4%	51.1%	51.3%	5 / 14	6 / 9	52.5%
Percentage of transfers of at least one embryo with ICSI	91.2%	84.4%	92.3%	13 / 14	5 / 9	88.7%
Percentage of transfers of at least one embryo with PGT	9.6%	15.6%	10.3%	1 / 14	3 / 9	11.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	35%	Diminished ovarian reserve	38%
Endometriosis	4%	Egg or embryo banking	12%
Tubal factor	14%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	19%	Other, infertility	7%
Uterine factor	2%	Other, non-infertility	1%
PGT	5%	Unexplained	6%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE
ENCINITAS, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Lori L. Arnold, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	12	6	5	3	0
Percentage of intended retrievals resulting in live births	8 / 12	2 / 6	3 / 5	1 / 3	
Percentage of intended retrievals resulting in singleton live births	7 / 12	2 / 6	2 / 5	1 / 3	
Number of **retrievals**	12	6	4	3	0
Percentage of retrievals resulting in live births	8 / 12	2 / 6	3 / 4	1 / 3	
Percentage of retrievals resulting in singleton live births	7 / 12	2 / 6	2 / 4	1 / 3	
Number of **transfers**	16	3	3	1	0
Percentage of transfers resulting in live births	8 / 16	2 / 3	3 / 3	1 / 1	
Percentage of transfers resulting in singleton live births	7 / 16	2 / 3	2 / 3	1 / 1	
Number of intended retrievals per live birth	1.5	3.0	1.7	3.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	6 / 10	2 / 4	2 / 4	0 / 2	
Percentage of new patients having live births after 1 or 2 intended retrievals	6 / 10	2 / 4	3 / 4	1 / 2	
Percentage of new patients having live births after all intended retrievals	6 / 10	2 / 4	3 / 4	1 / 2	
Average number of intended retrievals per new patient	1.0	1.0	1.3	1.5	
Average number of transfers per intended retrieval	1.3	0.8	0.6	0.3	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	0	25	0
Percentage of transfers resulting in live births	1 / 1		60.0%	
Percentage of transfers resulting in singleton live births	1 / 1		48.0%	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	40	23	22	13	35	133
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	4.3%	4.5%	1 / 13	0.0%	2.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.5%	0.0%	4.5%	1 / 13	5.7%	3.8%
Percentage of cycles for fertility preservation	0.0%	0.0%	9.1%	1 / 13	0.0%	2.3%
Percentage of transfers using a gestational carrier	5 / 19	3 / 13	4 / 10	3 / 6	14 / 15	46.0%
Percentage of transfers using frozen embryos	16 / 19	12 / 13	8 / 10	6 / 6	15 / 15	90.5%
Percentage of transfers of at least one embryo with ICSI	17 / 19	11 / 13	8 / 10	6 / 6	14 / 15	88.9%
Percentage of transfers of at least one embryo with PGT	16 / 19	12 / 13	6 / 10	6 / 6	15 / 15	87.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	14%	Diminished ovarian reserve	28%
Endometriosis	5%	Egg or embryo banking	48%
Tubal factor	5%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	5%	Other, infertility	18%
Uterine factor	3%	Other, non-infertility	2%
PGT	8%	Unexplained	16%
Gestational carrier	14%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2017 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2017 ART cycle data or the clinic's Medical Director did not approve the clinic's 2017 ART cycle data for inclusion in this report.

HRC FERTILITY-ENCINO
ENCINO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Michael A. Feinman, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	126	110	110	64	60
Percentage of intended retrievals resulting in live births	74.6%	44.5%	34.5%	17.2%	3.3%
Percentage of intended retrievals resulting in singleton live births	55.6%	31.8%	29.1%	15.6%	3.3%
Number of **retrievals**	126	108	104	61	50
Percentage of retrievals resulting in live births	74.6%	45.4%	36.5%	18.0%	4.0%
Percentage of retrievals resulting in singleton live births	55.6%	32.4%	30.8%	16.4%	4.0%
Number of **transfers**	138	95	75	35	11
Percentage of transfers resulting in live births	68.1%	51.6%	50.7%	31.4%	2 / 11
Percentage of transfers resulting in singleton live births	50.7%	36.8%	42.7%	28.6%	2 / 11
Number of intended retrievals per live birth	1.3	2.2	2.9	5.8	30.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	75.9%	47.4%	37.5%	17.9%	5.1%
Percentage of new patients having live births after 1 or 2 intended retrievals	79.5%	56.4%	40.6%	23.1%	5.1%
Percentage of new patients having live births after all intended retrievals	79.5%	56.4%	40.6%	23.1%	5.1%
Average number of intended retrievals per new patient	1.0	1.2	1.2	1.2	1.2
Average number of transfers per intended retrieval	1.1	0.9	0.7	0.6	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	48	4	133	13
Percentage of transfers resulting in live births	60.4%	3 / 4	51.1%	8 / 13
Percentage of transfers resulting in singleton live births	39.6%	2 / 4	42.1%	6 / 13

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	252	208	310	137	256	1,163
Percentage of cycles cancelled prior to retrieval or thaw	2.8%	3.8%	6.1%	5.8%	6.3%	5.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.8%	2.9%	6.1%	10.9%	6.6%	5.5%
Percentage of cycles for fertility preservation	4.4%	12.5%	8.7%	6.6%	1.2%	6.5%
Percentage of transfers using a gestational carrier	16.2%	16.8%	13.5%	22.6%	42.4%	23.6%
Percentage of transfers using frozen embryos	67.6%	68.1%	73.8%	77.4%	72.9%	71.4%
Percentage of transfers of at least one embryo with ICSI	75.7%	66.4%	69.0%	64.5%	58.2%	66.7%
Percentage of transfers of at least one embryo with PGT	54.1%	51.3%	53.2%	54.8%	51.8%	52.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	12%	Diminished ovarian reserve	29%
Endometriosis	2%	Egg or embryo banking	40%
Tubal factor	3%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	0%	Other, infertility	45%
Uterine factor	5%	Other, non-infertility	20%
PGT	7%	Unexplained	21%
Gestational carrier	5%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

LOS ANGELES REPRODUCTIVE CENTER (LARC)
ENCINO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Nurit Winkler, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	15	14	15	6	7
Percentage of intended retrievals resulting in live births	5 / 15	1 / 14	2 / 15	0 / 6	1 / 7
Percentage of intended retrievals resulting in singleton live births	5 / 15	1 / 14	2 / 15	0 / 6	1 / 7
Number of **retrievals**	15	12	14	4	6
Percentage of retrievals resulting in live births	5 / 15	1 / 12	2 / 14	0 / 4	1 / 6
Percentage of retrievals resulting in singleton live births	5 / 15	1 / 12	2 / 14	0 / 4	1 / 6
Number of **transfers**	7	4	8	0	1
Percentage of transfers resulting in live births	5 / 7	1 / 4	2 / 8		1 / 1
Percentage of transfers resulting in singleton live births	5 / 7	1 / 4	2 / 8		1 / 1
Number of intended retrievals per live birth	3.0	14.0	7.5		7.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	4 / 10	0 / 5	0 / 8	0 / 3	0 / 1
Percentage of new patients having live births after 1 or 2 intended retrievals	5 / 10	1 / 5	0 / 8	0 / 3	0 / 1
Percentage of new patients having live births after all intended retrievals	5 / 10	1 / 5	0 / 8	0 / 3	0 / 1
Average number of intended retrievals per new patient	1.2	1.2	1.3	2.0	1.0
Average number of transfers per intended retrieval	0.5	0.2	0.5	0.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	22	0
Percentage of transfers resulting in live births			68.2%	
Percentage of transfers resulting in singleton live births			63.6%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	47	29	33	8	24	141
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	0.0%	0 / 8	4.2%	0.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	0.0%	0.0%	2 / 8	16.7%	4.3%
Percentage of cycles for fertility preservation	2.1%	0.0%	0.0%	0 / 8	0.0%	0.7%
Percentage of transfers using a gestational carrier	26.9%	3 / 11	4 / 17	0 / 1	6 / 12	29.9%
Percentage of transfers using frozen embryos	92.3%	11 / 11	17 / 17	1 / 1	11 / 12	95.5%
Percentage of transfers of at least one embryo with ICSI	57.7%	4 / 11	5 / 17	1 / 1	5 / 12	44.8%
Percentage of transfers of at least one embryo with PGT	57.7%	6 / 11	10 / 17	1 / 1	5 / 12	55.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	24%	Diminished ovarian reserve	17%
Endometriosis	4%	Egg or embryo banking	50%
Tubal factor	9%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	13%	Other, infertility	37%
Uterine factor	11%	Other, non-infertility	13%
PGT	5%	Unexplained	4%
Gestational carrier	14%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

WESTERN FERTILITY INSTITUTE
ENCINO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ashim V. Kumar, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	30	30	21	31	14
Percentage of intended retrievals resulting in live births	53.3%	43.3%	28.6%	19.4%	0 / 14
Percentage of intended retrievals resulting in singleton live births	40.0%	33.3%	28.6%	16.1%	0 / 14
Number of **retrievals**	30	30	19	29	13
Percentage of retrievals resulting in live births	53.3%	43.3%	6 / 19	20.7%	0 / 13
Percentage of retrievals resulting in singleton live births	40.0%	33.3%	6 / 19	17.2%	0 / 13
Number of **transfers**	23	20	7	9	0
Percentage of transfers resulting in live births	69.6%	65.0%	6 / 7	6 / 9	
Percentage of transfers resulting in singleton live births	52.2%	50.0%	6 / 7	5 / 9	
Number of intended retrievals per live birth	1.9	2.3	3.5	5.2	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	52.4%	4 / 14	5 / 11	1 / 11	0 / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	57.1%	7 / 14	6 / 11	3 / 11	0 / 7
Percentage of new patients having live births after all intended retrievals	57.1%	8 / 14	6 / 11	3 / 11	0 / 7
Average number of intended retrievals per new patient	1.0	1.4	1.3	1.5	1.1
Average number of transfers per intended retrieval	0.7	0.7	0.5	0.2	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	166	5
Percentage of transfers resulting in live births			68.1%	3 / 5
Percentage of transfers resulting in singleton live births			45.8%	3 / 5

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	99	96	106	63	192	556
Percentage of cycles cancelled prior to retrieval or thaw	1.0%	1.0%	0.9%	0.0%	3.1%	1.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.0%	1.0%	0.0%	7.9%	9.4%	4.5%
Percentage of cycles for fertility preservation	13.1%	11.5%	16.0%	27.0%	17.2%	16.4%
Percentage of transfers using a gestational carrier	49.1%	73.1%	62.7%	77.8%	73.0%	66.8%
Percentage of transfers using frozen embryos	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Percentage of transfers of at least one embryo with ICSI	90.9%	80.8%	82.4%	88.9%	88.8%	86.5%
Percentage of transfers of at least one embryo with PGT	92.7%	98.1%	100.0%	100.0%	95.5%	96.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	26%	Diminished ovarian reserve	25%
Endometriosis	4%	Egg or embryo banking	51%
Tubal factor	2%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	6%	Other, infertility	1%
Uterine factor	3%	Other, non-infertility	21%
PGT	5%	Unexplained	7%
Gestational carrier	18%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ZOUVES FERTILITY CENTER
FOSTER CITY, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Christo G. Zouves, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	108	75	108	53	44
Percentage of intended retrievals resulting in live births	39.8%	29.3%	19.4%	7.5%	2.3%
Percentage of intended retrievals resulting in singleton live births	34.3%	28.0%	19.4%	7.5%	2.3%
Number of **retrievals**	103	73	106	51	42
Percentage of retrievals resulting in live births	41.7%	30.1%	19.8%	7.8%	2.4%
Percentage of retrievals resulting in singleton live births	35.9%	28.8%	19.8%	7.8%	2.4%
Number of **transfers**	92	65	55	11	4
Percentage of transfers resulting in live births	46.7%	33.8%	38.2%	4 / 11	1 / 4
Percentage of transfers resulting in singleton live births	40.2%	32.3%	38.2%	4 / 11	1 / 4
Number of intended retrievals per live birth	2.5	3.4	5.1	13.3	44.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	43.1%	34.3%	10.0%	0 / 15	0 / 13
Percentage of new patients having live births after 1 or 2 intended retrievals	49.2%	37.1%	16.7%	1 / 15	0 / 13
Percentage of new patients having live births after all intended retrievals	50.8%	37.1%	26.7%	1 / 15	0 / 13
Average number of intended retrievals per new patient	1.2	1.2	1.7	1.8	1.2
Average number of transfers per intended retrieval	0.9	0.7	0.5	0.1	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	22	73	0
Percentage of transfers resulting in live births		59.1%	45.2%	
Percentage of transfers resulting in singleton live births		45.5%	37.0%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	189	193	212	122	111	827
Percentage of cycles cancelled prior to retrieval or thaw	1.6%	1.6%	1.9%	0.8%	1.8%	1.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.8%	6.2%	14.6%	23.0%	27.9%	13.4%
Percentage of cycles for fertility preservation	6.3%	10.9%	9.0%	1.6%	1.8%	6.8%
Percentage of transfers using a gestational carrier	13.5%	14.9%	14.3%	11.9%	32.2%	16.5%
Percentage of transfers using frozen embryos	99.0%	100.0%	93.4%	88.1%	86.4%	94.5%
Percentage of transfers of at least one embryo with ICSI	92.3%	87.4%	83.5%	83.1%	59.3%	83.0%
Percentage of transfers of at least one embryo with PGT	96.2%	100.0%	89.0%	83.1%	78.0%	90.8%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	33%
Endometriosis	9%	Egg or embryo banking	51%
Tubal factor	5%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	18%	Other, infertility	10%
Uterine factor	5%	Other, non-infertility	5%
PGT	2%	Unexplained	4%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

WEST COAST FERTILITY CENTER
FOUNTAIN VALLEY, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by David G. Diaz, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	26	18	21	9	8
Percentage of intended retrievals resulting in live births	38.5%	4 / 18	14.3%	1 / 9	0 / 8
Percentage of intended retrievals resulting in singleton live births	34.6%	3 / 18	9.5%	1 / 9	0 / 8
Number of **retrievals**	26	17	19	9	7
Percentage of retrievals resulting in live births	38.5%	4 / 17	3 / 19	1 / 9	0 / 7
Percentage of retrievals resulting in singleton live births	34.6%	3 / 17	2 / 19	1 / 9	0 / 7
Number of **transfers**	24	9	8	5	0
Percentage of transfers resulting in live births	41.7%	4 / 9	3 / 8	1 / 5	
Percentage of transfers resulting in singleton live births	37.5%	3 / 9	2 / 8	1 / 5	
Number of intended retrievals per live birth	2.6	4.5	7.0	9.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	8 / 19	2 / 11	1 / 11	1 / 4	0 / 3
Percentage of new patients having live births after 1 or 2 intended retrievals	9 / 19	3 / 11	3 / 11	1 / 4	0 / 3
Percentage of new patients having live births after all intended retrievals	9 / 19	3 / 11	3 / 11	1 / 4	0 / 3
Average number of intended retrievals per new patient	1.1	1.3	1.7	1.5	2.0
Average number of transfers per intended retrieval	1.0	0.4	0.3	0.7	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	10	14	0
Percentage of transfers resulting in live births	4 / 7	5 / 10	8 / 14	
Percentage of transfers resulting in singleton live births	4 / 7	5 / 10	7 / 14	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	50	49	47	25	25	196
Percentage of cycles cancelled prior to retrieval or thaw	2.0%	8.2%	10.6%	12.0%	12.0%	8.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.0%	2.0%	34.0%	12.0%	20.0%	13.3%
Percentage of cycles for fertility preservation	0.0%	4.1%	2.1%	0.0%	0.0%	1.5%
Percentage of transfers using a gestational carrier	3.0%	6.7%	1 / 15	0 / 15	4 / 15	7.4%
Percentage of transfers using frozen embryos	87.9%	86.7%	11 / 15	7 / 15	9 / 15	75.9%
Percentage of transfers of at least one embryo with ICSI	78.8%	86.7%	15 / 15	13 / 15	15 / 15	88.0%
Percentage of transfers of at least one embryo with PGT	15.2%	26.7%	4 / 15	3 / 15	1 / 15	19.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	20%	Diminished ovarian reserve	49%
Endometriosis	5%	Egg or embryo banking	39%
Tubal factor	18%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	20%	Other, infertility	13%
Uterine factor	9%	Other, non-infertility	10%
PGT	3%	Unexplained	6%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

XPERT FERTILITY CARE OF CALIFORNIA
MINH N. HO, MD, FACOG
FOUNTAIN VALLEY, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Minh N. Ho, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	7	2	5	3	4
Percentage of intended retrievals resulting in live births	6 / 7	0 / 2	2 / 5	1 / 3	0 / 4
Percentage of intended retrievals resulting in singleton live births	6 / 7	0 / 2	2 / 5	1 / 3	0 / 4
Number of **retrievals**	7	2	5	3	4
Percentage of retrievals resulting in live births	6 / 7	0 / 2	2 / 5	1 / 3	0 / 4
Percentage of retrievals resulting in singleton live births	6 / 7	0 / 2	2 / 5	1 / 3	0 / 4
Number of **transfers**	11	2	6	3	4
Percentage of transfers resulting in live births	6 / 11	0 / 2	2 / 6	1 / 3	0 / 4
Percentage of transfers resulting in singleton live births	6 / 11	0 / 2	2 / 6	1 / 3	0 / 4
Number of intended retrievals per live birth	1.2		2.5	3.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	3 / 4	0 / 1	1 / 3	1 / 3	
Percentage of new patients having live births after 1 or 2 intended retrievals	3 / 4	0 / 1	1 / 3	1 / 3	
Percentage of new patients having live births after all intended retrievals	3 / 4	0 / 1	1 / 3	1 / 3	
Average number of intended retrievals per new patient	1.0	1.0	1.0	1.0	
Average number of transfers per intended retrieval	1.3	1.0	1.3	1.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	3	0	0	0
Percentage of transfers resulting in live births	3 / 3			
Percentage of transfers resulting in singleton live births	1 / 3			

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	4	2	3	3	3	15
Percentage of cycles cancelled prior to retrieval or thaw	0 / 4	0 / 2	0 / 3	0 / 3	0 / 3	0 / 15
Percentage of cycles stopped between retrieval and transfer or banking[e]	0 / 4	0 / 2	0 / 3	0 / 3	0 / 3	0 / 15
Percentage of cycles for fertility preservation	0 / 4	0 / 2	1 / 3	0 / 3	0 / 3	1 / 15
Percentage of transfers using a gestational carrier	0 / 4	0 / 2	0 / 1	0 / 3	0 / 3	0 / 13
Percentage of transfers using frozen embryos	3 / 4	1 / 2	0 / 1	0 / 3	0 / 3	4 / 13
Percentage of transfers of at least one embryo with ICSI	4 / 4	0 / 2	0 / 1	3 / 3	1 / 3	8 / 13
Percentage of transfers of at least one embryo with PGT	1 / 4	1 / 2	0 / 1	0 / 3	2 / 3	4 / 13

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	33%
Endometriosis	0%	Egg or embryo banking	13%
Tubal factor	13%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	13%	Other, infertility	0%
Uterine factor	0%	Other, non-infertility	0%
PGT	0%	Unexplained	7%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH-FREMONT
FREMONT, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Lisa Farah-Eways, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	276	204	170	90	42
Percentage of intended retrievals resulting in live births	66.3%	50.0%	37.6%	24.4%	9.5%
Percentage of intended retrievals resulting in singleton live births	60.1%	47.1%	34.7%	20.0%	9.5%
Number of **retrievals**	256	196	154	80	35
Percentage of retrievals resulting in live births	71.5%	52.0%	41.6%	27.5%	11.4%
Percentage of retrievals resulting in singleton live births	64.8%	49.0%	38.3%	22.5%	11.4%
Number of **transfers**	314	236	147	60	26
Percentage of transfers resulting in live births	58.3%	43.2%	43.5%	36.7%	15.4%
Percentage of transfers resulting in singleton live births	52.9%	40.7%	40.1%	30.0%	15.4%
Number of intended retrievals per live birth	1.5	2.0	2.7	4.1	10.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	69.3%	50.0%	39.7%	23.7%	18.2%
Percentage of new patients having live births after 1 or 2 intended retrievals	72.7%	53.8%	44.6%	27.1%	18.2%
Percentage of new patients having live births after all intended retrievals	73.1%	53.8%	44.6%	28.8%	18.2%
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.2	1.1
Average number of transfers per intended retrieval	1.2	1.2	0.9	0.6	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	36	0	33	2
Percentage of transfers resulting in live births	58.3%		39.4%	0 / 2
Percentage of transfers resulting in singleton live births	55.6%		33.3%	0 / 2

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	486	372	306	131	119	1,414
Percentage of cycles cancelled prior to retrieval or thaw	4.3%	4.3%	9.5%	9.2%	5.9%	6.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.3%	4.0%	5.2%	10.7%	10.1%	5.9%
Percentage of cycles for fertility preservation	0.6%	0.3%	0.7%	0.0%	0.0%	0.4%
Percentage of transfers using a gestational carrier	0.3%	0.3%	0.0%	0.0%	0.0%	0.2%
Percentage of transfers using frozen embryos	50.0%	53.6%	47.3%	44.9%	49.4%	50.0%
Percentage of transfers of at least one embryo with ICSI	89.4%	84.4%	88.8%	84.6%	77.5%	86.5%
Percentage of transfers of at least one embryo with PGT	11.4%	20.0%	19.5%	23.1%	11.2%	16.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	44%
Endometriosis	3%	Egg or embryo banking	14%
Tubal factor	7%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	16%	Other, infertility	8%
Uterine factor	4%	Other, non-infertility	1%
PGT	1%	Unexplained	10%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CARE FERTILITY
GLENDALE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Rudy Quintero, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	65	42	59	17	22
Percentage of intended retrievals resulting in live births	52.3%	33.3%	22.0%	2 / 17	0.0%
Percentage of intended retrievals resulting in singleton live births	41.5%	26.2%	16.9%	2 / 17	0.0%
Number of **retrievals**	62	33	51	16	16
Percentage of retrievals resulting in live births	54.8%	42.4%	25.5%	2 / 16	0 / 16
Percentage of retrievals resulting in singleton live births	43.5%	33.3%	19.6%	2 / 16	0 / 16
Number of **transfers**	57	31	31	11	9
Percentage of transfers resulting in live births	59.6%	45.2%	41.9%	2 / 11	0 / 9
Percentage of transfers resulting in singleton live births	47.4%	35.5%	32.3%	2 / 11	0 / 9
Number of intended retrievals per live birth	1.9	3.0	4.5	8.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	52.7%	32.1%	32.3%	1 / 11	0 / 14
Percentage of new patients having live births after 1 or 2 intended retrievals	58.2%	42.9%	35.5%	1 / 11	0 / 14
Percentage of new patients having live births after all intended retrievals	58.2%	42.9%	35.5%	1 / 11	0 / 14
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.4	1.3
Average number of transfers per intended retrieval	0.9	0.8	0.6	0.5	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	5	20	2
Percentage of transfers resulting in live births		3 / 5	50.0%	0 / 2
Percentage of transfers resulting in singleton live births		1 / 5	45.0%	0 / 2

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	156	96	86	43	60	441
Percentage of cycles cancelled prior to retrieval or thaw	3.2%	6.3%	9.3%	9.3%	11.7%	6.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.8%	15.6%	8.1%	9.3%	11.7%	9.5%
Percentage of cycles for fertility preservation	2.6%	2.1%	2.3%	0.0%	0.0%	1.8%
Percentage of transfers using a gestational carrier	2.7%	0.0%	10.3%	0.0%	13.3%	4.8%
Percentage of transfers using frozen embryos	89.3%	86.4%	94.9%	95.0%	83.3%	89.4%
Percentage of transfers of at least one embryo with ICSI	93.3%	93.2%	94.9%	70.0%	76.7%	88.9%
Percentage of transfers of at least one embryo with PGT	24.0%	15.9%	43.6%	35.0%	10.0%	25.0%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	15%	Diminished ovarian reserve	29%
Endometriosis	1%	Egg or embryo banking	37%
Tubal factor	18%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	9%	Other, infertility	20%
Uterine factor	0%	Other, non-infertility	2%
PGT	8%	Unexplained	15%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2017 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2017 ART cycle data or the clinic's Medical Director did not approve the clinic's 2017 ART cycle data for inclusion in this report.

MARIN FERTILITY CENTER
GREENBRAE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Peter S. Uzelac, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	42	42	27	33	22
Percentage of intended retrievals resulting in live births	59.5%	35.7%	29.6%	12.1%	0.0%
Percentage of intended retrievals resulting in singleton live births	50.0%	28.6%	29.6%	12.1%	0.0%
Number of **retrievals**	42	40	26	26	22
Percentage of retrievals resulting in live births	59.5%	37.5%	30.8%	15.4%	0.0%
Percentage of retrievals resulting in singleton live births	50.0%	30.0%	30.8%	15.4%	0.0%
Number of **transfers**	48	33	18	9	6
Percentage of transfers resulting in live births	52.1%	45.5%	8 / 18	4 / 9	0 / 6
Percentage of transfers resulting in singleton live births	43.8%	36.4%	8 / 18	4 / 9	0 / 6
Number of intended retrievals per live birth	1.7	2.8	3.4	8.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	63.9%	36.0%	6 / 17	3 / 10	0 / 10
Percentage of new patients having live births after 1 or 2 intended retrievals	66.7%	48.0%	7 / 17	3 / 10	0 / 10
Percentage of new patients having live births after all intended retrievals	66.7%	48.0%	7 / 17	3 / 10	0 / 10
Average number of intended retrievals per new patient	1.0	1.2	1.4	1.7	1.7
Average number of transfers per intended retrieval	1.2	0.7	0.6	0.4	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	3	0	10	1
Percentage of transfers resulting in live births	3 / 3		5 / 10	1 / 1
Percentage of transfers resulting in singleton live births	3 / 3		5 / 10	1 / 1

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	89	80	96	48	42	355
Percentage of cycles cancelled prior to retrieval or thaw	9.0%	11.3%	11.5%	18.8%	11.9%	11.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.2%	5.0%	5.2%	14.6%	14.3%	6.8%
Percentage of cycles for fertility preservation	5.6%	1.3%	11.5%	8.3%	4.8%	6.5%
Percentage of transfers using a gestational carrier	0.0%	12.5%	0.0%	0 / 11	0 / 16	3.4%
Percentage of transfers using frozen embryos	77.6%	90.0%	93.1%	8 / 11	10 / 16	82.1%
Percentage of transfers of at least one embryo with ICSI	81.6%	77.5%	82.8%	9 / 11	14 / 16	81.4%
Percentage of transfers of at least one embryo with PGT	36.7%	77.5%	75.9%	4 / 11	6 / 16	55.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	26%	Diminished ovarian reserve	42%
Endometriosis	5%	Egg or embryo banking	49%
Tubal factor	5%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	9%	Other, infertility	3%
Uterine factor	1%	Other, non-infertility	4%
PGT	1%	Unexplained	15%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

COASTAL FERTILITY MEDICAL CENTER, INC.
IRVINE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Lawrence B. Werlin, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	48	43	44	7	4
Percentage of intended retrievals resulting in live births	18.8%	23.3%	6.8%	0 / 7	0 / 4
Percentage of intended retrievals resulting in singleton live births	16.7%	18.6%	6.8%	0 / 7	0 / 4
Number of **retrievals**	43	41	35	7	4
Percentage of retrievals resulting in live births	20.9%	24.4%	8.6%	0 / 7	0 / 4
Percentage of retrievals resulting in singleton live births	18.6%	19.5%	8.6%	0 / 7	0 / 4
Number of **transfers**	41	25	17	3	0
Percentage of transfers resulting in live births	22.0%	40.0%	3 / 17	0 / 3	
Percentage of transfers resulting in singleton live births	19.5%	32.0%	3 / 17	0 / 3	
Number of intended retrievals per live birth	5.3	4.3	14.7		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	10.8%	21.4%	7.4%	0 / 4	0 / 3
Percentage of new patients having live births after 1 or 2 intended retrievals	16.2%	28.6%	11.1%	0 / 4	0 / 3
Percentage of new patients having live births after all intended retrievals	16.2%	32.1%	11.1%	0 / 4	0 / 3
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.3	1.0
Average number of transfers per intended retrieval	0.8	0.7	0.5	0.6	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	3	21	3
Percentage of transfers resulting in live births	1 / 1	1 / 3	28.6%	1 / 3
Percentage of transfers resulting in singleton live births	1 / 1	1 / 3	23.8%	1 / 3

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	191	92	79	30	24	416
Percentage of cycles cancelled prior to retrieval or thaw	1.0%	2.2%	2.5%	16.7%	4.2%	2.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.6%	7.6%	10.1%	10.0%	4.2%	5.3%
Percentage of cycles for fertility preservation	53.9%	2.2%	7.6%	3.3%	0.0%	26.9%
Percentage of transfers using a gestational carrier	2.4%	6.3%	3.1%	0 / 12	1 / 13	4.1%
Percentage of transfers using frozen embryos	97.6%	93.8%	100.0%	11 / 12	12 / 13	95.9%
Percentage of transfers of at least one embryo with ICSI	92.9%	93.8%	90.6%	12 / 12	9 / 13	91.2%
Percentage of transfers of at least one embryo with PGT	83.3%	77.1%	87.5%	10 / 12	9 / 13	81.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	13%	Diminished ovarian reserve	30%
Endometriosis	3%	Egg or embryo banking	57%
Tubal factor	5%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	7%	Other, infertility	28%
Uterine factor	<1%	Other, non-infertility	19%
PGT	2%	Unexplained	11%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY CENTER OF SOUTHERN CALIFORNIA
IRVINE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ilene E. Hatch, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	28	24	21	22	5
Percentage of intended retrievals resulting in live births	71.4%	58.3%	42.9%	31.8%	1 / 5
Percentage of intended retrievals resulting in singleton live births	64.3%	54.2%	38.1%	27.3%	1 / 5
Number of **retrievals**	27	24	18	19	4
Percentage of retrievals resulting in live births	74.1%	58.3%	9 / 18	7 / 19	1 / 4
Percentage of retrievals resulting in singleton live births	66.7%	54.2%	8 / 18	6 / 19	1 / 4
Number of **transfers**	32	22	13	13	2
Percentage of transfers resulting in live births	62.5%	63.6%	9 / 13	7 / 13	1 / 2
Percentage of transfers resulting in singleton live births	56.3%	59.1%	8 / 13	6 / 13	1 / 2
Number of intended retrievals per live birth	1.4	1.7	2.3	3.1	5.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	70.8%	8 / 12	5 / 11	5 / 12	0 / 1
Percentage of new patients having live births after 1 or 2 intended retrievals	70.8%	8 / 12	6 / 11	5 / 12	0 / 1
Percentage of new patients having live births after all intended retrievals	70.8%	8 / 12	6 / 11	5 / 12	0 / 1
Average number of intended retrievals per new patient	1.0	1.0	1.1	1.2	1.0
Average number of transfers per intended retrieval	1.1	0.8	0.6	0.5	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	12	4
Percentage of transfers resulting in live births			7 / 12	1 / 4
Percentage of transfers resulting in singleton live births			7 / 12	1 / 4

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	74	48	48	56	31	257
Percentage of cycles cancelled prior to retrieval or thaw	4.1%	0.0%	0.0%	16.1%	12.9%	6.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	4.2%	2.1%	5.4%	3.2%	2.7%
Percentage of cycles for fertility preservation	4.1%	6.3%	8.3%	0.0%	0.0%	3.9%
Percentage of transfers using a gestational carrier	5.0%	0.0%	1 / 17	0.0%	0 / 16	2.4%
Percentage of transfers using frozen embryos	97.5%	100.0%	17 / 17	95.7%	16 / 16	98.4%
Percentage of transfers of at least one embryo with ICSI	100.0%	92.6%	15 / 17	82.6%	9 / 16	87.8%
Percentage of transfers of at least one embryo with PGT	72.5%	70.4%	13 / 17	52.2%	6 / 16	64.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	20%	Diminished ovarian reserve	44%
Endometriosis	16%	Egg or embryo banking	44%
Tubal factor	8%	Recurrent pregnancy loss	12%
Ovulatory dysfunction	14%	Other, infertility	7%
Uterine factor	7%	Other, non-infertility	3%
PGT	2%	Unexplained	12%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2017 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2017 ART cycle data or the clinic's Medical Director did not approve the clinic's 2017 ART cycle data for inclusion in this report.

LIFE IVF CENTER
IRVINE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Frank D. Yelian, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	272	294	511	345	860
Percentage of intended retrievals resulting in live births	27.6%	17.7%	7.8%	3.5%	1.0%
Percentage of intended retrievals resulting in singleton live births	24.3%	17.0%	7.4%	3.5%	1.0%
Number of **retrievals**	257	263	450	298	714
Percentage of retrievals resulting in live births	29.2%	19.8%	8.9%	4.0%	1.3%
Percentage of retrievals resulting in singleton live births	25.7%	19.0%	8.4%	4.0%	1.3%
Number of **transfers**	120	101	94	32	39
Percentage of transfers resulting in live births	62.5%	51.5%	42.6%	37.5%	23.1%
Percentage of transfers resulting in singleton live births	55.0%	49.5%	40.4%	37.5%	23.1%
Number of intended retrievals per live birth	3.6	5.7	12.8	28.8	95.6
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	25.8%	7.5%	8.0%	0.0%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	45.2%	24.5%	11.5%	0.0%	0.9%
Percentage of new patients having live births after all intended retrievals	55.9%	30.2%	26.4%	4.7%	1.8%
Average number of intended retrievals per new patient	1.7	2.3	2.6	2.9	2.7
Average number of transfers per intended retrieval	0.5	0.3	0.2	0.1	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	87	2
Percentage of transfers resulting in live births			54.0%	1 / 2
Percentage of transfers resulting in singleton live births			50.6%	1 / 2

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	402	363	508	518	1,142	2,933
Percentage of cycles cancelled prior to retrieval or thaw	9.7%	7.2%	4.9%	7.3%	11.0%	8.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.2%	20.1%	25.2%	36.7%	43.4%	31.5%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.4%	0.0%	0.0%	0.1%
Percentage of transfers using a gestational carrier	12.7%	11.7%	13.8%	18.2%	42.3%	22.0%
Percentage of transfers using frozen embryos	92.9%	97.1%	93.6%	96.1%	98.2%	95.7%
Percentage of transfers of at least one embryo with ICSI	98.4%	100.0%	100.0%	100.0%	100.0%	99.7%
Percentage of transfers of at least one embryo with PGT	57.1%	52.4%	58.7%	50.6%	44.0%	52.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	19%	Diminished ovarian reserve	76%
Endometriosis	10%	Egg or embryo banking	76%
Tubal factor	13%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	9%	Other, infertility	7%
Uterine factor	18%	Other, non-infertility	7%
PGT	0%	Unexplained	8%
Gestational carrier	5%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE FERTILITY CENTER
LINFERTILITY FAMILY FOUNDATION
IRVINE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by James P. Lin, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	157	95	88	40	67
Percentage of intended retrievals resulting in live births	35.7%	30.5%	12.5%	2.5%	3.0%
Percentage of intended retrievals resulting in singleton live births	26.8%	25.3%	11.4%	2.5%	1.5%
Number of **retrievals**	155	92	85	37	57
Percentage of retrievals resulting in live births	35.5%	31.5%	12.9%	2.7%	3.5%
Percentage of retrievals resulting in singleton live births	26.5%	26.1%	11.8%	2.7%	1.8%
Number of **transfers**	108	57	33	8	7
Percentage of transfers resulting in live births	51.9%	50.9%	33.3%	1 / 8	2 / 7
Percentage of transfers resulting in singleton live births	38.9%	42.1%	30.3%	1 / 8	1 / 7
Number of intended retrievals per live birth	2.8	3.3	8.0	40.0	33.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	36.3%	36.8%	8.2%	0 / 17	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	40.7%	38.6%	14.3%	0 / 17	0.0%
Percentage of new patients having live births after all intended retrievals	40.7%	38.6%	16.3%	0 / 17	0.0%
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.4	1.6
Average number of transfers per intended retrieval	0.7	0.6	0.3	0.2	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	2	0	61	5
Percentage of transfers resulting in live births	0 / 2		57.4%	3 / 5
Percentage of transfers resulting in singleton live births	0 / 2		50.8%	2 / 5

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	246	238	202	94	135	915
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	1.0%	1.1%	5.9%	1.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.7%	4.2%	12.9%	24.5%	25.2%	11.1%
Percentage of cycles for fertility preservation	2.4%	2.1%	2.5%	0.0%	0.0%	1.7%
Percentage of transfers using a gestational carrier	4.4%	6.6%	2.5%	24.1%	33.3%	9.2%
Percentage of transfers using frozen embryos	93.4%	95.0%	98.7%	93.1%	97.8%	95.4%
Percentage of transfers of at least one embryo with ICSI	97.8%	99.2%	100.0%	100.0%	100.0%	99.0%
Percentage of transfers of at least one embryo with PGT	74.5%	73.6%	79.7%	72.4%	82.2%	75.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	19%	Diminished ovarian reserve	43%
Endometriosis	2%	Egg or embryo banking	60%
Tubal factor	7%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	1%	Other, infertility	10%
Uterine factor	3%	Other, non-infertility	6%
PGT	25%	Unexplained	11%
Gestational carrier	4%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2017 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2017 ART cycle data or the clinic's Medical Director did not approve the clinic's 2017 ART cycle data for inclusion in this report.

REPRODUCTIVE PARTNERS FERTILITY CENTER-SAN DIEGO
LA JOLLA, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by V. Gabriel Garzo, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	107	94	77	45	48
Percentage of intended retrievals resulting in live births	54.2%	37.2%	18.2%	13.3%	2.1%
Percentage of intended retrievals resulting in singleton live births	51.4%	35.1%	16.9%	13.3%	2.1%
Number of **retrievals**	99	83	61	40	38
Percentage of retrievals resulting in live births	58.6%	42.2%	23.0%	15.0%	2.6%
Percentage of retrievals resulting in singleton live births	55.6%	39.8%	21.3%	15.0%	2.6%
Number of **transfers**	103	67	33	15	3
Percentage of transfers resulting in live births	56.3%	52.2%	42.4%	6 / 15	1 / 3
Percentage of transfers resulting in singleton live births	53.4%	49.3%	39.4%	6 / 15	1 / 3
Number of intended retrievals per live birth	1.8	2.7	5.5	7.5	48.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	56.6%	39.6%	22.2%	9.5%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	63.2%	47.9%	22.2%	14.3%	0.0%
Percentage of new patients having live births after all intended retrievals	64.5%	50.0%	25.0%	14.3%	0.0%
Average number of intended retrievals per new patient	1.1	1.2	1.4	1.4	1.5
Average number of transfers per intended retrieval	1.0	0.7	0.5	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	2	0	30	1
Percentage of transfers resulting in live births	1 / 2		53.3%	0 / 1
Percentage of transfers resulting in singleton live births	1 / 2		53.3%	0 / 1

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	199	205	210	92	90	796
Percentage of cycles cancelled prior to retrieval or thaw	6.5%	13.7%	15.7%	12.0%	15.6%	12.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	32.7%	29.8%	28.6%	31.5%	24.4%	29.8%
Percentage of cycles for fertility preservation	7.0%	4.9%	5.7%	2.2%	0.0%	4.8%
Percentage of transfers using a gestational carrier	8.9%	3.9%	2.5%	14.8%	7.9%	6.3%
Percentage of transfers using frozen embryos	99.0%	100.0%	98.7%	100.0%	89.5%	98.3%
Percentage of transfers of at least one embryo with ICSI	82.2%	77.5%	75.9%	51.9%	76.3%	76.4%
Percentage of transfers of at least one embryo with PGT	55.4%	67.6%	86.1%	81.5%	60.5%	68.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	20%
Endometriosis	4%	Egg or embryo banking	15%
Tubal factor	6%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	7%	Other, infertility	21%
Uterine factor	5%	Other, non-infertility	2%
PGT	1%	Unexplained	12%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2017 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2017 ART cycle data or the clinic's Medical Director did not approve the clinic's 2017 ART cycle data for inclusion in this report.

LOMA LINDA UNIVERSITY CENTER FOR FERTILITY AND IVF
LOMA LINDA, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Gihan M. Bareh, MD, PhD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	73	53	35	13	5
Percentage of intended retrievals resulting in live births	43.8%	37.7%	8.6%	2 / 13	0 / 5
Percentage of intended retrievals resulting in singleton live births	31.5%	34.0%	8.6%	2 / 13	0 / 5
Number of **retrievals**	71	43	26	10	3
Percentage of retrievals resulting in live births	45.1%	46.5%	11.5%	2 / 10	0 / 3
Percentage of retrievals resulting in singleton live births	32.4%	41.9%	11.5%	2 / 10	0 / 3
Number of **transfers**	74	47	26	8	1
Percentage of transfers resulting in live births	43.2%	42.6%	11.5%	2 / 8	0 / 1
Percentage of transfers resulting in singleton live births	31.1%	38.3%	11.5%	2 / 8	0 / 1
Number of intended retrievals per live birth	2.3	2.7	11.7	6.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	44.6%	35.5%	9.5%	1 / 6	0 / 3
Percentage of new patients having live births after 1 or 2 intended retrievals	51.8%	45.2%	9.5%	1 / 6	0 / 3
Percentage of new patients having live births after all intended retrievals	51.8%	45.2%	9.5%	1 / 6	0 / 3
Average number of intended retrievals per new patient	1.2	1.2	1.2	1.3	1.0
Average number of transfers per intended retrieval	1.0	1.0	0.9	0.6	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	0	12	8
Percentage of transfers resulting in live births	6 / 8		7 / 12	4 / 8
Percentage of transfers resulting in singleton live births	6 / 8		5 / 12	2 / 8

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	88	69	76	19	24	276
Percentage of cycles cancelled prior to retrieval or thaw	11.4%	8.7%	14.5%	5 / 19	8.3%	12.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.0%	7.2%	7.9%	4 / 19	12.5%	9.1%
Percentage of cycles for fertility preservation	6.8%	2.9%	0.0%	0 / 19	0.0%	2.9%
Percentage of transfers using a gestational carrier	1.8%	2.0%	3.8%	0 / 7	0 / 17	2.2%
Percentage of transfers using frozen embryos	36.8%	45.1%	60.4%	4 / 7	9 / 17	48.1%
Percentage of transfers of at least one embryo with ICSI	93.0%	88.2%	79.2%	5 / 7	14 / 17	85.9%
Percentage of transfers of at least one embryo with PGT	5.3%	9.8%	3.8%	0 / 7	1 / 17	5.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	41%	Diminished ovarian reserve	51%
Endometriosis	14%	Egg or embryo banking	14%
Tubal factor	20%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	25%	Other, infertility	11%
Uterine factor	16%	Other, non-infertility	0%
PGT	4%	Unexplained	5%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CALIFORNIA FERTILITY PARTNERS
LOS ANGELES, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Richard P. Marrs, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	92	108	139	142	119
Percentage of intended retrievals resulting in live births	46.7%	25.0%	17.3%	4.9%	0.8%
Percentage of intended retrievals resulting in singleton live births	40.2%	20.4%	15.8%	4.9%	0.8%
Number of **retrievals**	85	95	118	118	88
Percentage of retrievals resulting in live births	50.6%	28.4%	20.3%	5.9%	1.1%
Percentage of retrievals resulting in singleton live births	43.5%	23.2%	18.6%	5.9%	1.1%
Number of **transfers**	77	79	47	27	5
Percentage of transfers resulting in live births	55.8%	34.2%	51.1%	25.9%	1 / 5
Percentage of transfers resulting in singleton live births	48.1%	27.8%	46.8%	25.9%	1 / 5
Number of intended retrievals per live birth	2.1	4.0	5.8	20.3	119.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	43.3%	28.3%	20.0%	8.0%	0 / 16
Percentage of new patients having live births after 1 or 2 intended retrievals	50.0%	30.0%	24.0%	12.0%	0 / 16
Percentage of new patients having live births after all intended retrievals	50.0%	30.0%	30.0%	16.0%	0 / 16
Average number of intended retrievals per new patient	1.1	1.1	1.5	1.6	1.7
Average number of transfers per intended retrieval	0.8	0.8	0.3	0.2	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	20	0	230	10
Percentage of transfers resulting in live births	40.0%		50.4%	4 / 10
Percentage of transfers resulting in singleton live births	35.0%		43.0%	2 / 10

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	244	246	325	278	385	1,478
Percentage of cycles cancelled prior to retrieval or thaw	10.2%	11.8%	11.7%	18.3%	18.7%	14.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.8%	2.8%	4.3%	10.4%	5.7%	5.0%
Percentage of cycles for fertility preservation	9.0%	15.4%	8.3%	1.1%	0.5%	6.2%
Percentage of transfers using a gestational carrier	30.5%	42.6%	37.1%	41.6%	54.7%	42.4%
Percentage of transfers using frozen embryos	89.8%	85.1%	92.2%	94.4%	91.9%	90.8%
Percentage of transfers of at least one embryo with ICSI	85.6%	92.6%	87.1%	80.9%	72.1%	82.3%
Percentage of transfers of at least one embryo with PGT	83.1%	74.5%	75.9%	68.5%	68.0%	73.7%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	24%	Diminished ovarian reserve	48%
Endometriosis	6%	Egg or embryo banking	48%
Tubal factor	6%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	4%	Other, infertility	78%
Uterine factor	25%	Other, non-infertility	4%
PGT	75%	Unexplained	<1%
Gestational carrier	16%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CEDARS SINAI MEDICAL CENTER
CENTER FOR FERTILITY AND REPRODUCTIVE MEDICINE
LOS ANGELES, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Margareta D. Pisarska, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	20	16	16	20	1
Percentage of intended retrievals resulting in live births	40.0%	3 / 16	5 / 16	5.0%	0 / 1
Percentage of intended retrievals resulting in singleton live births	40.0%	3 / 16	4 / 16	5.0%	0 / 1
Number of **retrievals**	19	14	16	16	0
Percentage of retrievals resulting in live births	8 / 19	3 / 14	5 / 16	1 / 16	
Percentage of retrievals resulting in singleton live births	8 / 19	3 / 14	4 / 16	1 / 16	
Number of **transfers**	17	11	10	6	0
Percentage of transfers resulting in live births	8 / 17	3 / 11	5 / 10	1 / 6	
Percentage of transfers resulting in singleton live births	8 / 17	3 / 11	4 / 10	1 / 6	
Number of intended retrievals per live birth	2.5	5.3	3.2	20.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	6 / 14	2 / 12	2 / 10	1 / 7	0 / 1
Percentage of new patients having live births after 1 or 2 intended retrievals	7 / 14	2 / 12	4 / 10	1 / 7	0 / 1
Percentage of new patients having live births after all intended retrievals	7 / 14	2 / 12	4 / 10	1 / 7	0 / 1
Average number of intended retrievals per new patient	1.3	1.3	1.4	1.1	1.0
Average number of transfers per intended retrieval	0.8	0.6	0.6	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	0	4	0
Percentage of transfers resulting in live births	0 / 1		1 / 4	
Percentage of transfers resulting in singleton live births	0 / 1		1 / 4	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	44	37	27	17	8	133
Percentage of cycles cancelled prior to retrieval or thaw	11.4%	0.0%	22.2%	1 / 17	3 / 8	11.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.8%	2.7%	14.8%	2 / 17	0 / 8	7.5%
Percentage of cycles for fertility preservation	27.3%	13.5%	11.1%	1 / 17	0 / 8	15.8%
Percentage of transfers using a gestational carrier	1 / 15	0.0%	0 / 6	0 / 9	0 / 3	1.8%
Percentage of transfers using frozen embryos	9 / 15	60.9%	4 / 6	6 / 9	3 / 3	64.3%
Percentage of transfers of at least one embryo with ICSI	13 / 15	78.3%	6 / 6	9 / 9	2 / 3	85.7%
Percentage of transfers of at least one embryo with PGT	8 / 15	56.5%	3 / 6	5 / 9	2 / 3	55.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	32%	Diminished ovarian reserve	24%
Endometriosis	0%	Egg or embryo banking	45%
Tubal factor	7%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	11%	Other, infertility	21%
Uterine factor	9%	Other, non-infertility	5%
PGT	7%	Unexplained	14%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CHA FERTILITY CENTER
LOS ANGELES, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Joshua J. Berger, MD, PhD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	34	35	22	11	12
Percentage of intended retrievals resulting in live births	55.9%	31.4%	22.7%	1 / 11	0 / 12
Percentage of intended retrievals resulting in singleton live births	38.2%	28.6%	22.7%	1 / 11	0 / 12
Number of **retrievals**	33	35	21	10	11
Percentage of retrievals resulting in live births	57.6%	31.4%	23.8%	1 / 10	0 / 11
Percentage of retrievals resulting in singleton live births	39.4%	28.6%	23.8%	1 / 10	0 / 11
Number of **transfers**	33	24	11	3	2
Percentage of transfers resulting in live births	57.6%	45.8%	5 / 11	1 / 3	0 / 2
Percentage of transfers resulting in singleton live births	39.4%	41.7%	5 / 11	1 / 3	0 / 2
Number of intended retrievals per live birth	1.8	3.2	4.4	11.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	60.0%	6 / 17	2 / 11	0 / 6	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	64.0%	8 / 17	3 / 11	0 / 6	0 / 6
Percentage of new patients having live births after all intended retrievals	64.0%	8 / 17	3 / 11	0 / 6	0 / 6
Average number of intended retrievals per new patient	1.0	1.1	1.2	1.5	1.0
Average number of transfers per intended retrieval	0.9	0.8	0.5	0.2	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	0	53	0
Percentage of transfers resulting in live births	1 / 1		41.5%	
Percentage of transfers resulting in singleton live births	0 / 1		30.2%	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	31	53	40	22	78	224
Percentage of cycles cancelled prior to retrieval or thaw	3.2%	3.8%	5.0%	0.0%	0.0%	2.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	11.3%	10.0%	31.8%	5.1%	9.4%
Percentage of cycles for fertility preservation	19.4%	13.2%	7.5%	13.6%	0.0%	8.5%
Percentage of transfers using a gestational carrier	0 / 11	0 / 14	0 / 13	0 / 7	8.7%	4.4%
Percentage of transfers using frozen embryos	11 / 11	14 / 14	13 / 13	7 / 7	97.8%	98.9%
Percentage of transfers of at least one embryo with ICSI	11 / 11	13 / 14	10 / 13	6 / 7	76.1%	82.4%
Percentage of transfers of at least one embryo with PGT	9 / 11	14 / 14	9 / 13	5 / 7	65.2%	73.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	6%	Diminished ovarian reserve	49%
Endometriosis	<1%	Egg or embryo banking	55%
Tubal factor	5%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	6%	Other, infertility	17%
Uterine factor	3%	Other, non-infertility	9%
PGT	6%	Unexplained	14%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CMD FERTILITY
LOS ANGELES, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Catherine M. DeUgarte, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	18	22	34	10	8
Percentage of intended retrievals resulting in live births	9 / 18	40.9%	20.6%	2 / 10	0 / 8
Percentage of intended retrievals resulting in singleton live births	7 / 18	27.3%	14.7%	1 / 10	0 / 8
Number of **retrievals**	16	22	32	9	8
Percentage of retrievals resulting in live births	9 / 16	40.9%	21.9%	1 / 9	0 / 8
Percentage of retrievals resulting in singleton live births	7 / 16	27.3%	15.6%	0 / 9	0 / 8
Number of **transfers**	16	17	20	5	2
Percentage of transfers resulting in live births	9 / 16	9 / 17	35.0%	2 / 5	0 / 2
Percentage of transfers resulting in singleton live births	7 / 16	6 / 17	25.0%	1 / 5	0 / 2
Number of intended retrievals per live birth	2.0	2.4	4.9	5.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	6 / 12	4 / 11	2 / 11	0 / 7	0 / 3
Percentage of new patients having live births after 1 or 2 intended retrievals	8 / 12	4 / 11	2 / 11	0 / 7	0 / 3
Percentage of new patients having live births after all intended retrievals	8 / 12	5 / 11	2 / 11	0 / 7	0 / 3
Average number of intended retrievals per new patient	1.3	1.2	1.5	1.1	1.0
Average number of transfers per intended retrieval	0.9	0.8	0.6	0.4	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	4	7	0
Percentage of transfers resulting in live births	4 / 6	2 / 4	1 / 7	
Percentage of transfers resulting in singleton live births	4 / 6	1 / 4	1 / 7	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	37	62	58	26	35	218
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	0.0%	0.0%	2.9%	0.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.7%	3.2%	12.1%	19.2%	14.3%	9.2%
Percentage of cycles for fertility preservation	10.8%	16.1%	15.5%	11.5%	14.3%	14.2%
Percentage of transfers using a gestational carrier	0 / 17	0.0%	4.5%	0 / 12	0 / 14	1.1%
Percentage of transfers using frozen embryos	16 / 17	95.5%	72.7%	8 / 12	8 / 14	79.3%
Percentage of transfers of at least one embryo with ICSI	15 / 17	90.9%	86.4%	11 / 12	13 / 14	89.7%
Percentage of transfers of at least one embryo with PGT	12 / 17	68.2%	68.2%	6 / 12	8 / 14	64.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	14%	Diminished ovarian reserve	34%
Endometriosis	9%	Egg or embryo banking	58%
Tubal factor	8%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	12%	Other, infertility	14%
Uterine factor	10%	Other, non-infertility	2%
PGT	8%	Unexplained	16%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2017 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2017 ART cycle data or the clinic's Medical Director did not approve the clinic's 2017 ART cycle data for inclusion in this report.

PACIFIC FERTILITY CENTER-LOS ANGELES
LOS ANGELES, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Vicken Sahakian, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	50	46	27	13	15
Percentage of intended retrievals resulting in live births	40.0%	23.9%	11.1%	1 / 13	1 / 15
Percentage of intended retrievals resulting in singleton live births	32.0%	17.4%	11.1%	1 / 13	1 / 15
Number of **retrievals**	47	46	24	13	15
Percentage of retrievals resulting in live births	42.6%	23.9%	12.5%	1 / 13	1 / 15
Percentage of retrievals resulting in singleton live births	34.0%	17.4%	12.5%	1 / 13	1 / 15
Number of **transfers**	42	23	10	4	4
Percentage of transfers resulting in live births	47.6%	47.8%	3 / 10	1 / 4	1 / 4
Percentage of transfers resulting in singleton live births	38.1%	34.8%	3 / 10	1 / 4	1 / 4
Number of intended retrievals per live birth	2.5	4.2	9.0	13.0	15.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	45.8%	29.6%	1 / 12	0 / 4	0 / 3
Percentage of new patients having live births after 1 or 2 intended retrievals	58.3%	29.6%	2 / 12	1 / 4	0 / 3
Percentage of new patients having live births after all intended retrievals	58.3%	33.3%	2 / 12	1 / 4	0 / 3
Average number of intended retrievals per new patient	1.1	1.3	1.7	1.5	1.3
Average number of transfers per intended retrieval	1.0	0.5	0.4	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	11	35	3
Percentage of transfers resulting in live births		3 / 11	40.0%	1 / 3
Percentage of transfers resulting in singleton live births		2 / 11	28.6%	1 / 3

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	51	74	73	29	48	275
Percentage of cycles cancelled prior to retrieval or thaw	3.9%	2.7%	1.4%	3.4%	0.0%	2.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.0%	4.1%	2.7%	6.9%	6.3%	4.0%
Percentage of cycles for fertility preservation	5.9%	10.8%	4.1%	0.0%	4.2%	5.8%
Percentage of transfers using a gestational carrier	17.9%	19.4%	20.0%	3 / 12	40.7%	24.2%
Percentage of transfers using frozen embryos	96.4%	90.3%	96.7%	11 / 12	100.0%	95.3%
Percentage of transfers of at least one embryo with ICSI	78.6%	93.5%	100.0%	12 / 12	96.3%	93.0%
Percentage of transfers of at least one embryo with PGT	82.1%	83.9%	86.7%	9 / 12	96.3%	85.9%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	8%	Diminished ovarian reserve	4%
Endometriosis	1%	Egg or embryo banking	51%
Tubal factor	4%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	1%	Other, infertility	4%
Uterine factor	1%	Other, non-infertility	3%
PGT	3%	Unexplained	17%
Gestational carrier	11%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UCLA FERTILITY CENTER
LOS ANGELES, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Kathleen M. Brennan, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	35	16	20	14	15
Percentage of intended retrievals resulting in live births	51.4%	3 / 16	35.0%	1 / 14	2 / 15
Percentage of intended retrievals resulting in singleton live births	51.4%	3 / 16	35.0%	1 / 14	2 / 15
Number of **retrievals**	35	14	18	14	14
Percentage of retrievals resulting in live births	51.4%	3 / 14	7 / 18	1 / 14	2 / 14
Percentage of retrievals resulting in singleton live births	51.4%	3 / 14	7 / 18	1 / 14	2 / 14
Number of **transfers**	33	13	11	5	5
Percentage of transfers resulting in live births	54.5%	3 / 13	7 / 11	1 / 5	2 / 5
Percentage of transfers resulting in singleton live births	54.5%	3 / 13	7 / 11	1 / 5	2 / 5
Number of intended retrievals per live birth	1.9	5.3	2.9	14.0	7.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	63.6%	1 / 7	4 / 10	1 / 8	1 / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	72.7%	2 / 7	6 / 10	1 / 8	2 / 7
Percentage of new patients having live births after all intended retrievals	72.7%	2 / 7	6 / 10	1 / 8	2 / 7
Average number of intended retrievals per new patient	1.1	1.6	1.6	1.8	1.7
Average number of transfers per intended retrieval	1.0	0.9	0.4	0.4	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	13	0
Percentage of transfers resulting in live births			4 / 13	
Percentage of transfers resulting in singleton live births			4 / 13	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	80	61	57	19	27	244
Percentage of cycles cancelled prior to retrieval or thaw	1.3%	3.3%	8.8%	3 / 19	3.7%	4.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	4.9%	5.3%	1 / 19	14.8%	4.5%
Percentage of cycles for fertility preservation	26.3%	26.2%	17.5%	0 / 19	3.7%	19.7%
Percentage of transfers using a gestational carrier	5.7%	0.0%	0.0%	0 / 8	0 / 13	1.9%
Percentage of transfers using frozen embryos	88.6%	92.3%	78.3%	5 / 8	11 / 13	84.8%
Percentage of transfers of at least one embryo with ICSI	85.7%	76.9%	95.7%	7 / 8	10 / 13	84.8%
Percentage of transfers of at least one embryo with PGT	68.6%	57.7%	65.2%	4 / 8	10 / 13	64.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	22%	Diminished ovarian reserve	13%
Endometriosis	6%	Egg or embryo banking	52%
Tubal factor	6%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	13%	Other, infertility	6%
Uterine factor	9%	Other, non-infertility	1%
PGT	1%	Unexplained	21%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

USC FERTILITY
LOS ANGELES, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Richard J. Paulson, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	82	93	88	59	45
Percentage of intended retrievals resulting in live births	53.7%	33.3%	29.5%	15.3%	4.4%
Percentage of intended retrievals resulting in singleton live births	40.2%	25.8%	27.3%	11.9%	4.4%
Number of **retrievals**	77	84	78	57	41
Percentage of retrievals resulting in live births	57.1%	36.9%	33.3%	15.8%	4.9%
Percentage of retrievals resulting in singleton live births	42.9%	28.6%	30.8%	12.3%	4.9%
Number of **transfers**	80	86	75	55	33
Percentage of transfers resulting in live births	55.0%	36.0%	34.7%	16.4%	6.1%
Percentage of transfers resulting in singleton live births	41.3%	27.9%	32.0%	12.7%	6.1%
Number of intended retrievals per live birth	1.9	3.0	3.4	6.6	22.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	56.7%	32.8%	27.5%	14.8%	2 / 17
Percentage of new patients having live births after 1 or 2 intended retrievals	58.3%	37.5%	37.5%	18.5%	2 / 17
Percentage of new patients having live births after all intended retrievals	58.3%	39.1%	42.5%	18.5%	2 / 17
Average number of intended retrievals per new patient	1.1	1.2	1.5	1.1	1.2
Average number of transfers per intended retrieval	1.0	0.9	0.9	1.0	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	17	11	31	1
Percentage of transfers resulting in live births	5 / 17	3 / 11	45.2%	0 / 1
Percentage of transfers resulting in singleton live births	5 / 17	3 / 11	29.0%	0 / 1

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	216	225	178	116	164	899
Percentage of cycles cancelled prior to retrieval or thaw	3.2%	5.3%	10.7%	11.2%	14.6%	8.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.3%	2.7%	3.4%	3.4%	3.0%	2.9%
Percentage of cycles for fertility preservation	44.9%	32.0%	30.3%	15.5%	14.0%	29.4%
Percentage of transfers using a gestational carrier	4.5%	0.9%	0.0%	8.6%	13.5%	5.3%
Percentage of transfers using frozen embryos	66.3%	53.5%	64.6%	55.7%	55.2%	58.8%
Percentage of transfers of at least one embryo with ICSI	82.0%	90.4%	79.3%	67.1%	64.6%	77.6%
Percentage of transfers of at least one embryo with PGT	15.7%	19.3%	18.3%	7.1%	7.3%	14.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	22%	Diminished ovarian reserve	46%
Endometriosis	7%	Egg or embryo banking	41%
Tubal factor	3%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	11%	Other, infertility	30%
Uterine factor	5%	Other, non-infertility	19%
PGT	8%	Unexplained	6%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CARE FOR THE BAY AREA
LOS GATOS, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Karen J. Purcell, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	3	14	5
Percentage of transfers resulting in live births	0 / 1	1 / 3	6 / 14	0 / 5
Percentage of transfers resulting in singleton live births	0 / 1	1 / 3	6 / 14	0 / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	106	66	62	53	62	349
Percentage of cycles cancelled prior to retrieval or thaw	0.9%	1.5%	6.5%	24.5%	12.9%	7.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.5%	3.0%	12.9%	20.8%	22.6%	12.3%
Percentage of cycles for fertility preservation	7.5%	13.6%	9.7%	5.7%	6.5%	8.6%
Percentage of transfers using a gestational carrier	0.0%	2.7%	16.7%	0.0%	8.0%	4.0%
Percentage of transfers using frozen embryos	76.8%	86.5%	87.5%	71.4%	52.0%	76.1%
Percentage of transfers of at least one embryo with ICSI	56.5%	45.9%	45.8%	61.9%	60.0%	54.0%
Percentage of transfers of at least one embryo with PGT	55.1%	75.7%	66.7%	52.4%	32.0%	57.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	21%	Diminished ovarian reserve	37%
Endometriosis	7%	Egg or embryo banking	40%
Tubal factor	8%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	9%	Other, infertility	3%
Uterine factor	9%	Other, non-infertility	1%
PGT	2%	Unexplained	15%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

INNOVATIVE FERTILITY CENTER
MANHATTAN BEACH, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mark J. Rispler, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	10	15	16	4	10
Percentage of intended retrievals resulting in live births	8 / 10	6 / 15	8 / 16	1 / 4	0 / 10
Percentage of intended retrievals resulting in singleton live births	7 / 10	6 / 15	8 / 16	1 / 4	0 / 10
Number of **retrievals**	10	15	16	4	10
Percentage of retrievals resulting in live births	8 / 10	6 / 15	8 / 16	1 / 4	0 / 10
Percentage of retrievals resulting in singleton live births	7 / 10	6 / 15	8 / 16	1 / 4	0 / 10
Number of **transfers**	9	8	12	1	2
Percentage of transfers resulting in live births	8 / 9	6 / 8	8 / 12	1 / 1	0 / 2
Percentage of transfers resulting in singleton live births	7 / 9	6 / 8	8 / 12	1 / 1	0 / 2
Number of intended retrievals per live birth	1.3	2.5	2.0	4.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	7 / 9	3 / 8	5 / 12	0 / 2	0 / 10
Percentage of new patients having live births after 1 or 2 intended retrievals	8 / 9	4 / 8	7 / 12	0 / 2	0 / 10
Percentage of new patients having live births after all intended retrievals	8 / 9	5 / 8	7 / 12	1 / 2	0 / 10
Average number of intended retrievals per new patient	1.1	1.5	1.3	2.0	1.0
Average number of transfers per intended retrieval	0.9	0.6	0.7	0.3	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	0	7	0
Percentage of transfers resulting in live births	1 / 1		5 / 7	
Percentage of transfers resulting in singleton live births	1 / 1		5 / 7	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	27	37	35	19	20	138
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	0.0%	0 / 19	0.0%	0.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.4%	0.0%	11.4%	2 / 19	25.0%	9.4%
Percentage of cycles for fertility preservation	55.6%	54.1%	42.9%	13 / 19	40.0%	51.4%
Percentage of transfers using a gestational carrier	0 / 10	0 / 17	0 / 16	0 / 4	0 / 7	0.0%
Percentage of transfers using frozen embryos	10 / 10	17 / 17	15 / 16	4 / 4	7 / 7	98.1%
Percentage of transfers of at least one embryo with ICSI	4 / 10	10 / 17	11 / 16	2 / 4	4 / 7	57.4%
Percentage of transfers of at least one embryo with PGT	8 / 10	3 / 17	10 / 16	1 / 4	1 / 7	42.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	14%
Endometriosis	0%	Egg or embryo banking	83%
Tubal factor	1%	Recurrent pregnancy loss	13%
Ovulatory dysfunction	0%	Other, infertility	3%
Uterine factor	1%	Other, non-infertility	8%
PGT	0%	Unexplained	51%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CCRM SAN FRANCISCO
BAY AREA CENTER FOR REPRODUCTIVE MEDICINE, LLC (BACRM)
MENLO PARK, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Salli Tazuke, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	7	21	4	6	1	39
Percentage of cycles cancelled prior to retrieval or thaw	0 / 7	4.8%	0 / 4	0 / 6	0 / 1	2.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1 / 7	9.5%	1 / 4	4 / 6	0 / 1	20.5%
Percentage of cycles for fertility preservation	1 / 7	19.0%	0 / 4	0 / 6	0 / 1	12.8%
Percentage of transfers using a gestational carrier			0 / 1			0 / 1
Percentage of transfers using frozen embryos			1 / 1			1 / 1
Percentage of transfers of at least one embryo with ICSI			1 / 1			1 / 1
Percentage of transfers of at least one embryo with PGT			1 / 1			1 / 1

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	74%
Endometriosis	5%	Egg or embryo banking	97%
Tubal factor	3%	Recurrent pregnancy loss	28%
Ovulatory dysfunction	10%	Other, infertility	3%
Uterine factor	8%	Other, non-infertility	3%
PGT	3%	Unexplained	3%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE FERTILITY AND GYNECOLOGY CENTER
MONTEREY BAY IVF
MONTEREY, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Edward J. Ramirez, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	21	15	15	10	2
Percentage of intended retrievals resulting in live births	61.9%	6 / 15	3 / 15	0 / 10	0 / 2
Percentage of intended retrievals resulting in singleton live births	42.9%	5 / 15	2 / 15	0 / 10	0 / 2
Number of **retrievals**	21	15	11	7	2
Percentage of retrievals resulting in live births	61.9%	6 / 15	3 / 11	0 / 7	0 / 2
Percentage of retrievals resulting in singleton live births	42.9%	5 / 15	2 / 11	0 / 7	0 / 2
Number of **transfers**	28	16	9	4	3
Percentage of transfers resulting in live births	46.4%	6 / 16	3 / 9	0 / 4	0 / 3
Percentage of transfers resulting in singleton live births	32.1%	5 / 16	2 / 9	0 / 4	0 / 3
Number of intended retrievals per live birth	1.6	2.5	5.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	9 / 15	4 / 9	1 / 5	0 / 5	0 / 2
Percentage of new patients having live births after 1 or 2 intended retrievals	9 / 15	4 / 9	1 / 5	0 / 5	0 / 2
Percentage of new patients having live births after all intended retrievals	9 / 15	4 / 9	2 / 5	0 / 5	0 / 2
Average number of intended retrievals per new patient	1.1	1.1	1.6	1.4	1.0
Average number of transfers per intended retrieval	1.4	0.8	0.4	0.4	1.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	5	0	5	0
Percentage of transfers resulting in live births	4 / 5		2 / 5	
Percentage of transfers resulting in singleton live births	2 / 5		1 / 5	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	47	24	18	11	9	109
Percentage of cycles cancelled prior to retrieval or thaw	2.1%	12.5%	1 / 18	0 / 11	1 / 9	5.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.3%	8.3%	0 / 18	2 / 11	3 / 9	8.3%
Percentage of cycles for fertility preservation	0.0%	0.0%	1 / 18	0 / 11	0 / 9	0.9%
Percentage of transfers using a gestational carrier	0.0%	0 / 13	0 / 10	0 / 6	1 / 5	1.5%
Percentage of transfers using frozen embryos	53.1%	9 / 13	6 / 10	4 / 6	3 / 5	59.1%
Percentage of transfers of at least one embryo with ICSI	100.0%	12 / 13	10 / 10	6 / 6	4 / 5	97.0%
Percentage of transfers of at least one embryo with PGT	0.0%	1 / 13	1 / 10	2 / 6	1 / 5	7.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	27%
Endometriosis	2%	Egg or embryo banking	31%
Tubal factor	15%	Recurrent pregnancy loss	10%
Ovulatory dysfunction	25%	Other, infertility	13%
Uterine factor	1%	Other, non-infertility	2%
PGT	15%	Unexplained	6%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NOVA IN VITRO FERTILIZATION
MOUNTAIN VIEW, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Richard J. Schmidt, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	88	96	105	52	42
Percentage of intended retrievals resulting in live births	39.8%	37.5%	20.0%	13.5%	4.8%
Percentage of intended retrievals resulting in singleton live births	33.0%	33.3%	17.1%	13.5%	4.8%
Number of **retrievals**	85	88	92	48	39
Percentage of retrievals resulting in live births	41.2%	40.9%	22.8%	14.6%	5.1%
Percentage of retrievals resulting in singleton live births	34.1%	36.4%	19.6%	14.6%	5.1%
Number of **transfers**	87	71	57	20	15
Percentage of transfers resulting in live births	40.2%	50.7%	36.8%	35.0%	2 / 15
Percentage of transfers resulting in singleton live births	33.3%	45.1%	31.6%	35.0%	2 / 15
Number of intended retrievals per live birth	2.5	2.7	5.0	7.4	21.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	44.0%	33.3%	18.4%	1 / 12	1 / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	58.0%	40.5%	26.3%	1 / 12	1 / 8
Percentage of new patients having live births after all intended retrievals	58.0%	42.9%	28.9%	1 / 12	1 / 8
Average number of intended retrievals per new patient	1.3	1.4	1.6	1.8	2.0
Average number of transfers per intended retrieval	0.9	0.8	0.5	0.2	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	0	29	5
Percentage of transfers resulting in live births	3 / 6		34.5%	3 / 5
Percentage of transfers resulting in singleton live births	2 / 6		27.6%	1 / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	150	160	141	89	60	600
Percentage of cycles cancelled prior to retrieval or thaw	1.3%	1.9%	3.5%	6.7%	5.0%	3.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	10.7%	8.8%	10.6%	12.4%	5.0%	9.8%
Percentage of cycles for fertility preservation	7.3%	10.0%	6.4%	7.9%	0.0%	7.2%
Percentage of transfers using a gestational carrier	2.4%	0.0%	0.0%	0.0%	13.6%	2.5%
Percentage of transfers using frozen embryos	98.8%	94.9%	98.6%	95.7%	95.5%	96.9%
Percentage of transfers of at least one embryo with ICSI	32.5%	27.8%	16.4%	17.4%	4.5%	21.8%
Percentage of transfers of at least one embryo with PGT	43.4%	45.6%	30.1%	21.7%	34.1%	36.6%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	19%	Diminished ovarian reserve	53%
Endometriosis	13%	Egg or embryo banking	34%
Tubal factor	13%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	12%	Other, infertility	5%
Uterine factor	6%	Other, non-infertility	3%
PGT	1%	Unexplained	4%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

HRC FERTILITY-ORANGE COUNTY
NEWPORT BEACH, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Daniel A. Potter, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	259	135	136	63	57
Percentage of intended retrievals resulting in live births	56.8%	51.1%	35.3%	22.2%	3.5%
Percentage of intended retrievals resulting in singleton live births	47.9%	39.3%	31.6%	19.0%	3.5%
Number of **retrievals**	256	134	124	59	49
Percentage of retrievals resulting in live births	57.4%	51.5%	38.7%	23.7%	4.1%
Percentage of retrievals resulting in singleton live births	48.4%	39.6%	34.7%	20.3%	4.1%
Number of **transfers**	231	114	82	25	7
Percentage of transfers resulting in live births	63.6%	60.5%	58.5%	56.0%	2 / 7
Percentage of transfers resulting in singleton live births	53.7%	46.5%	52.4%	48.0%	2 / 7
Number of intended retrievals per live birth	1.8	2.0	2.8	4.5	28.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	57.6%	54.0%	35.5%	20.5%	5.1%
Percentage of new patients having live births after 1 or 2 intended retrievals	59.7%	55.8%	37.4%	25.0%	5.1%
Percentage of new patients having live births after all intended retrievals	60.2%	55.8%	38.3%	25.0%	5.1%
Average number of intended retrievals per new patient	1.0	1.1	1.1	1.1	1.2
Average number of transfers per intended retrieval	0.9	0.9	0.6	0.4	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	47	5	53	26
Percentage of transfers resulting in live births	55.3%	4 / 5	47.2%	46.2%
Percentage of transfers resulting in singleton live births	51.1%	4 / 5	37.7%	42.3%

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	674	405	371	157	204	1,811
Percentage of cycles cancelled prior to retrieval or thaw	2.8%	4.4%	6.2%	7.0%	14.7%	5.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.5%	11.6%	20.2%	26.1%	20.1%	14.4%
Percentage of cycles for fertility preservation	3.1%	3.7%	2.2%	1.3%	1.5%	2.7%
Percentage of transfers using a gestational carrier	4.7%	5.0%	5.5%	7.0%	19.6%	6.6%
Percentage of transfers using frozen embryos	56.1%	59.1%	49.4%	47.4%	66.0%	56.1%
Percentage of transfers of at least one embryo with ICSI	90.2%	81.8%	84.1%	87.7%	63.9%	84.4%
Percentage of transfers of at least one embryo with PGT	59.8%	59.1%	59.1%	56.1%	53.6%	58.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	43%	Diminished ovarian reserve	36%
Endometriosis	4%	Egg or embryo banking	36%
Tubal factor	5%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	0%	Other, infertility	42%
Uterine factor	7%	Other, non-infertility	7%
PGT	21%	Unexplained	6%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NEWPORT FERTILITY CENTER
NEWPORT BEACH, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mark T. Kan, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	31	40	40	18	16
Percentage of intended retrievals resulting in live births	51.6%	37.5%	40.0%	2 / 18	1 / 16
Percentage of intended retrievals resulting in singleton live births	35.5%	32.5%	37.5%	1 / 18	1 / 16
Number of **retrievals**	31	40	40	18	15
Percentage of retrievals resulting in live births	51.6%	37.5%	40.0%	2 / 18	1 / 15
Percentage of retrievals resulting in singleton live births	35.5%	32.5%	37.5%	1 / 18	1 / 15
Number of **transfers**	32	26	18	7	4
Percentage of transfers resulting in live births	50.0%	57.7%	16 / 18	2 / 7	1 / 4
Percentage of transfers resulting in singleton live births	34.4%	50.0%	15 / 18	1 / 7	1 / 4
Number of intended retrievals per live birth	1.9	2.7	2.5	9.0	16.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	50.0%	40.0%	7 / 19	1 / 7	1 / 4
Percentage of new patients having live births after 1 or 2 intended retrievals	54.2%	40.0%	11 / 19	1 / 7	1 / 4
Percentage of new patients having live births after all intended retrievals	54.2%	40.0%	12 / 19	1 / 7	1 / 4
Average number of intended retrievals per new patient	1.0	1.5	1.4	1.1	1.0
Average number of transfers per intended retrieval	0.9	0.6	0.5	0.6	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	0	10	0
Percentage of transfers resulting in live births	1 / 1		8 / 10	
Percentage of transfers resulting in singleton live births	1 / 1		6 / 10	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	62	62	44	35	33	236
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	1.6%	0.0%	8.6%	6.1%	2.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.6%	1.6%	2.3%	5.7%	3.0%	2.5%
Percentage of cycles for fertility preservation	4.8%	4.8%	13.6%	11.4%	3.0%	7.2%
Percentage of transfers using a gestational carrier	2.9%	6.7%	1 / 19	2 / 10	4 / 15	9.2%
Percentage of transfers using frozen embryos	97.1%	86.7%	19 / 19	9 / 10	14 / 15	93.6%
Percentage of transfers of at least one embryo with ICSI	94.3%	100.0%	15 / 19	9 / 10	11 / 15	89.9%
Percentage of transfers of at least one embryo with PGT	80.0%	73.3%	15 / 19	7 / 10	12 / 15	77.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	22%	Diminished ovarian reserve	48%
Endometriosis	4%	Egg or embryo banking	53%
Tubal factor	11%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	14%	Other, infertility	27%
Uterine factor	18%	Other, non-infertility	9%
PGT	11%	Unexplained	3%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

OC FERTILITY
NEWPORT BEACH, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Sharon E. Moayeri, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	29	16	15	8	7
Percentage of intended retrievals resulting in live births	58.6%	8 / 16	7 / 15	3 / 8	1 / 7
Percentage of intended retrievals resulting in singleton live births	41.4%	8 / 16	7 / 15	2 / 8	1 / 7
Number of **retrievals**	29	16	14	8	7
Percentage of retrievals resulting in live births	58.6%	8 / 16	7 / 14	3 / 8	1 / 7
Percentage of retrievals resulting in singleton live births	41.4%	8 / 16	7 / 14	2 / 8	1 / 7
Number of **transfers**	32	13	12	3	1
Percentage of transfers resulting in live births	53.1%	8 / 13	7 / 12	3 / 3	1 / 1
Percentage of transfers resulting in singleton live births	37.5%	8 / 13	7 / 12	2 / 3	1 / 1
Number of intended retrievals per live birth	1.7	2.0	2.1	2.7	7.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	59.1%	7 / 13	6 / 12	0 / 2	1 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	68.2%	8 / 13	6 / 12	2 / 2	1 / 6
Percentage of new patients having live births after all intended retrievals	68.2%	8 / 13	6 / 12	2 / 2	1 / 6
Average number of intended retrievals per new patient	1.1	1.1	1.1	2.0	1.2
Average number of transfers per intended retrieval	1.2	0.9	0.8	0.5	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	8	0
Percentage of transfers resulting in live births			6 / 8	
Percentage of transfers resulting in singleton live births			6 / 8	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	103	66	56	36	23	284
Percentage of cycles cancelled prior to retrieval or thaw	4.9%	0.0%	0.0%	2.8%	0.0%	2.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.9%	6.1%	8.9%	11.1%	4.3%	5.6%
Percentage of cycles for fertility preservation	8.7%	15.2%	8.9%	11.1%	0.0%	9.9%
Percentage of transfers using a gestational carrier	2.3%	3.8%	4.0%	0 / 6	1 / 12	3.6%
Percentage of transfers using frozen embryos	100.0%	100.0%	100.0%	6 / 6	11 / 12	99.1%
Percentage of transfers of at least one embryo with ICSI	74.4%	73.1%	80.0%	6 / 6	4 / 12	72.3%
Percentage of transfers of at least one embryo with PGT	97.7%	88.5%	92.0%	5 / 6	9 / 12	91.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	24%	Diminished ovarian reserve	5%
Endometriosis	6%	Egg or embryo banking	56%
Tubal factor	5%	Recurrent pregnancy loss	11%
Ovulatory dysfunction	14%	Other, infertility	5%
Uterine factor	9%	Other, non-infertility	1%
PGT	2%	Unexplained	29%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SOUTHERN CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE
NEWPORT BEACH, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Robert E. Anderson, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	85	81	90	43	33
Percentage of intended retrievals resulting in live births	63.5%	49.4%	31.1%	9.3%	6.1%
Percentage of intended retrievals resulting in singleton live births	61.2%	48.1%	28.9%	9.3%	6.1%
Number of **retrievals**	83	79	81	39	24
Percentage of retrievals resulting in live births	65.1%	50.6%	34.6%	10.3%	8.3%
Percentage of retrievals resulting in singleton live births	62.7%	49.4%	32.1%	10.3%	8.3%
Number of **transfers**	75	67	48	13	6
Percentage of transfers resulting in live births	72.0%	59.7%	58.3%	4 / 13	2 / 6
Percentage of transfers resulting in singleton live births	69.3%	58.2%	54.2%	4 / 13	2 / 6
Number of intended retrievals per live birth	1.6	2.0	3.2	10.8	16.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	63.1%	48.0%	42.9%	9.1%	1 / 15
Percentage of new patients having live births after 1 or 2 intended retrievals	64.6%	52.0%	44.9%	13.6%	1 / 15
Percentage of new patients having live births after all intended retrievals	64.6%	52.0%	44.9%	13.6%	1 / 15
Average number of intended retrievals per new patient	1.0	1.1	1.2	1.1	1.3
Average number of transfers per intended retrieval	0.9	0.8	0.6	0.4	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	54	5
Percentage of transfers resulting in live births			64.8%	3 / 5
Percentage of transfers resulting in singleton live births			64.8%	3 / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	179	163	203	100	109	754
Percentage of cycles cancelled prior to retrieval or thaw	6.1%	7.4%	5.4%	6.0%	7.3%	6.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.6%	8.6%	12.8%	27.0%	28.4%	14.3%
Percentage of cycles for fertility preservation	3.4%	3.7%	3.4%	0.0%	0.0%	2.5%
Percentage of transfers using a gestational carrier	1.1%	2.4%	8.3%	2.4%	17.4%	5.6%
Percentage of transfers using frozen embryos	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Percentage of transfers of at least one embryo with ICSI	89.8%	91.7%	87.5%	95.2%	84.8%	89.6%
Percentage of transfers of at least one embryo with PGT	97.7%	100.0%	100.0%	100.0%	97.8%	99.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	48%
Endometriosis	5%	Egg or embryo banking	46%
Tubal factor	7%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	12%	Other, infertility	74%
Uterine factor	6%	Other, non-infertility	1%
PGT	53%	Unexplained	1%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2017 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2017 ART cycle data or the clinic's Medical Director did not approve the clinic's 2017 ART cycle data for inclusion in this report.

LANE FERTILITY INSTITUTE
NOVATO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Danielle E. Lane, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	17	8	25	7	8
Percentage of intended retrievals resulting in live births	5 / 17	2 / 8	4.0%	0 / 7	0 / 8
Percentage of intended retrievals resulting in singleton live births	4 / 17	2 / 8	4.0%	0 / 7	0 / 8
Number of **retrievals**	16	7	20	6	2
Percentage of retrievals resulting in live births	5 / 16	2 / 7	5.0%	0 / 6	0 / 2
Percentage of retrievals resulting in singleton live births	4 / 16	2 / 7	5.0%	0 / 6	0 / 2
Number of **transfers**	12	3	5	1	0
Percentage of transfers resulting in live births	5 / 12	2 / 3	1 / 5	0 / 1	
Percentage of transfers resulting in singleton live births	4 / 12	2 / 3	1 / 5	0 / 1	
Number of intended retrievals per live birth	3.4	4.0	25.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	2 / 12	1 / 5	0 / 8	0 / 3	0 / 3
Percentage of new patients having live births after 1 or 2 intended retrievals	3 / 12	1 / 5	0 / 8	0 / 3	0 / 3
Percentage of new patients having live births after all intended retrievals	3 / 12	1 / 5	0 / 8	0 / 3	0 / 3
Average number of intended retrievals per new patient	1.3	1.4	2.0	1.7	2.7
Average number of transfers per intended retrieval	0.6	0.3	0.3	0.2	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	1	0
Percentage of transfers resulting in live births			1 / 1	
Percentage of transfers resulting in singleton live births			0 / 1	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	29	22	13	18	7	89
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	0 / 13	0 / 18	0 / 7	0.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	9.1%	2 / 13	3 / 18	2 / 7	10.1%
Percentage of cycles for fertility preservation	31.0%	36.4%	3 / 13	3 / 18	2 / 7	28.1%
Percentage of transfers using a gestational carrier	0 / 9	0 / 5	0 / 5	0 / 5	0 / 2	0.0%
Percentage of transfers using frozen embryos	9 / 9	5 / 5	5 / 5	5 / 5	2 / 2	100.0%
Percentage of transfers of at least one embryo with ICSI	8 / 9	4 / 5	2 / 5	3 / 5	1 / 2	69.2%
Percentage of transfers of at least one embryo with PGT	9 / 9	5 / 5	4 / 5	4 / 5	1 / 2	88.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	8%	Diminished ovarian reserve	11%
Endometriosis	6%	Egg or embryo banking	67%
Tubal factor	1%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	0%	Other, infertility	6%
Uterine factor	0%	Other, non-infertility	0%
PGT	2%	Unexplained	42%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

AMERICAN REPRODUCTIVE CENTERS
PALM SPRINGS, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Maher A. Abdallah, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	74	40	39	13	5
Percentage of intended retrievals resulting in live births	28.4%	27.5%	12.8%	2 / 13	0 / 5
Percentage of intended retrievals resulting in singleton live births	17.6%	20.0%	12.8%	2 / 13	0 / 5
Number of **retrievals**	70	39	36	12	5
Percentage of retrievals resulting in live births	30.0%	28.2%	13.9%	2 / 12	0 / 5
Percentage of retrievals resulting in singleton live births	18.6%	20.5%	13.9%	2 / 12	0 / 5
Number of **transfers**	53	24	25	7	0
Percentage of transfers resulting in live births	39.6%	45.8%	20.0%	2 / 7	
Percentage of transfers resulting in singleton live births	24.5%	33.3%	20.0%	2 / 7	
Number of intended retrievals per live birth	3.5	3.6	7.8	6.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	22.2%	33.3%	9.5%	0 / 4	0 / 3
Percentage of new patients having live births after 1 or 2 intended retrievals	25.9%	37.5%	14.3%	0 / 4	0 / 3
Percentage of new patients having live births after all intended retrievals	27.8%	37.5%	14.3%	0 / 4	0 / 3
Average number of intended retrievals per new patient	1.2	1.2	1.1	1.0	1.0
Average number of transfers per intended retrieval	0.7	0.6	0.7	0.5	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	3	0	7	3
Percentage of transfers resulting in live births	2 / 3		5 / 7	1 / 3
Percentage of transfers resulting in singleton live births	2 / 3		5 / 7	1 / 3

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	76	68	51	16	22	233
Percentage of cycles cancelled prior to retrieval or thaw	1.3%	1.5%	2.0%	0 / 16	0.0%	1.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.6%	17.6%	21.6%	2 / 16	31.8%	15.9%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	1 / 16	0.0%	0.4%
Percentage of transfers using a gestational carrier	2.4%	0.0%	5.0%	1 / 6	0 / 9	2.8%
Percentage of transfers using frozen embryos	48.8%	53.1%	60.0%	5 / 6	5 / 9	54.6%
Percentage of transfers of at least one embryo with ICSI	100.0%	100.0%	100.0%	6 / 6	9 / 9	100.0%
Percentage of transfers of at least one embryo with PGT	31.7%	25.0%	30.0%	3 / 6	3 / 9	30.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	26%	Diminished ovarian reserve	66%
Endometriosis	4%	Egg or embryo banking	49%
Tubal factor	10%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	5%	Other, infertility	3%
Uterine factor	10%	Other, non-infertility	6%
PGT	1%	Unexplained	5%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BAY IVF CENTER
PALO ALTO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Francis Polansky, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	46	24	34	9	1
Percentage of intended retrievals resulting in live births	54.3%	45.8%	17.6%	1 / 9	0 / 1
Percentage of intended retrievals resulting in singleton live births	45.7%	33.3%	8.8%	0 / 9	0 / 1
Number of **retrievals**	42	24	30	9	1
Percentage of retrievals resulting in live births	59.5%	45.8%	20.0%	1 / 9	0 / 1
Percentage of retrievals resulting in singleton live births	50.0%	33.3%	10.0%	0 / 9	0 / 1
Number of **transfers**	47	25	28	11	1
Percentage of transfers resulting in live births	53.2%	44.0%	21.4%	1 / 11	0 / 1
Percentage of transfers resulting in singleton live births	44.7%	32.0%	10.7%	0 / 11	0 / 1
Number of intended retrievals per live birth	1.8	2.2	5.7	9.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	60.0%	9 / 16	5 / 15	1 / 7	
Percentage of new patients having live births after 1 or 2 intended retrievals	62.9%	9 / 16	5 / 15	1 / 7	
Percentage of new patients having live births after all intended retrievals	62.9%	9 / 16	5 / 15	1 / 7	
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.1	
Average number of transfers per intended retrieval	1.1	1.1	0.9	1.3	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	2	5	0
Percentage of transfers resulting in live births	1 / 1	0 / 2	1 / 5	
Percentage of transfers resulting in singleton live births	1 / 1	0 / 2	1 / 5	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	72	57	49	26	14	218
Percentage of cycles cancelled prior to retrieval or thaw	2.8%	7.0%	4.1%	7.7%	2 / 14	5.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	37.5%	21.1%	32.7%	30.8%	2 / 14	29.8%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0.0%	0 / 14	0.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 16	0 / 10	0.0%
Percentage of transfers using frozen embryos	86.1%	76.5%	88.9%	14 / 16	7 / 10	82.9%
Percentage of transfers of at least one embryo with ICSI	77.8%	67.6%	63.0%	8 / 16	2 / 10	63.4%
Percentage of transfers of at least one embryo with PGT	5.6%	2.9%	11.1%	0 / 16	0 / 10	4.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Pending
Egg cryopreservation?	No	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	36%	Diminished ovarian reserve	57%
Endometriosis	5%	Egg or embryo banking	8%
Tubal factor	19%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	22%	Other, infertility	6%
Uterine factor	12%	Other, non-infertility	2%
PGT	3%	Unexplained	5%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

HRC FERTILITY-PASADENA
PASADENA, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by John G. Wilcox, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	494	328	328	171	307
Percentage of intended retrievals resulting in live births	41.9%	32.0%	16.8%	5.8%	0.7%
Percentage of intended retrievals resulting in singleton live births	34.0%	28.4%	14.9%	5.8%	0.7%
Number of **retrievals**	480	312	303	147	250
Percentage of retrievals resulting in live births	43.1%	33.7%	18.2%	6.8%	0.8%
Percentage of retrievals resulting in singleton live births	35.0%	29.8%	16.2%	6.8%	0.8%
Number of **transfers**	386	206	131	36	18
Percentage of transfers resulting in live births	53.6%	51.0%	42.0%	27.8%	2 / 18
Percentage of transfers resulting in singleton live births	43.5%	45.1%	37.4%	27.8%	2 / 18
Number of intended retrievals per live birth	2.4	3.1	6.0	17.1	153.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	44.4%	30.8%	16.9%	4.2%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	50.7%	41.3%	22.8%	5.3%	0.6%
Percentage of new patients having live births after all intended retrievals	51.0%	43.8%	24.9%	8.4%	0.6%
Average number of intended retrievals per new patient	1.2	1.3	1.4	1.4	1.3
Average number of transfers per intended retrieval	0.8	0.6	0.4	0.2	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	1	453	19
Percentage of transfers resulting in live births	6 / 8	1 / 1	44.2%	11 / 19
Percentage of transfers resulting in singleton live births	4 / 8	1 / 1	36.2%	9 / 19

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	1,110	715	660	394	948	3,827
Percentage of cycles cancelled prior to retrieval or thaw	4.3%	6.9%	7.7%	9.1%	12.1%	7.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.6%	6.6%	9.2%	15.2%	13.6%	9.1%
Percentage of cycles for fertility preservation	2.3%	4.5%	3.6%	3.3%	0.7%	2.6%
Percentage of transfers using a gestational carrier	22.5%	31.3%	33.5%	43.8%	64.0%	37.4%
Percentage of transfers using frozen embryos	89.7%	87.5%	91.0%	92.9%	96.3%	91.3%
Percentage of transfers of at least one embryo with ICSI	85.1%	85.2%	85.0%	77.7%	70.5%	81.1%
Percentage of transfers of at least one embryo with PGT	30.0%	27.0%	28.3%	26.8%	21.3%	26.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	14%	Diminished ovarian reserve	44%
Endometriosis	1%	Egg or embryo banking	50%
Tubal factor	2%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	0%	Other, infertility	32%
Uterine factor	4%	Other, non-infertility	14%
PGT	4%	Unexplained	15%
Gestational carrier	5%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE PARTNERS-BEVERLY HILLS, REDONDO BEACH & WESTMINSTER
REDONDO BEACH, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Bill Yee, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	205	221	261	181	100
Percentage of intended retrievals resulting in live births	46.8%	38.9%	19.2%	9.9%	3.0%
Percentage of intended retrievals resulting in singleton live births	40.0%	36.2%	18.4%	9.9%	3.0%
Number of **retrievals**	194	194	222	152	86
Percentage of retrievals resulting in live births	49.5%	44.3%	22.5%	11.8%	3.5%
Percentage of retrievals resulting in singleton live births	42.3%	41.2%	21.6%	11.8%	3.5%
Number of **transfers**	194	160	127	63	32
Percentage of transfers resulting in live births	49.5%	53.8%	39.4%	28.6%	9.4%
Percentage of transfers resulting in singleton live births	42.3%	50.0%	37.8%	28.6%	9.4%
Number of intended retrievals per live birth	2.1	2.6	5.2	10.1	33.3
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	48.7%	43.0%	14.4%	9.5%	8.1%
Percentage of new patients having live births after 1 or 2 intended retrievals	52.6%	48.4%	22.5%	16.2%	8.1%
Percentage of new patients having live births after all intended retrievals	53.2%	48.4%	26.1%	17.6%	8.1%
Average number of intended retrievals per new patient	1.1	1.2	1.4	1.6	1.4
Average number of transfers per intended retrieval	0.9	0.7	0.4	0.3	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	31	80	6
Percentage of transfers resulting in live births		41.9%	47.5%	4 / 6
Percentage of transfers resulting in singleton live births		35.5%	43.8%	3 / 6

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	495	490	516	252	252	2,005
Percentage of cycles cancelled prior to retrieval or thaw	8.1%	14.7%	13.0%	13.5%	15.1%	12.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.6%	3.3%	4.5%	6.0%	8.7%	3.9%
Percentage of cycles for fertility preservation	9.1%	13.9%	8.3%	5.2%	0.8%	8.5%
Percentage of transfers using a gestational carrier	5.9%	4.4%	4.9%	9.4%	0.9%	5.0%
Percentage of transfers using frozen embryos	90.5%	96.7%	92.7%	79.2%	83.2%	90.1%
Percentage of transfers of at least one embryo with ICSI	87.4%	82.4%	78.5%	81.3%	69.0%	80.8%
Percentage of transfers of at least one embryo with PGT	66.7%	69.2%	60.0%	58.3%	39.8%	60.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	12%	Diminished ovarian reserve	24%
Endometriosis	4%	Egg or embryo banking	44%
Tubal factor	4%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	7%	Other, infertility	29%
Uterine factor	2%	Other, non-infertility	3%
PGT	2%	Unexplained	17%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NORTHERN CALIFORNIA FERTILITY MEDICAL CENTER
ROSEVILLE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Michael Murray, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	179	83	92	32	17
Percentage of intended retrievals resulting in live births	59.8%	38.6%	23.9%	21.9%	1 / 17
Percentage of intended retrievals resulting in singleton live births	45.3%	27.7%	20.7%	18.8%	1 / 17
Number of **retrievals**	173	79	85	29	14
Percentage of retrievals resulting in live births	61.8%	40.5%	25.9%	24.1%	1 / 14
Percentage of retrievals resulting in singleton live births	46.8%	29.1%	22.4%	20.7%	1 / 14
Number of **transfers**	214	70	62	22	7
Percentage of transfers resulting in live births	50.0%	45.7%	35.5%	31.8%	1 / 7
Percentage of transfers resulting in singleton live births	37.9%	32.9%	30.6%	27.3%	1 / 7
Number of intended retrievals per live birth	1.7	2.6	4.2	4.6	17.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	61.3%	42.9%	25.5%	25.0%	0 / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	66.2%	46.4%	34.0%	30.0%	0 / 8
Percentage of new patients having live births after all intended retrievals	66.9%	46.4%	34.0%	30.0%	0 / 8
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.2	1.5
Average number of transfers per intended retrieval	1.2	0.8	0.6	0.7	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	17	1	37	14
Percentage of transfers resulting in live births	5 / 17	1 / 1	64.9%	8 / 14
Percentage of transfers resulting in singleton live births	3 / 17	1 / 1	45.9%	6 / 14

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	342	201	164	63	67	837
Percentage of cycles cancelled prior to retrieval or thaw	2.9%	5.0%	3.7%	3.2%	3.0%	3.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	21.1%	13.9%	10.4%	15.9%	13.4%	16.2%
Percentage of cycles for fertility preservation	0.6%	3.5%	0.6%	1.6%	0.0%	1.3%
Percentage of transfers using a gestational carrier	2.3%	1.7%	3.6%	9.1%	9.5%	3.5%
Percentage of transfers using frozen embryos	78.4%	68.7%	77.1%	78.8%	59.5%	74.3%
Percentage of transfers of at least one embryo with ICSI	74.6%	71.3%	57.8%	54.5%	66.7%	68.9%
Percentage of transfers of at least one embryo with PGT	18.8%	24.3%	44.6%	30.3%	21.4%	25.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	41%	Diminished ovarian reserve	25%
Endometriosis	8%	Egg or embryo banking	24%
Tubal factor	15%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	20%	Other, infertility	40%
Uterine factor	5%	Other, non-infertility	4%
PGT	32%	Unexplained	7%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CALIFORNIA IVF FERTILITY CENTER
SACRAMENTO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ernest J. Zeringue, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	81	53	30	24	11
Percentage of intended retrievals resulting in live births	51.9%	50.9%	23.3%	16.7%	0 / 11
Percentage of intended retrievals resulting in singleton live births	32.1%	41.5%	20.0%	8.3%	0 / 11
Number of **retrievals**	81	50	28	21	10
Percentage of retrievals resulting in live births	51.9%	54.0%	25.0%	19.0%	0 / 10
Percentage of retrievals resulting in singleton live births	32.1%	44.0%	21.4%	9.5%	0 / 10
Number of **transfers**	102	58	27	13	5
Percentage of transfers resulting in live births	41.2%	46.6%	25.9%	4 / 13	0 / 5
Percentage of transfers resulting in singleton live births	25.5%	37.9%	22.2%	2 / 13	0 / 5
Number of intended retrievals per live birth	1.9	2.0	4.3	6.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.4%	53.8%	5 / 19	3 / 8	0 / 4
Percentage of new patients having live births after 1 or 2 intended retrievals	57.9%	53.8%	5 / 19	3 / 8	0 / 4
Percentage of new patients having live births after all intended retrievals	57.9%	53.8%	5 / 19	3 / 8	0 / 4
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.1	1.0
Average number of transfers per intended retrieval	1.3	1.1	1.0	0.4	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	71	0	220	2
Percentage of transfers resulting in live births	45.1%		39.5%	0 / 2
Percentage of transfers resulting in singleton live births	25.4%		30.0%	0 / 2

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	194	143	136	75	185	733
Percentage of cycles cancelled prior to retrieval or thaw	1.0%	0.0%	1.5%	0.0%	2.2%	1.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.1%	3.5%	7.4%	1.3%	3.8%	4.0%
Percentage of cycles for fertility preservation	12.4%	9.1%	12.5%	9.3%	5.4%	9.7%
Percentage of transfers using a gestational carrier	5.4%	1.0%	0.0%	3.4%	2.6%	2.6%
Percentage of transfers using frozen embryos	85.3%	85.3%	79.1%	83.1%	81.3%	82.9%
Percentage of transfers of at least one embryo with ICSI	46.5%	39.2%	30.2%	18.6%	11.0%	29.0%
Percentage of transfers of at least one embryo with PGT	8.5%	12.7%	11.6%	3.4%	7.1%	8.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	30%
Endometriosis	8%	Egg or embryo banking	26%
Tubal factor	5%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	11%	Other, infertility	44%
Uterine factor	3%	Other, non-infertility	5%
PGT	7%	Unexplained	8%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH-SACRAMENTO
SACRAMENTO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Kenneth K. Vu, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	170	77	67	18	7
Percentage of intended retrievals resulting in live births	70.0%	53.2%	38.8%	3 / 18	0 / 7
Percentage of intended retrievals resulting in singleton live births	60.0%	45.5%	32.8%	3 / 18	0 / 7
Number of **retrievals**	167	71	57	18	7
Percentage of retrievals resulting in live births	71.3%	57.7%	45.6%	3 / 18	0 / 7
Percentage of retrievals resulting in singleton live births	61.1%	49.3%	38.6%	3 / 18	0 / 7
Number of **transfers**	237	88	65	18	11
Percentage of transfers resulting in live births	50.2%	46.6%	40.0%	3 / 18	0 / 11
Percentage of transfers resulting in singleton live births	43.0%	39.8%	33.8%	3 / 18	0 / 11
Number of intended retrievals per live birth	1.4	1.9	2.6	6.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	70.7%	56.9%	43.2%	1 / 9	0 / 4
Percentage of new patients having live births after 1 or 2 intended retrievals	72.0%	58.6%	47.7%	1 / 9	0 / 4
Percentage of new patients having live births after all intended retrievals	72.0%	58.6%	50.0%	1 / 9	0 / 4
Average number of intended retrievals per new patient	1.0	1.1	1.2	1.3	1.0
Average number of transfers per intended retrieval	1.4	1.1	0.9	1.0	1.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	13	0	18	0
Percentage of transfers resulting in live births	4 / 13		11 / 18	
Percentage of transfers resulting in singleton live births	4 / 13		10 / 18	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	296	207	98	35	27	663
Percentage of cycles cancelled prior to retrieval or thaw	2.7%	8.7%	6.1%	2.9%	7.4%	5.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	11.5%	10.1%	7.1%	8.6%	3.7%	10.0%
Percentage of cycles for fertility preservation	1.7%	1.9%	4.1%	0.0%	0.0%	2.0%
Percentage of transfers using a gestational carrier	0.9%	2.6%	2.7%	0.0%	4.2%	1.8%
Percentage of transfers using frozen embryos	61.2%	53.3%	46.6%	32.0%	58.3%	55.1%
Percentage of transfers of at least one embryo with ICSI	69.0%	61.2%	75.3%	68.0%	37.5%	66.0%
Percentage of transfers of at least one embryo with PGT	8.6%	7.9%	6.8%	4.0%	8.3%	7.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	36%	Diminished ovarian reserve	25%
Endometriosis	4%	Egg or embryo banking	9%
Tubal factor	10%	Recurrent pregnancy loss	<1%
Ovulatory dysfunction	20%	Other, infertility	16%
Uterine factor	5%	Other, non-infertility	1%
PGT	8%	Unexplained	11%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY SPECIALISTS MEDICAL GROUP
SAN DIEGO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Arlene J. Morales, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	79	58	56	28	5
Percentage of intended retrievals resulting in live births	46.8%	24.1%	8.9%	7.1%	0 / 5
Percentage of intended retrievals resulting in singleton live births	40.5%	24.1%	5.4%	7.1%	0 / 5
Number of **retrievals**	75	49	49	23	3
Percentage of retrievals resulting in live births	49.3%	28.6%	10.2%	8.7%	0 / 3
Percentage of retrievals resulting in singleton live births	42.7%	28.6%	6.1%	8.7%	0 / 3
Number of **transfers**	82	31	35	7	1
Percentage of transfers resulting in live births	45.1%	45.2%	14.3%	2 / 7	0 / 1
Percentage of transfers resulting in singleton live births	39.0%	45.2%	8.6%	2 / 7	0 / 1
Number of intended retrievals per live birth	2.1	4.1	11.2	14.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	47.5%	19.4%	13.5%	2 / 18	0 / 4
Percentage of new patients having live births after 1 or 2 intended retrievals	54.2%	27.8%	13.5%	2 / 18	0 / 4
Percentage of new patients having live births after all intended retrievals	54.2%	27.8%	13.5%	2 / 18	0 / 4
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.4	1.0
Average number of transfers per intended retrieval	1.1	0.5	0.7	0.2	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	2	17	41	6
Percentage of transfers resulting in live births	1 / 2	4 / 17	31.7%	2 / 6
Percentage of transfers resulting in singleton live births	1 / 2	3 / 17	19.5%	2 / 6

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	213	126	126	58	44	567
Percentage of cycles cancelled prior to retrieval or thaw	6.1%	11.1%	19.0%	10.3%	2.3%	10.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.6%	2.4%	7.9%	8.6%	2.3%	5.8%
Percentage of cycles for fertility preservation	7.5%	11.1%	6.3%	5.2%	9.1%	7.9%
Percentage of transfers using a gestational carrier	0.0%	3.8%	5.4%	11.1%	3.1%	3.3%
Percentage of transfers using frozen embryos	86.9%	77.4%	78.6%	85.2%	71.9%	81.5%
Percentage of transfers of at least one embryo with ICSI	95.3%	98.1%	75.0%	70.4%	68.8%	86.2%
Percentage of transfers of at least one embryo with PGT	47.7%	62.3%	46.4%	44.4%	37.5%	48.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	40%	Diminished ovarian reserve	38%
Endometriosis	2%	Egg or embryo banking	43%
Tubal factor	9%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	8%	Other, infertility	10%
Uterine factor	13%	Other, non-infertility	5%
PGT	1%	Unexplained	10%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

HANABUSA IVF
SAN DIEGO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Lyndon Chang, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	16	18	45	66	88
Percentage of intended retrievals resulting in live births	5 / 16	2 / 18	6.7%	9.1%	0.0%
Percentage of intended retrievals resulting in singleton live births	5 / 16	2 / 18	6.7%	9.1%	0.0%
Number of **retrievals**	15	16	39	54	71
Percentage of retrievals resulting in live births	5 / 15	2 / 16	7.7%	11.1%	0.0%
Percentage of retrievals resulting in singleton live births	5 / 15	2 / 16	7.7%	11.1%	0.0%
Number of **transfers**	11	3	7	11	3
Percentage of transfers resulting in live births	5 / 11	2 / 3	3 / 7	6 / 11	0 / 3
Percentage of transfers resulting in singleton live births	5 / 11	2 / 3	3 / 7	6 / 11	0 / 3
Number of intended retrievals per live birth	3.2	9.0	15.0	11.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	1 / 5	1 / 5	1 / 9	1 / 7	0 / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	1 / 5	1 / 5	1 / 9	1 / 7	0 / 8
Percentage of new patients having live births after all intended retrievals	1 / 5	1 / 5	1 / 9	1 / 7	0 / 8
Average number of intended retrievals per new patient	1.2	1.4	1.9	2.4	3.9
Average number of transfers per intended retrieval	0.5	0.3	0.1	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	2	0	31	2
Percentage of transfers resulting in live births	2 / 2		45.2%	1 / 2
Percentage of transfers resulting in singleton live births	2 / 2		35.5%	1 / 2

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	25	53	75	66	98	317
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	7.5%	1.3%	4.5%	1.0%	2.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	12.0%	20.8%	30.7%	33.3%	44.9%	32.5%
Percentage of cycles for fertility preservation	4.0%	1.9%	2.7%	1.5%	3.1%	2.5%
Percentage of transfers using a gestational carrier	3 / 10	3 / 17	3 / 17	8 / 18	48.6%	35.1%
Percentage of transfers using frozen embryos	10 / 10	12 / 17	14 / 17	17 / 18	91.4%	87.6%
Percentage of transfers of at least one embryo with ICSI	6 / 10	14 / 17	11 / 17	12 / 18	82.9%	74.2%
Percentage of transfers of at least one embryo with PGT	8 / 10	13 / 17	10 / 17	10 / 18	85.7%	73.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	5%	Diminished ovarian reserve	29%
Endometriosis	5%	Egg or embryo banking	69%
Tubal factor	12%	Recurrent pregnancy loss	10%
Ovulatory dysfunction	2%	Other, infertility	24%
Uterine factor	4%	Other, non-infertility	2%
PGT	57%	Unexplained	8%
Gestational carrier	9%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NAVAL MEDICAL CENTER SAN DIEGO INFERTILITY CLINIC
SAN DIEGO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Larry R. Laufer, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	68	36	23	6	0
Percentage of intended retrievals resulting in live births	42.6%	38.9%	21.7%	1 / 6	
Percentage of intended retrievals resulting in singleton live births	38.2%	33.3%	8.7%	1 / 6	
Number of **retrievals**	67	36	22	6	0
Percentage of retrievals resulting in live births	43.3%	38.9%	22.7%	1 / 6	
Percentage of retrievals resulting in singleton live births	38.8%	33.3%	9.1%	1 / 6	
Number of **transfers**	72	40	18	1	0
Percentage of transfers resulting in live births	40.3%	35.0%	5 / 18	1 / 1	
Percentage of transfers resulting in singleton live births	36.1%	30.0%	2 / 18	1 / 1	
Number of intended retrievals per live birth	2.3	2.6	4.6	6.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	41.3%	38.2%	3 / 17	1 / 5	
Percentage of new patients having live births after 1 or 2 intended retrievals	41.3%	38.2%	5 / 17	1 / 5	
Percentage of new patients having live births after all intended retrievals	41.3%	38.2%	5 / 17	1 / 5	
Average number of intended retrievals per new patient	1.0	1.0	1.4	1.2	
Average number of transfers per intended retrieval	1.1	1.1	0.8	0.2	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	1	0
Percentage of transfers resulting in live births			0 / 1	
Percentage of transfers resulting in singleton live births			0 / 1	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	148	70	36	11	2	267
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	0.0%	0 / 11	0 / 2	0.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	29.7%	14.3%	27.8%	4 / 11	0 / 2	25.5%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 11	0 / 2	0.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 7	0 / 2	0.0%
Percentage of transfers using frozen embryos	71.6%	57.6%	69.2%	6 / 7	2 / 2	67.9%
Percentage of transfers of at least one embryo with ICSI	100.0%	98.3%	100.0%	7 / 7	2 / 2	99.5%
Percentage of transfers of at least one embryo with PGT	2.9%	0.0%	0.0%	0 / 7	0 / 2	1.5%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	22%	Diminished ovarian reserve	7%
Endometriosis	3%	Egg or embryo banking	2%
Tubal factor	25%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	15%	Other, infertility	<1%
Uterine factor	<1%	Other, non-infertility	<1%
PGT	1%	Unexplained	23%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE SCIENCES MEDICAL CENTER
SAN DIEGO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Minh N. Ho, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	65	43	45	32	47
Percentage of intended retrievals resulting in live births	20.0%	18.6%	6.7%	6.3%	0.0%
Percentage of intended retrievals resulting in singleton live births	18.5%	16.3%	6.7%	6.3%	0.0%
Number of **retrievals**	65	42	43	30	41
Percentage of retrievals resulting in live births	20.0%	19.0%	7.0%	6.7%	0.0%
Percentage of retrievals resulting in singleton live births	18.5%	16.7%	7.0%	6.7%	0.0%
Number of **transfers**	31	16	12	8	3
Percentage of transfers resulting in live births	41.9%	8 / 16	3 / 12	2 / 8	0 / 3
Percentage of transfers resulting in singleton live births	38.7%	7 / 16	3 / 12	2 / 8	0 / 3
Number of intended retrievals per live birth	5.0	5.4	15.0	16.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	17.9%	21.2%	8.8%	4.8%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	21.4%	24.2%	8.8%	4.8%	0.0%
Percentage of new patients having live births after all intended retrievals	21.4%	24.2%	8.8%	4.8%	0.0%
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.2	1.1
Average number of transfers per intended retrieval	0.5	0.4	0.2	0.2	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	64	10
Percentage of transfers resulting in live births			43.8%	6 / 10
Percentage of transfers resulting in singleton live births			37.5%	6 / 10

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	169	111	94	65	155	594
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	1.8%	1.1%	7.7%	0.6%	1.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.6%	8.1%	8.5%	12.3%	21.3%	10.8%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using a gestational carrier	55.7%	71.8%	59.0%	10 / 16	88.9%	67.9%
Percentage of transfers using frozen embryos	98.6%	100.0%	100.0%	16 / 16	98.1%	99.1%
Percentage of transfers of at least one embryo with ICSI	0.0%	0.0%	0.0%	0 / 16	0.0%	0.0%
Percentage of transfers of at least one embryo with PGT	0.0%	0.0%	0.0%	0 / 16	0.0%	0.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	1%	Diminished ovarian reserve	<1%
Endometriosis	0%	Egg or embryo banking	63%
Tubal factor	0%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	<1%	Other, infertility	0%
Uterine factor	1%	Other, non-infertility	<1%
PGT	0%	Unexplained	63%
Gestational carrier	21%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SAN DIEGO FERTILITY CENTER
SAN DIEGO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Sandy Chuan, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	180	133	147	72	44
Percentage of intended retrievals resulting in live births	47.8%	32.3%	20.4%	11.1%	4.5%
Percentage of intended retrievals resulting in singleton live births	39.4%	27.1%	19.0%	9.7%	4.5%
Number of **retrievals**	169	124	129	65	34
Percentage of retrievals resulting in live births	50.9%	34.7%	23.3%	12.3%	5.9%
Percentage of retrievals resulting in singleton live births	42.0%	29.0%	21.7%	10.8%	5.9%
Number of **transfers**	204	106	71	28	6
Percentage of transfers resulting in live births	42.2%	40.6%	42.3%	28.6%	2 / 6
Percentage of transfers resulting in singleton live births	34.8%	34.0%	39.4%	25.0%	2 / 6
Number of intended retrievals per live birth	2.1	3.1	4.9	9.0	22.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	51.7%	32.9%	15.5%	9.7%	1 / 19
Percentage of new patients having live births after 1 or 2 intended retrievals	55.8%	41.1%	24.1%	12.9%	2 / 19
Percentage of new patients having live births after all intended retrievals	56.7%	42.5%	27.6%	12.9%	2 / 19
Average number of intended retrievals per new patient	1.2	1.4	1.6	1.5	1.5
Average number of transfers per intended retrieval	1.2	0.8	0.5	0.3	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	38	1	466	25
Percentage of transfers resulting in live births	71.1%	0 / 1	56.2%	44.0%
Percentage of transfers resulting in singleton live births	50.0%	0 / 1	43.1%	32.0%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	586	458	425	243	551	2,263
Percentage of cycles cancelled prior to retrieval or thaw	7.8%	11.6%	10.8%	6.2%	11.4%	9.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.6%	7.0%	7.8%	15.2%	10.3%	8.0%
Percentage of cycles for fertility preservation	3.2%	4.6%	4.2%	4.1%	0.7%	3.2%
Percentage of transfers using a gestational carrier	35.5%	31.3%	35.6%	39.0%	48.9%	38.5%
Percentage of transfers using frozen embryos	98.6%	97.4%	93.3%	93.0%	92.8%	95.4%
Percentage of transfers of at least one embryo with ICSI	92.0%	87.7%	85.6%	86.0%	81.4%	86.7%
Percentage of transfers of at least one embryo with PGT	45.6%	60.0%	56.1%	38.0%	48.9%	50.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	24%	Diminished ovarian reserve	55%
Endometriosis	7%	Egg or embryo banking	42%
Tubal factor	11%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	12%	Other, infertility	13%
Uterine factor	17%	Other, non-infertility	1%
PGT	7%	Unexplained	2%
Gestational carrier	13%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2017 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2017 ART cycle data or the clinic's Medical Director did not approve the clinic's 2017 ART cycle data for inclusion in this report.

LAUREL FERTILITY CARE
SAN FRANCISCO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Collin B. Smikle, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	51	30	30	14	7
Percentage of intended retrievals resulting in live births	62.7%	33.3%	13.3%	4 / 14	0 / 7
Percentage of intended retrievals resulting in singleton live births	47.1%	20.0%	13.3%	4 / 14	0 / 7
Number of **retrievals**	51	28	29	12	7
Percentage of retrievals resulting in live births	62.7%	35.7%	13.8%	4 / 12	0 / 7
Percentage of retrievals resulting in singleton live births	47.1%	21.4%	13.8%	4 / 12	0 / 7
Number of **transfers**	62	23	20	10	4
Percentage of transfers resulting in live births	51.6%	43.5%	20.0%	4 / 10	0 / 4
Percentage of transfers resulting in singleton live births	38.7%	26.1%	20.0%	4 / 10	0 / 4
Number of intended retrievals per live birth	1.6	3.0	7.5	3.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	63.4%	7 / 18	2 / 17	1 / 8	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	68.3%	7 / 18	2 / 17	1 / 8	0 / 6
Percentage of new patients having live births after all intended retrievals	68.3%	7 / 18	3 / 17	1 / 8	0 / 6
Average number of intended retrievals per new patient	1.1	1.1	1.5	1.1	1.2
Average number of transfers per intended retrieval	1.2	0.8	0.6	0.7	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	3	5	17	3
Percentage of transfers resulting in live births	1 / 3	4 / 5	7 / 17	1 / 3
Percentage of transfers resulting in singleton live births	0 / 3	2 / 5	6 / 17	1 / 3

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	141	104	105	34	55	439
Percentage of cycles cancelled prior to retrieval or thaw	4.3%	9.6%	15.2%	8.8%	29.1%	11.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.7%	5.8%	5.7%	5.9%	12.7%	6.6%
Percentage of cycles for fertility preservation	15.6%	13.5%	9.5%	2.9%	3.6%	11.2%
Percentage of transfers using a gestational carrier	1.3%	0.0%	2.4%	1 / 15	16.7%	3.4%
Percentage of transfers using frozen embryos	59.7%	79.2%	90.2%	13 / 15	75.0%	74.1%
Percentage of transfers of at least one embryo with ICSI	84.4%	91.7%	78.0%	8 / 15	37.5%	77.1%
Percentage of transfers of at least one embryo with PGT	31.2%	58.3%	61.0%	11 / 15	45.8%	48.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	32%
Endometriosis	3%	Egg or embryo banking	38%
Tubal factor	10%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	12%	Other, infertility	8%
Uterine factor	8%	Other, non-infertility	4%
PGT	3%	Unexplained	15%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

PACIFIC FERTILITY CENTER
SAN FRANCISCO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Philip E. Chenette, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	161	136	218	120	70
Percentage of intended retrievals resulting in live births	57.1%	38.2%	26.6%	12.5%	5.7%
Percentage of intended retrievals resulting in singleton live births	54.0%	36.8%	26.1%	11.7%	5.7%
Number of **retrievals**	149	112	188	106	55
Percentage of retrievals resulting in live births	61.7%	46.4%	30.9%	14.2%	7.3%
Percentage of retrievals resulting in singleton live births	58.4%	44.6%	30.3%	13.2%	7.3%
Number of **transfers**	183	109	116	39	15
Percentage of transfers resulting in live births	50.3%	47.7%	50.0%	38.5%	4 / 15
Percentage of transfers resulting in singleton live births	47.5%	45.9%	49.1%	35.9%	4 / 15
Number of intended retrievals per live birth	1.8	2.6	3.8	8.0	17.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	61.1%	37.6%	29.7%	18.0%	3.6%
Percentage of new patients having live births after 1 or 2 intended retrievals	65.1%	44.1%	36.0%	19.7%	3.6%
Percentage of new patients having live births after all intended retrievals	65.1%	46.2%	37.8%	23.0%	3.6%
Average number of intended retrievals per new patient	1.1	1.2	1.4	1.5	1.1
Average number of transfers per intended retrieval	1.2	0.8	0.6	0.3	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	3	0	321	7
Percentage of transfers resulting in live births	1 / 3		36.4%	3 / 7
Percentage of transfers resulting in singleton live births	1 / 3		33.6%	3 / 7

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	502	438	475	272	422	2,109
Percentage of cycles cancelled prior to retrieval or thaw	6.0%	7.1%	8.4%	9.9%	12.6%	8.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.2%	1.8%	2.5%	4.8%	4.3%	2.7%
Percentage of cycles for fertility preservation	24.9%	33.8%	19.6%	20.2%	3.6%	20.7%
Percentage of transfers using a gestational carrier	6.9%	6.2%	11.2%	11.2%	10.3%	9.2%
Percentage of transfers using frozen embryos	93.1%	96.0%	98.1%	97.6%	96.3%	96.2%
Percentage of transfers of at least one embryo with ICSI	52.9%	45.2%	37.7%	23.2%	43.9%	42.0%
Percentage of transfers of at least one embryo with PGT	81.9%	84.2%	83.7%	70.4%	64.6%	76.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	49%
Endometriosis	6%	Egg or embryo banking	45%
Tubal factor	5%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	10%	Other, infertility	32%
Uterine factor	9%	Other, non-infertility	23%
PGT	20%	Unexplained	8%
Gestational carrier	5%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SPRING FERTILITY
SAN FRANCISCO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Nam D. Tran, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	39	20	19	14	10
Percentage of intended retrievals resulting in live births	43.6%	55.0%	5 / 19	2 / 14	1 / 10
Percentage of intended retrievals resulting in singleton live births	38.5%	55.0%	4 / 19	2 / 14	1 / 10
Number of **retrievals**	39	19	19	14	10
Percentage of retrievals resulting in live births	43.6%	11 / 19	5 / 19	2 / 14	1 / 10
Percentage of retrievals resulting in singleton live births	38.5%	11 / 19	4 / 19	2 / 14	1 / 10
Number of **transfers**	29	16	10	5	4
Percentage of transfers resulting in live births	58.6%	11 / 16	5 / 10	2 / 5	1 / 4
Percentage of transfers resulting in singleton live births	51.7%	11 / 16	4 / 10	2 / 5	1 / 4
Number of intended retrievals per live birth	2.3	1.8	3.8	7.0	10.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	46.7%	10 / 17	3 / 14	1 / 9	1 / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	53.3%	11 / 17	5 / 14	1 / 9	1 / 8
Percentage of new patients having live births after all intended retrievals	56.7%	11 / 17	5 / 14	1 / 9	1 / 8
Average number of intended retrievals per new patient	1.3	1.1	1.3	1.4	1.3
Average number of transfers per intended retrieval	0.7	0.8	0.5	0.3	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	3	3	19	0
Percentage of transfers resulting in live births	1 / 3	2 / 3	8 / 19	
Percentage of transfers resulting in singleton live births	1 / 3	2 / 3	8 / 19	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	348	301	184	95	57	985
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.4%	1.3%	2.7%	3.2%	8.8%	2.9%
Percentage of cycles for fertility preservation	51.7%	50.8%	43.5%	46.3%	15.8%	47.3%
Percentage of transfers using a gestational carrier	1.0%	3.4%	5.3%	0.0%	6.7%	3.0%
Percentage of transfers using frozen embryos	84.4%	87.6%	80.7%	80.0%	60.0%	81.8%
Percentage of transfers of at least one embryo with ICSI	89.6%	84.3%	77.2%	80.0%	86.7%	84.4%
Percentage of transfers of at least one embryo with PGT	63.5%	77.5%	49.1%	43.3%	40.0%	60.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	9%	Diminished ovarian reserve	<1%
Endometriosis	4%	Egg or embryo banking	67%
Tubal factor	5%	Recurrent pregnancy loss	<1%
Ovulatory dysfunction	4%	Other, infertility	68%
Uterine factor	1%	Other, non-infertility	66%
PGT	1%	Unexplained	17%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UCSF CENTER FOR REPRODUCTIVE HEALTH
SAN FRANCISCO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Marcelle I. Cedars, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	292	280	435	258	145
Percentage of intended retrievals resulting in live births	43.5%	37.1%	21.8%	15.5%	4.8%
Percentage of intended retrievals resulting in singleton live births	38.7%	32.1%	18.9%	14.7%	3.4%
Number of **retrievals**	264	229	361	217	115
Percentage of retrievals resulting in live births	48.1%	45.4%	26.3%	18.4%	6.1%
Percentage of retrievals resulting in singleton live births	42.8%	39.3%	22.7%	17.5%	4.3%
Number of **transfers**	256	229	263	141	66
Percentage of transfers resulting in live births	49.6%	45.4%	36.1%	28.4%	10.6%
Percentage of transfers resulting in singleton live births	44.1%	39.3%	31.2%	27.0%	7.6%
Number of intended retrievals per live birth	2.3	2.7	4.6	6.5	20.7
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	46.6%	41.2%	29.1%	20.0%	2.8%
Percentage of new patients having live births after 1 or 2 intended retrievals	53.4%	51.4%	33.7%	25.3%	2.8%
Percentage of new patients having live births after all intended retrievals	56.0%	52.7%	35.2%	28.4%	2.8%
Average number of intended retrievals per new patient	1.3	1.4	1.5	1.6	1.5
Average number of transfers per intended retrieval	0.9	0.9	0.6	0.6	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	52	19	138	5
Percentage of transfers resulting in live births	76.9%	11 / 19	47.1%	2 / 5
Percentage of transfers resulting in singleton live births	73.1%	10 / 19	42.8%	2 / 5

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	603	722	669	407	421	2,822
Percentage of cycles cancelled prior to retrieval or thaw	6.6%	10.1%	13.5%	14.0%	13.1%	11.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.8%	3.9%	4.5%	6.9%	8.3%	5.1%
Percentage of cycles for fertility preservation	27.7%	25.5%	12.9%	6.6%	3.3%	16.9%
Percentage of transfers using a gestational carrier	5.9%	0.9%	3.9%	2.6%	6.0%	3.8%
Percentage of transfers using frozen embryos	58.4%	58.7%	58.1%	57.7%	60.9%	58.8%
Percentage of transfers of at least one embryo with ICSI	69.1%	69.0%	75.6%	81.6%	69.0%	72.4%
Percentage of transfers of at least one embryo with PGT	27.5%	29.8%	30.2%	23.5%	19.4%	26.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	11%	Diminished ovarian reserve	41%
Endometriosis	2%	Egg or embryo banking	38%
Tubal factor	5%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	4%	Other, infertility	26%
Uterine factor	2%	Other, non-infertility	2%
PGT	1%	Unexplained	16%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 18 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

PALO ALTO MEDICAL FOUNDATION FERTILITY PHYSICIANS OF NORTHERN CALIFORNIA
SAN JOSE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Mohammad Ezzati, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	129	109	124	76	54
Percentage of intended retrievals resulting in live births	50.4%	45.9%	28.2%	11.8%	1.9%
Percentage of intended retrievals resulting in singleton live births	45.7%	43.1%	25.8%	6.6%	1.9%
Number of **retrievals**	122	98	109	55	40
Percentage of retrievals resulting in live births	53.3%	51.0%	32.1%	16.4%	2.5%
Percentage of retrievals resulting in singleton live births	48.4%	48.0%	29.4%	9.1%	2.5%
Number of **transfers**	151	124	101	50	28
Percentage of transfers resulting in live births	43.0%	40.3%	34.7%	18.0%	3.6%
Percentage of transfers resulting in singleton live births	39.1%	37.9%	31.7%	10.0%	3.6%
Number of intended retrievals per live birth	2.0	2.2	3.5	8.4	54.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	52.5%	40.9%	23.5%	6.3%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	54.5%	51.5%	32.4%	15.6%	0.0%
Percentage of new patients having live births after all intended retrievals	54.5%	51.5%	33.8%	15.6%	4.2%
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.6	1.3
Average number of transfers per intended retrieval	1.2	1.1	0.9	0.6	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	5	38	8
Percentage of transfers resulting in live births	7 / 8	2 / 5	28.9%	2 / 8
Percentage of transfers resulting in singleton live births	6 / 8	2 / 5	26.3%	2 / 8

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	294	267	222	94	133	1,010
Percentage of cycles cancelled prior to retrieval or thaw	3.4%	10.5%	8.6%	16.0%	14.3%	9.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	14.6%	12.4%	8.1%	9.6%	13.5%	12.0%
Percentage of cycles for fertility preservation	8.5%	4.9%	8.6%	5.3%	0.8%	6.2%
Percentage of transfers using a gestational carrier	3.8%	3.8%	2.2%	0.0%	4.6%	3.2%
Percentage of transfers using frozen embryos	66.7%	69.4%	71.1%	49.1%	69.0%	67.1%
Percentage of transfers of at least one embryo with ICSI	80.6%	76.9%	68.9%	78.2%	56.3%	73.5%
Percentage of transfers of at least one embryo with PGT	12.4%	20.6%	17.0%	10.9%	16.1%	15.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	25%	Diminished ovarian reserve	23%
Endometriosis	6%	Egg or embryo banking	18%
Tubal factor	8%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	12%	Other, infertility	10%
Uterine factor	2%	Other, non-infertility	4%
PGT	4%	Unexplained	25%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2017 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2017 ART cycle data or the clinic's Medical Director did not approve the clinic's 2017 ART cycle data for inclusion in this report.

This clinic provided ART services during 2017 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2017 ART cycle data or the clinic's Medical Director did not approve the clinic's 2017 ART cycle data for inclusion in this report.

REPRODUCTIVE SCIENCE CENTER OF THE SAN FRANCISCO BAY AREA
SAN RAMON, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Louis N. Weckstein, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	359	231	211	90	24
Percentage of intended retrievals resulting in live births	63.0%	56.7%	35.1%	22.2%	20.8%
Percentage of intended retrievals resulting in singleton live births	57.7%	50.6%	31.8%	21.1%	20.8%
Number of **retrievals**	329	221	173	79	23
Percentage of retrievals resulting in live births	68.7%	59.3%	42.8%	25.3%	21.7%
Percentage of retrievals resulting in singleton live births	62.9%	52.9%	38.7%	24.1%	21.7%
Number of **transfers**	378	235	123	37	15
Percentage of transfers resulting in live births	59.8%	55.7%	60.2%	54.1%	5 / 15
Percentage of transfers resulting in singleton live births	54.8%	49.8%	54.5%	51.4%	5 / 15
Number of intended retrievals per live birth	1.6	1.8	2.9	4.5	4.8
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	65.3%	59.9%	38.4%	31.1%	2 / 13
Percentage of new patients having live births after 1 or 2 intended retrievals	71.7%	69.7%	50.9%	37.8%	2 / 13
Percentage of new patients having live births after all intended retrievals	73.7%	71.8%	52.7%	37.8%	2 / 13
Average number of intended retrievals per new patient	1.1	1.2	1.4	1.3	1.2
Average number of transfers per intended retrieval	1.0	1.0	0.6	0.5	0.8

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	57	21	122	10
Percentage of transfers resulting in live births	59.6%	71.4%	57.4%	6 / 10
Percentage of transfers resulting in singleton live births	57.9%	61.9%	51.6%	6 / 10

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	745	637	500	229	222	2,333
Percentage of cycles cancelled prior to retrieval or thaw	10.7%	13.7%	15.8%	17.5%	14.4%	13.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	10.9%	7.4%	6.2%	8.3%	2.7%	7.9%
Percentage of cycles for fertility preservation	3.9%	3.9%	4.8%	0.4%	0.5%	3.4%
Percentage of transfers using a gestational carrier	4.0%	5.5%	7.9%	6.1%	10.6%	6.1%
Percentage of transfers using frozen embryos	71.9%	76.9%	88.8%	84.7%	65.5%	76.6%
Percentage of transfers of at least one embryo with ICSI	73.8%	73.8%	80.5%	84.7%	69.7%	75.4%
Percentage of transfers of at least one embryo with PGT	29.0%	40.3%	57.2%	61.2%	34.5%	40.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	24%	Diminished ovarian reserve	37%
Endometriosis	7%	Egg or embryo banking	29%
Tubal factor	9%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	13%	Other, infertility	58%
Uterine factor	6%	Other, non-infertility	2%
PGT	30%	Unexplained	6%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SANTA BARBARA FERTILITY CENTER
SANTA BARBARA, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by René B. Allen, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	29	19	18	7	19
Percentage of intended retrievals resulting in live births	48.3%	5 / 19	4 / 18	2 / 7	0 / 19
Percentage of intended retrievals resulting in singleton live births	41.4%	4 / 19	3 / 18	2 / 7	0 / 19
Number of **retrievals**	29	17	16	6	14
Percentage of retrievals resulting in live births	48.3%	5 / 17	4 / 16	2 / 6	0 / 14
Percentage of retrievals resulting in singleton live births	41.4%	4 / 17	3 / 16	2 / 6	0 / 14
Number of **transfers**	36	20	18	5	11
Percentage of transfers resulting in live births	38.9%	25.0%	4 / 18	2 / 5	0 / 11
Percentage of transfers resulting in singleton live births	33.3%	20.0%	3 / 18	2 / 5	0 / 11
Number of intended retrievals per live birth	2.1	3.8	4.5	3.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	42.3%	4 / 15	3 / 14	1 / 4	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	42.3%	4 / 15	3 / 14	1 / 4	0 / 6
Percentage of new patients having live births after all intended retrievals	42.3%	4 / 15	3 / 14	1 / 4	0 / 6
Average number of intended retrievals per new patient	1.0	1.1	1.1	1.3	1.5
Average number of transfers per intended retrieval	1.3	1.1	1.0	0.8	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	0	10	0
Percentage of transfers resulting in live births	4 / 6		5 / 10	
Percentage of transfers resulting in singleton live births	2 / 6		5 / 10	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	49	34	46	27	28	184
Percentage of cycles cancelled prior to retrieval or thaw	8.2%	8.8%	17.4%	7.4%	10.7%	10.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.1%	2.9%	4.3%	0.0%	14.3%	4.9%
Percentage of cycles for fertility preservation	6.1%	11.8%	2.2%	3.7%	0.0%	4.9%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	0 / 13	0.0%
Percentage of transfers using frozen embryos	51.4%	47.8%	53.3%	59.1%	6 / 13	52.0%
Percentage of transfers of at least one embryo with ICSI	86.5%	65.2%	90.0%	90.9%	12 / 13	84.8%
Percentage of transfers of at least one embryo with PGT	8.1%	13.0%	26.7%	4.5%	3 / 13	14.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	34%
Endometriosis	0%	Egg or embryo banking	18%
Tubal factor	11%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	4%	Other, infertility	20%
Uterine factor	16%	Other, non-infertility	6%
PGT	4%	Unexplained	10%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SANTA MONICA FERTILITY
SANTA MONICA, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by John K. Jain, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	4	4	4	4	2
Percentage of intended retrievals resulting in live births	3 / 4	2 / 4	3 / 4	3 / 4	0 / 2
Percentage of intended retrievals resulting in singleton live births	3 / 4	2 / 4	3 / 4	2 / 4	0 / 2
Number of **retrievals**	3	3	4	4	2
Percentage of retrievals resulting in live births	3 / 3	1 / 3	3 / 4	3 / 4	0 / 2
Percentage of retrievals resulting in singleton live births	3 / 3	1 / 3	3 / 4	2 / 4	0 / 2
Number of **transfers**	3	4	4	3	2
Percentage of transfers resulting in live births	3 / 3	2 / 4	3 / 4	3 / 3	0 / 2
Percentage of transfers resulting in singleton live births	3 / 3	2 / 4	3 / 4	2 / 3	0 / 2
Number of intended retrievals per live birth	1.3	2.0	1.3	1.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	2 / 3	2 / 3	1 / 2	1 / 1	0 / 1
Percentage of new patients having live births after 1 or 2 intended retrievals	2 / 3	2 / 3	2 / 2	1 / 1	0 / 1
Percentage of new patients having live births after all intended retrievals	2 / 3	2 / 3	2 / 2	1 / 1	0 / 1
Average number of intended retrievals per new patient	1.0	1.3	1.5	1.0	1.0
Average number of transfers per intended retrieval	0.7	1.0	0.7	1.0	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	29	5	76	0
Percentage of transfers resulting in live births	69.0%	3 / 5	68.4%	
Percentage of transfers resulting in singleton live births	65.5%	1 / 5	60.5%	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	26	26	34	38	117	241
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	2.9%	0.0%	0.9%	0.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	0.0%	0.0%	5.3%	0.0%	0.8%
Percentage of cycles for fertility preservation	19.2%	30.8%	11.8%	28.9%	7.7%	15.4%
Percentage of transfers using a gestational carrier	5 / 13	4 / 12	3 / 16	4 / 19	21.4%	23.6%
Percentage of transfers using frozen embryos	11 / 13	9 / 12	10 / 16	15 / 19	71.4%	72.9%
Percentage of transfers of at least one embryo with ICSI	13 / 13	12 / 12	16 / 16	19 / 19	100.0%	100.0%
Percentage of transfers of at least one embryo with PGT	10 / 13	4 / 12	5 / 16	8 / 19	21.4%	31.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	7%	Diminished ovarian reserve	5%
Endometriosis	0%	Egg or embryo banking	40%
Tubal factor	<1%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	1%	Other, infertility	47%
Uterine factor	0%	Other, non-infertility	<1%
PGT	15%	Unexplained	1%
Gestational carrier	12%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2017 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2017 ART cycle data or the clinic's Medical Director did not approve the clinic's 2017 ART cycle data for inclusion in this report.

ADVANCED FERTILITY ASSOCIATES MEDICAL GROUP, INC.
SANTA ROSA, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Jennifer V. Ratcliffe, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	45	21	16	19	4
Percentage of intended retrievals resulting in live births	57.8%	38.1%	6 / 16	1 / 19	1 / 4
Percentage of intended retrievals resulting in singleton live births	28.9%	33.3%	5 / 16	1 / 19	1 / 4
Number of **retrievals**	41	21	15	11	4
Percentage of retrievals resulting in live births	63.4%	38.1%	6 / 15	1 / 11	1 / 4
Percentage of retrievals resulting in singleton live births	31.7%	33.3%	5 / 15	1 / 11	1 / 4
Number of **transfers**	52	28	14	6	2
Percentage of transfers resulting in live births	50.0%	28.6%	6 / 14	1 / 6	1 / 2
Percentage of transfers resulting in singleton live births	25.0%	25.0%	5 / 14	1 / 6	1 / 2
Number of intended retrievals per live birth	1.7	2.6	2.7	19.0	4.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	61.8%	6 / 14	5 / 10	0 / 3	1 / 2
Percentage of new patients having live births after 1 or 2 intended retrievals	67.6%	6 / 14	5 / 10	0 / 3	1 / 2
Percentage of new patients having live births after all intended retrievals	70.6%	7 / 14	5 / 10	0 / 3	1 / 2
Average number of intended retrievals per new patient	1.2	1.2	1.2	1.3	1.0
Average number of transfers per intended retrieval	1.1	1.2	0.8	0.8	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	3	0	15	8
Percentage of transfers resulting in live births	1 / 3		3 / 15	2 / 8
Percentage of transfers resulting in singleton live births	0 / 3		1 / 15	2 / 8

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	54	43	41	15	30	183
Percentage of cycles cancelled prior to retrieval or thaw	5.6%	0.0%	7.3%	1 / 15	16.7%	6.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.9%	4.7%	0.0%	1 / 15	6.7%	3.3%
Percentage of cycles for fertility preservation	9.3%	7.0%	2.4%	0 / 15	0.0%	4.9%
Percentage of transfers using a gestational carrier	0.0%	0.0%	3.1%	0 / 13	4.8%	1.4%
Percentage of transfers using frozen embryos	50.0%	55.9%	40.6%	5 / 13	81.0%	52.8%
Percentage of transfers of at least one embryo with ICSI	88.6%	88.2%	96.9%	11 / 13	61.9%	86.1%
Percentage of transfers of at least one embryo with PGT	9.1%	0.0%	9.4%	2 / 13	0.0%	6.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	63%
Endometriosis	5%	Egg or embryo banking	15%
Tubal factor	17%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	10%	Other, infertility	10%
Uterine factor	3%	Other, non-infertility	3%
PGT	4%	Unexplained	4%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

VALLEY CENTER FOR REPRODUCTIVE HEALTH, INC.
WEST COAST WOMEN'S REPRODUCTIVE CENTER
SHERMAN OAKS, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Tina B. Koopersmith, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	18	7	10	10	6
Percentage of intended retrievals resulting in live births	10 / 18	5 / 7	2 / 10	3 / 10	0 / 6
Percentage of intended retrievals resulting in singleton live births	8 / 18	4 / 7	2 / 10	2 / 10	0 / 6
Number of **retrievals**	18	7	10	10	5
Percentage of retrievals resulting in live births	10 / 18	5 / 7	2 / 10	3 / 10	0 / 5
Percentage of retrievals resulting in singleton live births	8 / 18	4 / 7	2 / 10	2 / 10	0 / 5
Number of **transfers**	19	5	11	4	2
Percentage of transfers resulting in live births	10 / 19	5 / 5	2 / 11	3 / 4	0 / 2
Percentage of transfers resulting in singleton live births	8 / 19	4 / 5	2 / 11	2 / 4	0 / 2
Number of intended retrievals per live birth	1.8	1.4	5.0	3.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	10 / 16	5 / 7	2 / 8	2 / 3	0 / 2
Percentage of new patients having live births after 1 or 2 intended retrievals	10 / 16	5 / 7	2 / 8	2 / 3	0 / 2
Percentage of new patients having live births after all intended retrievals	10 / 16	5 / 7	2 / 8	2 / 3	0 / 2
Average number of intended retrievals per new patient	1.1	1.0	1.0	1.7	2.5
Average number of transfers per intended retrieval	1.1	0.7	1.0	0.4	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	2	0
Percentage of transfers resulting in live births			1 / 2	
Percentage of transfers resulting in singleton live births			1 / 2	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	27	14	21	17	3	82
Percentage of cycles cancelled prior to retrieval or thaw	3.7%	0 / 14	0.0%	1 / 17	0 / 3	2.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.7%	0 / 14	0.0%	3 / 17	2 / 3	7.3%
Percentage of cycles for fertility preservation	3.7%	4 / 14	14.3%	0 / 17	0 / 3	9.8%
Percentage of transfers using a gestational carrier	0 / 17	0 / 6	0 / 8	0 / 3	0 / 1	0.0%
Percentage of transfers using frozen embryos	14 / 17	3 / 6	5 / 8	3 / 3	1 / 1	74.3%
Percentage of transfers of at least one embryo with ICSI	13 / 17	6 / 6	6 / 8	2 / 3	1 / 1	80.0%
Percentage of transfers of at least one embryo with PGT	7 / 17	3 / 6	5 / 8	2 / 3	0 / 1	48.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	32%	Diminished ovarian reserve	30%
Endometriosis	4%	Egg or embryo banking	52%
Tubal factor	6%	Recurrent pregnancy loss	11%
Ovulatory dysfunction	12%	Other, infertility	18%
Uterine factor	1%	Other, non-infertility	6%
PGT	13%	Unexplained	13%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

STANFORD MEDICINE FERTILITY & REPRODUCTIVE HEALTH
SUNNYVALE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Ruben J. Alvero, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	198	160	182	102	80
Percentage of intended retrievals resulting in live births	42.4%	31.9%	13.7%	6.9%	2.5%
Percentage of intended retrievals resulting in singleton live births	40.9%	29.4%	13.7%	6.9%	2.5%
Number of **retrievals**	186	147	163	85	58
Percentage of retrievals resulting in live births	45.2%	34.7%	15.3%	8.2%	3.4%
Percentage of retrievals resulting in singleton live births	43.5%	32.0%	15.3%	8.2%	3.4%
Number of **transfers**	178	113	92	30	15
Percentage of transfers resulting in live births	47.2%	45.1%	27.2%	23.3%	2 / 15
Percentage of transfers resulting in singleton live births	45.5%	41.6%	27.2%	23.3%	2 / 15
Number of intended retrievals per live birth	2.4	3.1	7.3	14.6	40.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	40.8%	32.7%	13.1%	4.5%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	52.1%	41.8%	16.7%	9.1%	2.6%
Percentage of new patients having live births after all intended retrievals	54.2%	43.9%	23.8%	11.4%	2.6%
Average number of intended retrievals per new patient	1.3	1.4	1.7	1.6	1.4
Average number of transfers per intended retrieval	0.9	0.7	0.5	0.3	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	13	1	28	4
Percentage of transfers resulting in live births	9 / 13	0 / 1	39.3%	2 / 4
Percentage of transfers resulting in singleton live births	7 / 13	0 / 1	39.3%	2 / 4

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	426	373	296	156	220	1,471
Percentage of cycles cancelled prior to retrieval or thaw	9.6%	9.7%	10.5%	15.4%	23.6%	12.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.9%	6.2%	9.1%	14.7%	16.8%	10.1%
Percentage of cycles for fertility preservation	18.5%	19.3%	16.6%	14.1%	7.3%	16.2%
Percentage of transfers using a gestational carrier	5.2%	5.3%	5.0%	8.7%	13.2%	6.5%
Percentage of transfers using frozen embryos	89.0%	91.4%	88.0%	80.4%	73.5%	86.9%
Percentage of transfers of at least one embryo with ICSI	67.5%	57.9%	62.0%	67.4%	48.5%	61.6%
Percentage of transfers of at least one embryo with PGT	57.6%	67.1%	74.0%	65.2%	32.4%	60.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	37%
Endometriosis	5%	Egg or embryo banking	41%
Tubal factor	3%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	5%	Other, infertility	25%
Uterine factor	2%	Other, non-infertility	2%
PGT	<1%	Unexplained	11%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE CENTER FOR FERTILITY AND GYNECOLOGY
VERMESH CENTER FOR FERTILITY
TARZANA, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michael Vermesh, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	59	24	43	30	49
Percentage of intended retrievals resulting in live births	54.2%	45.8%	37.2%	26.7%	2.0%
Percentage of intended retrievals resulting in singleton live births	39.0%	37.5%	32.6%	20.0%	2.0%
Number of **retrievals**	59	24	42	30	48
Percentage of retrievals resulting in live births	54.2%	45.8%	38.1%	26.7%	2.1%
Percentage of retrievals resulting in singleton live births	39.0%	37.5%	33.3%	20.0%	2.1%
Number of **transfers**	57	19	34	19	20
Percentage of transfers resulting in live births	56.1%	11 / 19	47.1%	8 / 19	5.0%
Percentage of transfers resulting in singleton live births	40.4%	9 / 19	41.2%	6 / 19	5.0%
Number of intended retrievals per live birth	1.8	2.2	2.7	3.8	49.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	57.5%	8 / 17	50.0%	5 / 14	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	60.0%	10 / 17	57.7%	5 / 14	4.5%
Percentage of new patients having live births after all intended retrievals	62.5%	10 / 17	57.7%	6 / 14	4.5%
Average number of intended retrievals per new patient	1.2	1.2	1.3	1.3	1.7
Average number of transfers per intended retrieval	1.0	0.8	0.8	0.7	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	0	53	0
Percentage of transfers resulting in live births	3 / 7		69.8%	
Percentage of transfers resulting in singleton live births	1 / 7		49.1%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	95	78	73	40	133	419
Percentage of cycles cancelled prior to retrieval or thaw	5.3%	9.0%	8.2%	2.5%	0.8%	4.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.1%	9.0%	2.7%	7.5%	14.3%	7.9%
Percentage of cycles for fertility preservation	9.5%	17.9%	8.2%	2.5%	3.8%	8.4%
Percentage of transfers using a gestational carrier	7.1%	12.5%	20.0%	25.0%	24.3%	17.5%
Percentage of transfers using frozen embryos	62.5%	65.6%	62.9%	70.0%	73.0%	67.3%
Percentage of transfers of at least one embryo with ICSI	76.8%	87.5%	85.7%	90.0%	81.1%	82.5%
Percentage of transfers of at least one embryo with PGT	46.4%	40.6%	60.0%	40.0%	47.3%	47.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	47%
Endometriosis	3%	Egg or embryo banking	37%
Tubal factor	5%	Recurrent pregnancy loss	<1%
Ovulatory dysfunction	2%	Other, infertility	62%
Uterine factor	3%	Other, non-infertility	5%
PGT	55%	Unexplained	3%
Gestational carrier	6%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

TREE OF LIFE CENTER FOR FERTILITY
KINDERWUNSCHZENTRUM LOS ANGELES
TARZANA, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Vuk Jovanovic, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	5	5	10	2	2
Percentage of intended retrievals resulting in live births	3 / 5	1 / 5	3 / 10	1 / 2	0 / 2
Percentage of intended retrievals resulting in singleton live births	1 / 5	1 / 5	2 / 10	0 / 2	0 / 2
Number of **retrievals**	5	4	9	2	2
Percentage of retrievals resulting in live births	3 / 5	1 / 4	3 / 9	1 / 2	0 / 2
Percentage of retrievals resulting in singleton live births	1 / 5	1 / 4	2 / 9	0 / 2	0 / 2
Number of **transfers**	3	2	6	1	0
Percentage of transfers resulting in live births	3 / 3	1 / 2	3 / 6	1 / 1	
Percentage of transfers resulting in singleton live births	1 / 3	1 / 2	2 / 6	0 / 1	
Number of intended retrievals per live birth	1.7	5.0	3.3	2.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	3 / 5	1 / 3	1 / 5	1 / 1	0 / 2
Percentage of new patients having live births after 1 or 2 intended retrievals	3 / 5	1 / 3	2 / 5	1 / 1	0 / 2
Percentage of new patients having live births after all intended retrievals	3 / 5	1 / 3	2 / 5	1 / 1	0 / 2
Average number of intended retrievals per new patient	1.0	1.0	1.4	1.0	1.0
Average number of transfers per intended retrieval	0.6	0.7	0.6	1.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	1	3	0
Percentage of transfers resulting in live births	1 / 1	1 / 1	2 / 3	
Percentage of transfers resulting in singleton live births	1 / 1	1 / 1	2 / 3	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	7	3	9	6	11	36
Percentage of cycles cancelled prior to retrieval or thaw	0 / 7	0 / 3	1 / 9	0 / 6	1 / 11	5.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2 / 7	0 / 3	0 / 9	1 / 6	4 / 11	19.4%
Percentage of cycles for fertility preservation	2 / 7	0 / 3	6 / 9	2 / 6	3 / 11	36.1%
Percentage of transfers using a gestational carrier	0 / 3	0 / 2	0 / 2	0 / 3	0 / 3	0 / 13
Percentage of transfers using frozen embryos	2 / 3	1 / 2	2 / 2	2 / 3	3 / 3	10 / 13
Percentage of transfers of at least one embryo with ICSI	2 / 3	2 / 2	2 / 2	2 / 3	1 / 3	9 / 13
Percentage of transfers of at least one embryo with PGT	1 / 3	1 / 2	2 / 2	2 / 3	3 / 3	9 / 13

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	14%	Diminished ovarian reserve	56%
Endometriosis	0%	Egg or embryo banking	58%
Tubal factor	11%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	0%	Other, infertility	11%
Uterine factor	19%	Other, non-infertility	6%
PGT	3%	Unexplained	8%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY AND SURGICAL ASSOCIATES OF CALIFORNIA
THOUSAND OAKS, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Gary Hubert, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	113	129	135	79	73
Percentage of intended retrievals resulting in live births	53.1%	45.0%	20.0%	15.2%	5.5%
Percentage of intended retrievals resulting in singleton live births	47.8%	39.5%	18.5%	15.2%	5.5%
Number of **retrievals**	112	129	131	74	64
Percentage of retrievals resulting in live births	53.6%	45.0%	20.6%	16.2%	6.3%
Percentage of retrievals resulting in singleton live births	48.2%	39.5%	19.1%	16.2%	6.3%
Number of **transfers**	109	93	71	30	12
Percentage of transfers resulting in live births	55.0%	62.4%	38.0%	40.0%	4 / 12
Percentage of transfers resulting in singleton live births	49.5%	54.8%	35.2%	40.0%	4 / 12
Number of intended retrievals per live birth	1.9	2.2	5.0	6.6	18.3
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	53.8%	45.2%	25.8%	14.3%	3.2%
Percentage of new patients having live births after 1 or 2 intended retrievals	57.5%	58.9%	27.4%	17.9%	6.5%
Percentage of new patients having live births after all intended retrievals	57.5%	61.6%	27.4%	17.9%	6.5%
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.3	1.1
Average number of transfers per intended retrieval	1.0	0.7	0.6	0.4	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	2	3	75	23
Percentage of transfers resulting in live births	1 / 2	2 / 3	44.0%	34.8%
Percentage of transfers resulting in singleton live births	1 / 2	2 / 3	37.3%	30.4%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	304	270	311	168	195	1,248
Percentage of cycles cancelled prior to retrieval or thaw	4.9%	5.9%	6.1%	12.5%	14.4%	7.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.3%	3.7%	6.1%	10.1%	9.7%	5.5%
Percentage of cycles for fertility preservation	2.3%	2.2%	4.5%	1.2%	1.0%	2.5%
Percentage of transfers using a gestational carrier	7.1%	12.9%	11.3%	10.0%	25.0%	12.5%
Percentage of transfers using frozen embryos	100.0%	99.2%	98.4%	100.0%	94.3%	98.6%
Percentage of transfers of at least one embryo with ICSI	87.0%	90.2%	83.1%	73.3%	59.1%	81.0%
Percentage of transfers of at least one embryo with PGT	85.1%	88.6%	87.9%	75.0%	72.7%	83.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	17%	Diminished ovarian reserve	55%
Endometriosis	6%	Egg or embryo banking	42%
Tubal factor	10%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	7%	Other, infertility	15%
Uterine factor	7%	Other, non-infertility	<1%
PGT	1%	Unexplained	7%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

PACIFIC REPRODUCTIVE CENTER
TORRANCE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Rifaat Salem, MD, PhD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	104	46	44	23	23
Percentage of intended retrievals resulting in live births	54.8%	45.7%	25.0%	4.3%	4.3%
Percentage of intended retrievals resulting in singleton live births	32.7%	39.1%	22.7%	4.3%	4.3%
Number of **retrievals**	100	42	39	18	21
Percentage of retrievals resulting in live births	57.0%	50.0%	28.2%	1 / 18	4.8%
Percentage of retrievals resulting in singleton live births	34.0%	42.9%	25.6%	1 / 18	4.8%
Number of **transfers**	95	42	35	11	17
Percentage of transfers resulting in live births	60.0%	50.0%	31.4%	1 / 11	1 / 17
Percentage of transfers resulting in singleton live births	35.8%	42.9%	28.6%	1 / 11	1 / 17
Number of intended retrievals per live birth	1.8	2.2	4.0	23.0	23.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.5%	40.9%	4 / 19	0 / 6	0 / 11
Percentage of new patients having live births after 1 or 2 intended retrievals	62.1%	45.5%	5 / 19	0 / 6	0 / 11
Percentage of new patients having live births after all intended retrievals	62.1%	45.5%	5 / 19	0 / 6	0 / 11
Average number of intended retrievals per new patient	1.2	1.2	1.3	1.0	1.3
Average number of transfers per intended retrieval	1.0	1.0	0.8	0.3	0.9

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	0	6	0
Percentage of transfers resulting in live births	5 / 8		3 / 6	
Percentage of transfers resulting in singleton live births	1 / 8		3 / 6	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	122	88	71	30	34	345
Percentage of cycles cancelled prior to retrieval or thaw	2.5%	4.5%	5.6%	16.7%	5.9%	5.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.3%	4.5%	8.5%	6.7%	5.9%	5.2%
Percentage of cycles for fertility preservation	4.1%	3.4%	4.2%	3.3%	2.9%	3.8%
Percentage of transfers using a gestational carrier	3.2%	1.7%	2.0%	0 / 18	1 / 18	2.5%
Percentage of transfers using frozen embryos	23.7%	25.9%	17.6%	0 / 18	6 / 18	21.8%
Percentage of transfers of at least one embryo with ICSI	95.7%	100.0%	98.0%	17 / 18	18 / 18	97.5%
Percentage of transfers of at least one embryo with PGT	19.4%	24.1%	21.6%	5 / 18	1 / 18	20.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	39%	Diminished ovarian reserve	29%
Endometriosis	1%	Egg or embryo banking	21%
Tubal factor	7%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	9%	Other, infertility	19%
Uterine factor	2%	Other, non-infertility	10%
PGT	12%	Unexplained	2%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY FERTILITY CENTER
TORRANCE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Omid A. Khorram, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	46	34	42	20	6
Percentage of intended retrievals resulting in live births	45.7%	38.2%	28.6%	0.0%	0 / 6
Percentage of intended retrievals resulting in singleton live births	19.6%	29.4%	19.0%	0.0%	0 / 6
Number of **retrievals**	46	32	39	19	6
Percentage of retrievals resulting in live births	45.7%	40.6%	30.8%	0 / 19	0 / 6
Percentage of retrievals resulting in singleton live births	19.6%	31.3%	20.5%	0 / 19	0 / 6
Number of **transfers**	48	32	37	18	6
Percentage of transfers resulting in live births	43.8%	40.6%	32.4%	0 / 18	0 / 6
Percentage of transfers resulting in singleton live births	18.8%	31.3%	21.6%	0 / 18	0 / 6
Number of intended retrievals per live birth	2.2	2.6	3.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	45.0%	42.3%	27.8%	0 / 15	0 / 3
Percentage of new patients having live births after 1 or 2 intended retrievals	45.0%	42.3%	30.6%	0 / 15	0 / 3
Percentage of new patients having live births after all intended retrievals	45.0%	42.3%	30.6%	0 / 15	0 / 3
Average number of intended retrievals per new patient	1.0	1.1	1.1	1.1	1.3
Average number of transfers per intended retrieval	1.0	1.0	0.9	0.9	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	4	0	10	2
Percentage of transfers resulting in live births	3 / 4		2 / 10	0 / 2
Percentage of transfers resulting in singleton live births	0 / 4		0 / 10	0 / 2

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	98	56	61	53	32	300
Percentage of cycles cancelled prior to retrieval or thaw	1.0%	1.8%	1.6%	3.8%	0.0%	1.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	37.8%	30.4%	29.5%	28.3%	28.1%	32.0%
Percentage of cycles for fertility preservation	1.0%	1.8%	6.6%	0.0%	6.3%	2.7%
Percentage of transfers using a gestational carrier	1.7%	0.0%	0.0%	0.0%	1 / 19	1.1%
Percentage of transfers using frozen embryos	72.4%	64.9%	50.0%	45.7%	13 / 19	61.0%
Percentage of transfers of at least one embryo with ICSI	41.4%	43.2%	23.7%	25.7%	3 / 19	32.6%
Percentage of transfers of at least one embryo with PGT	10.3%	5.4%	13.2%	8.6%	2 / 19	9.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	21%	Diminished ovarian reserve	12%
Endometriosis	2%	Egg or embryo banking	4%
Tubal factor	15%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	9%	Other, infertility	16%
Uterine factor	1%	Other, non-infertility	5%
PGT	1%	Unexplained	23%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CALIFORNIA CENTER FOR REPRODUCTIVE HEALTH
REPRODUCTIVE FERTILITY CENTER
WEST HOLLYWOOD, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Peyman Saadat, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	105	86	101	56	50
Percentage of intended retrievals resulting in live births	52.4%	44.2%	26.7%	16.1%	14.0%
Percentage of intended retrievals resulting in singleton live births	35.2%	31.4%	19.8%	12.5%	14.0%
Number of **retrievals**	105	85	98	53	46
Percentage of retrievals resulting in live births	52.4%	44.7%	27.6%	17.0%	15.2%
Percentage of retrievals resulting in singleton live births	35.2%	31.8%	20.4%	13.2%	15.2%
Number of **transfers**	105	88	76	33	23
Percentage of transfers resulting in live births	52.4%	43.2%	35.5%	27.3%	30.4%
Percentage of transfers resulting in singleton live births	35.2%	30.7%	26.3%	21.2%	30.4%
Number of intended retrievals per live birth	1.9	2.3	3.7	6.2	7.1
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	59.7%	53.7%	20.5%	21.7%	2 / 19
Percentage of new patients having live births after 1 or 2 intended retrievals	62.7%	57.4%	28.2%	21.7%	3 / 19
Percentage of new patients having live births after all intended retrievals	62.7%	59.3%	33.3%	21.7%	3 / 19
Average number of intended retrievals per new patient	1.1	1.1	1.4	1.3	1.5
Average number of transfers per intended retrieval	1.1	1.1	0.8	0.6	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	15	8	24	0
Percentage of transfers resulting in live births	8 / 15	4 / 8	50.0%	
Percentage of transfers resulting in singleton live births	5 / 15	2 / 8	29.2%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	187	137	214	112	114	764
Percentage of cycles cancelled prior to retrieval or thaw	3.7%	1.5%	3.7%	3.6%	7.9%	3.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.6%	10.2%	10.7%	12.5%	13.2%	11.0%
Percentage of cycles for fertility preservation	3.2%	8.0%	7.9%	6.3%	5.3%	6.2%
Percentage of transfers using a gestational carrier	2.8%	1.4%	2.7%	0.0%	1.8%	2.0%
Percentage of transfers using frozen embryos	73.8%	66.2%	60.2%	58.5%	40.4%	61.9%
Percentage of transfers of at least one embryo with ICSI	92.5%	97.3%	92.9%	94.3%	98.2%	94.6%
Percentage of transfers of at least one embryo with PGT	18.7%	17.6%	12.4%	9.4%	3.5%	13.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	34%
Endometriosis	4%	Egg or embryo banking	33%
Tubal factor	9%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	11%	Other, infertility	47%
Uterine factor	5%	Other, non-infertility	3%
PGT	4%	Unexplained	5%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

HQA FERTILITY CENTERS
COLORADO SPRINGS, COLORADO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Paul C. Magarelli, MD, PhD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	138	55	33	22	9
Percentage of intended retrievals resulting in live births	36.2%	29.1%	15.2%	9.1%	0 / 9
Percentage of intended retrievals resulting in singleton live births	27.5%	21.8%	15.2%	4.5%	0 / 9
Number of **retrievals**	136	55	29	20	8
Percentage of retrievals resulting in live births	36.8%	29.1%	17.2%	10.0%	0 / 8
Percentage of retrievals resulting in singleton live births	27.9%	21.8%	17.2%	5.0%	0 / 8
Number of **transfers**	120	38	21	6	3
Percentage of transfers resulting in live births	41.7%	42.1%	23.8%	2 / 6	0 / 3
Percentage of transfers resulting in singleton live births	31.7%	31.6%	23.8%	1 / 6	0 / 3
Number of intended retrievals per live birth	2.8	3.4	6.6	11.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	40.4%	23.1%	18.2%	1 / 15	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	46.5%	35.9%	22.7%	1 / 15	0 / 6
Percentage of new patients having live births after all intended retrievals	46.5%	38.5%	22.7%	2 / 15	0 / 6
Average number of intended retrievals per new patient	1.2	1.3	1.4	1.4	1.2
Average number of transfers per intended retrieval	0.8	0.6	0.6	0.3	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	12	7
Percentage of transfers resulting in live births			6 / 12	1 / 7
Percentage of transfers resulting in singleton live births			5 / 12	1 / 7

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	202	89	65	21	28	405
Percentage of cycles cancelled prior to retrieval or thaw	1.5%	3.4%	0.0%	4.8%	7.1%	2.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.0%	3.4%	21.5%	9.5%	7.1%	7.7%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using a gestational carrier	1.1%	4.3%	12.5%	0 / 9	0 / 13	3.3%
Percentage of transfers using frozen embryos	100.0%	100.0%	100.0%	9 / 9	13 / 13	100.0%
Percentage of transfers of at least one embryo with ICSI	100.0%	100.0%	100.0%	9 / 9	13 / 13	100.0%
Percentage of transfers of at least one embryo with PGT	73.9%	78.3%	91.7%	9 / 9	9 / 13	78.3%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	50%	Diminished ovarian reserve	17%
Endometriosis	4%	Egg or embryo banking	55%
Tubal factor	13%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	9%	Other, infertility	11%
Uterine factor	1%	Other, non-infertility	8%
PGT	5%	Unexplained	8%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ADVANCED REPRODUCTIVE MEDICINE
UNIVERSITY OF COLORADO
DENVER, COLORADO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Edward H. Illions, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	56	20	11	3	0
Percentage of intended retrievals resulting in live births	57.1%	35.0%	5 / 11	0 / 3	
Percentage of intended retrievals resulting in singleton live births	51.8%	30.0%	5 / 11	0 / 3	
Number of **retrievals**	56	19	11	2	0
Percentage of retrievals resulting in live births	57.1%	7 / 19	5 / 11	0 / 2	
Percentage of retrievals resulting in singleton live births	51.8%	6 / 19	5 / 11	0 / 2	
Number of **transfers**	65	21	7	0	0
Percentage of transfers resulting in live births	49.2%	33.3%	5 / 7		
Percentage of transfers resulting in singleton live births	44.6%	28.6%	5 / 7		
Number of intended retrievals per live birth	1.8	2.9	2.2		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.9%	4 / 16	4 / 9	0 / 2	
Percentage of new patients having live births after 1 or 2 intended retrievals	56.9%	5 / 16	4 / 9	0 / 2	
Percentage of new patients having live births after all intended retrievals	56.9%	5 / 16	4 / 9	0 / 2	
Average number of intended retrievals per new patient	1.0	1.1	1.0	1.0	
Average number of transfers per intended retrieval	1.2	1.0	0.7	0.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	3	9	19	0
Percentage of transfers resulting in live births	1 / 3	5 / 9	10 / 19	
Percentage of transfers resulting in singleton live births	0 / 3	4 / 9	9 / 19	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	169	63	69	17	14	332
Percentage of cycles cancelled prior to retrieval or thaw	8.9%	7.9%	5.8%	0 / 17	0 / 14	7.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.6%	0.0%	1.4%	0 / 17	0 / 14	0.6%
Percentage of cycles for fertility preservation	4.7%	9.5%	8.7%	0 / 17	0 / 14	6.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	3.0%	0 / 14	1 / 13	1.1%
Percentage of transfers using frozen embryos	90.5%	88.2%	93.9%	10 / 14	9 / 13	87.6%
Percentage of transfers of at least one embryo with ICSI	58.3%	52.9%	51.5%	8 / 14	8 / 13	56.2%
Percentage of transfers of at least one embryo with PGT	41.7%	47.1%	57.6%	3 / 14	2 / 13	42.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	27%
Endometriosis	4%	Egg or embryo banking	39%
Tubal factor	10%	Recurrent pregnancy loss	<1%
Ovulatory dysfunction	17%	Other, infertility	27%
Uterine factor	2%	Other, non-infertility	3%
PGT	16%	Unexplained	15%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

COLORADO REPRODUCTIVE ENDOCRINOLOGY
DENVER, COLORADO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Susan W. Trout, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	24	15	8	6	0
Percentage of intended retrievals resulting in live births	16.7%	3 / 15	2 / 8	0 / 6	
Percentage of intended retrievals resulting in singleton live births	12.5%	3 / 15	2 / 8	0 / 6	
Number of **retrievals**	24	14	8	5	0
Percentage of retrievals resulting in live births	16.7%	3 / 14	2 / 8	0 / 5	
Percentage of retrievals resulting in singleton live births	12.5%	3 / 14	2 / 8	0 / 5	
Number of **transfers**	17	14	5	1	0
Percentage of transfers resulting in live births	4 / 17	3 / 14	2 / 5	0 / 1	
Percentage of transfers resulting in singleton live births	3 / 17	3 / 14	2 / 5	0 / 1	
Number of intended retrievals per live birth	6.0	5.0	4.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	19.0%	1 / 8	2 / 6	0 / 3	
Percentage of new patients having live births after 1 or 2 intended retrievals	19.0%	2 / 8	2 / 6	0 / 3	
Percentage of new patients having live births after all intended retrievals	19.0%	2 / 8	2 / 6	0 / 3	
Average number of intended retrievals per new patient	1.0	1.4	1.0	1.0	
Average number of transfers per intended retrieval	0.7	1.1	0.8	0.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	1	4	4
Percentage of transfers resulting in live births	1 / 1	0 / 1	0 / 4	2 / 4
Percentage of transfers resulting in singleton live births	1 / 1	0 / 1	0 / 4	1 / 4

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	56	35	28	13	15	147
Percentage of cycles cancelled prior to retrieval or thaw	7.1%	11.4%	10.7%	3 / 13	3 / 15	11.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	16.1%	28.6%	28.6%	2 / 13	2 / 15	21.1%
Percentage of cycles for fertility preservation	1.8%	8.6%	7.1%	0 / 13	0 / 15	4.1%
Percentage of transfers using a gestational carrier	6.1%	0 / 13	1 / 7	0 / 6	0 / 10	4.3%
Percentage of transfers using frozen embryos	60.6%	11 / 13	7 / 7	5 / 6	8 / 10	73.9%
Percentage of transfers of at least one embryo with ICSI	0.0%	3 / 13	0 / 7	0 / 6	1 / 10	5.8%
Percentage of transfers of at least one embryo with PGT	6.1%	1 / 13	1 / 7	1 / 6	0 / 10	7.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	14%	Diminished ovarian reserve	44%
Endometriosis	8%	Egg or embryo banking	28%
Tubal factor	10%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	20%	Other, infertility	6%
Uterine factor	5%	Other, non-infertility	0%
PGT	6%	Unexplained	9%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

DENVER FERTILITY-ALBRECHT WOMEN'S CARE
ENGLEWOOD, COLORADO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Bruce H. Albrecht, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	29	18	16	6	2
Percentage of intended retrievals resulting in live births	48.3%	6 / 18	2 / 16	0 / 6	0 / 2
Percentage of intended retrievals resulting in singleton live births	41.4%	5 / 18	2 / 16	0 / 6	0 / 2
Number of **retrievals**	27	16	12	4	2
Percentage of retrievals resulting in live births	51.9%	6 / 16	2 / 12	0 / 4	0 / 2
Percentage of retrievals resulting in singleton live births	44.4%	5 / 16	2 / 12	0 / 4	0 / 2
Number of **transfers**	30	12	10	3	1
Percentage of transfers resulting in live births	46.7%	6 / 12	2 / 10	0 / 3	0 / 1
Percentage of transfers resulting in singleton live births	40.0%	5 / 12	2 / 10	0 / 3	0 / 1
Number of intended retrievals per live birth	2.1	3.0	8.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	50.0%	4 / 12	1 / 9	0 / 3	0 / 1
Percentage of new patients having live births after 1 or 2 intended retrievals	54.5%	4 / 12	1 / 9	0 / 3	0 / 1
Percentage of new patients having live births after all intended retrievals	54.5%	4 / 12	1 / 9	0 / 3	0 / 1
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.7	2.0
Average number of transfers per intended retrieval	1.0	0.6	0.4	0.4	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	4	1	16	0
Percentage of transfers resulting in live births	2 / 4	0 / 1	4 / 16	
Percentage of transfers resulting in singleton live births	2 / 4	0 / 1	3 / 16	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	70	36	31	16	22	175
Percentage of cycles cancelled prior to retrieval or thaw	8.6%	8.3%	12.9%	2 / 16	18.2%	10.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	17.1%	19.4%	29.0%	5 / 16	13.6%	20.6%
Percentage of cycles for fertility preservation	1.4%	8.3%	6.5%	2 / 16	0.0%	4.6%
Percentage of transfers using a gestational carrier	10.3%	0 / 17	0 / 12	0 / 5	1 / 14	5.2%
Percentage of transfers using frozen embryos	96.6%	12 / 17	10 / 12	5 / 5	9 / 14	83.1%
Percentage of transfers of at least one embryo with ICSI	72.4%	9 / 17	7 / 12	2 / 5	7 / 14	59.7%
Percentage of transfers of at least one embryo with PGT	62.1%	4 / 17	4 / 12	4 / 5	2 / 14	41.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	22%	Diminished ovarian reserve	39%
Endometriosis	11%	Egg or embryo banking	37%
Tubal factor	11%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	18%	Other, infertility	12%
Uterine factor	4%	Other, non-infertility	1%
PGT	7%	Unexplained	7%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ROCKY MOUNTAIN CENTER FOR REPRODUCTIVE MEDICINE
FORT COLLINS, COLORADO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Kevin E. Bachus, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	24	16	10	1	0
Percentage of intended retrievals resulting in live births	66.7%	9 / 16	4 / 10	0 / 1	
Percentage of intended retrievals resulting in singleton live births	33.3%	5 / 16	2 / 10	0 / 1	
Number of **retrievals**	23	16	10	1	0
Percentage of retrievals resulting in live births	69.6%	9 / 16	4 / 10	0 / 1	
Percentage of retrievals resulting in singleton live births	34.8%	5 / 16	2 / 10	0 / 1	
Number of **transfers**	30	24	12	1	0
Percentage of transfers resulting in live births	53.3%	37.5%	4 / 12	0 / 1	
Percentage of transfers resulting in singleton live births	26.7%	20.8%	2 / 12	0 / 1	
Number of intended retrievals per live birth	1.5	1.8	2.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	68.2%	9 / 15	2 / 6		
Percentage of new patients having live births after 1 or 2 intended retrievals	72.7%	9 / 15	2 / 6		
Percentage of new patients having live births after all intended retrievals	72.7%	9 / 15	2 / 6		
Average number of intended retrievals per new patient	1.0	1.0	1.0		
Average number of transfers per intended retrieval	1.3	1.5	1.0		

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	0	2	0
Percentage of transfers resulting in live births	1 / 1		1 / 2	
Percentage of transfers resulting in singleton live births	0 / 1		1 / 2	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	55	27	10	5	0	97
Percentage of cycles cancelled prior to retrieval or thaw	1.8%	3.7%	0 / 10	0 / 5		2.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.8%	3.7%	0 / 10	0 / 5		2.1%
Percentage of cycles for fertility preservation	0.0%	0.0%	0 / 10	0 / 5		0.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0 / 10	0 / 5		0.0%
Percentage of transfers using frozen embryos	41.5%	37.5%	7 / 10	1 / 5		42.4%
Percentage of transfers of at least one embryo with ICSI	96.2%	91.7%	9 / 10	5 / 5		94.6%
Percentage of transfers of at least one embryo with PGT	0.0%	0.0%	0 / 10	0 / 5		0.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	No	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	35%	Diminished ovarian reserve	27%
Endometriosis	9%	Egg or embryo banking	1%
Tubal factor	16%	Recurrent pregnancy loss	11%
Ovulatory dysfunction	16%	Other, infertility	1%
Uterine factor	2%	Other, non-infertility	1%
PGT	0%	Unexplained	15%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CONCEPTIONS REPRODUCTIVE ASSOCIATES OF COLORADO
LITTLETON, COLORADO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Mark R. Bush, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	248	138	111	36	29
Percentage of intended retrievals resulting in live births	57.3%	40.6%	32.4%	27.8%	0.0%
Percentage of intended retrievals resulting in singleton live births	51.2%	34.8%	29.7%	27.8%	0.0%
Number of **retrievals**	239	127	97	33	26
Percentage of retrievals resulting in live births	59.4%	44.1%	37.1%	30.3%	0.0%
Percentage of retrievals resulting in singleton live births	53.1%	37.8%	34.0%	30.3%	0.0%
Number of **transfers**	200	84	49	17	0
Percentage of transfers resulting in live births	71.0%	66.7%	73.5%	10 / 17	
Percentage of transfers resulting in singleton live births	63.5%	57.1%	67.3%	10 / 17	
Number of intended retrievals per live birth	1.7	2.5	3.1	3.6	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	60.0%	39.4%	37.7%	4 / 17	0 / 12
Percentage of new patients having live births after 1 or 2 intended retrievals	67.1%	50.7%	42.6%	4 / 17	0 / 12
Percentage of new patients having live births after all intended retrievals	67.1%	50.7%	44.3%	4 / 17	0 / 12
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.1	1.3
Average number of transfers per intended retrieval	0.8	0.6	0.5	0.5	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	6	55	1
Percentage of transfers resulting in live births		2 / 6	69.1%	1 / 1
Percentage of transfers resulting in singleton live births		1 / 6	52.7%	1 / 1

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	525	262	211	66	56	1,120
Percentage of cycles cancelled prior to retrieval or thaw	3.2%	5.7%	10.9%	12.1%	8.9%	6.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.8%	0.4%	0.5%	0.0%	0.0%	0.5%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using a gestational carrier	2.8%	2.4%	2.2%	4.3%	6.9%	2.9%
Percentage of transfers using frozen embryos	97.2%	97.6%	100.0%	95.7%	93.1%	97.5%
Percentage of transfers of at least one embryo with ICSI	98.4%	95.3%	97.8%	95.7%	96.6%	97.3%
Percentage of transfers of at least one embryo with PGT	93.6%	90.6%	96.7%	82.6%	79.3%	92.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	25%	Diminished ovarian reserve	36%
Endometriosis	8%	Egg or embryo banking	52%
Tubal factor	11%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	21%	Other, infertility	9%
Uterine factor	3%	Other, non-infertility	11%
PGT	8%	Unexplained	7%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

COLORADO CENTER FOR REPRODUCTIVE MEDICINE
LONE TREE, COLORADO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by William B. Schoolcraft, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	509	377	448	281	240
Percentage of intended retrievals resulting in live births	56.2%	45.6%	30.6%	17.1%	7.1%
Percentage of intended retrievals resulting in singleton live births	45.2%	35.8%	23.9%	15.7%	5.8%
Number of **retrievals**	493	356	430	255	220
Percentage of retrievals resulting in live births	58.0%	48.3%	31.9%	18.8%	7.7%
Percentage of retrievals resulting in singleton live births	46.7%	37.9%	24.9%	17.3%	6.4%
Number of **transfers**	435	256	218	78	30
Percentage of transfers resulting in live births	65.7%	67.2%	62.8%	61.5%	56.7%
Percentage of transfers resulting in singleton live births	52.9%	52.7%	49.1%	56.4%	46.7%
Number of intended retrievals per live birth	1.8	2.2	3.3	5.9	14.1
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	65.0%	45.8%	38.1%	21.6%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	72.2%	55.6%	44.4%	23.5%	2.7%
Percentage of new patients having live births after all intended retrievals	74.1%	56.9%	49.2%	31.4%	8.1%
Average number of intended retrievals per new patient	1.2	1.2	1.4	1.5	2.1
Average number of transfers per intended retrieval	0.9	0.7	0.5	0.3	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	14	12	190	15
Percentage of transfers resulting in live births	12 / 14	9 / 12	61.1%	12 / 15
Percentage of transfers resulting in singleton live births	8 / 14	8 / 12	52.1%	9 / 15

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	966	809	868	428	426	3,497
Percentage of cycles cancelled prior to retrieval or thaw	2.5%	2.1%	3.1%	3.5%	4.0%	2.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.2%	2.3%	4.8%	5.1%	11.5%	4.4%
Percentage of cycles for fertility preservation	5.8%	6.2%	5.4%	4.0%	2.3%	5.1%
Percentage of transfers using a gestational carrier	4.4%	4.1%	2.2%	8.6%	14.2%	5.5%
Percentage of transfers using frozen embryos	90.2%	93.7%	98.0%	98.4%	94.5%	94.2%
Percentage of transfers of at least one embryo with ICSI	91.6%	87.8%	86.2%	82.2%	66.2%	85.3%
Percentage of transfers of at least one embryo with PGT	67.0%	78.5%	84.5%	85.9%	71.7%	76.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	46%
Endometriosis	8%	Egg or embryo banking	44%
Tubal factor	4%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	14%	Other, infertility	12%
Uterine factor	10%	Other, non-infertility	4%
PGT	5%	Unexplained	19%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ROCKY MOUNTAIN FERTILITY CENTER
PARKER, COLORADO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Deborah L. Smith, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	46	21	10	2	0
Percentage of intended retrievals resulting in live births	56.5%	47.6%	1 / 10	2 / 2	
Percentage of intended retrievals resulting in singleton live births	43.5%	33.3%	1 / 10	2 / 2	
Number of **retrievals**	46	21	10	2	0
Percentage of retrievals resulting in live births	56.5%	47.6%	1 / 10	2 / 2	
Percentage of retrievals resulting in singleton live births	43.5%	33.3%	1 / 10	2 / 2	
Number of **transfers**	53	23	10	2	0
Percentage of transfers resulting in live births	49.1%	43.5%	1 / 10	2 / 2	
Percentage of transfers resulting in singleton live births	37.7%	30.4%	1 / 10	2 / 2	
Number of intended retrievals per live birth	1.8	2.1	10.0	1.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	58.8%	7 / 17	0 / 8	2 / 2	
Percentage of new patients having live births after 1 or 2 intended retrievals	70.6%	7 / 17	0 / 8	2 / 2	
Percentage of new patients having live births after all intended retrievals	70.6%	7 / 17	0 / 8	2 / 2	
Average number of intended retrievals per new patient	1.2	1.1	1.0	1.0	
Average number of transfers per intended retrieval	1.2	1.1	0.9	1.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	5	2	4	0
Percentage of transfers resulting in live births	4 / 5	2 / 2	3 / 4	
Percentage of transfers resulting in singleton live births	2 / 5	2 / 2	2 / 4	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	70	38	26	8	7	149
Percentage of cycles cancelled prior to retrieval or thaw	4.3%	7.9%	11.5%	0 / 8	0 / 7	6.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.7%	5.3%	0.0%	1 / 8	1 / 7	5.4%
Percentage of cycles for fertility preservation	2.9%	0.0%	11.5%	0 / 8	0 / 7	3.4%
Percentage of transfers using a gestational carrier	0.0%	3.8%	0 / 14	1 / 5	0 / 6	2.2%
Percentage of transfers using frozen embryos	52.4%	73.1%	9 / 14	3 / 5	3 / 6	60.2%
Percentage of transfers of at least one embryo with ICSI	100.0%	100.0%	14 / 14	5 / 5	6 / 6	100.0%
Percentage of transfers of at least one embryo with PGT	19.0%	19.2%	4 / 14	1 / 5	0 / 6	19.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	22%	Diminished ovarian reserve	55%
Endometriosis	3%	Egg or embryo banking	5%
Tubal factor	17%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	5%	Other, infertility	1%
Uterine factor	3%	Other, non-infertility	0%
PGT	8%	Unexplained	5%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTER FOR ADVANCED REPRODUCTIVE SERVICES
FARMINGTON, CONNECTICUT

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by John C. Nulsen, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	452	202	196	110	49
Percentage of intended retrievals resulting in live births	55.1%	46.0%	24.0%	10.9%	6.1%
Percentage of intended retrievals resulting in singleton live births	46.0%	33.7%	19.4%	10.0%	4.1%
Number of **retrievals**	403	177	156	87	39
Percentage of retrievals resulting in live births	61.8%	52.5%	30.1%	13.8%	7.7%
Percentage of retrievals resulting in singleton live births	51.6%	38.4%	24.4%	12.6%	5.1%
Number of **transfers**	447	183	123	52	25
Percentage of transfers resulting in live births	55.7%	50.8%	38.2%	23.1%	12.0%
Percentage of transfers resulting in singleton live births	46.5%	37.2%	30.9%	21.2%	8.0%
Number of intended retrievals per live birth	1.8	2.2	4.2	9.2	16.3
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	58.1%	54.9%	23.7%	5.9%	2 / 19
Percentage of new patients having live births after 1 or 2 intended retrievals	65.4%	61.9%	30.1%	20.6%	2 / 19
Percentage of new patients having live births after all intended retrievals	66.1%	61.9%	33.3%	23.5%	2 / 19
Average number of intended retrievals per new patient	1.2	1.3	1.3	2.0	1.4
Average number of transfers per intended retrieval	1.0	1.0	0.6	0.4	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	10	40	12	5
Percentage of transfers resulting in live births	6 / 10	52.5%	8 / 12	3 / 5
Percentage of transfers resulting in singleton live births	5 / 10	32.5%	8 / 12	3 / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	626	369	343	190	134	1,662
Percentage of cycles cancelled prior to retrieval or thaw	5.4%	9.8%	9.9%	18.4%	14.2%	9.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.5%	6.5%	11.1%	13.2%	15.7%	9.0%
Percentage of cycles for fertility preservation	2.4%	1.4%	2.9%	0.5%	1.5%	2.0%
Percentage of transfers using a gestational carrier	1.3%	1.6%	1.2%	2.5%	2.7%	1.6%
Percentage of transfers using frozen embryos	50.5%	48.4%	45.0%	39.2%	35.6%	47.2%
Percentage of transfers of at least one embryo with ICSI	77.8%	85.0%	85.4%	77.2%	76.7%	80.6%
Percentage of transfers of at least one embryo with PGT	13.5%	17.5%	19.9%	20.3%	6.8%	15.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	12%
Endometriosis	11%	Egg or embryo banking	24%
Tubal factor	12%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	21%	Other, infertility	19%
Uterine factor	7%	Other, non-infertility	1%
PGT	5%	Unexplained	15%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

GREENWICH FERTILITY AND IVF CENTER, PC
GREENWICH, CONNECTICUT

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Barry R. Witt, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	119	89	74	47	29
Percentage of intended retrievals resulting in live births	46.2%	47.2%	16.2%	10.6%	10.3%
Percentage of intended retrievals resulting in singleton live births	42.0%	40.4%	14.9%	10.6%	10.3%
Number of **retrievals**	115	84	67	43	24
Percentage of retrievals resulting in live births	47.8%	50.0%	17.9%	11.6%	12.5%
Percentage of retrievals resulting in singleton live births	43.5%	42.9%	16.4%	11.6%	12.5%
Number of **transfers**	121	83	37	13	6
Percentage of transfers resulting in live births	45.5%	50.6%	32.4%	5 / 13	3 / 6
Percentage of transfers resulting in singleton live births	41.3%	43.4%	29.7%	5 / 13	3 / 6
Number of intended retrievals per live birth	2.2	2.1	6.2	9.4	9.7
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	48.8%	50.0%	15.4%	2 / 16	0 / 12
Percentage of new patients having live births after 1 or 2 intended retrievals	56.1%	65.9%	25.6%	2 / 16	0 / 12
Percentage of new patients having live births after all intended retrievals	56.1%	68.2%	28.2%	2 / 16	0 / 12
Average number of intended retrievals per new patient	1.2	1.3	1.5	1.6	1.5
Average number of transfers per intended retrieval	1.1	0.9	0.5	0.2	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	20	17	0
Percentage of transfers resulting in live births		50.0%	10 / 17	
Percentage of transfers resulting in singleton live births		45.0%	10 / 17	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	191	162	142	95	68	658
Percentage of cycles cancelled prior to retrieval or thaw	6.8%	9.3%	12.0%	16.8%	17.6%	11.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.7%	5.6%	4.2%	12.6%	8.8%	6.1%
Percentage of cycles for fertility preservation	3.7%	6.8%	4.2%	10.5%	4.4%	5.6%
Percentage of transfers using a gestational carrier	10.3%	7.9%	13.4%	15.4%	19.4%	11.8%
Percentage of transfers using frozen embryos	67.5%	80.3%	83.6%	80.8%	63.9%	74.3%
Percentage of transfers of at least one embryo with ICSI	29.4%	31.6%	29.9%	26.9%	38.9%	30.8%
Percentage of transfers of at least one embryo with PGT	50.8%	67.1%	74.6%	65.4%	44.4%	59.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	11%	Diminished ovarian reserve	37%
Endometriosis	3%	Egg or embryo banking	33%
Tubal factor	5%	Recurrent pregnancy loss	10%
Ovulatory dysfunction	6%	Other, infertility	13%
Uterine factor	2%	Other, non-infertility	6%
PGT	5%	Unexplained	25%
Gestational carrier	6%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

YALE FERTILITY CENTER
NEW HAVEN, CONNECTICUT

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Pasquale Patrizio, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	166	92	108	61	34
Percentage of intended retrievals resulting in live births	49.4%	35.9%	34.3%	11.5%	2.9%
Percentage of intended retrievals resulting in singleton live births	37.3%	29.3%	28.7%	8.2%	2.9%
Number of **retrievals**	147	80	99	41	26
Percentage of retrievals resulting in live births	55.8%	41.3%	37.4%	17.1%	3.8%
Percentage of retrievals resulting in singleton live births	42.2%	33.8%	31.3%	12.2%	3.8%
Number of **transfers**	160	75	84	27	25
Percentage of transfers resulting in live births	51.3%	44.0%	44.0%	25.9%	4.0%
Percentage of transfers resulting in singleton live births	38.8%	36.0%	36.9%	18.5%	4.0%
Number of intended retrievals per live birth	2.0	2.8	2.9	8.7	34.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.3%	35.8%	30.0%	2 / 19	1 / 15
Percentage of new patients having live births after 1 or 2 intended retrievals	61.9%	43.4%	44.0%	5 / 19	1 / 15
Percentage of new patients having live births after all intended retrievals	64.8%	47.2%	44.0%	5 / 19	1 / 15
Average number of intended retrievals per new patient	1.3	1.4	1.3	1.5	1.7
Average number of transfers per intended retrieval	1.1	0.8	0.8	0.5	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	0	18	3
Percentage of transfers resulting in live births	4 / 8		7 / 18	1 / 3
Percentage of transfers resulting in singleton live births	2 / 8		5 / 18	0 / 3

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	225	148	184	73	80	710
Percentage of cycles cancelled prior to retrieval or thaw	6.2%	14.9%	16.8%	16.4%	20.0%	13.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.1%	12.8%	7.6%	15.1%	7.5%	9.3%
Percentage of cycles for fertility preservation	8.0%	7.4%	19.6%	2.7%	5.0%	10.0%
Percentage of transfers using a gestational carrier	2.6%	2.2%	0.0%	3.2%	4.5%	2.2%
Percentage of transfers using frozen embryos	49.7%	40.4%	58.1%	51.6%	50.0%	49.6%
Percentage of transfers of at least one embryo with ICSI	79.4%	84.3%	82.6%	83.9%	84.1%	82.0%
Percentage of transfers of at least one embryo with PGT	12.3%	6.7%	25.6%	22.6%	20.5%	15.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	22%	Diminished ovarian reserve	32%
Endometriosis	6%	Egg or embryo banking	23%
Tubal factor	16%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	18%	Other, infertility	16%
Uterine factor	9%	Other, non-infertility	6%
PGT	6%	Unexplained	12%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE MEDICINE ASSOCIATES OF CONNECTICUT
NORWALK, CONNECTICUT

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Mark P. Leondires, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	251	161	235	96	69
Percentage of intended retrievals resulting in live births	48.2%	38.5%	18.7%	16.7%	0.0%
Percentage of intended retrievals resulting in singleton live births	36.7%	31.1%	16.6%	14.6%	0.0%
Number of **retrievals**	240	157	199	77	50
Percentage of retrievals resulting in live births	50.4%	39.5%	22.1%	20.8%	0.0%
Percentage of retrievals resulting in singleton live births	38.3%	31.8%	19.6%	18.2%	0.0%
Number of **transfers**	244	145	112	30	12
Percentage of transfers resulting in live births	49.6%	42.8%	39.3%	53.3%	0 / 12
Percentage of transfers resulting in singleton live births	37.7%	34.5%	34.8%	46.7%	0 / 12
Number of intended retrievals per live birth	2.1	2.6	5.3	6.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.6%	37.4%	14.6%	18.2%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	62.6%	46.2%	26.2%	21.2%	0.0%
Percentage of new patients having live births after all intended retrievals	65.0%	51.6%	30.1%	24.2%	0.0%
Average number of intended retrievals per new patient	1.3	1.3	1.6	1.7	1.7
Average number of transfers per intended retrieval	1.0	1.0	0.5	0.3	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	13	138	1
Percentage of transfers resulting in live births	6 / 8	9 / 13	57.2%	1 / 1
Percentage of transfers resulting in singleton live births	5 / 8	8 / 13	51.4%	1 / 1

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	594	369	443	218	212	1,836
Percentage of cycles cancelled prior to retrieval or thaw	8.8%	8.1%	12.6%	17.0%	9.4%	10.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.9%	10.6%	14.0%	15.6%	23.1%	12.6%
Percentage of cycles for fertility preservation	5.6%	6.0%	3.6%	3.2%	0.9%	4.4%
Percentage of transfers using a gestational carrier	8.9%	7.1%	7.8%	10.7%	38.2%	11.4%
Percentage of transfers using frozen embryos	72.7%	82.6%	87.8%	78.7%	85.4%	79.7%
Percentage of transfers of at least one embryo with ICSI	63.5%	63.6%	72.2%	70.7%	56.2%	65.2%
Percentage of transfers of at least one embryo with PGT	39.1%	59.8%	64.4%	66.7%	48.3%	51.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	39%
Endometriosis	7%	Egg or embryo banking	37%
Tubal factor	11%	Recurrent pregnancy loss	16%
Ovulatory dysfunction	14%	Other, infertility	67%
Uterine factor	10%	Other, non-infertility	3%
PGT	59%	Unexplained	4%
Gestational carrier	6%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NEW ENGLAND FERTILITY INSTITUTE
STAMFORD, CONNECTICUT

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Gad Lavy, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	47	29	55	15	25
Percentage of intended retrievals resulting in live births	44.7%	37.9%	9.1%	2 / 15	4.0%
Percentage of intended retrievals resulting in singleton live births	38.3%	24.1%	7.3%	1 / 15	4.0%
Number of **retrievals**	39	24	42	13	16
Percentage of retrievals resulting in live births	53.8%	45.8%	11.9%	2 / 13	1 / 16
Percentage of retrievals resulting in singleton live births	46.2%	29.2%	9.5%	1 / 13	1 / 16
Number of **transfers**	41	22	28	9	6
Percentage of transfers resulting in live births	51.2%	50.0%	17.9%	2 / 9	1 / 6
Percentage of transfers resulting in singleton live births	43.9%	31.8%	14.3%	1 / 9	1 / 6
Number of intended retrievals per live birth	2.2	2.6	11.0	7.5	25.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.8%	6 / 11	1 / 16	1 / 4	0 / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	64.5%	6 / 11	2 / 16	1 / 4	0 / 7
Percentage of new patients having live births after all intended retrievals	64.5%	6 / 11	2 / 16	1 / 4	0 / 7
Average number of intended retrievals per new patient	1.2	1.2	1.5	1.3	1.4
Average number of transfers per intended retrieval	0.9	0.8	0.7	0.6	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	5	5	84	4
Percentage of transfers resulting in live births	1 / 5	3 / 5	51.2%	2 / 4
Percentage of transfers resulting in singleton live births	1 / 5	2 / 5	41.7%	2 / 4

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	68	46	78	51	155	398
Percentage of cycles cancelled prior to retrieval or thaw	2.9%	6.5%	17.9%	7.8%	10.3%	9.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.9%	4.3%	14.1%	13.7%	9.0%	9.0%
Percentage of cycles for fertility preservation	5.9%	4.3%	9.0%	0.0%	0.0%	3.3%
Percentage of transfers using a gestational carrier	30.2%	65.4%	48.3%	51.9%	67.9%	55.0%
Percentage of transfers using frozen embryos	72.1%	92.3%	72.4%	85.2%	82.1%	80.4%
Percentage of transfers of at least one embryo with ICSI	76.7%	42.3%	72.4%	59.3%	60.7%	63.2%
Percentage of transfers of at least one embryo with PGT	32.6%	53.8%	48.3%	44.4%	44.0%	43.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	1%	Diminished ovarian reserve	5%
Endometriosis	0%	Egg or embryo banking	35%
Tubal factor	1%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	0%	Other, infertility	17%
Uterine factor	1%	Other, non-infertility	16%
PGT	1%	Unexplained	74%
Gestational carrier	7%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2017 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2017 ART cycle data or the clinic's Medical Director did not approve the clinic's 2017 ART cycle data for inclusion in this report.

This clinic provided ART services during 2017 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2017 ART cycle data or the clinic's Medical Director did not approve the clinic's 2017 ART cycle data for inclusion in this report.

PARK AVENUE FERTILITY AND REPRODUCTIVE MEDICINE
TRUMBULL, CONNECTICUT

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Andrew J. Levi, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	49	35	36	16	9
Percentage of intended retrievals resulting in live births	57.1%	17.1%	16.7%	2 / 16	0 / 9
Percentage of intended retrievals resulting in singleton live births	46.9%	14.3%	13.9%	2 / 16	0 / 9
Number of **retrievals**	46	29	28	12	3
Percentage of retrievals resulting in live births	60.9%	20.7%	21.4%	2 / 12	0 / 3
Percentage of retrievals resulting in singleton live births	50.0%	17.2%	17.9%	2 / 12	0 / 3
Number of **transfers**	40	21	19	10	3
Percentage of transfers resulting in live births	70.0%	28.6%	6 / 19	2 / 10	0 / 3
Percentage of transfers resulting in singleton live births	57.5%	23.8%	5 / 19	2 / 10	0 / 3
Number of intended retrievals per live birth	1.8	5.8	6.0	8.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	63.3%	5 / 18	4 / 18	0 / 6	0 / 2
Percentage of new patients having live births after 1 or 2 intended retrievals	66.7%	6 / 18	5 / 18	1 / 6	0 / 2
Percentage of new patients having live births after all intended retrievals	70.0%	6 / 18	5 / 18	1 / 6	0 / 2
Average number of intended retrievals per new patient	1.2	1.6	1.4	1.8	2.5
Average number of transfers per intended retrieval	0.9	0.7	0.6	0.6	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	15	0
Percentage of transfers resulting in live births			7 / 15	
Percentage of transfers resulting in singleton live births			7 / 15	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	61	46	58	28	34	227
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	8.7%	20.7%	14.3%	14.7%	11.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	11.5%	17.4%	15.5%	7.1%	14.7%	13.7%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 15	2 / 17	1.6%
Percentage of transfers using frozen embryos	40.0%	60.9%	40.7%	10 / 15	14 / 17	53.3%
Percentage of transfers of at least one embryo with ICSI	95.0%	95.7%	85.2%	12 / 15	16 / 17	91.0%
Percentage of transfers of at least one embryo with PGT	15.0%	13.0%	11.1%	4 / 15	4 / 17	16.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	32%
Endometriosis	0%	Egg or embryo banking	22%
Tubal factor	5%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	6%	Other, infertility	7%
Uterine factor	1%	Other, non-infertility	<1%
PGT	5%	Unexplained	32%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

DELAWARE INSTITUTE FOR REPRODUCTIVE MEDICINE, PA
NEWARK, DELAWARE

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Jeffrey B. Russell, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	68	35	35	10	10
Percentage of intended retrievals resulting in live births	33.8%	28.6%	2.9%	0 / 10	0 / 10
Percentage of intended retrievals resulting in singleton live births	29.4%	28.6%	2.9%	0 / 10	0 / 10
Number of **retrievals**	65	35	32	9	8
Percentage of retrievals resulting in live births	35.4%	28.6%	3.1%	0 / 9	0 / 8
Percentage of retrievals resulting in singleton live births	30.8%	28.6%	3.1%	0 / 9	0 / 8
Number of **transfers**	76	31	11	2	0
Percentage of transfers resulting in live births	30.3%	32.3%	1 / 11	0 / 2	
Percentage of transfers resulting in singleton live births	26.3%	32.3%	1 / 11	0 / 2	
Number of intended retrievals per live birth	3.0	3.5	35.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	29.1%	31.8%	1 / 17	0 / 5	0 / 3
Percentage of new patients having live births after 1 or 2 intended retrievals	36.4%	36.4%	1 / 17	0 / 5	0 / 3
Percentage of new patients having live births after all intended retrievals	36.4%	36.4%	1 / 17	0 / 5	0 / 3
Average number of intended retrievals per new patient	1.2	1.3	1.5	1.4	2.0
Average number of transfers per intended retrieval	1.1	0.8	0.3	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	1	9	15
Percentage of transfers resulting in live births		0 / 1	3 / 9	2 / 15
Percentage of transfers resulting in singleton live births		0 / 1	3 / 9	2 / 15

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	180	67	60	25	29	361
Percentage of cycles cancelled prior to retrieval or thaw	5.0%	16.4%	15.0%	4.0%	3.4%	8.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	23.9%	29.9%	33.3%	44.0%	24.1%	28.0%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0 / 18	0 / 11	0 / 17	0.0%
Percentage of transfers using frozen embryos	99.0%	100.0%	18 / 18	10 / 11	17 / 17	98.8%
Percentage of transfers of at least one embryo with ICSI	94.8%	91.7%	13 / 18	6 / 11	3 / 17	81.3%
Percentage of transfers of at least one embryo with PGT	68.8%	75.0%	14 / 18	8 / 11	10 / 17	69.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	6%	Diminished ovarian reserve	7%
Endometriosis	25%	Egg or embryo banking	22%
Tubal factor	40%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	<1%	Other, infertility	25%
Uterine factor	2%	Other, non-infertility	0%
PGT	24%	Unexplained	23%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE ASSOCIATES OF DELAWARE
NEWARK, DELAWARE

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Ronald F. Feinberg, MD, PhD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	143	34	63	20	9
Percentage of intended retrievals resulting in live births	62.2%	58.8%	22.2%	10.0%	0 / 9
Percentage of intended retrievals resulting in singleton live births	60.8%	58.8%	22.2%	10.0%	0 / 9
Number of **retrievals**	127	34	48	16	5
Percentage of retrievals resulting in live births	70.1%	58.8%	29.2%	2 / 16	0 / 5
Percentage of retrievals resulting in singleton live births	68.5%	58.8%	29.2%	2 / 16	0 / 5
Number of **transfers**	168	38	42	3	2
Percentage of transfers resulting in live births	53.0%	52.6%	33.3%	2 / 3	0 / 2
Percentage of transfers resulting in singleton live births	51.8%	52.6%	33.3%	2 / 3	0 / 2
Number of intended retrievals per live birth	1.6	1.7	4.5	10.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	63.7%	60.0%	23.3%	0 / 9	0 / 3
Percentage of new patients having live births after 1 or 2 intended retrievals	74.3%	68.0%	33.3%	0 / 9	0 / 3
Percentage of new patients having live births after all intended retrievals	75.2%	68.0%	36.7%	0 / 9	0 / 3
Average number of intended retrievals per new patient	1.2	1.1	1.4	1.3	2.0
Average number of transfers per intended retrieval	1.2	1.1	0.6	0.1	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	2	3	46	2
Percentage of transfers resulting in live births	2 / 2	2 / 3	47.8%	2 / 2
Percentage of transfers resulting in singleton live births	2 / 2	2 / 3	47.8%	2 / 2

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	302	182	139	50	58	731
Percentage of cycles cancelled prior to retrieval or thaw	8.6%	11.0%	11.5%	10.0%	13.8%	10.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	11.6%	3.8%	3.6%	4.0%	8.6%	7.4%
Percentage of cycles for fertility preservation	1.7%	1.6%	2.2%	6.0%	0.0%	1.9%
Percentage of transfers using a gestational carrier	1.7%	3.0%	1.3%	0 / 18	2.9%	2.0%
Percentage of transfers using frozen embryos	84.9%	94.9%	98.8%	17 / 18	94.3%	91.3%
Percentage of transfers of at least one embryo with ICSI	90.7%	78.8%	77.5%	16 / 18	57.1%	82.2%
Percentage of transfers of at least one embryo with PGT	39.5%	68.7%	76.3%	13 / 18	51.4%	56.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	37%	Diminished ovarian reserve	34%
Endometriosis	39%	Egg or embryo banking	29%
Tubal factor	35%	Recurrent pregnancy loss	10%
Ovulatory dysfunction	19%	Other, infertility	15%
Uterine factor	54%	Other, non-infertility	2%
PGT	2%	Unexplained	1%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

COLUMBIA FERTILITY ASSOCIATES
WASHINGTON, DISTRICT OF COLUMBIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Safa Rifka, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	103	116	122	70	77
Percentage of intended retrievals resulting in live births	31.1%	19.0%	13.1%	7.1%	3.9%
Percentage of intended retrievals resulting in singleton live births	25.2%	16.4%	13.1%	7.1%	2.6%
Number of **retrievals**	94	105	106	59	53
Percentage of retrievals resulting in live births	34.0%	21.0%	15.1%	8.5%	5.7%
Percentage of retrievals resulting in singleton live births	27.7%	18.1%	15.1%	8.5%	3.8%
Number of **transfers**	89	88	73	33	32
Percentage of transfers resulting in live births	36.0%	25.0%	21.9%	15.2%	9.4%
Percentage of transfers resulting in singleton live births	29.2%	21.6%	21.9%	15.2%	6.3%
Number of intended retrievals per live birth	3.2	5.3	7.6	14.0	25.7
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	35.7%	22.6%	16.0%	0.0%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	42.9%	34.0%	18.0%	0.0%	5.0%
Percentage of new patients having live births after all intended retrievals	44.6%	34.0%	22.0%	0.0%	5.0%
Average number of intended retrievals per new patient	1.4	1.5	1.5	1.6	1.5
Average number of transfers per intended retrieval	0.9	0.8	0.5	0.4	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	2	53	5
Percentage of transfers resulting in live births	1 / 6	1 / 2	37.7%	4 / 5
Percentage of transfers resulting in singleton live births	0 / 6	1 / 2	26.4%	3 / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	197	194	225	129	154	899
Percentage of cycles cancelled prior to retrieval or thaw	11.7%	10.3%	13.3%	16.3%	14.3%	12.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.1%	5.7%	11.6%	10.1%	18.2%	10.7%
Percentage of cycles for fertility preservation	16.8%	19.6%	20.9%	14.7%	5.2%	16.1%
Percentage of transfers using a gestational carrier	7.8%	10.2%	9.3%	7.3%	13.9%	9.7%
Percentage of transfers using frozen embryos	68.6%	66.7%	58.8%	67.3%	61.1%	64.5%
Percentage of transfers of at least one embryo with ICSI	78.4%	75.0%	75.3%	72.7%	62.5%	73.5%
Percentage of transfers of at least one embryo with PGT	41.2%	33.3%	38.1%	27.3%	6.9%	31.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	17%	Diminished ovarian reserve	17%
Endometriosis	3%	Egg or embryo banking	35%
Tubal factor	6%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	9%	Other, infertility	62%
Uterine factor	4%	Other, non-infertility	2%
PGT	21%	Unexplained	1%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

GEORGE WASHINGTON UNIVERSITY MEDICAL FACULTY ASSOCIATES
WASHINGTON, DISTRICT OF COLUMBIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by David Frankfurter, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	54	73	65	34	13
Percentage of intended retrievals resulting in live births	33.3%	26.0%	16.9%	2.9%	0 / 13
Percentage of intended retrievals resulting in singleton live births	31.5%	23.3%	15.4%	2.9%	0 / 13
Number of **retrievals**	47	62	56	29	10
Percentage of retrievals resulting in live births	38.3%	30.6%	19.6%	3.4%	0 / 10
Percentage of retrievals resulting in singleton live births	36.2%	27.4%	17.9%	3.4%	0 / 10
Number of **transfers**	58	50	43	19	5
Percentage of transfers resulting in live births	31.0%	38.0%	25.6%	1 / 19	0 / 5
Percentage of transfers resulting in singleton live births	29.3%	34.0%	23.3%	1 / 19	0 / 5
Number of intended retrievals per live birth	3.0	3.8	5.9	34.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	36.4%	26.3%	16.1%	0 / 10	0 / 4
Percentage of new patients having live births after 1 or 2 intended retrievals	48.5%	34.2%	22.6%	1 / 10	0 / 4
Percentage of new patients having live births after all intended retrievals	51.5%	36.8%	29.0%	1 / 10	0 / 4
Average number of intended retrievals per new patient	1.3	1.5	1.5	1.5	1.5
Average number of transfers per intended retrieval	1.1	0.6	0.7	0.7	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	9	9	0
Percentage of transfers resulting in live births		0 / 9	4 / 9	
Percentage of transfers resulting in singleton live births		0 / 9	4 / 9	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	108	134	108	44	47	441
Percentage of cycles cancelled prior to retrieval or thaw	8.3%	9.0%	12.0%	13.6%	23.4%	11.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	10.2%	14.9%	11.1%	29.5%	10.6%	13.8%
Percentage of cycles for fertility preservation	13.0%	9.7%	6.5%	2.3%	0.0%	7.9%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using frozen embryos	57.4%	75.4%	59.7%	31.8%	48.3%	59.2%
Percentage of transfers of at least one embryo with ICSI	96.3%	86.9%	82.3%	95.5%	65.5%	86.0%
Percentage of transfers of at least one embryo with PGT	9.3%	26.2%	19.4%	9.1%	0.0%	15.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	17%	Diminished ovarian reserve	31%
Endometriosis	2%	Egg or embryo banking	28%
Tubal factor	6%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	10%	Other, infertility	21%
Uterine factor	<1%	Other, non-infertility	2%
PGT	9%	Unexplained	23%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BOCAFERTILITY
BOCA RATON, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Moshe (Maurice) R. Peress, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	29	19	20	6	5
Percentage of intended retrievals resulting in live births	41.4%	7 / 19	25.0%	1 / 6	0 / 5
Percentage of intended retrievals resulting in singleton live births	34.5%	6 / 19	20.0%	1 / 6	0 / 5
Number of **retrievals**	28	18	19	6	4
Percentage of retrievals resulting in live births	42.9%	7 / 18	5 / 19	1 / 6	0 / 4
Percentage of retrievals resulting in singleton live births	35.7%	6 / 18	4 / 19	1 / 6	0 / 4
Number of **transfers**	31	17	14	6	4
Percentage of transfers resulting in live births	38.7%	7 / 17	5 / 14	1 / 6	0 / 4
Percentage of transfers resulting in singleton live births	32.3%	6 / 17	4 / 14	1 / 6	0 / 4
Number of intended retrievals per live birth	2.4	2.7	4.0	6.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	33.3%	3 / 13	4 / 13	1 / 3	0 / 4
Percentage of new patients having live births after 1 or 2 intended retrievals	37.5%	5 / 13	4 / 13	1 / 3	0 / 4
Percentage of new patients having live births after all intended retrievals	37.5%	5 / 13	4 / 13	1 / 3	0 / 4
Average number of intended retrievals per new patient	1.0	1.2	1.2	1.3	1.3
Average number of transfers per intended retrieval	1.0	0.9	0.7	1.0	0.8

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	13	0	29	2
Percentage of transfers resulting in live births	9 / 13		41.4%	1 / 2
Percentage of transfers resulting in singleton live births	4 / 13		34.5%	1 / 2

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	87	41	44	24	50	246
Percentage of cycles cancelled prior to retrieval or thaw	4.6%	2.4%	0.0%	8.3%	4.0%	3.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.1%	9.8%	13.6%	4.2%	10.0%	6.9%
Percentage of cycles for fertility preservation	2.3%	9.8%	2.3%	0.0%	0.0%	2.8%
Percentage of transfers using a gestational carrier	4.0%	0.0%	16.0%	1 / 11	28.1%	11.5%
Percentage of transfers using frozen embryos	96.0%	100.0%	84.0%	9 / 11	78.1%	89.2%
Percentage of transfers of at least one embryo with ICSI	66.0%	61.9%	52.0%	6 / 11	15.6%	50.4%
Percentage of transfers of at least one embryo with PGT	12.0%	4.8%	8.0%	3 / 11	25.0%	14.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	61%
Endometriosis	3%	Egg or embryo banking	33%
Tubal factor	12%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	48%	Other, infertility	7%
Uterine factor	5%	Other, non-infertility	4%
PGT	4%	Unexplained	4%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

PALM BEACH FERTILITY CENTER
BOCA RATON, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Mark S. Denker, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	35	24	12	8	3
Percentage of intended retrievals resulting in live births	40.0%	25.0%	2 / 12	0 / 8	0 / 3
Percentage of intended retrievals resulting in singleton live births	34.3%	16.7%	2 / 12	0 / 8	0 / 3
Number of **retrievals**	32	21	12	8	2
Percentage of retrievals resulting in live births	43.8%	28.6%	2 / 12	0 / 8	0 / 2
Percentage of retrievals resulting in singleton live births	37.5%	19.0%	2 / 12	0 / 8	0 / 2
Number of **transfers**	32	15	8	6	1
Percentage of transfers resulting in live births	43.8%	6 / 15	2 / 8	0 / 6	0 / 1
Percentage of transfers resulting in singleton live births	37.5%	4 / 15	2 / 8	0 / 6	0 / 1
Number of intended retrievals per live birth	2.5	4.0	6.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	43.5%	2 / 14	0 / 4	0 / 4	0 / 2
Percentage of new patients having live births after 1 or 2 intended retrievals	47.8%	4 / 14	0 / 4	0 / 4	0 / 2
Percentage of new patients having live births after all intended retrievals	47.8%	4 / 14	0 / 4	0 / 4	0 / 2
Average number of intended retrievals per new patient	1.1	1.4	1.5	1.8	1.0
Average number of transfers per intended retrieval	1.0	0.6	0.5	0.7	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	9	1	20	0
Percentage of transfers resulting in live births	5 / 9	0 / 1	40.0%	
Percentage of transfers resulting in singleton live births	4 / 9	0 / 1	30.0%	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	59	29	35	23	24	170
Percentage of cycles cancelled prior to retrieval or thaw	3.4%	24.1%	5.7%	13.0%	12.5%	10.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	13.6%	17.2%	25.7%	17.4%	8.3%	16.5%
Percentage of cycles for fertility preservation	13.6%	10.3%	20.0%	8.7%	12.5%	13.5%
Percentage of transfers using a gestational carrier	15.0%	1 / 14	2 / 15	0 / 14	2 / 16	11.1%
Percentage of transfers using frozen embryos	50.0%	6 / 14	6 / 15	3 / 14	11 / 16	46.5%
Percentage of transfers of at least one embryo with ICSI	92.5%	12 / 14	14 / 15	14 / 14	11 / 16	88.9%
Percentage of transfers of at least one embryo with PGT	35.0%	1 / 14	4 / 15	5 / 14	3 / 16	27.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	44%	Diminished ovarian reserve	49%
Endometriosis	6%	Egg or embryo banking	26%
Tubal factor	18%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	15%	Other, infertility	14%
Uterine factor	13%	Other, non-infertility	1%
PGT	5%	Unexplained	2%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

POLCZ FERTILITY CENTER
BOYNTON BEACH, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Tibor E. Polcz, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	7	3	4	0	0
Percentage of intended retrievals resulting in live births	4 / 7	1 / 3	2 / 4		
Percentage of intended retrievals resulting in singleton live births	3 / 7	0 / 3	2 / 4		
Number of **retrievals**	7	3	4	0	0
Percentage of retrievals resulting in live births	4 / 7	1 / 3	2 / 4		
Percentage of retrievals resulting in singleton live births	3 / 7	0 / 3	2 / 4		
Number of **transfers**	7	3	4	0	0
Percentage of transfers resulting in live births	4 / 7	1 / 3	2 / 4		
Percentage of transfers resulting in singleton live births	3 / 7	0 / 3	2 / 4		
Number of intended retrievals per live birth	1.8	3.0	2.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	3 / 4	0 / 2	1 / 3		
Percentage of new patients having live births after 1 or 2 intended retrievals	3 / 4	0 / 2	1 / 3		
Percentage of new patients having live births after all intended retrievals	3 / 4	0 / 2	1 / 3		
Average number of intended retrievals per new patient	1.0	1.0	1.0		
Average number of transfers per intended retrieval	1.0	1.0	1.0		

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	2	0	0	0
Percentage of transfers resulting in live births	1 / 2			
Percentage of transfers resulting in singleton live births	1 / 2			

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	6	9	5	1	1	22
Percentage of cycles cancelled prior to retrieval or thaw	0 / 6	0 / 9	0 / 5	0 / 1	0 / 1	0.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0 / 6	0 / 9	1 / 5	0 / 1	0 / 1	4.5%
Percentage of cycles for fertility preservation	0 / 6	0 / 9	0 / 5	0 / 1	0 / 1	0.0%
Percentage of transfers using a gestational carrier	0 / 6	0 / 9	0 / 4	0 / 1	0 / 1	0.0%
Percentage of transfers using frozen embryos	0 / 6	3 / 9	1 / 4	0 / 1	0 / 1	19.0%
Percentage of transfers of at least one embryo with ICSI	4 / 6	6 / 9	0 / 4	1 / 1	1 / 1	57.1%
Percentage of transfers of at least one embryo with PGT	0 / 6	0 / 9	0 / 4	0 / 1	0 / 1	0.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	45%	Diminished ovarian reserve	27%
Endometriosis	0%	Egg or embryo banking	0%
Tubal factor	32%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	18%	Other, infertility	0%
Uterine factor	0%	Other, non-infertility	0%
PGT	0%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FLORIDA FERTILITY INSTITUTE
CLEARWATER, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Mark D. Sanchez, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	80	30	27	5	1
Percentage of intended retrievals resulting in live births	42.5%	23.3%	25.9%	0 / 5	0 / 1
Percentage of intended retrievals resulting in singleton live births	33.8%	16.7%	22.2%	0 / 5	0 / 1
Number of **retrievals**	79	26	23	4	1
Percentage of retrievals resulting in live births	43.0%	26.9%	30.4%	0 / 4	0 / 1
Percentage of retrievals resulting in singleton live births	34.2%	19.2%	26.1%	0 / 4	0 / 1
Number of **transfers**	89	26	21	4	1
Percentage of transfers resulting in live births	38.2%	26.9%	33.3%	0 / 4	0 / 1
Percentage of transfers resulting in singleton live births	30.3%	19.2%	28.6%	0 / 4	0 / 1
Number of intended retrievals per live birth	2.4	4.3	3.9		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	49.2%	5 / 16	3 / 14	0 / 3	0 / 1
Percentage of new patients having live births after 1 or 2 intended retrievals	50.8%	7 / 16	4 / 14	0 / 3	0 / 1
Percentage of new patients having live births after all intended retrievals	50.8%	7 / 16	4 / 14	0 / 3	0 / 1
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.0	1.0
Average number of transfers per intended retrieval	1.1	0.8	0.8	0.7	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	5	5	8	0
Percentage of transfers resulting in live births	2 / 5	4 / 5	3 / 8	
Percentage of transfers resulting in singleton live births	2 / 5	4 / 5	0 / 8	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	108	57	38	18	16	237
Percentage of cycles cancelled prior to retrieval or thaw	11.1%	7.0%	7.9%	0 / 18	0 / 16	8.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	13.0%	5.3%	26.3%	3 / 18	3 / 16	13.9%
Percentage of cycles for fertility preservation	0.9%	0.0%	0.0%	0 / 18	0 / 16	0.4%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0 / 16	0 / 14	0 / 12	0.0%
Percentage of transfers using frozen embryos	62.3%	41.0%	6 / 16	10 / 14	4 / 12	51.5%
Percentage of transfers of at least one embryo with ICSI	81.1%	82.1%	12 / 16	11 / 14	11 / 12	81.3%
Percentage of transfers of at least one embryo with PGT	20.8%	15.4%	3 / 16	2 / 14	2 / 12	17.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	44%	Diminished ovarian reserve	8%
Endometriosis	10%	Egg or embryo banking	24%
Tubal factor	18%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	25%	Other, infertility	44%
Uterine factor	6%	Other, non-infertility	5%
PGT	3%	Unexplained	3%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CONCEPTIONS FLORIDA: CENTER FOR FERTILITY AND GENETICS
CORAL GABLES, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Armando E. Hernandez-Rey, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	59	34	52	18	9
Percentage of intended retrievals resulting in live births	39.0%	26.5%	25.0%	3 / 18	1 / 9
Percentage of intended retrievals resulting in singleton live births	27.1%	26.5%	21.2%	2 / 18	1 / 9
Number of **retrievals**	56	26	49	14	9
Percentage of retrievals resulting in live births	41.1%	34.6%	26.5%	3 / 14	1 / 9
Percentage of retrievals resulting in singleton live births	28.6%	34.6%	22.4%	2 / 14	1 / 9
Number of **transfers**	50	25	44	14	7
Percentage of transfers resulting in live births	46.0%	36.0%	29.5%	3 / 14	1 / 7
Percentage of transfers resulting in singleton live births	32.0%	36.0%	25.0%	2 / 14	1 / 7
Number of intended retrievals per live birth	2.6	3.8	4.0	6.0	9.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	41.5%	26.9%	23.5%	1 / 12	1 / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	43.9%	26.9%	35.3%	1 / 12	1 / 7
Percentage of new patients having live births after all intended retrievals	48.8%	30.8%	35.3%	1 / 12	1 / 7
Average number of intended retrievals per new patient	1.2	1.2	1.4	1.3	1.1
Average number of transfers per intended retrieval	0.8	0.7	0.9	0.7	0.8

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	13	22	0
Percentage of transfers resulting in live births		4 / 13	63.6%	
Percentage of transfers resulting in singleton live births		3 / 13	40.9%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	125	105	89	48	28	395
Percentage of cycles cancelled prior to retrieval or thaw	5.6%	18.1%	14.6%	16.7%	21.4%	13.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	15.2%	7.6%	10.1%	8.3%	14.3%	11.1%
Percentage of cycles for fertility preservation	3.2%	4.8%	10.1%	6.3%	0.0%	5.3%
Percentage of transfers using a gestational carrier	1.3%	5.4%	0.0%	8.0%	3 / 16	4.2%
Percentage of transfers using frozen embryos	57.3%	58.9%	77.5%	60.0%	11 / 16	62.7%
Percentage of transfers of at least one embryo with ICSI	21.3%	17.9%	22.5%	24.0%	3 / 16	20.8%
Percentage of transfers of at least one embryo with PGT	18.7%	23.2%	42.5%	8.0%	3 / 16	23.1%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	10%	Diminished ovarian reserve	51%
Endometriosis	5%	Egg or embryo banking	24%
Tubal factor	2%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	11%	Other, infertility	34%
Uterine factor	3%	Other, non-infertility	2%
PGT	28%	Unexplained	4%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SOUTHWEST FLORIDA FERTILITY CENTER, PA
FORT MYERS, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Jacob L. Glock, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	20	10	16	15	8
Percentage of intended retrievals resulting in live births	55.0%	4 / 10	4 / 16	1 / 15	0 / 8
Percentage of intended retrievals resulting in singleton live births	35.0%	3 / 10	3 / 16	1 / 15	0 / 8
Number of **retrievals**	20	10	14	13	8
Percentage of retrievals resulting in live births	55.0%	4 / 10	4 / 14	1 / 13	0 / 8
Percentage of retrievals resulting in singleton live births	35.0%	3 / 10	3 / 14	1 / 13	0 / 8
Number of **transfers**	22	10	13	9	5
Percentage of transfers resulting in live births	50.0%	4 / 10	4 / 13	1 / 9	0 / 5
Percentage of transfers resulting in singleton live births	31.8%	3 / 10	3 / 13	1 / 9	0 / 5
Number of intended retrievals per live birth	1.8	2.5	4.0	15.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	9 / 19	4 / 9	2 / 11	1 / 5	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	10 / 19	4 / 9	2 / 11	1 / 5	0 / 5
Percentage of new patients having live births after all intended retrievals	10 / 19	4 / 9	2 / 11	1 / 5	0 / 5
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.6	1.4
Average number of transfers per intended retrieval	1.1	1.0	0.8	0.4	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	21	6	8	14	8	57
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	1 / 6	0 / 8	0 / 14	1 / 8	3.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	0 / 6	0 / 8	1 / 14	2 / 8	5.3%
Percentage of cycles for fertility preservation	23.8%	0 / 6	3 / 8	6 / 14	0 / 8	24.6%
Percentage of transfers using a gestational carrier	0 / 16	0 / 5	0 / 5	0 / 7	0 / 4	0.0%
Percentage of transfers using frozen embryos	5 / 16	1 / 5	0 / 5	2 / 7	1 / 4	24.3%
Percentage of transfers of at least one embryo with ICSI	3 / 16	0 / 5	1 / 5	4 / 7	3 / 4	29.7%
Percentage of transfers of at least one embryo with PGT	1 / 16	0 / 5	0 / 5	0 / 7	1 / 4	5.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	19%	Diminished ovarian reserve	32%
Endometriosis	12%	Egg or embryo banking	26%
Tubal factor	21%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	16%	Other, infertility	0%
Uterine factor	11%	Other, non-infertility	0%
PGT	18%	Unexplained	7%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SPECIALISTS IN REPRODUCTIVE MEDICINE AND SURGERY, PA
EMBRYO DONATION INTERNATIONAL, PL
FORT MYERS, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Craig R. Sweet, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	43	20	9	4	0
Percentage of intended retrievals resulting in live births	55.8%	30.0%	2 / 9	0 / 4	
Percentage of intended retrievals resulting in singleton live births	34.9%	20.0%	2 / 9	0 / 4	
Number of **retrievals**	43	18	8	4	0
Percentage of retrievals resulting in live births	55.8%	6 / 18	2 / 8	0 / 4	
Percentage of retrievals resulting in singleton live births	34.9%	4 / 18	2 / 8	0 / 4	
Number of **transfers**	49	20	9	1	0
Percentage of transfers resulting in live births	49.0%	30.0%	2 / 9	0 / 1	
Percentage of transfers resulting in singleton live births	30.6%	20.0%	2 / 9	0 / 1	
Number of intended retrievals per live birth	1.8	3.3	4.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	52.0%	3 / 10	2 / 4	0 / 1	
Percentage of new patients having live births after 1 or 2 intended retrievals	68.0%	4 / 10	2 / 4	0 / 1	
Percentage of new patients having live births after all intended retrievals	68.0%	4 / 10	2 / 4	0 / 1	
Average number of intended retrievals per new patient	1.2	1.4	1.0	1.0	
Average number of transfers per intended retrieval	1.1	0.9	1.5	0.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	4	0	14	38
Percentage of transfers resulting in live births	2 / 4		3 / 14	36.8%
Percentage of transfers resulting in singleton live births	2 / 4		2 / 14	28.9%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	54	26	27	13	39	159
Percentage of cycles cancelled prior to retrieval or thaw	11.1%	7.7%	14.8%	3 / 13	20.5%	14.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.6%	0.0%	3.7%	0 / 13	2.6%	3.1%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 13	0.0%	0.0%
Percentage of transfers using a gestational carrier	2.5%	0.0%	0.0%	0 / 10	0.0%	0.8%
Percentage of transfers using frozen embryos	47.5%	54.5%	54.5%	8 / 10	93.1%	63.4%
Percentage of transfers of at least one embryo with ICSI	87.5%	68.2%	50.0%	2 / 10	27.6%	57.7%
Percentage of transfers of at least one embryo with PGT	12.5%	22.7%	9.1%	1 / 10	10.3%	13.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	12%	Diminished ovarian reserve	60%
Endometriosis	14%	Egg or embryo banking	5%
Tubal factor	11%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	13%	Other, infertility	14%
Uterine factor	0%	Other, non-infertility	3%
PGT	5%	Unexplained	1%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UF HEALTH REPRODUCTIVE MEDICINE AT SPRINGHILL
GAINESVILLE, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Alice S. Rhoton-Vlasak, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	23	16	9	2	3
Percentage of intended retrievals resulting in live births	52.2%	6 / 16	3 / 9	1 / 2	0 / 3
Percentage of intended retrievals resulting in singleton live births	39.1%	6 / 16	2 / 9	1 / 2	0 / 3
Number of **retrievals**	21	15	7	2	3
Percentage of retrievals resulting in live births	57.1%	6 / 15	3 / 7	1 / 2	0 / 3
Percentage of retrievals resulting in singleton live births	42.9%	6 / 15	2 / 7	1 / 2	0 / 3
Number of **transfers**	26	14	5	2	2
Percentage of transfers resulting in live births	46.2%	6 / 14	3 / 5	1 / 2	0 / 2
Percentage of transfers resulting in singleton live births	34.6%	6 / 14	2 / 5	1 / 2	0 / 2
Number of intended retrievals per live birth	1.9	2.7	3.0	2.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	10 / 18	4 / 11	2 / 7	1 / 2	0 / 2
Percentage of new patients having live births after 1 or 2 intended retrievals	10 / 18	5 / 11	3 / 7	1 / 2	0 / 2
Percentage of new patients having live births after all intended retrievals	10 / 18	5 / 11	3 / 7	1 / 2	0 / 2
Average number of intended retrievals per new patient	1.0	1.2	1.3	1.0	1.5
Average number of transfers per intended retrieval	1.2	0.8	0.6	1.0	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	5	4	0
Percentage of transfers resulting in live births		2 / 5	2 / 4	
Percentage of transfers resulting in singleton live births		2 / 5	2 / 4	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	59	12	10	2	8	91
Percentage of cycles cancelled prior to retrieval or thaw	5.1%	0 / 12	1 / 10	0 / 2	1 / 8	5.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	22.0%	0 / 12	0 / 10	0 / 2	0 / 8	14.3%
Percentage of cycles for fertility preservation	1.7%	2 / 12	1 / 10	0 / 2	0 / 8	4.4%
Percentage of transfers using a gestational carrier	0.0%	0 / 10	0 / 7	0 / 2	0 / 7	0.0%
Percentage of transfers using frozen embryos	65.0%	4 / 10	2 / 7	0 / 2	3 / 7	53.0%
Percentage of transfers of at least one embryo with ICSI	57.5%	5 / 10	7 / 7	2 / 2	6 / 7	65.2%
Percentage of transfers of at least one embryo with PGT	5.0%	1 / 10	1 / 7	0 / 2	0 / 7	6.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	38%	Diminished ovarian reserve	21%
Endometriosis	13%	Egg or embryo banking	8%
Tubal factor	22%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	34%	Other, infertility	25%
Uterine factor	2%	Other, non-infertility	1%
PGT	9%	Unexplained	2%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ASSISTED FERTILITY PROGRAM
JACKSONVILLE, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Marwan M. Shaykh, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	26	8	12	5	1
Percentage of intended retrievals resulting in live births	46.2%	3 / 8	3 / 12	1 / 5	0 / 1
Percentage of intended retrievals resulting in singleton live births	38.5%	2 / 8	3 / 12	1 / 5	0 / 1
Number of **retrievals**	24	8	10	5	1
Percentage of retrievals resulting in live births	50.0%	3 / 8	3 / 10	1 / 5	0 / 1
Percentage of retrievals resulting in singleton live births	41.7%	2 / 8	3 / 10	1 / 5	0 / 1
Number of **transfers**	27	7	12	5	1
Percentage of transfers resulting in live births	44.4%	3 / 7	3 / 12	1 / 5	0 / 1
Percentage of transfers resulting in singleton live births	37.0%	2 / 7	3 / 12	1 / 5	0 / 1
Number of intended retrievals per live birth	2.2	2.7	4.0	5.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	9 / 19	3 / 7	2 / 9	1 / 5	0 / 1
Percentage of new patients having live births after 1 or 2 intended retrievals	9 / 19	3 / 7	2 / 9	1 / 5	0 / 1
Percentage of new patients having live births after all intended retrievals	9 / 19	3 / 7	2 / 9	1 / 5	0 / 1
Average number of intended retrievals per new patient	1.1	1.0	1.1	1.0	1.0
Average number of transfers per intended retrieval	1.0	0.9	1.0	1.0	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	3	0	14	0
Percentage of transfers resulting in live births	2 / 3		5 / 14	
Percentage of transfers resulting in singleton live births	1 / 3		4 / 14	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	53	28	18	8	20	127
Percentage of cycles cancelled prior to retrieval or thaw	1.9%	0.0%	2 / 18	0 / 8	5.0%	3.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	39.6%	21.4%	2 / 18	2 / 8	40.0%	30.7%
Percentage of cycles for fertility preservation	0.0%	0.0%	0 / 18	0 / 8	0.0%	0.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0 / 14	1 / 6	1 / 11	2.4%
Percentage of transfers using frozen embryos	80.6%	61.9%	11 / 14	4 / 6	9 / 11	74.7%
Percentage of transfers of at least one embryo with ICSI	51.6%	42.9%	9 / 14	3 / 6	3 / 11	48.2%
Percentage of transfers of at least one embryo with PGT	16.1%	14.3%	3 / 14	0 / 6	3 / 11	16.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	20%	Diminished ovarian reserve	23%
Endometriosis	4%	Egg or embryo banking	1%
Tubal factor	31%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	16%	Other, infertility	2%
Uterine factor	6%	Other, non-infertility	11%
PGT	6%	Unexplained	5%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BROWN FERTILITY
JACKSONVILLE, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Samuel E. Brown, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	145	69	47	16	10
Percentage of intended retrievals resulting in live births	51.0%	50.7%	34.0%	2 / 16	1 / 10
Percentage of intended retrievals resulting in singleton live births	39.3%	34.8%	29.8%	2 / 16	1 / 10
Number of **retrievals**	133	63	45	14	10
Percentage of retrievals resulting in live births	55.6%	55.6%	35.6%	2 / 14	1 / 10
Percentage of retrievals resulting in singleton live births	42.9%	38.1%	31.1%	2 / 14	1 / 10
Number of **transfers**	203	79	65	13	10
Percentage of transfers resulting in live births	36.5%	44.3%	24.6%	2 / 13	1 / 10
Percentage of transfers resulting in singleton live births	28.1%	30.4%	21.5%	2 / 13	1 / 10
Number of intended retrievals per live birth	2.0	2.0	2.9	8.0	10.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	40.8%	45.2%	25.0%	1 / 10	0 / 3
Percentage of new patients having live births after 1 or 2 intended retrievals	46.9%	52.4%	35.7%	1 / 10	0 / 3
Percentage of new patients having live births after all intended retrievals	48.0%	52.4%	35.7%	1 / 10	0 / 3
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.0	1.0
Average number of transfers per intended retrieval	1.3	1.1	1.4	0.7	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	35	0	59	12
Percentage of transfers resulting in live births	45.7%		40.7%	4 / 12
Percentage of transfers resulting in singleton live births	40.0%		33.9%	3 / 12

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	345	144	118	68	71	746
Percentage of cycles cancelled prior to retrieval or thaw	0.9%	2.8%	2.5%	0.0%	0.0%	1.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	14.8%	9.0%	9.3%	16.2%	9.9%	12.5%
Percentage of cycles for fertility preservation	0.3%	0.7%	0.8%	1.5%	0.0%	0.5%
Percentage of transfers using a gestational carrier	0.7%	0.8%	4.0%	0.0%	4.7%	1.6%
Percentage of transfers using frozen embryos	56.5%	56.6%	60.0%	70.9%	68.8%	59.6%
Percentage of transfers of at least one embryo with ICSI	99.3%	100.0%	99.0%	100.0%	100.0%	99.5%
Percentage of transfers of at least one embryo with PGT	3.5%	4.9%	6.0%	5.5%	12.5%	5.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	24%	Diminished ovarian reserve	41%
Endometriosis	22%	Egg or embryo banking	3%
Tubal factor	16%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	23%	Other, infertility	2%
Uterine factor	4%	Other, non-infertility	2%
PGT	7%	Unexplained	6%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE
JACKSONVILLE, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Kevin L. Winslow, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	201	84	48	35	7
Percentage of intended retrievals resulting in live births	63.7%	39.3%	27.1%	5.7%	0 / 7
Percentage of intended retrievals resulting in singleton live births	50.2%	34.5%	22.9%	5.7%	0 / 7
Number of **retrievals**	187	79	44	33	7
Percentage of retrievals resulting in live births	68.4%	41.8%	29.5%	6.1%	0 / 7
Percentage of retrievals resulting in singleton live births	54.0%	36.7%	25.0%	6.1%	0 / 7
Number of **transfers**	246	96	41	18	2
Percentage of transfers resulting in live births	52.0%	34.4%	31.7%	2 / 18	0 / 2
Percentage of transfers resulting in singleton live births	41.1%	30.2%	26.8%	2 / 18	0 / 2
Number of intended retrievals per live birth	1.6	2.5	3.7	17.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	63.0%	46.3%	31.0%	2 / 15	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	68.5%	50.0%	31.0%	2 / 15	0 / 5
Percentage of new patients having live births after all intended retrievals	68.5%	51.9%	31.0%	2 / 15	0 / 5
Average number of intended retrievals per new patient	1.1	1.1	1.2	1.5	1.0
Average number of transfers per intended retrieval	1.2	1.2	0.9	0.2	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	2	20	45	77
Percentage of transfers resulting in live births	0 / 2	40.0%	37.8%	29.9%
Percentage of transfers resulting in singleton live births	0 / 2	40.0%	31.1%	23.4%

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	581	272	203	80	73	1,209
Percentage of cycles cancelled prior to retrieval or thaw	8.4%	15.1%	10.8%	22.5%	15.1%	11.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	12.6%	9.2%	9.4%	7.5%	2.7%	10.3%
Percentage of cycles for fertility preservation	3.1%	1.5%	0.5%	0.0%	1.4%	2.0%
Percentage of transfers using a gestational carrier	0.3%	4.9%	0.0%	0.0%	1.8%	1.3%
Percentage of transfers using frozen embryos	93.8%	93.0%	93.2%	77.3%	80.4%	91.3%
Percentage of transfers of at least one embryo with ICSI	84.3%	82.4%	83.5%	75.0%	71.4%	82.1%
Percentage of transfers of at least one embryo with PGT	38.8%	41.5%	53.4%	20.5%	19.6%	38.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	39%	Diminished ovarian reserve	22%
Endometriosis	15%	Egg or embryo banking	26%
Tubal factor	14%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	15%	Other, infertility	6%
Uterine factor	3%	Other, non-infertility	1%
PGT	2%	Unexplained	18%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

JACKSONVILLE CENTER FOR REPRODUCTIVE MEDICINE
JACKSONVILLE, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michael D. Fox, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	83	43	24	17	5
Percentage of intended retrievals resulting in live births	30.1%	25.6%	12.5%	2 / 17	0 / 5
Percentage of intended retrievals resulting in singleton live births	20.5%	18.6%	12.5%	2 / 17	0 / 5
Number of **retrievals**	73	38	21	15	5
Percentage of retrievals resulting in live births	34.2%	28.9%	14.3%	2 / 15	0 / 5
Percentage of retrievals resulting in singleton live births	23.3%	21.1%	14.3%	2 / 15	0 / 5
Number of **transfers**	78	31	17	10	0
Percentage of transfers resulting in live births	32.1%	35.5%	3 / 17	2 / 10	
Percentage of transfers resulting in singleton live births	21.8%	25.8%	3 / 17	2 / 10	
Number of intended retrievals per live birth	3.3	3.9	8.0	8.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	32.7%	16.1%	0 / 8	0 / 10	0 / 1
Percentage of new patients having live births after 1 or 2 intended retrievals	36.4%	22.6%	1 / 8	1 / 10	0 / 1
Percentage of new patients having live births after all intended retrievals	36.4%	22.6%	2 / 8	1 / 10	0 / 1
Average number of intended retrievals per new patient	1.1	1.1	2.0	1.3	2.0
Average number of transfers per intended retrieval	1.0	0.7	0.7	0.7	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	0	21	0
Percentage of transfers resulting in live births	1 / 7		19.0%	
Percentage of transfers resulting in singleton live births	1 / 7		14.3%	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	177	91	56	33	25	382
Percentage of cycles cancelled prior to retrieval or thaw	5.6%	5.5%	7.1%	9.1%	8.0%	6.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	15.3%	17.6%	26.8%	30.3%	16.0%	18.8%
Percentage of cycles for fertility preservation	2.8%	5.5%	5.4%	3.0%	4.0%	3.9%
Percentage of transfers using a gestational carrier	0.9%	0.0%	0.0%	1 / 12	1 / 16	1.4%
Percentage of transfers using frozen embryos	60.2%	52.2%	59.3%	9 / 12	13 / 16	60.8%
Percentage of transfers of at least one embryo with ICSI	34.3%	32.6%	22.2%	4 / 12	9 / 16	34.0%
Percentage of transfers of at least one embryo with PGT	22.2%	21.7%	25.9%	5 / 12	2 / 16	23.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	10%	Diminished ovarian reserve	27%
Endometriosis	35%	Egg or embryo banking	25%
Tubal factor	4%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	9%	Other, infertility	4%
Uterine factor	2%	Other, non-infertility	<1%
PGT	3%	Unexplained	0%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTER FOR REPRODUCTIVE MEDICINE
LUTZ, FLORIDA

This clinic provided ART services during 2017 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2017 ART cycle data or the clinic's Medical Director did not approve the clinic's 2017 ART cycle data for inclusion in this report.

This clinic provided ART services during 2017 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2017 ART cycle data or the clinic's Medical Director did not approve the clinic's 2017 ART cycle data for inclusion in this report.

IVF FLORIDA REPRODUCTIVE ASSOCIATES
MARGATE, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by David I. Hoffman, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	301	163	224	89	52
Percentage of intended retrievals resulting in live births	47.2%	39.3%	18.8%	14.6%	3.8%
Percentage of intended retrievals resulting in singleton live births	39.5%	31.3%	15.6%	13.5%	3.8%
Number of **retrievals**	288	147	188	76	43
Percentage of retrievals resulting in live births	49.3%	43.5%	22.3%	17.1%	4.7%
Percentage of retrievals resulting in singleton live births	41.3%	34.7%	18.6%	15.8%	4.7%
Number of **transfers**	345	152	163	62	26
Percentage of transfers resulting in live births	41.2%	42.1%	25.8%	21.0%	7.7%
Percentage of transfers resulting in singleton live births	34.5%	33.6%	21.5%	19.4%	7.7%
Number of intended retrievals per live birth	2.1	2.5	5.3	6.8	26.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	52.7%	42.3%	18.1%	15.0%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	60.2%	48.1%	25.0%	22.5%	0.0%
Percentage of new patients having live births after all intended retrievals	60.2%	50.0%	26.7%	25.0%	0.0%
Average number of intended retrievals per new patient	1.2	1.2	1.5	1.6	1.2
Average number of transfers per intended retrieval	1.1	0.9	0.7	0.6	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	4	97	58	3
Percentage of transfers resulting in live births	1 / 4	42.3%	31.0%	1 / 3
Percentage of transfers resulting in singleton live births	1 / 4	40.2%	25.9%	1 / 3

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	533	323	324	218	184	1,582
Percentage of cycles cancelled prior to retrieval or thaw	5.3%	6.5%	12.3%	11.9%	16.3%	9.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	14.6%	10.2%	9.3%	11.5%	12.0%	11.9%
Percentage of cycles for fertility preservation	1.9%	7.4%	3.7%	0.9%	1.1%	3.2%
Percentage of transfers using a gestational carrier	0.6%	2.1%	5.7%	5.0%	14.2%	4.0%
Percentage of transfers using frozen embryos	63.1%	59.3%	53.8%	47.1%	39.8%	55.8%
Percentage of transfers of at least one embryo with ICSI	73.8%	69.3%	66.5%	74.4%	68.1%	71.0%
Percentage of transfers of at least one embryo with PGT	13.5%	20.1%	24.1%	12.4%	8.0%	15.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	32%	Diminished ovarian reserve	33%
Endometriosis	6%	Egg or embryo banking	22%
Tubal factor	13%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	13%	Other, infertility	36%
Uterine factor	5%	Other, non-infertility	2%
PGT	20%	Unexplained	3%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

VIERA FERTILITY CENTER
MELBOURNE, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Diran J. Chamoun, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	29	11	9	2	3
Percentage of intended retrievals resulting in live births	24.1%	1 / 11	1 / 9	1 / 2	0 / 3
Percentage of intended retrievals resulting in singleton live births	17.2%	0 / 11	1 / 9	1 / 2	0 / 3
Number of **retrievals**	24	11	7	2	3
Percentage of retrievals resulting in live births	29.2%	1 / 11	1 / 7	1 / 2	0 / 3
Percentage of retrievals resulting in singleton live births	20.8%	0 / 11	1 / 7	1 / 2	0 / 3
Number of **transfers**	20	10	5	1	2
Percentage of transfers resulting in live births	35.0%	1 / 10	1 / 5	1 / 1	0 / 2
Percentage of transfers resulting in singleton live births	25.0%	0 / 10	1 / 5	1 / 1	0 / 2
Number of intended retrievals per live birth	4.1	11.0	9.0	2.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	5 / 18	1 / 7	0 / 6	1 / 2	0 / 1
Percentage of new patients having live births after 1 or 2 intended retrievals	5 / 18	1 / 7	0 / 6	1 / 2	0 / 1
Percentage of new patients having live births after all intended retrievals	5 / 18	1 / 7	0 / 6	1 / 2	0 / 1
Average number of intended retrievals per new patient	1.1	1.0	1.2	1.0	1.0
Average number of transfers per intended retrieval	0.7	1.1	0.4	0.5	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	2	3	8	3
Percentage of transfers resulting in live births	1 / 2	2 / 3	0 / 8	2 / 3
Percentage of transfers resulting in singleton live births	0 / 2	2 / 3	0 / 8	2 / 3

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	51	31	20	11	10	123
Percentage of cycles cancelled prior to retrieval or thaw	2.0%	3.2%	10.0%	0 / 11	0 / 10	3.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	13.7%	9.7%	35.0%	2 / 11	1 / 10	16.3%
Percentage of cycles for fertility preservation	0.0%	3.2%	0.0%	0 / 11	0 / 10	0.8%
Percentage of transfers using a gestational carrier	11.8%	1 / 19	1 / 9	0 / 9	2 / 8	10.1%
Percentage of transfers using frozen embryos	55.9%	12 / 19	6 / 9	5 / 9	7 / 8	62.0%
Percentage of transfers of at least one embryo with ICSI	76.5%	11 / 19	7 / 9	4 / 9	2 / 8	63.3%
Percentage of transfers of at least one embryo with PGT	38.2%	4 / 19	2 / 9	0 / 9	2 / 8	26.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	31%
Endometriosis	6%	Egg or embryo banking	16%
Tubal factor	26%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	31%	Other, infertility	50%
Uterine factor	11%	Other, non-infertility	16%
PGT	6%	Unexplained	1%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY & IVF CENTER OF MIAMI, INC.
MIAMI, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michael H. Jacobs, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	100	70	71	26	32
Percentage of intended retrievals resulting in live births	42.0%	42.9%	23.9%	23.1%	0.0%
Percentage of intended retrievals resulting in singleton live births	34.0%	31.4%	18.3%	23.1%	0.0%
Number of **retrievals**	93	67	60	24	26
Percentage of retrievals resulting in live births	45.2%	44.8%	28.3%	25.0%	0.0%
Percentage of retrievals resulting in singleton live births	36.6%	32.8%	21.7%	25.0%	0.0%
Number of **transfers**	103	57	40	10	7
Percentage of transfers resulting in live births	40.8%	52.6%	42.5%	6 / 10	0 / 7
Percentage of transfers resulting in singleton live births	33.0%	38.6%	32.5%	6 / 10	0 / 7
Number of intended retrievals per live birth	2.4	2.3	4.2	4.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	43.6%	40.4%	20.7%	2 / 12	0 / 16
Percentage of new patients having live births after 1 or 2 intended retrievals	49.1%	48.9%	31.0%	3 / 12	0 / 16
Percentage of new patients having live births after all intended retrievals	49.1%	48.9%	31.0%	3 / 12	0 / 16
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.3	1.3
Average number of transfers per intended retrieval	1.0	0.9	0.6	0.3	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	2	3	61	1
Percentage of transfers resulting in live births	1 / 2	1 / 3	60.7%	0 / 1
Percentage of transfers resulting in singleton live births	0 / 2	0 / 3	41.0%	0 / 1

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	156	109	140	72	82	559
Percentage of cycles cancelled prior to retrieval or thaw	4.5%	6.4%	7.9%	6.9%	7.3%	6.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.6%	9.2%	22.9%	26.4%	18.3%	16.3%
Percentage of cycles for fertility preservation	3.2%	3.7%	3.6%	4.2%	1.2%	3.2%
Percentage of transfers using a gestational carrier	8.9%	14.0%	3.6%	10.0%	45.0%	14.5%
Percentage of transfers using frozen embryos	91.1%	89.5%	87.5%	90.0%	92.5%	90.1%
Percentage of transfers of at least one embryo with ICSI	89.9%	73.7%	89.3%	53.3%	75.0%	79.8%
Percentage of transfers of at least one embryo with PGT	69.6%	71.9%	53.6%	66.7%	72.5%	66.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	35%
Endometriosis	7%	Egg or embryo banking	42%
Tubal factor	12%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	14%	Other, infertility	77%
Uterine factor	9%	Other, non-infertility	8%
PGT	8%	Unexplained	1%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY OF MIAMI INFERTILITY CENTER
MIAMI, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by George R. Attia, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	57	43	39	16	11
Percentage of intended retrievals resulting in live births	59.6%	30.2%	25.6%	4 / 16	0 / 11
Percentage of intended retrievals resulting in singleton live births	35.1%	23.3%	15.4%	4 / 16	0 / 11
Number of **retrievals**	51	40	36	15	9
Percentage of retrievals resulting in live births	66.7%	32.5%	27.8%	4 / 15	0 / 9
Percentage of retrievals resulting in singleton live births	39.2%	25.0%	16.7%	4 / 15	0 / 9
Number of **transfers**	54	43	40	8	6
Percentage of transfers resulting in live births	63.0%	30.2%	25.0%	4 / 8	0 / 6
Percentage of transfers resulting in singleton live births	37.0%	23.3%	15.0%	4 / 8	0 / 6
Number of intended retrievals per live birth	1.7	3.3	3.9	4.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	63.3%	32.3%	25.0%	3 / 13	0 / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	63.3%	35.5%	25.0%	3 / 13	0 / 7
Percentage of new patients having live births after all intended retrievals	63.3%	35.5%	25.0%	3 / 13	0 / 7
Average number of intended retrievals per new patient	1.0	1.1	1.0	1.1	1.1
Average number of transfers per intended retrieval	0.9	1.0	1.0	0.4	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	4	7	0
Percentage of transfers resulting in live births	0 / 1	1 / 4	5 / 7	
Percentage of transfers resulting in singleton live births	0 / 1	1 / 4	2 / 7	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	103	55	53	11	18	240
Percentage of cycles cancelled prior to retrieval or thaw	6.8%	7.3%	9.4%	1 / 11	3 / 18	8.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.8%	7.3%	7.5%	2 / 11	0 / 18	7.5%
Percentage of cycles for fertility preservation	1.9%	3.6%	1.9%	0 / 11	0 / 18	2.1%
Percentage of transfers using a gestational carrier	0.0%	3.3%	0.0%	0 / 8	1 / 15	1.4%
Percentage of transfers using frozen embryos	62.5%	63.3%	31.4%	3 / 8	7 / 15	52.1%
Percentage of transfers of at least one embryo with ICSI	94.6%	93.3%	94.3%	6 / 8	9 / 15	89.6%
Percentage of transfers of at least one embryo with PGT	57.1%	36.7%	14.3%	1 / 8	4 / 15	36.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	37%	Diminished ovarian reserve	25%
Endometriosis	<1%	Egg or embryo banking	27%
Tubal factor	26%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	1%	Other, infertility	8%
Uterine factor	2%	Other, non-infertility	2%
PGT	1%	Unexplained	20%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NEW LEADERS IN FERTILITY & ENDOCRINOLOGY, LLC
PENSACOLA, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Barry A. Ripps, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	103	41	24	11	10
Percentage of intended retrievals resulting in live births	49.5%	41.5%	20.8%	0 / 11	0 / 10
Percentage of intended retrievals resulting in singleton live births	34.0%	29.3%	20.8%	0 / 11	0 / 10
Number of **retrievals**	95	37	17	7	9
Percentage of retrievals resulting in live births	53.7%	45.9%	5 / 17	0 / 7	0 / 9
Percentage of retrievals resulting in singleton live births	36.8%	32.4%	5 / 17	0 / 7	0 / 9
Number of **transfers**	107	34	14	5	4
Percentage of transfers resulting in live births	47.7%	50.0%	5 / 14	0 / 5	0 / 4
Percentage of transfers resulting in singleton live births	32.7%	35.3%	5 / 14	0 / 5	0 / 4
Number of intended retrievals per live birth	2.0	2.4	4.8		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	52.1%	38.5%	4 / 15	0 / 5	0 / 4
Percentage of new patients having live births after 1 or 2 intended retrievals	57.5%	46.2%	4 / 15	0 / 5	0 / 4
Percentage of new patients having live births after all intended retrievals	57.5%	50.0%	5 / 15	0 / 5	0 / 4
Average number of intended retrievals per new patient	1.2	1.2	1.4	1.4	1.8
Average number of transfers per intended retrieval	1.0	0.8	0.6	0.6	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	14	3	0
Percentage of transfers resulting in live births		8 / 14	1 / 3	
Percentage of transfers resulting in singleton live births		8 / 14	1 / 3	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	165	77	32	12	12	298
Percentage of cycles cancelled prior to retrieval or thaw	7.3%	6.5%	6.3%	1 / 12	5 / 12	8.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	10.9%	9.1%	12.5%	0 / 12	2 / 12	10.4%
Percentage of cycles for fertility preservation	2.4%	0.0%	0.0%	0 / 12	0 / 12	1.3%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 6	0 / 4	0.0%
Percentage of transfers using frozen embryos	46.4%	39.6%	45.5%	1 / 6	1 / 4	43.2%
Percentage of transfers of at least one embryo with ICSI	94.5%	97.9%	95.5%	5 / 6	3 / 4	94.7%
Percentage of transfers of at least one embryo with PGT	7.3%	22.9%	9.1%	0 / 6	1 / 4	11.6%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	36%	Diminished ovarian reserve	23%
Endometriosis	14%	Egg or embryo banking	23%
Tubal factor	12%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	15%	Other, infertility	2%
Uterine factor	0%	Other, non-infertility	<1%
PGT	1%	Unexplained	9%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY & GENETICS
PLANTATION, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mick Abaé, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	44	23	38	12	2
Percentage of intended retrievals resulting in live births	36.4%	47.8%	21.1%	1 / 12	0 / 2
Percentage of intended retrievals resulting in singleton live births	31.8%	47.8%	21.1%	1 / 12	0 / 2
Number of **retrievals**	40	22	37	12	2
Percentage of retrievals resulting in live births	40.0%	50.0%	21.6%	1 / 12	0 / 2
Percentage of retrievals resulting in singleton live births	35.0%	50.0%	21.6%	1 / 12	0 / 2
Number of **transfers**	57	25	28	8	1
Percentage of transfers resulting in live births	28.1%	44.0%	28.6%	1 / 8	0 / 1
Percentage of transfers resulting in singleton live births	24.6%	44.0%	28.6%	1 / 8	0 / 1
Number of intended retrievals per live birth	2.8	2.1	4.8	12.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	36.4%	9 / 16	6 / 19	1 / 6	0 / 2
Percentage of new patients having live births after 1 or 2 intended retrievals	42.4%	10 / 16	6 / 19	1 / 6	0 / 2
Percentage of new patients having live births after all intended retrievals	42.4%	10 / 16	6 / 19	1 / 6	0 / 2
Average number of intended retrievals per new patient	1.2	1.1	1.3	1.0	1.0
Average number of transfers per intended retrieval	1.3	1.1	0.7	0.5	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	4	7	9	0
Percentage of transfers resulting in live births	4 / 4	4 / 7	5 / 9	
Percentage of transfers resulting in singleton live births	4 / 4	4 / 7	5 / 9	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	101	56	50	20	20	247
Percentage of cycles cancelled prior to retrieval or thaw	3.0%	7.1%	4.0%	15.0%	5.0%	5.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.9%	8.9%	20.0%	15.0%	10.0%	10.5%
Percentage of cycles for fertility preservation	0.0%	1.8%	2.0%	0.0%	5.0%	1.2%
Percentage of transfers using a gestational carrier	0.0%	0.0%	4.5%	0 / 7	1 / 11	1.6%
Percentage of transfers using frozen embryos	75.9%	84.6%	72.7%	2 / 7	5 / 11	71.8%
Percentage of transfers of at least one embryo with ICSI	96.6%	80.8%	68.2%	6 / 7	10 / 11	87.1%
Percentage of transfers of at least one embryo with PGT	37.9%	65.4%	54.5%	0 / 7	2 / 11	42.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	57%	Diminished ovarian reserve	29%
Endometriosis	8%	Egg or embryo banking	36%
Tubal factor	17%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	15%	Other, infertility	29%
Uterine factor	23%	Other, non-infertility	4%
PGT	21%	Unexplained	4%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY CENTER & APPLIED GENETICS OF FLORIDA
SARASOTA, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Julio E. Pabon, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	38	25	28	10	5
Percentage of intended retrievals resulting in live births	57.9%	40.0%	14.3%	1 / 10	0 / 5
Percentage of intended retrievals resulting in singleton live births	55.3%	40.0%	14.3%	1 / 10	0 / 5
Number of **retrievals**	34	21	20	8	4
Percentage of retrievals resulting in live births	64.7%	47.6%	20.0%	1 / 8	0 / 4
Percentage of retrievals resulting in singleton live births	61.8%	47.6%	20.0%	1 / 8	0 / 4
Number of **transfers**	37	17	7	2	0
Percentage of transfers resulting in live births	59.5%	10 / 17	4 / 7	1 / 2	
Percentage of transfers resulting in singleton live births	56.8%	10 / 17	4 / 7	1 / 2	
Number of intended retrievals per live birth	1.7	2.5	7.0	10.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	58.6%	6 / 14	1 / 9	0 / 5	0 / 4
Percentage of new patients having live births after 1 or 2 intended retrievals	72.4%	8 / 14	2 / 9	1 / 5	0 / 4
Percentage of new patients having live births after all intended retrievals	72.4%	8 / 14	2 / 9	1 / 5	0 / 4
Average number of intended retrievals per new patient	1.2	1.5	1.7	1.4	1.0
Average number of transfers per intended retrieval	1.0	0.6	0.2	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	6	1
Percentage of transfers resulting in live births			2 / 6	0 / 1
Percentage of transfers resulting in singleton live births			2 / 6	0 / 1

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	73	38	23	15	14	163
Percentage of cycles cancelled prior to retrieval or thaw	5.5%	5.3%	21.7%	4 / 15	1 / 14	9.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.5%	2.6%	21.7%	3 / 15	0 / 14	8.0%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 15	0 / 14	0.0%
Percentage of transfers using a gestational carrier	2.8%	0 / 18	2 / 8	0 / 2	0 / 3	4.5%
Percentage of transfers using frozen embryos	100.0%	18 / 18	8 / 8	2 / 2	3 / 3	100.0%
Percentage of transfers of at least one embryo with ICSI	100.0%	18 / 18	8 / 8	2 / 2	3 / 3	100.0%
Percentage of transfers of at least one embryo with PGT	97.2%	18 / 18	7 / 8	2 / 2	3 / 3	97.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	55%
Endometriosis	7%	Egg or embryo banking	91%
Tubal factor	12%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	5%	Other, infertility	9%
Uterine factor	2%	Other, non-infertility	1%
PGT	95%	Unexplained	3%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

IVFMD/SOUTH FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE
SOUTH MIAMI, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Juergen Eisermann, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	295	157	181	111	20
Percentage of intended retrievals resulting in live births	54.2%	46.5%	28.2%	8.1%	0.0%
Percentage of intended retrievals resulting in singleton live births	40.7%	34.4%	22.1%	8.1%	0.0%
Number of **retrievals**	273	144	150	84	17
Percentage of retrievals resulting in live births	58.6%	50.7%	34.0%	10.7%	0 / 17
Percentage of retrievals resulting in singleton live births	44.0%	37.5%	26.7%	10.7%	0 / 17
Number of **transfers**	277	125	132	47	4
Percentage of transfers resulting in live births	57.8%	58.4%	38.6%	19.1%	0 / 4
Percentage of transfers resulting in singleton live births	43.3%	43.2%	30.3%	19.1%	0 / 4
Number of intended retrievals per live birth	1.8	2.2	3.5	12.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	58.0%	47.1%	32.5%	12.0%	0 / 13
Percentage of new patients having live births after 1 or 2 intended retrievals	62.3%	54.9%	36.0%	12.0%	0 / 13
Percentage of new patients having live births after all intended retrievals	63.8%	56.9%	36.8%	12.0%	0 / 13
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.2	1.2
Average number of transfers per intended retrieval	1.0	0.8	0.7	0.5	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	2	76	45	3
Percentage of transfers resulting in live births	2 / 2	63.2%	40.0%	2 / 3
Percentage of transfers resulting in singleton live births	2 / 2	56.6%	40.0%	2 / 3

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	522	385	296	159	113	1,475
Percentage of cycles cancelled prior to retrieval or thaw	8.0%	12.5%	11.8%	7.5%	14.2%	10.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.6%	5.5%	6.4%	11.3%	3.5%	5.5%
Percentage of cycles for fertility preservation	3.8%	7.0%	5.7%	0.6%	0.0%	4.4%
Percentage of transfers using a gestational carrier	1.3%	2.5%	1.5%	0.0%	3.6%	1.8%
Percentage of transfers using frozen embryos	73.7%	75.3%	66.9%	64.4%	54.2%	70.0%
Percentage of transfers of at least one embryo with ICSI	75.7%	80.8%	78.7%	79.5%	63.9%	76.6%
Percentage of transfers of at least one embryo with PGT	24.7%	31.8%	41.2%	37.0%	19.3%	29.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	35%	Diminished ovarian reserve	33%
Endometriosis	11%	Egg or embryo banking	35%
Tubal factor	10%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	16%	Other, infertility	40%
Uterine factor	2%	Other, non-infertility	1%
PGT	22%	Unexplained	5%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE REPRODUCTIVE MEDICINE GROUP
TAMPA, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Timothy R. Yeko, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	209	97	76	43	18
Percentage of intended retrievals resulting in live births	58.9%	39.2%	25.0%	7.0%	1 / 18
Percentage of intended retrievals resulting in singleton live births	52.2%	35.1%	25.0%	7.0%	1 / 18
Number of **retrievals**	203	93	71	38	15
Percentage of retrievals resulting in live births	60.6%	40.9%	26.8%	7.9%	1 / 15
Percentage of retrievals resulting in singleton live births	53.7%	36.6%	26.8%	7.9%	1 / 15
Number of **transfers**	223	82	37	11	2
Percentage of transfers resulting in live births	55.2%	46.3%	51.4%	3 / 11	1 / 2
Percentage of transfers resulting in singleton live births	48.9%	41.5%	51.4%	3 / 11	1 / 2
Number of intended retrievals per live birth	1.7	2.6	4.0	14.3	18.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	60.0%	43.9%	30.6%	8.7%	0 / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	65.3%	45.5%	32.7%	13.0%	0 / 8
Percentage of new patients having live births after all intended retrievals	65.3%	47.0%	32.7%	13.0%	0 / 8
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.3	1.4
Average number of transfers per intended retrieval	1.1	0.9	0.6	0.2	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	0	53	1
Percentage of transfers resulting in live births	4 / 6		49.1%	0 / 1
Percentage of transfers resulting in singleton live births	4 / 6		45.3%	0 / 1

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	463	284	200	88	81	1,116
Percentage of cycles cancelled prior to retrieval or thaw	5.0%	6.7%	10.5%	10.2%	11.1%	7.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.1%	4.9%	5.5%	15.9%	4.9%	5.6%
Percentage of cycles for fertility preservation	1.3%	0.7%	0.5%	0.0%	0.0%	0.8%
Percentage of transfers using a gestational carrier	1.9%	0.7%	2.4%	3.2%	4.4%	1.9%
Percentage of transfers using frozen embryos	95.1%	97.3%	97.6%	93.5%	93.3%	95.8%
Percentage of transfers of at least one embryo with ICSI	83.1%	79.9%	84.5%	77.4%	73.3%	81.4%
Percentage of transfers of at least one embryo with PGT	62.4%	73.8%	78.6%	74.2%	53.3%	67.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	34%	Diminished ovarian reserve	10%
Endometriosis	7%	Egg or embryo banking	40%
Tubal factor	16%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	12%	Other, infertility	18%
Uterine factor	1%	Other, non-infertility	1%
PGT	1%	Unexplained	20%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY OF SOUTH FLORIDA IVF
TAMPA, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Shayne M. Plosker, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	120	59	39	32	6
Percentage of intended retrievals resulting in live births	56.7%	47.5%	23.1%	3.1%	0 / 6
Percentage of intended retrievals resulting in singleton live births	44.2%	39.0%	15.4%	3.1%	0 / 6
Number of **retrievals**	114	55	36	27	5
Percentage of retrievals resulting in live births	59.6%	50.9%	25.0%	3.7%	0 / 5
Percentage of retrievals resulting in singleton live births	46.5%	41.8%	16.7%	3.7%	0 / 5
Number of **transfers**	129	62	36	20	5
Percentage of transfers resulting in live births	52.7%	45.2%	25.0%	5.0%	0 / 5
Percentage of transfers resulting in singleton live births	41.1%	37.1%	16.7%	5.0%	0 / 5
Number of intended retrievals per live birth	1.8	2.1	4.3	32.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	61.2%	48.8%	15.0%	0 / 14	0 / 4
Percentage of new patients having live births after 1 or 2 intended retrievals	63.5%	53.5%	15.0%	0 / 14	0 / 4
Percentage of new patients having live births after all intended retrievals	63.5%	53.5%	15.0%	0 / 14	0 / 4
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.2	1.0
Average number of transfers per intended retrieval	1.0	1.1	1.0	0.8	0.8

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	12	20	0
Percentage of transfers resulting in live births		7 / 12	45.0%	
Percentage of transfers resulting in singleton live births		5 / 12	30.0%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	162	110	95	43	26	436
Percentage of cycles cancelled prior to retrieval or thaw	6.8%	7.3%	11.6%	4.7%	3.8%	7.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.6%	10.9%	8.4%	14.0%	3.8%	9.4%
Percentage of cycles for fertility preservation	6.8%	7.3%	0.0%	9.3%	0.0%	5.3%
Percentage of transfers using a gestational carrier	1.0%	3.2%	1.9%	4.2%	8.7%	2.6%
Percentage of transfers using frozen embryos	54.3%	68.3%	55.8%	45.8%	65.2%	58.1%
Percentage of transfers of at least one embryo with ICSI	68.6%	74.6%	75.0%	58.3%	78.3%	71.2%
Percentage of transfers of at least one embryo with PGT	15.2%	22.2%	30.8%	12.5%	17.4%	19.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	40%	Diminished ovarian reserve	33%
Endometriosis	6%	Egg or embryo banking	24%
Tubal factor	16%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	9%	Other, infertility	9%
Uterine factor	8%	Other, non-infertility	4%
PGT	2%	Unexplained	12%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

F.I.R.S.T.
FLORIDA INSTITUTE FOR REPRODUCTIVE SCIENCES AND TECHNOLOGIES
WESTON, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Minna R. Selub, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	10	5	3	1	0
Percentage of intended retrievals resulting in live births	2 / 10	1 / 5	0 / 3	0 / 1	
Percentage of intended retrievals resulting in singleton live births	1 / 10	0 / 5	0 / 3	0 / 1	
Number of **retrievals**	10	5	3	1	0
Percentage of retrievals resulting in live births	2 / 10	1 / 5	0 / 3	0 / 1	
Percentage of retrievals resulting in singleton live births	1 / 10	0 / 5	0 / 3	0 / 1	
Number of **transfers**	11	4	5	1	0
Percentage of transfers resulting in live births	2 / 11	1 / 4	0 / 5	0 / 1	
Percentage of transfers resulting in singleton live births	1 / 11	0 / 4	0 / 5	0 / 1	
Number of intended retrievals per live birth	5.0	5.0			
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	2 / 7	0 / 3		0 / 1	
Percentage of new patients having live births after 1 or 2 intended retrievals	2 / 7	0 / 3		0 / 1	
Percentage of new patients having live births after all intended retrievals	2 / 7	0 / 3		0 / 1	
Average number of intended retrievals per new patient	1.1	1.0		1.0	
Average number of transfers per intended retrieval	1.1	0.7		1.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	1	6	0
Percentage of transfers resulting in live births	5 / 7	0 / 1	2 / 6	
Percentage of transfers resulting in singleton live births	2 / 7	0 / 1	1 / 6	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	30	7	7	6	5	55
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0 / 7	0 / 7	0 / 6	0 / 5	0.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	16.7%	0 / 7	0 / 7	0 / 6	1 / 5	10.9%
Percentage of cycles for fertility preservation	0.0%	0 / 7	1 / 7	2 / 6	0 / 5	5.5%
Percentage of transfers using a gestational carrier	0.0%	1 / 6	0 / 4	1 / 3	0 / 2	5.1%
Percentage of transfers using frozen embryos	45.8%	2 / 6	0 / 4	2 / 3	1 / 2	41.0%
Percentage of transfers of at least one embryo with ICSI	83.3%	6 / 6	4 / 4	1 / 3	2 / 2	84.6%
Percentage of transfers of at least one embryo with PGT	4.2%	0 / 6	0 / 4	0 / 3	1 / 2	5.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	47%
Endometriosis	9%	Egg or embryo banking	18%
Tubal factor	20%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	29%	Other, infertility	29%
Uterine factor	2%	Other, non-infertility	16%
PGT	5%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ADVANCED REPRODUCTIVE SPECIALISTS, LLC
WINTER PARK, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Michael D. Fox, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	8	7	5	2	0
Percentage of intended retrievals resulting in live births	2 / 8	1 / 7	1 / 5	0 / 2	
Percentage of intended retrievals resulting in singleton live births	2 / 8	1 / 7	1 / 5	0 / 2	
Number of **retrievals**	7	5	5	2	0
Percentage of retrievals resulting in live births	2 / 7	1 / 5	1 / 5	0 / 2	
Percentage of retrievals resulting in singleton live births	2 / 7	1 / 5	1 / 5	0 / 2	
Number of **transfers**	5	4	7	1	0
Percentage of transfers resulting in live births	2 / 5	1 / 4	1 / 7	0 / 1	
Percentage of transfers resulting in singleton live births	2 / 5	1 / 4	1 / 7	0 / 1	
Number of intended retrievals per live birth	4.0	7.0	5.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	1 / 3	1 / 5	1 / 4	0 / 2	
Percentage of new patients having live births after 1 or 2 intended retrievals	1 / 3	1 / 5	1 / 4	0 / 2	
Percentage of new patients having live births after all intended retrievals	1 / 3	1 / 5	1 / 4	0 / 2	
Average number of intended retrievals per new patient	1.7	1.4	1.3	1.0	
Average number of transfers per intended retrieval	0.6	0.6	1.4	0.5	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	2	1	7	0
Percentage of transfers resulting in live births	1 / 2	1 / 1	3 / 7	
Percentage of transfers resulting in singleton live births	1 / 2	1 / 1	3 / 7	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	28	18	15	5	10	76
Percentage of cycles cancelled prior to retrieval or thaw	7.1%	2 / 18	3 / 15	1 / 5	1 / 10	11.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.6%	5 / 18	1 / 15	1 / 5	1 / 10	11.8%
Percentage of cycles for fertility preservation	3.6%	1 / 18	0 / 15	0 / 5	0 / 10	2.6%
Percentage of transfers using a gestational carrier	0 / 14	0 / 7	0 / 5	0 / 2	0 / 8	0.0%
Percentage of transfers using frozen embryos	10 / 14	4 / 7	5 / 5	1 / 2	7 / 8	75.0%
Percentage of transfers of at least one embryo with ICSI	5 / 14	2 / 7	2 / 5	0 / 2	0 / 8	25.0%
Percentage of transfers of at least one embryo with PGT	3 / 14	1 / 7	2 / 5	0 / 2	0 / 8	16.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	39%
Endometriosis	8%	Egg or embryo banking	37%
Tubal factor	17%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	12%	Other, infertility	3%
Uterine factor	0%	Other, non-infertility	0%
PGT	1%	Unexplained	1%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTER FOR REPRODUCTIVE MEDICINE, PA
WINTER PARK, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Randall A. Loy, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	193	136	141	82	38
Percentage of intended retrievals resulting in live births	50.3%	33.1%	21.3%	9.8%	2.6%
Percentage of intended retrievals resulting in singleton live births	46.6%	30.9%	19.1%	7.3%	2.6%
Number of **retrievals**	182	118	116	68	29
Percentage of retrievals resulting in live births	53.3%	38.1%	25.9%	11.8%	3.4%
Percentage of retrievals resulting in singleton live births	49.5%	35.6%	23.3%	8.8%	3.4%
Number of **transfers**	187	102	76	30	3
Percentage of transfers resulting in live births	51.9%	44.1%	39.5%	26.7%	1 / 3
Percentage of transfers resulting in singleton live births	48.1%	41.2%	35.5%	20.0%	1 / 3
Number of intended retrievals per live birth	2.0	3.0	4.7	10.3	38.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.7%	36.7%	21.8%	15.2%	1 / 16
Percentage of new patients having live births after 1 or 2 intended retrievals	57.4%	38.9%	24.4%	18.2%	1 / 16
Percentage of new patients having live births after all intended retrievals	57.4%	40.0%	25.6%	18.2%	1 / 16
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.5	1.5
Average number of transfers per intended retrieval	1.0	0.7	0.5	0.4	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	33	46	1
Percentage of transfers resulting in live births		45.5%	39.1%	0 / 1
Percentage of transfers resulting in singleton live births		42.4%	34.8%	0 / 1

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	647	319	300	125	127	1,518
Percentage of cycles cancelled prior to retrieval or thaw	13.1%	15.4%	17.3%	16.8%	27.6%	15.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.6%	3.4%	8.7%	18.4%	15.0%	7.2%
Percentage of cycles for fertility preservation	1.7%	3.1%	2.0%	0.8%	0.8%	1.9%
Percentage of transfers using a gestational carrier	3.4%	2.9%	3.5%	2.2%	1.8%	3.1%
Percentage of transfers using frozen embryos	92.5%	90.0%	87.7%	77.8%	72.7%	88.2%
Percentage of transfers of at least one embryo with ICSI	77.1%	82.1%	82.5%	91.1%	52.7%	78.1%
Percentage of transfers of at least one embryo with PGT	22.9%	47.9%	51.8%	51.1%	20.0%	35.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	16%	Diminished ovarian reserve	31%
Endometriosis	10%	Egg or embryo banking	39%
Tubal factor	8%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	28%	Other, infertility	14%
Uterine factor	2%	Other, non-infertility	2%
PGT	2%	Unexplained	3%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY CARE
THE IVF CENTER
WINTER PARK, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Mark P. Trolice, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	48	24	22	5	0
Percentage of intended retrievals resulting in live births	52.1%	50.0%	27.3%	0 / 5	
Percentage of intended retrievals resulting in singleton live births	47.9%	50.0%	18.2%	0 / 5	
Number of **retrievals**	45	24	20	5	0
Percentage of retrievals resulting in live births	55.6%	50.0%	30.0%	0 / 5	
Percentage of retrievals resulting in singleton live births	51.1%	50.0%	20.0%	0 / 5	
Number of **transfers**	51	28	28	3	0
Percentage of transfers resulting in live births	49.0%	42.9%	21.4%	0 / 3	
Percentage of transfers resulting in singleton live births	45.1%	42.9%	14.3%	0 / 3	
Number of intended retrievals per live birth	1.9	2.0	3.7		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	60.0%	9 / 18	5 / 12	0 / 3	
Percentage of new patients having live births after 1 or 2 intended retrievals	62.5%	10 / 18	5 / 12	0 / 3	
Percentage of new patients having live births after all intended retrievals	62.5%	10 / 18	5 / 12	0 / 3	
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.0	
Average number of transfers per intended retrieval	1.1	1.2	1.1	0.7	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	2	3	6	8
Percentage of transfers resulting in live births	1 / 2	1 / 3	2 / 6	5 / 8
Percentage of transfers resulting in singleton live births	1 / 2	1 / 3	2 / 6	4 / 8

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	91	50	41	13	25	220
Percentage of cycles cancelled prior to retrieval or thaw	11.0%	18.0%	22.0%	3 / 13	44.0%	19.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.2%	4.0%	0.0%	0 / 13	0.0%	1.8%
Percentage of cycles for fertility preservation	1.1%	2.0%	4.9%	0 / 13	0.0%	1.8%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 6	1 / 13	0.8%
Percentage of transfers using frozen embryos	70.4%	81.5%	66.7%	5 / 6	5 / 13	69.4%
Percentage of transfers of at least one embryo with ICSI	68.5%	81.5%	71.4%	3 / 6	9 / 13	71.1%
Percentage of transfers of at least one embryo with PGT	1.9%	7.4%	4.8%	0 / 6	0 / 13	3.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	9%	Diminished ovarian reserve	12%
Endometriosis	10%	Egg or embryo banking	25%
Tubal factor	10%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	<1%	Other, infertility	6%
Uterine factor	0%	Other, non-infertility	6%
PGT	0%	Unexplained	62%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ATLANTA CENTER FOR REPRODUCTIVE MEDICINE
ATLANTA, GEORGIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Kathryn C. Calhoun, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	268	149	148	65	30
Percentage of intended retrievals resulting in live births	48.9%	34.9%	16.9%	9.2%	3.3%
Percentage of intended retrievals resulting in singleton live births	45.1%	32.9%	15.5%	7.7%	3.3%
Number of **retrievals**	251	131	124	55	22
Percentage of retrievals resulting in live births	52.2%	39.7%	20.2%	10.9%	4.5%
Percentage of retrievals resulting in singleton live births	48.2%	37.4%	18.5%	9.1%	4.5%
Number of **transfers**	295	110	77	15	5
Percentage of transfers resulting in live births	44.4%	47.3%	32.5%	6 / 15	1 / 5
Percentage of transfers resulting in singleton live births	41.0%	44.5%	29.9%	5 / 15	1 / 5
Number of intended retrievals per live birth	2.0	2.9	5.9	10.8	30.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	52.5%	36.3%	19.8%	2.6%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	56.9%	40.2%	23.3%	7.7%	5.0%
Percentage of new patients having live births after all intended retrievals	56.9%	41.2%	25.6%	10.3%	5.0%
Average number of intended retrievals per new patient	1.1	1.2	1.5	1.3	1.1
Average number of transfers per intended retrieval	1.1	0.7	0.5	0.2	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	1	92	81	3
Percentage of transfers resulting in live births	0 / 1	45.7%	35.8%	2 / 3
Percentage of transfers resulting in singleton live births	0 / 1	40.2%	32.1%	2 / 3

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	737	404	356	139	143	1,779
Percentage of cycles cancelled prior to retrieval or thaw	4.7%	5.4%	11.0%	10.1%	14.0%	7.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.8%	5.0%	7.9%	12.2%	10.5%	5.7%
Percentage of cycles for fertility preservation	3.8%	4.7%	4.2%	4.3%	0.0%	3.8%
Percentage of transfers using a gestational carrier	3.9%	3.1%	4.3%	3.5%	0.0%	3.4%
Percentage of transfers using frozen embryos	79.5%	88.2%	81.1%	73.7%	54.4%	79.1%
Percentage of transfers of at least one embryo with ICSI	84.5%	83.8%	82.3%	77.2%	58.9%	81.1%
Percentage of transfers of at least one embryo with PGT	40.6%	55.9%	61.6%	50.9%	12.2%	45.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	17%	Diminished ovarian reserve	23%
Endometriosis	6%	Egg or embryo banking	37%
Tubal factor	13%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	14%	Other, infertility	33%
Uterine factor	6%	Other, non-infertility	4%
PGT	23%	Unexplained	16%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

EMORY REPRODUCTIVE CENTER
ATLANTA, GEORGIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Jennifer F. Kawwass, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	115	66	61	25	15
Percentage of intended retrievals resulting in live births	62.6%	51.5%	29.5%	20.0%	0 / 15
Percentage of intended retrievals resulting in singleton live births	51.3%	37.9%	21.3%	20.0%	0 / 15
Number of **retrievals**	106	61	55	20	10
Percentage of retrievals resulting in live births	67.9%	55.7%	32.7%	25.0%	0 / 10
Percentage of retrievals resulting in singleton live births	55.7%	41.0%	23.6%	25.0%	0 / 10
Number of **transfers**	115	59	56	16	8
Percentage of transfers resulting in live births	62.6%	57.6%	32.1%	5 / 16	0 / 8
Percentage of transfers resulting in singleton live births	51.3%	42.4%	23.2%	5 / 16	0 / 8
Number of intended retrievals per live birth	1.6	1.9	3.4	5.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	64.4%	56.4%	37.9%	2 / 13	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	69.0%	56.4%	37.9%	4 / 13	0 / 6
Percentage of new patients having live births after all intended retrievals	70.1%	59.0%	37.9%	4 / 13	0 / 6
Average number of intended retrievals per new patient	1.1	1.1	1.2	1.3	1.2
Average number of transfers per intended retrieval	1.0	1.0	0.9	0.7	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	8	14	0
Percentage of transfers resulting in live births	3 / 8	3 / 8	10 / 14	
Percentage of transfers resulting in singleton live births	3 / 8	2 / 8	8 / 14	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	177	141	91	41	35	485
Percentage of cycles cancelled prior to retrieval or thaw	5.1%	10.6%	8.8%	14.6%	0.0%	7.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.8%	5.7%	7.7%	7.3%	11.4%	7.0%
Percentage of cycles for fertility preservation	16.9%	11.3%	8.8%	2.4%	2.9%	11.5%
Percentage of transfers using a gestational carrier	2.6%	1.1%	1.9%	3.3%	0.0%	1.9%
Percentage of transfers using frozen embryos	52.2%	53.9%	55.8%	33.3%	57.7%	51.9%
Percentage of transfers of at least one embryo with ICSI	65.2%	80.9%	76.9%	93.3%	76.9%	75.3%
Percentage of transfers of at least one embryo with PGT	7.8%	18.0%	15.4%	16.7%	7.7%	12.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	35%
Endometriosis	15%	Egg or embryo banking	22%
Tubal factor	25%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	8%	Other, infertility	8%
Uterine factor	11%	Other, non-infertility	3%
PGT	3%	Unexplained	8%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE BIOLOGY ASSOCIATES
ATLANTA, GEORGIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Daniel B. Shapiro, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	298	156	144	43	25
Percentage of intended retrievals resulting in live births	58.7%	41.0%	30.6%	23.3%	8.0%
Percentage of intended retrievals resulting in singleton live births	52.0%	37.2%	27.1%	16.3%	8.0%
Number of **retrievals**	289	137	135	42	19
Percentage of retrievals resulting in live births	60.6%	46.7%	32.6%	23.8%	2 / 19
Percentage of retrievals resulting in singleton live births	53.6%	42.3%	28.9%	16.7%	2 / 19
Number of **transfers**	354	139	106	34	7
Percentage of transfers resulting in live births	49.4%	46.0%	41.5%	29.4%	2 / 7
Percentage of transfers resulting in singleton live births	43.8%	41.7%	36.8%	20.6%	2 / 7
Number of intended retrievals per live birth	1.7	2.4	3.3	4.3	12.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	59.3%	44.8%	29.2%	26.9%	2 / 15
Percentage of new patients having live births after 1 or 2 intended retrievals	67.6%	50.5%	38.2%	26.9%	2 / 15
Percentage of new patients having live births after all intended retrievals	68.5%	53.3%	38.2%	26.9%	2 / 15
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.2	1.1
Average number of transfers per intended retrieval	1.2	0.9	0.8	0.7	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	144	177	34
Percentage of transfers resulting in live births		50.0%	38.4%	55.9%
Percentage of transfers resulting in singleton live births		47.2%	34.5%	52.9%

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	855	454	350	165	277	2,101
Percentage of cycles cancelled prior to retrieval or thaw	1.6%	2.6%	4.3%	4.8%	4.0%	2.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.3%	0.9%	3.1%	2.4%	2.9%	1.8%
Percentage of cycles for fertility preservation	2.9%	6.6%	3.4%	3.6%	0.7%	3.6%
Percentage of transfers using a gestational carrier	1.7%	4.6%	7.2%	4.5%	6.6%	4.4%
Percentage of transfers using frozen embryos	85.3%	83.7%	83.8%	70.9%	64.3%	79.8%
Percentage of transfers of at least one embryo with ICSI	88.5%	81.6%	68.9%	67.3%	48.9%	75.0%
Percentage of transfers of at least one embryo with PGT	39.6%	37.6%	36.9%	27.3%	16.3%	33.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	50%
Endometriosis	4%	Egg or embryo banking	34%
Tubal factor	9%	Recurrent pregnancy loss	19%
Ovulatory dysfunction	11%	Other, infertility	9%
Uterine factor	3%	Other, non-infertility	<1%
PGT	3%	Unexplained	5%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SHADY GROVE FERTILITY-ATLANTA
ATLANTA, GEORGIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mark Perloe, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	92	61	43	20	11
Percentage of intended retrievals resulting in live births	64.1%	41.0%	37.2%	15.0%	2 / 11
Percentage of intended retrievals resulting in singleton live births	62.0%	34.4%	34.9%	15.0%	2 / 11
Number of **retrievals**	89	55	42	17	10
Percentage of retrievals resulting in live births	66.3%	45.5%	38.1%	3 / 17	2 / 10
Percentage of retrievals resulting in singleton live births	64.0%	38.2%	35.7%	3 / 17	2 / 10
Number of **transfers**	121	61	40	10	6
Percentage of transfers resulting in live births	48.8%	41.0%	40.0%	3 / 10	2 / 6
Percentage of transfers resulting in singleton live births	47.1%	34.4%	37.5%	3 / 10	2 / 6
Number of intended retrievals per live birth	1.6	2.4	2.7	6.7	5.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	60.5%	43.9%	43.3%	3 / 11	1 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	64.5%	46.3%	43.3%	3 / 11	1 / 5
Percentage of new patients having live births after all intended retrievals	65.8%	46.3%	43.3%	3 / 11	1 / 5
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.3	1.0
Average number of transfers per intended retrieval	1.3	1.1	0.9	0.7	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	2	12	41	4
Percentage of transfers resulting in live births	1 / 2	4 / 12	56.1%	1 / 4
Percentage of transfers resulting in singleton live births	1 / 2	4 / 12	56.1%	1 / 4

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	189	128	117	55	52	541
Percentage of cycles cancelled prior to retrieval or thaw	5.3%	2.3%	9.4%	7.3%	11.5%	6.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.9%	2.3%	0.9%	0.0%	0.0%	3.1%
Percentage of cycles for fertility preservation	1.6%	3.9%	0.0%	3.6%	0.0%	1.8%
Percentage of transfers using a gestational carrier	1.6%	3.8%	3.0%	2.9%	0.0%	2.3%
Percentage of transfers using frozen embryos	84.8%	81.3%	82.1%	68.6%	82.1%	81.5%
Percentage of transfers of at least one embryo with ICSI	54.4%	60.0%	46.3%	51.4%	48.7%	53.2%
Percentage of transfers of at least one embryo with PGT	62.4%	60.0%	58.2%	57.1%	51.3%	59.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	40%
Endometriosis	5%	Egg or embryo banking	27%
Tubal factor	21%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	26%	Other, infertility	8%
Uterine factor	7%	Other, non-infertility	<1%
PGT	3%	Unexplained	8%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE MEDICINE AND INFERTILITY ASSOCIATES
AUGUSTA, GEORGIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Larisa Gavrilova-Jordan, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	47	16	9	6	3
Percentage of intended retrievals resulting in live births	72.3%	10 / 16	2 / 9	3 / 6	0 / 3
Percentage of intended retrievals resulting in singleton live births	48.9%	5 / 16	1 / 9	3 / 6	0 / 3
Number of **retrievals**	44	15	8	6	2
Percentage of retrievals resulting in live births	77.3%	10 / 15	2 / 8	3 / 6	0 / 2
Percentage of retrievals resulting in singleton live births	52.3%	5 / 15	1 / 8	3 / 6	0 / 2
Number of **transfers**	52	19	8	8	2
Percentage of transfers resulting in live births	65.4%	10 / 19	2 / 8	3 / 8	0 / 2
Percentage of transfers resulting in singleton live births	44.2%	5 / 19	1 / 8	3 / 8	0 / 2
Number of intended retrievals per live birth	1.4	1.6	4.5	2.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	72.7%	8 / 13	2 / 7	3 / 5	0 / 3
Percentage of new patients having live births after 1 or 2 intended retrievals	75.0%	9 / 13	2 / 7	3 / 5	0 / 3
Percentage of new patients having live births after all intended retrievals	75.0%	9 / 13	2 / 7	3 / 5	0 / 3
Average number of intended retrievals per new patient	1.0	1.1	1.3	1.0	1.0
Average number of transfers per intended retrieval	1.1	1.1	0.9	1.2	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	3	2	3
Percentage of transfers resulting in live births		2 / 3	1 / 2	1 / 3
Percentage of transfers resulting in singleton live births		2 / 3	0 / 2	1 / 3

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	69	37	19	18	3	146
Percentage of cycles cancelled prior to retrieval or thaw	4.3%	5.4%	0 / 19	1 / 18	1 / 3	4.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.9%	8.1%	1 / 19	2 / 18	0 / 3	5.5%
Percentage of cycles for fertility preservation	5.8%	5.4%	1 / 19	0 / 18	0 / 3	4.8%
Percentage of transfers using a gestational carrier	3.6%	0.0%	0 / 13	0 / 12	0 / 2	1.9%
Percentage of transfers using frozen embryos	35.7%	45.8%	4 / 13	6 / 12	1 / 2	39.3%
Percentage of transfers of at least one embryo with ICSI	82.1%	83.3%	12 / 13	8 / 12	1 / 2	81.3%
Percentage of transfers of at least one embryo with PGT	3.6%	12.5%	0 / 13	1 / 12	0 / 2	5.6%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	17%
Endometriosis	29%	Egg or embryo banking	16%
Tubal factor	31%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	12%	Other, infertility	8%
Uterine factor	4%	Other, non-infertility	3%
PGT	4%	Unexplained	4%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SERVY MASSEY FERTILITY INSTITUTE
SERVY INSTITUTE FOR REPRODUCTIVE ENDOCRINOLOGY
AUGUSTA, GEORGIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Edouard J. Servy, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	86	62	50	18	23
Percentage of intended retrievals resulting in live births	39.5%	17.7%	20.0%	3 / 18	8.7%
Percentage of intended retrievals resulting in singleton live births	33.7%	11.3%	12.0%	3 / 18	8.7%
Number of **retrievals**	78	55	40	14	18
Percentage of retrievals resulting in live births	43.6%	20.0%	25.0%	3 / 14	2 / 18
Percentage of retrievals resulting in singleton live births	37.2%	12.7%	15.0%	3 / 14	2 / 18
Number of **transfers**	81	59	41	12	18
Percentage of transfers resulting in live births	42.0%	18.6%	24.4%	3 / 12	2 / 18
Percentage of transfers resulting in singleton live births	35.8%	11.9%	14.6%	3 / 12	2 / 18
Number of intended retrievals per live birth	2.5	5.6	5.0	6.0	11.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	46.8%	19.6%	15.2%	3 / 11	9.5%
Percentage of new patients having live births after 1 or 2 intended retrievals	48.4%	19.6%	18.2%	3 / 11	9.5%
Percentage of new patients having live births after all intended retrievals	50.0%	21.6%	18.2%	3 / 11	9.5%
Average number of intended retrievals per new patient	1.1	1.1	1.2	1.2	1.0
Average number of transfers per intended retrieval	1.0	1.0	0.8	0.8	0.8

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	5	14	1
Percentage of transfers resulting in live births	1 / 6	2 / 5	10 / 14	1 / 1
Percentage of transfers resulting in singleton live births	1 / 6	2 / 5	7 / 14	0 / 1

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	92	62	40	28	36	258
Percentage of cycles cancelled prior to retrieval or thaw	3.3%	3.2%	10.0%	3.6%	5.6%	4.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	12.0%	11.3%	15.0%	14.3%	8.3%	12.0%
Percentage of cycles for fertility preservation	2.2%	4.8%	2.5%	7.1%	2.8%	3.5%
Percentage of transfers using a gestational carrier	2.9%	0.0%	0.0%	2 / 18	3.6%	2.7%
Percentage of transfers using frozen embryos	64.7%	55.3%	57.7%	9 / 18	53.6%	58.3%
Percentage of transfers of at least one embryo with ICSI	57.4%	68.1%	42.3%	7 / 18	50.0%	55.1%
Percentage of transfers of at least one embryo with PGT	10.3%	6.4%	11.5%	1 / 18	7.1%	8.6%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	17%
Endometriosis	3%	Egg or embryo banking	12%
Tubal factor	16%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	6%	Other, infertility	33%
Uterine factor	6%	Other, non-infertility	3%
PGT	7%	Unexplained	5%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

COLUMBUS CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY, LLC
COLUMBUS, GEORGIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Prakash J. Thiruppathi, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	64	7	13	4	1
Percentage of intended retrievals resulting in live births	45.3%	3 / 7	4 / 13	1 / 4	0 / 1
Percentage of intended retrievals resulting in singleton live births	32.8%	2 / 7	3 / 13	1 / 4	0 / 1
Number of **retrievals**	55	5	12	2	1
Percentage of retrievals resulting in live births	52.7%	3 / 5	4 / 12	1 / 2	0 / 1
Percentage of retrievals resulting in singleton live births	38.2%	2 / 5	3 / 12	1 / 2	0 / 1
Number of **transfers**	70	9	12	3	1
Percentage of transfers resulting in live births	41.4%	3 / 9	4 / 12	1 / 3	0 / 1
Percentage of transfers resulting in singleton live births	30.0%	2 / 9	3 / 12	1 / 3	0 / 1
Number of intended retrievals per live birth	2.2	2.3	3.3	4.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	45.5%	3 / 7	3 / 9	1 / 4	0 / 1
Percentage of new patients having live births after 1 or 2 intended retrievals	49.1%	3 / 7	3 / 9	1 / 4	0 / 1
Percentage of new patients having live births after all intended retrievals	49.1%	3 / 7	3 / 9	1 / 4	0 / 1
Average number of intended retrievals per new patient	1.1	1.0	1.0	1.0	1.0
Average number of transfers per intended retrieval	1.1	1.3	0.9	0.8	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	3	0	6	1
Percentage of transfers resulting in live births	2 / 3		2 / 6	0 / 1
Percentage of transfers resulting in singleton live births	0 / 3		1 / 6	0 / 1

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	89	32	21	8	4	154
Percentage of cycles cancelled prior to retrieval or thaw	4.5%	12.5%	14.3%	1 / 8	0 / 4	7.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	15.7%	9.4%	19.0%	0 / 8	0 / 4	13.6%
Percentage of cycles for fertility preservation	1.1%	0.0%	0.0%	0 / 8	0 / 4	0.6%
Percentage of transfers using a gestational carrier	1.7%	0.0%	0 / 14	0 / 6	0 / 4	1.0%
Percentage of transfers using frozen embryos	61.7%	61.9%	8 / 14	2 / 6	3 / 4	60.0%
Percentage of transfers of at least one embryo with ICSI	100.0%	95.2%	14 / 14	5 / 6	4 / 4	98.1%
Percentage of transfers of at least one embryo with PGT	5.0%	4.8%	0 / 14	2 / 6	1 / 4	6.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	59%	Diminished ovarian reserve	12%
Endometriosis	17%	Egg or embryo banking	10%
Tubal factor	35%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	84%	Other, infertility	3%
Uterine factor	14%	Other, non-infertility	1%
PGT	5%	Unexplained	1%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE GEORGIA CENTER FOR REPRODUCTIVE MEDICINE
SAVANNAH, GEORGIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Patrick L. Blohm, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	79	29	17	8	1
Percentage of intended retrievals resulting in live births	60.8%	48.3%	2 / 17	3 / 8	0 / 1
Percentage of intended retrievals resulting in singleton live births	38.0%	34.5%	1 / 17	3 / 8	0 / 1
Number of **retrievals**	74	26	13	6	1
Percentage of retrievals resulting in live births	64.9%	53.8%	2 / 13	3 / 6	0 / 1
Percentage of retrievals resulting in singleton live births	40.5%	38.5%	1 / 13	3 / 6	0 / 1
Number of **transfers**	87	30	17	6	1
Percentage of transfers resulting in live births	55.2%	46.7%	2 / 17	3 / 6	0 / 1
Percentage of transfers resulting in singleton live births	34.5%	33.3%	1 / 17	3 / 6	0 / 1
Number of intended retrievals per live birth	1.6	2.1	8.5	2.7	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	65.1%	43.5%	1 / 11	2 / 7	0 / 1
Percentage of new patients having live births after 1 or 2 intended retrievals	65.1%	56.5%	1 / 11	2 / 7	0 / 1
Percentage of new patients having live births after all intended retrievals	66.7%	56.5%	1 / 11	2 / 7	0 / 1
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.0	1.0
Average number of transfers per intended retrieval	1.1	1.0	1.0	0.7	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	9	0	2	0
Percentage of transfers resulting in live births	8 / 9		1 / 2	
Percentage of transfers resulting in singleton live births	1 / 9		1 / 2	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	122	41	21	14	9	207
Percentage of cycles cancelled prior to retrieval or thaw	5.7%	9.8%	9.5%	1 / 14	2 / 9	7.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.5%	2.4%	4.8%	0 / 14	0 / 9	2.4%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 14	0 / 9	0.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0 / 18	0 / 13	0 / 7	0.0%
Percentage of transfers using frozen embryos	34.8%	27.8%	5 / 18	5 / 13	1 / 7	32.3%
Percentage of transfers of at least one embryo with ICSI	79.5%	75.0%	13 / 18	10 / 13	7 / 7	78.5%
Percentage of transfers of at least one embryo with PGT	1.8%	0.0%	0 / 18	0 / 13	1 / 7	1.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	43%	Diminished ovarian reserve	24%
Endometriosis	9%	Egg or embryo banking	<1%
Tubal factor	17%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	16%	Other, infertility	12%
Uterine factor	4%	Other, non-infertility	<1%
PGT	1%	Unexplained	10%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ADVANCED REPRODUCTIVE CENTER OF HAWAII
HONOLULU, HAWAII

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Christopher T. Huang, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	45	16	20	15	8
Percentage of intended retrievals resulting in live births	48.9%	2 / 16	40.0%	3 / 15	0 / 8
Percentage of intended retrievals resulting in singleton live births	44.4%	1 / 16	40.0%	2 / 15	0 / 8
Number of **retrievals**	44	15	20	15	8
Percentage of retrievals resulting in live births	50.0%	2 / 15	40.0%	3 / 15	0 / 8
Percentage of retrievals resulting in singleton live births	45.5%	1 / 15	40.0%	2 / 15	0 / 8
Number of **transfers**	44	15	15	8	6
Percentage of transfers resulting in live births	50.0%	2 / 15	8 / 15	3 / 8	0 / 6
Percentage of transfers resulting in singleton live births	45.5%	1 / 15	8 / 15	2 / 8	0 / 6
Number of intended retrievals per live birth	2.0	8.0	2.5	5.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	51.2%	2 / 14	7 / 15	2 / 9	0 / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	51.2%	2 / 14	7 / 15	2 / 9	0 / 7
Percentage of new patients having live births after all intended retrievals	51.2%	2 / 14	7 / 15	2 / 9	0 / 7
Average number of intended retrievals per new patient	1.0	1.1	1.0	1.0	1.0
Average number of transfers per intended retrieval	1.0	0.9	0.8	0.8	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	2	8	2
Percentage of transfers resulting in live births		1 / 2	8 / 8	0 / 2
Percentage of transfers resulting in singleton live births		1 / 2	7 / 8	0 / 2

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	60	60	50	26	31	227
Percentage of cycles cancelled prior to retrieval or thaw	5.0%	3.3%	2.0%	0.0%	6.5%	3.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.3%	1.7%	12.0%	7.7%	12.9%	6.6%
Percentage of cycles for fertility preservation	3.3%	3.3%	2.0%	0.0%	0.0%	2.2%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0 / 18	1 / 13	3 / 16	4.0%
Percentage of transfers using frozen embryos	100.0%	100.0%	18 / 18	12 / 13	15 / 16	98.0%
Percentage of transfers of at least one embryo with ICSI	92.9%	92.0%	18 / 18	10 / 13	10 / 16	87.0%
Percentage of transfers of at least one embryo with PGT	32.1%	32.0%	5 / 18	2 / 13	1 / 16	25.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	66%	Diminished ovarian reserve	9%
Endometriosis	8%	Egg or embryo banking	47%
Tubal factor	17%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	1%	Other, infertility	24%
Uterine factor	0%	Other, non-infertility	1%
PGT	17%	Unexplained	0%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY INSTITUTE OF HAWAII
HONOLULU, HAWAII

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by John L. Frattarelli, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	88	46	33	11	7
Percentage of intended retrievals resulting in live births	53.4%	54.3%	45.5%	2 / 11	0 / 7
Percentage of intended retrievals resulting in singleton live births	36.4%	41.3%	36.4%	2 / 11	0 / 7
Number of **retrievals**	86	46	32	11	6
Percentage of retrievals resulting in live births	54.7%	54.3%	46.9%	2 / 11	0 / 6
Percentage of retrievals resulting in singleton live births	37.2%	41.3%	37.5%	2 / 11	0 / 6
Number of **transfers**	92	44	31	10	4
Percentage of transfers resulting in live births	51.1%	56.8%	48.4%	2 / 10	0 / 4
Percentage of transfers resulting in singleton live births	34.8%	43.2%	38.7%	2 / 10	0 / 4
Number of intended retrievals per live birth	1.9	1.8	2.2	5.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	53.7%	52.4%	50.0%	2 / 9	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	54.9%	59.5%	50.0%	2 / 9	0 / 6
Percentage of new patients having live births after all intended retrievals	54.9%	59.5%	50.0%	2 / 9	0 / 6
Average number of intended retrievals per new patient	1.0	1.1	1.0	1.0	1.0
Average number of transfers per intended retrieval	1.0	1.0	1.0	1.0	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	12	23	6
Percentage of transfers resulting in live births		9 / 12	78.3%	5 / 6
Percentage of transfers resulting in singleton live births		9 / 12	78.3%	5 / 6

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	133	88	50	43	47	361
Percentage of cycles cancelled prior to retrieval or thaw	0.8%	0.0%	2.0%	0.0%	2.1%	0.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.0%	1.1%	0.0%	2.3%	2.1%	1.9%
Percentage of cycles for fertility preservation	6.8%	10.2%	6.0%	7.0%	4.3%	7.2%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using frozen embryos	87.5%	90.9%	76.5%	72.4%	72.7%	82.8%
Percentage of transfers of at least one embryo with ICSI	60.2%	56.4%	64.7%	69.0%	54.5%	60.3%
Percentage of transfers of at least one embryo with PGT	83.0%	80.0%	73.5%	62.1%	57.6%	74.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	69%	Diminished ovarian reserve	19%
Endometriosis	7%	Egg or embryo banking	32%
Tubal factor	15%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	16%	Other, infertility	5%
Uterine factor	1%	Other, non-infertility	3%
PGT	0%	Unexplained	6%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

IVF HAWAII
HONOLULU, HAWAII

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Benton H. Chun, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	22	26	32	12	11
Percentage of intended retrievals resulting in live births	45.5%	50.0%	31.3%	2 / 12	4 / 11
Percentage of intended retrievals resulting in singleton live births	31.8%	30.8%	18.8%	1 / 12	4 / 11
Number of **retrievals**	20	23	28	11	10
Percentage of retrievals resulting in live births	50.0%	56.5%	35.7%	2 / 11	4 / 10
Percentage of retrievals resulting in singleton live births	35.0%	34.8%	21.4%	1 / 11	4 / 10
Number of **transfers**	24	21	32	12	10
Percentage of transfers resulting in live births	41.7%	61.9%	31.3%	2 / 12	4 / 10
Percentage of transfers resulting in singleton live births	29.2%	38.1%	18.8%	1 / 12	4 / 10
Number of intended retrievals per live birth	2.2	2.0	3.2	6.0	2.8
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	9 / 16	10 / 19	8 / 14	2 / 10	3 / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	9 / 16	11 / 19	8 / 14	2 / 10	3 / 7
Percentage of new patients having live births after all intended retrievals	9 / 16	11 / 19	8 / 14	2 / 10	3 / 7
Average number of intended retrievals per new patient	1.0	1.2	1.1	1.1	1.0
Average number of transfers per intended retrieval	1.4	0.9	1.3	1.0	0.9

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	6	0
Percentage of transfers resulting in live births			2 / 6	
Percentage of transfers resulting in singleton live births			2 / 6	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	46	59	61	25	27	218
Percentage of cycles cancelled prior to retrieval or thaw	8.7%	3.4%	8.2%	16.0%	14.8%	8.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	17.4%	15.3%	9.8%	16.0%	7.4%	13.3%
Percentage of cycles for fertility preservation	2.2%	3.4%	4.9%	0.0%	3.7%	3.2%
Percentage of transfers using a gestational carrier	0.0%	2.9%	0.0%	0 / 13	0 / 16	0.8%
Percentage of transfers using frozen embryos	78.6%	60.0%	72.2%	10 / 13	10 / 16	69.5%
Percentage of transfers of at least one embryo with ICSI	100.0%	100.0%	100.0%	13 / 13	15 / 16	99.2%
Percentage of transfers of at least one embryo with PGT	7.1%	11.4%	2.8%	2 / 13	1 / 16	7.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	86%	Diminished ovarian reserve	51%
Endometriosis	34%	Egg or embryo banking	21%
Tubal factor	14%	Recurrent pregnancy loss	11%
Ovulatory dysfunction	24%	Other, infertility	52%
Uterine factor	4%	Other, non-infertility	1%
PGT	8%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2017 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2017 ART cycle data or the clinic's Medical Director did not approve the clinic's 2017 ART cycle data for inclusion in this report.

PACIFIC IN VITRO FERTILIZATION INSTITUTE
HONOLULU, HAWAII

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Thomas S. Kosasa, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	44	38	28	30	20
Percentage of intended retrievals resulting in live births	40.9%	31.6%	25.0%	6.7%	10.0%
Percentage of intended retrievals resulting in singleton live births	27.3%	18.4%	25.0%	6.7%	10.0%
Number of **retrievals**	40	36	25	27	18
Percentage of retrievals resulting in live births	45.0%	33.3%	28.0%	7.4%	2 / 18
Percentage of retrievals resulting in singleton live births	30.0%	19.4%	28.0%	7.4%	2 / 18
Number of **transfers**	49	38	26	26	18
Percentage of transfers resulting in live births	36.7%	31.6%	26.9%	7.7%	2 / 18
Percentage of transfers resulting in singleton live births	24.5%	18.4%	26.9%	7.7%	2 / 18
Number of intended retrievals per live birth	2.4	3.2	4.0	15.0	10.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	43.2%	34.4%	4 / 15	2 / 16	1 / 13
Percentage of new patients having live births after 1 or 2 intended retrievals	45.9%	34.4%	4 / 15	2 / 16	1 / 13
Percentage of new patients having live births after all intended retrievals	45.9%	34.4%	4 / 15	2 / 16	1 / 13
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.0	1.0
Average number of transfers per intended retrieval	1.1	1.0	0.7	0.9	0.9

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	44	1	139	0
Percentage of transfers resulting in live births	47.7%	0 / 1	46.0%	
Percentage of transfers resulting in singleton live births	31.8%	0 / 1	30.9%	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	103	103	87	62	190	545
Percentage of cycles cancelled prior to retrieval or thaw	4.9%	5.8%	9.2%	8.1%	3.7%	5.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	22.3%	20.4%	14.9%	11.3%	4.2%	13.2%
Percentage of cycles for fertility preservation	5.8%	2.9%	4.6%	4.8%	2.1%	3.7%
Percentage of transfers using a gestational carrier	1.6%	0.0%	1.7%	0.0%	6.9%	3.2%
Percentage of transfers using frozen embryos	82.3%	66.7%	67.2%	65.9%	74.3%	72.2%
Percentage of transfers of at least one embryo with ICSI	87.1%	93.9%	87.9%	90.2%	70.8%	82.5%
Percentage of transfers of at least one embryo with PGT	3.2%	7.6%	8.6%	2.4%	24.3%	12.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	55%	Diminished ovarian reserve	42%
Endometriosis	31%	Egg or embryo banking	13%
Tubal factor	12%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	4%	Other, infertility	6%
Uterine factor	1%	Other, non-infertility	2%
PGT	<1%	Unexplained	0%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

TRIPLER ARMY MEDICAL CENTER IVF INSTITUTE
TRIPLER AMC, HAWAII

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Nia R. Middleton, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	43	14	5	6	0
Percentage of intended retrievals resulting in live births	48.8%	5 / 14	0 / 5	1 / 6	
Percentage of intended retrievals resulting in singleton live births	39.5%	3 / 14	0 / 5	0 / 6	
Number of **retrievals**	42	12	5	6	0
Percentage of retrievals resulting in live births	50.0%	5 / 12	0 / 5	1 / 6	
Percentage of retrievals resulting in singleton live births	40.5%	3 / 12	0 / 5	0 / 6	
Number of **transfers**	37	13	4	6	0
Percentage of transfers resulting in live births	56.8%	5 / 13	0 / 4	1 / 6	
Percentage of transfers resulting in singleton live births	45.9%	3 / 13	0 / 4	0 / 6	
Number of intended retrievals per live birth	2.0	2.8		6.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.5%	4 / 10	0 / 1	1 / 6	
Percentage of new patients having live births after 1 or 2 intended retrievals	57.6%	5 / 10	0 / 1	1 / 6	
Percentage of new patients having live births after all intended retrievals	57.6%	5 / 10	0 / 1	1 / 6	
Average number of intended retrievals per new patient	1.1	1.2	1.0	1.0	
Average number of transfers per intended retrieval	0.9	0.9	0.0	1.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	2	0
Percentage of transfers resulting in live births			0 / 2	
Percentage of transfers resulting in singleton live births			0 / 2	

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	97	69	52	18	7	243
Percentage of cycles cancelled prior to retrieval or thaw	8.2%	13.0%	13.5%	2 / 18	1 / 7	11.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.2%	8.7%	7.7%	1 / 18	1 / 7	7.0%
Percentage of cycles for fertility preservation	3.1%	2.9%	3.8%	4 / 18	0 / 7	4.5%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 9	0 / 3	0.0%
Percentage of transfers using frozen embryos	43.4%	51.3%	54.5%	1 / 9	3 / 3	46.8%
Percentage of transfers of at least one embryo with ICSI	90.6%	100.0%	95.5%	9 / 9	1 / 3	93.7%
Percentage of transfers of at least one embryo with PGT	15.1%	7.7%	4.5%	0 / 9	0 / 3	9.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	22%
Endometriosis	8%	Egg or embryo banking	30%
Tubal factor	20%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	12%	Other, infertility	11%
Uterine factor	3%	Other, non-infertility	7%
PGT	3%	Unexplained	14%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2016 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2017.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.