2018
Fertility Clinic Tables

ALABAMA–HAWAII



ALABAMA FERTILITY SPECIALISTS
BIRMINGHAM, ALABAMA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Janet M. Bouknight, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	39	11	8	6	*
Percentage of intended retrievals resulting in live births	56.4%	* / 11	* / 8	* / 6	0 / *
Percentage of intended retrievals resulting in singleton live births	41.0%	* / 11	* / 8	* / 6	0 / *
Number of **retrievals**	35	9	6	5	0
Percentage of retrievals resulting in live births	62.9%	* / 9	* / 6	* / 5	
Percentage of retrievals resulting in singleton live births	45.7%	* / 9	* / 6	* / 5	
Number of **transfers**	40	12	6	5	0
Percentage of transfers resulting in live births	55.0%	* / 12	* / 6	* / 5	
Percentage of transfers resulting in singleton live births	40.0%	* / 12	* / 6	* / 5	
Number of intended retrievals per live birth	1.8	2.8	2.7	3.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	56.7%	* / 9	* / 7	* / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	60.0%	* / 9	* / 7	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	60.0%	* / 9	* / 7	* / *	0 / *
Average number of intended retrievals per new patient	1.1	1.0	1.0	1.3	1.0
Average number of transfers per intended retrieval	0.9	1.1	0.7	0.8	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	5	*	0
Percentage of transfers resulting in live births	0 / *	* / 5	0 / *	
Percentage of transfers resulting in singleton live births	0 / *	* / 5	0 / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	191	81	56	21	20	369
Percentage of cycles cancelled prior to retrieval or thaw	6.3%	12.3%	21.4%	4.8%	30.0%	11.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.4%	7.4%	10.7%	4.8%	10.0%	8.9%
Percentage of cycles for fertility preservation	0.5%	0.0%	3.6%	0.0%	0.0%	0.8%
Percentage of transfers using a gestational carrier	1.5%	0.0%	12.5%	0 / 13	0 / 9	2.4%
Percentage of transfers using frozen embryos	50.4%	47.4%	62.5%	* / 13	5 / 9	50.4%
Percentage of transfers of at least one embryo with ICSI	60.6%	42.1%	40.6%	12 / 13	* / 9	54.4%
Percentage of transfers of at least one embryo with PGT	14.6%	7.0%	25.0%	* / 13	* / 9	14.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	11%
Endometriosis	25%	Egg or embryo banking	13%
Tubal factor	15%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	17%	Other, infertility	8%
Uterine factor	7%	Other, non-infertility	3%
PGT	3%	Unexplained	9%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

AMERICA INSTITUTE OF REPRODUCTIVE MEDICINE-ALABAMA
BIRMINGHAM, ALABAMA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Cecil A. Long, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	45	28	24	8	*	108
Percentage of cycles cancelled prior to retrieval or thaw	6.7%	10.7%	25.0%	* / 8	0 / *	13.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	20.0%	21.4%	16.7%	* / 8	0 / *	18.5%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 8	0 / *	0.0%
Percentage of transfers using a gestational carrier	0.0%	0 / 18	0 / 14	0 / *	0 / *	0.0%
Percentage of transfers using frozen embryos	9.1%	* / 18	0 / 14	* / *	0 / *	9.7%
Percentage of transfers of at least one embryo with ICSI	97.0%	18 / 18	14 / 14	* / *	* / *	98.6%
Percentage of transfers of at least one embryo with PGT	3.0%	* / 18	0 / 14	0 / *	0 / *	4.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	25%	Diminished ovarian reserve	23%
Endometriosis	20%	Egg or embryo banking	0%
Tubal factor	27%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	44%	Other, infertility	3%
Uterine factor	11%	Other, non-infertility	2%
PGT	1%	Unexplained	2%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ART FERTILITY PROGRAM OF ALABAMA
BIRMINGHAM, ALABAMA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Virginia L. Houserman, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	121	60	30	11	*
Percentage of intended retrievals resulting in live births	34.7%	20.0%	13.3%	0 / 11	0 / *
Percentage of intended retrievals resulting in singleton live births	24.8%	16.7%	13.3%	0 / 11	0 / *
Number of **retrievals**	109	48	23	7	*
Percentage of retrievals resulting in live births	38.5%	25.0%	17.4%	0 / 7	0 / *
Percentage of retrievals resulting in singleton live births	27.5%	20.8%	17.4%	0 / 7	0 / *
Number of **transfers**	105	41	14	*	*
Percentage of transfers resulting in live births	40.0%	29.3%	* / 14	0 / *	0 / *
Percentage of transfers resulting in singleton live births	28.6%	24.4%	* / 14	0 / *	0 / *
Number of intended retrievals per live birth	2.9	5.0	7.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	32.9%	18.6%	* / 18	0 / 6	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	40.5%	20.9%	* / 18	0 / 6	0 / *
Percentage of new patients having live births after all intended retrievals	41.8%	20.9%	* / 18	0 / 6	0 / *
Average number of intended retrievals per new patient	1.3	1.2	1.2	1.5	1.0
Average number of transfers per intended retrieval	0.9	0.7	0.5	0.2	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	17	7
Percentage of transfers resulting in live births		* / *	10 / 17	* / 7
Percentage of transfers resulting in singleton live births		* / *	8 / 17	* / 7

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	253	108	58	21	11	451
Percentage of cycles cancelled prior to retrieval or thaw	14.6%	13.9%	27.6%	19.0%	* / 11	16.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	16.6%	13.0%	10.3%	19.0%	* / 11	14.9%
Percentage of cycles for fertility preservation	1.2%	0.0%	5.2%	9.5%	0 / 11	1.8%
Percentage of transfers using a gestational carrier	1.3%	3.1%	0.0%	0 / 8	0 / 8	1.6%
Percentage of transfers using frozen embryos	63.6%	69.2%	56.0%	6 / 8	7 / 8	65.4%
Percentage of transfers of at least one embryo with ICSI	88.1%	80.0%	68.0%	* / 8	* / 8	81.7%
Percentage of transfers of at least one embryo with PGT	8.6%	6.2%	8.0%	0 / 8	0 / 8	7.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	59%	Diminished ovarian reserve	8%
Endometriosis	22%	Egg or embryo banking	14%
Tubal factor	22%	Recurrent pregnancy loss	14%
Ovulatory dysfunction	8%	Other, infertility	61%
Uterine factor	2%	Other, non-infertility	27%
PGT	9%	Unexplained	2%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY OF ALABAMA AT BIRMINGHAM REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY BIRMINGHAM, ALABAMA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Deidre D. Gunn, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	53	23	20	5	6
Percentage of intended retrievals resulting in live births	49.1%	43.5%	35.0%	* / 5	0 / 6
Percentage of intended retrievals resulting in singleton live births	49.1%	43.5%	30.0%	* / 5	0 / 6
Number of **retrievals**	51	21	17	*	*
Percentage of retrievals resulting in live births	51.0%	47.6%	7 / 17	* / *	0 / *
Percentage of retrievals resulting in singleton live births	51.0%	47.6%	6 / 17	* / *	0 / *
Number of **transfers**	52	24	12	*	0
Percentage of transfers resulting in live births	50.0%	41.7%	7 / 12	* / *	
Percentage of transfers resulting in singleton live births	50.0%	41.7%	6 / 12	* / *	
Number of intended retrievals per live birth	2.0	2.3	2.9	5.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	51.4%	6 / 11	6 / 11	* / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	56.8%	8 / 11	6 / 11	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	56.8%	8 / 11	6 / 11	* / *	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.0	1.0	1.3
Average number of transfers per intended retrieval	1.0	1.5	0.9	0.5	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	10	*
Percentage of transfers resulting in live births		* / *	* / 10	* / *
Percentage of transfers resulting in singleton live births		* / *	* / 10	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	113	40	26	16	9	204
Percentage of cycles cancelled prior to retrieval or thaw	4.4%	10.0%	11.5%	* / 16	* / 9	7.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	10.6%	10.0%	7.7%	* / 16	0 / 9	9.3%
Percentage of cycles for fertility preservation	6.2%	0.0%	3.8%	* / 16	0 / 9	4.4%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0 / 16	0 / 10	* / 8	0.8%
Percentage of transfers using frozen embryos	95.2%	92.6%	15 / 16	10 / 10	* / 8	91.9%
Percentage of transfers of at least one embryo with ICSI	71.0%	55.6%	9 / 16	* / 10	* / 8	61.0%
Percentage of transfers of at least one embryo with PGT	54.8%	40.7%	7 / 16	* / 10	0 / 8	44.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	21%
Endometriosis	7%	Egg or embryo banking	24%
Tubal factor	20%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	11%	Other, infertility	7%
Uterine factor	6%	Other, non-infertility	<1%
PGT	3%	Unexplained	11%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

CENTER FOR REPRODUCTIVE MEDICINE
MOBILE, ALABAMA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by George T. Koulianos, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	95	32	36	7	8
Percentage of intended retrievals resulting in live births	62.1%	59.4%	16.7%	0 / 7	0 / 8
Percentage of intended retrievals resulting in singleton live births	53.7%	53.1%	8.3%	0 / 7	0 / 8
Number of **retrievals**	83	30	28	*	*
Percentage of retrievals resulting in live births	71.1%	63.3%	21.4%	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	61.4%	56.7%	10.7%	0 / *	0 / *
Number of **transfers**	115	35	28	*	*
Percentage of transfers resulting in live births	51.3%	54.3%	21.4%	0 / *	0 / *
Percentage of transfers resulting in singleton live births	44.3%	48.6%	10.7%	0 / *	0 / *
Number of intended retrievals per live birth	1.6	1.7	6.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	64.2%	13 / 19	* / 11	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	73.1%	14 / 19	* / 11	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	76.1%	14 / 19	* / 11	0 / *	0 / *
Average number of intended retrievals per new patient	1.2	1.2	1.8	1.8	1.5
Average number of transfers per intended retrieval	1.2	1.1	0.7	0.6	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	13	9	*
Percentage of transfers resulting in live births		5 / 13	6 / 9	* / *
Percentage of transfers resulting in singleton live births		5 / 13	6 / 9	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	178	89	68	14	32	381
Percentage of cycles cancelled prior to retrieval or thaw	2.8%	4.5%	14.7%	* / 14	9.4%	6.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	19.1%	16.9%	10.3%	* / 14	9.4%	16.0%
Percentage of cycles for fertility preservation	3.4%	0.0%	1.5%	0 / 14	0.0%	1.8%
Percentage of transfers using a gestational carrier	1.7%	3.8%	0.0%	0 / 9	8.7%	2.6%
Percentage of transfers using frozen embryos	78.4%	73.6%	76.7%	5 / 9	52.2%	73.6%
Percentage of transfers of at least one embryo with ICSI	96.6%	92.5%	83.3%	9 / 9	56.5%	90.0%
Percentage of transfers of at least one embryo with PGT	13.8%	20.8%	36.7%	* / 9	13.0%	18.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	44%	Diminished ovarian reserve	12%
Endometriosis	15%	Egg or embryo banking	17%
Tubal factor	16%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	23%	Other, infertility	22%
Uterine factor	1%	Other, non-infertility	2%
PGT	17%	Unexplained	7%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

NEW DIRECTION FERTILITY CENTERS
GILBERT, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mark Amols, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	223	96	117	40	46
Percentage of intended retrievals resulting in live births	66.8%	43.8%	34.2%	10.0%	6.5%
Percentage of intended retrievals resulting in singleton live births	43.5%	32.3%	23.1%	10.0%	6.5%
Number of **retrievals**	220	93	115	37	43
Percentage of retrievals resulting in live births	67.7%	45.2%	34.8%	10.8%	7.0%
Percentage of retrievals resulting in singleton live births	44.1%	33.3%	23.5%	10.8%	7.0%
Number of **transfers**	211	69	78	7	7
Percentage of transfers resulting in live births	70.6%	60.9%	51.3%	* / 7	* / 7
Percentage of transfers resulting in singleton live births	46.0%	44.9%	34.6%	* / 7	* / 7
Number of intended retrievals per live birth	1.5	2.3	2.9	10.0	15.3
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	74.2%	52.0%	42.3%	* / 17	* / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	78.1%	66.0%	55.8%	* / 17	* / 8
Percentage of new patients having live births after all intended retrievals	79.4%	66.0%	57.7%	* / 17	* / 8
Average number of intended retrievals per new patient	1.2	1.3	1.4	1.6	1.3
Average number of transfers per intended retrieval	1.0	0.8	0.7	0.2	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	21	*
Percentage of transfers resulting in live births			66.7%	* / *
Percentage of transfers resulting in singleton live births			38.1%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	443	219	180	53	64	959
Percentage of cycles cancelled prior to retrieval or thaw	2.3%	0.9%	1.7%	5.7%	6.3%	2.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.0%	3.7%	6.7%	11.3%	7.8%	4.2%
Percentage of cycles for fertility preservation	1.1%	1.4%	3.9%	3.8%	3.1%	2.0%
Percentage of transfers using a gestational carrier	0.5%	0.9%	0.0%	0 / 15	4.0%	0.7%
Percentage of transfers using frozen embryos	99.1%	98.2%	100.0%	15 / 15	100.0%	99.1%
Percentage of transfers of at least one embryo with ICSI	49.1%	58.2%	53.3%	6 / 15	60.0%	52.3%
Percentage of transfers of at least one embryo with PGT	27.0%	33.6%	36.0%	5 / 15	48.0%	31.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	31%
Endometriosis	9%	Egg or embryo banking	>99%
Tubal factor	11%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	14%	Other, infertility	1%
Uterine factor	4%	Other, non-infertility	6%
PGT	77%	Unexplained	14%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

TROCHÉ FERTILITY CENTERS
GLENDALE, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Vladimir Troché, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	41	29	21	*	0
Percentage of intended retrievals resulting in live births	48.8%	37.9%	42.9%	0 / *	
Percentage of intended retrievals resulting in singleton live births	43.9%	31.0%	23.8%	0 / *	
Number of **retrievals**	40	26	21	*	0
Percentage of retrievals resulting in live births	50.0%	42.3%	42.9%	0 / *	
Percentage of retrievals resulting in singleton live births	45.0%	34.6%	23.8%	0 / *	
Number of **transfers**	58	34	24	*	0
Percentage of transfers resulting in live births	34.5%	32.4%	37.5%	0 / *	
Percentage of transfers resulting in singleton live births	31.0%	26.5%	20.8%	0 / *	
Number of intended retrievals per live birth	2.1	2.6	2.3		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	51.5%	40.9%	8 / 14	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	51.5%	40.9%	8 / 14	0 / *	
Percentage of new patients having live births after all intended retrievals	51.5%	40.9%	8 / 14	0 / *	
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.0	
Average number of transfers per intended retrieval	1.5	1.2	1.2	0.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	9	*
Percentage of transfers resulting in live births	* / *		* / 9	* / *
Percentage of transfers resulting in singleton live births	* / *		* / 9	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	106	36	46	9	15	212
Percentage of cycles cancelled prior to retrieval or thaw	3.8%	2.8%	6.5%	0 / 9	* / 15	4.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.8%	2.8%	0.0%	0 / 9	* / 15	2.8%
Percentage of cycles for fertility preservation	0.9%	2.8%	2.2%	0 / 9	0 / 15	1.4%
Percentage of transfers using a gestational carrier	0.0%	3.7%	3.2%	0 / 7	0 / 10	1.2%
Percentage of transfers using frozen embryos	58.0%	66.7%	54.8%	* / 7	9 / 10	60.1%
Percentage of transfers of at least one embryo with ICSI	95.5%	88.9%	100.0%	7 / 7	* / 10	90.8%
Percentage of transfers of at least one embryo with PGT	9.1%	33.3%	25.8%	* / 7	* / 10	17.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	76%	Diminished ovarian reserve	25%
Endometriosis	5%	Egg or embryo banking	17%
Tubal factor	18%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	17%	Other, infertility	2%
Uterine factor	3%	Other, non-infertility	0%
PGT	1%	Unexplained	5%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ARIZONA REPRODUCTIVE MEDICINE SPECIALISTS, LLC
PHOENIX, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Drew V. Moffitt, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	61	33	22	11	5
Percentage of intended retrievals resulting in live births	55.7%	33.3%	27.3%	0 / 11	* / 5
Percentage of intended retrievals resulting in singleton live births	49.2%	30.3%	27.3%	0 / 11	* / 5
Number of **retrievals**	61	30	16	10	*
Percentage of retrievals resulting in live births	55.7%	36.7%	6 / 16	0 / 10	* / *
Percentage of retrievals resulting in singleton live births	49.2%	33.3%	6 / 16	0 / 10	* / *
Number of **transfers**	81	22	13	*	*
Percentage of transfers resulting in live births	42.0%	50.0%	6 / 13	0 / *	* / *
Percentage of transfers resulting in singleton live births	37.0%	45.5%	6 / 13	0 / *	* / *
Number of intended retrievals per live birth	1.8	3.0	3.7		5.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	55.4%	50.0%	* / 15	0 / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	55.4%	55.0%	5 / 15	0 / 5	0 / *
Percentage of new patients having live births after all intended retrievals	57.1%	55.0%	5 / 15	0 / 5	0 / *
Average number of intended retrievals per new patient	1.0	1.2	1.2	1.6	1.3
Average number of transfers per intended retrieval	1.4	0.8	0.6	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	5	11	*
Percentage of transfers resulting in live births	* / *	* / 5	7 / 11	* / *
Percentage of transfers resulting in singleton live births	* / *	* / 5	6 / 11	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	201	86	67	21	32	407
Percentage of cycles cancelled prior to retrieval or thaw	6.5%	7.0%	13.4%	14.3%	12.5%	8.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.0%	2.3%	1.5%	0.0%	9.4%	2.5%
Percentage of cycles for fertility preservation	2.0%	8.1%	1.5%	0.0%	0.0%	2.9%
Percentage of transfers using a gestational carrier	1.1%	0.0%	0.0%	0 / 11	0 / 17	0.5%
Percentage of transfers using frozen embryos	100.0%	92.7%	96.8%	11 / 11	12 / 17	95.2%
Percentage of transfers of at least one embryo with ICSI	87.4%	85.4%	90.3%	11 / 11	13 / 17	87.2%
Percentage of transfers of at least one embryo with PGT	23.0%	39.0%	51.6%	5 / 11	5 / 17	33.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	50%	Diminished ovarian reserve	35%
Endometriosis	5%	Egg or embryo banking	49%
Tubal factor	18%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	15%	Other, infertility	10%
Uterine factor	2%	Other, non-infertility	5%
PGT	3%	Unexplained	1%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

GONDRA CENTER FOR REPRODUCTIVE CARE & ADVANCED GYNECOLOGY
PHOENIX, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Maria M. Gondra, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	11	8	11	*	0
Percentage of intended retrievals resulting in live births	* / 11	* / 8	0 / 11	0 / *	
Percentage of intended retrievals resulting in singleton live births	* / 11	* / 8	0 / 11	0 / *	
Number of **retrievals**	11	8	10	*	0
Percentage of retrievals resulting in live births	* / 11	* / 8	0 / 10	0 / *	
Percentage of retrievals resulting in singleton live births	* / 11	* / 8	0 / 10	0 / *	
Number of **transfers**	15	10	8	0	0
Percentage of transfers resulting in live births	* / 15	* / 10	0 / 8		
Percentage of transfers resulting in singleton live births	* / 15	* / 10	0 / 8		
Number of intended retrievals per live birth	2.8	4.0			
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 7	* / 7	0 / 8	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 7	* / 7	0 / 8	0 / *	
Percentage of new patients having live births after all intended retrievals	* / 7	* / 7	0 / 8	0 / *	
Average number of intended retrievals per new patient	1.4	1.0	1.3	2.0	
Average number of transfers per intended retrieval	1.4	1.3	0.8	0.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	*	0
Percentage of transfers resulting in live births	* / *	0 / *	0 / *	
Percentage of transfers resulting in singleton live births	* / *	0 / *	0 / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	39	17	16	7	*	81
Percentage of cycles cancelled prior to retrieval or thaw	7.7%	0 / 17	* / 16	0 / 7	0 / *	4.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.1%	* / 17	* / 16	0 / 7	* / *	8.6%
Percentage of cycles for fertility preservation	2.6%	0 / 17	* / 16	0 / 7	0 / *	2.5%
Percentage of transfers using a gestational carrier	0.0%	0 / 9	0 / 8	0 / *	0 / *	0.0%
Percentage of transfers using frozen embryos	72.0%	7 / 9	5 / 8	* / *	0 / *	68.1%
Percentage of transfers of at least one embryo with ICSI	100.0%	9 / 9	8 / 8	* / *	* / *	100.0%
Percentage of transfers of at least one embryo with PGT	12.0%	6 / 9	5 / 8	* / *	0 / *	34.0%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	47%	Diminished ovarian reserve	38%
Endometriosis	22%	Egg or embryo banking	27%
Tubal factor	11%	Recurrent pregnancy loss	16%
Ovulatory dysfunction	25%	Other, infertility	14%
Uterine factor	10%	Other, non-infertility	6%
PGT	2%	Unexplained	1%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SOUTHWEST FERTILITY CENTER
PHOENIX, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Sujatha Gunnala, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	38	24	22	6	0
Percentage of intended retrievals resulting in live births	63.2%	41.7%	50.0%	* / 6	
Percentage of intended retrievals resulting in singleton live births	55.3%	37.5%	45.5%	* / 6	
Number of **retrievals**	38	24	20	5	0
Percentage of retrievals resulting in live births	63.2%	41.7%	55.0%	* / 5	
Percentage of retrievals resulting in singleton live births	55.3%	37.5%	50.0%	* / 5	
Number of **transfers**	55	29	18	*	0
Percentage of transfers resulting in live births	43.6%	34.5%	11 / 18	* / *	
Percentage of transfers resulting in singleton live births	38.2%	31.0%	10 / 18	* / *	
Number of intended retrievals per live birth	1.6	2.4	2.0	6.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	63.6%	9 / 19	10 / 19	* / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	63.6%	9 / 19	11 / 19	* / *	
Percentage of new patients having live births after all intended retrievals	63.6%	9 / 19	11 / 19	* / *	
Average number of intended retrievals per new patient	1.0	1.2	1.1	1.5	
Average number of transfers per intended retrieval	1.5	1.2	0.9	0.7	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	5	*	8	*
Percentage of transfers resulting in live births	* / 5	0 / *	* / 8	* / *
Percentage of transfers resulting in singleton live births	* / 5	0 / *	* / 8	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	80	38	44	14	6	182
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	6.8%	0 / 14	* / 6	2.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.3%	5.3%	0.0%	* / 14	0 / 6	4.9%
Percentage of cycles for fertility preservation	1.3%	0.0%	6.8%	0 / 14	0 / 6	2.2%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 9	* / *	0.7%
Percentage of transfers using frozen embryos	58.2%	44.8%	54.8%	6 / 9	* / *	55.0%
Percentage of transfers of at least one embryo with ICSI	95.5%	89.7%	90.3%	6 / 9	* / *	90.7%
Percentage of transfers of at least one embryo with PGT	7.5%	0.0%	6.5%	* / 9	* / *	6.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	34%	Diminished ovarian reserve	34%
Endometriosis	17%	Egg or embryo banking	19%
Tubal factor	23%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	15%	Other, infertility	5%
Uterine factor	5%	Other, non-infertility	2%
PGT	1%	Unexplained	9%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ADVANCED FERTILITY CARE, PLLC
SCOTTSDALE, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Frederick W. Larsen, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	84	53	34	11	6
Percentage of intended retrievals resulting in live births	70.2%	47.2%	35.3%	0 / 11	0 / 6
Percentage of intended retrievals resulting in singleton live births	63.1%	41.5%	32.4%	0 / 11	0 / 6
Number of **retrievals**	82	47	31	10	*
Percentage of retrievals resulting in live births	72.0%	53.2%	38.7%	0 / 10	0 / *
Percentage of retrievals resulting in singleton live births	64.6%	46.8%	35.5%	0 / 10	0 / *
Number of **transfers**	93	46	21	*	0
Percentage of transfers resulting in live births	63.4%	54.3%	57.1%	0 / *	
Percentage of transfers resulting in singleton live births	57.0%	47.8%	52.4%	0 / *	
Number of intended retrievals per live birth	1.4	2.1	2.8		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	72.9%	50.0%	6 / 19	0 / 7	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	74.3%	52.6%	9 / 19	0 / 7	0 / 5
Percentage of new patients having live births after all intended retrievals	74.3%	52.6%	9 / 19	0 / 7	0 / 5
Average number of intended retrievals per new patient	1.0	1.1	1.3	1.0	1.0
Average number of transfers per intended retrieval	1.1	0.9	0.7	0.1	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	32	7
Percentage of transfers resulting in live births	0 / *		46.9%	* / 7
Percentage of transfers resulting in singleton live births	0 / *		37.5%	* / 7

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	225	103	110	32	26	496
Percentage of cycles cancelled prior to retrieval or thaw	4.4%	11.7%	11.8%	15.6%	3.8%	8.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.8%	4.9%	8.2%	15.6%	7.7%	5.0%
Percentage of cycles for fertility preservation	1.8%	3.9%	1.8%	0.0%	0.0%	2.0%
Percentage of transfers using a gestational carrier	3.0%	1.9%	2.0%	0 / 14	* / 16	3.0%
Percentage of transfers using frozen embryos	95.5%	98.1%	98.0%	13 / 14	15 / 16	96.2%
Percentage of transfers of at least one embryo with ICSI	76.5%	84.9%	61.2%	9 / 14	6 / 16	72.3%
Percentage of transfers of at least one embryo with PGT	65.2%	83.0%	67.3%	9 / 14	8 / 16	68.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	61%	Diminished ovarian reserve	38%
Endometriosis	8%	Egg or embryo banking	43%
Tubal factor	16%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	11%	Other, infertility	72%
Uterine factor	17%	Other, non-infertility	9%
PGT	69%	Unexplained	1%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ARIZONA ASSOCIATES FOR REPRODUCTIVE HEALTH
SCOTTSDALE, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ketan S. Patel, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	28	16	23	9	*
Percentage of intended retrievals resulting in live births	57.1%	9 / 16	17.4%	0 / 9	0 / *
Percentage of intended retrievals resulting in singleton live births	50.0%	9 / 16	17.4%	0 / 9	0 / *
Number of **retrievals**	27	15	19	8	*
Percentage of retrievals resulting in live births	59.3%	9 / 15	* / 19	0 / 8	0 / *
Percentage of retrievals resulting in singleton live births	51.9%	9 / 15	* / 19	0 / 8	0 / *
Number of **transfers**	32	16	13	0	0
Percentage of transfers resulting in live births	50.0%	9 / 16	* / 13		
Percentage of transfers resulting in singleton live births	43.8%	9 / 16	* / 13		
Number of intended retrievals per live birth	1.8	1.8	5.8		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	57.1%	5 / 10	* / 11	0 / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	61.9%	5 / 10	* / 11	0 / 5	0 / *
Percentage of new patients having live births after all intended retrievals	61.9%	5 / 10	* / 11	0 / 5	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.4	1.0	1.0
Average number of transfers per intended retrieval	1.1	0.9	0.5	0.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	*	0
Percentage of transfers resulting in live births	* / *	* / *	* / *	
Percentage of transfers resulting in singleton live births	* / *	* / *	* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	98	67	50	17	9	241
Percentage of cycles cancelled prior to retrieval or thaw	7.1%	6.0%	10.0%	* / 17	* / 9	9.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	20.4%	14.9%	20.0%	* / 17	0 / 9	18.3%
Percentage of cycles for fertility preservation	0.0%	3.0%	10.0%	0 / 17	0 / 9	2.9%
Percentage of transfers using a gestational carrier	0.0%	0.0%	* / 17	0 / 6	0 / 5	1.0%
Percentage of transfers using frozen embryos	89.4%	86.2%	13 / 17	* / 6	* / 5	83.7%
Percentage of transfers of at least one embryo with ICSI	87.2%	86.2%	15 / 17	5 / 6	* / 5	85.6%
Percentage of transfers of at least one embryo with PGT	29.8%	55.2%	11 / 17	* / 6	* / 5	43.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	29%
Endometriosis	4%	Egg or embryo banking	29%
Tubal factor	7%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	7%	Other, infertility	59%
Uterine factor	3%	Other, non-infertility	5%
PGT	55%	Unexplained	8%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ARIZONA CENTER FOR FERTILITY STUDIES (ACFS) SCOTTSDALE, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Shane T. Lipskind, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	10	5	10	0	*
Percentage of intended retrievals resulting in live births	5 / 10	* / 5	* / 10		* / *
Percentage of intended retrievals resulting in singleton live births	* / 10	* / 5	* / 10		* / *
Number of **retrievals**	10	5	10	0	*
Percentage of retrievals resulting in live births	5 / 10	* / 5	* / 10		* / *
Percentage of retrievals resulting in singleton live births	* / 10	* / 5	* / 10		* / *
Number of **transfers**	9	*	*	0	*
Percentage of transfers resulting in live births	5 / 9	* / *	* / *		* / *
Percentage of transfers resulting in singleton live births	* / 9	* / *	* / *		* / *
Number of intended retrievals per live birth	2.0	1.7	5.0		4.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	5 / 7	* / *	0 / *		0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	5 / 7	* / *	0 / *		0 / *
Percentage of new patients having live births after all intended retrievals	5 / 7	* / *	* / *		0 / *
Average number of intended retrievals per new patient	1.1	1.7	2.0		2.0
Average number of transfers per intended retrieval	1.0	0.6	0.5		0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	21	10
Percentage of transfers resulting in live births		* / *	81.0%	* / 10
Percentage of transfers resulting in singleton live births		* / *	71.4%	* / 10

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	67	38	45	24	35	209
Percentage of cycles cancelled prior to retrieval or thaw	1.5%	0.0%	6.7%	4.2%	0.0%	2.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.5%	2.6%	0.0%	4.2%	5.7%	2.4%
Percentage of cycles for fertility preservation	25.4%	13.2%	6.7%	4.2%	2.9%	12.9%
Percentage of transfers using a gestational carrier	12.0%	0 / 15	* / 16	* / 10	10.0%	8.1%
Percentage of transfers using frozen embryos	100.0%	14 / 15	16 / 16	10 / 10	95.0%	97.7%
Percentage of transfers of at least one embryo with ICSI	100.0%	15 / 15	16 / 16	10 / 10	95.0%	98.8%
Percentage of transfers of at least one embryo with PGT	100.0%	14 / 15	16 / 16	10 / 10	90.0%	96.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	20%	Diminished ovarian reserve	45%
Endometriosis	4%	Egg or embryo banking	56%
Tubal factor	9%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	6%	Other, infertility	0%
Uterine factor	4%	Other, non-infertility	3%
PGT	22%	Unexplained	8%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BLOOM REPRODUCTIVE INSTITUTE
SCOTTSDALE, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Millie A. Behera, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	94	58	57	23	24
Percentage of intended retrievals resulting in live births	47.9%	27.6%	12.3%	8.7%	0.0%
Percentage of intended retrievals resulting in singleton live births	37.2%	25.9%	8.8%	4.3%	0.0%
Number of **retrievals**	92	48	45	21	18
Percentage of retrievals resulting in live births	48.9%	33.3%	15.6%	9.5%	0 / 18
Percentage of retrievals resulting in singleton live births	38.0%	31.3%	11.1%	4.8%	0 / 18
Number of **transfers**	81	29	24	6	8
Percentage of transfers resulting in live births	55.6%	55.2%	29.2%	* / 6	0 / 8
Percentage of transfers resulting in singleton live births	43.2%	51.7%	20.8%	* / 6	0 / 8
Number of intended retrievals per live birth	2.1	3.6	8.1	11.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	47.8%	38.7%	6.9%	0 / 10	0 / 9
Percentage of new patients having live births after 1 or 2 intended retrievals	58.0%	38.7%	6.9%	* / 10	0 / 9
Percentage of new patients having live births after all intended retrievals	58.0%	38.7%	6.9%	* / 10	0 / 9
Average number of intended retrievals per new patient	1.2	1.1	1.4	1.7	1.6
Average number of transfers per intended retrieval	0.9	0.7	0.4	0.2	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	29	*
Percentage of transfers resulting in live births		0 / *	27.6%	* / *
Percentage of transfers resulting in singleton live births		0 / *	27.6%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	253	121	124	45	40	583
Percentage of cycles cancelled prior to retrieval or thaw	2.4%	3.3%	8.1%	6.7%	7.5%	4.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.0%	6.6%	9.7%	8.9%	17.5%	6.2%
Percentage of cycles for fertility preservation	2.4%	2.5%	1.6%	2.2%	0.0%	2.1%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	4.2%	0.4%
Percentage of transfers using frozen embryos	98.0%	96.7%	93.0%	87.0%	91.7%	95.2%
Percentage of transfers of at least one embryo with ICSI	84.2%	81.7%	90.7%	56.5%	29.2%	76.9%
Percentage of transfers of at least one embryo with PGT	81.2%	83.3%	76.7%	69.6%	87.5%	80.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	11%	Diminished ovarian reserve	52%
Endometriosis	11%	Egg or embryo banking	49%
Tubal factor	9%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	29%	Other, infertility	3%
Uterine factor	5%	Other, non-infertility	1%
PGT	2%	Unexplained	<1%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BOSTON IVF, THE ARIZONA CENTER, LLC
SCOTTSDALE, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Alan S. Penzias, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	57	20	23	7	8
Percentage of intended retrievals resulting in live births	56.1%	40.0%	34.8%	0 / 7	0 / 8
Percentage of intended retrievals resulting in singleton live births	50.9%	40.0%	34.8%	0 / 7	0 / 8
Number of **retrievals**	54	20	21	6	7
Percentage of retrievals resulting in live births	59.3%	40.0%	38.1%	0 / 6	0 / 7
Percentage of retrievals resulting in singleton live births	53.7%	40.0%	38.1%	0 / 6	0 / 7
Number of **transfers**	73	18	16	*	*
Percentage of transfers resulting in live births	43.8%	8 / 18	8 / 16	0 / *	0 / *
Percentage of transfers resulting in singleton live births	39.7%	8 / 18	8 / 16	0 / *	0 / *
Number of intended retrievals per live birth	1.8	2.5	2.9		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	58.7%	6 / 15	6 / 12	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	60.9%	7 / 15	6 / 12	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	60.9%	7 / 15	7 / 12	0 / *	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.6	1.8	2.0
Average number of transfers per intended retrieval	1.3	0.9	0.7	0.1	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	7	*	0
Percentage of transfers resulting in live births		6 / 7	* / *	
Percentage of transfers resulting in singleton live births		6 / 7	* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	112	52	30	20	19	233
Percentage of cycles cancelled prior to retrieval or thaw	3.6%	5.8%	6.7%	5.0%	* / 19	5.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	24.1%	26.9%	26.7%	35.0%	* / 19	24.9%
Percentage of cycles for fertility preservation	0.9%	7.7%	6.7%	0.0%	0 / 19	3.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0 / 14	0 / 12	0 / 14	0.0%
Percentage of transfers using frozen embryos	88.2%	78.3%	12 / 14	8 / 12	7 / 14	80.2%
Percentage of transfers of at least one embryo with ICSI	58.8%	60.9%	7 / 14	7 / 12	9 / 14	58.8%
Percentage of transfers of at least one embryo with PGT	63.2%	60.9%	10 / 14	5 / 12	* / 14	56.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	31%
Endometriosis	9%	Egg or embryo banking	14%
Tubal factor	16%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	47%	Other, infertility	32%
Uterine factor	6%	Other, non-infertility	6%
PGT	1%	Unexplained	3%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

IVF PHOENIX
SCOTTSDALE, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by John L. Couvaras, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	26	26	26	11	6
Percentage of intended retrievals resulting in live births	42.3%	23.1%	3.8%	0 / 11	0 / 6
Percentage of intended retrievals resulting in singleton live births	30.8%	23.1%	3.8%	0 / 11	0 / 6
Number of **retrievals**	25	24	26	10	6
Percentage of retrievals resulting in live births	44.0%	25.0%	3.8%	0 / 10	0 / 6
Percentage of retrievals resulting in singleton live births	32.0%	25.0%	3.8%	0 / 10	0 / 6
Number of **transfers**	19	17	10	*	0
Percentage of transfers resulting in live births	11 / 19	6 / 17	* / 10	0 / *	
Percentage of transfers resulting in singleton live births	8 / 19	6 / 17	* / 10	0 / *	
Number of intended retrievals per live birth	2.4	4.3	26.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	7 / 16	6 / 17	0 / 17	0 / 10	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	8 / 16	6 / 17	0 / 17	0 / 10	0 / *
Percentage of new patients having live births after all intended retrievals	8 / 16	6 / 17	0 / 17	0 / 10	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.1	1.1	1.0
Average number of transfers per intended retrieval	0.7	0.6	0.4	0.4	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	9	0
Percentage of transfers resulting in live births			5 / 9	
Percentage of transfers resulting in singleton live births			* / 9	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	82	50	42	31	23	228
Percentage of cycles cancelled prior to retrieval or thaw	7.3%	4.0%	0.0%	12.9%	8.7%	6.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.8%	12.0%	14.3%	19.4%	4.3%	11.8%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using a gestational carrier	0.0%	12.0%	4.8%	0 / 12	* / 12	7.0%
Percentage of transfers using frozen embryos	100.0%	96.0%	100.0%	12 / 12	12 / 12	99.0%
Percentage of transfers of at least one embryo with ICSI	86.7%	88.0%	85.7%	10 / 12	8 / 12	84.0%
Percentage of transfers of at least one embryo with PGT	36.7%	80.0%	66.7%	* / 12	7 / 12	56.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	32%	Diminished ovarian reserve	21%
Endometriosis	3%	Egg or embryo banking	38%
Tubal factor	0%	Recurrent pregnancy loss	10%
Ovulatory dysfunction	3%	Other, infertility	7%
Uterine factor	<1%	Other, non-infertility	2%
PGT	3%	Unexplained	25%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY TREATMENT CENTER, PC
TEMPE, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by H. Randall Craig, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	66	55	57	38	19
Percentage of intended retrievals resulting in live births	54.5%	36.4%	24.6%	7.9%	0 / 19
Percentage of intended retrievals resulting in singleton live births	39.4%	18.2%	19.3%	7.9%	0 / 19
Number of **retrievals**	61	48	44	28	13
Percentage of retrievals resulting in live births	59.0%	41.7%	31.8%	10.7%	0 / 13
Percentage of retrievals resulting in singleton live births	42.6%	20.8%	25.0%	10.7%	0 / 13
Number of **transfers**	69	53	39	23	9
Percentage of transfers resulting in live births	52.2%	37.7%	35.9%	13.0%	0 / 9
Percentage of transfers resulting in singleton live births	37.7%	18.9%	28.2%	13.0%	0 / 9
Number of intended retrievals per live birth	1.8	2.8	4.1	12.7	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	59.1%	45.5%	40.0%	* / 14	0 / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	63.6%	48.5%	44.0%	* / 14	0 / 7
Percentage of new patients having live births after all intended retrievals	63.6%	48.5%	44.0%	* / 14	0 / 7
Average number of intended retrievals per new patient	1.1	1.3	1.3	1.9	2.0
Average number of transfers per intended retrieval	1.1	1.0	0.8	0.7	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	28	36
Percentage of transfers resulting in live births			50.0%	38.9%
Percentage of transfers resulting in singleton live births			35.7%	27.8%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	154	97	93	71	74	489
Percentage of cycles cancelled prior to retrieval or thaw	3.9%	11.3%	15.1%	5.6%	6.8%	8.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.9%	8.2%	7.5%	7.0%	5.4%	6.1%
Percentage of cycles for fertility preservation	0.0%	0.0%	1.1%	0.0%	0.0%	0.2%
Percentage of transfers using a gestational carrier	3.2%	2.1%	0.0%	8.1%	5.9%	3.6%
Percentage of transfers using frozen embryos	94.7%	95.8%	95.6%	100.0%	100.0%	96.7%
Percentage of transfers of at least one embryo with ICSI	84.0%	87.5%	60.0%	75.7%	54.9%	74.2%
Percentage of transfers of at least one embryo with PGT	13.8%	14.6%	11.1%	5.4%	9.8%	11.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	24%	Diminished ovarian reserve	38%
Endometriosis	<1%	Egg or embryo banking	30%
Tubal factor	6%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	18%	Other, infertility	7%
Uterine factor	4%	Other, non-infertility	3%
PGT	2%	Unexplained	9%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ARIZONA CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY TUCSON, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Timothy J. Gelety, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	59	27	32	11	14
Percentage of intended retrievals resulting in live births	47.5%	33.3%	12.5%	* / 11	0 / 14
Percentage of intended retrievals resulting in singleton live births	35.6%	25.9%	12.5%	* / 11	0 / 14
Number of **retrievals**	59	27	31	11	11
Percentage of retrievals resulting in live births	47.5%	33.3%	12.9%	* / 11	0 / 11
Percentage of retrievals resulting in singleton live births	35.6%	25.9%	12.9%	* / 11	0 / 11
Number of **transfers**	80	31	38	12	8
Percentage of transfers resulting in live births	35.0%	29.0%	10.5%	* / 12	0 / 8
Percentage of transfers resulting in singleton live births	26.3%	22.6%	10.5%	* / 12	0 / 8
Number of intended retrievals per live birth	2.1	3.0	8.0	5.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	51.0%	7 / 18	* / 17	* / *	0 / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	51.0%	7 / 18	* / 17	* / *	0 / 8
Percentage of new patients having live births after all intended retrievals	51.0%	7 / 18	* / 17	* / *	0 / 8
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.0	1.4
Average number of transfers per intended retrieval	1.4	1.0	1.1	1.3	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	0	12	0
Percentage of transfers resulting in live births	* / 6		* / 12	
Percentage of transfers resulting in singleton live births	* / 6		* / 12	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	100	51	40	12	28	231
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	2.5%	0 / 12	3.6%	0.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.0%	0.0%	2.5%	* / 12	14.3%	5.6%
Percentage of cycles for fertility preservation	1.0%	0.0%	2.5%	0 / 12	10.7%	2.2%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 11	0 / 17	0.0%
Percentage of transfers using frozen embryos	55.6%	40.8%	51.4%	6 / 11	13 / 17	52.9%
Percentage of transfers of at least one embryo with ICSI	44.4%	53.1%	51.4%	* / 11	* / 17	44.1%
Percentage of transfers of at least one embryo with PGT	1.1%	6.1%	0.0%	0 / 11	0 / 17	2.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	6%
Endometriosis	14%	Egg or embryo banking	5%
Tubal factor	19%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	23%	Other, infertility	6%
Uterine factor	3%	Other, non-infertility	2%
PGT	1%	Unexplained	5%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ARIZONA REPRODUCTIVE INSTITUTE
TUCSON, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Christine W. Mansfield, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	85	41	34	18	6
Percentage of intended retrievals resulting in live births	54.1%	51.2%	26.5%	5 / 18	0 / 6
Percentage of intended retrievals resulting in singleton live births	35.3%	34.1%	14.7%	* / 18	0 / 6
Number of **retrievals**	85	41	33	18	5
Percentage of retrievals resulting in live births	54.1%	51.2%	27.3%	5 / 18	0 / 5
Percentage of retrievals resulting in singleton live births	35.3%	34.1%	15.2%	* / 18	0 / 5
Number of **transfers**	102	56	27	8	*
Percentage of transfers resulting in live births	45.1%	37.5%	33.3%	5 / 8	0 / *
Percentage of transfers resulting in singleton live births	29.4%	25.0%	18.5%	* / 8	0 / *
Number of intended retrievals per live birth	1.8	2.0	3.8	3.6	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	64.8%	48.3%	6 / 18	* / 7	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	66.7%	58.6%	7 / 18	* / 7	0 / *
Percentage of new patients having live births after all intended retrievals	66.7%	58.6%	7 / 18	* / 7	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.6	1.5
Average number of transfers per intended retrieval	1.2	1.4	0.8	0.5	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	0	15	*
Percentage of transfers resulting in live births	* / 6		8 / 15	* / *
Percentage of transfers resulting in singleton live births	* / 6		8 / 15	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	183	94	52	43	22	394
Percentage of cycles cancelled prior to retrieval or thaw	4.4%	9.6%	13.5%	9.3%	9.1%	7.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.2%	3.2%	9.6%	4.7%	13.6%	7.1%
Percentage of cycles for fertility preservation	4.4%	4.3%	0.0%	0.0%	0.0%	3.0%
Percentage of transfers using a gestational carrier	0.0%	2.0%	0.0%	0 / 18	0 / 13	0.5%
Percentage of transfers using frozen embryos	89.9%	95.9%	76.0%	16 / 18	8 / 13	87.7%
Percentage of transfers of at least one embryo with ICSI	98.0%	93.9%	88.0%	18 / 18	8 / 13	93.6%
Percentage of transfers of at least one embryo with PGT	24.2%	59.2%	52.0%	6 / 18	* / 13	36.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	24%
Endometriosis	6%	Egg or embryo banking	34%
Tubal factor	5%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	9%	Other, infertility	34%
Uterine factor	1%	Other, non-infertility	13%
PGT	20%	Unexplained	9%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE HEALTH CENTER
TUCSON, ARIZONA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Scot M. Hutchison, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	48	22	18	21	*
Percentage of intended retrievals resulting in live births	50.0%	18.2%	* / 18	4.8%	0 / *
Percentage of intended retrievals resulting in singleton live births	50.0%	18.2%	* / 18	4.8%	0 / *
Number of **retrievals**	48	21	17	20	*
Percentage of retrievals resulting in live births	50.0%	19.0%	* / 17	5.0%	0 / *
Percentage of retrievals resulting in singleton live births	50.0%	19.0%	* / 17	5.0%	0 / *
Number of **transfers**	59	25	11	*	0
Percentage of transfers resulting in live births	40.7%	16.0%	* / 11	* / *	
Percentage of transfers resulting in singleton live births	40.7%	16.0%	* / 11	* / *	
Number of intended retrievals per live birth	2.0	5.5	4.5	21.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.1%	* / 16	* / 15	0 / 8	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	59.5%	* / 16	* / 15	0 / 8	0 / *
Percentage of new patients having live births after all intended retrievals	59.5%	* / 16	* / 15	0 / 8	0 / *
Average number of intended retrievals per new patient	1.2	1.3	1.2	2.5	2.0
Average number of transfers per intended retrieval	1.2	1.2	0.6	0.2	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	7	18	*
Percentage of transfers resulting in live births		* / 7	* / 18	* / *
Percentage of transfers resulting in singleton live births		* / 7	* / 18	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	145	79	56	42	25	347
Percentage of cycles cancelled prior to retrieval or thaw	2.1%	1.3%	7.1%	4.8%	0.0%	2.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	35.9%	32.9%	35.7%	52.4%	28.0%	36.6%
Percentage of cycles for fertility preservation	4.1%	1.3%	5.4%	0.0%	8.0%	3.5%
Percentage of transfers using a gestational carrier	1.2%	0.0%	3.4%	0 / 17	* / 16	1.5%
Percentage of transfers using frozen embryos	98.8%	100.0%	93.1%	15 / 17	14 / 16	96.4%
Percentage of transfers of at least one embryo with ICSI	100.0%	100.0%	100.0%	17 / 17	14 / 16	99.0%
Percentage of transfers of at least one embryo with PGT	83.3%	76.5%	75.9%	13 / 17	* / 16	75.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	9%
Endometriosis	11%	Egg or embryo banking	4%
Tubal factor	12%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	5%	Other, infertility	10%
Uterine factor	8%	Other, non-infertility	8%
PGT	2%	Unexplained	38%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ARKANSAS FERTILITY CENTER
LITTLE ROCK, ARKANSAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Dean M. Moutos, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	112	30	28	5	*
Percentage of intended retrievals resulting in live births	46.4%	26.7%	21.4%	0 / 5	0 / *
Percentage of intended retrievals resulting in singleton live births	37.5%	26.7%	14.3%	0 / 5	0 / *
Number of **retrievals**	100	27	24	*	*
Percentage of retrievals resulting in live births	52.0%	29.6%	25.0%	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	42.0%	29.6%	16.7%	0 / *	0 / *
Number of **transfers**	137	31	23	0	*
Percentage of transfers resulting in live births	38.0%	25.8%	26.1%		0 / *
Percentage of transfers resulting in singleton live births	30.7%	25.8%	17.4%		0 / *
Number of intended retrievals per live birth	2.2	3.8	4.7		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	48.1%	28.6%	* / 11	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	54.5%	33.3%	* / 11	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	54.5%	33.3%	* / 11	0 / *	0 / *
Average number of intended retrievals per new patient	1.2	1.1	1.2	1.5	2.0
Average number of transfers per intended retrieval	1.2	1.0	1.0	0.0	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	5	0	11	*
Percentage of transfers resulting in live births	* / 5		* / 11	* / *
Percentage of transfers resulting in singleton live births	* / 5		* / 11	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	161	86	44	11	12	314
Percentage of cycles cancelled prior to retrieval or thaw	9.9%	8.1%	13.6%	* / 11	* / 12	10.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.8%	3.5%	9.1%	* / 11	0 / 12	6.4%
Percentage of cycles for fertility preservation	0.6%	1.2%	0.0%	0 / 11	0 / 12	0.6%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 8	0 / 9	0.0%
Percentage of transfers using frozen embryos	45.0%	48.6%	37.9%	7 / 8	5 / 9	47.0%
Percentage of transfers of at least one embryo with ICSI	70.2%	71.6%	75.9%	* / 8	7 / 9	70.9%
Percentage of transfers of at least one embryo with PGT	0.8%	5.4%	10.3%	0 / 8	0 / 9	3.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	27%
Endometriosis	15%	Egg or embryo banking	4%
Tubal factor	20%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	4%	Other, infertility	2%
Uterine factor	3%	Other, non-infertility	0%
PGT	2%	Unexplained	29%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

LIFESTART FERTILITY CENTER
AGOURA HILLS, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Anita P. Singh, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	8	*	*	*	0
Percentage of intended retrievals resulting in live births	* / 8	0 / *	0 / *	0 / *	
Percentage of intended retrievals resulting in singleton live births	* / 8	0 / *	0 / *	0 / *	
Number of **retrievals**	8	*	*	*	0
Percentage of retrievals resulting in live births	* / 8	0 / *	0 / *	0 / *	
Percentage of retrievals resulting in singleton live births	* / 8	0 / *	0 / *	0 / *	
Number of **transfers**	8	*	0	*	0
Percentage of transfers resulting in live births	* / 8	0 / *		0 / *	
Percentage of transfers resulting in singleton live births	* / 8	0 / *		0 / *	
Number of intended retrievals per live birth	4.0				
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / *	0 / *	0 / *		
Percentage of new patients having live births after 1 or 2 intended retrievals	* / *	0 / *	0 / *		
Percentage of new patients having live births after all intended retrievals	* / *	0 / *	0 / *		
Average number of intended retrievals per new patient	2.3	1.5	1.0		
Average number of transfers per intended retrieval	1.0	0.7	0.0		

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	*	9	*	0	0	15
Percentage of cycles cancelled prior to retrieval or thaw	0 / *	0 / 9	* / *			* / 15
Percentage of cycles stopped between retrieval and transfer or banking[e]	0 / *	* / 9	0 / *			* / 15
Percentage of cycles for fertility preservation	0 / *	0 / 9	0 / *			0 / 15
Percentage of transfers using a gestational carrier	0 / *	0 / *	0 / *			0 / 7
Percentage of transfers using frozen embryos	* / *	* / *	* / *			6 / 7
Percentage of transfers of at least one embryo with ICSI	* / *	* / *	* / *			* / 7
Percentage of transfers of at least one embryo with PGT	0 / *	* / *	* / *			* / 7

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	7%
Endometriosis	13%	Egg or embryo banking	33%
Tubal factor	7%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	33%	Other, infertility	53%
Uterine factor	0%	Other, non-infertility	20%
PGT	47%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ALTA BATES IN VITRO FERTILIZATION PROGRAM
BERKELEY, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ryszard J. Chetkowski, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	5	9	10	*	*
Percentage of intended retrievals resulting in live births	* / 5	* / 9	* / 10	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	* / 5	* / 9	* / 10	0 / *	0 / *
Number of **retrievals**	5	9	10	*	*
Percentage of retrievals resulting in live births	* / 5	* / 9	* / 10	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	* / 5	* / 9	* / 10	0 / *	0 / *
Number of **transfers**	7	11	12	*	*
Percentage of transfers resulting in live births	* / 7	* / 11	* / 12	0 / *	0 / *
Percentage of transfers resulting in singleton live births	* / 7	* / 11	* / 12	0 / *	0 / *
Number of intended retrievals per live birth	1.7	2.3	2.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / *	* / *	* / 7		0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	* / *	* / *	* / 7		0 / *
Percentage of new patients having live births after all intended retrievals	* / *	* / *	* / 7		0 / *
Average number of intended retrievals per new patient	1.3	1.5	1.3		1.5
Average number of transfers per intended retrieval	1.4	1.3	1.1		0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	8	0
Percentage of transfers resulting in live births			5 / 8	
Percentage of transfers resulting in singleton live births			5 / 8	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	18	22	15	10	15	80
Percentage of cycles cancelled prior to retrieval or thaw	* / 18	0.0%	0 / 15	0 / 10	* / 15	7.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0 / 18	0.0%	* / 15	0 / 10	0 / 15	1.3%
Percentage of cycles for fertility preservation	* / 18	22.7%	* / 15	5 / 10	0 / 15	18.8%
Percentage of transfers using a gestational carrier	* / 7	* / 10	* / 12	* / *	* / 10	16.3%
Percentage of transfers using frozen embryos	6 / 7	9 / 10	6 / 12	* / *	9 / 10	76.7%
Percentage of transfers of at least one embryo with ICSI	* / 7	10 / 10	10 / 12	* / *	10 / 10	88.4%
Percentage of transfers of at least one embryo with PGT	5 / 7	7 / 10	* / 12	* / *	7 / 10	60.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	6%
Endometriosis	1%	Egg or embryo banking	38%
Tubal factor	0%	Recurrent pregnancy loss	10%
Ovulatory dysfunction	5%	Other, infertility	48%
Uterine factor	6%	Other, non-infertility	5%
PGT	6%	Unexplained	3%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTER FOR REPRODUCTIVE HEALTH & GYNECOLOGY (CRH&G)
BEVERLY HILLS, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Sam Najmabadi, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	13	11	10	5	6
Percentage of intended retrievals resulting in live births	7 / 13	* / 11	* / 10	* / 5	* / 6
Percentage of intended retrievals resulting in singleton live births	7 / 13	* / 11	* / 10	* / 5	* / 6
Number of **retrievals**	13	11	8	5	*
Percentage of retrievals resulting in live births	7 / 13	* / 11	* / 8	* / 5	* / *
Percentage of retrievals resulting in singleton live births	7 / 13	* / 11	* / 8	* / 5	* / *
Number of **transfers**	10	8	*	*	*
Percentage of transfers resulting in live births	7 / 10	* / 8	* / *	* / *	* / *
Percentage of transfers resulting in singleton live births	7 / 10	* / 8	* / *	* / *	* / *
Number of intended retrievals per live birth	1.9	2.8	5.0	2.5	6.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	7 / 12	* / 7	* / 6	* / *	* / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	7 / 12	* / 7	* / 6	* / *	* / 6
Percentage of new patients having live births after all intended retrievals	7 / 12	* / 7	* / 6	* / *	* / 6
Average number of intended retrievals per new patient	1.0	1.1	1.3	1.3	1.0
Average number of transfers per intended retrieval	0.8	0.8	0.4	0.8	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	5	6
Percentage of transfers resulting in live births	* / *		* / 5	* / 6
Percentage of transfers resulting in singleton live births	* / *		* / 5	* / 6

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	31	42	35	15	34	157
Percentage of cycles cancelled prior to retrieval or thaw	3.2%	0.0%	5.7%	* / 15	8.8%	4.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.5%	2.4%	5.7%	* / 15	8.8%	5.7%
Percentage of cycles for fertility preservation	9.7%	35.7%	22.9%	* / 15	8.8%	19.1%
Percentage of transfers using a gestational carrier	0 / 16	0 / 15	0 / 10	0 / 8	0 / 17	0.0%
Percentage of transfers using frozen embryos	6 / 16	8 / 15	* / 10	6 / 8	13 / 17	56.1%
Percentage of transfers of at least one embryo with ICSI	14 / 16	15 / 15	9 / 10	* / 8	9 / 17	75.8%
Percentage of transfers of at least one embryo with PGT	* / 16	* / 15	* / 10	* / 8	* / 17	18.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	50%	Diminished ovarian reserve	57%
Endometriosis	3%	Egg or embryo banking	52%
Tubal factor	3%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	7%	Other, infertility	55%
Uterine factor	0%	Other, non-infertility	1%
PGT	23%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SOUTHERN CALIFORNIA REPRODUCTIVE CENTER
BEVERLY HILLS, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mark W. Surrey, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	195	116	119	63	50
Percentage of intended retrievals resulting in live births	33.8%	34.5%	21.0%	15.9%	2.0%
Percentage of intended retrievals resulting in singleton live births	29.7%	30.2%	18.5%	14.3%	2.0%
Number of **retrievals**	195	113	117	61	46
Percentage of retrievals resulting in live births	33.8%	35.4%	21.4%	16.4%	2.2%
Percentage of retrievals resulting in singleton live births	29.7%	31.0%	18.8%	14.8%	2.2%
Number of **transfers**	121	64	51	18	*
Percentage of transfers resulting in live births	54.5%	62.5%	49.0%	10 / 18	* / *
Percentage of transfers resulting in singleton live births	47.9%	54.7%	43.1%	9 / 18	* / *
Number of intended retrievals per live birth	3.0	2.9	4.8	6.3	50.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	28.8%	32.5%	20.8%	23.3%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	37.0%	39.8%	26.0%	26.7%	0.0%
Percentage of new patients having live births after all intended retrievals	37.0%	42.2%	27.3%	26.7%	5.0%
Average number of intended retrievals per new patient	1.2	1.3	1.3	1.5	1.5
Average number of transfers per intended retrieval	0.6	0.6	0.4	0.3	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	22	28
Percentage of transfers resulting in live births		0 / *	63.6%	50.0%
Percentage of transfers resulting in singleton live births		0 / *	54.5%	42.9%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	507	458	387	225	250	1,827
Percentage of cycles cancelled prior to retrieval or thaw	5.3%	9.8%	8.5%	12.0%	12.4%	8.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	31.0%	29.0%	33.9%	36.0%	41.2%	33.1%
Percentage of cycles for fertility preservation	23.7%	30.3%	25.6%	22.2%	12.0%	24.0%
Percentage of transfers using a gestational carrier	9.4%	7.8%	9.6%	1.8%	30.7%	11.2%
Percentage of transfers using frozen embryos	99.4%	99.2%	98.1%	96.4%	97.3%	98.5%
Percentage of transfers of at least one embryo with ICSI	65.2%	68.0%	52.9%	52.7%	30.7%	57.5%
Percentage of transfers of at least one embryo with PGT	90.6%	83.6%	86.5%	89.1%	76.0%	86.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	2%	Diminished ovarian reserve	3%
Endometriosis	<1%	Egg or embryo banking	34%
Tubal factor	<1%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	<1%	Other, infertility	2%
Uterine factor	<1%	Other, non-infertility	1%
PGT	<1%	Unexplained	67%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY CARE OF ORANGE COUNTY
BREA, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Changnin T. Lee, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	47	34	35	15	13
Percentage of intended retrievals resulting in live births	59.6%	38.2%	28.6%	* / 15	0 / 13
Percentage of intended retrievals resulting in singleton live births	59.6%	38.2%	28.6%	* / 15	0 / 13
Number of **retrievals**	41	25	25	12	5
Percentage of retrievals resulting in live births	68.3%	52.0%	40.0%	* / 12	0 / 5
Percentage of retrievals resulting in singleton live births	68.3%	52.0%	40.0%	* / 12	0 / 5
Number of **transfers**	41	22	16	*	*
Percentage of transfers resulting in live births	68.3%	59.1%	10 / 16	* / *	0 / *
Percentage of transfers resulting in singleton live births	68.3%	59.1%	10 / 16	* / *	0 / *
Number of intended retrievals per live birth	1.7	2.6	3.5	7.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	77.1%	6 / 19	5 / 15	* / 8	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	77.1%	10 / 19	6 / 15	* / 8	0 / 6
Percentage of new patients having live births after all intended retrievals	77.1%	11 / 19	6 / 15	* / 8	0 / 6
Average number of intended retrievals per new patient	1.1	1.4	1.3	1.4	1.5
Average number of transfers per intended retrieval	1.0	0.7	0.5	0.3	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	27	6
Percentage of transfers resulting in live births			66.7%	5 / 6
Percentage of transfers resulting in singleton live births			63.0%	5 / 6

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	65	51	53	26	44	239
Percentage of cycles cancelled prior to retrieval or thaw	4.6%	11.8%	17.0%	3.8%	13.6%	10.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	0.0%	5.7%	7.7%	0.0%	2.1%
Percentage of cycles for fertility preservation	1.5%	0.0%	0.0%	0.0%	0.0%	0.4%
Percentage of transfers using a gestational carrier	2.8%	0.0%	15.0%	* / 11	22.2%	9.2%
Percentage of transfers using frozen embryos	100.0%	100.0%	100.0%	11 / 11	92.6%	98.3%
Percentage of transfers of at least one embryo with ICSI	97.2%	100.0%	100.0%	11 / 11	92.6%	97.5%
Percentage of transfers of at least one embryo with PGT	97.2%	84.6%	95.0%	10 / 11	85.2%	90.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	31%
Endometriosis	1%	Egg or embryo banking	85%
Tubal factor	12%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	1%	Other, infertility	1%
Uterine factor	3%	Other, non-infertility	4%
PGT	83%	Unexplained	36%
Gestational carrier	5%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTRAL CALIFORNIA IVF PROGRAM
WOMEN'S SPECIALTY AND FERTILITY CENTER
CLOVIS, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by H. Michael Synn, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	72	37	30	9	*
Percentage of intended retrievals resulting in live births	58.3%	48.6%	30.0%	0 / 9	0 / *
Percentage of intended retrievals resulting in singleton live births	44.4%	48.6%	30.0%	0 / 9	0 / *
Number of **retrievals**	67	33	26	7	*
Percentage of retrievals resulting in live births	62.7%	54.5%	34.6%	0 / 7	0 / *
Percentage of retrievals resulting in singleton live births	47.8%	54.5%	34.6%	0 / 7	0 / *
Number of **transfers**	98	35	28	10	*
Percentage of transfers resulting in live births	42.9%	51.4%	32.1%	0 / 10	0 / *
Percentage of transfers resulting in singleton live births	32.7%	51.4%	32.1%	0 / 10	0 / *
Number of intended retrievals per live birth	1.7	2.1	3.3		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	57.4%	59.1%	5 / 19	0 / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	63.0%	59.1%	7 / 19	0 / 5	0 / *
Percentage of new patients having live births after all intended retrievals	63.0%	63.6%	7 / 19	0 / 5	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.1	1.0	1.0
Average number of transfers per intended retrieval	1.4	0.9	1.0	1.0	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	7	13	*
Percentage of transfers resulting in live births	* / *	* / 7	* / 13	0 / *
Percentage of transfers resulting in singleton live births	0 / *	* / 7	* / 13	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	166	95	72	18	21	372
Percentage of cycles cancelled prior to retrieval or thaw	8.4%	16.8%	15.3%	* / 18	33.3%	13.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.8%	7.4%	5.6%	* / 18	19.0%	8.1%
Percentage of cycles for fertility preservation	2.4%	4.2%	1.4%	* / 18	0.0%	2.7%
Percentage of transfers using a gestational carrier	3.1%	0.0%	6.1%	0 / 13	0 / 9	2.7%
Percentage of transfers using frozen embryos	65.4%	53.4%	53.1%	5 / 13	6 / 9	59.0%
Percentage of transfers of at least one embryo with ICSI	84.3%	93.1%	98.0%	11 / 13	5 / 9	87.9%
Percentage of transfers of at least one embryo with PGT	12.6%	17.2%	14.3%	0 / 13	* / 9	13.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	26%	Diminished ovarian reserve	35%
Endometriosis	4%	Egg or embryo banking	11%
Tubal factor	18%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	12%	Other, infertility	11%
Uterine factor	1%	Other, non-infertility	3%
PGT	8%	Unexplained	7%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE
ENCINITAS, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Lori L. Arnold, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	18	8	10	*	*
Percentage of intended retrievals resulting in live births	9 / 18	* / 8	* / 10	0 / *	* / *
Percentage of intended retrievals resulting in singleton live births	7 / 18	* / 8	* / 10	0 / *	* / *
Number of **retrievals**	18	8	9	*	*
Percentage of retrievals resulting in live births	9 / 18	* / 8	* / 9	0 / *	* / *
Percentage of retrievals resulting in singleton live births	7 / 18	* / 8	* / 9	0 / *	* / *
Number of **transfers**	18	9	6	0	*
Percentage of transfers resulting in live births	9 / 18	* / 9	* / 6		* / *
Percentage of transfers resulting in singleton live births	7 / 18	* / 9	* / 6		* / *
Number of intended retrievals per live birth	2.0	2.0	3.3		3.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	9 / 16	* / 7	* / 8	0 / *	* / *
Percentage of new patients having live births after 1 or 2 intended retrievals	9 / 16	* / 7	* / 8	0 / *	* / *
Percentage of new patients having live births after all intended retrievals	9 / 16	* / 7	* / 8	0 / *	* / *
Average number of intended retrievals per new patient	1.0	1.0	1.3	1.0	1.0
Average number of transfers per intended retrieval	1.0	1.1	0.6	0.0	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	34	*
Percentage of transfers resulting in live births			50.0%	* / *
Percentage of transfers resulting in singleton live births			47.1%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	36	34	25	7	40	142
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	2.9%	4.0%	0 / 7	5.0%	2.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	5.9%	8.0%	* / 7	7.5%	6.3%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	* / 7	2.5%	1.4%
Percentage of transfers using a gestational carrier	50.0%	9 / 18	* / 14	0 / *	71.4%	50.7%
Percentage of transfers using frozen embryos	100.0%	17 / 18	13 / 14	* / *	95.2%	96.0%
Percentage of transfers of at least one embryo with ICSI	90.0%	17 / 18	12 / 14	* / *	85.7%	88.0%
Percentage of transfers of at least one embryo with PGT	95.0%	17 / 18	10 / 14	* / *	85.7%	86.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	14%	Diminished ovarian reserve	37%
Endometriosis	4%	Egg or embryo banking	42%
Tubal factor	4%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	5%	Other, infertility	11%
Uterine factor	2%	Other, non-infertility	2%
PGT	1%	Unexplained	6%
Gestational carrier	23%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE FERTILITY INSTITUTES-LOS ANGELES, NEW YORK, GUADALAJARA ENCINO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jeffrey Steinberg, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	0	12
Percentage of transfers resulting in live births	0 / *			6 / 12
Percentage of transfers resulting in singleton live births	0 / *			6 / 12

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	57	42	33	5	17	154
Percentage of cycles cancelled prior to retrieval or thaw	3.5%	0.0%	0.0%	0 / 5	0 / 17	1.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.5%	14.3%	15.2%	0 / 5	0 / 17	8.4%
Percentage of cycles for fertility preservation	0.0%	2.4%	0.0%	0 / 5	0 / 17	0.6%
Percentage of transfers using a gestational carrier	2.4%	4.5%	4.3%	0 / 5	10 / 15	12.1%
Percentage of transfers using frozen embryos	33.3%	50.0%	39.1%	0 / 5	10 / 15	41.1%
Percentage of transfers of at least one embryo with ICSI	100.0%	100.0%	100.0%	5 / 5	15 / 15	100.0%
Percentage of transfers of at least one embryo with PGT	92.9%	100.0%	73.9%	* / 5	9 / 15	83.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	2%	Diminished ovarian reserve	0%
Endometriosis	1%	Egg or embryo banking	18%
Tubal factor	0%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	0%	Other, infertility	4%
Uterine factor	0%	Other, non-infertility	1%
PGT	86%	Unexplained	3%
Gestational carrier	5%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

HRC FERTILITY-ENCINO
ENCINO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michael A. Feinman, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	115	86	167	61	55
Percentage of intended retrievals resulting in live births	50.4%	46.5%	15.0%	6.6%	0.0%
Percentage of intended retrievals resulting in singleton live births	40.0%	34.9%	13.2%	6.6%	0.0%
Number of **retrievals**	115	86	158	56	47
Percentage of retrievals resulting in live births	50.4%	46.5%	15.8%	7.1%	0.0%
Percentage of retrievals resulting in singleton live births	40.0%	34.9%	13.9%	7.1%	0.0%
Number of **transfers**	91	60	67	16	15
Percentage of transfers resulting in live births	63.7%	66.7%	37.3%	* / 16	0 / 15
Percentage of transfers resulting in singleton live births	50.5%	50.0%	32.8%	* / 16	0 / 15
Number of intended retrievals per live birth	2.0	2.2	6.7	15.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	47.3%	46.7%	13.0%	0.0%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	53.8%	55.0%	17.4%	0.0%	0.0%
Percentage of new patients having live births after all intended retrievals	53.8%	55.0%	17.4%	0.0%	0.0%
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.7	1.2
Average number of transfers per intended retrieval	0.8	0.7	0.3	0.2	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	40	11	151	26
Percentage of transfers resulting in live births	62.5%	5 / 11	45.0%	46.2%
Percentage of transfers resulting in singleton live births	50.0%	5 / 11	35.8%	42.3%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	411	363	350	184	316	1,624
Percentage of cycles cancelled prior to retrieval or thaw	3.9%	9.4%	6.0%	10.3%	11.4%	7.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	39.4%	41.9%	53.4%	42.4%	31.3%	41.7%
Percentage of cycles for fertility preservation	6.8%	8.5%	2.9%	2.2%	1.9%	4.9%
Percentage of transfers using a gestational carrier	17.6%	29.5%	19.7%	18.1%	44.0%	26.6%
Percentage of transfers using frozen embryos	77.1%	82.2%	80.3%	67.5%	80.0%	78.3%
Percentage of transfers of at least one embryo with ICSI	22.4%	17.1%	19.7%	32.5%	20.0%	21.5%
Percentage of transfers of at least one embryo with PGT	63.4%	71.9%	70.5%	63.9%	64.6%	66.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	19%	Diminished ovarian reserve	35%
Endometriosis	3%	Egg or embryo banking	6%
Tubal factor	3%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	1%	Other, infertility	30%
Uterine factor	4%	Other, non-infertility	16%
PGT	4%	Unexplained	20%
Gestational carrier	11%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

LOS ANGELES REPRODUCTIVE CENTER (LARC)
ENCINO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Nurit Winkler, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	18	17	12	*	9
Percentage of intended retrievals resulting in live births	10 / 18	* / 17	5 / 12	0 / *	* / 9
Percentage of intended retrievals resulting in singleton live births	10 / 18	* / 17	5 / 12	0 / *	* / 9
Number of **retrievals**	18	17	12	*	8
Percentage of retrievals resulting in live births	10 / 18	* / 17	5 / 12	0 / *	* / 8
Percentage of retrievals resulting in singleton live births	10 / 18	* / 17	5 / 12	0 / *	* / 8
Number of **transfers**	16	9	9	0	*
Percentage of transfers resulting in live births	10 / 16	* / 9	5 / 9		* / *
Percentage of transfers resulting in singleton live births	10 / 16	* / 9	5 / 9		* / *
Number of intended retrievals per live birth	1.8	4.3	2.4		9.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	7 / 12	* / 10	* / 8	0 / *	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	7 / 12	* / 10	* / 8	0 / *	0 / 5
Percentage of new patients having live births after all intended retrievals	7 / 12	* / 10	* / 8	0 / *	* / 5
Average number of intended retrievals per new patient	1.0	1.3	1.0	1.0	1.6
Average number of transfers per intended retrieval	0.9	0.6	0.6	0.0	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	13	*
Percentage of transfers resulting in live births			9 / 13	* / *
Percentage of transfers resulting in singleton live births			9 / 13	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	82	72	54	32	37	277
Percentage of cycles cancelled prior to retrieval or thaw	4.9%	8.3%	7.4%	6.3%	8.1%	6.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.2%	4.2%	9.3%	12.5%	16.2%	6.9%
Percentage of cycles for fertility preservation	3.7%	11.1%	11.1%	0.0%	0.0%	6.1%
Percentage of transfers using a gestational carrier	2.9%	17.4%	* / 14	* / 9	* / 8	12.5%
Percentage of transfers using frozen embryos	100.0%	100.0%	14 / 14	9 / 9	8 / 8	100.0%
Percentage of transfers of at least one embryo with ICSI	91.2%	82.6%	10 / 14	7 / 9	* / 8	80.7%
Percentage of transfers of at least one embryo with PGT	61.8%	65.2%	6 / 14	* / 9	* / 8	52.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	32%	Diminished ovarian reserve	13%
Endometriosis	3%	Egg or embryo banking	60%
Tubal factor	10%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	8%	Other, infertility	25%
Uterine factor	4%	Other, non-infertility	5%
PGT	4%	Unexplained	14%
Gestational carrier	4%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

WESTERN FERTILITY INSTITUTE
ENCINO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ashim V. Kumar, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	27	27	29	12	35
Percentage of intended retrievals resulting in live births	63.0%	40.7%	24.1%	* / 12	0.0%
Percentage of intended retrievals resulting in singleton live births	33.3%	29.6%	17.2%	* / 12	0.0%
Number of **retrievals**	26	26	28	10	23
Percentage of retrievals resulting in live births	65.4%	42.3%	25.0%	* / 10	0.0%
Percentage of retrievals resulting in singleton live births	34.6%	30.8%	17.9%	* / 10	0.0%
Number of **transfers**	22	18	12	*	0
Percentage of transfers resulting in live births	77.3%	11 / 18	7 / 12	* / *	
Percentage of transfers resulting in singleton live births	40.9%	8 / 18	5 / 12	* / *	
Number of intended retrievals per live birth	1.6	2.5	4.1	6.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	10 / 15	6 / 13	* / 15	* / 8	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	10 / 15	6 / 13	* / 15	* / 8	0.0%
Percentage of new patients having live births after all intended retrievals	10 / 15	6 / 13	* / 15	* / 8	0.0%
Average number of intended retrievals per new patient	1.0	1.2	1.3	1.1	1.2
Average number of transfers per intended retrieval	0.9	0.6	0.4	0.1	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	141	*
Percentage of transfers resulting in live births			72.3%	* / *
Percentage of transfers resulting in singleton live births			57.4%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	147	119	90	48	164	568
Percentage of cycles cancelled prior to retrieval or thaw	2.0%	1.7%	3.3%	0.0%	1.8%	1.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	2.5%	11.1%	6.3%	11.6%	6.2%
Percentage of cycles for fertility preservation	39.5%	34.5%	40.0%	37.5%	32.9%	36.4%
Percentage of transfers using a gestational carrier	50.0%	57.8%	70.3%	72.7%	67.1%	61.2%
Percentage of transfers using frozen embryos	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Percentage of transfers of at least one embryo with ICSI	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers of at least one embryo with PGT	95.9%	98.4%	94.6%	100.0%	94.7%	96.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	9%	Diminished ovarian reserve	15%
Endometriosis	3%	Egg or embryo banking	26%
Tubal factor	2%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	17%	Other, infertility	9%
Uterine factor	3%	Other, non-infertility	28%
PGT	4%	Unexplained	3%
Gestational carrier	20%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ZOUVES FERTILITY CENTER
FOSTER CITY, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Christo G. Zouves, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	72	78	100	56	42
Percentage of intended retrievals resulting in live births	47.2%	38.5%	16.0%	16.1%	2.4%
Percentage of intended retrievals resulting in singleton live births	45.8%	35.9%	16.0%	16.1%	2.4%
Number of **retrievals**	69	77	93	56	41
Percentage of retrievals resulting in live births	49.3%	39.0%	17.2%	16.1%	2.4%
Percentage of retrievals resulting in singleton live births	47.8%	36.4%	17.2%	16.1%	2.4%
Number of **transfers**	71	70	51	22	*
Percentage of transfers resulting in live births	47.9%	42.9%	31.4%	40.9%	* / *
Percentage of transfers resulting in singleton live births	46.5%	40.0%	31.4%	40.9%	* / *
Number of intended retrievals per live birth	2.1	2.6	6.3	6.2	42.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	46.5%	42.6%	15.4%	5 / 19	* / 15
Percentage of new patients having live births after 1 or 2 intended retrievals	51.2%	48.9%	20.5%	5 / 19	* / 15
Percentage of new patients having live births after all intended retrievals	55.8%	48.9%	23.1%	5 / 19	* / 15
Average number of intended retrievals per new patient	1.2	1.2	1.4	1.2	1.6
Average number of transfers per intended retrieval	0.9	0.9	0.4	0.5	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	7	82	0
Percentage of transfers resulting in live births		* / 7	35.4%	
Percentage of transfers resulting in singleton live births		* / 7	28.0%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	139	215	215	105	107	781
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	1.4%	1.9%	6.7%	5.6%	2.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.8%	2.8%	11.2%	19.0%	27.1%	11.1%
Percentage of cycles for fertility preservation	10.8%	9.3%	7.4%	4.8%	0.9%	7.3%
Percentage of transfers using a gestational carrier	5.4%	19.6%	9.2%	4.2%	30.2%	14.0%
Percentage of transfers using frozen embryos	100.0%	100.0%	99.0%	97.9%	90.6%	98.0%
Percentage of transfers of at least one embryo with ICSI	98.2%	91.2%	84.7%	70.8%	50.9%	81.8%
Percentage of transfers of at least one embryo with PGT	100.0%	100.0%	98.0%	91.7%	86.8%	96.4%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	34%
Endometriosis	8%	Egg or embryo banking	53%
Tubal factor	7%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	15%	Other, infertility	10%
Uterine factor	5%	Other, non-infertility	6%
PGT	3%	Unexplained	6%
Gestational carrier	4%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

WEST COAST FERTILITY CENTER
FOUNTAIN VALLEY, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by David G. Diaz, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	18	16	30	9	6
Percentage of intended retrievals resulting in live births	12 / 18	8 / 16	16.7%	* / 9	* / 6
Percentage of intended retrievals resulting in singleton live births	11 / 18	6 / 16	13.3%	* / 9	* / 6
Number of **retrievals**	18	15	26	7	5
Percentage of retrievals resulting in live births	12 / 18	8 / 15	19.2%	* / 7	* / 5
Percentage of retrievals resulting in singleton live births	11 / 18	6 / 15	15.4%	* / 7	* / 5
Number of **transfers**	17	15	7	5	*
Percentage of transfers resulting in live births	12 / 17	8 / 15	5 / 7	* / 5	* / *
Percentage of transfers resulting in singleton live births	11 / 17	6 / 15	* / 7	* / 5	* / *
Number of intended retrievals per live birth	1.5	2.0	6.0	9.0	6.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	10 / 16	* / 8	* / 12	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	11 / 16	5 / 8	* / 12	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	11 / 16	5 / 8	* / 12	0 / *	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.6	1.0	2.0
Average number of transfers per intended retrieval	0.9	1.0	0.3	1.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	*	18	0
Percentage of transfers resulting in live births	* / 6	0 / *	* / 18	
Percentage of transfers resulting in singleton live births	0 / 6	0 / *	* / 18	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	69	45	40	20	18	192
Percentage of cycles cancelled prior to retrieval or thaw	1.4%	6.7%	0.0%	10.0%	* / 18	4.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.3%	11.1%	27.5%	45.0%	* / 18	15.6%
Percentage of cycles for fertility preservation	10.1%	15.6%	0.0%	5.0%	0 / 18	7.8%
Percentage of transfers using a gestational carrier	2.5%	0.0%	0.0%	* / 5	0 / 14	2.0%
Percentage of transfers using frozen embryos	95.0%	76.2%	63.6%	5 / 5	7 / 14	78.4%
Percentage of transfers of at least one embryo with ICSI	90.0%	100.0%	100.0%	5 / 5	14 / 14	96.1%
Percentage of transfers of at least one embryo with PGT	27.5%	47.6%	27.3%	* / 5	* / 14	30.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	24%	Diminished ovarian reserve	43%
Endometriosis	9%	Egg or embryo banking	41%
Tubal factor	18%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	16%	Other, infertility	8%
Uterine factor	8%	Other, non-infertility	7%
PGT	3%	Unexplained	4%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH-FREMONT
FREMONT, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Lisa Farah-Eways, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	283	208	198	87	49
Percentage of intended retrievals resulting in live births	62.9%	51.0%	29.8%	11.5%	10.2%
Percentage of intended retrievals resulting in singleton live births	56.9%	49.0%	25.3%	10.3%	8.2%
Number of **retrievals**	266	193	171	77	40
Percentage of retrievals resulting in live births	66.9%	54.9%	34.5%	13.0%	12.5%
Percentage of retrievals resulting in singleton live births	60.5%	52.8%	29.2%	11.7%	10.0%
Number of **transfers**	348	229	162	54	24
Percentage of transfers resulting in live births	51.1%	46.3%	36.4%	18.5%	20.8%
Percentage of transfers resulting in singleton live births	46.3%	44.5%	30.9%	16.7%	16.7%
Number of intended retrievals per live birth	1.6	2.0	3.4	8.7	9.8
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	65.4%	56.0%	33.1%	10.3%	9.7%
Percentage of new patients having live births after 1 or 2 intended retrievals	68.3%	57.1%	36.2%	12.1%	12.9%
Percentage of new patients having live births after all intended retrievals	68.3%	57.7%	36.9%	13.8%	12.9%
Average number of intended retrievals per new patient	1.1	1.1	1.2	1.3	1.3
Average number of transfers per intended retrieval	1.2	1.2	0.8	0.6	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	25	0	43	*
Percentage of transfers resulting in live births	60.0%		62.8%	0 / *
Percentage of transfers resulting in singleton live births	60.0%		58.1%	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	469	364	323	137	98	1,391
Percentage of cycles cancelled prior to retrieval or thaw	3.0%	3.3%	11.8%	9.5%	10.2%	6.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.8%	2.5%	3.1%	8.0%	9.2%	3.7%
Percentage of cycles for fertility preservation	1.1%	1.4%	0.3%	0.7%	0.0%	0.9%
Percentage of transfers using a gestational carrier	0.3%	0.7%	1.0%	0.0%	0.0%	0.5%
Percentage of transfers using frozen embryos	57.3%	62.4%	65.0%	60.0%	54.8%	60.4%
Percentage of transfers of at least one embryo with ICSI	92.1%	90.1%	89.5%	88.0%	87.1%	90.4%
Percentage of transfers of at least one embryo with PGT	25.1%	36.1%	40.0%	36.0%	25.8%	32.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	24%	Diminished ovarian reserve	50%
Endometriosis	3%	Egg or embryo banking	21%
Tubal factor	9%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	17%	Other, infertility	5%
Uterine factor	3%	Other, non-infertility	1%
PGT	1%	Unexplained	9%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CARE FERTILITY
GLENDALE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Rudy Quintero, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	81	53	42	18	17
Percentage of intended retrievals resulting in live births	43.2%	22.6%	23.8%	0 / 18	0 / 17
Percentage of intended retrievals resulting in singleton live births	33.3%	18.9%	19.0%	0 / 18	0 / 17
Number of **retrievals**	80	50	38	17	15
Percentage of retrievals resulting in live births	43.8%	24.0%	26.3%	0 / 17	0 / 15
Percentage of retrievals resulting in singleton live births	33.8%	20.0%	21.1%	0 / 17	0 / 15
Number of **transfers**	77	44	23	6	5
Percentage of transfers resulting in live births	45.5%	27.3%	43.5%	0 / 6	0 / 5
Percentage of transfers resulting in singleton live births	35.1%	22.7%	34.8%	0 / 6	0 / 5
Number of intended retrievals per live birth	2.3	4.4	4.2		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	45.3%	20.6%	17.2%	0 / 10	0 / 13
Percentage of new patients having live births after 1 or 2 intended retrievals	56.6%	26.5%	20.7%	0 / 10	0 / 13
Percentage of new patients having live births after all intended retrievals	56.6%	26.5%	20.7%	0 / 10	0 / 13
Average number of intended retrievals per new patient	1.2	1.3	1.1	1.4	1.2
Average number of transfers per intended retrieval	1.0	0.8	0.5	0.4	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	17	0
Percentage of transfers resulting in live births		0 / *	7 / 17	
Percentage of transfers resulting in singleton live births		0 / *	* / 17	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	184	114	86	41	41	466
Percentage of cycles cancelled prior to retrieval or thaw	12.0%	12.3%	8.1%	9.8%	14.6%	11.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.8%	5.3%	9.3%	12.2%	4.9%	6.0%
Percentage of cycles for fertility preservation	3.8%	4.4%	0.0%	2.4%	2.4%	3.0%
Percentage of transfers using a gestational carrier	1.1%	6.9%	3.1%	0 / 18	9.5%	3.7%
Percentage of transfers using frozen embryos	94.4%	89.7%	90.6%	15 / 18	90.5%	91.3%
Percentage of transfers of at least one embryo with ICSI	92.2%	94.8%	84.4%	18 / 18	85.7%	91.8%
Percentage of transfers of at least one embryo with PGT	34.4%	24.1%	18.8%	5 / 18	9.5%	26.5%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	16%	Diminished ovarian reserve	20%
Endometriosis	2%	Egg or embryo banking	37%
Tubal factor	19%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	11%	Other, infertility	22%
Uterine factor	1%	Other, non-infertility	1%
PGT	3%	Unexplained	14%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

MARIN FERTILITY CENTER
GREENBRAE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Peter S. Uzelac, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	38	34	50	31	22
Percentage of intended retrievals resulting in live births	65.8%	38.2%	12.0%	3.2%	0.0%
Percentage of intended retrievals resulting in singleton live births	57.9%	35.3%	12.0%	3.2%	0.0%
Number of **retrievals**	36	33	44	25	19
Percentage of retrievals resulting in live births	69.4%	39.4%	13.6%	4.0%	0 / 19
Percentage of retrievals resulting in singleton live births	61.1%	36.4%	13.6%	4.0%	0 / 19
Number of **transfers**	48	31	15	*	7
Percentage of transfers resulting in live births	52.1%	41.9%	6 / 15	* / *	0 / 7
Percentage of transfers resulting in singleton live births	45.8%	38.7%	6 / 15	* / *	0 / 7
Number of intended retrievals per live birth	1.5	2.6	8.3	31.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	69.0%	50.0%	13.0%	* / 11	0 / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	72.4%	50.0%	17.4%	* / 11	0 / 7
Percentage of new patients having live births after all intended retrievals	72.4%	50.0%	26.1%	* / 11	0 / 7
Average number of intended retrievals per new patient	1.1	1.1	1.4	2.0	1.4
Average number of transfers per intended retrieval	1.3	1.0	0.4	0.2	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	7	0
Percentage of transfers resulting in live births	* / *		* / 7	
Percentage of transfers resulting in singleton live births	0 / *		* / 7	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	97	99	89	62	49	396
Percentage of cycles cancelled prior to retrieval or thaw	2.1%	8.1%	5.6%	9.7%	12.2%	6.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.2%	0.0%	1.1%	16.1%	18.4%	6.3%
Percentage of cycles for fertility preservation	2.1%	22.2%	22.5%	14.5%	8.2%	14.4%
Percentage of transfers using a gestational carrier	0.0%	0.0%	5.4%	0 / 14	* / 14	1.9%
Percentage of transfers using frozen embryos	96.4%	95.1%	97.3%	14 / 14	11 / 14	95.0%
Percentage of transfers of at least one embryo with ICSI	81.8%	78.0%	70.3%	13 / 14	14 / 14	80.7%
Percentage of transfers of at least one embryo with PGT	67.3%	78.0%	81.1%	10 / 14	5 / 14	70.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	24%	Diminished ovarian reserve	36%
Endometriosis	7%	Egg or embryo banking	54%
Tubal factor	8%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	7%	Other, infertility	4%
Uterine factor	1%	Other, non-infertility	11%
PGT	1%	Unexplained	16%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

COASTAL FERTILITY MEDICAL CENTER, INC.
IRVINE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Lawrence B. Werlin, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	34	41	41	14	9
Percentage of intended retrievals resulting in live births	14.7%	12.2%	12.2%	* / 14	0 / 9
Percentage of intended retrievals resulting in singleton live births	14.7%	7.3%	9.8%	* / 14	0 / 9
Number of **retrievals**	33	39	36	11	8
Percentage of retrievals resulting in live births	15.2%	12.8%	13.9%	* / 11	0 / 8
Percentage of retrievals resulting in singleton live births	15.2%	7.7%	11.1%	* / 11	0 / 8
Number of **transfers**	30	36	18	*	0
Percentage of transfers resulting in live births	16.7%	13.9%	5 / 18	* / *	
Percentage of transfers resulting in singleton live births	16.7%	8.3%	* / 18	* / *	
Number of intended retrievals per live birth	6.8	8.2	8.2	14.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	17.4%	20.0%	4.8%	0 / 7	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	17.4%	20.0%	9.5%	* / 7	0 / *
Percentage of new patients having live births after all intended retrievals	17.4%	20.0%	9.5%	* / 7	0 / *
Average number of intended retrievals per new patient	1.0	1.3	1.3	1.6	1.8
Average number of transfers per intended retrieval	1.0	1.1	0.5	0.2	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	21	*
Percentage of transfers resulting in live births		0 / *	19.0%	* / *
Percentage of transfers resulting in singleton live births		0 / *	19.0%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	222	78	57	21	19	397
Percentage of cycles cancelled prior to retrieval or thaw	2.7%	3.8%	7.0%	0.0%	* / 19	3.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.1%	6.4%	14.0%	9.5%	* / 19	6.3%
Percentage of cycles for fertility preservation	20.7%	10.3%	8.8%	14.3%	0 / 19	15.6%
Percentage of transfers using a gestational carrier	6.0%	17.9%	12.5%	* / 9	* / 13	12.6%
Percentage of transfers using frozen embryos	100.0%	97.4%	95.8%	9 / 9	11 / 13	97.0%
Percentage of transfers of at least one embryo with ICSI	96.0%	82.1%	95.8%	7 / 9	7 / 13	86.7%
Percentage of transfers of at least one embryo with PGT	86.0%	87.2%	83.3%	9 / 9	9 / 13	85.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	10%	Diminished ovarian reserve	19%
Endometriosis	3%	Egg or embryo banking	58%
Tubal factor	3%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	5%	Other, infertility	9%
Uterine factor	1%	Other, non-infertility	5%
PGT	1%	Unexplained	15%
Gestational carrier	4%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY CENTER OF SOUTHERN CALIFORNIA
IRVINE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ilene E. Hatch, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	29	17	27	28	11
Percentage of intended retrievals resulting in live births	72.4%	8 / 17	37.0%	14.3%	* / 11
Percentage of intended retrievals resulting in singleton live births	65.5%	6 / 17	37.0%	14.3%	* / 11
Number of **retrievals**	27	16	27	22	10
Percentage of retrievals resulting in live births	77.8%	8 / 16	37.0%	18.2%	* / 10
Percentage of retrievals resulting in singleton live births	70.4%	6 / 16	37.0%	18.2%	* / 10
Number of **transfers**	36	11	17	8	5
Percentage of transfers resulting in live births	58.3%	8 / 11	10 / 17	* / 8	* / 5
Percentage of transfers resulting in singleton live births	52.8%	6 / 11	10 / 17	* / 8	* / 5
Number of intended retrievals per live birth	1.4	2.1	2.7	7.0	11.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	16 / 19	6 / 11	6 / 16	* / 11	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	17 / 19	8 / 11	7 / 16	* / 11	0 / *
Percentage of new patients having live births after all intended retrievals	17 / 19	8 / 11	7 / 16	* / 11	0 / *
Average number of intended retrievals per new patient	1.1	1.3	1.1	1.4	1.5
Average number of transfers per intended retrieval	1.3	0.6	0.7	0.3	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	11	6
Percentage of transfers resulting in live births			10 / 11	5 / 6
Percentage of transfers resulting in singleton live births			9 / 11	* / 6

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	62	47	73	48	44	274
Percentage of cycles cancelled prior to retrieval or thaw	1.6%	4.3%	8.2%	8.3%	11.4%	6.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.6%	0.0%	2.7%	4.2%	4.5%	2.6%
Percentage of cycles for fertility preservation	6.5%	6.4%	4.1%	6.3%	0.0%	4.7%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	* / 18	9.5%	2.2%
Percentage of transfers using frozen embryos	97.3%	92.3%	100.0%	17 / 18	100.0%	97.0%
Percentage of transfers of at least one embryo with ICSI	97.3%	84.6%	90.6%	13 / 18	66.7%	85.1%
Percentage of transfers of at least one embryo with PGT	73.0%	57.7%	90.6%	6 / 18	33.3%	62.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	20%	Diminished ovarian reserve	40%
Endometriosis	16%	Egg or embryo banking	44%
Tubal factor	13%	Recurrent pregnancy loss	10%
Ovulatory dysfunction	10%	Other, infertility	8%
Uterine factor	6%	Other, non-infertility	5%
PGT	3%	Unexplained	16%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

LIFE IVF CENTER
IRVINE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Frank D. Yelian, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	238	259	395	448	803
Percentage of intended retrievals resulting in live births	22.7%	12.4%	6.8%	2.5%	0.4%
Percentage of intended retrievals resulting in singleton live births	20.2%	11.2%	6.1%	2.5%	0.4%
Number of **retrievals**	227	232	362	389	640
Percentage of retrievals resulting in live births	23.8%	13.8%	7.5%	2.8%	0.5%
Percentage of retrievals resulting in singleton live births	21.1%	12.5%	6.6%	2.8%	0.5%
Number of **transfers**	105	72	70	32	30
Percentage of transfers resulting in live births	51.4%	44.4%	38.6%	34.4%	10.0%
Percentage of transfers resulting in singleton live births	45.7%	40.3%	34.3%	34.4%	10.0%
Number of intended retrievals per live birth	4.4	8.1	14.6	40.7	267.7
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	20.0%	13.8%	8.0%	2.0%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	27.1%	17.2%	16.0%	3.9%	0.0%
Percentage of new patients having live births after all intended retrievals	37.6%	24.1%	25.3%	9.8%	1.2%
Average number of intended retrievals per new patient	1.7	2.0	2.3	2.7	2.6
Average number of transfers per intended retrieval	0.4	0.3	0.3	0.1	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	102	0
Percentage of transfers resulting in live births			59.8%	
Percentage of transfers resulting in singleton live births			57.8%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	496	384	524	441	1,105	2,950
Percentage of cycles cancelled prior to retrieval or thaw	7.3%	9.1%	10.1%	10.2%	9.1%	9.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.3%	17.7%	22.7%	32.0%	40.6%	27.7%
Percentage of cycles for fertility preservation	2.8%	5.5%	5.2%	5.0%	6.9%	5.4%
Percentage of transfers using a gestational carrier	6.3%	17.8%	20.6%	25.0%	36.7%	22.5%
Percentage of transfers using frozen embryos	98.4%	99.0%	99.0%	94.6%	96.7%	97.7%
Percentage of transfers of at least one embryo with ICSI	99.2%	100.0%	100.0%	100.0%	99.4%	99.6%
Percentage of transfers of at least one embryo with PGT	58.7%	70.3%	68.6%	58.9%	52.2%	60.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	19%	Diminished ovarian reserve	81%
Endometriosis	9%	Egg or embryo banking	79%
Tubal factor	12%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	8%	Other, infertility	15%
Uterine factor	20%	Other, non-infertility	6%
PGT	1%	Unexplained	8%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE FERTILITY CENTER
LINFERTILITY FAMILY FOUNDATION
IRVINE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by James P. Lin, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	110	116	119	62	72
Percentage of intended retrievals resulting in live births	60.0%	28.4%	20.2%	3.2%	0.0%
Percentage of intended retrievals resulting in singleton live births	49.1%	23.3%	18.5%	3.2%	0.0%
Number of **retrievals**	108	116	115	59	56
Percentage of retrievals resulting in live births	61.1%	28.4%	20.9%	3.4%	0.0%
Percentage of retrievals resulting in singleton live births	50.0%	23.3%	19.1%	3.4%	0.0%
Number of **transfers**	102	78	48	12	*
Percentage of transfers resulting in live births	64.7%	42.3%	50.0%	* / 12	0 / *
Percentage of transfers resulting in singleton live births	52.9%	34.6%	45.8%	* / 12	0 / *
Number of intended retrievals per live birth	1.7	3.5	5.0	31.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	66.3%	27.4%	20.0%	0.0%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	66.3%	35.5%	23.3%	3.6%	0.0%
Percentage of new patients having live births after all intended retrievals	66.3%	35.5%	25.0%	3.6%	0.0%
Average number of intended retrievals per new patient	1.0	1.1	1.2	1.4	1.6
Average number of transfers per intended retrieval	1.0	0.7	0.4	0.3	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	57	*
Percentage of transfers resulting in live births	* / *	* / *	54.4%	* / *
Percentage of transfers resulting in singleton live births	0 / *	0 / *	52.6%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	270	183	168	87	120	828
Percentage of cycles cancelled prior to retrieval or thaw	0.4%	0.0%	1.2%	2.3%	2.5%	1.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.9%	6.6%	11.9%	20.7%	15.8%	8.9%
Percentage of cycles for fertility preservation	0.4%	0.0%	0.0%	0.0%	0.0%	0.1%
Percentage of transfers using a gestational carrier	4.4%	3.7%	5.6%	3.1%	29.6%	8.0%
Percentage of transfers using frozen embryos	99.3%	92.7%	97.2%	93.8%	98.1%	96.8%
Percentage of transfers of at least one embryo with ICSI	100.0%	98.8%	98.6%	100.0%	98.1%	99.2%
Percentage of transfers of at least one embryo with PGT	75.6%	80.5%	79.2%	84.4%	81.5%	78.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	26%	Diminished ovarian reserve	41%
Endometriosis	2%	Egg or embryo banking	55%
Tubal factor	9%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	2%	Other, infertility	18%
Uterine factor	3%	Other, non-infertility	8%
PGT	37%	Unexplained	9%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

REPRODUCTIVE PARTNERS FERTILITY CENTER-SAN DIEGO
LA JOLLA, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by V. Gabriel Garzo, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	75	70	96	54	35
Percentage of intended retrievals resulting in live births	53.3%	48.6%	22.9%	9.3%	2.9%
Percentage of intended retrievals resulting in singleton live births	53.3%	47.1%	21.9%	9.3%	2.9%
Number of **retrievals**	72	64	85	49	33
Percentage of retrievals resulting in live births	55.6%	53.1%	25.9%	10.2%	3.0%
Percentage of retrievals resulting in singleton live births	55.6%	51.6%	24.7%	10.2%	3.0%
Number of **transfers**	79	57	44	11	9
Percentage of transfers resulting in live births	50.6%	59.6%	50.0%	5 / 11	* / 9
Percentage of transfers resulting in singleton live births	50.6%	57.9%	47.7%	5 / 11	* / 9
Number of intended retrievals per live birth	1.9	2.1	4.4	10.8	35.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	56.7%	55.3%	27.8%	0.0%	0 / 13
Percentage of new patients having live births after 1 or 2 intended retrievals	61.7%	59.6%	29.6%	8.3%	* / 13
Percentage of new patients having live births after all intended retrievals	61.7%	59.6%	29.6%	12.5%	* / 13
Average number of intended retrievals per new patient	1.1	1.1	1.2	1.5	1.6
Average number of transfers per intended retrieval	1.0	0.8	0.5	0.2	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	8	39	*
Percentage of transfers resulting in live births		* / 8	66.7%	* / *
Percentage of transfers resulting in singleton live births		* / 8	61.5%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	289	241	207	119	91	947
Percentage of cycles cancelled prior to retrieval or thaw	13.8%	11.2%	14.5%	18.5%	17.6%	14.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	30.4%	31.1%	32.4%	32.8%	18.7%	30.2%
Percentage of cycles for fertility preservation	7.3%	8.7%	6.8%	2.5%	0.0%	6.2%
Percentage of transfers using a gestational carrier	2.3%	6.6%	5.1%	10.4%	14.3%	6.1%
Percentage of transfers using frozen embryos	98.5%	98.1%	100.0%	87.5%	97.6%	97.3%
Percentage of transfers of at least one embryo with ICSI	90.2%	83.0%	74.7%	83.3%	64.3%	81.8%
Percentage of transfers of at least one embryo with PGT	64.4%	73.6%	79.7%	62.5%	64.3%	69.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	24%	Diminished ovarian reserve	24%
Endometriosis	6%	Egg or embryo banking	14%
Tubal factor	6%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	7%	Other, infertility	20%
Uterine factor	3%	Other, non-infertility	2%
PGT	1%	Unexplained	11%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

LOMA LINDA UNIVERSITY CENTER FOR FERTILITY AND IVF
LOMA LINDA, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Gihan M. Bareh, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	54	41	35	11	7
Percentage of intended retrievals resulting in live births	31.5%	41.5%	11.4%	0 / 11	0 / 7
Percentage of intended retrievals resulting in singleton live births	25.9%	34.1%	8.6%	0 / 11	0 / 7
Number of **retrievals**	49	37	29	9	6
Percentage of retrievals resulting in live births	34.7%	45.9%	13.8%	0 / 9	0 / 6
Percentage of retrievals resulting in singleton live births	28.6%	37.8%	10.3%	0 / 9	0 / 6
Number of **transfers**	52	34	27	5	6
Percentage of transfers resulting in live births	32.7%	50.0%	14.8%	0 / 5	0 / 6
Percentage of transfers resulting in singleton live births	26.9%	41.2%	11.1%	0 / 5	0 / 6
Number of intended retrievals per live birth	3.2	2.4	8.8		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	34.9%	42.9%	* / 17	0 / 6	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	37.2%	53.6%	* / 17	0 / 6	0 / 5
Percentage of new patients having live births after all intended retrievals	37.2%	57.1%	* / 17	0 / 6	0 / 5
Average number of intended retrievals per new patient	1.1	1.3	1.2	1.3	1.2
Average number of transfers per intended retrieval	1.0	0.8	1.0	0.5	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	6	8
Percentage of transfers resulting in live births	* / *		* / 6	* / 8
Percentage of transfers resulting in singleton live births	* / *		* / 6	* / 8

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	90	43	37	18	23	211
Percentage of cycles cancelled prior to retrieval or thaw	13.3%	7.0%	16.2%	* / 18	17.4%	12.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	14.4%	16.3%	16.2%	5 / 18	26.1%	17.5%
Percentage of cycles for fertility preservation	3.3%	2.3%	0.0%	0 / 18	0.0%	1.9%
Percentage of transfers using a gestational carrier	0.0%	4.2%	* / 17	0 / 6	* / 10	2.9%
Percentage of transfers using frozen embryos	78.7%	79.2%	13 / 17	5 / 6	8 / 10	78.8%
Percentage of transfers of at least one embryo with ICSI	78.7%	91.7%	17 / 17	* / 6	6 / 10	81.7%
Percentage of transfers of at least one embryo with PGT	14.9%	12.5%	5 / 17	* / 6	0 / 10	17.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	38%	Diminished ovarian reserve	47%
Endometriosis	19%	Egg or embryo banking	24%
Tubal factor	19%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	25%	Other, infertility	13%
Uterine factor	23%	Other, non-infertility	2%
PGT	5%	Unexplained	3%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CALIFORNIA FERTILITY PARTNERS
LOS ANGELES, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Richard P. Marrs, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	83	95	144	160	92
Percentage of intended retrievals resulting in live births	43.4%	25.3%	18.1%	5.0%	2.2%
Percentage of intended retrievals resulting in singleton live births	37.3%	21.1%	16.7%	5.0%	2.2%
Number of **retrievals**	75	77	130	123	66
Percentage of retrievals resulting in live births	48.0%	31.2%	20.0%	6.5%	3.0%
Percentage of retrievals resulting in singleton live births	41.3%	26.0%	18.5%	6.5%	3.0%
Number of **transfers**	69	59	57	23	9
Percentage of transfers resulting in live births	52.2%	40.7%	45.6%	34.8%	* / 9
Percentage of transfers resulting in singleton live births	44.9%	33.9%	42.1%	34.8%	* / 9
Number of intended retrievals per live birth	2.3	4.0	5.5	20.0	46.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	46.8%	23.9%	17.4%	5.0%	* / 17
Percentage of new patients having live births after 1 or 2 intended retrievals	57.4%	32.6%	30.4%	15.0%	* / 17
Percentage of new patients having live births after all intended retrievals	59.6%	34.8%	32.6%	20.0%	* / 17
Average number of intended retrievals per new patient	1.2	1.3	1.5	1.8	1.4
Average number of transfers per intended retrieval	0.8	0.7	0.4	0.2	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	*	212	5
Percentage of transfers resulting in live births	* / 8	* / *	53.8%	* / 5
Percentage of transfers resulting in singleton live births	* / 8	* / *	46.7%	* / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	208	273	283	201	425	1,390
Percentage of cycles cancelled prior to retrieval or thaw	9.6%	11.4%	12.0%	10.9%	17.6%	13.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.9%	2.2%	7.4%	7.5%	11.5%	7.0%
Percentage of cycles for fertility preservation	11.5%	8.8%	8.8%	1.0%	0.7%	5.6%
Percentage of transfers using a gestational carrier	42.4%	43.4%	35.6%	41.5%	56.8%	45.9%
Percentage of transfers using frozen embryos	96.5%	98.1%	96.6%	87.7%	94.4%	95.0%
Percentage of transfers of at least one embryo with ICSI	82.4%	90.6%	87.4%	83.1%	79.6%	84.2%
Percentage of transfers of at least one embryo with PGT	89.4%	89.6%	83.9%	75.4%	79.6%	83.6%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	51%
Endometriosis	6%	Egg or embryo banking	46%
Tubal factor	6%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	4%	Other, infertility	83%
Uterine factor	23%	Other, non-infertility	7%
PGT	81%	Unexplained	<1%
Gestational carrier	19%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CEDARS SINAI MEDICAL CENTER
CENTER FOR FERTILITY AND REPRODUCTIVE MEDICINE
LOS ANGELES, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Margareta D. Pisarska, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	22	17	17	9	*
Percentage of intended retrievals resulting in live births	13.6%	7 / 17	* / 17	* / 9	0 / *
Percentage of intended retrievals resulting in singleton live births	13.6%	7 / 17	* / 17	* / 9	0 / *
Number of **retrievals**	19	17	12	9	*
Percentage of retrievals resulting in live births	* / 19	7 / 17	* / 12	* / 9	0 / *
Percentage of retrievals resulting in singleton live births	* / 19	7 / 17	* / 12	* / 9	0 / *
Number of **transfers**	18	12	7	*	*
Percentage of transfers resulting in live births	* / 18	7 / 12	* / 7	* / *	0 / *
Percentage of transfers resulting in singleton live births	* / 18	7 / 12	* / 7	* / *	0 / *
Number of intended retrievals per live birth	7.3	2.4	17.0	4.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 14	* / 8	0 / 10	* / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 14	5 / 8	0 / 10	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	* / 14	5 / 8	0 / 10	* / *	0 / *
Average number of intended retrievals per new patient	1.4	1.3	1.2	2.0	1.0
Average number of transfers per intended retrieval	0.8	0.9	0.3	0.5	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	5	0
Percentage of transfers resulting in live births			* / 5	
Percentage of transfers resulting in singleton live births			* / 5	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	37	42	40	10	28	157
Percentage of cycles cancelled prior to retrieval or thaw	8.1%	7.1%	2.5%	* / 10	35.7%	11.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.7%	11.9%	7.5%	* / 10	14.3%	8.9%
Percentage of cycles for fertility preservation	21.6%	19.0%	27.5%	* / 10	3.6%	18.5%
Percentage of transfers using a gestational carrier	0 / 17	9.5%	0 / 19	* / *	* / 8	7.2%
Percentage of transfers using frozen embryos	10 / 17	52.4%	14 / 19	* / *	7 / 8	66.7%
Percentage of transfers of at least one embryo with ICSI	15 / 17	85.7%	19 / 19	* / *	6 / 8	87.0%
Percentage of transfers of at least one embryo with PGT	6 / 17	42.9%	10 / 19	* / *	5 / 8	47.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	32%	Diminished ovarian reserve	31%
Endometriosis	1%	Egg or embryo banking	45%
Tubal factor	11%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	13%	Other, infertility	10%
Uterine factor	6%	Other, non-infertility	1%
PGT	6%	Unexplained	10%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CHA FERTILITY CENTER
LOS ANGELES, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Joshua J. Berger, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	13	31	21	8	5
Percentage of intended retrievals resulting in live births	6 / 13	22.6%	4.8%	0 / 8	0 / 5
Percentage of intended retrievals resulting in singleton live births	6 / 13	19.4%	4.8%	0 / 8	0 / 5
Number of **retrievals**	12	28	20	5	5
Percentage of retrievals resulting in live births	6 / 12	25.0%	5.0%	0 / 5	0 / 5
Percentage of retrievals resulting in singleton live births	6 / 12	21.4%	5.0%	0 / 5	0 / 5
Number of **transfers**	10	10	7	*	0
Percentage of transfers resulting in live births	6 / 10	7 / 10	* / 7	0 / *	
Percentage of transfers resulting in singleton live births	6 / 10	6 / 10	* / 7	0 / *	
Number of intended retrievals per live birth	2.2	4.4	21.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 9	20.0%	* / 9	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	5 / 9	20.0%	* / 9	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	5 / 9	25.0%	* / 9	0 / *	0 / *
Average number of intended retrievals per new patient	1.1	1.3	1.4	1.3	1.5
Average number of transfers per intended retrieval	0.9	0.3	0.2	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	46	0
Percentage of transfers resulting in live births			41.3%	
Percentage of transfers resulting in singleton live births			32.6%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	36	50	73	62	65	286
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	4.0%	6.8%	9.7%	3.1%	5.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.8%	10.0%	4.1%	19.4%	4.6%	8.4%
Percentage of cycles for fertility preservation	11.1%	14.0%	5.5%	3.2%	0.0%	5.9%
Percentage of transfers using a gestational carrier	0 / 12	* / 19	5.0%	* / 11	5.3%	5.0%
Percentage of transfers using frozen embryos	12 / 12	19 / 19	100.0%	10 / 11	100.0%	99.0%
Percentage of transfers of at least one embryo with ICSI	10 / 12	18 / 19	90.0%	10 / 11	84.2%	88.0%
Percentage of transfers of at least one embryo with PGT	11 / 12	18 / 19	85.0%	10 / 11	76.3%	85.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	10%	Diminished ovarian reserve	56%
Endometriosis	1%	Egg or embryo banking	53%
Tubal factor	1%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	4%	Other, infertility	20%
Uterine factor	1%	Other, non-infertility	6%
PGT	13%	Unexplained	5%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CMD FERTILITY
LOS ANGELES, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Catherine M. DeUgarte, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	17	33	29	13	12
Percentage of intended retrievals resulting in live births	12 / 17	30.3%	17.2%	* / 13	0 / 12
Percentage of intended retrievals resulting in singleton live births	10 / 17	27.3%	13.8%	* / 13	0 / 12
Number of **retrievals**	17	33	27	12	12
Percentage of retrievals resulting in live births	12 / 17	30.3%	18.5%	* / 12	0 / 12
Percentage of retrievals resulting in singleton live births	10 / 17	27.3%	14.8%	* / 12	0 / 12
Number of **transfers**	15	18	14	*	*
Percentage of transfers resulting in live births	12 / 15	10 / 18	5 / 14	* / *	0 / *
Percentage of transfers resulting in singleton live births	10 / 15	9 / 18	* / 14	* / *	0 / *
Number of intended retrievals per live birth	1.4	3.3	5.8	13.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	12 / 17	* / 17	* / 14	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	12 / 17	7 / 17	* / 14	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	12 / 17	7 / 17	* / 14	0 / *	0 / *
Average number of intended retrievals per new patient	1.0	1.4	1.4	1.0	1.5
Average number of transfers per intended retrieval	0.9	0.6	0.4	0.5	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	11	0
Percentage of transfers resulting in live births	* / *	* / *	* / 11	
Percentage of transfers resulting in singleton live births	* / *	* / *	* / 11	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	64	49	60	31	36	240
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	4.1%	10.0%	9.7%	13.9%	6.7%
Percentage of cycles for fertility preservation	14.1%	22.4%	8.3%	3.2%	5.6%	11.7%
Percentage of transfers using a gestational carrier	3.6%	0 / 18	0.0%	0 / 8	* / 15	3.2%
Percentage of transfers using frozen embryos	100.0%	16 / 18	91.7%	7 / 8	10 / 15	89.2%
Percentage of transfers of at least one embryo with ICSI	96.4%	18 / 18	100.0%	8 / 8	13 / 15	96.8%
Percentage of transfers of at least one embryo with PGT	82.1%	13 / 18	62.5%	6 / 8	11 / 15	73.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	28%
Endometriosis	2%	Egg or embryo banking	61%
Tubal factor	9%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	13%	Other, infertility	16%
Uterine factor	11%	Other, non-infertility	5%
PGT	3%	Unexplained	10%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

LA IVF CLINIC
LOS ANGELES, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Aykut Bayrak, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	21	*
Percentage of transfers resulting in live births			28.6%	* / *
Percentage of transfers resulting in singleton live births			23.8%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	56	45	51	25	47	224
Percentage of cycles cancelled prior to retrieval or thaw	1.8%	6.7%	7.8%	4.0%	4.3%	4.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.8%	2.2%	7.8%	12.0%	19.1%	8.0%
Percentage of cycles for fertility preservation	12.5%	17.8%	27.5%	32.0%	21.3%	21.0%
Percentage of transfers using a gestational carrier	21.2%	45.5%	26.1%	0 / 8	13.6%	24.1%
Percentage of transfers using frozen embryos	100.0%	95.5%	100.0%	7 / 8	95.5%	97.2%
Percentage of transfers of at least one embryo with ICSI	90.9%	95.5%	87.0%	8 / 8	95.5%	92.6%
Percentage of transfers of at least one embryo with PGT	60.6%	81.8%	69.6%	6 / 8	59.1%	67.6%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	12%	Diminished ovarian reserve	42%
Endometriosis	6%	Egg or embryo banking	46%
Tubal factor	4%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	5%	Other, infertility	13%
Uterine factor	3%	Other, non-infertility	22%
PGT	0%	Unexplained	2%
Gestational carrier	6%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

PACIFIC FERTILITY CENTER-LOS ANGELES
LOS ANGELES, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Vicken Sahakian, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	19	29	34	13	9
Percentage of intended retrievals resulting in live births	5 / 19	41.4%	14.7%	0 / 13	0 / 9
Percentage of intended retrievals resulting in singleton live births	* / 19	41.4%	11.8%	0 / 13	0 / 9
Number of **retrievals**	18	29	34	13	9
Percentage of retrievals resulting in live births	5 / 18	41.4%	14.7%	0 / 13	0 / 9
Percentage of retrievals resulting in singleton live births	* / 18	41.4%	11.8%	0 / 13	0 / 9
Number of **transfers**	9	18	12	*	*
Percentage of transfers resulting in live births	5 / 9	12 / 18	5 / 12	0 / *	0 / *
Percentage of transfers resulting in singleton live births	* / 9	12 / 18	* / 12	0 / *	0 / *
Number of intended retrievals per live birth	3.8	2.4	6.8		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 12	* / 12	* / 12	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 12	6 / 12	* / 12	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	* / 12	6 / 12	* / 12	0 / *	0 / *
Average number of intended retrievals per new patient	1.3	1.3	1.5	1.8	1.0
Average number of transfers per intended retrieval	0.4	0.7	0.3	0.1	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	242	0
Percentage of transfers resulting in live births			59.5%	
Percentage of transfers resulting in singleton live births			52.5%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	77	66	74	55	129	401
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using a gestational carrier	49.4%	50.0%	63.5%	51.9%	67.4%	58.3%
Percentage of transfers using frozen embryos	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Percentage of transfers of at least one embryo with ICSI	0.0%	1.5%	0.0%	0.0%	0.0%	0.3%
Percentage of transfers of at least one embryo with PGT	85.7%	81.8%	82.4%	85.2%	89.9%	85.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	9%	Diminished ovarian reserve	28%
Endometriosis	4%	Egg or embryo banking	<1%
Tubal factor	4%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	4%	Other, infertility	15%
Uterine factor	1%	Other, non-infertility	8%
PGT	0%	Unexplained	12%
Gestational carrier	50%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UCLA FERTILITY CENTER
LOS ANGELES, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Kathleen M. Brennan, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	29	19	26	11	10
Percentage of intended retrievals resulting in live births	51.7%	7 / 19	15.4%	* / 11	* / 10
Percentage of intended retrievals resulting in singleton live births	51.7%	7 / 19	15.4%	* / 11	* / 10
Number of **retrievals**	29	19	25	10	9
Percentage of retrievals resulting in live births	51.7%	7 / 19	16.0%	* / 10	* / 9
Percentage of retrievals resulting in singleton live births	51.7%	7 / 19	16.0%	* / 10	* / 9
Number of **transfers**	33	19	17	*	5
Percentage of transfers resulting in live births	45.5%	7 / 19	* / 17	* / *	* / 5
Percentage of transfers resulting in singleton live births	45.5%	7 / 19	* / 17	* / *	* / 5
Number of intended retrievals per live birth	1.9	2.7	6.5	3.7	10.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	9 / 19	5 / 12	* / 14	* / 8	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	11 / 19	6 / 12	* / 14	* / 8	0 / *
Percentage of new patients having live births after all intended retrievals	11 / 19	6 / 12	* / 14	* / 8	0 / *
Average number of intended retrievals per new patient	1.2	1.3	1.3	1.4	2.7
Average number of transfers per intended retrieval	1.3	1.0	0.7	0.4	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	11	0
Percentage of transfers resulting in live births			5 / 11	
Percentage of transfers resulting in singleton live births			5 / 11	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	129	99	81	41	35	385
Percentage of cycles cancelled prior to retrieval or thaw	2.3%	5.1%	6.2%	12.2%	11.4%	5.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.3%	2.0%	3.7%	4.9%	14.3%	3.9%
Percentage of cycles for fertility preservation	31.0%	19.2%	17.3%	2.4%	11.4%	20.3%
Percentage of transfers using a gestational carrier	4.4%	0.0%	0.0%	0 / 16	0 / 18	1.4%
Percentage of transfers using frozen embryos	95.6%	97.7%	95.5%	13 / 16	17 / 18	94.5%
Percentage of transfers of at least one embryo with ICSI	100.0%	77.3%	95.5%	16 / 16	13 / 18	89.0%
Percentage of transfers of at least one embryo with PGT	68.9%	72.7%	95.5%	10 / 16	12 / 18	73.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	20%	Diminished ovarian reserve	6%
Endometriosis	6%	Egg or embryo banking	58%
Tubal factor	4%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	10%	Other, infertility	8%
Uterine factor	4%	Other, non-infertility	1%
PGT	2%	Unexplained	29%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

USC FERTILITY
LOS ANGELES, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Richard J. Paulson, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	65	83	63	51	50
Percentage of intended retrievals resulting in live births	43.1%	47.0%	28.6%	15.7%	6.0%
Percentage of intended retrievals resulting in singleton live births	35.4%	43.4%	27.0%	13.7%	6.0%
Number of **retrievals**	62	77	50	43	40
Percentage of retrievals resulting in live births	45.2%	50.6%	36.0%	18.6%	7.5%
Percentage of retrievals resulting in singleton live births	37.1%	46.8%	34.0%	16.3%	7.5%
Number of **transfers**	73	92	52	39	33
Percentage of transfers resulting in live births	38.4%	42.4%	34.6%	20.5%	9.1%
Percentage of transfers resulting in singleton live births	31.5%	39.1%	32.7%	17.9%	9.1%
Number of intended retrievals per live birth	2.3	2.1	3.5	6.4	16.7
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	46.8%	44.2%	24.3%	0.0%	0 / 18
Percentage of new patients having live births after 1 or 2 intended retrievals	51.1%	51.9%	32.4%	4.0%	* / 18
Percentage of new patients having live births after all intended retrievals	51.1%	51.9%	32.4%	8.0%	* / 18
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.3	1.4
Average number of transfers per intended retrieval	1.1	1.0	0.8	0.8	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	12	7	21	0
Percentage of transfers resulting in live births	8 / 12	* / 7	42.9%	
Percentage of transfers resulting in singleton live births	7 / 12	* / 7	28.6%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	234	226	233	118	120	931
Percentage of cycles cancelled prior to retrieval or thaw	6.4%	8.4%	14.2%	16.1%	20.8%	11.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.8%	3.1%	9.4%	5.9%	7.5%	5.8%
Percentage of cycles for fertility preservation	32.9%	32.3%	15.9%	10.2%	5.8%	22.1%
Percentage of transfers using a gestational carrier	6.0%	4.8%	7.1%	10.0%	4.8%	6.4%
Percentage of transfers using frozen embryos	72.6%	67.9%	57.6%	45.0%	54.0%	60.5%
Percentage of transfers of at least one embryo with ICSI	88.1%	90.5%	76.8%	85.0%	85.7%	84.9%
Percentage of transfers of at least one embryo with PGT	26.2%	32.1%	20.2%	11.7%	11.1%	21.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	21%	Diminished ovarian reserve	49%
Endometriosis	7%	Egg or embryo banking	46%
Tubal factor	3%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	10%	Other, infertility	30%
Uterine factor	3%	Other, non-infertility	17%
PGT	11%	Unexplained	3%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CARE FOR THE BAY AREA
LOS GATOS, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Karen J. Purcell, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	46	26	34	41	35
Percentage of intended retrievals resulting in live births	39.1%	19.2%	14.7%	7.3%	0.0%
Percentage of intended retrievals resulting in singleton live births	37.0%	19.2%	14.7%	7.3%	0.0%
Number of **retrievals**	44	24	29	25	25
Percentage of retrievals resulting in live births	40.9%	20.8%	17.2%	12.0%	0.0%
Percentage of retrievals resulting in singleton live births	38.6%	20.8%	17.2%	12.0%	0.0%
Number of **transfers**	52	25	13	11	12
Percentage of transfers resulting in live births	34.6%	20.0%	5 / 13	* / 11	0 / 12
Percentage of transfers resulting in singleton live births	32.7%	20.0%	5 / 13	* / 11	0 / 12
Number of intended retrievals per live birth	2.6	5.2	6.8	13.7	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	37.5%	* / 15	* / 13	0 / 8	0 / 9
Percentage of new patients having live births after 1 or 2 intended retrievals	43.8%	* / 15	* / 13	* / 8	0 / 9
Percentage of new patients having live births after all intended retrievals	46.9%	* / 15	* / 13	* / 8	0 / 9
Average number of intended retrievals per new patient	1.2	1.2	1.5	2.4	1.9
Average number of transfers per intended retrieval	1.2	0.9	0.4	0.2	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	11	0
Percentage of transfers resulting in live births		* / *	* / 11	
Percentage of transfers resulting in singleton live births		0 / *	* / 11	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	108	81	69	24	37	319
Percentage of cycles cancelled prior to retrieval or thaw	2.8%	3.7%	5.8%	4.2%	10.8%	4.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.5%	0.0%	13.0%	16.7%	10.8%	7.5%
Percentage of cycles for fertility preservation	19.4%	23.5%	18.8%	0.0%	13.5%	18.2%
Percentage of transfers using a gestational carrier	1.8%	2.6%	4.0%	0 / 10	* / 18	4.1%
Percentage of transfers using frozen embryos	74.5%	74.4%	84.0%	10 / 10	12 / 18	76.9%
Percentage of transfers of at least one embryo with ICSI	83.6%	79.5%	76.0%	* / 10	9 / 18	73.5%
Percentage of transfers of at least one embryo with PGT	43.6%	61.5%	68.0%	6 / 10	6 / 18	52.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	29%
Endometriosis	3%	Egg or embryo banking	50%
Tubal factor	10%	Recurrent pregnancy loss	15%
Ovulatory dysfunction	8%	Other, infertility	5%
Uterine factor	8%	Other, non-infertility	0%
PGT	4%	Unexplained	14%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

INNOVATIVE FERTILITY CENTER
MANHATTAN BEACH, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mark J. Rispler, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	13	12	13	*	8
Percentage of intended retrievals resulting in live births	7 / 13	9 / 12	* / 13	* / *	0 / 8
Percentage of intended retrievals resulting in singleton live births	7 / 13	8 / 12	* / 13	* / *	0 / 8
Number of **retrievals**	13	12	13	*	8
Percentage of retrievals resulting in live births	7 / 13	9 / 12	* / 13	* / *	0 / 8
Percentage of retrievals resulting in singleton live births	7 / 13	8 / 12	* / 13	* / *	0 / 8
Number of **transfers**	13	11	5	*	*
Percentage of transfers resulting in live births	7 / 13	9 / 11	* / 5	* / *	0 / *
Percentage of transfers resulting in singleton live births	7 / 13	8 / 11	* / 5	* / *	0 / *
Number of intended retrievals per live birth	1.9	1.3	3.3	2.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 5	* / *	0 / *	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 5	* / *	0 / *	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	* / 5	* / *	* / *	* / *	0 / *
Average number of intended retrievals per new patient	1.0	1.3	2.0	2.0	1.0
Average number of transfers per intended retrieval	1.4	0.8	0.3	0.5	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	*	0
Percentage of transfers resulting in live births			* / *	
Percentage of transfers resulting in singleton live births			* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	24	44	33	17	9	127
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	0.0%	0 / 17	0 / 9	0.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	9.1%	9.1%	* / 17	* / 9	9.4%
Percentage of cycles for fertility preservation	54.2%	45.5%	42.4%	8 / 17	* / 9	45.7%
Percentage of transfers using a gestational carrier	* / 11	5.0%	0 / 13	0 / 5	* / *	5.7%
Percentage of transfers using frozen embryos	11 / 11	100.0%	13 / 13	5 / 5	* / *	100.0%
Percentage of transfers of at least one embryo with ICSI	* / 11	25.0%	0 / 13	0 / 5	0 / *	11.3%
Percentage of transfers of at least one embryo with PGT	* / 11	30.0%	* / 13	* / 5	0 / *	18.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	19%	Diminished ovarian reserve	20%
Endometriosis	2%	Egg or embryo banking	89%
Tubal factor	2%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	0%	Other, infertility	10%
Uterine factor	1%	Other, non-infertility	10%
PGT	1%	Unexplained	36%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CCRM SAN FRANCISCO
BAY AREA CENTER FOR REPRODUCTIVE MEDICINE, LLC (BACRM)
MENLO PARK, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Salli Tazuke, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	6	17	*	5	*
Percentage of intended retrievals resulting in live births	* / 6	8 / 17	* / *	0 / 5	0 / *
Percentage of intended retrievals resulting in singleton live births	* / 6	8 / 17	* / *	0 / 5	0 / *
Number of **retrievals**	6	16	*	5	*
Percentage of retrievals resulting in live births	* / 6	8 / 16	* / *	0 / 5	0 / *
Percentage of retrievals resulting in singleton live births	* / 6	8 / 16	* / *	0 / 5	0 / *
Number of **transfers**	*	12	*	0	0
Percentage of transfers resulting in live births	* / *	8 / 12	* / *		
Percentage of transfers resulting in singleton live births	* / *	8 / 12	* / *		
Number of intended retrievals per live birth	1.5	2.1	3.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / *	5 / 8	* / *	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	* / *	5 / 8	* / *	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	* / *	5 / 8	* / *	0 / *	0 / *
Average number of intended retrievals per new patient	1.3	1.0	1.0	1.0	1.0
Average number of transfers per intended retrieval	0.8	0.9	1.0	0.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	10	0
Percentage of transfers resulting in live births			* / 10	
Percentage of transfers resulting in singleton live births			* / 10	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	75	94	90	48	69	376
Percentage of cycles cancelled prior to retrieval or thaw	14.7%	4.3%	10.0%	6.3%	15.9%	10.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.3%	4.3%	11.1%	6.3%	17.4%	8.0%
Percentage of cycles for fertility preservation	20.0%	24.5%	28.9%	37.5%	10.1%	23.7%
Percentage of transfers using a gestational carrier	0 / 14	0.0%	0 / 9	0 / *	0 / 8	0.0%
Percentage of transfers using frozen embryos	14 / 14	96.7%	9 / 9	* / *	7 / 8	96.8%
Percentage of transfers of at least one embryo with ICSI	14 / 14	100.0%	8 / 9	* / *	* / 8	87.3%
Percentage of transfers of at least one embryo with PGT	14 / 14	83.3%	9 / 9	* / *	7 / 8	90.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	75%
Endometriosis	11%	Egg or embryo banking	77%
Tubal factor	5%	Recurrent pregnancy loss	23%
Ovulatory dysfunction	7%	Other, infertility	5%
Uterine factor	7%	Other, non-infertility	3%
PGT	2%	Unexplained	2%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE FERTILITY AND GYNECOLOGY CENTER
MONTEREY BAY IVF
MONTEREY, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Edward J. Ramirez, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	27	14	9	5	*
Percentage of intended retrievals resulting in live births	37.0%	5 / 14	* / 9	* / 5	0 / *
Percentage of intended retrievals resulting in singleton live births	25.9%	5 / 14	* / 9	* / 5	0 / *
Number of **retrievals**	25	12	8	5	*
Percentage of retrievals resulting in live births	40.0%	5 / 12	* / 8	* / 5	0 / *
Percentage of retrievals resulting in singleton live births	28.0%	5 / 12	* / 8	* / 5	0 / *
Number of **transfers**	32	11	5	*	*
Percentage of transfers resulting in live births	31.3%	5 / 11	* / 5	* / *	0 / *
Percentage of transfers resulting in singleton live births	21.9%	5 / 11	* / 5	* / *	0 / *
Number of intended retrievals per live birth	2.7	2.8	9.0	5.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	30.0%	* / 9	* / 5	* / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	45.0%	* / 9	* / 5	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	45.0%	* / 9	* / 5	* / *	0 / *
Average number of intended retrievals per new patient	1.3	1.2	1.2	1.0	1.0
Average number of transfers per intended retrieval	1.2	0.9	0.5	0.5	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	*	*
Percentage of transfers resulting in live births	* / *	0 / *	0 / *	* / *
Percentage of transfers resulting in singleton live births	* / *	0 / *	0 / *	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	29	37	10	*	10	90
Percentage of cycles cancelled prior to retrieval or thaw	3.4%	8.1%	* / 10	* / *	0 / 10	6.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	17.2%	10.8%	* / 10	* / *	* / 10	16.7%
Percentage of cycles for fertility preservation	3.4%	0.0%	0 / 10	0 / *	0 / 10	1.1%
Percentage of transfers using a gestational carrier	0 / 16	0.0%	0 / 6		0 / 8	0.0%
Percentage of transfers using frozen embryos	14 / 16	65.0%	* / 6		* / 8	70.0%
Percentage of transfers of at least one embryo with ICSI	15 / 16	90.0%	6 / 6		6 / 8	90.0%
Percentage of transfers of at least one embryo with PGT	0 / 16	10.0%	* / 6		0 / 8	6.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	24%
Endometriosis	3%	Egg or embryo banking	30%
Tubal factor	12%	Recurrent pregnancy loss	10%
Ovulatory dysfunction	13%	Other, infertility	27%
Uterine factor	0%	Other, non-infertility	8%
PGT	20%	Unexplained	13%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NOVA IN VITRO FERTILIZATION
MOUNTAIN VIEW, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Richard J. Schmidt, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	57	68	55	35	14
Percentage of intended retrievals resulting in live births	56.1%	44.1%	38.2%	17.1%	0 / 14
Percentage of intended retrievals resulting in singleton live births	49.1%	42.6%	38.2%	14.3%	0 / 14
Number of **retrievals**	54	65	53	28	11
Percentage of retrievals resulting in live births	59.3%	46.2%	39.6%	21.4%	0 / 11
Percentage of retrievals resulting in singleton live births	51.9%	44.6%	39.6%	17.9%	0 / 11
Number of **transfers**	60	59	39	18	*
Percentage of transfers resulting in live births	53.3%	50.8%	53.8%	6 / 18	0 / *
Percentage of transfers resulting in singleton live births	46.7%	49.2%	53.8%	5 / 18	0 / *
Number of intended retrievals per live birth	1.8	2.3	2.6	5.8	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	55.9%	50.0%	5 / 14	* / 10	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	64.7%	59.4%	6 / 14	* / 10	0 / *
Percentage of new patients having live births after all intended retrievals	64.7%	59.4%	6 / 14	* / 10	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.4	1.0
Average number of transfers per intended retrieval	1.0	0.8	0.6	0.2	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	*	25	*
Percentage of transfers resulting in live births	5 / 7	* / *	56.0%	* / *
Percentage of transfers resulting in singleton live births	5 / 7	* / *	52.0%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	160	210	119	59	45	593
Percentage of cycles cancelled prior to retrieval or thaw	0.6%	2.4%	3.4%	5.1%	4.4%	2.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	16.3%	12.4%	19.3%	18.6%	6.7%	15.0%
Percentage of cycles for fertility preservation	20.0%	19.0%	16.8%	15.3%	11.1%	17.9%
Percentage of transfers using a gestational carrier	5.4%	3.0%	3.7%	12.0%	3.3%	4.6%
Percentage of transfers using frozen embryos	100.0%	99.0%	94.4%	88.0%	86.7%	96.1%
Percentage of transfers of at least one embryo with ICSI	32.4%	21.8%	16.7%	24.0%	16.7%	23.2%
Percentage of transfers of at least one embryo with PGT	48.6%	53.5%	53.7%	32.0%	33.3%	48.2%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	17%	Diminished ovarian reserve	43%
Endometriosis	10%	Egg or embryo banking	36%
Tubal factor	12%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	9%	Other, infertility	17%
Uterine factor	10%	Other, non-infertility	12%
PGT	5%	Unexplained	9%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

HRC FERTILITY-ORANGE COUNTY
NEWPORT BEACH, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Daniel A. Potter, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	411	237	267	107	85
Percentage of intended retrievals resulting in live births	45.5%	36.7%	19.5%	9.3%	2.4%
Percentage of intended retrievals resulting in singleton live births	37.0%	32.1%	18.0%	8.4%	2.4%
Number of **retrievals**	404	231	254	98	65
Percentage of retrievals resulting in live births	46.3%	37.7%	20.5%	10.2%	3.1%
Percentage of retrievals resulting in singleton live births	37.6%	32.9%	18.9%	9.2%	3.1%
Number of **transfers**	384	164	131	30	7
Percentage of transfers resulting in live births	48.7%	53.0%	39.7%	33.3%	* / 7
Percentage of transfers resulting in singleton live births	39.6%	46.3%	36.6%	30.0%	* / 7
Number of intended retrievals per live birth	2.2	2.7	5.1	10.7	42.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	46.2%	35.2%	23.3%	13.5%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	49.7%	40.3%	25.3%	15.4%	2.2%
Percentage of new patients having live births after all intended retrievals	50.3%	40.9%	25.3%	17.3%	2.2%
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.3	1.3
Average number of transfers per intended retrieval	1.0	0.7	0.5	0.3	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	31	*	98	23
Percentage of transfers resulting in live births	58.1%	* / *	57.1%	56.5%
Percentage of transfers resulting in singleton live births	45.2%	* / *	51.0%	43.5%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	729	448	353	151	195	1,876
Percentage of cycles cancelled prior to retrieval or thaw	3.7%	3.8%	4.2%	11.3%	7.7%	4.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.9%	6.3%	11.6%	12.6%	13.8%	8.0%
Percentage of cycles for fertility preservation	2.6%	5.4%	2.5%	1.3%	0.5%	2.9%
Percentage of transfers using a gestational carrier	6.4%	9.3%	4.7%	5.5%	17.5%	8.0%
Percentage of transfers using frozen embryos	80.9%	81.3%	77.3%	72.7%	74.8%	79.2%
Percentage of transfers of at least one embryo with ICSI	92.1%	88.3%	78.7%	72.7%	68.9%	85.2%
Percentage of transfers of at least one embryo with PGT	90.3%	91.6%	85.3%	87.3%	87.4%	89.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	36%
Endometriosis	4%	Egg or embryo banking	44%
Tubal factor	6%	Recurrent pregnancy loss	<1%
Ovulatory dysfunction	<1%	Other, infertility	44%
Uterine factor	7%	Other, non-infertility	5%
PGT	12%	Unexplained	8%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NEWPORT FERTILITY CENTER
NEWPORT BEACH, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mark T. Kan, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	28	30	19	18	15
Percentage of intended retrievals resulting in live births	75.0%	56.7%	10 / 19	* / 18	* / 15
Percentage of intended retrievals resulting in singleton live births	71.4%	53.3%	9 / 19	* / 18	* / 15
Number of **retrievals**	27	30	19	16	13
Percentage of retrievals resulting in live births	77.8%	56.7%	10 / 19	* / 16	* / 13
Percentage of retrievals resulting in singleton live births	74.1%	53.3%	9 / 19	* / 16	* / 13
Number of **transfers**	30	28	10	*	*
Percentage of transfers resulting in live births	70.0%	60.7%	10 / 10	* / *	* / *
Percentage of transfers resulting in singleton live births	66.7%	57.1%	9 / 10	* / *	* / *
Number of intended retrievals per live birth	1.3	1.8	1.9	9.0	15.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	75.0%	70.0%	* / 8	* / 6	0 / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	80.0%	70.0%	5 / 8	* / 6	0 / 7
Percentage of new patients having live births after all intended retrievals	85.0%	70.0%	7 / 8	* / 6	0 / 7
Average number of intended retrievals per new patient	1.2	1.1	1.8	1.8	1.6
Average number of transfers per intended retrieval	1.0	1.0	0.5	0.1	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	16	0
Percentage of transfers resulting in live births			12 / 16	
Percentage of transfers resulting in singleton live births			12 / 16	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	92	84	74	42	29	321
Percentage of cycles cancelled prior to retrieval or thaw	5.4%	6.0%	9.5%	11.9%	6.9%	7.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.1%	0.0%	1.4%	2.4%	6.9%	1.6%
Percentage of cycles for fertility preservation	8.7%	14.3%	5.4%	11.9%	3.4%	9.3%
Percentage of transfers using a gestational carrier	2.4%	13.9%	18.5%	0 / 13	9 / 16	14.9%
Percentage of transfers using frozen embryos	92.9%	94.4%	100.0%	12 / 13	16 / 16	95.5%
Percentage of transfers of at least one embryo with ICSI	95.2%	86.1%	88.9%	8 / 13	10 / 16	84.3%
Percentage of transfers of at least one embryo with PGT	83.3%	80.6%	88.9%	8 / 13	15 / 16	82.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	16%	Diminished ovarian reserve	40%
Endometriosis	6%	Egg or embryo banking	53%
Tubal factor	9%	Recurrent pregnancy loss	11%
Ovulatory dysfunction	15%	Other, infertility	26%
Uterine factor	15%	Other, non-infertility	5%
PGT	15%	Unexplained	3%
Gestational carrier	6%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

OC FERTILITY
NEWPORT BEACH, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Sharon E. Moayeri, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	46	28	31	21	8
Percentage of intended retrievals resulting in live births	47.8%	42.9%	32.3%	9.5%	0 / 8
Percentage of intended retrievals resulting in singleton live births	45.7%	39.3%	32.3%	4.8%	0 / 8
Number of **retrievals**	41	28	31	20	8
Percentage of retrievals resulting in live births	53.7%	42.9%	32.3%	10.0%	0 / 8
Percentage of retrievals resulting in singleton live births	51.2%	39.3%	32.3%	5.0%	0 / 8
Number of **transfers**	31	19	21	*	*
Percentage of transfers resulting in live births	71.0%	12 / 19	47.6%	* / *	0 / *
Percentage of transfers resulting in singleton live births	67.7%	11 / 19	47.6%	* / *	0 / *
Number of intended retrievals per live birth	2.1	2.3	3.1	10.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.5%	9 / 17	6 / 14	* / 11	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	54.5%	9 / 17	7 / 14	* / 11	0 / *
Percentage of new patients having live births after all intended retrievals	54.5%	9 / 17	7 / 14	* / 11	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.1	1.1	1.7
Average number of transfers per intended retrieval	0.7	0.7	0.9	0.2	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	15	0
Percentage of transfers resulting in live births			9 / 15	
Percentage of transfers resulting in singleton live births			8 / 15	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	84	78	66	41	39	308
Percentage of cycles cancelled prior to retrieval or thaw	2.4%	0.0%	1.5%	2.4%	2.6%	1.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.1%	1.3%	4.5%	12.2%	20.5%	7.5%
Percentage of cycles for fertility preservation	8.3%	14.1%	13.6%	4.9%	0.0%	9.4%
Percentage of transfers using a gestational carrier	10.5%	15.4%	8.3%	0.0%	* / 18	10.0%
Percentage of transfers using frozen embryos	97.4%	97.4%	95.8%	95.2%	17 / 18	96.4%
Percentage of transfers of at least one embryo with ICSI	86.8%	74.4%	70.8%	81.0%	11 / 18	76.4%
Percentage of transfers of at least one embryo with PGT	92.1%	94.9%	87.5%	81.0%	13 / 18	87.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	5%
Endometriosis	7%	Egg or embryo banking	54%
Tubal factor	7%	Recurrent pregnancy loss	16%
Ovulatory dysfunction	12%	Other, infertility	12%
Uterine factor	15%	Other, non-infertility	4%
PGT	5%	Unexplained	22%
Gestational carrier	4%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SOUTHERN CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE
NEWPORT BEACH, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Robert E. Anderson, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	78	66	99	47	37
Percentage of intended retrievals resulting in live births	57.7%	50.0%	41.4%	17.0%	8.1%
Percentage of intended retrievals resulting in singleton live births	56.4%	48.5%	41.4%	14.9%	8.1%
Number of **retrievals**	73	58	92	45	32
Percentage of retrievals resulting in live births	61.6%	56.9%	44.6%	17.8%	9.4%
Percentage of retrievals resulting in singleton live births	60.3%	55.2%	44.6%	15.6%	9.4%
Number of **transfers**	61	47	54	13	5
Percentage of transfers resulting in live births	73.8%	70.2%	75.9%	8 / 13	* / 5
Percentage of transfers resulting in singleton live births	72.1%	68.1%	75.9%	7 / 13	* / 5
Number of intended retrievals per live birth	1.7	2.0	2.4	5.9	12.3
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	66.7%	64.5%	46.5%	* / 15	0 / 10
Percentage of new patients having live births after 1 or 2 intended retrievals	66.7%	74.2%	51.2%	5 / 15	0 / 10
Percentage of new patients having live births after all intended retrievals	66.7%	74.2%	51.2%	5 / 15	0 / 10
Average number of intended retrievals per new patient	1.1	1.1	1.2	1.5	1.6
Average number of transfers per intended retrieval	0.8	1.0	0.6	0.3	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	37	0
Percentage of transfers resulting in live births			73.0%	
Percentage of transfers resulting in singleton live births			73.0%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	177	172	201	97	96	743
Percentage of cycles cancelled prior to retrieval or thaw	4.0%	4.1%	5.5%	6.2%	6.3%	5.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.1%	7.0%	18.9%	24.7%	30.2%	15.1%
Percentage of cycles for fertility preservation	3.4%	1.7%	2.0%	0.0%	0.0%	1.7%
Percentage of transfers using a gestational carrier	5.5%	4.5%	5.8%	13.6%	27.5%	8.9%
Percentage of transfers using frozen embryos	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Percentage of transfers of at least one embryo with ICSI	93.4%	87.6%	84.9%	84.1%	77.5%	86.9%
Percentage of transfers of at least one embryo with PGT	100.0%	98.9%	97.7%	100.0%	95.0%	98.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	39%
Endometriosis	4%	Egg or embryo banking	46%
Tubal factor	8%	Recurrent pregnancy loss	10%
Ovulatory dysfunction	6%	Other, infertility	93%
Uterine factor	6%	Other, non-infertility	2%
PGT	88%	Unexplained	<1%
Gestational carrier	5%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

LANE FERTILITY INSTITUTE
NOVATO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Danielle E. Lane, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	11	10	6	10	*
Percentage of intended retrievals resulting in live births	* / 11	* / 10	* / 6	* / 10	0 / *
Percentage of intended retrievals resulting in singleton live births	* / 11	* / 10	* / 6	* / 10	0 / *
Number of **retrievals**	11	9	6	9	*
Percentage of retrievals resulting in live births	* / 11	* / 9	* / 6	* / 9	0 / *
Percentage of retrievals resulting in singleton live births	* / 11	* / 9	* / 6	* / 9	0 / *
Number of **transfers**	7	*	*	*	0
Percentage of transfers resulting in live births	* / 7	* / *	* / *	* / *	
Percentage of transfers resulting in singleton live births	* / 7	* / *	* / *	* / *	
Number of intended retrievals per live birth	3.7	3.3	6.0	10.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 8	* / 5	0 / 5	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 8	* / 5	0 / 5	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	* / 8	* / 5	0 / 5	* / *	0 / *
Average number of intended retrievals per new patient	1.4	1.0	1.0	1.7	1.0
Average number of transfers per intended retrieval	0.6	0.4	0.4	0.6	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	5	0
Percentage of transfers resulting in live births	* / *	* / *	* / 5	
Percentage of transfers resulting in singleton live births	* / *	* / *	* / 5	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	31	23	26	21	23	124
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	3.8%	0.0%	0.0%	0.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	4.3%	15.4%	0.0%	13.0%	6.5%
Percentage of cycles for fertility preservation	45.2%	43.5%	34.6%	14.3%	17.4%	32.3%
Percentage of transfers using a gestational carrier	0 / 11	* / 9	0 / 8	0 / 13	* / 9	4.0%
Percentage of transfers using frozen embryos	10 / 11	7 / 9	7 / 8	12 / 13	6 / 9	84.0%
Percentage of transfers of at least one embryo with ICSI	7 / 11	5 / 9	6 / 8	5 / 13	6 / 9	58.0%
Percentage of transfers of at least one embryo with PGT	9 / 11	8 / 9	7 / 8	12 / 13	5 / 9	82.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	11%	Diminished ovarian reserve	22%
Endometriosis	7%	Egg or embryo banking	56%
Tubal factor	0%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	1%	Other, infertility	14%
Uterine factor	0%	Other, non-infertility	5%
PGT	2%	Unexplained	23%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

AMERICAN REPRODUCTIVE CENTERS
PALM SPRINGS, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Maher A. Abdallah, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	57	50	35	9	13
Percentage of intended retrievals resulting in live births	47.4%	16.0%	11.4%	* / 9	* / 13
Percentage of intended retrievals resulting in singleton live births	22.8%	14.0%	8.6%	* / 9	* / 13
Number of **retrievals**	56	48	31	9	12
Percentage of retrievals resulting in live births	48.2%	16.7%	12.9%	* / 9	* / 12
Percentage of retrievals resulting in singleton live births	23.2%	14.6%	9.7%	* / 9	* / 12
Number of **transfers**	38	21	17	*	*
Percentage of transfers resulting in live births	71.1%	38.1%	* / 17	* / *	* / *
Percentage of transfers resulting in singleton live births	34.2%	33.3%	* / 17	* / *	* / *
Number of intended retrievals per live birth	2.1	6.3	8.8	4.5	13.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	45.5%	* / 13	* / 11	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	45.5%	* / 13	* / 11	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	45.5%	* / 13	* / 11	0 / *	0 / *
Average number of intended retrievals per new patient	1.1	1.3	1.4	2.0	1.8
Average number of transfers per intended retrieval	0.7	0.5	0.5	0.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	*	*
Percentage of transfers resulting in live births			* / *	* / *
Percentage of transfers resulting in singleton live births			* / *	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	115	29	47	12	9	212
Percentage of cycles cancelled prior to retrieval or thaw	1.7%	3.4%	2.1%	0 / 12	0 / 9	1.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.8%	13.8%	14.9%	* / 12	* / 9	12.7%
Percentage of cycles for fertility preservation	0.0%	6.9%	0.0%	0 / 12	0 / 9	0.9%
Percentage of transfers using a gestational carrier	2.2%	0 / 9	0 / 18	* / *	0 / *	3.8%
Percentage of transfers using frozen embryos	97.8%	9 / 9	17 / 18	* / *	* / *	97.4%
Percentage of transfers of at least one embryo with ICSI	100.0%	9 / 9	18 / 18	* / *	* / *	100.0%
Percentage of transfers of at least one embryo with PGT	56.5%	* / 9	* / 18	* / *	* / *	44.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	41%	Diminished ovarian reserve	32%
Endometriosis	7%	Egg or embryo banking	57%
Tubal factor	17%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	17%	Other, infertility	10%
Uterine factor	12%	Other, non-infertility	8%
PGT	20%	Unexplained	4%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BAY IVF CENTER
PALO ALTO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Francis Polansky, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	43	29	24	10	*
Percentage of intended retrievals resulting in live births	46.5%	48.3%	20.8%	* / 10	* / *
Percentage of intended retrievals resulting in singleton live births	37.2%	44.8%	16.7%	* / 10	* / *
Number of **retrievals**	40	26	22	8	*
Percentage of retrievals resulting in live births	50.0%	53.8%	22.7%	* / 8	* / *
Percentage of retrievals resulting in singleton live births	40.0%	50.0%	18.2%	* / 8	* / *
Number of **transfers**	37	33	23	6	*
Percentage of transfers resulting in live births	54.1%	42.4%	21.7%	* / 6	* / *
Percentage of transfers resulting in singleton live births	43.2%	39.4%	17.4%	* / 6	* / *
Number of intended retrievals per live birth	2.2	2.1	4.8	2.5	2.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	51.4%	50.0%	* / 14	* / 5	* / *
Percentage of new patients having live births after 1 or 2 intended retrievals	54.3%	55.0%	* / 14	* / 5	* / *
Percentage of new patients having live births after all intended retrievals	54.3%	55.0%	* / 14	* / 5	* / *
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.0	1.0
Average number of transfers per intended retrieval	0.9	1.1	0.8	0.8	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	*	0
Percentage of transfers resulting in live births		* / *	0 / *	
Percentage of transfers resulting in singleton live births		* / *	0 / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	80	58	84	13	19	254
Percentage of cycles cancelled prior to retrieval or thaw	3.8%	5.2%	4.8%	0 / 13	* / 19	4.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	26.3%	27.6%	23.8%	* / 13	6 / 19	26.0%
Percentage of cycles for fertility preservation	1.3%	1.7%	0.0%	0 / 13	0 / 19	0.8%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 10	0 / 12	0.0%
Percentage of transfers using frozen embryos	77.6%	83.8%	72.2%	7 / 10	9 / 12	76.5%
Percentage of transfers of at least one embryo with ICSI	75.5%	64.9%	53.7%	* / 10	6 / 12	60.5%
Percentage of transfers of at least one embryo with PGT	20.4%	2.7%	18.5%	0 / 10	0 / 12	13.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	No	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	21%	Diminished ovarian reserve	50%
Endometriosis	5%	Egg or embryo banking	6%
Tubal factor	25%	Recurrent pregnancy loss	<1%
Ovulatory dysfunction	26%	Other, infertility	7%
Uterine factor	6%	Other, non-infertility	4%
PGT	4%	Unexplained	6%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

HRC FERTILITY-PASADENA
PASADENA, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by John G. Wilcox, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	537	339	369	224	296
Percentage of intended retrievals resulting in live births	42.5%	30.4%	15.4%	8.5%	2.0%
Percentage of intended retrievals resulting in singleton live births	35.2%	25.7%	14.4%	7.1%	2.0%
Number of **retrievals**	530	324	351	200	233
Percentage of retrievals resulting in live births	43.0%	31.8%	16.2%	9.5%	2.6%
Percentage of retrievals resulting in singleton live births	35.7%	26.9%	15.1%	8.0%	2.6%
Number of **transfers**	413	197	136	43	26
Percentage of transfers resulting in live births	55.2%	52.3%	41.9%	44.2%	23.1%
Percentage of transfers resulting in singleton live births	45.8%	44.2%	39.0%	37.2%	23.1%
Number of intended retrievals per live birth	2.4	3.3	6.5	11.8	49.3
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	41.7%	33.2%	15.2%	7.4%	0.6%
Percentage of new patients having live births after 1 or 2 intended retrievals	49.7%	37.3%	22.3%	10.2%	2.5%
Percentage of new patients having live births after all intended retrievals	50.3%	37.3%	23.9%	11.1%	2.5%
Average number of intended retrievals per new patient	1.2	1.2	1.3	1.4	1.3
Average number of transfers per intended retrieval	0.8	0.6	0.4	0.2	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	0	519	30
Percentage of transfers resulting in live births	5 / 7		56.3%	70.0%
Percentage of transfers resulting in singleton live births	* / 7		48.0%	60.0%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	1,241	881	750	405	852	4,129
Percentage of cycles cancelled prior to retrieval or thaw	4.9%	6.4%	5.5%	9.9%	11.5%	7.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.8%	4.7%	11.5%	10.9%	12.9%	7.9%
Percentage of cycles for fertility preservation	2.2%	1.6%	2.0%	2.2%	0.1%	1.6%
Percentage of transfers using a gestational carrier	25.6%	38.2%	33.2%	51.1%	68.2%	40.7%
Percentage of transfers using frozen embryos	93.5%	88.6%	92.1%	89.1%	95.6%	92.3%
Percentage of transfers of at least one embryo with ICSI	89.1%	88.3%	90.1%	81.8%	78.7%	86.3%
Percentage of transfers of at least one embryo with PGT	81.2%	78.1%	80.6%	78.8%	82.5%	80.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	13%	Diminished ovarian reserve	42%
Endometriosis	1%	Egg or embryo banking	53%
Tubal factor	2%	Recurrent pregnancy loss	<1%
Ovulatory dysfunction	1%	Other, infertility	38%
Uterine factor	4%	Other, non-infertility	14%
PGT	7%	Unexplained	11%
Gestational carrier	7%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNITY FERTILITY CENTER, LLC
PASADENA, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Chun-Yeh Wang, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	*	0
Percentage of transfers resulting in live births			* / *	
Percentage of transfers resulting in singleton live births			* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	16	10	12	13	32	83
Percentage of cycles cancelled prior to retrieval or thaw	5 / 16	* / 10	5 / 12	6 / 13	59.4%	45.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5 / 16	* / 10	6 / 12	5 / 13	18.8%	30.1%
Percentage of cycles for fertility preservation	0 / 16	* / 10	0 / 12	0 / 13	0.0%	3.6%
Percentage of transfers using a gestational carrier	0 / 6	0 / *	0 / *	0 / *	* / 6	* / 16
Percentage of transfers using frozen embryos	* / 6	0 / *	0 / *	* / *	* / 6	6 / 16
Percentage of transfers of at least one embryo with ICSI	6 / 6	* / *	* / *	* / *	6 / 6	15 / 16
Percentage of transfers of at least one embryo with PGT	* / 6	0 / *	0 / *	0 / *	* / 6	5 / 16

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	25%	Diminished ovarian reserve	71%
Endometriosis	0%	Egg or embryo banking	5%
Tubal factor	0%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	17%	Other, infertility	0%
Uterine factor	2%	Other, non-infertility	0%
PGT	5%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE PARTNERS-BEVERLY HILLS, REDONDO BEACH & WESTMINSTER REDONDO BEACH, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Bill Yee, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	207	217	239	133	91
Percentage of intended retrievals resulting in live births	47.8%	29.0%	23.4%	13.5%	5.5%
Percentage of intended retrievals resulting in singleton live births	40.1%	25.8%	21.3%	13.5%	5.5%
Number of **retrievals**	194	178	205	120	75
Percentage of retrievals resulting in live births	51.0%	35.4%	27.3%	15.0%	6.7%
Percentage of retrievals resulting in singleton live births	42.8%	31.5%	24.9%	15.0%	6.7%
Number of **transfers**	199	144	129	47	22
Percentage of transfers resulting in live births	49.7%	43.8%	43.4%	38.3%	22.7%
Percentage of transfers resulting in singleton live births	41.7%	38.9%	39.5%	38.3%	22.7%
Number of intended retrievals per live birth	2.1	3.4	4.3	7.4	18.2
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	48.5%	27.3%	20.2%	21.4%	3.4%
Percentage of new patients having live births after 1 or 2 intended retrievals	55.9%	37.2%	28.9%	28.6%	3.4%
Percentage of new patients having live births after all intended retrievals	55.9%	40.5%	30.7%	28.6%	3.4%
Average number of intended retrievals per new patient	1.1	1.3	1.4	1.5	1.6
Average number of transfers per intended retrieval	1.0	0.7	0.5	0.4	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	34	103	6
Percentage of transfers resulting in live births	* / *	50.0%	45.6%	0 / 6
Percentage of transfers resulting in singleton live births	* / *	50.0%	43.7%	0 / 6

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	484	555	497	238	283	2,057
Percentage of cycles cancelled prior to retrieval or thaw	11.0%	12.1%	14.1%	14.7%	17.0%	13.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.7%	2.0%	2.8%	7.1%	3.5%	3.2%
Percentage of cycles for fertility preservation	12.8%	16.4%	8.0%	7.6%	2.5%	10.6%
Percentage of transfers using a gestational carrier	7.9%	7.7%	6.1%	9.9%	13.2%	8.6%
Percentage of transfers using frozen embryos	98.1%	97.3%	88.8%	88.9%	79.6%	91.7%
Percentage of transfers of at least one embryo with ICSI	88.8%	77.3%	78.6%	79.0%	69.7%	79.3%
Percentage of transfers of at least one embryo with PGT	65.4%	65.9%	55.1%	55.6%	46.7%	59.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	13%	Diminished ovarian reserve	19%
Endometriosis	3%	Egg or embryo banking	43%
Tubal factor	4%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	7%	Other, infertility	19%
Uterine factor	3%	Other, non-infertility	1%
PGT	1%	Unexplained	21%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NORTHERN CALIFORNIA FERTILITY MEDICAL CENTER
ROSEVILLE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michael Murray, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	170	115	96	29	23
Percentage of intended retrievals resulting in live births	58.2%	44.3%	27.1%	10.3%	0.0%
Percentage of intended retrievals resulting in singleton live births	47.1%	37.4%	24.0%	6.9%	0.0%
Number of **retrievals**	161	105	89	28	20
Percentage of retrievals resulting in live births	61.5%	48.6%	29.2%	10.7%	0.0%
Percentage of retrievals resulting in singleton live births	49.7%	41.0%	25.8%	7.1%	0.0%
Number of **transfers**	190	93	60	9	6
Percentage of transfers resulting in live births	52.1%	54.8%	43.3%	* / 9	0 / 6
Percentage of transfers resulting in singleton live births	42.1%	46.2%	38.3%	* / 9	0 / 6
Number of intended retrievals per live birth	1.7	2.3	3.7	9.7	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	65.6%	50.0%	35.2%	* / 12	0 / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	68.0%	52.6%	42.6%	* / 12	0 / 8
Percentage of new patients having live births after all intended retrievals	68.0%	53.8%	42.6%	* / 12	0 / 8
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.4	1.5
Average number of transfers per intended retrieval	1.2	0.8	0.6	0.2	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	41	24
Percentage of transfers resulting in live births	* / *		53.7%	37.5%
Percentage of transfers resulting in singleton live births	* / *		43.9%	37.5%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	433	288	213	79	79	1,092
Percentage of cycles cancelled prior to retrieval or thaw	2.5%	5.2%	4.7%	2.5%	5.1%	3.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.9%	5.9%	11.7%	6.3%	10.1%	7.8%
Percentage of cycles for fertility preservation	1.4%	2.8%	2.3%	2.5%	1.3%	2.0%
Percentage of transfers using a gestational carrier	1.3%	1.3%	3.4%	0.0%	17.1%	2.7%
Percentage of transfers using frozen embryos	98.7%	90.4%	92.0%	86.4%	87.8%	93.6%
Percentage of transfers of at least one embryo with ICSI	62.2%	63.7%	53.4%	52.3%	41.5%	58.9%
Percentage of transfers of at least one embryo with PGT	26.5%	35.0%	68.2%	56.8%	36.6%	38.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	42%	Diminished ovarian reserve	23%
Endometriosis	10%	Egg or embryo banking	44%
Tubal factor	14%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	17%	Other, infertility	54%
Uterine factor	4%	Other, non-infertility	10%
PGT	46%	Unexplained	7%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CALIFORNIA IVF FERTILITY CENTER
SACRAMENTO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ernest J. Zeringue, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	63	40	34	13	25
Percentage of intended retrievals resulting in live births	60.3%	40.0%	23.5%	* / 13	12.0%
Percentage of intended retrievals resulting in singleton live births	38.1%	25.0%	17.6%	* / 13	4.0%
Number of **retrievals**	63	40	34	13	20
Percentage of retrievals resulting in live births	60.3%	40.0%	23.5%	* / 13	15.0%
Percentage of retrievals resulting in singleton live births	38.1%	25.0%	17.6%	* / 13	5.0%
Number of **transfers**	64	39	23	11	10
Percentage of transfers resulting in live births	59.4%	41.0%	34.8%	* / 11	* / 10
Percentage of transfers resulting in singleton live births	37.5%	25.6%	26.1%	* / 11	* / 10
Number of intended retrievals per live birth	1.7	2.5	4.3	3.3	8.3
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	58.5%	40.7%	* / 16	* / 11	* / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	66.0%	48.1%	* / 16	* / 11	* / 7
Percentage of new patients having live births after all intended retrievals	66.0%	48.1%	5 / 16	* / 11	* / 7
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.1	1.6
Average number of transfers per intended retrieval	1.0	1.0	0.7	0.8	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	33	0	153	0
Percentage of transfers resulting in live births	63.6%		49.7%	
Percentage of transfers resulting in singleton live births	33.3%		42.5%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	187	130	142	57	131	647
Percentage of cycles cancelled prior to retrieval or thaw	1.1%	3.8%	4.9%	3.5%	0.8%	2.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.7%	2.3%	8.5%	14.0%	7.6%	5.9%
Percentage of cycles for fertility preservation	3.2%	2.3%	7.0%	1.8%	0.0%	3.1%
Percentage of transfers using a gestational carrier	0.9%	1.4%	2.5%	5.7%	3.8%	2.5%
Percentage of transfers using frozen embryos	94.3%	93.1%	92.5%	82.9%	83.8%	89.9%
Percentage of transfers of at least one embryo with ICSI	54.7%	40.3%	51.3%	31.4%	14.3%	38.7%
Percentage of transfers of at least one embryo with PGT	21.7%	20.8%	35.0%	20.0%	27.6%	25.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	37%	Diminished ovarian reserve	25%
Endometriosis	8%	Egg or embryo banking	37%
Tubal factor	7%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	9%	Other, infertility	39%
Uterine factor	5%	Other, non-infertility	11%
PGT	9%	Unexplained	7%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

KAISER PERMANENTE CENTER FOR REPRODUCTIVE HEALTH-SACRAMENTO
SACRAMENTO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Lisa Farah-Eways, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	142	113	59	23	6
Percentage of intended retrievals resulting in live births	71.8%	50.4%	27.1%	21.7%	0 / 6
Percentage of intended retrievals resulting in singleton live births	66.2%	46.9%	27.1%	17.4%	0 / 6
Number of **retrievals**	136	102	53	22	6
Percentage of retrievals resulting in live births	75.0%	55.9%	30.2%	22.7%	0 / 6
Percentage of retrievals resulting in singleton live births	69.1%	52.0%	30.2%	18.2%	0 / 6
Number of **transfers**	169	128	57	19	5
Percentage of transfers resulting in live births	60.4%	44.5%	28.1%	5 / 19	0 / 5
Percentage of transfers resulting in singleton live births	55.6%	41.4%	28.1%	* / 19	0 / 5
Number of intended retrievals per live birth	1.4	2.0	3.7	4.6	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	75.2%	57.3%	33.3%	5 / 17	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	77.6%	58.4%	35.7%	5 / 17	0 / *
Percentage of new patients having live births after all intended retrievals	77.6%	58.4%	35.7%	5 / 17	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.2	1.3
Average number of transfers per intended retrieval	1.2	1.2	1.0	0.8	0.8

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	13	0	35	0
Percentage of transfers resulting in live births	10 / 13		40.0%	
Percentage of transfers resulting in singleton live births	10 / 13		34.3%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	291	223	144	65	26	749
Percentage of cycles cancelled prior to retrieval or thaw	1.4%	1.8%	3.5%	4.6%	0.0%	2.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	18.6%	8.5%	4.9%	6.2%	7.7%	11.5%
Percentage of cycles for fertility preservation	3.4%	4.0%	2.8%	1.5%	0.0%	3.2%
Percentage of transfers using a gestational carrier	2.5%	1.8%	2.0%	2.3%	4.5%	2.3%
Percentage of transfers using frozen embryos	64.5%	66.7%	66.3%	72.1%	72.7%	66.5%
Percentage of transfers of at least one embryo with ICSI	68.0%	65.5%	73.5%	60.5%	68.2%	67.6%
Percentage of transfers of at least one embryo with PGT	8.0%	11.9%	28.6%	25.6%	13.6%	14.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	35%	Diminished ovarian reserve	23%
Endometriosis	5%	Egg or embryo banking	15%
Tubal factor	13%	Recurrent pregnancy loss	<1%
Ovulatory dysfunction	17%	Other, infertility	26%
Uterine factor	6%	Other, non-infertility	2%
PGT	18%	Unexplained	9%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY SPECIALISTS MEDICAL GROUP
SAN DIEGO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Arlene J. Morales, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	101	65	68	27	5
Percentage of intended retrievals resulting in live births	38.6%	33.8%	4.4%	3.7%	0 / 5
Percentage of intended retrievals resulting in singleton live births	36.6%	32.3%	4.4%	3.7%	0 / 5
Number of **retrievals**	89	51	46	22	5
Percentage of retrievals resulting in live births	43.8%	43.1%	6.5%	4.5%	0 / 5
Percentage of retrievals resulting in singleton live births	41.6%	41.2%	6.5%	4.5%	0 / 5
Number of **transfers**	92	45	27	10	0
Percentage of transfers resulting in live births	42.4%	48.9%	11.1%	* / 10	
Percentage of transfers resulting in singleton live births	40.2%	46.7%	11.1%	* / 10	
Number of intended retrievals per live birth	2.6	3.0	22.7	27.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	38.0%	33.3%	7.7%	0 / 19	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	45.1%	40.5%	7.7%	0 / 19	0 / *
Percentage of new patients having live births after all intended retrievals	45.1%	40.5%	7.7%	* / 19	0 / *
Average number of intended retrievals per new patient	1.2	1.2	1.4	1.4	1.0
Average number of transfers per intended retrieval	0.9	0.6	0.5	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	11	59	11
Percentage of transfers resulting in live births	* / *	* / 11	28.8%	5 / 11
Percentage of transfers resulting in singleton live births	* / *	* / 11	28.8%	* / 11

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	205	166	136	73	53	633
Percentage of cycles cancelled prior to retrieval or thaw	4.9%	6.0%	10.3%	13.7%	3.8%	7.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.8%	11.4%	11.8%	9.6%	0.0%	8.8%
Percentage of cycles for fertility preservation	5.9%	6.6%	4.4%	2.7%	0.0%	4.9%
Percentage of transfers using a gestational carrier	1.0%	3.5%	3.4%	0.0%	0.0%	1.9%
Percentage of transfers using frozen embryos	90.0%	89.5%	89.8%	88.2%	79.1%	88.2%
Percentage of transfers of at least one embryo with ICSI	93.0%	87.2%	86.4%	52.9%	65.1%	82.3%
Percentage of transfers of at least one embryo with PGT	55.0%	51.2%	55.9%	47.1%	34.9%	50.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	44%	Diminished ovarian reserve	38%
Endometriosis	2%	Egg or embryo banking	40%
Tubal factor	14%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	11%	Other, infertility	10%
Uterine factor	13%	Other, non-infertility	5%
PGT	1%	Unexplained	8%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

NAVAL MEDICAL CENTER SAN DIEGO INFERTILITY CLINIC
SAN DIEGO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Larry R. Laufer, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	74	36	19	*	0
Percentage of intended retrievals resulting in live births	37.8%	38.9%	5 / 19	0 / *	
Percentage of intended retrievals resulting in singleton live births	35.1%	33.3%	* / 19	0 / *	
Number of **retrievals**	73	36	19	*	0
Percentage of retrievals resulting in live births	38.4%	38.9%	5 / 19	0 / *	
Percentage of retrievals resulting in singleton live births	35.6%	33.3%	* / 19	0 / *	
Number of **transfers**	81	43	13	*	0
Percentage of transfers resulting in live births	34.6%	32.6%	5 / 13	0 / *	
Percentage of transfers resulting in singleton live births	32.1%	27.9%	* / 13	0 / *	
Number of intended retrievals per live birth	2.6	2.6	3.8		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	62	24	21	6	0	113
Percentage of cycles cancelled prior to retrieval or thaw	1.6%	0.0%	4.8%	0 / 6		1.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	35.5%	50.0%	47.6%	* / 6		41.6%
Percentage of cycles for fertility preservation	1.6%	0.0%	0.0%	0 / 6		0.9%
Percentage of transfers using a gestational carrier	0.0%	0 / 12	0 / 10	0 / *		0.0%
Percentage of transfers using frozen embryos	97.4%	12 / 12	10 / 10	* / *		98.4%
Percentage of transfers of at least one embryo with ICSI	100.0%	12 / 12	10 / 10	* / *		100.0%
Percentage of transfers of at least one embryo with PGT	2.6%	0 / 12	0 / 10	0 / *		1.6%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	25%	Diminished ovarian reserve	6%
Endometriosis	5%	Egg or embryo banking	2%
Tubal factor	23%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	4%	Other, infertility	0%
Uterine factor	0%	Other, non-infertility	0%
PGT	2%	Unexplained	37%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE SCIENCES MEDICAL CENTER
SAN DIEGO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Minh N. Ho, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	89	70	57	41	80
Percentage of intended retrievals resulting in live births	22.5%	21.4%	10.5%	4.9%	2.5%
Percentage of intended retrievals resulting in singleton live births	22.5%	20.0%	10.5%	4.9%	2.5%
Number of **retrievals**	87	69	54	39	76
Percentage of retrievals resulting in live births	23.0%	21.7%	11.1%	5.1%	2.6%
Percentage of retrievals resulting in singleton live births	23.0%	20.3%	11.1%	5.1%	2.6%
Number of **transfers**	40	31	14	5	*
Percentage of transfers resulting in live births	50.0%	48.4%	6 / 14	* / 5	* / *
Percentage of transfers resulting in singleton live births	50.0%	45.2%	6 / 14	* / 5	* / *
Number of intended retrievals per live birth	4.5	4.7	9.5	20.5	40.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	18.8%	20.3%	7.5%	5.6%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	22.5%	23.7%	15.0%	5.6%	0.0%
Percentage of new patients having live births after all intended retrievals	22.5%	23.7%	15.0%	5.6%	1.6%
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.1	1.2
Average number of transfers per intended retrieval	0.4	0.5	0.2	0.1	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	100	8
Percentage of transfers resulting in live births		0 / *	50.0%	* / 8
Percentage of transfers resulting in singleton live births		0 / *	48.0%	* / 8

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	184	138	82	51	168	623
Percentage of cycles cancelled prior to retrieval or thaw	8.2%	8.7%	7.3%	7.8%	14.3%	9.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.6%	0.7%	4.9%	13.7%	9.5%	5.0%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using a gestational carrier	73.6%	73.1%	87.2%	95.0%	88.9%	80.7%
Percentage of transfers using frozen embryos	100.0%	100.0%	100.0%	100.0%	98.8%	99.7%
Percentage of transfers of at least one embryo with ICSI	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers of at least one embryo with PGT	1.1%	0.0%	0.0%	0.0%	0.0%	0.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	5%	Diminished ovarian reserve	0%
Endometriosis	0%	Egg or embryo banking	43%
Tubal factor	0%	Recurrent pregnancy loss	<1%
Ovulatory dysfunction	0%	Other, infertility	0%
Uterine factor	0%	Other, non-infertility	0%
PGT	0%	Unexplained	61%
Gestational carrier	47%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SAN DIEGO FERTILITY CENTER
SAN DIEGO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Sandy Chuan, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	185	146	131	82	59
Percentage of intended retrievals resulting in live births	58.9%	36.3%	26.0%	8.5%	0.0%
Percentage of intended retrievals resulting in singleton live births	49.2%	28.8%	20.6%	8.5%	0.0%
Number of **retrievals**	171	139	118	71	49
Percentage of retrievals resulting in live births	63.7%	38.1%	28.8%	9.9%	0.0%
Percentage of retrievals resulting in singleton live births	53.2%	30.2%	22.9%	9.9%	0.0%
Number of **transfers**	167	99	67	19	*
Percentage of transfers resulting in live births	65.3%	53.5%	50.7%	7 / 19	0 / *
Percentage of transfers resulting in singleton live births	54.5%	42.4%	40.3%	7 / 19	0 / *
Number of intended retrievals per live birth	1.7	2.8	3.9	11.7	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	65.1%	42.0%	26.8%	7.4%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	70.5%	45.7%	33.9%	11.1%	0.0%
Percentage of new patients having live births after all intended retrievals	72.9%	46.9%	37.5%	14.8%	0.0%
Average number of intended retrievals per new patient	1.1	1.2	1.4	1.6	1.6
Average number of transfers per intended retrieval	1.0	0.7	0.5	0.2	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	24	9	567	28
Percentage of transfers resulting in live births	66.7%	5 / 9	62.1%	46.4%
Percentage of transfers resulting in singleton live births	54.2%	* / 9	52.7%	35.7%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	583	494	505	219	565	2,366
Percentage of cycles cancelled prior to retrieval or thaw	7.9%	11.7%	12.3%	18.3%	13.6%	12.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.9%	3.4%	5.5%	7.3%	3.9%	4.0%
Percentage of cycles for fertility preservation	3.8%	6.1%	1.6%	0.5%	1.1%	2.8%
Percentage of transfers using a gestational carrier	32.9%	46.6%	49.1%	40.0%	61.1%	47.5%
Percentage of transfers using frozen embryos	98.8%	98.1%	98.6%	88.4%	95.2%	96.7%
Percentage of transfers of at least one embryo with ICSI	99.2%	97.1%	99.5%	94.7%	96.5%	97.7%
Percentage of transfers of at least one embryo with PGT	45.5%	62.5%	65.9%	45.3%	60.1%	57.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	25%	Diminished ovarian reserve	48%
Endometriosis	5%	Egg or embryo banking	43%
Tubal factor	10%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	10%	Other, infertility	<1%
Uterine factor	15%	Other, non-infertility	4%
PGT	9%	Unexplained	2%
Gestational carrier	19%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

LAUREL FERTILITY CARE
SAN FRANCISCO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Collin B. Smikle, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	67	45	46	18	24
Percentage of intended retrievals resulting in live births	52.2%	46.7%	15.2%	* / 18	0.0%
Percentage of intended retrievals resulting in singleton live births	47.8%	44.4%	13.0%	* / 18	0.0%
Number of **retrievals**	63	42	40	17	15
Percentage of retrievals resulting in live births	55.6%	50.0%	17.5%	* / 17	0 / 15
Percentage of retrievals resulting in singleton live births	50.8%	47.6%	15.0%	* / 17	0 / 15
Number of **transfers**	76	41	29	*	5
Percentage of transfers resulting in live births	46.1%	51.2%	24.1%	* / *	0 / 5
Percentage of transfers resulting in singleton live births	42.1%	48.8%	20.7%	* / *	0 / 5
Number of intended retrievals per live birth	1.9	2.1	6.6	9.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	50.9%	53.3%	0.0%	* / 7	0 / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	58.2%	56.7%	7.7%	* / 7	0 / 8
Percentage of new patients having live births after all intended retrievals	58.2%	56.7%	7.7%	* / 7	0 / 8
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.6	1.8
Average number of transfers per intended retrieval	1.1	1.0	0.7	0.1	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	10	16	5
Percentage of transfers resulting in live births	6 / 8	* / 10	5 / 16	* / 5
Percentage of transfers resulting in singleton live births	* / 8	* / 10	5 / 16	0 / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	177	109	109	47	48	490
Percentage of cycles cancelled prior to retrieval or thaw	4.5%	5.5%	6.4%	6.4%	22.9%	7.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.2%	1.8%	6.4%	4.3%	4.2%	4.9%
Percentage of cycles for fertility preservation	26.0%	15.6%	14.7%	2.1%	4.2%	16.7%
Percentage of transfers using a gestational carrier	2.5%	0.0%	2.4%	4.5%	3.4%	2.2%
Percentage of transfers using frozen embryos	73.8%	84.5%	73.8%	81.8%	62.1%	75.8%
Percentage of transfers of at least one embryo with ICSI	82.5%	93.1%	81.0%	86.4%	48.3%	81.0%
Percentage of transfers of at least one embryo with PGT	32.5%	65.5%	47.6%	77.3%	34.5%	48.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	11%	Diminished ovarian reserve	20%
Endometriosis	2%	Egg or embryo banking	44%
Tubal factor	6%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	9%	Other, infertility	6%
Uterine factor	4%	Other, non-infertility	5%
PGT	1%	Unexplained	30%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

PACIFIC FERTILITY CENTER
SAN FRANCISCO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Philip E. Chenette, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	150	121	155	77	54
Percentage of intended retrievals resulting in live births	50.7%	38.0%	23.2%	19.5%	0.0%
Percentage of intended retrievals resulting in singleton live births	48.0%	37.2%	22.6%	19.5%	0.0%
Number of **retrievals**	143	99	131	67	33
Percentage of retrievals resulting in live births	53.1%	46.5%	27.5%	22.4%	0.0%
Percentage of retrievals resulting in singleton live births	50.3%	45.5%	26.7%	22.4%	0.0%
Number of **transfers**	147	96	88	31	5
Percentage of transfers resulting in live births	51.7%	47.9%	40.9%	48.4%	0 / 5
Percentage of transfers resulting in singleton live births	49.0%	46.9%	39.8%	48.4%	0 / 5
Number of intended retrievals per live birth	2.0	2.6	4.3	5.1	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	53.2%	40.5%	29.6%	22.9%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	58.7%	41.7%	33.3%	25.7%	0.0%
Percentage of new patients having live births after all intended retrievals	62.4%	44.0%	34.6%	28.6%	0.0%
Average number of intended retrievals per new patient	1.2	1.2	1.3	1.3	1.4
Average number of transfers per intended retrieval	1.0	0.8	0.6	0.4	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	309	7
Percentage of transfers resulting in live births	0 / *		44.0%	* / 7
Percentage of transfers resulting in singleton live births	0 / *		42.1%	* / 7

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	492	444	467	288	427	2,118
Percentage of cycles cancelled prior to retrieval or thaw	3.3%	8.6%	9.6%	13.5%	13.1%	9.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.8%	3.2%	5.1%	4.5%	3.5%	3.5%
Percentage of cycles for fertility preservation	25.0%	37.4%	22.5%	16.3%	7.0%	22.2%
Percentage of transfers using a gestational carrier	9.3%	9.2%	8.1%	11.7%	14.0%	10.6%
Percentage of transfers using frozen embryos	98.0%	90.8%	97.5%	94.5%	96.7%	95.9%
Percentage of transfers of at least one embryo with ICSI	52.5%	39.0%	42.4%	33.6%	47.1%	44.1%
Percentage of transfers of at least one embryo with PGT	83.8%	82.3%	86.4%	77.3%	69.0%	79.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	46%
Endometriosis	5%	Egg or embryo banking	44%
Tubal factor	6%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	10%	Other, infertility	38%
Uterine factor	8%	Other, non-infertility	30%
PGT	24%	Unexplained	7%
Gestational carrier	5%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE MEDICINE ASSOCIATES OF NORTHERN CALIFORNIA
SAN FRANCISCO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Scott Morin, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	*	*	*	*	*	10
Percentage of cycles cancelled prior to retrieval or thaw	0 / *	0 / *	0 / *	0 / *	0 / *	0 / 10
Percentage of cycles stopped between retrieval and transfer or banking[e]	0 / *	0 / *	0 / *	0 / *	0 / *	0 / 10
Percentage of cycles for fertility preservation	* / *	* / *	0 / *	* / *	0 / *	* / 10
Percentage of transfers using a gestational carrier						
Percentage of transfers using frozen embryos						
Percentage of transfers of at least one embryo with ICSI						
Percentage of transfers of at least one embryo with PGT						

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Pending
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	20%	Diminished ovarian reserve	50%
Endometriosis	0%	Egg or embryo banking	100%
Tubal factor	20%	Recurrent pregnancy loss	10%
Ovulatory dysfunction	10%	Other, infertility	10%
Uterine factor	0%	Other, non-infertility	10%
PGT	0%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SPRING FERTILITY
SAN FRANCISCO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Nam D. Tran, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	96	87	74	40	23
Percentage of intended retrievals resulting in live births	76.0%	66.7%	51.4%	30.0%	4.3%
Percentage of intended retrievals resulting in singleton live births	75.0%	65.5%	47.3%	30.0%	4.3%
Number of **retrievals**	96	87	74	40	23
Percentage of retrievals resulting in live births	76.0%	66.7%	51.4%	30.0%	4.3%
Percentage of retrievals resulting in singleton live births	75.0%	65.5%	47.3%	30.0%	4.3%
Number of **transfers**	108	92	60	30	13
Percentage of transfers resulting in live births	67.6%	63.0%	63.3%	40.0%	* / 13
Percentage of transfers resulting in singleton live births	66.7%	62.0%	58.3%	40.0%	* / 13
Number of intended retrievals per live birth	1.3	1.5	1.9	3.3	23.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	75.3%	72.4%	51.9%	39.1%	0 / 12
Percentage of new patients having live births after 1 or 2 intended retrievals	82.7%	75.0%	57.4%	43.5%	0 / 12
Percentage of new patients having live births after all intended retrievals	82.7%	75.0%	61.1%	47.8%	0 / 12
Average number of intended retrievals per new patient	1.1	1.1	1.2	1.5	1.2
Average number of transfers per intended retrieval	1.2	1.1	0.8	0.7	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	40	0
Percentage of transfers resulting in live births	* / *		60.0%	
Percentage of transfers resulting in singleton live births	* / *		60.0%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	533	443	303	158	92	1,529
Percentage of cycles cancelled prior to retrieval or thaw	1.7%	2.3%	2.6%	5.1%	2.2%	2.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.6%	2.0%	3.0%	5.7%	4.3%	2.2%
Percentage of cycles for fertility preservation	40.0%	40.4%	19.1%	22.8%	9.8%	32.4%
Percentage of transfers using a gestational carrier	5.5%	1.5%	6.0%	0.0%	14.0%	4.7%
Percentage of transfers using frozen embryos	93.3%	93.3%	88.9%	81.8%	88.4%	90.6%
Percentage of transfers of at least one embryo with ICSI	92.6%	85.8%	90.6%	92.7%	79.1%	89.3%
Percentage of transfers of at least one embryo with PGT	82.8%	86.6%	80.3%	63.6%	46.5%	78.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	10%	Diminished ovarian reserve	<1%
Endometriosis	3%	Egg or embryo banking	63%
Tubal factor	3%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	4%	Other, infertility	63%
Uterine factor	2%	Other, non-infertility	61%
PGT	<1%	Unexplained	19%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UCSF CENTER FOR REPRODUCTIVE HEALTH
SAN FRANCISCO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Marcelle I. Cedars, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	252	317	391	243	176
Percentage of intended retrievals resulting in live births	46.4%	35.3%	22.5%	11.9%	2.8%
Percentage of intended retrievals resulting in singleton live births	42.5%	30.6%	20.2%	10.3%	2.8%
Number of **retrievals**	218	265	313	190	129
Percentage of retrievals resulting in live births	53.7%	42.3%	28.1%	15.3%	3.9%
Percentage of retrievals resulting in singleton live births	49.1%	36.6%	25.2%	13.2%	3.9%
Number of **transfers**	208	278	240	118	77
Percentage of transfers resulting in live births	56.3%	40.3%	36.7%	24.6%	6.5%
Percentage of transfers resulting in singleton live births	51.4%	34.9%	32.9%	21.2%	6.5%
Number of intended retrievals per live birth	2.2	2.8	4.4	8.4	35.2
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	51.5%	40.4%	29.7%	11.4%	2.3%
Percentage of new patients having live births after 1 or 2 intended retrievals	56.4%	47.8%	39.1%	14.3%	2.3%
Percentage of new patients having live births after all intended retrievals	58.2%	48.9%	42.8%	17.1%	7.0%
Average number of intended retrievals per new patient	1.2	1.2	1.5	1.7	2.0
Average number of transfers per intended retrieval	0.8	0.9	0.6	0.5	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	37	17	111	*
Percentage of transfers resulting in live births	67.6%	8 / 17	49.5%	* / *
Percentage of transfers resulting in singleton live births	59.5%	8 / 17	47.7%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	637	687	747	439	478	2,988
Percentage of cycles cancelled prior to retrieval or thaw	6.3%	7.7%	12.9%	11.2%	14.0%	10.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.5%	2.8%	4.3%	8.0%	5.9%	4.6%
Percentage of cycles for fertility preservation	32.2%	25.8%	11.9%	9.6%	6.7%	18.2%
Percentage of transfers using a gestational carrier	3.4%	2.9%	4.8%	5.1%	4.0%	4.0%
Percentage of transfers using frozen embryos	54.9%	67.3%	65.5%	60.6%	60.9%	62.3%
Percentage of transfers of at least one embryo with ICSI	72.9%	73.5%	74.9%	71.7%	73.1%	73.4%
Percentage of transfers of at least one embryo with PGT	34.6%	40.1%	42.5%	29.8%	20.2%	34.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	17%	Diminished ovarian reserve	39%
Endometriosis	3%	Egg or embryo banking	41%
Tubal factor	4%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	5%	Other, infertility	10%
Uterine factor	2%	Other, non-infertility	1%
PGT	4%	Unexplained	15%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 6 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

PALO ALTO MEDICAL FOUNDATION
SAN JOSE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mohammad Ezzati, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	144	126	96	57	55
Percentage of intended retrievals resulting in live births	54.2%	40.5%	31.3%	17.5%	1.8%
Percentage of intended retrievals resulting in singleton live births	52.8%	38.1%	28.1%	14.0%	1.8%
Number of **retrievals**	136	111	88	43	44
Percentage of retrievals resulting in live births	57.4%	45.9%	34.1%	23.3%	2.3%
Percentage of retrievals resulting in singleton live births	55.9%	43.2%	30.7%	18.6%	2.3%
Number of **transfers**	178	127	86	39	30
Percentage of transfers resulting in live births	43.8%	40.2%	34.9%	25.6%	3.3%
Percentage of transfers resulting in singleton live births	42.7%	37.8%	31.4%	20.5%	3.3%
Number of intended retrievals per live birth	1.8	2.5	3.2	5.7	55.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	58.3%	38.1%	29.1%	12.1%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	63.0%	44.0%	36.4%	18.2%	0.0%
Percentage of new patients having live births after all intended retrievals	63.0%	45.2%	36.4%	18.2%	0.0%
Average number of intended retrievals per new patient	1.2	1.1	1.2	1.1	1.2
Average number of transfers per intended retrieval	1.3	1.0	0.9	0.6	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	11	34	*
Percentage of transfers resulting in live births	* / 6	7 / 11	44.1%	* / *
Percentage of transfers resulting in singleton live births	* / 6	7 / 11	44.1%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	271	277	280	105	95	1,028
Percentage of cycles cancelled prior to retrieval or thaw	7.4%	7.6%	12.5%	11.4%	22.1%	10.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	15.1%	9.7%	11.1%	12.4%	6.3%	11.5%
Percentage of cycles for fertility preservation	7.4%	6.9%	8.9%	2.9%	3.2%	6.8%
Percentage of transfers using a gestational carrier	2.9%	4.2%	4.4%	0.0%	13.6%	4.3%
Percentage of transfers using frozen embryos	70.8%	70.5%	62.9%	58.9%	71.2%	67.5%
Percentage of transfers of at least one embryo with ICSI	83.0%	72.6%	78.0%	78.1%	57.6%	75.9%
Percentage of transfers of at least one embryo with PGT	18.1%	13.7%	11.9%	13.7%	10.2%	14.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	24%	Diminished ovarian reserve	26%
Endometriosis	8%	Egg or embryo banking	16%
Tubal factor	9%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	11%	Other, infertility	11%
Uterine factor	2%	Other, non-infertility	4%
PGT	5%	Unexplained	23%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ALEX STEINLEITNER, MD, INC.
SAN LUIS OBISPO, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Alex J. Steinleitner, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	*	*
Percentage of transfers resulting in live births	* / *		* / *	0 / *
Percentage of transfers resulting in singleton live births	* / *		0 / *	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	189	121	67	18	18	413
Percentage of cycles cancelled prior to retrieval or thaw	9.5%	14.9%	10.4%	* / 18	5 / 18	12.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	13.2%	8.3%	17.9%	* / 18	* / 18	12.3%
Percentage of cycles for fertility preservation	0.0%	1.7%	1.5%	0 / 18	0 / 18	0.7%
Percentage of transfers using a gestational carrier	0.9%	0.0%	3.2%	0 / 6	* / 5	1.4%
Percentage of transfers using frozen embryos	57.5%	71.9%	67.7%	* / 6	* / 5	62.3%
Percentage of transfers of at least one embryo with ICSI	40.6%	53.1%	45.2%	* / 6	* / 5	45.3%
Percentage of transfers of at least one embryo with PGT	6.6%	7.8%	9.7%	* / 6	0 / 5	7.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	39%	Diminished ovarian reserve	13%
Endometriosis	9%	Egg or embryo banking	26%
Tubal factor	9%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	7%	Other, infertility	3%
Uterine factor	13%	Other, non-infertility	2%
PGT	2%	Unexplained	24%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

REPRODUCTIVE SCIENCE CENTER OF THE SAN FRANCISCO BAY AREA
SAN RAMON, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Louis N Weckstein, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	354	297	234	98	34
Percentage of intended retrievals resulting in live births	63.8%	49.2%	31.6%	19.4%	14.7%
Percentage of intended retrievals resulting in singleton live births	59.3%	44.4%	30.8%	18.4%	14.7%
Number of **retrievals**	321	264	201	86	28
Percentage of retrievals resulting in live births	70.4%	55.3%	36.8%	22.1%	17.9%
Percentage of retrievals resulting in singleton live births	65.4%	50.0%	35.8%	20.9%	17.9%
Number of **transfers**	364	234	132	34	7
Percentage of transfers resulting in live births	62.1%	62.4%	56.1%	55.9%	5 / 7
Percentage of transfers resulting in singleton live births	57.7%	56.4%	54.5%	52.9%	5 / 7
Number of intended retrievals per live birth	1.6	2.0	3.2	5.2	6.8
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	68.6%	55.6%	34.5%	25.6%	* / 16
Percentage of new patients having live births after 1 or 2 intended retrievals	74.3%	63.2%	44.8%	30.2%	* / 16
Percentage of new patients having live births after all intended retrievals	77.0%	64.9%	49.1%	34.9%	* / 16
Average number of intended retrievals per new patient	1.2	1.3	1.4	1.5	1.4
Average number of transfers per intended retrieval	1.0	0.8	0.6	0.4	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	37	43	110	5
Percentage of transfers resulting in live births	70.3%	67.4%	53.6%	* / 5
Percentage of transfers resulting in singleton live births	70.3%	67.4%	50.0%	* / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	759	695	617	261	226	2,558
Percentage of cycles cancelled prior to retrieval or thaw	8.2%	13.5%	13.3%	17.6%	17.3%	12.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.2%	6.9%	5.5%	8.0%	4.4%	7.2%
Percentage of cycles for fertility preservation	4.5%	5.2%	3.9%	1.5%	0.4%	3.9%
Percentage of transfers using a gestational carrier	3.9%	5.7%	4.0%	2.6%	8.8%	4.8%
Percentage of transfers using frozen embryos	79.1%	84.0%	88.4%	76.5%	75.9%	81.7%
Percentage of transfers of at least one embryo with ICSI	81.3%	84.6%	89.2%	87.0%	71.5%	83.2%
Percentage of transfers of at least one embryo with PGT	43.7%	50.0%	67.2%	60.0%	38.0%	51.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	32%
Endometriosis	5%	Egg or embryo banking	32%
Tubal factor	7%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	12%	Other, infertility	63%
Uterine factor	6%	Other, non-infertility	2%
PGT	22%	Unexplained	6%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SANTA BARBARA FERTILITY CENTER
SANTA BARBARA, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by René B. Allen, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	25	18	25	11	16
Percentage of intended retrievals resulting in live births	52.0%	8 / 18	16.0%	0 / 11	0 / 16
Percentage of intended retrievals resulting in singleton live births	48.0%	7 / 18	12.0%	0 / 11	0 / 16
Number of **retrievals**	23	16	19	11	13
Percentage of retrievals resulting in live births	56.5%	8 / 16	* / 19	0 / 11	0 / 13
Percentage of retrievals resulting in singleton live births	52.2%	7 / 16	* / 19	0 / 11	0 / 13
Number of **transfers**	29	22	19	11	*
Percentage of transfers resulting in live births	44.8%	36.4%	* / 19	0 / 11	0 / *
Percentage of transfers resulting in singleton live births	41.4%	31.8%	* / 19	0 / 11	0 / *
Number of intended retrievals per live birth	1.9	2.3	6.3		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	9 / 16	7 / 16	* / 12	0 / 7	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	9 / 16	8 / 16	* / 12	0 / 7	0 / *
Percentage of new patients having live births after all intended retrievals	9 / 16	8 / 16	* / 12	0 / 7	0 / *
Average number of intended retrievals per new patient	1.0	1.1	1.2	1.3	1.8
Average number of transfers per intended retrieval	1.3	1.2	0.8	1.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	*	7	*
Percentage of transfers resulting in live births	5 / 6	0 / *	* / 7	0 / *
Percentage of transfers resulting in singleton live births	5 / 6	0 / *	* / 7	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	60	36	68	27	28	219
Percentage of cycles cancelled prior to retrieval or thaw	5.0%	5.6%	14.7%	7.4%	17.9%	10.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.3%	5.6%	1.5%	3.7%	7.1%	3.7%
Percentage of cycles for fertility preservation	15.0%	8.3%	8.8%	0.0%	3.6%	8.7%
Percentage of transfers using a gestational carrier	7.1%	0.0%	2.6%	0 / 17	* / 14	3.6%
Percentage of transfers using frozen embryos	64.3%	59.3%	61.5%	6 / 17	5 / 14	56.1%
Percentage of transfers of at least one embryo with ICSI	85.7%	88.9%	94.9%	17 / 17	10 / 14	89.2%
Percentage of transfers of at least one embryo with PGT	21.4%	11.1%	25.6%	* / 17	* / 14	19.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	35%
Endometriosis	3%	Egg or embryo banking	26%
Tubal factor	5%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	6%	Other, infertility	16%
Uterine factor	8%	Other, non-infertility	3%
PGT	7%	Unexplained	9%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SANTA MONICA FERTILITY
SANTA MONICA, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by John K. Jain, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	5	*	7	*	*
Percentage of intended retrievals resulting in live births	5 / 5	* / *	* / 7	* / *	0 / *
Percentage of intended retrievals resulting in singleton live births	* / 5	* / *	* / 7	* / *	0 / *
Number of **retrievals**	5	*	6	*	*
Percentage of retrievals resulting in live births	5 / 5	* / *	* / 6	* / *	0 / *
Percentage of retrievals resulting in singleton live births	* / 5	* / *	* / 6	* / *	0 / *
Number of **transfers**	6	6	5	*	0
Percentage of transfers resulting in live births	5 / 6	* / 6	* / 5	* / *	
Percentage of transfers resulting in singleton live births	* / 6	* / 6	* / 5	* / *	
Number of intended retrievals per live birth	1.0	1.3	1.8	3.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	5 / 5	* / *		0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	5 / 5	* / *		0 / *	
Percentage of new patients having live births after all intended retrievals	5 / 5	* / *		0 / *	
Average number of intended retrievals per new patient	1.0	1.0		1.0	
Average number of transfers per intended retrieval	1.2	2.0		1.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	28	9	134	0
Percentage of transfers resulting in live births	67.9%	6 / 9	67.2%	
Percentage of transfers resulting in singleton live births	67.9%	5 / 9	59.7%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	20	30	50	55	200	355
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	2.0%	1.8%	0.5%	0.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	0.0%	0.0%	1.8%	0.5%	0.6%
Percentage of cycles for fertility preservation	25.0%	26.7%	34.0%	10.9%	3.0%	11.8%
Percentage of transfers using a gestational carrier	* / 7	0 / 13	15.0%	2.9%	9.6%	9.0%
Percentage of transfers using frozen embryos	7 / 7	11 / 13	65.0%	73.5%	80.8%	78.9%
Percentage of transfers of at least one embryo with ICSI	7 / 7	13 / 13	100.0%	100.0%	100.0%	100.0%
Percentage of transfers of at least one embryo with PGT	6 / 7	* / 13	15.0%	23.5%	27.2%	27.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	10%	Diminished ovarian reserve	7%
Endometriosis	1%	Egg or embryo banking	43%
Tubal factor	1%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	2%	Other, infertility	56%
Uterine factor	1%	Other, non-infertility	0%
PGT	27%	Unexplained	0%
Gestational carrier	4%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

ADVANCED FERTILITY ASSOCIATES MEDICAL GROUP, INC.
SANTA ROSA, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jennifer V. Ratcliffe, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	26	22	22	10	8
Percentage of intended retrievals resulting in live births	61.5%	40.9%	45.5%	* / 10	0 / 8
Percentage of intended retrievals resulting in singleton live births	46.2%	40.9%	36.4%	* / 10	0 / 8
Number of **retrievals**	24	22	21	9	*
Percentage of retrievals resulting in live births	66.7%	40.9%	47.6%	* / 9	0 / *
Percentage of retrievals resulting in singleton live births	50.0%	40.9%	38.1%	* / 9	0 / *
Number of **transfers**	30	33	24	10	*
Percentage of transfers resulting in live births	53.3%	27.3%	41.7%	* / 10	0 / *
Percentage of transfers resulting in singleton live births	40.0%	27.3%	33.3%	* / 10	0 / *
Number of intended retrievals per live birth	1.6	2.4	2.2	3.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	12 / 17	8 / 18	7 / 14	* / 6	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	12 / 17	8 / 18	8 / 14	* / 6	0 / *
Percentage of new patients having live births after all intended retrievals	13 / 17	8 / 18	9 / 14	* / 6	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.4	1.3	2.0
Average number of transfers per intended retrieval	1.3	1.5	1.1	1.0	0.8

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	0	9	8
Percentage of transfers resulting in live births	5 / 7		* / 9	5 / 8
Percentage of transfers resulting in singleton live births	* / 7		* / 9	* / 8

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	50	41	39	17	16	163
Percentage of cycles cancelled prior to retrieval or thaw	4.0%	2.4%	5.1%	* / 17	* / 16	5.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	10.0%	2.4%	5.1%	0 / 17	* / 16	5.5%
Percentage of cycles for fertility preservation	0.0%	2.4%	2.6%	0 / 17	0 / 16	1.2%
Percentage of transfers using a gestational carrier	0.0%	0.0%	3.1%	0 / 15	0 / 11	0.7%
Percentage of transfers using frozen embryos	65.9%	37.1%	50.0%	6 / 15	5 / 11	50.0%
Percentage of transfers of at least one embryo with ICSI	85.4%	94.3%	96.9%	12 / 15	8 / 11	88.8%
Percentage of transfers of at least one embryo with PGT	2.4%	11.4%	3.1%	0 / 15	0 / 11	4.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	34%	Diminished ovarian reserve	56%
Endometriosis	3%	Egg or embryo banking	7%
Tubal factor	19%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	5%	Other, infertility	5%
Uterine factor	4%	Other, non-infertility	4%
PGT	0%	Unexplained	18%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

VALLEY CENTER FOR REPRODUCTIVE HEALTH, INC.
WEST COAST WOMEN'S REPRODUCTIVE CENTER
SHERMAN OAKS, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Tina B. Koopersmith, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	13	7	13	11	*
Percentage of intended retrievals resulting in live births	* / 13	* / 7	8 / 13	* / 11	0 / *
Percentage of intended retrievals resulting in singleton live births	* / 13	* / 7	8 / 13	* / 11	0 / *
Number of **retrievals**	12	7	13	11	*
Percentage of retrievals resulting in live births	* / 12	* / 7	8 / 13	* / 11	0 / *
Percentage of retrievals resulting in singleton live births	* / 12	* / 7	8 / 13	* / 11	0 / *
Number of **transfers**	9	7	11	*	0
Percentage of transfers resulting in live births	* / 9	* / 7	8 / 11	* / *	
Percentage of transfers resulting in singleton live births	* / 9	* / 7	8 / 11	* / *	
Number of intended retrievals per live birth	3.3	1.8	1.6	11.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 9	* / 6	8 / 13	* / 7	
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 9	* / 6	8 / 13	* / 7	
Percentage of new patients having live births after all intended retrievals	* / 9	* / 6	8 / 13	* / 7	
Average number of intended retrievals per new patient	1.1	1.0	1.0	1.1	
Average number of transfers per intended retrieval	0.8	1.0	0.8	0.1	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	6	0
Percentage of transfers resulting in live births	0 / *	* / *	* / 6	
Percentage of transfers resulting in singleton live births	0 / *	* / *	* / 6	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	20	31	36	13	7	107
Percentage of cycles cancelled prior to retrieval or thaw	5.0%	12.9%	0.0%	0 / 13	* / 7	5.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.0%	0.0%	2.8%	0 / 13	0 / 7	1.9%
Percentage of cycles for fertility preservation	35.0%	25.8%	25.0%	0 / 13	0 / 7	22.4%
Percentage of transfers using a gestational carrier	0 / 9	0 / 11	0 / 12	0 / 10	0 / 6	0.0%
Percentage of transfers using frozen embryos	8 / 9	8 / 11	11 / 12	9 / 10	* / 6	79.2%
Percentage of transfers of at least one embryo with ICSI	7 / 9	9 / 11	8 / 12	7 / 10	5 / 6	75.0%
Percentage of transfers of at least one embryo with PGT	5 / 9	5 / 11	10 / 12	8 / 10	* / 6	62.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	23%
Endometriosis	7%	Egg or embryo banking	49%
Tubal factor	9%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	9%	Other, infertility	24%
Uterine factor	2%	Other, non-infertility	0%
PGT	14%	Unexplained	5%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

STANFORD MEDICINE FERTILITY & REPRODUCTIVE HEALTH
SUNNYVALE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ruben J. Alvero, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	161	142	156	90	108
Percentage of intended retrievals resulting in live births	44.1%	33.1%	24.4%	5.6%	0.0%
Percentage of intended retrievals resulting in singleton live births	42.2%	33.1%	23.7%	4.4%	0.0%
Number of **retrievals**	142	130	135	70	81
Percentage of retrievals resulting in live births	50.0%	36.2%	28.1%	7.1%	0.0%
Percentage of retrievals resulting in singleton live births	47.9%	36.2%	27.4%	5.7%	0.0%
Number of **transfers**	141	99	71	17	12
Percentage of transfers resulting in live births	50.4%	47.5%	53.5%	5 / 17	0 / 12
Percentage of transfers resulting in singleton live births	48.2%	47.5%	52.1%	* / 17	0 / 12
Number of intended retrievals per live birth	2.3	3.0	4.1	18.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	44.2%	32.9%	26.5%	6.7%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	53.1%	39.0%	36.8%	10.0%	0.0%
Percentage of new patients having live births after all intended retrievals	53.1%	42.7%	38.2%	10.0%	0.0%
Average number of intended retrievals per new patient	1.2	1.3	1.5	1.9	1.6
Average number of transfers per intended retrieval	0.9	0.7	0.5	0.2	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	8	38	0
Percentage of transfers resulting in live births	0 / *	* / 8	23.7%	
Percentage of transfers resulting in singleton live births	0 / *	* / 8	21.1%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	444	416	350	184	195	1,589
Percentage of cycles cancelled prior to retrieval or thaw	9.2%	10.8%	9.4%	15.2%	17.9%	11.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.7%	4.8%	3.7%	10.3%	11.8%	6.0%
Percentage of cycles for fertility preservation	28.4%	25.7%	21.7%	20.1%	14.4%	23.5%
Percentage of transfers using a gestational carrier	3.4%	3.9%	7.6%	7.7%	8.2%	5.5%
Percentage of transfers using frozen embryos	84.2%	90.9%	84.7%	81.5%	69.9%	84.0%
Percentage of transfers of at least one embryo with ICSI	74.6%	64.9%	62.5%	73.8%	53.4%	66.7%
Percentage of transfers of at least one embryo with PGT	54.8%	72.7%	67.4%	60.0%	30.1%	59.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	19%	Diminished ovarian reserve	31%
Endometriosis	3%	Egg or embryo banking	46%
Tubal factor	4%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	6%	Other, infertility	29%
Uterine factor	4%	Other, non-infertility	2%
PGT	<1%	Unexplained	14%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude * cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE CENTER FOR FERTILITY AND GYNECOLOGY
VERMESH CENTER FOR FERTILITY
TARZANA, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michael Vermesh, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	48	38	43	27	44
Percentage of intended retrievals resulting in live births	60.4%	50.0%	14.0%	22.2%	6.8%
Percentage of intended retrievals resulting in singleton live births	43.8%	39.5%	9.3%	14.8%	4.5%
Number of **retrievals**	45	31	39	26	42
Percentage of retrievals resulting in live births	64.4%	61.3%	15.4%	23.1%	7.1%
Percentage of retrievals resulting in singleton live births	46.7%	48.4%	10.3%	15.4%	4.8%
Number of **transfers**	52	30	30	16	19
Percentage of transfers resulting in live births	55.8%	63.3%	20.0%	6 / 16	* / 19
Percentage of transfers resulting in singleton live births	40.4%	50.0%	13.3%	* / 16	* / 19
Number of intended retrievals per live birth	1.7	2.0	7.2	4.5	14.7
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	66.7%	48.3%	12.9%	* / 14	3.6%
Percentage of new patients having live births after 1 or 2 intended retrievals	66.7%	55.2%	19.4%	* / 14	3.6%
Percentage of new patients having live births after all intended retrievals	66.7%	55.2%	19.4%	* / 14	3.6%
Average number of intended retrievals per new patient	1.0	1.1	1.3	1.4	1.3
Average number of transfers per intended retrieval	1.2	0.8	0.7	0.6	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	38	0
Percentage of transfers resulting in live births		* / *	65.8%	
Percentage of transfers resulting in singleton live births		* / *	50.0%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	90	76	56	42	79	343
Percentage of cycles cancelled prior to retrieval or thaw	1.1%	3.9%	7.1%	2.4%	2.5%	3.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.9%	6.6%	5.4%	14.3%	13.9%	9.6%
Percentage of cycles for fertility preservation	5.6%	5.3%	12.5%	7.1%	2.5%	6.1%
Percentage of transfers using a gestational carrier	9.3%	22.2%	26.9%	7 / 19	22.4%	21.4%
Percentage of transfers using frozen embryos	79.1%	66.7%	84.6%	15 / 19	69.4%	74.2%
Percentage of transfers of at least one embryo with ICSI	90.7%	80.0%	100.0%	16 / 19	95.9%	90.1%
Percentage of transfers of at least one embryo with PGT	60.5%	51.1%	80.8%	14 / 19	49.0%	59.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	21%	Diminished ovarian reserve	42%
Endometriosis	1%	Egg or embryo banking	35%
Tubal factor	8%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	6%	Other, infertility	67%
Uterine factor	1%	Other, non-infertility	1%
PGT	63%	Unexplained	2%
Gestational carrier	13%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

TREE OF LIFE CENTER FOR FERTILITY
KINDERWUNSCHZENTRUM LOS ANGELES
TARZANA, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Vuk Jovanovic, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	*	*	*	*	*
Percentage of intended retrievals resulting in live births	* / *	* / *	0 / *	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	* / *	0 / *	0 / *	0 / *	0 / *
Number of **retrievals**	*	*	*	*	*
Percentage of retrievals resulting in live births	* / *	* / *	0 / *	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	* / *	0 / *	0 / *	0 / *	0 / *
Number of **transfers**	*	*	0	0	0
Percentage of transfers resulting in live births	* / *	* / *			
Percentage of transfers resulting in singleton live births	* / *	0 / *			
Number of intended retrievals per live birth	1.5	1.0			
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / *	* / *			0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	* / *	* / *			0 / *
Percentage of new patients having live births after all intended retrievals	* / *	* / *			0 / *
Average number of intended retrievals per new patient	1.0	1.0			1.0
Average number of transfers per intended retrieval	2.0	1.0			0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	10	0
Percentage of transfers resulting in live births	* / *	* / *	7 / 10	
Percentage of transfers resulting in singleton live births	* / *	* / *	7 / 10	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	24	23	15	9	24	95
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	0 / 15	* / 9	4.2%	2.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.2%	4.3%	* / 15	* / 9	8.3%	7.4%
Percentage of cycles for fertility preservation	29.2%	4.3%	* / 15	* / 9	4.2%	11.6%
Percentage of transfers using a gestational carrier	* / 10	0 / 10	* / 9	* / *	* / 14	10.9%
Percentage of transfers using frozen embryos	8 / 10	7 / 10	8 / 9	* / *	11 / 14	78.3%
Percentage of transfers of at least one embryo with ICSI	7 / 10	8 / 10	6 / 9	* / *	7 / 14	65.2%
Percentage of transfers of at least one embryo with PGT	5 / 10	* / 10	6 / 9	* / *	6 / 14	47.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	16%	Diminished ovarian reserve	23%
Endometriosis	3%	Egg or embryo banking	46%
Tubal factor	8%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	2%	Other, infertility	32%
Uterine factor	2%	Other, non-infertility	3%
PGT	28%	Unexplained	20%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY AND SURGICAL ASSOCIATES OF CALIFORNIA
THOUSAND OAKS, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Gary Hubert, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	128	119	165	86	71
Percentage of intended retrievals resulting in live births	56.3%	41.2%	20.6%	10.5%	7.0%
Percentage of intended retrievals resulting in singleton live births	50.0%	39.5%	20.6%	8.1%	7.0%
Number of **retrievals**	125	114	154	73	59
Percentage of retrievals resulting in live births	57.6%	43.0%	22.1%	12.3%	8.5%
Percentage of retrievals resulting in singleton live births	51.2%	41.2%	22.1%	9.6%	8.5%
Number of **transfers**	137	95	75	22	10
Percentage of transfers resulting in live births	52.6%	51.6%	45.3%	40.9%	5 / 10
Percentage of transfers resulting in singleton live births	46.7%	49.5%	45.3%	31.8%	5 / 10
Number of intended retrievals per live birth	1.8	2.4	4.9	9.6	14.2
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	59.8%	44.0%	20.0%	17.1%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	60.8%	49.3%	26.3%	17.1%	3.8%
Percentage of new patients having live births after all intended retrievals	61.8%	53.3%	30.0%	20.0%	7.7%
Average number of intended retrievals per new patient	1.1	1.2	1.4	1.3	1.3
Average number of transfers per intended retrieval	1.1	0.8	0.5	0.3	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	94	36
Percentage of transfers resulting in live births	0 / *	0 / *	47.9%	30.6%
Percentage of transfers resulting in singleton live births	0 / *	0 / *	42.6%	30.6%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	329	324	297	186	248	1,384
Percentage of cycles cancelled prior to retrieval or thaw	4.0%	7.1%	7.4%	14.0%	18.5%	9.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.1%	3.1%	4.0%	9.7%	5.2%	4.3%
Percentage of cycles for fertility preservation	5.8%	8.3%	6.1%	1.6%	1.2%	5.1%
Percentage of transfers using a gestational carrier	14.8%	11.9%	8.7%	9.7%	32.3%	15.9%
Percentage of transfers using frozen embryos	99.4%	98.7%	98.4%	93.5%	98.4%	98.2%
Percentage of transfers of at least one embryo with ICSI	91.6%	87.4%	84.1%	77.4%	56.7%	80.5%
Percentage of transfers of at least one embryo with PGT	90.3%	87.4%	90.5%	80.6%	80.3%	86.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	16%	Diminished ovarian reserve	41%
Endometriosis	6%	Egg or embryo banking	42%
Tubal factor	10%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	6%	Other, infertility	30%
Uterine factor	8%	Other, non-infertility	1%
PGT	1%	Unexplained	8%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

PACIFIC REPRODUCTIVE CENTER
TORRANCE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Rifaat Salem, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	97	67	60	27	21
Percentage of intended retrievals resulting in live births	50.5%	28.4%	28.3%	7.4%	9.5%
Percentage of intended retrievals resulting in singleton live births	39.2%	17.9%	20.0%	7.4%	9.5%
Number of **retrievals**	95	63	56	22	19
Percentage of retrievals resulting in live births	51.6%	30.2%	30.4%	9.1%	* / 19
Percentage of retrievals resulting in singleton live births	40.0%	19.0%	21.4%	9.1%	* / 19
Number of **transfers**	89	42	45	15	10
Percentage of transfers resulting in live births	55.1%	45.2%	37.8%	* / 15	* / 10
Percentage of transfers resulting in singleton live births	42.7%	28.6%	26.7%	* / 15	* / 10
Number of intended retrievals per live birth	2.0	3.5	3.5	13.5	10.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	50.0%	35.1%	28.1%	* / 15	* / 12
Percentage of new patients having live births after 1 or 2 intended retrievals	55.2%	37.8%	34.4%	* / 15	* / 12
Percentage of new patients having live births after all intended retrievals	56.9%	37.8%	34.4%	* / 15	* / 12
Average number of intended retrievals per new patient	1.2	1.3	1.2	1.1	1.2
Average number of transfers per intended retrieval	0.9	0.6	0.7	0.6	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	13	*
Percentage of transfers resulting in live births	* / *		9 / 13	0 / *
Percentage of transfers resulting in singleton live births	* / *		6 / 13	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	149	100	94	28	40	411
Percentage of cycles cancelled prior to retrieval or thaw	4.0%	2.0%	4.3%	7.1%	7.5%	4.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.4%	8.0%	6.4%	10.7%	5.0%	5.8%
Percentage of cycles for fertility preservation	6.0%	9.0%	6.4%	3.6%	0.0%	6.1%
Percentage of transfers using a gestational carrier	6.9%	3.4%	0.0%	* / 15	* / 18	5.5%
Percentage of transfers using frozen embryos	37.1%	33.9%	36.5%	* / 15	12 / 18	37.3%
Percentage of transfers of at least one embryo with ICSI	85.3%	91.5%	85.7%	12 / 15	13 / 18	85.6%
Percentage of transfers of at least one embryo with PGT	25.0%	22.0%	22.2%	5 / 15	7 / 18	25.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	37%	Diminished ovarian reserve	34%
Endometriosis	3%	Egg or embryo banking	21%
Tubal factor	9%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	9%	Other, infertility	6%
Uterine factor	3%	Other, non-infertility	13%
PGT	8%	Unexplained	4%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY FERTILITY CENTER
TORRANCE, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Omid A. Khorram, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	54	30	40	31	11
Percentage of intended retrievals resulting in live births	44.4%	40.0%	20.0%	6.5%	0 / 11
Percentage of intended retrievals resulting in singleton live births	33.3%	30.0%	15.0%	6.5%	0 / 11
Number of **retrievals**	53	29	40	30	11
Percentage of retrievals resulting in live births	45.3%	41.4%	20.0%	6.7%	0 / 11
Percentage of retrievals resulting in singleton live births	34.0%	31.0%	15.0%	6.7%	0 / 11
Number of **transfers**	57	31	36	28	*
Percentage of transfers resulting in live births	42.1%	38.7%	22.2%	7.1%	0 / *
Percentage of transfers resulting in singleton live births	31.6%	29.0%	16.7%	7.1%	0 / *
Number of intended retrievals per live birth	2.3	2.5	5.0	15.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	45.1%	45.8%	24.0%	4.5%	0 / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	45.1%	45.8%	24.0%	4.5%	0 / 7
Percentage of new patients having live births after all intended retrievals	45.1%	45.8%	24.0%	4.5%	0 / 7
Average number of intended retrievals per new patient	1.0	1.0	1.1	1.2	1.3
Average number of transfers per intended retrieval	1.0	1.0	1.0	0.9	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	16	*
Percentage of transfers resulting in live births	* / *		5 / 16	0 / *
Percentage of transfers resulting in singleton live births	* / *		* / 16	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	92	92	83	78	50	395
Percentage of cycles cancelled prior to retrieval or thaw	3.3%	2.2%	3.6%	7.7%	4.0%	4.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	30.4%	22.8%	16.9%	28.2%	14.0%	23.3%
Percentage of cycles for fertility preservation	1.1%	12.0%	15.7%	25.6%	22.0%	14.2%
Percentage of transfers using a gestational carrier	6.9%	9.8%	6.3%	4.0%	28.0%	9.7%
Percentage of transfers using frozen embryos	77.6%	72.5%	58.3%	80.0%	76.0%	72.0%
Percentage of transfers of at least one embryo with ICSI	24.1%	39.2%	16.7%	24.0%	24.0%	26.1%
Percentage of transfers of at least one embryo with PGT	32.8%	25.5%	20.8%	40.0%	36.0%	29.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	12%	Diminished ovarian reserve	13%
Endometriosis	4%	Egg or embryo banking	22%
Tubal factor	12%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	9%	Other, infertility	23%
Uterine factor	4%	Other, non-infertility	10%
PGT	0%	Unexplained	21%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CALIFORNIA CENTER FOR REPRODUCTIVE HEALTH
REPRODUCTIVE FERTILITY CENTER
WEST HOLLYWOOD, CALIFORNIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Peyman Saadat, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	95	79	123	68	57
Percentage of intended retrievals resulting in live births	45.3%	39.2%	22.0%	10.3%	3.5%
Percentage of intended retrievals resulting in singleton live births	35.8%	29.1%	19.5%	8.8%	3.5%
Number of **retrievals**	92	77	114	66	50
Percentage of retrievals resulting in live births	46.7%	40.3%	23.7%	10.6%	4.0%
Percentage of retrievals resulting in singleton live births	37.0%	29.9%	21.1%	9.1%	4.0%
Number of **transfers**	93	71	89	36	23
Percentage of transfers resulting in live births	46.2%	43.7%	30.3%	19.4%	8.7%
Percentage of transfers resulting in singleton live births	36.6%	32.4%	27.0%	16.7%	8.7%
Number of intended retrievals per live birth	2.2	2.5	4.6	9.7	28.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	43.7%	42.3%	23.3%	3.7%	9.5%
Percentage of new patients having live births after 1 or 2 intended retrievals	46.5%	44.2%	25.0%	3.7%	9.5%
Percentage of new patients having live births after all intended retrievals	46.5%	48.1%	25.0%	3.7%	9.5%
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.3	1.6
Average number of transfers per intended retrieval	1.0	0.9	0.8	0.4	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	*	17	*
Percentage of transfers resulting in live births	* / 7	* / *	10 / 17	0 / *
Percentage of transfers resulting in singleton live births	* / 7	* / *	8 / 17	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	160	138	148	102	90	638
Percentage of cycles cancelled prior to retrieval or thaw	3.8%	8.7%	7.4%	14.7%	10.0%	8.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	11.9%	4.3%	10.1%	14.7%	13.3%	10.5%
Percentage of cycles for fertility preservation	6.3%	9.4%	5.4%	2.0%	3.3%	5.6%
Percentage of transfers using a gestational carrier	2.6%	1.7%	3.2%	0.0%	2.9%	2.3%
Percentage of transfers using frozen embryos	75.3%	74.6%	71.4%	75.0%	65.7%	72.9%
Percentage of transfers of at least one embryo with ICSI	79.2%	83.1%	85.7%	84.4%	65.7%	80.5%
Percentage of transfers of at least one embryo with PGT	40.3%	45.8%	46.0%	34.4%	31.4%	41.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	33%
Endometriosis	3%	Egg or embryo banking	40%
Tubal factor	7%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	7%	Other, infertility	70%
Uterine factor	2%	Other, non-infertility	<1%
PGT	30%	Unexplained	4%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

MAGARELLI FERTILITY
COLORADO SPRINGS, COLORADO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Paul C. Magarelli, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	110	40	41	9	8
Percentage of intended retrievals resulting in live births	31.8%	27.5%	14.6%	* / 9	0 / 8
Percentage of intended retrievals resulting in singleton live births	24.5%	20.0%	14.6%	* / 9	0 / 8
Number of **retrievals**	108	38	41	7	6
Percentage of retrievals resulting in live births	32.4%	28.9%	14.6%	* / 7	0 / 6
Percentage of retrievals resulting in singleton live births	25.0%	21.1%	14.6%	* / 7	0 / 6
Number of **transfers**	92	27	19	*	0
Percentage of transfers resulting in live births	38.0%	40.7%	6 / 19	* / *	
Percentage of transfers resulting in singleton live births	29.3%	29.6%	6 / 19	* / *	
Number of intended retrievals per live birth	3.1	3.6	6.8	9.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	32.0%	26.7%	12.5%	* / 6	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	32.0%	33.3%	20.8%	* / 6	0 / 5
Percentage of new patients having live births after all intended retrievals	33.3%	33.3%	20.8%	* / 6	0 / 5
Average number of intended retrievals per new patient	1.2	1.2	1.2	1.2	1.4
Average number of transfers per intended retrieval	0.8	0.7	0.5	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	12	*
Percentage of transfers resulting in live births			5 / 12	* / *
Percentage of transfers resulting in singleton live births			* / 12	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	195	85	50	18	20	368
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	2.4%	4.0%	0 / 18	5.0%	1.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.2%	10.6%	22.0%	5 / 18	15.0%	12.0%
Percentage of cycles for fertility preservation	1.5%	3.5%	0.0%	0 / 18	0.0%	1.6%
Percentage of transfers using a gestational carrier	2.1%	0.0%	* / 19	0 / 8	* / 9	2.9%
Percentage of transfers using frozen embryos	100.0%	100.0%	19 / 19	8 / 8	9 / 9	100.0%
Percentage of transfers of at least one embryo with ICSI	6.2%	2.6%	* / 19	* / 8	* / 9	6.4%
Percentage of transfers of at least one embryo with PGT	81.4%	76.9%	19 / 19	5 / 8	9 / 9	82.6%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	42%	Diminished ovarian reserve	11%
Endometriosis	3%	Egg or embryo banking	53%
Tubal factor	9%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	18%	Other, infertility	11%
Uterine factor	1%	Other, non-infertility	10%
PGT	2%	Unexplained	9%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ADVANCED REPRODUCTIVE MEDICINE
UNIVERSITY OF COLORADO
DENVER, COLORADO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Edward H. Illions, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	74	21	27	*	0
Percentage of intended retrievals resulting in live births	55.4%	52.4%	48.1%	0 / *	
Percentage of intended retrievals resulting in singleton live births	52.7%	52.4%	40.7%	0 / *	
Number of **retrievals**	70	20	26	*	0
Percentage of retrievals resulting in live births	58.6%	55.0%	50.0%	0 / *	
Percentage of retrievals resulting in singleton live births	55.7%	55.0%	42.3%	0 / *	
Number of **transfers**	77	18	25	*	0
Percentage of transfers resulting in live births	53.2%	11 / 18	52.0%	0 / *	
Percentage of transfers resulting in singleton live births	50.6%	11 / 18	44.0%	0 / *	
Number of intended retrievals per live birth	1.8	1.9	2.1		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	56.9%	55.0%	42.9%	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	58.5%	55.0%	57.1%	0 / *	
Percentage of new patients having live births after all intended retrievals	58.5%	55.0%	57.1%	0 / *	
Average number of intended retrievals per new patient	1.0	1.0	1.1	1.0	
Average number of transfers per intended retrieval	1.1	0.9	0.9	0.3	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	8	14	*
Percentage of transfers resulting in live births	0 / *	* / 8	6 / 14	* / *
Percentage of transfers resulting in singleton live births	0 / *	* / 8	6 / 14	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	186	85	78	9	17	375
Percentage of cycles cancelled prior to retrieval or thaw	11.3%	9.4%	6.4%	* / 9	* / 17	9.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.1%	7.1%	5.1%	0 / 9	0 / 17	6.7%
Percentage of cycles for fertility preservation	9.1%	7.1%	7.7%	0 / 9	0 / 17	7.7%
Percentage of transfers using a gestational carrier	4.5%	0.0%	0.0%	0 / 7	0 / 14	2.1%
Percentage of transfers using frozen embryos	96.6%	82.9%	94.7%	6 / 7	9 / 14	90.4%
Percentage of transfers of at least one embryo with ICSI	62.5%	73.2%	57.9%	5 / 7	9 / 14	64.4%
Percentage of transfers of at least one embryo with PGT	40.9%	53.7%	68.4%	* / 7	* / 14	47.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	20%
Endometriosis	2%	Egg or embryo banking	35%
Tubal factor	13%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	10%	Other, infertility	9%
Uterine factor	1%	Other, non-infertility	2%
PGT	6%	Unexplained	21%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

COLORADO REPRODUCTIVE ENDOCRINOLOGY
DENVER, COLORADO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Susan W. Trout, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	31	17	17	6	*
Percentage of intended retrievals resulting in live births	35.5%	* / 17	* / 17	0 / 6	0 / *
Percentage of intended retrievals resulting in singleton live births	35.5%	* / 17	* / 17	0 / 6	0 / *
Number of **retrievals**	31	16	16	5	*
Percentage of retrievals resulting in live births	35.5%	* / 16	* / 16	0 / 5	0 / *
Percentage of retrievals resulting in singleton live births	35.5%	* / 16	* / 16	0 / 5	0 / *
Number of **transfers**	31	12	9	*	0
Percentage of transfers resulting in live births	35.5%	* / 12	* / 9	0 / *	
Percentage of transfers resulting in singleton live births	35.5%	* / 12	* / 9	0 / *	
Number of intended retrievals per live birth	2.8	8.5	5.7		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	40.9%	* / 9	* / 11	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	50.0%	* / 9	* / 11	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	50.0%	* / 9	* / 11	0 / *	0 / *
Average number of intended retrievals per new patient	1.3	1.4	1.3	1.0	1.0
Average number of transfers per intended retrieval	1.0	0.5	0.6	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	6	13
Percentage of transfers resulting in live births	* / *		* / 6	5 / 13
Percentage of transfers resulting in singleton live births	* / *		* / 6	* / 13

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	55	29	20	5	13	122
Percentage of cycles cancelled prior to retrieval or thaw	21.8%	6.9%	5.0%	0 / 5	* / 13	13.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	14.5%	6.9%	15.0%	* / 5	0 / 13	11.5%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 5	0 / 13	0.0%
Percentage of transfers using a gestational carrier	8.7%	0 / 18	0 / 12	0 / *	0 / 10	3.0%
Percentage of transfers using frozen embryos	82.6%	17 / 18	12 / 12	* / *	9 / 10	90.9%
Percentage of transfers of at least one embryo with ICSI	17.4%	* / 18	0 / 12	0 / *	0 / 10	10.6%
Percentage of transfers of at least one embryo with PGT	21.7%	* / 18	* / 12	* / *	0 / 10	19.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	16%	Diminished ovarian reserve	43%
Endometriosis	5%	Egg or embryo banking	21%
Tubal factor	13%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	25%	Other, infertility	12%
Uterine factor	5%	Other, non-infertility	7%
PGT	6%	Unexplained	10%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

DENVER FERTILITY-ALBRECHT WOMEN'S CARE
ENGLEWOOD, COLORADO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Bruce H. Albrecht, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	34	18	21	5	8
Percentage of intended retrievals resulting in live births	35.3%	* / 18	9.5%	0 / 5	0 / 8
Percentage of intended retrievals resulting in singleton live births	32.4%	* / 18	4.8%	0 / 5	0 / 8
Number of **retrievals**	34	16	17	5	5
Percentage of retrievals resulting in live births	35.3%	* / 16	* / 17	0 / 5	0 / 5
Percentage of retrievals resulting in singleton live births	32.4%	* / 16	* / 17	0 / 5	0 / 5
Number of **transfers**	22	12	7	*	*
Percentage of transfers resulting in live births	54.5%	* / 12	* / 7	0 / *	0 / *
Percentage of transfers resulting in singleton live births	50.0%	* / 12	* / 7	0 / *	0 / *
Number of intended retrievals per live birth	2.8	6.0	10.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	22.7%	* / 14	0 / 11	0 / *	0 / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	40.9%	* / 14	* / 11	0 / *	0 / 7
Percentage of new patients having live births after all intended retrievals	40.9%	* / 14	* / 11	0 / *	0 / 7
Average number of intended retrievals per new patient	1.2	1.1	1.5	1.7	1.1
Average number of transfers per intended retrieval	0.7	0.7	0.4	0.2	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	19	0
Percentage of transfers resulting in live births			* / 19	
Percentage of transfers resulting in singleton live births			* / 19	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	53	60	31	10	20	174
Percentage of cycles cancelled prior to retrieval or thaw	1.9%	11.7%	9.7%	* / 10	10.0%	8.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	18.9%	11.7%	25.8%	5 / 10	15.0%	19.0%
Percentage of cycles for fertility preservation	1.9%	1.7%	3.2%	0 / 10	0.0%	1.7%
Percentage of transfers using a gestational carrier	0.0%	3.7%	* / 14	0 / *	* / 11	6.5%
Percentage of transfers using frozen embryos	95.5%	96.3%	14 / 14	* / *	11 / 11	97.4%
Percentage of transfers of at least one embryo with ICSI	90.9%	77.8%	7 / 14	* / *	* / 11	68.8%
Percentage of transfers of at least one embryo with PGT	40.9%	66.7%	11 / 14	* / *	8 / 11	63.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	42%
Endometriosis	8%	Egg or embryo banking	43%
Tubal factor	9%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	15%	Other, infertility	7%
Uterine factor	4%	Other, non-infertility	2%
PGT	4%	Unexplained	7%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ROCKY MOUNTAIN FERTILITY CENTER
ENGLEWOOD, COLORADO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Deborah L. Smith, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	39	16	17	*	*
Percentage of intended retrievals resulting in live births	64.1%	8 / 16	5 / 17	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	51.3%	6 / 16	5 / 17	0 / *	0 / *
Number of **retrievals**	39	15	14	*	*
Percentage of retrievals resulting in live births	64.1%	8 / 15	5 / 14	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	51.3%	6 / 15	5 / 14	0 / *	0 / *
Number of **transfers**	38	12	14	*	0
Percentage of transfers resulting in live births	65.8%	8 / 12	5 / 14	0 / *	
Percentage of transfers resulting in singleton live births	52.6%	6 / 12	5 / 14	0 / *	
Number of intended retrievals per live birth	1.6	2.0	3.4		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	69.7%	5 / 6	* / 10	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	69.7%	6 / 6	* / 10	0 / *	
Percentage of new patients having live births after all intended retrievals	69.7%	6 / 6	5 / 10	0 / *	
Average number of intended retrievals per new patient	1.0	1.2	1.4	1.0	
Average number of transfers per intended retrieval	1.0	1.0	0.9	0.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	*	0
Percentage of transfers resulting in live births	* / *		* / *	
Percentage of transfers resulting in singleton live births	* / *		* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	79	30	30	8	*	149
Percentage of cycles cancelled prior to retrieval or thaw	5.1%	3.3%	13.3%	0 / 8	0 / *	6.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	0.0%	3.3%	* / 8	* / *	2.0%
Percentage of cycles for fertility preservation	1.3%	3.3%	3.3%	* / 8	0 / *	2.7%
Percentage of transfers using a gestational carrier	0.0%	0 / 15	* / 18	* / *	0 / *	3.5%
Percentage of transfers using frozen embryos	95.7%	13 / 15	17 / 18	* / *	* / *	91.8%
Percentage of transfers of at least one embryo with ICSI	100.0%	14 / 15	18 / 18	* / *	* / *	98.8%
Percentage of transfers of at least one embryo with PGT	59.6%	8 / 15	7 / 18	* / *	0 / *	51.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	26%	Diminished ovarian reserve	42%
Endometriosis	7%	Egg or embryo banking	11%
Tubal factor	10%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	7%	Other, infertility	1%
Uterine factor	1%	Other, non-infertility	1%
PGT	34%	Unexplained	12%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ROCKY MOUNTAIN CENTER FOR REPRODUCTIVE MEDICINE
FORT COLLINS, COLORADO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Kevin E. Bachus, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	32	17	*	*	0
Percentage of intended retrievals resulting in live births	78.1%	6 / 17	0 / *	* / *	
Percentage of intended retrievals resulting in singleton live births	56.3%	* / 17	0 / *	* / *	
Number of **retrievals**	32	17	*	*	0
Percentage of retrievals resulting in live births	78.1%	6 / 17	0 / *	* / *	
Percentage of retrievals resulting in singleton live births	56.3%	* / 17	0 / *	* / *	
Number of **transfers**	44	22	*	6	0
Percentage of transfers resulting in live births	56.8%	27.3%	0 / *	* / 6	
Percentage of transfers resulting in singleton live births	40.9%	18.2%	0 / *	* / 6	
Number of intended retrievals per live birth	1.3	2.8		2.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	83.3%	* / 6	0 / *	* / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	83.3%	* / 6	0 / *	* / *	
Percentage of new patients having live births after all intended retrievals	83.3%	* / 6	0 / *	* / *	
Average number of intended retrievals per new patient	1.0	1.3	1.0	1.0	
Average number of transfers per intended retrieval	1.4	1.3	1.5	3.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	0	*	0
Percentage of transfers resulting in live births	5 / 6		0 / *	
Percentage of transfers resulting in singleton live births	5 / 6		0 / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	62	17	12	*	*	96
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	* / 17	* / 12	0 / *	0 / *	2.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.7%	* / 17	0 / 12	0 / *	0 / *	8.3%
Percentage of cycles for fertility preservation	0.0%	0 / 17	0 / 12	0 / *	0 / *	0.0%
Percentage of transfers using a gestational carrier	0.0%	0 / 14	0 / 7	0 / *	0 / *	0.0%
Percentage of transfers using frozen embryos	51.8%	10 / 14	* / 7	* / *	0 / *	51.2%
Percentage of transfers of at least one embryo with ICSI	96.4%	14 / 14	7 / 7	* / *	* / *	97.6%
Percentage of transfers of at least one embryo with PGT	0.0%	0 / 14	0 / 7	0 / *	0 / *	0.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	No	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	19%	Diminished ovarian reserve	28%
Endometriosis	5%	Egg or embryo banking	4%
Tubal factor	11%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	28%	Other, infertility	3%
Uterine factor	1%	Other, non-infertility	1%
PGT	0%	Unexplained	15%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CONCEPTIONS REPRODUCTIVE ASSOCIATES OF COLORADO
LITTLETON, COLORADO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mark R. Bush, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	268	119	112	39	21
Percentage of intended retrievals resulting in live births	53.4%	52.1%	30.4%	15.4%	9.5%
Percentage of intended retrievals resulting in singleton live births	47.0%	48.7%	26.8%	15.4%	9.5%
Number of **retrievals**	258	113	94	33	19
Percentage of retrievals resulting in live births	55.4%	54.0%	36.2%	18.2%	* / 19
Percentage of retrievals resulting in singleton live births	48.8%	50.4%	31.9%	18.2%	* / 19
Number of **transfers**	202	81	46	12	*
Percentage of transfers resulting in live births	70.8%	76.5%	73.9%	6 / 12	* / *
Percentage of transfers resulting in singleton live births	62.4%	71.6%	65.2%	6 / 12	* / *
Number of intended retrievals per live birth	1.9	1.9	3.3	6.5	10.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	50.0%	57.1%	25.7%	* / 13	0 / 10
Percentage of new patients having live births after 1 or 2 intended retrievals	54.2%	65.3%	28.6%	* / 13	0 / 10
Percentage of new patients having live births after all intended retrievals	55.6%	65.3%	28.6%	* / 13	0 / 10
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.2	1.0
Average number of transfers per intended retrieval	0.7	0.8	0.3	0.2	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	95	*
Percentage of transfers resulting in live births		0 / *	66.3%	* / *
Percentage of transfers resulting in singleton live births		0 / *	64.2%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	585	328	262	96	94	1,365
Percentage of cycles cancelled prior to retrieval or thaw	2.7%	4.0%	6.1%	6.3%	13.8%	4.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.4%	0.6%	0.4%	0.0%	0.0%	0.8%
Percentage of cycles for fertility preservation	0.3%	0.0%	0.0%	0.0%	0.0%	0.1%
Percentage of transfers using a gestational carrier	1.4%	6.1%	1.8%	0.0%	13.0%	3.4%
Percentage of transfers using frozen embryos	100.0%	99.4%	97.3%	100.0%	95.7%	99.1%
Percentage of transfers of at least one embryo with ICSI	95.2%	95.7%	95.6%	91.9%	89.1%	94.8%
Percentage of transfers of at least one embryo with PGT	93.9%	92.6%	90.3%	86.5%	80.4%	91.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	20%	Diminished ovarian reserve	38%
Endometriosis	7%	Egg or embryo banking	51%
Tubal factor	10%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	19%	Other, infertility	8%
Uterine factor	5%	Other, non-infertility	9%
PGT	9%	Unexplained	9%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

COLORADO CENTER FOR REPRODUCTIVE MEDICINE
LONE TREE, COLORADO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by William B. Schoolcraft, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	424	333	396	209	151
Percentage of intended retrievals resulting in live births	63.9%	48.3%	34.1%	20.1%	5.3%
Percentage of intended retrievals resulting in singleton live births	52.1%	37.2%	27.3%	17.7%	5.3%
Number of **retrievals**	402	316	372	195	139
Percentage of retrievals resulting in live births	67.4%	50.9%	36.3%	21.5%	5.8%
Percentage of retrievals resulting in singleton live births	55.0%	39.2%	29.0%	19.0%	5.8%
Number of **transfers**	407	251	207	61	20
Percentage of transfers resulting in live births	66.6%	64.1%	65.2%	68.9%	40.0%
Percentage of transfers resulting in singleton live births	54.3%	49.4%	52.2%	60.7%	40.0%
Number of intended retrievals per live birth	1.6	2.1	2.9	5.0	18.9
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	69.7%	57.9%	37.3%	22.2%	1.8%
Percentage of new patients having live births after 1 or 2 intended retrievals	73.3%	60.4%	43.0%	31.1%	5.3%
Percentage of new patients having live births after all intended retrievals	73.7%	60.9%	43.5%	33.3%	7.0%
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.4	1.6
Average number of transfers per intended retrieval	1.0	0.9	0.6	0.3	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	13	215	14
Percentage of transfers resulting in live births	5 / 7	7 / 13	64.2%	9 / 14
Percentage of transfers resulting in singleton live births	* / 7	6 / 13	54.4%	8 / 14

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	951	857	828	443	413	3,492
Percentage of cycles cancelled prior to retrieval or thaw	1.3%	1.6%	3.7%	4.5%	3.1%	2.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.4%	3.3%	5.4%	11.1%	13.6%	5.8%
Percentage of cycles for fertility preservation	7.8%	11.1%	8.9%	5.9%	3.4%	8.1%
Percentage of transfers using a gestational carrier	3.2%	5.6%	6.2%	9.6%	14.6%	6.6%
Percentage of transfers using frozen embryos	92.2%	96.8%	98.6%	96.6%	97.2%	95.9%
Percentage of transfers of at least one embryo with ICSI	92.0%	91.2%	85.1%	84.3%	64.8%	86.0%
Percentage of transfers of at least one embryo with PGT	72.2%	81.3%	85.9%	85.4%	76.1%	79.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	25%	Diminished ovarian reserve	40%
Endometriosis	8%	Egg or embryo banking	51%
Tubal factor	6%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	9%	Other, infertility	48%
Uterine factor	10%	Other, non-infertility	42%
PGT	5%	Unexplained	10%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTER FOR ADVANCED REPRODUCTIVE SERVICES
FARMINGTON, CONNECTICUT

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by John C. Nulsen, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	362	235	250	142	70
Percentage of intended retrievals resulting in live births	57.2%	47.2%	23.2%	13.4%	5.7%
Percentage of intended retrievals resulting in singleton live births	51.1%	37.4%	18.4%	12.0%	5.7%
Number of **retrievals**	341	206	221	109	54
Percentage of retrievals resulting in live births	60.7%	53.9%	26.2%	17.4%	7.4%
Percentage of retrievals resulting in singleton live births	54.3%	42.7%	20.8%	15.6%	7.4%
Number of **transfers**	387	199	153	57	23
Percentage of transfers resulting in live births	53.5%	55.8%	37.9%	33.3%	17.4%
Percentage of transfers resulting in singleton live births	47.8%	44.2%	30.1%	29.8%	17.4%
Number of intended retrievals per live birth	1.7	2.1	4.3	7.5	17.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	64.3%	49.1%	27.5%	11.6%	13.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	70.6%	62.0%	37.4%	16.3%	17.4%
Percentage of new patients having live births after all intended retrievals	71.5%	65.7%	41.8%	25.6%	17.4%
Average number of intended retrievals per new patient	1.2	1.3	1.7	1.8	1.6
Average number of transfers per intended retrieval	1.1	0.9	0.6	0.5	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	41	28	*
Percentage of transfers resulting in live births	* / 6	48.8%	60.7%	* / *
Percentage of transfers resulting in singleton live births	* / 6	39.0%	53.6%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	691	427	330	171	135	1,754
Percentage of cycles cancelled prior to retrieval or thaw	5.6%	9.4%	12.4%	14.0%	14.8%	9.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.7%	9.8%	10.0%	17.0%	6.7%	9.9%
Percentage of cycles for fertility preservation	3.5%	2.1%	3.0%	1.2%	0.7%	2.6%
Percentage of transfers using a gestational carrier	0.4%	1.1%	1.2%	1.2%	0.0%	0.7%
Percentage of transfers using frozen embryos	55.4%	55.7%	58.3%	45.8%	47.0%	54.6%
Percentage of transfers of at least one embryo with ICSI	81.2%	78.9%	85.7%	86.7%	69.9%	80.9%
Percentage of transfers of at least one embryo with PGT	14.0%	18.2%	34.5%	16.9%	12.0%	18.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	12%
Endometriosis	11%	Egg or embryo banking	20%
Tubal factor	11%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	18%	Other, infertility	16%
Uterine factor	9%	Other, non-infertility	1%
PGT	7%	Unexplained	15%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

GREENWICH FERTILITY AND IVF CENTER, PC
GREENWICH, CONNECTICUT

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Barry R. Witt, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	93	86	62	60	25
Percentage of intended retrievals resulting in live births	52.7%	44.2%	38.7%	13.3%	8.0%
Percentage of intended retrievals resulting in singleton live births	52.7%	44.2%	38.7%	13.3%	4.0%
Number of **retrievals**	87	79	54	45	18
Percentage of retrievals resulting in live births	56.3%	48.1%	44.4%	17.8%	* / 18
Percentage of retrievals resulting in singleton live births	56.3%	48.1%	44.4%	17.8%	* / 18
Number of **transfers**	104	64	37	19	*
Percentage of transfers resulting in live births	47.1%	59.4%	64.9%	8 / 19	* / *
Percentage of transfers resulting in singleton live births	47.1%	59.4%	64.9%	8 / 19	* / *
Number of intended retrievals per live birth	1.9	2.3	2.6	7.5	12.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	55.0%	42.1%	42.3%	* / 19	* / 12
Percentage of new patients having live births after 1 or 2 intended retrievals	63.3%	57.9%	46.2%	* / 19	* / 12
Percentage of new patients having live births after all intended retrievals	63.3%	57.9%	46.2%	5 / 19	* / 12
Average number of intended retrievals per new patient	1.1	1.4	1.3	1.7	1.3
Average number of transfers per intended retrieval	1.2	0.7	0.5	0.3	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	10	28	0
Percentage of transfers resulting in live births		7 / 10	35.7%	
Percentage of transfers resulting in singleton live births		7 / 10	35.7%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	218	183	186	53	76	716
Percentage of cycles cancelled prior to retrieval or thaw	5.0%	8.7%	8.6%	13.2%	21.1%	9.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.5%	1.6%	7.5%	13.2%	9.2%	6.0%
Percentage of cycles for fertility preservation	10.6%	7.7%	4.3%	0.0%	3.9%	6.7%
Percentage of transfers using a gestational carrier	8.7%	9.2%	3.8%	* / 18	19.4%	9.0%
Percentage of transfers using frozen embryos	76.2%	83.7%	86.1%	15 / 18	80.6%	81.2%
Percentage of transfers of at least one embryo with ICSI	43.7%	31.6%	40.5%	7 / 18	25.0%	37.5%
Percentage of transfers of at least one embryo with PGT	48.4%	65.3%	78.5%	14 / 18	44.4%	60.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	30%
Endometriosis	2%	Egg or embryo banking	39%
Tubal factor	7%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	5%	Other, infertility	11%
Uterine factor	2%	Other, non-infertility	6%
PGT	4%	Unexplained	26%
Gestational carrier	5%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

YALE FERTILITY CENTER
NEW HAVEN, CONNECTICUT

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Pasquale Patrizio, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	129	103	95	49	42
Percentage of intended retrievals resulting in live births	62.8%	39.8%	20.0%	12.2%	7.1%
Percentage of intended retrievals resulting in singleton live births	51.9%	27.2%	18.9%	12.2%	7.1%
Number of **retrievals**	117	82	67	37	30
Percentage of retrievals resulting in live births	69.2%	50.0%	28.4%	16.2%	10.0%
Percentage of retrievals resulting in singleton live births	57.3%	34.1%	26.9%	16.2%	10.0%
Number of **transfers**	130	85	56	26	19
Percentage of transfers resulting in live births	62.3%	48.2%	33.9%	23.1%	* / 19
Percentage of transfers resulting in singleton live births	51.5%	32.9%	32.1%	23.1%	* / 19
Number of intended retrievals per live birth	1.6	2.5	5.0	8.2	14.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	69.6%	44.8%	26.2%	* / 17	0 / 9
Percentage of new patients having live births after 1 or 2 intended retrievals	77.2%	51.7%	28.6%	* / 17	* / 9
Percentage of new patients having live births after all intended retrievals	77.2%	51.7%	28.6%	5 / 17	* / 9
Average number of intended retrievals per new patient	1.1	1.3	1.3	1.2	2.0
Average number of transfers per intended retrieval	1.0	0.9	0.6	0.6	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	7	28	*
Percentage of transfers resulting in live births	5 / 6	* / 7	50.0%	* / *
Percentage of transfers resulting in singleton live births	* / 6	* / 7	39.3%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	247	167	165	77	107	763
Percentage of cycles cancelled prior to retrieval or thaw	7.7%	16.8%	8.5%	10.4%	16.8%	11.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.2%	1.8%	5.5%	10.4%	8.4%	4.8%
Percentage of cycles for fertility preservation	11.7%	10.2%	13.9%	11.7%	4.7%	10.9%
Percentage of transfers using a gestational carrier	1.9%	4.3%	0.0%	0.0%	3.6%	2.1%
Percentage of transfers using frozen embryos	49.0%	54.3%	56.7%	51.4%	56.4%	52.9%
Percentage of transfers of at least one embryo with ICSI	78.7%	89.1%	82.2%	89.2%	89.1%	83.9%
Percentage of transfers of at least one embryo with PGT	10.3%	14.1%	17.8%	16.2%	14.5%	13.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	20%	Diminished ovarian reserve	32%
Endometriosis	7%	Egg or embryo banking	33%
Tubal factor	12%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	14%	Other, infertility	13%
Uterine factor	6%	Other, non-infertility	7%
PGT	4%	Unexplained	14%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE MEDICINE ASSOCIATES OF CONNECTICUT
NORWALK, CONNECTICUT

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mark P. Leondires, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	265	170	221	125	84
Percentage of intended retrievals resulting in live births	54.7%	37.1%	17.2%	7.2%	6.0%
Percentage of intended retrievals resulting in singleton live births	48.3%	34.7%	15.8%	7.2%	6.0%
Number of **retrievals**	249	156	197	104	68
Percentage of retrievals resulting in live births	58.2%	40.4%	19.3%	8.7%	7.4%
Percentage of retrievals resulting in singleton live births	51.4%	37.8%	17.8%	8.7%	7.4%
Number of **transfers**	284	118	114	40	12
Percentage of transfers resulting in live births	51.1%	53.4%	33.3%	22.5%	5 / 12
Percentage of transfers resulting in singleton live births	45.1%	50.0%	30.7%	22.5%	5 / 12
Number of intended retrievals per live birth	1.8	2.7	5.8	13.9	16.8
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	60.5%	41.1%	16.7%	12.8%	9.4%
Percentage of new patients having live births after 1 or 2 intended retrievals	64.4%	52.6%	24.4%	12.8%	12.5%
Percentage of new patients having live births after all intended retrievals	66.7%	54.7%	27.8%	12.8%	12.5%
Average number of intended retrievals per new patient	1.2	1.3	1.6	1.9	1.5
Average number of transfers per intended retrieval	1.1	0.8	0.6	0.4	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	10	109	6
Percentage of transfers resulting in live births	* / 6	* / 10	68.8%	* / 6
Percentage of transfers resulting in singleton live births	* / 6	* / 10	65.1%	* / 6

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	584	437	402	196	222	1,841
Percentage of cycles cancelled prior to retrieval or thaw	6.7%	8.2%	11.4%	14.3%	19.4%	10.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.4%	8.9%	14.7%	24.0%	10.8%	12.2%
Percentage of cycles for fertility preservation	5.7%	5.7%	4.7%	2.0%	0.9%	4.5%
Percentage of transfers using a gestational carrier	5.2%	7.5%	12.3%	15.3%	33.0%	10.6%
Percentage of transfers using frozen embryos	75.0%	81.5%	85.3%	89.8%	87.5%	80.9%
Percentage of transfers of at least one embryo with ICSI	62.5%	62.6%	58.3%	64.4%	67.0%	62.3%
Percentage of transfers of at least one embryo with PGT	42.7%	57.7%	57.1%	76.3%	60.2%	53.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	19%	Diminished ovarian reserve	37%
Endometriosis	7%	Egg or embryo banking	39%
Tubal factor	10%	Recurrent pregnancy loss	15%
Ovulatory dysfunction	13%	Other, infertility	68%
Uterine factor	10%	Other, non-infertility	5%
PGT	61%	Unexplained	5%
Gestational carrier	6%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NEW ENGLAND FERTILITY INSTITUTE
STAMFORD, CONNECTICUT

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Gad Lavy, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	25	10	44	14	33
Percentage of intended retrievals resulting in live births	48.0%	* / 10	6.8%	* / 14	3.0%
Percentage of intended retrievals resulting in singleton live births	24.0%	* / 10	0.0%	* / 14	3.0%
Number of **retrievals**	23	10	31	14	22
Percentage of retrievals resulting in live births	52.2%	* / 10	9.7%	* / 14	4.5%
Percentage of retrievals resulting in singleton live births	26.1%	* / 10	0.0%	* / 14	4.5%
Number of **transfers**	24	8	13	7	10
Percentage of transfers resulting in live births	50.0%	* / 8	* / 13	* / 7	* / 10
Percentage of transfers resulting in singleton live births	25.0%	* / 8	0 / 13	* / 7	* / 10
Number of intended retrievals per live birth	2.1	3.3	14.7	7.0	33.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	5 / 11	* / *	* / 14	* / 5	* / 15
Percentage of new patients having live births after 1 or 2 intended retrievals	7 / 11	* / *	* / 14	* / 5	* / 15
Percentage of new patients having live births after all intended retrievals	7 / 11	* / *	* / 14	* / 5	* / 15
Average number of intended retrievals per new patient	1.3	1.0	1.4	1.0	1.4
Average number of transfers per intended retrieval	0.9	0.8	0.4	0.4	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	112	10
Percentage of transfers resulting in live births	0 / *	0 / *	42.0%	* / 10
Percentage of transfers resulting in singleton live births	0 / *	0 / *	36.6%	* / 10

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	92	86	75	61	165	479
Percentage of cycles cancelled prior to retrieval or thaw	8.7%	3.5%	8.0%	3.3%	8.5%	6.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.7%	12.8%	9.3%	8.2%	7.3%	9.0%
Percentage of cycles for fertility preservation	2.2%	4.7%	6.7%	0.0%	0.0%	2.3%
Percentage of transfers using a gestational carrier	22.5%	55.3%	30.6%	58.3%	55.2%	46.7%
Percentage of transfers using frozen embryos	85.0%	86.8%	86.1%	97.2%	91.7%	89.8%
Percentage of transfers of at least one embryo with ICSI	75.0%	73.7%	61.1%	52.8%	75.0%	69.5%
Percentage of transfers of at least one embryo with PGT	40.0%	57.9%	47.2%	66.7%	63.5%	56.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	4%	Diminished ovarian reserve	40%
Endometriosis	2%	Egg or embryo banking	38%
Tubal factor	<1%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	9%	Other, infertility	28%
Uterine factor	4%	Other, non-infertility	24%
PGT	4%	Unexplained	14%
Gestational carrier	15%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

PARK AVENUE FERTILITY AND REPRODUCTIVE MEDICINE
TRUMBULL, CONNECTICUT

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Andrew J Levi, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	44	34	42	16	13
Percentage of intended retrievals resulting in live births	59.1%	29.4%	19.0%	* / 16	0 / 13
Percentage of intended retrievals resulting in singleton live births	52.3%	29.4%	16.7%	* / 16	0 / 13
Number of **retrievals**	41	32	29	13	10
Percentage of retrievals resulting in live births	63.4%	31.3%	27.6%	* / 13	0 / 10
Percentage of retrievals resulting in singleton live births	56.1%	31.3%	24.1%	* / 13	0 / 10
Number of **transfers**	38	22	19	8	5
Percentage of transfers resulting in live births	68.4%	45.5%	8 / 19	* / 8	0 / 5
Percentage of transfers resulting in singleton live births	60.5%	45.5%	7 / 19	* / 8	0 / 5
Number of intended retrievals per live birth	1.7	3.4	5.3	5.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	58.3%	* / 14	15.0%	* / *	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	75.0%	6 / 14	30.0%	* / *	0 / 6
Percentage of new patients having live births after all intended retrievals	79.2%	6 / 14	30.0%	* / *	0 / 6
Average number of intended retrievals per new patient	1.4	1.8	1.5	1.8	1.5
Average number of transfers per intended retrieval	0.8	0.5	0.4	0.6	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	25	0
Percentage of transfers resulting in live births			44.0%	
Percentage of transfers resulting in singleton live births			44.0%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	74	68	67	18	31	258
Percentage of cycles cancelled prior to retrieval or thaw	12.2%	5.9%	11.9%	6 / 18	19.4%	12.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.4%	11.8%	10.4%	* / 18	12.9%	9.3%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 18	0.0%	0.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	3.0%	0 / 7	* / 19	2.7%
Percentage of transfers using frozen embryos	57.4%	75.0%	60.6%	* / 7	16 / 19	66.4%
Percentage of transfers of at least one embryo with ICSI	91.5%	97.5%	93.9%	6 / 7	19 / 19	94.5%
Percentage of transfers of at least one embryo with PGT	14.9%	12.5%	30.3%	* / 7	* / 19	18.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	21%	Diminished ovarian reserve	31%
Endometriosis	2%	Egg or embryo banking	21%
Tubal factor	12%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	3%	Other, infertility	5%
Uterine factor	1%	Other, non-infertility	1%
PGT	2%	Unexplained	27%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

DELAWARE INSTITUTE FOR REPRODUCTIVE MEDICINE, PA
NEWARK, DELAWARE

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jeffrey B. Russell, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	76	35	40	14	12
Percentage of intended retrievals resulting in live births	26.3%	11.4%	12.5%	0 / 14	0 / 12
Percentage of intended retrievals resulting in singleton live births	25.0%	11.4%	10.0%	0 / 14	0 / 12
Number of **retrievals**	75	31	33	13	11
Percentage of retrievals resulting in live births	26.7%	12.9%	15.2%	0 / 13	0 / 11
Percentage of retrievals resulting in singleton live births	25.3%	12.9%	12.1%	0 / 13	0 / 11
Number of **transfers**	86	20	17	*	*
Percentage of transfers resulting in live births	23.3%	20.0%	5 / 17	0 / *	0 / *
Percentage of transfers resulting in singleton live births	22.1%	20.0%	* / 17	0 / *	0 / *
Number of intended retrievals per live birth	3.8	8.8	8.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	31.0%	15.0%	* / 19	0 / *	0 / 9
Percentage of new patients having live births after 1 or 2 intended retrievals	31.0%	15.0%	* / 19	0 / *	0 / 9
Percentage of new patients having live births after all intended retrievals	32.8%	20.0%	* / 19	0 / *	0 / 9
Average number of intended retrievals per new patient	1.1	1.3	1.4	1.3	1.2
Average number of transfers per intended retrieval	1.2	0.5	0.5	0.3	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	12	40
Percentage of transfers resulting in live births			* / 12	22.5%
Percentage of transfers resulting in singleton live births			* / 12	20.0%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	178	64	64	34	32	372
Percentage of cycles cancelled prior to retrieval or thaw	9.0%	7.8%	9.4%	14.7%	21.9%	10.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	21.3%	26.6%	26.6%	14.7%	31.3%	23.4%
Percentage of cycles for fertility preservation	1.1%	0.0%	0.0%	0.0%	0.0%	0.5%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	0 / 15	0.0%
Percentage of transfers using frozen embryos	100.0%	94.6%	100.0%	95.0%	15 / 15	98.5%
Percentage of transfers of at least one embryo with ICSI	86.3%	67.6%	75.0%	35.0%	0 / 15	69.5%
Percentage of transfers of at least one embryo with PGT	51.6%	83.8%	66.7%	65.0%	9 / 15	62.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	10%	Diminished ovarian reserve	15%
Endometriosis	23%	Egg or embryo banking	15%
Tubal factor	27%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	2%	Other, infertility	24%
Uterine factor	<1%	Other, non-infertility	0%
PGT	20%	Unexplained	17%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

RADFERTILITY
NEWARK, DELAWARE

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ronald F. Feinberg, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	119	72	44	25	12
Percentage of intended retrievals resulting in live births	61.3%	38.9%	34.1%	20.0%	0 / 12
Percentage of intended retrievals resulting in singleton live births	57.1%	38.9%	34.1%	20.0%	0 / 12
Number of **retrievals**	101	62	36	23	7
Percentage of retrievals resulting in live births	72.3%	45.2%	41.7%	21.7%	0 / 7
Percentage of retrievals resulting in singleton live births	67.3%	45.2%	41.7%	21.7%	0 / 7
Number of **transfers**	134	52	23	10	0
Percentage of transfers resulting in live births	54.5%	53.8%	65.2%	5 / 10	
Percentage of transfers resulting in singleton live births	50.7%	53.8%	65.2%	5 / 10	
Number of intended retrievals per live birth	1.6	2.6	2.9	5.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	62.9%	50.0%	40.0%	* / 8	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	73.0%	62.5%	50.0%	* / 8	0 / 5
Percentage of new patients having live births after all intended retrievals	74.2%	65.0%	60.0%	* / 8	0 / 5
Average number of intended retrievals per new patient	1.2	1.5	1.6	1.9	1.6
Average number of transfers per intended retrieval	1.2	0.7	0.5	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	7	30	*
Percentage of transfers resulting in live births	0 / *	* / 7	46.7%	* / *
Percentage of transfers resulting in singleton live births	0 / *	* / 7	46.7%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	326	131	81	45	42	625
Percentage of cycles cancelled prior to retrieval or thaw	5.5%	7.6%	7.4%	20.0%	14.3%	7.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.1%	4.6%	7.4%	2.2%	2.4%	5.9%
Percentage of cycles for fertility preservation	0.6%	0.0%	1.2%	0.0%	0.0%	0.5%
Percentage of transfers using a gestational carrier	2.0%	1.3%	2.0%	0.0%	3.4%	1.8%
Percentage of transfers using frozen embryos	86.8%	97.5%	95.9%	76.2%	89.7%	89.8%
Percentage of transfers of at least one embryo with ICSI	90.7%	75.9%	89.8%	81.0%	75.9%	85.9%
Percentage of transfers of at least one embryo with PGT	52.7%	65.8%	73.5%	47.6%	55.2%	58.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	38%	Diminished ovarian reserve	28%
Endometriosis	41%	Egg or embryo banking	26%
Tubal factor	35%	Recurrent pregnancy loss	11%
Ovulatory dysfunction	21%	Other, infertility	6%
Uterine factor	52%	Other, non-infertility	2%
PGT	2%	Unexplained	1%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

COLUMBIA FERTILITY ASSOCIATES
WASHINGTON, DISTRICT OF COLUMBIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Safa Rifka, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	91	89	113	64	75
Percentage of intended retrievals resulting in live births	33.0%	23.6%	19.5%	4.7%	0.0%
Percentage of intended retrievals resulting in singleton live births	26.4%	23.6%	16.8%	4.7%	0.0%
Number of **retrievals**	78	74	95	46	54
Percentage of retrievals resulting in live births	38.5%	28.4%	23.2%	6.5%	0.0%
Percentage of retrievals resulting in singleton live births	30.8%	28.4%	20.0%	6.5%	0.0%
Number of **transfers**	81	77	73	30	22
Percentage of transfers resulting in live births	37.0%	27.3%	30.1%	10.0%	0.0%
Percentage of transfers resulting in singleton live births	29.6%	27.3%	26.0%	10.0%	0.0%
Number of intended retrievals per live birth	3.0	4.2	5.1	21.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	42.3%	24.4%	25.0%	0 / 15	0 / 17
Percentage of new patients having live births after 1 or 2 intended retrievals	48.1%	31.7%	34.1%	* / 15	0 / 17
Percentage of new patients having live births after all intended retrievals	50.0%	34.1%	36.4%	* / 15	0 / 17
Average number of intended retrievals per new patient	1.3	1.3	1.4	2.2	1.9
Average number of transfers per intended retrieval	1.0	1.0	0.6	0.4	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	21	*
Percentage of transfers resulting in live births	* / *	0 / *	61.9%	* / *
Percentage of transfers resulting in singleton live births	* / *	0 / *	42.9%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	148	168	145	112	129	702
Percentage of cycles cancelled prior to retrieval or thaw	6.1%	8.3%	6.9%	16.1%	14.0%	9.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	10.8%	6.5%	6.2%	7.1%	13.2%	8.7%
Percentage of cycles for fertility preservation	13.5%	8.9%	15.9%	8.9%	8.5%	11.3%
Percentage of transfers using a gestational carrier	2.5%	5.7%	4.0%	13.5%	20.6%	8.4%
Percentage of transfers using frozen embryos	66.7%	68.2%	70.7%	48.1%	58.7%	63.8%
Percentage of transfers of at least one embryo with ICSI	74.1%	80.7%	72.0%	76.9%	58.7%	73.0%
Percentage of transfers of at least one embryo with PGT	24.7%	31.8%	34.7%	23.1%	15.9%	26.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	26%	Diminished ovarian reserve	22%
Endometriosis	3%	Egg or embryo banking	35%
Tubal factor	4%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	15%	Other, infertility	43%
Uterine factor	2%	Other, non-infertility	1%
PGT	20%	Unexplained	6%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

GEORGE WASHINGTON UNIVERSITY MEDICAL FACULTY ASSOCIATES
WASHINGTON, DISTRICT OF COLUMBIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by David Frankfurter, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	61	65	60	27	22
Percentage of intended retrievals resulting in live births	27.9%	33.8%	18.3%	11.1%	0.0%
Percentage of intended retrievals resulting in singleton live births	27.9%	30.8%	18.3%	7.4%	0.0%
Number of **retrievals**	53	60	54	25	15
Percentage of retrievals resulting in live births	32.1%	36.7%	20.4%	12.0%	0 / 15
Percentage of retrievals resulting in singleton live births	32.1%	33.3%	20.4%	8.0%	0 / 15
Number of **transfers**	58	43	43	15	14
Percentage of transfers resulting in live births	29.3%	51.2%	25.6%	* / 15	0 / 14
Percentage of transfers resulting in singleton live births	29.3%	46.5%	25.6%	* / 15	0 / 14
Number of intended retrievals per live birth	3.6	3.0	5.5	9.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	31.4%	29.4%	9.1%	* / 9	0 / 11
Percentage of new patients having live births after 1 or 2 intended retrievals	34.3%	44.1%	18.2%	* / 9	0 / 11
Percentage of new patients having live births after all intended retrievals	40.0%	52.9%	27.3%	* / 9	0 / 11
Average number of intended retrievals per new patient	1.5	1.5	1.8	1.7	1.5
Average number of transfers per intended retrieval	0.8	0.6	0.6	0.6	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	14	8	0
Percentage of transfers resulting in live births	0 / *	* / 14	* / 8	
Percentage of transfers resulting in singleton live births	0 / *	* / 14	* / 8	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	137	165	129	63	36	530
Percentage of cycles cancelled prior to retrieval or thaw	6.6%	11.5%	10.9%	14.3%	8.3%	10.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.4%	9.1%	7.0%	6.3%	8.3%	7.0%
Percentage of cycles for fertility preservation	13.9%	7.9%	7.8%	3.2%	0.0%	8.3%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using frozen embryos	76.8%	66.7%	70.3%	50.0%	42.9%	65.4%
Percentage of transfers of at least one embryo with ICSI	95.7%	83.3%	87.8%	90.0%	60.7%	86.1%
Percentage of transfers of at least one embryo with PGT	18.8%	8.3%	23.0%	20.0%	7.1%	15.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	19%	Diminished ovarian reserve	25%
Endometriosis	2%	Egg or embryo banking	31%
Tubal factor	4%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	11%	Other, infertility	16%
Uterine factor	1%	Other, non-infertility	1%
PGT	7%	Unexplained	22%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BOCAFERTILITY
BOCA RATON, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Moshe (Maurice) R. Peress, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	29	15	22	8	6
Percentage of intended retrievals resulting in live births	44.8%	6 / 15	31.8%	0 / 8	0 / 6
Percentage of intended retrievals resulting in singleton live births	41.4%	* / 15	31.8%	0 / 8	0 / 6
Number of **retrievals**	28	14	21	7	5
Percentage of retrievals resulting in live births	46.4%	6 / 14	33.3%	0 / 7	0 / 5
Percentage of retrievals resulting in singleton live births	42.9%	* / 14	33.3%	0 / 7	0 / 5
Number of **transfers**	31	15	18	5	*
Percentage of transfers resulting in live births	41.9%	6 / 15	7 / 18	0 / 5	0 / *
Percentage of transfers resulting in singleton live births	38.7%	* / 15	7 / 18	0 / 5	0 / *
Number of intended retrievals per live birth	2.2	2.5	3.1		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	47.8%	* / 12	* / 15	0 / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	52.2%	* / 12	6 / 15	0 / 5	0 / *
Percentage of new patients having live births after all intended retrievals	52.2%	* / 12	7 / 15	0 / 5	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.0	1.3
Average number of transfers per intended retrieval	1.2	1.0	0.8	0.8	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	39	0
Percentage of transfers resulting in live births	* / *		35.9%	
Percentage of transfers resulting in singleton live births	* / *		25.6%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	110	44	45	30	48	277
Percentage of cycles cancelled prior to retrieval or thaw	5.5%	2.3%	4.4%	0.0%	4.2%	4.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.7%	9.1%	8.9%	13.3%	4.2%	6.1%
Percentage of cycles for fertility preservation	1.8%	11.4%	2.2%	0.0%	0.0%	2.9%
Percentage of transfers using a gestational carrier	10.9%	0 / 18	9.1%	* / 15	36.7%	15.7%
Percentage of transfers using frozen embryos	100.0%	18 / 18	100.0%	15 / 15	93.3%	98.6%
Percentage of transfers of at least one embryo with ICSI	50.9%	13 / 18	54.5%	7 / 15	33.3%	50.0%
Percentage of transfers of at least one embryo with PGT	23.6%	* / 18	13.6%	* / 15	13.3%	17.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	57%
Endometriosis	6%	Egg or embryo banking	42%
Tubal factor	12%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	53%	Other, infertility	6%
Uterine factor	5%	Other, non-infertility	1%
PGT	5%	Unexplained	4%
Gestational carrier	6%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

PALM BEACH FERTILITY CENTER
BOCA RATON, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mark S. Denker, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	31	18	23	12	6
Percentage of intended retrievals resulting in live births	48.4%	5 / 18	13.0%	* / 12	0 / 6
Percentage of intended retrievals resulting in singleton live births	32.3%	* / 18	4.3%	* / 12	0 / 6
Number of **retrievals**	29	13	21	9	*
Percentage of retrievals resulting in live births	51.7%	5 / 13	14.3%	* / 9	0 / *
Percentage of retrievals resulting in singleton live births	34.5%	* / 13	4.8%	* / 9	0 / *
Number of **transfers**	35	11	13	6	*
Percentage of transfers resulting in live births	42.9%	5 / 11	* / 13	* / 6	0 / *
Percentage of transfers resulting in singleton live births	28.6%	* / 11	* / 13	* / 6	0 / *
Number of intended retrievals per live birth	2.1	3.6	7.7	4.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.5%	* / 10	* / 17	* / 9	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	54.5%	* / 10	* / 17	* / 9	0 / *
Percentage of new patients having live births after all intended retrievals	54.5%	* / 10	* / 17	* / 9	0 / *
Average number of intended retrievals per new patient	1.0	1.4	1.3	1.3	1.0
Average number of transfers per intended retrieval	1.3	0.6	0.5	0.5	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	27	0
Percentage of transfers resulting in live births	0 / *		48.1%	
Percentage of transfers resulting in singleton live births	0 / *		37.0%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	70	47	53	24	44	238
Percentage of cycles cancelled prior to retrieval or thaw	8.6%	8.5%	17.0%	8.3%	11.4%	10.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.7%	8.5%	13.2%	16.7%	13.6%	10.5%
Percentage of cycles for fertility preservation	18.6%	21.3%	7.5%	25.0%	29.5%	19.3%
Percentage of transfers using a gestational carrier	4.7%	3.4%	19.4%	* / 11	7 / 18	12.9%
Percentage of transfers using frozen embryos	46.5%	51.7%	54.8%	7 / 11	17 / 18	57.6%
Percentage of transfers of at least one embryo with ICSI	86.0%	93.1%	87.1%	11 / 11	16 / 18	89.4%
Percentage of transfers of at least one embryo with PGT	18.6%	17.2%	38.7%	* / 11	9 / 18	26.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	42%	Diminished ovarian reserve	49%
Endometriosis	8%	Egg or embryo banking	30%
Tubal factor	11%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	16%	Other, infertility	13%
Uterine factor	10%	Other, non-infertility	0%
PGT	7%	Unexplained	2%
Gestational carrier	4%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

POLCZ FERTILITY CENTER
BOYNTON BEACH, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Tibor E. Polcz, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	6	5	5	0	0
Percentage of intended retrievals resulting in live births	* / 6	* / 5	* / 5		
Percentage of intended retrievals resulting in singleton live births	* / 6	* / 5	* / 5		
Number of **retrievals**	6	5	5	0	0
Percentage of retrievals resulting in live births	* / 6	* / 5	* / 5		
Percentage of retrievals resulting in singleton live births	* / 6	* / 5	* / 5		
Number of **transfers**	6	6	*	0	0
Percentage of transfers resulting in live births	* / 6	* / 6	* / *		
Percentage of transfers resulting in singleton live births	* / 6	* / 6	* / *		
Number of intended retrievals per live birth	1.5	1.7	2.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 5	* / *	* / *		
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 5	* / *	* / *		
Percentage of new patients having live births after all intended retrievals	* / 5	* / *	* / *		
Average number of intended retrievals per new patient	1.2	1.0	1.3		
Average number of transfers per intended retrieval	1.0	1.3	0.8		

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	11	*	7	0	0	19
Percentage of cycles cancelled prior to retrieval or thaw	0 / 11	0 / *	0 / 7			0 / 19
Percentage of cycles stopped between retrieval and transfer or banking[e]	0 / 11	0 / *	0 / 7			0 / 19
Percentage of cycles for fertility preservation	0 / 11	0 / *	0 / 7			0 / 19
Percentage of transfers using a gestational carrier	0 / 11	0 / *	0 / 7			0 / 19
Percentage of transfers using frozen embryos	* / 11	0 / *	* / 7			5 / 19
Percentage of transfers of at least one embryo with ICSI	* / 11	* / *	* / 7			9 / 19
Percentage of transfers of at least one embryo with PGT	0 / 11	0 / *	0 / 7			0 / 19

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	42%	Diminished ovarian reserve	5%
Endometriosis	16%	Egg or embryo banking	0%
Tubal factor	37%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	11%	Other, infertility	0%
Uterine factor	26%	Other, non-infertility	0%
PGT	0%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FLORIDA FERTILITY INSTITUTE
CLEARWATER, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mark D. Sanchez, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	66	36	28	6	7
Percentage of intended retrievals resulting in live births	30.3%	27.8%	10.7%	0 / 6	0 / 7
Percentage of intended retrievals resulting in singleton live births	24.2%	19.4%	7.1%	0 / 6	0 / 7
Number of **retrievals**	62	34	24	6	7
Percentage of retrievals resulting in live births	32.3%	29.4%	12.5%	0 / 6	0 / 7
Percentage of retrievals resulting in singleton live births	25.8%	20.6%	8.3%	0 / 6	0 / 7
Number of **transfers**	45	30	11	*	*
Percentage of transfers resulting in live births	44.4%	33.3%	* / 11	0 / *	0 / *
Percentage of transfers resulting in singleton live births	35.6%	23.3%	* / 11	0 / *	0 / *
Number of intended retrievals per live birth	3.3	3.6	9.3		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	30.4%	36.0%	* / 12	0 / *	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	32.6%	36.0%	* / 12	0 / *	0 / 5
Percentage of new patients having live births after all intended retrievals	32.6%	36.0%	* / 12	0 / *	0 / 5
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.0	1.0
Average number of transfers per intended retrieval	0.6	0.9	0.5	1.0	0.8

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	7	25	0
Percentage of transfers resulting in live births		* / 7	28.0%	
Percentage of transfers resulting in singleton live births		* / 7	28.0%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	165	46	41	21	17	290
Percentage of cycles cancelled prior to retrieval or thaw	1.8%	4.3%	2.4%	0.0%	0 / 17	2.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.1%	0.0%	7.3%	33.3%	0 / 17	6.9%
Percentage of cycles for fertility preservation	1.8%	2.2%	0.0%	0.0%	0 / 17	1.4%
Percentage of transfers using a gestational carrier	3.9%	9.7%	4.5%	0 / 12	* / 12	6.1%
Percentage of transfers using frozen embryos	74.8%	67.7%	72.7%	8 / 12	11 / 12	73.9%
Percentage of transfers of at least one embryo with ICSI	76.7%	58.1%	81.8%	* / 12	6 / 12	69.4%
Percentage of transfers of at least one embryo with PGT	41.7%	38.7%	59.1%	* / 12	6 / 12	42.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	52%	Diminished ovarian reserve	22%
Endometriosis	8%	Egg or embryo banking	33%
Tubal factor	17%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	15%	Other, infertility	13%
Uterine factor	9%	Other, non-infertility	2%
PGT	1%	Unexplained	3%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CONCEPTIONS FLORIDA: CENTER FOR FERTILITY AND GENETICS
CORAL GABLES, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Armando E. Hernandez-Rey, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	76	61	41	18	7
Percentage of intended retrievals resulting in live births	40.8%	26.2%	26.8%	* / 18	* / 7
Percentage of intended retrievals resulting in singleton live births	26.3%	18.0%	22.0%	* / 18	* / 7
Number of **retrievals**	70	47	34	17	6
Percentage of retrievals resulting in live births	44.3%	34.0%	32.4%	* / 17	* / 6
Percentage of retrievals resulting in singleton live births	28.6%	23.4%	26.5%	* / 17	* / 6
Number of **transfers**	82	38	27	9	*
Percentage of transfers resulting in live births	37.8%	42.1%	40.7%	* / 9	* / *
Percentage of transfers resulting in singleton live births	24.4%	28.9%	33.3%	* / 9	* / *
Number of intended retrievals per live birth	2.5	3.8	3.7	9.0	7.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	44.8%	25.0%	25.0%	0 / 11	* / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	46.6%	31.8%	28.1%	* / 11	* / 5
Percentage of new patients having live births after all intended retrievals	46.6%	31.8%	28.1%	* / 11	* / 5
Average number of intended retrievals per new patient	1.2	1.2	1.1	1.4	1.0
Average number of transfers per intended retrieval	1.1	0.6	0.6	0.5	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	13	21	0
Percentage of transfers resulting in live births	* / *	5 / 13	66.7%	
Percentage of transfers resulting in singleton live births	* / *	* / 13	38.1%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	166	96	71	55	34	422
Percentage of cycles cancelled prior to retrieval or thaw	7.2%	8.3%	9.9%	10.9%	11.8%	8.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	15.7%	11.5%	8.5%	5.5%	5.9%	11.4%
Percentage of cycles for fertility preservation	7.8%	11.5%	11.3%	3.6%	0.0%	8.1%
Percentage of transfers using a gestational carrier	2.4%	2.2%	11.5%	12.5%	3.8%	4.9%
Percentage of transfers using frozen embryos	76.8%	68.9%	61.5%	79.2%	61.5%	71.4%
Percentage of transfers of at least one embryo with ICSI	46.3%	40.0%	30.8%	41.7%	46.2%	42.4%
Percentage of transfers of at least one embryo with PGT	26.8%	33.3%	30.8%	50.0%	11.5%	29.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	20%	Diminished ovarian reserve	49%
Endometriosis	5%	Egg or embryo banking	33%
Tubal factor	5%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	9%	Other, infertility	31%
Uterine factor	3%	Other, non-infertility	4%
PGT	26%	Unexplained	4%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SOUTHWEST FLORIDA FERTILITY CENTER, PA
FORT MYERS, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jacob L. Glock, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	11	5	5	6	7
Percentage of intended retrievals resulting in live births	7 / 11	* / 5	* / 5	* / 6	0 / 7
Percentage of intended retrievals resulting in singleton live births	6 / 11	* / 5	* / 5	* / 6	0 / 7
Number of **retrievals**	11	*	5	6	5
Percentage of retrievals resulting in live births	7 / 11	* / *	* / 5	* / 6	0 / 5
Percentage of retrievals resulting in singleton live births	6 / 11	* / *	* / 5	* / 6	0 / 5
Number of **transfers**	14	5	5	6	*
Percentage of transfers resulting in live births	7 / 14	* / 5	* / 5	* / 6	0 / *
Percentage of transfers resulting in singleton live births	6 / 14	* / 5	* / 5	* / 6	0 / *
Number of intended retrievals per live birth	1.6	5.0	1.3	2.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	6 / 10	0 / *	* / *	* / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	6 / 10	0 / *	* / *	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	6 / 10	0 / *	* / *	* / *	0 / *
Average number of intended retrievals per new patient	1.0	1.0	1.0	1.0	1.5
Average number of transfers per intended retrieval	1.3	1.0	1.0	1.0	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	*	0
Percentage of transfers resulting in live births			* / *	
Percentage of transfers resulting in singleton live births			* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	33	29	18	*	8	90
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	* / 18	* / *	0 / 8	2.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	10.3%	* / 18	0 / *	* / 8	6.7%
Percentage of cycles for fertility preservation	0.0%	3.4%	* / 18	0 / *	* / 8	6.7%
Percentage of transfers using a gestational carrier	3.1%	0.0%	0 / 14	0 / *	0 / *	1.4%
Percentage of transfers using frozen embryos	25.0%	12.5%	0 / 14	0 / *	* / *	16.2%
Percentage of transfers of at least one embryo with ICSI	96.9%	87.5%	14 / 14	* / *	* / *	93.2%
Percentage of transfers of at least one embryo with PGT	3.1%	0.0%	0 / 14	0 / *	0 / *	1.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	28%
Endometriosis	8%	Egg or embryo banking	7%
Tubal factor	31%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	13%	Other, infertility	0%
Uterine factor	3%	Other, non-infertility	0%
PGT	7%	Unexplained	6%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SPECIALISTS IN REPRODUCTIVE MEDICINE & SURGERY, PA
EMBRYO DONATION INTERNATIONAL, PL
FORT MYERS, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Craig R. Sweet, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	31	13	13	*	*
Percentage of intended retrievals resulting in live births	29.0%	5 / 13	* / 13	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	9.7%	* / 13	* / 13	0 / *	0 / *
Number of **retrievals**	28	11	11	*	*
Percentage of retrievals resulting in live births	32.1%	5 / 11	* / 11	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	10.7%	* / 11	* / 11	0 / *	0 / *
Number of **transfers**	32	11	10	*	*
Percentage of transfers resulting in live births	28.1%	5 / 11	* / 10	0 / *	0 / *
Percentage of transfers resulting in singleton live births	9.4%	* / 11	* / 10	0 / *	0 / *
Number of intended retrievals per live birth	3.4	2.6	6.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	28.0%	* / 12	* / 8		0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	32.0%	* / 12	* / 8		0 / *
Percentage of new patients having live births after all intended retrievals	32.0%	* / 12	* / 8		0 / *
Average number of intended retrievals per new patient	1.1	1.0	1.0		1.0
Average number of transfers per intended retrieval	1.1	0.8	0.9		0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	7	31
Percentage of transfers resulting in live births		0 / *	* / 7	51.6%
Percentage of transfers resulting in singleton live births		0 / *	* / 7	35.5%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	48	23	18	11	30	130
Percentage of cycles cancelled prior to retrieval or thaw	6.3%	8.7%	* / 18	* / 11	10.0%	9.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.1%	4.3%	0 / 18	0 / 11	0.0%	1.5%
Percentage of cycles for fertility preservation	0.0%	0.0%	* / 18	0 / 11	0.0%	1.5%
Percentage of transfers using a gestational carrier	0.0%	0 / 17	0 / 13	* / 9	0.0%	1.0%
Percentage of transfers using frozen embryos	55.9%	9 / 17	6 / 13	8 / 9	88.5%	65.7%
Percentage of transfers of at least one embryo with ICSI	91.2%	17 / 17	7 / 13	* / 9	19.2%	62.6%
Percentage of transfers of at least one embryo with PGT	2.9%	* / 17	* / 13	* / 9	19.2%	9.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	8%	Diminished ovarian reserve	33%
Endometriosis	8%	Egg or embryo banking	13%
Tubal factor	8%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	12%	Other, infertility	38%
Uterine factor	3%	Other, non-infertility	10%
PGT	1%	Unexplained	5%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UF HEALTH REPRODUCTIVE MEDICINE AT SPRINGHILL
GAINESVILLE, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Alice S. Rhoton-Vlasak, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	31	6	6	*	0
Percentage of intended retrievals resulting in live births	54.8%	* / 6	* / 6	0 / *	
Percentage of intended retrievals resulting in singleton live births	54.8%	* / 6	* / 6	0 / *	
Number of **retrievals**	28	6	5	*	0
Percentage of retrievals resulting in live births	60.7%	* / 6	* / 5	0 / *	
Percentage of retrievals resulting in singleton live births	60.7%	* / 6	* / 5	0 / *	
Number of **transfers**	38	7	5	*	0
Percentage of transfers resulting in live births	44.7%	* / 7	* / 5	0 / *	
Percentage of transfers resulting in singleton live births	44.7%	* / 7	* / 5	0 / *	
Number of intended retrievals per live birth	1.8	1.5	6.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	58.3%	* / 5	0 / *	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	58.3%	* / 5	* / *	0 / *	
Percentage of new patients having live births after all intended retrievals	58.3%	* / 5	* / *	0 / *	
Average number of intended retrievals per new patient	1.0	1.2	1.5	1.5	
Average number of transfers per intended retrieval	1.3	1.2	1.3	1.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	*	*
Percentage of transfers resulting in live births		* / *	* / *	0 / *
Percentage of transfers resulting in singleton live births		* / *	* / *	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	41	25	23	9	*	101
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	8.0%	8.7%	* / 9	* / *	6.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.8%	12.0%	13.0%	* / 9	* / *	11.9%
Percentage of cycles for fertility preservation	2.4%	0.0%	4.3%	0 / 9	0 / *	2.0%
Percentage of transfers using a gestational carrier	0.0%	0 / 16	* / 15	0 / 6	0 / *	2.9%
Percentage of transfers using frozen embryos	78.1%	8 / 16	8 / 15	* / 6	* / *	65.7%
Percentage of transfers of at least one embryo with ICSI	56.3%	8 / 16	8 / 15	* / 6	0 / *	52.9%
Percentage of transfers of at least one embryo with PGT	6.3%	* / 16	* / 15	* / 6	0 / *	12.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	37%	Diminished ovarian reserve	27%
Endometriosis	11%	Egg or embryo banking	14%
Tubal factor	16%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	25%	Other, infertility	11%
Uterine factor	4%	Other, non-infertility	2%
PGT	8%	Unexplained	9%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ASSISTED FERTILITY PROGRAM
JACKSONVILLE, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Marwan M. Shaykh, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	26	15	6	*	*
Percentage of intended retrievals resulting in live births	61.5%	* / 15	* / 6	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	57.7%	* / 15	0 / 6	0 / *	0 / *
Number of **retrievals**	25	15	5	*	*
Percentage of retrievals resulting in live births	64.0%	* / 15	* / 5	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	60.0%	* / 15	0 / 5	0 / *	0 / *
Number of **transfers**	30	20	6	*	0
Percentage of transfers resulting in live births	53.3%	20.0%	* / 6	0 / *	
Percentage of transfers resulting in singleton live births	50.0%	15.0%	0 / 6	0 / *	
Number of intended retrievals per live birth	1.6	3.8	6.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	59.1%	* / 11	0 / *	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	59.1%	* / 11	0 / *	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	59.1%	* / 11	0 / *	0 / *	0 / *
Average number of intended retrievals per new patient	1.0	1.1	1.0	1.0	1.0
Average number of transfers per intended retrieval	1.1	1.2	1.0	1.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	0	11	*
Percentage of transfers resulting in live births	* / 8		* / 11	0 / *
Percentage of transfers resulting in singleton live births	* / 8		* / 11	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	42	28	15	*	23	111
Percentage of cycles cancelled prior to retrieval or thaw	2.4%	3.6%	* / 15	0 / *	4.3%	3.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	23.8%	10.7%	0 / 15	0 / *	21.7%	16.2%
Percentage of cycles for fertility preservation	0.0%	0.0%	0 / 15	0 / *	0.0%	0.0%
Percentage of transfers using a gestational carrier	0.0%	4.2%	0 / 14	0 / *	0 / 17	1.1%
Percentage of transfers using frozen embryos	54.8%	37.5%	* / 14	0 / *	11 / 17	42.7%
Percentage of transfers of at least one embryo with ICSI	67.7%	62.5%	7 / 14	* / *	13 / 17	66.3%
Percentage of transfers of at least one embryo with PGT	6.5%	8.3%	0 / 14	0 / *	6 / 17	11.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	39%
Endometriosis	1%	Egg or embryo banking	0%
Tubal factor	23%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	17%	Other, infertility	4%
Uterine factor	6%	Other, non-infertility	4%
PGT	13%	Unexplained	3%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BROWN FERTILITY
JACKSONVILLE, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Samuel E. Brown, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	179	72	48	19	5
Percentage of intended retrievals resulting in live births	58.1%	38.9%	41.7%	8 / 19	0 / 5
Percentage of intended retrievals resulting in singleton live births	45.8%	30.6%	31.3%	6 / 19	0 / 5
Number of **retrievals**	177	68	45	19	5
Percentage of retrievals resulting in live births	58.8%	41.2%	44.4%	8 / 19	0 / 5
Percentage of retrievals resulting in singleton live births	46.3%	32.4%	33.3%	6 / 19	0 / 5
Number of **transfers**	238	96	57	20	5
Percentage of transfers resulting in live births	43.7%	29.2%	35.1%	40.0%	0 / 5
Percentage of transfers resulting in singleton live births	34.5%	22.9%	26.3%	30.0%	0 / 5
Number of intended retrievals per live birth	1.7	2.6	2.4	2.4	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	67.7%	33.3%	40.0%	* / 7	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	68.8%	40.0%	44.0%	* / 7	0 / *
Percentage of new patients having live births after all intended retrievals	68.8%	40.0%	44.0%	* / 7	0 / *
Average number of intended retrievals per new patient	1.0	1.1	1.0	1.0	1.0
Average number of transfers per intended retrieval	1.4	1.2	1.4	1.4	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	16	*	45	17
Percentage of transfers resulting in live births	6 / 16	* / *	40.0%	9 / 17
Percentage of transfers resulting in singleton live births	6 / 16	* / *	28.9%	7 / 17

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	317	147	121	49	62	696
Percentage of cycles cancelled prior to retrieval or thaw	0.3%	0.7%	0.0%	0.0%	1.6%	0.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	14.8%	12.9%	9.9%	8.2%	6.5%	12.4%
Percentage of cycles for fertility preservation	1.6%	1.4%	1.7%	0.0%	0.0%	1.3%
Percentage of transfers using a gestational carrier	1.5%	2.4%	0.9%	4.4%	7.0%	2.4%
Percentage of transfers using frozen embryos	60.5%	58.1%	56.6%	55.6%	77.2%	60.5%
Percentage of transfers of at least one embryo with ICSI	100.0%	100.0%	100.0%	100.0%	96.5%	99.7%
Percentage of transfers of at least one embryo with PGT	6.1%	7.3%	2.8%	2.2%	14.0%	6.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	15%	Diminished ovarian reserve	32%
Endometriosis	12%	Egg or embryo banking	2%
Tubal factor	13%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	21%	Other, infertility	24%
Uterine factor	1%	Other, non-infertility	3%
PGT	3%	Unexplained	7%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE
JACKSONVILLE, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Kevin L. Winslow, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	212	98	86	25	6
Percentage of intended retrievals resulting in live births	57.5%	37.8%	27.9%	16.0%	0 / 6
Percentage of intended retrievals resulting in singleton live births	48.6%	32.7%	23.3%	16.0%	0 / 6
Number of **retrievals**	204	90	81	22	5
Percentage of retrievals resulting in live births	59.8%	41.1%	29.6%	18.2%	0 / 5
Percentage of retrievals resulting in singleton live births	50.5%	35.6%	24.7%	18.2%	0 / 5
Number of **transfers**	252	93	64	15	*
Percentage of transfers resulting in live births	48.4%	39.8%	37.5%	* / 15	0 / *
Percentage of transfers resulting in singleton live births	40.9%	34.4%	31.3%	* / 15	0 / *
Number of intended retrievals per live birth	1.7	2.6	3.6	6.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	56.5%	37.2%	25.5%	* / 11	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	63.7%	38.5%	36.4%	* / 11	0 / *
Percentage of new patients having live births after all intended retrievals	63.7%	39.7%	38.2%	* / 11	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.4	1.4	1.3
Average number of transfers per intended retrieval	1.2	0.9	0.7	0.6	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	29	31	68
Percentage of transfers resulting in live births	* / *	51.7%	32.3%	36.8%
Percentage of transfers resulting in singleton live births	* / *	34.5%	32.3%	29.4%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	657	267	235	86	72	1,317
Percentage of cycles cancelled prior to retrieval or thaw	10.0%	10.9%	12.3%	22.1%	20.8%	12.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.2%	3.4%	9.4%	7.0%	6.9%	6.8%
Percentage of cycles for fertility preservation	2.0%	1.9%	0.9%	0.0%	0.0%	1.5%
Percentage of transfers using a gestational carrier	1.7%	0.0%	3.3%	2.1%	5.0%	1.8%
Percentage of transfers using frozen embryos	96.3%	93.6%	84.6%	79.2%	82.5%	91.8%
Percentage of transfers of at least one embryo with ICSI	84.3%	86.5%	91.1%	79.2%	67.5%	84.7%
Percentage of transfers of at least one embryo with PGT	40.6%	48.7%	52.8%	27.1%	17.5%	42.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	36%	Diminished ovarian reserve	22%
Endometriosis	7%	Egg or embryo banking	32%
Tubal factor	12%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	13%	Other, infertility	7%
Uterine factor	4%	Other, non-infertility	2%
PGT	3%	Unexplained	25%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

JACKSONVILLE CENTER FOR REPRODUCTIVE MEDICINE
JACKSONVILLE, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michael D. Fox, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	108	58	37	19	*
Percentage of intended retrievals resulting in live births	31.5%	13.8%	18.9%	* / 19	0 / *
Percentage of intended retrievals resulting in singleton live births	26.9%	12.1%	16.2%	* / 19	0 / *
Number of **retrievals**	100	52	34	16	*
Percentage of retrievals resulting in live births	34.0%	15.4%	20.6%	* / 16	0 / *
Percentage of retrievals resulting in singleton live births	29.0%	13.5%	17.6%	* / 16	0 / *
Number of **transfers**	95	41	22	*	*
Percentage of transfers resulting in live births	35.8%	19.5%	31.8%	* / *	0 / *
Percentage of transfers resulting in singleton live births	30.5%	17.1%	27.3%	* / *	0 / *
Number of intended retrievals per live birth	3.2	7.3	5.3	19.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	37.3%	25.0%	* / 18	0 / 10	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	44.8%	25.0%	* / 18	* / 10	0 / *
Percentage of new patients having live births after all intended retrievals	46.3%	25.0%	5 / 18	* / 10	0 / *
Average number of intended retrievals per new patient	1.3	1.4	1.6	1.5	1.5
Average number of transfers per intended retrieval	1.0	0.7	0.5	0.2	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	9	*	22	0
Percentage of transfers resulting in live births	* / 9	* / *	27.3%	
Percentage of transfers resulting in singleton live births	* / 9	* / *	27.3%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	126	93	61	40	35	355
Percentage of cycles cancelled prior to retrieval or thaw	3.2%	7.5%	9.8%	0.0%	17.1%	6.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	15.1%	21.5%	21.3%	27.5%	28.6%	20.6%
Percentage of cycles for fertility preservation	3.2%	5.4%	6.6%	0.0%	0.0%	3.7%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	0 / 19	0.0%
Percentage of transfers using frozen embryos	65.5%	59.6%	63.3%	52.0%	11 / 19	61.5%
Percentage of transfers of at least one embryo with ICSI	31.0%	34.0%	33.3%	28.0%	* / 19	30.7%
Percentage of transfers of at least one embryo with PGT	14.3%	12.8%	16.7%	8.0%	* / 19	13.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	12%	Diminished ovarian reserve	33%
Endometriosis	39%	Egg or embryo banking	18%
Tubal factor	16%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	22%	Other, infertility	10%
Uterine factor	6%	Other, non-infertility	1%
PGT	1%	Unexplained	1%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE MEDICINE ASSOCIATES OF FLORIDA, LLC
LAKE MARY, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by George Patounakis, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	*	0
Percentage of transfers resulting in live births			0 / *	
Percentage of transfers resulting in singleton live births			0 / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	17	10	9	5	*	44
Percentage of cycles cancelled prior to retrieval or thaw	0 / 17	* / 10	0 / 9	* / 5	0 / *	6.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0 / 17	* / 10	* / 9	0 / 5	* / *	9.1%
Percentage of cycles for fertility preservation	0 / 17	0 / 10	* / 9	0 / 5	0 / *	2.3%
Percentage of transfers using a gestational carrier	0 / 7	0 / *	0 / *	0 / *	0 / *	0 / 16
Percentage of transfers using frozen embryos	7 / 7	* / *	* / *	* / *	* / *	16 / 16
Percentage of transfers of at least one embryo with ICSI	7 / 7	* / *	* / *	* / *	0 / *	15 / 16
Percentage of transfers of at least one embryo with PGT	7 / 7	* / *	* / *	* / *	* / *	16 / 16

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	50%	Diminished ovarian reserve	18%
Endometriosis	14%	Egg or embryo banking	61%
Tubal factor	23%	Recurrent pregnancy loss	14%
Ovulatory dysfunction	7%	Other, infertility	5%
Uterine factor	2%	Other, non-infertility	0%
PGT	0%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

FERTILITY CENTER OF ORLANDO
MAITLAND, FLORIDA

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

IVF FLORIDA REPRODUCTIVE ASSOCIATES
MARGATE, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by David I. Hoffman, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	291	176	194	126	58
Percentage of intended retrievals resulting in live births	47.4%	35.2%	19.6%	14.3%	5.2%
Percentage of intended retrievals resulting in singleton live births	44.3%	34.7%	18.6%	13.5%	5.2%
Number of **retrievals**	275	159	167	102	42
Percentage of retrievals resulting in live births	50.2%	39.0%	22.8%	17.6%	7.1%
Percentage of retrievals resulting in singleton live births	46.9%	38.4%	21.6%	16.7%	7.1%
Number of **transfers**	318	159	115	75	19
Percentage of transfers resulting in live births	43.4%	39.0%	33.0%	24.0%	* / 19
Percentage of transfers resulting in singleton live births	40.6%	38.4%	31.3%	22.7%	* / 19
Number of intended retrievals per live birth	2.1	2.8	5.1	7.0	19.3
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	52.8%	34.6%	24.8%	14.5%	8.3%
Percentage of new patients having live births after 1 or 2 intended retrievals	60.0%	45.2%	29.7%	21.8%	12.5%
Percentage of new patients having live births after all intended retrievals	60.5%	46.2%	30.7%	21.8%	12.5%
Average number of intended retrievals per new patient	1.2	1.3	1.3	1.7	1.5
Average number of transfers per intended retrieval	1.1	0.9	0.6	0.5	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	94	86	0
Percentage of transfers resulting in live births	* / *	47.9%	38.4%	
Percentage of transfers resulting in singleton live births	* / *	47.9%	37.2%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	605	428	404	226	226	1,889
Percentage of cycles cancelled prior to retrieval or thaw	5.1%	7.2%	8.4%	15.0%	20.4%	9.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	23.5%	17.3%	13.1%	13.3%	10.2%	17.0%
Percentage of cycles for fertility preservation	3.5%	5.4%	3.2%	2.7%	0.0%	3.3%
Percentage of transfers using a gestational carrier	2.5%	2.9%	3.5%	1.1%	9.4%	3.6%
Percentage of transfers using frozen embryos	92.8%	87.9%	87.1%	71.4%	52.8%	83.0%
Percentage of transfers of at least one embryo with ICSI	59.7%	61.7%	59.6%	54.9%	59.1%	59.6%
Percentage of transfers of at least one embryo with PGT	27.8%	33.5%	46.8%	36.3%	15.7%	31.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	25%	Diminished ovarian reserve	35%
Endometriosis	8%	Egg or embryo banking	26%
Tubal factor	14%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	15%	Other, infertility	51%
Uterine factor	5%	Other, non-infertility	1%
PGT	25%	Unexplained	2%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

VIERA FERTILITY CENTER
MELBOURNE, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Diran J. Chamoun, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	30	15	13	*	*
Percentage of intended retrievals resulting in live births	46.7%	5 / 15	* / 13	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	36.7%	* / 15	* / 13	0 / *	0 / *
Number of **retrievals**	30	14	10	*	*
Percentage of retrievals resulting in live births	46.7%	5 / 14	* / 10	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	36.7%	* / 14	* / 10	0 / *	0 / *
Number of **transfers**	33	13	7	*	*
Percentage of transfers resulting in live births	42.4%	5 / 13	* / 7	0 / *	0 / *
Percentage of transfers resulting in singleton live births	33.3%	* / 13	* / 7	0 / *	0 / *
Number of intended retrievals per live birth	2.1	3.0	13.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	7 / 17	* / 9	0 / 6	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	9 / 17	* / 9	0 / 6	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	9 / 17	* / 9	0 / 6	0 / *	0 / *
Average number of intended retrievals per new patient	1.1	1.0	1.0	1.5	1.0
Average number of transfers per intended retrieval	1.2	1.0	1.0	0.7	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	5	7	0
Percentage of transfers resulting in live births	* / *	* / 5	* / 7	
Percentage of transfers resulting in singleton live births	* / *	* / 5	* / 7	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	79	37	23	13	6	158
Percentage of cycles cancelled prior to retrieval or thaw	1.3%	8.1%	4.3%	* / 13	0 / 6	4.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	10.1%	16.2%	8.7%	* / 13	0 / 6	10.8%
Percentage of cycles for fertility preservation	1.3%	0.0%	8.7%	0 / 13	0 / 6	1.9%
Percentage of transfers using a gestational carrier	4.4%	0 / 19	* / 9	0 / 8	0 / 6	3.4%
Percentage of transfers using frozen embryos	75.6%	10 / 19	6 / 9	5 / 8	* / 6	66.7%
Percentage of transfers of at least one embryo with ICSI	80.0%	14 / 19	8 / 9	7 / 8	* / 6	79.3%
Percentage of transfers of at least one embryo with PGT	40.0%	* / 19	* / 9	* / 8	0 / 6	29.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	50%	Diminished ovarian reserve	32%
Endometriosis	9%	Egg or embryo banking	30%
Tubal factor	28%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	34%	Other, infertility	49%
Uterine factor	14%	Other, non-infertility	11%
PGT	1%	Unexplained	1%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY & IVF CENTER OF MIAMI, INC.
MIAMI, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michael H. Jacobs, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	73	50	82	34	20
Percentage of intended retrievals resulting in live births	42.5%	36.0%	14.6%	8.8%	0.0%
Percentage of intended retrievals resulting in singleton live births	34.2%	28.0%	11.0%	5.9%	0.0%
Number of **retrievals**	69	45	72	30	16
Percentage of retrievals resulting in live births	44.9%	40.0%	16.7%	10.0%	0 / 16
Percentage of retrievals resulting in singleton live births	36.2%	31.1%	12.5%	6.7%	0 / 16
Number of **transfers**	67	34	39	14	*
Percentage of transfers resulting in live births	46.3%	52.9%	30.8%	* / 14	0 / *
Percentage of transfers resulting in singleton live births	37.3%	41.2%	23.1%	* / 14	0 / *
Number of intended retrievals per live birth	2.4	2.8	6.8	11.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	46.8%	42.9%	11.8%	0 / 16	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	53.2%	46.4%	23.5%	* / 16	0 / 6
Percentage of new patients having live births after all intended retrievals	53.2%	46.4%	26.5%	* / 16	0 / 6
Average number of intended retrievals per new patient	1.1	1.2	1.6	1.5	1.3
Average number of transfers per intended retrieval	0.9	0.8	0.4	0.5	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	67	*
Percentage of transfers resulting in live births		0 / *	46.3%	* / *
Percentage of transfers resulting in singleton live births		0 / *	38.8%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	138	124	140	57	111	570
Percentage of cycles cancelled prior to retrieval or thaw	2.9%	6.5%	6.4%	8.8%	10.8%	6.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.3%	7.3%	20.7%	22.8%	20.7%	14.0%
Percentage of cycles for fertility preservation	2.9%	7.3%	1.4%	0.0%	0.9%	2.8%
Percentage of transfers using a gestational carrier	11.4%	12.5%	10.7%	21.7%	56.5%	20.1%
Percentage of transfers using frozen embryos	93.7%	93.8%	92.9%	91.3%	97.8%	94.0%
Percentage of transfers of at least one embryo with ICSI	94.9%	85.9%	87.5%	73.9%	63.0%	84.0%
Percentage of transfers of at least one embryo with PGT	78.5%	75.0%	73.2%	73.9%	82.6%	76.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	41%	Diminished ovarian reserve	37%
Endometriosis	4%	Egg or embryo banking	41%
Tubal factor	15%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	15%	Other, infertility	79%
Uterine factor	16%	Other, non-infertility	52%
PGT	44%	Unexplained	1%
Gestational carrier	9%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY OF MIAMI INFERTILITY CENTER
MIAMI, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by George R. Attia, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	61	31	39	7	*
Percentage of intended retrievals resulting in live births	45.9%	41.9%	20.5%	0 / 7	0 / *
Percentage of intended retrievals resulting in singleton live births	21.3%	35.5%	10.3%	0 / 7	0 / *
Number of **retrievals**	58	30	35	7	*
Percentage of retrievals resulting in live births	48.3%	43.3%	22.9%	0 / 7	0 / *
Percentage of retrievals resulting in singleton live births	22.4%	36.7%	11.4%	0 / 7	0 / *
Number of **transfers**	54	25	28	5	*
Percentage of transfers resulting in live births	51.9%	52.0%	28.6%	0 / 5	0 / *
Percentage of transfers resulting in singleton live births	24.1%	44.0%	14.3%	0 / 5	0 / *
Number of intended retrievals per live birth	2.2	2.4	4.9		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	44.7%	50.0%	23.1%	0 / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	44.7%	50.0%	23.1%	0 / 5	0 / *
Percentage of new patients having live births after all intended retrievals	44.7%	50.0%	23.1%	0 / 5	0 / *
Average number of intended retrievals per new patient	1.0	1.0	1.1	1.0	1.0
Average number of transfers per intended retrieval	0.8	0.9	0.7	0.6	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	*	0
Percentage of transfers resulting in live births		* / *	* / *	
Percentage of transfers resulting in singleton live births		* / *	* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	99	67	61	24	21	272
Percentage of cycles cancelled prior to retrieval or thaw	5.1%	7.5%	9.8%	0.0%	9.5%	6.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.0%	4.5%	3.3%	4.2%	14.3%	4.0%
Percentage of cycles for fertility preservation	11.1%	1.5%	4.9%	0.0%	0.0%	5.5%
Percentage of transfers using a gestational carrier	2.4%	2.7%	0.0%	0 / 19	* / 12	2.8%
Percentage of transfers using frozen embryos	66.7%	67.6%	48.5%	10 / 19	7 / 12	60.1%
Percentage of transfers of at least one embryo with ICSI	100.0%	94.6%	97.0%	12 / 19	7 / 12	89.5%
Percentage of transfers of at least one embryo with PGT	50.0%	43.2%	33.3%	* / 19	5 / 12	37.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	31%
Endometriosis	1%	Egg or embryo banking	37%
Tubal factor	36%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	1%	Other, infertility	11%
Uterine factor	2%	Other, non-infertility	2%
PGT	2%	Unexplained	15%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NEW LEADERS IN FERTILITY & ENDOCRINOLOGY, LLC
PENSACOLA, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Barry A. Ripps, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	109	54	21	5	6
Percentage of intended retrievals resulting in live births	52.3%	42.6%	33.3%	* / 5	0 / 6
Percentage of intended retrievals resulting in singleton live births	47.7%	38.9%	28.6%	* / 5	0 / 6
Number of **retrievals**	98	50	19	5	*
Percentage of retrievals resulting in live births	58.2%	46.0%	7 / 19	* / 5	0 / *
Percentage of retrievals resulting in singleton live births	53.1%	42.0%	6 / 19	* / 5	0 / *
Number of **transfers**	117	50	15	*	0
Percentage of transfers resulting in live births	48.7%	46.0%	7 / 15	* / *	
Percentage of transfers resulting in singleton live births	44.4%	42.0%	6 / 15	* / *	
Number of intended retrievals per live birth	1.9	2.3	3.0	5.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.5%	40.6%	5 / 15	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	59.7%	50.0%	5 / 15	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	61.0%	50.0%	5 / 15	* / *	0 / *
Average number of intended retrievals per new patient	1.2	1.3	1.1	1.7	1.5
Average number of transfers per intended retrieval	1.1	0.9	0.8	0.4	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	17	9	*
Percentage of transfers resulting in live births		7 / 17	* / 9	0 / *
Percentage of transfers resulting in singleton live births		7 / 17	* / 9	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	200	70	37	10	29	346
Percentage of cycles cancelled prior to retrieval or thaw	4.5%	7.1%	8.1%	0 / 10	27.6%	7.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.5%	7.1%	21.6%	* / 10	0.0%	7.8%
Percentage of cycles for fertility preservation	0.5%	0.0%	0.0%	0 / 10	0.0%	0.3%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 7	0.0%	0.0%
Percentage of transfers using frozen embryos	63.2%	70.0%	54.5%	* / 7	35.0%	60.6%
Percentage of transfers of at least one embryo with ICSI	92.1%	100.0%	95.5%	7 / 7	65.0%	92.0%
Percentage of transfers of at least one embryo with PGT	7.2%	34.0%	36.4%	* / 7	5.0%	15.5%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	19%
Endometriosis	14%	Egg or embryo banking	16%
Tubal factor	10%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	11%	Other, infertility	2%
Uterine factor	1%	Other, non-infertility	0%
PGT	1%	Unexplained	13%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY & GENETICS
PLANTATION, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mick Abaé, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	54	28	29	14	7
Percentage of intended retrievals resulting in live births	48.1%	39.3%	10.3%	0 / 14	* / 7
Percentage of intended retrievals resulting in singleton live births	48.1%	39.3%	10.3%	0 / 14	* / 7
Number of **retrievals**	53	27	28	11	7
Percentage of retrievals resulting in live births	49.1%	40.7%	10.7%	0 / 11	* / 7
Percentage of retrievals resulting in singleton live births	49.1%	40.7%	10.7%	0 / 11	* / 7
Number of **transfers**	58	22	16	*	*
Percentage of transfers resulting in live births	44.8%	50.0%	* / 16	0 / *	* / *
Percentage of transfers resulting in singleton live births	44.8%	50.0%	* / 16	0 / *	* / *
Number of intended retrievals per live birth	2.1	2.5	9.7		7.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	50.0%	42.9%	* / 18	0 / 8	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	54.8%	47.6%	* / 18	0 / 8	* / 6
Percentage of new patients having live births after all intended retrievals	54.8%	47.6%	* / 18	0 / 8	* / 6
Average number of intended retrievals per new patient	1.1	1.1	1.2	1.1	1.2
Average number of transfers per intended retrieval	1.1	0.8	0.7	0.1	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	*	*
Percentage of transfers resulting in live births	* / *	* / *	0 / *	* / *
Percentage of transfers resulting in singleton live births	* / *	* / *	0 / *	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	51	27	29	13	13	133
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	3.4%	0 / 13	0 / 13	0.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.9%	11.1%	3.4%	0 / 13	* / 13	6.0%
Percentage of cycles for fertility preservation	2.0%	11.1%	3.4%	0 / 13	0 / 13	3.8%
Percentage of transfers using a gestational carrier	0.0%	0 / 12	0 / 16	* / 7	0 / 10	1.2%
Percentage of transfers using frozen embryos	86.1%	8 / 12	14 / 16	6 / 7	6 / 10	80.2%
Percentage of transfers of at least one embryo with ICSI	91.7%	11 / 12	15 / 16	7 / 7	8 / 10	91.4%
Percentage of transfers of at least one embryo with PGT	52.8%	* / 12	13 / 16	5 / 7	* / 10	53.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	49%	Diminished ovarian reserve	16%
Endometriosis	2%	Egg or embryo banking	33%
Tubal factor	14%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	21%	Other, infertility	19%
Uterine factor	18%	Other, non-infertility	5%
PGT	12%	Unexplained	6%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY CENTER & APPLIED GENETICS OF FLORIDA
SARASOTA, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Julio E. Pabon, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	36	16	16	11	7
Percentage of intended retrievals resulting in live births	44.4%	* / 16	* / 16	0 / 11	0 / 7
Percentage of intended retrievals resulting in singleton live births	41.7%	* / 16	* / 16	0 / 11	0 / 7
Number of **retrievals**	34	15	10	6	7
Percentage of retrievals resulting in live births	47.1%	* / 15	* / 10	0 / 6	0 / 7
Percentage of retrievals resulting in singleton live births	44.1%	* / 15	* / 10	0 / 6	0 / 7
Number of **transfers**	26	14	*	0	0
Percentage of transfers resulting in live births	61.5%	* / 14	* / *		
Percentage of transfers resulting in singleton live births	57.7%	* / 14	* / *		
Number of intended retrievals per live birth	2.3	4.0	16.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	51.9%	* / 13	0 / 9	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	51.9%	* / 13	0 / 9	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	51.9%	* / 13	0 / 9	0 / *	0 / *
Average number of intended retrievals per new patient	1.2	1.0	1.2	1.7	1.7
Average number of transfers per intended retrieval	0.7	0.8	0.0	0.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	17	*
Percentage of transfers resulting in live births			10 / 17	* / *
Percentage of transfers resulting in singleton live births			10 / 17	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	74	60	33	19	15	201
Percentage of cycles cancelled prior to retrieval or thaw	5.4%	10.0%	27.3%	* / 19	* / 15	11.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.1%	1.7%	0.0%	* / 19	0 / 15	3.0%
Percentage of cycles for fertility preservation	1.4%	1.7%	0.0%	0 / 19	0 / 15	1.0%
Percentage of transfers using a gestational carrier	5.3%	0.0%	* / 8	0 / 6	* / 10	4.3%
Percentage of transfers using frozen embryos	100.0%	96.7%	8 / 8	6 / 6	10 / 10	98.9%
Percentage of transfers of at least one embryo with ICSI	94.7%	100.0%	8 / 8	6 / 6	10 / 10	97.8%
Percentage of transfers of at least one embryo with PGT	89.5%	96.7%	8 / 8	6 / 6	10 / 10	94.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	60%
Endometriosis	7%	Egg or embryo banking	97%
Tubal factor	10%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	6%	Other, infertility	17%
Uterine factor	11%	Other, non-infertility	10%
PGT	95%	Unexplained	1%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

IVFMD/SOUTH FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE
SOUTH MIAMI, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Juergen Eisermann, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	248	189	166	95	14
Percentage of intended retrievals resulting in live births	56.0%	41.8%	29.5%	12.6%	* / 14
Percentage of intended retrievals resulting in singleton live births	45.2%	35.4%	26.5%	12.6%	* / 14
Number of **retrievals**	225	154	142	84	10
Percentage of retrievals resulting in live births	61.8%	51.3%	34.5%	14.3%	* / 10
Percentage of retrievals resulting in singleton live births	49.8%	43.5%	31.0%	14.3%	* / 10
Number of **transfers**	256	140	97	34	*
Percentage of transfers resulting in live births	54.3%	56.4%	50.5%	35.3%	* / *
Percentage of transfers resulting in singleton live births	43.8%	47.9%	45.4%	35.3%	* / *
Number of intended retrievals per live birth	1.8	2.4	3.4	7.9	4.7
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	61.8%	44.9%	30.0%	14.9%	* / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	67.6%	50.0%	36.7%	14.9%	* / 7
Percentage of new patients having live births after all intended retrievals	67.6%	51.7%	36.7%	17.0%	* / 7
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.4	1.3
Average number of transfers per intended retrieval	1.1	0.8	0.6	0.4	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	86	38	*
Percentage of transfers resulting in live births	* / *	57.0%	50.0%	* / *
Percentage of transfers resulting in singleton live births	* / *	50.0%	42.1%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	650	399	389	184	123	1,745
Percentage of cycles cancelled prior to retrieval or thaw	4.6%	8.5%	12.9%	11.4%	6.5%	8.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.3%	6.5%	6.2%	8.7%	4.9%	5.7%
Percentage of cycles for fertility preservation	4.8%	7.3%	4.6%	2.7%	0.0%	4.8%
Percentage of transfers using a gestational carrier	0.8%	0.5%	2.8%	3.7%	3.1%	1.6%
Percentage of transfers using frozen embryos	84.1%	79.0%	77.4%	69.1%	51.5%	76.9%
Percentage of transfers of at least one embryo with ICSI	85.0%	78.5%	83.1%	71.6%	62.9%	79.6%
Percentage of transfers of at least one embryo with PGT	25.9%	41.0%	52.0%	33.3%	9.3%	33.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	34%
Endometriosis	10%	Egg or embryo banking	39%
Tubal factor	12%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	16%	Other, infertility	42%
Uterine factor	2%	Other, non-infertility	1%
PGT	25%	Unexplained	2%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE REPRODUCTIVE MEDICINE GROUP
TAMPA, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Timothy R. Yeko, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	189	124	99	39	14
Percentage of intended retrievals resulting in live births	54.0%	46.8%	34.3%	7.7%	* / 14
Percentage of intended retrievals resulting in singleton live births	49.2%	46.0%	33.3%	7.7%	* / 14
Number of **retrievals**	178	114	93	36	13
Percentage of retrievals resulting in live births	57.3%	50.9%	36.6%	8.3%	* / 13
Percentage of retrievals resulting in singleton live births	52.2%	50.0%	35.5%	8.3%	* / 13
Number of **transfers**	207	100	56	9	*
Percentage of transfers resulting in live births	49.3%	58.0%	60.7%	* / 9	* / *
Percentage of transfers resulting in singleton live births	44.9%	57.0%	58.9%	* / 9	* / *
Number of intended retrievals per live birth	1.9	2.1	2.9	13.0	14.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	58.3%	52.9%	41.2%	* / 17	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	59.7%	55.3%	41.2%	* / 17	0 / 5
Percentage of new patients having live births after all intended retrievals	59.7%	55.3%	42.6%	* / 17	0 / 5
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.3	1.8
Average number of transfers per intended retrieval	1.1	0.8	0.5	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	*	84	*
Percentage of transfers resulting in live births	5 / 8	* / *	56.0%	* / *
Percentage of transfers resulting in singleton live births	* / 8	* / *	47.6%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	442	287	244	110	137	1,220
Percentage of cycles cancelled prior to retrieval or thaw	4.1%	4.2%	6.6%	10.0%	5.1%	5.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.5%	4.5%	4.9%	10.0%	7.3%	4.7%
Percentage of cycles for fertility preservation	1.8%	2.1%	1.6%	0.0%	0.0%	1.5%
Percentage of transfers using a gestational carrier	1.7%	2.7%	1.8%	0.0%	1.4%	1.8%
Percentage of transfers using frozen embryos	97.0%	96.0%	98.2%	100.0%	90.4%	96.4%
Percentage of transfers of at least one embryo with ICSI	85.2%	87.3%	89.1%	95.5%	78.1%	86.3%
Percentage of transfers of at least one embryo with PGT	70.5%	78.7%	82.7%	81.8%	64.4%	74.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	32%	Diminished ovarian reserve	17%
Endometriosis	5%	Egg or embryo banking	45%
Tubal factor	16%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	12%	Other, infertility	10%
Uterine factor	3%	Other, non-infertility	<1%
PGT	2%	Unexplained	19%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY OF SOUTH FLORIDA IVF
TAMPA, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Anthony N. Imudia, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	89	51	59	26	7
Percentage of intended retrievals resulting in live births	49.4%	29.4%	30.5%	3.8%	0 / 7
Percentage of intended retrievals resulting in singleton live births	42.7%	23.5%	23.7%	0.0%	0 / 7
Number of **retrievals**	80	47	48	22	6
Percentage of retrievals resulting in live births	55.0%	31.9%	37.5%	4.5%	0 / 6
Percentage of retrievals resulting in singleton live births	47.5%	25.5%	29.2%	0.0%	0 / 6
Number of **transfers**	90	46	46	14	6
Percentage of transfers resulting in live births	48.9%	32.6%	39.1%	* / 14	0 / 6
Percentage of transfers resulting in singleton live births	42.2%	26.1%	30.4%	0 / 14	0 / 6
Number of intended retrievals per live birth	2.0	3.4	3.3	26.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	50.7%	30.0%	34.4%	0 / 9	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	53.5%	30.0%	37.5%	0 / 9	0 / *
Percentage of new patients having live births after all intended retrievals	53.5%	33.3%	37.5%	0 / 9	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.2	1.8	1.0
Average number of transfers per intended retrieval	1.0	0.9	0.9	0.6	1.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	15	16	0
Percentage of transfers resulting in live births		7 / 15	5 / 16	
Percentage of transfers resulting in singleton live births		6 / 15	5 / 16	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	198	137	107	45	30	517
Percentage of cycles cancelled prior to retrieval or thaw	7.1%	1.5%	11.2%	4.4%	20.0%	7.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	10.6%	7.3%	3.7%	6.7%	3.3%	7.5%
Percentage of cycles for fertility preservation	8.1%	7.3%	3.7%	6.7%	3.3%	6.6%
Percentage of transfers using a gestational carrier	3.9%	0.0%	0.0%	10.7%	* / 18	3.4%
Percentage of transfers using frozen embryos	65.4%	61.6%	66.2%	57.1%	10 / 18	63.3%
Percentage of transfers of at least one embryo with ICSI	69.3%	81.4%	67.6%	60.7%	13 / 18	71.6%
Percentage of transfers of at least one embryo with PGT	22.0%	27.9%	35.3%	32.1%	* / 18	26.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	34%	Diminished ovarian reserve	30%
Endometriosis	5%	Egg or embryo banking	22%
Tubal factor	20%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	9%	Other, infertility	8%
Uterine factor	10%	Other, non-infertility	4%
PGT	2%	Unexplained	14%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

F.I.R.S.T.
FLORIDA INSTITUTE FOR REPRODUCTIVE SCIENCES AND TECHNOLOGIES
WESTON, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Minna R. Selub, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	14	*	5	*	*
Percentage of intended retrievals resulting in live births	* / 14	0 / *	* / 5	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	* / 14	0 / *	* / 5	0 / *	0 / *
Number of **retrievals**	14	*	5	*	0
Percentage of retrievals resulting in live births	* / 14	0 / *	* / 5	0 / *	
Percentage of retrievals resulting in singleton live births	* / 14	0 / *	* / 5	0 / *	
Number of **transfers**	17	*	5	0	0
Percentage of transfers resulting in live births	* / 17	0 / *	* / 5		
Percentage of transfers resulting in singleton live births	* / 17	0 / *	* / 5		
Number of intended retrievals per live birth	3.5		5.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 7	0 / *	0 / *	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 7	0 / *	0 / *	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	* / 7	0 / *	0 / *	0 / *	0 / *
Average number of intended retrievals per new patient	1.3	1.0	1.0	1.0	1.0
Average number of transfers per intended retrieval	1.4	0.5	1.0	0.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	5	5	0
Percentage of transfers resulting in live births	0 / 6	0 / 5	* / 5	
Percentage of transfers resulting in singleton live births	0 / 6	0 / 5	* / 5	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	22	12	26	11	11	82
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	* / 12	3.8%	* / 11	* / 11	6.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	13.6%	* / 12	30.8%	* / 11	0 / 11	17.1%
Percentage of cycles for fertility preservation	4.5%	0 / 12	0.0%	0 / 11	0 / 11	1.2%
Percentage of transfers using a gestational carrier	0 / 17	0 / 8	0 / 12	* / 6	* / 9	5.8%
Percentage of transfers using frozen embryos	10 / 17	* / 8	6 / 12	* / 6	5 / 9	51.9%
Percentage of transfers of at least one embryo with ICSI	15 / 17	8 / 8	11 / 12	* / 6	5 / 9	82.7%
Percentage of transfers of at least one embryo with PGT	6 / 17	* / 8	* / 12	* / 6	* / 9	28.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	37%	Diminished ovarian reserve	48%
Endometriosis	10%	Egg or embryo banking	15%
Tubal factor	15%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	23%	Other, infertility	73%
Uterine factor	9%	Other, non-infertility	34%
PGT	16%	Unexplained	0%
Gestational carrier	4%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ADVANCED REPRODUCTIVE SPECIALISTS, LLC
WINTER PARK, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Melissa M. Yates, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	14	11	10	*	*
Percentage of intended retrievals resulting in live births	5 / 14	* / 11	* / 10	0 / *	* / *
Percentage of intended retrievals resulting in singleton live births	5 / 14	* / 11	* / 10	0 / *	* / *
Number of **retrievals**	13	11	7	*	*
Percentage of retrievals resulting in live births	5 / 13	* / 11	* / 7	0 / *	* / *
Percentage of retrievals resulting in singleton live births	5 / 13	* / 11	* / 7	0 / *	* / *
Number of **transfers**	15	6	7	0	*
Percentage of transfers resulting in live births	5 / 15	* / 6	* / 7		* / *
Percentage of transfers resulting in singleton live births	5 / 15	* / 6	* / 7		* / *
Number of intended retrievals per live birth	2.8	3.7	10.0		2.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	5 / 12	* / 9	0 / *	0 / *	* / *
Percentage of new patients having live births after 1 or 2 intended retrievals	5 / 12	* / 9	0 / *	0 / *	* / *
Percentage of new patients having live births after all intended retrievals	5 / 12	* / 9	0 / *	0 / *	* / *
Average number of intended retrievals per new patient	1.2	1.1	1.5	1.0	1.0
Average number of transfers per intended retrieval	1.1	0.5	0.7	0.0	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	*	*
Percentage of transfers resulting in live births		* / *	* / *	* / *
Percentage of transfers resulting in singleton live births		* / *	* / *	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	21	17	8	7	10	63
Percentage of cycles cancelled prior to retrieval or thaw	9.5%	* / 17	* / 8	0 / 7	* / 10	14.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.5%	* / 17	* / 8	* / 7	* / 10	9.5%
Percentage of cycles for fertility preservation	4.8%	* / 17	0 / 8	0 / 7	0 / 10	6.3%
Percentage of transfers using a gestational carrier	0 / 12	0 / 7	0 / 5	0 / *	0 / 5	0.0%
Percentage of transfers using frozen embryos	11 / 12	5 / 7	* / 5	* / *	* / 5	77.4%
Percentage of transfers of at least one embryo with ICSI	6 / 12	5 / 7	* / 5	* / *	* / 5	54.8%
Percentage of transfers of at least one embryo with PGT	* / 12	* / 7	* / 5	0 / *	* / 5	29.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	40%	Diminished ovarian reserve	41%
Endometriosis	14%	Egg or embryo banking	35%
Tubal factor	11%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	6%	Other, infertility	0%
Uterine factor	0%	Other, non-infertility	0%
PGT	0%	Unexplained	3%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTER FOR REPRODUCTIVE MEDICINE, PA
WINTER PARK, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Randall A. Loy, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	252	145	161	68	43
Percentage of intended retrievals resulting in live births	42.1%	26.2%	13.0%	10.3%	2.3%
Percentage of intended retrievals resulting in singleton live births	38.1%	24.1%	11.2%	10.3%	2.3%
Number of **retrievals**	227	127	132	54	29
Percentage of retrievals resulting in live births	46.7%	29.9%	15.9%	13.0%	3.4%
Percentage of retrievals resulting in singleton live births	42.3%	27.6%	13.6%	13.0%	3.4%
Number of **transfers**	228	115	56	24	*
Percentage of transfers resulting in live births	46.5%	33.0%	37.5%	29.2%	* / *
Percentage of transfers resulting in singleton live births	42.1%	30.4%	32.1%	29.2%	* / *
Number of intended retrievals per live birth	2.4	3.8	7.7	9.7	43.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	44.3%	26.3%	14.9%	12.9%	0 / 18
Percentage of new patients having live births after 1 or 2 intended retrievals	47.6%	31.3%	17.2%	16.1%	0 / 18
Percentage of new patients having live births after all intended retrievals	48.6%	33.3%	18.4%	16.1%	* / 18
Average number of intended retrievals per new patient	1.2	1.3	1.3	1.4	1.8
Average number of transfers per intended retrieval	0.9	0.8	0.4	0.3	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	42	74	*
Percentage of transfers resulting in live births		38.1%	51.4%	* / *
Percentage of transfers resulting in singleton live births		38.1%	50.0%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	515	290	249	91	121	1,266
Percentage of cycles cancelled prior to retrieval or thaw	16.3%	16.6%	18.5%	13.2%	26.4%	17.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.4%	6.2%	8.4%	11.0%	9.9%	7.0%
Percentage of cycles for fertility preservation	1.6%	2.8%	2.8%	1.1%	0.0%	1.9%
Percentage of transfers using a gestational carrier	5.7%	5.7%	10.6%	10.4%	16.1%	8.1%
Percentage of transfers using frozen embryos	87.8%	95.0%	85.6%	70.8%	72.6%	86.1%
Percentage of transfers of at least one embryo with ICSI	82.5%	81.4%	84.6%	68.8%	61.3%	79.2%
Percentage of transfers of at least one embryo with PGT	31.0%	49.3%	59.6%	41.7%	24.2%	40.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	30%
Endometriosis	10%	Egg or embryo banking	32%
Tubal factor	7%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	28%	Other, infertility	13%
Uterine factor	3%	Other, non-infertility	1%
PGT	1%	Unexplained	5%
Gestational carrier	4%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY CARE
THE IVF CENTER
WINTER PARK, FLORIDA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mark P. Trolice, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	45	20	18	5	11
Percentage of intended retrievals resulting in live births	57.8%	25.0%	* / 18	0 / 5	0 / 11
Percentage of intended retrievals resulting in singleton live births	53.3%	20.0%	* / 18	0 / 5	0 / 11
Number of **retrievals**	42	16	15	5	5
Percentage of retrievals resulting in live births	61.9%	5 / 16	* / 15	0 / 5	0 / 5
Percentage of retrievals resulting in singleton live births	57.1%	* / 16	* / 15	0 / 5	0 / 5
Number of **transfers**	47	13	15	*	*
Percentage of transfers resulting in live births	55.3%	5 / 13	* / 15	0 / *	0 / *
Percentage of transfers resulting in singleton live births	51.1%	* / 13	* / 15	0 / *	0 / *
Number of intended retrievals per live birth	1.7	4.0	4.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	67.9%	* / 15	* / 10	0 / *	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	71.4%	* / 15	* / 10	0 / *	0 / 6
Percentage of new patients having live births after all intended retrievals	71.4%	* / 15	* / 10	0 / *	0 / 6
Average number of intended retrievals per new patient	1.1	1.0	1.2	2.0	1.3
Average number of transfers per intended retrieval	1.1	0.8	0.7	0.0	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	6	5	*
Percentage of transfers resulting in live births	0 / *	5 / 6	* / 5	0 / *
Percentage of transfers resulting in singleton live births	0 / *	* / 6	* / 5	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	126	51	67	18	19	281
Percentage of cycles cancelled prior to retrieval or thaw	11.9%	9.8%	14.9%	6 / 18	5 / 19	14.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.2%	5.9%	1.5%	0 / 18	* / 19	3.2%
Percentage of cycles for fertility preservation	0.8%	11.8%	7.5%	* / 18	0 / 19	5.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	2.6%	0 / 5	0 / 10	0.6%
Percentage of transfers using frozen embryos	81.6%	84.6%	76.3%	* / 5	* / 10	77.4%
Percentage of transfers of at least one embryo with ICSI	68.4%	73.1%	73.7%	* / 5	6 / 10	70.3%
Percentage of transfers of at least one embryo with PGT	3.9%	0.0%	5.3%	0 / 5	0 / 10	3.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	11%	Diminished ovarian reserve	27%
Endometriosis	7%	Egg or embryo banking	30%
Tubal factor	10%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	16%	Other, infertility	8%
Uterine factor	1%	Other, non-infertility	2%
PGT	<1%	Unexplained	18%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ASPIRE FERTILITY-ATLANTA
ATLANTA, GEORGIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Obehi Asemota, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	*	*
Percentage of transfers resulting in live births		0 / *	0 / *	* / *
Percentage of transfers resulting in singleton live births		0 / *	0 / *	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	43	15	26	13	9	106
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0 / 15	0.0%	0 / 13	* / 9	0.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.3%	* / 15	7.7%	0 / 13	* / 9	5.7%
Percentage of cycles for fertility preservation	2.3%	0 / 15	15.4%	0 / 13	0 / 9	4.7%
Percentage of transfers using a gestational carrier	0.0%	* / 8	0 / 8	0 / 8	0 / *	6.3%
Percentage of transfers using frozen embryos	95.2%	8 / 8	7 / 8	6 / 8	* / *	87.5%
Percentage of transfers of at least one embryo with ICSI	100.0%	8 / 8	8 / 8	8 / 8	* / *	100.0%
Percentage of transfers of at least one embryo with PGT	19.0%	* / 8	0 / 8	* / 8	0 / *	18.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	22%
Endometriosis	3%	Egg or embryo banking	53%
Tubal factor	22%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	17%	Other, infertility	8%
Uterine factor	4%	Other, non-infertility	8%
PGT	12%	Unexplained	12%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ATLANTA CENTER FOR REPRODUCTIVE MEDICINE
ATLANTA, GEORGIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

GEORGIA

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Kathryn C. Calhoun, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	315	161	175	65	39
Percentage of intended retrievals resulting in live births	55.2%	44.1%	25.7%	12.3%	5.1%
Percentage of intended retrievals resulting in singleton live births	47.9%	42.9%	25.1%	10.8%	5.1%
Number of **retrievals**	295	150	155	55	33
Percentage of retrievals resulting in live births	59.0%	47.3%	29.0%	14.5%	6.1%
Percentage of retrievals resulting in singleton live births	51.2%	46.0%	28.4%	12.7%	6.1%
Number of **transfers**	336	146	100	15	5
Percentage of transfers resulting in live births	51.8%	48.6%	45.0%	8 / 15	* / 5
Percentage of transfers resulting in singleton live births	44.9%	47.3%	44.0%	7 / 15	* / 5
Number of intended retrievals per live birth	1.8	2.3	3.9	8.1	19.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	59.8%	47.7%	28.7%	12.1%	0 / 19
Percentage of new patients having live births after 1 or 2 intended retrievals	65.4%	55.1%	36.2%	18.2%	* / 19
Percentage of new patients having live births after all intended retrievals	65.8%	55.1%	37.2%	18.2%	* / 19
Average number of intended retrievals per new patient	1.1	1.1	1.4	1.4	1.3
Average number of transfers per intended retrieval	1.1	1.0	0.6	0.3	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	72	111	0
Percentage of transfers resulting in live births		36.1%	39.6%	
Percentage of transfers resulting in singleton live births		33.3%	37.8%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	796	430	344	148	147	1,865
Percentage of cycles cancelled prior to retrieval or thaw	5.4%	7.2%	8.7%	8.1%	12.9%	7.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.3%	5.8%	9.6%	13.5%	10.9%	6.4%
Percentage of cycles for fertility preservation	4.0%	5.3%	5.5%	3.4%	0.0%	4.2%
Percentage of transfers using a gestational carrier	4.1%	2.6%	5.5%	2.9%	5.2%	4.0%
Percentage of transfers using frozen embryos	91.5%	91.8%	83.6%	67.1%	72.2%	86.6%
Percentage of transfers of at least one embryo with ICSI	87.3%	84.9%	78.2%	72.9%	47.4%	80.2%
Percentage of transfers of at least one embryo with PGT	59.5%	69.8%	63.0%	45.7%	25.8%	58.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	16%	Diminished ovarian reserve	21%
Endometriosis	6%	Egg or embryo banking	35%
Tubal factor	11%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	16%	Other, infertility	56%
Uterine factor	6%	Other, non-infertility	6%
PGT	44%	Unexplained	13%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

EMORY REPRODUCTIVE CENTER
ATLANTA, GEORGIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jennifer F. Kawwass, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	83	71	50	25	6
Percentage of intended retrievals resulting in live births	67.5%	39.4%	32.0%	8.0%	* / 6
Percentage of intended retrievals resulting in singleton live births	62.7%	38.0%	30.0%	8.0%	* / 6
Number of **retrievals**	79	59	44	20	5
Percentage of retrievals resulting in live births	70.9%	47.5%	36.4%	10.0%	* / 5
Percentage of retrievals resulting in singleton live births	65.8%	45.8%	34.1%	10.0%	* / 5
Number of **transfers**	103	71	38	20	*
Percentage of transfers resulting in live births	54.4%	39.4%	42.1%	10.0%	* / *
Percentage of transfers resulting in singleton live births	50.5%	38.0%	39.5%	10.0%	* / *
Number of intended retrievals per live birth	1.5	2.5	3.1	12.5	6.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	73.1%	41.9%	41.7%	* / 17	* / *
Percentage of new patients having live births after 1 or 2 intended retrievals	77.6%	53.5%	50.0%	* / 17	* / *
Percentage of new patients having live births after all intended retrievals	79.1%	53.5%	54.2%	* / 17	* / *
Average number of intended retrievals per new patient	1.1	1.3	1.5	1.2	1.0
Average number of transfers per intended retrieval	1.3	1.0	0.8	0.8	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	6	9	0
Percentage of transfers resulting in live births	* / 8	5 / 6	* / 9	
Percentage of transfers resulting in singleton live births	* / 8	5 / 6	* / 9	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	189	178	117	56	45	585
Percentage of cycles cancelled prior to retrieval or thaw	10.1%	11.8%	8.5%	21.4%	15.6%	11.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.3%	2.2%	3.4%	5.4%	11.1%	4.8%
Percentage of cycles for fertility preservation	21.2%	15.2%	11.1%	5.4%	0.0%	14.2%
Percentage of transfers using a gestational carrier	2.9%	1.0%	11.3%	0.0%	7.4%	4.1%
Percentage of transfers using frozen embryos	62.1%	64.9%	74.2%	28.6%	48.1%	61.2%
Percentage of transfers of at least one embryo with ICSI	82.5%	88.7%	85.5%	78.6%	70.4%	83.6%
Percentage of transfers of at least one embryo with PGT	15.5%	22.7%	35.5%	3.6%	7.4%	19.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	32%
Endometriosis	9%	Egg or embryo banking	31%
Tubal factor	24%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	12%	Other, infertility	18%
Uterine factor	15%	Other, non-infertility	8%
PGT	11%	Unexplained	7%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE BIOLOGY ASSOCIATES
ATLANTA, GEORGIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Daniel B. Shapiro, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	333	172	128	51	42
Percentage of intended retrievals resulting in live births	51.7%	45.3%	28.1%	23.5%	7.1%
Percentage of intended retrievals resulting in singleton live births	47.4%	41.3%	26.6%	21.6%	4.8%
Number of **retrievals**	321	164	112	48	39
Percentage of retrievals resulting in live births	53.6%	47.6%	32.1%	25.0%	7.7%
Percentage of retrievals resulting in singleton live births	49.2%	43.3%	30.4%	22.9%	5.1%
Number of **transfers**	369	162	86	31	22
Percentage of transfers resulting in live births	46.6%	48.1%	41.9%	38.7%	13.6%
Percentage of transfers resulting in singleton live births	42.8%	43.8%	39.5%	35.5%	9.1%
Number of intended retrievals per live birth	1.9	2.2	3.6	4.3	14.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	57.1%	52.6%	33.8%	26.5%	4.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	60.9%	58.8%	36.3%	29.4%	8.0%
Percentage of new patients having live births after all intended retrievals	62.1%	60.5%	37.5%	32.4%	8.0%
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.1	1.4
Average number of transfers per intended retrieval	1.2	1.0	0.7	0.7	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	116	156	36
Percentage of transfers resulting in live births		36.2%	44.9%	50.0%
Percentage of transfers resulting in singleton live births		31.0%	40.4%	38.9%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	851	438	370	161	251	2,071
Percentage of cycles cancelled prior to retrieval or thaw	3.3%	3.7%	4.1%	2.5%	3.2%	3.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.9%	2.5%	3.0%	3.1%	3.6%	2.1%
Percentage of cycles for fertility preservation	3.3%	10.0%	7.0%	10.6%	2.0%	5.8%
Percentage of transfers using a gestational carrier	2.6%	2.7%	4.2%	14.4%	14.1%	5.7%
Percentage of transfers using frozen embryos	88.8%	88.6%	84.5%	82.5%	70.9%	84.6%
Percentage of transfers of at least one embryo with ICSI	93.5%	83.5%	80.3%	61.9%	41.3%	78.3%
Percentage of transfers of at least one embryo with PGT	55.9%	54.9%	49.3%	42.3%	11.7%	46.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	49%
Endometriosis	5%	Egg or embryo banking	36%
Tubal factor	12%	Recurrent pregnancy loss	16%
Ovulatory dysfunction	14%	Other, infertility	11%
Uterine factor	3%	Other, non-infertility	1%
PGT	2%	Unexplained	4%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SHADY GROVE FERTILITY-ATLANTA
ATLANTA, GEORGIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Desiree McCarthy-Keith, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	74	55	51	18	6
Percentage of intended retrievals resulting in live births	58.1%	41.8%	33.3%	* / 18	* / 6
Percentage of intended retrievals resulting in singleton live births	52.7%	36.4%	27.5%	* / 18	* / 6
Number of **retrievals**	69	53	47	17	6
Percentage of retrievals resulting in live births	62.3%	43.4%	36.2%	* / 17	* / 6
Percentage of retrievals resulting in singleton live births	56.5%	37.7%	29.8%	* / 17	* / 6
Number of **transfers**	87	53	38	13	*
Percentage of transfers resulting in live births	49.4%	43.4%	44.7%	* / 13	* / *
Percentage of transfers resulting in singleton live births	44.8%	37.7%	36.8%	* / 13	* / *
Number of intended retrievals per live birth	1.7	2.4	3.0	9.0	3.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	60.7%	47.4%	38.9%	* / 9	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	66.1%	50.0%	41.7%	* / 9	0 / *
Percentage of new patients having live births after all intended retrievals	66.1%	52.6%	41.7%	* / 9	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.1	1.3	1.5
Average number of transfers per intended retrieval	1.2	1.0	0.7	0.8	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	12	45	11
Percentage of transfers resulting in live births	* / *	* / 12	40.0%	* / 11
Percentage of transfers resulting in singleton live births	* / *	* / 12	37.8%	* / 11

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	212	159	126	74	59	630
Percentage of cycles cancelled prior to retrieval or thaw	4.2%	7.5%	7.9%	9.5%	8.5%	6.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	10.8%	5.0%	3.2%	10.8%	8.5%	7.6%
Percentage of cycles for fertility preservation	2.4%	1.9%	1.6%	0.0%	0.0%	1.6%
Percentage of transfers using a gestational carrier	2.4%	4.5%	1.4%	7.7%	2.6%	3.3%
Percentage of transfers using frozen embryos	82.7%	89.8%	80.0%	79.5%	76.3%	82.9%
Percentage of transfers of at least one embryo with ICSI	42.5%	47.7%	37.1%	46.2%	42.1%	43.1%
Percentage of transfers of at least one embryo with PGT	46.5%	60.2%	51.4%	48.7%	13.2%	47.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	22%	Diminished ovarian reserve	27%
Endometriosis	3%	Egg or embryo banking	29%
Tubal factor	11%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	24%	Other, infertility	36%
Uterine factor	3%	Other, non-infertility	1%
PGT	16%	Unexplained	7%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE MEDICINE AND INFERTILITY ASSOCIATES
AUGUSTA, GEORGIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

GEORGIA

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Larisa Gavrilova-Jordan, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	44	22	14	9	*
Percentage of intended retrievals resulting in live births	65.9%	50.0%	* / 14	* / 9	0 / *
Percentage of intended retrievals resulting in singleton live births	52.3%	45.5%	* / 14	* / 9	0 / *
Number of **retrievals**	43	20	14	8	*
Percentage of retrievals resulting in live births	67.4%	55.0%	* / 14	* / 8	0 / *
Percentage of retrievals resulting in singleton live births	53.5%	50.0%	* / 14	* / 8	0 / *
Number of **transfers**	50	23	12	7	*
Percentage of transfers resulting in live births	58.0%	47.8%	* / 12	* / 7	0 / *
Percentage of transfers resulting in singleton live births	46.0%	43.5%	* / 12	* / 7	0 / *
Number of intended retrievals per live birth	1.5	2.0	4.7	3.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	70.3%	9 / 17	* / 7	* / 7	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	75.7%	10 / 17	* / 7	* / 7	0 / *
Percentage of new patients having live births after all intended retrievals	75.7%	10 / 17	* / 7	* / 7	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.0	1.0
Average number of transfers per intended retrieval	1.2	1.1	1.1	0.7	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	*	*
Percentage of transfers resulting in live births	* / *	* / *	* / *	0 / *
Percentage of transfers resulting in singleton live births	* / *	* / *	0 / *	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	86	34	21	14	7	162
Percentage of cycles cancelled prior to retrieval or thaw	8.1%	11.8%	0.0%	0 / 14	* / 7	7.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	11.6%	2.9%	4.8%	* / 14	0 / 7	8.6%
Percentage of cycles for fertility preservation	3.5%	0.0%	4.8%	0 / 14	0 / 7	2.5%
Percentage of transfers using a gestational carrier	1.6%	0.0%	0 / 17	0 / 9	0 / 6	0.8%
Percentage of transfers using frozen embryos	46.8%	53.8%	8 / 17	5 / 9	* / 6	48.3%
Percentage of transfers of at least one embryo with ICSI	85.5%	96.2%	14 / 17	7 / 9	* / 6	85.8%
Percentage of transfers of at least one embryo with PGT	4.8%	15.4%	* / 17	* / 9	0 / 6	9.2%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	19%
Endometriosis	26%	Egg or embryo banking	12%
Tubal factor	26%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	17%	Other, infertility	2%
Uterine factor	5%	Other, non-infertility	0%
PGT	2%	Unexplained	6%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SERVY FERTILITY INSTITUTE
AUGUSTA, GEORGIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Edouard J. Servy, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	48	32	23	17	10
Percentage of intended retrievals resulting in live births	35.4%	37.5%	8.7%	* / 17	0 / 10
Percentage of intended retrievals resulting in singleton live births	27.1%	28.1%	8.7%	* / 17	0 / 10
Number of **retrievals**	46	30	18	16	8
Percentage of retrievals resulting in live births	37.0%	40.0%	* / 18	* / 16	0 / 8
Percentage of retrievals resulting in singleton live births	28.3%	30.0%	* / 18	* / 16	0 / 8
Number of **transfers**	53	30	15	11	8
Percentage of transfers resulting in live births	32.1%	40.0%	* / 15	* / 11	0 / 8
Percentage of transfers resulting in singleton live births	24.5%	30.0%	* / 15	* / 11	0 / 8
Number of intended retrievals per live birth	2.8	2.7	11.5	8.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	31.7%	36.4%	* / 18	* / 11	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	36.6%	40.9%	* / 18	* / 11	0 / 6
Percentage of new patients having live births after all intended retrievals	36.6%	40.9%	* / 18	* / 11	0 / 6
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.1	1.2
Average number of transfers per intended retrieval	1.1	0.9	0.7	0.8	1.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	22	0
Percentage of transfers resulting in live births	* / *	* / *	18.2%	
Percentage of transfers resulting in singleton live births	* / *	* / *	9.1%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	151	81	58	25	51	366
Percentage of cycles cancelled prior to retrieval or thaw	3.3%	9.9%	6.9%	12.0%	9.8%	6.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	13.9%	13.6%	25.9%	8.0%	11.8%	15.0%
Percentage of cycles for fertility preservation	0.7%	0.0%	0.0%	4.0%	3.9%	1.1%
Percentage of transfers using a gestational carrier	0.0%	1.8%	0.0%	0 / 16	14.3%	2.4%
Percentage of transfers using frozen embryos	59.0%	51.8%	45.7%	9 / 16	60.0%	55.5%
Percentage of transfers of at least one embryo with ICSI	68.6%	69.6%	65.7%	8 / 16	51.4%	64.8%
Percentage of transfers of at least one embryo with PGT	16.2%	7.1%	5.7%	* / 16	2.9%	10.5%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	19%
Endometriosis	3%	Egg or embryo banking	11%
Tubal factor	20%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	12%	Other, infertility	25%
Uterine factor	2%	Other, non-infertility	4%
PGT	6%	Unexplained	3%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

COLUMBUS CENTER FOR REPRODUCTIVE ENDOCRINOLOGY & INFERTILITY, LLC
COLUMBUS, GEORGIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

GEORGIA

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Prakash J. Thiruppathi, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	48	17	11	5	0
Percentage of intended retrievals resulting in live births	58.3%	9 / 17	* / 11	0 / 5	
Percentage of intended retrievals resulting in singleton live births	39.6%	5 / 17	* / 11	0 / 5	
Number of **retrievals**	45	15	7	5	0
Percentage of retrievals resulting in live births	62.2%	9 / 15	* / 7	0 / 5	
Percentage of retrievals resulting in singleton live births	42.2%	5 / 15	* / 7	0 / 5	
Number of **transfers**	62	14	7	6	0
Percentage of transfers resulting in live births	45.2%	9 / 14	* / 7	0 / 6	
Percentage of transfers resulting in singleton live births	30.6%	5 / 14	* / 7	0 / 6	
Number of intended retrievals per live birth	1.7	1.9	11.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	63.2%	* / 10	0 / 5	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	65.8%	7 / 10	* / 5	0 / *	
Percentage of new patients having live births after all intended retrievals	65.8%	7 / 10	* / 5	0 / *	
Average number of intended retrievals per new patient	1.1	1.4	1.6	1.3	
Average number of transfers per intended retrieval	1.2	0.7	0.4	1.3	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	*	5
Percentage of transfers resulting in live births			* / *	* / 5
Percentage of transfers resulting in singleton live births			* / *	* / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	100	24	21	10	*	159
Percentage of cycles cancelled prior to retrieval or thaw	6.0%	12.5%	14.3%	* / 10	* / *	10.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.0%	8.3%	9.5%	0 / 10	0 / *	5.7%
Percentage of cycles for fertility preservation	0.0%	0.0%	4.8%	0 / 10	0 / *	0.6%
Percentage of transfers using a gestational carrier	6.1%	0 / 13	0 / 12	0 / 5	0 / *	3.7%
Percentage of transfers using frozen embryos	100.0%	11 / 13	8 / 12	* / 5	* / *	87.8%
Percentage of transfers of at least one embryo with ICSI	100.0%	13 / 13	12 / 12	5 / 5	* / *	100.0%
Percentage of transfers of at least one embryo with PGT	12.2%	* / 13	* / 12	0 / 5	0 / *	14.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	71%	Diminished ovarian reserve	8%
Endometriosis	19%	Egg or embryo banking	44%
Tubal factor	25%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	89%	Other, infertility	6%
Uterine factor	16%	Other, non-infertility	0%
PGT	16%	Unexplained	3%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE GEORGIA CENTER FOR REPRODUCTIVE MEDICINE
SAVANNAH, GEORGIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Patrick L. Blohm, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	76	29	15	8	*
Percentage of intended retrievals resulting in live births	65.8%	37.9%	* / 15	* / 8	0 / *
Percentage of intended retrievals resulting in singleton live births	35.5%	24.1%	* / 15	* / 8	0 / *
Number of **retrievals**	73	26	13	7	*
Percentage of retrievals resulting in live births	68.5%	42.3%	* / 13	* / 7	0 / *
Percentage of retrievals resulting in singleton live births	37.0%	26.9%	* / 13	* / 7	0 / *
Number of **transfers**	91	29	15	8	*
Percentage of transfers resulting in live births	54.9%	37.9%	* / 15	* / 8	0 / *
Percentage of transfers resulting in singleton live births	29.7%	24.1%	* / 15	* / 8	0 / *
Number of intended retrievals per live birth	1.5	2.6	3.8	4.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	71.9%	9 / 19	* / 11	* / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	73.4%	10 / 19	* / 11	* / 5	0 / *
Percentage of new patients having live births after all intended retrievals	73.4%	10 / 19	* / 11	* / 5	0 / *
Average number of intended retrievals per new patient	1.0	1.2	1.1	1.2	1.0
Average number of transfers per intended retrieval	1.2	1.0	0.8	0.8	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	16	0	*	0
Percentage of transfers resulting in live births	13 / 16		* / *	
Percentage of transfers resulting in singleton live births	7 / 16		0 / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	111	39	31	*	16	201
Percentage of cycles cancelled prior to retrieval or thaw	3.6%	12.8%	6.5%	0 / *	* / 16	6.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.9%	2.6%	0.0%	0 / *	0 / 16	1.0%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / *	0 / 16	0.0%
Percentage of transfers using a gestational carrier	0.0%	3.0%	0.0%	0 / *	0 / 15	0.5%
Percentage of transfers using frozen embryos	24.3%	48.5%	24.1%	0 / *	6 / 15	29.3%
Percentage of transfers of at least one embryo with ICSI	85.4%	81.8%	93.1%	* / *	8 / 15	83.2%
Percentage of transfers of at least one embryo with PGT	1.0%	0.0%	0.0%	0 / *	0 / 15	0.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	52%	Diminished ovarian reserve	23%
Endometriosis	7%	Egg or embryo banking	2%
Tubal factor	12%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	10%	Other, infertility	7%
Uterine factor	5%	Other, non-infertility	0%
PGT	3%	Unexplained	7%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ADVANCED REPRODUCTIVE CENTER OF HAWAII
HONOLULU, HAWAII

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Christopher T. Huang, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	29	32	29	12	8
Percentage of intended retrievals resulting in live births	72.4%	40.6%	34.5%	* / 12	0 / 8
Percentage of intended retrievals resulting in singleton live births	69.0%	37.5%	27.6%	* / 12	0 / 8
Number of **retrievals**	28	31	28	12	7
Percentage of retrievals resulting in live births	75.0%	41.9%	35.7%	* / 12	0 / 7
Percentage of retrievals resulting in singleton live births	71.4%	38.7%	28.6%	* / 12	0 / 7
Number of **transfers**	26	24	17	7	*
Percentage of transfers resulting in live births	80.8%	54.2%	10 / 17	* / 7	0 / *
Percentage of transfers resulting in singleton live births	76.9%	50.0%	8 / 17	* / 7	0 / *
Number of intended retrievals per live birth	1.4	2.5	2.9	6.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	74.1%	40.7%	34.8%	* / 8	0 / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	74.1%	40.7%	39.1%	* / 8	0 / 7
Percentage of new patients having live births after all intended retrievals	74.1%	40.7%	39.1%	* / 8	0 / 7
Average number of intended retrievals per new patient	1.0	1.0	1.1	1.1	1.0
Average number of transfers per intended retrieval	0.9	0.8	0.6	0.6	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	*	0
Percentage of transfers resulting in live births			* / *	
Percentage of transfers resulting in singleton live births			* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	69	56	57	24	21	227
Percentage of cycles cancelled prior to retrieval or thaw	5.8%	8.9%	10.5%	0.0%	9.5%	7.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.9%	0.0%	8.8%	29.2%	23.8%	8.4%
Percentage of cycles for fertility preservation	2.9%	3.6%	3.5%	4.2%	0.0%	3.1%
Percentage of transfers using a gestational carrier	0.0%	3.7%	0.0%	0 / 8	* / 8	2.0%
Percentage of transfers using frozen embryos	100.0%	100.0%	100.0%	8 / 8	8 / 8	100.0%
Percentage of transfers of at least one embryo with ICSI	100.0%	92.6%	92.0%	8 / 8	7 / 8	95.0%
Percentage of transfers of at least one embryo with PGT	48.5%	51.9%	28.0%	* / 8	* / 8	40.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	66%	Diminished ovarian reserve	7%
Endometriosis	7%	Egg or embryo banking	40%
Tubal factor	12%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	<1%	Other, infertility	27%
Uterine factor	0%	Other, non-infertility	1%
PGT	25%	Unexplained	0%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY INSTITUTE OF HAWAII
HONOLULU, HAWAII

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by John L. Frattarelli, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	48	27	20	15	6
Percentage of intended retrievals resulting in live births	58.3%	44.4%	40.0%	* / 15	* / 6
Percentage of intended retrievals resulting in singleton live births	43.8%	33.3%	35.0%	* / 15	* / 6
Number of **retrievals**	47	27	19	15	5
Percentage of retrievals resulting in live births	59.6%	44.4%	8 / 19	* / 15	* / 5
Percentage of retrievals resulting in singleton live births	44.7%	33.3%	7 / 19	* / 15	* / 5
Number of **transfers**	47	24	17	12	5
Percentage of transfers resulting in live births	59.6%	50.0%	8 / 17	* / 12	* / 5
Percentage of transfers resulting in singleton live births	44.7%	37.5%	7 / 17	* / 12	* / 5
Number of intended retrievals per live birth	1.7	2.3	2.5	5.0	6.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	55.6%	40.0%	8 / 19	* / 11	* / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	55.6%	40.0%	8 / 19	* / 11	* / 6
Percentage of new patients having live births after all intended retrievals	55.6%	40.0%	8 / 19	* / 11	* / 6
Average number of intended retrievals per new patient	1.0	1.0	1.1	1.0	1.0
Average number of transfers per intended retrieval	1.0	0.9	0.9	0.7	0.8

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	11	43	8
Percentage of transfers resulting in live births		5 / 11	65.1%	5 / 8
Percentage of transfers resulting in singleton live births		5 / 11	55.8%	* / 8

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	134	105	103	45	92	479
Percentage of cycles cancelled prior to retrieval or thaw	0.7%	0.0%	1.9%	0.0%	0.0%	0.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.7%	2.9%	6.8%	2.2%	2.2%	3.8%
Percentage of cycles for fertility preservation	4.5%	11.4%	10.7%	6.7%	6.5%	7.9%
Percentage of transfers using a gestational carrier	1.1%	1.7%	1.8%	6.7%	0.0%	1.7%
Percentage of transfers using frozen embryos	92.0%	83.1%	83.6%	73.3%	69.1%	82.2%
Percentage of transfers of at least one embryo with ICSI	55.7%	52.5%	58.2%	50.0%	67.3%	57.1%
Percentage of transfers of at least one embryo with PGT	27.3%	44.1%	45.5%	23.3%	47.3%	37.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	69%	Diminished ovarian reserve	19%
Endometriosis	4%	Egg or embryo banking	37%
Tubal factor	15%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	25%	Other, infertility	6%
Uterine factor	1%	Other, non-infertility	2%
PGT	<1%	Unexplained	8%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

IVF HAWAII
HONOLULU, HAWAII

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Benton H. Chun, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	22	37	31	11	14
Percentage of intended retrievals resulting in live births	50.0%	40.5%	29.0%	* / 11	0 / 14
Percentage of intended retrievals resulting in singleton live births	45.5%	32.4%	25.8%	* / 11	0 / 14
Number of **retrievals**	19	35	27	10	10
Percentage of retrievals resulting in live births	11 / 19	42.9%	33.3%	* / 10	0 / 10
Percentage of retrievals resulting in singleton live births	10 / 19	34.3%	29.6%	* / 10	0 / 10
Number of **transfers**	22	34	28	7	10
Percentage of transfers resulting in live births	50.0%	44.1%	32.1%	* / 7	0 / 10
Percentage of transfers resulting in singleton live births	45.5%	35.3%	28.6%	* / 7	0 / 10
Number of intended retrievals per live birth	2.0	2.5	3.4	5.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	10 / 18	10 / 18	* / 11	* / 8	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	11 / 18	11 / 18	6 / 11	* / 8	0 / 5
Percentage of new patients having live births after all intended retrievals	11 / 18	11 / 18	6 / 11	* / 8	0 / 5
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.0	1.4
Average number of transfers per intended retrieval	1.0	1.2	1.1	0.5	0.9

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	7	0
Percentage of transfers resulting in live births			* / 7	
Percentage of transfers resulting in singleton live births			* / 7	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	79	52	45	33	21	230
Percentage of cycles cancelled prior to retrieval or thaw	7.6%	7.7%	6.7%	15.2%	14.3%	9.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	19.0%	13.5%	11.1%	12.1%	4.8%	13.9%
Percentage of cycles for fertility preservation	1.3%	7.7%	4.4%	3.0%	0.0%	3.5%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	0 / 15	0.0%
Percentage of transfers using frozen embryos	86.4%	79.3%	92.3%	71.4%	11 / 15	82.2%
Percentage of transfers of at least one embryo with ICSI	100.0%	100.0%	100.0%	100.0%	15 / 15	100.0%
Percentage of transfers of at least one embryo with PGT	22.7%	31.0%	30.8%	19.0%	0 / 15	23.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	88%	Diminished ovarian reserve	44%
Endometriosis	43%	Egg or embryo banking	20%
Tubal factor	21%	Recurrent pregnancy loss	10%
Ovulatory dysfunction	23%	Other, infertility	66%
Uterine factor	5%	Other, non-infertility	<1%
PGT	17%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

KAISER PERMANENTE HAWAII REGION, REPRODUCTIVE MEDICINE DIVISION HONOLULU, HAWAII

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Jingwen Hou, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	25	13	21	10	12	81
Percentage of cycles cancelled prior to retrieval or thaw	28.0%	* / 13	33.3%	* / 10	* / 12	21.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.0%	0 / 13	14.3%	* / 10	6 / 12	14.8%
Percentage of cycles for fertility preservation	0.0%	0 / 13	0.0%	0 / 10	0 / 12	0.0%
Percentage of transfers using a gestational carrier	0 / 9	0 / 5	0 / 7	0 / *	0 / *	0.0%
Percentage of transfers using frozen embryos	9 / 9	5 / 5	7 / 7	* / *	* / *	100.0%
Percentage of transfers of at least one embryo with ICSI	9 / 9	5 / 5	7 / 7	* / *	* / *	100.0%
Percentage of transfers of at least one embryo with PGT	6 / 9	* / 5	* / 7	* / *	0 / *	63.0%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	No	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	65%	Diminished ovarian reserve	19%
Endometriosis	17%	Egg or embryo banking	44%
Tubal factor	22%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	2%	Other, infertility	6%
Uterine factor	14%	Other, non-infertility	4%
PGT	2%	Unexplained	10%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

PACIFIC IN VITRO FERTILIZATION INSTITUTE
HONOLULU, HAWAII

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Thomas S. Kosasa, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	36	41	30	15	18
Percentage of intended retrievals resulting in live births	52.8%	36.6%	16.7%	* / 15	* / 18
Percentage of intended retrievals resulting in singleton live births	30.6%	22.0%	6.7%	* / 15	* / 18
Number of **retrievals**	36	40	28	12	17
Percentage of retrievals resulting in live births	52.8%	37.5%	17.9%	* / 12	* / 17
Percentage of retrievals resulting in singleton live births	30.6%	22.5%	7.1%	* / 12	* / 17
Number of **transfers**	45	39	31	9	15
Percentage of transfers resulting in live births	42.2%	38.5%	16.1%	* / 9	* / 15
Percentage of transfers resulting in singleton live births	24.4%	23.1%	6.5%	* / 9	* / 15
Number of intended retrievals per live birth	1.9	2.7	6.0	15.0	18.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	56.7%	41.9%	21.7%	0 / 8	0 / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	56.7%	41.9%	21.7%	0 / 8	0 / 8
Percentage of new patients having live births after all intended retrievals	56.7%	41.9%	21.7%	0 / 8	0 / 8
Average number of intended retrievals per new patient	1.0	1.0	1.1	1.0	1.0
Average number of transfers per intended retrieval	1.3	1.0	1.0	0.8	0.9

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	33	*	133	*
Percentage of transfers resulting in live births	51.5%	* / *	45.9%	* / *
Percentage of transfers resulting in singleton live births	39.4%	* / *	30.1%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	92	81	75	85	193	526
Percentage of cycles cancelled prior to retrieval or thaw	5.4%	7.4%	6.7%	10.6%	7.8%	7.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	21.7%	28.4%	17.3%	12.9%	7.8%	15.6%
Percentage of cycles for fertility preservation	3.3%	4.9%	4.0%	8.2%	0.5%	3.4%
Percentage of transfers using a gestational carrier	2.0%	0.0%	0.0%	2.0%	4.7%	2.5%
Percentage of transfers using frozen embryos	63.3%	82.6%	73.3%	73.5%	77.5%	74.8%
Percentage of transfers of at least one embryo with ICSI	98.0%	93.5%	86.7%	87.8%	86.8%	89.6%
Percentage of transfers of at least one embryo with PGT	16.3%	6.5%	13.3%	18.4%	38.0%	23.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	69%	Diminished ovarian reserve	43%
Endometriosis	32%	Egg or embryo banking	18%
Tubal factor	10%	Recurrent pregnancy loss	<1%
Ovulatory dysfunction	4%	Other, infertility	6%
Uterine factor	1%	Other, non-infertility	2%
PGT	1%	Unexplained	<1%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

TRIPLER ARMY MEDICAL CENTER IVF INSTITUTE
TRIPLER AMC, HAWAII

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Justin D. Pilgrim, DO

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	65	44	36	10	*
Percentage of intended retrievals resulting in live births	38.5%	38.6%	22.2%	* / 10	0 / *
Percentage of intended retrievals resulting in singleton live births	27.7%	29.5%	19.4%	0 / 10	0 / *
Number of **retrievals**	63	39	31	9	*
Percentage of retrievals resulting in live births	39.7%	43.6%	25.8%	* / 9	0 / *
Percentage of retrievals resulting in singleton live births	28.6%	33.3%	22.6%	0 / 9	0 / *
Number of **transfers**	53	39	21	6	*
Percentage of transfers resulting in live births	47.2%	43.6%	38.1%	* / 6	0 / *
Percentage of transfers resulting in singleton live births	34.0%	33.3%	33.3%	0 / 6	0 / *
Number of intended retrievals per live birth	2.6	2.6	4.5	10.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	38.6%	56.0%	36.4%	* / 7	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	38.6%	56.0%	36.4%	* / 7	0 / *
Percentage of new patients having live births after all intended retrievals	38.6%	56.0%	36.4%	* / 7	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.4	1.1	1.5
Average number of transfers per intended retrieval	0.8	0.9	0.6	0.6	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	129	45	54	18	9	255
Percentage of cycles cancelled prior to retrieval or thaw	5.4%	2.2%	25.9%	5 / 18	* / 9	11.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.6%	6.7%	7.4%	* / 18	* / 9	5.1%
Percentage of cycles for fertility preservation	1.6%	2.2%	0.0%	0 / 18	0 / 9	1.2%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0 / 18	0 / 6	0 / *	0.0%
Percentage of transfers using frozen embryos	79.7%	90.5%	15 / 18	* / 6	* / *	79.6%
Percentage of transfers of at least one embryo with ICSI	100.0%	100.0%	17 / 18	6 / 6	* / *	99.1%
Percentage of transfers of at least one embryo with PGT	14.1%	9.5%	5 / 18	0 / 6	* / *	15.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	38%	Diminished ovarian reserve	11%
Endometriosis	8%	Egg or embryo banking	44%
Tubal factor	18%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	8%	Other, infertility	13%
Uterine factor	2%	Other, non-infertility	11%
PGT	<1%	Unexplained	16%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.