2018
Fertility Clinic Tables

IDAHO–NEW YORK



IDAHO CENTER FOR REPRODUCTIVE MEDICINE
BOISE, IDAHO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Cristin C. Slater, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	84	36	31	6	7
Percentage of intended retrievals resulting in live births	63.1%	38.9%	25.8%	0 / 6	* / 7
Percentage of intended retrievals resulting in singleton live births	46.4%	33.3%	22.6%	0 / 6	* / 7
Number of **retrievals**	82	34	28	*	*
Percentage of retrievals resulting in live births	64.6%	41.2%	28.6%	0 / *	* / *
Percentage of retrievals resulting in singleton live births	47.6%	35.3%	25.0%	0 / *	* / *
Number of **transfers**	95	29	22	0	*
Percentage of transfers resulting in live births	55.8%	48.3%	36.4%		* / *
Percentage of transfers resulting in singleton live births	41.1%	41.4%	31.8%		* / *
Number of intended retrievals per live birth	1.6	2.6	3.9		7.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	71.4%	45.5%	5 / 15	0 / *	* / *
Percentage of new patients having live births after 1 or 2 intended retrievals	73.0%	54.5%	6 / 15	0 / *	* / *
Percentage of new patients having live births after all intended retrievals	73.0%	54.5%	6 / 15	0 / *	* / *
Average number of intended retrievals per new patient	1.0	1.3	1.3	1.0	1.0
Average number of transfers per intended retrieval	1.2	0.8	0.8	0.0	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	0	180	12
Percentage of transfers resulting in live births	6 / 6		55.6%	* / 12
Percentage of transfers resulting in singleton live births	* / 6		48.9%	* / 12

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	262	121	119	55	110	667
Percentage of cycles cancelled prior to retrieval or thaw	5.7%	7.4%	4.2%	5.5%	5.5%	5.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.8%	2.5%	4.2%	3.6%	0.0%	3.0%
Percentage of cycles for fertility preservation	1.1%	0.8%	1.7%	0.0%	0.0%	0.9%
Percentage of transfers using a gestational carrier	19.8%	33.8%	43.6%	63.2%	59.1%	36.6%
Percentage of transfers using frozen embryos	82.0%	95.9%	93.6%	97.4%	97.0%	90.3%
Percentage of transfers of at least one embryo with ICSI	56.3%	67.6%	59.0%	65.8%	78.8%	63.1%
Percentage of transfers of at least one embryo with PGT	49.1%	51.4%	69.2%	76.3%	80.3%	60.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	24%	Diminished ovarian reserve	21%
Endometriosis	4%	Egg or embryo banking	29%
Tubal factor	6%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	6%	Other, infertility	35%
Uterine factor	3%	Other, non-infertility	6%
PGT	22%	Unexplained	11%
Gestational carrier	20%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

RUSH-COPLEY CENTER FOR REPRODUCTIVE HEALTH
AURORA, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Zvi Binor, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	47	26	13	11	6
Percentage of intended retrievals resulting in live births	19.1%	11.5%	* / 13	* / 11	0 / 6
Percentage of intended retrievals resulting in singleton live births	12.8%	11.5%	* / 13	* / 11	0 / 6
Number of **retrievals**	39	24	9	7	*
Percentage of retrievals resulting in live births	23.1%	12.5%	* / 9	* / 7	0 / *
Percentage of retrievals resulting in singleton live births	15.4%	12.5%	* / 9	* / 7	0 / *
Number of **transfers**	45	26	9	7	0
Percentage of transfers resulting in live births	20.0%	11.5%	* / 9	* / 7	
Percentage of transfers resulting in singleton live births	13.3%	11.5%	* / 9	* / 7	
Number of intended retrievals per live birth	5.2	8.7	13.0	11.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	20.8%	* / 7	0 / *	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	20.8%	* / 7	0 / *	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	20.8%	* / 7	0 / *	0 / *	0 / *
Average number of intended retrievals per new patient	1.2	1.6	1.7	2.5	1.0
Average number of transfers per intended retrieval	1.1	0.8	0.8	0.4	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	0	0
Percentage of transfers resulting in live births	* / *			
Percentage of transfers resulting in singleton live births	* / *			

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	54	26	21	7	15	123
Percentage of cycles cancelled prior to retrieval or thaw	9.3%	15.4%	33.3%	* / 7	* / 15	17.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.6%	7.7%	19.0%	* / 7	* / 15	10.6%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 7	0 / 15	0.0%
Percentage of transfers using a gestational carrier	2.2%	0.0%	0 / 10	0 / *	0 / 9	1.1%
Percentage of transfers using frozen embryos	34.8%	35.0%	* / 10	0 / *	* / 9	33.0%
Percentage of transfers of at least one embryo with ICSI	100.0%	100.0%	10 / 10	* / *	9 / 9	100.0%
Percentage of transfers of at least one embryo with PGT	0.0%	0.0%	0 / 10	0 / *	0 / 9	0.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	No	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	16%	Diminished ovarian reserve	15%
Endometriosis	17%	Egg or embryo banking	0%
Tubal factor	9%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	46%	Other, infertility	2%
Uterine factor	2%	Other, non-infertility	2%
PGT	0%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTER FOR REPRODUCTIVE CARE
CHICAGO, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mary W. Molo, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	43	36	29	20	19
Percentage of intended retrievals resulting in live births	39.5%	33.3%	10.3%	15.0%	0 / 19
Percentage of intended retrievals resulting in singleton live births	32.6%	30.6%	10.3%	15.0%	0 / 19
Number of **retrievals**	39	34	29	18	15
Percentage of retrievals resulting in live births	43.6%	35.3%	10.3%	* / 18	0 / 15
Percentage of retrievals resulting in singleton live births	35.9%	32.4%	10.3%	* / 18	0 / 15
Number of **transfers**	49	36	15	12	8
Percentage of transfers resulting in live births	34.7%	33.3%	* / 15	* / 12	0 / 8
Percentage of transfers resulting in singleton live births	28.6%	30.6%	* / 15	* / 12	0 / 8
Number of intended retrievals per live birth	2.5	3.0	9.7	6.7	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	53.8%	5 / 16	* / 10	* / 6	0 / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	53.8%	5 / 16	* / 10	* / 6	0 / 7
Percentage of new patients having live births after all intended retrievals	53.8%	5 / 16	* / 10	* / 6	0 / 7
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.3	1.4
Average number of transfers per intended retrieval	1.4	1.1	0.5	0.6	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	6	0
Percentage of transfers resulting in live births	* / *		* / 6	
Percentage of transfers resulting in singleton live births	* / *		* / 6	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	66	79	53	41	41	280
Percentage of cycles cancelled prior to retrieval or thaw	6.1%	5.1%	13.2%	4.9%	19.5%	8.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	5.1%	5.7%	9.8%	24.4%	7.5%
Percentage of cycles for fertility preservation	9.1%	0.0%	1.9%	0.0%	4.9%	3.2%
Percentage of transfers using a gestational carrier	0.0%	4.3%	0.0%	0.0%	0 / 10	1.3%
Percentage of transfers using frozen embryos	74.4%	72.3%	55.6%	77.8%	6 / 10	70.0%
Percentage of transfers of at least one embryo with ICSI	100.0%	100.0%	100.0%	100.0%	10 / 10	100.0%
Percentage of transfers of at least one embryo with PGT	2.6%	2.1%	7.4%	0.0%	0 / 10	2.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	44%	Diminished ovarian reserve	46%
Endometriosis	10%	Egg or embryo banking	39%
Tubal factor	31%	Recurrent pregnancy loss	16%
Ovulatory dysfunction	38%	Other, infertility	16%
Uterine factor	41%	Other, non-infertility	45%
PGT	2%	Unexplained	1%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY CENTERS OF ILLINOIS-RIVER NORTH IVF
CHICAGO, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Christopher Sipe, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	699	475	440	187	108
Percentage of intended retrievals resulting in live births	51.1%	37.3%	20.0%	8.0%	6.5%
Percentage of intended retrievals resulting in singleton live births	43.6%	32.2%	17.7%	6.4%	5.6%
Number of **retrievals**	642	406	352	139	80
Percentage of retrievals resulting in live births	55.6%	43.6%	25.0%	10.8%	8.8%
Percentage of retrievals resulting in singleton live births	47.5%	37.7%	22.2%	8.6%	7.5%
Number of **transfers**	768	429	289	93	40
Percentage of transfers resulting in live births	46.5%	41.3%	30.4%	16.1%	17.5%
Percentage of transfers resulting in singleton live births	39.7%	35.7%	27.0%	12.9%	15.0%
Number of intended retrievals per live birth	2.0	2.7	5.0	12.5	15.4
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	57.4%	39.1%	21.4%	9.2%	7.5%
Percentage of new patients having live births after 1 or 2 intended retrievals	64.0%	49.6%	27.6%	10.5%	7.5%
Percentage of new patients having live births after all intended retrievals	64.9%	52.0%	31.4%	11.8%	7.5%
Average number of intended retrievals per new patient	1.2	1.4	1.5	1.7	1.7
Average number of transfers per intended retrieval	1.1	0.9	0.7	0.4	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	18	20	80	*
Percentage of transfers resulting in live births	13 / 18	40.0%	43.8%	* / *
Percentage of transfers resulting in singleton live births	13 / 18	35.0%	35.0%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	1,255	852	710	322	259	3,398
Percentage of cycles cancelled prior to retrieval or thaw	8.4%	9.4%	9.3%	13.4%	22.0%	10.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	12.3%	9.3%	11.5%	19.3%	15.8%	12.3%
Percentage of cycles for fertility preservation	5.4%	8.1%	8.6%	3.1%	4.2%	6.4%
Percentage of transfers using a gestational carrier	1.8%	1.5%	3.3%	0.8%	7.1%	2.3%
Percentage of transfers using frozen embryos	60.1%	59.1%	63.5%	52.0%	59.8%	59.9%
Percentage of transfers of at least one embryo with ICSI	92.7%	94.2%	90.4%	92.8%	76.8%	91.7%
Percentage of transfers of at least one embryo with PGT	12.3%	20.5%	28.6%	25.6%	22.3%	19.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	20%	Diminished ovarian reserve	26%
Endometriosis	4%	Egg or embryo banking	23%
Tubal factor	5%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	15%	Other, infertility	29%
Uterine factor	2%	Other, non-infertility	1%
PGT	12%	Unexplained	14%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

INSTITUTE FOR HUMAN REPRODUCTION (IHR)
CHICAGO, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by David P. Cohen, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	93	61	86	54	42
Percentage of intended retrievals resulting in live births	44.1%	27.9%	11.6%	7.4%	4.8%
Percentage of intended retrievals resulting in singleton live births	38.7%	26.2%	10.5%	7.4%	4.8%
Number of **retrievals**	91	57	77	49	30
Percentage of retrievals resulting in live births	45.1%	29.8%	13.0%	8.2%	6.7%
Percentage of retrievals resulting in singleton live births	39.6%	28.1%	11.7%	8.2%	6.7%
Number of **transfers**	90	37	37	21	9
Percentage of transfers resulting in live births	45.6%	45.9%	27.0%	19.0%	* / 9
Percentage of transfers resulting in singleton live births	40.0%	43.2%	24.3%	19.0%	* / 9
Number of intended retrievals per live birth	2.3	3.6	8.6	13.5	21.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	46.2%	37.5%	4.9%	4.0%	* / 18
Percentage of new patients having live births after 1 or 2 intended retrievals	55.4%	37.5%	14.6%	12.0%	* / 18
Percentage of new patients having live births after all intended retrievals	63.1%	42.5%	24.4%	16.0%	* / 18
Average number of intended retrievals per new patient	1.4	1.5	1.9	2.1	2.2
Average number of transfers per intended retrieval	1.0	0.6	0.4	0.4	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	23	*
Percentage of transfers resulting in live births	* / *		30.4%	* / *
Percentage of transfers resulting in singleton live births	* / *		30.4%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	178	145	115	73	72	583
Percentage of cycles cancelled prior to retrieval or thaw	5.1%	2.8%	7.8%	8.2%	11.1%	6.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.1%	8.3%	14.8%	19.2%	23.6%	11.8%
Percentage of cycles for fertility preservation	3.9%	11.7%	8.7%	4.1%	9.7%	7.5%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	5.7%	0.0%	0.8%
Percentage of transfers using frozen embryos	84.9%	85.7%	86.7%	85.7%	84.6%	85.5%
Percentage of transfers of at least one embryo with ICSI	75.3%	79.4%	68.9%	62.9%	73.1%	73.3%
Percentage of transfers of at least one embryo with PGT	45.2%	47.6%	57.8%	34.3%	50.0%	46.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	49%
Endometriosis	7%	Egg or embryo banking	46%
Tubal factor	10%	Recurrent pregnancy loss	16%
Ovulatory dysfunction	15%	Other, infertility	10%
Uterine factor	6%	Other, non-infertility	3%
PGT	6%	Unexplained	9%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NORTHWESTERN FERTILITY AND REPRODUCTIVE MEDICINE
CHICAGO, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Mary Ellen Pavone, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	360	276	214	79	45
Percentage of intended retrievals resulting in live births	50.3%	35.9%	23.4%	10.1%	8.9%
Percentage of intended retrievals resulting in singleton live births	45.8%	32.6%	21.0%	10.1%	8.9%
Number of **retrievals**	329	246	181	61	37
Percentage of retrievals resulting in live births	55.0%	40.2%	27.6%	13.1%	10.8%
Percentage of retrievals resulting in singleton live births	50.2%	36.6%	24.9%	13.1%	10.8%
Number of **transfers**	377	232	126	42	25
Percentage of transfers resulting in live births	48.0%	42.7%	39.7%	19.0%	16.0%
Percentage of transfers resulting in singleton live births	43.8%	38.8%	35.7%	19.0%	16.0%
Number of intended retrievals per live birth	2.0	2.8	4.3	9.9	11.3
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	57.9%	39.6%	20.4%	13.2%	10.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	64.7%	49.3%	30.6%	13.2%	15.0%
Percentage of new patients having live births after all intended retrievals	67.2%	52.1%	33.3%	15.8%	15.0%
Average number of intended retrievals per new patient	1.3	1.4	1.5	1.4	1.7
Average number of transfers per intended retrieval	1.1	0.8	0.6	0.5	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	5	71	0
Percentage of transfers resulting in live births	* / 8	* / 5	40.8%	
Percentage of transfers resulting in singleton live births	* / 8	* / 5	39.4%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	877	640	465	222	166	2,370
Percentage of cycles cancelled prior to retrieval or thaw	6.5%	10.2%	9.5%	15.3%	18.7%	9.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.4%	5.9%	10.5%	8.6%	7.8%	8.1%
Percentage of cycles for fertility preservation	19.3%	18.0%	14.0%	6.8%	6.6%	15.8%
Percentage of transfers using a gestational carrier	1.3%	0.3%	2.9%	1.9%	5.2%	1.6%
Percentage of transfers using frozen embryos	69.9%	62.7%	70.2%	51.5%	64.9%	66.0%
Percentage of transfers of at least one embryo with ICSI	87.0%	92.2%	88.8%	86.4%	84.4%	88.5%
Percentage of transfers of at least one embryo with PGT	28.4%	37.9%	44.4%	30.1%	23.4%	33.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	17%	Diminished ovarian reserve	31%
Endometriosis	3%	Egg or embryo banking	35%
Tubal factor	6%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	10%	Other, infertility	46%
Uterine factor	2%	Other, non-infertility	13%
PGT	38%	Unexplained	9%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY OF CHICAGO MEDICINE CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY CHICAGO, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by A. Mousa Zamah, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	28	20	28	5	8
Percentage of intended retrievals resulting in live births	25.0%	20.0%	10.7%	0 / 5	0 / 8
Percentage of intended retrievals resulting in singleton live births	25.0%	20.0%	10.7%	0 / 5	0 / 8
Number of **retrievals**	26	16	24	*	6
Percentage of retrievals resulting in live births	26.9%	* / 16	12.5%	0 / *	0 / 6
Percentage of retrievals resulting in singleton live births	26.9%	* / 16	12.5%	0 / *	0 / 6
Number of **transfers**	27	13	17	*	*
Percentage of transfers resulting in live births	25.9%	* / 13	* / 17	0 / *	0 / *
Percentage of transfers resulting in singleton live births	25.9%	* / 13	* / 17	0 / *	0 / *
Number of intended retrievals per live birth	4.0	5.0	9.3		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	6 / 19	* / 8	* / 12	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	6 / 19	* / 8	* / 12	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	6 / 19	* / 8	* / 12	0 / *	0 / *
Average number of intended retrievals per new patient	1.2	1.8	1.8	1.3	1.0
Average number of transfers per intended retrieval	1.0	0.7	0.6	0.4	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	*	0
Percentage of transfers resulting in live births	* / *	* / *	* / *	
Percentage of transfers resulting in singleton live births	* / *	* / *	* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	28	32	31	8	10	109
Percentage of cycles cancelled prior to retrieval or thaw	7.1%	15.6%	12.9%	0 / 8	* / 10	11.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	25.0%	9.4%	9.7%	0 / 8	* / 10	13.8%
Percentage of cycles for fertility preservation	3.6%	3.1%	0.0%	0 / 8	0 / 10	1.8%
Percentage of transfers using a gestational carrier	* / 15	0 / 17	0 / 17	0 / 6	0 / *	1.7%
Percentage of transfers using frozen embryos	12 / 15	14 / 17	13 / 17	* / 6	0 / *	72.9%
Percentage of transfers of at least one embryo with ICSI	13 / 15	16 / 17	15 / 17	* / 6	* / *	88.1%
Percentage of transfers of at least one embryo with PGT	* / 15	5 / 17	5 / 17	* / 6	0 / *	22.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	34%	Diminished ovarian reserve	16%
Endometriosis	6%	Egg or embryo banking	31%
Tubal factor	15%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	6%	Other, infertility	6%
Uterine factor	2%	Other, non-infertility	6%
PGT	2%	Unexplained	27%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY OF ILLINOIS AT CHICAGO IVF PROGRAM
CHICAGO, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Humberto Scoccia, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	40	38	26	10	6
Percentage of intended retrievals resulting in live births	45.0%	34.2%	34.6%	0 / 10	0 / 6
Percentage of intended retrievals resulting in singleton live births	37.5%	21.1%	30.8%	0 / 10	0 / 6
Number of **retrievals**	39	31	22	7	5
Percentage of retrievals resulting in live births	46.2%	41.9%	40.9%	0 / 7	0 / 5
Percentage of retrievals resulting in singleton live births	38.5%	25.8%	36.4%	0 / 7	0 / 5
Number of **transfers**	46	33	25	7	*
Percentage of transfers resulting in live births	39.1%	39.4%	36.0%	0 / 7	0 / *
Percentage of transfers resulting in singleton live births	32.6%	24.2%	32.0%	0 / 7	0 / *
Number of intended retrievals per live birth	2.2	2.9	2.9		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	50.0%	40.0%	* / 9	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	50.0%	44.0%	* / 9	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	50.0%	48.0%	* / 9	0 / *	0 / *
Average number of intended retrievals per new patient	1.2	1.3	1.1	1.5	1.0
Average number of transfers per intended retrieval	1.2	0.9	1.1	0.3	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	*	0
Percentage of transfers resulting in live births	* / *		0 / *	
Percentage of transfers resulting in singleton live births	* / *		0 / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	51	39	35	28	12	165
Percentage of cycles cancelled prior to retrieval or thaw	5.9%	2.6%	14.3%	14.3%	* / 12	9.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	11.8%	7.7%	8.6%	7.1%	* / 12	9.1%
Percentage of cycles for fertility preservation	2.0%	0.0%	0.0%	0.0%	0 / 12	0.6%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	0 / 9	0.0%
Percentage of transfers using frozen embryos	34.2%	42.9%	30.8%	36.4%	* / 9	35.4%
Percentage of transfers of at least one embryo with ICSI	97.4%	97.1%	76.9%	81.8%	8 / 9	90.0%
Percentage of transfers of at least one embryo with PGT	0.0%	0.0%	0.0%	4.5%	0 / 9	0.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	24%
Endometriosis	4%	Egg or embryo banking	4%
Tubal factor	25%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	24%	Other, infertility	7%
Uterine factor	13%	Other, non-infertility	0%
PGT	1%	Unexplained	18%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

VIOS FERTILITY INSTITUTE-CHICAGO
CHICAGO, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Angeline Beltsos, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	51	65	64	50	42
Percentage of intended retrievals resulting in live births	52.9%	26.2%	20.3%	12.0%	2.4%
Percentage of intended retrievals resulting in singleton live births	37.3%	24.6%	18.8%	12.0%	2.4%
Number of **retrievals**	50	64	61	46	38
Percentage of retrievals resulting in live births	54.0%	26.6%	21.3%	13.0%	2.6%
Percentage of retrievals resulting in singleton live births	38.0%	25.0%	19.7%	13.0%	2.6%
Number of **transfers**	55	41	40	19	8
Percentage of transfers resulting in live births	49.1%	41.5%	32.5%	6 / 19	* / 8
Percentage of transfers resulting in singleton live births	34.5%	39.0%	30.0%	6 / 19	* / 8
Number of intended retrievals per live birth	1.9	3.8	4.9	8.3	42.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	55.6%	27.3%	16.0%	* / 10	0 / 10
Percentage of new patients having live births after 1 or 2 intended retrievals	69.4%	36.4%	20.0%	* / 10	0 / 10
Percentage of new patients having live births after all intended retrievals	69.4%	40.9%	28.0%	* / 10	0 / 10
Average number of intended retrievals per new patient	1.2	1.7	1.6	1.5	1.4
Average number of transfers per intended retrieval	1.1	0.7	0.6	0.5	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	*	44	0
Percentage of transfers resulting in live births	5 / 7	* / *	65.9%	
Percentage of transfers resulting in singleton live births	5 / 7	* / *	56.8%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	237	193	186	80	152	848
Percentage of cycles cancelled prior to retrieval or thaw	3.4%	8.3%	4.8%	3.8%	7.9%	5.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.4%	9.8%	16.1%	18.8%	19.7%	12.0%
Percentage of cycles for fertility preservation	12.7%	12.4%	9.1%	5.0%	3.3%	9.4%
Percentage of transfers using a gestational carrier	5.6%	3.9%	9.6%	11.1%	15.5%	8.2%
Percentage of transfers using frozen embryos	86.0%	77.9%	83.6%	88.9%	65.5%	80.4%
Percentage of transfers of at least one embryo with ICSI	86.9%	84.4%	82.2%	70.4%	84.5%	83.6%
Percentage of transfers of at least one embryo with PGT	31.8%	23.4%	50.7%	44.4%	32.8%	35.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	13%	Diminished ovarian reserve	69%
Endometriosis	3%	Egg or embryo banking	47%
Tubal factor	4%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	15%	Other, infertility	38%
Uterine factor	6%	Other, non-infertility	1%
PGT	35%	Unexplained	3%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTER FOR REPRODUCTIVE HEALTH/JOLIET IVF
CREST HILL, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by R. Scott Springer, DO

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	57	15	16	*	6
Percentage of intended retrievals resulting in live births	52.6%	6 / 15	* / 16	0 / *	* / 6
Percentage of intended retrievals resulting in singleton live births	52.6%	6 / 15	* / 16	0 / *	* / 6
Number of **retrievals**	57	15	16	*	5
Percentage of retrievals resulting in live births	52.6%	6 / 15	* / 16	0 / *	* / 5
Percentage of retrievals resulting in singleton live births	52.6%	6 / 15	* / 16	0 / *	* / 5
Number of **transfers**	74	20	11	0	*
Percentage of transfers resulting in live births	40.5%	30.0%	* / 11		* / *
Percentage of transfers resulting in singleton live births	40.5%	30.0%	* / 11		* / *
Number of intended retrievals per live birth	1.9	2.5	8.0		3.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	53.1%	* / 5	* / 6	0 / *	* / *
Percentage of new patients having live births after 1 or 2 intended retrievals	62.5%	* / 5	* / 6	0 / *	* / *
Percentage of new patients having live births after all intended retrievals	62.5%	* / 5	* / 6	0 / *	* / *
Average number of intended retrievals per new patient	1.2	1.4	1.5	1.0	2.0
Average number of transfers per intended retrieval	1.3	1.4	0.7	0.0	0.8

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	8	0
Percentage of transfers resulting in live births			* / 8	
Percentage of transfers resulting in singleton live births			* / 8	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	137	43	39	7	10	236
Percentage of cycles cancelled prior to retrieval or thaw	2.9%	2.3%	10.3%	0 / 7	* / 10	4.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.8%	7.0%	5.1%	* / 7	* / 10	8.5%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 7	0 / 10	0.0%
Percentage of transfers using a gestational carrier	2.9%	0.0%	0 / 17	0 / *	0 / *	1.6%
Percentage of transfers using frozen embryos	97.1%	100.0%	16 / 17	* / *	* / *	96.7%
Percentage of transfers of at least one embryo with ICSI	100.0%	100.0%	17 / 17	* / *	* / *	100.0%
Percentage of transfers of at least one embryo with PGT	75.7%	58.6%	12 / 17	* / *	0 / *	68.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	19%	Diminished ovarian reserve	39%
Endometriosis	3%	Egg or embryo banking	40%
Tubal factor	15%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	11%	Other, infertility	3%
Uterine factor	1%	Other, non-infertility	2%
PGT	22%	Unexplained	17%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

MIDWEST FERTILITY CENTER
DOWNERS GROVE, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Amos E. Madanes, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	36	21	21	14	11
Percentage of intended retrievals resulting in live births	38.9%	57.1%	19.0%	* / 14	0 / 11
Percentage of intended retrievals resulting in singleton live births	25.0%	47.6%	19.0%	* / 14	0 / 11
Number of **retrievals**	35	20	19	13	7
Percentage of retrievals resulting in live births	40.0%	60.0%	* / 19	* / 13	0 / 7
Percentage of retrievals resulting in singleton live births	25.7%	50.0%	* / 19	* / 13	0 / 7
Number of **transfers**	47	22	22	13	6
Percentage of transfers resulting in live births	29.8%	54.5%	18.2%	* / 13	0 / 6
Percentage of transfers resulting in singleton live births	19.1%	45.5%	18.2%	* / 13	0 / 6
Number of intended retrievals per live birth	2.6	1.8	5.3	14.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	46.2%	9 / 15	* / 8	* / 5	0 / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	46.2%	9 / 15	* / 8	* / 5	0 / 8
Percentage of new patients having live births after all intended retrievals	46.2%	9 / 15	* / 8	* / 5	0 / 8
Average number of intended retrievals per new patient	1.1	1.0	1.1	1.6	1.3
Average number of transfers per intended retrieval	1.4	1.1	1.0	1.1	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	17	5	6	0
Percentage of transfers resulting in live births	7 / 17	0 / 5	* / 6	
Percentage of transfers resulting in singleton live births	6 / 17	0 / 5	* / 6	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	52	30	30	6	30	148
Percentage of cycles cancelled prior to retrieval or thaw	1.9%	3.3%	0.0%	0 / 6	3.3%	2.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.8%	6.7%	10.0%	* / 6	3.3%	6.8%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 6	0.0%	0.0%
Percentage of transfers using a gestational carrier	2.1%	0.0%	0.0%	0 / 5	0.0%	0.8%
Percentage of transfers using frozen embryos	31.9%	48.1%	46.2%	* / 5	22.2%	37.1%
Percentage of transfers of at least one embryo with ICSI	51.1%	74.1%	61.5%	* / 5	48.1%	57.6%
Percentage of transfers of at least one embryo with PGT	0.0%	0.0%	0.0%	0 / 5	0.0%	0.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	19%	Diminished ovarian reserve	28%
Endometriosis	1%	Egg or embryo banking	2%
Tubal factor	18%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	14%	Other, infertility	3%
Uterine factor	26%	Other, non-infertility	0%
PGT	1%	Unexplained	2%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CHICAGO INFERTILITY ASSOCIATES, LTD
ELK GROVE VILLAGE, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Ketan N. Jobanputra, MD

	Patient Age <35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	*
Percentage of transfers resulting in live births				0 / *
Percentage of transfers resulting in singleton live births				0 / *

Characteristics of ART Cycles[a,b]

	Patient Age <35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	5	*	0	*	0	9
Percentage of cycles cancelled prior to retrieval or thaw	* / 5	0 / *		0 / *		* / 9
Percentage of cycles stopped between retrieval and transfer or banking[e]	* / 5	* / *		0 / *		* / 9
Percentage of cycles for fertility preservation	0 / 5	0 / *		0 / *		0 / 9
Percentage of transfers using a gestational carrier	0 / *			0 / *		0 / *
Percentage of transfers using frozen embryos	* / *			0 / *		* / *
Percentage of transfers of at least one embryo with ICSI	* / *			* / *		* / *
Percentage of transfers of at least one embryo with PGT	* / *			0 / *		* / *

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	56%	Diminished ovarian reserve	0%
Endometriosis	0%	Egg or embryo banking	0%
Tubal factor	0%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	11%	Other, infertility	11%
Uterine factor	0%	Other, non-infertility	0%
PGT	11%	Unexplained	44%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

DAVIES FERTILITY & IVF SPECIALISTS, SC
GLENVIEW, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Susan A. Davies, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	86	47	36	24	15
Percentage of intended retrievals resulting in live births	59.3%	38.3%	22.2%	0.0%	0 / 15
Percentage of intended retrievals resulting in singleton live births	52.3%	31.9%	16.7%	0.0%	0 / 15
Number of **retrievals**	82	47	33	12	11
Percentage of retrievals resulting in live births	62.2%	38.3%	24.2%	0 / 12	0 / 11
Percentage of retrievals resulting in singleton live births	54.9%	31.9%	18.2%	0 / 12	0 / 11
Number of **transfers**	84	40	24	*	*
Percentage of transfers resulting in live births	60.7%	45.0%	33.3%	0 / *	0 / *
Percentage of transfers resulting in singleton live births	53.6%	37.5%	25.0%	0 / *	0 / *
Number of intended retrievals per live birth	1.7	2.6	4.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	61.5%	40.0%	* / 11	0 / 8	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	75.0%	50.0%	* / 11	0 / 8	0 / *
Percentage of new patients having live births after all intended retrievals	78.8%	55.0%	* / 11	0 / 8	0 / *
Average number of intended retrievals per new patient	1.2	1.6	1.5	2.0	2.3
Average number of transfers per intended retrieval	1.0	0.9	0.7	0.1	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	10	0
Percentage of transfers resulting in live births			* / 10	
Percentage of transfers resulting in singleton live births			* / 10	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	128	102	83	56	42	411
Percentage of cycles cancelled prior to retrieval or thaw	8.6%	7.8%	4.8%	19.6%	11.9%	9.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	11.7%	15.7%	13.3%	26.8%	26.2%	16.5%
Percentage of cycles for fertility preservation	0.0%	7.8%	1.2%	0.0%	0.0%	2.2%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 11	0 / 14	0.0%
Percentage of transfers using frozen embryos	100.0%	97.1%	86.2%	9 / 11	11 / 14	93.3%
Percentage of transfers of at least one embryo with ICSI	98.4%	100.0%	100.0%	11 / 11	12 / 14	98.0%
Percentage of transfers of at least one embryo with PGT	59.0%	65.7%	62.1%	8 / 11	10 / 14	63.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	56%	Diminished ovarian reserve	35%
Endometriosis	2%	Egg or embryo banking	39%
Tubal factor	4%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	14%	Other, infertility	7%
Uterine factor	4%	Other, non-infertility	3%
PGT	2%	Unexplained	8%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ADVANCED FERTILITY CENTER OF CHICAGO
GURNEE, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michelle Catenacci, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	245	137	136	54	26
Percentage of intended retrievals resulting in live births	66.1%	56.2%	34.6%	22.2%	11.5%
Percentage of intended retrievals resulting in singleton live births	51.8%	45.3%	30.1%	22.2%	11.5%
Number of **retrievals**	237	122	117	44	22
Percentage of retrievals resulting in live births	68.4%	63.1%	40.2%	27.3%	13.6%
Percentage of retrievals resulting in singleton live births	53.6%	50.8%	35.0%	27.3%	13.6%
Number of **transfers**	279	133	105	26	11
Percentage of transfers resulting in live births	58.1%	57.9%	44.8%	46.2%	* / 11
Percentage of transfers resulting in singleton live births	45.5%	46.6%	39.0%	46.2%	* / 11
Number of intended retrievals per live birth	1.5	1.8	2.9	4.5	8.7
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	68.4%	59.5%	43.5%	25.0%	* / *
Percentage of new patients having live births after 1 or 2 intended retrievals	76.6%	64.6%	50.7%	40.0%	* / *
Percentage of new patients having live births after all intended retrievals	77.2%	64.6%	50.7%	40.0%	* / *
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.4	1.5
Average number of transfers per intended retrieval	1.1	1.0	0.8	0.5	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	49	74	58	*
Percentage of transfers resulting in live births	75.5%	55.4%	72.4%	* / *
Percentage of transfers resulting in singleton live births	57.1%	44.6%	67.2%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	404	255	245	117	123	1,144
Percentage of cycles cancelled prior to retrieval or thaw	3.7%	2.4%	5.3%	1.7%	5.7%	3.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.0%	2.4%	2.4%	8.5%	5.7%	3.2%
Percentage of cycles for fertility preservation	1.0%	3.5%	3.3%	1.7%	4.1%	2.4%
Percentage of transfers using a gestational carrier	1.8%	1.0%	2.3%	1.2%	1.1%	1.6%
Percentage of transfers using frozen embryos	44.4%	47.4%	52.0%	32.9%	30.5%	43.9%
Percentage of transfers of at least one embryo with ICSI	93.0%	93.9%	88.9%	87.1%	87.4%	91.2%
Percentage of transfers of at least one embryo with PGT	18.2%	30.6%	29.8%	21.2%	16.8%	23.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	26%	Diminished ovarian reserve	34%
Endometriosis	5%	Egg or embryo banking	17%
Tubal factor	8%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	30%	Other, infertility	24%
Uterine factor	3%	Other, non-infertility	16%
PGT	5%	Unexplained	18%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY CENTERS OF ILLINOIS-HIGHLAND PARK IVF CENTER
HIGHLAND PARK, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Brian R. Kaplan, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	293	202	254	95	79
Percentage of intended retrievals resulting in live births	37.9%	30.7%	18.5%	11.6%	2.5%
Percentage of intended retrievals resulting in singleton live births	32.8%	26.7%	15.0%	9.5%	2.5%
Number of **retrievals**	274	185	225	74	61
Percentage of retrievals resulting in live births	40.5%	33.5%	20.9%	14.9%	3.3%
Percentage of retrievals resulting in singleton live births	35.0%	29.2%	16.9%	12.2%	3.3%
Number of **transfers**	256	151	136	36	13
Percentage of transfers resulting in live births	43.4%	41.1%	34.6%	30.6%	* / 13
Percentage of transfers resulting in singleton live births	37.5%	35.8%	27.9%	25.0%	* / 13
Number of intended retrievals per live birth	2.6	3.3	5.4	8.6	39.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	41.1%	33.7%	27.7%	11.8%	5.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	45.8%	40.4%	32.5%	14.7%	10.0%
Percentage of new patients having live births after all intended retrievals	46.4%	44.9%	33.7%	17.6%	10.0%
Average number of intended retrievals per new patient	1.2	1.4	1.6	1.6	1.6
Average number of transfers per intended retrieval	1.0	0.8	0.6	0.4	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	26	154	*
Percentage of transfers resulting in live births		53.8%	55.8%	* / *
Percentage of transfers resulting in singleton live births		50.0%	48.7%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	599	475	392	186	241	1,893
Percentage of cycles cancelled prior to retrieval or thaw	3.7%	10.5%	9.9%	14.0%	17.4%	9.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.2%	4.2%	5.1%	11.3%	10.0%	5.5%
Percentage of cycles for fertility preservation	13.9%	16.6%	12.5%	1.6%	2.5%	11.6%
Percentage of transfers using a gestational carrier	6.6%	9.6%	14.3%	22.7%	30.2%	13.7%
Percentage of transfers using frozen embryos	89.5%	89.8%	79.1%	78.7%	79.4%	85.0%
Percentage of transfers of at least one embryo with ICSI	93.0%	89.3%	89.0%	92.0%	84.9%	90.1%
Percentage of transfers of at least one embryo with PGT	35.0%	43.7%	44.0%	58.7%	54.0%	43.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	25%	Diminished ovarian reserve	40%
Endometriosis	2%	Egg or embryo banking	40%
Tubal factor	3%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	9%	Other, infertility	53%
Uterine factor	2%	Other, non-infertility	1%
PGT	23%	Unexplained	7%
Gestational carrier	4%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

HINSDALE CENTER FOR REPRODUCTION
HINSDALE, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michael J. Hickey, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	16	11	8	0	*
Percentage of intended retrievals resulting in live births	9 / 16	* / 11	0 / 8		0 / *
Percentage of intended retrievals resulting in singleton live births	6 / 16	* / 11	0 / 8		0 / *
Number of **retrievals**	15	9	*	0	*
Percentage of retrievals resulting in live births	9 / 15	* / 9	0 / *		0 / *
Percentage of retrievals resulting in singleton live births	6 / 15	* / 9	0 / *		0 / *
Number of **transfers**	16	12	*	0	*
Percentage of transfers resulting in live births	9 / 16	* / 12	0 / *		0 / *
Percentage of transfers resulting in singleton live births	6 / 16	* / 12	0 / *		0 / *
Number of intended retrievals per live birth	1.8	3.7			
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	8 / 13	* / 5	0 / 5		
Percentage of new patients having live births after 1 or 2 intended retrievals	8 / 13	* / 5	0 / 5		
Percentage of new patients having live births after all intended retrievals	8 / 13	* / 5	0 / 5		
Average number of intended retrievals per new patient	1.0	1.2	1.4		
Average number of transfers per intended retrieval	1.0	1.3	0.3		

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	6	0	0
Percentage of transfers resulting in live births		* / 6		
Percentage of transfers resulting in singleton live births		* / 6		

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	37	21	5	*	5	69
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	4.8%	0 / 5	0 / *	* / 5	4.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	18.9%	28.6%	0 / 5	0 / *	0 / 5	18.8%
Percentage of cycles for fertility preservation	8.1%	4.8%	0 / 5	0 / *	0 / 5	5.8%
Percentage of transfers using a gestational carrier	0.0%	0 / 12	0 / *	0 / *	0 / *	0.0%
Percentage of transfers using frozen embryos	48.0%	7 / 12	* / *	0 / *	0 / *	46.7%
Percentage of transfers of at least one embryo with ICSI	96.0%	11 / 12	* / *	* / *	* / *	95.6%
Percentage of transfers of at least one embryo with PGT	0.0%	* / 12	0 / *	0 / *	0 / *	4.4%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	16%	Diminished ovarian reserve	28%
Endometriosis	25%	Egg or embryo banking	13%
Tubal factor	13%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	20%	Other, infertility	7%
Uterine factor	3%	Other, non-infertility	3%
PGT	3%	Unexplained	4%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

INVIA FERTILITY SPECIALISTS
HOFFMAN ESTATES, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Vishvanath C. Karande, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	192	105	95	51	27
Percentage of intended retrievals resulting in live births	53.6%	40.0%	22.1%	11.8%	7.4%
Percentage of intended retrievals resulting in singleton live births	53.1%	38.1%	21.1%	11.8%	7.4%
Number of **retrievals**	186	100	80	45	23
Percentage of retrievals resulting in live births	55.4%	42.0%	26.3%	13.3%	8.7%
Percentage of retrievals resulting in singleton live births	54.8%	40.0%	25.0%	13.3%	8.7%
Number of **transfers**	202	104	51	24	9
Percentage of transfers resulting in live births	51.0%	40.4%	41.2%	25.0%	* / 9
Percentage of transfers resulting in singleton live births	50.5%	38.5%	39.2%	25.0%	* / 9
Number of intended retrievals per live birth	1.9	2.5	4.5	8.5	13.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	56.3%	38.6%	20.5%	* / 18	* / 13
Percentage of new patients having live births after 1 or 2 intended retrievals	62.7%	45.6%	31.8%	* / 18	* / 13
Percentage of new patients having live births after all intended retrievals	63.4%	45.6%	36.4%	* / 18	* / 13
Average number of intended retrievals per new patient	1.2	1.2	1.6	1.7	1.5
Average number of transfers per intended retrieval	1.1	1.0	0.6	0.5	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	5	0	48	6
Percentage of transfers resulting in live births	* / 5		41.7%	* / 6
Percentage of transfers resulting in singleton live births	* / 5		39.6%	* / 6

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	383	227	197	66	56	929
Percentage of cycles cancelled prior to retrieval or thaw	4.7%	7.9%	6.1%	13.6%	21.4%	7.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	11.0%	17.2%	17.3%	18.2%	12.5%	14.4%
Percentage of cycles for fertility preservation	0.5%	0.4%	0.5%	0.0%	0.0%	0.4%
Percentage of transfers using a gestational carrier	0.4%	5.1%	1.7%	3.4%	3.4%	2.1%
Percentage of transfers using frozen embryos	67.7%	67.4%	71.4%	75.9%	75.9%	69.3%
Percentage of transfers of at least one embryo with ICSI	78.1%	85.5%	71.4%	75.9%	75.9%	78.3%
Percentage of transfers of at least one embryo with PGT	31.1%	34.1%	24.4%	27.6%	27.6%	30.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	9%	Diminished ovarian reserve	7%
Endometriosis	5%	Egg or embryo banking	17%
Tubal factor	6%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	13%	Other, infertility	52%
Uterine factor	5%	Other, non-infertility	2%
PGT	17%	Unexplained	11%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

THE ADVANCED IVF INSTITUTE
CHARLES E. MILLER, MD, SC & ASSOCIATES
NAPERVILLE, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Charles E. Miller, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	144	76	65	27	12
Percentage of intended retrievals resulting in live births	56.3%	31.6%	27.7%	14.8%	0 / 12
Percentage of intended retrievals resulting in singleton live births	44.4%	30.3%	23.1%	14.8%	0 / 12
Number of **retrievals**	126	68	56	20	10
Percentage of retrievals resulting in live births	64.3%	35.3%	32.1%	20.0%	0 / 10
Percentage of retrievals resulting in singleton live births	50.8%	33.8%	26.8%	20.0%	0 / 10
Number of **transfers**	133	54	40	12	*
Percentage of transfers resulting in live births	60.9%	44.4%	45.0%	* / 12	0 / *
Percentage of transfers resulting in singleton live births	48.1%	42.6%	37.5%	* / 12	0 / *
Number of intended retrievals per live birth	1.8	3.2	3.6	6.8	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	62.5%	37.5%	24.1%	* / 11	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	65.4%	43.8%	37.9%	* / 11	0 / 5
Percentage of new patients having live births after all intended retrievals	65.4%	50.0%	37.9%	* / 11	0 / 5
Average number of intended retrievals per new patient	1.1	1.4	1.4	1.3	1.2
Average number of transfers per intended retrieval	0.9	0.8	0.6	0.7	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	10	*	38	0
Percentage of transfers resulting in live births	6 / 10	* / *	47.4%	
Percentage of transfers resulting in singleton live births	5 / 10	0 / *	42.1%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	252	170	166	80	56	724
Percentage of cycles cancelled prior to retrieval or thaw	7.1%	8.8%	14.5%	17.5%	12.5%	10.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	22.2%	22.4%	9.6%	12.5%	12.5%	17.5%
Percentage of cycles for fertility preservation	4.0%	1.8%	5.4%	3.8%	0.0%	3.5%
Percentage of transfers using a gestational carrier	0.7%	1.0%	0.0%	0.0%	0.0%	0.5%
Percentage of transfers using frozen embryos	61.9%	64.1%	51.8%	50.0%	76.0%	60.2%
Percentage of transfers of at least one embryo with ICSI	95.2%	92.2%	91.6%	86.1%	92.0%	92.6%
Percentage of transfers of at least one embryo with PGT	11.6%	11.7%	25.3%	16.7%	16.0%	15.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	32%	Diminished ovarian reserve	39%
Endometriosis	6%	Egg or embryo banking	19%
Tubal factor	7%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	18%	Other, infertility	4%
Uterine factor	8%	Other, non-infertility	1%
PGT	2%	Unexplained	12%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

IVF1
NAPERVILLE, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Randy S. Morris, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	142	93	77	48	23
Percentage of intended retrievals resulting in live births	54.2%	45.2%	35.1%	12.5%	4.3%
Percentage of intended retrievals resulting in singleton live births	50.7%	44.1%	32.5%	12.5%	4.3%
Number of **retrievals**	135	79	68	40	19
Percentage of retrievals resulting in live births	57.0%	53.2%	39.7%	15.0%	* / 19
Percentage of retrievals resulting in singleton live births	53.3%	51.9%	36.8%	15.0%	* / 19
Number of **transfers**	158	56	45	14	*
Percentage of transfers resulting in live births	48.7%	75.0%	60.0%	6 / 14	* / *
Percentage of transfers resulting in singleton live births	45.6%	73.2%	55.6%	6 / 14	* / *
Number of intended retrievals per live birth	1.8	2.2	2.9	8.0	23.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	61.1%	54.1%	37.5%	* / 13	0 / 12
Percentage of new patients having live births after 1 or 2 intended retrievals	68.9%	59.5%	43.8%	* / 13	* / 12
Percentage of new patients having live births after all intended retrievals	71.1%	64.9%	43.8%	* / 13	* / 12
Average number of intended retrievals per new patient	1.3	1.5	1.4	1.2	1.3
Average number of transfers per intended retrieval	1.1	0.6	0.5	0.4	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	33	20
Percentage of transfers resulting in live births		0 / *	57.6%	50.0%
Percentage of transfers resulting in singleton live births		0 / *	51.5%	50.0%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	416	229	164	71	81	961
Percentage of cycles cancelled prior to retrieval or thaw	6.5%	11.8%	8.5%	12.7%	12.3%	9.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.2%	4.8%	7.9%	19.7%	12.3%	5.9%
Percentage of cycles for fertility preservation	2.4%	2.2%	0.6%	0.0%	0.0%	1.7%
Percentage of transfers using a gestational carrier	1.8%	0.9%	1.7%	0.0%	3.2%	1.6%
Percentage of transfers using frozen embryos	99.1%	100.0%	100.0%	100.0%	96.8%	99.3%
Percentage of transfers of at least one embryo with ICSI	91.0%	88.5%	96.7%	68.2%	77.4%	89.1%
Percentage of transfers of at least one embryo with PGT	40.4%	65.5%	73.3%	59.1%	41.9%	52.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	35%
Endometriosis	6%	Egg or embryo banking	40%
Tubal factor	9%	Recurrent pregnancy loss	10%
Ovulatory dysfunction	10%	Other, infertility	4%
Uterine factor	7%	Other, non-infertility	1%
PGT	3%	Unexplained	21%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE MEDICINE INSTITUTE
OAK BROOK, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Elena Trukhacheva, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	279	190	177	76	53
Percentage of intended retrievals resulting in live births	51.6%	31.6%	15.8%	6.6%	5.7%
Percentage of intended retrievals resulting in singleton live births	45.5%	28.9%	13.6%	6.6%	5.7%
Number of **retrievals**	268	174	164	65	37
Percentage of retrievals resulting in live births	53.7%	34.5%	17.1%	7.7%	8.1%
Percentage of retrievals resulting in singleton live births	47.4%	31.6%	14.6%	7.7%	8.1%
Number of **transfers**	357	166	137	44	26
Percentage of transfers resulting in live births	40.3%	36.1%	20.4%	11.4%	11.5%
Percentage of transfers resulting in singleton live births	35.6%	33.1%	17.5%	11.4%	11.5%
Number of intended retrievals per live birth	1.9	3.2	6.3	15.2	17.7
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	57.1%	37.2%	17.6%	6.7%	3.8%
Percentage of new patients having live births after 1 or 2 intended retrievals	64.3%	44.7%	23.5%	6.7%	3.8%
Percentage of new patients having live births after all intended retrievals	64.8%	47.9%	27.9%	10.0%	7.7%
Average number of intended retrievals per new patient	1.2	1.5	1.6	1.6	1.5
Average number of transfers per intended retrieval	1.3	0.9	0.8	0.6	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	18	*	45	*
Percentage of transfers resulting in live births	7 / 18	* / *	37.8%	* / *
Percentage of transfers resulting in singleton live births	* / 18	0 / *	35.6%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	524	336	315	148	138	1,461
Percentage of cycles cancelled prior to retrieval or thaw	6.1%	4.2%	7.0%	8.1%	6.5%	6.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	13.9%	13.7%	21.9%	23.6%	29.7%	18.1%
Percentage of cycles for fertility preservation	3.6%	3.6%	3.2%	1.4%	1.4%	3.1%
Percentage of transfers using a gestational carrier	0.9%	1.4%	0.0%	0.0%	7.9%	1.3%
Percentage of transfers using frozen embryos	73.5%	62.6%	63.9%	59.0%	57.9%	66.4%
Percentage of transfers of at least one embryo with ICSI	96.8%	93.2%	89.9%	97.4%	94.7%	94.5%
Percentage of transfers of at least one embryo with PGT	18.2%	22.1%	26.0%	24.4%	21.1%	21.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	21%	Diminished ovarian reserve	29%
Endometriosis	7%	Egg or embryo banking	20%
Tubal factor	15%	Recurrent pregnancy loss	10%
Ovulatory dysfunction	27%	Other, infertility	33%
Uterine factor	7%	Other, non-infertility	3%
PGT	29%	Unexplained	5%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

DANIEL ROSTEIN, MD, SC
OAK BROOK, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Daniel A. Rostein, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	*	0	*	0	0
Percentage of intended retrievals resulting in live births	* / *		* / *		
Percentage of intended retrievals resulting in singleton live births	0 / *		* / *		
Number of **retrievals**	*	0	*	0	0
Percentage of retrievals resulting in live births	* / *		* / *		
Percentage of retrievals resulting in singleton live births	0 / *		* / *		
Number of **transfers**	*	0	*	0	0
Percentage of transfers resulting in live births	* / *		* / *		
Percentage of transfers resulting in singleton live births	0 / *		* / *		
Number of intended retrievals per live birth	1.0		1.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / *		* / *		
Percentage of new patients having live births after 1 or 2 intended retrievals	* / *		* / *		
Percentage of new patients having live births after all intended retrievals	* / *		* / *		
Average number of intended retrievals per new patient	1.0		1.0		
Average number of transfers per intended retrieval	2.0		1.0		

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	0	*
Percentage of transfers resulting in live births		* / *		0 / *
Percentage of transfers resulting in singleton live births		* / *		0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	*	*	*	*	*	13
Percentage of cycles cancelled prior to retrieval or thaw	0 / *	0 / *	0 / *	0 / *	0 / *	0 / 13
Percentage of cycles stopped between retrieval and transfer or banking[e]	0 / *	0 / *	0 / *	* / *	0 / *	* / 13
Percentage of cycles for fertility preservation	0 / *	0 / *	0 / *	0 / *	0 / *	0 / 13
Percentage of transfers using a gestational carrier	0 / *	0 / *	0 / *	0 / *	0 / *	0 / 12
Percentage of transfers using frozen embryos	* / *	0 / *	* / *	* / *	* / *	7 / 12
Percentage of transfers of at least one embryo with ICSI	* / *	0 / *	0 / *	0 / *	0 / *	* / 12
Percentage of transfers of at least one embryo with PGT	0 / *	0 / *	0 / *	0 / *	0 / *	0 / 12

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	No	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	62%
Endometriosis	0%	Egg or embryo banking	0%
Tubal factor	46%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	0%	Other, infertility	15%
Uterine factor	0%	Other, non-infertility	0%
PGT	0%	Unexplained	23%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-CENTRAL ILLINOIS
PEORIA, ILLINOIS

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

ADVANCED REPRODUCTIVE CENTER
ROCKFORD, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Todd D. Deutch, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	53	19	9	*	*
Percentage of intended retrievals resulting in live births	50.9%	6 / 19	* / 9	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	39.6%	* / 19	* / 9	0 / *	0 / *
Number of **retrievals**	52	18	9	0	*
Percentage of retrievals resulting in live births	51.9%	6 / 18	* / 9		0 / *
Percentage of retrievals resulting in singleton live births	40.4%	* / 18	* / 9		0 / *
Number of **transfers**	58	21	8	0	*
Percentage of transfers resulting in live births	46.6%	28.6%	* / 8		0 / *
Percentage of transfers resulting in singleton live births	36.2%	19.0%	* / 8		0 / *
Number of intended retrievals per live birth	2.0	3.2	9.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.8%	* / 10	0 / 6	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	58.1%	5 / 10	0 / 6	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	58.1%	5 / 10	0 / 6	0 / *	0 / *
Average number of intended retrievals per new patient	1.2	1.2	1.0	2.0	1.0
Average number of transfers per intended retrieval	1.1	1.3	1.0	0.0	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	0	14	0
Percentage of transfers resulting in live births	5 / 7		6 / 14	
Percentage of transfers resulting in singleton live births	5 / 7		5 / 14	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	102	55	27	22	18	224
Percentage of cycles cancelled prior to retrieval or thaw	2.0%	3.6%	3.7%	13.6%	0 / 18	3.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.8%	3.6%	3.7%	13.6%	* / 18	6.7%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0.0%	0 / 18	0.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	8.7%	0 / 16	0 / 15	1.1%
Percentage of transfers using frozen embryos	28.1%	37.0%	30.4%	8 / 16	12 / 15	36.5%
Percentage of transfers of at least one embryo with ICSI	53.9%	65.2%	69.6%	8 / 16	10 / 15	59.3%
Percentage of transfers of at least one embryo with PGT	2.2%	2.2%	8.7%	* / 16	0 / 15	3.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	20%	Diminished ovarian reserve	16%
Endometriosis	4%	Egg or embryo banking	5%
Tubal factor	22%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	7%	Other, infertility	2%
Uterine factor	7%	Other, non-infertility	2%
PGT	6%	Unexplained	22%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CHICAGO IVF
SKOKIE, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Joel G. Brasch, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	159	73	67	38	19
Percentage of intended retrievals resulting in live births	25.8%	16.4%	11.9%	10.5%	0 / 19
Percentage of intended retrievals resulting in singleton live births	20.8%	13.7%	10.4%	10.5%	0 / 19
Number of **retrievals**	158	69	66	34	17
Percentage of retrievals resulting in live births	25.9%	17.4%	12.1%	11.8%	0 / 17
Percentage of retrievals resulting in singleton live births	20.9%	14.5%	10.6%	11.8%	0 / 17
Number of **transfers**	190	82	55	28	14
Percentage of transfers resulting in live births	21.6%	14.6%	14.5%	14.3%	0 / 14
Percentage of transfers resulting in singleton live births	17.4%	12.2%	12.7%	14.3%	0 / 14
Number of intended retrievals per live birth	3.9	6.1	8.4	9.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	24.2%	25.6%	13.3%	0 / 14	0 / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	27.4%	25.6%	16.7%	0 / 14	0 / 7
Percentage of new patients having live births after all intended retrievals	30.5%	25.6%	20.0%	0 / 14	0 / 7
Average number of intended retrievals per new patient	1.3	1.2	1.4	1.4	2.1
Average number of transfers per intended retrieval	1.3	1.1	0.8	0.8	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	16	5	9
Percentage of transfers resulting in live births		* / 16	0 / 5	0 / 9
Percentage of transfers resulting in singleton live births		* / 16	0 / 5	0 / 9

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	292	129	147	46	42	656
Percentage of cycles cancelled prior to retrieval or thaw	3.8%	9.3%	7.5%	13.0%	11.9%	6.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	13.0%	13.2%	17.7%	17.4%	21.4%	14.9%
Percentage of cycles for fertility preservation	1.4%	0.0%	1.4%	0.0%	0.0%	0.9%
Percentage of transfers using a gestational carrier	0.4%	0.0%	0.0%	6.5%	0.0%	0.6%
Percentage of transfers using frozen embryos	46.5%	50.0%	32.7%	25.8%	28.0%	41.8%
Percentage of transfers of at least one embryo with ICSI	92.0%	92.9%	97.0%	90.3%	80.0%	92.5%
Percentage of transfers of at least one embryo with PGT	5.8%	10.7%	10.9%	6.5%	4.0%	7.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	23%
Endometriosis	5%	Egg or embryo banking	8%
Tubal factor	20%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	18%	Other, infertility	9%
Uterine factor	9%	Other, non-infertility	3%
PGT	<1%	Unexplained	19%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NORTH SHORE FERTILITY
SKOKIE, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Anne Borkowski, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	37	26	17	17	13
Percentage of intended retrievals resulting in live births	2.7%	11.5%	* / 17	* / 17	0 / 13
Percentage of intended retrievals resulting in singleton live births	2.7%	11.5%	* / 17	* / 17	0 / 13
Number of **retrievals**	37	22	16	16	11
Percentage of retrievals resulting in live births	2.7%	13.6%	* / 16	* / 16	0 / 11
Percentage of retrievals resulting in singleton live births	2.7%	13.6%	* / 16	* / 16	0 / 11
Number of **transfers**	45	19	14	13	10
Percentage of transfers resulting in live births	2.2%	* / 19	* / 14	* / 13	0 / 10
Percentage of transfers resulting in singleton live births	2.2%	* / 19	* / 14	* / 13	0 / 10
Number of intended retrievals per live birth	37.0	8.7	17.0	17.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	0 / 15	0 / 10	0 / *	0 / 5	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	0 / 15	0 / 10	0 / *	0 / 5	0 / 6
Percentage of new patients having live births after all intended retrievals	0 / 15	0 / 10	0 / *	0 / 5	0 / 6
Average number of intended retrievals per new patient	1.1	1.7	1.0	1.8	1.3
Average number of transfers per intended retrieval	1.6	0.4	0.3	0.4	1.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	6	0
Percentage of transfers resulting in live births		0 / *	0 / 6	
Percentage of transfers resulting in singleton live births		0 / *	0 / 6	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	96	46	52	16	25	235
Percentage of cycles cancelled prior to retrieval or thaw	5.2%	4.3%	5.8%	* / 16	8.0%	5.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	22.9%	23.9%	17.3%	* / 16	32.0%	22.6%
Percentage of cycles for fertility preservation	2.1%	0.0%	0.0%	0 / 16	0.0%	0.9%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 12	0 / 15	0.0%
Percentage of transfers using frozen embryos	61.9%	68.8%	61.5%	8 / 12	11 / 15	64.6%
Percentage of transfers of at least one embryo with ICSI	98.4%	93.8%	94.9%	12 / 12	15 / 15	96.9%
Percentage of transfers of at least one embryo with PGT	7.9%	3.1%	7.7%	0 / 12	0 / 15	5.6%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	12%	Diminished ovarian reserve	17%
Endometriosis	3%	Egg or embryo banking	6%
Tubal factor	<1%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	1%	Other, infertility	4%
Uterine factor	<1%	Other, non-infertility	7%
PGT	2%	Unexplained	52%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SOUTHERN ILLINOIS UNIVERSITY SCHOOL OF MEDICINE FERTILITY AND IVF CENTER SPRINGFIELD, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by J. Ricardo Loret de Mola, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	67	28	10	10	*
Percentage of intended retrievals resulting in live births	62.7%	53.6%	* / 10	0 / 10	0 / *
Percentage of intended retrievals resulting in singleton live births	49.3%	39.3%	* / 10	0 / 10	0 / *
Number of **retrievals**	63	27	7	8	*
Percentage of retrievals resulting in live births	66.7%	55.6%	* / 7	0 / 8	0 / *
Percentage of retrievals resulting in singleton live births	52.4%	40.7%	* / 7	0 / 8	0 / *
Number of **transfers**	81	29	8	6	0
Percentage of transfers resulting in live births	51.9%	51.7%	* / 8	0 / 6	
Percentage of transfers resulting in singleton live births	40.7%	37.9%	* / 8	0 / 6	
Number of intended retrievals per live birth	1.6	1.9	5.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	66.0%	7 / 12	* / *	0 / 5	
Percentage of new patients having live births after 1 or 2 intended retrievals	74.5%	8 / 12	* / *	0 / 5	
Percentage of new patients having live births after all intended retrievals	74.5%	8 / 12	* / *	0 / 5	
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.8	
Average number of transfers per intended retrieval	1.2	1.0	0.8	0.6	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	6	0
Percentage of transfers resulting in live births	0 / *	* / *	* / 6	
Percentage of transfers resulting in singleton live births	0 / *	* / *	* / 6	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	102	55	24	*	*	188
Percentage of cycles cancelled prior to retrieval or thaw	4.9%	7.3%	8.3%	0 / *	0 / *	5.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.9%	7.3%	12.5%	* / *	0 / *	7.4%
Percentage of cycles for fertility preservation	0.0%	3.6%	0.0%	0 / *	0 / *	1.1%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0 / 14	0 / *	0 / *	0.0%
Percentage of transfers using frozen embryos	41.6%	68.6%	10 / 14	* / *	* / *	50.7%
Percentage of transfers of at least one embryo with ICSI	29.2%	20.0%	* / 14	* / *	* / *	27.1%
Percentage of transfers of at least one embryo with PGT	2.2%	17.1%	* / 14	* / *	0 / *	8.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	13%
Endometriosis	12%	Egg or embryo banking	11%
Tubal factor	12%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	16%	Other, infertility	9%
Uterine factor	4%	Other, non-infertility	1%
PGT	2%	Unexplained	9%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

VIOS FERTILITY INSTITUTE-SWANSEA
SWANSEA, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Amber Cooper, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	147	71	39	18	9
Percentage of intended retrievals resulting in live births	51.7%	25.4%	15.4%	* / 18	0 / 9
Percentage of intended retrievals resulting in singleton live births	41.5%	21.1%	15.4%	* / 18	0 / 9
Number of **retrievals**	133	57	30	13	6
Percentage of retrievals resulting in live births	57.1%	31.6%	20.0%	* / 13	0 / 6
Percentage of retrievals resulting in singleton live births	45.9%	26.3%	20.0%	* / 13	0 / 6
Number of **transfers**	137	39	21	9	*
Percentage of transfers resulting in live births	55.5%	46.2%	28.6%	* / 9	0 / *
Percentage of transfers resulting in singleton live births	44.5%	38.5%	28.6%	* / 9	0 / *
Number of intended retrievals per live birth	1.9	3.9	6.5	9.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	53.5%	25.0%	* / 18	* / 6	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	64.9%	35.0%	* / 18	* / 6	0 / *
Percentage of new patients having live births after all intended retrievals	65.8%	37.5%	* / 18	* / 6	0 / *
Average number of intended retrievals per new patient	1.2	1.5	1.8	1.5	2.3
Average number of transfers per intended retrieval	1.0	0.6	0.5	0.6	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	7	5	0
Percentage of transfers resulting in live births	* / *	5 / 7	* / 5	
Percentage of transfers resulting in singleton live births	* / *	5 / 7	* / 5	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	342	121	61	51	19	594
Percentage of cycles cancelled prior to retrieval or thaw	8.8%	9.1%	14.8%	19.6%	* / 19	10.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	20.2%	12.4%	8.2%	11.8%	* / 19	16.5%
Percentage of cycles for fertility preservation	3.8%	9.9%	4.9%	5.9%	0 / 19	5.2%
Percentage of transfers using a gestational carrier	0.5%	0.0%	3.2%	0.0%	0 / 7	0.7%
Percentage of transfers using frozen embryos	72.8%	55.6%	61.3%	50.0%	* / 7	66.3%
Percentage of transfers of at least one embryo with ICSI	97.9%	96.3%	90.3%	90.0%	6 / 7	96.0%
Percentage of transfers of at least one embryo with PGT	15.2%	29.6%	25.8%	30.0%	* / 7	20.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	20%
Endometriosis	6%	Egg or embryo banking	23%
Tubal factor	9%	Recurrent pregnancy loss	10%
Ovulatory dysfunction	27%	Other, infertility	4%
Uterine factor	6%	Other, non-infertility	0%
PGT	0%	Unexplained	8%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SETH LEVRANT, MD, PC
PARTNERS IN REPRODUCTIVE HEALTH
TINLEY PARK, ILLINOIS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Seth G. Levrant, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	27	22	17	*	*
Percentage of intended retrievals resulting in live births	33.3%	13.6%	6 / 17	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	33.3%	9.1%	6 / 17	0 / *	0 / *
Number of **retrievals**	25	18	16	*	*
Percentage of retrievals resulting in live births	36.0%	* / 18	6 / 16	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	36.0%	* / 18	6 / 16	0 / *	0 / *
Number of **transfers**	36	20	14	*	*
Percentage of transfers resulting in live births	25.0%	15.0%	6 / 14	0 / *	0 / *
Percentage of transfers resulting in singleton live births	25.0%	10.0%	6 / 14	0 / *	0 / *
Number of intended retrievals per live birth	3.0	7.3	2.8		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	6 / 16	* / 9	* / 8		0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	7 / 16	* / 9	5 / 8		0 / *
Percentage of new patients having live births after all intended retrievals	7 / 16	* / 9	5 / 8		0 / *
Average number of intended retrievals per new patient	1.2	1.6	1.5		1.3
Average number of transfers per intended retrieval	1.4	0.9	0.7		0.8

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	7	0
Percentage of transfers resulting in live births			* / 7	
Percentage of transfers resulting in singleton live births			* / 7	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	22	28	22	13	9	94
Percentage of cycles cancelled prior to retrieval or thaw	4.5%	17.9%	0.0%	0 / 13	* / 9	8.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.5%	0.0%	9.1%	* / 13	0 / 9	5.3%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 13	0 / 9	0.0%
Percentage of transfers using a gestational carrier	0 / 19	0.0%	0 / 17	0 / 10	0 / 5	0.0%
Percentage of transfers using frozen embryos	11 / 19	50.0%	8 / 17	7 / 10	* / 5	54.8%
Percentage of transfers of at least one embryo with ICSI	6 / 19	31.8%	9 / 17	5 / 10	* / 5	41.1%
Percentage of transfers of at least one embryo with PGT	0 / 19	0.0%	* / 17	0 / 10	0 / 5	2.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	19%	Diminished ovarian reserve	26%
Endometriosis	15%	Egg or embryo banking	10%
Tubal factor	14%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	28%	Other, infertility	35%
Uterine factor	32%	Other, non-infertility	2%
PGT	6%	Unexplained	4%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

MIDWEST FERTILITY SPECIALISTS
CARMEL, INDIANA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Laura M. Reuter, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	261	109	69	20	6
Percentage of intended retrievals resulting in live births	39.8%	22.9%	23.2%	5.0%	0 / 6
Percentage of intended retrievals resulting in singleton live births	37.5%	20.2%	23.2%	5.0%	0 / 6
Number of **retrievals**	242	98	60	16	5
Percentage of retrievals resulting in live births	43.0%	25.5%	26.7%	* / 16	0 / 5
Percentage of retrievals resulting in singleton live births	40.5%	22.4%	26.7%	* / 16	0 / 5
Number of **transfers**	238	92	28	*	*
Percentage of transfers resulting in live births	43.7%	27.2%	57.1%	* / *	0 / *
Percentage of transfers resulting in singleton live births	41.2%	23.9%	57.1%	* / *	0 / *
Number of intended retrievals per live birth	2.5	4.4	4.3	20.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	43.4%	22.4%	28.2%	0 / 10	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	47.4%	28.6%	28.2%	0 / 10	0 / *
Percentage of new patients having live births after all intended retrievals	48.6%	30.6%	30.8%	0 / 10	0 / *
Average number of intended retrievals per new patient	1.2	1.3	1.2	1.3	1.0
Average number of transfers per intended retrieval	0.9	0.8	0.4	0.2	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	22	94	35
Percentage of transfers resulting in live births	* / 6	22.7%	39.4%	48.6%
Percentage of transfers resulting in singleton live births	* / 6	18.2%	36.2%	42.9%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	665	293	182	80	86	1,306
Percentage of cycles cancelled prior to retrieval or thaw	8.7%	9.2%	11.5%	15.0%	9.3%	9.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.6%	6.8%	6.6%	6.3%	3.5%	6.4%
Percentage of cycles for fertility preservation	2.0%	0.7%	0.5%	2.5%	0.0%	1.4%
Percentage of transfers using a gestational carrier	2.5%	6.0%	8.0%	2.6%	5.8%	4.3%
Percentage of transfers using frozen embryos	91.0%	95.4%	89.7%	87.2%	84.6%	91.1%
Percentage of transfers of at least one embryo with ICSI	81.8%	70.9%	75.9%	74.4%	63.5%	76.6%
Percentage of transfers of at least one embryo with PGT	59.6%	72.8%	56.3%	64.1%	53.8%	62.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	34%	Diminished ovarian reserve	21%
Endometriosis	7%	Egg or embryo banking	41%
Tubal factor	8%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	12%	Other, infertility	13%
Uterine factor	2%	Other, non-infertility	2%
PGT	2%	Unexplained	14%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

ADVANCED FERTILITY GROUP
INDIANAPOLIS, INDIANA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by William L. Gentry, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	25	*	*	5	*
Percentage of intended retrievals resulting in live births	28.0%	* / *	0 / *	0 / 5	* / *
Percentage of intended retrievals resulting in singleton live births	20.0%	* / *	0 / *	0 / 5	* / *
Number of **retrievals**	23	*	*	*	*
Percentage of retrievals resulting in live births	30.4%	* / *	0 / *	0 / *	* / *
Percentage of retrievals resulting in singleton live births	21.7%	* / *	0 / *	0 / *	* / *
Number of **transfers**	23	7	*	*	5
Percentage of transfers resulting in live births	30.4%	* / 7	0 / *	0 / *	* / 5
Percentage of transfers resulting in singleton live births	21.7%	* / 7	0 / *	0 / *	* / 5
Number of intended retrievals per live birth	3.6	2.0			4.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	30.0%	* / *	0 / *	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	35.0%	* / *	0 / *	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	35.0%	* / *	0 / *	0 / *	0 / *
Average number of intended retrievals per new patient	1.2	1.0	1.0	2.0	1.5
Average number of transfers per intended retrieval	1.0	2.3	1.0	0.5	1.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	*	*
Percentage of transfers resulting in live births	* / *	* / *	0 / *	* / *
Percentage of transfers resulting in singleton live births	0 / *	* / *	0 / *	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	45	24	13	7	12	101
Percentage of cycles cancelled prior to retrieval or thaw	2.2%	12.5%	* / 13	* / 7	5 / 12	12.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.9%	4.2%	* / 13	* / 7	0 / 12	9.9%
Percentage of cycles for fertility preservation	2.2%	0.0%	0 / 13	0 / 7	0 / 12	1.0%
Percentage of transfers using a gestational carrier	2.7%	* / 17	* / 7	0 / *	* / 7	8.6%
Percentage of transfers using frozen embryos	62.2%	9 / 17	5 / 7	* / *	* / 7	61.4%
Percentage of transfers of at least one embryo with ICSI	29.7%	7 / 17	* / 7	0 / *	* / 7	34.3%
Percentage of transfers of at least one embryo with PGT	5.4%	* / 17	0 / 7	0 / *	0 / 7	4.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	14%
Endometriosis	9%	Egg or embryo banking	8%
Tubal factor	10%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	37%	Other, infertility	18%
Uterine factor	3%	Other, non-infertility	3%
PGT	2%	Unexplained	0%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

COMMUNITY FERTILITY SPECIALTY CARE
INDIANAPOLIS, INDIANA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

INDIANA

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by David E. Carnovale, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	58	19	18	6	0
Percentage of intended retrievals resulting in live births	56.9%	11 / 19	6 / 18	* / 6	
Percentage of intended retrievals resulting in singleton live births	48.3%	9 / 19	5 / 18	* / 6	
Number of **retrievals**	54	19	17	6	0
Percentage of retrievals resulting in live births	61.1%	11 / 19	6 / 17	* / 6	
Percentage of retrievals resulting in singleton live births	51.9%	9 / 19	5 / 17	* / 6	
Number of **transfers**	67	18	17	5	0
Percentage of transfers resulting in live births	49.3%	11 / 18	6 / 17	* / 5	
Percentage of transfers resulting in singleton live births	41.8%	9 / 18	5 / 17	* / 5	
Number of intended retrievals per live birth	1.8	1.7	3.0	6.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	55.8%	8 / 12	5 / 12	* / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	60.5%	9 / 12	6 / 12	* / *	
Percentage of new patients having live births after all intended retrievals	60.5%	9 / 12	6 / 12	* / *	
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.7	
Average number of transfers per intended retrieval	1.1	1.2	0.9	1.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	*	*
Percentage of transfers resulting in live births	0 / *	0 / *	* / *	* / *
Percentage of transfers resulting in singleton live births	0 / *	0 / *	0 / *	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	114	31	17	7	*	172
Percentage of cycles cancelled prior to retrieval or thaw	21.9%	9.7%	* / 17	* / 7	* / *	20.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.4%	9.7%	* / 17	* / 7	0 / *	5.8%
Percentage of cycles for fertility preservation	3.5%	0.0%	0 / 17	0 / 7	0 / *	2.3%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0 / 12	0 / 5		0.0%
Percentage of transfers using frozen embryos	45.3%	45.8%	* / 12	* / 5		43.1%
Percentage of transfers of at least one embryo with ICSI	94.7%	83.3%	12 / 12	* / 5		92.2%
Percentage of transfers of at least one embryo with PGT	5.3%	8.3%	* / 12	0 / 5		6.0%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	44%	Diminished ovarian reserve	1%
Endometriosis	30%	Egg or embryo banking	7%
Tubal factor	7%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	10%	Other, infertility	24%
Uterine factor	9%	Other, non-infertility	0%
PGT	6%	Unexplained	6%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FAMILY BEGINNINGS, PC
INDIANAPOLIS, INDIANA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by James G. Donahue, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	73	36	30	24	7
Percentage of intended retrievals resulting in live births	11.0%	11.1%	3.3%	0.0%	0 / 7
Percentage of intended retrievals resulting in singleton live births	5.5%	11.1%	3.3%	0.0%	0 / 7
Number of **retrievals**	63	32	27	20	*
Percentage of retrievals resulting in live births	12.7%	12.5%	3.7%	0.0%	0 / *
Percentage of retrievals resulting in singleton live births	6.3%	12.5%	3.7%	0.0%	0 / *
Number of **transfers**	72	29	13	*	*
Percentage of transfers resulting in live births	11.1%	13.8%	* / 13	0 / *	0 / *
Percentage of transfers resulting in singleton live births	5.6%	13.8%	* / 13	0 / *	0 / *
Number of intended retrievals per live birth	9.1	9.0	30.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	15.9%	* / 18	* / 12	0 / 9	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	15.9%	* / 18	* / 12	0 / 9	0 / *
Percentage of new patients having live births after all intended retrievals	15.9%	* / 18	* / 12	0 / 9	0 / *
Average number of intended retrievals per new patient	1.2	1.4	1.8	1.7	1.3
Average number of transfers per intended retrieval	1.1	0.9	0.5	0.2	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	*	0
Percentage of transfers resulting in live births			* / *	
Percentage of transfers resulting in singleton live births			* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	134	72	56	19	6	287
Percentage of cycles cancelled prior to retrieval or thaw	7.5%	11.1%	23.2%	6 / 19	* / 6	13.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.7%	8.3%	8.9%	* / 19	* / 6	8.7%
Percentage of cycles for fertility preservation	0.0%	0.0%	1.8%	0 / 19	0 / 6	0.3%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 6	0 / *	0.0%
Percentage of transfers using frozen embryos	42.2%	45.3%	66.7%	* / 6	* / *	47.2%
Percentage of transfers of at least one embryo with ICSI	93.1%	92.5%	90.0%	5 / 6	* / *	92.3%
Percentage of transfers of at least one embryo with PGT	10.8%	18.9%	43.3%	* / 6	* / *	18.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	10%
Endometriosis	7%	Egg or embryo banking	13%
Tubal factor	22%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	27%	Other, infertility	4%
Uterine factor	0%	Other, non-infertility	<1%
PGT	2%	Unexplained	19%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

HENRY FERTILITY DBA
REPRODUCTIVE CARE OF INDIANA
INDIANAPOLIS, INDIANA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michael A. Henry, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	59	15	11	*	*
Percentage of intended retrievals resulting in live births	66.1%	* / 15	* / 11	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	40.7%	* / 15	* / 11	0 / *	0 / *
Number of **retrievals**	57	12	9	*	*
Percentage of retrievals resulting in live births	68.4%	* / 12	* / 9	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	42.1%	* / 12	* / 9	0 / *	0 / *
Number of **transfers**	70	8	10	0	0
Percentage of transfers resulting in live births	55.7%	* / 8	* / 10		
Percentage of transfers resulting in singleton live births	34.3%	* / 8	* / 10		
Number of intended retrievals per live birth	1.5	15.0	2.8		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	70.0%	* / 11	* / 8	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	74.0%	* / 11	* / 8	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	76.0%	* / 11	* / 8	0 / *	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.0	1.0
Average number of transfers per intended retrieval	1.2	0.5	0.9	0.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	*	*
Percentage of transfers resulting in live births	* / *		* / *	* / *
Percentage of transfers resulting in singleton live births	* / *		* / *	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	107	31	10	5	*	157
Percentage of cycles cancelled prior to retrieval or thaw	13.1%	0.0%	* / 10	* / 5	0 / *	10.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.6%	9.7%	* / 10	0 / 5	0 / *	6.4%
Percentage of cycles for fertility preservation	0.0%	0.0%	0 / 10	0 / 5	0 / *	0.0%
Percentage of transfers using a gestational carrier	6.4%	4.5%	0 / 7	0 / *	0 / *	5.3%
Percentage of transfers using frozen embryos	53.8%	45.5%	* / 7	* / *	* / *	52.2%
Percentage of transfers of at least one embryo with ICSI	34.6%	27.3%	* / 7	* / *	0 / *	32.7%
Percentage of transfers of at least one embryo with PGT	15.4%	18.2%	0 / 7	0 / *	0 / *	14.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	8%
Endometriosis	10%	Egg or embryo banking	13%
Tubal factor	6%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	63%	Other, infertility	21%
Uterine factor	1%	Other, non-infertility	0%
PGT	13%	Unexplained	4%
Gestational carrier	5%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

INDIANA FERTILITY INSTITUTE
INDIANAPOLIS, INDIANA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by John C. Jarrett II, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	171	65	41	15	7
Percentage of intended retrievals resulting in live births	40.9%	33.8%	29.3%	* / 15	* / 7
Percentage of intended retrievals resulting in singleton live births	32.7%	27.7%	26.8%	* / 15	* / 7
Number of **retrievals**	161	50	38	13	6
Percentage of retrievals resulting in live births	43.5%	44.0%	31.6%	* / 13	* / 6
Percentage of retrievals resulting in singleton live births	34.8%	36.0%	28.9%	* / 13	* / 6
Number of **transfers**	179	51	30	6	*
Percentage of transfers resulting in live births	39.1%	43.1%	40.0%	* / 6	* / *
Percentage of transfers resulting in singleton live births	31.3%	35.3%	36.7%	* / 6	* / *
Number of intended retrievals per live birth	2.4	3.0	3.4	5.0	7.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	38.3%	31.6%	30.4%	* / 11	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	45.8%	39.5%	34.8%	* / 11	* / 6
Percentage of new patients having live births after all intended retrievals	45.8%	39.5%	34.8%	* / 11	* / 6
Average number of intended retrievals per new patient	1.2	1.3	1.2	1.2	1.2
Average number of transfers per intended retrieval	1.0	0.7	0.7	0.3	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	31	0	28	0
Percentage of transfers resulting in live births	54.8%		42.9%	
Percentage of transfers resulting in singleton live births	51.6%		42.9%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	409	144	91	55	28	727
Percentage of cycles cancelled prior to retrieval or thaw	8.8%	12.5%	8.8%	12.7%	28.6%	10.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.6%	4.9%	4.4%	12.7%	3.6%	5.2%
Percentage of cycles for fertility preservation	1.0%	0.0%	1.1%	0.0%	0.0%	0.7%
Percentage of transfers using a gestational carrier	0.3%	3.2%	0.0%	0.0%	0 / 17	0.8%
Percentage of transfers using frozen embryos	57.7%	57.9%	53.4%	50.0%	7 / 17	56.2%
Percentage of transfers of at least one embryo with ICSI	93.5%	95.8%	87.9%	92.3%	16 / 17	93.3%
Percentage of transfers of at least one embryo with PGT	9.6%	18.9%	12.1%	15.4%	0 / 17	11.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	21%	Diminished ovarian reserve	15%
Endometriosis	18%	Egg or embryo banking	17%
Tubal factor	7%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	26%	Other, infertility	11%
Uterine factor	2%	Other, non-infertility	6%
PGT	5%	Unexplained	16%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

INDIANA UNIVERSITY HOSPITAL
INDIANAPOLIS, INDIANA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Marguerite K. Shepard, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	9	*	*	0	*
Percentage of intended retrievals resulting in live births	5 / 9	* / *	* / *		0 / *
Percentage of intended retrievals resulting in singleton live births	* / 9	* / *	* / *		0 / *
Number of **retrievals**	8	*	*	0	0
Percentage of retrievals resulting in live births	5 / 8	* / *	* / *		
Percentage of retrievals resulting in singleton live births	* / 8	* / *	* / *		
Number of **transfers**	9	*	*	0	0
Percentage of transfers resulting in live births	5 / 9	* / *	* / *		
Percentage of transfers resulting in singleton live births	* / 9	* / *	* / *		
Number of intended retrievals per live birth	1.8	1.0	1.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 8	* / *	* / *		0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	5 / 8	* / *	* / *		0 / *
Percentage of new patients having live births after all intended retrievals	5 / 8	* / *	* / *		0 / *
Average number of intended retrievals per new patient	1.1	1.0	1.0		1.0
Average number of transfers per intended retrieval	1.0	1.0	1.5		0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	8	*	5	0	*	16
Percentage of cycles cancelled prior to retrieval or thaw	* / 8	0 / *	0 / 5		0 / *	* / 16
Percentage of cycles stopped between retrieval and transfer or banking[e]	* / 8	* / *	0 / 5		* / *	* / 16
Percentage of cycles for fertility preservation	0 / 8	0 / *	0 / 5		0 / *	0 / 16
Percentage of transfers using a gestational carrier	0 / 6		0 / 5			0 / 11
Percentage of transfers using frozen embryos	* / 6		* / 5			6 / 11
Percentage of transfers of at least one embryo with ICSI	* / 6		* / 5			* / 11
Percentage of transfers of at least one embryo with PGT	* / 6		0 / 5			* / 11

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	25%	Diminished ovarian reserve	6%
Endometriosis	6%	Egg or embryo banking	0%
Tubal factor	13%	Recurrent pregnancy loss	19%
Ovulatory dysfunction	69%	Other, infertility	13%
Uterine factor	0%	Other, non-infertility	0%
PGT	6%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BOSTON IVF AT THE WOMEN'S HOSPITAL
NEWBURGH, INDIANA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Daniel W. Griffin, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	112	25	21	17	8
Percentage of intended retrievals resulting in live births	69.6%	32.0%	23.8%	* / 17	0 / 8
Percentage of intended retrievals resulting in singleton live births	60.7%	28.0%	14.3%	* / 17	0 / 8
Number of **retrievals**	106	21	20	15	5
Percentage of retrievals resulting in live births	73.6%	38.1%	25.0%	* / 15	0 / 5
Percentage of retrievals resulting in singleton live births	64.2%	33.3%	15.0%	* / 15	0 / 5
Number of **transfers**	131	20	14	11	*
Percentage of transfers resulting in live births	59.5%	40.0%	5 / 14	* / 11	0 / *
Percentage of transfers resulting in singleton live births	51.9%	35.0%	* / 14	* / 11	0 / *
Number of intended retrievals per live birth	1.4	3.1	4.2	5.7	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	69.0%	* / 13	* / 6	* / 8	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	73.8%	5 / 13	* / 6	* / 8	0 / *
Percentage of new patients having live births after all intended retrievals	73.8%	5 / 13	* / 6	* / 8	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.6	1.3
Average number of transfers per intended retrieval	1.2	0.8	0.8	0.5	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	*	*
Percentage of transfers resulting in live births	0 / *	* / *	* / *	0 / *
Percentage of transfers resulting in singleton live births	0 / *	* / *	* / *	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	234	65	33	18	10	360
Percentage of cycles cancelled prior to retrieval or thaw	5.1%	10.8%	9.1%	* / 18	* / 10	6.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	12.4%	4.6%	9.1%	* / 18	0 / 10	10.3%
Percentage of cycles for fertility preservation	1.3%	1.5%	0.0%	0 / 18	0 / 10	1.1%
Percentage of transfers using a gestational carrier	0.0%	2.2%	0 / 19	* / 10	0 / 7	1.2%
Percentage of transfers using frozen embryos	62.4%	60.0%	14 / 19	9 / 10	* / 7	63.8%
Percentage of transfers of at least one embryo with ICSI	48.5%	57.8%	12 / 19	7 / 10	5 / 7	52.8%
Percentage of transfers of at least one embryo with PGT	16.4%	20.0%	11 / 19	* / 10	* / 7	21.5%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	49%	Diminished ovarian reserve	24%
Endometriosis	15%	Egg or embryo banking	15%
Tubal factor	13%	Recurrent pregnancy loss	10%
Ovulatory dysfunction	24%	Other, infertility	9%
Uterine factor	3%	Other, non-infertility	1%
PGT	3%	Unexplained	7%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

MID-IOWA FERTILITY, PC
CLIVE, IOWA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Donald C. Young, DO

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	263	82	74	14	*
Percentage of intended retrievals resulting in live births	48.3%	34.1%	9.5%	0 / 14	0 / *
Percentage of intended retrievals resulting in singleton live births	41.8%	28.0%	9.5%	0 / 14	0 / *
Number of **retrievals**	238	69	63	9	*
Percentage of retrievals resulting in live births	53.4%	40.6%	11.1%	0 / 9	0 / *
Percentage of retrievals resulting in singleton live births	46.2%	33.3%	11.1%	0 / 9	0 / *
Number of **transfers**	230	52	26	*	0
Percentage of transfers resulting in live births	55.2%	53.8%	26.9%	0 / *	
Percentage of transfers resulting in singleton live births	47.8%	44.2%	26.9%	0 / *	
Number of intended retrievals per live birth	2.1	2.9	10.6		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	51.2%	34.7%	6.1%	0 / 9	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	58.8%	38.8%	9.1%	0 / 9	0 / *
Percentage of new patients having live births after all intended retrievals	59.4%	38.8%	9.1%	0 / 9	0 / *
Average number of intended retrievals per new patient	1.2	1.2	1.5	1.6	2.0
Average number of transfers per intended retrieval	0.9	0.6	0.2	0.1	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	31	14
Percentage of transfers resulting in live births	* / *	* / *	58.1%	5 / 14
Percentage of transfers resulting in singleton live births	* / *	* / *	58.1%	* / 14

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	452	177	107	33	32	801
Percentage of cycles cancelled prior to retrieval or thaw	5.5%	12.4%	13.1%	18.2%	12.5%	8.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.5%	7.3%	15.9%	12.1%	6.3%	7.6%
Percentage of cycles for fertility preservation	0.7%	0.6%	2.8%	0.0%	0.0%	0.9%
Percentage of transfers using a gestational carrier	0.3%	1.1%	7.0%	0 / 16	0.0%	1.1%
Percentage of transfers using frozen embryos	64.7%	77.8%	81.4%	13 / 16	85.0%	70.3%
Percentage of transfers of at least one embryo with ICSI	94.9%	88.9%	86.0%	11 / 16	70.0%	90.9%
Percentage of transfers of at least one embryo with PGT	32.9%	43.3%	55.8%	6 / 16	40.0%	37.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	22%	Diminished ovarian reserve	14%
Endometriosis	10%	Egg or embryo banking	34%
Tubal factor	6%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	19%	Other, infertility	6%
Uterine factor	2%	Other, non-infertility	<1%
PGT	2%	Unexplained	15%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY OF IOWA HOSPITALS AND CLINICS
CENTER FOR ADVANCED REPRODUCTIVE CARE
IOWA CITY, IOWA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Bradley J. Van Voorhis, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	245	91	71	28	11
Percentage of intended retrievals resulting in live births	66.5%	62.6%	36.6%	21.4%	* / 11
Percentage of intended retrievals resulting in singleton live births	63.3%	60.4%	33.8%	17.9%	* / 11
Number of **retrievals**	233	82	63	22	11
Percentage of retrievals resulting in live births	70.0%	69.5%	41.3%	27.3%	* / 11
Percentage of retrievals resulting in singleton live births	66.5%	67.1%	38.1%	22.7%	* / 11
Number of **transfers**	280	105	57	18	11
Percentage of transfers resulting in live births	58.2%	54.3%	45.6%	6 / 18	* / 11
Percentage of transfers resulting in singleton live births	55.4%	52.4%	42.1%	5 / 18	* / 11
Number of intended retrievals per live birth	1.5	1.6	2.7	4.7	5.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	69.9%	69.1%	38.7%	* / 9	* / *
Percentage of new patients having live births after 1 or 2 intended retrievals	75.1%	70.9%	48.4%	* / 9	* / *
Percentage of new patients having live births after all intended retrievals	75.1%	70.9%	51.6%	* / 9	* / *
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.3	2.3
Average number of transfers per intended retrieval	1.2	1.3	0.8	0.3	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	5	14	15	30
Percentage of transfers resulting in live births	* / 5	6 / 14	6 / 15	36.7%
Percentage of transfers resulting in singleton live births	* / 5	6 / 14	5 / 15	36.7%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	501	209	179	62	42	993
Percentage of cycles cancelled prior to retrieval or thaw	8.4%	16.3%	21.2%	12.9%	19.0%	13.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.4%	4.8%	8.9%	17.7%	9.5%	6.3%
Percentage of cycles for fertility preservation	1.6%	3.3%	2.8%	0.0%	0.0%	2.0%
Percentage of transfers using a gestational carrier	1.0%	0.7%	2.9%	0.0%	0.0%	1.1%
Percentage of transfers using frozen embryos	51.7%	56.3%	64.8%	51.4%	72.4%	55.3%
Percentage of transfers of at least one embryo with ICSI	53.1%	53.5%	45.7%	40.5%	27.6%	50.5%
Percentage of transfers of at least one embryo with PGT	6.3%	10.6%	21.9%	24.3%	6.9%	10.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	14%
Endometriosis	10%	Egg or embryo banking	10%
Tubal factor	13%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	15%	Other, infertility	9%
Uterine factor	3%	Other, non-infertility	2%
PGT	3%	Unexplained	26%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

MIDWEST REPRODUCTIVE CENTER, PA
OLATHE, KANSAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Dan L. Gehlbach, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	106	32	25	9	*
Percentage of intended retrievals resulting in live births	57.5%	25.0%	20.0%	* / 9	0 / *
Percentage of intended retrievals resulting in singleton live births	52.8%	21.9%	16.0%	* / 9	0 / *
Number of **retrievals**	104	30	23	8	0
Percentage of retrievals resulting in live births	58.7%	26.7%	21.7%	* / 8	
Percentage of retrievals resulting in singleton live births	53.8%	23.3%	17.4%	* / 8	
Number of **transfers**	156	37	12	8	0
Percentage of transfers resulting in live births	39.1%	21.6%	5 / 12	* / 8	
Percentage of transfers resulting in singleton live births	35.9%	18.9%	* / 12	* / 8	
Number of intended retrievals per live birth	1.7	4.0	5.0	3.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.8%	28.6%	5 / 13	* / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	61.9%	28.6%	5 / 13	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	63.1%	28.6%	5 / 13	* / *	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.0	2.0
Average number of transfers per intended retrieval	1.5	1.1	0.5	1.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	21	6
Percentage of transfers resulting in live births	* / *	* / *	28.6%	* / 6
Percentage of transfers resulting in singleton live births	* / *	* / *	28.6%	0 / 6

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	254	104	42	23	19	442
Percentage of cycles cancelled prior to retrieval or thaw	5.1%	6.7%	11.9%	8.7%	* / 19	6.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.8%	3.8%	4.8%	4.3%	* / 19	3.6%
Percentage of cycles for fertility preservation	0.0%	6.7%	2.4%	4.3%	0 / 19	2.0%
Percentage of transfers using a gestational carrier	3.0%	15.3%	13.0%	0 / 10	0 / 13	6.3%
Percentage of transfers using frozen embryos	98.8%	94.9%	100.0%	10 / 10	12 / 13	97.8%
Percentage of transfers of at least one embryo with ICSI	93.3%	81.4%	91.3%	10 / 10	11 / 13	90.4%
Percentage of transfers of at least one embryo with PGT	51.5%	57.6%	78.3%	5 / 10	0 / 13	52.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	42%	Diminished ovarian reserve	24%
Endometriosis	9%	Egg or embryo banking	30%
Tubal factor	20%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	19%	Other, infertility	12%
Uterine factor	4%	Other, non-infertility	4%
PGT	4%	Unexplained	10%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE
OVERLAND PARK, KANSAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Courtney A. Marsh, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	179	69	47	12	9
Percentage of intended retrievals resulting in live births	47.5%	31.9%	44.7%	* / 12	0 / 9
Percentage of intended retrievals resulting in singleton live births	43.6%	26.1%	44.7%	0 / 12	0 / 9
Number of **retrievals**	157	56	40	8	6
Percentage of retrievals resulting in live births	54.1%	39.3%	52.5%	* / 8	0 / 6
Percentage of retrievals resulting in singleton live births	49.7%	32.1%	52.5%	0 / 8	0 / 6
Number of **transfers**	167	54	33	*	0
Percentage of transfers resulting in live births	50.9%	40.7%	63.6%	* / *	
Percentage of transfers resulting in singleton live births	46.7%	33.3%	63.6%	0 / *	
Number of intended retrievals per live birth	2.1	3.1	2.2	12.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	50.4%	34.3%	45.8%	0 / *	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	54.0%	37.1%	54.2%	* / *	0 / 6
Percentage of new patients having live births after all intended retrievals	54.7%	37.1%	54.2%	* / *	0 / 6
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.5	1.3
Average number of transfers per intended retrieval	1.0	0.8	0.7	0.2	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	5	27	*
Percentage of transfers resulting in live births	0 / *	* / 5	48.1%	0 / *
Percentage of transfers resulting in singleton live births	0 / *	* / 5	44.4%	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	420	195	119	51	23	808
Percentage of cycles cancelled prior to retrieval or thaw	7.1%	10.8%	11.8%	21.6%	21.7%	10.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.1%	6.7%	9.2%	5.9%	0.0%	7.5%
Percentage of cycles for fertility preservation	3.1%	2.1%	5.0%	0.0%	0.0%	2.8%
Percentage of transfers using a gestational carrier	0.0%	0.9%	4.0%	* / 16	0 / 14	1.0%
Percentage of transfers using frozen embryos	81.1%	86.1%	90.0%	15 / 16	12 / 14	84.1%
Percentage of transfers of at least one embryo with ICSI	75.1%	62.0%	76.0%	11 / 16	* / 14	69.8%
Percentage of transfers of at least one embryo with PGT	16.7%	11.1%	28.0%	5 / 16	0 / 14	16.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	42%	Diminished ovarian reserve	22%
Endometriosis	12%	Egg or embryo banking	31%
Tubal factor	11%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	12%	Other, infertility	5%
Uterine factor	1%	Other, non-infertility	1%
PGT	3%	Unexplained	11%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE RESOURCE CENTER OF GREATER KANSAS CITY
OVERLAND PARK, KANSAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Celeste Brabec, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	123	40	21	5	0
Percentage of intended retrievals resulting in live births	46.3%	37.5%	38.1%	* / 5	
Percentage of intended retrievals resulting in singleton live births	39.8%	32.5%	38.1%	* / 5	
Number of **retrievals**	120	37	20	*	0
Percentage of retrievals resulting in live births	47.5%	40.5%	40.0%	* / *	
Percentage of retrievals resulting in singleton live births	40.8%	35.1%	40.0%	* / *	
Number of **transfers**	105	31	12	*	0
Percentage of transfers resulting in live births	54.3%	48.4%	8 / 12	* / *	
Percentage of transfers resulting in singleton live births	46.7%	41.9%	8 / 12	* / *	
Number of intended retrievals per live birth	2.2	2.7	2.6	1.7	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	49.0%	36.4%	* / 14	* / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	51.0%	40.9%	5 / 14	* / *	
Percentage of new patients having live births after all intended retrievals	51.0%	40.9%	5 / 14	* / *	
Average number of intended retrievals per new patient	1.1	1.2	1.1	1.0	
Average number of transfers per intended retrieval	0.8	0.7	0.5	0.8	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	33	8	0
Percentage of transfers resulting in live births	* / *	51.5%	* / 8	
Percentage of transfers resulting in singleton live births	0 / *	48.5%	* / 8	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	241	106	53	10	18	428
Percentage of cycles cancelled prior to retrieval or thaw	2.9%	6.6%	9.4%	* / 10	* / 18	5.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.6%	3.8%	11.3%	* / 10	* / 18	6.5%
Percentage of cycles for fertility preservation	2.5%	2.8%	0.0%	0 / 10	0 / 18	2.1%
Percentage of transfers using a gestational carrier	2.6%	0.0%	0.0%	0 / 8	0 / 14	1.5%
Percentage of transfers using frozen embryos	66.0%	62.9%	41.4%	* / 8	* / 14	58.8%
Percentage of transfers of at least one embryo with ICSI	98.0%	100.0%	100.0%	8 / 8	14 / 14	98.9%
Percentage of transfers of at least one embryo with PGT	30.1%	22.9%	17.2%	* / 8	0 / 14	24.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	25%	Diminished ovarian reserve	36%
Endometriosis	5%	Egg or embryo banking	29%
Tubal factor	3%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	25%	Other, infertility	1%
Uterine factor	1%	Other, non-infertility	1%
PGT	31%	Unexplained	8%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BLUEGRASS FERTILITY CENTER
LEXINGTON, KENTUCKY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by James W. Akin, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	95	22	13	8	7
Percentage of intended retrievals resulting in live births	43.2%	27.3%	* / 13	* / 8	0 / 7
Percentage of intended retrievals resulting in singleton live births	28.4%	18.2%	* / 13	* / 8	0 / 7
Number of **retrievals**	85	20	13	5	5
Percentage of retrievals resulting in live births	48.2%	30.0%	* / 13	* / 5	0 / 5
Percentage of retrievals resulting in singleton live births	31.8%	20.0%	* / 13	* / 5	0 / 5
Number of **transfers**	94	22	14	5	5
Percentage of transfers resulting in live births	43.6%	27.3%	* / 14	* / 5	0 / 5
Percentage of transfers resulting in singleton live births	28.7%	18.2%	* / 14	* / 5	0 / 5
Number of intended retrievals per live birth	2.3	3.7	3.3	8.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	47.5%	* / 10	* / 7	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	49.2%	* / 10	* / 7	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	49.2%	* / 10	* / 7	0 / *	0 / *
Average number of intended retrievals per new patient	1.2	1.3	1.1	1.3	1.8
Average number of transfers per intended retrieval	1.0	1.0	1.0	0.8	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	5	0	*	0
Percentage of transfers resulting in live births	* / 5		0 / *	
Percentage of transfers resulting in singleton live births	0 / 5		0 / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	87	34	35	6	13	175
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	5.9%	8.6%	0 / 6	* / 13	4.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.4%	8.8%	5.7%	* / 6	* / 13	6.9%
Percentage of cycles for fertility preservation	1.1%	5.9%	0.0%	0 / 6	0 / 13	1.7%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / *	0 / 9	0.0%
Percentage of transfers using frozen embryos	25.3%	25.9%	16.7%	* / *	* / 9	25.5%
Percentage of transfers of at least one embryo with ICSI	90.4%	81.5%	93.3%	* / *	9 / 9	90.2%
Percentage of transfers of at least one embryo with PGT	1.2%	3.7%	0.0%	* / *	* / 9	3.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	62%	Diminished ovarian reserve	17%
Endometriosis	17%	Egg or embryo banking	2%
Tubal factor	19%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	19%	Other, infertility	1%
Uterine factor	1%	Other, non-infertility	1%
PGT	1%	Unexplained	5%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE LEXINGTON FERTILITY CENTER
LEXINGTON, KENTUCKY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by George M. Veloudis, DO

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	9	*	*	0	0
Percentage of intended retrievals resulting in live births	0 / 9	0 / *	0 / *		
Percentage of intended retrievals resulting in singleton live births	0 / 9	0 / *	0 / *		
Number of **retrievals**	9	*	*	0	0
Percentage of retrievals resulting in live births	0 / 9	0 / *	0 / *		
Percentage of retrievals resulting in singleton live births	0 / 9	0 / *	0 / *		
Number of **transfers**	14	*	*	0	0
Percentage of transfers resulting in live births	0 / 14	0 / *	0 / *		
Percentage of transfers resulting in singleton live births	0 / 14	0 / *	0 / *		
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	0 / 8	0 / *	0 / *		
Percentage of new patients having live births after 1 or 2 intended retrievals	0 / 8	0 / *	0 / *		
Percentage of new patients having live births after all intended retrievals	0 / 8	0 / *	0 / *		
Average number of intended retrievals per new patient	1.1	1.0	1.3		
Average number of transfers per intended retrieval	1.6	0.8	0.8		

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	0	*
Percentage of transfers resulting in live births	* / *	0 / *		0 / *
Percentage of transfers resulting in singleton live births	* / *	0 / *		0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	19	*	*	0	*	28
Percentage of cycles cancelled prior to retrieval or thaw	0 / 19	0 / *	0 / *		0 / *	0.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0 / 19	0 / *	0 / *		0 / *	0.0%
Percentage of cycles for fertility preservation	0 / 19	0 / *	0 / *		0 / *	0.0%
Percentage of transfers using a gestational carrier	0 / 15	0 / *	0 / *		0 / *	0.0%
Percentage of transfers using frozen embryos	8 / 15	* / *	* / *		0 / *	55.0%
Percentage of transfers of at least one embryo with ICSI	15 / 15	* / *	* / *		* / *	95.0%
Percentage of transfers of at least one embryo with PGT	* / 15	* / *	* / *		0 / *	20.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	68%	Diminished ovarian reserve	14%
Endometriosis	7%	Egg or embryo banking	0%
Tubal factor	0%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	21%	Other, infertility	0%
Uterine factor	7%	Other, non-infertility	4%
PGT	0%	Unexplained	7%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY AND ENDOCRINE ASSOCIATES
LOUISVILLE REPRODUCTIVE CENTER
LOUISVILLE, KENTUCKY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Robert J. Homm, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	41	18	8	*	*
Percentage of intended retrievals resulting in live births	26.8%	* / 18	* / 8	* / *	0 / *
Percentage of intended retrievals resulting in singleton live births	22.0%	* / 18	* / 8	* / *	0 / *
Number of **retrievals**	37	15	8	*	*
Percentage of retrievals resulting in live births	29.7%	* / 15	* / 8	* / *	0 / *
Percentage of retrievals resulting in singleton live births	24.3%	* / 15	* / 8	* / *	0 / *
Number of **transfers**	37	12	5	*	*
Percentage of transfers resulting in live births	29.7%	* / 12	* / 5	* / *	0 / *
Percentage of transfers resulting in singleton live births	24.3%	* / 12	* / 5	* / *	0 / *
Number of intended retrievals per live birth	3.7	6.0	8.0	1.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	31.4%	* / 11	* / 5	* / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	31.4%	* / 11	* / 5	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	31.4%	* / 11	* / 5	* / *	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.0	1.0	1.0
Average number of transfers per intended retrieval	0.9	0.8	1.0	1.0	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	5	21
Percentage of transfers resulting in live births	* / *		* / 5	19.0%
Percentage of transfers resulting in singleton live births	* / *		* / 5	9.5%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	93	41	17	6	11	168
Percentage of cycles cancelled prior to retrieval or thaw	1.1%	7.3%	0 / 17	0 / 6	0 / 11	2.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.7%	9.8%	0 / 17	0 / 6	* / 11	8.9%
Percentage of cycles for fertility preservation	5.4%	2.4%	* / 17	* / 6	0 / 11	4.8%
Percentage of transfers using a gestational carrier	9.5%	0.0%	0 / 14	0 / *	0 / 6	5.2%
Percentage of transfers using frozen embryos	82.5%	90.0%	11 / 14	* / *	5 / 6	84.3%
Percentage of transfers of at least one embryo with ICSI	65.1%	40.0%	5 / 14	0 / *	5 / 6	54.8%
Percentage of transfers of at least one embryo with PGT	31.7%	26.7%	* / 14	0 / *	* / 6	28.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	40%	Diminished ovarian reserve	30%
Endometriosis	23%	Egg or embryo banking	20%
Tubal factor	14%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	20%	Other, infertility	10%
Uterine factor	1%	Other, non-infertility	5%
PGT	4%	Unexplained	2%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY FIRST
REPRODUCTIVE ENDOCRINE SERVICES
LOUISVILLE, KENTUCKY

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

KENTUCKY FERTILITY INSTITUTE, LLC
LOUISVILLE, KENTUCKY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Robert K. Hunter, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	81	39	20	*	*
Percentage of intended retrievals resulting in live births	54.3%	46.2%	25.0%	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	49.4%	41.0%	20.0%	0 / *	0 / *
Number of **retrievals**	78	37	20	*	*
Percentage of retrievals resulting in live births	56.4%	48.6%	25.0%	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	51.3%	43.2%	20.0%	0 / *	0 / *
Number of **transfers**	86	36	17	*	*
Percentage of transfers resulting in live births	51.2%	50.0%	5 / 17	0 / *	0 / *
Percentage of transfers resulting in singleton live births	46.5%	44.4%	* / 17	0 / *	0 / *
Number of intended retrievals per live birth	1.8	2.2	4.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	57.1%	47.1%	5 / 18	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	65.1%	50.0%	5 / 18	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	66.7%	52.9%	5 / 18	0 / *	0 / *
Average number of intended retrievals per new patient	1.2	1.1	1.1	1.3	1.0
Average number of transfers per intended retrieval	1.1	0.9	0.9	0.5	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	*	*
Percentage of transfers resulting in live births	* / *	* / *	* / *	0 / *
Percentage of transfers resulting in singleton live births	0 / *	* / *	* / *	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	202	58	38	17	11	326
Percentage of cycles cancelled prior to retrieval or thaw	5.4%	1.7%	10.5%	* / 17	* / 11	6.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	26.2%	19.0%	21.1%	0 / 17	* / 11	22.4%
Percentage of cycles for fertility preservation	3.0%	6.9%	5.3%	* / 17	0 / 11	4.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0 / 14	0 / 8	0 / *	0.0%
Percentage of transfers using frozen embryos	94.7%	93.5%	14 / 14	* / 8	* / *	91.8%
Percentage of transfers of at least one embryo with ICSI	56.6%	61.3%	9 / 14	8 / 8	* / *	60.6%
Percentage of transfers of at least one embryo with PGT	33.6%	51.6%	8 / 14	* / 8	* / *	40.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	17%
Endometriosis	14%	Egg or embryo banking	20%
Tubal factor	11%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	13%	Other, infertility	2%
Uterine factor	1%	Other, non-infertility	0%
PGT	0%	Unexplained	24%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY OF LOUISVILLE PHYSICIANS OB/GYN & WOMEN'S HEALTH FERTILITY CENTER
LOUISVILLE, KENTUCKY

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

FERTILITY ANSWERS, LLC-BATON ROUGE
BATON ROUGE, LOUISIANA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by John M. Storment, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	50	18	15	0	*
Percentage of intended retrievals resulting in live births	38.0%	* / 18	* / 15		0 / *
Percentage of intended retrievals resulting in singleton live births	32.0%	* / 18	* / 15		0 / *
Number of **retrievals**	46	18	12	0	*
Percentage of retrievals resulting in live births	41.3%	* / 18	* / 12		0 / *
Percentage of retrievals resulting in singleton live births	34.8%	* / 18	* / 12		0 / *
Number of **transfers**	42	10	*	0	0
Percentage of transfers resulting in live births	45.2%	* / 10	* / *		
Percentage of transfers resulting in singleton live births	38.1%	* / 10	* / *		
Number of intended retrievals per live birth	2.6	6.0	15.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	39.5%	0 / 8	* / 11		0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	42.1%	0 / 8	* / 11		0 / *
Percentage of new patients having live births after all intended retrievals	42.1%	0 / 8	* / 11		0 / *
Average number of intended retrievals per new patient	1.0	1.1	1.1		1.0
Average number of transfers per intended retrieval	0.9	0.4	0.2		0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	6	*	0
Percentage of transfers resulting in live births		* / 6	* / *	
Percentage of transfers resulting in singleton live births		* / 6	* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	125	54	21	8	6	214
Percentage of cycles cancelled prior to retrieval or thaw	5.6%	18.5%	19.0%	* / 8	* / 6	11.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	10.4%	9.3%	4.8%	0 / 8	* / 6	9.3%
Percentage of cycles for fertility preservation	0.0%	1.9%	0.0%	0 / 8	0 / 6	0.5%
Percentage of transfers using a gestational carrier	1.6%	0.0%	0 / 10	0 / *	0 / *	0.9%
Percentage of transfers using frozen embryos	90.5%	84.0%	8 / 10	* / *	* / *	85.8%
Percentage of transfers of at least one embryo with ICSI	85.7%	44.0%	* / 10	0 / *	* / *	67.9%
Percentage of transfers of at least one embryo with PGT	47.6%	40.0%	6 / 10	* / *	* / *	46.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	20%	Diminished ovarian reserve	24%
Endometriosis	7%	Egg or embryo banking	31%
Tubal factor	21%	Recurrent pregnancy loss	<1%
Ovulatory dysfunction	10%	Other, infertility	17%
Uterine factor	6%	Other, non-infertility	1%
PGT	8%	Unexplained	14%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY ANSWERS, LLC-LAFAYETTE
LAFAYETTE, LOUISIANA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by John M. Storment, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	50	32	7	5	*
Percentage of intended retrievals resulting in live births	34.0%	15.6%	* / 7	0 / 5	0 / *
Percentage of intended retrievals resulting in singleton live births	28.0%	9.4%	* / 7	0 / 5	0 / *
Number of **retrievals**	44	27	*	*	0
Percentage of retrievals resulting in live births	38.6%	18.5%	* / *	0 / *	
Percentage of retrievals resulting in singleton live births	31.8%	11.1%	* / *	0 / *	
Number of **transfers**	45	27	*	*	0
Percentage of transfers resulting in live births	37.8%	18.5%	* / *	0 / *	
Percentage of transfers resulting in singleton live births	31.1%	11.1%	* / *	0 / *	
Number of intended retrievals per live birth	2.9	6.4	7.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	31.0%	10.0%	* / 7	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	31.0%	10.0%	* / 7	0 / *	
Percentage of new patients having live births after all intended retrievals	31.0%	10.0%	* / 7	0 / *	
Average number of intended retrievals per new patient	1.0	1.1	1.0	1.0	
Average number of transfers per intended retrieval	0.9	0.7	0.3	0.3	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	5	5	0
Percentage of transfers resulting in live births		* / 5	* / 5	
Percentage of transfers resulting in singleton live births		* / 5	* / 5	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	135	64	34	10	6	249
Percentage of cycles cancelled prior to retrieval or thaw	5.2%	0.0%	2.9%	0 / 10	0 / 6	3.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.4%	4.7%	17.6%	* / 10	* / 6	8.0%
Percentage of cycles for fertility preservation	0.7%	0.0%	2.9%	0 / 10	0 / 6	0.8%
Percentage of transfers using a gestational carrier	7.3%	0.0%	0 / 13	0 / 5	0 / *	4.2%
Percentage of transfers using frozen embryos	75.6%	90.2%	12 / 13	* / 5	* / *	80.6%
Percentage of transfers of at least one embryo with ICSI	89.0%	90.2%	11 / 13	* / 5	* / *	87.5%
Percentage of transfers of at least one embryo with PGT	37.8%	39.0%	7 / 13	* / 5	* / *	39.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	18%
Endometriosis	8%	Egg or embryo banking	33%
Tubal factor	27%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	8%	Other, infertility	10%
Uterine factor	3%	Other, non-infertility	2%
PGT	1%	Unexplained	20%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY INSTITUTE OF NEW ORLEANS
MANDEVILLE, LOUISIANA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Richard P. Dickey, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	196	90	65	23	8
Percentage of intended retrievals resulting in live births	39.3%	28.9%	16.9%	4.3%	0 / 8
Percentage of intended retrievals resulting in singleton live births	37.2%	23.3%	16.9%	4.3%	0 / 8
Number of **retrievals**	176	77	53	18	6
Percentage of retrievals resulting in live births	43.8%	33.8%	20.8%	* / 18	0 / 6
Percentage of retrievals resulting in singleton live births	41.5%	27.3%	20.8%	* / 18	0 / 6
Number of **transfers**	218	76	30	7	*
Percentage of transfers resulting in live births	35.3%	34.2%	36.7%	* / 7	0 / *
Percentage of transfers resulting in singleton live births	33.5%	27.6%	36.7%	* / 7	0 / *
Number of intended retrievals per live birth	2.5	3.5	5.9	23.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	44.5%	32.7%	21.4%	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	49.2%	38.5%	21.4%	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	50.8%	38.5%	21.4%	0 / *	0 / *
Average number of intended retrievals per new patient	1.2	1.2	1.3	1.3	1.3
Average number of transfers per intended retrieval	1.2	0.9	0.3	0.4	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	6	16	30
Percentage of transfers resulting in live births	* / *	* / 6	5 / 16	23.3%
Percentage of transfers resulting in singleton live births	* / *	* / 6	5 / 16	23.3%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	462	214	152	56	47	931
Percentage of cycles cancelled prior to retrieval or thaw	13.0%	12.1%	11.8%	14.3%	14.9%	12.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.7%	4.2%	9.2%	7.1%	12.8%	4.4%
Percentage of cycles for fertility preservation	0.9%	0.9%	2.0%	0.0%	0.0%	1.0%
Percentage of transfers using a gestational carrier	1.2%	0.0%	3.1%	0.0%	0.0%	1.0%
Percentage of transfers using frozen embryos	94.1%	95.8%	96.9%	88.0%	95.8%	94.7%
Percentage of transfers of at least one embryo with ICSI	71.0%	68.3%	49.2%	48.0%	20.8%	63.8%
Percentage of transfers of at least one embryo with PGT	36.9%	25.0%	52.3%	52.0%	20.8%	36.0%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	34%	Diminished ovarian reserve	22%
Endometriosis	10%	Egg or embryo banking	35%
Tubal factor	14%	Recurrent pregnancy loss	<1%
Ovulatory dysfunction	32%	Other, infertility	46%
Uterine factor	<1%	Other, non-infertility	<1%
PGT	36%	Unexplained	3%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

AUDUBON FERTILITY
NEW ORLEANS, LOUISIANA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Lindsay Wells, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	95	40	43	13	7
Percentage of intended retrievals resulting in live births	66.3%	50.0%	32.6%	0 / 13	0 / 7
Percentage of intended retrievals resulting in singleton live births	62.1%	45.0%	30.2%	0 / 13	0 / 7
Number of **retrievals**	90	39	35	12	6
Percentage of retrievals resulting in live births	70.0%	51.3%	40.0%	0 / 12	0 / 6
Percentage of retrievals resulting in singleton live births	65.6%	46.2%	37.1%	0 / 12	0 / 6
Number of **transfers**	105	40	25	*	*
Percentage of transfers resulting in live births	60.0%	50.0%	56.0%	0 / *	0 / *
Percentage of transfers resulting in singleton live births	56.2%	45.0%	52.0%	0 / *	0 / *
Number of intended retrievals per live birth	1.5	2.0	3.1		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	65.3%	45.2%	45.5%	0 / 8	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	77.8%	54.8%	54.5%	0 / 8	0 / *
Percentage of new patients having live births after all intended retrievals	77.8%	54.8%	59.1%	0 / 8	0 / *
Average number of intended retrievals per new patient	1.2	1.1	1.4	1.5	1.3
Average number of transfers per intended retrieval	1.1	1.0	0.7	0.3	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	30	8
Percentage of transfers resulting in live births			43.3%	* / 8
Percentage of transfers resulting in singleton live births			43.3%	* / 8

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	234	143	102	33	17	529
Percentage of cycles cancelled prior to retrieval or thaw	6.0%	13.3%	10.8%	12.1%	* / 17	9.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	10.3%	8.4%	5.9%	9.1%	* / 17	8.7%
Percentage of cycles for fertility preservation	5.1%	10.5%	2.9%	3.0%	0 / 17	5.9%
Percentage of transfers using a gestational carrier	3.5%	0.0%	6.7%	0 / 13	0 / 11	2.8%
Percentage of transfers using frozen embryos	99.1%	100.0%	100.0%	13 / 13	11 / 11	99.6%
Percentage of transfers of at least one embryo with ICSI	92.2%	85.5%	82.2%	5 / 13	* / 11	82.1%
Percentage of transfers of at least one embryo with PGT	40.0%	54.8%	68.9%	5 / 13	5 / 11	49.2%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	22%	Diminished ovarian reserve	12%
Endometriosis	10%	Egg or embryo banking	37%
Tubal factor	10%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	18%	Other, infertility	34%
Uterine factor	4%	Other, non-infertility	10%
PGT	7%	Unexplained	15%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ARKLATEX FERTILITY AND REPRODUCTIVE MEDICINE
SHREVEPORT, LOUISIANA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by David T. Vandermolen, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	69	21	10	8	*
Percentage of intended retrievals resulting in live births	58.0%	33.3%	5 / 10	* / 8	0 / *
Percentage of intended retrievals resulting in singleton live births	44.9%	33.3%	5 / 10	* / 8	0 / *
Number of **retrievals**	63	18	9	6	*
Percentage of retrievals resulting in live births	63.5%	7 / 18	5 / 9	* / 6	0 / *
Percentage of retrievals resulting in singleton live births	49.2%	7 / 18	5 / 9	* / 6	0 / *
Number of **transfers**	77	22	10	6	*
Percentage of transfers resulting in live births	51.9%	31.8%	5 / 10	* / 6	0 / *
Percentage of transfers resulting in singleton live births	40.3%	31.8%	5 / 10	* / 6	0 / *
Number of intended retrievals per live birth	1.7	3.0	2.0	8.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	63.0%	5 / 15	* / 7	* / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	66.7%	5 / 15	* / 7	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	66.7%	5 / 15	* / 7	* / *	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.1	1.8	1.0
Average number of transfers per intended retrieval	1.2	1.1	1.1	0.7	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	*	0
Percentage of transfers resulting in live births	* / *		0 / *	
Percentage of transfers resulting in singleton live births	* / *		0 / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	76	33	21	5	*	138
Percentage of cycles cancelled prior to retrieval or thaw	10.5%	6.1%	23.8%	0 / 5	0 / *	10.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.9%	3.0%	9.5%	0 / 5	* / *	7.2%
Percentage of cycles for fertility preservation	2.6%	9.1%	0.0%	0 / 5	0 / *	3.6%
Percentage of transfers using a gestational carrier	8.5%	0.0%	0 / 12	0 / *	0 / *	4.8%
Percentage of transfers using frozen embryos	62.7%	40.7%	5 / 12	* / *	* / *	54.8%
Percentage of transfers of at least one embryo with ICSI	79.7%	66.7%	11 / 12	* / *	* / *	77.9%
Percentage of transfers of at least one embryo with PGT	1.7%	7.4%	* / 12	* / *	0 / *	4.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	28%
Endometriosis	11%	Egg or embryo banking	7%
Tubal factor	17%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	12%	Other, infertility	4%
Uterine factor	3%	Other, non-infertility	0%
PGT	1%	Unexplained	10%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BOSTON IVF, LLC THE MAINE CENTER
SOUTH PORTLAND, MAINE

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ben M. Lannon, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	109	46	31	20	13
Percentage of intended retrievals resulting in live births	56.9%	47.8%	54.8%	30.0%	0 / 13
Percentage of intended retrievals resulting in singleton live births	49.5%	37.0%	48.4%	30.0%	0 / 13
Number of **retrievals**	107	45	30	15	11
Percentage of retrievals resulting in live births	57.9%	48.9%	56.7%	6 / 15	0 / 11
Percentage of retrievals resulting in singleton live births	50.5%	37.8%	50.0%	6 / 15	0 / 11
Number of **transfers**	142	55	31	17	*
Percentage of transfers resulting in live births	43.7%	40.0%	54.8%	6 / 17	0 / *
Percentage of transfers resulting in singleton live births	38.0%	30.9%	48.4%	6 / 17	0 / *
Number of intended retrievals per live birth	1.8	2.1	1.8	3.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	59.8%	42.9%	12 / 19	* / 9	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	67.8%	50.0%	12 / 19	* / 9	0 / 5
Percentage of new patients having live births after all intended retrievals	69.0%	53.6%	12 / 19	* / 9	0 / 5
Average number of intended retrievals per new patient	1.1	1.2	1.0	1.2	1.6
Average number of transfers per intended retrieval	1.3	1.1	1.1	1.0	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	21	0
Percentage of transfers resulting in live births			38.1%	
Percentage of transfers resulting in singleton live births			38.1%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	185	120	107	55	8	475
Percentage of cycles cancelled prior to retrieval or thaw	5.9%	3.3%	9.3%	10.9%	0 / 8	6.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.9%	5.8%	1.9%	0.0%	* / 8	4.6%
Percentage of cycles for fertility preservation	1.6%	1.7%	0.9%	1.8%	0 / 8	1.5%
Percentage of transfers using a gestational carrier	0.0%	1.1%	0.0%	0.0%	0 / *	0.3%
Percentage of transfers using frozen embryos	61.1%	68.1%	66.7%	68.3%	* / *	65.0%
Percentage of transfers of at least one embryo with ICSI	38.2%	26.4%	20.0%	9.8%	0 / *	27.9%
Percentage of transfers of at least one embryo with PGT	6.3%	12.1%	30.0%	22.0%	0 / *	13.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	10%
Endometriosis	6%	Egg or embryo banking	17%
Tubal factor	9%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	9%	Other, infertility	17%
Uterine factor	1%	Other, non-infertility	<1%
PGT	2%	Unexplained	26%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE A.R.T. INSTITUTE OF WASHINGTON, INC.
WALTER REED NATIONAL MILITARY MEDICAL CENTER
BETHESDA, MARYLAND

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Micah Hill, DO

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	154	94	92	42	0
Percentage of intended retrievals resulting in live births	61.7%	40.4%	25.0%	21.4%	
Percentage of intended retrievals resulting in singleton live births	57.8%	37.2%	17.4%	21.4%	
Number of **retrievals**	150	89	88	39	0
Percentage of retrievals resulting in live births	63.3%	42.7%	26.1%	23.1%	
Percentage of retrievals resulting in singleton live births	59.3%	39.3%	18.2%	23.1%	
Number of **transfers**	186	107	91	44	0
Percentage of transfers resulting in live births	51.1%	35.5%	25.3%	20.5%	
Percentage of transfers resulting in singleton live births	47.8%	32.7%	17.6%	20.5%	
Number of intended retrievals per live birth	1.6	2.5	4.0	4.7	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	62.2%	35.4%	25.0%	23.8%	
Percentage of new patients having live births after 1 or 2 intended retrievals	64.6%	44.6%	28.1%	28.6%	
Percentage of new patients having live births after all intended retrievals	64.6%	44.6%	28.1%	28.6%	
Average number of intended retrievals per new patient	1.0	1.1	1.2	1.3	
Average number of transfers per intended retrieval	1.2	1.1	1.0	1.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	*	*
Percentage of transfers resulting in live births		* / *	* / *	* / *
Percentage of transfers resulting in singleton live births		* / *	* / *	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	296	186	162	89	16	749
Percentage of cycles cancelled prior to retrieval or thaw	7.4%	8.6%	4.3%	10.1%	* / 16	7.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	17.6%	11.8%	14.2%	7.9%	* / 16	14.0%
Percentage of cycles for fertility preservation	7.8%	9.7%	3.7%	2.2%	0 / 16	6.5%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	0 / 11	0.0%
Percentage of transfers using frozen embryos	64.4%	57.6%	50.0%	41.7%	8 / 11	56.9%
Percentage of transfers of at least one embryo with ICSI	84.8%	80.0%	88.6%	78.3%	5 / 11	82.8%
Percentage of transfers of at least one embryo with PGT	3.1%	4.0%	6.1%	10.0%	* / 11	5.0%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	43%	Diminished ovarian reserve	9%
Endometriosis	7%	Egg or embryo banking	12%
Tubal factor	18%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	11%	Other, infertility	4%
Uterine factor	6%	Other, non-infertility	1%
PGT	2%	Unexplained	20%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ENDRIKA HINTON, MD
LUTHERVILLE, MARYLAND

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Endrika L. Hinton, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	11	6	8	*	*
Percentage of intended retrievals resulting in live births	* / 11	* / 6	* / 8	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	* / 11	* / 6	* / 8	0 / *	0 / *
Number of **retrievals**	11	6	6	*	*
Percentage of retrievals resulting in live births	* / 11	* / 6	* / 6	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	* / 11	* / 6	* / 6	0 / *	0 / *
Number of **transfers**	11	*	*	0	0
Percentage of transfers resulting in live births	* / 11	* / *	* / *		
Percentage of transfers resulting in singleton live births	* / 11	* / *	* / *		
Number of intended retrievals per live birth	3.7	6.0	4.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 7			0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 7			0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	* / 7			0 / *	0 / *
Average number of intended retrievals per new patient	1.6			1.0	1.0
Average number of transfers per intended retrieval	1.0			0.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	17	7	5	*	*	35
Percentage of cycles cancelled prior to retrieval or thaw	* / 17	0 / 7	0 / 5	* / *	0 / *	5.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	* / 17	0 / 7	0 / 5	* / *	* / *	11.4%
Percentage of cycles for fertility preservation	0 / 17	0 / 7	0 / 5	0 / *	0 / *	0.0%
Percentage of transfers using a gestational carrier	0 / 14	0 / 5	0 / 5		0 / *	0.0%
Percentage of transfers using frozen embryos	5 / 14	* / 5	* / 5		* / *	55.6%
Percentage of transfers of at least one embryo with ICSI	9 / 14	* / 5	* / 5		* / *	48.1%
Percentage of transfers of at least one embryo with PGT	* / 14	* / 5	* / 5		* / *	29.6%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	43%	Diminished ovarian reserve	17%
Endometriosis	20%	Egg or embryo banking	9%
Tubal factor	17%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	40%	Other, infertility	11%
Uterine factor	9%	Other, non-infertility	0%
PGT	11%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

JOHNS HOPKINS FERTILITY CENTER
LUTHERVILLE, MARYLAND

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mindy S. Christianson, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	150	77	139	75	47
Percentage of intended retrievals resulting in live births	27.3%	22.1%	10.8%	1.3%	2.1%
Percentage of intended retrievals resulting in singleton live births	20.7%	18.2%	10.1%	1.3%	2.1%
Number of **retrievals**	140	63	122	65	38
Percentage of retrievals resulting in live births	29.3%	27.0%	12.3%	1.5%	2.6%
Percentage of retrievals resulting in singleton live births	22.1%	22.2%	11.5%	1.5%	2.6%
Number of **transfers**	118	48	62	35	9
Percentage of transfers resulting in live births	34.7%	35.4%	24.2%	2.9%	* / 9
Percentage of transfers resulting in singleton live births	26.3%	29.2%	22.6%	2.9%	* / 9
Number of intended retrievals per live birth	3.7	4.5	9.3	75.0	47.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	35.1%	25.8%	18.9%	0.0%	0 / 11
Percentage of new patients having live births after 1 or 2 intended retrievals	43.2%	29.0%	24.3%	5.0%	0 / 11
Percentage of new patients having live births after all intended retrievals	45.9%	35.5%	29.7%	5.0%	0 / 11
Average number of intended retrievals per new patient	1.4	1.4	2.2	2.2	2.4
Average number of transfers per intended retrieval	0.9	0.9	0.5	0.5	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	19	20	0
Percentage of transfers resulting in live births	0 / *	7 / 19	20.0%	
Percentage of transfers resulting in singleton live births	0 / *	6 / 19	20.0%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	271	172	138	105	95	781
Percentage of cycles cancelled prior to retrieval or thaw	5.5%	7.0%	12.3%	15.2%	23.2%	10.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	10.0%	10.5%	11.6%	17.1%	9.5%	11.3%
Percentage of cycles for fertility preservation	9.6%	11.6%	10.1%	1.9%	10.5%	9.2%
Percentage of transfers using a gestational carrier	3.9%	7.1%	4.1%	2.6%	7.9%	4.9%
Percentage of transfers using frozen embryos	82.4%	81.2%	81.6%	74.4%	57.9%	78.6%
Percentage of transfers of at least one embryo with ICSI	72.5%	82.4%	71.4%	82.1%	65.8%	75.0%
Percentage of transfers of at least one embryo with PGT	21.6%	27.1%	55.1%	33.3%	5.3%	26.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	20%	Diminished ovarian reserve	25%
Endometriosis	12%	Egg or embryo banking	35%
Tubal factor	12%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	14%	Other, infertility	14%
Uterine factor	9%	Other, non-infertility	6%
PGT	7%	Unexplained	8%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

MONTGOMERY FERTILITY CENTER
ROCKVILLE, MARYLAND

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Oluyemisi Adesanya-Famuyiwa, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	17	18	14	*	5
Percentage of intended retrievals resulting in live births	5 / 17	6 / 18	0 / 14	0 / *	0 / 5
Percentage of intended retrievals resulting in singleton live births	* / 17	* / 18	0 / 14	0 / *	0 / 5
Number of **retrievals**	16	18	14	*	*
Percentage of retrievals resulting in live births	5 / 16	6 / 18	0 / 14	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	* / 16	* / 18	0 / 14	0 / *	0 / *
Number of **transfers**	18	16	10	*	*
Percentage of transfers resulting in live births	5 / 18	6 / 16	0 / 10	0 / *	0 / *
Percentage of transfers resulting in singleton live births	* / 18	* / 16	0 / 10	0 / *	0 / *
Number of intended retrievals per live birth	3.4	3.0			
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 10	5 / 13	0 / 7	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 10	5 / 13	0 / 7	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	* / 10	5 / 13	0 / 7	0 / *	0 / *
Average number of intended retrievals per new patient	1.5	1.2	1.6	2.0	1.0
Average number of transfers per intended retrieval	1.1	0.9	0.6	1.0	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	10	0
Percentage of transfers resulting in live births			* / 10	
Percentage of transfers resulting in singleton live births			* / 10	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	36	32	23	7	27	125
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	4.3%	0 / 7	0.0%	0.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	3.1%	13.0%	0 / 7	7.4%	4.8%
Percentage of cycles for fertility preservation	0.0%	0.0%	4.3%	0 / 7	0.0%	0.8%
Percentage of transfers using a gestational carrier	0.0%	0 / 17	0 / 8	0 / *	0 / 13	0.0%
Percentage of transfers using frozen embryos	85.0%	14 / 17	6 / 8	* / *	11 / 13	81.7%
Percentage of transfers of at least one embryo with ICSI	15.0%	* / 17	* / 8	* / *	* / 13	21.7%
Percentage of transfers of at least one embryo with PGT	0.0%	0 / 17	0 / 8	0 / *	0 / 13	0.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	22%	Diminished ovarian reserve	14%
Endometriosis	0%	Egg or embryo banking	51%
Tubal factor	14%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	23%	Other, infertility	0%
Uterine factor	18%	Other, non-infertility	0%
PGT	23%	Unexplained	26%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

SHADY GROVE FERTILITY-ROCKVILLE
ROCKVILLE, MARYLAND

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michael J. Levy, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	1,523	1,085	1,047	581	317
Percentage of intended retrievals resulting in live births	57.6%	44.6%	28.6%	12.2%	4.4%
Percentage of intended retrievals resulting in singleton live births	53.1%	41.2%	26.2%	11.7%	3.8%
Number of **retrievals**	1,445	979	919	478	263
Percentage of retrievals resulting in live births	60.7%	49.4%	32.5%	14.9%	5.3%
Percentage of retrievals resulting in singleton live births	55.9%	45.7%	29.8%	14.2%	4.6%
Number of **transfers**	1,824	1,066	784	273	130
Percentage of transfers resulting in live births	48.1%	45.4%	38.1%	26.0%	10.8%
Percentage of transfers resulting in singleton live births	44.3%	41.9%	34.9%	24.9%	9.2%
Number of intended retrievals per live birth	1.7	2.2	3.5	8.2	22.6
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	62.6%	50.3%	32.6%	13.2%	7.2%
Percentage of new patients having live births after 1 or 2 intended retrievals	69.7%	58.5%	41.7%	18.1%	9.0%
Percentage of new patients having live births after all intended retrievals	71.6%	61.1%	44.1%	21.1%	9.9%
Average number of intended retrievals per new patient	1.2	1.3	1.4	1.7	1.5
Average number of transfers per intended retrieval	1.2	1.0	0.8	0.5	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	268	94	781	80
Percentage of transfers resulting in live births	53.7%	48.9%	39.7%	48.8%
Percentage of transfers resulting in singleton live births	50.4%	46.8%	37.6%	43.8%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	3,132	2,402	2,436	1,122	1,325	10,417
Percentage of cycles cancelled prior to retrieval or thaw	4.7%	6.2%	10.4%	12.3%	13.3%	8.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	10.9%	6.5%	8.8%	12.9%	10.4%	9.5%
Percentage of cycles for fertility preservation	4.5%	11.2%	5.5%	2.5%	1.0%	5.6%
Percentage of transfers using a gestational carrier	1.5%	2.4%	2.2%	4.6%	5.4%	2.7%
Percentage of transfers using frozen embryos	61.4%	70.7%	70.2%	67.3%	68.3%	66.8%
Percentage of transfers of at least one embryo with ICSI	75.3%	78.0%	80.8%	80.5%	77.0%	77.8%
Percentage of transfers of at least one embryo with PGT	21.9%	34.5%	39.4%	36.4%	18.9%	29.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	24%	Diminished ovarian reserve	25%
Endometriosis	3%	Egg or embryo banking	24%
Tubal factor	8%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	10%	Other, infertility	38%
Uterine factor	4%	Other, non-infertility	1%
PGT	12%	Unexplained	14%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY CENTER OF MARYLAND
TOWSON, MARYLAND

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Santiago L. Padilla, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	103	58	51	21	19
Percentage of intended retrievals resulting in live births	47.6%	32.8%	21.6%	14.3%	* / 19
Percentage of intended retrievals resulting in singleton live births	40.8%	32.8%	19.6%	14.3%	* / 19
Number of **retrievals**	101	51	39	10	7
Percentage of retrievals resulting in live births	48.5%	37.3%	28.2%	* / 10	* / 7
Percentage of retrievals resulting in singleton live births	41.6%	37.3%	25.6%	* / 10	* / 7
Number of **transfers**	113	58	38	10	7
Percentage of transfers resulting in live births	43.4%	32.8%	28.9%	* / 10	* / 7
Percentage of transfers resulting in singleton live births	37.2%	32.8%	26.3%	* / 10	* / 7
Number of intended retrievals per live birth	2.1	3.1	4.6	7.0	9.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	58.5%	29.6%	21.7%	* / 11	* / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	64.2%	44.4%	30.4%	* / 11	* / 6
Percentage of new patients having live births after all intended retrievals	67.9%	44.4%	34.8%	* / 11	* / 6
Average number of intended retrievals per new patient	1.3	1.3	1.3	1.4	1.2
Average number of transfers per intended retrieval	1.1	1.1	0.8	0.4	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	105	73	65	32	36	311
Percentage of cycles cancelled prior to retrieval or thaw	6.7%	12.3%	24.6%	25.0%	38.9%	17.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.8%	5.5%	1.5%	3.1%	11.1%	4.5%
Percentage of cycles for fertility preservation	1.0%	0.0%	1.5%	0.0%	0.0%	0.6%
Percentage of transfers using a gestational carrier	0.0%	1.7%	0.0%	0.0%	0 / 16	0.4%
Percentage of transfers using frozen embryos	36.3%	37.9%	25.6%	33.3%	6 / 16	34.5%
Percentage of transfers of at least one embryo with ICSI	20.9%	50.0%	34.9%	38.1%	* / 16	32.8%
Percentage of transfers of at least one embryo with PGT	0.0%	0.0%	0.0%	0.0%	0 / 16	0.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	No	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	29%
Endometriosis	5%	Egg or embryo banking	5%
Tubal factor	24%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	23%	Other, infertility	36%
Uterine factor	11%	Other, non-infertility	7%
PGT	0%	Unexplained	6%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SHADY GROVE FERTILITY-TOWSON
TOWSON, MARYLAND

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jeffrey L. McKeeby, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	546	253	246	111	42
Percentage of intended retrievals resulting in live births	51.5%	41.1%	19.1%	9.0%	2.4%
Percentage of intended retrievals resulting in singleton live births	48.5%	36.0%	17.9%	8.1%	2.4%
Number of **retrievals**	518	234	218	91	29
Percentage of retrievals resulting in live births	54.2%	44.4%	21.6%	11.0%	3.4%
Percentage of retrievals resulting in singleton live births	51.2%	38.9%	20.2%	9.9%	3.4%
Number of **transfers**	601	250	160	60	12
Percentage of transfers resulting in live births	46.8%	41.6%	29.4%	16.7%	* / 12
Percentage of transfers resulting in singleton live births	44.1%	36.4%	27.5%	15.0%	* / 12
Number of intended retrievals per live birth	1.9	2.4	5.2	11.1	42.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	55.6%	42.1%	25.3%	8.0%	* / 16
Percentage of new patients having live births after 1 or 2 intended retrievals	63.7%	52.6%	32.3%	14.0%	* / 16
Percentage of new patients having live births after all intended retrievals	64.8%	54.9%	37.4%	14.0%	* / 16
Average number of intended retrievals per new patient	1.2	1.3	1.5	1.7	1.5
Average number of transfers per intended retrieval	1.1	1.0	0.7	0.5	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	51	12	74	22
Percentage of transfers resulting in live births	43.1%	5 / 12	48.6%	36.4%
Percentage of transfers resulting in singleton live births	43.1%	5 / 12	44.6%	36.4%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	1,002	482	411	218	221	2,334
Percentage of cycles cancelled prior to retrieval or thaw	5.4%	6.6%	7.3%	10.1%	10.0%	6.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	12.4%	10.8%	15.1%	15.1%	21.3%	13.6%
Percentage of cycles for fertility preservation	2.0%	3.5%	1.9%	2.3%	0.5%	2.2%
Percentage of transfers using a gestational carrier	1.2%	1.3%	0.4%	0.0%	4.3%	1.2%
Percentage of transfers using frozen embryos	56.3%	63.7%	59.9%	58.5%	53.4%	58.4%
Percentage of transfers of at least one embryo with ICSI	75.0%	80.8%	76.7%	81.1%	78.4%	77.2%
Percentage of transfers of at least one embryo with PGT	21.2%	27.8%	24.7%	31.1%	15.5%	23.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	23%
Endometriosis	3%	Egg or embryo banking	23%
Tubal factor	10%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	14%	Other, infertility	45%
Uterine factor	3%	Other, non-infertility	1%
PGT	18%	Unexplained	10%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BRIGHAM AND WOMEN'S HOSPITAL CENTER FOR ASSISTED REPRODUCTIVE TECHNOLOGY BOSTON, MASSACHUSETTS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Elizabeth S. Ginsburg, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	451	276	288	132	71
Percentage of intended retrievals resulting in live births	54.8%	39.9%	27.4%	16.7%	4.2%
Percentage of intended retrievals resulting in singleton live births	50.1%	36.2%	22.9%	12.9%	4.2%
Number of **retrievals**	433	255	264	121	69
Percentage of retrievals resulting in live births	57.0%	43.1%	29.9%	18.2%	4.3%
Percentage of retrievals resulting in singleton live births	52.2%	39.2%	25.0%	14.0%	4.3%
Number of **transfers**	587	319	275	116	52
Percentage of transfers resulting in live births	42.1%	34.5%	28.7%	19.0%	5.8%
Percentage of transfers resulting in singleton live births	38.5%	31.3%	24.0%	14.7%	5.8%
Number of intended retrievals per live birth	1.8	2.5	3.6	6.0	23.7
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	61.4%	47.4%	34.5%	17.6%	4.5%
Percentage of new patients having live births after 1 or 2 intended retrievals	68.2%	51.9%	41.0%	23.5%	9.1%
Percentage of new patients having live births after all intended retrievals	69.5%	54.5%	44.6%	23.5%	9.1%
Average number of intended retrievals per new patient	1.2	1.2	1.4	1.4	1.6
Average number of transfers per intended retrieval	1.4	1.3	1.0	0.9	0.8

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	32	0	54	0
Percentage of transfers resulting in live births	81.3%		50.0%	
Percentage of transfers resulting in singleton live births	81.3%		42.6%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	866	558	549	271	183	2,427
Percentage of cycles cancelled prior to retrieval or thaw	3.7%	5.6%	4.6%	4.8%	9.3%	4.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.4%	3.4%	4.9%	3.0%	3.3%	3.3%
Percentage of cycles for fertility preservation	6.5%	6.1%	3.1%	3.3%	0.5%	4.8%
Percentage of transfers using a gestational carrier	1.6%	2.1%	1.8%	1.5%	6.7%	2.1%
Percentage of transfers using frozen embryos	62.2%	57.9%	53.6%	43.2%	54.5%	56.5%
Percentage of transfers of at least one embryo with ICSI	36.5%	42.4%	39.1%	50.3%	41.0%	40.4%
Percentage of transfers of at least one embryo with PGT	13.6%	11.9%	15.0%	8.0%	6.7%	12.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	35%
Endometriosis	7%	Egg or embryo banking	22%
Tubal factor	7%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	10%	Other, infertility	32%
Uterine factor	4%	Other, non-infertility	0%
PGT	17%	Unexplained	16%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

MASSACHUSETTS GENERAL HOSPITAL FERTILITY CENTER
BOSTON, MASSACHUSETTS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by John C. Petrozza, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	222	167	122	66	18
Percentage of intended retrievals resulting in live births	53.6%	43.1%	36.1%	24.2%	* / 18
Percentage of intended retrievals resulting in singleton live births	50.0%	40.7%	32.0%	21.2%	* / 18
Number of **retrievals**	213	149	112	62	17
Percentage of retrievals resulting in live births	55.9%	48.3%	39.3%	25.8%	* / 17
Percentage of retrievals resulting in singleton live births	52.1%	45.6%	34.8%	22.6%	* / 17
Number of **transfers**	272	183	122	57	17
Percentage of transfers resulting in live births	43.8%	39.3%	36.1%	28.1%	* / 17
Percentage of transfers resulting in singleton live births	40.8%	37.2%	32.0%	24.6%	* / 17
Number of intended retrievals per live birth	1.9	2.3	2.8	4.1	6.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.1%	44.9%	29.4%	21.7%	* / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	68.9%	48.0%	35.3%	26.1%	* / 7
Percentage of new patients having live births after all intended retrievals	68.9%	48.0%	35.3%	34.8%	* / 7
Average number of intended retrievals per new patient	1.2	1.1	1.2	1.6	1.4
Average number of transfers per intended retrieval	1.2	1.1	1.0	0.8	0.8

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	10	11	46	0
Percentage of transfers resulting in live births	7 / 10	7 / 11	34.8%	
Percentage of transfers resulting in singleton live births	6 / 10	7 / 11	34.8%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	443	318	282	128	64	1,235
Percentage of cycles cancelled prior to retrieval or thaw	3.2%	3.5%	6.0%	4.7%	1.6%	4.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.2%	4.4%	1.8%	6.3%	7.8%	4.5%
Percentage of cycles for fertility preservation	7.4%	6.9%	5.3%	3.9%	6.3%	6.4%
Percentage of transfers using a gestational carrier	0.0%	1.7%	1.1%	3.4%	11.1%	1.6%
Percentage of transfers using frozen embryos	49.1%	59.2%	52.2%	40.9%	62.2%	52.3%
Percentage of transfers of at least one embryo with ICSI	76.3%	81.5%	84.9%	87.5%	75.6%	80.6%
Percentage of transfers of at least one embryo with PGT	9.2%	18.9%	22.6%	19.3%	2.2%	15.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	39%	Diminished ovarian reserve	25%
Endometriosis	5%	Egg or embryo banking	20%
Tubal factor	11%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	12%	Other, infertility	6%
Uterine factor	7%	Other, non-infertility	1%
PGT	4%	Unexplained	13%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY SOLUTIONS, PC
DEDHAM, MASSACHUSETTS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ania Kowalik, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	129	103	94	40	15
Percentage of intended retrievals resulting in live births	38.8%	36.9%	23.4%	20.0%	* / 15
Percentage of intended retrievals resulting in singleton live births	34.9%	35.9%	20.2%	17.5%	* / 15
Number of **retrievals**	121	93	85	32	13
Percentage of retrievals resulting in live births	41.3%	40.9%	25.9%	25.0%	* / 13
Percentage of retrievals resulting in singleton live births	37.2%	39.8%	22.4%	21.9%	* / 13
Number of **transfers**	180	126	93	31	10
Percentage of transfers resulting in live births	27.8%	30.2%	23.7%	25.8%	* / 10
Percentage of transfers resulting in singleton live births	25.0%	29.4%	20.4%	22.6%	* / 10
Number of intended retrievals per live birth	2.6	2.7	4.3	5.0	7.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	47.1%	47.9%	29.7%	5 / 11	* / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	48.3%	52.1%	32.4%	6 / 11	* / 7
Percentage of new patients having live births after all intended retrievals	48.3%	52.1%	35.1%	6 / 11	* / 7
Average number of intended retrievals per new patient	1.2	1.3	1.3	1.4	1.6
Average number of transfers per intended retrieval	1.4	1.4	1.0	0.8	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	12	22	9
Percentage of transfers resulting in live births	6 / 7	* / 12	22.7%	5 / 9
Percentage of transfers resulting in singleton live births	6 / 7	* / 12	18.2%	5 / 9

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	259	199	150	77	42	727
Percentage of cycles cancelled prior to retrieval or thaw	3.9%	6.5%	11.3%	13.0%	11.9%	7.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.6%	6.5%	6.7%	1.3%	9.5%	6.2%
Percentage of cycles for fertility preservation	0.8%	3.5%	0.7%	0.0%	0.0%	1.4%
Percentage of transfers using a gestational carrier	1.0%	0.7%	0.0%	3.3%	3.3%	1.1%
Percentage of transfers using frozen embryos	57.6%	58.9%	40.7%	43.3%	66.7%	53.5%
Percentage of transfers of at least one embryo with ICSI	50.5%	47.7%	50.4%	36.7%	43.3%	47.9%
Percentage of transfers of at least one embryo with PGT	5.2%	6.6%	6.2%	8.3%	6.7%	6.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	32%	Diminished ovarian reserve	28%
Endometriosis	6%	Egg or embryo banking	9%
Tubal factor	10%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	9%	Other, infertility	3%
Uterine factor	5%	Other, non-infertility	<1%
PGT	2%	Unexplained	17%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CCRM BOSTON
NEWTON, MASSACHUSETTS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Alison E. Zimon, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	7	*	6	6	*
Percentage of intended retrievals resulting in live births	5 / 7	* / *	* / 6	* / 6	* / *
Percentage of intended retrievals resulting in singleton live births	* / 7	* / *	* / 6	* / 6	* / *
Number of **retrievals**	6	*	6	*	*
Percentage of retrievals resulting in live births	5 / 6	* / *	* / 6	* / *	* / *
Percentage of retrievals resulting in singleton live births	* / 6	* / *	* / 6	* / *	* / *
Number of **transfers**	9	*	5	*	*
Percentage of transfers resulting in live births	5 / 9	* / *	* / 5	* / *	* / *
Percentage of transfers resulting in singleton live births	* / 9	* / *	* / 5	* / *	* / *
Number of intended retrievals per live birth	1.4	3.0	2.0	6.0	4.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 5	* / *	* / *	0 / *	* / *
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 5	* / *	* / *	* / *	* / *
Percentage of new patients having live births after all intended retrievals	* / 5	* / *	* / *	* / *	* / *
Average number of intended retrievals per new patient	1.0	1.0	1.0	1.3	1.3
Average number of transfers per intended retrieval	1.6	0.5	1.0	0.3	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	5	*
Percentage of transfers resulting in live births		* / *	* / 5	0 / *
Percentage of transfers resulting in singleton live births		* / *	* / 5	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	129	106	93	55	16	399
Percentage of cycles cancelled prior to retrieval or thaw	3.9%	6.6%	7.5%	10.9%	* / 16	6.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.5%	10.4%	7.5%	5.5%	* / 16	8.3%
Percentage of cycles for fertility preservation	8.5%	13.2%	8.6%	16.4%	* / 16	11.3%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 17	0 / *	0.0%
Percentage of transfers using frozen embryos	85.2%	92.5%	90.9%	15 / 17	* / *	88.5%
Percentage of transfers of at least one embryo with ICSI	92.6%	75.0%	81.8%	14 / 17	* / *	83.1%
Percentage of transfers of at least one embryo with PGT	77.8%	82.5%	84.8%	13 / 17	* / *	79.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	22%	Diminished ovarian reserve	31%
Endometriosis	3%	Egg or embryo banking	57%
Tubal factor	2%	Recurrent pregnancy loss	12%
Ovulatory dysfunction	10%	Other, infertility	4%
Uterine factor	1%	Other, non-infertility	1%
PGT	3%	Unexplained	26%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY CENTERS OF NEW ENGLAND, INC.
NEW ENGLAND CLINICS OF REPRODUCTIVE MEDICINE, INC.
READING, MASSACHUSETTS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Danielle Vitiello, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	418	221	154	73	26
Percentage of intended retrievals resulting in live births	49.0%	41.6%	27.3%	8.2%	7.7%
Percentage of intended retrievals resulting in singleton live births	42.3%	35.7%	23.4%	8.2%	3.8%
Number of **retrievals**	407	217	148	67	22
Percentage of retrievals resulting in live births	50.4%	42.4%	28.4%	9.0%	9.1%
Percentage of retrievals resulting in singleton live births	43.5%	36.4%	24.3%	9.0%	4.5%
Number of **transfers**	455	224	120	38	17
Percentage of transfers resulting in live births	45.1%	41.1%	35.0%	15.8%	* / 17
Percentage of transfers resulting in singleton live births	38.9%	35.3%	30.0%	15.8%	* / 17
Number of intended retrievals per live birth	2.0	2.4	3.7	12.2	13.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	52.5%	48.4%	27.9%	16.7%	* / 11
Percentage of new patients having live births after 1 or 2 intended retrievals	60.6%	53.9%	37.7%	16.7%	* / 11
Percentage of new patients having live births after all intended retrievals	61.8%	55.5%	39.3%	16.7%	* / 11
Average number of intended retrievals per new patient	1.2	1.3	1.4	1.5	1.5
Average number of transfers per intended retrieval	1.1	1.1	0.7	0.4	0.8

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	43	40	5
Percentage of transfers resulting in live births	0 / *	39.5%	50.0%	* / 5
Percentage of transfers resulting in singleton live births	0 / *	34.9%	42.5%	* / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	683	356	317	131	88	1,575
Percentage of cycles cancelled prior to retrieval or thaw	2.6%	3.4%	4.4%	3.1%	1.1%	3.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	16.3%	15.2%	16.1%	21.4%	15.9%	16.4%
Percentage of cycles for fertility preservation	1.8%	3.7%	2.2%	0.0%	2.3%	2.2%
Percentage of transfers using a gestational carrier	0.0%	0.4%	0.0%	0.0%	0.0%	0.1%
Percentage of transfers using frozen embryos	61.4%	63.8%	57.8%	56.8%	55.2%	60.6%
Percentage of transfers of at least one embryo with ICSI	56.7%	62.9%	65.8%	68.9%	59.7%	60.8%
Percentage of transfers of at least one embryo with PGT	8.5%	16.3%	26.7%	20.3%	11.9%	14.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	34%
Endometriosis	6%	Egg or embryo banking	13%
Tubal factor	10%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	9%	Other, infertility	11%
Uterine factor	2%	Other, non-infertility	1%
PGT	7%	Unexplained	21%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BAYSTATE REPRODUCTIVE MEDICINE
SPRINGFIELD, MASSACHUSETTS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Kelly Lynch, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	147	84	90	26	8
Percentage of intended retrievals resulting in live births	55.1%	46.4%	23.3%	15.4%	0 / 8
Percentage of intended retrievals resulting in singleton live births	52.4%	42.9%	20.0%	15.4%	0 / 8
Number of **retrievals**	138	75	85	25	8
Percentage of retrievals resulting in live births	58.7%	52.0%	24.7%	16.0%	0 / 8
Percentage of retrievals resulting in singleton live births	55.8%	48.0%	21.2%	16.0%	0 / 8
Number of **transfers**	177	85	93	12	*
Percentage of transfers resulting in live births	45.8%	45.9%	22.6%	* / 12	0 / *
Percentage of transfers resulting in singleton live births	43.5%	42.4%	19.4%	* / 12	0 / *
Number of intended retrievals per live birth	1.8	2.2	4.3	6.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	56.6%	50.0%	21.2%	* / 13	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	66.0%	53.4%	28.8%	* / 13	0 / *
Percentage of new patients having live births after all intended retrievals	67.9%	53.4%	28.8%	* / 13	0 / *
Average number of intended retrievals per new patient	1.2	1.1	1.3	1.7	1.5
Average number of transfers per intended retrieval	1.2	1.0	1.0	0.5	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	12	12	0
Percentage of transfers resulting in live births	0 / *	* / 12	5 / 12	
Percentage of transfers resulting in singleton live births	0 / *	* / 12	* / 12	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	312	180	169	67	19	747
Percentage of cycles cancelled prior to retrieval or thaw	10.9%	12.8%	17.2%	11.9%	* / 19	13.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	19.9%	16.1%	18.3%	28.4%	* / 19	19.3%
Percentage of cycles for fertility preservation	1.6%	2.2%	1.8%	0.0%	0 / 19	1.6%
Percentage of transfers using a gestational carrier	1.5%	0.8%	1.0%	0.0%	* / 13	1.3%
Percentage of transfers using frozen embryos	71.4%	68.1%	53.6%	72.2%	6 / 13	66.2%
Percentage of transfers of at least one embryo with ICSI	41.9%	32.8%	35.1%	22.2%	7 / 13	37.0%
Percentage of transfers of at least one embryo with PGT	6.4%	5.0%	7.2%	11.1%	0 / 13	6.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	24%	Diminished ovarian reserve	24%
Endometriosis	10%	Egg or embryo banking	6%
Tubal factor	14%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	21%	Other, infertility	15%
Uterine factor	3%	Other, non-infertility	4%
PGT	5%	Unexplained	16%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CARDONE REPRODUCTIVE MEDICINE AND INFERTILITY, LLC
STONEHAM, MASSACHUSETTS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Vito R. Cardone, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	72	51	57	24	39
Percentage of intended retrievals resulting in live births	48.6%	41.2%	14.0%	0.0%	2.6%
Percentage of intended retrievals resulting in singleton live births	41.7%	35.3%	10.5%	0.0%	2.6%
Number of **retrievals**	69	49	54	22	27
Percentage of retrievals resulting in live births	50.7%	42.9%	14.8%	0.0%	3.7%
Percentage of retrievals resulting in singleton live births	43.5%	36.7%	11.1%	0.0%	3.7%
Number of **transfers**	101	47	43	14	11
Percentage of transfers resulting in live births	34.7%	44.7%	18.6%	0 / 14	* / 11
Percentage of transfers resulting in singleton live births	29.7%	38.3%	14.0%	0 / 14	* / 11
Number of intended retrievals per live birth	2.1	2.4	7.1		39.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	52.9%	40.9%	10.0%	0 / 7	* / 18
Percentage of new patients having live births after 1 or 2 intended retrievals	58.8%	59.1%	15.0%	0 / 7	* / 18
Percentage of new patients having live births after all intended retrievals	58.8%	63.6%	15.0%	0 / 7	* / 18
Average number of intended retrievals per new patient	1.2	1.5	1.6	1.7	1.5
Average number of transfers per intended retrieval	1.5	1.1	0.8	0.6	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	9	5	26	0
Percentage of transfers resulting in live births	* / 9	* / 5	46.2%	
Percentage of transfers resulting in singleton live births	* / 9	* / 5	38.5%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	145	74	92	33	72	416
Percentage of cycles cancelled prior to retrieval or thaw	8.3%	10.8%	10.9%	15.2%	20.8%	12.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.3%	8.1%	13.0%	9.1%	6.9%	9.1%
Percentage of cycles for fertility preservation	0.7%	4.1%	2.2%	3.0%	2.8%	2.2%
Percentage of transfers using a gestational carrier	2.8%	2.0%	0.0%	0 / 15	26.3%	5.5%
Percentage of transfers using frozen embryos	60.6%	66.0%	51.2%	11 / 15	60.5%	60.9%
Percentage of transfers of at least one embryo with ICSI	30.3%	32.0%	36.6%	9 / 15	60.5%	37.9%
Percentage of transfers of at least one embryo with PGT	14.7%	16.0%	29.3%	8 / 15	31.6%	22.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	15%
Endometriosis	4%	Egg or embryo banking	21%
Tubal factor	12%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	17%	Other, infertility	36%
Uterine factor	12%	Other, non-infertility	0%
PGT	29%	Unexplained	11%
Gestational carrier	4%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BOSTON IVF, LLC
WALTHAM, MASSACHUSETTS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michael M Alper, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	827	588	610	254	147
Percentage of intended retrievals resulting in live births	50.1%	37.2%	24.6%	12.6%	4.1%
Percentage of intended retrievals resulting in singleton live births	47.5%	34.2%	23.0%	11.4%	4.1%
Number of **retrievals**	795	551	573	233	128
Percentage of retrievals resulting in live births	52.1%	39.7%	26.2%	13.7%	4.7%
Percentage of retrievals resulting in singleton live births	49.4%	36.5%	24.4%	12.4%	4.7%
Number of **transfers**	973	584	465	145	72
Percentage of transfers resulting in live births	42.5%	37.5%	32.3%	22.1%	8.3%
Percentage of transfers resulting in singleton live births	40.4%	34.4%	30.1%	20.0%	8.3%
Number of intended retrievals per live birth	2.0	2.7	4.1	7.9	24.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	56.3%	43.2%	27.6%	13.6%	6.5%
Percentage of new patients having live births after 1 or 2 intended retrievals	64.1%	52.9%	35.1%	19.3%	8.7%
Percentage of new patients having live births after all intended retrievals	65.8%	54.2%	37.7%	20.5%	8.7%
Average number of intended retrievals per new patient	1.2	1.4	1.6	1.6	1.5
Average number of transfers per intended retrieval	1.2	1.0	0.7	0.6	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	27	154	219	5
Percentage of transfers resulting in live births	40.7%	51.9%	41.1%	* / 5
Percentage of transfers resulting in singleton live births	33.3%	46.1%	37.0%	* / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	2,572	1,880	1,628	640	485	7,205
Percentage of cycles cancelled prior to retrieval or thaw	5.8%	6.3%	7.3%	9.8%	13.4%	7.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.2%	8.5%	9.8%	12.0%	10.3%	9.5%
Percentage of cycles for fertility preservation	2.3%	4.9%	2.8%	1.1%	0.6%	2.9%
Percentage of transfers using a gestational carrier	0.5%	0.8%	1.7%	0.8%	2.9%	1.0%
Percentage of transfers using frozen embryos	63.4%	62.8%	61.4%	45.9%	56.1%	61.0%
Percentage of transfers of at least one embryo with ICSI	41.9%	40.5%	42.0%	52.5%	44.2%	42.5%
Percentage of transfers of at least one embryo with PGT	24.8%	32.2%	36.6%	27.3%	20.6%	29.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	21%
Endometriosis	4%	Egg or embryo banking	23%
Tubal factor	9%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	12%	Other, infertility	37%
Uterine factor	2%	Other, non-infertility	0%
PGT	33%	Unexplained	13%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY OF MICHIGAN CENTER FOR REPRODUCTIVE MEDICINE
ANN ARBOR, MICHIGAN

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

MICHIGAN

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Molly B. Moravek, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	181	76	52	37	0
Percentage of intended retrievals resulting in live births	51.9%	32.9%	25.0%	10.8%	
Percentage of intended retrievals resulting in singleton live births	48.1%	30.3%	25.0%	10.8%	
Number of **retrievals**	168	73	41	33	0
Percentage of retrievals resulting in live births	56.0%	34.2%	31.7%	12.1%	
Percentage of retrievals resulting in singleton live births	51.8%	31.5%	31.7%	12.1%	
Number of **transfers**	195	67	26	13	0
Percentage of transfers resulting in live births	48.2%	37.3%	50.0%	* / 13	
Percentage of transfers resulting in singleton live births	44.6%	34.3%	50.0%	* / 13	
Number of intended retrievals per live birth	1.9	3.0	4.0	9.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.5%	26.2%	16.0%	* / 17	
Percentage of new patients having live births after 1 or 2 intended retrievals	63.6%	42.9%	32.0%	* / 17	
Percentage of new patients having live births after all intended retrievals	63.6%	42.9%	32.0%	* / 17	
Average number of intended retrievals per new patient	1.2	1.3	1.4	1.6	
Average number of transfers per intended retrieval	1.1	0.9	0.5	0.4	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	21	31	0
Percentage of transfers resulting in live births		33.3%	45.2%	
Percentage of transfers resulting in singleton live births		33.3%	45.2%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	384	231	107	65	30	817
Percentage of cycles cancelled prior to retrieval or thaw	4.9%	7.8%	8.4%	1.5%	10.0%	6.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.4%	7.4%	8.4%	12.3%	0.0%	6.2%
Percentage of cycles for fertility preservation	8.3%	3.9%	0.9%	0.0%	0.0%	5.1%
Percentage of transfers using a gestational carrier	0.8%	2.4%	0.0%	3.2%	0.0%	1.3%
Percentage of transfers using frozen embryos	61.6%	75.8%	70.6%	51.6%	76.9%	66.5%
Percentage of transfers of at least one embryo with ICSI	76.3%	73.4%	74.5%	77.4%	46.2%	73.8%
Percentage of transfers of at least one embryo with PGT	33.1%	58.1%	52.9%	35.5%	38.5%	42.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	37%	Diminished ovarian reserve	28%
Endometriosis	8%	Egg or embryo banking	30%
Tubal factor	13%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	25%	Other, infertility	11%
Uterine factor	7%	Other, non-infertility	1%
PGT	1%	Unexplained	10%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

IVF MICHIGAN FERTILITY CENTERS
BLOOMFIELD HILLS, MICHIGAN

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ahmad O. Hammoud, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	371	133	88	32	34
Percentage of intended retrievals resulting in live births	60.6%	42.9%	28.4%	9.4%	5.9%
Percentage of intended retrievals resulting in singleton live births	40.4%	34.6%	27.3%	9.4%	2.9%
Number of **retrievals**	358	127	83	27	30
Percentage of retrievals resulting in live births	62.8%	44.9%	30.1%	11.1%	6.7%
Percentage of retrievals resulting in singleton live births	41.9%	36.2%	28.9%	11.1%	3.3%
Number of **transfers**	400	117	57	7	9
Percentage of transfers resulting in live births	56.3%	48.7%	43.9%	* / 7	* / 9
Percentage of transfers resulting in singleton live births	37.5%	39.3%	42.1%	* / 7	* / 9
Number of intended retrievals per live birth	1.6	2.3	3.5	10.7	17.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	65.3%	43.8%	30.9%	0 / 19	* / 18
Percentage of new patients having live births after 1 or 2 intended retrievals	68.0%	48.3%	34.5%	0 / 19	* / 18
Percentage of new patients having live births after all intended retrievals	68.0%	49.4%	38.2%	* / 19	* / 18
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.3	1.2
Average number of transfers per intended retrieval	1.1	0.9	0.7	0.2	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	50	9	67	7
Percentage of transfers resulting in live births	54.0%	7 / 9	52.2%	* / 7
Percentage of transfers resulting in singleton live births	42.0%	* / 9	43.3%	* / 7

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	787	342	218	93	88	1,528
Percentage of cycles cancelled prior to retrieval or thaw	1.4%	1.8%	5.5%	6.5%	6.8%	2.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	10.0%	5.6%	6.0%	9.7%	12.5%	8.6%
Percentage of cycles for fertility preservation	1.0%	3.5%	4.1%	3.2%	0.0%	2.1%
Percentage of transfers using a gestational carrier	1.1%	2.5%	1.8%	2.0%	5.4%	1.8%
Percentage of transfers using frozen embryos	65.9%	77.0%	82.5%	52.0%	50.0%	68.5%
Percentage of transfers of at least one embryo with ICSI	94.1%	91.7%	85.1%	86.0%	85.7%	91.6%
Percentage of transfers of at least one embryo with PGT	30.8%	52.9%	51.8%	28.0%	8.9%	36.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	48%	Diminished ovarian reserve	23%
Endometriosis	5%	Egg or embryo banking	27%
Tubal factor	7%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	17%	Other, infertility	13%
Uterine factor	2%	Other, non-infertility	4%
PGT	2%	Unexplained	4%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

MICHIGAN REPRODUCTIVE MEDICINE
BLOOMFIELD HILLS, MICHIGAN

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michael S. Mersol-Barg, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	52	28	37	12	8
Percentage of intended retrievals resulting in live births	32.7%	28.6%	21.6%	0 / 12	0 / 8
Percentage of intended retrievals resulting in singleton live births	28.8%	25.0%	21.6%	0 / 12	0 / 8
Number of **retrievals**	48	21	29	10	6
Percentage of retrievals resulting in live births	35.4%	38.1%	27.6%	0 / 10	0 / 6
Percentage of retrievals resulting in singleton live births	31.3%	33.3%	27.6%	0 / 10	0 / 6
Number of **transfers**	53	22	19	*	*
Percentage of transfers resulting in live births	32.1%	36.4%	8 / 19	0 / *	0 / *
Percentage of transfers resulting in singleton live births	28.3%	31.8%	8 / 19	0 / *	0 / *
Number of intended retrievals per live birth	3.1	3.5	4.6		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	42.3%	5 / 15	* / 14	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	42.3%	6 / 15	* / 14	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	42.3%	6 / 15	* / 14	0 / *	0 / *
Average number of intended retrievals per new patient	1.3	1.2	1.5	1.3	1.0
Average number of transfers per intended retrieval	0.9	0.8	0.6	0.4	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	15	16	0
Percentage of transfers resulting in live births	* / *	7 / 15	* / 16	
Percentage of transfers resulting in singleton live births	* / *	7 / 15	* / 16	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	148	61	60	36	27	332
Percentage of cycles cancelled prior to retrieval or thaw	6.1%	6.6%	20.0%	19.4%	18.5%	11.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.4%	6.6%	6.7%	13.9%	14.8%	7.5%
Percentage of cycles for fertility preservation	15.5%	4.9%	0.0%	0.0%	0.0%	7.8%
Percentage of transfers using a gestational carrier	1.3%	0.0%	0.0%	0 / 11	0 / 16	0.6%
Percentage of transfers using frozen embryos	71.1%	60.0%	69.2%	8 / 11	8 / 16	66.5%
Percentage of transfers of at least one embryo with ICSI	93.4%	97.1%	92.3%	11 / 11	16 / 16	95.1%
Percentage of transfers of at least one embryo with PGT	40.8%	31.4%	30.8%	6 / 11	* / 16	34.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	19%	Diminished ovarian reserve	34%
Endometriosis	3%	Egg or embryo banking	44%
Tubal factor	7%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	14%	Other, infertility	<1%
Uterine factor	1%	Other, non-infertility	10%
PGT	4%	Unexplained	21%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

GAGO IVF
BRIGHTON, MICHIGAN

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Laura A. Gago, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	47	21	20	8	9
Percentage of intended retrievals resulting in live births	42.6%	42.9%	20.0%	* / 8	0 / 9
Percentage of intended retrievals resulting in singleton live births	38.3%	38.1%	20.0%	* / 8	0 / 9
Number of **retrievals**	47	20	18	7	9
Percentage of retrievals resulting in live births	42.6%	45.0%	* / 18	* / 7	0 / 9
Percentage of retrievals resulting in singleton live births	38.3%	40.0%	* / 18	* / 7	0 / 9
Number of **transfers**	41	13	10	*	0
Percentage of transfers resulting in live births	48.8%	9 / 13	* / 10	* / *	
Percentage of transfers resulting in singleton live births	43.9%	8 / 13	* / 10	* / *	
Number of intended retrievals per live birth	2.4	2.3	5.0	8.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	45.5%	6 / 14	* / 9	* / *	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	54.5%	8 / 14	* / 9	* / *	0 / 5
Percentage of new patients having live births after all intended retrievals	54.5%	8 / 14	* / 9	* / *	0 / 5
Average number of intended retrievals per new patient	1.2	1.1	1.4	1.5	1.6
Average number of transfers per intended retrieval	0.9	0.8	0.5	0.2	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	21	8
Percentage of transfers resulting in live births		* / *	71.4%	* / 8
Percentage of transfers resulting in singleton live births		0 / *	71.4%	* / 8

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	117	63	53	19	23	275
Percentage of cycles cancelled prior to retrieval or thaw	0.9%	1.6%	3.8%	0 / 19	0.0%	1.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.4%	4.8%	9.4%	* / 19	34.8%	7.6%
Percentage of cycles for fertility preservation	3.4%	0.0%	0.0%	* / 19	0.0%	2.5%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 7	0 / 12	0.0%
Percentage of transfers using frozen embryos	92.4%	100.0%	100.0%	7 / 7	12 / 12	96.6%
Percentage of transfers of at least one embryo with ICSI	86.4%	79.4%	92.6%	* / 7	* / 12	80.1%
Percentage of transfers of at least one embryo with PGT	81.8%	85.3%	92.6%	* / 7	6 / 12	80.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	31%
Endometriosis	8%	Egg or embryo banking	44%
Tubal factor	9%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	20%	Other, infertility	19%
Uterine factor	7%	Other, non-infertility	8%
PGT	5%	Unexplained	3%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

MICHIGAN REPRODUCTIVE & IVF CENTER, PC
GRAND RAPIDS, MICHIGAN

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by William G. Dodds, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	282	96	86	32	7
Percentage of intended retrievals resulting in live births	50.0%	46.9%	26.7%	15.6%	0 / 7
Percentage of intended retrievals resulting in singleton live births	35.8%	27.1%	22.1%	12.5%	0 / 7
Number of **retrievals**	254	86	69	28	7
Percentage of retrievals resulting in live births	55.5%	52.3%	33.3%	17.9%	0 / 7
Percentage of retrievals resulting in singleton live births	39.8%	30.2%	27.5%	14.3%	0 / 7
Number of **transfers**	325	104	66	22	*
Percentage of transfers resulting in live births	43.4%	43.3%	34.8%	22.7%	0 / *
Percentage of transfers resulting in singleton live births	31.1%	25.0%	28.8%	18.2%	0 / *
Number of intended retrievals per live birth	2.0	2.1	3.7	6.4	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	53.8%	47.5%	32.6%	* / 11	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	57.4%	54.1%	37.0%	* / 11	0 / *
Percentage of new patients having live births after all intended retrievals	59.9%	55.7%	41.3%	* / 11	0 / *
Average number of intended retrievals per new patient	1.2	1.2	1.4	1.3	1.8
Average number of transfers per intended retrieval	1.2	1.1	0.8	0.6	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	16	*	30	28
Percentage of transfers resulting in live births	10 / 16	0 / *	40.0%	39.3%
Percentage of transfers resulting in singleton live births	9 / 16	0 / *	30.0%	21.4%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	600	241	187	93	50	1,171
Percentage of cycles cancelled prior to retrieval or thaw	6.5%	8.3%	9.6%	9.7%	10.0%	7.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	10.8%	8.7%	8.0%	7.5%	10.0%	9.6%
Percentage of cycles for fertility preservation	0.8%	1.7%	2.7%	0.0%	0.0%	1.2%
Percentage of transfers using a gestational carrier	1.7%	1.7%	1.7%	0.0%	0.0%	1.5%
Percentage of transfers using frozen embryos	60.8%	60.3%	64.7%	65.5%	80.6%	62.3%
Percentage of transfers of at least one embryo with ICSI	92.0%	89.7%	88.2%	78.2%	67.7%	89.2%
Percentage of transfers of at least one embryo with PGT	1.3%	0.6%	4.2%	0.0%	0.0%	1.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	44%	Diminished ovarian reserve	29%
Endometriosis	11%	Egg or embryo banking	13%
Tubal factor	15%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	11%	Other, infertility	7%
Uterine factor	4%	Other, non-infertility	2%
PGT	2%	Unexplained	8%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

IVF MICHIGAN ROCHESTER HILLS & FLINT, PC
ROCHESTER HILLS, MICHIGAN

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

MICHIGAN

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mostafa I. Abuzeid, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	143	58	49	22	25
Percentage of intended retrievals resulting in live births	52.4%	50.0%	30.6%	9.1%	4.0%
Percentage of intended retrievals resulting in singleton live births	31.5%	36.2%	18.4%	9.1%	4.0%
Number of **retrievals**	122	52	39	18	16
Percentage of retrievals resulting in live births	61.5%	55.8%	38.5%	* / 18	* / 16
Percentage of retrievals resulting in singleton live births	36.9%	40.4%	23.1%	* / 18	* / 16
Number of **transfers**	133	54	38	18	14
Percentage of transfers resulting in live births	56.4%	53.7%	39.5%	* / 18	* / 14
Percentage of transfers resulting in singleton live births	33.8%	38.9%	23.7%	* / 18	* / 14
Number of intended retrievals per live birth	1.9	2.0	3.3	11.0	25.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.4%	52.9%	32.0%	* / 12	* / 9
Percentage of new patients having live births after 1 or 2 intended retrievals	60.0%	58.8%	36.0%	* / 12	* / 9
Percentage of new patients having live births after all intended retrievals	61.1%	58.8%	40.0%	* / 12	* / 9
Average number of intended retrievals per new patient	1.2	1.1	1.3	1.1	1.3
Average number of transfers per intended retrieval	0.9	1.0	0.7	1.1	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	202	100	55	19	29	405
Percentage of cycles cancelled prior to retrieval or thaw	10.9%	19.0%	9.1%	* / 19	24.1%	13.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.4%	7.0%	3.6%	0 / 19	10.3%	5.7%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 19	0.0%	0.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 12	0 / 19	0.0%
Percentage of transfers using frozen embryos	29.7%	23.9%	28.9%	* / 12	* / 19	26.9%
Percentage of transfers of at least one embryo with ICSI	96.2%	95.5%	100.0%	12 / 12	17 / 19	96.3%
Percentage of transfers of at least one embryo with PGT	7.0%	9.0%	17.8%	0 / 12	0 / 19	8.3%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	No	
Single women?	No	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	52%	Diminished ovarian reserve	19%
Endometriosis	19%	Egg or embryo banking	7%
Tubal factor	21%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	20%	Other, infertility	7%
Uterine factor	30%	Other, non-infertility	<1%
PGT	5%	Unexplained	4%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

WAYNE STATE UNIVERSITY PHYSICIAN GROUP
SOUTHFIELD, MICHIGAN

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Awoniyi O. Awonuga, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	10	11	5	*	*
Percentage of intended retrievals resulting in live births	6 / 10	* / 11	0 / 5	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	6 / 10	* / 11	0 / 5	0 / *	0 / *
Number of **retrievals**	9	9	*	*	*
Percentage of retrievals resulting in live births	6 / 9	* / 9	0 / *	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	6 / 9	* / 9	0 / *	0 / *	0 / *
Number of **transfers**	10	13	*	*	*
Percentage of transfers resulting in live births	6 / 10	* / 13	0 / *	0 / *	0 / *
Percentage of transfers resulting in singleton live births	6 / 10	* / 13	0 / *	0 / *	0 / *
Number of intended retrievals per live birth	1.7	2.8			
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	5 / 8	* / 9	0 / 5	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	6 / 8	* / 9	0 / 5	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	6 / 8	* / 9	0 / 5	0 / *	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.0	1.0	1.0
Average number of transfers per intended retrieval	1.0	1.2	0.4	0.5	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	0	0
Percentage of transfers resulting in live births		* / *		
Percentage of transfers resulting in singleton live births		* / *		

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	13	9	12	11	6	51
Percentage of cycles cancelled prior to retrieval or thaw	* / 13	* / 9	0 / 12	* / 11	* / 6	7.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	* / 13	* / 9	* / 12	0 / 11	* / 6	11.8%
Percentage of cycles for fertility preservation	0 / 13	0 / 9	0 / 12	0 / 11	0 / 6	0.0%
Percentage of transfers using a gestational carrier	0 / 11	0 / 6	0 / 8	0 / 10	0 / *	0.0%
Percentage of transfers using frozen embryos	5 / 11	5 / 6	5 / 8	* / 10	* / *	43.6%
Percentage of transfers of at least one embryo with ICSI	10 / 11	6 / 6	8 / 8	10 / 10	* / *	97.4%
Percentage of transfers of at least one embryo with PGT	* / 11	0 / 6	* / 8	* / 10	* / *	23.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	12%	Diminished ovarian reserve	4%
Endometriosis	16%	Egg or embryo banking	4%
Tubal factor	31%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	20%	Other, infertility	47%
Uterine factor	8%	Other, non-infertility	33%
PGT	12%	Unexplained	8%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

HENRY FORD REPRODUCTIVE MEDICINE
TROY, MICHIGAN

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

MICHIGAN

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ahmad Hammoud, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	19	7	12	*	7
Percentage of intended retrievals resulting in live births	8 / 19	* / 7	* / 12	0 / *	0 / 7
Percentage of intended retrievals resulting in singleton live births	* / 19	* / 7	* / 12	0 / *	0 / 7
Number of **retrievals**	17	5	11	*	7
Percentage of retrievals resulting in live births	8 / 17	* / 5	* / 11	0 / *	0 / 7
Percentage of retrievals resulting in singleton live births	* / 17	* / 5	* / 11	0 / *	0 / 7
Number of **transfers**	14	9	*	*	*
Percentage of transfers resulting in live births	8 / 14	* / 9	* / *	0 / *	0 / *
Percentage of transfers resulting in singleton live births	* / 14	* / 9	* / *	0 / *	0 / *
Number of intended retrievals per live birth	2.4	2.3	12.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	6 / 16	* / *	0 / 9	0 / *	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	7 / 16	* / *	* / 9	0 / *	0 / 6
Percentage of new patients having live births after all intended retrievals	7 / 16	* / *	* / 9	0 / *	0 / 6
Average number of intended retrievals per new patient	1.1	1.0	1.3	1.0	1.2
Average number of transfers per intended retrieval	0.8	1.5	0.3	1.0	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	36	23	11	*	0	74
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	13.0%	0 / 11	0 / *		4.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	19.4%	4.3%	0 / 11	0 / *		10.8%
Percentage of cycles for fertility preservation	8.3%	4.3%	* / 11	* / *		13.5%
Percentage of transfers using a gestational carrier	0.0%	0 / 13	0 / 5	0 / *		0.0%
Percentage of transfers using frozen embryos	77.3%	10 / 13	* / 5	* / *		78.0%
Percentage of transfers of at least one embryo with ICSI	95.5%	12 / 13	5 / 5	* / *		95.1%
Percentage of transfers of at least one embryo with PGT	27.3%	5 / 13	0 / 5	0 / *		26.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	51%	Diminished ovarian reserve	14%
Endometriosis	9%	Egg or embryo banking	32%
Tubal factor	12%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	14%	Other, infertility	15%
Uterine factor	4%	Other, non-infertility	4%
PGT	3%	Unexplained	5%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

REPRODUCTIVE MEDICINE ASSOCIATES OF MICHIGAN
TROY, MICHIGAN

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

MICHIGAN

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Brad T. Miller, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	124	86	82	46	12
Percentage of intended retrievals resulting in live births	58.9%	39.5%	31.7%	15.2%	0 / 12
Percentage of intended retrievals resulting in singleton live births	51.6%	38.4%	30.5%	15.2%	0 / 12
Number of **retrievals**	113	79	71	35	9
Percentage of retrievals resulting in live births	64.6%	43.0%	36.6%	20.0%	0 / 9
Percentage of retrievals resulting in singleton live births	56.6%	41.8%	35.2%	20.0%	0 / 9
Number of **transfers**	134	80	65	19	9
Percentage of transfers resulting in live births	54.5%	42.5%	40.0%	7 / 19	0 / 9
Percentage of transfers resulting in singleton live births	47.8%	41.3%	38.5%	7 / 19	0 / 9
Number of intended retrievals per live birth	1.7	2.5	3.2	6.6	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	62.4%	52.5%	32.1%	* / 17	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	65.9%	60.0%	39.3%	* / 17	0 / *
Percentage of new patients having live births after all intended retrievals	65.9%	62.5%	42.9%	* / 17	0 / *
Average number of intended retrievals per new patient	1.1	1.4	1.5	1.8	1.0
Average number of transfers per intended retrieval	1.1	1.0	0.8	0.4	1.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	21	7	40	5
Percentage of transfers resulting in live births	52.4%	7 / 7	40.0%	* / 5
Percentage of transfers resulting in singleton live births	47.6%	5 / 7	37.5%	* / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	282	168	160	67	73	750
Percentage of cycles cancelled prior to retrieval or thaw	6.0%	8.3%	16.9%	9.0%	11.0%	9.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.9%	6.5%	3.1%	6.0%	8.2%	6.8%
Percentage of cycles for fertility preservation	4.6%	3.0%	1.9%	0.0%	1.4%	2.9%
Percentage of transfers using a gestational carrier	0.0%	0.9%	0.0%	2.1%	2.0%	0.7%
Percentage of transfers using frozen embryos	69.9%	63.9%	65.2%	55.3%	65.3%	65.6%
Percentage of transfers of at least one embryo with ICSI	66.3%	77.8%	73.0%	74.5%	91.8%	73.9%
Percentage of transfers of at least one embryo with PGT	23.9%	35.2%	34.8%	23.4%	24.5%	28.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	49%	Diminished ovarian reserve	23%
Endometriosis	11%	Egg or embryo banking	24%
Tubal factor	10%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	13%	Other, infertility	48%
Uterine factor	5%	Other, non-infertility	45%
PGT	5%	Unexplained	8%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

MICHIGAN CENTER FOR FERTILITY AND WOMEN'S HEALTH, PLC
WARREN, MICHIGAN

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Carole L. Kowalczyk, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	65	35	23	24	10
Percentage of intended retrievals resulting in live births	53.8%	42.9%	30.4%	4.2%	0 / 10
Percentage of intended retrievals resulting in singleton live births	49.2%	40.0%	26.1%	4.2%	0 / 10
Number of **retrievals**	56	27	17	16	5
Percentage of retrievals resulting in live births	62.5%	55.6%	7 / 17	* / 16	0 / 5
Percentage of retrievals resulting in singleton live births	57.1%	51.9%	6 / 17	* / 16	0 / 5
Number of **transfers**	59	31	13	*	*
Percentage of transfers resulting in live births	59.3%	48.4%	7 / 13	* / *	0 / *
Percentage of transfers resulting in singleton live births	54.2%	45.2%	6 / 13	* / *	0 / *
Number of intended retrievals per live birth	1.9	2.3	3.3	24.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	58.3%	41.7%	6 / 12	0 / 8	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	60.4%	45.8%	6 / 12	0 / 8	0 / 5
Percentage of new patients having live births after all intended retrievals	62.5%	50.0%	6 / 12	* / 8	0 / 5
Average number of intended retrievals per new patient	1.1	1.2	1.2	2.0	1.2
Average number of transfers per intended retrieval	1.0	0.9	0.6	0.1	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	12	13	*
Percentage of transfers resulting in live births	* / *	* / 12	6 / 13	* / *
Percentage of transfers resulting in singleton live births	* / *	* / 12	5 / 13	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	168	110	80	45	29	432
Percentage of cycles cancelled prior to retrieval or thaw	8.3%	3.6%	12.5%	17.8%	27.6%	10.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.8%	0.9%	7.5%	13.3%	6.9%	5.3%
Percentage of cycles for fertility preservation	0.0%	1.8%	3.8%	0.0%	0.0%	1.2%
Percentage of transfers using a gestational carrier	1.0%	0.0%	2.6%	0.0%	0 / 12	0.8%
Percentage of transfers using frozen embryos	62.7%	95.1%	74.4%	63.6%	6 / 12	72.5%
Percentage of transfers of at least one embryo with ICSI	85.3%	72.1%	69.2%	68.2%	6 / 12	75.8%
Percentage of transfers of at least one embryo with PGT	36.3%	63.9%	43.6%	45.5%	5 / 12	45.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	29%
Endometriosis	4%	Egg or embryo banking	35%
Tubal factor	8%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	24%	Other, infertility	2%
Uterine factor	<1%	Other, non-infertility	<1%
PGT	1%	Unexplained	7%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CCRM MINNEAPOLIS
EDINA, MINNESOTA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by April E. Batcheller, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	111	66	62	18	15
Percentage of intended retrievals resulting in live births	62.2%	50.0%	35.5%	* / 18	* / 15
Percentage of intended retrievals resulting in singleton live births	49.5%	42.4%	35.5%	* / 18	* / 15
Number of **retrievals**	108	62	59	18	13
Percentage of retrievals resulting in live births	63.9%	53.2%	37.3%	* / 18	* / 13
Percentage of retrievals resulting in singleton live births	50.9%	45.2%	37.3%	* / 18	* / 13
Number of **transfers**	116	52	35	7	*
Percentage of transfers resulting in live births	59.5%	63.5%	62.9%	* / 7	* / *
Percentage of transfers resulting in singleton live births	47.4%	53.8%	62.9%	* / 7	* / *
Number of intended retrievals per live birth	1.6	2.0	2.8	4.5	5.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	63.3%	51.2%	39.4%	* / 5	* / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	69.6%	61.0%	45.5%	* / 5	* / 6
Percentage of new patients having live births after all intended retrievals	69.6%	63.4%	45.5%	* / 5	* / 6
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.6	1.5
Average number of transfers per intended retrieval	1.1	0.9	0.7	0.5	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	43	0
Percentage of transfers resulting in live births	* / *		65.1%	
Percentage of transfers resulting in singleton live births	* / *		58.1%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	264	179	167	66	68	744
Percentage of cycles cancelled prior to retrieval or thaw	7.2%	7.8%	15.0%	7.6%	19.1%	10.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.7%	5.0%	4.2%	18.2%	14.7%	6.0%
Percentage of cycles for fertility preservation	6.1%	2.8%	4.8%	0.0%	2.9%	4.2%
Percentage of transfers using a gestational carrier	3.9%	2.6%	6.1%	13.6%	10.3%	5.3%
Percentage of transfers using frozen embryos	80.3%	90.8%	97.0%	95.5%	96.6%	88.8%
Percentage of transfers of at least one embryo with ICSI	95.3%	89.5%	89.4%	63.6%	79.3%	89.1%
Percentage of transfers of at least one embryo with PGT	58.3%	81.6%	95.5%	90.9%	75.9%	75.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	22%	Diminished ovarian reserve	17%
Endometriosis	4%	Egg or embryo banking	47%
Tubal factor	6%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	11%	Other, infertility	40%
Uterine factor	1%	Other, non-infertility	5%
PGT	23%	Unexplained	7%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

MIDWEST CENTER FOR REPRODUCTIVE HEALTH, PA
MAPLE GROVE, MINNESOTA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Randle S. Corfman, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	81	32	6	0	0
Percentage of intended retrievals resulting in live births	66.7%	37.5%	0 / 6		
Percentage of intended retrievals resulting in singleton live births	42.0%	31.3%	0 / 6		
Number of **retrievals**	78	31	5	0	0
Percentage of retrievals resulting in live births	69.2%	38.7%	0 / 5		
Percentage of retrievals resulting in singleton live births	43.6%	32.3%	0 / 5		
Number of **transfers**	93	34	6	0	0
Percentage of transfers resulting in live births	58.1%	35.3%	0 / 6		
Percentage of transfers resulting in singleton live births	36.6%	29.4%	0 / 6		
Number of intended retrievals per live birth	1.5	2.7			
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	67.1%	41.7%	0 / 5		
Percentage of new patients having live births after 1 or 2 intended retrievals	67.1%	41.7%	0 / 5		
Percentage of new patients having live births after all intended retrievals	67.1%	41.7%	0 / 5		
Average number of intended retrievals per new patient	1.0	1.0	1.0		
Average number of transfers per intended retrieval	1.1	1.0	1.0		

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	17	0	9	*
Percentage of transfers resulting in live births	13 / 17		* / 9	* / *
Percentage of transfers resulting in singleton live births	5 / 17		* / 9	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	149	39	20	*	*	214
Percentage of cycles cancelled prior to retrieval or thaw	2.7%	2.6%	5.0%	0 / *	0 / *	2.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.3%	0.0%	5.0%	0 / *	0 / *	1.4%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / *	0 / *	0.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0 / 18	* / *	0 / *	0.5%
Percentage of transfers using frozen embryos	31.4%	33.3%	12 / 18	* / *	* / *	36.0%
Percentage of transfers of at least one embryo with ICSI	82.1%	83.3%	12 / 18	* / *	* / *	80.0%
Percentage of transfers of at least one embryo with PGT	1.4%	0.0%	* / 18	0 / *	0 / *	1.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	60%	Diminished ovarian reserve	6%
Endometriosis	10%	Egg or embryo banking	2%
Tubal factor	12%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	72%	Other, infertility	4%
Uterine factor	1%	Other, non-infertility	<1%
PGT	2%	Unexplained	4%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTER FOR REPRODUCTIVE MEDICINE
ADVANCED REPRODUCTIVE TECHNOLOGIES
MINNEAPOLIS, MINNESOTA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Colleen L. Casey, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	390	162	169	41	24
Percentage of intended retrievals resulting in live births	60.0%	45.7%	25.4%	19.5%	16.7%
Percentage of intended retrievals resulting in singleton live births	51.0%	38.9%	21.3%	17.1%	16.7%
Number of **retrievals**	364	148	154	37	21
Percentage of retrievals resulting in live births	64.3%	50.0%	27.9%	21.6%	19.0%
Percentage of retrievals resulting in singleton live births	54.7%	42.6%	23.4%	18.9%	19.0%
Number of **transfers**	442	167	128	33	11
Percentage of transfers resulting in live births	52.9%	44.3%	33.6%	24.2%	* / 11
Percentage of transfers resulting in singleton live births	45.0%	37.7%	28.1%	21.2%	* / 11
Number of intended retrievals per live birth	1.7	2.2	3.9	5.1	6.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	62.1%	53.3%	26.3%	* / 10	* / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	70.8%	54.3%	31.6%	* / 10	* / 6
Percentage of new patients having live births after all intended retrievals	72.4%	55.4%	31.6%	* / 10	* / 6
Average number of intended retrievals per new patient	1.2	1.1	1.3	1.2	1.5
Average number of transfers per intended retrieval	1.1	1.1	0.7	0.8	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	45	15	99	8
Percentage of transfers resulting in live births	60.0%	5 / 15	46.5%	* / 8
Percentage of transfers resulting in singleton live births	48.9%	5 / 15	43.4%	* / 8

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	637	384	289	118	141	1,569
Percentage of cycles cancelled prior to retrieval or thaw	5.3%	8.9%	6.9%	17.8%	15.6%	8.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.5%	3.6%	3.1%	10.2%	7.8%	4.3%
Percentage of cycles for fertility preservation	2.0%	3.1%	1.7%	1.7%	0.7%	2.1%
Percentage of transfers using a gestational carrier	0.8%	3.6%	2.3%	0.0%	8.0%	2.3%
Percentage of transfers using frozen embryos	58.3%	64.1%	65.5%	80.3%	69.0%	63.0%
Percentage of transfers of at least one embryo with ICSI	59.7%	66.7%	64.4%	85.2%	63.2%	63.9%
Percentage of transfers of at least one embryo with PGT	18.8%	26.8%	37.9%	63.9%	32.2%	27.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	26%	Diminished ovarian reserve	18%
Endometriosis	6%	Egg or embryo banking	17%
Tubal factor	9%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	15%	Other, infertility	9%
Uterine factor	3%	Other, non-infertility	1%
PGT	2%	Unexplained	23%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

MAYO CLINIC ASSISTED REPRODUCTIVE TECHNOLOGIES
ROCHESTER, MINNESOTA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Chandra C. Shenoy, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	160	56	38	11	6
Percentage of intended retrievals resulting in live births	57.5%	35.7%	26.3%	* / 11	0 / 6
Percentage of intended retrievals resulting in singleton live births	55.0%	33.9%	21.1%	* / 11	0 / 6
Number of **retrievals**	154	50	30	10	6
Percentage of retrievals resulting in live births	59.7%	40.0%	33.3%	* / 10	0 / 6
Percentage of retrievals resulting in singleton live births	57.1%	38.0%	26.7%	* / 10	0 / 6
Number of **transfers**	199	54	32	7	5
Percentage of transfers resulting in live births	46.2%	37.0%	31.3%	* / 7	0 / 5
Percentage of transfers resulting in singleton live births	44.2%	35.2%	25.0%	* / 7	0 / 5
Number of intended retrievals per live birth	1.7	2.8	3.8	11.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	61.4%	36.1%	39.1%	* / 8	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	65.4%	44.4%	39.1%	* / 8	0 / *
Percentage of new patients having live births after all intended retrievals	65.4%	47.2%	39.1%	* / 8	0 / *
Average number of intended retrievals per new patient	1.1	1.4	1.1	1.1	1.0
Average number of transfers per intended retrieval	1.3	0.9	1.0	0.6	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	13	23	0
Percentage of transfers resulting in live births		5 / 13	30.4%	
Percentage of transfers resulting in singleton live births		5 / 13	30.4%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	294	138	72	21	29	554
Percentage of cycles cancelled prior to retrieval or thaw	5.1%	5.1%	4.2%	14.3%	3.4%	5.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	11.6%	12.3%	20.8%	19.0%	13.8%	13.4%
Percentage of cycles for fertility preservation	8.5%	5.1%	5.6%	4.8%	0.0%	6.7%
Percentage of transfers using a gestational carrier	4.7%	4.3%	0.0%	* / 11	0.0%	4.3%
Percentage of transfers using frozen embryos	62.6%	67.4%	65.8%	9 / 11	68.2%	65.0%
Percentage of transfers of at least one embryo with ICSI	76.8%	81.5%	76.3%	5 / 11	59.1%	75.9%
Percentage of transfers of at least one embryo with PGT	11.8%	22.8%	28.9%	* / 11	4.5%	16.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	16%
Endometriosis	3%	Egg or embryo banking	20%
Tubal factor	5%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	25%	Other, infertility	33%
Uterine factor	2%	Other, non-infertility	1%
PGT	26%	Unexplained	13%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE MEDICINE & INFERTILITY ASSOCIATES
WOODBURY, MINNESOTA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jacques P. Stassart, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	256	98	60	34	*
Percentage of intended retrievals resulting in live births	64.8%	45.9%	25.0%	11.8%	0 / *
Percentage of intended retrievals resulting in singleton live births	57.4%	40.8%	23.3%	8.8%	0 / *
Number of **retrievals**	251	97	56	32	*
Percentage of retrievals resulting in live births	66.1%	46.4%	26.8%	12.5%	0 / *
Percentage of retrievals resulting in singleton live births	58.6%	41.2%	25.0%	9.4%	0 / *
Number of **transfers**	322	131	62	29	0
Percentage of transfers resulting in live births	51.6%	34.4%	24.2%	13.8%	
Percentage of transfers resulting in singleton live births	45.7%	30.5%	22.6%	10.3%	
Number of intended retrievals per live birth	1.5	2.2	4.0	8.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	69.9%	48.1%	25.8%	* / 17	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	75.4%	51.9%	32.3%	* / 17	0 / *
Percentage of new patients having live births after all intended retrievals	75.4%	53.8%	32.3%	* / 17	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.4	1.4	1.0
Average number of transfers per intended retrieval	1.3	1.5	1.0	0.8	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	35	28	33	*
Percentage of transfers resulting in live births	54.3%	50.0%	30.3%	0 / *
Percentage of transfers resulting in singleton live births	45.7%	42.9%	30.3%	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	475	218	137	53	46	929
Percentage of cycles cancelled prior to retrieval or thaw	2.7%	1.8%	3.6%	9.4%	4.3%	3.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.4%	4.6%	5.1%	3.8%	6.5%	6.7%
Percentage of cycles for fertility preservation	1.1%	3.2%	1.5%	0.0%	0.0%	1.5%
Percentage of transfers using a gestational carrier	2.1%	1.7%	4.0%	2.8%	10.3%	2.7%
Percentage of transfers using frozen embryos	46.4%	55.4%	40.6%	55.6%	46.2%	48.2%
Percentage of transfers of at least one embryo with ICSI	95.9%	95.4%	92.1%	88.9%	87.2%	94.5%
Percentage of transfers of at least one embryo with PGT	6.2%	12.6%	8.9%	13.9%	10.3%	8.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	15%
Endometriosis	12%	Egg or embryo banking	11%
Tubal factor	10%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	18%	Other, infertility	12%
Uterine factor	2%	Other, non-infertility	1%
PGT	10%	Unexplained	15%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

MISSISSIPPI REPRODUCTIVE MEDICINE, PLLC
FLOWOOD, MISSISSIPPI

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Randall S. Hines, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	54	29	7	*	*
Percentage of intended retrievals resulting in live births	37.0%	20.7%	* / 7	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	37.0%	17.2%	* / 7	0 / *	0 / *
Number of **retrievals**	50	23	6	*	*
Percentage of retrievals resulting in live births	40.0%	26.1%	* / 6	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	40.0%	21.7%	* / 6	0 / *	0 / *
Number of **transfers**	40	11	*	*	0
Percentage of transfers resulting in live births	50.0%	6 / 11	* / *	0 / *	
Percentage of transfers resulting in singleton live births	50.0%	5 / 11	* / *	0 / *	
Number of intended retrievals per live birth	2.7	4.8	2.3		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	34.3%	* / 14	* / 6	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	45.7%	* / 14	* / 6	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	45.7%	* / 14	* / 6	0 / *	0 / *
Average number of intended retrievals per new patient	1.2	1.5	1.0	1.0	1.0
Average number of transfers per intended retrieval	0.7	0.4	0.5	1.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	23	*
Percentage of transfers resulting in live births			47.8%	* / *
Percentage of transfers resulting in singleton live births			47.8%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	142	47	27	5	9	230
Percentage of cycles cancelled prior to retrieval or thaw	4.9%	2.1%	7.4%	* / 5	0 / 9	4.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.7%	8.5%	14.8%	0 / 5	0 / 9	3.9%
Percentage of cycles for fertility preservation	2.8%	0.0%	0.0%	0 / 5	0 / 9	1.7%
Percentage of transfers using a gestational carrier	1.4%	0.0%	0 / 13	0 / *	0 / 6	0.9%
Percentage of transfers using frozen embryos	100.0%	100.0%	13 / 13	* / *	6 / 6	100.0%
Percentage of transfers of at least one embryo with ICSI	94.4%	87.0%	11 / 13	* / *	5 / 6	91.3%
Percentage of transfers of at least one embryo with PGT	87.3%	82.6%	11 / 13	* / *	6 / 6	87.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	8%
Endometriosis	22%	Egg or embryo banking	47%
Tubal factor	17%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	25%	Other, infertility	12%
Uterine factor	12%	Other, non-infertility	1%
PGT	6%	Unexplained	8%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY OF MISSISSIPPI MEDICAL CENTER
FLOWOOD, MISSISSIPPI

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by John D. Isaacs, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	52	22	17	9	0
Percentage of intended retrievals resulting in live births	55.8%	40.9%	* / 17	0 / 9	
Percentage of intended retrievals resulting in singleton live births	48.1%	27.3%	* / 17	0 / 9	
Number of **retrievals**	49	22	13	9	0
Percentage of retrievals resulting in live births	59.2%	40.9%	* / 13	0 / 9	
Percentage of retrievals resulting in singleton live births	51.0%	27.3%	* / 13	0 / 9	
Number of **transfers**	58	23	11	7	0
Percentage of transfers resulting in live births	50.0%	39.1%	* / 11	0 / 7	
Percentage of transfers resulting in singleton live births	43.1%	26.1%	* / 11	0 / 7	
Number of intended retrievals per live birth	1.8	2.4	4.3		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	55.3%	8 / 19	* / 8	0 / 5	
Percentage of new patients having live births after 1 or 2 intended retrievals	57.9%	8 / 19	* / 8	0 / 5	
Percentage of new patients having live births after all intended retrievals	57.9%	8 / 19	* / 8	0 / 5	
Average number of intended retrievals per new patient	1.1	1.0	1.4	1.0	
Average number of transfers per intended retrieval	1.2	1.0	0.6	1.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	5	*
Percentage of transfers resulting in live births		* / *	0 / 5	* / *
Percentage of transfers resulting in singleton live births		* / *	0 / 5	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	81	21	12	6	*	121
Percentage of cycles cancelled prior to retrieval or thaw	1.2%	4.8%	* / 12	* / 6	0 / *	5.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.7%	0.0%	0 / 12	* / 6	0 / *	5.0%
Percentage of cycles for fertility preservation	1.2%	0.0%	* / 12	0 / 6	0 / *	1.7%
Percentage of transfers using a gestational carrier	0.0%	0 / 13	0 / 8	0 / *	0 / *	0.0%
Percentage of transfers using frozen embryos	78.3%	10 / 13	* / 8	* / *	0 / *	73.8%
Percentage of transfers of at least one embryo with ICSI	98.3%	13 / 13	8 / 8	* / *	* / *	98.8%
Percentage of transfers of at least one embryo with PGT	1.7%	* / 13	* / 8	* / *	0 / *	6.0%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	17%
Endometriosis	18%	Egg or embryo banking	21%
Tubal factor	30%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	24%	Other, infertility	1%
Uterine factor	12%	Other, non-infertility	2%
PGT	5%	Unexplained	10%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

POSITIVE STEPS FERTILITY
MADISON, MISSISSIPPI

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by John P. Parry, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	*	0
Percentage of transfers resulting in live births	* / *	0 / *	* / *	
Percentage of transfers resulting in singleton live births	* / *	0 / *	* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	57	15	17	*	5	95
Percentage of cycles cancelled prior to retrieval or thaw	3.5%	0 / 15	0 / 17	* / *	0 / 5	3.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.8%	0 / 15	* / 17	0 / *	* / 5	8.4%
Percentage of cycles for fertility preservation	0.0%	0 / 15	0 / 17	0 / *	0 / 5	0.0%
Percentage of transfers using a gestational carrier	8.2%	0 / 11	0 / 11		0 / *	5.3%
Percentage of transfers using frozen embryos	38.8%	6 / 11	* / 11		* / *	42.7%
Percentage of transfers of at least one embryo with ICSI	98.0%	10 / 11	11 / 11		* / *	97.3%
Percentage of transfers of at least one embryo with PGT	4.1%	* / 11	* / 11		0 / *	9.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	22%	Diminished ovarian reserve	12%
Endometriosis	12%	Egg or embryo banking	7%
Tubal factor	39%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	26%	Other, infertility	7%
Uterine factor	9%	Other, non-infertility	0%
PGT	4%	Unexplained	5%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

INFERTILITY CENTER OF ST. LOUIS
CHESTERFIELD, MISSOURI

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Sherman J. Silber, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	158	89	83	87	163
Percentage of intended retrievals resulting in live births	22.8%	12.4%	13.3%	2.3%	1.8%
Percentage of intended retrievals resulting in singleton live births	15.2%	6.7%	12.0%	2.3%	1.8%
Number of **retrievals**	142	78	71	69	114
Percentage of retrievals resulting in live births	25.4%	14.1%	15.5%	2.9%	2.6%
Percentage of retrievals resulting in singleton live births	16.9%	7.7%	14.1%	2.9%	2.6%
Number of **transfers**	102	43	33	19	26
Percentage of transfers resulting in live births	35.3%	25.6%	33.3%	* / 19	11.5%
Percentage of transfers resulting in singleton live births	23.5%	14.0%	30.3%	* / 19	11.5%
Number of intended retrievals per live birth	4.4	8.1	7.5	43.5	54.3
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	21.7%	25.7%	13.5%	0.0%	3.8%
Percentage of new patients having live births after 1 or 2 intended retrievals	25.0%	28.6%	18.9%	0.0%	3.8%
Percentage of new patients having live births after all intended retrievals	25.0%	28.6%	21.6%	0.0%	3.8%
Average number of intended retrievals per new patient	1.2	1.3	1.3	1.4	1.3
Average number of transfers per intended retrieval	0.7	0.6	0.4	0.1	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	9	15	31	*
Percentage of transfers resulting in live births	* / 9	* / 15	29.0%	0 / *
Percentage of transfers resulting in singleton live births	* / 9	0 / 15	22.6%	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	272	142	154	103	327	998
Percentage of cycles cancelled prior to retrieval or thaw	3.7%	7.0%	7.1%	4.9%	20.5%	10.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.8%	4.2%	13.6%	14.6%	15.0%	10.4%
Percentage of cycles for fertility preservation	26.5%	31.7%	39.0%	43.7%	30.3%	32.2%
Percentage of transfers using a gestational carrier	4.7%	3.9%	1.6%	2.6%	7.3%	4.6%
Percentage of transfers using frozen embryos	68.6%	81.8%	75.4%	86.8%	80.9%	76.2%
Percentage of transfers of at least one embryo with ICSI	62.2%	49.4%	54.1%	42.1%	42.7%	52.6%
Percentage of transfers of at least one embryo with PGT	1.7%	1.3%	1.6%	2.6%	0.0%	1.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	25%	Diminished ovarian reserve	58%
Endometriosis	2%	Egg or embryo banking	49%
Tubal factor	10%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	13%	Other, infertility	10%
Uterine factor	15%	Other, non-infertility	7%
PGT	<1%	Unexplained	3%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

MCRM FERTILITY
CHESTERFIELD, MISSOURI

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mira Aubuchon, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	283	98	101	50	28
Percentage of intended retrievals resulting in live births	29.0%	25.5%	7.9%	4.0%	0.0%
Percentage of intended retrievals resulting in singleton live births	21.6%	22.4%	7.9%	4.0%	0.0%
Number of **retrievals**	275	96	89	45	24
Percentage of retrievals resulting in live births	29.8%	26.0%	9.0%	4.4%	0.0%
Percentage of retrievals resulting in singleton live births	22.2%	22.9%	9.0%	4.4%	0.0%
Number of **transfers**	145	44	35	6	*
Percentage of transfers resulting in live births	56.6%	56.8%	22.9%	* / 6	0 / *
Percentage of transfers resulting in singleton live births	42.1%	50.0%	22.9%	* / 6	0 / *
Number of intended retrievals per live birth	3.5	3.9	12.6	25.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	31.7%	27.8%	13.2%	0 / 19	0 / 15
Percentage of new patients having live births after 1 or 2 intended retrievals	34.7%	29.6%	18.4%	0 / 19	0 / 15
Percentage of new patients having live births after all intended retrievals	35.3%	31.5%	21.1%	0 / 19	0 / 15
Average number of intended retrievals per new patient	1.2	1.3	1.7	1.5	1.3
Average number of transfers per intended retrieval	0.5	0.4	0.4	0.1	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	37	15
Percentage of transfers resulting in live births		* / *	45.9%	* / 15
Percentage of transfers resulting in singleton live births		0 / *	40.5%	* / 15

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	564	196	172	57	72	1,061
Percentage of cycles cancelled prior to retrieval or thaw	4.6%	8.2%	8.1%	7.0%	16.7%	6.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.7%	8.7%	12.2%	17.5%	23.6%	9.7%
Percentage of cycles for fertility preservation	1.4%	4.6%	0.6%	0.0%	2.8%	1.9%
Percentage of transfers using a gestational carrier	1.3%	0.0%	1.5%	* / 17	12.5%	2.1%
Percentage of transfers using frozen embryos	94.6%	91.6%	84.6%	16 / 17	100.0%	92.8%
Percentage of transfers of at least one embryo with ICSI	65.7%	61.4%	49.2%	8 / 17	25.0%	59.3%
Percentage of transfers of at least one embryo with PGT	75.7%	79.5%	69.2%	12 / 17	79.2%	75.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	28%
Endometriosis	9%	Egg or embryo banking	50%
Tubal factor	3%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	26%	Other, infertility	34%
Uterine factor	4%	Other, non-infertility	3%
PGT	24%	Unexplained	13%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

MISSOURI FERTILITY
COLUMBIA, MISSOURI

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Gilbert B. Wilshire, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	53	14	12	7	0
Percentage of intended retrievals resulting in live births	69.8%	9 / 14	5 / 12	* / 7	
Percentage of intended retrievals resulting in singleton live births	60.4%	7 / 14	* / 12	* / 7	
Number of **retrievals**	49	13	6	7	0
Percentage of retrievals resulting in live births	75.5%	9 / 13	5 / 6	* / 7	
Percentage of retrievals resulting in singleton live births	65.3%	7 / 13	* / 6	* / 7	
Number of **transfers**	70	17	6	6	0
Percentage of transfers resulting in live births	52.9%	9 / 17	5 / 6	* / 6	
Percentage of transfers resulting in singleton live births	45.7%	7 / 17	* / 6	* / 6	
Number of intended retrievals per live birth	1.4	1.6	2.4	7.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	70.5%	5 / 8	* / 8	* / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	75.0%	6 / 8	* / 8	* / *	
Percentage of new patients having live births after all intended retrievals	75.0%	6 / 8	* / 8	* / *	
Average number of intended retrievals per new patient	1.1	1.1	1.4	1.0	
Average number of transfers per intended retrieval	1.3	1.3	0.5	1.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	15	0
Percentage of transfers resulting in live births	* / *		7 / 15	
Percentage of transfers resulting in singleton live births	0 / *		7 / 15	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	138	38	16	10	11	213
Percentage of cycles cancelled prior to retrieval or thaw	4.3%	13.2%	0 / 16	* / 10	* / 11	6.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.2%	7.9%	* / 16	* / 10	* / 11	8.0%
Percentage of cycles for fertility preservation	0.0%	0.0%	0 / 16	0 / 10	0 / 11	0.0%
Percentage of transfers using a gestational carrier	1.8%	0.0%	0 / 11	0 / 5	0 / 6	1.3%
Percentage of transfers using frozen embryos	71.6%	75.0%	6 / 11	* / 5	5 / 6	71.6%
Percentage of transfers of at least one embryo with ICSI	95.4%	87.5%	10 / 11	* / 5	6 / 6	93.5%
Percentage of transfers of at least one embryo with PGT	31.2%	41.7%	* / 11	* / 5	* / 6	31.6%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	52%	Diminished ovarian reserve	24%
Endometriosis	18%	Egg or embryo banking	13%
Tubal factor	13%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	27%	Other, infertility	3%
Uterine factor	6%	Other, non-infertility	0%
PGT	2%	Unexplained	4%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

MU HEALTHCARE
REPRODUCTIVE HEALTH AND FERTILITY CENTER
COLUMBIA, MISSOURI

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Danny M. Schust, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	7	0	*	*	0	10
Percentage of cycles cancelled prior to retrieval or thaw	0 / 7		0 / *	* / *		* / 10
Percentage of cycles stopped between retrieval and transfer or banking[e]	* / 7		0 / *	0 / *		* / 10
Percentage of cycles for fertility preservation	* / 7		0 / *	0 / *		* / 10
Percentage of transfers using a gestational carrier	0 / *		0 / *			0 / *
Percentage of transfers using frozen embryos	0 / *		0 / *			0 / *
Percentage of transfers of at least one embryo with ICSI	0 / *		* / *			* / *
Percentage of transfers of at least one embryo with PGT	0 / *		0 / *			0 / *

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	20%	Diminished ovarian reserve	0%
Endometriosis	20%	Egg or embryo banking	40%
Tubal factor	10%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	0%	Other, infertility	30%
Uterine factor	0%	Other, non-infertility	30%
PGT	0%	Unexplained	30%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BLUE SKY FERTILITY
KANSAS CITY, MISSOURI

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ryan M. Riggs, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	29	13	8	0	0
Percentage of intended retrievals resulting in live births	58.6%	8 / 13	* / 8		
Percentage of intended retrievals resulting in singleton live births	55.2%	8 / 13	* / 8		
Number of **retrievals**	26	13	7	0	0
Percentage of retrievals resulting in live births	65.4%	8 / 13	* / 7		
Percentage of retrievals resulting in singleton live births	61.5%	8 / 13	* / 7		
Number of **transfers**	24	10	*	0	0
Percentage of transfers resulting in live births	70.8%	8 / 10	* / *		
Percentage of transfers resulting in singleton live births	66.7%	8 / 10	* / *		
Number of intended retrievals per live birth	1.7	1.6	8.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	62.5%	5 / 8	* / 7		
Percentage of new patients having live births after 1 or 2 intended retrievals	70.8%	5 / 8	* / 7		
Percentage of new patients having live births after all intended retrievals	70.8%	5 / 8	* / 7		
Average number of intended retrievals per new patient	1.2	1.0	1.0		
Average number of transfers per intended retrieval	0.8	0.8	0.4		

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	11	0
Percentage of transfers resulting in live births			9 / 11	
Percentage of transfers resulting in singleton live births			8 / 11	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	110	51	21	9	9	200
Percentage of cycles cancelled prior to retrieval or thaw	6.4%	2.0%	19.0%	0 / 9	* / 9	6.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.5%	15.7%	19.0%	* / 9	* / 9	9.5%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 9	0 / 9	0.0%
Percentage of transfers using a gestational carrier	2.3%	0 / 17	* / 9	0 / *	* / 5	6.5%
Percentage of transfers using frozen embryos	100.0%	17 / 17	9 / 9	* / *	5 / 5	100.0%
Percentage of transfers of at least one embryo with ICSI	100.0%	17 / 17	9 / 9	* / *	5 / 5	100.0%
Percentage of transfers of at least one embryo with PGT	100.0%	17 / 17	9 / 9	* / *	5 / 5	100.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	26%	Diminished ovarian reserve	53%
Endometriosis	5%	Egg or embryo banking	69%
Tubal factor	9%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	16%	Other, infertility	9%
Uterine factor	4%	Other, non-infertility	6%
PGT	12%	Unexplained	17%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

MIDWEST WOMEN'S HEALTHCARE SPECIALISTS
KANSAS CITY, MISSOURI

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Gregory C. Starks, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	43	15	8	*	0
Percentage of intended retrievals resulting in live births	58.1%	* / 15	* / 8	0 / *	
Percentage of intended retrievals resulting in singleton live births	39.5%	* / 15	* / 8	0 / *	
Number of **retrievals**	41	12	6	*	0
Percentage of retrievals resulting in live births	61.0%	* / 12	* / 6	0 / *	
Percentage of retrievals resulting in singleton live births	41.5%	* / 12	* / 6	0 / *	
Number of **transfers**	47	9	*	0	0
Percentage of transfers resulting in live births	53.2%	* / 9	* / *		
Percentage of transfers resulting in singleton live births	36.2%	* / 9	* / *		
Number of intended retrievals per live birth	1.7	7.5	8.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	68.8%	* / 9	* / 5	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	71.9%	* / 9	* / 5	0 / *	
Percentage of new patients having live births after all intended retrievals	71.9%	* / 9	* / 5	0 / *	
Average number of intended retrievals per new patient	1.0	1.1	1.0	1.0	
Average number of transfers per intended retrieval	1.1	0.7	0.4	0.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	17	*	0
Percentage of transfers resulting in live births		10 / 17	* / *	
Percentage of transfers resulting in singleton live births		9 / 17	* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	63	31	20	10	6	130
Percentage of cycles cancelled prior to retrieval or thaw	14.3%	3.2%	25.0%	0 / 10	* / 6	12.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.5%	12.9%	15.0%	* / 10	0 / 6	10.8%
Percentage of cycles for fertility preservation	0.0%	0.0%	5.0%	0 / 10	0 / 6	0.8%
Percentage of transfers using a gestational carrier	2.2%	4.8%	* / 7	0 / 8	0 / 5	3.4%
Percentage of transfers using frozen embryos	41.3%	47.6%	* / 7	* / 8	* / 5	42.5%
Percentage of transfers of at least one embryo with ICSI	97.8%	95.2%	7 / 7	5 / 8	5 / 5	94.3%
Percentage of transfers of at least one embryo with PGT	8.7%	0.0%	* / 7	0 / 8	* / 5	6.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	48%
Endometriosis	23%	Egg or embryo banking	11%
Tubal factor	22%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	18%	Other, infertility	12%
Uterine factor	15%	Other, non-infertility	0%
PGT	4%	Unexplained	1%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY PARTNERSHIP
SAINT PETERS, MISSOURI

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by David E. Simckes, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	79	30	24	13	9
Percentage of intended retrievals resulting in live births	58.2%	33.3%	29.2%	0 / 13	0 / 9
Percentage of intended retrievals resulting in singleton live births	39.2%	30.0%	25.0%	0 / 13	0 / 9
Number of **retrievals**	76	29	23	13	8
Percentage of retrievals resulting in live births	60.5%	34.5%	30.4%	0 / 13	0 / 8
Percentage of retrievals resulting in singleton live births	40.8%	31.0%	26.1%	0 / 13	0 / 8
Number of **transfers**	88	24	15	10	5
Percentage of transfers resulting in live births	52.3%	41.7%	7 / 15	0 / 10	0 / 5
Percentage of transfers resulting in singleton live births	35.2%	37.5%	6 / 15	0 / 10	0 / 5
Number of intended retrievals per live birth	1.7	3.0	3.4		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	59.4%	23.8%	* / 15	0 / 7	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	63.8%	23.8%	6 / 15	0 / 7	0 / 5
Percentage of new patients having live births after all intended retrievals	63.8%	23.8%	6 / 15	0 / 7	0 / 5
Average number of intended retrievals per new patient	1.0	1.0	1.3	1.1	1.4
Average number of transfers per intended retrieval	1.2	0.7	0.6	0.8	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	6	*
Percentage of transfers resulting in live births		* / *	* / 6	* / *
Percentage of transfers resulting in singleton live births		* / *	* / 6	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	172	67	54	25	21	339
Percentage of cycles cancelled prior to retrieval or thaw	4.7%	9.0%	7.4%	12.0%	9.5%	6.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.2%	1.5%	7.4%	8.0%	4.8%	2.9%
Percentage of cycles for fertility preservation	0.0%	3.0%	1.9%	0.0%	0.0%	0.9%
Percentage of transfers using a gestational carrier	2.5%	2.6%	3.2%	0 / 16	* / 10	2.8%
Percentage of transfers using frozen embryos	59.2%	57.9%	41.9%	9 / 16	7 / 10	56.7%
Percentage of transfers of at least one embryo with ICSI	100.0%	100.0%	100.0%	16 / 16	10 / 10	100.0%
Percentage of transfers of at least one embryo with PGT	5.8%	15.8%	3.2%	0 / 16	* / 10	7.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	16%
Endometriosis	12%	Egg or embryo banking	29%
Tubal factor	17%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	14%	Other, infertility	2%
Uterine factor	8%	Other, non-infertility	5%
PGT	6%	Unexplained	14%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTER FOR REPRODUCTIVE MEDICINE & ROBOTIC SURGERY
ST. LOUIS, MISSOURI

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Saji Jacob, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	21	12	*	*	0
Percentage of intended retrievals resulting in live births	42.9%	* / 12	* / *	0 / *	
Percentage of intended retrievals resulting in singleton live births	14.3%	* / 12	* / *	0 / *	
Number of **retrievals**	21	11	*	*	0
Percentage of retrievals resulting in live births	42.9%	* / 11	* / *	0 / *	
Percentage of retrievals resulting in singleton live births	14.3%	* / 11	* / *	0 / *	
Number of **transfers**	18	5	*	0	0
Percentage of transfers resulting in live births	9 / 18	* / 5	* / *		
Percentage of transfers resulting in singleton live births	* / 18	* / 5	* / *		
Number of intended retrievals per live birth	2.3	6.0	3.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	5 / 17	0 / 6	* / *	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	8 / 17	* / 6	* / *	0 / *	
Percentage of new patients having live births after all intended retrievals	8 / 17	* / 6	* / *	0 / *	
Average number of intended retrievals per new patient	1.2	1.5	1.0	1.0	
Average number of transfers per intended retrieval	0.9	0.3	1.0	0.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	*	0
Percentage of transfers resulting in live births			* / *	
Percentage of transfers resulting in singleton live births			* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	52	11	9	0	*	73
Percentage of cycles cancelled prior to retrieval or thaw	1.9%	0 / 11	0 / 9		0 / *	1.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.8%	* / 11	0 / 9		0 / *	4.1%
Percentage of cycles for fertility preservation	5.8%	* / 11	0 / 9		0 / *	5.5%
Percentage of transfers using a gestational carrier	0 / 16	0 / 5	0 / *		0 / *	0.0%
Percentage of transfers using frozen embryos	16 / 16	5 / 5	* / *		* / *	100.0%
Percentage of transfers of at least one embryo with ICSI	16 / 16	5 / 5	* / *		* / *	100.0%
Percentage of transfers of at least one embryo with PGT	* / 16	* / 5	* / *		0 / *	16.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	22%	Diminished ovarian reserve	30%
Endometriosis	30%	Egg or embryo banking	68%
Tubal factor	16%	Recurrent pregnancy loss	11%
Ovulatory dysfunction	26%	Other, infertility	14%
Uterine factor	5%	Other, non-infertility	1%
PGT	15%	Unexplained	1%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY AND REPRODUCTIVE MEDICINE CENTER AT WASHINGTON UNIVERSITY SCHOOL OF MEDICINE AND BARNES-JEWISH HOSPITAL ST. LOUIS, MISSOURI

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Randall R. Odem, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	289	118	78	19	*
Percentage of intended retrievals resulting in live births	57.4%	33.1%	29.5%	* / 19	0 / *
Percentage of intended retrievals resulting in singleton live births	46.0%	31.4%	20.5%	* / 19	0 / *
Number of **retrievals**	282	104	72	18	*
Percentage of retrievals resulting in live births	58.9%	37.5%	31.9%	* / 18	0 / *
Percentage of retrievals resulting in singleton live births	47.2%	35.6%	22.2%	* / 18	0 / *
Number of **transfers**	346	119	65	16	*
Percentage of transfers resulting in live births	48.0%	32.8%	35.4%	* / 16	0 / *
Percentage of transfers resulting in singleton live births	38.4%	31.1%	24.6%	* / 16	0 / *
Number of intended retrievals per live birth	1.7	3.0	3.4	6.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	59.3%	32.8%	27.1%	* / 11	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	65.8%	41.4%	29.2%	* / 11	0 / *
Percentage of new patients having live births after all intended retrievals	67.3%	44.8%	29.2%	* / 11	0 / *
Average number of intended retrievals per new patient	1.1	1.4	1.2	1.4	1.0
Average number of transfers per intended retrieval	1.2	1.0	0.8	0.9	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	11	16	25	*
Percentage of transfers resulting in live births	10 / 11	5 / 16	32.0%	* / *
Percentage of transfers resulting in singleton live births	6 / 11	5 / 16	28.0%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	419	221	160	52	29	881
Percentage of cycles cancelled prior to retrieval or thaw	4.8%	9.5%	5.6%	7.7%	10.3%	6.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.9%	4.5%	5.0%	7.7%	0.0%	3.9%
Percentage of cycles for fertility preservation	5.3%	5.0%	2.5%	0.0%	0.0%	4.2%
Percentage of transfers using a gestational carrier	2.1%	4.2%	1.6%	2.4%	4.0%	2.6%
Percentage of transfers using frozen embryos	44.2%	37.0%	46.7%	33.3%	40.0%	42.1%
Percentage of transfers of at least one embryo with ICSI	84.5%	81.8%	72.1%	71.4%	40.0%	79.2%
Percentage of transfers of at least one embryo with PGT	6.9%	9.1%	8.2%	14.3%	0.0%	7.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	16%
Endometriosis	10%	Egg or embryo banking	12%
Tubal factor	12%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	18%	Other, infertility	13%
Uterine factor	2%	Other, non-infertility	1%
PGT	9%	Unexplained	15%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-ST. LOUIS
INTEGRAMED MISSOURI, LLC
ST. LOUIS, MISSOURI

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Molina B. Dayal, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	154	68	30	11	*
Percentage of intended retrievals resulting in live births	42.9%	27.9%	13.3%	0 / 11	0 / *
Percentage of intended retrievals resulting in singleton live births	32.5%	25.0%	13.3%	0 / 11	0 / *
Number of **retrievals**	143	62	26	11	*
Percentage of retrievals resulting in live births	46.2%	30.6%	15.4%	0 / 11	0 / *
Percentage of retrievals resulting in singleton live births	35.0%	27.4%	15.4%	0 / 11	0 / *
Number of **transfers**	185	44	16	*	0
Percentage of transfers resulting in live births	35.7%	43.2%	* / 16	0 / *	
Percentage of transfers resulting in singleton live births	27.0%	38.6%	* / 16	0 / *	
Number of intended retrievals per live birth	2.3	3.6	7.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	38.9%	36.4%	* / 19	0 / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	49.6%	36.4%	* / 19	0 / 5	0 / *
Percentage of new patients having live births after all intended retrievals	50.4%	39.4%	* / 19	0 / 5	0 / *
Average number of intended retrievals per new patient	1.2	1.4	1.3	1.2	1.0
Average number of transfers per intended retrieval	1.2	0.7	0.5	0.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	5	6	10	*
Percentage of transfers resulting in live births	* / 5	* / 6	* / 10	* / *
Percentage of transfers resulting in singleton live births	* / 5	* / 6	* / 10	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	300	126	99	27	33	585
Percentage of cycles cancelled prior to retrieval or thaw	9.7%	10.3%	12.1%	11.1%	24.2%	11.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	17.3%	12.7%	15.2%	14.8%	21.2%	16.1%
Percentage of cycles for fertility preservation	0.3%	1.6%	3.0%	0.0%	3.0%	1.2%
Percentage of transfers using a gestational carrier	1.6%	0.0%	2.3%	* / 12	0 / 12	1.6%
Percentage of transfers using frozen embryos	68.3%	75.0%	93.0%	11 / 12	* / 12	72.3%
Percentage of transfers of at least one embryo with ICSI	89.6%	78.1%	74.4%	5 / 12	10 / 12	83.1%
Percentage of transfers of at least one embryo with PGT	17.5%	29.7%	55.8%	5 / 12	* / 12	26.4%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	21%	Diminished ovarian reserve	29%
Endometriosis	5%	Egg or embryo banking	25%
Tubal factor	9%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	23%	Other, infertility	28%
Uterine factor	<1%	Other, non-infertility	1%
PGT	9%	Unexplained	2%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BILLINGS CLINIC
REPRODUCTIVE MEDICINE AND FERTILITY CARE
BILLINGS, MONTANA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

MONTANA

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Colleen Milroy, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	85	26	25	6	*
Percentage of intended retrievals resulting in live births	58.8%	38.5%	20.0%	* / 6	0 / *
Percentage of intended retrievals resulting in singleton live births	51.8%	30.8%	16.0%	* / 6	0 / *
Number of **retrievals**	80	21	22	6	*
Percentage of retrievals resulting in live births	62.5%	47.6%	22.7%	* / 6	0 / *
Percentage of retrievals resulting in singleton live births	55.0%	38.1%	18.2%	* / 6	0 / *
Number of **transfers**	81	23	16	*	0
Percentage of transfers resulting in live births	61.7%	43.5%	5 / 16	* / *	
Percentage of transfers resulting in singleton live births	54.3%	34.8%	* / 16	* / *	
Number of intended retrievals per live birth	1.7	2.6	5.0	3.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	56.3%	8 / 17	* / 16	* / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	64.1%	8 / 17	* / 16	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	64.1%	8 / 17	* / 16	* / *	0 / *
Average number of intended retrievals per new patient	1.2	1.1	1.3	1.5	3.0
Average number of transfers per intended retrieval	0.9	0.8	0.6	0.7	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	10	*	*
Percentage of transfers resulting in live births	* / *	6 / 10	* / *	* / *
Percentage of transfers resulting in singleton live births	* / *	6 / 10	* / *	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	158	80	36	17	7	298
Percentage of cycles cancelled prior to retrieval or thaw	3.8%	11.3%	16.7%	* / 17	* / 7	8.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	13.9%	12.5%	11.1%	* / 17	0 / 7	13.1%
Percentage of cycles for fertility preservation	2.5%	2.5%	2.8%	0 / 17	0 / 7	2.3%
Percentage of transfers using a gestational carrier	1.1%	4.7%	0 / 16	0 / 7	0 / *	1.9%
Percentage of transfers using frozen embryos	76.4%	76.7%	14 / 16	* / 7	* / *	75.5%
Percentage of transfers of at least one embryo with ICSI	68.5%	79.1%	14 / 16	6 / 7	* / *	73.6%
Percentage of transfers of at least one embryo with PGT	6.7%	14.0%	9 / 16	* / 7	* / *	14.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	25%	Diminished ovarian reserve	16%
Endometriosis	14%	Egg or embryo banking	36%
Tubal factor	18%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	27%	Other, infertility	8%
Uterine factor	2%	Other, non-infertility	2%
PGT	4%	Unexplained	13%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE HEALTH SPECIALISTS
ELKHORN, NEBRASKA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Carolyn M. Doherty, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	173	53	49	15	*
Percentage of intended retrievals resulting in live births	54.3%	47.2%	18.4%	* / 15	0 / *
Percentage of intended retrievals resulting in singleton live births	43.4%	32.1%	16.3%	* / 15	0 / *
Number of **retrievals**	164	46	39	10	*
Percentage of retrievals resulting in live births	57.3%	54.3%	23.1%	* / 10	0 / *
Percentage of retrievals resulting in singleton live births	45.7%	37.0%	20.5%	* / 10	0 / *
Number of **transfers**	215	45	30	6	*
Percentage of transfers resulting in live births	43.7%	55.6%	30.0%	* / 6	0 / *
Percentage of transfers resulting in singleton live births	34.9%	37.8%	26.7%	* / 6	0 / *
Number of intended retrievals per live birth	1.8	2.1	5.4	15.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	61.3%	53.1%	20.8%	* / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	66.1%	62.5%	20.8%	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	66.9%	62.5%	20.8%	* / *	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.5	2.5	1.0
Average number of transfers per intended retrieval	1.2	0.9	0.5	0.3	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	31	0
Percentage of transfers resulting in live births	* / *		45.2%	
Percentage of transfers resulting in singleton live births	* / *		32.3%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	464	159	103	33	20	779
Percentage of cycles cancelled prior to retrieval or thaw	8.0%	14.5%	23.3%	21.2%	15.0%	12.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.9%	1.3%	5.8%	6.1%	0.0%	3.6%
Percentage of cycles for fertility preservation	1.5%	1.3%	1.0%	0.0%	0.0%	1.3%
Percentage of transfers using a gestational carrier	1.1%	0.0%	0.0%	0 / 12	0 / 14	0.7%
Percentage of transfers using frozen embryos	90.4%	92.7%	83.3%	9 / 12	14 / 14	89.9%
Percentage of transfers of at least one embryo with ICSI	97.3%	91.5%	87.5%	9 / 12	13 / 14	94.2%
Percentage of transfers of at least one embryo with PGT	56.3%	70.7%	68.8%	6 / 12	8 / 14	60.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	10%
Endometriosis	7%	Egg or embryo banking	33%
Tubal factor	19%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	20%	Other, infertility	23%
Uterine factor	2%	Other, non-infertility	2%
PGT	7%	Unexplained	12%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

HEARTLAND CENTER FOR REPRODUCTIVE MEDICINE, PC
OMAHA, NEBRASKA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Victoria M. Maclin, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	139	38	42	10	10
Percentage of intended retrievals resulting in live births	53.2%	34.2%	9.5%	* / 10	0 / 10
Percentage of intended retrievals resulting in singleton live births	48.2%	28.9%	9.5%	* / 10	0 / 10
Number of **retrievals**	117	34	34	8	8
Percentage of retrievals resulting in live births	63.2%	38.2%	11.8%	* / 8	0 / 8
Percentage of retrievals resulting in singleton live births	57.3%	32.4%	11.8%	* / 8	0 / 8
Number of **transfers**	123	41	14	*	*
Percentage of transfers resulting in live births	60.2%	31.7%	* / 14	* / *	0 / *
Percentage of transfers resulting in singleton live births	54.5%	26.8%	* / 14	* / *	0 / *
Number of intended retrievals per live birth	1.9	2.9	10.5	10.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	62.5%	9 / 19	* / 16	0 / *	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	70.0%	10 / 19	* / 16	* / *	0 / 5
Percentage of new patients having live births after all intended retrievals	72.5%	11 / 19	* / 16	* / *	0 / 5
Average number of intended retrievals per new patient	1.3	1.3	1.8	2.0	1.6
Average number of transfers per intended retrieval	0.9	1.3	0.2	0.2	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	9	0	20	0
Percentage of transfers resulting in live births	6 / 9		30.0%	
Percentage of transfers resulting in singleton live births	* / 9		25.0%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	242	117	67	15	17	458
Percentage of cycles cancelled prior to retrieval or thaw	7.9%	17.1%	17.9%	5 / 15	* / 17	12.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.1%	8.5%	35.8%	* / 15	* / 17	10.7%
Percentage of cycles for fertility preservation	1.2%	1.7%	0.0%	0 / 15	0 / 17	1.1%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / *	0 / 13	0.0%
Percentage of transfers using frozen embryos	63.0%	65.7%	54.5%	* / *	8 / 13	63.5%
Percentage of transfers of at least one embryo with ICSI	58.2%	50.0%	63.6%	* / *	6 / 13	55.8%
Percentage of transfers of at least one embryo with PGT	12.7%	12.9%	27.3%	* / *	0 / 13	13.9%

Clinic Current Services & Profile

		Verified lab accreditation?
Donor eggs?	Yes	Yes
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	39%	Diminished ovarian reserve	22%
Endometriosis	14%	Egg or embryo banking	20%
Tubal factor	12%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	12%	Other, infertility	4%
Uterine factor	4%	Other, non-infertility	2%
PGT	2%	Unexplained	13%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

GREEN VALLEY FERTILITY PARTNERS
HENDERSON, NEVADA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jeffrey D. Fisch, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	55	32	65	23	13
Percentage of intended retrievals resulting in live births	58.2%	50.0%	12.3%	8.7%	0 / 13
Percentage of intended retrievals resulting in singleton live births	41.8%	37.5%	10.8%	8.7%	0 / 13
Number of **retrievals**	54	32	58	21	9
Percentage of retrievals resulting in live births	59.3%	50.0%	13.8%	9.5%	0 / 9
Percentage of retrievals resulting in singleton live births	42.6%	37.5%	12.1%	9.5%	0 / 9
Number of **transfers**	74	34	28	10	*
Percentage of transfers resulting in live births	43.2%	47.1%	28.6%	* / 10	0 / *
Percentage of transfers resulting in singleton live births	31.1%	35.3%	25.0%	* / 10	0 / *
Number of intended retrievals per live birth	1.7	2.0	8.1	11.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	55.9%	10 / 17	13.0%	0 / 9	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	61.8%	12 / 17	13.0%	* / 9	0 / 6
Percentage of new patients having live births after all intended retrievals	61.8%	12 / 17	30.4%	* / 9	0 / 6
Average number of intended retrievals per new patient	1.1	1.2	1.8	1.7	2.2
Average number of transfers per intended retrieval	1.4	1.0	0.4	0.4	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	12	0	16	0
Percentage of transfers resulting in live births	7 / 12		6 / 16	
Percentage of transfers resulting in singleton live births	7 / 12		* / 16	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	105	79	89	36	35	344
Percentage of cycles cancelled prior to retrieval or thaw	4.8%	1.3%	9.0%	13.9%	14.3%	7.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	20.0%	16.5%	34.8%	33.3%	17.1%	24.1%
Percentage of cycles for fertility preservation	0.0%	2.5%	2.2%	0.0%	0.0%	1.2%
Percentage of transfers using a gestational carrier	1.4%	0.0%	2.9%	0 / 15	4.8%	1.5%
Percentage of transfers using frozen embryos	44.6%	50.9%	52.9%	* / 15	71.4%	49.3%
Percentage of transfers of at least one embryo with ICSI	100.0%	100.0%	100.0%	15 / 15	100.0%	100.0%
Percentage of transfers of at least one embryo with PGT	35.1%	22.8%	44.1%	7 / 15	14.3%	31.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	31%
Endometriosis	4%	Egg or embryo banking	15%
Tubal factor	18%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	15%	Other, infertility	1%
Uterine factor	1%	Other, non-infertility	<1%
PGT	2%	Unexplained	10%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY CENTER OF LAS VEGAS
LAS VEGAS, NEVADA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Bruce Shapiro, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	84	51	52	36	19
Percentage of intended retrievals resulting in live births	50.0%	43.1%	32.7%	0.0%	0 / 19
Percentage of intended retrievals resulting in singleton live births	46.4%	37.3%	32.7%	0.0%	0 / 19
Number of **retrievals**	81	47	48	25	11
Percentage of retrievals resulting in live births	51.9%	46.8%	35.4%	0.0%	0 / 11
Percentage of retrievals resulting in singleton live births	48.1%	40.4%	35.4%	0.0%	0 / 11
Number of **transfers**	95	40	32	*	*
Percentage of transfers resulting in live births	44.2%	55.0%	53.1%	0 / *	0 / *
Percentage of transfers resulting in singleton live births	41.1%	47.5%	53.1%	0 / *	0 / *
Number of intended retrievals per live birth	2.0	2.3	3.1		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	50.7%	46.2%	29.4%	0 / 14	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	52.1%	51.3%	35.3%	0 / 14	0 / 6
Percentage of new patients having live births after all intended retrievals	53.5%	51.3%	35.3%	0 / 14	0 / 6
Average number of intended retrievals per new patient	1.0	1.1	1.2	1.6	1.8
Average number of transfers per intended retrieval	1.2	0.9	0.7	0.1	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	118	5
Percentage of transfers resulting in live births		* / *	59.3%	* / 5
Percentage of transfers resulting in singleton live births		* / *	53.4%	* / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	261	139	119	73	139	731
Percentage of cycles cancelled prior to retrieval or thaw	8.0%	11.5%	10.1%	20.5%	13.7%	11.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.0%	10.1%	11.8%	17.8%	13.7%	10.0%
Percentage of cycles for fertility preservation	1.9%	4.3%	4.2%	0.0%	1.4%	2.5%
Percentage of transfers using a gestational carrier	15.0%	17.2%	30.6%	34.6%	75.0%	31.9%
Percentage of transfers using frozen embryos	99.2%	100.0%	98.4%	100.0%	100.0%	99.4%
Percentage of transfers of at least one embryo with ICSI	91.7%	84.5%	82.3%	73.1%	65.3%	82.1%
Percentage of transfers of at least one embryo with PGT	39.1%	50.0%	50.0%	61.5%	51.4%	47.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	20%	Diminished ovarian reserve	49%
Endometriosis	2%	Egg or embryo banking	43%
Tubal factor	5%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	4%	Other, infertility	8%
Uterine factor	1%	Other, non-infertility	2%
PGT	1%	Unexplained	3%
Gestational carrier	15%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

RED ROCK FERTILITY CENTER
LAS VEGAS, NEVADA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Eva D. Littman, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	43	22	32	15	30
Percentage of intended retrievals resulting in live births	51.2%	36.4%	12.5%	* / 15	3.3%
Percentage of intended retrievals resulting in singleton live births	37.2%	27.3%	9.4%	* / 15	3.3%
Number of **retrievals**	43	21	28	14	22
Percentage of retrievals resulting in live births	51.2%	38.1%	14.3%	* / 14	4.5%
Percentage of retrievals resulting in singleton live births	37.2%	28.6%	10.7%	* / 14	4.5%
Number of **transfers**	48	20	13	5	*
Percentage of transfers resulting in live births	45.8%	40.0%	* / 13	* / 5	* / *
Percentage of transfers resulting in singleton live births	33.3%	30.0%	* / 13	* / 5	* / *
Number of intended retrievals per live birth	2.0	2.8	8.0	3.8	30.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.3%	7 / 12	* / 18	* / 8	0 / 14
Percentage of new patients having live births after 1 or 2 intended retrievals	54.3%	7 / 12	* / 18	* / 8	0 / 14
Percentage of new patients having live births after all intended retrievals	54.3%	7 / 12	* / 18	* / 8	0 / 14
Average number of intended retrievals per new patient	1.0	1.1	1.1	1.3	1.9
Average number of transfers per intended retrieval	1.0	1.1	0.5	0.1	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	15	*
Percentage of transfers resulting in live births			* / 15	* / *
Percentage of transfers resulting in singleton live births			* / 15	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	122	65	73	36	37	333
Percentage of cycles cancelled prior to retrieval or thaw	2.5%	6.2%	5.5%	11.1%	5.4%	5.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.4%	15.4%	26.0%	38.9%	32.4%	19.2%
Percentage of cycles for fertility preservation	24.6%	26.2%	16.4%	16.7%	10.8%	20.7%
Percentage of transfers using a gestational carrier	5.1%	4.0%	3.6%	0 / 10	0 / 17	3.6%
Percentage of transfers using frozen embryos	91.5%	100.0%	100.0%	10 / 10	17 / 17	96.4%
Percentage of transfers of at least one embryo with ICSI	93.2%	92.0%	85.7%	6 / 10	10 / 17	84.9%
Percentage of transfers of at least one embryo with PGT	83.1%	100.0%	89.3%	8 / 10	14 / 17	87.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	22%	Diminished ovarian reserve	18%
Endometriosis	2%	Egg or embryo banking	55%
Tubal factor	12%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	11%	Other, infertility	28%
Uterine factor	2%	Other, non-infertility	7%
PGT	1%	Unexplained	5%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-LAS VEGAS
LAS VEGAS, NEVADA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Russell A. Foulk, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	99	33	38	33	22
Percentage of intended retrievals resulting in live births	26.3%	24.2%	21.1%	6.1%	0.0%
Percentage of intended retrievals resulting in singleton live births	22.2%	21.2%	18.4%	6.1%	0.0%
Number of **retrievals**	98	31	38	31	21
Percentage of retrievals resulting in live births	26.5%	25.8%	21.1%	6.5%	0.0%
Percentage of retrievals resulting in singleton live births	22.4%	22.6%	18.4%	6.5%	0.0%
Number of **transfers**	100	22	23	8	*
Percentage of transfers resulting in live births	26.0%	36.4%	34.8%	* / 8	0 / *
Percentage of transfers resulting in singleton live births	22.0%	31.8%	30.4%	* / 8	0 / *
Number of intended retrievals per live birth	3.8	4.1	4.8	16.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	30.4%	* / 9	* / 10	0 / 6	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	34.8%	* / 9	* / 10	0 / 6	0 / *
Percentage of new patients having live births after all intended retrievals	34.8%	* / 9	* / 10	0 / 6	0 / *
Average number of intended retrievals per new patient	1.2	1.0	1.5	1.7	2.0
Average number of transfers per intended retrieval	1.1	0.4	0.7	0.2	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	19	*
Percentage of transfers resulting in live births	* / *		13 / 19	0 / *
Percentage of transfers resulting in singleton live births	0 / *		9 / 19	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	169	72	105	48	50	444
Percentage of cycles cancelled prior to retrieval or thaw	3.0%	5.6%	3.8%	8.3%	16.0%	5.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	11.2%	18.1%	13.3%	22.9%	8.0%	13.7%
Percentage of cycles for fertility preservation	1.8%	2.8%	4.8%	0.0%	4.0%	2.7%
Percentage of transfers using a gestational carrier	7.6%	0.0%	20.0%	5 / 19	27.3%	12.2%
Percentage of transfers using frozen embryos	60.0%	74.3%	87.5%	18 / 19	95.5%	73.8%
Percentage of transfers of at least one embryo with ICSI	84.8%	91.4%	82.5%	10 / 19	63.6%	80.5%
Percentage of transfers of at least one embryo with PGT	30.5%	34.3%	70.0%	9 / 19	54.5%	42.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	15%	Diminished ovarian reserve	34%
Endometriosis	5%	Egg or embryo banking	32%
Tubal factor	7%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	16%	Other, infertility	78%
Uterine factor	3%	Other, non-infertility	1%
PGT	39%	Unexplained	1%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE NEVADA CENTER FOR REPRODUCTIVE MEDICINE
RENO, NEVADA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Scott J. Whitten, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	90	36	43	11	15
Percentage of intended retrievals resulting in live births	54.4%	36.1%	23.3%	0 / 11	* / 15
Percentage of intended retrievals resulting in singleton live births	48.9%	33.3%	23.3%	0 / 11	* / 15
Number of **retrievals**	87	36	38	11	14
Percentage of retrievals resulting in live births	56.3%	36.1%	26.3%	0 / 11	* / 14
Percentage of retrievals resulting in singleton live births	50.6%	33.3%	26.3%	0 / 11	* / 14
Number of **transfers**	91	27	18	*	*
Percentage of transfers resulting in live births	53.8%	48.1%	10 / 18	0 / *	* / *
Percentage of transfers resulting in singleton live births	48.4%	44.4%	10 / 18	0 / *	* / *
Number of intended retrievals per live birth	1.8	2.8	4.3		5.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	58.8%	45.5%	* / 17	0 / 7	* / *
Percentage of new patients having live births after 1 or 2 intended retrievals	63.2%	45.5%	5 / 17	0 / 7	* / *
Percentage of new patients having live births after all intended retrievals	63.2%	50.0%	6 / 17	0 / 7	* / *
Average number of intended retrievals per new patient	1.1	1.3	1.6	1.3	1.0
Average number of transfers per intended retrieval	1.0	0.8	0.4	0.1	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	36	29
Percentage of transfers resulting in live births	* / *	0 / *	52.8%	48.3%
Percentage of transfers resulting in singleton live births	* / *	0 / *	41.7%	31.0%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	201	110	110	33	61	515
Percentage of cycles cancelled prior to retrieval or thaw	5.0%	5.5%	9.1%	6.1%	4.9%	6.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.0%	9.1%	11.8%	27.3%	18.0%	9.9%
Percentage of cycles for fertility preservation	4.5%	4.5%	0.9%	3.0%	3.3%	3.5%
Percentage of transfers using a gestational carrier	3.6%	6.3%	2.0%	* / 15	15.2%	5.8%
Percentage of transfers using frozen embryos	91.1%	95.8%	98.0%	15 / 15	100.0%	94.9%
Percentage of transfers of at least one embryo with ICSI	85.7%	85.4%	67.3%	8 / 15	45.5%	75.1%
Percentage of transfers of at least one embryo with PGT	67.9%	85.4%	69.4%	11 / 15	60.6%	70.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	25%	Diminished ovarian reserve	45%
Endometriosis	8%	Egg or embryo banking	37%
Tubal factor	13%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	17%	Other, infertility	81%
Uterine factor	7%	Other, non-infertility	7%
PGT	76%	Unexplained	1%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW JERSEY
BASKING RIDGE, NEW JERSEY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michael R. Drews, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	1,122	669	678	288	156
Percentage of intended retrievals resulting in live births	66.7%	56.8%	35.7%	20.8%	6.4%
Percentage of intended retrievals resulting in singleton live births	63.7%	54.3%	33.8%	20.5%	5.8%
Number of **retrievals**	1,093	639	631	261	136
Percentage of retrievals resulting in live births	68.4%	59.5%	38.4%	23.0%	7.4%
Percentage of retrievals resulting in singleton live births	65.4%	56.8%	36.3%	22.6%	6.6%
Number of **transfers**	1,112	605	421	101	26
Percentage of transfers resulting in live births	67.3%	62.8%	57.5%	59.4%	38.5%
Percentage of transfers resulting in singleton live births	64.3%	60.0%	54.4%	58.4%	34.6%
Number of intended retrievals per live birth	1.5	1.8	2.8	4.8	15.6
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	70.2%	60.6%	37.2%	24.0%	5.1%
Percentage of new patients having live births after 1 or 2 intended retrievals	78.0%	70.9%	46.7%	29.3%	6.4%
Percentage of new patients having live births after all intended retrievals	78.8%	71.9%	50.3%	31.3%	9.0%
Average number of intended retrievals per new patient	1.2	1.2	1.4	1.4	1.4
Average number of transfers per intended retrieval	1.0	0.9	0.6	0.4	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	363	27
Percentage of transfers resulting in live births		0 / *	53.7%	59.3%
Percentage of transfers resulting in singleton live births		0 / *	50.7%	44.4%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	2,837	1,635	1,358	629	522	6,981
Percentage of cycles cancelled prior to retrieval or thaw	1.6%	3.3%	3.2%	4.3%	4.8%	2.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.7%	3.5%	5.2%	9.7%	8.2%	4.4%
Percentage of cycles for fertility preservation	4.3%	5.7%	5.8%	4.8%	2.7%	4.8%
Percentage of transfers using a gestational carrier	1.1%	1.7%	2.5%	2.9%	9.6%	2.3%
Percentage of transfers using frozen embryos	100.0%	100.0%	99.9%	100.0%	100.0%	100.0%
Percentage of transfers of at least one embryo with ICSI	93.0%	90.7%	88.5%	74.5%	57.1%	87.2%
Percentage of transfers of at least one embryo with PGT	72.2%	80.8%	83.1%	81.4%	71.8%	76.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	74%	Diminished ovarian reserve	40%
Endometriosis	5%	Egg or embryo banking	47%
Tubal factor	10%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	18%	Other, infertility	24%
Uterine factor	8%	Other, non-infertility	4%
PGT	20%	Unexplained	<1%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CLIFTON LOW COST IVF
CLIFTON, NEW JERSEY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Charles Haddad, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	8	*	*	0	*
Percentage of intended retrievals resulting in live births	* / 8	* / *	* / *		0 / *
Percentage of intended retrievals resulting in singleton live births	* / 8	* / *	* / *		0 / *
Number of **retrievals**	8	*	*	0	*
Percentage of retrievals resulting in live births	* / 8	* / *	* / *		0 / *
Percentage of retrievals resulting in singleton live births	* / 8	* / *	* / *		0 / *
Number of **transfers**	8	*	*	0	0
Percentage of transfers resulting in live births	* / 8	* / *	* / *		
Percentage of transfers resulting in singleton live births	* / 8	* / *	* / *		
Number of intended retrievals per live birth	2.0	4.0	3.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 6	0 / *	0 / *		0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 6	* / *	* / *		0 / *
Percentage of new patients having live births after all intended retrievals	* / 6	* / *	* / *		0 / *
Average number of intended retrievals per new patient	1.3	1.3	1.5		1.0
Average number of transfers per intended retrieval	1.0	1.0	0.7		0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	*	*	*	0	*	12
Percentage of cycles cancelled prior to retrieval or thaw	0 / *	0 / *	0 / *		0 / *	0 / 12
Percentage of cycles stopped between retrieval and transfer or banking[e]	0 / *	* / *	* / *		* / *	* / 12
Percentage of cycles for fertility preservation	0 / *	0 / *	0 / *		0 / *	0 / 12
Percentage of transfers using a gestational carrier	0 / *	0 / *	0 / *			0 / 8
Percentage of transfers using frozen embryos	* / *	* / *	0 / *			* / 8
Percentage of transfers of at least one embryo with ICSI	* / *	* / *	* / *			8 / 8
Percentage of transfers of at least one embryo with PGT	* / *	* / *	0 / *			* / 8

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	8%	Diminished ovarian reserve	8%
Endometriosis	0%	Egg or embryo banking	8%
Tubal factor	33%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	8%	Other, infertility	8%
Uterine factor	0%	Other, non-infertility	8%
PGT	33%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NJ BEST OB/GYN
CLIFTON, NEW JERSEY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Fares Diarbakerli, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	8	*	*	0	0
Percentage of intended retrievals resulting in live births	* / 8	0 / *	0 / *		
Percentage of intended retrievals resulting in singleton live births	* / 8	0 / *	0 / *		
Number of **retrievals**	8	*	*	0	0
Percentage of retrievals resulting in live births	* / 8	0 / *	0 / *		
Percentage of retrievals resulting in singleton live births	* / 8	0 / *	0 / *		
Number of **transfers**	8	*	*	0	0
Percentage of transfers resulting in live births	* / 8	0 / *	0 / *		
Percentage of transfers resulting in singleton live births	* / 8	0 / *	0 / *		
Number of intended retrievals per live birth	2.0				
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 6	0 / *	0 / *		
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 6	0 / *	0 / *		
Percentage of new patients having live births after all intended retrievals	* / 6	0 / *	0 / *		
Average number of intended retrievals per new patient	1.0	1.0	1.0		
Average number of transfers per intended retrieval	1.2	1.0	1.0		

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	*
Percentage of transfers resulting in live births				* / *
Percentage of transfers resulting in singleton live births				* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	*	*	*	*	*	13
Percentage of cycles cancelled prior to retrieval or thaw	0 / *	0 / *	* / *	0 / *	0 / *	* / 13
Percentage of cycles stopped between retrieval and transfer or banking[e]	0 / *	0 / *	0 / *	* / *	0 / *	* / 13
Percentage of cycles for fertility preservation	0 / *	0 / *	0 / *	0 / *	0 / *	0 / 13
Percentage of transfers using a gestational carrier	0 / *	0 / *	0 / *	0 / *	0 / *	0 / 10
Percentage of transfers using frozen embryos	* / *	* / *	0 / *	0 / *	* / *	* / 10
Percentage of transfers of at least one embryo with ICSI	* / *	* / *	* / *	* / *	* / *	10 / 10
Percentage of transfers of at least one embryo with PGT	* / *	* / *	* / *	0 / *	0 / *	6 / 10

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	0%	Diminished ovarian reserve	46%
Endometriosis	0%	Egg or embryo banking	0%
Tubal factor	0%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	0%	Other, infertility	0%
Uterine factor	0%	Other, non-infertility	0%
PGT	0%	Unexplained	62%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE SCIENCE CENTER OF NEW JERSEY
EATONTOWN, NEW JERSEY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by William Ziegler, DO

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	104	62	50	10	8
Percentage of intended retrievals resulting in live births	47.1%	38.7%	16.0%	* / 10	0 / 8
Percentage of intended retrievals resulting in singleton live births	45.2%	29.0%	14.0%	* / 10	0 / 8
Number of **retrievals**	99	56	45	10	6
Percentage of retrievals resulting in live births	49.5%	42.9%	17.8%	* / 10	0 / 6
Percentage of retrievals resulting in singleton live births	47.5%	32.1%	15.6%	* / 10	0 / 6
Number of **transfers**	119	54	35	6	*
Percentage of transfers resulting in live births	41.2%	44.4%	22.9%	* / 6	0 / *
Percentage of transfers resulting in singleton live births	39.5%	33.3%	20.0%	* / 6	0 / *
Number of intended retrievals per live birth	2.1	2.6	6.3	3.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	56.9%	33.3%	17.9%	* / 5	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	58.3%	44.4%	17.9%	* / 5	0 / 6
Percentage of new patients having live births after all intended retrievals	58.3%	44.4%	21.4%	* / 5	0 / 6
Average number of intended retrievals per new patient	1.2	1.2	1.2	1.4	1.2
Average number of transfers per intended retrieval	1.2	0.8	0.7	0.6	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	13	17	0
Percentage of transfers resulting in live births	* / *	7 / 13	6 / 17	
Percentage of transfers resulting in singleton live births	* / *	7 / 13	6 / 17	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	188	108	72	22	28	418
Percentage of cycles cancelled prior to retrieval or thaw	5.3%	0.9%	11.1%	4.5%	25.0%	6.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.0%	10.2%	5.6%	18.2%	10.7%	8.9%
Percentage of cycles for fertility preservation	2.1%	0.0%	0.0%	4.5%	0.0%	1.2%
Percentage of transfers using a gestational carrier	0.7%	1.3%	0.0%	0 / 13	* / 16	1.3%
Percentage of transfers using frozen embryos	57.6%	60.3%	56.0%	6 / 13	10 / 16	57.8%
Percentage of transfers of at least one embryo with ICSI	69.4%	73.1%	62.0%	12 / 13	7 / 16	68.8%
Percentage of transfers of at least one embryo with PGT	12.5%	19.2%	38.0%	* / 13	0 / 16	17.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	52%	Diminished ovarian reserve	37%
Endometriosis	7%	Egg or embryo banking	13%
Tubal factor	13%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	27%	Other, infertility	6%
Uterine factor	2%	Other, non-infertility	<1%
PGT	4%	Unexplained	1%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTER FOR ADVANCED REPRODUCTIVE MEDICINE & FERTILITY
EDISON, NEW JERSEY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Gregory H. Corsan, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	88	42	52	20	19
Percentage of intended retrievals resulting in live births	55.7%	35.7%	34.6%	15.0%	0 / 19
Percentage of intended retrievals resulting in singleton live births	50.0%	33.3%	28.8%	15.0%	0 / 19
Number of **retrievals**	87	40	46	18	15
Percentage of retrievals resulting in live births	56.3%	37.5%	39.1%	* / 18	0 / 15
Percentage of retrievals resulting in singleton live births	50.6%	35.0%	32.6%	* / 18	0 / 15
Number of **transfers**	100	29	36	10	*
Percentage of transfers resulting in live births	49.0%	51.7%	50.0%	* / 10	0 / *
Percentage of transfers resulting in singleton live births	44.0%	48.3%	41.7%	* / 10	0 / *
Number of intended retrievals per live birth	1.8	2.8	2.9	6.7	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	59.1%	42.3%	40.0%	0 / 11	0 / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	65.2%	46.2%	40.0%	* / 11	0 / 7
Percentage of new patients having live births after all intended retrievals	65.2%	46.2%	40.0%	* / 11	0 / 7
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.2	1.1
Average number of transfers per intended retrieval	1.2	0.7	0.6	0.4	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	5	14	6
Percentage of transfers resulting in live births	0 / *	0 / 5	* / 14	* / 6
Percentage of transfers resulting in singleton live births	0 / *	0 / 5	* / 14	* / 6

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	184	87	90	36	45	442
Percentage of cycles cancelled prior to retrieval or thaw	7.6%	6.9%	12.2%	22.2%	20.0%	10.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.8%	2.3%	7.8%	13.9%	8.9%	5.7%
Percentage of cycles for fertility preservation	0.5%	0.0%	1.1%	0.0%	0.0%	0.5%
Percentage of transfers using a gestational carrier	1.1%	0.0%	0.0%	0 / 11	4.5%	0.9%
Percentage of transfers using frozen embryos	97.8%	96.0%	86.5%	9 / 11	81.8%	92.9%
Percentage of transfers of at least one embryo with ICSI	59.3%	38.0%	48.6%	6 / 11	54.5%	51.7%
Percentage of transfers of at least one embryo with PGT	49.5%	56.0%	59.5%	5 / 11	36.4%	51.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	42%
Endometriosis	4%	Egg or embryo banking	41%
Tubal factor	11%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	23%	Other, infertility	2%
Uterine factor	<1%	Other, non-infertility	<1%
PGT	2%	Unexplained	13%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

WOMEN'S FERTILITY CENTER
ENGLEWOOD, NEW JERSEY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Philip R. Lesorgen, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	18	11	11	5	*
Percentage of intended retrievals resulting in live births	9 / 18	5 / 11	* / 11	* / 5	* / *
Percentage of intended retrievals resulting in singleton live births	6 / 18	* / 11	* / 11	* / 5	0 / *
Number of **retrievals**	18	10	10	*	*
Percentage of retrievals resulting in live births	9 / 18	5 / 10	* / 10	* / *	* / *
Percentage of retrievals resulting in singleton live births	6 / 18	* / 10	* / 10	* / *	0 / *
Number of **transfers**	15	11	12	*	*
Percentage of transfers resulting in live births	9 / 15	5 / 11	* / 12	* / *	* / *
Percentage of transfers resulting in singleton live births	6 / 15	* / 11	* / 12	* / *	0 / *
Number of intended retrievals per live birth	2.0	2.2	2.8	2.5	4.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	7 / 11	* / *	* / *	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	7 / 11	* / *	* / *	0 / *	
Percentage of new patients having live births after all intended retrievals	7 / 11	* / *	* / *	0 / *	
Average number of intended retrievals per new patient	1.2	1.5	2.0	2.0	
Average number of transfers per intended retrieval	0.8	1.0	1.0	0.5	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	15	6	12	8	10	51
Percentage of cycles cancelled prior to retrieval or thaw	* / 15	* / 6	* / 12	* / 8	* / 10	9.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	* / 15	* / 6	* / 12	* / 8	* / 10	29.4%
Percentage of cycles for fertility preservation	0 / 15	0 / 6	0 / 12	0 / 8	0 / 10	0.0%
Percentage of transfers using a gestational carrier	0 / 10	0 / *	0 / 8	0 / 5	0 / 5	0.0%
Percentage of transfers using frozen embryos	5 / 10	* / *	* / 8	* / 5	* / 5	33.3%
Percentage of transfers of at least one embryo with ICSI	5 / 10	* / *	7 / 8	* / 5	* / 5	70.0%
Percentage of transfers of at least one embryo with PGT	* / 10	* / *	0 / 8	* / 5	* / 5	20.0%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	45%
Endometriosis	4%	Egg or embryo banking	2%
Tubal factor	14%	Recurrent pregnancy loss	16%
Ovulatory dysfunction	2%	Other, infertility	8%
Uterine factor	0%	Other, non-infertility	8%
PGT	25%	Unexplained	8%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NORTH HUDSON IVF
CENTER FOR FERTILITY AND GYNECOLOGY
ENGLEWOOD CLIFFS, NEW JERSEY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jane E. Miller, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	*	*	*	0	*
Percentage of intended retrievals resulting in live births	0 / *	* / *	0 / *		0 / *
Percentage of intended retrievals resulting in singleton live births	0 / *	* / *	0 / *		0 / *
Number of **retrievals**	*	*	*	0	*
Percentage of retrievals resulting in live births	0 / *	* / *	0 / *		0 / *
Percentage of retrievals resulting in singleton live births	0 / *	* / *	0 / *		0 / *
Number of **transfers**	*	*	0	0	0
Percentage of transfers resulting in live births	0 / *	* / *			
Percentage of transfers resulting in singleton live births	0 / *	* / *			
Number of intended retrievals per live birth		2.0			
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	0 / *	* / *	0 / *		
Percentage of new patients having live births after 1 or 2 intended retrievals	0 / *	* / *	0 / *		
Percentage of new patients having live births after all intended retrievals	0 / *	* / *	0 / *		
Average number of intended retrievals per new patient	1.0	1.0	1.0		
Average number of transfers per intended retrieval	1.0	2.0	0.0		

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	6	0
Percentage of transfers resulting in live births			* / 6	
Percentage of transfers resulting in singleton live births			* / 6	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	8	6	*	*	9	30
Percentage of cycles cancelled prior to retrieval or thaw	0 / 8	0 / 6	0 / *	0 / *	0 / 9	0.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0 / 8	0 / 6	0 / *	0 / *	0 / 9	0.0%
Percentage of cycles for fertility preservation	0 / 8	0 / 6	0 / *	0 / *	0 / 9	0.0%
Percentage of transfers using a gestational carrier	0 / *	0 / *	0 / *	* / *	0 / *	* / 12
Percentage of transfers using frozen embryos	* / *	* / *	* / *	* / *	* / *	12 / 12
Percentage of transfers of at least one embryo with ICSI	* / *	* / *	* / *	* / *	* / *	12 / 12
Percentage of transfers of at least one embryo with PGT	* / *	* / *	* / *	* / *	* / *	12 / 12

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	10%	Diminished ovarian reserve	57%
Endometriosis	23%	Egg or embryo banking	80%
Tubal factor	0%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	0%	Other, infertility	7%
Uterine factor	13%	Other, non-infertility	0%
PGT	80%	Unexplained	3%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY REPRODUCTIVE ASSOCIATES, PC
HASBROUCK HEIGHTS, NEW JERSEY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Peter G. McGovern, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	99	61	71	42	31
Percentage of intended retrievals resulting in live births	37.4%	23.0%	23.9%	16.7%	0.0%
Percentage of intended retrievals resulting in singleton live births	35.4%	18.0%	21.1%	16.7%	0.0%
Number of **retrievals**	97	59	68	40	26
Percentage of retrievals resulting in live births	38.1%	23.7%	25.0%	17.5%	0.0%
Percentage of retrievals resulting in singleton live births	36.1%	18.6%	22.1%	17.5%	0.0%
Number of **transfers**	101	47	37	26	11
Percentage of transfers resulting in live births	36.6%	29.8%	45.9%	26.9%	0 / 11
Percentage of transfers resulting in singleton live births	34.7%	23.4%	40.5%	26.9%	0 / 11
Number of intended retrievals per live birth	2.7	4.4	4.2	6.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	36.6%	26.8%	11.4%	5 / 18	0 / 17
Percentage of new patients having live births after 1 or 2 intended retrievals	45.1%	31.7%	22.9%	5 / 18	0 / 17
Percentage of new patients having live births after all intended retrievals	45.1%	31.7%	22.9%	6 / 18	0 / 17
Average number of intended retrievals per new patient	1.2	1.2	1.5	1.3	1.4
Average number of transfers per intended retrieval	1.0	0.8	0.5	0.5	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	5	8	22	*
Percentage of transfers resulting in live births	* / 5	* / 8	22.7%	0 / *
Percentage of transfers resulting in singleton live births	* / 5	* / 8	18.2%	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	240	111	121	56	75	603
Percentage of cycles cancelled prior to retrieval or thaw	1.7%	3.6%	4.1%	5.4%	5.3%	3.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.3%	6.3%	5.8%	12.5%	21.3%	9.5%
Percentage of cycles for fertility preservation	4.6%	1.8%	5.0%	3.6%	0.0%	3.5%
Percentage of transfers using a gestational carrier	0.7%	0.0%	0.0%	0.0%	0.0%	0.3%
Percentage of transfers using frozen embryos	63.8%	55.7%	65.6%	69.6%	42.9%	60.3%
Percentage of transfers of at least one embryo with ICSI	88.8%	82.9%	86.9%	73.9%	59.5%	82.8%
Percentage of transfers of at least one embryo with PGT	37.5%	45.7%	39.3%	56.5%	16.7%	38.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	42%	Diminished ovarian reserve	32%
Endometriosis	2%	Egg or embryo banking	34%
Tubal factor	10%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	12%	Other, infertility	4%
Uterine factor	4%	Other, non-infertility	1%
PGT	2%	Unexplained	14%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SHORE INSTITUTE FOR REPRODUCTIVE MEDICINE DBA MORGAN FERTILITY AND REPRODUCTIVE MEDICINE LAKEWOOD, NEW JERSEY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Allen Morgan, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	43	48	30	9	*
Percentage of intended retrievals resulting in live births	48.8%	12.5%	20.0%	0 / 9	0 / *
Percentage of intended retrievals resulting in singleton live births	48.8%	10.4%	16.7%	0 / 9	0 / *
Number of **retrievals**	37	40	25	5	*
Percentage of retrievals resulting in live births	56.8%	15.0%	24.0%	0 / 5	0 / *
Percentage of retrievals resulting in singleton live births	56.8%	12.5%	20.0%	0 / 5	0 / *
Number of **transfers**	49	36	21	5	0
Percentage of transfers resulting in live births	42.9%	16.7%	28.6%	0 / 5	
Percentage of transfers resulting in singleton live births	42.9%	13.9%	23.8%	0 / 5	
Number of intended retrievals per live birth	2.0	8.0	5.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	50.0%	21.7%	* / 13	0 / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	55.9%	26.1%	* / 13	0 / 5	0 / *
Percentage of new patients having live births after all intended retrievals	55.9%	26.1%	* / 13	0 / 5	0 / *
Average number of intended retrievals per new patient	1.1	1.7	1.6	1.6	1.0
Average number of transfers per intended retrieval	1.0	0.7	0.7	0.5	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	7	0
Percentage of transfers resulting in live births		* / *	* / 7	
Percentage of transfers resulting in singleton live births		* / *	* / 7	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	124	77	54	13	18	286
Percentage of cycles cancelled prior to retrieval or thaw	14.5%	22.1%	20.4%	* / 13	* / 18	17.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.1%	9.1%	9.3%	* / 13	* / 18	8.7%
Percentage of cycles for fertility preservation	0.8%	0.0%	0.0%	0 / 13	0 / 18	0.3%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 8	0 / 11	0.0%
Percentage of transfers using frozen embryos	80.6%	59.0%	58.6%	* / 8	7 / 11	67.8%
Percentage of transfers of at least one embryo with ICSI	16.1%	20.5%	31.0%	* / 8	* / 11	20.1%
Percentage of transfers of at least one embryo with PGT	24.2%	17.9%	17.2%	0 / 8	* / 11	19.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	17%	Diminished ovarian reserve	5%
Endometriosis	4%	Egg or embryo banking	21%
Tubal factor	21%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	12%	Other, infertility	5%
Uterine factor	3%	Other, non-infertility	2%
PGT	3%	Unexplained	36%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

DELAWARE VALLEY OBGYN & INFERTILITY GROUP, PC
PRINCETON IVF
LAWRENCEVILLE, NEW JERSEY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Seth G. Derman, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	29	18	17	7	*
Percentage of intended retrievals resulting in live births	41.4%	* / 18	* / 17	0 / 7	0 / *
Percentage of intended retrievals resulting in singleton live births	17.2%	* / 18	* / 17	0 / 7	0 / *
Number of **retrievals**	27	17	14	6	*
Percentage of retrievals resulting in live births	44.4%	* / 17	* / 14	0 / 6	0 / *
Percentage of retrievals resulting in singleton live births	18.5%	* / 17	* / 14	0 / 6	0 / *
Number of **transfers**	24	12	5	*	*
Percentage of transfers resulting in live births	50.0%	* / 12	* / 5	0 / *	0 / *
Percentage of transfers resulting in singleton live births	20.8%	* / 12	* / 5	0 / *	0 / *
Number of intended retrievals per live birth	2.4	6.0	8.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	10 / 18	* / 9	* / 10	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	10 / 18	* / 9	* / 10	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	10 / 18	* / 9	* / 10	0 / *	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.4	1.5	1.0
Average number of transfers per intended retrieval	0.9	0.5	0.3	0.3	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	9	0
Percentage of transfers resulting in live births	* / *	0 / *	* / 9	
Percentage of transfers resulting in singleton live births	* / *	0 / *	* / 9	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	39	12	29	14	16	110
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0 / 12	6.9%	* / 14	* / 16	5.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.7%	* / 12	6.9%	* / 14	0 / 16	7.3%
Percentage of cycles for fertility preservation	0.0%	0 / 12	3.4%	0 / 14	0 / 16	0.9%
Percentage of transfers using a gestational carrier	6.5%	0 / 10	0.0%	0 / 10	0 / 13	2.3%
Percentage of transfers using frozen embryos	48.4%	* / 10	8.7%	0 / 10	8 / 13	32.2%
Percentage of transfers of at least one embryo with ICSI	35.5%	* / 10	52.2%	* / 10	5 / 13	40.2%
Percentage of transfers of at least one embryo with PGT	9.7%	0 / 10	0.0%	0 / 10	* / 13	5.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	45%
Endometriosis	0%	Egg or embryo banking	12%
Tubal factor	17%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	23%	Other, infertility	5%
Uterine factor	4%	Other, non-infertility	1%
PGT	3%	Unexplained	4%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

INSTITUTE FOR REPRODUCTIVE MEDICINE AND SCIENCE
SAINT BARNABAS MEDICAL CENTER
LIVINGSTON, NEW JERSEY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Margaret G. Garrisi, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	249	166	205	95	70
Percentage of intended retrievals resulting in live births	49.8%	34.3%	19.0%	9.5%	4.3%
Percentage of intended retrievals resulting in singleton live births	46.6%	33.7%	18.5%	9.5%	4.3%
Number of **retrievals**	233	152	169	79	48
Percentage of retrievals resulting in live births	53.2%	37.5%	23.1%	11.4%	6.3%
Percentage of retrievals resulting in singleton live births	49.8%	36.8%	22.5%	11.4%	6.3%
Number of **transfers**	269	125	130	46	25
Percentage of transfers resulting in live births	46.1%	45.6%	30.0%	19.6%	12.0%
Percentage of transfers resulting in singleton live births	43.1%	44.8%	29.2%	19.6%	12.0%
Number of intended retrievals per live birth	2.0	2.9	5.3	10.6	23.3
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	58.0%	33.7%	21.3%	10.0%	4.2%
Percentage of new patients having live births after 1 or 2 intended retrievals	62.7%	44.6%	27.7%	15.0%	8.3%
Percentage of new patients having live births after all intended retrievals	64.5%	48.2%	27.7%	17.5%	8.3%
Average number of intended retrievals per new patient	1.2	1.4	1.4	1.5	1.6
Average number of transfers per intended retrieval	1.1	0.7	0.6	0.6	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	19	65	0
Percentage of transfers resulting in live births	* / 6	10 / 19	43.1%	
Percentage of transfers resulting in singleton live births	* / 6	10 / 19	41.5%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	546	392	352	163	169	1,622
Percentage of cycles cancelled prior to retrieval or thaw	1.5%	3.6%	11.9%	15.3%	15.4%	7.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.2%	6.1%	7.1%	14.7%	16.0%	8.3%
Percentage of cycles for fertility preservation	7.9%	6.4%	4.3%	3.7%	1.8%	5.7%
Percentage of transfers using a gestational carrier	1.9%	1.9%	2.3%	1.3%	2.2%	2.0%
Percentage of transfers using frozen embryos	68.5%	64.9%	61.3%	59.7%	56.2%	64.1%
Percentage of transfers of at least one embryo with ICSI	78.0%	88.6%	80.3%	89.6%	76.4%	81.9%
Percentage of transfers of at least one embryo with PGT	40.4%	45.5%	40.5%	41.6%	29.2%	40.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	32%
Endometriosis	9%	Egg or embryo banking	32%
Tubal factor	9%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	24%	Other, infertility	3%
Uterine factor	8%	Other, non-infertility	1%
PGT	2%	Unexplained	15%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

DELAWARE VALLEY INSTITUTE OF FERTILITY AND GENETICS
MARLTON, NEW JERSEY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by George S. Taliadouros, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	35	28	9	5	*
Percentage of intended retrievals resulting in live births	54.3%	42.9%	* / 9	* / 5	* / *
Percentage of intended retrievals resulting in singleton live births	45.7%	32.1%	* / 9	* / 5	* / *
Number of **retrievals**	32	25	6	*	*
Percentage of retrievals resulting in live births	59.4%	48.0%	* / 6	* / *	* / *
Percentage of retrievals resulting in singleton live births	50.0%	36.0%	* / 6	* / *	* / *
Number of **transfers**	42	32	6	*	*
Percentage of transfers resulting in live births	45.2%	37.5%	* / 6	* / *	* / *
Percentage of transfers resulting in singleton live births	38.1%	28.1%	* / 6	* / *	* / *
Number of intended retrievals per live birth	1.8	2.3	3.0	5.0	3.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	59.3%	7 / 11	* / *	* / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	59.3%	7 / 11	* / *	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	59.3%	7 / 11	* / *	* / *	0 / *
Average number of intended retrievals per new patient	1.0	1.1	1.0	1.0	1.0
Average number of transfers per intended retrieval	1.1	1.3	0.8	0.8	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	6	5
Percentage of transfers resulting in live births			5 / 6	* / 5
Percentage of transfers resulting in singleton live births			* / 6	* / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	52	19	18	7	16	112
Percentage of cycles cancelled prior to retrieval or thaw	9.6%	* / 19	* / 18	* / 7	* / 16	13.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	* / 19	* / 18	0 / 7	0 / 16	2.7%
Percentage of cycles for fertility preservation	0.0%	0 / 19	0 / 18	0 / 7	0 / 16	0.0%
Percentage of transfers using a gestational carrier	2.5%	* / 14	0 / 8	0 / *	0 / 14	2.5%
Percentage of transfers using frozen embryos	60.0%	7 / 14	6 / 8	* / *	7 / 14	58.2%
Percentage of transfers of at least one embryo with ICSI	30.0%	* / 14	* / 8	* / *	* / 14	29.1%
Percentage of transfers of at least one embryo with PGT	7.5%	* / 14	* / 8	* / *	0 / 14	10.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	38%	Diminished ovarian reserve	10%
Endometriosis	5%	Egg or embryo banking	16%
Tubal factor	19%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	53%	Other, infertility	11%
Uterine factor	2%	Other, non-infertility	4%
PGT	1%	Unexplained	0%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SOUTH JERSEY FERTILITY CENTER
MARLTON, NEW JERSEY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Peter G. Van Deerlin, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	144	46	46	37	20
Percentage of intended retrievals resulting in live births	54.2%	50.0%	37.0%	8.1%	10.0%
Percentage of intended retrievals resulting in singleton live births	42.4%	43.5%	32.6%	5.4%	10.0%
Number of **retrievals**	143	45	44	30	16
Percentage of retrievals resulting in live births	54.5%	51.1%	38.6%	10.0%	* / 16
Percentage of retrievals resulting in singleton live births	42.7%	44.4%	34.1%	6.7%	* / 16
Number of **transfers**	164	47	38	11	8
Percentage of transfers resulting in live births	47.6%	48.9%	44.7%	* / 11	* / 8
Percentage of transfers resulting in singleton live births	37.2%	42.6%	39.5%	* / 11	* / 8
Number of intended retrievals per live birth	1.8	2.0	2.7	12.3	10.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	56.7%	53.3%	35.5%	* / 18	0 / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	63.9%	53.3%	38.7%	* / 18	0 / 8
Percentage of new patients having live births after all intended retrievals	64.9%	53.3%	38.7%	* / 18	* / 8
Average number of intended retrievals per new patient	1.2	1.1	1.1	1.8	1.6
Average number of transfers per intended retrieval	1.2	1.0	0.9	0.3	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	16	10	30	14
Percentage of transfers resulting in live births	9 / 16	5 / 10	33.3%	7 / 14
Percentage of transfers resulting in singleton live births	8 / 16	5 / 10	33.3%	7 / 14

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	348	144	163	67	63	785
Percentage of cycles cancelled prior to retrieval or thaw	4.3%	6.3%	6.1%	19.4%	17.5%	7.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.9%	9.0%	12.9%	14.9%	9.5%	10.3%
Percentage of cycles for fertility preservation	2.9%	0.7%	3.7%	1.5%	0.0%	2.3%
Percentage of transfers using a gestational carrier	0.5%	3.7%	1.2%	0.0%	0.0%	1.2%
Percentage of transfers using frozen embryos	88.6%	78.0%	80.2%	58.6%	56.8%	80.3%
Percentage of transfers of at least one embryo with ICSI	63.9%	57.3%	63.0%	65.5%	56.8%	61.9%
Percentage of transfers of at least one embryo with PGT	47.0%	47.6%	49.4%	34.5%	13.5%	43.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	20%
Endometriosis	7%	Egg or embryo banking	36%
Tubal factor	14%	Recurrent pregnancy loss	15%
Ovulatory dysfunction	20%	Other, infertility	55%
Uterine factor	7%	Other, non-infertility	<1%
PGT	50%	Unexplained	6%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

DIAMOND INSTITUTE FOR INFERTILITY & MENOPAUSE
MILLBURN, NEW JERSEY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Matan Yemini, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	82	42	66	26	23
Percentage of intended retrievals resulting in live births	37.8%	45.2%	9.1%	0.0%	0.0%
Percentage of intended retrievals resulting in singleton live births	32.9%	40.5%	7.6%	0.0%	0.0%
Number of **retrievals**	79	40	51	22	16
Percentage of retrievals resulting in live births	39.2%	47.5%	11.8%	0.0%	0 / 16
Percentage of retrievals resulting in singleton live births	34.2%	42.5%	9.8%	0.0%	0 / 16
Number of **transfers**	87	48	38	10	*
Percentage of transfers resulting in live births	35.6%	39.6%	15.8%	0 / 10	0 / *
Percentage of transfers resulting in singleton live births	31.0%	35.4%	13.2%	0 / 10	0 / *
Number of intended retrievals per live birth	2.6	2.2	11.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	44.9%	48.1%	6.1%	0 / 10	0 / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	57.1%	51.9%	18.2%	0 / 10	0 / 8
Percentage of new patients having live births after all intended retrievals	57.1%	51.9%	18.2%	0 / 10	0 / 8
Average number of intended retrievals per new patient	1.3	1.1	1.7	1.7	1.5
Average number of transfers per intended retrieval	1.1	1.2	0.5	0.4	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	22	*
Percentage of transfers resulting in live births	* / *		22.7%	0 / *
Percentage of transfers resulting in singleton live births	* / *		18.2%	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	126	84	72	30	46	358
Percentage of cycles cancelled prior to retrieval or thaw	7.1%	13.1%	11.1%	13.3%	15.2%	10.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.2%	6.0%	5.6%	10.0%	4.3%	5.0%
Percentage of cycles for fertility preservation	2.4%	2.4%	1.4%	0.0%	0.0%	1.7%
Percentage of transfers using a gestational carrier	2.2%	2.2%	2.6%	* / 15	0.0%	2.3%
Percentage of transfers using frozen embryos	57.1%	73.9%	66.7%	13 / 15	72.7%	66.2%
Percentage of transfers of at least one embryo with ICSI	95.6%	91.3%	92.3%	13 / 15	81.8%	92.0%
Percentage of transfers of at least one embryo with PGT	25.3%	26.1%	53.8%	* / 15	40.9%	31.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	51%	Diminished ovarian reserve	48%
Endometriosis	7%	Egg or embryo banking	26%
Tubal factor	21%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	22%	Other, infertility	0%
Uterine factor	18%	Other, non-infertility	0%
PGT	0%	Unexplained	3%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

COOPER INSTITUTE FOR REPRODUCTIVE HORMONAL DISORDERS, PC
MOUNT LAUREL, NEW JERSEY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jerome H. Check, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	107	94	119	63	81
Percentage of intended retrievals resulting in live births	42.1%	20.2%	6.7%	6.3%	0.0%
Percentage of intended retrievals resulting in singleton live births	39.3%	17.0%	5.9%	6.3%	0.0%
Number of **retrievals**	94	79	90	42	54
Percentage of retrievals resulting in live births	47.9%	24.1%	8.9%	9.5%	0.0%
Percentage of retrievals resulting in singleton live births	44.7%	20.3%	7.8%	9.5%	0.0%
Number of **transfers**	104	82	83	27	40
Percentage of transfers resulting in live births	43.3%	23.2%	9.6%	14.8%	0.0%
Percentage of transfers resulting in singleton live births	40.4%	19.5%	8.4%	14.8%	0.0%
Number of intended retrievals per live birth	2.4	4.9	14.9	15.8	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	50.0%	21.1%	3.2%	* / 15	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	51.6%	23.7%	6.5%	* / 15	0.0%
Percentage of new patients having live births after all intended retrievals	51.6%	23.7%	6.5%	* / 15	0.0%
Average number of intended retrievals per new patient	1.1	1.4	2.0	1.7	1.5
Average number of transfers per intended retrieval	1.1	0.8	0.7	0.6	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	28	5
Percentage of transfers resulting in live births	* / *	* / *	39.3%	* / 5
Percentage of transfers resulting in singleton live births	* / *	* / *	39.3%	* / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	168	123	158	81	134	664
Percentage of cycles cancelled prior to retrieval or thaw	13.1%	10.6%	13.9%	11.1%	15.7%	13.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	11.3%	11.4%	12.0%	17.3%	13.4%	12.7%
Percentage of cycles for fertility preservation	1.8%	4.1%	4.4%	1.2%	1.5%	2.7%
Percentage of transfers using a gestational carrier	2.7%	2.6%	2.2%	3.9%	3.8%	2.9%
Percentage of transfers using frozen embryos	49.1%	52.6%	46.2%	29.4%	38.8%	44.7%
Percentage of transfers of at least one embryo with ICSI	47.3%	47.4%	59.3%	52.9%	31.3%	47.6%
Percentage of transfers of at least one embryo with PGT	4.5%	7.7%	2.2%	0.0%	0.0%	3.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	34%	Diminished ovarian reserve	47%
Endometriosis	5%	Egg or embryo banking	13%
Tubal factor	19%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	7%	Other, infertility	9%
Uterine factor	2%	Other, non-infertility	2%
PGT	3%	Unexplained	9%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY INSTITUTE OF NEW JERSEY AND NEW YORK
ORADELL, NEW JERSEY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Zalman Levine, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	70	50	52	25	16
Percentage of intended retrievals resulting in live births	60.0%	48.0%	26.9%	20.0%	* / 16
Percentage of intended retrievals resulting in singleton live births	42.9%	36.0%	23.1%	16.0%	* / 16
Number of **retrievals**	69	48	43	24	12
Percentage of retrievals resulting in live births	60.9%	50.0%	32.6%	20.8%	* / 12
Percentage of retrievals resulting in singleton live births	43.5%	37.5%	27.9%	16.7%	* / 12
Number of **transfers**	71	43	29	15	8
Percentage of transfers resulting in live births	59.2%	55.8%	48.3%	5 / 15	* / 8
Percentage of transfers resulting in singleton live births	42.3%	41.9%	41.4%	* / 15	* / 8
Number of intended retrievals per live birth	1.7	2.1	3.7	5.0	5.3
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	64.7%	57.1%	29.6%	* / 14	* / 12
Percentage of new patients having live births after 1 or 2 intended retrievals	72.5%	57.1%	40.7%	* / 14	* / 12
Percentage of new patients having live births after all intended retrievals	72.5%	60.0%	40.7%	* / 14	* / 12
Average number of intended retrievals per new patient	1.1	1.2	1.4	1.4	1.2
Average number of transfers per intended retrieval	1.0	0.8	0.6	0.6	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	21	*
Percentage of transfers resulting in live births	* / *	* / *	57.1%	* / *
Percentage of transfers resulting in singleton live births	* / *	* / *	57.1%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	176	92	99	44	45	456
Percentage of cycles cancelled prior to retrieval or thaw	2.3%	6.5%	10.1%	6.8%	4.4%	5.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.7%	9.8%	8.1%	20.5%	20.0%	11.4%
Percentage of cycles for fertility preservation	2.3%	5.4%	2.0%	2.3%	0.0%	2.6%
Percentage of transfers using a gestational carrier	3.1%	0.0%	0.0%	0 / 18	* / 19	1.7%
Percentage of transfers using frozen embryos	93.8%	87.2%	70.8%	12 / 18	13 / 19	83.4%
Percentage of transfers of at least one embryo with ICSI	96.9%	83.0%	93.8%	14 / 18	12 / 19	89.1%
Percentage of transfers of at least one embryo with PGT	66.0%	53.2%	43.8%	8 / 18	5 / 19	53.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	50%	Diminished ovarian reserve	58%
Endometriosis	8%	Egg or embryo banking	35%
Tubal factor	16%	Recurrent pregnancy loss	10%
Ovulatory dysfunction	39%	Other, infertility	28%
Uterine factor	27%	Other, non-infertility	0%
PGT	2%	Unexplained	<1%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

VALLEY HOSPITAL FERTILITY CENTER
PARAMUS, NEW JERSEY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ali Nasseri, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	90	62	58	38	26
Percentage of intended retrievals resulting in live births	44.4%	32.3%	22.4%	10.5%	0.0%
Percentage of intended retrievals resulting in singleton live births	37.8%	27.4%	20.7%	5.3%	0.0%
Number of **retrievals**	85	61	49	35	22
Percentage of retrievals resulting in live births	47.1%	32.8%	26.5%	11.4%	0.0%
Percentage of retrievals resulting in singleton live births	40.0%	27.9%	24.5%	5.7%	0.0%
Number of **transfers**	79	45	42	22	9
Percentage of transfers resulting in live births	50.6%	44.4%	31.0%	18.2%	0 / 9
Percentage of transfers resulting in singleton live births	43.0%	37.8%	28.6%	9.1%	0 / 9
Number of intended retrievals per live birth	2.3	3.1	4.5	9.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	49.1%	31.3%	25.0%	0 / 18	0 / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	56.4%	40.6%	29.2%	* / 18	0 / 8
Percentage of new patients having live births after all intended retrievals	58.2%	43.8%	29.2%	* / 18	0 / 8
Average number of intended retrievals per new patient	1.3	1.3	1.4	1.6	2.0
Average number of transfers per intended retrieval	0.9	0.7	0.8	0.6	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	7	20	0
Percentage of transfers resulting in live births	0 / *	6 / 7	50.0%	
Percentage of transfers resulting in singleton live births	0 / *	* / 7	50.0%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	126	92	124	44	56	442
Percentage of cycles cancelled prior to retrieval or thaw	6.3%	6.5%	14.5%	6.8%	12.5%	9.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.0%	7.6%	18.5%	25.0%	19.6%	12.9%
Percentage of cycles for fertility preservation	7.9%	8.7%	5.6%	2.3%	0.0%	5.9%
Percentage of transfers using a gestational carrier	2.8%	7.0%	4.1%	15.0%	3.8%	5.2%
Percentage of transfers using frozen embryos	66.7%	65.1%	59.2%	55.0%	65.4%	63.3%
Percentage of transfers of at least one embryo with ICSI	27.8%	27.9%	44.9%	25.0%	50.0%	34.3%
Percentage of transfers of at least one embryo with PGT	56.9%	55.8%	53.1%	45.0%	42.3%	52.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	26%	Diminished ovarian reserve	29%
Endometriosis	7%	Egg or embryo banking	40%
Tubal factor	17%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	17%	Other, infertility	11%
Uterine factor	8%	Other, non-infertility	3%
PGT	8%	Unexplained	15%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

DAMIEN FERTILITY PARTNERS
SHREWSBURY, NEW JERSEY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Miguel Damien, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	95	69	57	34	33
Percentage of intended retrievals resulting in live births	53.7%	40.6%	29.8%	17.6%	3.0%
Percentage of intended retrievals resulting in singleton live births	46.3%	27.5%	24.6%	14.7%	3.0%
Number of **retrievals**	88	65	51	33	29
Percentage of retrievals resulting in live births	58.0%	43.1%	33.3%	18.2%	3.4%
Percentage of retrievals resulting in singleton live births	50.0%	29.2%	27.5%	15.2%	3.4%
Number of **transfers**	106	59	39	17	14
Percentage of transfers resulting in live births	48.1%	47.5%	43.6%	6 / 17	* / 14
Percentage of transfers resulting in singleton live births	41.5%	32.2%	35.9%	5 / 17	* / 14
Number of intended retrievals per live birth	1.9	2.5	3.4	5.7	33.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	56.5%	43.9%	40.7%	* / 17	0 / 13
Percentage of new patients having live births after 1 or 2 intended retrievals	62.3%	48.8%	40.7%	* / 17	0 / 13
Percentage of new patients having live births after all intended retrievals	62.3%	48.8%	44.4%	* / 17	0 / 13
Average number of intended retrievals per new patient	1.2	1.1	1.4	1.5	1.8
Average number of transfers per intended retrieval	1.1	0.8	0.6	0.6	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	13	19	0
Percentage of transfers resulting in live births	* / *	8 / 13	11 / 19	
Percentage of transfers resulting in singleton live births	* / *	8 / 13	11 / 19	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	198	116	83	43	48	488
Percentage of cycles cancelled prior to retrieval or thaw	0.5%	2.6%	8.4%	7.0%	10.4%	3.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.1%	9.5%	12.0%	20.9%	22.9%	11.3%
Percentage of cycles for fertility preservation	1.5%	2.6%	2.4%	2.3%	0.0%	1.8%
Percentage of transfers using a gestational carrier	3.1%	0.0%	2.2%	4.8%	6.9%	2.7%
Percentage of transfers using frozen embryos	67.7%	60.6%	52.2%	38.1%	48.3%	59.6%
Percentage of transfers of at least one embryo with ICSI	48.5%	49.3%	43.5%	76.2%	41.4%	49.2%
Percentage of transfers of at least one embryo with PGT	29.2%	36.6%	30.4%	19.0%	6.9%	28.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	17%
Endometriosis	19%	Egg or embryo banking	24%
Tubal factor	7%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	5%	Other, infertility	39%
Uterine factor	4%	Other, non-infertility	1%
PGT	15%	Unexplained	6%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY
LOUIS R. MANARA, DO
VOORHEES, NEW JERSEY

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Louis R. Manara, DO

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	53	20	12	8	5
Percentage of intended retrievals resulting in live births	62.3%	35.0%	5 / 12	* / 8	* / 5
Percentage of intended retrievals resulting in singleton live births	58.5%	35.0%	5 / 12	* / 8	* / 5
Number of **retrievals**	51	19	10	5	5
Percentage of retrievals resulting in live births	64.7%	7 / 19	5 / 10	* / 5	* / 5
Percentage of retrievals resulting in singleton live births	60.8%	7 / 19	5 / 10	* / 5	* / 5
Number of **transfers**	68	23	9	5	*
Percentage of transfers resulting in live births	48.5%	30.4%	5 / 9	* / 5	* / *
Percentage of transfers resulting in singleton live births	45.6%	30.4%	5 / 9	* / 5	* / *
Number of intended retrievals per live birth	1.6	2.9	2.4	4.0	5.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	73.2%	5 / 14	* / 10	* / *	* / *
Percentage of new patients having live births after 1 or 2 intended retrievals	73.2%	5 / 14	* / 10	* / *	* / *
Percentage of new patients having live births after all intended retrievals	75.6%	5 / 14	* / 10	* / *	* / *
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.3	1.0
Average number of transfers per intended retrieval	1.3	1.3	0.7	0.8	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	0	16	*
Percentage of transfers resulting in live births	* / 6		11 / 16	* / *
Percentage of transfers resulting in singleton live births	* / 6		11 / 16	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	104	69	61	27	20	281
Percentage of cycles cancelled prior to retrieval or thaw	1.9%	7.2%	6.6%	3.7%	35.0%	6.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.9%	0.0%	1.6%	7.4%	10.0%	2.5%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using a gestational carrier	1.5%	2.3%	2.4%	0 / 18	* / 9	2.2%
Percentage of transfers using frozen embryos	91.2%	88.4%	51.2%	12 / 18	5 / 9	77.1%
Percentage of transfers of at least one embryo with ICSI	79.4%	55.8%	63.4%	14 / 18	6 / 9	69.3%
Percentage of transfers of at least one embryo with PGT	5.9%	7.0%	2.4%	0 / 18	0 / 9	4.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	26%
Endometriosis	2%	Egg or embryo banking	27%
Tubal factor	9%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	19%	Other, infertility	12%
Uterine factor	3%	Other, non-infertility	0%
PGT	2%	Unexplained	19%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CAPERTON FERTILITY INSTITUTE, LLC
ALBUQUERQUE, NEW MEXICO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Charles L. Caperton, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	79	56	45	10	7
Percentage of intended retrievals resulting in live births	34.2%	32.1%	17.8%	* / 10	0 / 7
Percentage of intended retrievals resulting in singleton live births	34.2%	26.8%	17.8%	* / 10	0 / 7
Number of **retrievals**	74	53	37	7	6
Percentage of retrievals resulting in live births	36.5%	34.0%	21.6%	* / 7	0 / 6
Percentage of retrievals resulting in singleton live births	36.5%	28.3%	21.6%	* / 7	0 / 6
Number of **transfers**	55	28	12	*	*
Percentage of transfers resulting in live births	49.1%	64.3%	8 / 12	* / *	0 / *
Percentage of transfers resulting in singleton live births	49.1%	53.6%	8 / 12	* / *	0 / *
Number of intended retrievals per live birth	2.9	3.1	5.6	5.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	39.6%	25.0%	13.6%	* / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	47.2%	28.1%	18.2%	* / 5	0 / *
Percentage of new patients having live births after all intended retrievals	47.2%	31.3%	18.2%	* / 5	0 / *
Average number of intended retrievals per new patient	1.3	1.3	1.5	1.6	2.3
Average number of transfers per intended retrieval	0.7	0.5	0.2	0.3	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	21	5
Percentage of transfers resulting in live births			47.6%	* / 5
Percentage of transfers resulting in singleton live births			38.1%	* / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	169	104	56	30	27	386
Percentage of cycles cancelled prior to retrieval or thaw	5.9%	7.7%	17.9%	0.0%	3.7%	7.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.5%	7.7%	10.7%	10.0%	11.1%	8.0%
Percentage of cycles for fertility preservation	4.7%	2.9%	1.8%	3.3%	0.0%	3.4%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0 / 15	0 / 11	* / 7	0.7%
Percentage of transfers using frozen embryos	100.0%	100.0%	15 / 15	11 / 11	7 / 7	100.0%
Percentage of transfers of at least one embryo with ICSI	95.5%	95.3%	14 / 15	11 / 11	6 / 7	95.1%
Percentage of transfers of at least one embryo with PGT	97.0%	95.3%	14 / 15	11 / 11	6 / 7	95.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	15%	Diminished ovarian reserve	25%
Endometriosis	25%	Egg or embryo banking	57%
Tubal factor	5%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	28%	Other, infertility	18%
Uterine factor	41%	Other, non-infertility	13%
PGT	<1%	Unexplained	3%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE FERTILITY CENTER OF NEW MEXICO, LLC
ALBUQUERQUE, NEW MEXICO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Douglas J. Thompson, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	39	29	21	8	5
Percentage of intended retrievals resulting in live births	51.3%	37.9%	33.3%	* / 8	* / 5
Percentage of intended retrievals resulting in singleton live births	46.2%	27.6%	28.6%	* / 8	* / 5
Number of **retrievals**	39	28	19	7	5
Percentage of retrievals resulting in live births	51.3%	39.3%	7 / 19	* / 7	* / 5
Percentage of retrievals resulting in singleton live births	46.2%	28.6%	6 / 19	* / 7	* / 5
Number of **transfers**	35	18	14	*	*
Percentage of transfers resulting in live births	57.1%	11 / 18	7 / 14	* / *	* / *
Percentage of transfers resulting in singleton live births	51.4%	8 / 18	6 / 14	* / *	* / *
Number of intended retrievals per live birth	2.0	2.6	3.0	8.0	5.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	46.2%	8 / 17	* / 15	0 / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	57.7%	8 / 17	7 / 15	* / 5	0 / *
Percentage of new patients having live births after all intended retrievals	61.5%	8 / 17	7 / 15	* / 5	0 / *
Average number of intended retrievals per new patient	1.2	1.2	1.2	1.2	1.5
Average number of transfers per intended retrieval	0.9	0.6	0.8	0.7	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	5	20
Percentage of transfers resulting in live births			* / 5	25.0%
Percentage of transfers resulting in singleton live births			* / 5	20.0%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	80	64	41	19	16	220
Percentage of cycles cancelled prior to retrieval or thaw	6.3%	6.3%	17.1%	* / 19	* / 16	8.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.5%	0.0%	4.9%	* / 19	* / 16	5.0%
Percentage of cycles for fertility preservation	6.3%	0.0%	2.4%	0 / 19	0 / 16	2.7%
Percentage of transfers using a gestational carrier	0.0%	0.0%	5.0%	0 / 9	0 / 8	0.9%
Percentage of transfers using frozen embryos	94.6%	94.1%	95.0%	8 / 9	8 / 8	94.4%
Percentage of transfers of at least one embryo with ICSI	86.5%	73.5%	70.0%	8 / 9	0 / 8	73.1%
Percentage of transfers of at least one embryo with PGT	89.2%	73.5%	70.0%	5 / 9	* / 8	72.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	58%	Diminished ovarian reserve	30%
Endometriosis	6%	Egg or embryo banking	45%
Tubal factor	13%	Recurrent pregnancy loss	<1%
Ovulatory dysfunction	17%	Other, infertility	83%
Uterine factor	23%	Other, non-infertility	5%
PGT	79%	Unexplained	3%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

GENESIS FERTILITY & REPRODUCTIVE MEDICINE
BROOKLYN, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Richard V. Grazi, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	132	70	124	36	53
Percentage of intended retrievals resulting in live births	46.2%	32.9%	23.4%	16.7%	5.7%
Percentage of intended retrievals resulting in singleton live births	41.7%	28.6%	21.8%	16.7%	5.7%
Number of **retrievals**	122	56	100	28	38
Percentage of retrievals resulting in live births	50.0%	41.1%	29.0%	21.4%	7.9%
Percentage of retrievals resulting in singleton live births	45.1%	35.7%	27.0%	21.4%	7.9%
Number of **transfers**	156	62	82	22	26
Percentage of transfers resulting in live births	39.1%	37.1%	35.4%	27.3%	11.5%
Percentage of transfers resulting in singleton live births	35.3%	32.3%	32.9%	27.3%	11.5%
Number of intended retrievals per live birth	2.2	3.0	4.3	6.0	17.7
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	57.9%	35.1%	40.5%	* / 7	* / 13
Percentage of new patients having live births after 1 or 2 intended retrievals	65.8%	45.9%	45.2%	* / 7	* / 13
Percentage of new patients having live births after all intended retrievals	65.8%	45.9%	47.6%	* / 7	* / 13
Average number of intended retrievals per new patient	1.2	1.3	1.5	1.6	2.1
Average number of transfers per intended retrieval	1.2	1.1	0.8	0.9	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	9	28	52	0
Percentage of transfers resulting in live births	5 / 9	35.7%	26.9%	
Percentage of transfers resulting in singleton live births	5 / 9	32.1%	23.1%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	306	185	181	97	143	912
Percentage of cycles cancelled prior to retrieval or thaw	10.8%	13.5%	15.5%	24.7%	15.4%	14.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.9%	3.2%	8.3%	7.2%	10.5%	6.0%
Percentage of cycles for fertility preservation	3.9%	1.6%	3.3%	0.0%	1.4%	2.5%
Percentage of transfers using a gestational carrier	0.6%	0.0%	0.0%	4.7%	1.1%	0.8%
Percentage of transfers using frozen embryos	76.5%	72.2%	75.3%	65.1%	53.9%	70.4%
Percentage of transfers of at least one embryo with ICSI	77.1%	69.4%	74.2%	76.7%	65.2%	72.8%
Percentage of transfers of at least one embryo with PGT	35.9%	28.7%	25.8%	32.6%	5.6%	26.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	32%
Endometriosis	4%	Egg or embryo banking	25%
Tubal factor	17%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	11%	Other, infertility	17%
Uterine factor	1%	Other, non-infertility	1%
PGT	5%	Unexplained	10%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

INFERTILITY & IVF MEDICAL ASSOCIATES OF WESTERN NEW YORK, PLLC DBA BUFFALO IVF
BUFFALO, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Adam M. Griffin, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	202	91	65	49	15
Percentage of intended retrievals resulting in live births	43.1%	31.9%	26.2%	10.2%	0 / 15
Percentage of intended retrievals resulting in singleton live births	35.1%	23.1%	21.5%	10.2%	0 / 15
Number of **retrievals**	184	79	51	33	11
Percentage of retrievals resulting in live births	47.3%	36.7%	33.3%	15.2%	0 / 11
Percentage of retrievals resulting in singleton live births	38.6%	26.6%	27.5%	15.2%	0 / 11
Number of **transfers**	201	78	39	22	5
Percentage of transfers resulting in live births	43.3%	37.2%	43.6%	22.7%	0 / 5
Percentage of transfers resulting in singleton live births	35.3%	26.9%	35.9%	22.7%	0 / 5
Number of intended retrievals per live birth	2.3	3.1	3.8	9.8	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	45.5%	41.0%	25.8%	* / 19	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	52.0%	46.2%	29.0%	* / 19	0 / 5
Percentage of new patients having live births after all intended retrievals	54.5%	48.7%	32.3%	* / 19	0 / 5
Average number of intended retrievals per new patient	1.3	1.4	1.5	1.8	1.4
Average number of transfers per intended retrieval	1.0	0.9	0.5	0.4	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	15	7	0
Percentage of transfers resulting in live births	* / *	6 / 15	* / 7	
Percentage of transfers resulting in singleton live births	* / *	* / 15	0 / 7	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	302	135	114	61	15	627
Percentage of cycles cancelled prior to retrieval or thaw	9.6%	10.4%	12.3%	26.2%	* / 15	12.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.3%	6.7%	11.4%	14.8%	* / 15	8.8%
Percentage of cycles for fertility preservation	2.0%	2.2%	2.6%	1.6%	0 / 15	2.1%
Percentage of transfers using a gestational carrier	0.0%	0.0%	1.4%	3.1%	0 / 11	0.5%
Percentage of transfers using frozen embryos	42.3%	34.7%	33.3%	15.6%	* / 11	36.6%
Percentage of transfers of at least one embryo with ICSI	91.1%	86.1%	82.6%	87.5%	10 / 11	88.3%
Percentage of transfers of at least one embryo with PGT	5.6%	2.0%	8.7%	6.3%	* / 11	5.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	41%	Diminished ovarian reserve	30%
Endometriosis	14%	Egg or embryo banking	15%
Tubal factor	11%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	13%	Other, infertility	1%
Uterine factor	1%	Other, non-infertility	0%
PGT	1%	Unexplained	14%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

HUDSON VALLEY FERTILITY, PLLC
FISHKILL, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Daniel W. Levine, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	65	42	68	33	26
Percentage of intended retrievals resulting in live births	43.1%	26.2%	13.2%	9.1%	0.0%
Percentage of intended retrievals resulting in singleton live births	35.4%	23.8%	10.3%	9.1%	0.0%
Number of **retrievals**	64	39	64	30	20
Percentage of retrievals resulting in live births	43.8%	28.2%	14.1%	10.0%	0.0%
Percentage of retrievals resulting in singleton live births	35.9%	25.6%	10.9%	10.0%	0.0%
Number of **transfers**	60	26	32	9	9
Percentage of transfers resulting in live births	46.7%	42.3%	28.1%	* / 9	0 / 9
Percentage of transfers resulting in singleton live births	38.3%	38.5%	21.9%	* / 9	0 / 9
Number of intended retrievals per live birth	2.3	3.8	7.6	11.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	47.8%	25.0%	16.0%	0 / 11	0 / 10
Percentage of new patients having live births after 1 or 2 intended retrievals	52.2%	30.0%	20.0%	* / 11	0 / 10
Percentage of new patients having live births after all intended retrievals	52.2%	30.0%	24.0%	* / 11	0 / 10
Average number of intended retrievals per new patient	1.1	1.2	1.4	1.7	1.2
Average number of transfers per intended retrieval	0.9	0.7	0.5	0.2	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	8	6	*
Percentage of transfers resulting in live births		* / 8	* / 6	* / *
Percentage of transfers resulting in singleton live births		* / 8	* / 6	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	102	88	69	33	44	336
Percentage of cycles cancelled prior to retrieval or thaw	5.9%	3.4%	10.1%	21.2%	11.4%	8.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.0%	9.1%	10.1%	12.1%	2.3%	6.5%
Percentage of cycles for fertility preservation	1.0%	6.8%	0.0%	0.0%	0.0%	2.1%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 10	0.0%	0.0%
Percentage of transfers using frozen embryos	92.6%	97.2%	100.0%	8 / 10	74.1%	90.8%
Percentage of transfers of at least one embryo with ICSI	88.9%	94.4%	88.5%	10 / 10	59.3%	85.6%
Percentage of transfers of at least one embryo with PGT	35.2%	50.0%	46.2%	* / 10	18.5%	37.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	32%
Endometriosis	4%	Egg or embryo banking	48%
Tubal factor	21%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	33%	Other, infertility	12%
Uterine factor	8%	Other, non-infertility	1%
PGT	7%	Unexplained	6%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE NEW YORK FERTILITY CENTER
FLUSHING, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Tony Tsai, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	82	56	39	29	45
Percentage of intended retrievals resulting in live births	28.0%	14.3%	12.8%	3.4%	0.0%
Percentage of intended retrievals resulting in singleton live births	23.2%	7.1%	7.7%	3.4%	0.0%
Number of **retrievals**	82	53	39	27	37
Percentage of retrievals resulting in live births	28.0%	15.1%	12.8%	3.7%	0.0%
Percentage of retrievals resulting in singleton live births	23.2%	7.5%	7.7%	3.7%	0.0%
Number of **transfers**	88	45	38	24	23
Percentage of transfers resulting in live births	26.1%	17.8%	13.2%	4.2%	0.0%
Percentage of transfers resulting in singleton live births	21.6%	8.9%	7.9%	4.2%	0.0%
Number of intended retrievals per live birth	3.6	7.0	7.8	29.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	15	0
Percentage of transfers resulting in live births			* / 15	
Percentage of transfers resulting in singleton live births			* / 15	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	174	88	60	35	66	423
Percentage of cycles cancelled prior to retrieval or thaw	1.7%	0.0%	1.7%	2.9%	3.0%	1.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	15.5%	19.3%	28.3%	42.9%	33.3%	23.2%
Percentage of cycles for fertility preservation	1.7%	6.8%	1.7%	0.0%	1.5%	2.6%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 19	0.0%	0.0%
Percentage of transfers using frozen embryos	39.0%	29.0%	22.0%	7 / 19	46.3%	35.5%
Percentage of transfers of at least one embryo with ICSI	100.0%	100.0%	100.0%	19 / 19	100.0%	100.0%
Percentage of transfers of at least one embryo with PGT	5.7%	8.1%	9.8%	* / 19	2.4%	6.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	9%	Diminished ovarian reserve	13%
Endometriosis	4%	Egg or embryo banking	3%
Tubal factor	5%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	16%	Other, infertility	7%
Uterine factor	6%	Other, non-infertility	<1%
PGT	2%	Unexplained	39%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

MONTEFIORE'S INSTITUTE FOR REPRODUCTIVE MEDICINE AND HEALTH
HARTSDALE, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Harry J. Lieman, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	37	37	33	24	17
Percentage of intended retrievals resulting in live births	59.5%	40.5%	30.3%	12.5%	* / 17
Percentage of intended retrievals resulting in singleton live births	45.9%	32.4%	24.2%	8.3%	* / 17
Number of **retrievals**	34	34	29	19	14
Percentage of retrievals resulting in live births	64.7%	44.1%	34.5%	* / 19	* / 14
Percentage of retrievals resulting in singleton live births	50.0%	35.3%	27.6%	* / 19	* / 14
Number of **transfers**	47	35	28	16	9
Percentage of transfers resulting in live births	46.8%	42.9%	35.7%	* / 16	* / 9
Percentage of transfers resulting in singleton live births	36.2%	34.3%	28.6%	* / 16	* / 9
Number of intended retrievals per live birth	1.7	2.5	3.3	8.0	17.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	61.5%	38.5%	26.1%	* / 12	0 / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	61.5%	46.2%	34.8%	* / 12	0 / 8
Percentage of new patients having live births after all intended retrievals	61.5%	46.2%	34.8%	* / 12	* / 8
Average number of intended retrievals per new patient	1.0	1.3	1.1	1.2	1.4
Average number of transfers per intended retrieval	1.4	0.9	0.8	0.6	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	*	*
Percentage of transfers resulting in live births	* / *	0 / *	* / *	0 / *
Percentage of transfers resulting in singleton live births	* / *	0 / *	* / *	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	92	57	62	44	44	299
Percentage of cycles cancelled prior to retrieval or thaw	4.3%	7.0%	17.7%	18.2%	18.2%	11.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.6%	10.5%	17.7%	18.2%	6.8%	11.7%
Percentage of cycles for fertility preservation	6.5%	5.3%	4.8%	2.3%	11.4%	6.0%
Percentage of transfers using a gestational carrier	0.0%	2.7%	0.0%	4.8%	0.0%	1.1%
Percentage of transfers using frozen embryos	60.3%	59.5%	57.7%	61.9%	50.0%	58.6%
Percentage of transfers of at least one embryo with ICSI	61.8%	56.8%	69.2%	38.1%	72.7%	60.3%
Percentage of transfers of at least one embryo with PGT	5.9%	8.1%	11.5%	14.3%	9.1%	8.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	35%
Endometriosis	7%	Egg or embryo banking	20%
Tubal factor	32%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	8%	Other, infertility	11%
Uterine factor	15%	Other, non-infertility	5%
PGT	1%	Unexplained	9%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BOSTON IVF, THE ALBANY CENTER
LOUDONVILLE, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Sonia Elguero, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	166	89	77	36	9
Percentage of intended retrievals resulting in live births	45.2%	23.6%	14.3%	2.8%	0 / 9
Percentage of intended retrievals resulting in singleton live births	44.0%	22.5%	13.0%	2.8%	0 / 9
Number of **retrievals**	162	85	72	32	7
Percentage of retrievals resulting in live births	46.3%	24.7%	15.3%	3.1%	0 / 7
Percentage of retrievals resulting in singleton live births	45.1%	23.5%	13.9%	3.1%	0 / 7
Number of **transfers**	181	68	49	17	*
Percentage of transfers resulting in live births	41.4%	30.9%	22.4%	* / 17	0 / *
Percentage of transfers resulting in singleton live births	40.3%	29.4%	20.4%	* / 17	0 / *
Number of intended retrievals per live birth	2.2	4.2	7.0	36.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	47.1%	26.7%	13.5%	* / 13	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	58.7%	33.3%	21.6%	* / 13	0 / *
Percentage of new patients having live births after all intended retrievals	58.7%	37.8%	27.0%	* / 13	0 / *
Average number of intended retrievals per new patient	1.2	1.5	1.5	2.1	1.0
Average number of transfers per intended retrieval	1.1	0.8	0.6	0.5	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	6	0
Percentage of transfers resulting in live births			* / 6	
Percentage of transfers resulting in singleton live births			* / 6	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	278	117	120	53	22	590
Percentage of cycles cancelled prior to retrieval or thaw	10.8%	10.3%	9.2%	13.2%	9.1%	10.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.0%	6.8%	17.5%	34.0%	22.7%	13.1%
Percentage of cycles for fertility preservation	0.4%	7.7%	1.7%	0.0%	0.0%	2.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	0 / 13	0.0%
Percentage of transfers using frozen embryos	55.9%	57.8%	58.5%	38.1%	6 / 13	55.2%
Percentage of transfers of at least one embryo with ICSI	38.7%	39.1%	37.7%	19.0%	* / 13	36.8%
Percentage of transfers of at least one embryo with PGT	23.7%	20.3%	47.2%	14.3%	* / 13	26.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	24%
Endometriosis	8%	Egg or embryo banking	25%
Tubal factor	15%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	19%	Other, infertility	13%
Uterine factor	2%	Other, non-infertility	4%
PGT	5%	Unexplained	14%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NORTHWELL HEALTH FERTILITY
MANHASSET, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Christine M. Mullin, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	265	186	203	88	72
Percentage of intended retrievals resulting in live births	60.0%	44.1%	30.0%	18.2%	5.6%
Percentage of intended retrievals resulting in singleton live births	52.8%	41.4%	27.1%	13.6%	5.6%
Number of **retrievals**	253	168	181	76	62
Percentage of retrievals resulting in live births	62.8%	48.8%	33.7%	21.1%	6.5%
Percentage of retrievals resulting in singleton live births	55.3%	45.8%	30.4%	15.8%	6.5%
Number of **transfers**	285	170	143	40	17
Percentage of transfers resulting in live births	55.8%	48.2%	42.7%	40.0%	* / 17
Percentage of transfers resulting in singleton live births	49.1%	45.3%	38.5%	30.0%	* / 17
Number of intended retrievals per live birth	1.7	2.3	3.3	5.5	18.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	61.7%	41.5%	30.8%	19.6%	2.7%
Percentage of new patients having live births after 1 or 2 intended retrievals	67.8%	46.2%	37.4%	26.1%	8.1%
Percentage of new patients having live births after all intended retrievals	68.3%	48.1%	39.3%	26.1%	8.1%
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.3	1.5
Average number of transfers per intended retrieval	1.1	0.9	0.7	0.4	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	74	0
Percentage of transfers resulting in live births	* / *	* / *	41.9%	
Percentage of transfers resulting in singleton live births	* / *	* / *	39.2%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	656	384	352	219	142	1,753
Percentage of cycles cancelled prior to retrieval or thaw	4.3%	5.7%	8.8%	15.1%	12.0%	7.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.5%	3.4%	5.1%	9.6%	8.5%	5.0%
Percentage of cycles for fertility preservation	8.4%	10.4%	6.3%	1.4%	2.1%	7.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using frozen embryos	87.6%	92.0%	92.3%	80.7%	87.7%	88.7%
Percentage of transfers of at least one embryo with ICSI	95.2%	94.1%	92.3%	96.4%	83.1%	93.6%
Percentage of transfers of at least one embryo with PGT	74.5%	72.7%	74.6%	66.3%	58.5%	72.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	20%
Endometriosis	2%	Egg or embryo banking	44%
Tubal factor	9%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	13%	Other, infertility	12%
Uterine factor	2%	Other, non-infertility	2%
PGT	6%	Unexplained	18%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

RMA LONG ISLAND IVF
MELVILLE, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Beth McAvey, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	210	150	180	81	83
Percentage of intended retrievals resulting in live births	53.3%	33.3%	18.3%	7.4%	2.4%
Percentage of intended retrievals resulting in singleton live births	49.0%	29.3%	16.7%	6.2%	2.4%
Number of **retrievals**	198	136	161	69	66
Percentage of retrievals resulting in live births	56.6%	36.8%	20.5%	8.7%	3.0%
Percentage of retrievals resulting in singleton live births	52.0%	32.4%	18.6%	7.2%	3.0%
Number of **transfers**	238	151	119	35	37
Percentage of transfers resulting in live births	47.1%	33.1%	27.7%	17.1%	5.4%
Percentage of transfers resulting in singleton live births	43.3%	29.1%	25.2%	14.3%	5.4%
Number of intended retrievals per live birth	1.9	3.0	5.5	13.5	41.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	57.8%	34.4%	21.0%	9.4%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	65.9%	42.2%	25.9%	12.5%	3.2%
Percentage of new patients having live births after all intended retrievals	66.7%	43.3%	28.4%	12.5%	3.2%
Average number of intended retrievals per new patient	1.2	1.2	1.4	1.4	1.5
Average number of transfers per intended retrieval	1.2	1.1	0.7	0.4	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	39	30	17
Percentage of transfers resulting in live births	* / 6	41.0%	30.0%	* / 17
Percentage of transfers resulting in singleton live births	* / 6	35.9%	30.0%	* / 17

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	393	274	269	158	140	1,234
Percentage of cycles cancelled prior to retrieval or thaw	5.9%	10.2%	10.4%	13.3%	15.0%	9.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.9%	4.0%	5.9%	10.8%	10.7%	7.0%
Percentage of cycles for fertility preservation	2.0%	2.9%	3.0%	0.0%	2.1%	2.2%
Percentage of transfers using a gestational carrier	1.1%	1.2%	0.0%	5.1%	0.0%	1.2%
Percentage of transfers using frozen embryos	57.5%	62.2%	61.4%	55.7%	46.0%	57.8%
Percentage of transfers of at least one embryo with ICSI	87.7%	84.9%	81.7%	72.2%	78.2%	83.1%
Percentage of transfers of at least one embryo with PGT	17.9%	25.6%	22.2%	26.6%	11.5%	20.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	24%
Endometriosis	9%	Egg or embryo banking	24%
Tubal factor	21%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	12%	Other, infertility	13%
Uterine factor	17%	Other, non-infertility	1%
PGT	11%	Unexplained	6%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NYU LANGONE REPRODUCTIVE SPECIALISTS OF NEW YORK
MINEOLA, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Maria Saketos, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	215	189	189	124	102
Percentage of intended retrievals resulting in live births	52.6%	30.7%	16.4%	10.5%	3.9%
Percentage of intended retrievals resulting in singleton live births	40.0%	25.4%	13.2%	8.9%	3.9%
Number of **retrievals**	206	175	174	113	82
Percentage of retrievals resulting in live births	54.9%	33.1%	17.8%	11.5%	4.9%
Percentage of retrievals resulting in singleton live births	41.7%	27.4%	14.4%	9.7%	4.9%
Number of **transfers**	240	166	131	51	37
Percentage of transfers resulting in live births	47.1%	34.9%	23.7%	25.5%	10.8%
Percentage of transfers resulting in singleton live births	35.8%	28.9%	19.1%	21.6%	10.8%
Number of intended retrievals per live birth	1.9	3.3	6.1	9.5	25.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	55.6%	31.4%	18.1%	7.1%	3.3%
Percentage of new patients having live births after 1 or 2 intended retrievals	61.3%	39.5%	25.0%	11.9%	6.7%
Percentage of new patients having live births after all intended retrievals	64.8%	45.3%	27.8%	19.0%	6.7%
Average number of intended retrievals per new patient	1.2	1.4	1.7	1.9	1.8
Average number of transfers per intended retrieval	1.1	1.0	0.7	0.4	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	23	36	*
Percentage of transfers resulting in live births	* / 7	34.8%	33.3%	0 / *
Percentage of transfers resulting in singleton live births	* / 7	30.4%	33.3%	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	418	322	317	164	173	1,394
Percentage of cycles cancelled prior to retrieval or thaw	8.9%	10.2%	9.1%	14.0%	16.8%	10.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.9%	6.5%	15.1%	17.7%	18.5%	11.4%
Percentage of cycles for fertility preservation	8.1%	5.0%	2.8%	2.4%	1.2%	4.7%
Percentage of transfers using a gestational carrier	0.8%	1.1%	0.7%	1.3%	0.0%	0.8%
Percentage of transfers using frozen embryos	71.2%	67.8%	65.8%	56.6%	51.2%	65.4%
Percentage of transfers of at least one embryo with ICSI	54.2%	53.9%	54.6%	55.3%	60.7%	55.1%
Percentage of transfers of at least one embryo with PGT	23.3%	31.7%	27.0%	28.9%	13.1%	25.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	55%
Endometriosis	3%	Egg or embryo banking	26%
Tubal factor	17%	Recurrent pregnancy loss	19%
Ovulatory dysfunction	12%	Other, infertility	28%
Uterine factor	5%	Other, non-infertility	2%
PGT	24%	Unexplained	9%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

WESTCHESTER REPRODUCTIVE MEDICINE
MOUNT KISCO, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Rachel A. Bennett, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	7	*	*	*	*
Percentage of intended retrievals resulting in live births	* / 7	* / *	0 / *	* / *	0 / *
Percentage of intended retrievals resulting in singleton live births	* / 7	* / *	0 / *	* / *	0 / *
Number of **retrievals**	7	*	*	*	*
Percentage of retrievals resulting in live births	* / 7	* / *	0 / *	* / *	0 / *
Percentage of retrievals resulting in singleton live births	* / 7	* / *	0 / *	* / *	0 / *
Number of **transfers**	*	*	0	*	*
Percentage of transfers resulting in live births	* / *	* / *		* / *	0 / *
Percentage of transfers resulting in singleton live births	* / *	* / *		* / *	0 / *
Number of intended retrievals per live birth	1.8	3.0		2.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 5	0 / *	0 / *		0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 5	* / *	0 / *		0 / *
Percentage of new patients having live births after all intended retrievals	* / 5	* / *	0 / *		0 / *
Average number of intended retrievals per new patient	1.0	1.5	1.0		1.0
Average number of transfers per intended retrieval	0.6	1.0	0.0		0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	17	*	5	*	*	27
Percentage of cycles cancelled prior to retrieval or thaw	* / 17	0 / *	* / 5	0 / *	0 / *	7.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	* / 17	0 / *	0 / 5	0 / *	0 / *	14.8%
Percentage of cycles for fertility preservation	0 / 17	0 / *	0 / 5	0 / *	0 / *	0.0%
Percentage of transfers using a gestational carrier	0 / 9	0 / *	0 / *	0 / *	0 / *	0 / 14
Percentage of transfers using frozen embryos	6 / 9	* / *	* / *	* / *	0 / *	10 / 14
Percentage of transfers of at least one embryo with ICSI	9 / 9	* / *	* / *	0 / *	* / *	13 / 14
Percentage of transfers of at least one embryo with PGT	* / 9	* / *	* / *	0 / *	0 / *	5 / 14

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	48%	Diminished ovarian reserve	19%
Endometriosis	0%	Egg or embryo banking	26%
Tubal factor	26%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	19%	Other, infertility	22%
Uterine factor	0%	Other, non-infertility	0%
PGT	0%	Unexplained	4%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ADVANCED FERTILITY SERVICES, PC
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Hugh D. Melnick, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	11	9	5	*	8
Percentage of intended retrievals resulting in live births	* / 11	0 / 9	* / 5	0 / *	0 / 8
Percentage of intended retrievals resulting in singleton live births	* / 11	0 / 9	* / 5	0 / *	0 / 8
Number of **retrievals**	11	9	5	*	5
Percentage of retrievals resulting in live births	* / 11	0 / 9	* / 5	0 / *	0 / 5
Percentage of retrievals resulting in singleton live births	* / 11	0 / 9	* / 5	0 / *	0 / 5
Number of **transfers**	11	8	5	*	*
Percentage of transfers resulting in live births	* / 11	0 / 8	* / 5	0 / *	0 / *
Percentage of transfers resulting in singleton live births	* / 11	0 / 8	* / 5	0 / *	0 / *
Number of intended retrievals per live birth	5.5		2.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 7	0 / 6	0 / *	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 7	0 / 6	* / *	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	* / 7	0 / 6	* / *	0 / *	0 / *
Average number of intended retrievals per new patient	1.0	1.3	1.5	1.0	2.0
Average number of transfers per intended retrieval	1.1	0.8	1.0	0.0	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	*	0
Percentage of transfers resulting in live births		* / *	* / *	
Percentage of transfers resulting in singleton live births		* / *	* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	21	8	6	*	17	55
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0 / 8	0 / 6	0 / *	* / 17	1.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	0 / 8	* / 6	0 / *	* / 17	7.3%
Percentage of cycles for fertility preservation	0.0%	* / 8	* / 6	0 / *	0 / 17	5.5%
Percentage of transfers using a gestational carrier	0 / 17	0 / 5	0 / *	0 / *	0 / 11	0.0%
Percentage of transfers using frozen embryos	12 / 17	5 / 5	* / *	0 / *	5 / 11	61.5%
Percentage of transfers of at least one embryo with ICSI	17 / 17	5 / 5	* / *	* / *	11 / 11	100.0%
Percentage of transfers of at least one embryo with PGT	0 / 17	0 / 5	0 / *	0 / *	0 / 11	0.0%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	15%	Diminished ovarian reserve	62%
Endometriosis	2%	Egg or embryo banking	82%
Tubal factor	5%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	0%	Other, infertility	27%
Uterine factor	0%	Other, non-infertility	0%
PGT	0%	Unexplained	35%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CCRM NEW YORK
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Janet M. Choi, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	107	77	105	70	69
Percentage of intended retrievals resulting in live births	50.5%	37.7%	22.9%	4.3%	2.9%
Percentage of intended retrievals resulting in singleton live births	47.7%	36.4%	21.9%	4.3%	2.9%
Number of **retrievals**	102	73	99	62	59
Percentage of retrievals resulting in live births	52.9%	39.7%	24.2%	4.8%	3.4%
Percentage of retrievals resulting in singleton live births	50.0%	38.4%	23.2%	4.8%	3.4%
Number of **transfers**	114	57	59	11	11
Percentage of transfers resulting in live births	47.4%	50.9%	40.7%	* / 11	* / 11
Percentage of transfers resulting in singleton live births	44.7%	49.1%	39.0%	* / 11	* / 11
Number of intended retrievals per live birth	2.0	2.7	4.4	23.3	34.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	50.0%	46.4%	28.2%	4.8%	* / 19
Percentage of new patients having live births after 1 or 2 intended retrievals	62.0%	50.0%	35.9%	9.5%	* / 19
Percentage of new patients having live births after all intended retrievals	62.0%	50.0%	35.9%	9.5%	* / 19
Average number of intended retrievals per new patient	1.2	1.3	1.3	1.3	1.1
Average number of transfers per intended retrieval	1.1	0.8	0.6	0.2	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	57	0
Percentage of transfers resulting in live births	* / *	* / *	54.4%	
Percentage of transfers resulting in singleton live births	* / *	* / *	54.4%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	421	318	302	163	185	1,389
Percentage of cycles cancelled prior to retrieval or thaw	1.0%	0.6%	2.6%	3.1%	4.9%	2.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.8%	5.0%	7.0%	25.8%	22.2%	10.1%
Percentage of cycles for fertility preservation	33.5%	36.8%	31.8%	16.6%	9.7%	28.7%
Percentage of transfers using a gestational carrier	0.7%	2.0%	0.0%	2.4%	0.0%	0.9%
Percentage of transfers using frozen embryos	98.5%	99.0%	95.3%	87.8%	91.7%	96.0%
Percentage of transfers of at least one embryo with ICSI	94.9%	87.0%	89.5%	80.5%	83.3%	88.9%
Percentage of transfers of at least one embryo with PGT	96.3%	98.0%	95.3%	82.9%	90.0%	94.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	15%	Diminished ovarian reserve	41%
Endometriosis	3%	Egg or embryo banking	68%
Tubal factor	4%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	8%	Other, infertility	13%
Uterine factor	5%	Other, non-infertility	3%
PGT	7%	Unexplained	2%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTER FOR HUMAN REPRODUCTION (CHR)
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Norbert Gleicher, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	42	41	67	57	161
Percentage of intended retrievals resulting in live births	16.7%	24.4%	6.0%	3.5%	0.0%
Percentage of intended retrievals resulting in singleton live births	11.9%	19.5%	4.5%	1.8%	0.0%
Number of **retrievals**	36	37	59	45	121
Percentage of retrievals resulting in live births	19.4%	27.0%	6.8%	4.4%	0.0%
Percentage of retrievals resulting in singleton live births	13.9%	21.6%	5.1%	2.2%	0.0%
Number of **transfers**	37	35	43	39	89
Percentage of transfers resulting in live births	18.9%	28.6%	9.3%	5.1%	0.0%
Percentage of transfers resulting in singleton live births	13.5%	22.9%	7.0%	2.6%	0.0%
Number of intended retrievals per live birth	6.0	4.1	16.8	28.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 19	5 / 12	13.0%	* / 13	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	5 / 19	5 / 12	13.0%	* / 13	0.0%
Percentage of new patients having live births after all intended retrievals	5 / 19	6 / 12	13.0%	* / 13	0.0%
Average number of intended retrievals per new patient	1.5	1.3	1.6	1.6	1.4
Average number of transfers per intended retrieval	0.7	0.8	0.7	0.6	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	18	20	51	7
Percentage of transfers resulting in live births	9 / 18	35.0%	35.3%	* / 7
Percentage of transfers resulting in singleton live births	7 / 18	25.0%	27.5%	* / 7

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	43	53	96	89	333	614
Percentage of cycles cancelled prior to retrieval or thaw	9.3%	3.8%	15.6%	4.5%	10.8%	9.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	11.6%	9.4%	14.6%	16.9%	17.1%	15.6%
Percentage of cycles for fertility preservation	0.0%	5.7%	8.3%	5.6%	10.2%	8.1%
Percentage of transfers using a gestational carrier	0.0%	7.1%	1.7%	3.1%	6.4%	4.8%
Percentage of transfers using frozen embryos	32.3%	28.6%	25.9%	37.5%	35.6%	33.5%
Percentage of transfers of at least one embryo with ICSI	93.5%	90.5%	100.0%	79.7%	83.7%	86.9%
Percentage of transfers of at least one embryo with PGT	12.9%	4.8%	6.9%	9.4%	4.5%	6.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	25%	Diminished ovarian reserve	81%
Endometriosis	9%	Egg or embryo banking	14%
Tubal factor	10%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	11%	Other, infertility	8%
Uterine factor	12%	Other, non-infertility	2%
PGT	2%	Unexplained	0%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CHELSEA FERTILITY NYC
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Paul Gindoff, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	44	14	37	12	10
Percentage of intended retrievals resulting in live births	25.0%	* / 14	10.8%	* / 12	0 / 10
Percentage of intended retrievals resulting in singleton live births	18.2%	* / 14	10.8%	0 / 12	0 / 10
Number of **retrievals**	42	14	35	10	7
Percentage of retrievals resulting in live births	26.2%	* / 14	11.4%	* / 10	0 / 7
Percentage of retrievals resulting in singleton live births	19.0%	* / 14	11.4%	0 / 10	0 / 7
Number of **transfers**	37	16	21	*	*
Percentage of transfers resulting in live births	29.7%	* / 16	19.0%	* / *	0 / *
Percentage of transfers resulting in singleton live births	21.6%	* / 16	19.0%	0 / *	0 / *
Number of intended retrievals per live birth	4.0	4.7	9.3	12.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	27.6%	* / 12	15.0%	0 / 8	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	31.0%	* / 12	20.0%	0 / 8	0 / 6
Percentage of new patients having live births after all intended retrievals	34.5%	* / 12	20.0%	0 / 8	0 / 6
Average number of intended retrievals per new patient	1.3	1.2	1.6	1.3	1.7
Average number of transfers per intended retrieval	0.8	1.1	0.6	0.2	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	13	0
Percentage of transfers resulting in live births		0 / *	* / 13	
Percentage of transfers resulting in singleton live births		0 / *	* / 13	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	95	57	69	33	37	291
Percentage of cycles cancelled prior to retrieval or thaw	4.2%	7.0%	7.2%	0.0%	8.1%	5.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	12.6%	3.5%	11.6%	30.3%	18.9%	13.4%
Percentage of cycles for fertility preservation	7.4%	24.6%	7.2%	0.0%	2.7%	9.3%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 12	0 / 15	0.0%
Percentage of transfers using frozen embryos	80.0%	77.3%	72.0%	7 / 12	12 / 15	75.6%
Percentage of transfers of at least one embryo with ICSI	97.8%	86.4%	76.0%	10 / 12	10 / 15	85.7%
Percentage of transfers of at least one embryo with PGT	53.3%	72.7%	52.0%	5 / 12	5 / 15	52.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	17%	Diminished ovarian reserve	42%
Endometriosis	1%	Egg or embryo banking	46%
Tubal factor	4%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	23%	Other, infertility	9%
Uterine factor	2%	Other, non-infertility	1%
PGT	<1%	Unexplained	9%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

COLUMBIA UNIVERSITY FERTILITY CENTER
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Eric J. Forman, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	107	136	173	145	87
Percentage of intended retrievals resulting in live births	42.1%	22.8%	18.5%	6.2%	0.0%
Percentage of intended retrievals resulting in singleton live births	40.2%	20.6%	15.6%	5.5%	0.0%
Number of **retrievals**	100	125	141	105	66
Percentage of retrievals resulting in live births	45.0%	24.8%	22.7%	8.6%	0.0%
Percentage of retrievals resulting in singleton live births	43.0%	22.4%	19.1%	7.6%	0.0%
Number of **transfers**	114	107	80	48	25
Percentage of transfers resulting in live births	39.5%	29.0%	40.0%	18.8%	0.0%
Percentage of transfers resulting in singleton live births	37.7%	26.2%	33.8%	16.7%	0.0%
Number of intended retrievals per live birth	2.4	4.4	5.4	16.1	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	46.3%	20.3%	20.6%	3.9%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	52.2%	30.5%	27.9%	5.9%	0.0%
Percentage of new patients having live births after all intended retrievals	53.7%	32.2%	29.4%	11.8%	0.0%
Average number of intended retrievals per new patient	1.2	1.3	1.5	1.6	1.6
Average number of transfers per intended retrieval	1.1	0.8	0.4	0.3	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	11	0	65	21
Percentage of transfers resulting in live births	5 / 11		41.5%	57.1%
Percentage of transfers resulting in singleton live births	5 / 11		40.0%	47.6%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	253	287	389	214	241	1,384
Percentage of cycles cancelled prior to retrieval or thaw	5.5%	6.6%	11.8%	14.5%	16.6%	10.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	15.8%	9.1%	13.1%	13.6%	17.4%	13.6%
Percentage of cycles for fertility preservation	10.7%	16.7%	12.6%	11.2%	2.5%	11.1%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using frozen embryos	81.1%	82.1%	77.9%	85.7%	84.6%	81.7%
Percentage of transfers of at least one embryo with ICSI	83.5%	84.8%	81.4%	81.0%	66.3%	79.7%
Percentage of transfers of at least one embryo with PGT	26.8%	49.1%	42.9%	46.0%	26.0%	37.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	48%	Diminished ovarian reserve	42%
Endometriosis	6%	Egg or embryo banking	48%
Tubal factor	10%	Recurrent pregnancy loss	10%
Ovulatory dysfunction	34%	Other, infertility	11%
Uterine factor	23%	Other, non-infertility	2%
PGT	4%	Unexplained	1%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

EXTEND FERTILITY-EXPECT FERTILITY
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Joshua U. Klein, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	22	22	22	6	8
Percentage of intended retrievals resulting in live births	18.2%	4.5%	4.5%	0 / 6	0 / 8
Percentage of intended retrievals resulting in singleton live births	13.6%	4.5%	4.5%	0 / 6	0 / 8
Number of **retrievals**	10	9	5	*	*
Percentage of retrievals resulting in live births	* / 10	* / 9	* / 5	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	* / 10	* / 9	* / 5	0 / *	0 / *
Number of **transfers**	9	*	*	0	0
Percentage of transfers resulting in live births	* / 9	* / *	* / *		
Percentage of transfers resulting in singleton live births	* / 9	* / *	* / *		
Number of intended retrievals per live birth	5.5	22.0	22.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 17	* / 17	0 / 15	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 17	* / 17	* / 15	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	* / 17	* / 17	* / 15	0 / *	0 / *
Average number of intended retrievals per new patient	1.2	1.2	1.3	1.5	1.3
Average number of transfers per intended retrieval	0.4	0.1	0.1	0.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	360	479	259	79	28	1,205
Percentage of cycles cancelled prior to retrieval or thaw	3.3%	2.7%	6.2%	8.9%	7.1%	4.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.6%	0.8%	0.8%	1.3%	10.7%	1.0%
Percentage of cycles for fertility preservation	87.5%	94.6%	89.6%	84.8%	75.0%	90.3%
Percentage of transfers using a gestational carrier	0 / 16	0 / *	0 / *	0 / *		0.0%
Percentage of transfers using frozen embryos	15 / 16	* / *	* / *	* / *		95.8%
Percentage of transfers of at least one embryo with ICSI	7 / 16	* / *	* / *	* / *		50.0%
Percentage of transfers of at least one embryo with PGT	12 / 16	* / *	* / *	* / *		79.2%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	0%	Diminished ovarian reserve	1%
Endometriosis	<1%	Egg or embryo banking	97%
Tubal factor	0%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	0%	Other, infertility	<1%
Uterine factor	0%	Other, non-infertility	0%
PGT	0%	Unexplained	5%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

GENERATION NEXT FERTILITY, PLLC
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Janelle Luk, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	35	50	58	60	104
Percentage of intended retrievals resulting in live births	8.6%	2.0%	13.8%	5.0%	0.0%
Percentage of intended retrievals resulting in singleton live births	8.6%	2.0%	12.1%	5.0%	0.0%
Number of **retrievals**	32	47	57	53	88
Percentage of retrievals resulting in live births	9.4%	2.1%	14.0%	5.7%	0.0%
Percentage of retrievals resulting in singleton live births	9.4%	2.1%	12.3%	5.7%	0.0%
Number of **transfers**	25	25	30	19	27
Percentage of transfers resulting in live births	12.0%	4.0%	26.7%	* / 19	0.0%
Percentage of transfers resulting in singleton live births	12.0%	4.0%	23.3%	* / 19	0.0%
Number of intended retrievals per live birth	11.7	50.0	7.3	20.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	0 / 5	0 / 7	0 / 11	* / 8	0 / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	0 / 5	0 / 7	0 / 11	* / 8	0 / 8
Percentage of new patients having live births after all intended retrievals	0 / 5	0 / 7	0 / 11	* / 8	0 / 8
Average number of intended retrievals per new patient	1.4	1.1	1.2	1.8	3.0
Average number of transfers per intended retrieval	0.1	0.4	0.3	0.2	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	9	16	0
Percentage of transfers resulting in live births	* / *	* / 9	* / 16	
Percentage of transfers resulting in singleton live births	* / *	* / 9	* / 16	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	120	219	259	152	290	1,040
Percentage of cycles cancelled prior to retrieval or thaw	0.8%	0.0%	1.9%	2.0%	1.4%	1.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.5%	6.4%	15.4%	13.8%	27.2%	15.1%
Percentage of cycles for fertility preservation	1.7%	3.2%	2.7%	1.3%	0.0%	1.7%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using frozen embryos	59.0%	55.8%	62.5%	45.8%	55.9%	56.5%
Percentage of transfers of at least one embryo with ICSI	90.2%	92.3%	91.3%	94.9%	88.2%	91.2%
Percentage of transfers of at least one embryo with PGT	19.7%	23.1%	14.4%	10.2%	8.6%	15.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	14%	Diminished ovarian reserve	31%
Endometriosis	2%	Egg or embryo banking	56%
Tubal factor	5%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	4%	Other, infertility	14%
Uterine factor	5%	Other, non-infertility	2%
PGT	<1%	Unexplained	17%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

GLOBAL FERTILITY & GENETICS, NY
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Andrea Vidali, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	*	8	*	0	*	20
Percentage of cycles cancelled prior to retrieval or thaw	0 / *	0 / 8	0 / *		0 / *	0.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	* / *	8 / 8	* / *		* / *	80.0%
Percentage of cycles for fertility preservation	* / *	0 / 8	0 / *		0 / *	10.0%
Percentage of transfers using a gestational carrier			0 / *		0 / *	0 / *
Percentage of transfers using frozen embryos			0 / *		0 / *	0 / *
Percentage of transfers of at least one embryo with ICSI			* / *		* / *	* / *
Percentage of transfers of at least one embryo with PGT			0 / *		0 / *	0 / *

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	0%	Diminished ovarian reserve	20%
Endometriosis	0%	Egg or embryo banking	10%
Tubal factor	0%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	0%	Other, infertility	15%
Uterine factor	0%	Other, non-infertility	0%
PGT	50%	Unexplained	5%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

KINDBODY-NEW YORK
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Lynn Westphal, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	*	5	0	*	0	8
Percentage of cycles cancelled prior to retrieval or thaw	0 / *	* / 5		* / *		* / 8
Percentage of cycles stopped between retrieval and transfer or banking[e]	0 / *	0 / 5		0 / *		0 / 8
Percentage of cycles for fertility preservation	* / *	* / 5		0 / *		6 / 8
Percentage of transfers using a gestational carrier						
Percentage of transfers using frozen embryos						
Percentage of transfers of at least one embryo with ICSI						
Percentage of transfers of at least one embryo with PGT						

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	0%	Diminished ovarian reserve	0%
Endometriosis	0%	Egg or embryo banking	100%
Tubal factor	0%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	0%	Other, infertility	0%
Uterine factor	0%	Other, non-infertility	0%
PGT	0%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

KOFINAS FERTILITY GROUP
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by George D. Kofinas, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	68	43	59	38	83
Percentage of intended retrievals resulting in live births	73.5%	55.8%	37.3%	15.8%	4.8%
Percentage of intended retrievals resulting in singleton live births	66.2%	46.5%	35.6%	15.8%	4.8%
Number of **retrievals**	66	42	59	38	79
Percentage of retrievals resulting in live births	75.8%	57.1%	37.3%	15.8%	5.1%
Percentage of retrievals resulting in singleton live births	68.2%	47.6%	35.6%	15.8%	5.1%
Number of **transfers**	76	32	43	13	25
Percentage of transfers resulting in live births	65.8%	75.0%	51.2%	6 / 13	16.0%
Percentage of transfers resulting in singleton live births	59.2%	62.5%	48.8%	6 / 13	16.0%
Number of intended retrievals per live birth	1.4	1.8	2.7	6.3	20.8
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	72.1%	67.7%	32.3%	* / 16	6.1%
Percentage of new patients having live births after 1 or 2 intended retrievals	75.4%	71.0%	45.2%	* / 16	9.1%
Percentage of new patients having live births after all intended retrievals	75.4%	71.0%	51.6%	* / 16	9.1%
Average number of intended retrievals per new patient	1.0	1.1	1.3	1.5	1.6
Average number of transfers per intended retrieval	1.1	0.8	0.7	0.3	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	49	0
Percentage of transfers resulting in live births	* / *		53.1%	
Percentage of transfers resulting in singleton live births	0 / *		46.9%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	131	152	147	94	159	683
Percentage of cycles cancelled prior to retrieval or thaw	1.5%	3.3%	2.0%	5.3%	10.1%	4.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.5%	9.9%	17.0%	25.5%	16.4%	13.5%
Percentage of cycles for fertility preservation	12.2%	27.0%	21.1%	19.1%	5.7%	16.8%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using frozen embryos	95.6%	89.3%	87.9%	73.3%	75.9%	85.2%
Percentage of transfers of at least one embryo with ICSI	92.6%	89.3%	96.6%	90.0%	88.6%	91.4%
Percentage of transfers of at least one embryo with PGT	92.6%	78.6%	65.5%	60.0%	57.0%	71.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	34%
Endometriosis	49%	Egg or embryo banking	49%
Tubal factor	33%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	16%	Other, infertility	27%
Uterine factor	31%	Other, non-infertility	14%
PGT	3%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ANDREW LOUCOPOULOS, MD, PHD
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Andrew L. Loucopoulos, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	8	7	6	*	0
Percentage of intended retrievals resulting in live births	* / 8	* / 7	0 / 6	0 / *	
Percentage of intended retrievals resulting in singleton live births	* / 8	* / 7	0 / 6	0 / *	
Number of **retrievals**	8	7	6	*	0
Percentage of retrievals resulting in live births	* / 8	* / 7	0 / 6	0 / *	
Percentage of retrievals resulting in singleton live births	* / 8	* / 7	0 / 6	0 / *	
Number of **transfers**	7	*	*	0	0
Percentage of transfers resulting in live births	* / 7	* / *	0 / *		
Percentage of transfers resulting in singleton live births	* / 7	* / *	0 / *		
Number of intended retrievals per live birth	8.0	7.0			
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	0 / 5	0 / *	0 / *	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	0 / 5	0 / *	0 / *	0 / *	
Percentage of new patients having live births after all intended retrievals	0 / 5	0 / *	0 / *	0 / *	
Average number of intended retrievals per new patient	1.4	3.0	2.0	1.0	
Average number of transfers per intended retrieval	0.9	0.2	0.5	0.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	8	0
Percentage of transfers resulting in live births			* / 8	
Percentage of transfers resulting in singleton live births			* / 8	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	9	6	7	*	13	36
Percentage of cycles cancelled prior to retrieval or thaw	0 / 9	0 / 6	0 / 7	0 / *	0 / 13	0.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	* / 9	0 / 6	* / 7	0 / *	0 / 13	11.1%
Percentage of cycles for fertility preservation	0 / 9	* / 6	* / 7	0 / *	0 / 13	8.3%
Percentage of transfers using a gestational carrier	0 / 5	0 / *	0 / *		0 / 8	0 / 16
Percentage of transfers using frozen embryos	5 / 5	* / *	* / *		8 / 8	16 / 16
Percentage of transfers of at least one embryo with ICSI	5 / 5	* / *	* / *		8 / 8	16 / 16
Percentage of transfers of at least one embryo with PGT	0 / 5	0 / *	* / *		7 / 8	8 / 16

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	11%	Diminished ovarian reserve	86%
Endometriosis	0%	Egg or embryo banking	92%
Tubal factor	0%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	0%	Other, infertility	42%
Uterine factor	0%	Other, non-infertility	0%
PGT	33%	Unexplained	11%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

MANHATTAN REPRODUCTIVE MEDICINE
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Hanna Jesionowska, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	10	7	7	*	0
Percentage of intended retrievals resulting in live births	* / 10	* / 7	* / 7	0 / *	
Percentage of intended retrievals resulting in singleton live births	* / 10	* / 7	* / 7	0 / *	
Number of **retrievals**	10	7	7	*	0
Percentage of retrievals resulting in live births	* / 10	* / 7	* / 7	0 / *	
Percentage of retrievals resulting in singleton live births	* / 10	* / 7	* / 7	0 / *	
Number of **transfers**	12	6	6	*	0
Percentage of transfers resulting in live births	* / 12	* / 6	* / 6	0 / *	
Percentage of transfers resulting in singleton live births	* / 12	* / 6	* / 6	0 / *	
Number of intended retrievals per live birth	2.5	1.8	2.3		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / *	* / *	* / *		
Percentage of new patients having live births after 1 or 2 intended retrievals	* / *	* / *	* / *		
Percentage of new patients having live births after all intended retrievals	* / *	* / *	* / *		
Average number of intended retrievals per new patient	1.0	1.0	1.0		
Average number of transfers per intended retrieval	1.3	1.0	1.0		

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	15
Percentage of transfers resulting in live births				9 / 15
Percentage of transfers resulting in singleton live births				8 / 15

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	9	12	9	8	11	49
Percentage of cycles cancelled prior to retrieval or thaw	0 / 9	* / 12	0 / 9	0 / 8	0 / 11	2.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0 / 9	0 / 12	0 / 9	0 / 8	0 / 11	0.0%
Percentage of cycles for fertility preservation	0 / 9	0 / 12	0 / 9	0 / 8	0 / 11	0.0%
Percentage of transfers using a gestational carrier	0 / 9	0 / 11	0 / 9	0 / 8	* / 11	2.1%
Percentage of transfers using frozen embryos	0 / 9	* / 11	0 / 9	* / 8	* / 11	10.4%
Percentage of transfers of at least one embryo with ICSI	9 / 9	11 / 11	9 / 9	8 / 8	11 / 11	100.0%
Percentage of transfers of at least one embryo with PGT	0 / 9	* / 11	0 / 9	0 / 8	0 / 11	2.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	55%
Endometriosis	6%	Egg or embryo banking	0%
Tubal factor	39%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	12%	Other, infertility	8%
Uterine factor	39%	Other, non-infertility	2%
PGT	0%	Unexplained	0%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

METROPOLITAN REPRODUCTIVE MEDICINE, PC
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Susan Lobel, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	15	6	*	*	*
Percentage of intended retrievals resulting in live births	8 / 15	* / 6	* / *	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	7 / 15	* / 6	* / *	0 / *	0 / *
Number of **retrievals**	13	*	*	*	*
Percentage of retrievals resulting in live births	8 / 13	* / *	* / *	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	7 / 13	* / *	* / *	0 / *	0 / *
Number of **transfers**	21	8	*	*	*
Percentage of transfers resulting in live births	38.1%	* / 8	* / *	0 / *	0 / *
Percentage of transfers resulting in singleton live births	33.3%	* / 8	* / *	0 / *	0 / *
Number of intended retrievals per live birth	1.9	6.0	1.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	6 / 10	0 / *			
Percentage of new patients having live births after 1 or 2 intended retrievals	6 / 10	0 / *			
Percentage of new patients having live births after all intended retrievals	7 / 10	0 / *			
Average number of intended retrievals per new patient	1.3	1.5			
Average number of transfers per intended retrieval	1.5	2.0			

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	*	0
Percentage of transfers resulting in live births			0 / *	
Percentage of transfers resulting in singleton live births			0 / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	25	15	10	6	8	64
Percentage of cycles cancelled prior to retrieval or thaw	4.0%	0 / 15	0 / 10	* / 6	* / 8	6.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	12.0%	0 / 15	* / 10	0 / 6	* / 8	7.8%
Percentage of cycles for fertility preservation	12.0%	6 / 15	0 / 10	* / 6	0 / 8	15.6%
Percentage of transfers using a gestational carrier	0 / 16	0 / 6	0 / 6	0 / *	0 / *	0.0%
Percentage of transfers using frozen embryos	12 / 16	5 / 6	* / 6	* / *	* / *	68.6%
Percentage of transfers of at least one embryo with ICSI	13 / 16	6 / 6	5 / 6	* / *	* / *	85.7%
Percentage of transfers of at least one embryo with PGT	5 / 16	5 / 6	* / 6	* / *	* / *	45.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	31%
Endometriosis	3%	Egg or embryo banking	34%
Tubal factor	9%	Recurrent pregnancy loss	17%
Ovulatory dysfunction	13%	Other, infertility	16%
Uterine factor	0%	Other, non-infertility	2%
PGT	11%	Unexplained	14%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NEW HOPE FERTILITY CENTER
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by John Zhang, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	408	302	696	544	1,277
Percentage of intended retrievals resulting in live births	41.9%	26.2%	11.4%	5.7%	0.8%
Percentage of intended retrievals resulting in singleton live births	34.3%	22.8%	10.3%	5.5%	0.8%
Number of **retrievals**	377	268	610	470	975
Percentage of retrievals resulting in live births	45.4%	29.5%	13.0%	6.6%	1.0%
Percentage of retrievals resulting in singleton live births	37.1%	25.7%	11.8%	6.4%	1.0%
Number of **transfers**	287	142	161	85	83
Percentage of transfers resulting in live births	59.6%	55.6%	49.1%	36.5%	12.0%
Percentage of transfers resulting in singleton live births	48.8%	48.6%	44.7%	35.3%	12.0%
Number of intended retrievals per live birth	2.4	3.8	8.8	17.5	127.7
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	53.4%	37.9%	13.7%	6.4%	1.2%
Percentage of new patients having live births after 1 or 2 intended retrievals	62.1%	45.6%	20.6%	9.6%	1.2%
Percentage of new patients having live births after all intended retrievals	64.6%	49.5%	29.8%	14.9%	1.8%
Average number of intended retrievals per new patient	1.3	1.5	2.0	2.3	2.1
Average number of transfers per intended retrieval	0.8	0.6	0.3	0.2	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	7	158	12
Percentage of transfers resulting in live births	* / *	* / 7	39.2%	7 / 12
Percentage of transfers resulting in singleton live births	* / *	* / 7	34.8%	7 / 12

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	767	625	912	733	1,854	4,891
Percentage of cycles cancelled prior to retrieval or thaw	2.3%	2.7%	3.8%	4.2%	5.5%	4.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.3%	16.3%	23.4%	34.9%	44.3%	29.8%
Percentage of cycles for fertility preservation	9.4%	9.3%	5.5%	5.0%	6.3%	6.8%
Percentage of transfers using a gestational carrier	3.6%	1.7%	3.6%	3.8%	10.6%	5.3%
Percentage of transfers using frozen embryos	90.9%	93.2%	92.9%	91.5%	89.1%	91.2%
Percentage of transfers of at least one embryo with ICSI	58.4%	67.6%	66.5%	73.8%	90.1%	71.9%
Percentage of transfers of at least one embryo with PGT	74.4%	72.2%	71.9%	73.8%	56.2%	68.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	6%	Diminished ovarian reserve	60%
Endometriosis	3%	Egg or embryo banking	89%
Tubal factor	8%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	3%	Other, infertility	1%
Uterine factor	5%	Other, non-infertility	5%
PGT	52%	Unexplained	6%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NEW YORK FERTILITY INSTITUTE
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Majid Fateh, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	9	20	12	7	5
Percentage of intended retrievals resulting in live births	* / 9	20.0%	0 / 12	0 / 7	0 / 5
Percentage of intended retrievals resulting in singleton live births	* / 9	15.0%	0 / 12	0 / 7	0 / 5
Number of **retrievals**	9	19	12	5	*
Percentage of retrievals resulting in live births	* / 9	* / 19	0 / 12	0 / 5	0 / *
Percentage of retrievals resulting in singleton live births	* / 9	* / 19	0 / 12	0 / 5	0 / *
Number of **transfers**	8	11	*	*	*
Percentage of transfers resulting in live births	* / 8	* / 11	0 / *	0 / *	0 / *
Percentage of transfers resulting in singleton live births	* / 8	* / 11	0 / *	0 / *	0 / *
Number of intended retrievals per live birth	9.0	5.0			
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	0 / *	0 / 6	0 / *	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	0 / *	0 / 6	0 / *	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	0 / *	* / 6	0 / *	0 / *	0 / *
Average number of intended retrievals per new patient	1.0	2.0	3.3	1.0	1.0
Average number of transfers per intended retrieval	0.0	0.4	0.2	0.5	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	9	0
Percentage of transfers resulting in live births			* / 9	
Percentage of transfers resulting in singleton live births			* / 9	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	24	27	17	*	29	100
Percentage of cycles cancelled prior to retrieval or thaw	4.2%	3.7%	* / 17	0 / *	27.6%	12.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	12.5%	3.7%	7 / 17	* / *	10.3%	15.0%
Percentage of cycles for fertility preservation	29.2%	29.6%	* / 17	* / *	0.0%	19.0%
Percentage of transfers using a gestational carrier	* / *	5 / 12	* / *	0 / *	* / 11	25.0%
Percentage of transfers using frozen embryos	* / *	11 / 12	* / *	* / *	10 / 11	90.6%
Percentage of transfers of at least one embryo with ICSI	* / *	12 / 12	* / *	* / *	8 / 11	87.5%
Percentage of transfers of at least one embryo with PGT	* / *	9 / 12	* / *	* / *	7 / 11	65.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	21%	Diminished ovarian reserve	25%
Endometriosis	12%	Egg or embryo banking	54%
Tubal factor	0%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	0%	Other, infertility	35%
Uterine factor	17%	Other, non-infertility	0%
PGT	13%	Unexplained	1%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

NEWAY MEDICAL
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ralf Zimmermann, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	31	36	44	40	80
Percentage of intended retrievals resulting in live births	41.9%	16.7%	6.8%	2.5%	0.0%
Percentage of intended retrievals resulting in singleton live births	38.7%	13.9%	6.8%	2.5%	0.0%
Number of **retrievals**	30	34	42	35	73
Percentage of retrievals resulting in live births	43.3%	17.6%	7.1%	2.9%	0.0%
Percentage of retrievals resulting in singleton live births	40.0%	14.7%	7.1%	2.9%	0.0%
Number of **transfers**	29	34	25	21	22
Percentage of transfers resulting in live births	44.8%	17.6%	12.0%	4.8%	0.0%
Percentage of transfers resulting in singleton live births	41.4%	14.7%	12.0%	4.8%	0.0%
Number of intended retrievals per live birth	2.4	6.0	14.7	40.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	50.0%	* / 17	12.5%	* / 15	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	50.0%	* / 17	12.5%	* / 15	0.0%
Percentage of new patients having live births after all intended retrievals	50.0%	* / 17	12.5%	* / 15	0.0%
Average number of intended retrievals per new patient	1.1	1.1	1.4	1.4	1.6
Average number of transfers per intended retrieval	1.0	1.2	0.5	0.6	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	*	0
Percentage of transfers resulting in live births	* / *	0 / *	* / *	
Percentage of transfers resulting in singleton live births	* / *	0 / *	* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	62	32	52	20	24	190
Percentage of cycles cancelled prior to retrieval or thaw	1.6%	3.1%	5.8%	10.0%	20.8%	6.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	14.5%	15.6%	7.7%	30.0%	37.5%	17.4%
Percentage of cycles for fertility preservation	9.7%	12.5%	9.6%	10.0%	0.0%	8.9%
Percentage of transfers using a gestational carrier	0.0%	0 / 10	0.0%	0 / 5	0 / 8	0.0%
Percentage of transfers using frozen embryos	84.8%	8 / 10	80.0%	* / 5	6 / 8	80.3%
Percentage of transfers of at least one embryo with ICSI	72.7%	8 / 10	90.0%	* / 5	5 / 8	76.3%
Percentage of transfers of at least one embryo with PGT	24.2%	* / 10	45.0%	0 / 5	* / 8	26.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	12%	Diminished ovarian reserve	31%
Endometriosis	1%	Egg or embryo banking	37%
Tubal factor	3%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	7%	Other, infertility	26%
Uterine factor	1%	Other, non-infertility	1%
PGT	25%	Unexplained	22%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NOBLE FERTILITY CENTER
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Peter L. Chang, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	66	17	42	6	*
Percentage of intended retrievals resulting in live births	43.9%	6 / 17	19.0%	0 / 6	0 / *
Percentage of intended retrievals resulting in singleton live births	36.4%	5 / 17	19.0%	0 / 6	0 / *
Number of **retrievals**	61	16	38	*	*
Percentage of retrievals resulting in live births	47.5%	6 / 16	21.1%	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	39.3%	5 / 16	21.1%	0 / *	0 / *
Number of **transfers**	69	24	40	*	*
Percentage of transfers resulting in live births	42.0%	25.0%	20.0%	0 / *	0 / *
Percentage of transfers resulting in singleton live births	34.8%	20.8%	20.0%	0 / *	0 / *
Number of intended retrievals per live birth	2.3	2.8	5.3		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	53.5%	5 / 13	* / 18		0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	53.5%	5 / 13	5 / 18		0 / *
Percentage of new patients having live births after all intended retrievals	55.8%	5 / 13	7 / 18		0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.4		1.0
Average number of transfers per intended retrieval	1.1	1.5	1.1		1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	6	0
Percentage of transfers resulting in live births	* / *		* / 6	
Percentage of transfers resulting in singleton live births	0 / *		* / 6	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	129	36	64	21	14	264
Percentage of cycles cancelled prior to retrieval or thaw	4.7%	5.6%	14.1%	4.8%	* / 14	8.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.4%	2.8%	1.6%	0.0%	* / 14	3.8%
Percentage of cycles for fertility preservation	0.0%	11.1%	7.8%	0.0%	0 / 14	3.4%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 16	0 / 7	0.0%
Percentage of transfers using frozen embryos	77.6%	75.0%	77.8%	* / 16	* / 7	70.4%
Percentage of transfers of at least one embryo with ICSI	53.9%	58.3%	72.2%	14 / 16	6 / 7	63.5%
Percentage of transfers of at least one embryo with PGT	3.9%	8.3%	11.1%	0 / 16	0 / 7	5.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	20%	Diminished ovarian reserve	23%
Endometriosis	2%	Egg or embryo banking	22%
Tubal factor	17%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	9%	Other, infertility	0%
Uterine factor	2%	Other, non-infertility	0%
PGT	2%	Unexplained	28%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NYC IN VITRO FERTILIZATION, PC
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Alyaa Elassar, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	*	0
Percentage of transfers resulting in live births		0 / *	0 / *	
Percentage of transfers resulting in singleton live births		0 / *	0 / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	28	28	9	*	7	76
Percentage of cycles cancelled prior to retrieval or thaw	3.6%	0.0%	0 / 9	0 / *	0 / 7	1.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	35.7%	17.9%	* / 9	* / *	* / 7	28.9%
Percentage of cycles for fertility preservation	17.9%	21.4%	0 / 9	0 / *	0 / 7	14.5%
Percentage of transfers using a gestational carrier	0 / 12	0 / 16	0 / 6	0 / *	0 / 5	0.0%
Percentage of transfers using frozen embryos	7 / 12	7 / 16	5 / 6	0 / *	* / 5	51.2%
Percentage of transfers of at least one embryo with ICSI	12 / 12	16 / 16	6 / 6	* / *	5 / 5	100.0%
Percentage of transfers of at least one embryo with PGT	* / 12	* / 16	* / 6	0 / *	* / 5	14.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	54%	Diminished ovarian reserve	47%
Endometriosis	0%	Egg or embryo banking	16%
Tubal factor	5%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	7%	Other, infertility	4%
Uterine factor	0%	Other, non-infertility	4%
PGT	3%	Unexplained	3%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NYU LANGONE FERTILITY CENTER
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by James A. Grifo, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	328	273	319	222	117
Percentage of intended retrievals resulting in live births	54.3%	37.0%	29.2%	14.4%	4.3%
Percentage of intended retrievals resulting in singleton live births	51.2%	34.1%	28.5%	13.5%	3.4%
Number of **retrievals**	295	226	261	175	93
Percentage of retrievals resulting in live births	60.3%	44.7%	35.6%	18.3%	5.4%
Percentage of retrievals resulting in singleton live births	56.9%	41.2%	34.9%	17.1%	4.3%
Number of **transfers**	297	172	158	76	40
Percentage of transfers resulting in live births	59.9%	58.7%	58.9%	42.1%	12.5%
Percentage of transfers resulting in singleton live births	56.6%	54.1%	57.6%	39.5%	10.0%
Number of intended retrievals per live birth	1.8	2.7	3.4	6.9	23.4
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	60.1%	36.9%	28.7%	12.2%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	69.3%	46.3%	38.9%	21.1%	2.2%
Percentage of new patients having live births after all intended retrievals	71.1%	48.8%	41.4%	23.3%	4.3%
Average number of intended retrievals per new patient	1.2	1.4	1.4	1.6	1.6
Average number of transfers per intended retrieval	0.9	0.6	0.5	0.4	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	34	105	0
Percentage of transfers resulting in live births	* / *	58.8%	55.2%	
Percentage of transfers resulting in singleton live births	* / *	58.8%	55.2%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	770	710	721	528	409	3,138
Percentage of cycles cancelled prior to retrieval or thaw	5.8%	7.2%	8.2%	13.3%	13.0%	8.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.7%	2.5%	3.9%	6.4%	6.1%	3.8%
Percentage of cycles for fertility preservation	25.6%	26.9%	19.8%	10.6%	3.7%	19.2%
Percentage of transfers using a gestational carrier	1.3%	1.2%	0.8%	1.0%	0.0%	0.9%
Percentage of transfers using frozen embryos	92.8%	89.2%	91.1%	77.4%	73.1%	85.9%
Percentage of transfers of at least one embryo with ICSI	44.4%	39.8%	42.0%	35.9%	33.3%	39.7%
Percentage of transfers of at least one embryo with PGT	77.3%	78.9%	82.1%	69.2%	54.7%	73.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	12%	Diminished ovarian reserve	29%
Endometriosis	3%	Egg or embryo banking	51%
Tubal factor	5%	Recurrent pregnancy loss	<1%
Ovulatory dysfunction	12%	Other, infertility	36%
Uterine factor	3%	Other, non-infertility	2%
PGT	9%	Unexplained	16%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

REPRODUCTIVE MEDICINE ASSOCIATES OF NEW YORK, LLP
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Lawrence Grunfeld, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	744	614	667	416	270
Percentage of intended retrievals resulting in live births	54.6%	39.9%	27.0%	12.3%	5.6%
Percentage of intended retrievals resulting in singleton live births	51.1%	36.2%	25.5%	11.5%	5.6%
Number of **retrievals**	699	552	594	349	206
Percentage of retrievals resulting in live births	58.1%	44.4%	30.3%	14.6%	7.3%
Percentage of retrievals resulting in singleton live births	54.4%	40.2%	28.6%	13.8%	7.3%
Number of **transfers**	777	468	402	129	51
Percentage of transfers resulting in live births	52.3%	52.4%	44.8%	39.5%	29.4%
Percentage of transfers resulting in singleton live births	48.9%	47.4%	42.3%	37.2%	29.4%
Number of intended retrievals per live birth	1.8	2.5	3.7	8.2	18.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	59.4%	45.0%	28.7%	8.6%	6.6%
Percentage of new patients having live births after 1 or 2 intended retrievals	67.9%	51.3%	37.7%	15.5%	9.4%
Percentage of new patients having live births after all intended retrievals	69.4%	54.7%	41.0%	20.1%	11.3%
Average number of intended retrievals per new patient	1.2	1.3	1.5	1.7	1.6
Average number of transfers per intended retrieval	1.1	0.8	0.6	0.3	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	46	36	234	0
Percentage of transfers resulting in live births	63.0%	61.1%	46.2%	
Percentage of transfers resulting in singleton live births	54.3%	58.3%	43.6%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	1,666	1,244	1,298	683	645	5,536
Percentage of cycles cancelled prior to retrieval or thaw	4.6%	5.9%	8.4%	13.0%	14.4%	7.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.8%	4.7%	10.5%	15.4%	16.3%	8.1%
Percentage of cycles for fertility preservation	11.7%	14.8%	9.6%	5.7%	1.9%	10.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using frozen embryos	85.6%	87.9%	85.1%	81.0%	69.6%	83.7%
Percentage of transfers of at least one embryo with ICSI	91.0%	88.8%	91.8%	86.3%	68.2%	87.6%
Percentage of transfers of at least one embryo with PGT	68.8%	75.0%	73.2%	69.0%	50.5%	69.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	19%	Diminished ovarian reserve	25%
Endometriosis	3%	Egg or embryo banking	50%
Tubal factor	8%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	9%	Other, infertility	13%
Uterine factor	2%	Other, non-infertility	1%
PGT	6%	Unexplained	18%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-NEW YORK
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Drew V. Tortoriello, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	139	206	220	110	97
Percentage of intended retrievals resulting in live births	41.0%	26.2%	14.1%	10.0%	4.1%
Percentage of intended retrievals resulting in singleton live births	38.8%	24.3%	12.3%	9.1%	4.1%
Number of **retrievals**	126	172	179	95	74
Percentage of retrievals resulting in live births	45.2%	31.4%	17.3%	11.6%	5.4%
Percentage of retrievals resulting in singleton live births	42.9%	29.1%	15.1%	10.5%	5.4%
Number of **transfers**	120	127	109	50	32
Percentage of transfers resulting in live births	47.5%	42.5%	28.4%	22.0%	12.5%
Percentage of transfers resulting in singleton live births	45.0%	39.4%	24.8%	20.0%	12.5%
Number of intended retrievals per live birth	2.4	3.8	7.1	10.0	24.3
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.4%	35.0%	22.0%	17.4%	* / 14
Percentage of new patients having live births after 1 or 2 intended retrievals	60.3%	41.7%	28.0%	21.7%	* / 14
Percentage of new patients having live births after all intended retrievals	66.2%	48.3%	28.0%	21.7%	* / 14
Average number of intended retrievals per new patient	1.4	1.6	1.6	1.7	1.6
Average number of transfers per intended retrieval	0.9	0.7	0.6	0.5	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	26	*
Percentage of transfers resulting in live births	* / *	* / *	42.3%	* / *
Percentage of transfers resulting in singleton live births	* / *	* / *	38.5%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	203	318	334	157	169	1,181
Percentage of cycles cancelled prior to retrieval or thaw	6.9%	12.6%	11.1%	11.5%	18.3%	11.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.4%	6.9%	9.6%	13.4%	14.2%	9.3%
Percentage of cycles for fertility preservation	5.9%	3.8%	2.1%	0.6%	0.6%	2.8%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using frozen embryos	79.8%	82.2%	77.0%	74.0%	72.3%	78.3%
Percentage of transfers of at least one embryo with ICSI	89.5%	88.5%	88.8%	94.0%	76.9%	87.9%
Percentage of transfers of at least one embryo with PGT	31.6%	47.8%	25.0%	34.0%	21.5%	33.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	48%
Endometriosis	12%	Egg or embryo banking	38%
Tubal factor	4%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	11%	Other, infertility	52%
Uterine factor	6%	Other, non-infertility	1%
PGT	18%	Unexplained	4%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

TRUENORTH FERTILITY
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michael Guarnaccia, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	5	0	5	*	0
Percentage of intended retrievals resulting in live births	* / 5		* / 5	0 / *	
Percentage of intended retrievals resulting in singleton live births	* / 5		* / 5	0 / *	
Number of **retrievals**	5	0	5	*	0
Percentage of retrievals resulting in live births	* / 5		* / 5	0 / *	
Percentage of retrievals resulting in singleton live births	* / 5		* / 5	0 / *	
Number of **transfers**	5	0	*	*	0
Percentage of transfers resulting in live births	* / 5		* / *	0 / *	
Percentage of transfers resulting in singleton live births	* / 5		* / *	0 / *	
Number of intended retrievals per live birth	5.0		5.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 5		* / *	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 5		* / *	0 / *	
Percentage of new patients having live births after all intended retrievals	* / 5		* / *	0 / *	
Average number of intended retrievals per new patient	1.0		1.0	1.0	
Average number of transfers per intended retrieval	1.0		1.3	1.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	0	0
Percentage of transfers resulting in live births		0 / *		
Percentage of transfers resulting in singleton live births		0 / *		

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	*	*	*	0	*	12
Percentage of cycles cancelled prior to retrieval or thaw	* / *	* / *	0 / *		0 / *	* / 12
Percentage of cycles stopped between retrieval and transfer or banking[e]	* / *	0 / *	0 / *		* / *	* / 12
Percentage of cycles for fertility preservation	0 / *	0 / *	0 / *		0 / *	0 / 12
Percentage of transfers using a gestational carrier	0 / *	0 / *	0 / *		0 / *	0 / 8
Percentage of transfers using frozen embryos	0 / *	0 / *	* / *		0 / *	* / 8
Percentage of transfers of at least one embryo with ICSI	* / *	0 / *	* / *		* / *	6 / 8
Percentage of transfers of at least one embryo with PGT	0 / *	0 / *	0 / *		0 / *	0 / 8

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	No	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	42%
Endometriosis	8%	Egg or embryo banking	8%
Tubal factor	33%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	25%	Other, infertility	0%
Uterine factor	0%	Other, non-infertility	0%
PGT	0%	Unexplained	8%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

WEILL CORNELL MEDICINE
CENTER FOR REPRODUCTIVE MEDICINE
NEW YORK, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Zev Rosenwaks, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	763	649	760	481	562
Percentage of intended retrievals resulting in live births	48.2%	37.1%	28.4%	13.9%	6.2%
Percentage of intended retrievals resulting in singleton live births	41.9%	31.3%	24.7%	11.9%	5.7%
Number of **retrievals**	684	570	647	398	422
Percentage of retrievals resulting in live births	53.8%	42.3%	33.4%	16.8%	8.3%
Percentage of retrievals resulting in singleton live births	46.8%	35.6%	29.1%	14.3%	7.6%
Number of **transfers**	759	622	591	324	293
Percentage of transfers resulting in live births	48.5%	38.7%	36.5%	20.7%	11.9%
Percentage of transfers resulting in singleton live births	42.2%	32.6%	31.8%	17.6%	10.9%
Number of intended retrievals per live birth	2.1	2.7	3.5	7.2	16.1
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	57.7%	45.8%	34.6%	17.3%	12.5%
Percentage of new patients having live births after 1 or 2 intended retrievals	65.4%	52.4%	40.7%	23.6%	12.5%
Percentage of new patients having live births after all intended retrievals	66.9%	54.5%	44.9%	26.0%	16.3%
Average number of intended retrievals per new patient	1.2	1.3	1.5	1.5	1.6
Average number of transfers per intended retrieval	1.1	1.0	0.8	0.7	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	50	72	150	0
Percentage of transfers resulting in live births	56.0%	54.2%	41.3%	
Percentage of transfers resulting in singleton live births	50.0%	45.8%	40.7%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	1,449	1,348	1,373	762	876	5,808
Percentage of cycles cancelled prior to retrieval or thaw	8.6%	8.8%	10.8%	16.5%	15.5%	11.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.9%	4.9%	4.5%	5.0%	7.6%	5.7%
Percentage of cycles for fertility preservation	13.8%	15.3%	9.9%	4.3%	2.7%	10.3%
Percentage of transfers using a gestational carrier	0.9%	0.8%	0.4%	0.0%	0.4%	0.6%
Percentage of transfers using frozen embryos	53.6%	56.4%	50.1%	40.0%	39.9%	49.5%
Percentage of transfers of at least one embryo with ICSI	87.7%	88.2%	89.7%	91.1%	86.3%	88.5%
Percentage of transfers of at least one embryo with PGT	20.5%	25.8%	24.8%	21.0%	9.6%	21.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	26%	Diminished ovarian reserve	62%
Endometriosis	7%	Egg or embryo banking	29%
Tubal factor	15%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	7%	Other, infertility	17%
Uterine factor	9%	Other, non-infertility	3%
PGT	14%	Unexplained	4%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

WESTMED REPRODUCTIVE SERVICES
PURCHASE, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Martin D. Keltz, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	59	42	38	23	12
Percentage of intended retrievals resulting in live births	62.7%	50.0%	44.7%	4.3%	* / 12
Percentage of intended retrievals resulting in singleton live births	57.6%	50.0%	34.2%	4.3%	* / 12
Number of **retrievals**	59	42	36	22	11
Percentage of retrievals resulting in live births	62.7%	50.0%	47.2%	4.5%	* / 11
Percentage of retrievals resulting in singleton live births	57.6%	50.0%	36.1%	4.5%	* / 11
Number of **transfers**	63	39	30	9	5
Percentage of transfers resulting in live births	58.7%	53.8%	56.7%	* / 9	* / 5
Percentage of transfers resulting in singleton live births	54.0%	53.8%	43.3%	* / 9	* / 5
Number of intended retrievals per live birth	1.6	2.0	2.2	23.0	12.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	63.3%	50.0%	50.0%	0 / 14	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	69.4%	66.7%	54.2%	0 / 14	0 / 5
Percentage of new patients having live births after all intended retrievals	69.4%	66.7%	54.2%	0 / 14	0 / 5
Average number of intended retrievals per new patient	1.1	1.3	1.3	1.3	1.0
Average number of transfers per intended retrieval	1.1	0.9	0.8	0.3	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	7	*	0
Percentage of transfers resulting in live births	0 / *	* / 7	* / *	
Percentage of transfers resulting in singleton live births	0 / *	* / 7	* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	123	67	77	17	32	316
Percentage of cycles cancelled prior to retrieval or thaw	0.8%	1.5%	2.6%	* / 17	3.1%	1.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.1%	6.0%	3.9%	5 / 17	18.8%	7.3%
Percentage of cycles for fertility preservation	7.3%	9.0%	7.8%	0 / 17	3.1%	7.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 5	0 / 11	0.0%
Percentage of transfers using frozen embryos	78.9%	75.0%	76.9%	* / 5	* / 11	72.8%
Percentage of transfers of at least one embryo with ICSI	54.9%	63.9%	69.2%	5 / 5	7 / 11	62.3%
Percentage of transfers of at least one embryo with PGT	62.0%	50.0%	56.4%	0 / 5	* / 11	53.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	35%	Diminished ovarian reserve	17%
Endometriosis	14%	Egg or embryo banking	41%
Tubal factor	23%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	16%	Other, infertility	7%
Uterine factor	9%	Other, non-infertility	2%
PGT	4%	Unexplained	9%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ROCHESTER REGIONAL HEALTH FERTILITY CARE
ROCHESTER, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Rosalind A. Hayes, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	51	10	11	*	*
Percentage of intended retrievals resulting in live births	29.4%	* / 10	* / 11	* / *	0 / *
Percentage of intended retrievals resulting in singleton live births	21.6%	* / 10	* / 11	* / *	0 / *
Number of **retrievals**	33	*	5	*	*
Percentage of retrievals resulting in live births	45.5%	* / *	* / 5	* / *	0 / *
Percentage of retrievals resulting in singleton live births	33.3%	* / *	* / 5	* / *	0 / *
Number of **transfers**	31	*	6	*	0
Percentage of transfers resulting in live births	48.4%	* / *	* / 6	* / *	
Percentage of transfers resulting in singleton live births	35.5%	* / *	* / 6	* / *	
Number of intended retrievals per live birth	3.4	10.0	11.0	3.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	42.9%	* / *	* / 5	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	46.4%	* / *	* / 5	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	46.4%	* / *	* / 5	* / *	0 / *
Average number of intended retrievals per new patient	1.3	1.7	1.4	1.5	1.0
Average number of transfers per intended retrieval	0.7	0.4	0.6	0.7	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	11	5	0
Percentage of transfers resulting in live births	* / *	* / 11	* / 5	
Percentage of transfers resulting in singleton live births	0 / *	* / 11	* / 5	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	95	24	22	10	5	156
Percentage of cycles cancelled prior to retrieval or thaw	11.6%	33.3%	22.7%	* / 10	* / 5	17.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.3%	8.3%	4.5%	0 / 10	0 / 5	5.8%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 10	0 / 5	0.0%
Percentage of transfers using a gestational carrier	4.7%	0 / 9	0 / 11	* / 6	0 / *	4.1%
Percentage of transfers using frozen embryos	95.3%	7 / 9	7 / 11	6 / 6	0 / *	83.6%
Percentage of transfers of at least one embryo with ICSI	95.3%	8 / 9	11 / 11	* / 6	* / *	93.2%
Percentage of transfers of at least one embryo with PGT	11.6%	* / 9	0 / 11	0 / 6	0 / *	11.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	36%	Diminished ovarian reserve	18%
Endometriosis	25%	Egg or embryo banking	31%
Tubal factor	19%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	26%	Other, infertility	22%
Uterine factor	8%	Other, non-infertility	3%
PGT	3%	Unexplained	8%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

STRONG FERTILITY CENTER
ROCHESTER, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Erin Masaba, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	101	38	43	21	6
Percentage of intended retrievals resulting in live births	44.6%	39.5%	11.6%	0.0%	0 / 6
Percentage of intended retrievals resulting in singleton live births	38.6%	34.2%	11.6%	0.0%	0 / 6
Number of **retrievals**	96	36	40	16	5
Percentage of retrievals resulting in live births	46.9%	41.7%	12.5%	0 / 16	0 / 5
Percentage of retrievals resulting in singleton live births	40.6%	36.1%	12.5%	0 / 16	0 / 5
Number of **transfers**	145	50	31	7	*
Percentage of transfers resulting in live births	31.0%	30.0%	16.1%	0 / 7	0 / *
Percentage of transfers resulting in singleton live births	26.9%	26.0%	16.1%	0 / 7	0 / *
Number of intended retrievals per live birth	2.2	2.5	8.6		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	46.5%	42.3%	* / 18	0 / 9	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	56.3%	46.2%	* / 18	0 / 9	0 / *
Percentage of new patients having live births after all intended retrievals	56.3%	46.2%	* / 18	0 / 9	0 / *
Average number of intended retrievals per new patient	1.2	1.1	1.5	1.2	1.0
Average number of transfers per intended retrieval	1.5	1.2	0.8	0.3	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	*	26	0
Percentage of transfers resulting in live births	* / 7	0 / *	26.9%	
Percentage of transfers resulting in singleton live births	* / 7	0 / *	26.9%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	197	149	89	35	31	501
Percentage of cycles cancelled prior to retrieval or thaw	4.6%	4.7%	6.7%	5.7%	9.7%	5.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.1%	5.4%	2.2%	14.3%	6.5%	5.0%
Percentage of cycles for fertility preservation	6.1%	2.0%	3.4%	0.0%	0.0%	3.6%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	4.5%	0.3%
Percentage of transfers using frozen embryos	71.0%	84.6%	69.2%	60.9%	77.3%	74.2%
Percentage of transfers of at least one embryo with ICSI	94.9%	91.2%	86.5%	91.3%	81.8%	91.4%
Percentage of transfers of at least one embryo with PGT	16.7%	29.7%	44.2%	17.4%	22.7%	25.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	25%	Diminished ovarian reserve	26%
Endometriosis	7%	Egg or embryo banking	26%
Tubal factor	10%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	11%	Other, infertility	10%
Uterine factor	4%	Other, non-infertility	3%
PGT	4%	Unexplained	21%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ISLAND REPRODUCTIVE SERVICES, PC
STATEN ISLAND, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Eric S. Knochenhauer, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	106	53	42	26	17
Percentage of intended retrievals resulting in live births	56.6%	52.8%	21.4%	0.0%	0 / 17
Percentage of intended retrievals resulting in singleton live births	48.1%	47.2%	21.4%	0.0%	0 / 17
Number of **retrievals**	101	49	38	21	11
Percentage of retrievals resulting in live births	59.4%	57.1%	23.7%	0.0%	0 / 11
Percentage of retrievals resulting in singleton live births	50.5%	51.0%	23.7%	0.0%	0 / 11
Number of **transfers**	128	59	41	16	5
Percentage of transfers resulting in live births	46.9%	47.5%	22.0%	0 / 16	0 / 5
Percentage of transfers resulting in singleton live births	39.8%	42.4%	22.0%	0 / 16	0 / 5
Number of intended retrievals per live birth	1.8	1.9	4.7		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	61.5%	57.6%	13.6%	0 / 17	0 / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	64.1%	66.7%	22.7%	0 / 17	0 / 8
Percentage of new patients having live births after all intended retrievals	64.1%	66.7%	27.3%	0 / 17	0 / 8
Average number of intended retrievals per new patient	1.2	1.2	1.4	1.3	1.8
Average number of transfers per intended retrieval	1.2	1.2	0.8	0.6	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	*	29	6
Percentage of transfers resulting in live births	* / 8	0 / *	41.4%	* / 6
Percentage of transfers resulting in singleton live births	* / 8	0 / *	41.4%	* / 6

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	249	134	114	58	70	625
Percentage of cycles cancelled prior to retrieval or thaw	4.8%	5.2%	4.4%	10.3%	21.4%	7.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.2%	1.5%	7.9%	5.2%	4.3%	3.2%
Percentage of cycles for fertility preservation	4.8%	6.0%	1.8%	0.0%	0.0%	3.5%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using frozen embryos	90.1%	89.3%	84.2%	52.8%	69.4%	83.1%
Percentage of transfers of at least one embryo with ICSI	96.7%	97.3%	87.7%	88.9%	72.2%	92.1%
Percentage of transfers of at least one embryo with PGT	78.1%	81.3%	71.9%	44.4%	47.2%	71.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	10%	Diminished ovarian reserve	39%
Endometriosis	8%	Egg or embryo banking	33%
Tubal factor	8%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	7%	Other, infertility	3%
Uterine factor	3%	Other, non-infertility	1%
PGT	1%	Unexplained	29%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NEW YORK REPRODUCTIVE WELLNESS
SYOSSET, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Gregory Zapantis, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	32	22	14	8	*
Percentage of intended retrievals resulting in live births	59.4%	50.0%	* / 14	* / 8	0 / *
Percentage of intended retrievals resulting in singleton live births	50.0%	50.0%	* / 14	* / 8	0 / *
Number of **retrievals**	32	21	14	8	*
Percentage of retrievals resulting in live births	59.4%	52.4%	* / 14	* / 8	0 / *
Percentage of retrievals resulting in singleton live births	50.0%	52.4%	* / 14	* / 8	0 / *
Number of **transfers**	43	25	13	9	*
Percentage of transfers resulting in live births	44.2%	44.0%	* / 13	* / 9	0 / *
Percentage of transfers resulting in singleton live births	37.2%	44.0%	* / 13	* / 9	0 / *
Number of intended retrievals per live birth	1.7	2.0	3.5	4.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 5	* / *	0 / *	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 5	* / *	0 / *	0 / *	
Percentage of new patients having live births after all intended retrievals	* / 5	* / *	0 / *	0 / *	
Average number of intended retrievals per new patient	1.2	2.0	2.0	2.0	
Average number of transfers per intended retrieval	1.2	0.8	1.0	2.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	*	0
Percentage of transfers resulting in live births		* / *	* / *	
Percentage of transfers resulting in singleton live births		* / *	* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	109	68	40	37	22	276
Percentage of cycles cancelled prior to retrieval or thaw	7.3%	5.9%	10.0%	10.8%	18.2%	8.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	13.8%	17.6%	35.0%	13.5%	22.7%	18.5%
Percentage of cycles for fertility preservation	0.9%	2.9%	0.0%	2.7%	0.0%	1.4%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0 / 16	0 / 17	0 / 7	0.0%
Percentage of transfers using frozen embryos	90.2%	85.3%	13 / 16	12 / 17	* / 7	83.7%
Percentage of transfers of at least one embryo with ICSI	93.4%	100.0%	13 / 16	17 / 17	6 / 7	94.1%
Percentage of transfers of at least one embryo with PGT	26.2%	20.6%	* / 16	* / 17	* / 7	20.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	33%
Endometriosis	12%	Egg or embryo banking	28%
Tubal factor	20%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	28%	Other, infertility	47%
Uterine factor	14%	Other, non-infertility	1%
PGT	26%	Unexplained	8%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BOSTON IVF-THE SYRACUSE CENTER
SYRACUSE, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Alan Penzias, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	10	*	6	*	*	24
Percentage of cycles cancelled prior to retrieval or thaw	0 / 10	0 / *	* / 6	0 / *	0 / *	4.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	* / 10	* / *	* / 6	* / *	* / *	20.8%
Percentage of cycles for fertility preservation	0 / 10	0 / *	0 / 6	0 / *	0 / *	0.0%
Percentage of transfers using a gestational carrier	0 / 6	0 / *	0 / *	0 / *		0 / 10
Percentage of transfers using frozen embryos	* / 6	* / *	* / *	0 / *		5 / 10
Percentage of transfers of at least one embryo with ICSI	* / 6	* / *	* / *	* / *		6 / 10
Percentage of transfers of at least one embryo with PGT	0 / 6	0 / *	0 / *	0 / *		0 / 10

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	21%	Diminished ovarian reserve	46%
Endometriosis	4%	Egg or embryo banking	42%
Tubal factor	25%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	13%	Other, infertility	0%
Uterine factor	8%	Other, non-infertility	4%
PGT	38%	Unexplained	4%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CNY FERTILITY CENTER
SYRACUSE, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Robert J. Kiltz, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	1,030	492	441	214	201
Percentage of intended retrievals resulting in live births	48.2%	24.8%	15.6%	8.4%	0.0%
Percentage of intended retrievals resulting in singleton live births	38.1%	20.5%	13.4%	7.5%	0.0%
Number of **retrievals**	970	451	395	181	146
Percentage of retrievals resulting in live births	51.1%	27.1%	17.5%	9.9%	0.0%
Percentage of retrievals resulting in singleton live births	40.4%	22.4%	14.9%	8.8%	0.0%
Number of **transfers**	1,430	559	405	135	111
Percentage of transfers resulting in live births	34.7%	21.8%	17.0%	13.3%	0.0%
Percentage of transfers resulting in singleton live births	27.4%	18.1%	14.6%	11.9%	0.0%
Number of intended retrievals per live birth	2.1	4.0	6.4	11.9	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.3%	30.8%	18.4%	9.3%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	58.0%	34.0%	21.6%	14.7%	0.0%
Percentage of new patients having live births after all intended retrievals	58.5%	34.8%	22.2%	14.7%	0.0%
Average number of intended retrievals per new patient	1.1	1.3	1.5	1.6	1.4
Average number of transfers per intended retrieval	1.4	1.2	1.0	0.7	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	27	147	536	52
Percentage of transfers resulting in live births	33.3%	19.7%	27.2%	30.8%
Percentage of transfers resulting in singleton live births	22.2%	15.6%	22.9%	25.0%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	3,131	1,293	1,230	674	965	7,293
Percentage of cycles cancelled prior to retrieval or thaw	6.3%	8.9%	10.7%	10.2%	17.3%	9.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.9%	6.7%	8.5%	12.8%	8.0%	7.8%
Percentage of cycles for fertility preservation	1.1%	1.4%	1.1%	0.4%	0.4%	1.0%
Percentage of transfers using a gestational carrier	0.9%	2.6%	1.6%	1.5%	1.1%	1.4%
Percentage of transfers using frozen embryos	78.1%	77.5%	75.3%	69.0%	74.4%	76.3%
Percentage of transfers of at least one embryo with ICSI	94.3%	93.7%	91.8%	90.9%	80.3%	91.8%
Percentage of transfers of at least one embryo with PGT	10.0%	10.2%	8.4%	7.7%	8.4%	9.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	23%
Endometriosis	8%	Egg or embryo banking	26%
Tubal factor	13%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	19%	Other, infertility	22%
Uterine factor	4%	Other, non-infertility	4%
PGT	10%	Unexplained	16%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

WESTCHESTER FERTILITY & REPRODUCTIVE ENDOCRINOLOGY
WHITE PLAINS, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Michael B. Blotner, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	35	22	39	11	6
Percentage of intended retrievals resulting in live births	40.0%	36.4%	15.4%	0 / 11	0 / 6
Percentage of intended retrievals resulting in singleton live births	34.3%	31.8%	10.3%	0 / 11	0 / 6
Number of **retrievals**	33	20	37	8	*
Percentage of retrievals resulting in live births	42.4%	40.0%	16.2%	0 / 8	0 / *
Percentage of retrievals resulting in singleton live births	36.4%	35.0%	10.8%	0 / 8	0 / *
Number of **transfers**	28	14	20	*	*
Percentage of transfers resulting in live births	50.0%	8 / 14	30.0%	0 / *	0 / *
Percentage of transfers resulting in singleton live births	42.9%	7 / 14	20.0%	0 / *	0 / *
Number of intended retrievals per live birth	2.5	2.8	6.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	35.0%	* / 10	* / 13	0 / 6	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	40.0%	5 / 10	5 / 13	0 / 6	0 / *
Percentage of new patients having live births after all intended retrievals	40.0%	5 / 10	5 / 13	0 / 6	0 / *
Average number of intended retrievals per new patient	1.2	1.4	1.5	1.3	1.0
Average number of transfers per intended retrieval	0.8	0.5	0.6	0.4	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	*	*
Percentage of transfers resulting in live births	* / *	* / *	* / *	* / *
Percentage of transfers resulting in singleton live births	* / *	* / *	* / *	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	45	31	38	27	17	158
Percentage of cycles cancelled prior to retrieval or thaw	15.6%	12.9%	21.1%	14.8%	0 / 17	14.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.2%	0.0%	13.2%	18.5%	* / 17	8.9%
Percentage of cycles for fertility preservation	4.4%	3.2%	0.0%	3.7%	0 / 17	2.5%
Percentage of transfers using a gestational carrier	0.0%	0 / 16	0 / 15	0 / 9	0 / 10	0.0%
Percentage of transfers using frozen embryos	82.6%	13 / 16	10 / 15	* / 9	6 / 10	69.9%
Percentage of transfers of at least one embryo with ICSI	91.3%	15 / 16	13 / 15	7 / 9	10 / 10	90.4%
Percentage of transfers of at least one embryo with PGT	52.2%	10 / 16	7 / 15	0 / 9	* / 10	45.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	22%	Diminished ovarian reserve	35%
Endometriosis	11%	Egg or embryo banking	35%
Tubal factor	39%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	11%	Other, infertility	6%
Uterine factor	15%	Other, non-infertility	1%
PGT	4%	Unexplained	4%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

GOLD COAST IVF
REPRODUCTIVE MEDICINE AND SURGERY CENTER
WOODBURY, NEW YORK

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Steven F. Palter, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	90	53	40	26	9
Percentage of intended retrievals resulting in live births	37.8%	37.7%	25.0%	23.1%	0 / 9
Percentage of intended retrievals resulting in singleton live births	30.0%	34.0%	25.0%	23.1%	0 / 9
Number of **retrievals**	88	53	35	26	7
Percentage of retrievals resulting in live births	38.6%	37.7%	28.6%	23.1%	0 / 7
Percentage of retrievals resulting in singleton live births	30.7%	34.0%	28.6%	23.1%	0 / 7
Number of **transfers**	103	54	38	22	*
Percentage of transfers resulting in live births	33.0%	37.0%	26.3%	27.3%	0 / *
Percentage of transfers resulting in singleton live births	26.2%	33.3%	26.3%	27.3%	0 / *
Number of intended retrievals per live birth	2.6	2.7	4.0	4.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	32.7%	38.5%	13.6%	* / 9	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	38.8%	42.3%	22.7%	* / 9	0 / 5
Percentage of new patients having live births after all intended retrievals	40.8%	46.2%	22.7%	* / 9	0 / 5
Average number of intended retrievals per new patient	1.2	1.2	1.2	1.3	1.4
Average number of transfers per intended retrieval	1.3	1.1	0.9	0.9	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	23	8	0
Percentage of transfers resulting in live births		39.1%	* / 8	
Percentage of transfers resulting in singleton live births		21.7%	* / 8	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	95	67	55	47	41	305
Percentage of cycles cancelled prior to retrieval or thaw	1.1%	1.5%	1.8%	2.1%	12.2%	3.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.5%	6.0%	1.8%	10.6%	4.9%	6.9%
Percentage of cycles for fertility preservation	2.1%	1.5%	5.5%	2.1%	0.0%	2.3%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Percentage of transfers using frozen embryos	32.5%	30.5%	22.4%	10.3%	33.3%	26.9%
Percentage of transfers of at least one embryo with ICSI	96.3%	89.8%	95.9%	97.4%	78.8%	92.7%
Percentage of transfers of at least one embryo with PGT	5.0%	11.9%	8.2%	0.0%	6.1%	6.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	36%	Diminished ovarian reserve	56%
Endometriosis	3%	Egg or embryo banking	7%
Tubal factor	14%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	10%	Other, infertility	8%
Uterine factor	4%	Other, non-infertility	1%
PGT	7%	Unexplained	6%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.