2018
Fertility Clinic Tables

NORTH CAROLINA–WISCONSIN

NORTH CAROLINA CENTER FOR REPRODUCTIVE MEDICINE
THE TALBERT FERTILITY INSTITUTE
CARY, NORTH CAROLINA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Sameh K. Toma, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	85	32	34	10	*
Percentage of intended retrievals resulting in live births	55.3%	43.8%	23.5%	* / 10	0 / *
Percentage of intended retrievals resulting in singleton live births	35.3%	40.6%	20.6%	* / 10	0 / *
Number of **retrievals**	83	28	32	9	*
Percentage of retrievals resulting in live births	56.6%	50.0%	25.0%	* / 9	0 / *
Percentage of retrievals resulting in singleton live births	36.1%	46.4%	21.9%	* / 9	0 / *
Number of **transfers**	85	28	19	*	0
Percentage of transfers resulting in live births	55.3%	50.0%	8 / 19	* / *	
Percentage of transfers resulting in singleton live births	35.3%	46.4%	7 / 19	* / *	
Number of intended retrievals per live birth	1.8	2.3	4.3	3.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	57.5%	36.0%	27.3%	* / 8	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	57.5%	52.0%	36.4%	* / 8	0 / *
Percentage of new patients having live births after all intended retrievals	57.5%	52.0%	36.4%	* / 8	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.1	1.0	1.0
Average number of transfers per intended retrieval	1.0	0.9	0.6	0.4	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	24	*
Percentage of transfers resulting in live births	* / *	* / *	37.5%	* / *
Percentage of transfers resulting in singleton live births	* / *	* / *	25.0%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	157	79	67	23	27	353
Percentage of cycles cancelled prior to retrieval or thaw	3.2%	1.3%	6.0%	0.0%	3.7%	3.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	25.5%	29.1%	14.9%	26.1%	29.6%	24.6%
Percentage of cycles for fertility preservation	0.0%	0.0%	1.5%	0.0%	0.0%	0.3%
Percentage of transfers using a gestational carrier	0.0%	0.0%	2.9%	0 / 11	* / 16	1.0%
Percentage of transfers using frozen embryos	98.9%	100.0%	100.0%	10 / 11	12 / 16	97.0%
Percentage of transfers of at least one embryo with ICSI	96.8%	97.7%	88.6%	11 / 11	14 / 16	95.0%
Percentage of transfers of at least one embryo with PGT	21.3%	25.6%	25.7%	5 / 11	0 / 16	22.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	32%	Diminished ovarian reserve	21%
Endometriosis	4%	Egg or embryo banking	16%
Tubal factor	14%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	14%	Other, infertility	23%
Uterine factor	18%	Other, non-infertility	3%
PGT	17%	Unexplained	5%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

PROGRAM FOR ASSISTED REPRODUCTION AT ATRIUM HEALTH'S CAROLINAS MEDICAL CENTER
CMC WOMEN'S INSTITUTE
CHARLOTTE, NORTH CAROLINA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Bradley S. Hurst, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	143	61	44	18	9
Percentage of intended retrievals resulting in live births	60.8%	49.2%	31.8%	* / 18	* / 9
Percentage of intended retrievals resulting in singleton live births	58.0%	47.5%	31.8%	* / 18	* / 9
Number of **retrievals**	140	59	41	14	*
Percentage of retrievals resulting in live births	62.1%	50.8%	34.1%	* / 14	* / *
Percentage of retrievals resulting in singleton live births	59.3%	49.2%	34.1%	* / 14	* / *
Number of **transfers**	173	64	29	5	*
Percentage of transfers resulting in live births	50.3%	46.9%	48.3%	* / 5	* / *
Percentage of transfers resulting in singleton live births	48.0%	45.3%	48.3%	* / 5	* / *
Number of intended retrievals per live birth	1.6	2.0	3.1	9.0	9.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	64.1%	44.4%	35.7%	* / 13	* / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	68.4%	48.9%	35.7%	* / 13	* / 7
Percentage of new patients having live births after all intended retrievals	69.2%	48.9%	35.7%	* / 13	* / 7
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.2	1.0
Average number of transfers per intended retrieval	1.2	1.1	0.6	0.3	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	28	23	5
Percentage of transfers resulting in live births		50.0%	30.4%	* / 5
Percentage of transfers resulting in singleton live births		50.0%	30.4%	* / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	294	146	131	63	31	665
Percentage of cycles cancelled prior to retrieval or thaw	4.4%	11.0%	5.3%	12.7%	3.2%	6.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.1%	2.7%	9.9%	15.9%	9.7%	6.8%
Percentage of cycles for fertility preservation	3.4%	4.8%	3.8%	1.6%	0.0%	3.5%
Percentage of transfers using a gestational carrier	0.0%	1.3%	0.0%	0.0%	4.3%	0.5%
Percentage of transfers using frozen embryos	76.3%	86.3%	74.6%	51.7%	56.5%	75.1%
Percentage of transfers of at least one embryo with ICSI	88.1%	85.0%	77.8%	72.4%	47.8%	82.3%
Percentage of transfers of at least one embryo with PGT	16.5%	40.0%	46.0%	24.1%	13.0%	26.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	25%
Endometriosis	8%	Egg or embryo banking	34%
Tubal factor	12%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	18%	Other, infertility	17%
Uterine factor	2%	Other, non-infertility	1%
PGT	15%	Unexplained	9%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE ENDOCRINOLOGY ASSOCIATES OF CHARLOTTE
CHARLOTTE, NORTH CAROLINA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Seth Katz, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	213	118	111	63	40
Percentage of intended retrievals resulting in live births	53.5%	34.7%	19.8%	6.3%	2.5%
Percentage of intended retrievals resulting in singleton live births	44.1%	28.0%	15.3%	4.8%	2.5%
Number of **retrievals**	205	111	101	54	28
Percentage of retrievals resulting in live births	55.6%	36.9%	21.8%	7.4%	3.6%
Percentage of retrievals resulting in singleton live births	45.9%	29.7%	16.8%	5.6%	3.6%
Number of **transfers**	222	94	75	30	12
Percentage of transfers resulting in live births	51.4%	43.6%	29.3%	13.3%	* / 12
Percentage of transfers resulting in singleton live births	42.3%	35.1%	22.7%	10.0%	* / 12
Number of intended retrievals per live birth	1.9	2.9	5.0	15.8	40.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	55.0%	43.1%	18.4%	7.4%	0 / 14
Percentage of new patients having live births after 1 or 2 intended retrievals	58.9%	45.8%	20.4%	14.8%	0 / 14
Percentage of new patients having live births after all intended retrievals	58.9%	45.8%	22.4%	14.8%	0 / 14
Average number of intended retrievals per new patient	1.1	1.2	1.4	1.6	1.3
Average number of transfers per intended retrieval	1.1	0.9	0.6	0.6	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	16	9	41	*
Percentage of transfers resulting in live births	10 / 16	* / 9	48.8%	0 / *
Percentage of transfers resulting in singleton live births	9 / 16	* / 9	43.9%	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	445	242	215	88	83	1,073
Percentage of cycles cancelled prior to retrieval or thaw	4.5%	4.5%	7.4%	15.9%	16.9%	7.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.4%	8.3%	18.6%	28.4%	21.7%	13.5%
Percentage of cycles for fertility preservation	3.1%	2.5%	4.2%	0.0%	0.0%	2.7%
Percentage of transfers using a gestational carrier	1.6%	3.7%	7.5%	6.7%	10.8%	4.0%
Percentage of transfers using frozen embryos	74.8%	80.9%	73.1%	73.3%	70.3%	75.6%
Percentage of transfers of at least one embryo with ICSI	88.8%	80.9%	83.9%	73.3%	73.0%	84.1%
Percentage of transfers of at least one embryo with PGT	19.4%	29.4%	40.9%	20.0%	16.2%	25.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	26%	Diminished ovarian reserve	26%
Endometriosis	6%	Egg or embryo banking	33%
Tubal factor	9%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	19%	Other, infertility	33%
Uterine factor	2%	Other, non-infertility	2%
PGT	10%	Unexplained	7%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

DUKE FERTILITY CENTER
DUKE UNIVERSITY MEDICAL CENTER
DURHAM, NORTH CAROLINA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jennifer L. Eaton, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	56	45	24	12	*
Percentage of intended retrievals resulting in live births	53.6%	37.8%	45.8%	* / 12	0 / *
Percentage of intended retrievals resulting in singleton live births	50.0%	33.3%	37.5%	* / 12	0 / *
Number of **retrievals**	52	42	24	9	*
Percentage of retrievals resulting in live births	57.7%	40.5%	45.8%	* / 9	0 / *
Percentage of retrievals resulting in singleton live births	53.8%	35.7%	37.5%	* / 9	0 / *
Number of **transfers**	68	47	36	8	*
Percentage of transfers resulting in live births	44.1%	36.2%	30.6%	* / 8	0 / *
Percentage of transfers resulting in singleton live births	41.2%	31.9%	25.0%	* / 8	0 / *
Number of intended retrievals per live birth	1.9	2.6	2.2	6.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	53.7%	32.1%	9 / 19	* / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	61.0%	39.3%	9 / 19	* / 5	0 / *
Percentage of new patients having live births after all intended retrievals	61.0%	39.3%	9 / 19	* / 5	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.0	1.4	1.5
Average number of transfers per intended retrieval	1.2	1.1	1.4	0.9	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	0	17	*
Percentage of transfers resulting in live births	* / 8		9 / 17	0 / *
Percentage of transfers resulting in singleton live births	* / 8		9 / 17	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	124	81	63	23	19	310
Percentage of cycles cancelled prior to retrieval or thaw	9.7%	8.6%	7.9%	21.7%	* / 19	10.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.1%	6.2%	6.3%	8.7%	0 / 19	6.8%
Percentage of cycles for fertility preservation	7.3%	2.5%	4.8%	0.0%	0 / 19	4.5%
Percentage of transfers using a gestational carrier	2.4%	1.7%	0.0%	0 / 12	* / 16	2.3%
Percentage of transfers using frozen embryos	56.5%	75.9%	45.5%	8 / 12	11 / 16	60.9%
Percentage of transfers of at least one embryo with ICSI	80.0%	75.9%	79.5%	8 / 12	11 / 16	77.2%
Percentage of transfers of at least one embryo with PGT	8.2%	17.2%	6.8%	* / 12	* / 16	11.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	38%	Diminished ovarian reserve	22%
Endometriosis	8%	Egg or embryo banking	15%
Tubal factor	15%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	18%	Other, infertility	19%
Uterine factor	6%	Other, non-infertility	1%
PGT	18%	Unexplained	5%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

WOMACK ARMY MEDICAL CENTER
FORT BRAGG, NORTH CAROLINA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Kyle J. Tobler, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	60	26	9	8	*
Percentage of intended retrievals resulting in live births	38.3%	38.5%	* / 9	* / 8	0 / *
Percentage of intended retrievals resulting in singleton live births	31.7%	26.9%	* / 9	* / 8	0 / *
Number of **retrievals**	60	26	9	8	*
Percentage of retrievals resulting in live births	38.3%	38.5%	* / 9	* / 8	0 / *
Percentage of retrievals resulting in singleton live births	31.7%	26.9%	* / 9	* / 8	0 / *
Number of **transfers**	57	22	8	6	*
Percentage of transfers resulting in live births	40.4%	45.5%	* / 8	* / 6	0 / *
Percentage of transfers resulting in singleton live births	33.3%	31.8%	* / 8	* / 6	0 / *
Number of intended retrievals per live birth	2.6	2.6	4.5	8.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	38.8%	7 / 17	* / 6	* / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	38.8%	7 / 17	* / 6	* / 5	0 / *
Percentage of new patients having live births after all intended retrievals	38.8%	7 / 17	* / 6	* / 5	0 / *
Average number of intended retrievals per new patient	1.0	1.0	1.0	1.0	1.0
Average number of transfers per intended retrieval	1.0	0.9	0.8	1.0	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	11
Percentage of transfers resulting in live births				* / 11
Percentage of transfers resulting in singleton live births				* / 11

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	73	29	29	11	11	153
Percentage of cycles cancelled prior to retrieval or thaw	4.1%	3.4%	3.4%	0 / 11	0 / 11	3.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.2%	6.9%	17.2%	* / 11	0 / 11	10.5%
Percentage of cycles for fertility preservation	0.0%	10.3%	13.8%	0 / 11	0 / 11	4.6%
Percentage of transfers using a gestational carrier	1.6%	0.0%	0 / 18	0 / 8	0 / 11	0.8%
Percentage of transfers using frozen embryos	22.2%	17.4%	5 / 18	* / 8	6 / 11	24.4%
Percentage of transfers of at least one embryo with ICSI	90.5%	91.3%	16 / 18	8 / 8	5 / 11	87.0%
Percentage of transfers of at least one embryo with PGT	1.6%	0.0%	0 / 18	0 / 8	0 / 11	0.8%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	6%
Endometriosis	7%	Egg or embryo banking	5%
Tubal factor	16%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	2%	Other, infertility	3%
Uterine factor	1%	Other, non-infertility	6%
PGT	2%	Unexplained	35%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ATLANTIC REPRODUCTIVE MEDICINE SPECIALISTS, PA
RALEIGH, NORTH CAROLINA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Susannah D. Copland, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	63	42	21	12	*
Percentage of intended retrievals resulting in live births	49.2%	28.6%	19.0%	* / 12	0 / *
Percentage of intended retrievals resulting in singleton live births	44.4%	28.6%	19.0%	* / 12	0 / *
Number of **retrievals**	62	41	21	12	*
Percentage of retrievals resulting in live births	50.0%	29.3%	19.0%	* / 12	0 / *
Percentage of retrievals resulting in singleton live births	45.2%	29.3%	19.0%	* / 12	0 / *
Number of **transfers**	60	36	15	10	*
Percentage of transfers resulting in live births	51.7%	33.3%	* / 15	* / 10	0 / *
Percentage of transfers resulting in singleton live births	46.7%	33.3%	* / 15	* / 10	0 / *
Number of intended retrievals per live birth	2.0	3.5	5.3	3.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.0%	37.5%	* / 15	* / 9	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	56.0%	41.7%	* / 15	* / 9	0 / *
Percentage of new patients having live births after all intended retrievals	56.0%	41.7%	* / 15	* / 9	0 / *
Average number of intended retrievals per new patient	1.0	1.1	1.1	1.0	1.0
Average number of transfers per intended retrieval	1.0	0.8	0.8	1.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	5	0	14	5
Percentage of transfers resulting in live births	* / 5		5 / 14	* / 5
Percentage of transfers resulting in singleton live births	* / 5		5 / 14	* / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	107	73	81	16	24	301
Percentage of cycles cancelled prior to retrieval or thaw	7.5%	4.1%	3.7%	* / 16	12.5%	6.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.7%	8.2%	13.6%	* / 16	12.5%	9.0%
Percentage of cycles for fertility preservation	1.9%	2.7%	4.9%	* / 16	4.2%	3.3%
Percentage of transfers using a gestational carrier	3.3%	4.5%	5.3%	0 / 9	0 / 12	3.7%
Percentage of transfers using frozen embryos	81.7%	72.7%	84.2%	8 / 9	10 / 12	80.4%
Percentage of transfers of at least one embryo with ICSI	83.3%	88.6%	73.7%	7 / 9	12 / 12	83.4%
Percentage of transfers of at least one embryo with PGT	25.0%	27.3%	34.2%	* / 9	* / 12	29.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	47%	Diminished ovarian reserve	20%
Endometriosis	12%	Egg or embryo banking	33%
Tubal factor	11%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	22%	Other, infertility	12%
Uterine factor	5%	Other, non-infertility	5%
PGT	6%	Unexplained	12%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CAROLINA CONCEPTIONS, PA
RALEIGH, NORTH CAROLINA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Meaghan R. Bowling, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	189	84	56	30	*
Percentage of intended retrievals resulting in live births	65.6%	52.4%	37.5%	10.0%	0 / *
Percentage of intended retrievals resulting in singleton live births	56.6%	39.3%	33.9%	10.0%	0 / *
Number of **retrievals**	174	76	47	25	*
Percentage of retrievals resulting in live births	71.3%	57.9%	44.7%	12.0%	0 / *
Percentage of retrievals resulting in singleton live births	61.5%	43.4%	40.4%	12.0%	0 / *
Number of **transfers**	209	73	43	18	*
Percentage of transfers resulting in live births	59.3%	60.3%	48.8%	* / 18	0 / *
Percentage of transfers resulting in singleton live births	51.2%	45.2%	44.2%	* / 18	0 / *
Number of intended retrievals per live birth	1.5	1.9	2.7	10.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	68.7%	54.2%	35.1%	* / 14	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	74.0%	60.4%	37.8%	* / 14	0 / *
Percentage of new patients having live births after all intended retrievals	74.0%	60.4%	37.8%	* / 14	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.1	1.2	1.0
Average number of transfers per intended retrieval	1.1	0.9	0.7	0.7	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	18	6	62	30
Percentage of transfers resulting in live births	12 / 18	5 / 6	58.1%	60.0%
Percentage of transfers resulting in singleton live births	12 / 18	5 / 6	50.0%	50.0%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	426	211	156	73	85	951
Percentage of cycles cancelled prior to retrieval or thaw	3.5%	8.5%	6.4%	8.2%	15.3%	6.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.3%	6.2%	8.3%	5.5%	7.1%	6.6%
Percentage of cycles for fertility preservation	2.1%	5.7%	6.4%	0.0%	1.2%	3.4%
Percentage of transfers using a gestational carrier	0.3%	1.8%	2.6%	4.4%	1.8%	1.4%
Percentage of transfers using frozen embryos	59.5%	80.0%	82.1%	77.8%	72.7%	68.9%
Percentage of transfers of at least one embryo with ICSI	84.7%	86.4%	87.2%	73.3%	67.3%	82.9%
Percentage of transfers of at least one embryo with PGT	31.6%	57.3%	62.8%	31.1%	30.9%	40.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	28%
Endometriosis	5%	Egg or embryo banking	27%
Tubal factor	12%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	19%	Other, infertility	36%
Uterine factor	7%	Other, non-infertility	10%
PGT	26%	Unexplained	13%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNC FERTILITY
RALEIGH, NORTH CAROLINA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jennifer E. Mersereau, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	149	77	63	12	*
Percentage of intended retrievals resulting in live births	65.1%	36.4%	23.8%	5 / 12	* / *
Percentage of intended retrievals resulting in singleton live births	62.4%	32.5%	20.6%	* / 12	* / *
Number of **retrievals**	136	61	49	9	*
Percentage of retrievals resulting in live births	71.3%	45.9%	30.6%	5 / 9	* / *
Percentage of retrievals resulting in singleton live births	68.4%	41.0%	26.5%	* / 9	* / *
Number of **transfers**	173	77	50	9	*
Percentage of transfers resulting in live births	56.1%	36.4%	30.0%	5 / 9	* / *
Percentage of transfers resulting in singleton live births	53.8%	32.5%	26.0%	* / 9	* / *
Number of intended retrievals per live birth	1.5	2.8	4.2	2.4	1.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	69.6%	44.4%	22.9%	* / 8	* / *
Percentage of new patients having live births after 1 or 2 intended retrievals	75.0%	46.7%	25.7%	* / 8	* / *
Percentage of new patients having live births after all intended retrievals	75.9%	46.7%	25.7%	* / 8	* / *
Average number of intended retrievals per new patient	1.1	1.3	1.3	1.1	1.0
Average number of transfers per intended retrieval	1.2	1.1	0.8	0.7	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	10	15	31	0
Percentage of transfers resulting in live births	5 / 10	* / 15	54.8%	
Percentage of transfers resulting in singleton live births	5 / 10	* / 15	48.4%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	347	167	138	49	47	748
Percentage of cycles cancelled prior to retrieval or thaw	10.1%	9.0%	13.0%	12.2%	19.1%	11.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	12.1%	7.8%	5.1%	4.1%	4.3%	8.8%
Percentage of cycles for fertility preservation	4.3%	5.4%	3.6%	4.1%	0.0%	4.1%
Percentage of transfers using a gestational carrier	1.4%	1.9%	0.0%	0.0%	0.0%	1.1%
Percentage of transfers using frozen embryos	75.1%	73.1%	76.0%	60.0%	64.5%	73.1%
Percentage of transfers of at least one embryo with ICSI	76.1%	70.2%	72.0%	73.3%	48.4%	71.9%
Percentage of transfers of at least one embryo with PGT	13.9%	17.3%	34.7%	33.3%	9.7%	19.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	32%	Diminished ovarian reserve	16%
Endometriosis	7%	Egg or embryo banking	21%
Tubal factor	8%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	10%	Other, infertility	11%
Uterine factor	4%	Other, non-infertility	2%
PGT	1%	Unexplained	20%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CAROLINAS FERTILITY INSTITUTE
WINSTON-SALEM, NORTH CAROLINA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Tamer M. Yalcinkaya, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	122	52	47	28	13
Percentage of intended retrievals resulting in live births	77.0%	55.8%	36.2%	14.3%	* / 13
Percentage of intended retrievals resulting in singleton live births	65.6%	44.2%	27.7%	14.3%	* / 13
Number of **retrievals**	121	50	44	24	12
Percentage of retrievals resulting in live births	77.7%	58.0%	38.6%	16.7%	* / 12
Percentage of retrievals resulting in singleton live births	66.1%	46.0%	29.5%	16.7%	* / 12
Number of **transfers**	156	50	30	11	*
Percentage of transfers resulting in live births	60.3%	58.0%	56.7%	* / 11	* / *
Percentage of transfers resulting in singleton live births	51.3%	46.0%	43.3%	* / 11	* / *
Number of intended retrievals per live birth	1.3	1.8	2.8	7.0	6.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	80.2%	56.7%	55.0%	* / 12	* / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	83.2%	66.7%	60.0%	* / 12	* / 7
Percentage of new patients having live births after all intended retrievals	83.2%	66.7%	60.0%	* / 12	* / 7
Average number of intended retrievals per new patient	1.0	1.2	1.3	1.5	1.1
Average number of transfers per intended retrieval	1.3	1.1	0.8	0.3	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	*	32	0
Percentage of transfers resulting in live births	5 / 8	* / *	40.6%	
Percentage of transfers resulting in singleton live births	* / 8	* / *	28.1%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	407	189	173	91	72	932
Percentage of cycles cancelled prior to retrieval or thaw	7.4%	11.1%	18.5%	15.4%	23.6%	12.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	11.5%	2.6%	0.6%	2.2%	2.8%	6.1%
Percentage of cycles for fertility preservation	2.2%	5.8%	3.5%	0.0%	0.0%	2.8%
Percentage of transfers using a gestational carrier	3.0%	1.1%	0.0%	0.0%	4.2%	2.1%
Percentage of transfers using frozen embryos	83.5%	86.5%	93.5%	93.1%	87.5%	86.4%
Percentage of transfers of at least one embryo with ICSI	93.5%	94.4%	91.9%	93.1%	100.0%	93.8%
Percentage of transfers of at least one embryo with PGT	21.7%	41.6%	64.5%	65.5%	41.7%	35.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	41%	Diminished ovarian reserve	29%
Endometriosis	8%	Egg or embryo banking	35%
Tubal factor	14%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	22%	Other, infertility	8%
Uterine factor	4%	Other, non-infertility	2%
PGT	5%	Unexplained	8%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

WAKE FOREST UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE
WINSTON-SALEM, NORTH CAROLINA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jeffrey L. Deaton, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	120	64	46	16	7
Percentage of intended retrievals resulting in live births	70.8%	59.4%	30.4%	6 / 16	* / 7
Percentage of intended retrievals resulting in singleton live births	60.0%	56.3%	26.1%	6 / 16	* / 7
Number of **retrievals**	112	62	41	16	*
Percentage of retrievals resulting in live births	75.9%	61.3%	34.1%	6 / 16	* / *
Percentage of retrievals resulting in singleton live births	64.3%	58.1%	29.3%	6 / 16	* / *
Number of **transfers**	129	55	27	7	*
Percentage of transfers resulting in live births	65.9%	69.1%	51.9%	6 / 7	* / *
Percentage of transfers resulting in singleton live births	55.8%	65.5%	44.4%	6 / 7	* / *
Number of intended retrievals per live birth	1.4	1.7	3.3	2.7	7.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	75.3%	61.4%	38.1%	* / 11	* / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	83.1%	72.7%	38.1%	6 / 11	* / 7
Percentage of new patients having live births after all intended retrievals	83.1%	77.3%	42.9%	6 / 11	* / 7
Average number of intended retrievals per new patient	1.2	1.2	1.6	1.4	1.0
Average number of transfers per intended retrieval	1.1	0.8	0.4	0.5	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	17	*
Percentage of transfers resulting in live births			11 / 17	* / *
Percentage of transfers resulting in singleton live births			10 / 17	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	224	102	78	35	17	456
Percentage of cycles cancelled prior to retrieval or thaw	11.2%	12.7%	15.4%	22.9%	* / 17	13.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.9%	1.0%	1.3%	0.0%	* / 17	1.1%
Percentage of cycles for fertility preservation	1.8%	1.0%	1.3%	5.7%	0 / 17	1.8%
Percentage of transfers using a gestational carrier	1.7%	1.8%	2.6%	0 / 15	0 / 7	1.7%
Percentage of transfers using frozen embryos	86.4%	94.6%	92.3%	15 / 15	6 / 7	90.2%
Percentage of transfers of at least one embryo with ICSI	94.1%	83.9%	76.9%	8 / 15	* / 7	84.7%
Percentage of transfers of at least one embryo with PGT	42.4%	64.3%	61.5%	10 / 15	* / 7	52.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	42%	Diminished ovarian reserve	27%
Endometriosis	6%	Egg or embryo banking	37%
Tubal factor	14%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	14%	Other, infertility	44%
Uterine factor	3%	Other, non-infertility	4%
PGT	41%	Unexplained	5%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SANFORD HEALTH REPRODUCTIVE MEDICINE INSTITUTE
FARGO, NORTH DAKOTA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Steffen P. Christensen, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	89	18	21	*	*
Percentage of intended retrievals resulting in live births	56.2%	9 / 18	33.3%	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	33.7%	7 / 18	23.8%	0 / *	0 / *
Number of **retrievals**	81	13	19	*	*
Percentage of retrievals resulting in live births	61.7%	9 / 13	7 / 19	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	37.0%	7 / 13	5 / 19	0 / *	0 / *
Number of **transfers**	86	13	11	0	*
Percentage of transfers resulting in live births	58.1%	9 / 13	7 / 11		0 / *
Percentage of transfers resulting in singleton live births	34.9%	7 / 13	5 / 11		0 / *
Number of intended retrievals per live birth	1.8	2.0	3.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	60.9%	6 / 14	* / 10	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	62.5%	7 / 14	* / 10	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	62.5%	7 / 14	* / 10	0 / *	0 / *
Average number of intended retrievals per new patient	1.0	1.1	1.5	1.0	1.3
Average number of transfers per intended retrieval	1.1	0.7	0.5	0.0	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	8	15	*
Percentage of transfers resulting in live births		* / 8	6 / 15	0 / *
Percentage of transfers resulting in singleton live births		* / 8	6 / 15	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	180	62	27	18	13	300
Percentage of cycles cancelled prior to retrieval or thaw	4.4%	6.5%	11.1%	* / 18	* / 13	7.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.2%	3.2%	0.0%	* / 18	* / 13	2.7%
Percentage of cycles for fertility preservation	2.2%	1.6%	0.0%	0 / 18	0 / 13	1.7%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0 / 18	0 / 11	* / 10	1.2%
Percentage of transfers using frozen embryos	99.0%	88.2%	16 / 18	9 / 11	7 / 10	93.1%
Percentage of transfers of at least one embryo with ICSI	95.0%	79.4%	16 / 18	5 / 11	5 / 10	85.5%
Percentage of transfers of at least one embryo with PGT	22.0%	35.3%	10 / 18	* / 11	0 / 10	27.7%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	38%	Diminished ovarian reserve	23%
Endometriosis	11%	Egg or embryo banking	35%
Tubal factor	20%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	27%	Other, infertility	16%
Uterine factor	3%	Other, non-infertility	10%
PGT	6%	Unexplained	7%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY UNLIMITED, INC.
NORTHEASTERN OHIO FERTILITY CENTER
AKRON, OHIO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Nicholas J. Spirtos, DO

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	13	*	6	0	0
Percentage of intended retrievals resulting in live births	9 / 13	* / *	* / 6		
Percentage of intended retrievals resulting in singleton live births	7 / 13	* / *	* / 6		
Number of **retrievals**	13	*	5	0	0
Percentage of retrievals resulting in live births	9 / 13	* / *	* / 5		
Percentage of retrievals resulting in singleton live births	7 / 13	* / *	* / 5		
Number of **transfers**	14	*	*	0	0
Percentage of transfers resulting in live births	9 / 14	* / *	* / *		
Percentage of transfers resulting in singleton live births	7 / 14	* / *	* / *		
Number of intended retrievals per live birth	1.4	1.5	6.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	7 / 11	* / *	* / 5		
Percentage of new patients having live births after 1 or 2 intended retrievals	8 / 11	* / *	* / 5		
Percentage of new patients having live births after all intended retrievals	8 / 11	* / *	* / 5		
Average number of intended retrievals per new patient	1.1	1.0	1.2		
Average number of transfers per intended retrieval	1.1	1.0	0.7		

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	*	5
Percentage of transfers resulting in live births	0 / *		0 / *	* / 5
Percentage of transfers resulting in singleton live births	0 / *		0 / *	* / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	20	7	10	*	6	45
Percentage of cycles cancelled prior to retrieval or thaw	5.0%	0 / 7	* / 10	* / *	0 / 6	8.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	0 / 7	0 / 10	0 / *	0 / 6	0.0%
Percentage of cycles for fertility preservation	0.0%	0 / 7	0 / 10	0 / *	0 / 6	0.0%
Percentage of transfers using a gestational carrier	0 / 15	* / 7	* / 7	0 / *	0 / 5	8.6%
Percentage of transfers using frozen embryos	7 / 15	* / 7	5 / 7	0 / *	* / 5	54.3%
Percentage of transfers of at least one embryo with ICSI	13 / 15	* / 7	5 / 7	* / *	0 / 5	65.7%
Percentage of transfers of at least one embryo with PGT	0 / 15	0 / 7	0 / 7	0 / *	0 / 5	0.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	60%	Diminished ovarian reserve	31%
Endometriosis	27%	Egg or embryo banking	13%
Tubal factor	11%	Recurrent pregnancy loss	11%
Ovulatory dysfunction	27%	Other, infertility	11%
Uterine factor	2%	Other, non-infertility	0%
PGT	0%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE GYNECOLOGY & INFERTILITY-AKRON
AKRON, OHIO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by David M. Nash, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	158	59	39	24	7
Percentage of intended retrievals resulting in live births	68.4%	57.6%	30.8%	25.0%	0 / 7
Percentage of intended retrievals resulting in singleton live births	65.2%	54.2%	30.8%	20.8%	0 / 7
Number of **retrievals**	153	57	36	20	6
Percentage of retrievals resulting in live births	70.6%	59.6%	33.3%	30.0%	0 / 6
Percentage of retrievals resulting in singleton live births	67.3%	56.1%	33.3%	25.0%	0 / 6
Number of **transfers**	191	75	36	16	6
Percentage of transfers resulting in live births	56.5%	45.3%	33.3%	6 / 16	0 / 6
Percentage of transfers resulting in singleton live births	53.9%	42.7%	33.3%	5 / 16	0 / 6
Number of intended retrievals per live birth	1.5	1.7	3.3	4.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	72.4%	50.0%	30.4%	* / 13	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	73.1%	55.0%	39.1%	5 / 13	0 / *
Percentage of new patients having live births after all intended retrievals	73.1%	55.0%	39.1%	5 / 13	0 / *
Average number of intended retrievals per new patient	1.0	1.1	1.3	1.5	1.5
Average number of transfers per intended retrieval	1.3	1.3	0.9	0.7	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	19	8
Percentage of transfers resulting in live births	0 / *	* / *	12 / 19	5 / 8
Percentage of transfers resulting in singleton live births	0 / *	* / *	12 / 19	5 / 8

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	478	171	91	25	29	794
Percentage of cycles cancelled prior to retrieval or thaw	4.4%	5.3%	5.5%	0.0%	0.0%	4.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	14.6%	11.7%	13.2%	20.0%	17.2%	14.1%
Percentage of cycles for fertility preservation	1.9%	0.6%	5.5%	4.0%	6.9%	2.3%
Percentage of transfers using a gestational carrier	1.2%	3.3%	0.0%	* / 13	* / 14	1.9%
Percentage of transfers using frozen embryos	92.6%	83.7%	85.1%	12 / 13	12 / 14	89.6%
Percentage of transfers of at least one embryo with ICSI	75.6%	72.8%	55.3%	6 / 13	8 / 14	71.2%
Percentage of transfers of at least one embryo with PGT	47.3%	40.2%	46.8%	6 / 13	5 / 14	45.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	32%	Diminished ovarian reserve	32%
Endometriosis	16%	Egg or embryo banking	29%
Tubal factor	19%	Recurrent pregnancy loss	10%
Ovulatory dysfunction	19%	Other, infertility	23%
Uterine factor	6%	Other, non-infertility	1%
PGT	22%	Unexplained	2%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CLEVELAND CLINIC FERTILITY CENTER
BEACHWOOD, OHIO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Cynthia Austin, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	178	113	94	31	8
Percentage of intended retrievals resulting in live births	59.6%	51.3%	28.7%	9.7%	0 / 8
Percentage of intended retrievals resulting in singleton live births	55.1%	46.0%	24.5%	9.7%	0 / 8
Number of **retrievals**	155	95	77	27	7
Percentage of retrievals resulting in live births	68.4%	61.1%	35.1%	11.1%	0 / 7
Percentage of retrievals resulting in singleton live births	63.2%	54.7%	29.9%	11.1%	0 / 7
Number of **transfers**	206	108	59	15	*
Percentage of transfers resulting in live births	51.5%	53.7%	45.8%	* / 15	0 / *
Percentage of transfers resulting in singleton live births	47.6%	48.1%	39.0%	* / 15	0 / *
Number of intended retrievals per live birth	1.7	1.9	3.5	10.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	62.2%	58.3%	26.0%	13.0%	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	65.2%	62.5%	34.0%	13.0%	0 / *
Percentage of new patients having live births after all intended retrievals	65.2%	63.9%	36.0%	13.0%	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.4	1.1	1.5
Average number of transfers per intended retrieval	1.2	1.0	0.6	0.5	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	51	13
Percentage of transfers resulting in live births	* / *		41.2%	6 / 13
Percentage of transfers resulting in singleton live births	* / *		33.3%	5 / 13

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	471	274	221	103	68	1,137
Percentage of cycles cancelled prior to retrieval or thaw	9.8%	15.0%	13.6%	15.5%	11.8%	12.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.1%	6.2%	7.7%	13.6%	5.9%	8.4%
Percentage of cycles for fertility preservation	8.9%	4.4%	5.0%	6.8%	0.0%	6.3%
Percentage of transfers using a gestational carrier	0.0%	1.2%	2.9%	4.4%	2.5%	1.3%
Percentage of transfers using frozen embryos	74.3%	72.2%	76.5%	80.0%	87.5%	75.4%
Percentage of transfers of at least one embryo with ICSI	95.6%	93.2%	94.1%	82.2%	77.5%	92.6%
Percentage of transfers of at least one embryo with PGT	8.5%	16.0%	35.3%	22.2%	15.0%	16.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	25%
Endometriosis	7%	Egg or embryo banking	28%
Tubal factor	7%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	13%	Other, infertility	38%
Uterine factor	6%	Other, non-infertility	1%
PGT	27%	Unexplained	13%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY HOSPITALS FERTILITY CENTER
BEACHWOOD, OHIO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Rebecca Flyckt, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	163	62	84	25	25
Percentage of intended retrievals resulting in live births	39.3%	35.5%	11.9%	4.0%	0.0%
Percentage of intended retrievals resulting in singleton live births	34.4%	35.5%	10.7%	4.0%	0.0%
Number of **retrievals**	128	45	51	13	12
Percentage of retrievals resulting in live births	50.0%	48.9%	19.6%	* / 13	0 / 12
Percentage of retrievals resulting in singleton live births	43.8%	48.9%	17.6%	* / 13	0 / 12
Number of **transfers**	157	51	45	11	6
Percentage of transfers resulting in live births	40.8%	43.1%	22.2%	* / 11	0 / 6
Percentage of transfers resulting in singleton live births	35.7%	43.1%	20.0%	* / 11	0 / 6
Number of intended retrievals per live birth	2.5	2.8	8.4	25.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	36.9%	42.9%	16.1%	0 / 14	0 / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	45.6%	45.7%	22.6%	* / 14	0 / 7
Percentage of new patients having live births after all intended retrievals	48.5%	45.7%	22.6%	* / 14	0 / 7
Average number of intended retrievals per new patient	1.3	1.3	1.5	1.5	1.4
Average number of transfers per intended retrieval	1.0	0.8	0.7	0.3	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	*	39	0
Percentage of transfers resulting in live births	7 / 8	* / *	43.6%	
Percentage of transfers resulting in singleton live births	6 / 8	* / *	43.6%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	299	165	165	51	66	746
Percentage of cycles cancelled prior to retrieval or thaw	14.7%	18.2%	18.8%	23.5%	18.2%	17.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	13.7%	13.9%	9.7%	3.9%	4.5%	11.4%
Percentage of cycles for fertility preservation	6.0%	4.2%	4.2%	3.9%	0.0%	4.6%
Percentage of transfers using a gestational carrier	1.8%	0.0%	1.3%	8.7%	16.1%	2.9%
Percentage of transfers using frozen embryos	56.7%	56.3%	56.0%	65.2%	74.2%	58.4%
Percentage of transfers of at least one embryo with ICSI	97.6%	98.9%	98.7%	91.3%	100.0%	97.9%
Percentage of transfers of at least one embryo with PGT	4.3%	8.0%	21.3%	13.0%	19.4%	10.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	10%
Endometriosis	4%	Egg or embryo banking	23%
Tubal factor	14%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	7%	Other, infertility	19%
Uterine factor	2%	Other, non-infertility	9%
PGT	5%	Unexplained	24%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BETHESDA FERTILITY CENTER
CINCINNATI, OHIO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Kasey Reynolds, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	59	38	11	10	7
Percentage of intended retrievals resulting in live births	42.4%	36.8%	* / 11	0 / 10	* / 7
Percentage of intended retrievals resulting in singleton live births	30.5%	28.9%	* / 11	0 / 10	* / 7
Number of **retrievals**	52	31	9	*	5
Percentage of retrievals resulting in live births	48.1%	45.2%	* / 9	0 / *	* / 5
Percentage of retrievals resulting in singleton live births	34.6%	35.5%	* / 9	0 / *	* / 5
Number of **transfers**	62	36	8	*	5
Percentage of transfers resulting in live births	40.3%	38.9%	* / 8	0 / *	* / 5
Percentage of transfers resulting in singleton live births	29.0%	30.6%	* / 8	0 / *	* / 5
Number of intended retrievals per live birth	2.4	2.7	3.7		7.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	34.9%	34.6%	* / 10	0 / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	44.2%	38.5%	* / 10	0 / 5	0 / *
Percentage of new patients having live births after all intended retrievals	44.2%	42.3%	* / 10	0 / 5	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.1	1.6	1.0
Average number of transfers per intended retrieval	1.0	0.9	0.7	0.4	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	6	11	8
Percentage of transfers resulting in live births	* / 7	* / 6	5 / 11	* / 8
Percentage of transfers resulting in singleton live births	* / 7	* / 6	5 / 11	* / 8

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	153	84	41	21	34	333
Percentage of cycles cancelled prior to retrieval or thaw	10.5%	16.7%	24.4%	33.3%	14.7%	15.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.8%	10.7%	4.9%	0.0%	11.8%	9.0%
Percentage of cycles for fertility preservation	0.7%	3.6%	2.4%	4.8%	2.9%	2.1%
Percentage of transfers using a gestational carrier	1.0%	2.0%	0.0%	0 / 11	0.0%	1.0%
Percentage of transfers using frozen embryos	52.0%	66.7%	73.9%	9 / 11	54.5%	59.8%
Percentage of transfers of at least one embryo with ICSI	79.4%	90.2%	73.9%	6 / 11	68.2%	78.9%
Percentage of transfers of at least one embryo with PGT	6.9%	9.8%	4.3%	* / 11	0.0%	7.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	21%	Diminished ovarian reserve	38%
Endometriosis	6%	Egg or embryo banking	17%
Tubal factor	8%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	28%	Other, infertility	4%
Uterine factor	2%	Other, non-infertility	1%
PGT	2%	Unexplained	9%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

INSTITUTE FOR REPRODUCTIVE HEALTH
CINCINNATI, OHIO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Sherif G. Awadalla, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	414	120	96	36	9
Percentage of intended retrievals resulting in live births	50.7%	32.5%	28.1%	11.1%	0 / 9
Percentage of intended retrievals resulting in singleton live births	44.0%	31.7%	26.0%	11.1%	0 / 9
Number of **retrievals**	381	102	80	26	*
Percentage of retrievals resulting in live births	55.1%	38.2%	33.8%	15.4%	0 / *
Percentage of retrievals resulting in singleton live births	47.8%	37.3%	31.3%	15.4%	0 / *
Number of **transfers**	546	130	94	24	*
Percentage of transfers resulting in live births	38.5%	30.0%	28.7%	16.7%	0 / *
Percentage of transfers resulting in singleton live births	33.3%	29.2%	26.6%	16.7%	0 / *
Number of intended retrievals per live birth	2.0	3.1	3.6	9.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	56.4%	35.2%	35.4%	* / 16	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	63.7%	39.4%	37.5%	* / 16	0 / *
Percentage of new patients having live births after all intended retrievals	64.1%	39.4%	37.5%	* / 16	0 / *
Average number of intended retrievals per new patient	1.2	1.2	1.3	1.7	1.0
Average number of transfers per intended retrieval	1.3	1.1	1.0	0.7	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	9	47	52	5
Percentage of transfers resulting in live births	* / 9	40.4%	34.6%	* / 5
Percentage of transfers resulting in singleton live births	* / 9	31.9%	32.7%	* / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	739	272	239	78	65	1,393
Percentage of cycles cancelled prior to retrieval or thaw	6.4%	7.0%	16.7%	15.4%	29.2%	9.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.7%	4.0%	4.2%	0.0%	4.6%	4.2%
Percentage of cycles for fertility preservation	0.9%	2.6%	1.7%	0.0%	0.0%	1.3%
Percentage of transfers using a gestational carrier	3.1%	2.8%	2.4%	0.0%	2.4%	2.7%
Percentage of transfers using frozen embryos	51.4%	56.9%	42.5%	41.8%	50.0%	50.6%
Percentage of transfers of at least one embryo with ICSI	71.7%	75.5%	73.7%	83.6%	69.0%	73.3%
Percentage of transfers of at least one embryo with PGT	10.2%	10.2%	10.2%	10.9%	2.4%	9.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	18%
Endometriosis	13%	Egg or embryo banking	9%
Tubal factor	13%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	25%	Other, infertility	14%
Uterine factor	11%	Other, non-infertility	2%
PGT	7%	Unexplained	6%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

OHIO REPRODUCTIVE MEDICINE
COLUMBUS, OHIO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Grant E. Schmidt, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	226	110	82	26	6
Percentage of intended retrievals resulting in live births	54.4%	34.5%	24.4%	3.8%	* / 6
Percentage of intended retrievals resulting in singleton live births	51.3%	30.9%	23.2%	3.8%	* / 6
Number of **retrievals**	216	100	72	19	5
Percentage of retrievals resulting in live births	56.9%	38.0%	27.8%	* / 19	* / 5
Percentage of retrievals resulting in singleton live births	53.7%	34.0%	26.4%	* / 19	* / 5
Number of **transfers**	252	107	63	11	5
Percentage of transfers resulting in live births	48.8%	35.5%	31.7%	* / 11	* / 5
Percentage of transfers resulting in singleton live births	46.0%	31.8%	30.2%	* / 11	* / 5
Number of intended retrievals per live birth	1.8	2.9	4.1	26.0	6.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	59.3%	31.9%	13.3%	0 / 11	* / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	61.6%	37.7%	23.3%	0 / 11	* / 6
Percentage of new patients having live births after all intended retrievals	61.6%	37.7%	26.7%	0 / 11	* / 6
Average number of intended retrievals per new patient	1.1	1.2	1.6	1.6	1.0
Average number of transfers per intended retrieval	1.1	1.1	0.7	0.3	0.8

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	11	*	23	*
Percentage of transfers resulting in live births	6 / 11	* / *	60.9%	* / *
Percentage of transfers resulting in singleton live births	5 / 11	* / *	56.5%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	374	217	143	59	47	840
Percentage of cycles cancelled prior to retrieval or thaw	4.0%	5.1%	11.2%	10.2%	17.0%	6.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	14.4%	10.1%	16.1%	25.4%	17.0%	14.5%
Percentage of cycles for fertility preservation	1.3%	2.8%	3.5%	1.7%	0.0%	2.0%
Percentage of transfers using a gestational carrier	1.5%	3.0%	1.1%	6.7%	3.2%	2.2%
Percentage of transfers using frozen embryos	54.6%	58.3%	52.8%	53.3%	45.2%	54.9%
Percentage of transfers of at least one embryo with ICSI	45.4%	45.2%	32.6%	26.7%	45.2%	42.4%
Percentage of transfers of at least one embryo with PGT	3.7%	3.0%	3.4%	6.7%	9.7%	3.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	32%	Diminished ovarian reserve	28%
Endometriosis	8%	Egg or embryo banking	12%
Tubal factor	12%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	8%	Other, infertility	12%
Uterine factor	4%	Other, non-infertility	1%
PGT	7%	Unexplained	18%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SPRINGCREEK FERTILITY
DAYTON, OHIO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jeremy M. Groll, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	84	32	20	6	*
Percentage of intended retrievals resulting in live births	50.0%	34.4%	15.0%	* / 6	0 / *
Percentage of intended retrievals resulting in singleton live births	42.9%	28.1%	10.0%	* / 6	0 / *
Number of **retrievals**	80	30	18	*	*
Percentage of retrievals resulting in live births	52.5%	36.7%	* / 18	* / *	0 / *
Percentage of retrievals resulting in singleton live births	45.0%	30.0%	* / 18	* / *	0 / *
Number of **transfers**	84	32	16	*	*
Percentage of transfers resulting in live births	50.0%	34.4%	* / 16	* / *	0 / *
Percentage of transfers resulting in singleton live births	42.9%	28.1%	* / 16	* / *	0 / *
Number of intended retrievals per live birth	2.0	2.9	6.7	6.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	50.0%	6 / 19	* / 9	* / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	51.6%	7 / 19	* / 9	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	51.6%	8 / 19	* / 9	* / *	0 / *
Average number of intended retrievals per new patient	1.0	1.2	1.2	1.3	2.0
Average number of transfers per intended retrieval	1.0	1.0	0.8	0.2	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	*	22	*
Percentage of transfers resulting in live births	* / 6	* / *	40.9%	* / *
Percentage of transfers resulting in singleton live births	* / 6	* / *	36.4%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	240	78	49	18	20	405
Percentage of cycles cancelled prior to retrieval or thaw	1.3%	1.3%	0.0%	0 / 18	10.0%	1.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.1%	3.8%	8.2%	* / 18	5.0%	3.5%
Percentage of cycles for fertility preservation	37.1%	38.5%	26.5%	8 / 18	25.0%	35.8%
Percentage of transfers using a gestational carrier	2.8%	2.3%	3.1%	0 / 9	* / 12	3.8%
Percentage of transfers using frozen embryos	94.3%	97.7%	84.4%	7 / 9	10 / 12	92.4%
Percentage of transfers of at least one embryo with ICSI	75.9%	72.7%	65.6%	8 / 9	8 / 12	73.9%
Percentage of transfers of at least one embryo with PGT	28.4%	43.2%	9.4%	* / 9	6 / 12	30.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	66%	Diminished ovarian reserve	56%
Endometriosis	15%	Egg or embryo banking	41%
Tubal factor	16%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	18%	Other, infertility	35%
Uterine factor	4%	Other, non-infertility	4%
PGT	30%	Unexplained	1%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

THE FERTILITY WELLNESS INSTITUTE OF OHIO
WEST CHESTER, OHIO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Neeoo W. Chin, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	37	20	*	13	*
Percentage of intended retrievals resulting in live births	51.4%	15.0%	* / *	* / 13	* / *
Percentage of intended retrievals resulting in singleton live births	32.4%	15.0%	0 / *	* / 13	* / *
Number of **retrievals**	33	16	*	9	*
Percentage of retrievals resulting in live births	57.6%	* / 16	* / *	* / 9	* / *
Percentage of retrievals resulting in singleton live births	36.4%	* / 16	0 / *	* / 9	* / *
Number of **transfers**	37	15	*	7	*
Percentage of transfers resulting in live births	51.4%	* / 15	* / *	* / 7	* / *
Percentage of transfers resulting in singleton live births	32.4%	* / 15	0 / *	* / 7	* / *
Number of intended retrievals per live birth	1.9	6.7	3.0	13.0	4.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	61.5%	* / 11		* / *	* / *
Percentage of new patients having live births after 1 or 2 intended retrievals	61.5%	* / 11		* / *	* / *
Percentage of new patients having live births after all intended retrievals	61.5%	* / 11		* / *	* / *
Average number of intended retrievals per new patient	1.0	1.5		2.0	1.0
Average number of transfers per intended retrieval	1.1	0.8		0.5	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	5	0
Percentage of transfers resulting in live births	* / *		* / 5	
Percentage of transfers resulting in singleton live births	* / *		* / 5	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	42	15	15	5	11	88
Percentage of cycles cancelled prior to retrieval or thaw	11.9%	* / 15	* / 15	* / 5	* / 11	13.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.5%	* / 15	0 / 15	0 / 5	* / 11	8.0%
Percentage of cycles for fertility preservation	0.0%	0 / 15	0 / 15	0 / 5	0 / 11	0.0%
Percentage of transfers using a gestational carrier	0.0%	0 / 12	0 / 13	0 / *	0 / 6	0.0%
Percentage of transfers using frozen embryos	29.0%	* / 12	6 / 13	* / *	* / 6	32.3%
Percentage of transfers of at least one embryo with ICSI	71.0%	8 / 12	8 / 13	* / *	5 / 6	69.2%
Percentage of transfers of at least one embryo with PGT	6.5%	0 / 12	0 / 13	0 / *	* / 6	4.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	33%
Endometriosis	48%	Egg or embryo banking	3%
Tubal factor	19%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	26%	Other, infertility	1%
Uterine factor	13%	Other, non-infertility	0%
PGT	1%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UC CENTER FOR REPRODUCTIVE HEALTH
WEST CHESTER, OHIO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Suruchi S. Thakore, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	76	35	6	11	*
Percentage of intended retrievals resulting in live births	46.1%	22.9%	* / 6	0 / 11	0 / *
Percentage of intended retrievals resulting in singleton live births	32.9%	11.4%	* / 6	0 / 11	0 / *
Number of **retrievals**	64	28	*	8	*
Percentage of retrievals resulting in live births	54.7%	28.6%	* / *	0 / 8	0 / *
Percentage of retrievals resulting in singleton live births	39.1%	14.3%	* / *	0 / 8	0 / *
Number of **transfers**	74	24	5	*	*
Percentage of transfers resulting in live births	47.3%	33.3%	* / 5	0 / *	0 / *
Percentage of transfers resulting in singleton live births	33.8%	16.7%	* / 5	0 / *	0 / *
Number of intended retrievals per live birth	2.2	4.4	6.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	44.2%	25.0%	* / *	0 / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	51.9%	30.0%	* / *	0 / 5	0 / *
Percentage of new patients having live births after all intended retrievals	57.7%	35.0%	* / *	0 / 5	0 / *
Average number of intended retrievals per new patient	1.3	1.4	1.3	1.6	1.0
Average number of transfers per intended retrieval	0.9	0.7	0.6	0.5	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	*	8
Percentage of transfers resulting in live births	* / *		* / *	* / 8
Percentage of transfers resulting in singleton live births	* / *		0 / *	* / 8

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	164	68	34	12	11	289
Percentage of cycles cancelled prior to retrieval or thaw	9.8%	11.8%	23.5%	* / 12	* / 11	12.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.5%	5.9%	2.9%	* / 12	* / 11	8.7%
Percentage of cycles for fertility preservation	8.5%	4.4%	0.0%	0 / 12	0 / 11	5.9%
Percentage of transfers using a gestational carrier	1.9%	5.9%	0.0%	0 / 6	0 / *	2.6%
Percentage of transfers using frozen embryos	50.5%	52.9%	36.4%	* / 6	* / *	50.0%
Percentage of transfers of at least one embryo with ICSI	69.2%	68.6%	63.6%	* / 6	* / *	66.8%
Percentage of transfers of at least one embryo with PGT	7.5%	2.0%	4.5%	* / 6	0 / *	5.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	48%	Diminished ovarian reserve	18%
Endometriosis	11%	Egg or embryo banking	16%
Tubal factor	14%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	28%	Other, infertility	23%
Uterine factor	8%	Other, non-infertility	10%
PGT	7%	Unexplained	8%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE GYNECOLOGY & INFERTILITY-WESTERVILLE
WESTERVILLE, OHIO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by David M. Nash, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	128	42	19	9	*
Percentage of intended retrievals resulting in live births	69.5%	45.2%	7 / 19	* / 9	0 / *
Percentage of intended retrievals resulting in singleton live births	66.4%	40.5%	6 / 19	* / 9	0 / *
Number of **retrievals**	126	39	16	9	*
Percentage of retrievals resulting in live births	70.6%	48.7%	7 / 16	* / 9	0 / *
Percentage of retrievals resulting in singleton live births	67.5%	43.6%	6 / 16	* / 9	0 / *
Number of **transfers**	167	47	15	8	*
Percentage of transfers resulting in live births	53.3%	40.4%	7 / 15	* / 8	0 / *
Percentage of transfers resulting in singleton live births	50.9%	36.2%	6 / 15	* / 8	0 / *
Number of intended retrievals per live birth	1.4	2.2	2.7	2.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	70.5%	45.2%	* / 14	* / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	75.2%	48.4%	5 / 14	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	75.2%	48.4%	5 / 14	* / *	0 / *
Average number of intended retrievals per new patient	1.1	1.0	1.1	1.0	1.0
Average number of transfers per intended retrieval	1.4	1.2	0.7	1.0	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	51	*
Percentage of transfers resulting in live births			49.0%	* / *
Percentage of transfers resulting in singleton live births			49.0%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	333	164	99	48	35	679
Percentage of cycles cancelled prior to retrieval or thaw	7.5%	7.9%	16.2%	12.5%	8.6%	9.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.1%	1.8%	3.0%	0.0%	0.0%	1.9%
Percentage of cycles for fertility preservation	1.8%	3.0%	0.0%	0.0%	0.0%	1.6%
Percentage of transfers using a gestational carrier	3.2%	2.4%	4.1%	0.0%	0.0%	2.7%
Percentage of transfers using frozen embryos	93.5%	94.0%	89.8%	100.0%	95.5%	93.7%
Percentage of transfers of at least one embryo with ICSI	63.2%	61.4%	42.9%	53.6%	63.6%	59.4%
Percentage of transfers of at least one embryo with PGT	68.1%	63.9%	59.2%	75.0%	50.0%	65.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	21%	Diminished ovarian reserve	40%
Endometriosis	4%	Egg or embryo banking	35%
Tubal factor	9%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	16%	Other, infertility	9%
Uterine factor	13%	Other, non-infertility	1%
PGT	3%	Unexplained	12%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BENNETT FERTILITY INSTITUTE
OKLAHOMA CITY, OKLAHOMA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Eli Reshef, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	99	53	27	11	*
Percentage of intended retrievals resulting in live births	51.5%	26.4%	11.1%	* / 11	0 / *
Percentage of intended retrievals resulting in singleton live births	38.4%	22.6%	11.1%	* / 11	0 / *
Number of **retrievals**	94	45	24	8	*
Percentage of retrievals resulting in live births	54.3%	31.1%	12.5%	* / 8	0 / *
Percentage of retrievals resulting in singleton live births	40.4%	26.7%	12.5%	* / 8	0 / *
Number of **transfers**	103	46	20	*	*
Percentage of transfers resulting in live births	49.5%	30.4%	15.0%	* / *	0 / *
Percentage of transfers resulting in singleton live births	36.9%	26.1%	15.0%	* / *	0 / *
Number of intended retrievals per live birth	1.9	3.8	9.0	11.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.1%	30.3%	* / 16	* / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	57.4%	33.3%	* / 16	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	57.4%	33.3%	* / 16	* / *	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.3	1.0
Average number of transfers per intended retrieval	1.0	0.8	0.8	0.2	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	8	7	16
Percentage of transfers resulting in live births	* / *	* / 8	* / 7	* / 16
Percentage of transfers resulting in singleton live births	* / *	* / 8	* / 7	* / 16

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	165	96	48	17	16	342
Percentage of cycles cancelled prior to retrieval or thaw	6.7%	8.3%	8.3%	* / 17	* / 16	8.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	17.6%	8.3%	10.4%	* / 17	* / 16	12.9%
Percentage of cycles for fertility preservation	0.6%	1.0%	0.0%	* / 17	0 / 16	0.9%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 9	0 / 13	0.0%
Percentage of transfers using frozen embryos	61.1%	60.3%	62.5%	* / 9	6 / 13	59.6%
Percentage of transfers of at least one embryo with ICSI	65.7%	73.0%	71.9%	7 / 9	7 / 13	68.4%
Percentage of transfers of at least one embryo with PGT	11.1%	14.3%	12.5%	* / 9	0 / 13	12.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	No	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	59%	Diminished ovarian reserve	9%
Endometriosis	18%	Egg or embryo banking	15%
Tubal factor	25%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	20%	Other, infertility	15%
Uterine factor	5%	Other, non-infertility	2%
PGT	8%	Unexplained	6%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

OU PHYSICIANS REPRODUCTIVE MEDICINE
OKLAHOMA CITY, OKLAHOMA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by LaTasha B. Craig, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	102	33	31	*	*
Percentage of intended retrievals resulting in live births	60.8%	36.4%	35.5%	* / *	0 / *
Percentage of intended retrievals resulting in singleton live births	50.0%	33.3%	32.3%	* / *	0 / *
Number of **retrievals**	100	30	28	*	*
Percentage of retrievals resulting in live births	62.0%	40.0%	39.3%	* / *	0 / *
Percentage of retrievals resulting in singleton live births	51.0%	36.7%	35.7%	* / *	0 / *
Number of **transfers**	133	29	35	5	*
Percentage of transfers resulting in live births	46.6%	41.4%	31.4%	* / 5	0 / *
Percentage of transfers resulting in singleton live births	38.3%	37.9%	28.6%	* / 5	0 / *
Number of intended retrievals per live birth	1.6	2.8	2.8	2.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	67.6%	30.0%	40.0%	* / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	72.1%	40.0%	45.0%	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	72.1%	40.0%	45.0%	* / *	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.4	1.0	1.0
Average number of transfers per intended retrieval	1.3	0.8	1.1	1.3	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	7	5	11
Percentage of transfers resulting in live births		5 / 7	* / 5	7 / 11
Percentage of transfers resulting in singleton live births		* / 7	* / 5	* / 11

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	184	83	58	13	17	355
Percentage of cycles cancelled prior to retrieval or thaw	3.8%	6.0%	17.2%	* / 13	* / 17	7.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.2%	2.4%	1.7%	0 / 13	* / 17	2.3%
Percentage of cycles for fertility preservation	3.8%	2.4%	3.4%	* / 13	0 / 17	3.4%
Percentage of transfers using a gestational carrier	0.7%	1.5%	0.0%	0 / 8	* / 14	1.1%
Percentage of transfers using frozen embryos	46.0%	52.3%	51.4%	* / 8	8 / 14	48.9%
Percentage of transfers of at least one embryo with ICSI	77.3%	72.3%	65.7%	6 / 8	8 / 14	73.5%
Percentage of transfers of at least one embryo with PGT	12.0%	15.4%	17.1%	* / 8	* / 14	14.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	47%	Diminished ovarian reserve	16%
Endometriosis	10%	Egg or embryo banking	14%
Tubal factor	17%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	21%	Other, infertility	24%
Uterine factor	3%	Other, non-infertility	<1%
PGT	5%	Unexplained	12%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

TULSA FERTILITY CENTER
TULSA, OKLAHOMA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Stanley G. Prough, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	144	36	22	8	*
Percentage of intended retrievals resulting in live births	43.8%	47.2%	9.1%	0 / 8	0 / *
Percentage of intended retrievals resulting in singleton live births	35.4%	41.7%	9.1%	0 / 8	0 / *
Number of **retrievals**	135	35	20	7	*
Percentage of retrievals resulting in live births	46.7%	48.6%	10.0%	0 / 7	0 / *
Percentage of retrievals resulting in singleton live births	37.8%	42.9%	10.0%	0 / 7	0 / *
Number of **transfers**	111	25	6	0	*
Percentage of transfers resulting in live births	56.8%	68.0%	* / 6		0 / *
Percentage of transfers resulting in singleton live births	45.9%	60.0%	* / 6		0 / *
Number of intended retrievals per live birth	2.3	2.1	11.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	50.0%	45.5%	* / 14	0 / 7	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	56.3%	54.5%	* / 14	0 / 7	0 / *
Percentage of new patients having live births after all intended retrievals	56.3%	59.1%	* / 14	0 / 7	0 / *
Average number of intended retrievals per new patient	1.2	1.2	1.4	1.0	1.0
Average number of transfers per intended retrieval	0.8	0.7	0.3	0.0	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	5	0	11	8
Percentage of transfers resulting in live births	* / 5		* / 11	* / 8
Percentage of transfers resulting in singleton live births	* / 5		* / 11	* / 8

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	274	89	43	21	13	440
Percentage of cycles cancelled prior to retrieval or thaw	2.6%	6.7%	9.3%	4.8%	* / 13	4.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	17.2%	14.6%	14.0%	33.3%	* / 13	17.3%
Percentage of cycles for fertility preservation	0.4%	1.1%	2.3%	0.0%	0 / 13	0.7%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 8	0 / 6	0.0%
Percentage of transfers using frozen embryos	92.8%	86.7%	87.0%	5 / 8	* / 6	88.4%
Percentage of transfers of at least one embryo with ICSI	94.4%	88.9%	69.6%	8 / 8	5 / 6	90.3%
Percentage of transfers of at least one embryo with PGT	24.8%	40.0%	34.8%	* / 8	0 / 6	29.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	66%	Diminished ovarian reserve	16%
Endometriosis	5%	Egg or embryo banking	36%
Tubal factor	7%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	14%	Other, infertility	47%
Uterine factor	0%	Other, non-infertility	<1%
PGT	20%	Unexplained	5%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE FERTILITY CENTER OF OREGON
EUGENE, OREGON

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Douglas J. Austin, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	42	20	21	8	5
Percentage of intended retrievals resulting in live births	59.5%	40.0%	28.6%	0 / 8	0 / 5
Percentage of intended retrievals resulting in singleton live births	40.5%	30.0%	28.6%	0 / 8	0 / 5
Number of **retrievals**	40	19	18	8	5
Percentage of retrievals resulting in live births	62.5%	8 / 19	6 / 18	0 / 8	0 / 5
Percentage of retrievals resulting in singleton live births	42.5%	6 / 19	6 / 18	0 / 8	0 / 5
Number of **transfers**	52	24	18	*	0
Percentage of transfers resulting in live births	48.1%	33.3%	6 / 18	0 / *	
Percentage of transfers resulting in singleton live births	32.7%	25.0%	6 / 18	0 / *	
Number of intended retrievals per live birth	1.7	2.5	3.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	57.1%	6 / 15	* / 11	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	62.9%	6 / 15	* / 11	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	62.9%	6 / 15	* / 11	0 / *	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.2	2.0	2.5
Average number of transfers per intended retrieval	1.3	1.3	0.9	0.4	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	0	15	0
Percentage of transfers resulting in live births	* / 7		7 / 15	
Percentage of transfers resulting in singleton live births	* / 7		6 / 15	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	82	52	47	10	14	205
Percentage of cycles cancelled prior to retrieval or thaw	1.2%	0.0%	8.5%	* / 10	0 / 14	2.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	5.8%	2.1%	* / 10	0 / 14	2.4%
Percentage of cycles for fertility preservation	2.4%	0.0%	0.0%	0 / 10	0 / 14	1.0%
Percentage of transfers using a gestational carrier	0.0%	2.5%	0.0%	* / *	0 / 11	1.4%
Percentage of transfers using frozen embryos	59.6%	62.5%	62.1%	* / *	5 / 11	61.0%
Percentage of transfers of at least one embryo with ICSI	98.2%	97.5%	93.1%	* / *	11 / 11	97.2%
Percentage of transfers of at least one embryo with PGT	21.1%	25.0%	24.1%	0 / *	* / 11	22.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	35%	Diminished ovarian reserve	47%
Endometriosis	7%	Egg or embryo banking	27%
Tubal factor	6%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	25%	Other, infertility	1%
Uterine factor	2%	Other, non-infertility	0%
PGT	27%	Unexplained	8%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

OREGON FERTILITY INSTITUTE
PORTLAND, OREGON

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Aimee Chang, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	7	0
Percentage of transfers resulting in live births			* / 7	
Percentage of transfers resulting in singleton live births			* / 7	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	51	32	15	11	9	118
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	0 / 15	* / 11	0 / 9	2.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.0%	0.0%	* / 15	* / 11	* / 9	3.4%
Percentage of cycles for fertility preservation	2.0%	0.0%	* / 15	0 / 11	0 / 9	1.7%
Percentage of transfers using a gestational carrier	0.0%	0 / 19	0 / 10	0 / *	0 / *	0.0%
Percentage of transfers using frozen embryos	96.6%	19 / 19	10 / 10	* / *	* / *	96.9%
Percentage of transfers of at least one embryo with ICSI	100.0%	19 / 19	10 / 10	* / *	* / *	100.0%
Percentage of transfers of at least one embryo with PGT	79.3%	16 / 19	9 / 10	* / *	* / *	83.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	41%
Endometriosis	3%	Egg or embryo banking	45%
Tubal factor	11%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	8%	Other, infertility	1%
Uterine factor	1%	Other, non-infertility	0%
PGT	39%	Unexplained	14%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ORM FERTILITY-PORTLAND
PORTLAND, OREGON

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by John S. Hesla, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	278	241	193	80	27
Percentage of intended retrievals resulting in live births	52.5%	45.6%	27.5%	23.8%	0.0%
Percentage of intended retrievals resulting in singleton live births	37.8%	33.6%	23.8%	18.8%	0.0%
Number of **retrievals**	260	219	152	75	21
Percentage of retrievals resulting in live births	56.2%	50.2%	34.9%	25.3%	0.0%
Percentage of retrievals resulting in singleton live births	40.4%	37.0%	30.3%	20.0%	0.0%
Number of **transfers**	245	165	87	25	5
Percentage of transfers resulting in live births	59.6%	66.7%	60.9%	76.0%	0 / 5
Percentage of transfers resulting in singleton live births	42.9%	49.1%	52.9%	60.0%	0 / 5
Number of intended retrievals per live birth	1.9	2.2	3.6	4.2	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	58.7%	49.7%	36.5%	27.0%	0 / 15
Percentage of new patients having live births after 1 or 2 intended retrievals	65.2%	56.5%	42.7%	35.1%	0 / 15
Percentage of new patients having live births after all intended retrievals	67.7%	57.8%	43.8%	40.5%	0 / 15
Average number of intended retrievals per new patient	1.2	1.2	1.3	1.4	1.2
Average number of transfers per intended retrieval	0.9	0.7	0.5	0.3	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	436	59
Percentage of transfers resulting in live births	* / *	* / *	72.9%	54.2%
Percentage of transfers resulting in singleton live births	* / *	* / *	57.1%	52.5%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	625	502	515	213	341	2,196
Percentage of cycles cancelled prior to retrieval or thaw	6.4%	7.0%	9.7%	8.0%	7.9%	7.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.4%	3.8%	6.2%	6.1%	6.7%	4.6%
Percentage of cycles for fertility preservation	2.1%	5.2%	3.7%	2.3%	0.0%	2.9%
Percentage of transfers using a gestational carrier	30.4%	27.3%	31.5%	35.6%	48.2%	33.6%
Percentage of transfers using frozen embryos	91.0%	95.5%	95.4%	97.0%	97.4%	94.6%
Percentage of transfers of at least one embryo with ICSI	96.3%	89.0%	86.3%	89.1%	75.1%	88.1%
Percentage of transfers of at least one embryo with PGT	81.4%	83.7%	81.3%	80.2%	82.9%	82.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	35%
Endometriosis	7%	Egg or embryo banking	45%
Tubal factor	5%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	11%	Other, infertility	13%
Uterine factor	6%	Other, non-infertility	3%
PGT	3%	Unexplained	7%
Gestational carrier	14%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY FERTILITY CONSULTANTS
OREGON HEALTH & SCIENCE UNIVERSITY
PORTLAND, OREGON

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Diana H. Wu, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	107	47	69	26	25
Percentage of intended retrievals resulting in live births	59.8%	51.1%	37.7%	19.2%	4.0%
Percentage of intended retrievals resulting in singleton live births	58.9%	44.7%	36.2%	19.2%	4.0%
Number of **retrievals**	94	40	62	23	19
Percentage of retrievals resulting in live births	68.1%	60.0%	41.9%	21.7%	* / 19
Percentage of retrievals resulting in singleton live births	67.0%	52.5%	40.3%	21.7%	* / 19
Number of **transfers**	118	39	41	6	6
Percentage of transfers resulting in live births	54.2%	61.5%	63.4%	5 / 6	* / 6
Percentage of transfers resulting in singleton live births	53.4%	53.8%	61.0%	5 / 6	* / 6
Number of intended retrievals per live birth	1.7	2.0	2.7	5.2	25.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	53.3%	51.9%	37.1%	* / 10	0 / 9
Percentage of new patients having live births after 1 or 2 intended retrievals	68.0%	63.0%	51.4%	* / 10	0 / 9
Percentage of new patients having live births after all intended retrievals	70.7%	63.0%	51.4%	* / 10	* / 9
Average number of intended retrievals per new patient	1.2	1.2	1.4	1.1	1.8
Average number of transfers per intended retrieval	1.1	0.8	0.6	0.2	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	10	*	48	11
Percentage of transfers resulting in live births	7 / 10	0 / *	47.9%	* / 11
Percentage of transfers resulting in singleton live births	6 / 10	0 / *	39.6%	* / 11

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	264	159	152	51	69	695
Percentage of cycles cancelled prior to retrieval or thaw	4.2%	10.7%	7.2%	7.8%	5.8%	6.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.5%	1.9%	3.3%	5.9%	4.3%	2.6%
Percentage of cycles for fertility preservation	8.7%	8.8%	10.5%	5.9%	2.9%	8.3%
Percentage of transfers using a gestational carrier	5.5%	6.6%	9.5%	3.8%	11.1%	7.1%
Percentage of transfers using frozen embryos	91.0%	92.1%	93.2%	88.5%	84.4%	90.7%
Percentage of transfers of at least one embryo with ICSI	95.9%	89.5%	81.1%	84.6%	73.3%	88.0%
Percentage of transfers of at least one embryo with PGT	33.1%	39.5%	52.7%	61.5%	42.2%	41.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	37%
Endometriosis	8%	Egg or embryo banking	41%
Tubal factor	15%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	15%	Other, infertility	17%
Uterine factor	4%	Other, non-infertility	2%
PGT	7%	Unexplained	5%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SINCERA REPRODUCTIVE MEDICINE
ABINGTON, PENNSYLVANIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Annette Lee, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	180	104	73	34	10
Percentage of intended retrievals resulting in live births	48.9%	28.8%	23.3%	8.8%	0 / 10
Percentage of intended retrievals resulting in singleton live births	45.6%	26.9%	17.8%	8.8%	0 / 10
Number of **retrievals**	171	100	66	25	6
Percentage of retrievals resulting in live births	51.5%	30.0%	25.8%	12.0%	0 / 6
Percentage of retrievals resulting in singleton live births	48.0%	28.0%	19.7%	12.0%	0 / 6
Number of **transfers**	224	109	58	13	*
Percentage of transfers resulting in live births	39.3%	27.5%	29.3%	* / 13	0 / *
Percentage of transfers resulting in singleton live births	36.6%	25.7%	22.4%	* / 13	0 / *
Number of intended retrievals per live birth	2.0	3.5	4.3	11.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	52.4%	29.3%	17.8%	* / 16	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	57.9%	34.5%	31.1%	* / 16	0 / 5
Percentage of new patients having live births after all intended retrievals	58.7%	36.2%	33.3%	* / 16	0 / 5
Average number of intended retrievals per new patient	1.2	1.3	1.4	1.6	1.4
Average number of transfers per intended retrieval	1.3	1.0	0.8	0.4	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	12	7	43	11
Percentage of transfers resulting in live births	7 / 12	* / 7	37.2%	6 / 11
Percentage of transfers resulting in singleton live births	6 / 12	* / 7	37.2%	6 / 11

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	351	206	125	52	55	789
Percentage of cycles cancelled prior to retrieval or thaw	4.3%	5.8%	8.8%	11.5%	14.5%	6.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.7%	8.3%	9.6%	5.8%	7.3%	8.9%
Percentage of cycles for fertility preservation	2.3%	2.4%	1.6%	3.8%	0.0%	2.2%
Percentage of transfers using a gestational carrier	0.8%	2.1%	2.5%	3.0%	2.5%	1.6%
Percentage of transfers using frozen embryos	62.2%	64.6%	49.4%	54.5%	62.5%	60.5%
Percentage of transfers of at least one embryo with ICSI	69.1%	63.9%	54.3%	45.5%	60.0%	63.6%
Percentage of transfers of at least one embryo with PGT	14.3%	20.8%	25.9%	24.2%	5.0%	17.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	19%	Diminished ovarian reserve	32%
Endometriosis	4%	Egg or embryo banking	16%
Tubal factor	11%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	19%	Other, infertility	11%
Uterine factor	5%	Other, non-infertility	5%
PGT	2%	Unexplained	7%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE MEDICINE ASSOCIATES OF PENNSYLVANIA
ALLENTOWN, PENNSYLVANIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Wendy J. Schillings, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	56	36	19	*	*
Percentage of intended retrievals resulting in live births	67.9%	61.1%	8 / 19	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	64.3%	58.3%	8 / 19	0 / *	0 / *
Number of **retrievals**	55	35	18	*	*
Percentage of retrievals resulting in live births	69.1%	62.9%	8 / 18	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	65.5%	60.0%	8 / 18	0 / *	0 / *
Number of **transfers**	67	36	11	*	*
Percentage of transfers resulting in live births	56.7%	61.1%	8 / 11	0 / *	0 / *
Percentage of transfers resulting in singleton live births	53.7%	58.3%	8 / 11	0 / *	0 / *
Number of intended retrievals per live birth	1.5	1.6	2.4		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	72.0%	65.5%	5 / 14	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	76.0%	65.5%	7 / 14	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	76.0%	65.5%	7 / 14	0 / *	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.0	1.5
Average number of transfers per intended retrieval	1.2	1.1	0.6	1.0	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	16	*
Percentage of transfers resulting in live births			9 / 16	* / *
Percentage of transfers resulting in singleton live births			7 / 16	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	166	68	38	22	12	306
Percentage of cycles cancelled prior to retrieval or thaw	2.4%	1.5%	2.6%	0.0%	* / 12	2.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.6%	7.4%	7.9%	4.5%	0 / 12	8.2%
Percentage of cycles for fertility preservation	4.2%	1.5%	5.3%	4.5%	0 / 12	3.6%
Percentage of transfers using a gestational carrier	0.0%	0.0%	5.0%	0 / 11	* / 9	1.1%
Percentage of transfers using frozen embryos	100.0%	100.0%	100.0%	11 / 11	9 / 9	100.0%
Percentage of transfers of at least one embryo with ICSI	96.8%	80.4%	85.0%	7 / 11	* / 9	86.6%
Percentage of transfers of at least one embryo with PGT	69.9%	67.4%	80.0%	6 / 11	5 / 9	68.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	47%	Diminished ovarian reserve	26%
Endometriosis	9%	Egg or embryo banking	34%
Tubal factor	11%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	15%	Other, infertility	39%
Uterine factor	5%	Other, non-infertility	2%
PGT	4%	Unexplained	1%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FAMILY FERTILITY CENTER
BETHLEHEM, PENNSYLVANIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by H. Christina Lee, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	29	16	13	9	0
Percentage of intended retrievals resulting in live births	58.6%	7 / 16	* / 13	* / 9	
Percentage of intended retrievals resulting in singleton live births	48.3%	6 / 16	* / 13	* / 9	
Number of **retrievals**	25	16	11	8	0
Percentage of retrievals resulting in live births	68.0%	7 / 16	* / 11	* / 8	
Percentage of retrievals resulting in singleton live births	56.0%	6 / 16	* / 11	* / 8	
Number of **transfers**	36	13	7	*	0
Percentage of transfers resulting in live births	47.2%	7 / 13	* / 7	* / *	
Percentage of transfers resulting in singleton live births	38.9%	6 / 13	* / 7	* / *	
Number of intended retrievals per live birth	1.7	2.3	3.3	4.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	9 / 15	5 / 9	* / 7	* / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	10 / 15	6 / 9	* / 7	* / *	
Percentage of new patients having live births after all intended retrievals	11 / 15	6 / 9	* / 7	* / *	
Average number of intended retrievals per new patient	1.2	1.4	1.7	2.3	
Average number of transfers per intended retrieval	1.2	0.7	0.5	0.4	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	10	0
Percentage of transfers resulting in live births	0 / *	* / *	7 / 10	
Percentage of transfers resulting in singleton live births	0 / *	* / *	6 / 10	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	53	34	24	5	7	123
Percentage of cycles cancelled prior to retrieval or thaw	5.7%	11.8%	4.2%	0 / 5	* / 7	7.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	22.6%	8.8%	0.0%	0 / 5	0 / 7	12.2%
Percentage of cycles for fertility preservation	0.0%	5.9%	4.2%	0 / 5	0 / 7	2.4%
Percentage of transfers using a gestational carrier	3.2%	* / 19	0 / 18	0 / *	0 / 5	2.7%
Percentage of transfers using frozen embryos	90.3%	18 / 19	14 / 18	* / *	5 / 5	88.0%
Percentage of transfers of at least one embryo with ICSI	71.0%	12 / 19	16 / 18	* / *	* / 5	73.3%
Percentage of transfers of at least one embryo with PGT	9.7%	7 / 19	6 / 18	0 / *	0 / 5	21.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	47%	Diminished ovarian reserve	16%
Endometriosis	6%	Egg or embryo banking	21%
Tubal factor	10%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	34%	Other, infertility	21%
Uterine factor	2%	Other, non-infertility	3%
PGT	9%	Unexplained	7%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

MAIN LINE FERTILITY AND REPRODUCTIVE MEDICINE
BRYN MAWR, PENNSYLVANIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Michael J. Glassner, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	213	124	145	47	41
Percentage of intended retrievals resulting in live births	43.7%	33.9%	20.7%	8.5%	0.0%
Percentage of intended retrievals resulting in singleton live births	40.8%	31.5%	15.9%	8.5%	0.0%
Number of **retrievals**	196	119	136	44	40
Percentage of retrievals resulting in live births	47.4%	35.3%	22.1%	9.1%	0.0%
Percentage of retrievals resulting in singleton live births	44.4%	32.8%	16.9%	9.1%	0.0%
Number of **transfers**	233	107	92	21	21
Percentage of transfers resulting in live births	39.9%	39.3%	32.6%	19.0%	0.0%
Percentage of transfers resulting in singleton live births	37.3%	36.4%	25.0%	19.0%	0.0%
Number of intended retrievals per live birth	2.3	3.0	4.8	11.8	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	45.2%	34.0%	24.6%	* / 13	0 / 14
Percentage of new patients having live births after 1 or 2 intended retrievals	54.8%	45.3%	31.1%	* / 13	0 / 14
Percentage of new patients having live births after all intended retrievals	56.3%	45.3%	36.1%	* / 13	0 / 14
Average number of intended retrievals per new patient	1.2	1.3	1.4	1.3	1.6
Average number of transfers per intended retrieval	1.2	0.9	0.7	0.6	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	39	51	30
Percentage of transfers resulting in live births	* / *	33.3%	37.3%	36.7%
Percentage of transfers resulting in singleton live births	* / *	33.3%	35.3%	36.7%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	469	330	246	111	141	1,297
Percentage of cycles cancelled prior to retrieval or thaw	5.1%	9.1%	11.4%	16.2%	12.8%	9.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.9%	7.6%	16.7%	9.9%	12.1%	10.1%
Percentage of cycles for fertility preservation	3.2%	3.3%	1.6%	5.4%	0.7%	2.9%
Percentage of transfers using a gestational carrier	0.7%	2.2%	0.9%	0.0%	7.1%	1.8%
Percentage of transfers using frozen embryos	65.2%	76.4%	71.6%	63.0%	48.8%	67.0%
Percentage of transfers of at least one embryo with ICSI	44.9%	36.3%	44.0%	42.6%	38.1%	41.6%
Percentage of transfers of at least one embryo with PGT	31.9%	51.1%	51.4%	35.2%	19.0%	38.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	15%	Diminished ovarian reserve	29%
Endometriosis	5%	Egg or embryo banking	31%
Tubal factor	8%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	14%	Other, infertility	9%
Uterine factor	2%	Other, non-infertility	2%
PGT	7%	Unexplained	15%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

GEISINGER MEDICAL CENTER FERTILITY PROGRAM
DANVILLE, PENNSYLVANIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jennifer Gell, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	36	16	10	5	*
Percentage of intended retrievals resulting in live births	41.7%	5 / 16	* / 10	0 / 5	0 / *
Percentage of intended retrievals resulting in singleton live births	36.1%	* / 16	* / 10	0 / 5	0 / *
Number of **retrievals**	33	14	7	*	*
Percentage of retrievals resulting in live births	45.5%	5 / 14	* / 7	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	39.4%	* / 14	* / 7	0 / *	0 / *
Number of **transfers**	32	11	6	0	0
Percentage of transfers resulting in live births	46.9%	5 / 11	* / 6		
Percentage of transfers resulting in singleton live births	40.6%	* / 11	* / 6		
Number of intended retrievals per live birth	2.4	3.2	3.3		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	50.0%	* / 8	* / *	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	50.0%	* / 8	* / *	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	50.0%	* / 8	* / *	0 / *	0 / *
Average number of intended retrievals per new patient	1.3	1.3	1.3	1.0	1.0
Average number of transfers per intended retrieval	0.9	0.8	0.4	0.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	7	0
Percentage of transfers resulting in live births		* / *	5 / 7	
Percentage of transfers resulting in singleton live births		* / *	5 / 7	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	124	39	24	13	11	211
Percentage of cycles cancelled prior to retrieval or thaw	4.0%	2.6%	16.7%	* / 13	* / 11	6.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	21.0%	17.9%	20.8%	* / 13	* / 11	21.3%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 13	0 / 11	0.0%
Percentage of transfers using a gestational carrier	1.3%	0 / 19	* / 13	* / 7	0 / *	2.5%
Percentage of transfers using frozen embryos	58.4%	12 / 19	8 / 13	* / 7	* / *	58.8%
Percentage of transfers of at least one embryo with ICSI	94.8%	18 / 19	9 / 13	6 / 7	0 / *	89.1%
Percentage of transfers of at least one embryo with PGT	9.1%	5 / 19	* / 13	* / 7	0 / *	13.4%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	20%	Diminished ovarian reserve	22%
Endometriosis	3%	Egg or embryo banking	17%
Tubal factor	10%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	18%	Other, infertility	8%
Uterine factor	2%	Other, non-infertility	<1%
PGT	5%	Unexplained	25%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

PENN STATE MILTON S. HERSHEY MEDICAL CENTER
HERSHEY, PENNSYLVANIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by William C. Dodson, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	39	14	9	*	0
Percentage of intended retrievals resulting in live births	43.6%	* / 14	* / 9	0 / *	
Percentage of intended retrievals resulting in singleton live births	33.3%	* / 14	* / 9	0 / *	
Number of **retrievals**	36	11	9	*	0
Percentage of retrievals resulting in live births	47.2%	* / 11	* / 9	0 / *	
Percentage of retrievals resulting in singleton live births	36.1%	* / 11	* / 9	0 / *	
Number of **transfers**	46	19	10	*	0
Percentage of transfers resulting in live births	37.0%	* / 19	* / 10	0 / *	
Percentage of transfers resulting in singleton live births	28.3%	* / 19	* / 10	0 / *	
Number of intended retrievals per live birth	2.3	4.7	9.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	38.5%	* / 10	0 / 5	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	46.2%	* / 10	* / 5	0 / *	
Percentage of new patients having live births after all intended retrievals	50.0%	* / 10	* / 5	0 / *	
Average number of intended retrievals per new patient	1.3	1.2	1.4	1.0	
Average number of transfers per intended retrieval	1.2	1.3	1.1	1.5	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	5	*	0
Percentage of transfers resulting in live births		0 / 5	0 / *	
Percentage of transfers resulting in singleton live births		0 / 5	0 / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	57	25	5	7	*	97
Percentage of cycles cancelled prior to retrieval or thaw	8.8%	16.0%	0 / 5	* / 7	* / *	11.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.8%	12.0%	0 / 5	0 / 7	0 / *	8.2%
Percentage of cycles for fertility preservation	8.8%	0.0%	0 / 5	0 / 7	0 / *	5.2%
Percentage of transfers using a gestational carrier	0.0%	0 / 16	0 / 5	0 / 6	0 / *	0.0%
Percentage of transfers using frozen embryos	42.9%	8 / 16	* / 5	* / 6	0 / *	39.4%
Percentage of transfers of at least one embryo with ICSI	92.9%	15 / 16	5 / 5	5 / 6	* / *	93.0%
Percentage of transfers of at least one embryo with PGT	0.0%	0 / 16	0 / 5	0 / 6	0 / *	0.0%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	21%	Diminished ovarian reserve	11%
Endometriosis	8%	Egg or embryo banking	9%
Tubal factor	14%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	20%	Other, infertility	5%
Uterine factor	4%	Other, non-infertility	3%
PGT	0%	Unexplained	29%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE MEDICINE ASSOCIATES OF PHILADELPHIA
KING OF PRUSSIA, PENNSYLVANIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Arthur J. Castelbaum, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	268	144	125	37	15
Percentage of intended retrievals resulting in live births	52.6%	36.1%	21.6%	5.4%	* / 15
Percentage of intended retrievals resulting in singleton live births	50.4%	34.0%	20.8%	5.4%	* / 15
Number of **retrievals**	261	140	118	34	9
Percentage of retrievals resulting in live births	54.0%	37.1%	22.9%	5.9%	* / 9
Percentage of retrievals resulting in singleton live births	51.7%	35.0%	22.0%	5.9%	* / 9
Number of **transfers**	307	126	67	14	*
Percentage of transfers resulting in live births	45.9%	41.3%	40.3%	* / 14	* / *
Percentage of transfers resulting in singleton live births	44.0%	38.9%	38.8%	* / 14	* / *
Number of intended retrievals per live birth	1.9	2.8	4.6	18.5	15.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	56.8%	40.7%	23.3%	* / 18	* / 9
Percentage of new patients having live births after 1 or 2 intended retrievals	62.0%	44.2%	26.0%	* / 18	* / 9
Percentage of new patients having live births after all intended retrievals	62.0%	45.3%	26.0%	* / 18	* / 9
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.6	1.3
Average number of transfers per intended retrieval	1.2	0.9	0.6	0.5	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	7	83	10
Percentage of transfers resulting in live births	0 / *	* / 7	45.8%	6 / 10
Percentage of transfers resulting in singleton live births	0 / *	* / 7	41.0%	6 / 10

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	690	406	261	86	78	1,521
Percentage of cycles cancelled prior to retrieval or thaw	3.5%	3.9%	4.2%	8.1%	7.7%	4.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.3%	9.6%	14.6%	14.0%	15.4%	10.4%
Percentage of cycles for fertility preservation	3.8%	5.7%	5.0%	7.0%	0.0%	4.5%
Percentage of transfers using a gestational carrier	2.1%	2.8%	6.8%	3.0%	18.9%	4.1%
Percentage of transfers using frozen embryos	86.2%	90.4%	95.8%	90.9%	90.6%	89.2%
Percentage of transfers of at least one embryo with ICSI	73.4%	76.6%	73.7%	66.7%	20.8%	70.6%
Percentage of transfers of at least one embryo with PGT	39.9%	47.7%	54.2%	54.5%	28.3%	44.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	24%
Endometriosis	3%	Egg or embryo banking	35%
Tubal factor	9%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	14%	Other, infertility	11%
Uterine factor	4%	Other, non-infertility	4%
PGT	3%	Unexplained	21%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SOCIETY HILL REPRODUCTIVE MEDICINE
PHILADELPHIA, PENNSYLVANIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Maureen P. Kelly, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	20	22	7	5	*
Percentage of intended retrievals resulting in live births	45.0%	45.5%	* / 7	0 / 5	0 / *
Percentage of intended retrievals resulting in singleton live births	40.0%	45.5%	* / 7	0 / 5	0 / *
Number of **retrievals**	18	19	7	5	0
Percentage of retrievals resulting in live births	9 / 18	10 / 19	* / 7	0 / 5	
Percentage of retrievals resulting in singleton live births	8 / 18	10 / 19	* / 7	0 / 5	
Number of **transfers**	13	20	7	*	0
Percentage of transfers resulting in live births	9 / 13	50.0%	* / 7	0 / *	
Percentage of transfers resulting in singleton live births	8 / 13	50.0%	* / 7	0 / *	
Number of intended retrievals per live birth	2.2	2.2	7.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	5 / 11	6 / 12	0 / *	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	6 / 11	6 / 12	0 / *	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	7 / 11	6 / 12	0 / *	0 / *	0 / *
Average number of intended retrievals per new patient	1.4	1.3	1.3	1.3	1.0
Average number of transfers per intended retrieval	0.6	1.0	0.8	0.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	*	*
Percentage of transfers resulting in live births	* / *		* / *	0 / *
Percentage of transfers resulting in singleton live births	* / *		* / *	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	80	49	40	9	6	184
Percentage of cycles cancelled prior to retrieval or thaw	16.3%	12.2%	7.5%	0 / 9	* / 6	12.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.5%	4.1%	7.5%	* / 9	* / 6	5.4%
Percentage of cycles for fertility preservation	8.8%	14.3%	10.0%	0 / 9	0 / 6	9.8%
Percentage of transfers using a gestational carrier	0.0%	4.3%	0 / 15	0 / 6	0 / *	1.3%
Percentage of transfers using frozen embryos	92.9%	91.3%	15 / 15	* / 6	* / *	88.0%
Percentage of transfers of at least one embryo with ICSI	71.4%	47.8%	11 / 15	* / 6	* / *	61.3%
Percentage of transfers of at least one embryo with PGT	64.3%	60.9%	12 / 15	* / 6	* / *	61.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	11%	Diminished ovarian reserve	30%
Endometriosis	2%	Egg or embryo banking	54%
Tubal factor	2%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	14%	Other, infertility	2%
Uterine factor	0%	Other, non-infertility	1%
PGT	1%	Unexplained	16%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY OF PENNSYLVANIA
PENN FERTILITY CARE
PHILADELPHIA, PENNSYLVANIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Clarisa R. Gracia, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	227	135	119	62	45
Percentage of intended retrievals resulting in live births	47.6%	32.6%	28.6%	14.5%	2.2%
Percentage of intended retrievals resulting in singleton live births	44.9%	28.1%	26.1%	14.5%	2.2%
Number of **retrievals**	210	112	104	55	36
Percentage of retrievals resulting in live births	51.4%	39.3%	32.7%	16.4%	2.8%
Percentage of retrievals resulting in singleton live births	48.6%	33.9%	29.8%	16.4%	2.8%
Number of **transfers**	253	115	82	34	12
Percentage of transfers resulting in live births	42.7%	38.3%	41.5%	26.5%	* / 12
Percentage of transfers resulting in singleton live births	40.3%	33.0%	37.8%	26.5%	* / 12
Number of intended retrievals per live birth	2.1	3.1	3.5	6.9	45.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	53.8%	35.6%	28.3%	13.8%	* / 18
Percentage of new patients having live births after 1 or 2 intended retrievals	57.6%	39.1%	33.3%	17.2%	* / 18
Percentage of new patients having live births after all intended retrievals	58.2%	42.5%	38.3%	20.7%	* / 18
Average number of intended retrievals per new patient	1.2	1.3	1.4	1.4	1.3
Average number of transfers per intended retrieval	1.2	0.9	0.7	0.6	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	10	10	35	5
Percentage of transfers resulting in live births	5 / 10	6 / 10	40.0%	* / 5
Percentage of transfers resulting in singleton live births	5 / 10	6 / 10	37.1%	* / 5

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	478	341	262	122	85	1,288
Percentage of cycles cancelled prior to retrieval or thaw	6.3%	10.6%	11.1%	16.4%	14.1%	9.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.7%	6.5%	6.9%	8.2%	3.5%	6.6%
Percentage of cycles for fertility preservation	13.2%	11.1%	6.9%	2.5%	3.5%	9.7%
Percentage of transfers using a gestational carrier	2.4%	3.0%	4.7%	4.6%	6.1%	3.4%
Percentage of transfers using frozen embryos	67.8%	69.0%	62.5%	56.9%	67.3%	66.2%
Percentage of transfers of at least one embryo with ICSI	75.9%	70.1%	58.6%	67.7%	73.5%	70.3%
Percentage of transfers of at least one embryo with PGT	20.3%	18.8%	23.4%	27.7%	22.4%	21.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	17%
Endometriosis	3%	Egg or embryo banking	29%
Tubal factor	9%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	7%	Other, infertility	30%
Uterine factor	4%	Other, non-infertility	2%
PGT	4%	Unexplained	16%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

AHN CENTER FOR REPRODUCTIVE MEDICINE
PITTSBURGH, PENNSYLVANIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Lori Homa, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	61	30	23	10	*
Percentage of intended retrievals resulting in live births	37.7%	20.0%	8.7%	0 / 10	0 / *
Percentage of intended retrievals resulting in singleton live births	21.3%	16.7%	4.3%	0 / 10	0 / *
Number of **retrievals**	59	27	21	9	*
Percentage of retrievals resulting in live births	39.0%	22.2%	9.5%	0 / 9	0 / *
Percentage of retrievals resulting in singleton live births	22.0%	18.5%	4.8%	0 / 9	0 / *
Number of **transfers**	72	23	18	7	*
Percentage of transfers resulting in live births	31.9%	26.1%	* / 18	0 / 7	0 / *
Percentage of transfers resulting in singleton live births	18.1%	21.7%	* / 18	0 / 7	0 / *
Number of intended retrievals per live birth	2.7	5.0	11.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	37.5%	* / 19	* / 12	0 / 6	
Percentage of new patients having live births after 1 or 2 intended retrievals	41.7%	* / 19	* / 12	0 / 6	
Percentage of new patients having live births after all intended retrievals	41.7%	* / 19	* / 12	0 / 6	
Average number of intended retrievals per new patient	1.1	1.2	1.5	1.3	
Average number of transfers per intended retrieval	1.2	0.8	0.9	0.5	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	*	6	0
Percentage of transfers resulting in live births	* / 6	* / *	* / 6	
Percentage of transfers resulting in singleton live births	* / 6	* / *	* / 6	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	151	64	71	19	25	330
Percentage of cycles cancelled prior to retrieval or thaw	20.5%	21.9%	35.2%	* / 19	52.0%	26.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.6%	9.4%	7.0%	* / 19	4.0%	7.9%
Percentage of cycles for fertility preservation	2.0%	3.1%	1.4%	* / 19	0.0%	2.1%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 8	* / 8	0.7%
Percentage of transfers using frozen embryos	72.4%	50.0%	70.0%	* / 8	6 / 8	65.8%
Percentage of transfers of at least one embryo with ICSI	56.6%	83.3%	63.3%	6 / 8	5 / 8	64.5%
Percentage of transfers of at least one embryo with PGT	19.7%	26.7%	26.7%	* / 8	* / 8	22.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	26%	Diminished ovarian reserve	19%
Endometriosis	4%	Egg or embryo banking	23%
Tubal factor	12%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	9%	Other, infertility	34%
Uterine factor	1%	Other, non-infertility	2%
PGT	5%	Unexplained	15%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY OF PITTSBURGH PHYSICIANS
CENTER FOR FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY
PITTSBURGH, PENNSYLVANIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Marie N. Menke, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	141	69	63	15	7
Percentage of intended retrievals resulting in live births	46.8%	31.9%	17.5%	* / 15	0 / 7
Percentage of intended retrievals resulting in singleton live births	44.0%	29.0%	15.9%	* / 15	0 / 7
Number of **retrievals**	135	60	55	12	6
Percentage of retrievals resulting in live births	48.9%	36.7%	20.0%	* / 12	0 / 6
Percentage of retrievals resulting in singleton live births	45.9%	33.3%	18.2%	* / 12	0 / 6
Number of **transfers**	158	67	39	13	5
Percentage of transfers resulting in live births	41.8%	32.8%	28.2%	* / 13	0 / 5
Percentage of transfers resulting in singleton live births	39.2%	29.9%	25.6%	* / 13	0 / 5
Number of intended retrievals per live birth	2.1	3.1	5.7	5.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.2%	36.2%	25.7%	* / 13	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	57.0%	38.3%	25.7%	* / 13	0 / *
Percentage of new patients having live births after all intended retrievals	57.0%	40.4%	25.7%	* / 13	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.2	1.0	1.3
Average number of transfers per intended retrieval	1.2	1.1	0.7	0.8	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	11	38	*
Percentage of transfers resulting in live births		* / 11	26.3%	* / *
Percentage of transfers resulting in singleton live births		* / 11	23.7%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	341	134	105	33	32	645
Percentage of cycles cancelled prior to retrieval or thaw	9.4%	9.0%	15.2%	21.2%	15.6%	11.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	12.9%	8.2%	7.6%	3.0%	3.1%	10.1%
Percentage of cycles for fertility preservation	5.3%	6.0%	4.8%	6.1%	0.0%	5.1%
Percentage of transfers using a gestational carrier	1.5%	1.1%	0.0%	0 / 19	0.0%	1.0%
Percentage of transfers using frozen embryos	79.2%	65.9%	67.9%	11 / 19	76.0%	73.2%
Percentage of transfers of at least one embryo with ICSI	86.3%	81.8%	75.0%	12 / 19	48.0%	80.0%
Percentage of transfers of at least one embryo with PGT	24.9%	17.0%	16.1%	* / 19	4.0%	19.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	17%
Endometriosis	6%	Egg or embryo banking	23%
Tubal factor	8%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	13%	Other, infertility	23%
Uterine factor	6%	Other, non-infertility	0%
PGT	3%	Unexplained	16%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UPMC CENTER FOR FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY PITTSBURGH, PENNSYLVANIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Judith L. Albert, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	96	59	32	6	7
Percentage of intended retrievals resulting in live births	60.4%	55.9%	31.3%	* / 6	0 / 7
Percentage of intended retrievals resulting in singleton live births	56.3%	50.8%	31.3%	* / 6	0 / 7
Number of **retrievals**	93	53	28	6	*
Percentage of retrievals resulting in live births	62.4%	62.3%	35.7%	* / 6	0 / *
Percentage of retrievals resulting in singleton live births	58.1%	56.6%	35.7%	* / 6	0 / *
Number of **transfers**	136	61	30	6	5
Percentage of transfers resulting in live births	42.6%	54.1%	33.3%	* / 6	0 / 5
Percentage of transfers resulting in singleton live births	39.7%	49.2%	33.3%	* / 6	0 / 5
Number of intended retrievals per live birth	1.7	1.8	3.2	6.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	67.7%	50.0%	7 / 16	* / *	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	70.8%	66.7%	8 / 16	* / *	0 / 5
Percentage of new patients having live births after all intended retrievals	73.8%	66.7%	8 / 16	* / *	0 / 5
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.3	1.2
Average number of transfers per intended retrieval	1.4	1.0	0.8	0.5	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	18	7	*
Percentage of transfers resulting in live births	* / *	6 / 18	* / 7	0 / *
Percentage of transfers resulting in singleton live births	* / *	6 / 18	* / 7	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	228	139	98	25	8	498
Percentage of cycles cancelled prior to retrieval or thaw	6.6%	9.4%	9.2%	4.0%	* / 8	7.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.2%	4.3%	7.1%	4.0%	0 / 8	7.0%
Percentage of cycles for fertility preservation	0.4%	4.3%	2.0%	0.0%	0 / 8	1.8%
Percentage of transfers using a gestational carrier	0.5%	1.1%	1.5%	0 / 17	0 / 7	0.8%
Percentage of transfers using frozen embryos	60.8%	66.3%	63.2%	10 / 17	* / 7	62.2%
Percentage of transfers of at least one embryo with ICSI	84.9%	87.4%	80.9%	14 / 17	* / 7	84.2%
Percentage of transfers of at least one embryo with PGT	3.8%	13.7%	23.5%	5 / 17	0 / 7	11.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	41%	Diminished ovarian reserve	14%
Endometriosis	8%	Egg or embryo banking	11%
Tubal factor	8%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	9%	Other, infertility	15%
Uterine factor	3%	Other, non-infertility	2%
PGT	13%	Unexplained	20%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SHADY GROVE FERTILITY-PENNSYLVANIA
WAYNE, PENNSYLVANIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Isaac E. Sasson, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	197	99	75	16	6
Percentage of intended retrievals resulting in live births	68.0%	47.5%	42.7%	* / 16	0 / 6
Percentage of intended retrievals resulting in singleton live births	59.4%	45.5%	41.3%	* / 16	0 / 6
Number of **retrievals**	189	92	71	14	*
Percentage of retrievals resulting in live births	70.9%	51.1%	45.1%	* / 14	0 / *
Percentage of retrievals resulting in singleton live births	61.9%	48.9%	43.7%	* / 14	0 / *
Number of **transfers**	261	98	61	*	*
Percentage of transfers resulting in live births	51.3%	48.0%	52.5%	* / *	0 / *
Percentage of transfers resulting in singleton live births	44.8%	45.9%	50.8%	* / *	0 / *
Number of intended retrievals per live birth	1.5	2.1	2.3	16.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	73.2%	54.2%	39.5%	0 / 6	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	75.8%	55.9%	50.0%	0 / 6	0 / *
Percentage of new patients having live births after all intended retrievals	76.5%	55.9%	50.0%	0 / 6	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.2	1.2	1.0
Average number of transfers per intended retrieval	1.3	1.1	0.8	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	56	*	101	10
Percentage of transfers resulting in live births	71.4%	* / *	44.6%	* / 10
Percentage of transfers resulting in singleton live births	69.6%	* / *	39.6%	* / 10

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	664	360	225	73	134	1,456
Percentage of cycles cancelled prior to retrieval or thaw	5.3%	7.2%	11.1%	8.2%	14.2%	7.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	14.6%	7.5%	7.6%	4.1%	3.0%	10.2%
Percentage of cycles for fertility preservation	1.8%	2.5%	2.2%	0.0%	0.7%	1.9%
Percentage of transfers using a gestational carrier	1.6%	3.0%	1.7%	2.3%	4.5%	2.3%
Percentage of transfers using frozen embryos	90.9%	93.0%	81.7%	77.3%	67.0%	86.8%
Percentage of transfers of at least one embryo with ICSI	88.8%	84.4%	84.2%	72.7%	68.2%	84.1%
Percentage of transfers of at least one embryo with PGT	34.6%	54.8%	52.5%	34.1%	26.1%	41.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	33%
Endometriosis	6%	Egg or embryo banking	25%
Tubal factor	11%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	17%	Other, infertility	46%
Uterine factor	3%	Other, non-infertility	<1%
PGT	21%	Unexplained	7%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ADVANCED FERTILITY & REPRODUCTIVE MEDICINE-TOWER HEALTH MEDICAL GROUP
WEST READING, PENNSYLVANIA

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

THE FERTILITY CENTER, LLC
YORK, PENNSYLVANIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Robert B. Filer, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	50	11	6	*	*
Percentage of intended retrievals resulting in live births	42.0%	9 / 11	0 / 6	* / *	0 / *
Percentage of intended retrievals resulting in singleton live births	38.0%	9 / 11	0 / 6	* / *	0 / *
Number of **retrievals**	48	11	5	*	0
Percentage of retrievals resulting in live births	43.8%	9 / 11	0 / 5	* / *	
Percentage of retrievals resulting in singleton live births	39.6%	9 / 11	0 / 5	* / *	
Number of **transfers**	51	14	5	*	0
Percentage of transfers resulting in live births	41.2%	9 / 14	0 / 5	* / *	
Percentage of transfers resulting in singleton live births	37.3%	9 / 14	0 / 5	* / *	
Number of intended retrievals per live birth	2.4	1.2		2.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	46.7%	6 / 6	0 / *	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	53.3%	6 / 6	0 / *	0 / *	
Percentage of new patients having live births after all intended retrievals	53.3%	6 / 6	0 / *	0 / *	
Average number of intended retrievals per new patient	1.2	1.0	1.0	1.0	
Average number of transfers per intended retrieval	1.1	1.3	1.3	0.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	*	9
Percentage of transfers resulting in live births	* / *		* / *	* / 9
Percentage of transfers resulting in singleton live births	* / *		* / *	* / 9

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	86	15	7	10	10	128
Percentage of cycles cancelled prior to retrieval or thaw	7.0%	* / 15	0 / 7	0 / 10	* / 10	7.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.3%	* / 15	* / 7	0 / 10	* / 10	10.2%
Percentage of cycles for fertility preservation	0.0%	0 / 15	0 / 7	0 / 10	0 / 10	0.0%
Percentage of transfers using a gestational carrier	3.2%	0 / 10	0 / 5	0 / 10	0 / 7	2.1%
Percentage of transfers using frozen embryos	55.6%	8 / 10	* / 5	6 / 10	* / 7	56.8%
Percentage of transfers of at least one embryo with ICSI	52.4%	* / 10	* / 5	7 / 10	* / 7	52.6%
Percentage of transfers of at least one embryo with PGT	0.0%	0 / 10	0 / 5	0 / 10	0 / 7	0.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	11%
Endometriosis	2%	Egg or embryo banking	11%
Tubal factor	13%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	22%	Other, infertility	10%
Uterine factor	0%	Other, non-infertility	1%
PGT	1%	Unexplained	20%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

PEDRO J. BEAUCHAMP, MD IVF PROGRAM DBA PUERTO RICO FERTILITY CENTER BAYAMON, PUERTO RICO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Pedro J. Beauchamp, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	28	29	18	19	16
Percentage of intended retrievals resulting in live births	46.4%	41.4%	* / 18	5 / 19	* / 16
Percentage of intended retrievals resulting in singleton live births	25.0%	34.5%	0 / 18	* / 19	0 / 16
Number of **retrievals**	28	28	17	16	15
Percentage of retrievals resulting in live births	46.4%	42.9%	* / 17	5 / 16	* / 15
Percentage of retrievals resulting in singleton live births	25.0%	35.7%	0 / 17	* / 16	0 / 15
Number of **transfers**	35	31	15	15	14
Percentage of transfers resulting in live births	37.1%	38.7%	* / 15	5 / 15	* / 14
Percentage of transfers resulting in singleton live births	20.0%	32.3%	0 / 15	* / 15	0 / 14
Number of intended retrievals per live birth	2.2	2.4	9.0	3.8	8.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	52.0%	47.6%	* / 10	* / 7	* / 12
Percentage of new patients having live births after 1 or 2 intended retrievals	52.0%	47.6%	* / 10	* / 7	* / 12
Percentage of new patients having live births after all intended retrievals	52.0%	47.6%	* / 10	* / 7	* / 12
Average number of intended retrievals per new patient	1.0	1.0	1.2	1.1	1.1
Average number of transfers per intended retrieval	1.3	1.1	0.8	0.8	0.8

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	0	5	0
Percentage of transfers resulting in live births	* / 6		* / 5	
Percentage of transfers resulting in singleton live births	* / 6		* / 5	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	53	42	41	27	34	197
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	9.5%	7.3%	3.7%	11.8%	6.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	15.1%	9.5%	4.9%	14.8%	14.7%	11.7%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	3.7%	0.0%	0.5%
Percentage of transfers using a gestational carrier	2.2%	6.1%	5.9%	0 / 18	0.0%	3.2%
Percentage of transfers using frozen embryos	31.1%	45.5%	26.5%	5 / 18	24.0%	31.6%
Percentage of transfers of at least one embryo with ICSI	88.9%	93.9%	82.4%	18 / 18	100.0%	91.6%
Percentage of transfers of at least one embryo with PGT	4.4%	0.0%	5.9%	0 / 18	0.0%	2.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	55%	Diminished ovarian reserve	6%
Endometriosis	18%	Egg or embryo banking	5%
Tubal factor	32%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	24%	Other, infertility	45%
Uterine factor	12%	Other, non-infertility	3%
PGT	2%	Unexplained	3%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CLINICA DE FERTILIDAD HIMA-SAN PABLO CAGUAS
CAGUAS, PUERTO RICO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jose R. Cruz, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	9	10	*	*	*
Percentage of intended retrievals resulting in live births	* / 9	* / 10	* / *	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	* / 9	* / 10	* / *	0 / *	0 / *
Number of **retrievals**	9	10	*	*	0
Percentage of retrievals resulting in live births	* / 9	* / 10	* / *	0 / *	
Percentage of retrievals resulting in singleton live births	* / 9	* / 10	* / *	0 / *	
Number of **transfers**	9	10	*	*	0
Percentage of transfers resulting in live births	* / 9	* / 10	* / *	0 / *	
Percentage of transfers resulting in singleton live births	* / 9	* / 10	* / *	0 / *	
Number of intended retrievals per live birth	2.3	3.3	2.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 5	* / 8	* / *	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 5	* / 8	* / *	0 / *	
Percentage of new patients having live births after all intended retrievals	* / 5	* / 8	* / *	0 / *	
Average number of intended retrievals per new patient	1.0	1.0	1.0	1.5	
Average number of transfers per intended retrieval	1.0	0.9	1.0	1.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	0	0
Percentage of transfers resulting in live births		0 / *		
Percentage of transfers resulting in singleton live births		0 / *		

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	22	17	10	8	6	63
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0 / 17	0 / 10	0 / 8	0 / 6	0.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	* / 17	* / 10	0 / 8	0 / 6	3.2%
Percentage of cycles for fertility preservation	0.0%	0 / 17	0 / 10	0 / 8	0 / 6	0.0%
Percentage of transfers using a gestational carrier	0.0%	0 / 16	0 / 9	0 / 8	0 / 6	0.0%
Percentage of transfers using frozen embryos	18.2%	5 / 16	* / 9	* / 8	0 / 6	18.0%
Percentage of transfers of at least one embryo with ICSI	81.8%	14 / 16	7 / 9	5 / 8	6 / 6	82.0%
Percentage of transfers of at least one embryo with PGT	0.0%	0 / 16	0 / 9	0 / 8	0 / 6	0.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	49%	Diminished ovarian reserve	11%
Endometriosis	13%	Egg or embryo banking	0%
Tubal factor	30%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	6%	Other, infertility	0%
Uterine factor	2%	Other, non-infertility	0%
PGT	0%	Unexplained	14%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

GREFI
GYNECOLOGY, REPRODUCTIVE ENDOCRINOLOGY & FERTILITY INSTITUTE
SAN JUAN, PUERTO RICO

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Rosa Ileana Cruz, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	7	7	10	*	*
Percentage of intended retrievals resulting in live births	* / 7	* / 7	* / 10	0 / *	* / *
Percentage of intended retrievals resulting in singleton live births	* / 7	* / 7	* / 10	0 / *	* / *
Number of **retrievals**	7	6	9	*	*
Percentage of retrievals resulting in live births	* / 7	* / 6	* / 9	0 / *	* / *
Percentage of retrievals resulting in singleton live births	* / 7	* / 6	* / 9	0 / *	* / *
Number of **transfers**	6	*	7	*	*
Percentage of transfers resulting in live births	* / 6	* / *	* / 7	0 / *	* / *
Percentage of transfers resulting in singleton live births	* / 6	* / *	* / 7	0 / *	* / *
Number of intended retrievals per live birth	2.3	7.0	5.0		3.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 5	* / 5	* / 8	0 / *	* / *
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 5	* / 5	* / 8	0 / *	* / *
Percentage of new patients having live births after all intended retrievals	* / 5	* / 5	* / 8	0 / *	* / *
Average number of intended retrievals per new patient	1.0	1.2	1.1	1.5	1.0
Average number of transfers per intended retrieval	0.8	0.5	0.7	1.0	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	6	*	0
Percentage of transfers resulting in live births	* / *	* / 6	0 / *	
Percentage of transfers resulting in singleton live births	0 / *	* / 6	0 / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	12	14	12	5	11	54
Percentage of cycles cancelled prior to retrieval or thaw	0 / 12	* / 14	0 / 12	0 / 5	* / 11	3.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	* / 12	* / 14	0 / 12	0 / 5	0 / 11	3.7%
Percentage of cycles for fertility preservation	0 / 12	0 / 14	0 / 12	* / 5	0 / 11	1.9%
Percentage of transfers using a gestational carrier	* / 11	0 / 10	* / 8	0 / *	0 / 10	9.5%
Percentage of transfers using frozen embryos	* / 11	* / 10	* / 8	0 / *	* / 10	31.0%
Percentage of transfers of at least one embryo with ICSI	10 / 11	7 / 10	6 / 8	* / *	9 / 10	83.3%
Percentage of transfers of at least one embryo with PGT	0 / 11	* / 10	* / 8	0 / *	0 / 10	9.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	15%
Endometriosis	4%	Egg or embryo banking	20%
Tubal factor	28%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	0%	Other, infertility	30%
Uterine factor	2%	Other, non-infertility	2%
PGT	22%	Unexplained	4%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

WOMEN & INFANTS FERTILITY CENTER
PROVIDENCE, RHODE ISLAND

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Carol A. Wheeler, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	200	105	91	51	18
Percentage of intended retrievals resulting in live births	48.5%	38.1%	27.5%	15.7%	* / 18
Percentage of intended retrievals resulting in singleton live births	43.5%	33.3%	24.2%	13.7%	* / 18
Number of **retrievals**	193	98	78	43	15
Percentage of retrievals resulting in live births	50.3%	40.8%	32.1%	18.6%	* / 15
Percentage of retrievals resulting in singleton live births	45.1%	35.7%	28.2%	16.3%	* / 15
Number of **transfers**	263	131	79	43	14
Percentage of transfers resulting in live births	36.9%	30.5%	31.6%	18.6%	* / 14
Percentage of transfers resulting in singleton live births	33.1%	26.7%	27.8%	16.3%	* / 14
Number of intended retrievals per live birth	2.1	2.6	3.6	6.4	9.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	53.3%	46.6%	34.0%	21.7%	0 / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	59.1%	50.0%	38.0%	26.1%	* / 8
Percentage of new patients having live births after all intended retrievals	60.6%	50.0%	38.0%	26.1%	* / 8
Average number of intended retrievals per new patient	1.2	1.2	1.3	1.6	1.3
Average number of transfers per intended retrieval	1.3	1.3	0.8	0.8	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	26	18	0
Percentage of transfers resulting in live births	0 / *	46.2%	7 / 18	
Percentage of transfers resulting in singleton live births	0 / *	46.2%	6 / 18	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	409	189	144	76	41	859
Percentage of cycles cancelled prior to retrieval or thaw	4.9%	9.0%	9.0%	5.3%	14.6%	7.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.0%	4.2%	9.0%	7.9%	7.3%	7.8%
Percentage of cycles for fertility preservation	2.4%	1.6%	1.4%	2.6%	0.0%	2.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0.0%	6.7%	0.3%
Percentage of transfers using frozen embryos	53.3%	61.5%	52.4%	48.2%	53.3%	54.5%
Percentage of transfers of at least one embryo with ICSI	55.1%	49.7%	56.2%	60.7%	70.0%	55.3%
Percentage of transfers of at least one embryo with PGT	7.2%	9.1%	8.6%	14.3%	3.3%	8.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	12%
Endometriosis	4%	Egg or embryo banking	9%
Tubal factor	9%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	12%	Other, infertility	12%
Uterine factor	2%	Other, non-infertility	1%
PGT	5%	Unexplained	31%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

PIEDMONT REPRODUCTIVE ENDOCRINOLOGY GROUP, PA
GREENVILLE, SOUTH CAROLINA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by John E. Nichols, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	187	84	39	12	*
Percentage of intended retrievals resulting in live births	52.9%	41.7%	20.5%	* / 12	0 / *
Percentage of intended retrievals resulting in singleton live births	46.0%	38.1%	12.8%	* / 12	0 / *
Number of **retrievals**	184	83	37	11	*
Percentage of retrievals resulting in live births	53.8%	42.2%	21.6%	* / 11	0 / *
Percentage of retrievals resulting in singleton live births	46.7%	38.6%	13.5%	* / 11	0 / *
Number of **transfers**	234	91	36	5	0
Percentage of transfers resulting in live births	42.3%	38.5%	22.2%	* / 5	
Percentage of transfers resulting in singleton live births	36.8%	35.2%	13.9%	* / 5	
Number of intended retrievals per live birth	1.9	2.4	4.9	12.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	51.9%	46.9%	12.0%	0 / 6	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	54.4%	48.4%	12.0%	0 / 6	0 / *
Percentage of new patients having live births after all intended retrievals	54.4%	48.4%	12.0%	0 / 6	0 / *
Average number of intended retrievals per new patient	1.0	1.1	1.0	1.5	1.0
Average number of transfers per intended retrieval	1.3	1.2	0.8	0.4	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	17	10	41	25
Percentage of transfers resulting in live births	8 / 17	6 / 10	34.1%	44.0%
Percentage of transfers resulting in singleton live births	7 / 17	6 / 10	34.1%	44.0%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	376	176	152	37	51	792
Percentage of cycles cancelled prior to retrieval or thaw	3.5%	7.4%	2.6%	0.0%	9.8%	4.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	14.4%	10.8%	16.4%	13.5%	2.0%	13.1%
Percentage of cycles for fertility preservation	1.1%	1.7%	0.0%	0.0%	0.0%	0.9%
Percentage of transfers using a gestational carrier	1.3%	4.8%	0.0%	0.0%	12.2%	2.7%
Percentage of transfers using frozen embryos	89.4%	84.6%	78.3%	84.6%	78.0%	85.1%
Percentage of transfers of at least one embryo with ICSI	85.0%	78.8%	70.7%	46.2%	58.5%	76.7%
Percentage of transfers of at least one embryo with PGT	11.9%	18.3%	8.7%	3.8%	22.0%	13.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	13%
Endometriosis	5%	Egg or embryo banking	21%
Tubal factor	13%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	25%	Other, infertility	8%
Uterine factor	3%	Other, non-infertility	1%
PGT	2%	Unexplained	19%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

PRISMA HEALTH FERTILITY CENTER OF THE CAROLINAS
GREENVILLE, SOUTH CAROLINA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Creighton E. Likes, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	79	24	33	9	*
Percentage of intended retrievals resulting in live births	53.2%	62.5%	33.3%	* / 9	0 / *
Percentage of intended retrievals resulting in singleton live births	38.0%	54.2%	27.3%	* / 9	0 / *
Number of **retrievals**	77	21	31	7	*
Percentage of retrievals resulting in live births	54.5%	71.4%	35.5%	* / 7	0 / *
Percentage of retrievals resulting in singleton live births	39.0%	61.9%	29.0%	* / 7	0 / *
Number of **transfers**	91	23	30	*	*
Percentage of transfers resulting in live births	46.2%	65.2%	36.7%	* / *	0 / *
Percentage of transfers resulting in singleton live births	33.0%	56.5%	30.0%	* / *	0 / *
Number of intended retrievals per live birth	1.9	1.6	3.0	9.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	58.3%	11 / 18	7 / 17	0 / 5	
Percentage of new patients having live births after 1 or 2 intended retrievals	61.7%	13 / 18	8 / 17	0 / 5	
Percentage of new patients having live births after all intended retrievals	61.7%	13 / 18	8 / 17	0 / 5	
Average number of intended retrievals per new patient	1.2	1.1	1.3	1.4	
Average number of transfers per intended retrieval	1.1	1.0	1.0	0.1	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	5	6	0
Percentage of transfers resulting in live births	0 / *	* / 5	* / 6	
Percentage of transfers resulting in singleton live births	0 / *	* / 5	* / 6	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	129	74	48	19	15	285
Percentage of cycles cancelled prior to retrieval or thaw	3.1%	8.1%	14.6%	* / 19	* / 15	6.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.1%	0.0%	2.1%	* / 19	* / 15	2.5%
Percentage of cycles for fertility preservation	1.6%	1.4%	4.2%	0 / 19	0 / 15	1.8%
Percentage of transfers using a gestational carrier	0.0%	0.0%	10.7%	0 / 15	0 / 11	1.5%
Percentage of transfers using frozen embryos	49.5%	69.8%	57.1%	10 / 15	6 / 11	56.6%
Percentage of transfers of at least one embryo with ICSI	94.9%	93.0%	89.3%	14 / 15	7 / 11	91.8%
Percentage of transfers of at least one embryo with PGT	28.3%	62.8%	32.1%	7 / 15	* / 11	37.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	22%
Endometriosis	14%	Egg or embryo banking	23%
Tubal factor	12%	Recurrent pregnancy loss	11%
Ovulatory dysfunction	32%	Other, infertility	5%
Uterine factor	4%	Other, non-infertility	1%
PGT	2%	Unexplained	3%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

COASTAL FERTILITY SPECIALISTS
MOUNT PLEASANT, SOUTH CAROLINA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by John A. Schnorr, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	176	61	49	22	7
Percentage of intended retrievals resulting in live births	64.8%	52.5%	24.5%	27.3%	* / 7
Percentage of intended retrievals resulting in singleton live births	59.1%	42.6%	20.4%	27.3%	0 / 7
Number of **retrievals**	171	58	49	21	6
Percentage of retrievals resulting in live births	66.7%	55.2%	24.5%	28.6%	* / 6
Percentage of retrievals resulting in singleton live births	60.8%	44.8%	20.4%	28.6%	0 / 6
Number of **transfers**	195	53	36	17	*
Percentage of transfers resulting in live births	58.5%	60.4%	33.3%	6 / 17	* / *
Percentage of transfers resulting in singleton live births	53.3%	49.1%	27.8%	6 / 17	0 / *
Number of intended retrievals per live birth	1.5	1.9	4.1	3.7	7.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	64.0%	55.4%	30.0%	* / 13	* / *
Percentage of new patients having live births after 1 or 2 intended retrievals	64.7%	55.4%	33.3%	* / 13	* / *
Percentage of new patients having live births after all intended retrievals	65.5%	55.4%	36.7%	5 / 13	* / *
Average number of intended retrievals per new patient	1.1	1.0	1.2	1.4	1.3
Average number of transfers per intended retrieval	1.1	0.9	0.8	0.7	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	38	7	31	*
Percentage of transfers resulting in live births	60.5%	* / 7	45.2%	* / *
Percentage of transfers resulting in singleton live births	60.5%	* / 7	38.7%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	514	272	166	59	51	1,062
Percentage of cycles cancelled prior to retrieval or thaw	5.3%	11.0%	12.0%	15.3%	11.8%	8.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	23.3%	13.2%	13.9%	5.1%	5.9%	17.4%
Percentage of cycles for fertility preservation	1.4%	1.8%	3.0%	0.0%	0.0%	1.6%
Percentage of transfers using a gestational carrier	1.0%	0.0%	0.0%	0.0%	0.0%	0.5%
Percentage of transfers using frozen embryos	86.3%	87.9%	80.5%	56.8%	48.6%	81.8%
Percentage of transfers of at least one embryo with ICSI	75.3%	78.5%	87.8%	78.4%	83.8%	78.5%
Percentage of transfers of at least one embryo with PGT	25.0%	29.5%	40.2%	27.0%	8.1%	27.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	21%	Diminished ovarian reserve	19%
Endometriosis	8%	Egg or embryo banking	18%
Tubal factor	12%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	8%	Other, infertility	11%
Uterine factor	2%	Other, non-infertility	1%
PGT	1%	Unexplained	24%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE FERTILITY CENTER OF CHARLESTON
MOUNT PLEASANT, SOUTH CAROLINA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Stephanie D. Singleton, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	39	22	15	10	*
Percentage of intended retrievals resulting in live births	41.0%	31.8%	* / 15	* / 10	0 / *
Percentage of intended retrievals resulting in singleton live births	41.0%	31.8%	* / 15	* / 10	0 / *
Number of **retrievals**	39	22	15	10	*
Percentage of retrievals resulting in live births	41.0%	31.8%	* / 15	* / 10	0 / *
Percentage of retrievals resulting in singleton live births	41.0%	31.8%	* / 15	* / 10	0 / *
Number of **transfers**	39	18	6	8	0
Percentage of transfers resulting in live births	41.0%	7 / 18	* / 6	* / 8	
Percentage of transfers resulting in singleton live births	41.0%	7 / 18	* / 6	* / 8	
Number of intended retrievals per live birth	2.4	3.1	7.5	5.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	36.4%	7 / 19	* / 11	* / 8	
Percentage of new patients having live births after 1 or 2 intended retrievals	36.4%	7 / 19	* / 11	* / 8	
Percentage of new patients having live births after all intended retrievals	36.4%	7 / 19	* / 11	* / 8	
Average number of intended retrievals per new patient	1.0	1.1	1.2	1.1	
Average number of transfers per intended retrieval	1.0	0.9	0.3	0.7	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	21	13	7
Percentage of transfers resulting in live births		61.9%	* / 13	* / 7
Percentage of transfers resulting in singleton live births		61.9%	* / 13	* / 7

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	99	53	34	18	15	219
Percentage of cycles cancelled prior to retrieval or thaw	3.0%	3.8%	5.9%	0 / 18	* / 15	3.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.0%	1.9%	2.9%	0 / 18	0 / 15	1.4%
Percentage of cycles for fertility preservation	1.0%	1.9%	0.0%	0 / 18	0 / 15	0.9%
Percentage of transfers using a gestational carrier	0.0%	5.7%	0.0%	0 / 13	0 / 14	1.4%
Percentage of transfers using frozen embryos	96.4%	94.3%	85.7%	6 / 13	7 / 14	84.9%
Percentage of transfers of at least one embryo with ICSI	87.5%	71.4%	81.0%	10 / 13	8 / 14	78.4%
Percentage of transfers of at least one embryo with PGT	25.0%	34.3%	38.1%	0 / 13	* / 14	25.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	16%
Endometriosis	4%	Egg or embryo banking	32%
Tubal factor	14%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	9%	Other, infertility	17%
Uterine factor	2%	Other, non-infertility	2%
PGT	0%	Unexplained	20%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SANFORD WOMEN'S HEALTH
SIOUX FALLS, SOUTH DAKOTA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Keith A. Hansen, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	155	30	21	7	0
Percentage of intended retrievals resulting in live births	49.7%	40.0%	23.8%	0 / 7	
Percentage of intended retrievals resulting in singleton live births	37.4%	33.3%	23.8%	0 / 7	
Number of **retrievals**	150	30	20	7	0
Percentage of retrievals resulting in live births	51.3%	40.0%	25.0%	0 / 7	
Percentage of retrievals resulting in singleton live births	38.7%	33.3%	25.0%	0 / 7	
Number of **transfers**	190	31	13	*	0
Percentage of transfers resulting in live births	40.5%	38.7%	5 / 13	0 / *	
Percentage of transfers resulting in singleton live births	30.5%	32.3%	5 / 13	0 / *	
Number of intended retrievals per live birth	2.0	2.5	4.2		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.8%	42.9%	* / 13	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	57.7%	42.9%	5 / 13	0 / *	
Percentage of new patients having live births after all intended retrievals	57.7%	42.9%	5 / 13	0 / *	
Average number of intended retrievals per new patient	1.1	1.2	1.5	1.0	
Average number of transfers per intended retrieval	1.2	1.0	0.6	0.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	21	6
Percentage of transfers resulting in live births		* / *	28.6%	* / 6
Percentage of transfers resulting in singleton live births		0 / *	14.3%	* / 6

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	261	76	43	13	9	402
Percentage of cycles cancelled prior to retrieval or thaw	8.8%	7.9%	14.0%	* / 13	* / 9	9.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.4%	2.6%	7.0%	* / 13	* / 9	5.5%
Percentage of cycles for fertility preservation	3.1%	2.6%	2.3%	0 / 13	0 / 9	2.7%
Percentage of transfers using a gestational carrier	1.0%	1.9%	6.7%	0 / 8	0 / 6	1.7%
Percentage of transfers using frozen embryos	55.8%	68.5%	70.0%	5 / 8	5 / 6	60.3%
Percentage of transfers of at least one embryo with ICSI	62.9%	48.1%	46.7%	* / 8	* / 6	57.6%
Percentage of transfers of at least one embryo with PGT	15.2%	29.6%	20.0%	* / 8	* / 6	18.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	44%	Diminished ovarian reserve	20%
Endometriosis	10%	Egg or embryo banking	12%
Tubal factor	17%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	24%	Other, infertility	12%
Uterine factor	4%	Other, non-infertility	<1%
PGT	5%	Unexplained	7%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY CENTER, LLC
CHATTANOOGA, TENNESSEE

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Barry W. Donesky, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	79	26	15	*	7
Percentage of intended retrievals resulting in live births	31.6%	26.9%	* / 15	0 / *	0 / 7
Percentage of intended retrievals resulting in singleton live births	29.1%	23.1%	* / 15	0 / *	0 / 7
Number of **retrievals**	73	24	12	*	5
Percentage of retrievals resulting in live births	34.2%	29.2%	* / 12	0 / *	0 / 5
Percentage of retrievals resulting in singleton live births	31.5%	25.0%	* / 12	0 / *	0 / 5
Number of **transfers**	62	21	5	0	*
Percentage of transfers resulting in live births	40.3%	33.3%	* / 5		0 / *
Percentage of transfers resulting in singleton live births	37.1%	28.6%	* / 5		0 / *
Number of intended retrievals per live birth	3.2	3.7	15.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	32.7%	6 / 19	0 / 9	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	34.5%	6 / 19	0 / 9	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	36.4%	7 / 19	0 / 9	0 / *	0 / *
Average number of intended retrievals per new patient	1.3	1.2	1.6	1.0	1.8
Average number of transfers per intended retrieval	0.8	0.8	0.3	0.0	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	16	16	*
Percentage of transfers resulting in live births		6 / 16	* / 16	0 / *
Percentage of transfers resulting in singleton live births		5 / 16	* / 16	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	243	50	54	11	18	376
Percentage of cycles cancelled prior to retrieval or thaw	11.5%	6.0%	14.8%	* / 11	* / 18	10.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.2%	10.0%	5.6%	* / 11	* / 18	6.9%
Percentage of cycles for fertility preservation	0.4%	2.0%	3.7%	0 / 11	0 / 18	1.1%
Percentage of transfers using a gestational carrier	3.7%	14.8%	0.0%	0 / 6	* / 15	4.9%
Percentage of transfers using frozen embryos	95.4%	88.9%	80.8%	5 / 6	9 / 15	89.0%
Percentage of transfers of at least one embryo with ICSI	92.6%	88.9%	80.8%	* / 6	11 / 15	87.9%
Percentage of transfers of at least one embryo with PGT	50.0%	40.7%	42.3%	* / 6	* / 15	44.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	12%
Endometriosis	6%	Egg or embryo banking	42%
Tubal factor	5%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	18%	Other, infertility	11%
Uterine factor	3%	Other, non-infertility	2%
PGT	1%	Unexplained	19%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

TENNESSEE REPRODUCTIVE MEDICINE
CHATTANOOGA, TENNESSEE

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ringland S. Murray, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	68	46	11	11	*
Percentage of intended retrievals resulting in live births	70.6%	52.2%	5 / 11	* / 11	0 / *
Percentage of intended retrievals resulting in singleton live births	63.2%	45.7%	* / 11	* / 11	0 / *
Number of **retrievals**	64	41	11	11	*
Percentage of retrievals resulting in live births	75.0%	58.5%	5 / 11	* / 11	0 / *
Percentage of retrievals resulting in singleton live births	67.2%	51.2%	* / 11	* / 11	0 / *
Number of **transfers**	75	36	7	*	0
Percentage of transfers resulting in live births	64.0%	66.7%	5 / 7	* / *	
Percentage of transfers resulting in singleton live births	57.3%	58.3%	* / 7	* / *	
Number of intended retrievals per live birth	1.4	1.9	2.2	5.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	76.3%	52.0%	* / 6	* / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	81.4%	60.0%	* / 6	* / 5	0 / *
Percentage of new patients having live births after all intended retrievals	81.4%	68.0%	* / 6	* / 5	0 / *
Average number of intended retrievals per new patient	1.1	1.3	1.7	1.2	1.0
Average number of transfers per intended retrieval	1.1	0.7	0.6	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	6	13	6
Percentage of transfers resulting in live births		* / 6	* / 13	* / 6
Percentage of transfers resulting in singleton live births		* / 6	* / 13	* / 6

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	175	73	59	13	28	348
Percentage of cycles cancelled prior to retrieval or thaw	8.6%	6.8%	10.2%	* / 13	14.3%	8.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	15.4%	9.6%	13.6%	* / 13	21.4%	14.1%
Percentage of cycles for fertility preservation	3.4%	5.5%	1.7%	* / 13	0.0%	3.4%
Percentage of transfers using a gestational carrier	1.1%	2.7%	12.0%	0 / 9	* / 15	3.9%
Percentage of transfers using frozen embryos	89.1%	94.6%	92.0%	7 / 9	13 / 15	89.9%
Percentage of transfers of at least one embryo with ICSI	85.9%	83.8%	68.0%	5 / 9	10 / 15	79.8%
Percentage of transfers of at least one embryo with PGT	38.0%	43.2%	52.0%	* / 9	* / 15	38.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	32%	Diminished ovarian reserve	7%
Endometriosis	11%	Egg or embryo banking	27%
Tubal factor	11%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	11%	Other, infertility	45%
Uterine factor	1%	Other, non-infertility	7%
PGT	14%	Unexplained	11%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

TENNESSEE FERTILITY INSTITUTE
FRANKLIN, TENNESSEE

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Christopher P. Montville, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	51	21	19	5	*
Percentage of intended retrievals resulting in live births	37.3%	14.3%	* / 19	* / 5	0 / *
Percentage of intended retrievals resulting in singleton live births	29.4%	9.5%	* / 19	* / 5	0 / *
Number of **retrievals**	45	16	17	5	*
Percentage of retrievals resulting in live births	42.2%	* / 16	* / 17	* / 5	0 / *
Percentage of retrievals resulting in singleton live births	33.3%	* / 16	* / 17	* / 5	0 / *
Number of **transfers**	39	12	12	*	*
Percentage of transfers resulting in live births	48.7%	* / 12	* / 12	* / *	0 / *
Percentage of transfers resulting in singleton live births	38.5%	* / 12	* / 12	* / *	0 / *
Number of intended retrievals per live birth	2.7	7.0	6.3	5.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	39.0%	* / 18	* / 11	* / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	43.9%	* / 18	* / 11	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	43.9%	* / 18	* / 11	* / *	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.0	2.0
Average number of transfers per intended retrieval	0.7	0.6	0.7	0.5	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	6	*	0
Percentage of transfers resulting in live births		* / 6	* / *	
Percentage of transfers resulting in singleton live births		* / 6	* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	115	54	38	20	8	235
Percentage of cycles cancelled prior to retrieval or thaw	7.8%	9.3%	15.8%	25.0%	* / 8	11.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.7%	11.1%	5.3%	15.0%	* / 8	6.0%
Percentage of cycles for fertility preservation	3.5%	3.7%	5.3%	5.0%	0 / 8	3.8%
Percentage of transfers using a gestational carrier	1.7%	4.0%	0 / 11	0 / 7	0 / *	1.9%
Percentage of transfers using frozen embryos	86.2%	84.0%	8 / 11	* / 7	* / *	81.6%
Percentage of transfers of at least one embryo with ICSI	67.2%	64.0%	9 / 11	6 / 7	* / *	68.9%
Percentage of transfers of at least one embryo with PGT	36.2%	48.0%	7 / 11	* / 7	0 / *	40.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	17%	Diminished ovarian reserve	17%
Endometriosis	1%	Egg or embryo banking	44%
Tubal factor	8%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	9%	Other, infertility	9%
Uterine factor	0%	Other, non-infertility	3%
PGT	6%	Unexplained	36%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

VANDERBILT FERTILITY CLINIC
FRANKLIN, TENNESSEE

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Donna R. Session, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	*	*	*	*	0	8
Percentage of cycles cancelled prior to retrieval or thaw	0 / *	0 / *	0 / *	0 / *		0 / 8
Percentage of cycles stopped between retrieval and transfer or banking[e]	0 / *	0 / *	0 / *	0 / *		0 / 8
Percentage of cycles for fertility preservation	* / *	0 / *	* / *	0 / *		* / 8
Percentage of transfers using a gestational carrier	0 / *	0 / *	0 / *	0 / *		0 / 5
Percentage of transfers using frozen embryos	0 / *	0 / *	0 / *	* / *		* / 5
Percentage of transfers of at least one embryo with ICSI	* / *	* / *	* / *	* / *		5 / 5
Percentage of transfers of at least one embryo with PGT	0 / *	0 / *	0 / *	* / *		* / 5

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	0%	Diminished ovarian reserve	13%
Endometriosis	13%	Egg or embryo banking	25%
Tubal factor	13%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	25%	Other, infertility	0%
Uterine factor	0%	Other, non-infertility	0%
PGT	13%	Unexplained	25%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

QUILLEN FERTILITY & WOMEN'S SERVICES
JOHNSON CITY, TENNESSEE

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mark X. Ransom, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	20	7	5	*	*
Percentage of intended retrievals resulting in live births	45.0%	* / 7	* / 5	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	35.0%	* / 7	* / 5	0 / *	0 / *
Number of **retrievals**	20	6	*	*	*
Percentage of retrievals resulting in live births	45.0%	* / 6	* / *	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	35.0%	* / 6	* / *	0 / *	0 / *
Number of **transfers**	24	6	*	*	*
Percentage of transfers resulting in live births	37.5%	* / 6	* / *	0 / *	0 / *
Percentage of transfers resulting in singleton live births	29.2%	* / 6	* / *	0 / *	0 / *
Number of intended retrievals per live birth	2.2	7.0	2.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	8 / 17	* / *	* / *	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	8 / 17	* / *	* / *	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	8 / 17	* / *	* / *	0 / *	0 / *
Average number of intended retrievals per new patient	1.1	1.3	1.3	1.0	1.0
Average number of transfers per intended retrieval	1.2	1.0	0.8	1.0	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	*	*
Percentage of transfers resulting in live births	* / *		0 / *	0 / *
Percentage of transfers resulting in singleton live births	* / *		0 / *	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	28	20	*	*	*	55
Percentage of cycles cancelled prior to retrieval or thaw	3.6%	25.0%	* / *	0 / *	0 / *	12.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	0.0%	0 / *	0 / *	0 / *	0.0%
Percentage of cycles for fertility preservation	10.7%	0.0%	0 / *	0 / *	0 / *	5.5%
Percentage of transfers using a gestational carrier	0.0%	0 / 15	0 / *	0 / *	0 / *	0.0%
Percentage of transfers using frozen embryos	45.8%	7 / 15	0 / *	* / *	* / *	48.9%
Percentage of transfers of at least one embryo with ICSI	54.2%	6 / 15	* / *	* / *	0 / *	48.9%
Percentage of transfers of at least one embryo with PGT	4.2%	0 / 15	0 / *	0 / *	0 / *	2.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	7%
Endometriosis	13%	Egg or embryo banking	7%
Tubal factor	22%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	4%	Other, infertility	13%
Uterine factor	0%	Other, non-infertility	0%
PGT	0%	Unexplained	15%
Gestational carrier	4%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

JEFFREY A. KEENAN, MD DBA
SOUTHEASTERN CENTER FOR FERTILITY AND REPRODUCTIVE SURGERY
KNOXVILLE, TENNESSEE

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jeffrey A. Keenan, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	25	7	*	*	0
Percentage of intended retrievals resulting in live births	44.0%	* / 7	0 / *	0 / *	
Percentage of intended retrievals resulting in singleton live births	28.0%	* / 7	0 / *	0 / *	
Number of **retrievals**	21	6	*	*	0
Percentage of retrievals resulting in live births	52.4%	* / 6	0 / *	0 / *	
Percentage of retrievals resulting in singleton live births	33.3%	* / 6	0 / *	0 / *	
Number of **transfers**	27	7	5	*	0
Percentage of transfers resulting in live births	40.7%	* / 7	0 / 5	0 / *	
Percentage of transfers resulting in singleton live births	25.9%	* / 7	0 / 5	0 / *	
Number of intended retrievals per live birth	2.3	1.8			
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	52.4%	* / 6	0 / *	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	52.4%	* / 6	0 / *	0 / *	
Percentage of new patients having live births after all intended retrievals	52.4%	* / 6	0 / *	0 / *	
Average number of intended retrievals per new patient	1.1	1.0	1.3	1.0	
Average number of transfers per intended retrieval	1.1	1.0	1.3	1.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	152
Percentage of transfers resulting in live births				53.9%
Percentage of transfers resulting in singleton live births				38.8%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	89	46	42	22	26	225
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	2.2%	0.0%	18.2%	0.0%	2.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.5%	4.3%	7.1%	0.0%	0.0%	4.0%
Percentage of cycles for fertility preservation	1.1%	2.2%	7.1%	0.0%	0.0%	2.2%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 18	0.0%	0.0%
Percentage of transfers using frozen embryos	80.7%	87.2%	80.6%	17 / 18	100.0%	85.6%
Percentage of transfers of at least one embryo with ICSI	14.5%	17.9%	19.4%	* / 18	0.0%	13.4%
Percentage of transfers of at least one embryo with PGT	1.2%	0.0%	0.0%	0 / 18	0.0%	0.5%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	No	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	46%	Diminished ovarian reserve	27%
Endometriosis	8%	Egg or embryo banking	4%
Tubal factor	7%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	8%	Other, infertility	19%
Uterine factor	1%	Other, non-infertility	1%
PGT	1%	Unexplained	19%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

KUTTEH KE FERTILITY ASSOCIATES OF MEMPHIS, PLLC
MEMPHIS, TENNESSEE

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Raymond W. Ke, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	157	58	44	6	9
Percentage of intended retrievals resulting in live births	68.8%	51.7%	20.5%	* / 6	0 / 9
Percentage of intended retrievals resulting in singleton live births	62.4%	41.4%	18.2%	0 / 6	0 / 9
Number of **retrievals**	153	54	37	5	7
Percentage of retrievals resulting in live births	70.6%	55.6%	24.3%	* / 5	0 / 7
Percentage of retrievals resulting in singleton live births	64.1%	44.4%	21.6%	0 / 5	0 / 7
Number of **transfers**	181	65	34	*	5
Percentage of transfers resulting in live births	59.7%	46.2%	26.5%	* / *	0 / 5
Percentage of transfers resulting in singleton live births	54.1%	36.9%	23.5%	0 / *	0 / 5
Number of intended retrievals per live birth	1.5	1.9	4.9	6.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	70.9%	52.4%	30.8%	* / *	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	73.8%	54.8%	30.8%	* / *	0 / 6
Percentage of new patients having live births after all intended retrievals	73.8%	54.8%	30.8%	* / *	0 / 6
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.0	1.0
Average number of transfers per intended retrieval	1.2	1.1	0.7	0.8	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	19	22	26
Percentage of transfers resulting in live births		8 / 19	45.5%	38.5%
Percentage of transfers resulting in singleton live births		8 / 19	40.9%	26.9%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	421	168	111	36	44	780
Percentage of cycles cancelled prior to retrieval or thaw	7.8%	11.9%	15.3%	8.3%	13.6%	10.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.4%	3.0%	2.7%	5.6%	6.8%	2.4%
Percentage of cycles for fertility preservation	6.7%	3.0%	2.7%	8.3%	4.5%	5.3%
Percentage of transfers using a gestational carrier	2.2%	1.0%	0.0%	4.3%	6.7%	2.0%
Percentage of transfers using frozen embryos	90.8%	87.5%	83.1%	78.3%	56.7%	86.0%
Percentage of transfers of at least one embryo with ICSI	87.8%	76.9%	81.5%	69.6%	43.3%	80.5%
Percentage of transfers of at least one embryo with PGT	13.5%	23.1%	23.1%	13.0%	6.7%	16.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	32%	Diminished ovarian reserve	29%
Endometriosis	13%	Egg or embryo banking	33%
Tubal factor	17%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	16%	Other, infertility	16%
Uterine factor	7%	Other, non-infertility	4%
PGT	4%	Unexplained	6%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REGIONAL ONE HEALTH REPRODUCTIVE MEDICINE
MEMPHIS, TENNESSEE

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Laura Detti, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	9	*	*	*	*
Percentage of intended retrievals resulting in live births	* / 9	* / *	0 / *	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	* / 9	0 / *	0 / *	0 / *	0 / *
Number of **retrievals**	8	*	*	*	*
Percentage of retrievals resulting in live births	* / 8	* / *	0 / *	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	* / 8	0 / *	0 / *	0 / *	0 / *
Number of **transfers**	8	*	*	0	0
Percentage of transfers resulting in live births	* / 8	* / *	0 / *		
Percentage of transfers resulting in singleton live births	* / 8	0 / *	0 / *		
Number of intended retrievals per live birth	2.3	3.0			
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 5	* / *			0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 5	* / *			0 / *
Percentage of new patients having live births after all intended retrievals	* / 5	* / *			0 / *
Average number of intended retrievals per new patient	1.0	1.0			1.0
Average number of transfers per intended retrieval	1.0	1.0			0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	*	0
Percentage of transfers resulting in live births		0 / *	* / *	
Percentage of transfers resulting in singleton live births		0 / *	0 / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	16	13	18	7	14	68
Percentage of cycles cancelled prior to retrieval or thaw	* / 16	* / 13	6 / 18	* / 7	* / 14	20.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0 / 16	0 / 13	* / 18	* / 7	* / 14	7.4%
Percentage of cycles for fertility preservation	* / 16	0 / 13	0 / 18	0 / 7	* / 14	4.4%
Percentage of transfers using a gestational carrier	0 / 11	0 / 9	0 / 6	0 / *	0 / *	0.0%
Percentage of transfers using frozen embryos	5 / 11	* / 9	5 / 6	* / *	* / *	57.6%
Percentage of transfers of at least one embryo with ICSI	7 / 11	9 / 9	5 / 6	* / *	* / *	81.8%
Percentage of transfers of at least one embryo with PGT	0 / 11	* / 9	* / 6	* / *	0 / *	9.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	35%	Diminished ovarian reserve	31%
Endometriosis	16%	Egg or embryo banking	24%
Tubal factor	21%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	28%	Other, infertility	35%
Uterine factor	12%	Other, non-infertility	22%
PGT	10%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE CENTER FOR REPRODUCTIVE HEALTH
NASHVILLE, TENNESSEE

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jaime M. Vasquez, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	17	8	*	*	*
Percentage of intended retrievals resulting in live births	7 / 17	* / 8	0 / *	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	6 / 17	0 / 8	0 / *	0 / *	0 / *
Number of **retrievals**	17	8	*	*	*
Percentage of retrievals resulting in live births	7 / 17	* / 8	0 / *	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	6 / 17	0 / 8	0 / *	0 / *	0 / *
Number of **transfers**	14	*	*	0	*
Percentage of transfers resulting in live births	7 / 14	* / *	0 / *		0 / *
Percentage of transfers resulting in singleton live births	6 / 14	0 / *	0 / *		0 / *
Number of intended retrievals per live birth	2.4	8.0			
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	6 / 15	* / 6	0 / *	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	6 / 15	* / 6	0 / *	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	6 / 15	* / 6	0 / *	0 / *	0 / *
Average number of intended retrievals per new patient	1.0	1.2	1.3	1.0	1.0
Average number of transfers per intended retrieval	0.9	0.3	0.3	0.0	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	15	0	17	18
Percentage of transfers resulting in live births	8 / 15		5 / 17	* / 18
Percentage of transfers resulting in singleton live births	5 / 15		* / 17	* / 18

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	61	25	13	10	18	127
Percentage of cycles cancelled prior to retrieval or thaw	4.9%	8.0%	* / 13	* / 10	0 / 18	6.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	21.3%	4.0%	* / 13	* / 10	* / 18	13.4%
Percentage of cycles for fertility preservation	0.0%	0.0%	0 / 13	0 / 10	0 / 18	0.0%
Percentage of transfers using a gestational carrier	2.9%	0 / 17	* / 10	0 / 6	* / 15	7.2%
Percentage of transfers using frozen embryos	91.4%	12 / 17	8 / 10	5 / 6	10 / 15	80.7%
Percentage of transfers of at least one embryo with ICSI	82.9%	11 / 17	* / 10	* / 6	9 / 15	67.5%
Percentage of transfers of at least one embryo with PGT	14.3%	* / 17	* / 10	* / 6	0 / 15	12.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	35%	Diminished ovarian reserve	17%
Endometriosis	2%	Egg or embryo banking	15%
Tubal factor	6%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	18%	Other, infertility	22%
Uterine factor	0%	Other, non-infertility	4%
PGT	1%	Unexplained	6%
Gestational carrier	4%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NASHVILLE FERTILITY CENTER
NASHVILLE, TENNESSEE

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by George A. Hill, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	206	97	81	45	7
Percentage of intended retrievals resulting in live births	66.0%	41.2%	30.9%	11.1%	* / 7
Percentage of intended retrievals resulting in singleton live births	60.7%	39.2%	29.6%	11.1%	* / 7
Number of **retrievals**	194	82	62	32	*
Percentage of retrievals resulting in live births	70.1%	48.8%	40.3%	15.6%	* / *
Percentage of retrievals resulting in singleton live births	64.4%	46.3%	38.7%	15.6%	* / *
Number of **transfers**	218	76	46	14	*
Percentage of transfers resulting in live births	62.4%	52.6%	54.3%	5 / 14	* / *
Percentage of transfers resulting in singleton live births	57.3%	50.0%	52.2%	5 / 14	* / *
Number of intended retrievals per live birth	1.5	2.4	3.2	9.0	7.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	67.7%	45.0%	31.6%	15.0%	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	74.1%	55.0%	39.5%	20.0%	0 / *
Percentage of new patients having live births after all intended retrievals	74.7%	55.0%	42.1%	20.0%	* / *
Average number of intended retrievals per new patient	1.1	1.3	1.4	1.6	1.8
Average number of transfers per intended retrieval	1.1	0.8	0.5	0.3	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	56	45
Percentage of transfers resulting in live births			46.4%	42.2%
Percentage of transfers resulting in singleton live births			44.6%	31.1%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	599	242	194	69	71	1,175
Percentage of cycles cancelled prior to retrieval or thaw	5.3%	9.9%	10.8%	8.7%	16.9%	8.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.5%	3.3%	2.1%	2.9%	1.4%	2.6%
Percentage of cycles for fertility preservation	2.0%	5.4%	6.7%	2.9%	0.0%	3.4%
Percentage of transfers using a gestational carrier	1.2%	1.6%	7.4%	11.1%	10.3%	3.5%
Percentage of transfers using frozen embryos	96.9%	96.0%	94.4%	97.2%	100.0%	96.5%
Percentage of transfers of at least one embryo with ICSI	87.3%	84.7%	64.8%	61.1%	20.5%	77.3%
Percentage of transfers of at least one embryo with PGT	72.4%	66.9%	60.2%	75.0%	64.1%	68.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	36%
Endometriosis	12%	Egg or embryo banking	37%
Tubal factor	17%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	13%	Other, infertility	13%
Uterine factor	6%	Other, non-infertility	1%
PGT	1%	Unexplained	9%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ASPIRE FERTILITY-DALLAS
ADDISON, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Linda C. Elkins, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	18	17	15	8	*
Percentage of intended retrievals resulting in live births	7 / 18	6 / 17	* / 15	0 / 8	0 / *
Percentage of intended retrievals resulting in singleton live births	5 / 18	5 / 17	* / 15	0 / 8	0 / *
Number of **retrievals**	18	17	14	8	*
Percentage of retrievals resulting in live births	7 / 18	6 / 17	* / 14	0 / 8	0 / *
Percentage of retrievals resulting in singleton live births	5 / 18	5 / 17	* / 14	0 / 8	0 / *
Number of **transfers**	16	15	6	*	0
Percentage of transfers resulting in live births	7 / 16	6 / 15	* / 6	0 / *	
Percentage of transfers resulting in singleton live births	5 / 16	5 / 15	* / 6	0 / *	
Number of intended retrievals per live birth	2.6	2.8	5.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	7 / 16	6 / 15	* / 8	0 / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	7 / 16	6 / 15	* / 8	0 / 5	0 / *
Percentage of new patients having live births after all intended retrievals	7 / 16	6 / 15	* / 8	0 / 5	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.0	1.4	1.0
Average number of transfers per intended retrieval	0.9	0.9	0.5	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	7	7	*
Percentage of transfers resulting in live births		* / 7	* / 7	0 / *
Percentage of transfers resulting in singleton live births		* / 7	* / 7	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	93	53	44	20	21	231
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0.0%	0.0%	0.0%	4.8%	0.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.1%	3.8%	11.4%	5.0%	14.3%	5.2%
Percentage of cycles for fertility preservation	7.5%	11.3%	0.0%	5.0%	0.0%	6.1%
Percentage of transfers using a gestational carrier	4.3%	0.0%	0 / 19	0 / 11	0 / 11	1.8%
Percentage of transfers using frozen embryos	87.2%	88.0%	15 / 19	6 / 11	7 / 11	80.5%
Percentage of transfers of at least one embryo with ICSI	89.4%	84.0%	17 / 19	9 / 11	8 / 11	85.8%
Percentage of transfers of at least one embryo with PGT	42.6%	68.0%	14 / 19	6 / 11	* / 11	53.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	13%
Endometriosis	6%	Egg or embryo banking	49%
Tubal factor	12%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	9%	Other, infertility	29%
Uterine factor	2%	Other, non-infertility	4%
PGT	2%	Unexplained	15%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

DFW CENTER FOR FERTILITY & IVF
ALLEN, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Victor E. Beshay, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	14	10	6	5	*
Percentage of intended retrievals resulting in live births	8 / 14	* / 10	* / 6	* / 5	0 / *
Percentage of intended retrievals resulting in singleton live births	5 / 14	* / 10	* / 6	* / 5	0 / *
Number of **retrievals**	14	9	6	*	*
Percentage of retrievals resulting in live births	8 / 14	* / 9	* / 6	* / *	0 / *
Percentage of retrievals resulting in singleton live births	5 / 14	* / 9	* / 6	* / *	0 / *
Number of **transfers**	12	8	*	*	*
Percentage of transfers resulting in live births	8 / 12	* / 8	* / *	* / *	0 / *
Percentage of transfers resulting in singleton live births	5 / 12	* / 8	* / *	* / *	0 / *
Number of intended retrievals per live birth	1.8	2.5	3.0	2.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	7 / 13	* / 5	* / *	* / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	8 / 13	* / 5	* / *	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	8 / 13	* / 5	* / *	* / *	0 / *
Average number of intended retrievals per new patient	1.1	1.4	1.0	2.0	1.0
Average number of transfers per intended retrieval	0.9	0.7	1.3	0.5	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	*	*
Percentage of transfers resulting in live births		0 / *	0 / *	* / *
Percentage of transfers resulting in singleton live births		0 / *	0 / *	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	49	14	24	5	6	98
Percentage of cycles cancelled prior to retrieval or thaw	2.0%	* / 14	4.2%	0 / 5	* / 6	4.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.0%	* / 14	12.5%	* / 5	* / 6	9.2%
Percentage of cycles for fertility preservation	10.2%	* / 14	0.0%	* / 5	0 / 6	7.1%
Percentage of transfers using a gestational carrier	0.0%	0 / 7	0 / 11		0 / *	0.0%
Percentage of transfers using frozen embryos	79.2%	* / 7	11 / 11		* / *	80.0%
Percentage of transfers of at least one embryo with ICSI	70.8%	6 / 7	9 / 11		* / *	77.8%
Percentage of transfers of at least one embryo with PGT	50.0%	* / 7	9 / 11		0 / *	51.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	44%	Diminished ovarian reserve	39%
Endometriosis	1%	Egg or embryo banking	69%
Tubal factor	13%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	14%	Other, infertility	0%
Uterine factor	7%	Other, non-infertility	0%
PGT	47%	Unexplained	11%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ASPIRE FERTILITY-AUSTIN
AUSTIN, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Amanda Skillern, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	41	40	61	12	8
Percentage of intended retrievals resulting in live births	53.7%	40.0%	18.0%	* / 12	0 / 8
Percentage of intended retrievals resulting in singleton live births	53.7%	37.5%	18.0%	* / 12	0 / 8
Number of **retrievals**	39	40	58	11	7
Percentage of retrievals resulting in live births	56.4%	40.0%	19.0%	* / 11	0 / 7
Percentage of retrievals resulting in singleton live births	56.4%	37.5%	19.0%	* / 11	0 / 7
Number of **transfers**	37	27	22	7	0
Percentage of transfers resulting in live births	59.5%	59.3%	50.0%	* / 7	
Percentage of transfers resulting in singleton live births	59.5%	55.6%	50.0%	* / 7	
Number of intended retrievals per live birth	1.9	2.5	5.5	3.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	63.3%	23.8%	28.0%	* / 8	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	63.3%	47.6%	28.0%	* / 8	0 / *
Percentage of new patients having live births after all intended retrievals	63.3%	52.4%	32.0%	* / 8	0 / *
Average number of intended retrievals per new patient	1.2	1.5	1.8	1.3	1.0
Average number of transfers per intended retrieval	1.0	0.7	0.3	0.5	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	23	*
Percentage of transfers resulting in live births		* / *	47.8%	* / *
Percentage of transfers resulting in singleton live births		* / *	43.5%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	132	112	131	42	25	442
Percentage of cycles cancelled prior to retrieval or thaw	7.6%	12.5%	13.0%	19.0%	20.0%	12.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.3%	4.5%	8.4%	4.8%	16.0%	5.7%
Percentage of cycles for fertility preservation	7.6%	10.7%	0.8%	0.0%	0.0%	5.2%
Percentage of transfers using a gestational carrier	0.0%	9.1%	0.0%	* / 14	0 / 8	3.0%
Percentage of transfers using frozen embryos	87.9%	90.9%	100.0%	14 / 14	8 / 8	93.3%
Percentage of transfers of at least one embryo with ICSI	86.2%	88.6%	80.5%	10 / 14	* / 8	82.4%
Percentage of transfers of at least one embryo with PGT	75.9%	79.5%	90.2%	13 / 14	7 / 8	82.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	20%	Diminished ovarian reserve	19%
Endometriosis	8%	Egg or embryo banking	56%
Tubal factor	4%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	16%	Other, infertility	19%
Uterine factor	4%	Other, non-infertility	11%
PGT	7%	Unexplained	16%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

AUSTIN FERTILITY AND REPRODUCTIVE MEDICINE-WESTLAKE IVF
AUSTIN, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Shahryar K. Kavoussi, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	55	22	31	13	*
Percentage of intended retrievals resulting in live births	49.1%	40.9%	19.4%	* / 13	0 / *
Percentage of intended retrievals resulting in singleton live births	34.5%	40.9%	16.1%	* / 13	0 / *
Number of **retrievals**	54	22	29	11	*
Percentage of retrievals resulting in live births	50.0%	40.9%	20.7%	* / 11	0 / *
Percentage of retrievals resulting in singleton live births	35.2%	40.9%	17.2%	* / 11	0 / *
Number of **transfers**	65	21	22	8	*
Percentage of transfers resulting in live births	41.5%	42.9%	27.3%	* / 8	0 / *
Percentage of transfers resulting in singleton live births	29.2%	42.9%	22.7%	* / 8	0 / *
Number of intended retrievals per live birth	2.0	2.4	5.2	13.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	46.2%	7 / 15	19.0%	* / 10	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	53.8%	7 / 15	28.6%	* / 10	0 / *
Percentage of new patients having live births after all intended retrievals	56.4%	7 / 15	28.6%	* / 10	0 / *
Average number of intended retrievals per new patient	1.2	1.1	1.3	1.0	1.0
Average number of transfers per intended retrieval	1.2	1.1	0.7	0.6	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	7	*	*
Percentage of transfers resulting in live births	* / *	* / 7	* / *	* / *
Percentage of transfers resulting in singleton live births	* / *	* / 7	* / *	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	109	47	50	29	11	246
Percentage of cycles cancelled prior to retrieval or thaw	2.8%	2.1%	2.0%	13.8%	* / 11	4.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	15.6%	6.4%	8.0%	13.8%	* / 11	11.8%
Percentage of cycles for fertility preservation	4.6%	6.4%	14.0%	13.8%	0 / 11	7.7%
Percentage of transfers using a gestational carrier	1.4%	0.0%	0.0%	0 / 10	0 / *	0.7%
Percentage of transfers using frozen embryos	65.7%	75.8%	87.5%	8 / 10	* / *	71.6%
Percentage of transfers of at least one embryo with ICSI	92.9%	97.0%	75.0%	9 / 10	* / *	90.1%
Percentage of transfers of at least one embryo with PGT	7.1%	15.2%	20.8%	* / 10	0 / *	13.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	48%	Diminished ovarian reserve	19%
Endometriosis	5%	Egg or embryo banking	30%
Tubal factor	6%	Recurrent pregnancy loss	10%
Ovulatory dysfunction	15%	Other, infertility	9%
Uterine factor	11%	Other, non-infertility	4%
PGT	2%	Unexplained	3%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

AUSTIN FERTILITY INSTITUTE, PA
AUSTIN, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Kenneth K. Moghadam, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	105	83	48	13	*
Percentage of intended retrievals resulting in live births	53.3%	45.8%	27.1%	0 / 13	0 / *
Percentage of intended retrievals resulting in singleton live births	45.7%	34.9%	20.8%	0 / 13	0 / *
Number of **retrievals**	96	74	37	9	*
Percentage of retrievals resulting in live births	58.3%	51.4%	35.1%	0 / 9	0 / *
Percentage of retrievals resulting in singleton live births	50.0%	39.2%	27.0%	0 / 9	0 / *
Number of **transfers**	107	83	31	6	*
Percentage of transfers resulting in live births	52.3%	45.8%	41.9%	0 / 6	0 / *
Percentage of transfers resulting in singleton live births	44.9%	34.9%	32.3%	0 / 6	0 / *
Number of intended retrievals per live birth	1.9	2.2	3.7		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	60.6%	45.1%	26.1%	0 / 6	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	64.8%	56.9%	30.4%	0 / 6	0 / *
Percentage of new patients having live births after all intended retrievals	66.2%	58.8%	34.8%	0 / 6	0 / *
Average number of intended retrievals per new patient	1.2	1.3	1.5	1.2	1.0
Average number of transfers per intended retrieval	0.9	1.0	0.6	0.4	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	8	0
Percentage of transfers resulting in live births	* / *		* / 8	
Percentage of transfers resulting in singleton live births	* / *		* / 8	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	210	149	92	22	12	485
Percentage of cycles cancelled prior to retrieval or thaw	1.0%	4.0%	8.7%	9.1%	0 / 12	3.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.3%	2.7%	1.1%	0.0%	* / 12	2.9%
Percentage of cycles for fertility preservation	3.3%	8.1%	1.1%	4.5%	0 / 12	4.3%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 12	0 / 6	0.0%
Percentage of transfers using frozen embryos	95.5%	97.5%	95.2%	11 / 12	6 / 6	96.0%
Percentage of transfers of at least one embryo with ICSI	98.2%	92.5%	90.5%	11 / 12	5 / 6	94.4%
Percentage of transfers of at least one embryo with PGT	50.0%	61.3%	61.9%	9 / 12	* / 6	56.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	51%	Diminished ovarian reserve	13%
Endometriosis	12%	Egg or embryo banking	43%
Tubal factor	11%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	9%	Other, infertility	6%
Uterine factor	2%	Other, non-infertility	1%
PGT	1%	Unexplained	9%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

TEXAS FERTILITY CENTER
VAUGHN, SILVERBERG & ASSOCIATES
AUSTIN, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Kaylen Silverberg, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	299	153	194	71	61
Percentage of intended retrievals resulting in live births	51.8%	39.9%	23.7%	12.7%	1.6%
Percentage of intended retrievals resulting in singleton live births	48.8%	35.3%	21.6%	11.3%	1.6%
Number of **retrievals**	273	143	160	58	54
Percentage of retrievals resulting in live births	56.8%	42.7%	28.8%	15.5%	1.9%
Percentage of retrievals resulting in singleton live births	53.5%	37.8%	26.3%	13.8%	1.9%
Number of **transfers**	322	132	83	22	5
Percentage of transfers resulting in live births	48.1%	46.2%	55.4%	40.9%	* / 5
Percentage of transfers resulting in singleton live births	45.3%	40.9%	50.6%	36.4%	* / 5
Number of intended retrievals per live birth	1.9	2.5	4.2	7.9	61.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	57.1%	46.4%	27.1%	13.9%	0.0%
Percentage of new patients having live births after 1 or 2 intended retrievals	61.3%	51.5%	32.3%	13.9%	0.0%
Percentage of new patients having live births after all intended retrievals	62.7%	52.6%	33.3%	13.9%	4.3%
Average number of intended retrievals per new patient	1.1	1.2	1.4	1.3	1.5
Average number of transfers per intended retrieval	1.1	0.9	0.4	0.3	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	9	14	169	24
Percentage of transfers resulting in live births	* / 9	7 / 14	45.0%	66.7%
Percentage of transfers resulting in singleton live births	* / 9	6 / 14	42.6%	54.2%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	903	557	461	194	215	2,330
Percentage of cycles cancelled prior to retrieval or thaw	11.1%	11.5%	14.1%	21.6%	19.5%	13.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.2%	3.9%	6.9%	7.7%	8.8%	4.6%
Percentage of cycles for fertility preservation	3.8%	5.2%	5.6%	3.6%	0.0%	4.1%
Percentage of transfers using a gestational carrier	3.2%	2.4%	2.3%	4.1%	6.3%	3.2%
Percentage of transfers using frozen embryos	97.9%	99.6%	94.0%	93.2%	91.1%	96.5%
Percentage of transfers of at least one embryo with ICSI	76.6%	81.0%	80.6%	63.0%	50.9%	74.9%
Percentage of transfers of at least one embryo with PGT	64.0%	73.0%	67.7%	54.8%	45.5%	64.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	26%	Diminished ovarian reserve	37%
Endometriosis	8%	Egg or embryo banking	36%
Tubal factor	8%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	10%	Other, infertility	9%
Uterine factor	9%	Other, non-infertility	<1%
PGT	2%	Unexplained	9%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTER FOR ASSISTED REPRODUCTION
BEDFORD, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Kevin J. Doody, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	155	74	75	25	*
Percentage of intended retrievals resulting in live births	51.6%	41.9%	36.0%	8.0%	* / *
Percentage of intended retrievals resulting in singleton live births	48.4%	39.2%	32.0%	8.0%	* / *
Number of **retrievals**	152	71	70	23	*
Percentage of retrievals resulting in live births	52.6%	43.7%	38.6%	8.7%	* / *
Percentage of retrievals resulting in singleton live births	49.3%	40.8%	34.3%	8.7%	* / *
Number of **transfers**	222	96	63	13	*
Percentage of transfers resulting in live births	36.0%	32.3%	42.9%	* / 13	* / *
Percentage of transfers resulting in singleton live births	33.8%	30.2%	38.1%	* / 13	* / *
Number of intended retrievals per live birth	1.9	2.4	2.8	12.5	4.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	53.5%	45.1%	39.2%	* / 18	* / *
Percentage of new patients having live births after 1 or 2 intended retrievals	55.8%	47.1%	41.2%	* / 18	* / *
Percentage of new patients having live births after all intended retrievals	55.8%	47.1%	41.2%	* / 18	* / *
Average number of intended retrievals per new patient	1.1	1.0	1.1	1.2	1.0
Average number of transfers per intended retrieval	1.5	1.3	0.9	0.5	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	5	*	16	28
Percentage of transfers resulting in live births	* / 5	* / *	8 / 16	21.4%
Percentage of transfers resulting in singleton live births	* / 5	* / *	8 / 16	21.4%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	404	186	162	50	30	832
Percentage of cycles cancelled prior to retrieval or thaw	2.5%	2.7%	4.9%	8.0%	6.7%	3.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.9%	6.5%	11.1%	10.0%	20.0%	9.3%
Percentage of cycles for fertility preservation	2.7%	1.6%	0.6%	4.0%	3.3%	2.2%
Percentage of transfers using a gestational carrier	2.2%	1.5%	1.9%	3.0%	0 / 19	1.9%
Percentage of transfers using frozen embryos	78.1%	74.3%	63.9%	54.5%	15 / 19	73.1%
Percentage of transfers of at least one embryo with ICSI	62.2%	65.4%	58.3%	39.4%	8 / 19	60.2%
Percentage of transfers of at least one embryo with PGT	4.1%	5.9%	5.6%	3.0%	* / 19	4.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	38%	Diminished ovarian reserve	24%
Endometriosis	4%	Egg or embryo banking	22%
Tubal factor	14%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	18%	Other, infertility	11%
Uterine factor	2%	Other, non-infertility	4%
PGT	4%	Unexplained	7%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

DALLAS-FORT WORTH FERTILITY ASSOCIATES
DALLAS, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Samuel J. Chantilis, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	293	137	163	68	48
Percentage of intended retrievals resulting in live births	58.4%	51.1%	26.4%	8.8%	2.1%
Percentage of intended retrievals resulting in singleton live births	48.8%	47.4%	25.8%	8.8%	2.1%
Number of **retrievals**	273	119	141	59	38
Percentage of retrievals resulting in live births	62.6%	58.8%	30.5%	10.2%	2.6%
Percentage of retrievals resulting in singleton live births	52.4%	54.6%	29.8%	10.2%	2.6%
Number of **transfers**	314	136	100	19	11
Percentage of transfers resulting in live births	54.5%	51.5%	43.0%	6 / 19	* / 11
Percentage of transfers resulting in singleton live births	45.5%	47.8%	42.0%	6 / 19	* / 11
Number of intended retrievals per live birth	1.7	2.0	3.8	11.3	48.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	66.8%	62.3%	32.9%	11.1%	* / 18
Percentage of new patients having live births after 1 or 2 intended retrievals	70.0%	66.2%	42.5%	11.1%	* / 18
Percentage of new patients having live births after all intended retrievals	70.0%	66.2%	43.8%	11.1%	* / 18
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.5	1.3
Average number of transfers per intended retrieval	1.1	1.1	0.7	0.3	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	16	*	57	14
Percentage of transfers resulting in live births	8 / 16	* / *	56.1%	12 / 14
Percentage of transfers resulting in singleton live births	7 / 16	* / *	49.1%	11 / 14

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	778	439	293	123	109	1,742
Percentage of cycles cancelled prior to retrieval or thaw	2.6%	4.3%	6.8%	11.4%	10.1%	4.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	14.8%	11.4%	16.4%	20.3%	22.9%	15.1%
Percentage of cycles for fertility preservation	4.5%	8.4%	8.9%	6.5%	0.9%	6.1%
Percentage of transfers using a gestational carrier	2.0%	1.8%	5.7%	2.1%	7.3%	2.8%
Percentage of transfers using frozen embryos	93.6%	92.0%	86.2%	78.7%	76.4%	90.4%
Percentage of transfers of at least one embryo with ICSI	50.7%	47.1%	43.1%	29.8%	40.0%	47.0%
Percentage of transfers of at least one embryo with PGT	36.1%	48.4%	51.2%	40.4%	25.5%	40.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	37%
Endometriosis	8%	Egg or embryo banking	36%
Tubal factor	9%	Recurrent pregnancy loss	<1%
Ovulatory dysfunction	11%	Other, infertility	14%
Uterine factor	7%	Other, non-infertility	3%
PGT	3%	Unexplained	20%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY AND ADVANCED REPRODUCTIVE MEDICINE
DALLAS, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Orhan Bukulmez, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	39	32	51	32	32
Percentage of intended retrievals resulting in live births	53.8%	15.6%	17.6%	6.3%	3.1%
Percentage of intended retrievals resulting in singleton live births	53.8%	12.5%	17.6%	3.1%	3.1%
Number of **retrievals**	38	22	47	27	24
Percentage of retrievals resulting in live births	55.3%	22.7%	19.1%	7.4%	4.2%
Percentage of retrievals resulting in singleton live births	55.3%	18.2%	19.1%	3.7%	4.2%
Number of **transfers**	36	12	25	13	7
Percentage of transfers resulting in live births	58.3%	5 / 12	36.0%	* / 13	* / 7
Percentage of transfers resulting in singleton live births	58.3%	* / 12	36.0%	* / 13	* / 7
Number of intended retrievals per live birth	1.9	6.4	5.7	16.0	32.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	55.6%	* / 9	* / 16	* / 8	0 / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	66.7%	* / 9	5 / 16	* / 8	0 / 7
Percentage of new patients having live births after all intended retrievals	70.4%	* / 9	6 / 16	* / 8	0 / 7
Average number of intended retrievals per new patient	1.2	2.0	1.8	2.1	2.6
Average number of transfers per intended retrieval	1.0	0.4	0.7	0.4	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	*	0
Percentage of transfers resulting in live births		* / *	0 / *	
Percentage of transfers resulting in singleton live births		* / *	0 / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	94	70	67	59	54	344
Percentage of cycles cancelled prior to retrieval or thaw	3.2%	7.1%	11.9%	16.9%	9.3%	9.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	26.6%	15.7%	13.4%	11.9%	20.4%	18.3%
Percentage of cycles for fertility preservation	17.0%	7.1%	7.5%	1.7%	5.6%	8.7%
Percentage of transfers using a gestational carrier	2.4%	0.0%	0.0%	9.1%	0 / 15	2.3%
Percentage of transfers using frozen embryos	81.0%	86.2%	100.0%	100.0%	13 / 15	89.3%
Percentage of transfers of at least one embryo with ICSI	85.7%	82.8%	82.6%	77.3%	11 / 15	81.7%
Percentage of transfers of at least one embryo with PGT	2.4%	10.3%	4.3%	13.6%	* / 15	6.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	36%	Diminished ovarian reserve	47%
Endometriosis	8%	Egg or embryo banking	36%
Tubal factor	15%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	9%	Other, infertility	3%
Uterine factor	18%	Other, non-infertility	1%
PGT	1%	Unexplained	7%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY CENTER OF DALLAS
DALLAS, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by J. Michael Putman, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	52	24	19	5	5
Percentage of intended retrievals resulting in live births	63.5%	33.3%	5 / 19	0 / 5	0 / 5
Percentage of intended retrievals resulting in singleton live births	42.3%	33.3%	* / 19	0 / 5	0 / 5
Number of **retrievals**	51	24	16	5	5
Percentage of retrievals resulting in live births	64.7%	33.3%	5 / 16	0 / 5	0 / 5
Percentage of retrievals resulting in singleton live births	43.1%	33.3%	* / 16	0 / 5	0 / 5
Number of **transfers**	53	20	12	*	*
Percentage of transfers resulting in live births	62.3%	40.0%	5 / 12	0 / *	0 / *
Percentage of transfers resulting in singleton live births	41.5%	40.0%	* / 12	0 / *	0 / *
Number of intended retrievals per live birth	1.6	3.0	3.8		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	72.5%	* / 11	* / 11		0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	75.0%	* / 11	* / 11		0 / *
Percentage of new patients having live births after all intended retrievals	75.0%	* / 11	* / 11		0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.0		1.3
Average number of transfers per intended retrieval	1.1	1.1	0.8		0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	8	0
Percentage of transfers resulting in live births		* / *	5 / 8	
Percentage of transfers resulting in singleton live births		* / *	* / 8	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	90	58	39	14	21	222
Percentage of cycles cancelled prior to retrieval or thaw	3.3%	5.2%	12.8%	* / 14	9.5%	6.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.3%	3.4%	5.1%	* / 14	4.8%	4.1%
Percentage of cycles for fertility preservation	11.1%	5.2%	5.1%	* / 14	9.5%	8.1%
Percentage of transfers using a gestational carrier	0.0%	5.4%	0 / 17	0 / 9	0 / 11	1.6%
Percentage of transfers using frozen embryos	83.7%	78.4%	13 / 17	* / 9	8 / 11	77.2%
Percentage of transfers of at least one embryo with ICSI	87.8%	91.9%	14 / 17	7 / 9	10 / 11	87.8%
Percentage of transfers of at least one embryo with PGT	30.6%	45.9%	11 / 17	* / 9	* / 11	37.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	45%	Diminished ovarian reserve	27%
Endometriosis	18%	Egg or embryo banking	34%
Tubal factor	17%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	7%	Other, infertility	43%
Uterine factor	33%	Other, non-infertility	7%
PGT	38%	Unexplained	2%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

REPROMED FERTILITY CENTER
DALLAS, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Anil B. Pinto, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	78	40	35	22	13
Percentage of intended retrievals resulting in live births	60.3%	25.0%	17.1%	0.0%	0 / 13
Percentage of intended retrievals resulting in singleton live births	38.5%	20.0%	8.6%	0.0%	0 / 13
Number of **retrievals**	76	38	33	16	10
Percentage of retrievals resulting in live births	61.8%	26.3%	18.2%	0 / 16	0 / 10
Percentage of retrievals resulting in singleton live births	39.5%	21.1%	9.1%	0 / 16	0 / 10
Number of **transfers**	80	24	14	*	0
Percentage of transfers resulting in live births	58.8%	41.7%	6 / 14	0 / *	
Percentage of transfers resulting in singleton live births	37.5%	33.3%	* / 14	0 / *	
Number of intended retrievals per live birth	1.7	4.0	5.8		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	60.6%	22.2%	* / 18	0 / 10	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	63.6%	29.6%	* / 18	0 / 10	0 / 5
Percentage of new patients having live births after all intended retrievals	63.6%	29.6%	* / 18	0 / 10	0 / 5
Average number of intended retrievals per new patient	1.1	1.2	1.6	1.6	1.6
Average number of transfers per intended retrieval	1.0	0.6	0.4	0.1	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	10	*
Percentage of transfers resulting in live births		* / *	* / 10	* / *
Percentage of transfers resulting in singleton live births		* / *	* / 10	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	118	71	61	22	21	293
Percentage of cycles cancelled prior to retrieval or thaw	8.5%	18.3%	16.4%	36.4%	19.0%	15.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.5%	1.4%	4.9%	18.2%	0.0%	3.8%
Percentage of cycles for fertility preservation	2.5%	4.2%	1.6%	0.0%	0.0%	2.4%
Percentage of transfers using a gestational carrier	1.7%	3.3%	0 / 17	0 / 6	0 / 12	1.6%
Percentage of transfers using frozen embryos	100.0%	96.7%	17 / 17	6 / 6	10 / 12	97.6%
Percentage of transfers of at least one embryo with ICSI	87.9%	73.3%	16 / 17	5 / 6	9 / 12	83.7%
Percentage of transfers of at least one embryo with PGT	48.3%	73.3%	9 / 17	5 / 6	* / 12	55.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	13%	Diminished ovarian reserve	30%
Endometriosis	3%	Egg or embryo banking	51%
Tubal factor	12%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	49%	Other, infertility	66%
Uterine factor	<1%	Other, non-infertility	1%
PGT	65%	Unexplained	1%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SHER INSTITUTE FOR REPRODUCTIVE MEDICINE-DALLAS
DALLAS, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Walid A. Saleh, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	61	35	18	10	7
Percentage of intended retrievals resulting in live births	49.2%	28.6%	* / 18	0 / 10	0 / 7
Percentage of intended retrievals resulting in singleton live births	34.4%	28.6%	* / 18	0 / 10	0 / 7
Number of **retrievals**	59	34	17	8	7
Percentage of retrievals resulting in live births	50.8%	29.4%	* / 17	0 / 8	0 / 7
Percentage of retrievals resulting in singleton live births	35.6%	29.4%	* / 17	0 / 8	0 / 7
Number of **transfers**	60	31	14	*	*
Percentage of transfers resulting in live births	50.0%	32.3%	* / 14	0 / *	0 / *
Percentage of transfers resulting in singleton live births	35.0%	32.3%	* / 14	0 / *	0 / *
Number of intended retrievals per live birth	2.0	3.5	4.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	51.0%	8 / 18	* / 11	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	55.1%	8 / 18	* / 11	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	55.1%	8 / 18	* / 11	0 / *	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.0	1.0	1.8
Average number of transfers per intended retrieval	1.0	1.0	0.6	0.5	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	9	15	11	*
Percentage of transfers resulting in live births	6 / 9	6 / 15	7 / 11	* / *
Percentage of transfers resulting in singleton live births	5 / 9	5 / 15	6 / 11	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	140	60	60	25	24	309
Percentage of cycles cancelled prior to retrieval or thaw	4.3%	6.7%	5.0%	12.0%	12.5%	6.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.9%	10.0%	13.3%	12.0%	8.3%	9.7%
Percentage of cycles for fertility preservation	0.7%	1.7%	6.7%	4.0%	0.0%	2.3%
Percentage of transfers using a gestational carrier	2.9%	2.4%	0.0%	0 / 11	0 / 15	2.0%
Percentage of transfers using frozen embryos	41.3%	47.6%	46.9%	8 / 11	8 / 15	46.1%
Percentage of transfers of at least one embryo with ICSI	76.9%	76.2%	81.3%	8 / 11	11 / 15	77.0%
Percentage of transfers of at least one embryo with PGT	8.7%	9.5%	12.5%	5 / 11	* / 15	12.7%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	17%	Diminished ovarian reserve	36%
Endometriosis	2%	Egg or embryo banking	19%
Tubal factor	18%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	13%	Other, infertility	13%
Uterine factor	4%	Other, non-infertility	1%
PGT	8%	Unexplained	8%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

TEXAS CENTER FOR REPRODUCTIVE HEALTH
DALLAS, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Samuel P. Marynick, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	13	9	8	*	*
Percentage of intended retrievals resulting in live births	* / 13	6 / 9	* / 8	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	* / 13	5 / 9	* / 8	0 / *	0 / *
Number of **retrievals**	12	9	8	*	0
Percentage of retrievals resulting in live births	* / 12	6 / 9	* / 8	0 / *	
Percentage of retrievals resulting in singleton live births	* / 12	5 / 9	* / 8	0 / *	
Number of **transfers**	12	8	6	*	0
Percentage of transfers resulting in live births	* / 12	6 / 8	* / 6	0 / *	
Percentage of transfers resulting in singleton live births	* / 12	5 / 8	* / 6	0 / *	
Number of intended retrievals per live birth	6.5	1.5	8.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 8	* / 6	* / *		0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 8	* / 6	* / *		0 / *
Percentage of new patients having live births after all intended retrievals	* / 8	* / 6	* / *		0 / *
Average number of intended retrievals per new patient	1.0	1.2	1.3		1.0
Average number of transfers per intended retrieval	0.9	0.9	0.8		0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	*	0
Percentage of transfers resulting in live births			0 / *	
Percentage of transfers resulting in singleton live births			0 / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	27	8	11	9	6	61
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0 / 8	0 / 11	* / 9	* / 6	3.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	0 / 8	* / 11	* / 9	* / 6	4.9%
Percentage of cycles for fertility preservation	3.7%	* / 8	* / 11	0 / 9	0 / 6	6.6%
Percentage of transfers using a gestational carrier	0.0%	0 / 5	* / 8	0 / 5	* / *	10.0%
Percentage of transfers using frozen embryos	70.0%	* / 5	5 / 8	* / 5	* / *	65.0%
Percentage of transfers of at least one embryo with ICSI	75.0%	* / 5	5 / 8	* / 5	* / *	75.0%
Percentage of transfers of at least one embryo with PGT	70.0%	* / 5	* / 8	0 / 5	* / *	52.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	39%	Diminished ovarian reserve	34%
Endometriosis	5%	Egg or embryo banking	28%
Tubal factor	10%	Recurrent pregnancy loss	13%
Ovulatory dysfunction	13%	Other, infertility	80%
Uterine factor	13%	Other, non-infertility	13%
PGT	64%	Unexplained	0%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

SOUTHWEST CENTER FOR REPRODUCTIVE HEALTH, PA
EL PASO, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Luis S. Noble, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	29	17	16	*	*
Percentage of intended retrievals resulting in live births	62.1%	12 / 17	7 / 16	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	48.3%	8 / 17	6 / 16	0 / *	0 / *
Number of **retrievals**	29	17	16	*	*
Percentage of retrievals resulting in live births	62.1%	12 / 17	7 / 16	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	48.3%	8 / 17	6 / 16	0 / *	0 / *
Number of **transfers**	35	19	17	*	*
Percentage of transfers resulting in live births	51.4%	12 / 19	7 / 17	0 / *	0 / *
Percentage of transfers resulting in singleton live births	40.0%	8 / 19	6 / 17	0 / *	0 / *
Number of intended retrievals per live birth	1.6	1.4	2.3		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	63.6%	9 / 12	* / 10	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	68.2%	9 / 12	5 / 10	0 / *	
Percentage of new patients having live births after all intended retrievals	72.7%	9 / 12	5 / 10	0 / *	
Average number of intended retrievals per new patient	1.1	1.0	1.1	1.0	
Average number of transfers per intended retrieval	1.2	1.2	1.2	1.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	34	21	26	8	5	94
Percentage of cycles cancelled prior to retrieval or thaw	2.9%	0.0%	11.5%	* / 8	0 / 5	5.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.9%	4.8%	11.5%	0 / 8	* / 5	7.4%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 8	0 / 5	0.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 7	0 / *	0.0%
Percentage of transfers using frozen embryos	38.7%	20.0%	35.0%	* / 7	* / *	30.5%
Percentage of transfers of at least one embryo with ICSI	96.8%	100.0%	100.0%	7 / 7	* / *	98.8%
Percentage of transfers of at least one embryo with PGT	0.0%	0.0%	0.0%	0 / 7	0 / *	0.0%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	15%
Endometriosis	32%	Egg or embryo banking	0%
Tubal factor	21%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	24%	Other, infertility	16%
Uterine factor	11%	Other, non-infertility	0%
PGT	0%	Unexplained	3%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

BROOKE ARMY MEDICAL CENTER
FORT SAM HOUSTON, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by G. Donald Royster, IV, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	67	29	28	*	0
Percentage of intended retrievals resulting in live births	47.8%	34.5%	17.9%	0 / *	
Percentage of intended retrievals resulting in singleton live births	38.8%	31.0%	17.9%	0 / *	
Number of **retrievals**	66	26	24	*	0
Percentage of retrievals resulting in live births	48.5%	38.5%	20.8%	0 / *	
Percentage of retrievals resulting in singleton live births	39.4%	34.6%	20.8%	0 / *	
Number of **transfers**	67	27	25	*	0
Percentage of transfers resulting in live births	47.8%	37.0%	20.0%	0 / *	
Percentage of transfers resulting in singleton live births	38.8%	33.3%	20.0%	0 / *	
Number of intended retrievals per live birth	2.1	2.9	5.6		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	51.9%	* / 15	* / 16	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	51.9%	5 / 15	* / 16	0 / *	
Percentage of new patients having live births after all intended retrievals	51.9%	5 / 15	* / 16	0 / *	
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.0	
Average number of transfers per intended retrieval	0.9	0.8	0.9	1.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	73	33	31	7	0	144
Percentage of cycles cancelled prior to retrieval or thaw	4.1%	9.1%	12.9%	* / 7		8.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.8%	9.1%	6.5%	0 / 7		6.9%
Percentage of cycles for fertility preservation	0.0%	6.1%	3.2%	0 / 7		2.1%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 5		0.0%
Percentage of transfers using frozen embryos	23.4%	20.0%	12.5%	0 / 5		19.5%
Percentage of transfers of at least one embryo with ICSI	85.9%	80.0%	87.5%	5 / 5		85.6%
Percentage of transfers of at least one embryo with PGT	0.0%	0.0%	0.0%	0 / 5		0.0%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	44%	Diminished ovarian reserve	24%
Endometriosis	20%	Egg or embryo banking	3%
Tubal factor	30%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	17%	Other, infertility	5%
Uterine factor	22%	Other, non-infertility	4%
PGT	0%	Unexplained	7%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FORT WORTH FERTILITY, PA
FORT WORTH, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Robert A. Kaufmann, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	137	55	43	12	14
Percentage of intended retrievals resulting in live births	65.0%	47.3%	39.5%	* / 12	* / 14
Percentage of intended retrievals resulting in singleton live births	40.1%	36.4%	30.2%	* / 12	* / 14
Number of **retrievals**	137	51	39	9	9
Percentage of retrievals resulting in live births	65.0%	51.0%	43.6%	* / 9	* / 9
Percentage of retrievals resulting in singleton live births	40.1%	39.2%	33.3%	* / 9	* / 9
Number of **transfers**	149	44	33	5	7
Percentage of transfers resulting in live births	59.7%	59.1%	51.5%	* / 5	* / 7
Percentage of transfers resulting in singleton live births	36.9%	45.5%	39.4%	* / 5	* / 7
Number of intended retrievals per live birth	1.5	2.1	2.5	12.0	4.7
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	68.9%	46.9%	42.3%	0 / *	* / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	70.9%	56.3%	50.0%	0 / *	* / 8
Percentage of new patients having live births after all intended retrievals	70.9%	56.3%	50.0%	0 / *	* / 8
Average number of intended retrievals per new patient	1.0	1.1	1.2	1.3	1.4
Average number of transfers per intended retrieval	1.1	0.9	0.8	0.5	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	6	35	22
Percentage of transfers resulting in live births	* / *	5 / 6	42.9%	36.4%
Percentage of transfers resulting in singleton live births	0 / *	* / 6	25.7%	36.4%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	379	145	88	43	43	698
Percentage of cycles cancelled prior to retrieval or thaw	1.6%	2.1%	2.3%	0.0%	7.0%	2.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.1%	9.0%	5.7%	7.0%	9.3%	7.4%
Percentage of cycles for fertility preservation	2.1%	1.4%	4.5%	2.3%	0.0%	2.1%
Percentage of transfers using a gestational carrier	3.3%	4.5%	8.0%	12.0%	15.4%	5.4%
Percentage of transfers using frozen embryos	89.3%	86.4%	84.0%	68.0%	84.6%	86.4%
Percentage of transfers of at least one embryo with ICSI	90.7%	86.4%	74.0%	84.0%	65.4%	85.6%
Percentage of transfers of at least one embryo with PGT	34.0%	35.2%	38.0%	24.0%	11.5%	32.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	7%
Endometriosis	3%	Egg or embryo banking	34%
Tubal factor	13%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	4%	Other, infertility	19%
Uterine factor	<1%	Other, non-infertility	4%
PGT	3%	Unexplained	26%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

CCRM DALLAS-FORT WORTH
FRISCO, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Dorette J. Noorhasan, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	65	25	22	*	5
Percentage of intended retrievals resulting in live births	61.5%	20.0%	27.3%	0 / *	0 / 5
Percentage of intended retrievals resulting in singleton live births	50.8%	20.0%	27.3%	0 / *	0 / 5
Number of **retrievals**	62	22	16	*	*
Percentage of retrievals resulting in live births	64.5%	22.7%	6 / 16	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	53.2%	22.7%	6 / 16	0 / *	0 / *
Number of **transfers**	78	16	13	*	*
Percentage of transfers resulting in live births	51.3%	5 / 16	6 / 13	0 / *	0 / *
Percentage of transfers resulting in singleton live births	42.3%	5 / 16	6 / 13	0 / *	0 / *
Number of intended retrievals per live birth	1.6	5.0	3.7		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	64.4%	5 / 17	* / 13	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	71.1%	5 / 17	5 / 13	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	73.3%	5 / 17	5 / 13	0 / *	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.5	1.5
Average number of transfers per intended retrieval	1.3	0.6	0.6	0.3	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	*	*
Percentage of transfers resulting in live births		0 / *	* / *	* / *
Percentage of transfers resulting in singleton live births		0 / *	* / *	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	146	71	54	19	7	297
Percentage of cycles cancelled prior to retrieval or thaw	4.8%	5.6%	1.9%	* / 19	0 / 7	5.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.8%	8.5%	20.4%	* / 19	0 / 7	9.1%
Percentage of cycles for fertility preservation	1.4%	0.0%	0.0%	0 / 19	0 / 7	0.7%
Percentage of transfers using a gestational carrier	1.1%	0.0%	0.0%	0 / 6	0 / 7	0.6%
Percentage of transfers using frozen embryos	97.8%	97.2%	100.0%	6 / 6	6 / 7	97.5%
Percentage of transfers of at least one embryo with ICSI	70.8%	69.4%	70.0%	* / 6	* / 7	67.1%
Percentage of transfers of at least one embryo with PGT	31.5%	30.6%	60.0%	* / 6	* / 7	36.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	22%
Endometriosis	3%	Egg or embryo banking	33%
Tubal factor	12%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	20%	Other, infertility	6%
Uterine factor	1%	Other, non-infertility	1%
PGT	2%	Unexplained	16%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

DALLAS IVF
FRISCO, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Brian D. Barnett, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	201	84	87	33	20
Percentage of intended retrievals resulting in live births	48.3%	44.0%	21.8%	21.2%	0.0%
Percentage of intended retrievals resulting in singleton live births	42.8%	36.9%	21.8%	21.2%	0.0%
Number of **retrievals**	186	82	76	22	12
Percentage of retrievals resulting in live births	52.2%	45.1%	25.0%	31.8%	0 / 12
Percentage of retrievals resulting in singleton live births	46.2%	37.8%	25.0%	31.8%	0 / 12
Number of **transfers**	221	79	61	13	*
Percentage of transfers resulting in live births	43.9%	46.8%	31.1%	7 / 13	0 / *
Percentage of transfers resulting in singleton live births	38.9%	39.2%	31.1%	7 / 13	0 / *
Number of intended retrievals per live birth	2.1	2.3	4.6	4.7	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	49.3%	51.8%	28.6%	* / 11	0 / 11
Percentage of new patients having live births after 1 or 2 intended retrievals	52.1%	51.8%	30.6%	* / 11	0 / 11
Percentage of new patients having live births after all intended retrievals	52.1%	51.8%	34.7%	* / 11	0 / 11
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.2	1.2
Average number of transfers per intended retrieval	1.1	0.9	0.7	0.2	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	39	25
Percentage of transfers resulting in live births		* / *	51.3%	48.0%
Percentage of transfers resulting in singleton live births		* / *	41.0%	44.0%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	501	227	184	49	65	1,026
Percentage of cycles cancelled prior to retrieval or thaw	3.4%	11.5%	7.6%	8.2%	24.6%	7.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.6%	6.2%	4.3%	8.2%	7.7%	4.8%
Percentage of cycles for fertility preservation	1.6%	5.3%	2.2%	4.1%	1.5%	2.6%
Percentage of transfers using a gestational carrier	2.3%	4.2%	4.5%	8.0%	12.1%	3.9%
Percentage of transfers using frozen embryos	89.6%	78.8%	87.3%	80.0%	78.8%	86.0%
Percentage of transfers of at least one embryo with ICSI	65.2%	59.3%	53.6%	72.0%	27.3%	60.0%
Percentage of transfers of at least one embryo with PGT	42.5%	44.1%	53.6%	56.0%	21.2%	44.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	40%	Diminished ovarian reserve	19%
Endometriosis	8%	Egg or embryo banking	31%
Tubal factor	11%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	18%	Other, infertility	14%
Uterine factor	10%	Other, non-infertility	5%
PGT	7%	Unexplained	12%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY SPECIALISTS OF TEXAS, PLLC
FRISCO, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jerald S. Goldstein, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	272	102	77	29	25
Percentage of intended retrievals resulting in live births	54.0%	41.2%	31.2%	13.8%	0.0%
Percentage of intended retrievals resulting in singleton live births	44.1%	30.4%	28.6%	10.3%	0.0%
Number of **retrievals**	253	91	62	26	18
Percentage of retrievals resulting in live births	58.1%	46.2%	38.7%	15.4%	0 / 18
Percentage of retrievals resulting in singleton live births	47.4%	34.1%	35.5%	11.5%	0 / 18
Number of **transfers**	258	81	49	11	7
Percentage of transfers resulting in live births	57.0%	51.9%	49.0%	* / 11	0 / 7
Percentage of transfers resulting in singleton live births	46.5%	38.3%	44.9%	* / 11	0 / 7
Number of intended retrievals per live birth	1.9	2.4	3.2	7.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	57.7%	45.3%	25.6%	* / 16	0 / 9
Percentage of new patients having live births after 1 or 2 intended retrievals	63.8%	51.6%	41.0%	* / 16	0 / 9
Percentage of new patients having live births after all intended retrievals	64.3%	51.6%	46.2%	* / 16	0 / 9
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.3	1.1
Average number of transfers per intended retrieval	1.0	0.8	0.7	0.4	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	79	*
Percentage of transfers resulting in live births			70.9%	0 / *
Percentage of transfers resulting in singleton live births			59.5%	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	519	248	161	100	83	1,111
Percentage of cycles cancelled prior to retrieval or thaw	6.4%	9.3%	6.8%	10.0%	7.2%	7.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.0%	1.6%	6.8%	8.0%	10.8%	3.3%
Percentage of cycles for fertility preservation	1.7%	6.0%	4.3%	2.0%	0.0%	3.0%
Percentage of transfers using a gestational carrier	11.1%	14.2%	12.2%	24.4%	35.0%	14.6%
Percentage of transfers using frozen embryos	97.6%	94.2%	90.5%	95.1%	92.5%	95.4%
Percentage of transfers of at least one embryo with ICSI	69.8%	61.7%	66.2%	63.4%	60.0%	66.4%
Percentage of transfers of at least one embryo with PGT	64.9%	65.8%	66.2%	70.7%	65.0%	65.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	39%	Diminished ovarian reserve	16%
Endometriosis	6%	Egg or embryo banking	46%
Tubal factor	14%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	18%	Other, infertility	11%
Uterine factor	9%	Other, non-infertility	3%
PGT	5%	Unexplained	4%
Gestational carrier	4%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ADVANCED FERTILITY CENTER OF TEXAS
HOUSTON, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michael A. Allon, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	49	35	26	20	24
Percentage of intended retrievals resulting in live births	51.0%	14.3%	23.1%	10.0%	0.0%
Percentage of intended retrievals resulting in singleton live births	38.8%	11.4%	15.4%	10.0%	0.0%
Number of **retrievals**	47	32	22	17	18
Percentage of retrievals resulting in live births	53.2%	15.6%	27.3%	* / 17	0 / 18
Percentage of retrievals resulting in singleton live births	40.4%	12.5%	18.2%	* / 17	0 / 18
Number of **transfers**	48	22	16	8	*
Percentage of transfers resulting in live births	52.1%	22.7%	6 / 16	* / 8	0 / *
Percentage of transfers resulting in singleton live births	39.6%	18.2%	* / 16	* / 8	0 / *
Number of intended retrievals per live birth	2.0	7.0	4.3	10.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	51.4%	* / 19	* / 11	0 / 7	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	59.5%	* / 19	* / 11	0 / 7	0 / *
Percentage of new patients having live births after all intended retrievals	62.2%	* / 19	* / 11	* / 7	0 / *
Average number of intended retrievals per new patient	1.1	1.4	1.2	2.1	2.0
Average number of transfers per intended retrieval	0.9	0.7	0.8	0.4	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	*	8	*
Percentage of transfers resulting in live births	5 / 7	* / *	* / 8	* / *
Percentage of transfers resulting in singleton live births	* / 7	* / *	* / 8	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	144	89	87	27	40	387
Percentage of cycles cancelled prior to retrieval or thaw	2.1%	2.2%	6.9%	3.7%	5.0%	3.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.3%	3.4%	13.8%	14.8%	45.0%	11.9%
Percentage of cycles for fertility preservation	3.5%	1.1%	0.0%	0.0%	2.5%	1.8%
Percentage of transfers using a gestational carrier	0.0%	2.3%	5.7%	0 / 10	0 / 14	1.8%
Percentage of transfers using frozen embryos	100.0%	93.0%	94.3%	9 / 10	7 / 14	92.4%
Percentage of transfers of at least one embryo with ICSI	97.1%	93.0%	91.4%	10 / 10	12 / 14	94.2%
Percentage of transfers of at least one embryo with PGT	37.7%	23.3%	22.9%	* / 10	0 / 14	28.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	35%	Diminished ovarian reserve	25%
Endometriosis	11%	Egg or embryo banking	50%
Tubal factor	22%	Recurrent pregnancy loss	11%
Ovulatory dysfunction	33%	Other, infertility	28%
Uterine factor	3%	Other, non-infertility	1%
PGT	18%	Unexplained	1%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ASPIRE FERTILITY-HOUSTON
HOUSTON, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by George M. Grunert, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	240	154	130	67	35
Percentage of intended retrievals resulting in live births	40.0%	33.1%	16.9%	9.0%	5.7%
Percentage of intended retrievals resulting in singleton live births	37.5%	31.8%	16.2%	9.0%	5.7%
Number of **retrievals**	218	136	113	50	23
Percentage of retrievals resulting in live births	44.0%	37.5%	19.5%	12.0%	8.7%
Percentage of retrievals resulting in singleton live births	41.3%	36.0%	18.6%	12.0%	8.7%
Number of **transfers**	221	108	65	18	5
Percentage of transfers resulting in live births	43.4%	47.2%	33.8%	6 / 18	* / 5
Percentage of transfers resulting in singleton live births	40.7%	45.4%	32.3%	6 / 18	* / 5
Number of intended retrievals per live birth	2.5	3.0	5.9	11.2	17.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	41.5%	41.3%	20.5%	6.3%	* / 19
Percentage of new patients having live births after 1 or 2 intended retrievals	49.1%	47.8%	26.0%	6.3%	* / 19
Percentage of new patients having live births after all intended retrievals	49.1%	48.9%	27.4%	9.4%	* / 19
Average number of intended retrievals per new patient	1.2	1.2	1.2	1.3	1.3
Average number of transfers per intended retrieval	1.0	0.7	0.5	0.2	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	65	7
Percentage of transfers resulting in live births	* / *	* / *	43.1%	* / 7
Percentage of transfers resulting in singleton live births	* / *	* / *	43.1%	* / 7

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	681	361	370	115	165	1,692
Percentage of cycles cancelled prior to retrieval or thaw	7.2%	11.9%	14.9%	13.0%	20.6%	11.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.2%	4.2%	5.4%	13.9%	12.7%	5.1%
Percentage of cycles for fertility preservation	3.1%	5.3%	5.9%	6.1%	2.4%	4.3%
Percentage of transfers using a gestational carrier	3.8%	1.8%	2.0%	0.0%	7.5%	3.1%
Percentage of transfers using frozen embryos	94.7%	96.9%	98.0%	97.0%	86.8%	95.4%
Percentage of transfers of at least one embryo with ICSI	91.5%	87.1%	82.8%	78.8%	73.6%	86.9%
Percentage of transfers of at least one embryo with PGT	86.2%	85.3%	83.4%	81.8%	79.2%	84.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	32%	Diminished ovarian reserve	39%
Endometriosis	13%	Egg or embryo banking	44%
Tubal factor	13%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	22%	Other, infertility	60%
Uterine factor	7%	Other, non-infertility	5%
PGT	56%	Unexplained	2%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

COOPER INSTITUTE FOR ADVANCED REPRODUCTIVE MEDICINE
HOUSTON, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by C. James Chuong, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	27	9	12	8	8
Percentage of intended retrievals resulting in live births	22.2%	* / 9	* / 12	* / 8	0 / 8
Percentage of intended retrievals resulting in singleton live births	7.4%	0 / 9	* / 12	* / 8	0 / 8
Number of **retrievals**	27	8	10	6	5
Percentage of retrievals resulting in live births	22.2%	* / 8	* / 10	* / 6	0 / 5
Percentage of retrievals resulting in singleton live births	7.4%	0 / 8	* / 10	* / 6	0 / 5
Number of **transfers**	26	6	6	*	*
Percentage of transfers resulting in live births	23.1%	* / 6	* / 6	* / *	0 / *
Percentage of transfers resulting in singleton live births	7.7%	0 / 6	* / 6	* / *	0 / *
Number of intended retrievals per live birth	4.5	9.0	4.0	8.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	27.3%	0 / 5	0 / 5	0 / *	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	27.3%	* / 5	0 / 5	0 / *	0 / 5
Percentage of new patients having live births after all intended retrievals	27.3%	* / 5	0 / 5	0 / *	0 / 5
Average number of intended retrievals per new patient	1.1	1.6	1.0	1.0	1.2
Average number of transfers per intended retrieval	1.0	0.8	0.4	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	13	*
Percentage of transfers resulting in live births		* / *	6 / 13	* / *
Percentage of transfers resulting in singleton live births		0 / *	* / 13	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	38	18	19	10	29	114
Percentage of cycles cancelled prior to retrieval or thaw	7.9%	* / 18	* / 19	0 / 10	20.7%	11.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	0 / 18	0 / 19	0 / 10	10.3%	2.6%
Percentage of cycles for fertility preservation	0.0%	* / 18	* / 19	0 / 10	3.4%	2.6%
Percentage of transfers using a gestational carrier	0.0%	0 / 9	0 / 8	0 / 5	* / 13	1.8%
Percentage of transfers using frozen embryos	90.0%	7 / 9	6 / 8	* / 5	12 / 13	83.6%
Percentage of transfers of at least one embryo with ICSI	100.0%	9 / 9	8 / 8	5 / 5	13 / 13	100.0%
Percentage of transfers of at least one embryo with PGT	55.0%	* / 9	* / 8	0 / 5	* / 13	34.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	32%	Diminished ovarian reserve	36%
Endometriosis	11%	Egg or embryo banking	45%
Tubal factor	25%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	28%	Other, infertility	3%
Uterine factor	17%	Other, non-infertility	1%
PGT	31%	Unexplained	3%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FAMILY FERTILITY CENTER
HOUSTON, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by William E. Gibbons, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	99	46	40	9	11
Percentage of intended retrievals resulting in live births	41.4%	41.3%	27.5%	0 / 9	0 / 11
Percentage of intended retrievals resulting in singleton live births	38.4%	41.3%	25.0%	0 / 9	0 / 11
Number of **retrievals**	93	40	30	7	7
Percentage of retrievals resulting in live births	44.1%	47.5%	36.7%	0 / 7	0 / 7
Percentage of retrievals resulting in singleton live births	40.9%	47.5%	33.3%	0 / 7	0 / 7
Number of **transfers**	98	38	18	*	0
Percentage of transfers resulting in live births	41.8%	50.0%	11 / 18	0 / *	
Percentage of transfers resulting in singleton live births	38.8%	50.0%	10 / 18	0 / *	
Number of intended retrievals per live birth	2.4	2.4	3.6		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	40.6%	40.0%	30.4%	0 / *	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	52.2%	56.0%	39.1%	0 / *	0 / 6
Percentage of new patients having live births after all intended retrievals	52.2%	60.0%	43.5%	0 / *	0 / 6
Average number of intended retrievals per new patient	1.2	1.3	1.4	1.0	1.7
Average number of transfers per intended retrieval	1.0	0.9	0.5	0.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	31	*
Percentage of transfers resulting in live births	* / *		45.2%	* / *
Percentage of transfers resulting in singleton live births	* / *		41.9%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	250	108	96	47	19	520
Percentage of cycles cancelled prior to retrieval or thaw	7.6%	9.3%	10.4%	10.6%	* / 19	8.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.4%	2.8%	6.3%	12.8%	* / 19	4.2%
Percentage of cycles for fertility preservation	8.8%	8.3%	3.1%	2.1%	0 / 19	6.7%
Percentage of transfers using a gestational carrier	1.5%	0.0%	2.4%	* / 16	* / 14	2.7%
Percentage of transfers using frozen embryos	92.6%	92.5%	97.6%	13 / 16	11 / 14	91.9%
Percentage of transfers of at least one embryo with ICSI	93.3%	92.5%	76.2%	15 / 16	10 / 14	89.2%
Percentage of transfers of at least one embryo with PGT	74.1%	75.5%	81.0%	10 / 16	9 / 14	74.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	25%
Endometriosis	4%	Egg or embryo banking	41%
Tubal factor	8%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	22%	Other, infertility	14%
Uterine factor	3%	Other, non-infertility	2%
PGT	10%	Unexplained	7%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE HEARD INSTITUTE
HOUSTON, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michael J. Heard, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	*	*	*	0	0
Percentage of intended retrievals resulting in live births	0 / *	0 / *	0 / *		
Percentage of intended retrievals resulting in singleton live births	0 / *	0 / *	0 / *		
Number of **retrievals**	*	*	*	0	0
Percentage of retrievals resulting in live births	0 / *	0 / *	0 / *		
Percentage of retrievals resulting in singleton live births	0 / *	0 / *	0 / *		
Number of **transfers**	*	*	0	0	0
Percentage of transfers resulting in live births	0 / *	0 / *			
Percentage of transfers resulting in singleton live births	0 / *	0 / *			
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	0 / *	0 / *	0 / *		
Percentage of new patients having live births after 1 or 2 intended retrievals	0 / *	0 / *	0 / *		
Percentage of new patients having live births after all intended retrievals	0 / *	0 / *	0 / *		
Average number of intended retrievals per new patient	1.0	2.0	2.0		
Average number of transfers per intended retrieval	0.7	0.5	0.0		

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	*	0
Percentage of transfers resulting in live births			0 / *	
Percentage of transfers resulting in singleton live births			0 / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	*	*	*	0	*	5
Percentage of cycles cancelled prior to retrieval or thaw	0 / *	0 / *	* / *		0 / *	* / 5
Percentage of cycles stopped between retrieval and transfer or banking[e]	0 / *	* / *	0 / *		0 / *	* / 5
Percentage of cycles for fertility preservation	0 / *	0 / *	0 / *		0 / *	0 / 5
Percentage of transfers using a gestational carrier	0 / *		0 / *		* / *	* / *
Percentage of transfers using frozen embryos	* / *		0 / *		* / *	* / *
Percentage of transfers of at least one embryo with ICSI	* / *		* / *		* / *	* / *
Percentage of transfers of at least one embryo with PGT	* / *		0 / *		0 / *	* / *

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	0%	Diminished ovarian reserve	60%
Endometriosis	0%	Egg or embryo banking	0%
Tubal factor	0%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	60%	Other, infertility	20%
Uterine factor	20%	Other, non-infertility	20%
PGT	0%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

HOUSTON FERTILITY INSTITUTE
HOUSTON, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ghassan F. Haddad, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	638	313	271	113	43
Percentage of intended retrievals resulting in live births	64.9%	47.6%	23.6%	13.3%	11.6%
Percentage of intended retrievals resulting in singleton live births	55.2%	42.5%	20.7%	11.5%	11.6%
Number of **retrievals**	631	312	267	110	40
Percentage of retrievals resulting in live births	65.6%	47.8%	24.0%	13.6%	12.5%
Percentage of retrievals resulting in singleton live births	55.8%	42.6%	21.0%	11.8%	12.5%
Number of **transfers**	800	297	176	42	16
Percentage of transfers resulting in live births	51.8%	50.2%	36.4%	35.7%	5 / 16
Percentage of transfers resulting in singleton live births	44.0%	44.8%	31.8%	31.0%	5 / 16
Number of intended retrievals per live birth	1.5	2.1	4.2	7.5	8.6
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	69.3%	54.8%	28.9%	16.3%	* / 18
Percentage of new patients having live births after 1 or 2 intended retrievals	72.4%	58.1%	37.2%	16.3%	* / 18
Percentage of new patients having live births after all intended retrievals	72.8%	58.6%	38.0%	18.6%	* / 18
Average number of intended retrievals per new patient	1.1	1.1	1.4	1.4	1.4
Average number of transfers per intended retrieval	1.3	1.0	0.7	0.4	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	9	50	196	24
Percentage of transfers resulting in live births	* / 9	40.0%	47.4%	54.2%
Percentage of transfers resulting in singleton live births	* / 9	40.0%	40.8%	41.7%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	1,714	855	597	243	266	3,675
Percentage of cycles cancelled prior to retrieval or thaw	2.9%	4.1%	4.7%	6.6%	5.3%	3.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.8%	6.8%	11.9%	25.1%	22.2%	8.1%
Percentage of cycles for fertility preservation	2.5%	3.2%	4.5%	1.6%	1.5%	2.8%
Percentage of transfers using a gestational carrier	1.6%	3.3%	7.0%	4.5%	14.6%	4.0%
Percentage of transfers using frozen embryos	94.8%	96.1%	93.0%	88.2%	73.8%	92.8%
Percentage of transfers of at least one embryo with ICSI	94.0%	90.3%	87.0%	82.7%	61.0%	88.9%
Percentage of transfers of at least one embryo with PGT	48.3%	59.6%	63.2%	60.9%	25.6%	52.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	67%	Diminished ovarian reserve	37%
Endometriosis	8%	Egg or embryo banking	37%
Tubal factor	31%	Recurrent pregnancy loss	13%
Ovulatory dysfunction	47%	Other, infertility	61%
Uterine factor	57%	Other, non-infertility	1%
PGT	58%	Unexplained	<1%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

HOUSTON INFERTILITY CLINIC
SONJA KRISTIANSEN, MD
HOUSTON, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Sonja B. Kristiansen, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	*	0	0	0	0	*
Percentage of cycles cancelled prior to retrieval or thaw	* / *					* / *
Percentage of cycles stopped between retrieval and transfer or banking[e]	0 / *					0 / *
Percentage of cycles for fertility preservation	0 / *					0 / *
Percentage of transfers using a gestational carrier						
Percentage of transfers using frozen embryos						
Percentage of transfers of at least one embryo with ICSI						
Percentage of transfers of at least one embryo with PGT						

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	100%	Diminished ovarian reserve	0%
Endometriosis	0%	Egg or embryo banking	0%
Tubal factor	0%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	0%	Other, infertility	0%
Uterine factor	0%	Other, non-infertility	0%
PGT	0%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

HOUSTON IVF DBA
CCRM HOUSTON
HOUSTON, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Timothy N. Hickman, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	200	123	114	42	34
Percentage of intended retrievals resulting in live births	58.5%	48.8%	28.9%	23.8%	5.9%
Percentage of intended retrievals resulting in singleton live births	51.0%	37.4%	24.6%	23.8%	5.9%
Number of **retrievals**	196	120	109	40	32
Percentage of retrievals resulting in live births	59.7%	50.0%	30.3%	25.0%	6.3%
Percentage of retrievals resulting in singleton live births	52.0%	38.3%	25.7%	25.0%	6.3%
Number of **transfers**	252	125	93	22	16
Percentage of transfers resulting in live births	46.4%	48.0%	35.5%	45.5%	* / 16
Percentage of transfers resulting in singleton live births	40.5%	36.8%	30.1%	45.5%	* / 16
Number of intended retrievals per live birth	1.7	2.1	3.5	4.2	17.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	66.9%	52.2%	35.6%	9.5%	* / 19
Percentage of new patients having live births after 1 or 2 intended retrievals	68.9%	58.2%	40.7%	23.8%	* / 19
Percentage of new patients having live births after all intended retrievals	68.9%	59.7%	40.7%	23.8%	* / 19
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.3	1.3
Average number of transfers per intended retrieval	1.3	1.0	0.9	0.6	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	20	*	50	*
Percentage of transfers resulting in live births	55.0%	0 / *	48.0%	0 / *
Percentage of transfers resulting in singleton live births	35.0%	0 / *	38.0%	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	457	270	226	78	80	1,111
Percentage of cycles cancelled prior to retrieval or thaw	0.9%	2.6%	4.0%	9.0%	5.0%	2.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.2%	3.0%	5.3%	5.1%	12.5%	4.0%
Percentage of cycles for fertility preservation	5.5%	10.0%	11.5%	2.6%	1.3%	7.3%
Percentage of transfers using a gestational carrier	0.7%	6.0%	4.6%	8.1%	12.8%	4.0%
Percentage of transfers using frozen embryos	70.9%	79.9%	73.4%	62.2%	74.5%	73.2%
Percentage of transfers of at least one embryo with ICSI	96.5%	95.3%	97.2%	94.6%	87.2%	95.5%
Percentage of transfers of at least one embryo with PGT	42.2%	65.8%	60.6%	37.8%	36.2%	50.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	38%
Endometriosis	8%	Egg or embryo banking	39%
Tubal factor	9%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	14%	Other, infertility	82%
Uterine factor	6%	Other, non-infertility	7%
PGT	54%	Unexplained	2%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CONCEIVE FERTILITY CENTER
IRVING, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Derek Haas, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	12	0
Percentage of transfers resulting in live births			9 / 12	
Percentage of transfers resulting in singleton live births			6 / 12	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	26	9	15	*	8	62
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	* / 9	0 / 15	0 / *	0 / 8	1.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.8%	0 / 9	0 / 15	* / *	0 / 8	3.2%
Percentage of cycles for fertility preservation	7.7%	* / 9	0 / 15	0 / *	0 / 8	4.8%
Percentage of transfers using a gestational carrier	* / 15	* / *	0 / 6	0 / *	0 / *	13.3%
Percentage of transfers using frozen embryos	15 / 15	* / *	6 / 6	* / *	* / *	100.0%
Percentage of transfers of at least one embryo with ICSI	15 / 15	* / *	6 / 6	* / *	* / *	100.0%
Percentage of transfers of at least one embryo with PGT	7 / 15	* / *	* / 6	0 / *	* / *	46.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	29%
Endometriosis	11%	Egg or embryo banking	53%
Tubal factor	24%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	27%	Other, infertility	0%
Uterine factor	11%	Other, non-infertility	0%
PGT	58%	Unexplained	3%
Gestational carrier	5%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

IVFMD
IRVING, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Sy Q. Le, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	115	38	37	7	7
Percentage of intended retrievals resulting in live births	53.0%	39.5%	27.0%	* / 7	0 / 7
Percentage of intended retrievals resulting in singleton live births	47.0%	36.8%	24.3%	* / 7	0 / 7
Number of **retrievals**	114	36	35	5	7
Percentage of retrievals resulting in live births	53.5%	41.7%	28.6%	* / 5	0 / 7
Percentage of retrievals resulting in singleton live births	47.4%	38.9%	25.7%	* / 5	0 / 7
Number of **transfers**	122	38	32	*	*
Percentage of transfers resulting in live births	50.0%	39.5%	31.3%	* / *	0 / *
Percentage of transfers resulting in singleton live births	44.3%	36.8%	28.1%	* / *	0 / *
Number of intended retrievals per live birth	1.9	2.5	3.7	7.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	53.3%	39.3%	20.0%	* / 6	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	54.4%	46.4%	28.0%	* / 6	0 / 5
Percentage of new patients having live births after all intended retrievals	54.4%	46.4%	28.0%	* / 6	0 / 5
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.0	1.0
Average number of transfers per intended retrieval	1.1	1.0	0.9	0.3	0.6

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	*	26	12
Percentage of transfers resulting in live births	* / 8	0 / *	46.2%	7 / 12
Percentage of transfers resulting in singleton live births	* / 8	0 / *	38.5%	5 / 12

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	232	123	75	33	38	501
Percentage of cycles cancelled prior to retrieval or thaw	5.2%	4.9%	4.0%	9.1%	7.9%	5.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.0%	4.9%	6.7%	12.1%	5.3%	6.2%
Percentage of cycles for fertility preservation	1.7%	1.6%	1.3%	0.0%	0.0%	1.4%
Percentage of transfers using a gestational carrier	0.0%	1.3%	4.1%	* / 12	13.0%	2.3%
Percentage of transfers using frozen embryos	79.0%	82.9%	85.7%	8 / 12	82.6%	80.9%
Percentage of transfers of at least one embryo with ICSI	71.0%	80.3%	75.5%	6 / 12	69.6%	73.2%
Percentage of transfers of at least one embryo with PGT	22.5%	34.2%	38.8%	* / 12	21.7%	27.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	34%	Diminished ovarian reserve	24%
Endometriosis	9%	Egg or embryo banking	33%
Tubal factor	20%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	18%	Other, infertility	15%
Uterine factor	4%	Other, non-infertility	1%
PGT	10%	Unexplained	8%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE CENTRE FOR REPRODUCTIVE MEDICINE
LUBBOCK, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Janelle O. Dorsett, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	35	15	8	*	6
Percentage of intended retrievals resulting in live births	37.1%	8 / 15	* / 8	* / *	0 / 6
Percentage of intended retrievals resulting in singleton live births	28.6%	7 / 15	* / 8	0 / *	0 / 6
Number of **retrievals**	35	15	7	*	6
Percentage of retrievals resulting in live births	37.1%	8 / 15	* / 7	* / *	0 / 6
Percentage of retrievals resulting in singleton live births	28.6%	7 / 15	* / 7	0 / *	0 / 6
Number of **transfers**	41	15	*	*	6
Percentage of transfers resulting in live births	31.7%	8 / 15	* / *	* / *	0 / 6
Percentage of transfers resulting in singleton live births	24.4%	7 / 15	* / *	0 / *	0 / 6
Number of intended retrievals per live birth	2.7	1.9	4.0	4.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	43.3%	6 / 11	* / *	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	43.3%	6 / 11	* / *	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	43.3%	7 / 11	* / *	0 / *	0 / *
Average number of intended retrievals per new patient	1.0	1.3	1.7	1.0	1.0
Average number of transfers per intended retrieval	1.2	1.0	0.4	0.3	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	0	*	*
Percentage of transfers resulting in live births	* / 6		0 / *	* / *
Percentage of transfers resulting in singleton live births	* / 6		0 / *	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	52	27	6	13	6	104
Percentage of cycles cancelled prior to retrieval or thaw	1.9%	0.0%	* / 6	0 / 13	0 / 6	1.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	13.5%	18.5%	0 / 6	0 / 13	* / 6	12.5%
Percentage of cycles for fertility preservation	0.0%	0.0%	0 / 6	0 / 13	0 / 6	0.0%
Percentage of transfers using a gestational carrier	2.4%	0.0%	0 / 5	* / 13	0 / 5	2.4%
Percentage of transfers using frozen embryos	48.8%	55.0%	* / 5	* / 13	* / 5	45.2%
Percentage of transfers of at least one embryo with ICSI	26.8%	20.0%	* / 5	0 / 13	0 / 5	19.0%
Percentage of transfers of at least one embryo with PGT	0.0%	0.0%	0 / 5	0 / 13	0 / 5	0.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	54%	Diminished ovarian reserve	31%
Endometriosis	23%	Egg or embryo banking	5%
Tubal factor	36%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	31%	Other, infertility	30%
Uterine factor	6%	Other, non-infertility	1%
PGT	1%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

TEXAS TECH UNIVERSITY HEALTH SCIENCES CENTER
CENTER FOR FERTILITY AND REPRODUCTIVE SURGERY
LUBBOCK, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Jaou-Chen Huang, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	40	15	15	*	*
Percentage of intended retrievals resulting in live births	47.5%	* / 15	* / 15	0 / *	* / *
Percentage of intended retrievals resulting in singleton live births	27.5%	* / 15	* / 15	0 / *	* / *
Number of **retrievals**	40	14	14	*	*
Percentage of retrievals resulting in live births	47.5%	* / 14	* / 14	0 / *	* / *
Percentage of retrievals resulting in singleton live births	27.5%	* / 14	* / 14	0 / *	* / *
Number of **transfers**	50	17	8	*	*
Percentage of transfers resulting in live births	38.0%	* / 17	* / 8	0 / *	* / *
Percentage of transfers resulting in singleton live births	22.0%	* / 17	* / 8	0 / *	* / *
Number of intended retrievals per live birth	2.1	3.8	7.5		2.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.8%	* / 8	* / 8	0 / *	* / *
Percentage of new patients having live births after 1 or 2 intended retrievals	54.8%	* / 8	* / 8	0 / *	* / *
Percentage of new patients having live births after all intended retrievals	54.8%	* / 8	* / 8	0 / *	* / *
Average number of intended retrievals per new patient	1.1	1.4	1.1	1.3	1.0
Average number of transfers per intended retrieval	1.3	1.1	0.8	0.5	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	8	0
Percentage of transfers resulting in live births	0 / *	0 / *	* / 8	
Percentage of transfers resulting in singleton live births	0 / *	0 / *	0 / 8	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	96	49	31	7	*	184
Percentage of cycles cancelled prior to retrieval or thaw	7.3%	14.3%	9.7%	* / 7	0 / *	10.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.1%	0.0%	3.2%	* / 7	* / *	3.3%
Percentage of cycles for fertility preservation	1.0%	0.0%	3.2%	0 / 7	0 / *	1.1%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / *		0.0%
Percentage of transfers using frozen embryos	49.3%	60.6%	50.0%	0 / *		51.1%
Percentage of transfers of at least one embryo with ICSI	90.7%	100.0%	77.3%	* / *		91.0%
Percentage of transfers of at least one embryo with PGT	21.3%	30.3%	18.2%	0 / *		22.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	35%	Diminished ovarian reserve	21%
Endometriosis	18%	Egg or embryo banking	15%
Tubal factor	16%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	21%	Other, infertility	2%
Uterine factor	15%	Other, non-infertility	2%
PGT	0%	Unexplained	5%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE INSTITUTE OF SOUTH TEXAS
McALLEN, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Esteban O. Brown, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	34	24	16	10	*
Percentage of intended retrievals resulting in live births	50.0%	37.5%	* / 16	* / 10	0 / *
Percentage of intended retrievals resulting in singleton live births	41.2%	29.2%	* / 16	* / 10	0 / *
Number of **retrievals**	30	23	11	7	*
Percentage of retrievals resulting in live births	56.7%	39.1%	* / 11	* / 7	0 / *
Percentage of retrievals resulting in singleton live births	46.7%	30.4%	* / 11	* / 7	0 / *
Number of **transfers**	40	25	12	6	*
Percentage of transfers resulting in live births	42.5%	36.0%	* / 12	* / 6	0 / *
Percentage of transfers resulting in singleton live births	35.0%	28.0%	* / 12	* / 6	0 / *
Number of intended retrievals per live birth	2.0	2.7	4.0	10.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	53.8%	8 / 19	* / 11	* / 6	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	53.8%	8 / 19	* / 11	* / 6	0 / *
Percentage of new patients having live births after all intended retrievals	53.8%	8 / 19	* / 11	* / 6	0 / *
Average number of intended retrievals per new patient	1.1	1.0	1.2	1.2	1.0
Average number of transfers per intended retrieval	1.2	1.1	0.9	0.7	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	9	0
Percentage of transfers resulting in live births	0 / *		* / 9	
Percentage of transfers resulting in singleton live births	0 / *		* / 9	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	50	25	37	16	9	137
Percentage of cycles cancelled prior to retrieval or thaw	2.0%	4.0%	2.7%	* / 16	0 / 9	3.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	10.0%	0.0%	8.1%	* / 16	* / 9	9.5%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 16	0 / 9	0.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 9	0 / 7	0.0%
Percentage of transfers using frozen embryos	48.8%	39.1%	40.0%	* / 9	* / 7	44.5%
Percentage of transfers of at least one embryo with ICSI	100.0%	100.0%	100.0%	9 / 9	6 / 7	99.1%
Percentage of transfers of at least one embryo with PGT	4.9%	0.0%	3.3%	0 / 9	0 / 7	2.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	38%	Diminished ovarian reserve	31%
Endometriosis	5%	Egg or embryo banking	5%
Tubal factor	30%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	21%	Other, infertility	9%
Uterine factor	20%	Other, non-infertility	4%
PGT	3%	Unexplained	3%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ADVANCED FERTILITY CENTERS, PLLC
ODESSA, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Botros Rizk, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	14	8	5	*	*
Percentage of intended retrievals resulting in live births	6 / 14	* / 8	* / 5	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	* / 14	* / 8	* / 5	0 / *	0 / *
Number of **retrievals**	14	6	*	*	*
Percentage of retrievals resulting in live births	6 / 14	* / 6	* / *	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	* / 14	* / 6	* / *	0 / *	0 / *
Number of **transfers**	14	7	*	0	0
Percentage of transfers resulting in live births	6 / 14	* / 7	* / *		
Percentage of transfers resulting in singleton live births	* / 14	* / 7	* / *		
Number of intended retrievals per live birth	2.3	8.0	5.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	6 / 14	0 / 6	0 / *	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	6 / 14	0 / 6	* / *	0 / *	
Percentage of new patients having live births after all intended retrievals	6 / 14	0 / 6	* / *	0 / *	
Average number of intended retrievals per new patient	1.0	1.0	1.7	1.0	
Average number of transfers per intended retrieval	1.0	0.7	0.6	0.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	0	0
Percentage of transfers resulting in live births	0 / *	* / *		
Percentage of transfers resulting in singleton live births	0 / *	* / *		

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	32	9	8	*	9	61
Percentage of cycles cancelled prior to retrieval or thaw	9.4%	0 / 9	* / 8	0 / *	* / 9	13.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	15.6%	* / 9	* / 8	0 / *	0 / 9	13.1%
Percentage of cycles for fertility preservation	18.8%	* / 9	0 / 8	0 / *	0 / 9	14.8%
Percentage of transfers using a gestational carrier	0 / 18	0 / 5	0 / 5	0 / *	0 / 5	0.0%
Percentage of transfers using frozen embryos	6 / 18	* / 5	* / 5	* / *	0 / 5	27.8%
Percentage of transfers of at least one embryo with ICSI	18 / 18	5 / 5	5 / 5	* / *	5 / 5	100.0%
Percentage of transfers of at least one embryo with PGT	0 / 18	0 / 5	0 / 5	0 / *	0 / 5	0.0%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	28%	Diminished ovarian reserve	21%
Endometriosis	0%	Egg or embryo banking	15%
Tubal factor	28%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	18%	Other, infertility	21%
Uterine factor	7%	Other, non-infertility	16%
PGT	5%	Unexplained	3%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

IVF PLANO
PLANO, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by James Douglas, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	67	32	47	11	7
Percentage of intended retrievals resulting in live births	65.7%	40.6%	14.9%	* / 11	* / 7
Percentage of intended retrievals resulting in singleton live births	56.7%	40.6%	14.9%	* / 11	* / 7
Number of **retrievals**	64	31	39	9	7
Percentage of retrievals resulting in live births	68.8%	41.9%	17.9%	* / 9	* / 7
Percentage of retrievals resulting in singleton live births	59.4%	41.9%	17.9%	* / 9	* / 7
Number of **transfers**	76	33	29	*	*
Percentage of transfers resulting in live births	57.9%	39.4%	24.1%	* / *	* / *
Percentage of transfers resulting in singleton live births	50.0%	39.4%	24.1%	* / *	* / *
Number of intended retrievals per live birth	1.5	2.5	6.7	11.0	7.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	64.8%	40.9%	* / 19	* / *	* / *
Percentage of new patients having live births after 1 or 2 intended retrievals	72.2%	40.9%	* / 19	* / *	* / *
Percentage of new patients having live births after all intended retrievals	72.2%	40.9%	* / 19	* / *	* / *
Average number of intended retrievals per new patient	1.1	1.0	1.3	1.0	1.5
Average number of transfers per intended retrieval	1.2	1.0	0.6	0.3	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	25	0
Percentage of transfers resulting in live births			56.0%	
Percentage of transfers resulting in singleton live births			40.0%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	171	93	42	37	27	370
Percentage of cycles cancelled prior to retrieval or thaw	5.3%	5.4%	19.0%	16.2%	11.1%	8.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	13.5%	10.8%	19.0%	24.3%	22.2%	15.1%
Percentage of cycles for fertility preservation	2.3%	3.2%	0.0%	5.4%	0.0%	2.4%
Percentage of transfers using a gestational carrier	2.2%	3.6%	0.0%	0 / 12	* / 12	4.2%
Percentage of transfers using frozen embryos	97.8%	100.0%	100.0%	11 / 12	11 / 12	97.9%
Percentage of transfers of at least one embryo with ICSI	46.7%	30.9%	38.1%	5 / 12	* / 12	39.6%
Percentage of transfers of at least one embryo with PGT	59.8%	56.4%	23.8%	* / 12	6 / 12	52.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	33%	Diminished ovarian reserve	20%
Endometriosis	4%	Egg or embryo banking	25%
Tubal factor	10%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	65%	Other, infertility	15%
Uterine factor	1%	Other, non-infertility	2%
PGT	0%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

PRESBYTERIAN HOSPITAL ARTS
PLANO, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Alfred J. Rodriguez, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	36	19	17	8	*
Percentage of intended retrievals resulting in live births	44.4%	* / 19	* / 17	* / 8	0 / *
Percentage of intended retrievals resulting in singleton live births	38.9%	* / 19	0 / 17	* / 8	0 / *
Number of **retrievals**	36	14	17	8	*
Percentage of retrievals resulting in live births	44.4%	* / 14	* / 17	* / 8	0 / *
Percentage of retrievals resulting in singleton live births	38.9%	* / 14	0 / 17	* / 8	0 / *
Number of **transfers**	34	10	7	*	0
Percentage of transfers resulting in live births	47.1%	* / 10	* / 7	* / *	
Percentage of transfers resulting in singleton live births	41.2%	* / 10	0 / 7	* / *	
Number of intended retrievals per live birth	2.3	4.8	17.0	8.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	45.5%	* / 9	0 / 7	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	50.0%	* / 9	0 / 7	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	50.0%	* / 9	0 / 7	0 / *	0 / *
Average number of intended retrievals per new patient	1.1	1.3	1.1	4.0	2.0
Average number of transfers per intended retrieval	1.1	0.3	0.4	0.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	25	0
Percentage of transfers resulting in live births			28.0%	
Percentage of transfers resulting in singleton live births			28.0%	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	69	51	44	20	25	209
Percentage of cycles cancelled prior to retrieval or thaw	1.4%	0.0%	18.2%	10.0%	8.0%	6.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	11.6%	11.8%	11.4%	10.0%	12.0%	11.5%
Percentage of cycles for fertility preservation	1.4%	3.9%	0.0%	0.0%	0.0%	1.4%
Percentage of transfers using a gestational carrier	0.0%	0.0%	* / 18	* / 9	* / 14	3.9%
Percentage of transfers using frozen embryos	100.0%	100.0%	18 / 18	9 / 9	14 / 14	100.0%
Percentage of transfers of at least one embryo with ICSI	63.2%	56.5%	10 / 18	6 / 9	8 / 14	59.8%
Percentage of transfers of at least one embryo with PGT	71.1%	91.3%	16 / 18	7 / 9	13 / 14	82.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	42%	Diminished ovarian reserve	27%
Endometriosis	9%	Egg or embryo banking	33%
Tubal factor	11%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	39%	Other, infertility	39%
Uterine factor	20%	Other, non-infertility	2%
PGT	3%	Unexplained	2%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

ASPIRE FERTILITY-SAN ANTONIO
SAN ANTONIO, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Ursula Balthazar, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	205	81	92	28	9
Percentage of intended retrievals resulting in live births	55.1%	44.4%	31.5%	28.6%	0 / 9
Percentage of intended retrievals resulting in singleton live births	49.3%	39.5%	30.4%	25.0%	0 / 9
Number of **retrievals**	188	67	72	25	*
Percentage of retrievals resulting in live births	60.1%	53.7%	40.3%	32.0%	0 / *
Percentage of retrievals resulting in singleton live births	53.7%	47.8%	38.9%	28.0%	0 / *
Number of **transfers**	212	60	57	12	*
Percentage of transfers resulting in live births	53.3%	60.0%	50.9%	8 / 12	0 / *
Percentage of transfers resulting in singleton live births	47.6%	53.3%	49.1%	7 / 12	0 / *
Number of intended retrievals per live birth	1.8	2.3	3.2	3.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	59.4%	38.8%	40.4%	* / 12	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	64.4%	53.1%	42.6%	* / 12	0 / 5
Percentage of new patients having live births after all intended retrievals	65.0%	55.1%	44.7%	* / 12	0 / 5
Average number of intended retrievals per new patient	1.1	1.3	1.3	1.3	1.4
Average number of transfers per intended retrieval	1.1	0.8	0.6	0.4	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	19	45	7
Percentage of transfers resulting in live births		13 / 19	51.1%	* / 7
Percentage of transfers resulting in singleton live births		9 / 19	51.1%	* / 7

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	501	250	157	52	48	1,008
Percentage of cycles cancelled prior to retrieval or thaw	8.8%	12.0%	12.7%	13.5%	27.1%	11.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.2%	7.6%	6.4%	11.5%	14.6%	7.7%
Percentage of cycles for fertility preservation	1.2%	2.0%	1.3%	0.0%	0.0%	1.3%
Percentage of transfers using a gestational carrier	1.5%	1.5%	1.3%	0.0%	4.5%	1.5%
Percentage of transfers using frozen embryos	58.1%	66.4%	69.2%	65.5%	68.2%	62.2%
Percentage of transfers of at least one embryo with ICSI	79.2%	80.6%	85.9%	72.4%	54.5%	79.2%
Percentage of transfers of at least one embryo with PGT	25.7%	50.0%	57.7%	41.4%	31.8%	36.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	24%	Diminished ovarian reserve	24%
Endometriosis	5%	Egg or embryo banking	25%
Tubal factor	9%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	14%	Other, infertility	14%
Uterine factor	2%	Other, non-infertility	1%
PGT	1%	Unexplained	10%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FERTILITY CENTER OF SAN ANTONIO
SAN ANTONIO, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Gregory S. Neal, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	131	64	79	29	23
Percentage of intended retrievals resulting in live births	48.1%	45.3%	29.1%	3.4%	4.3%
Percentage of intended retrievals resulting in singleton live births	43.5%	42.2%	22.8%	3.4%	4.3%
Number of **retrievals**	124	59	70	25	19
Percentage of retrievals resulting in live births	50.8%	49.2%	32.9%	4.0%	* / 19
Percentage of retrievals resulting in singleton live births	46.0%	45.8%	25.7%	4.0%	* / 19
Number of **transfers**	135	50	60	16	11
Percentage of transfers resulting in live births	46.7%	58.0%	38.3%	* / 16	* / 11
Percentage of transfers resulting in singleton live births	42.2%	54.0%	30.0%	* / 16	* / 11
Number of intended retrievals per live birth	2.1	2.2	3.4	29.0	23.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	52.0%	42.9%	38.2%	0 / 8	* / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	53.0%	45.2%	41.2%	0 / 8	* / 8
Percentage of new patients having live births after all intended retrievals	53.0%	45.2%	41.2%	0 / 8	* / 8
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.4	1.5
Average number of transfers per intended retrieval	1.0	0.8	0.7	0.6	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	13	*	17	*
Percentage of transfers resulting in live births	8 / 13	0 / *	6 / 17	* / *
Percentage of transfers resulting in singleton live births	8 / 13	0 / *	* / 17	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	231	148	122	57	45	603
Percentage of cycles cancelled prior to retrieval or thaw	5.2%	4.1%	8.2%	10.5%	11.1%	6.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.9%	3.4%	8.2%	19.3%	11.1%	6.6%
Percentage of cycles for fertility preservation	1.7%	2.0%	0.8%	1.8%	0.0%	1.5%
Percentage of transfers using a gestational carrier	0.5%	0.0%	3.8%	0.0%	3.4%	1.1%
Percentage of transfers using frozen embryos	51.6%	51.8%	65.8%	51.5%	37.9%	53.3%
Percentage of transfers of at least one embryo with ICSI	71.7%	60.7%	68.4%	69.7%	79.3%	68.6%
Percentage of transfers of at least one embryo with PGT	7.6%	6.3%	15.2%	15.2%	6.9%	9.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	25%
Endometriosis	9%	Egg or embryo banking	16%
Tubal factor	17%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	15%	Other, infertility	16%
Uterine factor	8%	Other, non-infertility	2%
PGT	12%	Unexplained	18%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

INSTITUTE FOR WOMEN'S HEALTH
ADVANCED FERTILITY CENTER
SAN ANTONIO, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Joseph R. Garza, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	19	9	5	6	7
Percentage of intended retrievals resulting in live births	* / 19	* / 9	* / 5	0 / 6	0 / 7
Percentage of intended retrievals resulting in singleton live births	* / 19	* / 9	* / 5	0 / 6	0 / 7
Number of **retrievals**	16	6	*	*	6
Percentage of retrievals resulting in live births	* / 16	* / 6	* / *	0 / *	0 / 6
Percentage of retrievals resulting in singleton live births	* / 16	* / 6	* / *	0 / *	0 / 6
Number of **transfers**	17	9	*	*	0
Percentage of transfers resulting in live births	* / 17	* / 9	* / *	0 / *	
Percentage of transfers resulting in singleton live births	* / 17	* / 9	* / *	0 / *	
Number of intended retrievals per live birth	4.8	2.3	5.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 15	* / 6	* / *	0 / *	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 15	* / 6	* / *	0 / *	0 / 5
Percentage of new patients having live births after all intended retrievals	* / 15	* / 6	* / *	0 / *	0 / 5
Average number of intended retrievals per new patient	1.1	1.5	1.3	1.5	1.2
Average number of transfers per intended retrieval	0.8	1.0	0.8	0.2	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	7	0
Percentage of transfers resulting in live births		* / *	* / 7	
Percentage of transfers resulting in singleton live births		* / *	* / 7	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	27	12	13	9	6	67
Percentage of cycles cancelled prior to retrieval or thaw	7.4%	0 / 12	* / 13	0 / 9	* / 6	9.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.7%	0 / 12	6 / 13	* / 9	* / 6	17.9%
Percentage of cycles for fertility preservation	0.0%	0 / 12	* / 13	* / 9	0 / 6	3.0%
Percentage of transfers using a gestational carrier	0 / 16	0 / 10	0 / *	* / *	0 / *	2.8%
Percentage of transfers using frozen embryos	16 / 16	9 / 10	* / *	* / *	* / *	91.7%
Percentage of transfers of at least one embryo with ICSI	13 / 16	9 / 10	* / *	* / *	* / *	80.6%
Percentage of transfers of at least one embryo with PGT	8 / 16	* / 10	* / *	* / *	0 / *	47.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	25%
Endometriosis	7%	Egg or embryo banking	43%
Tubal factor	10%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	49%	Other, infertility	18%
Uterine factor	0%	Other, non-infertility	0%
PGT	0%	Unexplained	0%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UT HEALTH SAN ANTONIO REPRODUCTIVE HEALTH AND FERTILITY CENTER
SAN ANTONIO, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Randal D. Robinson, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	27	12	12	10	7
Percentage of intended retrievals resulting in live births	55.6%	5 / 12	* / 12	* / 10	0 / 7
Percentage of intended retrievals resulting in singleton live births	44.4%	* / 12	* / 12	* / 10	0 / 7
Number of **retrievals**	25	10	9	9	5
Percentage of retrievals resulting in live births	60.0%	5 / 10	* / 9	* / 9	0 / 5
Percentage of retrievals resulting in singleton live births	48.0%	* / 10	* / 9	* / 9	0 / 5
Number of **transfers**	27	8	8	7	*
Percentage of transfers resulting in live births	55.6%	5 / 8	* / 8	* / 7	0 / *
Percentage of transfers resulting in singleton live births	44.4%	* / 8	* / 8	* / 7	0 / *
Number of intended retrievals per live birth	1.8	2.4	4.0	5.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	52.4%	* / 8	0 / 5	* / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	57.1%	5 / 8	* / 5	* / 5	0 / *
Percentage of new patients having live births after all intended retrievals	57.1%	5 / 8	* / 5	* / 5	0 / *
Average number of intended retrievals per new patient	1.1	1.1	1.4	1.2	4.0
Average number of transfers per intended retrieval	1.0	0.9	0.6	0.7	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	*	*
Percentage of transfers resulting in live births			* / *	0 / *
Percentage of transfers resulting in singleton live births			* / *	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	56	29	18	14	13	130
Percentage of cycles cancelled prior to retrieval or thaw	5.4%	17.2%	* / 18	0 / 14	* / 13	8.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.1%	6.9%	0 / 18	0 / 14	* / 13	6.9%
Percentage of cycles for fertility preservation	1.8%	0.0%	0 / 18	0 / 14	0 / 13	0.8%
Percentage of transfers using a gestational carrier	0.0%	0 / 19	0 / 13	0 / 5	* / 6	1.2%
Percentage of transfers using frozen embryos	43.9%	11 / 19	10 / 13	* / 5	* / 6	54.8%
Percentage of transfers of at least one embryo with ICSI	36.6%	10 / 19	12 / 13	* / 5	* / 6	51.2%
Percentage of transfers of at least one embryo with PGT	17.1%	6 / 19	* / 13	* / 5	* / 6	22.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	34%	Diminished ovarian reserve	29%
Endometriosis	12%	Egg or embryo banking	25%
Tubal factor	22%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	21%	Other, infertility	5%
Uterine factor	4%	Other, non-infertility	0%
PGT	2%	Unexplained	10%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SCOTT & WHITE CLINIC-TEMPLE
TEMPLE, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Thomas J. Wincek, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	95	35	32	9	8
Percentage of intended retrievals resulting in live births	31.6%	17.1%	6.3%	0 / 9	0 / 8
Percentage of intended retrievals resulting in singleton live births	22.1%	14.3%	6.3%	0 / 9	0 / 8
Number of **retrievals**	62	20	19	6	5
Percentage of retrievals resulting in live births	48.4%	30.0%	* / 19	0 / 6	0 / 5
Percentage of retrievals resulting in singleton live births	33.9%	25.0%	* / 19	0 / 6	0 / 5
Number of **transfers**	55	17	18	*	5
Percentage of transfers resulting in live births	54.5%	6 / 17	* / 18	0 / *	0 / 5
Percentage of transfers resulting in singleton live births	38.2%	5 / 17	* / 18	0 / *	0 / 5
Number of intended retrievals per live birth	3.2	5.8	16.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	34.3%	24.0%	9.5%	0 / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	34.3%	24.0%	9.5%	0 / 5	0 / *
Percentage of new patients having live births after all intended retrievals	34.3%	24.0%	9.5%	0 / 5	0 / *
Average number of intended retrievals per new patient	1.0	1.0	1.0	1.0	1.0
Average number of transfers per intended retrieval	0.6	0.5	0.4	0.2	1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	0	*
Percentage of transfers resulting in live births	0 / *			0 / *
Percentage of transfers resulting in singleton live births	0 / *			0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	159	78	24	23	*	288
Percentage of cycles cancelled prior to retrieval or thaw	23.3%	23.1%	33.3%	21.7%	0 / *	23.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.5%	9.0%	16.7%	17.4%	* / *	10.1%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0.0%	0 / *	0.0%
Percentage of transfers using a gestational carrier	0.9%	0.0%	0 / 12	0 / 14	0 / *	0.5%
Percentage of transfers using frozen embryos	24.5%	30.2%	* / 12	* / 14	0 / *	25.7%
Percentage of transfers of at least one embryo with ICSI	100.0%	94.3%	12 / 12	14 / 14	* / *	98.4%
Percentage of transfers of at least one embryo with PGT	0.9%	1.9%	0 / 12	* / 14	0 / *	2.1%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	No	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	1%
Endometriosis	9%	Egg or embryo banking	0%
Tubal factor	16%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	11%	Other, infertility	15%
Uterine factor	2%	Other, non-infertility	1%
PGT	1%	Unexplained	33%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

HART FERTILITY CLINIC
THE WOODLANDS, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Dorothy J. Roach, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	23	12	10	5	0
Percentage of intended retrievals resulting in live births	56.5%	* / 12	* / 10	* / 5	
Percentage of intended retrievals resulting in singleton live births	39.1%	* / 12	* / 10	* / 5	
Number of **retrievals**	23	12	10	5	0
Percentage of retrievals resulting in live births	56.5%	* / 12	* / 10	* / 5	
Percentage of retrievals resulting in singleton live births	39.1%	* / 12	* / 10	* / 5	
Number of **transfers**	31	13	11	*	0
Percentage of transfers resulting in live births	41.9%	* / 13	* / 11	* / *	
Percentage of transfers resulting in singleton live births	29.0%	* / 13	* / 11	* / *	
Number of intended retrievals per live birth	1.8	4.0	10.0	5.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	11 / 16	* / 10	* / 7	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	11 / 16	* / 10	* / 7	0 / *	
Percentage of new patients having live births after all intended retrievals	11 / 16	* / 10	* / 7	0 / *	
Average number of intended retrievals per new patient	1.0	1.2	1.1	3.0	
Average number of transfers per intended retrieval	1.5	1.1	1.1	0.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	0	*
Percentage of transfers resulting in live births	* / *			* / *
Percentage of transfers resulting in singleton live births	* / *			0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	24	7	14	*	*	50
Percentage of cycles cancelled prior to retrieval or thaw	4.2%	0 / 7	0 / 14	0 / *	0 / *	2.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.2%	0 / 7	* / 14	0 / *	0 / *	4.0%
Percentage of cycles for fertility preservation	0.0%	0 / 7	* / 14	0 / *	0 / *	2.0%
Percentage of transfers using a gestational carrier	0.0%	0 / 7	0 / 12	0 / *	0 / *	0.0%
Percentage of transfers using frozen embryos	50.0%	* / 7	* / 12	* / *	0 / *	37.8%
Percentage of transfers of at least one embryo with ICSI	90.9%	6 / 7	12 / 12	* / *	* / *	93.3%
Percentage of transfers of at least one embryo with PGT	9.1%	0 / 7	0 / 12	0 / *	0 / *	4.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	42%	Diminished ovarian reserve	14%
Endometriosis	8%	Egg or embryo banking	4%
Tubal factor	2%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	52%	Other, infertility	2%
Uterine factor	0%	Other, non-infertility	0%
PGT	0%	Unexplained	14%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTER OF REPRODUCTIVE MEDICINE (CORM)
WEBSTER, TEXAS

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Vicki L. Schnell, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	161	75	37	16	9
Percentage of intended retrievals resulting in live births	58.4%	49.3%	37.8%	* / 16	* / 9
Percentage of intended retrievals resulting in singleton live births	54.7%	45.3%	37.8%	* / 16	* / 9
Number of **retrievals**	154	71	35	13	8
Percentage of retrievals resulting in live births	61.0%	52.1%	40.0%	* / 13	* / 8
Percentage of retrievals resulting in singleton live births	57.1%	47.9%	40.0%	* / 13	* / 8
Number of **transfers**	195	67	30	6	*
Percentage of transfers resulting in live births	48.2%	55.2%	46.7%	* / 6	* / *
Percentage of transfers resulting in singleton live births	45.1%	50.7%	46.7%	* / 6	* / *
Number of intended retrievals per live birth	1.7	2.0	2.6	16.0	9.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	60.8%	52.5%	36.4%	* / 9	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	66.2%	54.2%	45.5%	* / 9	* / 5
Percentage of new patients having live births after all intended retrievals	66.9%	54.2%	45.5%	* / 9	* / 5
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.1	1.2
Average number of transfers per intended retrieval	1.3	1.0	0.9	0.5	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	68	*
Percentage of transfers resulting in live births			44.1%	* / *
Percentage of transfers resulting in singleton live births			44.1%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	444	230	135	59	72	940
Percentage of cycles cancelled prior to retrieval or thaw	7.9%	14.3%	12.6%	13.6%	22.2%	11.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.5%	4.8%	3.0%	11.9%	2.8%	5.6%
Percentage of cycles for fertility preservation	0.7%	2.2%	0.7%	1.7%	1.4%	1.2%
Percentage of transfers using a gestational carrier	1.9%	1.7%	3.0%	5.0%	17.1%	3.3%
Percentage of transfers using frozen embryos	86.7%	91.3%	97.0%	100.0%	100.0%	90.6%
Percentage of transfers of at least one embryo with ICSI	93.0%	90.4%	86.4%	80.0%	80.5%	90.0%
Percentage of transfers of at least one embryo with PGT	45.6%	60.9%	69.7%	55.0%	63.4%	53.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	14%	Diminished ovarian reserve	23%
Endometriosis	7%	Egg or embryo banking	30%
Tubal factor	6%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	26%	Other, infertility	7%
Uterine factor	14%	Other, non-infertility	<1%
PGT	5%	Unexplained	3%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UTAH FERTILITY CENTER
PLEASANT GROVE, UTAH

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Shawn E. Gurtcheff, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	399	114	85	47	21
Percentage of intended retrievals resulting in live births	67.4%	52.6%	30.6%	10.6%	0.0%
Percentage of intended retrievals resulting in singleton live births	52.4%	38.6%	25.9%	8.5%	0.0%
Number of **retrievals**	394	110	81	42	19
Percentage of retrievals resulting in live births	68.3%	54.5%	32.1%	11.9%	0 / 19
Percentage of retrievals resulting in singleton live births	53.0%	40.0%	27.2%	9.5%	0 / 19
Number of **transfers**	484	120	62	13	9
Percentage of transfers resulting in live births	55.6%	50.0%	41.9%	5 / 13	0 / 9
Percentage of transfers resulting in singleton live births	43.2%	36.7%	35.5%	* / 13	0 / 9
Number of intended retrievals per live birth	1.5	1.9	3.3	9.4	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	69.6%	56.0%	36.2%	12.0%	0 / 11
Percentage of new patients having live births after 1 or 2 intended retrievals	73.1%	59.5%	42.6%	16.0%	0 / 11
Percentage of new patients having live births after all intended retrievals	73.1%	59.5%	42.6%	20.0%	0 / 11
Average number of intended retrievals per new patient	1.1	1.2	1.2	1.5	1.2
Average number of transfers per intended retrieval	1.3	1.1	0.8	0.3	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	8	5	152	49
Percentage of transfers resulting in live births	* / 8	* / 5	62.5%	55.1%
Percentage of transfers resulting in singleton live births	* / 8	* / 5	57.2%	38.8%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	1,218	369	309	140	166	2,202
Percentage of cycles cancelled prior to retrieval or thaw	3.8%	7.9%	6.8%	12.1%	10.2%	5.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	16.8%	4.6%	6.8%	5.0%	6.0%	11.8%
Percentage of cycles for fertility preservation	0.7%	3.5%	4.9%	0.7%	1.2%	1.8%
Percentage of transfers using a gestational carrier	4.2%	9.6%	7.3%	17.6%	21.1%	7.5%
Percentage of transfers using frozen embryos	72.8%	77.1%	80.0%	91.2%	81.1%	76.0%
Percentage of transfers of at least one embryo with ICSI	68.8%	65.6%	70.7%	48.5%	64.4%	67.0%
Percentage of transfers of at least one embryo with PGT	29.6%	47.2%	56.7%	51.5%	43.3%	38.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	22%	Diminished ovarian reserve	17%
Endometriosis	10%	Egg or embryo banking	33%
Tubal factor	7%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	16%	Other, infertility	39%
Uterine factor	3%	Other, non-infertility	6%
PGT	19%	Unexplained	8%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

UTAH CENTER FOR REPRODUCTIVE MEDICINE
SALT LAKE CITY, UTAH

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Erica B. Johnstone, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	179	83	36	23	12
Percentage of intended retrievals resulting in live births	60.9%	38.6%	19.4%	21.7%	0 / 12
Percentage of intended retrievals resulting in singleton live births	55.3%	34.9%	16.7%	21.7%	0 / 12
Number of **retrievals**	168	76	32	21	10
Percentage of retrievals resulting in live births	64.9%	42.1%	21.9%	23.8%	0 / 10
Percentage of retrievals resulting in singleton live births	58.9%	38.2%	18.8%	23.8%	0 / 10
Number of **transfers**	187	73	27	12	*
Percentage of transfers resulting in live births	58.3%	43.8%	25.9%	5 / 12	0 / *
Percentage of transfers resulting in singleton live births	52.9%	39.7%	22.2%	5 / 12	0 / *
Number of intended retrievals per live birth	1.6	2.6	5.1	4.6	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	61.3%	45.8%	* / 18	* / 9	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	74.2%	47.9%	* / 18	* / 9	0 / *
Percentage of new patients having live births after all intended retrievals	74.2%	50.0%	* / 18	* / 9	0 / *
Average number of intended retrievals per new patient	1.2	1.3	1.2	1.4	1.3
Average number of transfers per intended retrieval	1.1	0.8	0.7	0.5	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	28	0	45	*
Percentage of transfers resulting in live births	46.4%		42.2%	* / *
Percentage of transfers resulting in singleton live births	42.9%		40.0%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	286	130	81	37	64	598
Percentage of cycles cancelled prior to retrieval or thaw	3.8%	6.9%	6.2%	16.2%	3.1%	5.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	11.2%	12.3%	9.9%	13.5%	3.1%	10.5%
Percentage of cycles for fertility preservation	4.5%	6.2%	2.5%	2.7%	1.6%	4.2%
Percentage of transfers using a gestational carrier	2.9%	3.5%	1.8%	4.3%	7.8%	3.5%
Percentage of transfers using frozen embryos	67.5%	63.5%	55.4%	69.6%	70.6%	65.6%
Percentage of transfers of at least one embryo with ICSI	47.8%	50.6%	55.4%	47.8%	54.9%	50.2%
Percentage of transfers of at least one embryo with PGT	11.0%	7.1%	16.1%	13.0%	23.5%	12.5%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	32%	Diminished ovarian reserve	20%
Endometriosis	7%	Egg or embryo banking	15%
Tubal factor	7%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	12%	Other, infertility	17%
Uterine factor	3%	Other, non-infertility	<1%
PGT	10%	Unexplained	14%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE CARE CENTER
SANDY, UTAH

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Keith L. Blauer, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	241	69	73	24	*
Percentage of intended retrievals resulting in live births	58.9%	36.2%	28.8%	12.5%	* / *
Percentage of intended retrievals resulting in singleton live births	49.8%	31.9%	26.0%	12.5%	* / *
Number of **retrievals**	237	69	70	23	*
Percentage of retrievals resulting in live births	59.9%	36.2%	30.0%	13.0%	* / *
Percentage of retrievals resulting in singleton live births	50.6%	31.9%	27.1%	13.0%	* / *
Number of **transfers**	323	80	63	13	*
Percentage of transfers resulting in live births	44.0%	31.3%	33.3%	* / 13	* / *
Percentage of transfers resulting in singleton live births	37.2%	27.5%	30.2%	* / 13	* / *
Number of intended retrievals per live birth	1.7	2.8	3.5	8.0	4.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	63.0%	40.0%	33.3%	0 / 13	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	67.9%	56.7%	38.9%	* / 13	0 / *
Percentage of new patients having live births after all intended retrievals	68.5%	56.7%	38.9%	* / 13	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.5	1.0
Average number of transfers per intended retrieval	1.4	1.2	0.8	0.5	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	20	16	*
Percentage of transfers resulting in live births	* / *	30.0%	5 / 16	* / *
Percentage of transfers resulting in singleton live births	* / *	30.0%	5 / 16	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	469	138	130	50	32	819
Percentage of cycles cancelled prior to retrieval or thaw	4.9%	4.3%	10.8%	10.0%	12.5%	6.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.0%	2.9%	7.7%	6.0%	3.1%	5.6%
Percentage of cycles for fertility preservation	1.3%	2.9%	4.6%	0.0%	3.1%	2.1%
Percentage of transfers using a gestational carrier	1.2%	2.1%	1.4%	0.0%	14.3%	1.8%
Percentage of transfers using frozen embryos	64.9%	67.0%	63.0%	50.0%	66.7%	64.4%
Percentage of transfers of at least one embryo with ICSI	56.5%	60.6%	64.4%	54.2%	47.6%	57.8%
Percentage of transfers of at least one embryo with PGT	9.5%	25.5%	27.4%	12.5%	33.3%	15.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	17%
Endometriosis	11%	Egg or embryo banking	21%
Tubal factor	9%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	35%	Other, infertility	16%
Uterine factor	10%	Other, non-infertility	11%
PGT	6%	Unexplained	2%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY OF VERMONT MEDICAL CENTER
VERMONT CENTER FOR REPRODUCTIVE MEDICINE
BURLINGTON, VERMONT

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Elizabeth McGee, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	29	17	10	*	*
Percentage of intended retrievals resulting in live births	37.9%	5 / 17	* / 10	* / *	0 / *
Percentage of intended retrievals resulting in singleton live births	31.0%	* / 17	0 / 10	* / *	0 / *
Number of **retrievals**	28	15	9	*	*
Percentage of retrievals resulting in live births	39.3%	5 / 15	* / 9	* / *	0 / *
Percentage of retrievals resulting in singleton live births	32.1%	* / 15	0 / 9	* / *	0 / *
Number of **transfers**	38	22	10	*	*
Percentage of transfers resulting in live births	28.9%	22.7%	* / 10	* / *	0 / *
Percentage of transfers resulting in singleton live births	23.7%	13.6%	0 / 10	* / *	0 / *
Number of intended retrievals per live birth	2.6	3.4	10.0	3.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	40.0%	* / 12	* / 7	* / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	40.0%	* / 12	* / 7	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	40.0%	* / 12	* / 7	* / *	0 / *
Average number of intended retrievals per new patient	1.1	1.3	1.4	1.0	1.0
Average number of transfers per intended retrieval	1.3	1.3	1.0	0.5	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	*	0
Percentage of transfers resulting in live births		* / *	* / *	
Percentage of transfers resulting in singleton live births		0 / *	* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	61	31	18	13	7	130
Percentage of cycles cancelled prior to retrieval or thaw	1.6%	9.7%	* / 18	0 / 13	0 / 7	5.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.6%	3.2%	0 / 18	* / 13	0 / 7	4.6%
Percentage of cycles for fertility preservation	6.6%	16.1%	* / 18	* / 13	0 / 7	9.2%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0 / 13	0 / 10	0 / 6	0.0%
Percentage of transfers using frozen embryos	44.9%	54.5%	* / 13	6 / 10	* / 6	45.0%
Percentage of transfers of at least one embryo with ICSI	49.0%	27.3%	7 / 13	* / 10	* / 6	44.0%
Percentage of transfers of at least one embryo with PGT	6.1%	0.0%	0 / 13	0 / 10	0 / 6	3.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	17%	Diminished ovarian reserve	22%
Endometriosis	6%	Egg or embryo banking	13%
Tubal factor	12%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	11%	Other, infertility	9%
Uterine factor	0%	Other, non-infertility	0%
PGT	6%	Unexplained	22%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

NORTHEASTERN REPRODUCTIVE MEDICINE
COLCHESTER, VERMONT

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Peter R. Casson, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	82	51	38	16	13
Percentage of intended retrievals resulting in live births	50.0%	43.1%	21.1%	* / 16	0 / 13
Percentage of intended retrievals resulting in singleton live births	43.9%	41.2%	15.8%	* / 16	0 / 13
Number of **retrievals**	76	44	25	11	10
Percentage of retrievals resulting in live births	53.9%	50.0%	32.0%	* / 11	0 / 10
Percentage of retrievals resulting in singleton live births	47.4%	47.7%	24.0%	* / 11	0 / 10
Number of **transfers**	89	56	27	10	5
Percentage of transfers resulting in live births	46.1%	39.3%	29.6%	* / 10	0 / 5
Percentage of transfers resulting in singleton live births	40.4%	37.5%	22.2%	* / 10	0 / 5
Number of intended retrievals per live birth	2.0	2.3	4.8	5.3	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	52.6%	51.4%	23.8%	* / 10	0 / 7
Percentage of new patients having live births after 1 or 2 intended retrievals	61.4%	51.4%	33.3%	* / 10	0 / 7
Percentage of new patients having live births after all intended retrievals	61.4%	51.4%	33.3%	* / 10	0 / 7
Average number of intended retrievals per new patient	1.2	1.2	1.3	1.3	1.0
Average number of transfers per intended retrieval	1.1	1.1	0.7	0.5	0.4

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	7	5	16	*
Percentage of transfers resulting in live births	* / 7	* / 5	9 / 16	* / *
Percentage of transfers resulting in singleton live births	* / 7	* / 5	8 / 16	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	159	100	85	56	58	458
Percentage of cycles cancelled prior to retrieval or thaw	8.2%	12.0%	15.3%	23.2%	20.7%	13.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.2%	4.0%	5.9%	3.6%	6.9%	6.1%
Percentage of cycles for fertility preservation	5.0%	5.0%	7.1%	3.6%	1.7%	4.8%
Percentage of transfers using a gestational carrier	1.9%	3.1%	5.5%	3.4%	0.0%	2.8%
Percentage of transfers using frozen embryos	59.8%	62.5%	45.5%	58.6%	59.4%	57.5%
Percentage of transfers of at least one embryo with ICSI	75.7%	75.0%	70.9%	72.4%	71.9%	73.9%
Percentage of transfers of at least one embryo with PGT	8.4%	21.9%	7.3%	20.7%	15.6%	13.2%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	28%
Endometriosis	5%	Egg or embryo banking	19%
Tubal factor	5%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	17%	Other, infertility	17%
Uterine factor	3%	Other, non-infertility	3%
PGT	8%	Unexplained	15%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

WASHINGTON FERTILITY CENTER
ANNANDALE, VIRGINIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

VIRGINIA

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Pierre Asmar, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	12	18	6	6	*
Percentage of intended retrievals resulting in live births	7 / 12	8 / 18	* / 6	0 / 6	0 / *
Percentage of intended retrievals resulting in singleton live births	6 / 12	8 / 18	0 / 6	0 / 6	0 / *
Number of **retrievals**	11	16	5	6	*
Percentage of retrievals resulting in live births	7 / 11	8 / 16	* / 5	0 / 6	0 / *
Percentage of retrievals resulting in singleton live births	6 / 11	8 / 16	0 / 5	0 / 6	0 / *
Number of **transfers**	12	9	*	*	0
Percentage of transfers resulting in live births	7 / 12	8 / 9	* / *	0 / *	
Percentage of transfers resulting in singleton live births	6 / 12	8 / 9	0 / *	0 / *	
Number of intended retrievals per live birth	1.7	2.3	6.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	7 / 11	6 / 11	* / 5	0 / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	7 / 11	7 / 11	* / 5	0 / 5	0 / *
Percentage of new patients having live births after all intended retrievals	7 / 11	8 / 11	* / 5	0 / 5	0 / *
Average number of intended retrievals per new patient	1.0	1.5	1.2	1.0	1.0
Average number of transfers per intended retrieval	1.0	0.6	0.5	0.2	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	9	13	0
Percentage of transfers resulting in live births	* / *	* / 9	8 / 13	
Percentage of transfers resulting in singleton live births	* / *	* / 9	8 / 13	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	28	31	18	9	32	118
Percentage of cycles cancelled prior to retrieval or thaw	3.6%	16.1%	0 / 18	0 / 9	15.6%	9.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	0.0%	3.2%	* / 18	* / 9	15.6%	7.6%
Percentage of cycles for fertility preservation	0.0%	0.0%	0 / 18	0 / 9	0.0%	0.0%
Percentage of transfers using a gestational carrier	0 / 9	0 / 14	* / 11	0 / *	* / 19	3.5%
Percentage of transfers using frozen embryos	9 / 9	14 / 14	7 / 11	* / *	7 / 19	70.2%
Percentage of transfers of at least one embryo with ICSI	5 / 9	6 / 14	8 / 11	* / *	14 / 19	61.4%
Percentage of transfers of at least one embryo with PGT	5 / 9	12 / 14	5 / 11	* / *	* / 19	43.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	Yes
Embryo cryopreservation?	Yes	
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	19%	Diminished ovarian reserve	31%
Endometriosis	3%	Egg or embryo banking	35%
Tubal factor	11%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	4%	Other, infertility	6%
Uterine factor	3%	Other, non-infertility	1%
PGT	4%	Unexplained	19%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

DOMINION FERTILITY AND ENDOCRINOLOGY
ARLINGTON, VIRGINIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michael DiMattina, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	173	183	194	157	270
Percentage of intended retrievals resulting in live births	31.2%	18.6%	10.8%	1.3%	1.5%
Percentage of intended retrievals resulting in singleton live births	31.2%	17.5%	10.8%	1.3%	1.5%
Number of **retrievals**	132	130	142	92	150
Percentage of retrievals resulting in live births	40.9%	26.2%	14.8%	2.2%	2.7%
Percentage of retrievals resulting in singleton live births	40.9%	24.6%	14.8%	2.2%	2.7%
Number of **transfers**	130	81	68	30	35
Percentage of transfers resulting in live births	41.5%	42.0%	30.9%	6.7%	11.4%
Percentage of transfers resulting in singleton live births	41.5%	39.5%	30.9%	6.7%	11.4%
Number of intended retrievals per live birth	3.2	5.4	9.2	78.5	67.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	30.9%	17.9%	12.0%	0.0%	2.7%
Percentage of new patients having live births after 1 or 2 intended retrievals	37.1%	26.2%	14.7%	0.0%	2.7%
Percentage of new patients having live births after all intended retrievals	46.4%	28.6%	18.7%	0.0%	2.7%
Average number of intended retrievals per new patient	1.5	1.7	1.8	2.0	2.0
Average number of transfers per intended retrieval	0.8	0.5	0.3	0.2	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	79	*
Percentage of transfers resulting in live births			31.6%	* / *
Percentage of transfers resulting in singleton live births			30.4%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	290	260	353	223	415	1,541
Percentage of cycles cancelled prior to retrieval or thaw	11.0%	8.5%	14.2%	15.2%	24.3%	15.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	15.9%	20.8%	27.5%	35.0%	34.2%	27.1%
Percentage of cycles for fertility preservation	2.8%	5.8%	4.0%	1.3%	0.0%	2.6%
Percentage of transfers using a gestational carrier	0.0%	0.9%	0.8%	0.0%	3.5%	1.1%
Percentage of transfers using frozen embryos	82.4%	74.3%	71.5%	73.7%	79.1%	76.6%
Percentage of transfers of at least one embryo with ICSI	88.5%	81.7%	82.1%	77.2%	74.8%	81.5%
Percentage of transfers of at least one embryo with PGT	65.6%	57.8%	56.1%	61.4%	59.1%	60.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	23%	Diminished ovarian reserve	45%
Endometriosis	6%	Egg or embryo banking	42%
Tubal factor	14%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	12%	Other, infertility	58%
Uterine factor	5%	Other, non-infertility	31%
PGT	1%	Unexplained	2%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE MEDICINE AND SURGERY CENTER OF VIRGINIA, PLC
CHARLOTTESVILLE, VIRGINIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

VIRGINIA

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Christopher D. Williams, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	120	43	26	15	11
Percentage of intended retrievals resulting in live births	60.8%	55.8%	38.5%	* / 15	* / 11
Percentage of intended retrievals resulting in singleton live births	55.0%	48.8%	34.6%	* / 15	* / 11
Number of **retrievals**	117	40	22	11	9
Percentage of retrievals resulting in live births	62.4%	60.0%	45.5%	* / 11	* / 9
Percentage of retrievals resulting in singleton live births	56.4%	52.5%	40.9%	* / 11	* / 9
Number of **transfers**	111	36	16	*	*
Percentage of transfers resulting in live births	65.8%	66.7%	10 / 16	* / *	* / *
Percentage of transfers resulting in singleton live births	59.5%	58.3%	9 / 16	* / *	* / *
Number of intended retrievals per live birth	1.6	1.8	2.6	15.0	11.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	61.8%	54.8%	5 / 14	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	67.4%	67.7%	6 / 14	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	69.7%	67.7%	6 / 14	0 / *	0 / *
Average number of intended retrievals per new patient	1.2	1.2	1.2	1.0	1.5
Average number of transfers per intended retrieval	0.9	0.8	0.5	0.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	9	14	*
Percentage of transfers resulting in live births	* / *	5 / 9	9 / 14	* / *
Percentage of transfers resulting in singleton live births	* / *	5 / 9	9 / 14	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	219	129	84	23	18	473
Percentage of cycles cancelled prior to retrieval or thaw	7.3%	7.8%	17.9%	17.4%	0 / 18	9.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	3.7%	7.8%	6.0%	13.0%	0 / 18	5.5%
Percentage of cycles for fertility preservation	1.8%	3.9%	11.9%	0.0%	0 / 18	4.0%
Percentage of transfers using a gestational carrier	0.9%	1.6%	0.0%	0 / 8	* / 14	1.8%
Percentage of transfers using frozen embryos	96.4%	95.1%	88.9%	6 / 8	7 / 14	91.4%
Percentage of transfers of at least one embryo with ICSI	76.6%	72.1%	48.1%	7 / 8	9 / 14	71.5%
Percentage of transfers of at least one embryo with PGT	49.5%	57.4%	59.3%	* / 8	5 / 14	50.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	49%	Diminished ovarian reserve	26%
Endometriosis	16%	Egg or embryo banking	49%
Tubal factor	14%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	13%	Other, infertility	13%
Uterine factor	7%	Other, non-infertility	8%
PGT	3%	Unexplained	11%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

GENETICS & IVF INSTITUTE
FAIRFAX, VIRGINIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Laurence C. Udoff, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	35	32	16	26	16
Percentage of intended retrievals resulting in live births	37.1%	34.4%	* / 16	7.7%	* / 16
Percentage of intended retrievals resulting in singleton live births	37.1%	31.3%	* / 16	7.7%	* / 16
Number of **retrievals**	34	31	16	24	15
Percentage of retrievals resulting in live births	38.2%	35.5%	* / 16	8.3%	* / 15
Percentage of retrievals resulting in singleton live births	38.2%	32.3%	* / 16	8.3%	* / 15
Number of **transfers**	30	22	8	19	11
Percentage of transfers resulting in live births	43.3%	50.0%	* / 8	* / 19	* / 11
Percentage of transfers resulting in singleton live births	43.3%	45.5%	* / 8	* / 19	* / 11
Number of intended retrievals per live birth	2.7	2.9	8.0	13.0	8.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	36.4%	6 / 17	* / 7	* / 11	* / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	50.0%	8 / 17	* / 7	* / 11	* / 5
Percentage of new patients having live births after all intended retrievals	50.0%	8 / 17	* / 7	* / 11	* / 5
Average number of intended retrievals per new patient	1.4	1.2	1.4	1.5	1.4
Average number of transfers per intended retrieval	0.9	0.9	0.7	0.8	1.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	22	38	*
Percentage of transfers resulting in live births	* / *	40.9%	26.3%	* / *
Percentage of transfers resulting in singleton live births	* / *	40.9%	26.3%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	64	55	40	26	76	261
Percentage of cycles cancelled prior to retrieval or thaw	1.6%	0.0%	2.5%	3.8%	0.0%	1.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	12.5%	9.1%	15.0%	23.1%	14.5%	13.8%
Percentage of cycles for fertility preservation	4.7%	1.8%	2.5%	0.0%	0.0%	1.9%
Percentage of transfers using a gestational carrier	0.0%	0.0%	18.5%	* / 16	4.9%	5.1%
Percentage of transfers using frozen embryos	89.2%	73.5%	81.5%	12 / 16	62.3%	74.3%
Percentage of transfers of at least one embryo with ICSI	86.5%	97.1%	70.4%	11 / 16	54.1%	73.1%
Percentage of transfers of at least one embryo with PGT	67.6%	55.9%	51.9%	8 / 16	23.0%	45.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	22%	Diminished ovarian reserve	33%
Endometriosis	6%	Egg or embryo banking	24%
Tubal factor	16%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	9%	Other, infertility	43%
Uterine factor	17%	Other, non-infertility	2%
PGT	32%	Unexplained	1%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

JONES INSTITUTE FOR REPRODUCTIVE MEDICINE
NORFOLK, VIRGINIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

VIRGINIA

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Laurel A. Stadtmauer, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	106	54	53	21	19
Percentage of intended retrievals resulting in live births	50.0%	33.3%	24.5%	0.0%	0 / 19
Percentage of intended retrievals resulting in singleton live births	33.0%	25.9%	22.6%	0.0%	0 / 19
Number of **retrievals**	99	45	44	18	13
Percentage of retrievals resulting in live births	53.5%	40.0%	29.5%	0 / 18	0 / 13
Percentage of retrievals resulting in singleton live births	35.4%	31.1%	27.3%	0 / 18	0 / 13
Number of **transfers**	123	44	38	5	*
Percentage of transfers resulting in live births	43.1%	40.9%	34.2%	0 / 5	0 / *
Percentage of transfers resulting in singleton live births	28.5%	31.8%	31.6%	0 / 5	0 / *
Number of intended retrievals per live birth	2.0	3.0	4.1		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	48.8%	42.3%	34.5%	0 / 13	0 / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	55.0%	46.2%	37.9%	0 / 13	0 / 8
Percentage of new patients having live births after all intended retrievals	55.0%	46.2%	37.9%	0 / 13	0 / 8
Average number of intended retrievals per new patient	1.1	1.2	1.3	1.3	1.4
Average number of transfers per intended retrieval	1.1	0.9	0.8	0.3	0.3

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	8	18	8
Percentage of transfers resulting in live births	* / *	* / 8	6 / 18	* / 8
Percentage of transfers resulting in singleton live births	* / *	* / 8	* / 18	* / 8

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	172	103	86	21	56	438
Percentage of cycles cancelled prior to retrieval or thaw	2.9%	4.9%	7.0%	0.0%	10.7%	5.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.4%	12.6%	9.3%	19.0%	7.1%	9.1%
Percentage of cycles for fertility preservation	3.5%	2.9%	3.5%	14.3%	0.0%	3.4%
Percentage of transfers using a gestational carrier	0.0%	3.1%	2.1%	* / 12	16.2%	3.6%
Percentage of transfers using frozen embryos	56.2%	75.0%	72.3%	8 / 12	78.4%	66.5%
Percentage of transfers of at least one embryo with ICSI	94.2%	92.2%	91.5%	9 / 12	70.3%	89.3%
Percentage of transfers of at least one embryo with PGT	11.6%	17.2%	23.4%	* / 12	16.2%	15.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	25%
Endometriosis	6%	Egg or embryo banking	22%
Tubal factor	22%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	24%	Other, infertility	7%
Uterine factor	4%	Other, non-infertility	0%
PGT	3%	Unexplained	7%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

VIRGINIA CENTER FOR REPRODUCTIVE MEDICINE
RESTON, VIRGINIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Fady I. Sharara, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	32	20	18	5	5
Percentage of intended retrievals resulting in live births	59.4%	20.0%	* / 18	0 / 5	0 / 5
Percentage of intended retrievals resulting in singleton live births	37.5%	20.0%	* / 18	0 / 5	0 / 5
Number of **retrievals**	32	19	17	*	5
Percentage of retrievals resulting in live births	59.4%	* / 19	* / 17	0 / *	0 / 5
Percentage of retrievals resulting in singleton live births	37.5%	* / 19	* / 17	0 / *	0 / 5
Number of **transfers**	32	18	8	*	*
Percentage of transfers resulting in live births	59.4%	* / 18	* / 8	0 / *	0 / *
Percentage of transfers resulting in singleton live births	37.5%	* / 18	* / 8	0 / *	0 / *
Number of intended retrievals per live birth	1.7	5.0	9.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	9 / 15	* / 11	* / 10		
Percentage of new patients having live births after 1 or 2 intended retrievals	11 / 15	* / 11	* / 10		
Percentage of new patients having live births after all intended retrievals	11 / 15	* / 11	* / 10		
Average number of intended retrievals per new patient	1.2	1.1	1.3		
Average number of transfers per intended retrieval	1.1	1.0	0.5		

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	5	0	37	*
Percentage of transfers resulting in live births	5 / 5		32.4%	* / *
Percentage of transfers resulting in singleton live births	5 / 5		21.6%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	58	35	37	27	33	190
Percentage of cycles cancelled prior to retrieval or thaw	1.7%	0.0%	2.7%	0.0%	0.0%	1.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	12.1%	5.7%	2.7%	11.1%	3.0%	7.4%
Percentage of cycles for fertility preservation	1.7%	5.7%	2.7%	0.0%	0.0%	2.1%
Percentage of transfers using a gestational carrier	10.3%	21.7%	* / 16	* / 12	28.0%	17.4%
Percentage of transfers using frozen embryos	74.4%	82.6%	15 / 16	11 / 12	84.0%	82.6%
Percentage of transfers of at least one embryo with ICSI	92.3%	87.0%	15 / 16	12 / 12	96.0%	93.0%
Percentage of transfers of at least one embryo with PGT	53.8%	56.5%	12 / 16	10 / 12	56.0%	60.9%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	41%	Diminished ovarian reserve	42%
Endometriosis	1%	Egg or embryo banking	32%
Tubal factor	14%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	22%	Other, infertility	21%
Uterine factor	13%	Other, non-infertility	2%
PGT	3%	Unexplained	7%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SHADY GROVE FERTILITY-RICHMOND
RICHMOND, VIRGINIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Erika B. Johnston-MacAnanny, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	128	75	64	27	9
Percentage of intended retrievals resulting in live births	67.2%	64.0%	35.9%	11.1%	0 / 9
Percentage of intended retrievals resulting in singleton live births	58.6%	56.0%	32.8%	11.1%	0 / 9
Number of **retrievals**	125	72	57	25	9
Percentage of retrievals resulting in live births	68.8%	66.7%	40.4%	12.0%	0 / 9
Percentage of retrievals resulting in singleton live births	60.0%	58.3%	36.8%	12.0%	0 / 9
Number of **transfers**	159	72	51	6	*
Percentage of transfers resulting in live births	54.1%	66.7%	45.1%	* / 6	0 / *
Percentage of transfers resulting in singleton live births	47.2%	58.3%	41.2%	* / 6	0 / *
Number of intended retrievals per live birth	1.5	1.6	2.8	9.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	69.2%	68.6%	35.0%	* / 14	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	72.9%	72.5%	47.5%	* / 14	0 / 5
Percentage of new patients having live births after all intended retrievals	73.8%	72.5%	47.5%	* / 14	0 / 5
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.3	1.4
Average number of transfers per intended retrieval	1.2	1.0	0.9	0.3	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	16	45	*
Percentage of transfers resulting in live births	* / *	5 / 16	66.7%	* / *
Percentage of transfers resulting in singleton live births	* / *	5 / 16	64.4%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	306	202	154	64	61	787
Percentage of cycles cancelled prior to retrieval or thaw	2.6%	3.5%	3.9%	9.4%	13.1%	4.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.8%	6.4%	6.5%	0.0%	0.0%	6.4%
Percentage of cycles for fertility preservation	2.3%	3.0%	5.8%	0.0%	0.0%	2.8%
Percentage of transfers using a gestational carrier	2.2%	1.6%	0.0%	11.8%	6.4%	2.8%
Percentage of transfers using frozen embryos	96.6%	97.5%	92.8%	85.3%	72.3%	92.9%
Percentage of transfers of at least one embryo with ICSI	83.2%	77.0%	71.1%	55.9%	40.4%	73.1%
Percentage of transfers of at least one embryo with PGT	53.1%	58.2%	62.7%	52.9%	25.5%	53.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	38%	Diminished ovarian reserve	15%
Endometriosis	8%	Egg or embryo banking	30%
Tubal factor	13%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	11%	Other, infertility	10%
Uterine factor	4%	Other, non-infertility	1%
PGT	6%	Unexplained	13%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

VCU REPRODUCTIVE MEDICINE
RICHMOND, VIRGINIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Richard S. Lucidi, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	40	31	34	13	*
Percentage of intended retrievals resulting in live births	42.5%	12.9%	17.6%	* / 13	0 / *
Percentage of intended retrievals resulting in singleton live births	35.0%	12.9%	14.7%	* / 13	0 / *
Number of **retrievals**	36	23	23	9	*
Percentage of retrievals resulting in live births	47.2%	17.4%	26.1%	* / 9	0 / *
Percentage of retrievals resulting in singleton live births	38.9%	17.4%	21.7%	* / 9	0 / *
Number of **transfers**	55	35	24	11	0
Percentage of transfers resulting in live births	30.9%	11.4%	25.0%	* / 11	
Percentage of transfers resulting in singleton live births	25.5%	11.4%	20.8%	* / 11	
Number of intended retrievals per live birth	2.4	7.8	5.7	13.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	40.0%	* / 18	* / 17	* / 8	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	40.0%	* / 18	* / 17	* / 8	0 / *
Percentage of new patients having live births after all intended retrievals	40.0%	* / 18	* / 17	* / 8	0 / *
Average number of intended retrievals per new patient	1.1	1.4	1.6	1.4	2.0
Average number of transfers per intended retrieval	1.4	1.0	0.6	0.9	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	8	6	*
Percentage of transfers resulting in live births		* / 8	* / 6	* / *
Percentage of transfers resulting in singleton live births		* / 8	* / 6	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	177	91	97	33	19	417
Percentage of cycles cancelled prior to retrieval or thaw	7.9%	7.7%	23.7%	33.3%	5 / 19	14.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.3%	6.6%	2.1%	12.1%	* / 19	4.3%
Percentage of cycles for fertility preservation	4.0%	5.5%	3.1%	0.0%	0 / 19	3.6%
Percentage of transfers using a gestational carrier	0.7%	6.0%	0.0%	0 / 17	0 / 11	1.7%
Percentage of transfers using frozen embryos	51.4%	47.8%	47.0%	7 / 17	7 / 11	49.5%
Percentage of transfers of at least one embryo with ICSI	97.1%	95.5%	93.9%	15 / 17	6 / 11	94.0%
Percentage of transfers of at least one embryo with PGT	11.4%	17.9%	16.7%	* / 17	* / 11	14.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	31%	Diminished ovarian reserve	7%
Endometriosis	3%	Egg or embryo banking	11%
Tubal factor	12%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	18%	Other, infertility	24%
Uterine factor	0%	Other, non-infertility	4%
PGT	4%	Unexplained	22%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CARILION CLINIC REPRODUCTIVE MEDICINE AND FERTILITY
ROANOKE, VIRGINIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

VIRGINIA

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Emily A. Evans-Hoeker, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	0	0	0	0
Percentage of intended retrievals resulting in live births					
Percentage of intended retrievals resulting in singleton live births					
Number of **retrievals**					
Percentage of retrievals resulting in live births					
Percentage of retrievals resulting in singleton live births					
Number of **transfers**					
Percentage of transfers resulting in live births					
Percentage of transfers resulting in singleton live births					
Number of intended retrievals per live birth					
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval					
Percentage of new patients having live births after 1 or 2 intended retrievals					
Percentage of new patients having live births after all intended retrievals					
Average number of intended retrievals per new patient					
Average number of transfers per intended retrieval					

Calculations of these success rates are not applicable if clinic did not report data in the previous reporting year.

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	*	*	0
Percentage of transfers resulting in live births	0 / *	0 / *	* / *	
Percentage of transfers resulting in singleton live births	0 / *	0 / *	* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	34	11	5	12	*	65
Percentage of cycles cancelled prior to retrieval or thaw	11.8%	* / 11	* / 5	* / 12	* / *	18.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	23.5%	* / 11	* / 5	* / 12	0 / *	24.6%
Percentage of cycles for fertility preservation	0.0%	0 / 11	0 / 5	0 / 12	* / *	3.1%
Percentage of transfers using a gestational carrier	0.0%	0 / 7	0 / *	0 / 5		0.0%
Percentage of transfers using frozen embryos	68.2%	* / 7	0 / *	* / 5		62.9%
Percentage of transfers of at least one embryo with ICSI	95.5%	6 / 7	* / *	5 / 5		94.3%
Percentage of transfers of at least one embryo with PGT	4.5%	* / 7	0 / *	* / 5		14.3%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	22%
Endometriosis	3%	Egg or embryo banking	5%
Tubal factor	14%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	2%	Other, infertility	3%
Uterine factor	2%	Other, non-infertility	5%
PGT	2%	Unexplained	52%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CCRM NORTHERN VIRGINIA
VIENNA, VIRGINIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Mark D. Payson, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	0	*	*	*	*
Percentage of intended retrievals resulting in live births		0 / *	* / *	* / *	* / *
Percentage of intended retrievals resulting in singleton live births		0 / *	* / *	* / *	* / *
Number of **retrievals**	0	*	*	*	*
Percentage of retrievals resulting in live births		0 / *	* / *	* / *	* / *
Percentage of retrievals resulting in singleton live births		0 / *	* / *	* / *	* / *
Number of **transfers**	0	0	*	*	*
Percentage of transfers resulting in live births			* / *	* / *	* / *
Percentage of transfers resulting in singleton live births			* / *	* / *	* / *
Number of intended retrievals per live birth			1.0	2.0	1.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval		0 / *	* / *	* / *	
Percentage of new patients having live births after 1 or 2 intended retrievals		0 / *	* / *	* / *	
Percentage of new patients having live births after all intended retrievals		0 / *	* / *	* / *	
Average number of intended retrievals per new patient		1.0	1.0	1.0	
Average number of transfers per intended retrieval		0.0	1.0	0.5	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	9	0
Percentage of transfers resulting in live births			* / 9	
Percentage of transfers resulting in singleton live births			* / 9	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	44	37	32	23	31	167
Percentage of cycles cancelled prior to retrieval or thaw	4.5%	5.4%	12.5%	13.0%	9.7%	8.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	6.8%	8.1%	9.4%	17.4%	19.4%	11.4%
Percentage of cycles for fertility preservation	9.1%	8.1%	6.3%	17.4%	25.8%	12.6%
Percentage of transfers using a gestational carrier	0 / 10	* / 14	0 / 9	0 / *	0 / 7	2.3%
Percentage of transfers using frozen embryos	9 / 10	14 / 14	9 / 9	* / *	7 / 7	97.7%
Percentage of transfers of at least one embryo with ICSI	9 / 10	9 / 14	8 / 9	* / *	* / 7	68.2%
Percentage of transfers of at least one embryo with PGT	8 / 10	12 / 14	9 / 9	* / *	6 / 7	88.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	17%	Diminished ovarian reserve	1%
Endometriosis	1%	Egg or embryo banking	70%
Tubal factor	7%	Recurrent pregnancy loss	18%
Ovulatory dysfunction	2%	Other, infertility	49%
Uterine factor	2%	Other, non-infertility	19%
PGT	29%	Unexplained	6%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

THE NEW HOPE CENTER FOR REPRODUCTIVE MEDICINE
VIRGINIA BEACH, VIRGINIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

VIRGINIA

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Robin L. Poe-Zeigler, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	75	33	37	15	14
Percentage of intended retrievals resulting in live births	45.3%	27.3%	16.2%	0 / 15	0 / 14
Percentage of intended retrievals resulting in singleton live births	40.0%	27.3%	10.8%	0 / 15	0 / 14
Number of **retrievals**	71	31	36	12	13
Percentage of retrievals resulting in live births	47.9%	29.0%	16.7%	0 / 12	0 / 13
Percentage of retrievals resulting in singleton live births	42.3%	29.0%	11.1%	0 / 12	0 / 13
Number of **transfers**	71	20	15	7	*
Percentage of transfers resulting in live births	47.9%	45.0%	6 / 15	0 / 7	0 / *
Percentage of transfers resulting in singleton live births	42.3%	45.0%	* / 15	0 / 7	0 / *
Number of intended retrievals per live birth	2.2	3.7	6.2		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	50.9%	6 / 16	* / 14	0 / *	0 / 6
Percentage of new patients having live births after 1 or 2 intended retrievals	52.8%	6 / 16	* / 14	0 / *	0 / 6
Percentage of new patients having live births after all intended retrievals	52.8%	6 / 16	* / 14	0 / *	0 / 6
Average number of intended retrievals per new patient	1.2	1.4	1.4	2.3	1.5
Average number of transfers per intended retrieval	1.0	0.6	0.5	0.4	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	9	0	21	17
Percentage of transfers resulting in live births	* / 9		47.6%	* / 17
Percentage of transfers resulting in singleton live births	* / 9		33.3%	* / 17

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	148	48	45	41	32	314
Percentage of cycles cancelled prior to retrieval or thaw	4.1%	4.2%	6.7%	7.3%	3.1%	4.8%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.4%	6.3%	8.9%	9.8%	18.8%	8.0%
Percentage of cycles for fertility preservation	1.4%	4.2%	6.7%	0.0%	0.0%	2.2%
Percentage of transfers using a gestational carrier	10.7%	2.8%	8.3%	10.0%	8.7%	8.7%
Percentage of transfers using frozen embryos	67.0%	58.3%	54.2%	55.0%	78.3%	64.1%
Percentage of transfers of at least one embryo with ICSI	90.3%	72.2%	87.5%	75.0%	56.5%	81.6%
Percentage of transfers of at least one embryo with PGT	25.2%	27.8%	16.7%	20.0%	26.1%	24.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	43%	Diminished ovarian reserve	39%
Endometriosis	10%	Egg or embryo banking	22%
Tubal factor	22%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	30%	Other, infertility	10%
Uterine factor	5%	Other, non-infertility	4%
PGT	1%	Unexplained	2%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

OVERLAKE REPRODUCTIVE HEALTH, INC., PS
BELLEVUE, WASHINGTON

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Kevin M. Johnson, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	67	35	44	13	26
Percentage of intended retrievals resulting in live births	47.8%	31.4%	25.0%	* / 13	3.8%
Percentage of intended retrievals resulting in singleton live births	46.3%	31.4%	25.0%	* / 13	3.8%
Number of **retrievals**	66	30	43	10	18
Percentage of retrievals resulting in live births	48.5%	36.7%	25.6%	* / 10	* / 18
Percentage of retrievals resulting in singleton live births	47.0%	36.7%	25.6%	* / 10	* / 18
Number of **transfers**	44	18	15	*	*
Percentage of transfers resulting in live births	72.7%	11 / 18	11 / 15	* / *	* / *
Percentage of transfers resulting in singleton live births	70.5%	11 / 18	11 / 15	* / *	* / *
Number of intended retrievals per live birth	2.1	3.2	4.0	13.0	26.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	48.9%	5 / 17	35.0%	* / 7	0 / 14
Percentage of new patients having live births after 1 or 2 intended retrievals	51.1%	7 / 17	40.0%	* / 7	* / 14
Percentage of new patients having live births after all intended retrievals	53.3%	7 / 17	45.0%	* / 7	* / 14
Average number of intended retrievals per new patient	1.1	1.4	1.4	1.4	1.6
Average number of transfers per intended retrieval	0.7	0.4	0.4	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	31	*
Percentage of transfers resulting in live births			48.4%	* / *
Percentage of transfers resulting in singleton live births			48.4%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	167	106	68	37	61	439
Percentage of cycles cancelled prior to retrieval or thaw	6.6%	5.7%	7.4%	10.8%	23.0%	9.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	10.2%	17.9%	25.0%	29.7%	29.5%	18.7%
Percentage of cycles for fertility preservation	5.4%	2.8%	7.4%	0.0%	8.2%	5.0%
Percentage of transfers using a gestational carrier	2.9%	2.9%	15.0%	0 / 11	* / 15	4.7%
Percentage of transfers using frozen embryos	100.0%	100.0%	100.0%	11 / 11	15 / 15	100.0%
Percentage of transfers of at least one embryo with ICSI	79.4%	62.9%	50.0%	* / 11	8 / 15	65.8%
Percentage of transfers of at least one embryo with PGT	100.0%	100.0%	90.0%	11 / 11	15 / 15	98.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	51%	Diminished ovarian reserve	82%
Endometriosis	12%	Egg or embryo banking	60%
Tubal factor	38%	Recurrent pregnancy loss	7%
Ovulatory dysfunction	46%	Other, infertility	96%
Uterine factor	1%	Other, non-infertility	11%
PGT	96%	Unexplained	0%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

This clinic provided ART services during 2018 and is therefore required to submit ART cycle data under the provisions of the Fertility Clinic Success Rate and Certification Act. This clinic either did not submit 2018 ART cycle data or the clinic's Medical Director did not approve the clinic's 2018 ART cycle data for inclusion in this report.

BELLINGHAM IVF & INFERTILITY CARE
BELLINGHAM, WASHINGTON

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Emmett F. Branigan, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	18	7	7	*	*
Percentage of intended retrievals resulting in live births	11 / 18	* / 7	* / 7	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	9 / 18	* / 7	* / 7	0 / *	0 / *
Number of **retrievals**	17	6	7	*	*
Percentage of retrievals resulting in live births	11 / 17	* / 6	* / 7	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	9 / 17	* / 6	* / 7	0 / *	0 / *
Number of **transfers**	20	6	7	*	*
Percentage of transfers resulting in live births	55.0%	* / 6	* / 7	0 / *	0 / *
Percentage of transfers resulting in singleton live births	45.0%	* / 6	* / 7	0 / *	0 / *
Number of intended retrievals per live birth	1.6	7.0	2.3		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	10 / 15	0 / 5	* / 7	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	10 / 15	0 / 5	* / 7	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	10 / 15	0 / 5	* / 7	0 / *	0 / *
Average number of intended retrievals per new patient	1.1	1.2	1.0	1.0	1.0
Average number of transfers per intended retrieval	1.0	0.8	1.0	1.0	0.7

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	*	0
Percentage of transfers resulting in live births			* / *	
Percentage of transfers resulting in singleton live births			* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	39	31	18	6	*	96
Percentage of cycles cancelled prior to retrieval or thaw	2.6%	0.0%	0 / 18	0 / 6	0 / *	1.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.6%	0.0%	0 / 18	0 / 6	0 / *	1.0%
Percentage of cycles for fertility preservation	0.0%	0.0%	0 / 18	0 / 6	0 / *	0.0%
Percentage of transfers using a gestational carrier	0.0%	0 / 18	0 / 12	0 / *	0 / *	0.0%
Percentage of transfers using frozen embryos	95.2%	17 / 18	12 / 12	* / *	* / *	96.4%
Percentage of transfers of at least one embryo with ICSI	95.2%	18 / 18	12 / 12	* / *	* / *	96.4%
Percentage of transfers of at least one embryo with PGT	0.0%	0 / 18	* / 12	* / *	0 / *	3.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	No	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	74%	Diminished ovarian reserve	36%
Endometriosis	0%	Egg or embryo banking	2%
Tubal factor	8%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	18%	Other, infertility	1%
Uterine factor	4%	Other, non-infertility	3%
PGT	4%	Unexplained	6%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

POMA FERTILITY
KIRKLAND, WASHINGTON

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Michael S. Opsahl, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	139	71	83	21	17
Percentage of intended retrievals resulting in live births	54.0%	43.7%	26.5%	4.8%	* / 17
Percentage of intended retrievals resulting in singleton live births	46.0%	39.4%	26.5%	0.0%	* / 17
Number of **retrievals**	134	68	82	18	14
Percentage of retrievals resulting in live births	56.0%	45.6%	26.8%	* / 18	* / 14
Percentage of retrievals resulting in singleton live births	47.8%	41.2%	26.8%	0 / 18	* / 14
Number of **transfers**	140	58	58	13	7
Percentage of transfers resulting in live births	53.6%	53.4%	37.9%	* / 13	* / 7
Percentage of transfers resulting in singleton live births	45.7%	48.3%	37.9%	0 / 13	* / 7
Number of intended retrievals per live birth	1.9	2.3	3.8	21.0	17.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	54.1%	37.2%	25.6%	* / 9	* / 8
Percentage of new patients having live births after 1 or 2 intended retrievals	61.2%	44.2%	32.6%	* / 9	* / 8
Percentage of new patients having live births after all intended retrievals	61.2%	44.2%	32.6%	* / 9	* / 8
Average number of intended retrievals per new patient	1.1	1.2	1.4	1.4	1.8
Average number of transfers per intended retrieval	1.0	0.8	0.7	0.6	0.5

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	6	15	31	*
Percentage of transfers resulting in live births	6 / 6	9 / 15	45.2%	* / *
Percentage of transfers resulting in singleton live births	6 / 6	5 / 15	45.2%	* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	225	168	133	48	42	616
Percentage of cycles cancelled prior to retrieval or thaw	5.3%	5.4%	6.0%	0.0%	11.9%	5.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.2%	3.0%	4.5%	4.2%	7.1%	3.4%
Percentage of cycles for fertility preservation	3.6%	1.2%	3.0%	2.1%	0.0%	2.4%
Percentage of transfers using a gestational carrier	4.8%	1.9%	4.9%	0.0%	0.0%	3.4%
Percentage of transfers using frozen embryos	55.2%	58.7%	61.7%	61.3%	77.8%	59.5%
Percentage of transfers of at least one embryo with ICSI	42.1%	40.4%	40.7%	48.4%	59.3%	43.0%
Percentage of transfers of at least one embryo with PGT	64.8%	56.7%	39.5%	45.2%	33.3%	53.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	20%
Endometriosis	6%	Egg or embryo banking	30%
Tubal factor	13%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	8%	Other, infertility	21%
Uterine factor	1%	Other, non-infertility	6%
PGT	16%	Unexplained	22%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

OLYMPIA WOMEN'S HEALTH
OLYMPIA, WASHINGTON

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by James F. Moruzzi, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	20	8	7	0	*
Percentage of intended retrievals resulting in live births	35.0%	* / 8	* / 7		* / *
Percentage of intended retrievals resulting in singleton live births	20.0%	* / 8	* / 7		0 / *
Number of **retrievals**	20	8	7	0	*
Percentage of retrievals resulting in live births	35.0%	* / 8	* / 7		* / *
Percentage of retrievals resulting in singleton live births	20.0%	* / 8	* / 7		0 / *
Number of **transfers**	23	7	5	0	*
Percentage of transfers resulting in live births	30.4%	* / 7	* / 5		* / *
Percentage of transfers resulting in singleton live births	17.4%	* / 7	* / 5		0 / *
Number of intended retrievals per live birth	2.9	4.0	7.0		3.0
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	6 / 13	* / 5	* / 7		0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	7 / 13	* / 5	* / 7		0 / *
Percentage of new patients having live births after all intended retrievals	7 / 13	* / 5	* / 7		0 / *
Average number of intended retrievals per new patient	1.1	1.0	1.0		1.0
Average number of transfers per intended retrieval	1.1	0.8	0.7		1.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	7	0
Percentage of transfers resulting in live births	* / *		* / 7	
Percentage of transfers resulting in singleton live births	* / *		* / 7	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	47	10	17	*	7	84
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	0 / 10	0 / 17	0 / *	0 / 7	0.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	12.8%	* / 10	* / 17	* / *	* / 7	16.7%
Percentage of cycles for fertility preservation	0.0%	0 / 10	0 / 17	0 / *	0 / 7	0.0%
Percentage of transfers using a gestational carrier	2.9%	0 / 6	* / 14	0 / *	0 / 5	4.8%
Percentage of transfers using frozen embryos	45.7%	* / 6	* / 14	0 / *	5 / 5	46.8%
Percentage of transfers of at least one embryo with ICSI	88.6%	5 / 6	13 / 14	* / *	0 / 5	82.3%
Percentage of transfers of at least one embryo with PGT	0.0%	0 / 6	0 / 14	0 / *	0 / 5	0.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	14%
Endometriosis	6%	Egg or embryo banking	10%
Tubal factor	26%	Recurrent pregnancy loss	5%
Ovulatory dysfunction	37%	Other, infertility	2%
Uterine factor	14%	Other, non-infertility	1%
PGT	0%	Unexplained	2%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

PACIFIC NORTHWEST FERTILITY AND IVF SPECIALISTS
SEATTLE, WASHINGTON

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Lorna A. Marshall, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	123	108	103	51	19
Percentage of intended retrievals resulting in live births	63.4%	46.3%	31.1%	21.6%	* / 19
Percentage of intended retrievals resulting in singleton live births	57.7%	44.4%	29.1%	21.6%	* / 19
Number of **retrievals**	117	100	95	46	15
Percentage of retrievals resulting in live births	66.7%	50.0%	33.7%	23.9%	* / 15
Percentage of retrievals resulting in singleton live births	60.7%	48.0%	31.6%	23.9%	* / 15
Number of **transfers**	124	101	60	26	*
Percentage of transfers resulting in live births	62.9%	49.5%	53.3%	42.3%	* / *
Percentage of transfers resulting in singleton live births	57.3%	47.5%	50.0%	42.3%	* / *
Number of intended retrievals per live birth	1.6	2.2	3.2	4.6	9.5
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	64.9%	53.7%	32.8%	26.1%	0 / 9
Percentage of new patients having live births after 1 or 2 intended retrievals	72.3%	58.2%	37.9%	30.4%	* / 9
Percentage of new patients having live births after all intended retrievals	73.4%	61.2%	37.9%	30.4%	* / 9
Average number of intended retrievals per new patient	1.1	1.1	1.3	1.4	1.4
Average number of transfers per intended retrieval	1.0	1.1	0.6	0.5	0.1

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	141	22
Percentage of transfers resulting in live births	* / *		50.4%	36.4%
Percentage of transfers resulting in singleton live births	* / *		49.6%	36.4%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	349	358	305	146	160	1,318
Percentage of cycles cancelled prior to retrieval or thaw	4.3%	4.2%	4.3%	9.6%	5.6%	5.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	2.9%	3.4%	8.5%	9.6%	2.5%	5.0%
Percentage of cycles for fertility preservation	17.8%	19.0%	12.1%	10.3%	1.9%	14.0%
Percentage of transfers using a gestational carrier	2.5%	2.9%	0.7%	1.5%	7.2%	2.9%
Percentage of transfers using frozen embryos	95.0%	97.1%	98.5%	90.9%	100.0%	96.7%
Percentage of transfers of at least one embryo with ICSI	87.5%	86.6%	76.5%	66.7%	43.2%	75.2%
Percentage of transfers of at least one embryo with PGT	70.0%	77.3%	74.3%	65.2%	43.2%	67.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	18%	Diminished ovarian reserve	32%
Endometriosis	4%	Egg or embryo banking	48%
Tubal factor	5%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	9%	Other, infertility	6%
Uterine factor	1%	Other, non-infertility	2%
PGT	2%	Unexplained	13%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SEATTLE REPRODUCTIVE MEDICINE
SEATTLE, WASHINGTON

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Paul S. Dudley, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	503	317	277	161	108
Percentage of intended retrievals resulting in live births	54.7%	43.5%	27.8%	11.8%	4.6%
Percentage of intended retrievals resulting in singleton live births	47.9%	39.1%	25.3%	9.9%	4.6%
Number of **retrievals**	471	280	231	119	62
Percentage of retrievals resulting in live births	58.4%	49.3%	33.3%	16.0%	8.1%
Percentage of retrievals resulting in singleton live births	51.2%	44.3%	30.3%	13.4%	8.1%
Number of **transfers**	547	287	161	68	25
Percentage of transfers resulting in live births	50.3%	48.1%	47.8%	27.9%	20.0%
Percentage of transfers resulting in singleton live births	44.1%	43.2%	43.5%	23.5%	20.0%
Number of intended retrievals per live birth	1.8	2.3	3.6	8.5	21.6
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	59.6%	48.0%	29.4%	10.0%	5.6%
Percentage of new patients having live births after 1 or 2 intended retrievals	65.5%	56.5%	36.8%	13.3%	5.6%
Percentage of new patients having live births after all intended retrievals	66.1%	58.0%	40.4%	18.3%	5.6%
Average number of intended retrievals per new patient	1.2	1.2	1.4	1.9	1.9
Average number of transfers per intended retrieval	1.1	0.9	0.6	0.3	0.2

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	12	113	84	69
Percentage of transfers resulting in live births	11 / 12	56.6%	54.8%	33.3%
Percentage of transfers resulting in singleton live births	11 / 12	52.2%	54.8%	33.3%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	1,150	785	566	303	266	3,070
Percentage of cycles cancelled prior to retrieval or thaw	6.8%	12.1%	12.2%	16.8%	22.9%	11.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.5%	6.5%	9.7%	11.9%	9.0%	9.0%
Percentage of cycles for fertility preservation	9.0%	11.2%	9.0%	6.9%	1.1%	8.7%
Percentage of transfers using a gestational carrier	2.7%	1.2%	2.8%	2.9%	6.9%	2.8%
Percentage of transfers using frozen embryos	68.1%	70.1%	71.7%	59.6%	48.8%	66.5%
Percentage of transfers of at least one embryo with ICSI	83.4%	84.0%	79.1%	77.2%	66.9%	80.6%
Percentage of transfers of at least one embryo with PGT	23.9%	38.8%	42.9%	31.6%	12.5%	30.3%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	24%
Endometriosis	5%	Egg or embryo banking	29%
Tubal factor	9%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	11%	Other, infertility	12%
Uterine factor	2%	Other, non-infertility	2%
PGT	1%	Unexplained	12%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SOUND FERTILITY CARE, PLLC
SEATTLE, WASHINGTON

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Kathleen Lin, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	23	31	26	12	*
Percentage of intended retrievals resulting in live births	56.5%	38.7%	23.1%	* / 12	0 / *
Percentage of intended retrievals resulting in singleton live births	39.1%	29.0%	19.2%	* / 12	0 / *
Number of **retrievals**	23	30	26	12	*
Percentage of retrievals resulting in live births	56.5%	40.0%	23.1%	* / 12	0 / *
Percentage of retrievals resulting in singleton live births	39.1%	30.0%	19.2%	* / 12	0 / *
Number of **transfers**	21	26	11	*	0
Percentage of transfers resulting in live births	61.9%	46.2%	6 / 11	* / *	
Percentage of transfers resulting in singleton live births	42.9%	34.6%	5 / 11	* / *	
Number of intended retrievals per live birth	1.8	2.6	4.3	12.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	55.0%	7 / 19	* / 14	0 / 6	
Percentage of new patients having live births after 1 or 2 intended retrievals	60.0%	11 / 19	5 / 14	* / 6	
Percentage of new patients having live births after all intended retrievals	60.0%	12 / 19	5 / 14	* / 6	
Average number of intended retrievals per new patient	1.1	1.6	1.4	1.3	
Average number of transfers per intended retrieval	0.9	0.8	0.5	0.3	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	8	0
Percentage of transfers resulting in live births		* / *	5 / 8	
Percentage of transfers resulting in singleton live births		* / *	5 / 8	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	48	58	46	31	28	211
Percentage of cycles cancelled prior to retrieval or thaw	6.3%	3.4%	4.3%	6.5%	7.1%	5.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.2%	3.4%	6.5%	9.7%	14.3%	6.6%
Percentage of cycles for fertility preservation	8.3%	12.1%	13.0%	0.0%	0.0%	8.1%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 9	0 / 11	0.0%
Percentage of transfers using frozen embryos	92.0%	80.8%	90.0%	7 / 9	10 / 11	86.8%
Percentage of transfers of at least one embryo with ICSI	16.0%	34.6%	45.0%	* / 9	* / 11	28.6%
Percentage of transfers of at least one embryo with PGT	64.0%	76.9%	80.0%	6 / 9	9 / 11	73.6%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	15%	Diminished ovarian reserve	40%
Endometriosis	6%	Egg or embryo banking	50%
Tubal factor	2%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	12%	Other, infertility	9%
Uterine factor	4%	Other, non-infertility	4%
PGT	2%	Unexplained	18%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY REPRODUCTIVE CARE
UNIVERSITY OF WASHINGTON
SEATTLE, WASHINGTON

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Genevieve S. Neal-Perry, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	42	28	30	9	*
Percentage of intended retrievals resulting in live births	28.6%	35.7%	16.7%	* / 9	0 / *
Percentage of intended retrievals resulting in singleton live births	26.2%	35.7%	16.7%	* / 9	0 / *
Number of **retrievals**	39	26	25	9	*
Percentage of retrievals resulting in live births	30.8%	38.5%	20.0%	* / 9	0 / *
Percentage of retrievals resulting in singleton live births	28.2%	38.5%	20.0%	* / 9	0 / *
Number of **transfers**	30	19	11	*	0
Percentage of transfers resulting in live births	40.0%	10 / 19	5 / 11	* / *	
Percentage of transfers resulting in singleton live births	36.7%	10 / 19	5 / 11	* / *	
Number of intended retrievals per live birth	3.5	2.8	6.0	4.5	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	24.1%	* / 14	* / 10	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	37.9%	5 / 14	* / 10	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	41.4%	5 / 14	* / 10	* / *	0 / *
Average number of intended retrievals per new patient	1.4	1.1	1.6	2.5	4.0
Average number of transfers per intended retrieval	0.7	0.6	0.4	0.2	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	*	0
Percentage of transfers resulting in live births		* / *	* / *	
Percentage of transfers resulting in singleton live births		* / *	* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	103	67	51	23	15	259
Percentage of cycles cancelled prior to retrieval or thaw	5.8%	9.0%	3.9%	8.7%	* / 15	6.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	4.9%	9.0%	9.8%	26.1%	* / 15	9.7%
Percentage of cycles for fertility preservation	20.4%	9.0%	13.7%	4.3%	0 / 15	13.5%
Percentage of transfers using a gestational carrier	0.0%	4.0%	0 / 9	* / 7	* / 6	3.8%
Percentage of transfers using frozen embryos	93.8%	96.0%	8 / 9	7 / 7	* / 6	91.1%
Percentage of transfers of at least one embryo with ICSI	90.6%	100.0%	8 / 9	6 / 7	* / 6	91.1%
Percentage of transfers of at least one embryo with PGT	84.4%	84.0%	8 / 9	6 / 7	* / 6	81.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	42%	Diminished ovarian reserve	36%
Endometriosis	6%	Egg or embryo banking	59%
Tubal factor	13%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	12%	Other, infertility	7%
Uterine factor	2%	Other, non-infertility	2%
PGT	3%	Unexplained	3%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CENTER FOR REPRODUCTIVE HEALTH
SPOKANE, WASHINGTON

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Edwin D. Robins, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	44	20	15	5	*
Percentage of intended retrievals resulting in live births	56.8%	45.0%	* / 15	0 / 5	0 / *
Percentage of intended retrievals resulting in singleton live births	50.0%	40.0%	* / 15	0 / 5	0 / *
Number of **retrievals**	42	18	13	*	0
Percentage of retrievals resulting in live births	59.5%	9 / 18	* / 13	0 / *	
Percentage of retrievals resulting in singleton live births	52.4%	8 / 18	* / 13	0 / *	
Number of **transfers**	45	19	5	0	0
Percentage of transfers resulting in live births	55.6%	9 / 19	* / 5		
Percentage of transfers resulting in singleton live births	48.9%	8 / 19	* / 5		
Number of intended retrievals per live birth	1.8	2.2	15.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	59.4%	6 / 12	* / 7	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	65.6%	6 / 12	* / 7	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	65.6%	6 / 12	* / 7	0 / *	0 / *
Average number of intended retrievals per new patient	1.1	1.1	2.0	1.7	1.0
Average number of transfers per intended retrieval	1.0	1.0	0.3	0.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	14	*
Percentage of transfers resulting in live births			7 / 14	0 / *
Percentage of transfers resulting in singleton live births			6 / 14	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	132	48	24	11	7	222
Percentage of cycles cancelled prior to retrieval or thaw	4.5%	6.3%	8.3%	* / 11	* / 7	5.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.3%	12.5%	20.8%	0 / 11	* / 7	10.4%
Percentage of cycles for fertility preservation	0.0%	6.3%	0.0%	0 / 11	0 / 7	1.4%
Percentage of transfers using a gestational carrier	1.6%	0.0%	0 / 12	0 / 8	0 / 5	0.9%
Percentage of transfers using frozen embryos	92.1%	95.7%	12 / 12	8 / 8	5 / 5	94.6%
Percentage of transfers of at least one embryo with ICSI	88.9%	82.6%	* / 12	* / 8	0 / 5	74.8%
Percentage of transfers of at least one embryo with PGT	71.4%	65.2%	6 / 12	* / 8	0 / 5	63.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	37%	Diminished ovarian reserve	27%
Endometriosis	8%	Egg or embryo banking	36%
Tubal factor	13%	Recurrent pregnancy loss	3%
Ovulatory dysfunction	6%	Other, infertility	11%
Uterine factor	<1%	Other, non-infertility	0%
PGT	2%	Unexplained	14%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

SRM SPOKANE
SPOKANE VALLEY, WASHINGTON

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Brenda S. Houmard, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	54	44	13	*	*
Percentage of intended retrievals resulting in live births	51.9%	20.5%	5 / 13	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	44.4%	18.2%	5 / 13	0 / *	0 / *
Number of **retrievals**	53	34	13	*	*
Percentage of retrievals resulting in live births	52.8%	26.5%	5 / 13	0 / *	0 / *
Percentage of retrievals resulting in singleton live births	45.3%	23.5%	5 / 13	0 / *	0 / *
Number of **transfers**	61	29	12	*	0
Percentage of transfers resulting in live births	45.9%	31.0%	5 / 12	0 / *	
Percentage of transfers resulting in singleton live births	39.3%	27.6%	5 / 12	0 / *	
Number of intended retrievals per live birth	1.9	4.9	2.6		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	56.8%	21.7%	* / 9	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	62.2%	30.4%	* / 9	0 / *	0 / *
Percentage of new patients having live births after all intended retrievals	62.2%	30.4%	* / 9	0 / *	0 / *
Average number of intended retrievals per new patient	1.1	1.5	1.1	1.5	1.0
Average number of transfers per intended retrieval	1.1	0.6	0.9	1.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	16	8	12
Percentage of transfers resulting in live births		6 / 16	* / 8	5 / 12
Percentage of transfers resulting in singleton live births		5 / 16	* / 8	5 / 12

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	164	39	32	13	27	275
Percentage of cycles cancelled prior to retrieval or thaw	6.7%	2.6%	6.3%	* / 13	29.6%	8.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	11.0%	7.7%	9.4%	* / 13	11.1%	10.2%
Percentage of cycles for fertility preservation	4.3%	5.1%	0.0%	0 / 13	0.0%	3.3%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	* / 9	* / 16	2.2%
Percentage of transfers using frozen embryos	63.5%	50.0%	55.0%	* / 9	7 / 16	56.9%
Percentage of transfers of at least one embryo with ICSI	73.1%	84.4%	70.0%	7 / 9	9 / 16	73.5%
Percentage of transfers of at least one embryo with PGT	14.4%	12.5%	20.0%	* / 9	0 / 16	13.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	13%
Endometriosis	8%	Egg or embryo banking	15%
Tubal factor	8%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	8%	Other, infertility	17%
Uterine factor	1%	Other, non-infertility	2%
PGT	5%	Unexplained	20%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

MADIGAN ARMY MEDICAL CENTER
TACOMA, WASHINGTON

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Bruce D. Pier, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	49	22	6	12	*
Percentage of intended retrievals resulting in live births	67.3%	36.4%	* / 6	* / 12	0 / *
Percentage of intended retrievals resulting in singleton live births	44.9%	31.8%	* / 6	* / 12	0 / *
Number of **retrievals**	47	19	*	11	0
Percentage of retrievals resulting in live births	70.2%	8 / 19	* / *	* / 11	
Percentage of retrievals resulting in singleton live births	46.8%	7 / 19	* / *	* / 11	
Number of **transfers**	55	24	6	10	0
Percentage of transfers resulting in live births	60.0%	33.3%	* / 6	* / 10	
Percentage of transfers resulting in singleton live births	40.0%	29.2%	* / 6	* / 10	
Number of intended retrievals per live birth	1.5	2.8	3.0	12.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	67.6%	* / 12	* / *	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	75.7%	5 / 12	* / *	0 / *	
Percentage of new patients having live births after all intended retrievals	75.7%	5 / 12	* / *	0 / *	
Average number of intended retrievals per new patient	1.1	1.3	1.0	1.5	
Average number of transfers per intended retrieval	1.2	1.1	1.3	1.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	59	32	26	18	*	136
Percentage of cycles cancelled prior to retrieval or thaw	0.0%	6.3%	11.5%	* / 18	0 / *	4.4%
Percentage of cycles stopped between retrieval and transfer or banking[e]	16.9%	15.6%	23.1%	* / 18	0 / *	16.9%
Percentage of cycles for fertility preservation	0.0%	0.0%	0.0%	0 / 18	0 / *	0.0%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0 / 17	0 / 14	0 / *	0.0%
Percentage of transfers using frozen embryos	55.1%	52.0%	10 / 17	* / 14	* / *	50.0%
Percentage of transfers of at least one embryo with ICSI	59.2%	72.0%	11 / 17	14 / 14	0 / *	67.9%
Percentage of transfers of at least one embryo with PGT	0.0%	0.0%	* / 17	0 / 14	0 / *	0.9%

Clinic Current Services & Profile

Donor eggs?	No	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	17%
Endometriosis	13%	Egg or embryo banking	2%
Tubal factor	20%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	4%	Other, infertility	3%
Uterine factor	6%	Other, non-infertility	0%
PGT	0%	Unexplained	20%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

WEST VIRGINIA UNIVERSITY FERTILITY CENTER
CHARLESTON, WEST VIRGINIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Gary W. Randall, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	13	*	6	*	0
Percentage of intended retrievals resulting in live births	5 / 13	* / *	* / 6	0 / *	
Percentage of intended retrievals resulting in singleton live births	* / 13	0 / *	* / 6	0 / *	
Number of **retrievals**	13	*	6	0	0
Percentage of retrievals resulting in live births	5 / 13	* / *	* / 6		
Percentage of retrievals resulting in singleton live births	* / 13	0 / *	* / 6		
Number of **transfers**	14	*	6	0	0
Percentage of transfers resulting in live births	5 / 14	* / *	* / 6		
Percentage of transfers resulting in singleton live births	* / 14	0 / *	* / 6		
Number of intended retrievals per live birth	2.6	2.0	6.0		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 12	* / *	* / 5		
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 12	* / *	* / 5		
Percentage of new patients having live births after all intended retrievals	* / 12	* / *	* / 5		
Average number of intended retrievals per new patient	1.0	1.0	1.0		
Average number of transfers per intended retrieval	1.1	1.0	1.0		

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	0	0
Percentage of transfers resulting in live births	* / *			
Percentage of transfers resulting in singleton live births	0 / *			

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	21	*	*	*	*	31
Percentage of cycles cancelled prior to retrieval or thaw	4.8%	0 / *	0 / *	0 / *	* / *	9.7%
Percentage of cycles stopped between retrieval and transfer or banking[e]	14.3%	0 / *	0 / *	0 / *	0 / *	9.7%
Percentage of cycles for fertility preservation	0.0%	0 / *	0 / *	0 / *	0 / *	0.0%
Percentage of transfers using a gestational carrier	* / 17	0 / *	0 / *	0 / *	0 / *	4.0%
Percentage of transfers using frozen embryos	* / 17	0 / *	0 / *	0 / *	0 / *	8.0%
Percentage of transfers of at least one embryo with ICSI	17 / 17	* / *	* / *	* / *	* / *	100.0%
Percentage of transfers of at least one embryo with PGT	0 / 17	0 / *	0 / *	0 / *	0 / *	0.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	No
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	No	

Reason for Using ART[a,f]

Male factor	35%	Diminished ovarian reserve	26%
Endometriosis	0%	Egg or embryo banking	0%
Tubal factor	16%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	10%	Other, infertility	0%
Uterine factor	0%	Other, non-infertility	0%
PGT	0%	Unexplained	26%
Gestational carrier	3%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

CABELL HUNTINGTON HOSPITAL
CENTER FOR ADVANCED REPRODUCTIVE MEDICINE
HUNTINGTON, WEST VIRGINIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by William N. Burns, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	18	*	0	0	0
Percentage of intended retrievals resulting in live births	6 / 18	* / *			
Percentage of intended retrievals resulting in singleton live births	5 / 18	* / *			
Number of **retrievals**	17	*	0	0	0
Percentage of retrievals resulting in live births	6 / 17	* / *			
Percentage of retrievals resulting in singleton live births	5 / 17	* / *			
Number of **transfers**	16	*	0	0	0
Percentage of transfers resulting in live births	6 / 16	* / *			
Percentage of transfers resulting in singleton live births	5 / 16	* / *			
Number of intended retrievals per live birth	3.0	1.0			
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 9	* / *			
Percentage of new patients having live births after 1 or 2 intended retrievals	6 / 9	* / *			
Percentage of new patients having live births after all intended retrievals	6 / 9	* / *			
Average number of intended retrievals per new patient	1.6	1.0			
Average number of transfers per intended retrieval	0.9	1.0			

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	0	*
Percentage of transfers resulting in live births	* / *			* / *
Percentage of transfers resulting in singleton live births	* / *			* / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	21	6	*	0	7	38
Percentage of cycles cancelled prior to retrieval or thaw	4.8%	0 / 6	0 / *		* / 7	7.9%
Percentage of cycles stopped between retrieval and transfer or banking[e]	9.5%	0 / 6	0 / *		0 / 7	5.3%
Percentage of cycles for fertility preservation	0.0%	0 / 6	0 / *		0 / 7	0.0%
Percentage of transfers using a gestational carrier	0 / 18	0 / 6	0 / *		0 / 5	0.0%
Percentage of transfers using frozen embryos	* / 18	* / 6	* / *		* / 5	27.3%
Percentage of transfers of at least one embryo with ICSI	11 / 18	* / 6	* / *		* / 5	60.6%
Percentage of transfers of at least one embryo with PGT	* / 18	0 / 6	0 / *		* / 5	6.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	No	

Reason for Using ART[a,f]

Male factor	29%	Diminished ovarian reserve	21%
Endometriosis	39%	Egg or embryo banking	0%
Tubal factor	21%	Recurrent pregnancy loss	0%
Ovulatory dysfunction	8%	Other, infertility	5%
Uterine factor	0%	Other, non-infertility	5%
PGT	0%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

WEST VIRGINIA UNIVERSITY CENTER FOR REPRODUCTIVE MEDICINE
MORGANTOWN, WEST VIRGINIA

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Richard A. Meter, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	61	21	13	5	*
Percentage of intended retrievals resulting in live births	47.5%	28.6%	* / 13	* / 5	0 / *
Percentage of intended retrievals resulting in singleton live births	41.0%	23.8%	* / 13	* / 5	0 / *
Number of **retrievals**	59	17	13	5	*
Percentage of retrievals resulting in live births	49.2%	6 / 17	* / 13	* / 5	0 / *
Percentage of retrievals resulting in singleton live births	42.4%	5 / 17	* / 13	* / 5	0 / *
Number of **transfers**	80	18	11	*	0
Percentage of transfers resulting in live births	36.3%	6 / 18	* / 11	* / *	
Percentage of transfers resulting in singleton live births	31.3%	5 / 18	* / 11	* / *	
Number of intended retrievals per live birth	2.1	3.5	4.3	5.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	46.8%	6 / 12	* / 7	* / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	57.4%	6 / 12	* / 7	* / *	
Percentage of new patients having live births after all intended retrievals	57.4%	6 / 12	* / 7	* / *	
Average number of intended retrievals per new patient	1.1	1.1	1.1	1.3	
Average number of transfers per intended retrieval	1.3	1.0	1.1	0.4	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	*	0
Percentage of transfers resulting in live births		* / *	* / *	
Percentage of transfers resulting in singleton live births		* / *	* / *	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	105	36	19	5	8	173
Percentage of cycles cancelled prior to retrieval or thaw	9.5%	5.6%	* / 19	* / 5	* / 8	9.2%
Percentage of cycles stopped between retrieval and transfer or banking[e]	11.4%	5.6%	* / 19	0 / 5	* / 8	9.8%
Percentage of cycles for fertility preservation	2.9%	5.6%	0 / 19	0 / 5	0 / 8	2.9%
Percentage of transfers using a gestational carrier	0.0%	4.3%	0 / 9	0 / *	0 / 6	0.9%
Percentage of transfers using frozen embryos	64.7%	47.8%	6 / 9	* / *	* / 6	60.9%
Percentage of transfers of at least one embryo with ICSI	86.8%	87.0%	7 / 9	* / *	* / 6	83.6%
Percentage of transfers of at least one embryo with PGT	11.8%	21.7%	* / 9	* / *	0 / 6	16.4%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	65%	Diminished ovarian reserve	4%
Endometriosis	7%	Egg or embryo banking	17%
Tubal factor	12%	Recurrent pregnancy loss	9%
Ovulatory dysfunction	18%	Other, infertility	34%
Uterine factor	3%	Other, non-infertility	5%
PGT	15%	Unexplained	3%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

AURORA HEALTH CARE-AURORA FERTILITY SERVICES
THE WOMEN'S CENTER AT AURORA BAYCARE MEDICAL CENTER
GREEN BAY, WISCONSIN

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Estil Y. Strawn, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	60	13	9	5	*
Percentage of intended retrievals resulting in live births	70.0%	7 / 13	* / 9	0 / 5	0 / *
Percentage of intended retrievals resulting in singleton live births	50.0%	5 / 13	* / 9	0 / 5	0 / *
Number of **retrievals**	56	11	8	*	0
Percentage of retrievals resulting in live births	75.0%	7 / 11	* / 8	0 / *	
Percentage of retrievals resulting in singleton live births	53.6%	5 / 11	* / 8	0 / *	
Number of **transfers**	56	13	6	0	0
Percentage of transfers resulting in live births	75.0%	7 / 13	* / 6		
Percentage of transfers resulting in singleton live births	53.6%	5 / 13	* / 6		
Number of intended retrievals per live birth	1.4	1.9	4.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	66.7%	5 / 10	0 / 6	0 / 5	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	70.4%	6 / 10	0 / 6	0 / 5	0 / *
Percentage of new patients having live births after all intended retrievals	70.4%	6 / 10	0 / 6	0 / 5	0 / *
Average number of intended retrievals per new patient	1.0	1.1	1.0	1.0	1.0
Average number of transfers per intended retrieval	0.9	1.0	0.5	0.0	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	0	17	0
Percentage of transfers resulting in live births	0 / *		7 / 17	
Percentage of transfers resulting in singleton live births	0 / *		6 / 17	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	116	48	24	13	5	206
Percentage of cycles cancelled prior to retrieval or thaw	6.0%	8.3%	4.2%	* / 13	0 / 5	6.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	8.6%	6.3%	16.7%	* / 13	0 / 5	9.2%
Percentage of cycles for fertility preservation	0.9%	0.0%	0.0%	0 / 13	0 / 5	0.5%
Percentage of transfers using a gestational carrier	3.8%	0.0%	0 / 11	0 / 6	0 / *	2.3%
Percentage of transfers using frozen embryos	64.6%	72.4%	8 / 11	6 / 6	* / *	69.8%
Percentage of transfers of at least one embryo with ICSI	91.1%	93.1%	10 / 11	* / 6	* / *	89.9%
Percentage of transfers of at least one embryo with PGT	15.2%	41.4%	6 / 11	* / 6	* / *	28.7%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	63%	Diminished ovarian reserve	24%
Endometriosis	5%	Egg or embryo banking	26%
Tubal factor	12%	Recurrent pregnancy loss	6%
Ovulatory dysfunction	20%	Other, infertility	29%
Uterine factor	3%	Other, non-infertility	4%
PGT	9%	Unexplained	5%
Gestational carrier	1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

FROEDTERT & MEDICAL COLLEGE OF WISCONSIN REPRODUCTIVE MEDICINE CENTER MENOMONEE FALLS, WISCONSIN

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Katherine Schoyer, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	124	70	40	12	10
Percentage of intended retrievals resulting in live births	64.5%	41.4%	27.5%	* / 12	0 / 10
Percentage of intended retrievals resulting in singleton live births	58.9%	37.1%	27.5%	* / 12	0 / 10
Number of **retrievals**	123	69	39	12	7
Percentage of retrievals resulting in live births	65.0%	42.0%	28.2%	* / 12	0 / 7
Percentage of retrievals resulting in singleton live births	59.3%	37.7%	28.2%	* / 12	0 / 7
Number of **transfers**	167	84	37	9	6
Percentage of transfers resulting in live births	47.9%	34.5%	29.7%	* / 9	0 / 6
Percentage of transfers resulting in singleton live births	43.7%	31.0%	29.7%	* / 9	0 / 6
Number of intended retrievals per live birth	1.6	2.4	3.6	12.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	68.9%	51.3%	30.4%	* / 7	0 / 5
Percentage of new patients having live births after 1 or 2 intended retrievals	72.2%	56.4%	43.5%	* / 7	0 / 5
Percentage of new patients having live births after all intended retrievals	74.4%	56.4%	43.5%	* / 7	0 / 5
Average number of intended retrievals per new patient	1.1	1.3	1.3	1.4	1.6
Average number of transfers per intended retrieval	1.3	1.2	1.0	0.6	0.8

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	*	7	19	10
Percentage of transfers resulting in live births	* / *	* / 7	10 / 19	5 / 10
Percentage of transfers resulting in singleton live births	* / *	* / 7	9 / 19	* / 10

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	275	154	79	21	28	557
Percentage of cycles cancelled prior to retrieval or thaw	10.5%	7.1%	8.9%	4.8%	17.9%	9.5%
Percentage of cycles stopped between retrieval and transfer or banking[e]	10.2%	5.8%	8.9%	9.5%	0.0%	8.3%
Percentage of cycles for fertility preservation	1.8%	1.3%	0.0%	0.0%	0.0%	1.3%
Percentage of transfers using a gestational carrier	1.0%	0.8%	0.0%	0 / 13	26.1%	2.2%
Percentage of transfers using frozen embryos	70.3%	62.3%	63.8%	8 / 13	73.9%	67.0%
Percentage of transfers of at least one embryo with ICSI	95.5%	98.4%	98.3%	10 / 13	52.2%	93.8%
Percentage of transfers of at least one embryo with PGT	4.0%	11.5%	22.4%	* / 13	4.3%	9.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	41%	Diminished ovarian reserve	22%
Endometriosis	6%	Egg or embryo banking	7%
Tubal factor	10%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	24%	Other, infertility	7%
Uterine factor	1%	Other, non-infertility	1%
PGT	5%	Unexplained	15%
Gestational carrier	<1%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

UNIVERSITY OF WISCONSIN-GENERATIONS FERTILITY CARE
MIDDLETON, WISCONSIN

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c]

Data verified by Aleksandar Stanic-Kostic, MD, PhD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	82	32	13	*	*
Percentage of intended retrievals resulting in live births	57.3%	62.5%	5 / 13	0 / *	0 / *
Percentage of intended retrievals resulting in singleton live births	47.6%	56.3%	* / 13	0 / *	0 / *
Number of **retrievals**	73	28	9	0	*
Percentage of retrievals resulting in live births	64.4%	71.4%	5 / 9		0 / *
Percentage of retrievals resulting in singleton live births	53.4%	64.3%	* / 9		0 / *
Number of **transfers**	95	27	12	0	*
Percentage of transfers resulting in live births	49.5%	74.1%	5 / 12		0 / *
Percentage of transfers resulting in singleton live births	41.1%	66.7%	* / 12		0 / *
Number of intended retrievals per live birth	1.7	1.6	2.6		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	60.0%	57.1%	* / 8	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	66.7%	61.9%	* / 8	0 / *	
Percentage of new patients having live births after all intended retrievals	66.7%	66.7%	* / 8	0 / *	
Average number of intended retrievals per new patient	1.2	1.2	1.1	1.0	
Average number of transfers per intended retrieval	1.2	0.8	1.1	0.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	5	9	0
Percentage of transfers resulting in live births		* / 5	* / 9	
Percentage of transfers resulting in singleton live births		* / 5	* / 9	

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	196	81	40	16	13	346
Percentage of cycles cancelled prior to retrieval or thaw	10.2%	18.5%	25.0%	5 / 16	* / 13	15.6%
Percentage of cycles stopped between retrieval and transfer or banking[e]	7.1%	2.5%	7.5%	* / 16	* / 13	6.9%
Percentage of cycles for fertility preservation	3.6%	2.5%	2.5%	0 / 16	0 / 13	2.9%
Percentage of transfers using a gestational carrier	0.0%	0.0%	0.0%	0 / 6	0 / 5	0.0%
Percentage of transfers using frozen embryos	51.8%	48.2%	55.0%	* / 6	* / 5	51.3%
Percentage of transfers of at least one embryo with ICSI	57.6%	53.6%	55.0%	* / 6	* / 5	56.6%
Percentage of transfers of at least one embryo with PGT	8.6%	7.1%	15.0%	0 / 6	* / 5	8.8%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	No	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	No	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	30%	Diminished ovarian reserve	15%
Endometriosis	10%	Egg or embryo banking	14%
Tubal factor	12%	Recurrent pregnancy loss	2%
Ovulatory dysfunction	14%	Other, infertility	15%
Uterine factor	2%	Other, non-infertility	<1%
PGT	14%	Unexplained	21%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

WISCONSIN FERTILITY INSTITUTE
MIDDLETON, WISCONSIN

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Elizabeth Pritts, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	58	29	18	9	*
Percentage of intended retrievals resulting in live births	62.1%	48.3%	* / 18	* / 9	0 / *
Percentage of intended retrievals resulting in singleton live births	51.7%	41.4%	* / 18	0 / 9	0 / *
Number of **retrievals**	56	26	11	9	0
Percentage of retrievals resulting in live births	64.3%	53.8%	* / 11	* / 9	
Percentage of retrievals resulting in singleton live births	53.6%	46.2%	* / 11	0 / 9	
Number of **transfers**	72	31	11	7	0
Percentage of transfers resulting in live births	50.0%	45.2%	* / 11	* / 7	
Percentage of transfers resulting in singleton live births	41.7%	38.7%	* / 11	0 / 7	
Number of intended retrievals per live birth	1.6	2.1	6.0	9.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	60.4%	47.8%	* / 9	* / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	64.6%	47.8%	* / 9	* / *	
Percentage of new patients having live births after all intended retrievals	64.6%	47.8%	* / 9	* / *	
Average number of intended retrievals per new patient	1.0	1.0	1.3	1.3	
Average number of transfers per intended retrieval	1.3	1.1	0.8	0.8	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	*	41	27
Percentage of transfers resulting in live births		0 / *	29.3%	18.5%
Percentage of transfers resulting in singleton live births		0 / *	24.4%	11.1%

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	196	86	66	38	41	427
Percentage of cycles cancelled prior to retrieval or thaw	9.7%	12.8%	21.2%	15.8%	14.6%	13.1%
Percentage of cycles stopped between retrieval and transfer or banking[e]	1.5%	1.2%	1.5%	2.6%	2.4%	1.6%
Percentage of cycles for fertility preservation	1.0%	1.2%	1.5%	0.0%	4.9%	1.4%
Percentage of transfers using a gestational carrier	6.3%	8.9%	0.0%	0 / 18	0.0%	4.9%
Percentage of transfers using frozen embryos	98.2%	92.9%	100.0%	18 / 18	100.0%	97.5%
Percentage of transfers of at least one embryo with ICSI	80.4%	71.4%	68.8%	14 / 18	73.1%	75.8%
Percentage of transfers of at least one embryo with PGT	25.0%	10.7%	25.0%	* / 18	30.8%	22.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	27%	Diminished ovarian reserve	48%
Endometriosis	3%	Egg or embryo banking	33%
Tubal factor	5%	Recurrent pregnancy loss	1%
Ovulatory dysfunction	4%	Other, infertility	3%
Uterine factor	<1%	Other, non-infertility	1%
PGT	2%	Unexplained	11%
Gestational carrier	2%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

REPRODUCTIVE SPECIALTY CENTER
MILWAUKEE, WISCONSIN

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Grace M. Janik, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	11	9	5	*	0
Percentage of intended retrievals resulting in live births	5 / 11	* / 9	* / 5	0 / *	
Percentage of intended retrievals resulting in singleton live births	* / 11	* / 9	* / 5	0 / *	
Number of **retrievals**	10	8	*	*	0
Percentage of retrievals resulting in live births	5 / 10	* / 8	* / *	0 / *	
Percentage of retrievals resulting in singleton live births	* / 10	* / 8	* / *	0 / *	
Number of **transfers**	16	10	*	*	0
Percentage of transfers resulting in live births	5 / 16	* / 10	* / *	0 / *	
Percentage of transfers resulting in singleton live births	* / 16	* / 10	* / *	0 / *	
Number of intended retrievals per live birth	2.2	2.3	2.5		
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	* / 7	* / 5	* / *	0 / *	
Percentage of new patients having live births after 1 or 2 intended retrievals	* / 7	* / 5	* / *	0 / *	
Percentage of new patients having live births after all intended retrievals	* / 7	* / 5	* / *	0 / *	
Average number of intended retrievals per new patient	1.1	1.2	1.0	1.5	
Average number of transfers per intended retrieval	1.6	1.2	1.0	1.0	

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	0	0
Percentage of transfers resulting in live births				
Percentage of transfers resulting in singleton live births				

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	11	11	*	*	*	27
Percentage of cycles cancelled prior to retrieval or thaw	0 / 11	0 / 11	0 / *	0 / *	0 / *	0.0%
Percentage of cycles stopped between retrieval and transfer or banking[e]	* / 11	* / 11	0 / *	0 / *	0 / *	18.5%
Percentage of cycles for fertility preservation	0 / 11	0 / 11	0 / *	0 / *	0 / *	0.0%
Percentage of transfers using a gestational carrier	* / 8	0 / 9	0 / *	0 / *	0 / *	4.5%
Percentage of transfers using frozen embryos	7 / 8	6 / 9	* / *	0 / *	0 / *	68.2%
Percentage of transfers of at least one embryo with ICSI	5 / 8	5 / 9	* / *	0 / *	* / *	54.5%
Percentage of transfers of at least one embryo with PGT	0 / 8	0 / 9	0 / *	0 / *	0 / *	0.0%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	44%	Diminished ovarian reserve	22%
Endometriosis	22%	Egg or embryo banking	4%
Tubal factor	7%	Recurrent pregnancy loss	4%
Ovulatory dysfunction	15%	Other, infertility	7%
Uterine factor	4%	Other, non-infertility	7%
PGT	0%	Unexplained	0%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.

AURORA HEALTH CARE-AURORA FERTILITY SERVICES, WEST ALLIS
WEST ALLIS, WISCONSIN

DISCLAIMER: Patient medical characteristics, such as age, diagnosis, and ovarian reserve, affect the success of ART treatment. Comparison of success rates across clinics may not be meaningful due to differences in patient populations and ART treatment methods. The success rates displayed here do not reflect any one patient's chance of success. Patients should consult with a doctor to understand their chance of success based on their own characteristics.

Success Rates for ART Intended Retrievals Among Patients Using Their Own Eggs[a,b,c] Data verified by Estil Y. Strawn, MD

	Patient Age				
	<35	35–37	38–40	41–42	≥43
All patients (with or without prior ART cycles)					
Number of **intended retrievals**	82	24	27	7	*
Percentage of intended retrievals resulting in live births	51.2%	45.8%	33.3%	* / 7	0 / *
Percentage of intended retrievals resulting in singleton live births	48.8%	41.7%	33.3%	* / 7	0 / *
Number of **retrievals**	75	19	22	6	*
Percentage of retrievals resulting in live births	56.0%	11 / 19	40.9%	* / 6	0 / *
Percentage of retrievals resulting in singleton live births	53.3%	10 / 19	40.9%	* / 6	0 / *
Number of **transfers**	67	16	13	*	0
Percentage of transfers resulting in live births	62.7%	11 / 16	9 / 13	* / *	
Percentage of transfers resulting in singleton live births	59.7%	10 / 16	9 / 13	* / *	
Number of intended retrievals per live birth	2.0	2.2	3.0	7.0	
New patients (with no prior ART cycles)					
Percentage of new patients having live births after 1 intended retrieval	53.4%	8 / 19	7 / 16	0 / *	0 / *
Percentage of new patients having live births after 1 or 2 intended retrievals	60.3%	10 / 19	8 / 16	* / *	0 / *
Percentage of new patients having live births after all intended retrievals	62.1%	10 / 19	8 / 16	* / *	0 / *
Average number of intended retrievals per new patient	1.2	1.1	1.4	2.0	1.0
Average number of transfers per intended retrieval	0.8	0.7	0.5	0.3	0.0

Success Rates for ART Transfers Among Patients Using Eggs or Embryos from a Donor[a,b,c,d]

	Fresh Embryos Fresh Eggs	Fresh Embryos Frozen Eggs	Frozen Embryos	Donated Embryos
Number of **transfers**	0	0	14	*
Percentage of transfers resulting in live births			7 / 14	0 / *
Percentage of transfers resulting in singleton live births			6 / 14	0 / *

Characteristics of ART Cycles[a,b]

	Patient Age					
	<35	35–37	38–40	41–42	≥43	Total
Total number of **cycles**	156	66	56	11	11	300
Percentage of cycles cancelled prior to retrieval or thaw	10.9%	18.2%	16.1%	* / 11	0 / 11	13.3%
Percentage of cycles stopped between retrieval and transfer or banking[e]	5.1%	10.6%	10.7%	* / 11	* / 11	8.0%
Percentage of cycles for fertility preservation	3.8%	3.0%	0.0%	0 / 11	0 / 11	2.7%
Percentage of transfers using a gestational carrier	1.3%	0.0%	0.0%	0 / 5	0 / 10	0.7%
Percentage of transfers using frozen embryos	100.0%	100.0%	100.0%	5 / 5	10 / 10	100.0%
Percentage of transfers of at least one embryo with ICSI	94.7%	92.3%	95.5%	* / 5	* / 10	89.1%
Percentage of transfers of at least one embryo with PGT	89.3%	96.2%	95.5%	5 / 5	5 / 10	89.1%

Clinic Current Services & Profile

Donor eggs?	Yes	Verified lab accreditation?
Donated embryos?	Yes	
Embryo cryopreservation?	Yes	Yes
Egg cryopreservation?	Yes	
Single women?	Yes	
Gestational carriers?	Yes	
SART member?	Yes	

Reason for Using ART[a,f]

Male factor	45%	Diminished ovarian reserve	29%
Endometriosis	5%	Egg or embryo banking	38%
Tubal factor	12%	Recurrent pregnancy loss	8%
Ovulatory dysfunction	9%	Other, infertility	93%
Uterine factor	12%	Other, non-infertility	2%
PGT	85%	Unexplained	1%
Gestational carrier	0%		

ART = Assisted Reproductive Technology; ICSI = intracytoplasmic sperm injection; PGT = preimplantation genetic testing (diagnosis or screening)

[a] Numbers and percentages exclude 0 cycle(s) that were evaluating new procedures.

[b] Fractions are used when the denominator is less than 20; numbers between 1 and 4 are suppressed and shown as "*" to protect confidentiality.

[c] A live birth is defined as the delivery of one or more infants with any sign of life. Multiple-infant births (for example, twins) with at least one live born infant are counted as one live birth. Success rates for cycles using a patient's own eggs are calculated by using all cycles started in 2017 with the intent to retrieve a patient's eggs and all transfers of these eggs, or embryos created from these eggs, started within 12 months of the start of the retrieval cycle. Success rates for cycles using a donor's eggs or donated embryos are calculated by using all transfers started in 2018.

[d] Patients of all ages are combined because previous data show that a patient's age does not substantially affect success when using a donor's eggs or donated embryos.

[e] Includes: (1) all cycles started with the intent to freeze all resulting eggs or embryos in which no eggs were retrieved or no eggs or embryos were actually frozen; (2) all cycles started with the intent to transfer fresh eggs, or fresh embryos created from fresh eggs, that were not cancelled and in which no eggs or embryos were actually transferred; and, (3) all cycles started with the intent to transfer frozen eggs or frozen embryos in which no eggs or embryos were actually transferred.

[f] Percentages may add to more than 100% because more than one diagnosis can be reported for each ART cycle.