

**TABLE 2. Asthma Indicators by Onset (Child or Adult) among adults with current asthma in Utah: BRFSS 2005.**

Indicator	Total			Child Onset			Adult Onset			P*
	n	%	se	n	%	se	n	%	se	
<b>Preventive Medication (30 days)</b>	<b>392</b>			<b>160</b>			<b>232</b>			<b>0.09 **</b>
No days	152	41.4	3.5	68	46.5	5.4	84	35.2	3.9	<b>0.12 ***</b>
Any days	240	58.6	3.5	92	53.5	5.4	148	64.8	3.9	
1 to 14 days	98	27.8	3.1	44	27.6	4.5	54	27.9	4.0	
15 to 24 days	17	3.7	1.0	3	2.0	1.2	14	5.8	1.7	
25 to 30 days	125	27.1	2.8	45	23.9	4.2	80	31.1	3.6	
<b>Rescue Inhaler (30 days)</b>	<b>386</b>			<b>160</b>			<b>226</b>			<b>0.38 **</b>
Never	206	54.2	3.2	83	56.7	4.7	123	51.2	4.1	<b>0.83 ***</b>
Any times	180	45.8	3.2	77	43.3	4.7	103	48.8	4.1	
1 to 4 times	99	28.5	2.9	42	26.5	4.1	57	30.9	4.0	
5 to 14 times	48	11.5	2.1	20	11.8	3.3	28	11.2	2.5	
15 to 59 times	21	4.0	1.0	11	3.7	1.4	10	4.4	1.5	
60 or more times	12	1.8	0.7	4	1.3	1.1	8	2.3	1.0	
<b>Attack</b>	<b>394</b>			<b>162</b>			<b>232</b>			<b>0.14 **</b>
Did not have attack	163	43.8	3.4	69	48.3	5.2	94	38.6	3.9	
Had attack	231	56.2	3.4	93	51.7	5.2	138	61.4	3.9	
<b>Emergency Department Visits</b>	<b>395</b>			<b>162</b>			<b>233</b>			<b>0.55 **</b>
No visit	349	90.7	1.8	140	91.7	2.4	209	89.5	2.8	<b>0.42 ***</b>
Any visit	46	9.3	1.8	22	8.3	2.4	24	10.5	2.8	
One visit	20	3.6	0.9	8	2.4	1.0	12	4.9	1.6	
Two or more visits	26	5.7	1.6	14	5.9	2.1	12	5.6	2.4	
<b>Urgent Doctor Visits</b>	<b>391</b>			<b>160</b>			<b>231</b>			<b>0.57 **</b>
No visit	298	77.4	2.8	124	78.8	4.2	174	75.6	3.6	<b>0.26 ***</b>
Any visit	93	22.6	2.8	36	21.2	4.2	57	24.4	3.6	
One visit	48	12.6	2.2	22	14.0	3.6	26	11.0	2.4	
Two or more visits	45	10.0	1.9	14	7.2	2.4	31	13.4	3.0	
<b>Routine Doctor Visits</b>	<b>390</b>			<b>162</b>			<b>228</b>			<b>0.36 **</b>
No visits	205	56.0	3.4	91	58.7	5.1	114	52.8	4.1	<b>0.27 ***</b>
Any visit	185	44.0	3.4	71	41.3	5.1	114	47.2	4.1	
One visit	113	29.1	3.1	43	26.4	4.5	70	32.2	4.0	
Two visits	39	9.6	2.3	18	11.2	3.8	21	7.8	1.9	
Three or more visits	33	5.3	1.1	10	3.7	1.5	23	7.2	1.7	
<b>Activity Limitation</b>	<b>387</b>			<b>158</b>			<b>229</b>			<b>0.13 **</b>
No days	300	78.3	2.8	128	82.1	3.9	172	73.9	3.8	<b>0.01 ***</b>
Any days	87	21.7	2.8	30	17.9	3.9	57	26.1	3.8	
1-10 days	69	18.5	2.7	26	17.2	3.9	43	19.9	3.5	
> 10 days	18	3.2	0.9	4	0.7	0.4	14	6.2	1.8	
<b>Days with Symptoms</b>	<b>387</b>			<b>161</b>			<b>226</b>			<b>0.91 **</b>
No days	105	26.3	2.9	43	26.6	4.3	62	26.0	3.7	<b>0.10 ***</b>
Any days	282	73.7	2.9	118	73.4	4.3	164	74.0	3.7	
< once a week	74	20.7	3.2	41	26.3	5.2	33	14.0	2.7	
once, or more, a week	138	38.4	3.2	57	35.6	4.4	81	41.8	4.3	
every day	70	14.6	2.2	20	11.5	3.1	50	18.2	3.0	
<b>Days with Sleep Disturbance</b>	<b>389</b>			<b>160</b>			<b>229</b>			<b>0.66 **</b>
No days	247	63.8	3.4	101	65.2	5.2	146	62.3	4.2	<b>0.37 ***</b>
Any days	142	36.2	3.4	59	34.8	5.2	83	37.7	4.2	
1-2 days	61	18.6	2.8	32	20.5	4.4	29	16.4	3.3	
3-10 days	57	12.9	2.1	20	11.9	3.4	37	14.1	2.6	
> 10 days	24	4.7	1.4	7	2.4	1.3	17	7.2	2.7	

\* P: Wald chi-square test for the general association between each Indicator and Child or Adult Onset.

\*\* chi-square for 2 category Indicator.

\*\*\* chi-square for 3 to 5 category Indicator.