

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2008

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
U.S. Total**	White	337,615	13.1	0.12	(12.9 - 13.3)	22,952,646	(22,522,117 - 23,383,176)
U.S. Total**	Black	32,001	15.4	0.42	(14.6 - 16.2)	3,670,511	(3,456,215 - 3,884,807)
U.S. Total**	Other	25,050	11.2	0.44	(10.4 - 12.1)	2,645,227	(2,430,588 - 2,859,865)
U.S. Total**	Multi	7,368	20.4	1.08	(18.3 - 22.5)	898,870	(794,614 - 1,003,125)
AL	White	4,501	12.2	0.79	(10.6 - 13.7)	304,307	(263,615 - 345,000)
AL	Black	1,765	12.8	1.28	(10.3 - 15.3)	114,020	(90,969 - 137,071)
AL	Other	104	11.4	3.43	(4.6 - 18.2)	9,574	(3,830 - 15,318)
AL	Multi	63	12.5	4.64	(3.2 - 21.8)	4,633	(1,137 - 8,129)
AK	White	1,861	16.1	1.45	(13.3 - 19.0)	56,477	(45,829 - 67,126)
AK	Black	35	11.0			1,138	
AK	Other	630	18.2	3.66	(11.0 - 25.4)	19,302	(10,414 - 28,190)
AK	Multi	99	12.5	4.02	(4.5 - 20.5)	3,084	(1,183 - 4,985)
AZ	White	4,812	15.8	1.33	(13.2 - 18.4)	576,184	(473,598 - 678,769)
AZ	Black	74	11.2	5.37	(0.5 - 21.9)	11,178	(194 - 22,162)
AZ	Other	1,091	12.4	2.11	(8.2 - 16.5)	103,393	(67,899 - 138,887)
AZ	Multi	58	11.0	4.82	(1.3 - 20.6)	5,034	(955 - 9,113)
AR	White	4,644	12.4	0.76	(10.9 - 13.8)	225,851	(197,160 - 254,541)
AR	Black	727	15.7	2.24	(11.3 - 20.1)	30,188	(21,111 - 39,265)
AR	Other	138	6.9	2.46	(2.0 - 11.7)	4,312	(1,353 - 7,271)
AR	Multi	94	29.5	6.64	(16.3 - 42.7)	11,155	(4,885 - 17,426)
CA	White	9,479	13.5	0.47	(12.6 - 14.4)	2,825,008	(2,626,706 - 3,023,309)
CA	Black	518	19.5	2.20	(15.1 - 23.8)	313,654	(236,760 - 390,549)
CA	Other	1,224	11.2	1.22	(8.8 - 13.6)	469,215	(363,027 - 575,403)
CA	Multi	334	20.6	2.93	(14.8 - 26.3)	199,469	(136,746 - 262,193)
CO	White	10,471	12.9	0.49	(12.0 - 13.9)	396,287	(365,237 - 427,337)
CO	Black	277	10.0	2.09	(5.9 - 14.1)	12,125	(6,964 - 17,287)
CO	Other	682	13.0	1.69	(9.7 - 16.3)	47,983	(34,880 - 61,086)
CO	Multi	157	19.9	4.48	(11.1 - 28.8)	13,062	(6,381 - 19,742)
CT	White	5,106	13.2	0.72	(11.7 - 14.6)	299,494	(265,788 - 333,201)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2008

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CT	Black	415	12.2	2.48	(7.3 - 17.1)		15,858	(9,224 - 22,491)
CT	Other	467	13.9	2.18	(9.6 - 18.2)		31,998	(21,761 - 42,235)
CT	Multi	26	30.8	14.93	(0.1 - 61.6)		4,742	(0 - 10,378)
DE	White	3,273	12.7	0.94	(10.8 - 14.5)		66,072	(55,920 - 76,224)
DE	Black	485	16.7	2.72	(11.3 - 22.0)		14,652	(9,462 - 19,841)
DE	Other	134	10.1	3.04	(4.1 - 16.2)		3,288	(1,295 - 5,281)
DE	Multi	72	41.2	13.47	(14.3 - 68.0)		5,026	(0 - 10,332)
DC	White	2,080	15.1	1.11	(12.9 - 17.3)		27,948	(23,650 - 32,247)
DC	Black	1,798	17.8	1.28	(15.2 - 20.3)		38,347	(32,388 - 44,307)
DC	Other	232	12.1	2.48	(7.2 - 17.0)		5,493	(3,190 - 7,795)
DC	Multi	42	30.1	10.56	(8.8 - 51.4)		1,823	(157 - 3,489)
FL	White	9,145	10.5	0.58	(9.3 - 11.6)		1,086,153	(966,467 - 1,205,839)
FL	Black	853	9.6	1.50	(6.7 - 12.6)		168,593	(116,115 - 221,071)
FL	Other	661	10.5	2.02	(6.6 - 14.5)		209,962	(127,009 - 292,916)
FL	Multi	97	7.5	3.23	(1.1 - 13.9)		12,917	(2,384 - 23,450)
GA	White	4,099	12.4	0.77	(10.9 - 13.9)		546,891	(476,768 - 617,013)
GA	Black	1,296	14.3	1.74	(10.9 - 17.7)		292,445	(216,063 - 368,827)
GA	Other	208	10.3	2.21	(5.9 - 14.6)		55,281	(32,191 - 78,372)
GA	Multi	52	6.3				6,405	
HI	White	2,257	13.2	1.06	(11.1 - 15.3)		34,576	(28,747 - 40,405)
HI	Black	44	5.5				481	
HI	Other	2,313	12.0	0.97	(10.1 - 13.9)		49,138	(40,877 - 57,400)
HI	Multi	1,783	24.4	1.48	(21.5 - 27.2)		76,047	(65,787 - 86,308)
ID	White	4,765	13.2	0.74	(11.7 - 14.6)		130,805	(115,719 - 145,891)
ID	Black	14	13.1				824	
ID	Other	205	6.6	1.72	(3.2 - 10.0)		3,697	(1,815 - 5,579)
ID	Multi	57	12.1	4.88	(2.3 - 21.8)		1,682	(307 - 3,058)
IL	White	4,293	12.3	0.69	(10.9 - 13.6)		873,255	(771,937 - 974,572)
IL	Black	549	17.8	2.48	(12.9 - 22.6)		250,473	(173,378 - 327,568)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2008

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IL	Other	231	10.7	2.76	(5.2 - 16.1)		99,270	(45,584 - 152,956)
IL	Multi	67	30.5	9.07	(12.4 - 48.6)		58,797	(12,930 - 104,663)
IN	White	4,075	13.3	0.75	(11.9 - 14.8)		549,203	(487,225 - 611,181)
IN	Black	585	18.5	3.53	(11.6 - 25.5)		52,187	(30,102 - 74,272)
IN	Other	106	9.5	4.57	(0.4 - 18.5)		16,331	(0 - 32,938)
IN	Multi	74	24.4	8.47	(7.5 - 41.3)		22,938	(5,903 - 39,972)
IA	White	5,738	10.2	0.54	(9.1 - 11.2)		221,857	(198,277 - 245,437)
IA	Black	80	23.6	6.93	(9.8 - 37.4)		8,946	(2,742 - 15,149)
IA	Other	120	18.5	5.26	(8.0 - 28.9)		13,230	(4,845 - 21,615)
IA	Multi	26	13.6				1,289	
KS	White	7,692	12.7	0.57	(11.6 - 13.8)		227,778	(206,758 - 248,798)
KS	Black	299	19.1	3.36	(12.5 - 25.7)		15,189	(9,312 - 21,066)
KS	Other	462	10.9	2.32	(6.3 - 15.4)		17,738	(9,767 - 25,709)
KS	Multi	118	32.3	7.02	(18.5 - 46.2)		12,628	(5,739 - 19,516)
KY	White	7,588	14.2	0.64	(12.9 - 15.5)		418,298	(379,623 - 456,972)
KY	Black	246	18.7	4.41	(10.1 - 27.4)		32,511	(15,351 - 49,671)
KY	Other	111	18.2	5.77	(6.8 - 29.7)		14,765	(4,642 - 24,887)
KY	Multi	87	18.1	5.23	(7.7 - 28.5)		5,422	(2,382 - 8,462)
LA	White	4,549	11.5	0.68	(10.2 - 12.9)		248,628	(218,404 - 278,852)
LA	Black	1,312	12.8	1.36	(10.1 - 15.5)		118,215	(91,769 - 144,662)
LA	Other	209	8.5	1.90	(4.8 - 12.3)		13,907	(7,780 - 20,034)
LA	Multi	40	10.9				2,475	
ME	White	6,532	15.6	0.63	(14.4 - 16.8)		156,147	(142,985 - 169,308)
ME	Black	22	11.7				641	
ME	Other	107	20.2	6.47	(7.3 - 33.0)		4,485	(1,122 - 7,847)
ME	Multi	74	16.1	5.01	(6.2 - 26.1)		2,063	(694 - 3,432)
MD	White	7,284	14.0	0.61	(12.8 - 15.2)		370,742	(337,399 - 404,086)
MD	Black	1,565	14.6	1.23	(12.2 - 17.0)		169,071	(139,099 - 199,042)
MD	Other	377	12.1	2.17	(7.8 - 16.4)		43,673	(27,440 - 59,906)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2008

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MD	Multi	132	23.4	4.76	(13.9 - 32.8)		21,097	(11,774 - 30,421)
MA	White	16,942	14.4	0.46	(13.5 - 15.2)		590,946	(552,509 - 629,383)
MA	Black	1,137	16.4	2.13	(12.2 - 20.6)		40,865	(29,269 - 52,461)
MA	Other	2,029	16.5	1.39	(13.8 - 19.2)		86,156	(71,040 - 101,272)
MA	Multi	153	24.6	6.32	(12.1 - 37.1)		10,797	(4,516 - 17,079)
MI	White	7,386	14.7	0.58	(13.6 - 15.9)		905,350	(831,439 - 979,260)
MI	Black	1,532	16.3	1.59	(13.2 - 19.4)		141,213	(111,899 - 170,526)
MI	Other	213	18.9	3.75	(11.5 - 26.3)		69,572	(39,239 - 99,905)
MI	Multi	212	26.6	4.44	(17.8 - 35.3)		56,558	(35,033 - 78,084)
MN	White	4,057	12.5	0.73	(11.0 - 13.9)		458,755	(403,659 - 513,851)
MN	Black	93	15.9	4.68	(6.6 - 25.2)		16,662	(6,104 - 27,220)
MN	Other	106	3.9				5,498	
MN	Multi	15	33.5	16.43	(0.0 - 68.8)		6,072	(0 - 14,691)
MS	White	5,370	10.5	0.58	(9.4 - 11.7)		144,746	(128,813 - 160,680)
MS	Black	2,362	12.2	0.98	(10.3 - 14.1)		89,352	(74,664 - 104,039)
MS	Other	102	14.4	4.74	(5.0 - 23.8)		5,357	(1,602 - 9,111)
MS	Multi	54	16.3	5.65	(5.0 - 27.7)		2,054	(556 - 3,552)
MO	White	4,442	13.2	0.77	(11.7 - 14.7)		514,206	(453,050 - 575,361)
MO	Black	453	12.9	2.07	(8.9 - 17.0)		46,250	(31,246 - 61,254)
MO	Other	126	14.2	3.52	(7.3 - 21.2)		20,993	(10,359 - 31,626)
MO	Multi	106	33.9	7.40	(19.3 - 48.6)		26,745	(11,108 - 42,382)
MT	White	6,159	14.1	0.67	(12.7 - 15.4)		94,916	(85,634 - 104,198)
MT	Black	15	0.6				15	
MT	Other	518	20.3	3.07	(14.2 - 26.3)		9,178	(6,028 - 12,328)
MT	Multi	80	25.2	6.37	(12.5 - 37.9)		2,103	(923 - 3,284)
NE	White	15,215	10.5	0.54	(9.5 - 11.6)		125,519	(112,507 - 138,531)
NE	Black	115	12.0	3.32	(5.4 - 18.6)		3,865	(1,705 - 6,026)
NE	Other	624	7.5	3.39	(0.8 - 14.1)		5,595	(317 - 10,872)
NE	Multi	183	12.9	3.85	(5.3 - 20.5)		2,824	(1,178 - 4,469)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2008

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NV	White	3,756	15.1	1.05	(13.0 - 17.1)		202,875	(173,469 - 232,281)
NV	Black	118	14.0	4.10	(5.9 - 22.1)		11,306	(4,360 - 18,252)
NV	Other	590	8.8	1.82	(5.2 - 12.4)		33,592	(19,301 - 47,884)
NV	Multi	233	16.8	3.98	(9.0 - 24.6)		17,522	(8,570 - 26,474)
NH	White	6,539	15.2	0.62	(14.0 - 16.4)		148,050	(135,705 - 160,395)
NH	Black	30	17.2	8.32	(0.2 - 34.2)		1,252	(0 - 2,513)
NH	Other	167	15.0	4.05	(7.0 - 23.0)		4,488	(1,844 - 7,132)
NH	Multi	56	21.5	6.59	(8.3 - 34.8)		1,826	(660 - 2,993)
NJ	White	8,955	12.7	0.59	(11.6 - 13.9)		582,114	(526,957 - 637,270)
NJ	Black	1,231	16.8	1.65	(13.6 - 20.1)		135,411	(106,521 - 164,301)
NJ	Other	1,259	9.8	1.13	(7.6 - 12.0)		109,498	(83,659 - 135,337)
NJ	Multi	87	14.8	4.08	(6.7 - 22.9)		10,199	(4,606 - 15,791)
NM	White	4,932	13.3	0.74	(11.8 - 14.7)		151,661	(134,454 - 168,869)
NM	Black	55	12.5	7.77	(0.0 - 28.1)		2,245	(0 - 5,277)
NM	Other	1,034	9.7	1.18	(7.4 - 12.0)		24,821	(18,841 - 30,801)
NM	Multi	124	14.3	4.32	(5.7 - 22.9)		4,385	(1,583 - 7,186)
NY	White	6,491	13.4	0.62	(12.2 - 14.6)		1,360,905	(1,231,937 - 1,489,873)
NY	Black	727	15.4	1.69	(12.0 - 18.7)		354,498	(271,842 - 437,154)
NY	Other	406	15.7	2.31	(11.2 - 20.3)		252,926	(173,085 - 332,767)
NY	Multi	103	20.2	5.84	(8.6 - 31.8)		61,733	(21,650 - 101,817)
NC	White	12,160	11.8	0.44	(11.0 - 12.7)		568,673	(525,755 - 611,590)
NC	Black	2,355	13.7	1.17	(11.4 - 16.0)		166,251	(136,195 - 196,308)
NC	Other	1,024	7.8	1.28	(5.3 - 10.3)		58,193	(38,784 - 77,602)
NC	Multi	196	9.8	2.56	(4.8 - 14.9)		8,555	(4,254 - 12,857)
ND	White	4,780	11.3	0.62	(10.0 - 12.5)		50,707	(45,008 - 56,406)
ND	Black	14	2.4				62	
ND	Other	177	12.3	3.22	(5.9 - 18.6)		3,657	(1,744 - 5,570)
ND	Multi	32	45.1	13.66	(17.3 - 73.0)		2,323	(172 - 4,473)
OH	White	11,414	13.3	0.51	(12.3 - 14.3)		1,018,228	(938,170 - 1,098,286)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2008

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)	Prevalence (number)	95% CI* (number)
OH	Black	958	20.5	2.16	(16.2 - 24.7)	127,116	(97,228 - 157,003)
OH	Other	351	20.2	4.13	(12.0 - 28.3)	65,546	(34,240 - 96,851)
OH	Multi	78	16.6	5.03	(6.5 - 26.6)	10,828	(4,414 - 17,242)
OK	White	6,080	13.7	0.59	(12.6 - 14.9)	267,259	(243,621 - 290,897)
OK	Black	460	14.7	2.52	(9.8 - 19.6)	27,652	(17,388 - 37,917)
OK	Other	747	12.0	1.42	(9.3 - 14.8)	48,176	(36,536 - 59,815)
OK	Multi	483	18.5	2.31	(13.9 - 23.0)	31,476	(23,394 - 39,558)
OR	White	4,443	14.6	0.73	(13.2 - 16.1)	385,044	(345,398 - 424,689)
OR	Black	27	22.9	9.71	(3.0 - 42.9)	4,723	(89 - 9,356)
OR	Other	145	11.5	3.56	(4.5 - 18.5)	15,486	(5,475 - 25,496)
OR	Multi	116	30.5	5.81	(19.0 - 42.1)	24,162	(13,032 - 35,293)
PA	White	11,198	12.6	0.52	(11.6 - 13.6)	1,035,364	(949,190 - 1,121,539)
PA	Black	1,411	19.8	2.43	(15.0 - 24.5)	165,356	(121,604 - 209,107)
PA	Other	252	12.9	3.06	(6.9 - 18.9)	51,218	(25,985 - 76,450)
PA	Multi	148	14.4	4.38	(5.7 - 23.0)	16,549	(7,122 - 25,976)
RI	White	4,264	14.8	0.76	(13.3 - 16.3)	108,929	(97,574 - 120,284)
RI	Black	152	22.3	4.43	(13.6 - 31.1)	5,650	(3,108 - 8,191)
RI	Other	277	18.3	3.34	(11.7 - 24.9)	10,232	(6,123 - 14,341)
RI	Multi	24	14.5			783	
SC	White	6,851	13.7	0.78	(12.1 - 15.2)	309,809	(273,138 - 346,480)
SC	Black	2,861	13.7	1.22	(11.3 - 16.1)	117,850	(95,896 - 139,804)
SC	Other	247	7.9	2.23	(3.5 - 12.3)	11,920	(5,317 - 18,522)
SC	Multi	121	25.6	6.30	(13.1 - 38.1)	13,657	(6,781 - 20,532)
SD	White	6,166	10.6	0.62	(9.4 - 11.8)	57,530	(50,657 - 64,402)
SD	Black	13	48.3	19.90	(4.9 - 91.6)	1,020	(0 - 2,565)
SD	Other	697	13.5	2.07	(9.5 - 17.6)	5,522	(3,791 - 7,253)
SD	Multi	56	29.4	9.81	(9.8 - 49.1)	1,206	(214 - 2,198)
TN	White	4,319	12.3	0.73	(10.9 - 13.8)	461,932	(407,493 - 516,371)
TN	Black	541	14.0	2.22	(9.7 - 18.4)	95,439	(64,158 - 126,719)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2008

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
TN	Other	72	7.8	3.23	(1.4 - 14.2)		11,059	(2,817 - 19,300)
TN	Multi	59	19.9	9.82	(0.3 - 39.6)		16,949	(0 - 36,236)
TX	White	7,894	13.1	0.64	(11.9 - 14.4)		1,426,297	(1,284,111 - 1,568,483)
TX	Black	754	17.0	2.18	(12.7 - 21.3)		288,950	(209,786 - 368,114)
TX	Other	1,723	8.2	1.14	(5.9 - 10.4)		338,901	(241,518 - 436,285)
TX	Multi	125	16.3	4.60	(7.2 - 25.4)		35,119	(14,293 - 55,946)
UT	White	4,881	13.2	0.70	(11.9 - 14.6)		216,472	(193,042 - 239,902)
UT	Black	20	4.5				422	
UT	Other	341	12.7	2.47	(7.8 - 17.5)		20,584	(12,187 - 28,980)
UT	Multi	34	8.5				1,053	
VT	White	6,445	15.1	0.58	(13.9 - 16.2)		70,826	(65,252 - 76,400)
VT	Black	14	43.9	19.33	(2.1 - 85.6)		431	(0 - 1,087)
VT	Other	105	27.3	7.56	(12.3 - 42.3)		2,551	(774 - 4,328)
VT	Multi	97	18.6	4.40	(9.9 - 27.3)		1,279	(637 - 1,920)
VA	White	4,270	14.6	1.01	(12.6 - 16.6)		676,040	(578,209 - 773,871)
VA	Black	703	15.7	2.37	(11.1 - 20.4)		101,106	(68,462 - 133,750)
VA	Other	229	9.5	3.10	(3.3 - 15.6)		50,938	(18,673 - 83,202)
VA	Multi	37	11.9				7,136	
WA	White	20,359	14.7	0.37	(14.0 - 15.4)		636,460	(603,478 - 669,443)
WA	Black	237	23.2	4.57	(14.2 - 32.2)		17,183	(9,166 - 25,201)
WA	Other	1,108	13.5	1.50	(10.5 - 16.4)		53,188	(40,715 - 65,660)
WA	Multi	542	19.8	2.39	(15.1 - 24.5)		25,378	(18,882 - 31,873)
WV	White	3,973	13.6	0.69	(12.2 - 14.9)		184,932	(165,728 - 204,136)
WV	Black	71	17.1	5.72	(5.7 - 28.5)		4,495	(1,240 - 7,751)
WV	Other	40	20.6	10.61	(0.0 - 42.0)		3,896	(0 - 8,781)
WV	Multi	70	11.3	3.47	(4.4 - 18.2)		2,783	(1,061 - 4,504)
WI	White	6,112	13.1	0.71	(11.7 - 14.5)		506,587	(451,088 - 562,085)
WI	Black	553	29.0	4.86	(19.5 - 38.6)		42,826	(25,059 - 60,593)
WI	Other	290	15.1	4.95	(5.4 - 24.9)		27,122	(7,904 - 46,340)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2008

State	Race	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WI	Multi	73	35.3	9.69	(16.0 - 54.6)		23,021	(6,995 - 39,048)
WY	White	7,518	13.4	0.54	(12.4 - 14.5)		49,554	(45,497 - 53,611)
WY	Black	30	11.3				312	
WY	Other	239	22.0	4.41	(13.3 - 30.7)		3,335	(1,748 - 4,921)
WY	Multi	119	30.2	6.32	(17.7 - 42.7)		2,005	(930 - 3,079)
Territories								
GU	White	83	2.9				236	
GU	Black	6	43.6				310	
GU	Other	673	10.3	1.37	(7.6 - 13.0)		9,596	(7,053 - 12,140)
GU	Multi	30	26.7	9.19	(7.9 - 45.5)		978	(195 - 1,761)
PR	White	2,614	15.5	0.97	(13.6 - 17.4)		244,222	(212,204 - 276,240)
PR	Black	222	13.2	2.84	(7.7 - 18.8)		22,736	(12,530 - 32,942)
PR	Other	1,599	15.5	1.20	(13.1 - 17.8)		165,095	(138,232 - 191,958)
PR	Multi	14	0.0				0	
VI	White	470	10.3	1.85	(6.7 - 13.9)		1,216	(764 - 1,668)
VI	Black	1,697	8.0	0.82	(6.4 - 9.6)		4,193	(3,332 - 5,055)
VI	Other	167	9.1	2.93	(3.3 - 14.9)		487	(163 - 810)
VI	Multi	55	13.6	5.51	(2.5 - 24.7)		231	(32 - 431)

Notes:

*CI denotes confidence interval.

**U.S. Total includes 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.