

Table L4
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2010

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
Total **	White	54,286	11.2	0.29	(10.7 - 11.8)		4,815,573	(4,565,989 - 5,065,158)
Total **	Black	6,987	18.4	0.92	(16.6 - 20.2)		1,453,292	(1,300,407 - 1,606,177)
Total **	Other	5,822	13.7	0.99	(11.8 - 15.7)		706,949	(600,220 - 813,678)
Total **	Multiracial	3,250	17.0	1.53	(14.2 - 20.2)		370,214	(298,170 - 442,257)
AL	White	1,111	11.8	1.25	(9.5 - 14.4)		78,843	(61,945 - 95,740)
AL	Black	567	19.3	2.38	(15.1 - 24.4)		69,032	(51,170 - 86,893)
AL	Other	58	13.1	5.17	(5.8 - 26.8)		5,662	(1,109 - 10,215)
AL	Multiracial	24	31.3	10.07	(15.4 - 53.3)		3,956	(1,106 - 6,805)
AZ	White	859	12.2	1.74	(9.1 - 16.0)		157,009	(112,041 - 201,977)
AZ	Black	39	11.9				8,927	
AZ	Other	255	14.6	3.41	(9.1 - 22.6)		42,545	(22,556 - 62,534)
AZ	Multiracial	50	10.6	5.37	(3.7 - 26.4)		5,326	(0 - 10,741)
CA	White	1,298	10.1	0.98	(8.3 - 12.2)		721,303	(579,781 - 862,826)
CA	Black	64	17.9	5.18	(9.8 - 30.3)		66,765	(26,694 - 106,836)
CA	Other	197	13.7	2.68	(9.2 - 19.8)		150,856	(90,087 - 211,624)
CA	Multiracial	77	15.0	6.13	(6.5 - 31.2)		52,111	(5,560 - 98,661)
CT	White	1,280	13.5	1.22	(11.3 - 16.1)		84,247	(68,883 - 99,610)
CT	Black	155	20.3	4.29	(13.2 - 30.0)		10,160	(5,661 - 14,659)
CT	Other	214	27.3	4.69	(19.1 - 37.4)		22,912	(13,414 - 32,410)
CT	Multiracial	69	11.2	4.02	(5.4 - 21.8)		3,553	(1,018 - 6,088)
DC	White	326	9.1	1.88	(6.0 - 13.5)		2,005	(1,171 - 2,838)
DC	Black	304	28.8	3.08	(23.2 - 35.2)		20,060	(15,334 - 24,786)
DC	Other	50	12.6	6.14	(4.6 - 30.0)		1,311	(0 - 2,676)
DC	Multiracial	25	13.8				460	
GA	White	960	12.6	1.25	(10.3 - 15.2)		199,934	(160,247 - 239,622)
GA	Black	432	15.1	2.20	(11.3 - 20.0)		105,394	(73,819 - 136,970)
GA	Other	81	16.5	5.64	(8.1 - 30.6)		24,219	(6,165 - 42,274)
GA	Multiracial	40	52.7	11.00	(32.0 - 72.6)		33,390	(10,878 - 55,901)
HI	White	304	4.1	1.18	(2.3 - 7.2)		2,136	(923 - 3,349)
HI	Black	10	15.4				375	

Notes:
* CI denotes confidence interval.
** Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2010

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	 	Prevalence (Number)	95% CI* (Number)
HI	Other	421	17.7	2.31	(13.6 - 22.7)		14,012	(10,196 - 17,828)
HI	Multiracial	925	21.0	1.77	(17.8 - 24.7)		31,367	(25,796 - 36,937)
IL	White	939	10.3	1.25	(8.1 - 13.0)		210,115	(159,408 - 260,821)
IL	Black	244	24.9	4.03	(17.8 - 33.6)		165,080	(103,625 - 226,534)
IL	Other	106	14.2	4.38	(7.5 - 25.1)		47,910	(16,687 - 79,132)
IL	Multiracial	48	6.5				7,518	
IN	White	1,896	12.1	0.98	(10.3 - 14.2)		150,771	(126,213 - 175,330)
IN	Black	284	23.5	4.17	(16.3 - 32.6)		41,829	(25,390 - 58,267)
IN	Other	43	12.3	5.51	(4.9 - 27.6)		5,860	(507 - 11,212)
IN	Multiracial	61	11.6	4.34	(5.4 - 23.1)		5,216	(1,342 - 9,090)
IA	White	1,357	8.5	0.94	(6.9 - 10.6)		53,566	(41,712 - 65,420)
IA	Black	38	15.7	6.94	(6.2 - 34.2)		3,518	(326 - 6,710)
IA	Other	74	6.9	3.29	(2.6 - 16.8)		2,340	(58 - 4,621)
IA	Multiracial	30	18.9	7.06	(8.6 - 36.5)		2,525	(581 - 4,470)
KS	White	1,840	10.1	0.80	(8.6 - 11.7)		57,422	(48,406 - 66,439)
KS	Black	122	17.2	3.83	(10.9 - 26.0)		6,411	(3,428 - 9,394)
KS	Other	173	7.7	2.23	(4.4 - 13.4)		4,791	(2,026 - 7,557)
KS	Multiracial	89	13.5	4.38	(7.0 - 24.6)		3,710	(1,189 - 6,232)
KY	White	1,728	13.5	1.16	(11.4 - 15.9)		116,967	(97,123 - 136,810)
KY	Black	66	24.5	7.14	(13.2 - 40.9)		19,016	(6,724 - 31,309)
KY	Other	31	26.4	12.55	(9.2 - 56.0)		4,422	(0 - 9,440)
KY	Multiracial	56	19.4	7.90	(8.2 - 39.3)		6,952	(658 - 13,246)
LA	White	1,197	9.7	0.98	(7.9 - 11.8)		57,458	(45,812 - 69,104)
LA	Black	591	13.4	1.60	(10.6 - 16.9)		59,027	(44,530 - 73,523)
LA	Other	63	19.8	5.71	(10.9 - 33.3)		8,522	(3,285 - 13,759)
LA	Multiracial	17	13.9				1,584	
ME	White	830	12.5	1.24	(10.2 - 15.1)		30,789	(24,784 - 36,794)
ME	Black	9	49.1				1,574	
ME	Other	24	31.9	10.78	(15.1 - 55.3)		2,169	(449 - 3,888)
ME	Multiracial	21	13.2				670	

Notes:
* CI denotes confidence interval.
** Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2010

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	 	Prevalence (Number)	95% CI* (Number)
MD	White	1,614	11.8	0.99	(9.9 - 13.8)		79,365	(65,862 - 92,867)
MD	Black	554	22.5	2.24	(18.4 - 27.2)		102,589	(80,427 - 124,751)
MD	Other	159	19.2	3.87	(12.8 - 28.0)		24,060	(13,485 - 34,635)
MD	Multiracial	87	23.5	7.66	(11.7 - 41.4)		10,500	(2,326 - 18,675)
MA	White	1,054	11.8	1.37	(9.4 - 14.7)		117,317	(90,228 - 144,406)
MA	Black	105	24.4	6.13	(14.4 - 38.2)		29,090	(14,106 - 44,074)
MA	Other	142	13.6	4.24	(7.2 - 24.2)		26,513	(9,440 - 43,587)
MA	Multiracial	72	19.5	6.04	(10.2 - 34.0)		13,522	(4,714 - 22,330)
MI	White	1,459	13.5	1.14	(11.4 - 15.9)		219,239	(181,482 - 256,996)
MI	Black	374	17.3	3.24	(11.8 - 24.6)		73,666	(44,046 - 103,287)
MI	Other	66	10.8	4.73	(4.4 - 24.1)		12,957	(1,216 - 24,698)
MI	Multiracial	89	18.9	4.88	(11.1 - 30.3)		19,353	(9,049 - 29,657)
MS	White	1,042	9.4	1.12	(7.5 - 11.9)		35,380	(27,009 - 43,751)
MS	Black	834	17.6	1.71	(14.4 - 21.2)		60,489	(48,249 - 72,730)
MS	Other	54	8.9				2,221	
MS	Multiracial	15	19.8				1,336	
MO	White	1,009	12.8	1.48	(10.2 - 16.0)		146,705	(112,687 - 180,722)
MO	Black	153	18.4	4.67	(10.9 - 29.3)		23,195	(10,737 - 35,653)
MO	Other	46	27.8	12.17	(10.5 - 55.8)		16,716	(0 - 35,009)
MO	Multiracial	49	26.8	9.63	(12.2 - 48.9)		16,675	(2,480 - 30,871)
MT	White	1,326	9.6	1.10	(7.6 - 11.9)		17,526	(13,548 - 21,504)
MT	Black	8	14.6				134	
MT	Other	342	11.0	2.18	(7.4 - 16.0)		2,569	(1,549 - 3,588)
MT	Multiracial	72	7.5	3.04	(3.3 - 16.0)		580	(124 - 1,036)
NE	White	3,454	8.3	0.83	(6.8 - 10.1)		32,219	(25,813 - 38,624)
NE	Black	38	20.2	11.25	(6.1 - 49.9)		2,140	(0 - 4,726)
NE	Other	282	6.5	1.97	(3.6 - 11.6)		2,363	(959 - 3,766)
NE	Multiracial	82	12.9	5.47	(5.4 - 27.8)		1,602	(212 - 2,993)
NV	White	689	11.2	1.93	(8.0 - 15.6)		51,230	(33,560 - 68,899)
NV	Black	34	17.8	8.82	(6.2 - 41.4)		9,224	(0 - 18,929)

Notes:
* CI denotes confidence interval.
** Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2010

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
NV	Other	114	7.0	2.60	(3.4 - 14.1)		7,382	(2,035 - 12,729)
NV	Multiracial	55	6.2				2,548	
NJ	White	2,321	10.7	0.84	(9.2 - 12.5)		130,152	(109,776 - 150,529)
NJ	Black	440	24.7	2.72	(19.8 - 30.4)		80,922	(61,486 - 100,359)
NJ	Other	472	15.1	2.17	(11.3 - 19.9)		55,737	(39,090 - 72,384)
NJ	Multiracial	100	20.9	5.16	(12.5 - 32.7)		13,300	(6,084 - 20,517)
NM	White	1,183	11.9	1.09	(9.9 - 14.2)		43,722	(35,925 - 51,520)
NM	Black	35	18.4	7.42	(7.9 - 37.3)		2,476	(479 - 4,472)
NM	Other	416	12.9	2.31	(9.0 - 18.1)		12,837	(8,042 - 17,632)
NM	Multiracial	51	9.0				1,300	
NY	White	504	13.0	2.00	(9.6 - 17.5)		342,380	(233,755 - 451,005)
NY	Black	88	10.7	4.11	(4.9 - 21.8)		91,966	(19,612 - 164,320)
NY	Other	41	14.2	6.51	(5.5 - 32.1)		47,185	(1,702 - 92,668)
NY	Multiracial	29	10.7				17,874	
ND	White	1,032	9.5	1.01	(7.7 - 11.7)		11,644	(9,181 - 14,107)
ND	Black	19	11.2				359	
ND	Other	74	11.0	4.80	(4.5 - 24.4)		1,206	(117 - 2,295)
ND	Multiracial	29	17.6	8.12	(6.6 - 39.0)		744	(18 - 1,471)
OH	White	626	11.6	1.94	(8.3 - 16.0)		238,270	(157,398 - 319,142)
OH	Black	87	24.6	5.70	(15.2 - 37.4)		78,320	(39,398 - 117,242)
OH	Other	41	2.3				3,749	
OH	Multiracial	28	26.7	12.08	(9.8 - 55.0)		27,565	(0 - 57,379)
OK	White	1,255	12.9	1.11	(10.9 - 15.2)		70,623	(58,404 - 82,843)
OK	Black	185	19.8	3.20	(14.2 - 26.8)		16,728	(11,142 - 22,315)
OK	Other	386	13.7	2.30	(9.8 - 18.9)		25,445	(16,410 - 34,481)
OK	Multiracial	177	17.2	3.50	(11.4 - 25.1)		13,700	(7,668 - 19,731)
OR	White	756	11.7	1.25	(9.5 - 14.4)		79,282	(62,584 - 95,980)
OR	Black	9	11.9				839	
OR	Other	69	14.4	5.08	(7.0 - 27.4)		9,606	(2,461 - 16,751)
OR	Multiracial	107	10.7	3.25	(5.8 - 18.9)		9,904	(3,766 - 16,041)

Notes:
* CI denotes confidence interval.
** Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2010

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
PA	White	2,071	12.7	0.97	(10.9 - 14.7)		263,586	(223,302 - 303,871)
PA	Black	253	21.5	3.23	(15.8 - 28.5)		87,801	(60,192 - 115,411)
PA	Other	64	18.7	6.41	(9.1 - 34.4)		23,351	(6,101 - 40,602)
PA	Multiracial	51	20.1	6.02	(10.7 - 34.4)		13,812	(5,379 - 22,245)
RI	White	1,258	13.9	1.14	(11.8 - 16.3)		24,666	(20,671 - 28,662)
RI	Black	80	15.2	4.53	(8.2 - 26.3)		1,670	(657 - 2,682)
RI	Other	158	26.2	4.60	(18.2 - 36.1)		5,372	(3,159 - 7,585)
RI	Multiracial	38	12.4				605	
TN	White	318	8.7	1.71	(5.9 - 12.7)		100,244	(61,802 - 138,687)
TN	Black	53	18.3	7.77	(7.5 - 38.3)		37,408	(2,632 - 72,185)
TN	Other	13	18.2				8,662	
TN	Multiracial	11	13.6				8,085	
TX	White	3,965	10.9	0.87	(9.3 - 12.7)		515,190	(432,682 - 597,699)
TX	Black	383	15.3	3.27	(9.9 - 22.8)		150,571	(82,365 - 218,777)
TX	Other	208	10.9	4.28	(4.9 - 22.5)		48,767	(8,531 - 89,003)
TX	Multiracial	93	12.8	5.21	(5.6 - 26.8)		12,759	(2,139 - 23,380)
UT	White	3,398	9.5	0.63	(8.3 - 10.8)		72,058	(62,613 - 81,502)
UT	Black	37	20.2	9.34	(7.5 - 44.1)		1,711	(0 - 3,500)
UT	Other	262	6.2	1.79	(3.5 - 10.8)		3,389	(1,433 - 5,345)
UT	Multiracial	81	19.8	6.58	(9.9 - 35.8)		3,357	(814 - 5,901)
VT	White	1,460	13.1	0.98	(11.3 - 15.1)		15,272	(13,012 - 17,533)
VT	Black	21	33.5	12.83	(14.0 - 60.9)		457	(11 - 904)
VT	Other	37	20.6	7.94	(9.1 - 40.2)		538	(76 - 1,000)
VT	Multiracial	37	17.8	6.31	(8.5 - 33.5)		593	(167 - 1,019)
WA	White	3,658	10.4	0.61	(9.3 - 11.7)		125,644	(111,000 - 140,289)
WA	Black	100	14.9	4.33	(8.2 - 25.5)		5,780	(2,229 - 9,332)
WA	Other	470	7.5	1.85	(4.6 - 12.0)		12,737	(6,247 - 19,226)
WA	Multiracial	291	14.4	2.39	(10.4 - 19.8)		14,574	(9,608 - 19,540)
WV	White	854	9.7	1.18	(7.7 - 12.3)		34,451	(26,145 - 42,758)
WV	Black	23	22.2	11.11	(7.5 - 50.1)		2,375	(0 - 5,084)

Notes:
* CI denotes confidence interval.
** Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Race and State or Territory: BRFSS 2010

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
WV	Other	12	31.5				1,659	
WV	Multiracial	16	16.8				1,047	
WI	White	884	10.3	1.19	(8.2 - 12.9)		116,367	(90,153 - 142,582)
WI	Black	138	30.1	7.57	(17.6 - 46.6)		16,133	(6,602 - 25,663)
WI	Other	63	17.4	8.03	(6.6 - 38.6)		13,884	(0 - 28,164)
WI	Multiracial	32	17.7	8.40	(6.5 - 40.0)		6,008	(666 - 11,351)
WY	White	1,171	8.9	0.89	(7.3 - 10.8)		10,475	(8,421 - 12,530)
WY	Black	11	6.1				80	
WY	Other	41	10.1				515	
WY	Multiracial	26	19.2				532	
Territories								
PR	White	538	22.4	2.10	(18.6 - 26.8)		158,879	(127,547 - 190,211)
PR	Black	31	14.2				6,387	
PR	Other	210	24.0	3.32	(18.1 - 31.1)		63,108	(43,975 - 82,241)
PR	Multiracial	4	16.6				966	

Notes:

* CI denotes confidence interval.

** Total includes data from 38 states plus the District of Columbia and excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.