## Table C2\_1 Child Current Asthma Prevalence Rate (Percent) by Sex and State or Territory: BRFSS 2011

State	Male Sample Size	Male Prevalence	Male Standard Error	Male 95% CI *		Female Sample Size	Female Prevalence	Female Standard Error	Female 95% CI *
Total **	18,399	9.8	0.49	(8.9 - 10.8)		17,174	7.6	0.37	(6.9 - 8.4)
AZ	704	9.3	1.58	(6.6 - 12.9)		622	7.8	1.58	(5.2 - 11.5)
СТ	880	11.5	1.35	(9.1 - 14.4)		804	11.3	1.61	(8.5 - 14.8)
HI	936	12.9	1.26	(10.6 - 15.6)		827	8.9	1.24	(6.8 - 11.7)
MI	1,283	9.8	1.08	(7.9 - 12.1)		1,293	10.2	1.06	(8.3 - 12.5)
MT	1,210	7.5	1.09	(5.7 - 10.0)		1,082	6.0	0.91	(4.5 - 8.0)
NJ	1,982	9.7	0.87	(8.2 - 11.6)		1,899	7.7	0.74	(6.4 - 9.3)
NM	1,102	10.8	1.03	(9.0 - 13.0)		1,077	9.4	1.13	(7.4 - 11.9)
OR	631	9.3	1.31	(7.0 - 12.2)		584	9.6	1.47	(7.1 - 12.9)
PA	1,198	13.2	1.21	(11.0 - 15.8)		1,169	6.9	0.81	(5.5 - 8.7)
TN	462	14.3	5.47	(6.5 - 28.6)		439	5.0	1.46	(2.8 - 8.8)
TX	1,915	8.6	0.92	(7.0 - 10.6)		1,744	7.4	0.95	(5.8 - 9.5)
UT	2,455	7.6	0.59	(6.5 - 8.8)		2,227	5.9	0.55	(4.9 - 7.1)
VT	829	9.9	1.15	(7.9 - 12.4)		733	6.2	0.96	(4.5 - 8.3)
WA	1,640	7.9	1.00	(6.2 - 10.1)		1,565	6.3	0.90	(4.7 - 8.3)
WV	598	7.9	1.24	(5.8 - 10.7)		554	7.7	1.31	(5.5 - 10.7)
WI	574	8.8	1.45	(6.4 - 12.1)		555	6.4	1.26	(4.3 - 9.4)
Territories									
PR	647	13.0	1.72	(9.9 - 16.7)		575	14.4	2.19	(10.6 - 19.3)

## Notes:

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

<sup>\*</sup> CI denotes confidence interval.

<sup>\*\*</sup> Total includes data from 16 states based on cellphone and landline data combined excludes the territory, Puerto Rico.