

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2013

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
Total **	0-4	14,216	7.3	0.41	(6.6 - 8.2)		820,210	(727,577 - 912,843)
Total **	5-9	14,906	14.5	0.59	(13.4 - 15.7)		1,966,256	(1,797,249 - 2,135,263)
Total **	10-14	17,554	17.9	0.57	(16.8 - 19.0)		2,107,884	(1,964,924 - 2,250,844)
Total **	15-17	12,873	17.9	0.74	(16.5 - 19.4)		1,523,405	(1,387,764 - 1,659,045)
AZ	0-4	160	15.7	5.03	(8.1 - 28.1)		55,364	(16,591 - 94,136)
AZ	5-9	182	10.9	4.33	(4.9 - 22.7)		46,963	(8,035 - 85,891)
AZ	10-14	175	26.6	5.85	(16.7 - 39.4)		107,521	(53,195 - 161,848)
AZ	15-17	131	21.3	5.23	(12.8 - 33.3)		50,874	(24,023 - 77,726)
CA	0-4	585	6.7	1.22	(4.7 - 9.5)		99,936	(63,624 - 136,248)
CA	5-9	619	13.9	1.66	(11.0 - 17.5)		350,715	(263,670 - 437,760)
CA	10-14	696	17.5	1.86	(14.2 - 21.5)		323,900	(250,310 - 397,489)
CA	15-17	454	21.7	2.63	(17.0 - 27.3)		344,106	(251,368 - 436,844)
CT	0-4	359	8.1	1.86	(5.1 - 12.6)		13,541	(7,238 - 19,843)
CT	5-9	369	16.6	2.40	(12.4 - 21.8)		33,276	(23,336 - 43,216)
CT	10-14	462	18.7	2.33	(14.6 - 23.7)		33,581	(24,792 - 42,369)
CT	15-17	363	19.9	3.18	(14.4 - 26.8)		27,728	(17,880 - 37,576)
DC	0-4	201	9.1	3.08	(4.6 - 17.2)		3,222	(971 - 5,473)
DC	5-9	204	23.6	3.97	(16.7 - 32.2)		5,786	(3,629 - 7,942)
DC	10-14	167	26.6	5.28	(17.6 - 38.1)		7,264	(3,924 - 10,604)
DC	15-17	120	26.1	6.01	(16.1 - 39.4)		4,472	(2,229 - 6,716)
GA	0-4	367	9.6	1.79	(6.7 - 13.8)		46,887	(29,123 - 64,651)
GA	5-9	419	21.3	2.60	(16.6 - 26.8)		147,551	(107,371 - 187,730)
GA	10-14	496	16.2	1.85	(12.9 - 20.2)		90,051	(68,785 - 111,316)
GA	15-17	364	16.0	2.45	(11.8 - 21.4)		65,932	(44,358 - 87,507)
HI	0-4	518	13.7	2.62	(9.4 - 19.7)		9,727	(5,751 - 13,702)
HI	5-9	446	20.4	2.75	(15.6 - 26.3)		17,170	(12,174 - 22,166)
HI	10-14	485	23.3	2.95	(18.1 - 29.6)		15,795	(11,544 - 20,046)
HI	15-17	365	27.0	4.17	(19.6 - 35.9)		13,231	(8,374 - 18,087)
IN	0-4	413	7.7	1.61	(5.1 - 11.5)		30,305	(17,426 - 43,184)
IN	5-9	489	10.3	1.62	(7.5 - 13.9)		38,660	(26,150 - 51,169)
IN	10-14	558	18.5	2.03	(14.8 - 22.8)		67,670	(51,713 - 83,627)

Notes:

* CI denotes confidence interval.

** Total includes data from 33 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2013

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
IN	15-17	480	16.4	1.96	(12.9 - 20.6)		39,088	(29,385 - 48,791)
KS	0-4	1,264	5.0	0.72	(3.7 - 6.6)		8,595	(6,113 - 11,076)
KS	5-9	1,237	14.7	1.18	(12.5 - 17.1)		29,169	(24,275 - 34,064)
KS	10-14	1,485	16.4	1.09	(14.4 - 18.6)		28,770	(24,776 - 32,763)
KS	15-17	1,071	19.8	1.67	(16.7 - 23.2)		22,367	(18,138 - 26,596)
LA	0-4	231	8.0	2.53	(4.3 - 14.6)		20,394	(7,184 - 33,604)
LA	5-9	256	11.5	2.21	(7.9 - 16.6)		34,456	(21,141 - 47,770)
LA	10-14	295	11.9	2.05	(8.4 - 16.5)		30,113	(19,804 - 40,421)
LA	15-17	222	23.0	3.88	(16.3 - 31.5)		41,745	(26,078 - 57,411)
ME	0-4	199	4.0	1.58	(1.8 - 8.5)		2,261	(468 - 4,053)
ME	5-9	238	13.7	2.64	(9.3 - 19.7)		8,973	(5,347 - 12,599)
ME	10-14	291	21.7	3.07	(16.3 - 28.3)		15,243	(10,433 - 20,052)
ME	15-17	203	12.7	3.18	(7.7 - 20.4)		6,229	(2,947 - 9,511)
MD	0-4	564	10.4	1.71	(7.5 - 14.3)		31,305	(20,709 - 41,902)
MD	5-9	680	17.7	1.92	(14.3 - 21.8)		64,135	(49,405 - 78,866)
MD	10-14	786	19.3	1.86	(15.9 - 23.2)		52,104	(41,309 - 62,900)
MD	15-17	580	17.2	2.04	(13.6 - 21.6)		40,019	(30,084 - 49,954)
MI	0-4	535	7.9	1.66	(5.2 - 11.8)		37,117	(21,037 - 53,196)
MI	5-9	584	14.8	1.70	(11.7 - 18.4)		86,339	(65,581 - 107,096)
MI	10-14	770	19.5	1.72	(16.4 - 23.1)		108,947	(88,288 - 129,606)
MI	15-17	650	16.3	1.75	(13.1 - 20.0)		66,167	(51,275 - 81,059)
MS	0-4	340	12.6	2.22	(8.9 - 17.7)		23,241	(14,710 - 31,771)
MS	5-9	367	17.1	2.36	(12.9 - 22.2)		31,604	(22,388 - 40,821)
MS	10-14	437	19.6	2.30	(15.5 - 24.6)		33,886	(25,430 - 42,342)
MS	15-17	306	13.8	2.22	(10.0 - 18.8)		16,096	(10,734 - 21,457)
MO	0-4	266	6.3	2.45	(2.9 - 13.2)		22,714	(4,780 - 40,648)
MO	5-9	340	11.3	2.12	(7.7 - 16.1)		39,616	(24,359 - 54,874)
MO	10-14	393	16.7	2.63	(12.2 - 22.5)		54,661	(36,352 - 72,971)
MO	15-17	267	11.3	2.19	(7.6 - 16.3)		25,434	(15,532 - 35,337)
MT	0-4	553	6.0	1.25	(3.9 - 8.9)		3,070	(1,787 - 4,352)
MT	5-9	525	8.7	1.67	(5.9 - 12.5)		4,926	(2,998 - 6,853)

Notes:

* CI denotes confidence interval.

** Total includes data from 33 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2013

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
MT	10-14	503	16.2	2.16	(12.4 - 20.8)		8,678	(6,309 - 11,046)
MT	15-17	397	15.4	2.52	(11.1 - 21.0)		5,716	(3,787 - 7,645)
NE	0-4	908	3.6	0.87	(2.3 - 5.8)		4,216	(2,224 - 6,208)
NE	5-9	885	10.0	1.57	(7.4 - 13.6)		12,413	(8,421 - 16,405)
NE	10-14	1,056	14.4	1.62	(11.5 - 17.9)		16,658	(12,750 - 20,567)
NE	15-17	785	16.2	1.91	(12.8 - 20.3)		11,795	(8,903 - 14,687)
NV	0-4	220	5.3	1.88	(2.6 - 10.4)		7,620	(2,260 - 12,979)
NV	5-9	236	11.7	3.36	(6.6 - 20.1)		19,144	(7,692 - 30,595)
NV	10-14	295	22.5	4.32	(15.1 - 32.0)		32,653	(18,268 - 47,039)
NV	15-17	221	10.1	2.72	(5.9 - 16.8)		11,032	(5,156 - 16,907)
NH	0-4	250	4.2	1.69	(1.9 - 9.1)		2,579	(499 - 4,660)
NH	5-9	298	17.4	4.44	(10.4 - 27.9)		11,793	(5,007 - 18,579)
NH	10-14	390	14.9	2.30	(10.9 - 20.0)		10,147	(6,982 - 13,312)
NH	15-17	283	22.7	4.01	(15.8 - 31.5)		10,915	(6,373 - 15,458)
NJ	0-4	665	8.4	1.40	(6.1 - 11.6)		38,718	(25,578 - 51,857)
NJ	5-9	738	13.4	1.57	(10.6 - 16.8)		58,507	(44,321 - 72,693)
NJ	10-14	824	18.1	1.83	(14.8 - 22.0)		79,542	(62,225 - 96,860)
NJ	15-17	638	17.5	2.02	(13.9 - 21.8)		56,050	(42,216 - 69,884)
NM	0-4	494	4.5	1.00	(2.9 - 6.9)		5,375	(3,008 - 7,742)
NM	5-9	516	11.5	1.83	(8.4 - 15.6)		14,931	(10,083 - 19,779)
NM	10-14	597	17.8	2.16	(13.9 - 22.4)		21,964	(16,345 - 27,583)
NM	15-17	446	16.5	2.26	(12.6 - 21.4)		13,648	(9,781 - 17,515)
NY	0-4	206	7.8	1.94	(4.8 - 12.6)		74,262	(37,430 - 111,093)
NY	5-9	222	19.5	3.26	(13.8 - 26.6)		217,164	(138,972 - 295,355)
NY	10-14	256	18.7	2.74	(13.9 - 24.6)		173,540	(120,333 - 226,748)
NY	15-17	176	13.4	2.80	(8.8 - 19.9)		82,666	(47,520 - 117,811)
OH	0-4	358	7.9	2.06	(4.7 - 13.0)		48,201	(22,548 - 73,854)
OH	5-9	339	14.5	2.50	(10.3 - 20.1)		88,115	(56,143 - 120,088)
OH	10-14	498	21.5	2.53	(16.9 - 26.8)		129,878	(96,812 - 162,945)
OH	15-17	360	16.2	2.29	(12.2 - 21.2)		67,058	(47,585 - 86,532)
OK	0-4	440	11.8	2.14	(8.2 - 16.7)		27,749	(17,150 - 38,348)

Notes:

* CI denotes confidence interval.

** Total includes data from 33 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2013

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
OK	5-9	457	12.6	1.80	(9.5 - 16.6)		32,814	(23,147 - 42,480)
OK	10-14	534	20.7	2.04	(17.0 - 25.0)		46,161	(36,377 - 55,944)
OK	15-17	361	18.4	2.26	(14.4 - 23.2)		28,193	(20,941 - 35,446)
OR	0-4	253	2.5	1.04	(1.1 - 5.6)		4,534	(824 - 8,243)
OR	5-9	222	8.7	2.24	(5.2 - 14.2)		20,225	(9,754 - 30,696)
OR	10-14	252	23.6	3.71	(17.1 - 31.6)		44,935	(28,798 - 61,072)
OR	15-17	185	20.8	4.03	(14.0 - 29.8)		29,281	(16,545 - 42,016)
PA	0-4	514	6.8	1.18	(4.8 - 9.5)		43,720	(28,527 - 58,913)
PA	5-9	549	16.7	2.06	(13.0 - 21.2)		111,123	(81,922 - 140,324)
PA	10-14	588	18.8	2.03	(15.1 - 23.1)		118,252	(91,100 - 145,405)
PA	15-17	459	18.1	2.34	(14.0 - 23.2)		83,427	(60,094 - 106,760)
RI	0-4	278	9.8	2.84	(5.5 - 17.0)		4,690	(1,838 - 7,542)
RI	5-9	285	22.9	2.99	(17.6 - 29.3)		13,118	(9,322 - 16,913)
RI	10-14	392	22.8	2.52	(18.3 - 28.1)		11,710	(8,897 - 14,522)
RI	15-17	252	18.2	3.15	(12.8 - 25.2)		7,042	(4,396 - 9,688)
TN	0-4	191	8.6	2.80	(4.5 - 15.9)		22,118	(7,457 - 36,780)
TN	5-9	213	10.8	2.67	(6.6 - 17.3)		45,549	(22,558 - 68,541)
TN	10-14	280	19.0	3.49	(13.0 - 26.8)		55,078	(32,990 - 77,166)
TN	15-17	174	14.8	3.44	(9.3 - 22.9)		37,154	(19,471 - 54,838)
TX	0-4	536	5.9	1.19	(4.0 - 8.7)		87,263	(52,328 - 122,199)
TX	5-9	593	14.7	2.23	(10.8 - 19.6)		253,552	(171,741 - 335,363)
TX	10-14	716	15.3	1.79	(12.1 - 19.2)		251,790	(191,422 - 312,157)
TX	15-17	472	18.7	2.78	(13.8 - 24.7)		200,689	(135,524 - 265,854)
UT	0-4	968	4.4	0.76	(3.1 - 6.1)		8,805	(5,739 - 11,870)
UT	5-9	970	9.5	1.08	(7.6 - 11.9)		23,695	(18,174 - 29,216)
UT	10-14	1,128	14.7	1.25	(12.4 - 17.3)		28,929	(23,793 - 34,065)
UT	15-17	811	14.6	1.51	(11.9 - 17.8)		18,768	(14,733 - 22,803)
VT	0-4	289	5.5	1.37	(3.4 - 8.9)		1,542	(787 - 2,297)
VT	5-9	272	17.6	2.83	(12.8 - 23.9)		5,341	(3,524 - 7,158)
VT	10-14	370	20.8	2.63	(16.1 - 26.5)		6,437	(4,670 - 8,205)
VT	15-17	244	19.9	3.20	(14.4 - 26.9)		4,535	(2,947 - 6,124)

Notes:

* CI denotes confidence interval.

** Total includes data from 33 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L3
Child Lifetime Asthma Prevalence Rate (Percent)
and Prevalence (Number) by Age and State or Territory: BRFSS 2013

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Prevalence (Number)	95% CI * (Number)
WA	0-4	485	2.9	0.73	(1.8 - 4.8)		11,181	(5,655 - 16,706)
WA	5-9	526	11.2	1.68	(8.3 - 15.0)		47,645	(32,993 - 62,298)
WA	10-14	666	13.2	1.61	(10.3 - 16.6)		46,668	(34,895 - 58,441)
WA	15-17	492	18.8	2.52	(14.3 - 24.2)		48,361	(34,127 - 62,596)
WV	0-4	322	5.5	1.41	(3.3 - 9.0)		5,100	(2,466 - 7,735)
WV	5-9	342	16.8	2.85	(11.9 - 23.2)		17,349	(10,836 - 23,861)
WV	10-14	399	16.3	2.04	(12.7 - 20.7)		14,959	(11,075 - 18,843)
WV	15-17	259	13.3	2.28	(9.4 - 18.5)		8,659	(5,603 - 11,715)
WI	0-4	284	4.9	2.24	(2.0 - 11.7)		14,861	(1,139 - 28,583)
WI	5-9	288	10.2	2.35	(6.4 - 15.8)		34,441	(18,591 - 50,290)
WI	10-14	314	12.0	2.36	(8.1 - 17.5)		40,398	(24,535 - 56,262)
WI	15-17	282	16.9	3.37	(11.2 - 24.5)		34,926	(19,888 - 49,965)
Territory								
PR	0-4	344	17.0	2.34	(12.9 - 22.1)		30,030	(21,348 - 38,713)
PR	5-9	313	30.4	3.00	(24.8 - 36.6)		70,383	(54,381 - 86,386)
PR	10-14	409	22.5	2.43	(18.1 - 27.7)		55,200	(42,365 - 68,034)
PR	15-17	304	25.9	2.78	(20.8 - 31.7)		38,412	(29,531 - 47,293)

Notes:

* CI denotes confidence interval.

** Total includes data from 33 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.