

**Table L4**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race and State or Territory: BRFSS 2014**

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	    	Prevalence (Number)	95% CI* (Number)
Total **	White	50,067	11.8	0.31	(11.2 - 12.4)		4,392,605	(4,162,581 - 4,622,629)
Total **	Black	6,677	19.0	0.85	(17.4 - 20.7)		1,654,141	(1,499,881 - 1,808,401)
Total **	Other	8,342	15.6	1.01	(13.7 - 17.7)		1,381,133	(1,190,823 - 1,571,442)
AL	White	1,108	16.6	1.54	(13.8 - 19.8)		99,219	(80,423 - 118,015)
AL	Black	521	23.8	2.52	(19.2 - 29.1)		81,349	(63,083 - 99,614)
AL	Other	112	14.6	4.43	(7.8 - 25.5)		18,541	(7,058 - 30,024)
CA	White	1,264	13.1	1.36	(10.7 - 16.1)		758,602	(601,138 - 916,067)
CA	Black	109	15.6	4.86	(8.2 - 27.6)		107,141	(38,676 - 175,607)
CA	Other	416	17.6	3.09	(12.3 - 24.5)		402,775	(250,636 - 554,914)
CT	White	1,207	13.8	1.37	(11.3 - 16.7)		69,516	(55,722 - 83,309)
CT	Black	174	18.3	3.67	(12.2 - 26.6)		16,999	(10,069 - 23,928)
CT	Other	208	15.8	3.45	(10.2 - 23.8)		19,583	(10,880 - 28,287)
DC	White	219	9.1	2.25	(5.6 - 14.6)		2,536	(1,283 - 3,788)
DC	Black	278	28.0	3.41	(21.8 - 35.1)		18,085	(13,121 - 23,049)
DC	Other	80	14.6	4.16	(8.2 - 24.7)		2,728	(1,154 - 4,303)
GA	White	760	12.4	1.40	(9.9 - 15.5)		153,830	(119,016 - 188,644)
GA	Black	388	16.5	2.12	(12.8 - 21.1)		143,097	(104,888 - 181,306)
GA	Other	91	13.9	4.17	(7.6 - 24.3)		36,858	(14,164 - 59,551)
HI	White	224	14.0	4.86	(6.9 - 26.4)		3,276	(884 - 5,669)
HI	Black	8	40.9				905	
HI	Other	1,408	26.0	2.39	(21.6 - 31.0)		69,069	(54,945 - 83,193)
IL	White	898	10.1	1.14	(8.1 - 12.6)		210,283	(163,986 - 256,580)
IL	Black	120	18.8	4.36	(11.7 - 28.8)		95,483	(48,208 - 142,758)
IL	Other	109	9.5	2.91	(5.1 - 16.9)		32,520	(12,571 - 52,469)
IN	White	2,063	11.9	0.92	(10.2 - 13.8)		141,469	(119,539 - 163,399)
IN	Black	176	21.2	4.54	(13.6 - 31.4)		36,919	(19,092 - 54,745)
IN	Other	149	13.9	2.87	(9.1 - 20.5)		17,801	(10,594 - 25,007)
KS	White	2,654	10.8	0.73	(9.4 - 12.3)		56,741	(49,081 - 64,401)
KS	Black	175	25.1	3.93	(18.2 - 33.6)		10,292	(6,646 - 13,939)
KS	Other	295	13.7	2.61	(9.3 - 19.6)		13,145	(7,918 - 18,372)
KY	White	1,927	15.2	1.13	(13.1 - 17.5)		117,048	(99,290 - 134,807)

**Notes:**

\* CI denotes confidence interval.

\*\* Total includes data from 36 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L4**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race and State or Territory: BRFSS 2014**

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)		Prevalence (Number)	95% CI* (Number)
KY	Black	180	20.0	4.75	(12.3 - 30.9)		15,987	(7,696 - 24,278)
KY	Other	124	15.8	3.79	(9.7 - 24.7)		15,607	(7,927 - 23,288)
LA	White	993	9.2	1.13	(7.2 - 11.7)		51,860	(39,036 - 64,684)
LA	Black	601	17.0	1.88	(13.6 - 21.0)		70,970	(54,585 - 87,354)
LA	Other	119	11.4	3.35	(6.3 - 19.8)		10,889	(4,340 - 17,437)
ME	White	941	12.4	1.26	(10.1 - 15.1)		29,089	(23,224 - 34,954)
ME	Black	16	42.1	14.60	(18.4 - 70.2)		1,396	(237 - 2,556)
ME	Other	48	20.3	6.22	(10.7 - 35.1)		2,748	(1,015 - 4,480)
MD	White	1,697	10.2	1.08	(8.3 - 12.5)		63,420	(49,634 - 77,206)
MD	Black	666	22.5	2.02	(18.8 - 26.7)		93,845	(75,733 - 111,956)
MD	Other	324	13.0	2.31	(9.1 - 18.2)		30,015	(19,078 - 40,953)
MI	White	1,424	12.5	1.08	(10.5 - 14.7)		187,112	(154,526 - 219,698)
MI	Black	233	22.7	3.46	(16.6 - 30.1)		79,427	(52,076 - 106,778)
MI	Other	175	13.2	3.03	(8.3 - 20.3)		35,995	(18,738 - 53,253)
MS	White	462	11.6	1.79	(8.5 - 15.6)		41,607	(28,525 - 54,689)
MS	Black	412	22.5	2.64	(17.8 - 28.1)		70,127	(52,145 - 88,109)
MS	Other	34	9.3				3,803	
MO	White	1,068	14.4	1.42	(11.9 - 17.5)		144,877	(116,378 - 173,376)
MO	Black	204	18.5	3.68	(12.4 - 26.8)		42,795	(26,187 - 59,403)
MO	Other	84	12.5	4.02	(6.5 - 22.7)		13,978	(4,969 - 22,987)
MT	White	1,174	9.7	1.07	(7.9 - 12.0)		17,169	(13,474 - 20,864)
MT	Black	4	0.0				0	
MT	Other	374	12.1	2.43	(8.1 - 17.8)		4,431	(2,643 - 6,219)
NE	White	3,761	7.9	0.66	(6.7 - 9.3)		28,087	(23,499 - 32,675)
NE	Black	118	16.5	5.26	(8.6 - 29.5)		3,925	(1,181 - 6,668)
NE	Other	376	11.3	2.32	(7.5 - 16.7)		7,913	(4,582 - 11,244)
NV	White	640	12.8	2.12	(9.1 - 17.5)		48,129	(31,490 - 64,769)
NV	Black	55	24.0	7.91	(11.9 - 42.5)		20,225	(4,942 - 35,508)
NV	Other	146	10.7	3.75	(5.2 - 20.5)		14,702	(3,917 - 25,487)
NH	White	1,167	13.4	1.33	(11.0 - 16.2)		31,893	(25,477 - 38,309)
NH	Black	12	12.7				456	

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 36 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L4  
Child Lifetime Asthma Prevalence Rate (Percent)  
and Prevalence (Number) by Race and State or Territory: BRFSS 2014**

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	    	Prevalence (Number)	95% CI* (Number)
NH	Other	71	10.3	4.18	(4.5 - 21.8)		1,397	(257 - 2,538)
NJ	White	2,053	12.1	1.07	(10.1 - 14.3)		133,075	(109,123 - 157,027)
NJ	Black	479	20.3	2.41	(16.0 - 25.5)		63,232	(47,679 - 78,784)
NJ	Other	503	13.9	2.14	(10.2 - 18.7)		59,348	(40,301 - 78,395)
NM	White	1,459	10.5	1.07	(8.6 - 12.8)		37,274	(29,833 - 44,714)
NM	Black	45	15.7	5.67	(7.4 - 30.1)		1,895	(547 - 3,242)
NM	Other	525	10.4	1.71	(7.5 - 14.3)		11,749	(7,929 - 15,569)
NY	White	472	10.2	1.57	(7.5 - 13.7)		252,335	(176,240 - 328,430)
NY	Black	135	18.2	4.05	(11.5 - 27.5)		140,437	(72,987 - 207,887)
NY	Other	111	16.3	4.75	(9.0 - 27.8)		107,032	(39,743 - 174,320)
NC	White	805	14.0	1.78	(10.9 - 17.9)		168,530	(124,023 - 213,038)
NC	Black	318	20.4	2.94	(15.2 - 26.8)		113,688	(78,099 - 149,277)
NC	Other	230	11.1	2.40	(7.2 - 16.7)		44,380	(25,035 - 63,726)
OH	White	1,285	13.2	1.27	(11.0 - 15.9)		238,838	(192,650 - 285,025)
OH	Black	97	13.5	3.80	(7.6 - 22.8)		46,504	(19,626 - 73,382)
OH	Other	136	15.6	4.38	(8.7 - 26.1)		56,764	(22,585 - 90,944)
OK	White	1,292	12.9	1.19	(10.8 - 15.4)		69,656	(56,725 - 82,587)
OK	Black	122	29.5	5.19	(20.4 - 40.6)		35,203	(21,250 - 49,157)
OK	Other	482	18.5	2.35	(14.4 - 23.6)		49,645	(36,295 - 62,995)
OR	White	734	11.3	1.47	(8.7 - 14.5)		69,828	(51,591 - 88,064)
OR	Black	21	23.5				7,194	
OR	Other	124	16.0	4.05	(9.5 - 25.6)		25,477	(12,008 - 38,946)
PA	White	1,762	10.7	0.89	(9.1 - 12.6)		208,226	(174,318 - 242,134)
PA	Black	242	29.5	4.42	(21.6 - 38.8)		109,426	(70,109 - 148,743)
PA	Other	121	22.9	5.05	(14.5 - 34.2)		58,347	(29,405 - 87,289)
RI	White	955	16.8	1.53	(14.0 - 20.0)		23,844	(19,443 - 28,245)
RI	Black	103	19.6	4.87	(11.7 - 30.8)		3,926	(1,778 - 6,074)
RI	Other	151	21.4	4.60	(13.7 - 31.7)		7,359	(3,761 - 10,957)
TN	White	603	12.9	1.57	(10.1 - 16.3)		124,195	(94,452 - 153,939)
TN	Black	117	9.4	3.46	(4.5 - 18.7)		29,097	(7,087 - 51,106)
TN	Other	51	25.8	10.26	(10.8 - 49.9)		36,075	(542 - 71,607)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 36 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L4**  
**Child Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Race and State or Territory: BRFSS 2014**

State	Race	Sample Size	Prevalence (Percent)	Standard Error	95% CI* (Percent)	    	Prevalence (Number)	95% CI* (Number)
TX	White	2,701	10.0	0.84	(8.5 - 11.8)		478,820	(399,793 - 557,847)
TX	Black	303	14.3	2.74	(9.7 - 20.5)		124,853	(76,696 - 173,010)
TX	Other	228	12.6	3.08	(7.7 - 20.0)		68,703	(34,490 - 102,917)
UT	White	4,833	9.2	0.56	(8.2 - 10.4)		68,294	(60,116 - 76,472)
UT	Black	50	13.0	5.49	(5.5 - 27.9)		2,253	(317 - 4,189)
UT	Other	327	12.0	2.44	(8.0 - 17.7)		10,618	(6,142 - 15,093)
VT	White	1,325	12.8	1.26	(10.5 - 15.5)		14,037	(11,291 - 16,783)
VT	Black	20	37.0	19.70	(10.1 - 75.5)		549	(0 - 1,407)
VT	Other	72	14.8	6.04	(6.3 - 30.7)		885	(134 - 1,637)
WA	White	1,626	10.8	0.94	(9.1 - 12.8)		110,917	(91,376 - 130,459)
WA	Black	60	26.0	6.45	(15.4 - 40.3)		21,430	(9,323 - 33,537)
WA	Other	358	12.0	2.07	(8.5 - 16.7)		48,561	(31,235 - 65,887)
WV	White	1,295	12.9	1.10	(10.9 - 15.2)		42,976	(35,669 - 50,282)
WV	Black	39	10.4				1,526	
WV	Other	57	12.4	4.29	(6.1 - 23.5)		2,276	(690 - 3,862)
WI	White	1,216	10.9	1.53	(8.3 - 14.3)		95,996	(69,059 - 122,933)
WI	Black	76	28.1	8.03	(15.2 - 46.0)		43,506	(13,768 - 73,244)
WI	Other	123	19.5	5.19	(11.3 - 31.7)		39,414	(16,978 - 61,849)
Territory								
PR	White	945	22.7	1.68	(19.6 - 26.1)		123,688	(104,263 - 143,112)
PR	Black	40	20.2	7.89	(8.9 - 39.8)		4,416	(581 - 8,250)
PR	Other	494	25.4	2.27	(21.2 - 30.1)		72,102	(58,288 - 85,916)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 36 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.