Table L5
Child Lifetime Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2015

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Weighted Number	95% CI* Weighted Number
Total **	White NH ***	34,732	11.0	0.31	(10.5–11.7)	П	2,612,651	(2,464,936–2,760,366)
Total **	Black NH	4,031	19.7	1.15	(17.5–22.0)	П	1,258,336	(1,099,062–1,417,610)
Total **	Other NH	5,366	12.7	0.84	(11.1–14.4)	П	697,858	(602,371–793,344)
Total **	Hispanic	8,480	13.8	0.65	(12.6–15.1)	П	1,687,060	(1,523,172–1,850,948)
CA	White NH	888	10.9	1.12	(8.8–13.3)	П	227,853	(179,923–275,783)
CA	Black NH	102	17.4	4.09	(10.8–26.9)	П	74,121	(37,264–110,978)
CA	Other NH	411	9.2	1.72	(6.3–13.2)		140,645	(86,557–194,734)
CA	Hispanic	1,525	14.7	1.07	(12.8–17.0)		483,870	(410,976–556,764)
CT	White NH	1,407	12.3	1.06	(10.4–14.6)	П	49,273	(40,766–57,781)
CT	Black NH	209	22.7	4.79	(14.7–33.4)	П	19,400	(9,837–28,963)
CT	Other NH	209	13.7	2.73	(9.2–20.0)	П	9,697	(5,785–13,609)
СТ	Hispanic	434	23.6	2.72	(18.7–29.4)	П	40,433	(30,401–50,464)
DC	White NH	213	6.5	3.07	(2.5–15.8)	П	1,613	(78–3,148)
DC	Black NH	261	18.2	3.42	(12.4–25.9)		12,317	(7,817–16,817)
DC	Other NH	49	10.0				1,599	
DC	Hispanic	35	11.0			П	1,175	
GA	White NH	426	13.9	2.13	(10.2–18.6)	П	139,563	(95,670–183,457)
GA	Black NH	225	20.3	3.82	(13.8–28.8)		173,604	(102,623–244,585)
GA	Other NH	69	9.2	4.69	(3.3–23.4)	П	19,185	(0-39,283)
GA	Hispanic	78	11.2	4.82	(4.7–24.6)	П	38,529	(3,858–73,200)
HI	White NH	173	8.0	2.65	(4.1–14.9)	П	3,722	(1,205–6,238)
HI	Black NH	5	14.3			П	321	
HI	Other NH	1,070	16.9	1.36	(14.4–19.7)	П	33,347	(27,964–38,730)
HI	Hispanic	200	25.1	4.61	(17.2–35.2)	П	13,561	(7,634–19,488)
IL	White NH	696	9.7	1.31	(7.4–12.6)		138,898	(101,290–176,505)
IL	Black NH	126	14.7	3.31	(9.3–22.5)		69,454	(37,590–101,317)
IL	Other NH	85	12.1	4.01	(6.1–22.4)		28,813	(9,134–48,491)
IL	Hispanic	210	13.2	2.81	(8.6–19.8)		98,185	(54,781–141,588)
IN	White NH	907	10.0	1.23	(7.9–12.7)		107,092	(81,248–132,937)
IN	Black NH	85	18.5	5.60	(9.9–32.0)		29,040	(10,104–47,976)
IN	Other NH	63	27.3	8.89	(13.5–47.4)		23,693	(4,524–42,862)

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

^{*} CI denotes confidence interval.

^{**} Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

Table L5
Child Lifetime Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2015

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	===	Weighted Number	95% CI* Weighted Number
IN	Hispanic	97	19.6	6.77	(9.5–36.2)		41,478	(9,839–73,117)
KS	White NH	3,722	11.4	0.59	(10.3–12.6)		51,676	(46,317–57,034)
KS	Black NH	218	23.7	3.31	(17.8–30.7)		10,644	(7,363–13,925)
KS	Other NH	346	12.9	1.94	(9.5–17.2)		8,106	(5,600–10,613)
KS	Hispanic	712	10.7	1.23	(8.5–13.3)		14,001	(10,722–17,280)
LA	White NH	548	11.6	1.72	(8.6–15.4)		62,158	(43,275–81,041)
LA	Black NH	309	18.1	2.48	(13.8–23.5)		73,390	(52,671–94,109)
LA	Other NH	63	11.9	4.33	(5.6–23.3)		9,211	(2,278–16,143)
LA	Hispanic	39	8.4				4,258	
ME	White NH	892	15.3	1.61	(12.4–18.7)		33,109	(25,975–40,242)
ME	Black NH	8	13.6				415	
ME	Other NH	67	12.9	5.36	(5.5–27.4)		2,534	(305–4,764)
ME	Hispanic	25	13.0				1,067	
MA	White NH	373	14.0	2.28	(10.1–19.1)		110,903	(75,154–146,653)
MA	Black NH	37	27.5	10.14	(12.3–50.7)		23,249	(3,709–42,789)
MA	Other NH	51	11.5	5.21	(4.6–26.2)		18,981	(1,585–36,377)
MA	Hispanic	75	22.2	5.93	(12.7–35.9)		51,512	(23,166–79,858)
MI	White NH	1,419	11.1	0.95	(9.4–13.1)		152,199	(126,029–178,368)
MI	Black NH	253	16.9	2.64	(12.3–22.7)		60,045	(40,698–79,393)
MI	Other NH	160	12.6	2.77	(8.1–19.1)		24,308	(13,415–35,202)
MI	Hispanic	134	5.3	1.73	(2.7–9.9)		9,907	(3,520–16,295)
MN	White NH	3,088	8.2	0.55	(7.2–9.3)		68,931	(59,792–78,070)
MN	Black NH	183	15.0	3.07	(9.9–22.0)		16,226	(9,226–23,225)
MN	Other NH	342	10.4	1.93	(7.2–14.9)		17,612	(10,934–24,291)
MN	Hispanic	188	11.2	2.71	(6.9–17.8)		12,299	(6,144–18,453)
MS	White NH	638	10.4	1.51	(7.7–13.7)		34,365	(24,086–44,644)
MS	Black NH	524	14.6	1.94	(11.2–18.8)		47,532	(34,444–60,620)
MS	Other NH	27	25.8	11.45	(9.7–52.9)		3,912	(0-8,065)
MS	Hispanic	26	12.2			Ш	2,396	
МО	White NH	1,045	9.8	1.16	(7.7–12.3)	Ш	92,640	(70,714–114,565)
МО	Black NH	138	18.6	4.18	(11.7–28.2)		34,172	(18,174–50,170)

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

^{*} CI denotes confidence interval.

^{**} Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

Table L5
Child Lifetime Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2015

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Weighted Number	95% CI* Weighted Number
MO	Other NH	82	11.5	3.59	(6.1–20.6)	=	11,937	(4,555–19,319)
MO	Hispanic	48	3.8				3,221	
MT	White NH	849	8.8	1.23	(6.7–11.5)		14,642	(10,573–18,711)
MT	Black NH	4	19.7				249	
MT	Other NH	263	11.7	2.97	(7.0–18.9)		4,010	(1,904–6,116)
MT	Hispanic	63	13.9	5.74	(6.0–29.3)		1,900	(256–3,543)
NE	White NH	3,247	7.6	0.63	(6.5–9.0)		24,298	(20,339–28,257)
NE	Black NH	91	18.9	5.46	(10.4–31.9)		5,367	(1,989–8,744)
NE	Other NH	223	13.3	3.33	(8.1–21.3)		4,435	(2,121–6,749)
NE	Hispanic	433	12.4	2.25	(8.6–17.5)		9,700	(6,044–13,357)
NV	White NH	335	7.8	1.91	(4.8–12.5)		17,599	(9,038–26,160)
NV	Black NH	24	19.4				11,904	
NV	Other NH	68	11.6	5.20	(4.6–26.2)		9,860	(613–19,107)
NV	Hispanic	181	9.2	2.45	(5.4–15.2)		24,683	(11,913–37,454)
NH	White NH	1,055	10.9	1.17	(8.8–13.4)		23,329	(18,337–28,322)
NH	Black NH	18	13.8				603	
NH	Other NH	83	8.6	2.84	(4.4–16.0)		2,116	(736–3,497)
NH	Hispanic	42	19.9	7.34	(9.1–38.0)		2,398	(531–4,266)
NJ	White NH	1,459	10.6	1.17	(8.5–13.2)		91,074	(70,680–111,468)
NJ	Black NH	403	21.2	2.79	(16.3–27.2)	=	56,712	(40,515–72,909)
NJ	Other NH	247	10.2	2.42	(6.3–16.0)		26,203	(13,552–38,853)
NJ	Hispanic	501	10.9	1.67	(8.1–14.6)		51,969	(35,981–67,957)
NM	White NH	439	10.0	1.67	(7.1–13.7)		11,623	(7,762–15,483)
NM	Black NH	22	28.6	13.21	(10.1–58.7)		2,844	(0-5,932)
NM	Other NH	253	12.8	2.85	(8.1–19.5)		8,531	(4,689–12,373)
NM	Hispanic	716	12.0	1.52	(9.3–15.3)		35,413	(26,416–44,410)
NY	White NH	657	10.4	1.29	(8.2–13.3)		195,771	(148,012–243,529)
NY	Black NH	146	25.5	4.56	(17.6–35.4)		170,743	(101,812–239,673)
NY	Other NH	123	12.3	2.94	(7.6–19.3)		51,260	(26,568–75,952)
NY	Hispanic	261	14.5	2.64	(10.1–20.5)	=	141,971	(88,330–195,613)
ОН	White NH	1,167	10.1	1.21	(8.0–12.7)		173,324	(131,758–214,891)

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

^{*} CI denotes confidence interval.

^{**} Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

Table L5
Child Lifetime Asthma Prevalence
and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2015

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Weighted Number	95% CI* Weighted Number
ОН	Black NH	98	24.6	6.15	(14.6–38.5)		91,344	(39,135–143,553)
ОН	Other NH	76	22.0	6.55	(11.8–37.3)		45,934	(15,137–76,731)
ОН	Hispanic	57	14.7	5.14	(7.1–27.8)		19,561	(6,183–32,939)
OK	White NH	397	11.1	2.21	(7.5–16.3)		52,766	(30,967–74,565)
OK	Black NH	40	27.8	8.73	(14.1–47.4)		22,620	(6,032–39,209)
OK	Other NH	147	20.7	4.24	(13.6–30.2)		43,628	(24,184–63,073)
OK	Hispanic	71	19.8	5.41	(11.2–32.5)		31,774	(13,916–49,632)
OR	White NH	699	14.5	1.63	(11.5–18.0)		72,327	(55,619–89,035)
OR	Black NH	16	8.4				1,542	
OR	Other NH	109	20.9	4.99	(12.8–32.3)		28,681	(13,561–43,802)
OR	Hispanic	85	15.8	6.39	(6.8–32.5)		24,588	(2,554–46,621)
PA	White NH	879	12.9	1.43	(10.3–15.9)		224,396	(174,500–274,292)
PA	Black NH	111	21.7	4.36	(14.3–31.4)		75,431	(43,285–107,577)
PA	Other NH	75	17.6	5.27	(9.5–30.3)		47,136	(17,254–77,019)
PA	Hispanic	61	23.4	6.54	(13.0–38.4)		54,480	(19,737–89,223)
RI	White NH	773	14.0	1.57	(11.2–17.4)		16,372	(12,662–20,082)
RI	Black NH	57	15.7	6.98	(6.2–34.4)		2,170	(111–4,229)
RI	Other NH	97	18.2	4.87	(10.5–29.7)		3,806	(1,747–5,866)
RI	Hispanic	167	16.4	3.34	(10.8–24.0)		7,954	(4,626–11,283)
TX	White NH	1,143	11.7	1.44	(9.1–14.8)		251,200	(188,417–313,983)
TX	Black NH	204	18.2	4.37	(11.1–28.3)		153,724	(74,339–233,109)
TX	Other NH	160	12.6	3.92	(6.7–22.4)		48,217	(16,958–79,475)
TX	Hispanic	1,404	12.7	1.47	(10.1–15.8)		431,360	(328,283–534,436)
UT	White NH	3,099	10.1	0.61	(9.0–11.3)		66,354	(58,466–74,243)
UT	Black NH	29	25.5	9.19	(11.7–46.9)		2,774	(519–5,028)
UT	Other NH	186	10.5	2.95	(5.9–17.8)		6,470	(2,660–10,281)
UT	Hispanic	475	11.0	2.24	(7.3–16.2)		16,844	(9,537–24,152)
VT	White NH	1,205	14.8	1.33	(12.4–17.6)	=	14,999	(12,293–17,705)
VT	Black NH	15	24.4				309	
VT	Other NH	75	10.7	5.11	(4.0–25.5)		929	(6–1,853)
VT	Hispanic	38	22.2	8.71	(9.6–43.4)		750	(91–1,410)

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

^{*} CI denotes confidence interval.

^{**} Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

Table L5 Child Lifetime Asthma Prevalence and Weighted Number by Race/Ethnicity and State or Territory: BRFSS 2015

State	Race/Ethnicity	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	===	Weighted Number	95% CI* Weighted Number
WI	White NH	894	10.5	1.36	(8.1–13.4)		88,582	(65,673–111,492)
WI	Black NH	70	18.6	7.12	(8.4–36.5)		16,069	(2,869–29,269)
WI	Other NH	87	9.3	2.96	(4.9–17.0)		13,057	(5,124–20,989)
WI	Hispanic	99	10.9	3.48	(5.7–19.8)		15,821	(5,637–26,005)
Territory								
PR	White NH	7	7.4				321	
PR	Black NH	1	0.0				0	
PR	Other NH	1	0.0				0	
PR	Hispanic	1,285	26.6	1.58	(23.6–29.8)		213,948	(187,247–240,649)

Notes:

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

^{*} CI denotes confidence interval.

^{**} Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.