

**Table L4
Child Lifetime Asthma Prevalence
and Weighted Number by Race and State or Territory: BRFSS 2016**

State	Race	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
Total **	White	47,097	11.2	0.26	(10.7–11.7)		3,485,649	(3,322,802–3,648,496)
Total **	Black	5,049	18.8	0.88	(17.1–20.6)		1,234,794	(1,111,083–1,358,505)
Total **	Other	8,828	12.8	0.62	(11.6–14.1)		1,086,172	(978,390–1,193,953)
AZ	White	1,254	12.1	1.30	(9.8–14.9)		126,352	(98,729–153,975)
AZ	Black	68	18.0	5.24	(9.9–30.5)		14,745	(5,807–23,682)
AZ	Other	456	12.6	2.19	(8.9–17.5)		52,539	(33,570–71,508)
CA	White	1,745	11.6	0.90	(10.0–13.5)		542,979	(457,422–628,536)
CA	Black	153	21.7	4.15	(14.6–30.9)		125,770	(72,104–179,435)
CA	Other	601	13.6	1.61	(10.7–17.1)		293,454	(221,553–365,355)
CT	White	1,578	14.0	1.07	(12.1–16.3)		65,820	(55,564–76,076)
CT	Black	198	27.5	3.77	(20.7–35.5)		26,110	(18,093–34,126)
CT	Other	308	15.8	2.55	(11.4–21.5)		19,588	(12,962–26,214)
FL	White	4,703	11.8	0.83	(10.3–13.5)		268,954	(231,062–306,846)
FL	Black	989	16.7	2.01	(13.2–21.1)		149,604	(111,712–187,495)
FL	Other	735	11.0	1.89	(7.8–15.2)		57,491	(37,002–77,980)
GA	White	502	12.0	1.71	(9.0–15.8)		140,949	(100,490–181,408)
GA	Black	297	17.8	2.63	(13.3–23.6)		144,249	(100,324–188,175)
GA	Other	99	12.1	3.92	(6.3–22.1)		32,678	(10,581–54,776)
HI	White	257	13.8	2.83	(9.1–20.3)		7,501	(4,267–10,734)
HI	Black	10	16.1				502	
HI	Other	1,356	17.8	1.32	(15.3–20.5)		42,200	(35,722–48,679)
IL	White	699	10.0	1.27	(7.7–12.8)		186,659	(139,808–233,511)
IL	Black	139	21.7	4.05	(14.8–30.6)		99,729	(60,358–139,101)
IL	Other	122	7.1	2.47	(3.6–13.8)		30,404	(9,192–51,617)
IN	White	1,729	12.7	0.99	(10.9–14.8)		149,139	(125,707–172,570)
IN	Black	199	17.0	3.22	(11.5–24.2)		32,552	(19,568–45,536)
IN	Other	136	11.6	3.10	(6.8–19.2)		13,290	(6,115–20,465)
KS	White	2,322	11.4	0.76	(10.0–13.0)		62,530	(54,246–70,813)
KS	Black	120	17.0	3.77	(10.8–25.7)		9,570	(5,092–14,048)
KS	Other	195	18.6	3.16	(13.2–25.6)		12,743	(8,201–17,285)
KY	White	1,829	11.2	0.95	(9.5–13.2)		84,844	(70,610–99,079)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Child Lifetime Asthma Prevalence
and Weighted Number by Race and State or Territory: BRFSS 2016

State	Race	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Weighted Number	95% CI* Weighted Number
KY	Black	174	23.5	4.80	(15.4–34.1)		23,159	(13,124–33,195)
KY	Other	145	8.3	3.00	(4.0–16.4)		7,378	(2,030–12,726)
ME	White	1,785	13.7	1.15	(11.6–16.1)		30,061	(24,982–35,141)
ME	Black	25	16.0				1,115	
ME	Other	91	5.7	2.85	(2.1–14.6)		864	(0–1,732)
MA	White	533	14.5	1.92	(11.1–18.7)		133,102	(97,381–168,823)
MA	Black	61	16.7	6.83	(7.1–34.4)		17,336	(1,892–32,780)
MA	Other	88	8.8	3.20	(4.3–17.5)		20,172	(5,548–34,796)
MI	White	2,048	10.5	0.80	(9.0–12.2)		152,049	(128,926–175,171)
MI	Black	343	20.2	2.50	(15.7–25.6)		72,166	(53,172–91,160)
MI	Other	261	13.4	2.38	(9.3–18.8)		33,241	(20,847–45,635)
MN	White	3,048	9.7	0.63	(8.5–11.0)		85,424	(74,278–96,570)
MN	Black	187	18.7	3.41	(12.9–26.3)		21,280	(12,851–29,710)
MN	Other	452	9.9	1.53	(7.2–13.3)		20,225	(13,889–26,561)
MS	White	565	9.3	1.39	(6.9–12.4)		30,926	(21,710–40,143)
MS	Black	534	14.0	1.96	(10.5–18.3)		42,772	(30,536–55,008)
MS	Other	36	2.4				789	
MO	White	1,042	11.1	1.30	(8.7–13.9)		108,701	(82,920–134,482)
MO	Black	146	19.5	4.63	(12.0–30.2)		39,055	(19,267–58,843)
MO	Other	111	12.9	3.50	(7.5–21.5)		17,221	(7,950–26,493)
MT	White	904	7.0	1.17	(5.1–9.7)		12,313	(8,248–16,378)
MT	Black	14	7.1				145	
MT	Other	372	14.2	3.26	(8.9–21.9)		5,687	(2,949–8,426)
NE	White	3,168	7.7	0.66	(6.5–9.1)		27,877	(23,127–32,627)
NE	Black	87	19.4	5.49	(10.8–32.4)		6,040	(2,363–9,716)
NE	Other	345	11.6	2.43	(7.6–17.2)		7,166	(4,065–10,267)
NV	White	577	9.4	1.81	(6.4–13.6)		27,746	(16,889–38,603)
NV	Black	43	11.6				6,224	
NV	Other	281	13.4	2.78	(8.8–19.9)		35,325	(20,202–50,448)
NJ	White	990	9.8	1.25	(7.6–12.6)		105,292	(78,710–131,874)
NJ	Black	258	23.6	3.79	(17.0–31.8)		72,657	(46,333–98,980)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L4
Child Lifetime Asthma Prevalence
and Weighted Number by Race and State or Territory: BRFSS 2016**

State	Race	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
NJ	Other	251	9.2	2.21	(5.7–14.5)		37,543	(19,731–55,354)
NM	White	971	14.0	1.53	(11.3–17.3)		50,146	(39,049–61,243)
NM	Black	30	23.7	10.75	(8.9–49.9)		4,005	(0–8,246)
NM	Other	299	10.5	2.10	(7.1–15.4)		9,162	(5,576–12,748)
NY	White	1,776	12.5	1.41	(10.0–15.5)		301,126	(232,747–369,506)
NY	Black	188	19.9	3.73	(13.6–28.2)		146,917	(89,081–204,752)
NY	Other	230	13.5	3.06	(8.5–20.7)		81,859	(43,650–120,069)
OH	White	1,982	9.2	0.83	(7.7–11.0)		165,909	(136,245–195,572)
OH	Black	233	13.7	2.68	(9.2–19.8)		54,181	(32,250–76,111)
OH	Other	172	17.3	4.05	(10.7–26.7)		46,181	(22,609–69,754)
OK	White	816	11.2	1.28	(8.9–13.9)		60,913	(46,853–74,973)
OK	Black	81	23.8	5.45	(14.8–36.1)		19,782	(9,930–29,634)
OK	Other	282	16.2	2.62	(11.7–22.0)		41,684	(27,512–55,857)
OR	White	885	10.5	1.11	(8.5–12.8)		65,933	(52,201–79,665)
OR	Black	14	11.8				1,238	
OR	Other	137	12.7	3.25	(7.6–20.5)		18,013	(8,580–27,446)
PA	White	1,135	11.9	1.14	(9.8–14.3)		213,862	(173,288–254,436)
PA	Black	166	16.8	3.65	(10.8–25.2)		62,059	(33,176–90,942)
PA	Other	141	10.9	2.82	(6.5–17.8)		35,639	(17,289–53,989)
RI	White	870	12.9	1.54	(10.2–16.2)		18,029	(13,741–22,317)
RI	Black	77	13.9	4.75	(6.9–26.0)		3,029	(849–5,208)
RI	Other	142	20.7	4.64	(13.1–31.3)		6,506	(3,282–9,730)
UT	White	3,119	8.3	0.61	(7.2–9.6)		62,209	(53,139–71,280)
UT	Black	38	15.7	6.78	(6.4–33.7)		1,654	(173–3,136)
UT	Other	269	11.2	2.31	(7.4–16.5)		11,040	(6,383–15,697)
VT	White	1,161	12.3	1.43	(9.8–15.4)		12,367	(9,434–15,299)
VT	Black	19	26.0				579	
VT	Other	75	18.6	8.29	(7.3–40.1)		1,560	(0–3,166)
WA	White	2,227	10.0	0.78	(8.6–11.6)		103,134	(87,131–119,136)
WA	Black	91	22.3	5.59	(13.2–35.1)		18,785	(8,605–28,966)
WA	Other	558	12.3	1.73	(9.3–16.1)		51,894	(36,710–67,077)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

Table L4
Child Lifetime Asthma Prevalence
and Weighted Number by Race and State or Territory: BRFSS 2016

State	Race	Unweighted Number	Prevalence (Percent)	Standard Error	95% CI * (Percent)	 	Weighted Number	95% CI* Weighted Number
WI	White	877	8.7	1.26	(6.5–11.5)		82,804	(58,674–106,933)
WI	Black	67	19.7	7.45	(8.9–38.2)		17,784	(3,007–32,562)
WI	Other	82	25.0	6.21	(14.8–39.0)		42,634	(18,897–66,370)
Territory								
PR	White	772	22.2	2.21	(18.2–26.9)		121,409	(95,586–147,231)
PR	Black	79	16.7	4.69	(9.4–28.0)		6,723	(2,898–10,548)
PR	Other	310	30.1	3.44	(23.8–37.2)		59,586	(44,282–74,891)

Notes:

* CI denotes confidence interval.

** Total includes data from 32 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.