

Table C4
Adult* Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2019

State	Race	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
U.S. Total**	White	326,052	9.1	0.10	(8.9–9.3)		15,917,496	(15,567,881–16,267,112)
U.S. Total**	Black	32,622	10.8	0.28	(10.2–11.3)		3,335,364	(3,160,118–3,510,609)
U.S. Total**	Other	28,376	6.4	0.27	(5.8–6.9)		1,845,706	(1,686,299–2,005,114)
U.S. Total**	Multirace	9,078	14.1	0.74	(12.7–15.6)		593,322	(528,633–658,012)
AL	White	4,814	9.0	0.58	(7.9–10.2)		234,719	(204,102–265,337)
AL	Black	1,818	10.9	1.01	(8.9–12.9)		104,860	(84,675–125,044)
AL	Other	207	10.2	2.86	(4.5–15.8)		14,082	(5,905–22,258)
AL	Multirace	89	10.5	3.96	(2.7–18.4)		3,818	(836–6,799)
AK	White	2,213	10.4	1.02	(8.4–12.4)		37,343	(29,908–44,778)
AK	Black	58	11.5	8.16	(0.0–27.8)		3,457	(0–8,865)
AK	Other	477	8.5	1.69	(5.1–11.8)		10,815	(6,489–15,141)
AK	Multirace	138	8.8	2.84	(3.2–14.4)		2,142	(773–3,511)
AZ	White	6,904	9.8	0.59	(8.7–11.0)		393,250	(346,243–440,257)
AZ	Black	216	14.5	3.43	(7.7–21.3)		40,524	(19,898–61,149)
AZ	Other	1,326	7.3	1.16	(5.0–9.6)		74,416	(50,876–97,956)
AZ	Multirace	161	25.4	6.92	(11.7–39.0)		23,024	(7,971–38,077)
AR	White	4,108	9.2	0.62	(8.0–10.5)		162,237	(140,682–183,793)
AR	Black	757	10.6	1.84	(7.0–14.2)		35,240	(22,563–47,917)
AR	Other	223	4.9	1.64	(1.7–8.2)		6,369	(2,168–10,569)
AR	Multirace	130	9.4	3.35	(2.8–16.1)		2,891	(810–4,972)
CA	White	7,818	8.6	0.40	(7.9–9.4)		1,609,495	(1,460,507–1,758,483)
CA	Black	734	9.7	1.23	(7.3–12.1)		202,648	(150,562–254,735)
CA	Other	2,189	5.6	0.68	(4.2–6.9)		447,008	(336,608–557,409)
CA	Multirace	319	12.2	2.18	(7.9–16.5)		69,829	(43,908–95,750)
CO	White	7,684	9.8	0.43	(9.0–10.6)		350,439	(319,679–381,199)
CO	Black	270	13.2	2.20	(8.9–17.6)		25,042	(16,436–33,647)
CO	Other	709	7.8	1.16	(5.5–10.1)		34,291	(23,931–44,651)
CO	Multirace	164	11.7	2.84	(6.1–17.4)		9,188	(4,555–13,821)
CT	White	7,353	10.2	0.53	(9.2–11.3)		210,706	(188,609–232,804)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2019

State	Race	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
CT	Black	692	12.7	1.60	(9.6–15.8)		39,060	(28,741–49,379)
CT	Other	639	11.1	1.63	(7.9–14.3)		34,552	(24,050–45,053)
CT	Multirace	131	18.0	4.37	(9.3–26.6)		5,521	(2,757–8,285)
DE	White	2,776	10.0	0.86	(8.4–11.7)		51,112	(42,181–60,043)
DE	Black	522	11.5	1.84	(7.9–15.1)		18,674	(12,530–24,817)
DE	Other	302	6.2	1.95	(2.4–10.0)		3,737	(1,370–6,105)
DE	Multirace	87	7.4	3.08	(1.3–13.6)		671	(114–1,227)
DC	White	1,042	9.0	1.24	(6.6–11.5)		23,664	(17,000–30,329)
DC	Black	1,278	14.5	1.32	(11.9–17.1)		34,742	(28,133–41,352)
DC	Other	159	9.1	2.93	(3.4–14.9)		4,503	(1,520–7,486)
DC	Multirace	51	20.6	6.89	(6.7–34.4)		1,942	(540–3,344)
FL	White	13,062	7.5	0.48	(6.5–8.4)		885,885	(772,252–999,518)
FL	Black	1,742	8.0	1.10	(5.9–10.2)		211,896	(154,103–269,689)
FL	Other	1,035	4.1	0.82	(2.5–5.7)		72,070	(44,248–99,891)
FL	Multirace	531	12.8	4.23	(4.5–21.1)		45,578	(13,322–77,834)
GA	White	4,791	7.9	0.60	(6.7–9.0)		362,208	(306,681–417,735)
GA	Black	1,661	8.1	1.04	(6.1–10.1)		201,874	(149,370–254,378)
GA	Other	452	5.8	1.65	(2.6–9.0)		34,972	(15,061–54,883)
GA	Multirace	156	9.7	2.99	(3.8–15.6)		16,023	(6,446–25,599)
HI	White	2,718	8.3	0.87	(6.6–10.0)		23,599	(18,546–28,653)
HI	Black	78	10.9	5.50	(0.0–21.9)		2,744	(0–5,704)
HI	Other	3,370	8.8	0.60	(7.6–9.9)		52,094	(44,955–59,234)
HI	Multirace	1,375	14.0	1.23	(11.6–16.5)		26,494	(21,585–31,404)
ID	White	4,919	9.7	0.64	(8.5–11.0)		112,903	(98,065–127,741)
ID	Black	23	15.9		(.–)		1,570	(.–)
ID	Other	186	10.2	3.33	(3.6–16.8)		7,952	(2,544–13,360)
ID	Multirace	114	9.1	3.65	(1.9–16.3)		2,722	(578–4,866)
IL	White	4,185	7.4	0.46	(6.5–8.3)		532,796	(466,410–599,183)
IL	Black	698	14.3	1.69	(11.0–17.6)		198,512	(149,127–247,896)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

†CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

¶If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2019

State	Race	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
IL	Other	403	5.0	1.32	(2.4–7.6)		45,037	(20,987–69,087)
IL	Multirace	85	18.1	4.86	(8.5–27.8)		21,225	(8,668–33,783)
IN	White	7,517	9.7	0.44	(8.9–10.6)		411,018	(374,047–447,989)
IN	Black	615	12.4	1.64	(9.2–15.6)		57,607	(41,823–73,390)
IN	Other	333	6.3	1.82	(2.8–9.9)		15,447	(6,418–24,476)
IN	Multirace	135	14.0	3.42	(7.3–20.8)		7,679	(3,814–11,544)
IA	White	8,999	7.7	0.35	(7.1–8.4)		167,009	(152,084–181,934)
IA	Black	188	10.4	2.21	(6.0–14.7)		8,616	(4,859–12,374)
IA	Other	204	9.7	2.54	(4.7–14.7)		8,661	(3,959–13,363)
IA	Multirace	102	21.2	5.40	(10.5–31.9)		6,776	(2,814–10,738)
KS	White	10,013	9.6	0.37	(8.9–10.3)		176,347	(162,560–190,134)
KS	Black	436	11.9	1.83	(8.3–15.5)		14,713	(9,982–19,443)
KS	Other	396	8.3	1.68	(5.0–11.6)		10,639	(6,211–15,068)
KS	Multirace	198	20.3	3.49	(13.4–27.2)		10,985	(6,787–15,182)
KY	White	6,876	9.3	0.55	(8.3–10.4)		278,315	(245,576–311,053)
KY	Black	657	7.1	1.48	(4.2–10.0)		18,833	(11,088–26,579)
KY	Other	144	9.7	3.01	(3.7–15.6)		8,747	(3,320–14,175)
KY	Multirace	130	21.8	8.23	(5.6–38.1)		10,080	(987–19,172)
LA	White	3,148	7.6	0.55	(6.5–8.6)		165,970	(141,915–190,025)
LA	Black	1,179	9.3	0.98	(7.3–11.2)		100,870	(79,403–122,338)
LA	Other	185	3.6	1.17	(1.3–5.9)		5,452	(2,007–8,896)
LA	Multirace	90	13.5	5.70	(2.2–24.9)		5,092	(397–9,787)
ME	White	10,680	11.4	0.55	(10.3–12.5)		115,598	(104,245–126,950)
ME	Black	61	9.6	5.12	(0.0–19.9)		1,124	(0–2,337)
ME	Other	179	25.4	7.40	(10.8–40.0)		6,222	(1,764–10,681)
ME	Multirace	148	22.3	5.37	(11.7–32.9)		3,621	(1,797–5,444)
MD	White	12,107	8.3	0.39	(7.5–9.1)		213,659	(193,663–233,655)
MD	Black	3,489	11.6	0.77	(10.1–13.1)		160,546	(138,375–182,716)
MD	Other	937	5.3	1.00	(3.3–7.3)		28,418	(17,627–39,209)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

†CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

¶If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2019

State	Race	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
MD	Multirace	294	15.7	3.08	(9.6–21.7)		9,383	(5,367–13,399)
MA	White	6,164	10.5	0.52	(9.5–11.5)		436,696	(393,289–480,104)
MA	Black	459	12.4	2.04	(8.4–16.4)		49,483	(32,333–66,633)
MA	Other	501	6.3	1.23	(3.9–8.7)		35,924	(21,834–50,013)
MA	Multirace	154	17.9	3.75	(10.5–25.3)		19,817	(10,832–28,803)
MI	White	8,693	10.6	0.46	(9.7–11.5)		640,069	(583,632–696,506)
MI	Black	882	15.7	1.56	(12.6–18.7)		161,005	(126,781–195,230)
MI	Other	431	8.9	2.07	(4.9–13.0)		40,106	(20,792–59,420)
MI	Multirace	228	14.8	2.81	(9.2–20.3)		14,930	(8,917–20,943)
MN	White	13,541	8.3	0.29	(7.7–8.8)		296,388	(275,996–316,780)
MN	Black	526	9.0	1.43	(6.2–11.8)		22,465	(15,169–29,762)
MN	Other	822	7.2	1.05	(5.1–9.2)		25,426	(17,955–32,897)
MN	Multirace	231	17.9	3.25	(11.5–24.3)		9,164	(5,503–12,826)
MS	White	2,949	9.4	0.74	(8.0–10.9)		125,219	(105,289–145,149)
MS	Black	1,964	10.9	0.99	(9.0–12.9)		88,327	(71,852–104,801)
MS	Other	108	3.8		(–)		3,302	(–)
MS	Multirace	35	17.9	9.55	(0.0–37.3)		4,723	(0–10,395)
MO	White	6,160	10.0	0.56	(9.0–11.1)		391,287	(347,825–434,749)
MO	Black	681	10.4	1.49	(7.4–13.3)		53,347	(37,733–68,961)
MO	Other	201	8.7	2.32	(4.1–13.3)		17,019	(7,780–26,258)
MO	Multirace	104	16.4	5.15	(6.2–26.6)		11,503	(3,556–19,451)
MT	White	5,547	9.8	0.49	(8.9–10.8)		73,531	(66,235–80,827)
MT	Black	16	15.7		(–)		588	(–)
MT	Other	629	11.1	1.66	(7.8–14.3)		6,706	(4,661–8,752)
MT	Multirace	184	14.0	3.69	(6.8–21.3)		2,131	(923–3,338)
NE	White	14,252	8.0	0.34	(7.3–8.7)		99,063	(90,601–107,526)
NE	Black	334	13.2	2.39	(8.5–17.9)		8,695	(5,371–12,020)
NE	Other	756	6.1	1.23	(3.7–8.5)		6,433	(3,807–9,059)
NE	Multirace	149	7.1	2.48	(2.2–12.0)		1,276	(381–2,171)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

†CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

¶If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2019

State	Race	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
NV	White	1,973	8.8	0.84	(7.2–10.4)		123,210	(99,765–146,656)
NV	Black	167	11.9	2.60	(6.7–17.0)		26,561	(14,554–38,567)
NV	Other	422	9.8	1.89	(6.0–13.5)		60,032	(36,175–83,889)
NV	Multirace	115	11.7	4.42	(3.0–20.5)		7,041	(1,462–12,621)
NH	White	5,435	10.8	0.59	(9.7–12.0)		108,276	(96,511–120,042)
NH	Black	47	4.4		(.–.)		713	(.–.)
NH	Other	176	10.4	2.87	(4.7–16.0)		5,537	(2,392–8,682)
NH	Multirace	49	24.6	7.75	(9.0–40.2)		3,437	(1,003–5,871)
NM	White	4,559	8.9	0.58	(7.8–10.0)		104,939	(91,315–118,564)
NM	Black	99	8.6	3.32	(2.0–15.2)		3,765	(783–6,748)
NM	Other	825	7.5	1.27	(5.0–9.9)		17,771	(11,678–23,864)
NM	Multirace	103	9.4	3.51	(2.5–16.4)		3,265	(755–5,776)
NY	White	10,326	9.2	0.41	(8.4–10.0)		852,786	(776,338–929,234)
NY	Black	1,453	12.4	1.11	(10.2–14.6)		295,653	(240,752–350,554)
NY	Other	1,467	6.9	0.83	(5.3–8.5)		179,880	(136,838–222,922)
NY	Multirace	233	18.2	3.89	(10.5–25.8)		30,975	(16,413–45,537)
NC	White	2,815	8.3	0.59	(7.2–9.5)		455,955	(391,407–520,504)
NC	Black	885	8.9	1.04	(6.8–10.9)		152,691	(116,509–188,872)
NC	Other	369	4.4	1.06	(2.3–6.5)		25,308	(13,316–37,301)
NC	Multirace	77	13.7	5.04	(3.6–23.7)		24,018	(4,851–43,185)
ND	White	5,041	7.8	0.58	(6.7–9.0)		39,828	(33,925–45,730)
ND	Black	52	2.8		(.–.)		443	(.–.)
ND	Other	284	10.6	2.48	(5.7–15.4)		4,614	(2,369–6,860)
ND	Multirace	66	16.2	6.09	(4.0–28.3)		1,470	(342–2,597)
OH	White	11,826	10.6	0.46	(9.7–11.5)		776,866	(709,714–844,018)
OH	Black	811	13.9	1.76	(10.4–17.3)		151,825	(111,045–192,605)
OH	Other	317	11.9	3.39	(5.2–18.6)		48,279	(18,933–77,626)
OH	Multirace	242	18.4	3.76	(11.0–25.8)		21,933	(12,199–31,666)
OK	White	4,830	10.0	0.54	(8.9–11.0)		215,909	(192,220–239,598)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

†CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

¶If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2019

State	Race	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
OK	Black	329	10.6	1.92	(6.9–14.4)		23,068	(14,496–31,640)
OK	Other	610	10.7	1.49	(7.7–13.6)		38,083	(27,181–48,984)
OK	Multirace	342	14.9	2.53	(9.9–19.8)		20,429	(13,000–27,858)
OR	White	5,137	11.2	0.55	(10.2–12.3)		303,046	(273,132–332,960)
OR	Black	79	7.4	3.16	(1.1–13.7)		6,224	(761–11,687)
OR	Other	339	11.6	2.20	(7.3–16.0)		33,286	(20,234–46,339)
OR	Multirace	199	15.6	2.98	(9.7–21.5)		13,510	(8,020–19,000)
PA	White	5,295	10.2	0.55	(9.1–11.2)		820,562	(731,078–910,047)
PA	Black	718	16.9	1.87	(13.2–20.5)		181,704	(138,334–225,074)
PA	Other	311	10.6	2.26	(6.2–15.1)		64,868	(36,332–93,405)
PA	Multirace	110	10.2	3.18	(3.9–16.5)		14,760	(6,421–23,098)
RI	White	5,100	11.7	0.70	(10.3–13.1)		76,848	(67,397–86,299)
RI	Black	270	13.6	2.51	(8.6–18.5)		7,477	(4,596–10,358)
RI	Other	424	8.1	1.53	(5.1–11.1)		7,396	(4,611–10,181)
RI	Multirace	104	10.3	3.64	(3.1–17.5)		1,522	(430–2,614)
SC	White	5,018	8.9	0.55	(7.9–10.0)		240,319	(210,778–269,860)
SC	Black	1,550	11.1	1.27	(8.7–13.6)		113,392	(86,344–140,441)
SC	Other	214	7.5	2.21	(3.2–11.9)		11,937	(4,907–18,968)
SC	Multirace	169	12.5	3.21	(6.2–18.9)		5,845	(2,860–8,830)
SD	White	5,400	8.8	0.86	(7.1–10.5)		50,671	(40,657–60,686)
SD	Black	35	0.7		(–)		88	(–)
SD	Other	917	7.7	1.61	(4.5–10.8)		4,333	(2,632–6,033)
SD	Multirace	135	7.6	4.36	(0.0–16.2)		980	(0–2,106)
TN	White	5,043	8.7	0.53	(7.6–9.7)		353,071	(310,049–396,094)
TN	Black	729	9.3	1.38	(6.6–12.0)		77,839	(54,518–101,160)
TN	Other	213	8.3	2.13	(4.1–12.5)		18,889	(9,302–28,475)
TN	Multirace	106	13.5	4.23	(5.1–21.9)		7,234	(2,640–11,829)
TX	White	9,115	8.2	0.59	(7.0–9.3)		1,162,685	(991,535–1,333,836)
TX	Black	1,058	6.8	1.15	(4.5–9.0)		184,104	(121,983–246,224)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

†CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

¶If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2019

State	Race	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
TX	Other	1,239	4.2	1.04	(2.1–6.2)		129,768	(65,534–194,003)
TX	Multirace	241	10.8	3.76	(3.4–18.2)		32,070	(9,650–54,490)
UT	White	10,543	10.6	0.39	(9.8–11.3)		202,744	(187,594–217,895)
UT	Black	80	6.4	2.91	(0.6–12.1)		1,545	(93–2,997)
UT	Other	506	6.3	1.25	(3.9–8.8)		10,207	(6,127–14,287)
UT	Multirace	114	10.5	3.89	(2.8–18.2)		4,159	(891–7,428)
VT	White	5,976	11.6	0.65	(10.3–12.9)		54,879	(48,612–61,146)
VT	Black	30	8.5		(–)		362	(–)
VT	Other	168	9.7	3.15	(3.5–15.9)		1,607	(576–2,639)
VT	Multirace	122	21.4	5.76	(10.0–32.8)		1,262	(538–1,987)
VA	White	7,305	9.0	0.44	(8.1–9.8)		391,897	(353,244–430,550)
VA	Black	1,568	10.4	1.03	(8.4–12.4)		131,190	(104,571–157,809)
VA	Other	528	5.1	1.03	(3.1–7.2)		38,671	(23,281–54,061)
VA	Multirace	236	10.2	2.18	(5.9–14.5)		11,455	(6,563–16,347)
WA	White	10,732	10.3	0.39	(9.5–11.0)		456,581	(421,313–491,849)
WA	Black	271	15.5	2.56	(10.4–20.5)		33,870	(21,784–45,955)
WA	Other	1,124	6.8	0.93	(5.0–8.7)		63,763	(46,289–81,236)
WA	Multirace	382	16.6	2.49	(11.7–21.6)		26,977	(18,157–35,797)
WV	White	4,956	11.2	0.59	(10.0–12.4)		147,731	(131,919–163,543)
WV	Black	96	16.8	4.54	(7.8–25.8)		7,390	(3,188–11,591)
WV	Other	78	14.2	5.00	(4.2–24.1)		4,012	(1,036–6,988)
WV	Multirace	81	19.2	5.73	(7.9–30.6)		3,487	(1,250–5,724)
WI	White	4,360	9.2	0.57	(8.1–10.4)		359,694	(315,419–403,968)
WI	Black	232	26.2	4.67	(17.0–35.4)		67,923	(40,274–95,571)
WI	Other	204	6.4	2.04	(2.4–10.4)		15,998	(5,937–26,058)
WI	Multirace	64	17.4	6.57	(4.3–30.5)		8,398	(1,481–15,314)
WY	White	4,234	9.8	0.70	(8.5–11.2)		38,471	(32,926–44,015)
WY	Black	29	8.9		(–)		476	(–)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.

Table C4
Adult* Current Asthma Prevalence
and Number by Race and State or Territory, BRFSS 2019

State	Race	Sample Size [§]	Prevalence (percent)	Standard Error	95% CI [¶] (percent)	 	Weighted Number	95% CI [¶] (Weighted Number)
WY	Other	138	5.2	2.23	(0.8–9.6)		1,067	(144–1,989)
WY	Multirace	75	9.2	5.26	(0.0–19.7)		867	(0–1,924)

Notes:

*Aged 18+ years

**U.S. Total includes 49 states plus the District of Columbia and excludes the three territories, New Jersey was excluded because of not meeting the minimum data collection requirements.

¶CI denotes confidence interval.

§Sample size is the number of respondents answered current asthma question

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the Sample Size is less than 50, estimates are not precise and should be interpreted with caution.