State	Education	Sample Size ^c	Prevalence (Percent)	Standard Error	95% Cl ^d (Percent)		Weighted Number ^e	95% Cl ^d (Weighted Number)
U.S. Totaľ	HS Nongrad	25,408	13.8	0.43	(13.0–14.7)	II	4,371,908	(4,093,688–4,650,127)
U.S. Totaľ	HS Grad	104,838	13.2	0.24	(12.8–13.7)	II	9,372,815	(9,022,845–9,722,785)
U.S. Totaľ	Some Coll	109,276	15.7	0.27	(15.2–16.3)	Ш	12,340,090	(11,883,424–12,796,756)
U.S. Totaľ	Coll Grad	152,176	12.6	0.18	(12.2–12.9)	Ш	9,357,234	(9,078,785–9,635,683)
AL	HS Nongrad	475	17.0	2.16	(12.7–21.2)	II	91,935	(66,911–116,959)
AL	HS Grad	1,527	13.9	1.13	(11.7–16.1)	Ш	166,608	(138,374–194,842)
AL	Some Coll	1,508	16.0	1.20	(13.6–18.3)	Ш	193,216	(162,497–223,935)
AL	Coll Grad	1,809	12.3	0.96	(10.5–14.2)	Ш	107,772	(90,575–124,968)
AK	HS Nongrad	189	16.1	4.15	(8.0–24.3)	Ш	7,325	(3,204–11,446)
AK	HS Grad	1,085	13.4	1.95	(9.6–17.2)	Ш	21,349	(14,722–27,976)
AK	Some Coll	1,085	13.4	1.56	(10.4–16.5)	II	26,069	(19,828–32,311)
AK	Coll Grad	1,281	14.7	1.60	(11.5–17.8)	Ш	21,080	(16,255–25,904)
AZ	HS Nongrad	787	15.0	1.76	(11.5–18.4)	Ш	116,337	(87,116–145,559)
AZ	HS Grad	2,457	12.3	0.87	(10.6–14.1)	Ш	178,122	(152,375–203,868)
AZ	Some Coll	3,160	16.1	0.91	(14.4–17.9)	Ш	320,377	(282,419–358,334)
AZ	Coll Grad	3,790	14.3	0.77	(12.8–15.8)	Ш	214,262	(190,440–238,084)
AR	HS Nongrad	468	17.6	2.48	(12.7–22.4)	II	55,881	(38,852–72,910)
AR	HS Grad	1,700	10.7	1.05	(8.6–12.8)	II	84,984	(67,915–102,053)
AR	Some Coll	1,417	13.2	1.28	(10.7–15.7)	II	94,864	(75,714–114,014)
AR	Coll Grad	1,614	11.5	1.07	(9.4–13.6)	II	55,030	(44,477–65,583)
CA	HS Nongrad	500	11.0	1.75	(7.6–14.5)	II	549,177	(367,758–730,596)
CA	HS Grad	811	11.8	1.49	(8.9–14.7)	II	792,639	(583,067–1,002,211)
CA	Some Coll	1,223	20.5	1.58	(17.5–23.6)	II	1,954,552	(1,630,139–2,278,965)
CA	Coll Grad	2,230	14.5	0.96	(12.6–16.3)	Ш	1,348,227	(1,166,969–1,529,485)
со	HS Nongrad	622	10.3	1.38	(7.6–13.0)	Ш	40,932	(29,583–52,280)
СО	HS Grad	2,105	13.7	0.90	(11.9–15.5)	Ш	141,841	(122,401–161,281)
со	Some Coll	2,623	15.3	0.83	(13.7–17.0)	Ш	216,773	(192,026–241,520)
СО	Coll Grad	4,756	14.0	0.58	(12.9–15.2)	Ш	238,501	(218,315–258,687)
СТ	HS Nongrad	547	16.1	2.09	(12.0–20.2)	II	45,055	(32,935–57,176)

^aAged 18+ years

Lifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

^cUnweighted number of respondents who answered the lifetime asthma question

^dCI denotes confidence interval

^eWeighted number of respondents who answered the lifetime asthma question

^fU.S. Total includes 50 states plus the District of Columbia and excludes the territories

^{&#}x27;.-./blank':Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

State	Education	Sample Size	Prevalence (Percent)	Standard Error	95% Cl ^d (Percent)	II II	Weighted Number ^e	95% CI ^d (Weighted Number)
СТ	HS Grad	2,158	15.6	1.20	(13.2–17.9)	II	120,695	(100,904–140,486)
СТ	Some Coll	2,157	14.4	1.24	(12.0–16.9)	Ш	109,283	(89,360–129,205)
СТ	Coll Grad	4,033	15.4	0.89	(13.6–17.1)	Ш	154,060	(135,206–172,914)
DE	HS Nongrad	455	13.6	2.47	(8.7–18.4)	Ш	11,260	(6,945–15,574)
DE	HS Grad	1,155	15.4	1.61	(12.2–18.5)	Ш	37,739	(29,278–46,200)
DE	Some Coll	1,014	17.0	1.74	(13.6–20.4)	II	37,684	(29,346–46,023)
DE	Coll Grad	1,380	11.4	1.08	(9.2–13.5)	II	25,826	(20,840–30,811)
DC	HS Nongrad	143	17.6	3.63	(10.4–24.8)	II	9,241	(5,176–13,306)
DC	HS Grad	484	19.8	2.44	(15.0–24.6)	II	19,772	(14,454–25,090)
DC	Some Coll	508	18.0	2.59	(12.9–23.1)	II	19,198	(13,092–25,304)
DC	Coll Grad	2,270	13.8	0.92	(12.0–15.6)	II	43,890	(37,891–49,889)
FL	HS Nongrad	1,161	10.6	1.65	(7.4–13.9)	II	229,999	(158,555–301,443)
FL	HS Grad	3,240	10.7	0.98	(8.8–12.6)	II	542,405	(444,165–640,645)
FL	Some Coll	3,433	14.1	1.19	(11.8–16.4)	II	768,016	(632,176–903,856)
FL	Coll Grad	3,882	10.7	0.93	(8.9–12.5)	Ш	514,062	(423,637–604,487)
GA	HS Nongrad	915	13.5	1.89	(9.8–17.2)	Ш	150,566	(106,205–194,927)
GA	HS Grad	2,532	12.4	1.07	(10.3–14.5)	Ш	290,563	(238,786–342,340)
GA	Some Coll	2,442	16.0	1.28	(13.5–18.5)	Ш	390,683	(324,407–456,960)
GA	Coll Grad	3,117	11.1	0.90	(9.3–12.9)	II	254,309	(212,301–296,317)
HI	HS Nongrad	219	19.1	3.22	(12.8–25.5)	II	17,434	(11,103–23,764)
НІ	HS Grad	1,989	14.8	1.02	(12.8–16.8)	Ш	47,352	(40,553–54,151)
НІ	Some Coll	2,273	14.7	0.95	(12.8–16.6)	Ш	53,370	(46,221–60,519)
HI	Coll Grad	3,248	12.7	0.75	(11.3–14.2)	II	42,371	(37,271–47,471)
ID	HS Nongrad	374	10.5	2.04	(6.5–14.5)	II	13,890	(8,355–19,426)
ID	HS Grad	1,611	13.3	1.21	(10.9–15.7)	II	51,770	(41,965–61,575)
ID	Some Coll	2,048	13.5	1.12	(11.4–15.7)	Ш	68,298	(56,558–80,038)
ID	Coll Grad	1,899	12.8	1.11	(10.6–15.0)	II	42,932	(35,261–50,603)
IL	HS Nongrad	143	12.4	3.19	(6.1–18.7)	Ш	136,786	(64,056–209,516)
IL	HS Grad	910	11.9	1.30	(9.3–14.4)	II	309,125	(239,394–378,855)

^aAged 18+ years

Lifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

[°]Unweighted number of respondents who answered the lifetime asthma question

^dCl denotes confidence interval

^eWeighted number of respondents who answered the lifetime asthma question

^fU.S. Total includes 50 states plus the District of Columbia and excludes the territories

^{&#}x27;.-./blank':Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

State	Education	Sample Size ^c	Prevalence (Percent)	Standard Error	95% Cl ^d (Percent)		Weighted Number ^e	95% Cl ^a (Weighted Number)
IL	Some Coll	955	12.3	1.26	(9.8–14.8)	II	365,464	(288,123–442,806)
IL	Coll Grad	1,653	12.4	0.98	(10.5–14.4)	II	382,712	(320,820–444,604)
IN	HS Nongrad	609	16.2	1.64	(12.9–19.4)	Ш	99,885	(78,530–121,240)
IN	HS Grad	2,751	13.6	0.81	(12.0–15.2)	Ш	235,967	(206,643–265,290)
IN	Some Coll	2,220	15.0	0.91	(13.2–16.8)	II	237,259	(207,108–267,409)
IN	Coll Grad	2,844	12.2	0.72	(10.8–13.6)	Ш	152,640	(134,332–170,949)
IA	HS Nongrad	499	12.2	1.74	(8.7–15.6)	II	24,845	(17,416–32,274)
IA	HS Grad	2,969	11.5	0.71	(10.1–12.9)	Ш	85,150	(74,316–95,984)
IA	Some Coll	2,938	12.9	0.75	(11.5–14.4)	II	109,184	(96,097–122,272)
IA	Coll Grad	3,180	11.0	0.64	(9.7–12.3)	II	69,843	(61,564–78,121)
KS	HS Nongrad	395	18.4	2.32	(13.8–22.9)	Ш	39,512	(28,698–50,327)
KS	HS Grad	2,718	13.1	0.85	(11.5–14.8)	II	77,328	(66,880–87,776)
KS	Some Coll	3,181	15.9	0.82	(14.3–17.5)	II	118,178	(105,224–131,131)
KS	Coll Grad	4,154	11.8	0.61	(10.6–13.0)	II	77,374	(69,176–85,573)
KY	HS Nongrad	358	18.7	2.68	(13.4–23.9)	II	89,515	(61,532–117,498)
KY	HS Grad	1,187	18.0	1.42	(15.2–20.8)	Ш	208,180	(172,912–243,449)
KY	Some Coll	1,113	15.3	1.23	(12.9–17.7)	II	161,906	(135,195–188,617)
KY	Coll Grad	1,250	12.9	1.21	(10.5–15.2)	II	98,428	(79,239–117,617)
LA	HS Nongrad	386	14.8	2.13	(10.6–19.0)	Ш	79,155	(55,585–102,725)
LA	HS Grad	1,404	13.5	1.15	(11.3–15.8)	II	163,241	(134,380–192,103)
LA	Some Coll	1,203	15.8	1.44	(13.0–18.7)	II	160,825	(129,715–191,935)
LA	Coll Grad	1,721	12.0	1.04	(10.0–14.1)	II	92,562	(75,843–109,282)
ME	HS Nongrad	413	18.5	2.99	(12.6–24.4)	II	15,468	(10,047–20,889)
ME	HS Grad	2,980	15.1	1.05	(13.0–17.2)	Ш	52,437	(44,734–60,140)
ME	Some Coll	3,091	14.4	0.92	(12.6–16.2)	П	48,296	(41,935–54,656)
ME	Coll Grad	4,413	13.6	0.83	(11.9–15.2)	II	43,763	(38,198–49,328)
MD	HS Nongrad	859	13.9	1.59	(10.8–17.0)	П	67,369	(51,202–83,537)
MD	HS Grad	3,746	13.6	0.84	(11.9–15.2)	II	163,366	(142,190–184,542)
MD	Some Coll	3,230	14.0	0.88	(12.3–15.7)	II	179,999	(156,284–203,714)

^aAged 18+ years

Lifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

^cUnweighted number of respondents who answered the lifetime asthma question

^dCl denotes confidence interval

^eWeighted number of respondents who answered the lifetime asthma question

^fU.S. Total includes 50 states plus the District of Columbia and excludes the territories

^{&#}x27;.-./blank':Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

State	Education	Sample Size ^c	Prevalence (Percent)	Standard Error	95% Cl ^d (Percent)		Weighted Number ^e	95% Cl ^e (Weighted Number)
MD	Coll Grad	6,311	11.7	0.54	(10.6–12.7)	II	200,670	(181,694–219,645)
MA	HS Nongrad	286	17.8	2.67	(12.5–23.0)	II	95,681	(64,889–126,472)
MA	HS Grad	1,361	15.1	1.28	(12.6–17.7)	II	206,955	(169,750–244,160)
MA	Some Coll	1,751	17.0	1.12	(14.8–19.2)	II	239,897	(206,881–272,913)
MA	Coll Grad	3,691	14.5	0.79	(12.9–16.0)	Ш	315,161	(279,425–350,896)
MI	HS Nongrad	282	20.1	2.92	(14.3–25.8)	Ш	151,563	(103,115–200,011)
MI	HS Grad	1,751	16.0	1.12	(13.8–18.2)	Ш	366,308	(311,784–420,831)
MI	Some Coll	2,158	15.0	0.90	(13.2–16.7)	II	400,931	(350,771–451,090)
MI	Coll Grad	3,026	13.9	0.77	(12.4–15.4)	II	289,856	(256,873–322,839)
MN	HS Nongrad	675	14.1	1.73	(10.7–17.5)	II	48,064	(35,551–60,576)
MN	HS Grad	3,820	10.8	0.58	(9.6–11.9)	II	119,374	(106,113–132,635)
MN	Some Coll	4,800	12.9	0.58	(11.8–14.0)	II	190,132	(172,581–207,683)
MN	Coll Grad	6,456	11.6	0.47	(10.6–12.5)	II	166,546	(152,681–180,410)
MS	HS Nongrad	766	17.7	1.91	(14.0–21.5)	II	62,287	(47,724–76,850)
MS	HS Grad	1,996	13.1	0.96	(11.2–15.0)	Ш	89,890	(76,310–103,470)
MS	Some Coll	1,791	14.9	1.06	(12.8–17.0)	Ш	115,302	(98,263–132,340)
MS	Coll Grad	1,888	12.4	1.03	(10.4–14.4)	Ш	56,168	(46,434–65,903)
МО	HS Nongrad	581	15.3	2.14	(11.1–19.5)	II	76,587	(53,708–99,465)
МО	HS Grad	2,910	12.5	0.83	(10.9–14.2)	Ш	185,438	(160,042–210,833)
МО	Some Coll	2,577	15.2	0.92	(13.4–17.0)	Ш	230,490	(201,156–259,824)
МО	Coll Grad	3,079	11.6	0.73	(10.2–13.0)	Ш	147,560	(128,615–166,504)
MT	HS Nongrad	283	21.6	3.17	(15.3–27.8)	Ш	13,802	(9,204–18,401)
MT	HS Grad	1,684	15.0	1.08	(12.9–17.2)	II	37,819	(32,073–43,565)
MT	Some Coll	1,886	16.0	1.00	(14.0–18.0)	Ш	46,381	(40,292–52,470)
MT	Coll Grad	2,432	12.5	0.80	(11.0–14.1)	Ш	30,299	(26,331–34,268)
NE	HS Nongrad	897	9.9	1.54	(6.9–12.9)	II	13,287	(9,003–17,570)
NE	HS Grad	4,460	9.7	0.70	(8.3–11.0)	Ш	37,464	(31,889–43,038)
NE	Some Coll	4,510	11.7	0.73	(10.3–13.2)	Ш	60,409	(52,723–68,095)
NE	Coll Grad	4,865	10.9	0.66	(9.6–12.2)	II	46,453	(40,685–52,221)

^aAged 18+ years

Lifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

^cUnweighted number of respondents who answered the lifetime asthma question

^dCl denotes confidence interval

^eWeighted number of respondents who answered the lifetime asthma question

^fU.S. Total includes 50 states plus the District of Columbia and excludes the territories

^{&#}x27;.-./blank':Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

State	Education	Sample Size ^c	Prevalence (Percent)	Standard Error	95% Cl ^d (Percent)		Weighted Number ^e	95% Cl ^e (Weighted Number)
NV	HS Nongrad	178	11.0	2.77	(5.5–16.4)	II	37,234	(17,883–56,586)
NV	HS Grad	654	13.3	1.74	(9.9–16.7)	II	96,003	(70,052–121,954)
NV	Some Coll	787	13.4	1.53	(10.4–16.4)	II	109,937	(84,571–135,304)
NV	Coll Grad	843	14.1	1.61	(11.0–17.3)	II	77,058	(59,112–95,003)
NH	HS Nongrad	244	22.0	3.46	(15.2–28.8)	Ш	17,836	(11,654–24,017)
NH	HS Grad	1,615	15.0	1.23	(12.6–17.4)	Ш	46,442	(38,453–54,431)
NH	Some Coll	1,731	17.4	1.21	(15.0–19.8)	Ш	58,328	(49,883–66,773)
NH	Coll Grad	2,796	12.7	0.84	(11.1–14.4)	II	48,130	(41,581–54,679)
NJ	HS Nongrad	632	16.0	1.78	(12.5–19.4)	II	116,798	(89,042–144,554)
NJ	HS Grad	2,523	12.0	0.83	(10.4–13.6)	II	229,249	(196,387–262,111)
NJ	Some Coll	2,660	13.5	0.82	(11.9–15.1)	II	233,570	(203,951–263,189)
NJ	Coll Grad	5,418	11.4	0.54	(10.3–12.4)	II	285,206	(257,615–312,797)
NM	HS Nongrad	672	15.1	2.14	(10.9–19.3)	II	37,088	(25,888–48,287)
NM	HS Grad	1,953	10.8	1.10	(8.6–12.9)	II	47,984	(37,975–57,992)
NM	Some Coll	1,934	15.3	1.31	(12.8–17.9)	Ш	81,706	(67,130–96,283)
NM	Coll Grad	2,414	16.1	1.24	(13.7–18.6)	II	63,230	(52,996–73,464)
NY	HS Nongrad	1,013	13.6	1.33	(11.0–16.2)	Ш	273,660	(217,583–329,737)
NY	HS Grad	3,452	14.5	0.88	(12.8–16.2)	Ш	580,398	(505,638–655,158)
NY	Some Coll	3,525	15.9	0.86	(14.2–17.6)	II	644,135	(571,387–716,883)
NY	Coll Grad	6,600	11.4	0.49	(10.5–12.4)	II	587,886	(536,820–638,953)
NC	HS Nongrad	543	13.3	1.77	(9.8–16.8)	II	139,700	(101,187–178,213)
NC	HS Grad	1,481	12.2	1.03	(10.2–14.3)	II	269,669	(222,951–316,387)
NC	Some Coll	1,602	12.5	0.97	(10.6–14.4)	II	337,440	(283,317–391,563)
NC	Coll Grad	2,175	11.8	0.82	(10.2–13.4)	II	275,746	(236,850–314,642)
ND	HS Nongrad	192	13.2	3.88	(5.6–20.9)	II	6,053	(2,240–9,866)
ND	HS Grad	1,166	14.0	1.49	(11.1–17.0)	Ш	21,765	(16,865–26,665)
ND	Some Coll	1,437	10.9	1.15	(8.7–13.2)	II	24,366	(19,073–29,659)
ND	Coll Grad	1,649	10.9	1.03	(8.8–12.9)	Ш	17,070	(13,737–20,403)
ОН	HS Nongrad	895	20.9	2.05	(16.9–24.9)	II	193,854	(151,530–236,178)

^aAged 18+ years

Lifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

^cUnweighted number of respondents who answered the lifetime asthma question

^dCl denotes confidence interval

^eWeighted number of respondents who answered the lifetime asthma question

^fU.S. Total includes 50 states plus the District of Columbia and excludes the territories

^{&#}x27;.-./blank':Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

State	Education	Sample Size ^c	Prevalence (Percent)	Standard Error	95% Cl ^d (Percent)		Weighted Number ^e	95% Cl ^d (Weighted Number)
ОН	HS Grad	4,914	12.7	0.70	(11.4–14.1)	II	386,322	(342,304–430,340)
ОН	Some Coll	4,062	15.8	0.82	(14.2–17.4)	II	438,377	(390,120–486,633)
ОН	Coll Grad	4,706	12.7	0.67	(11.4–14.0)	II	297,808	(265,235–330,381)
OK	HS Nongrad	377	15.1	2.12	(10.9–19.2)	Ш	57,621	(40,532–74,711)
OK	HS Grad	1,466	14.4	1.12	(12.2–16.6)	II	136,757	(114,449–159,065)
OK	Some Coll	1,576	18.3	1.23	(15.9–20.7)	II	177,085	(151,644–202,526)
OK	Coll Grad	1,578	13.1	1.01	(11.1–15.1)	II	90,529	(76,183–104,875)
OR	HS Nongrad	291	16.9	2.40	(12.2–21.6)	II	56,606	(39,482–73,731)
OR	HS Grad	1,232	15.6	1.18	(13.2–17.9)	II	124,237	(104,684–143,791)
OR	Some Coll	1,762	17.6	1.05	(15.6–19.7)	II	210,808	(184,069–237,547)
OR	Coll Grad	2,082	13.1	0.81	(11.5–14.7)	II	134,942	(117,731–152,153)
PA	HS Nongrad	273	18.5	2.83	(12.9–24.1)	II	188,741	(127,737–249,745)
PA	HS Grad	1,547	14.3	1.15	(12.1–16.6)	II	506,970	(422,158–591,783)
PA	Some Coll	1,303	16.9	1.40	(14.1–19.6)	II	446,480	(366,468–526,493)
PA	Coll Grad	2,376	13.7	0.89	(12.0–15.5)	II	401,192	(347,416–454,968)
RI	HS Nongrad	374	21.3	2.80	(15.8–26.8)	II	20,852	(14,741–26,964)
RI	HS Grad	1,292	15.5	1.48	(12.6–18.4)	II	37,699	(30,042–45,356)
RI	Some Coll	1,305	16.1	1.43	(13.3–18.9)	Ш	39,516	(32,228–46,804)
RI	Coll Grad	2,366	14.1	1.10	(11.9–16.2)	II	37,073	(31,028–43,117)
SC	HS Nongrad	326	20.9	2.63	(15.8–26.1)	II	109,024	(80,204–137,843)
SC	HS Grad	1,089	13.3	1.29	(10.8–15.8)	II	162,224	(129,769–194,678)
SC	Some Coll	1,107	13.2	1.25	(10.8–15.7)	II	172,087	(138,449–205,726)
SC	Coll Grad	1,462	12.0	1.16	(9.8–14.3)	II	125,902	(100,732–151,071)
SD	HS Nongrad	327	12.6	3.20	(6.3–18.9)	II	7,797	(3,812–11,781)
SD	HS Grad	2,005	9.9	1.40	(7.2–12.7)	Ш	20,152	(14,392–25,912)
SD	Some Coll	2,132	9.9	1.33	(7.3–12.5)	Ш	22,555	(16,391–28,719)
SD	Coll Grad	2,419	12.8	1.61	(9.6–15.9)	Ш	22,566	(16,607–28,525)
TN	HS Nongrad	368	20.8	3.03	(14.9–26.8)	Ш	140,702	(95,867–185,538)
TN	HS Grad	1,447	16.6	1.30	(14.0–19.1)	II	287,737	(240,419–335,054)

^aAged 18+ years

Lifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

^cUnweighted number of respondents who answered the lifetime asthma question

^dCl denotes confidence interval

^eWeighted number of respondents who answered the lifetime asthma question

^fU.S. Total includes 50 states plus the District of Columbia and excludes the territories

^{&#}x27;.-./blank':Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

State	Education	Sample Size ^c	Prevalence (Percent)	Standard Error	95% Cl ^d (Percent)		Weighted Number ^e	95% CI ^a (Weighted Number)
TN	Some Coll	1,185	15.1	1.35	(12.4–17.7)	II	236,225	(192,177–280,274)
TN	Coll Grad	1,588	13.2	1.06	(11.1–15.3)	II	174,912	(146,250–203,573)
TX	HS Nongrad	1,484	7.8	1.18	(5.5–10.1)	II	279,375	(196,169–362,582)
TX	HS Grad	2,859	13.1	1.26	(10.6–15.5)	II	749,191	(598,489–899,893)
TX	Some Coll	2,942	16.0	1.31	(13.4–18.6)	Ш	1,068,361	(883,890–1,252,831)
TX	Coll Grad	3,645	10.1	0.88	(8.4–11.8)	Ш	584,448	(481,422–687,474)
UT	HS Nongrad	422	16.3	2.19	(12.0–20.6)	II	31,996	(22,813–41,180)
UT	HS Grad	2,670	14.6	0.84	(12.9–16.2)	Ш	82,291	(72,339–92,242)
UT	Some Coll	3,591	18.1	0.81	(16.5–19.7)	Ш	159,225	(144,191–174,259)
UT	Coll Grad	4,162	15.4	0.70	(14.0–16.7)	II	103,995	(94,114–113,875)
VT	HS Nongrad	247	15.8	3.31	(9.2–22.3)	II	6,108	(3,312–8,904)
VT	HS Grad	1,817	14.3	1.19	(12.0–16.7)	II	21,320	(17,644–24,996)
VT	Some Coll	1,520	16.7	1.39	(14.0–19.5)	II	24,054	(19,894–28,214)
VT	Coll Grad	2,908	14.3	1.04	(12.3–16.3)	II	24,950	(21,159–28,741)
VA	HS Nongrad	645	13.6	1.60	(10.4–16.7)	Ш	96,796	(73,257–120,334)
VA	HS Grad	2,364	14.4	1.09	(12.3–16.6)	Ш	242,111	(203,119–281,102)
VA	Some Coll	2,398	14.1	0.95	(12.2–15.9)	Ш	272,729	(234,928–310,531)
VA	Coll Grad	4,065	12.5	0.72	(11.1–13.9)	Ш	293,320	(259,272–327,367)
WA	HS Nongrad	696	15.7	1.72	(12.3–19.0)	Ш	88,138	(67,583–108,692)
WA	HS Grad	2,852	14.3	0.83	(12.7–16.0)	Ш	200,443	(176,192–224,695)
WA	Some Coll	3,848	16.8	0.77	(15.3–18.4)	Ш	347,115	(313,867–380,362)
WA	Coll Grad	5,402	13.5	0.58	(12.3–14.6)	Ш	266,335	(243,200–289,470)
WV	HS Nongrad	518	23.7	2.36	(19.0–28.3)	Ш	43,801	(33,895–53,707)
WV	HS Grad	2,094	16.1	1.03	(14.1–18.2)	П	90,944	(78,669–103,219)
WV	Some Coll	1,552	17.0	1.15	(14.7–19.2)	П	66,288	(56,770–75,805)
WV	Coll Grad	1,681	13.7	1.03	(11.7–15.8)	П	37,709	(31,818–43,600)
WI	HS Nongrad	190	16.2	3.59	(9.1–23.3)	Ш	61,739	(32,419–91,058)
WI	HS Grad	1,505	12.8	1.29	(10.3–15.4)	II	181,491	(143,049–219,933)
WI	Some Coll	1,472	15.1	1.33	(12.5–17.7)	II	225,807	(183,714–267,900)

^aAged 18+ years

Lifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

^cUnweighted number of respondents who answered the lifetime asthma question

^dCl denotes confidence interval

^eWeighted number of respondents who answered the lifetime asthma question

^fU.S. Total includes 50 states plus the District of Columbia and excludes the territories

^{&#}x27;.-./blank':Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

State	Education	Sample Size ^c	Prevalence (Percent)	Standard Error	95% Cl ^d (Percent)	==	Weighted Number ^e	95% Cl ^d (Weighted Number)
WI	Coll Grad	1,902	12.7	1.02	(10.7–14.7)	II	160,230	(133,862–186,599)
WY	HS Nongrad	214	22.6	4.04	(14.7–30.6)	Ш	7,552	(4,508–10,595)
WY	HS Grad	1,340	13.2	1.37	(10.5–15.9)	Ш	17,538	(13,755–21,321)
WY	Some Coll	1,550	16.1	1.39	(13.4–18.8)	II	26,860	(21,967–31,753)
WY	Coll Grad	1,667	13.3	1.24	(10.9–15.7)	II	14,642	(11,809–17,475)
Territories								
GU	HS Nongrad	126			()	Ш	2,505	()
GU	HS Grad	726	10.4	1.80	(6.8–13.9)	Ш	3,874	(2,488–5,261)
GU	Some Coll	520	8.5	1.62	(5.3–11.6)	Ш	1,912	(1,197–2,627)
GU	Coll Grad	803	9.9	1.25	(7.4–12.3)	Ш	2,392	(1,777–3,008)
PR	HS Nongrad	581	15.6	2.28	(11.1–20.1)	Ш	100,046	(69,331–130,761)
PR	HS Grad	1,184	16.4	1.80	(12.9–19.9)	II	123,338	(93,667–153,009)
PR	Some Coll	1,247	17.7	1.34	(15.1–20.3)	II	80,105	(67,317–92,893)
PR	Coll Grad	1,914	16.7	1.12	(14.5–18.9)	Ш	146,975	(125,891–168,059)

^aAged 18+ years

^bLifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

^cUnweighted number of respondents who answered the lifetime asthma question

^dCl denotes confidence interval

^eWeighted number of respondents who answered the lifetime asthma question

^fU.S. Total includes 50 states plus the District of Columbia and excludes the territories

^{&#}x27;.-./blank':Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%