

**Table L5**  
**Adult<sup>a</sup> lifetime<sup>b</sup> Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory: BRFSS 2020**

State	Race/Ethnicity <sup>9</sup>	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
U.S. Total <sup>f</sup>	White NH	294,710	13.9	0.14	(13.7–14.2)		21,669,748	(21,219,349–22,120,146)
U.S. Total <sup>f</sup>	Black NH	30,040	16.5	0.43	(15.6–17.3)		4,984,155	(4,709,910–5,258,399)
U.S. Total <sup>f</sup>	Other NH	20,675	10.9	0.62	(9.7–12.1)		2,057,925	(1,816,512–2,299,338)
U.S. Total <sup>f</sup>	Multirace NH	8,047	22.6	1.05	(20.6–24.7)		746,535	(669,025–824,045)
U.S. Total <sup>f</sup>	Hispanic	31,216	12.4	0.41	(11.6–13.2)		5,329,649	(4,966,585–5,692,713)
AL	White NH	3,627	13.6	0.74	(12.1–15.0)		343,934	(305,296–382,573)
AL	Black NH	1,345	17.3	1.40	(14.5–20.0)		166,889	(137,720–196,057)
AL	Other NH	125	20.9	4.70	(11.5–30.2)		18,771	(9,427–28,115)
AL	Multirace NH	79	31.0	7.37	(16.3–45.7)		17,109	(6,908–27,309)
AL	Hispanic	81			(–)		11,902	(–)
AK	White NH	2,457	13.2	1.08	(11.1–15.4)		44,051	(36,689–51,413)
AK	Black NH	53			(–)		3,445	(–)
AK	Other NH	779	13.7	2.41	(9.0–18.5)		15,894	(9,955–21,833)
AK	Multirace NH	166	16.5	4.17	(8.3–24.7)		4,168	(1,886–6,449)
AK	Hispanic	108	18.8	4.66	(9.5–28.0)		6,915	(3,208–10,622)
AZ	White NH	6,661	15.5	0.65	(14.2–16.8)		494,606	(452,105–537,107)
AZ	Black NH	267	17.7	3.10	(11.6–23.8)		44,506	(27,346–61,665)
AZ	Other NH	954	12.3	1.57	(9.3–15.4)		56,231	(41,688–70,773)
AZ	Multirace NH	180	25.5	4.32	(16.9–34.0)		12,962	(8,105–17,819)
AZ	Hispanic	1,891	12.0	0.94	(10.1–13.8)		196,143	(164,353–227,932)
AR	White NH	4,118	12.9	0.75	(11.4–14.4)		220,173	(194,061–246,285)
AR	Black NH	594	14.7	2.33	(10.1–19.3)		48,424	(32,132–64,716)
AR	Other NH	140			(–)		8,456	(–)
AR	Multirace NH	133	20.3	4.44	(11.5–29.1)		6,102	(3,192–9,012)
AR	Hispanic	139			(–)		4,722	(–)
CA	White NH	2,395	17.5	1.11	(15.3–19.6)		2,028,502	(1,753,885–2,303,119)
CA	Black NH	242	21.5	3.98	(13.7–29.4)		360,992	(209,838–512,146)
CA	Other NH	584	11.1	1.84	(7.5–14.7)		599,054	(392,892–805,216)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfsstechinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Lifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

<sup>c</sup>Unweighted number of respondents who answered the lifetime asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of respondents who answered the lifetime asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>9</sup>Other Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

'-./blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table L5**  
**Adult<sup>a</sup> lifetime<sup>b</sup> Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory: BRFSS 2020**

State	Race/Ethnicity <sup>a</sup>	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
CA	Multirace NH	115	23.8	5.06	(13.8–33.9)		118,129	(61,300–174,957)
CA	Hispanic	1,347	13.0	1.15	(10.8–15.3)		1,425,472	(1,166,444–1,684,500)
CO	White NH	7,444	14.6	0.49	(13.6–15.5)		451,781	(420,785–482,777)
CO	Black NH	256	22.3	3.11	(16.2–28.5)		39,210	(26,841–51,580)
CO	Other NH	390	13.1	2.00	(9.2–17.1)		27,991	(19,110–36,873)
CO	Multirace NH	169	18.4	3.28	(12.0–24.9)		10,507	(6,512–14,502)
CO	Hispanic	1,531	10.7	0.89	(8.9–12.4)		93,751	(77,608–109,894)
CT	White NH	6,422	14.7	0.69	(13.4–16.1)		271,994	(245,730–298,258)
CT	Black NH	647	15.9	2.12	(11.7–20.0)		43,792	(31,491–56,094)
CT	Other NH	388	10.2	2.18	(5.9–14.5)		16,832	(9,505–24,159)
CT	Multirace NH	122	15.9	4.28	(7.4–24.4)		3,228	(1,425–5,030)
CT	Hispanic	1,104	18.3	1.88	(14.6–22.0)		80,427	(62,233–98,621)
DE	White NH	2,623	13.0	0.84	(11.3–14.6)		63,490	(55,189–71,791)
DE	Black NH	534	21.3	2.59	(16.2–26.4)		34,249	(24,937–43,561)
DE	Other NH	135			(–)		3,128	(–)
DE	Multirace NH	98			(–)		3,743	(–)
DE	Hispanic	539	9.8	1.80	(6.2–13.3)		6,315	(3,956–8,673)
DC	White NH	1,533	13.1	1.18	(10.8–15.4)		29,637	(24,130–35,145)
DC	Black NH	1,350	19.3	1.50	(16.4–22.3)		44,807	(37,308–52,306)
DC	Other NH	149	9.3	2.47	(4.4–14.2)		3,142	(1,453–4,832)
DC	Multirace NH	80			(–)		1,060	(–)
DC	Hispanic	224	14.6	3.20	(8.3–20.9)		9,246	(4,857–13,634)
FL	White NH	8,493	12.2	0.69	(10.9–13.6)		1,164,660	(1,031,119–1,298,202)
FL	Black NH	948	9.7	1.61	(6.5–12.9)		235,752	(158,003–313,500)
FL	Other NH	379	9.1	2.43	(4.4–13.9)		61,055	(27,754–94,356)
FL	Multirace NH	225	26.0	5.59	(15.0–37.0)		41,574	(20,553–62,594)
FL	Hispanic	1,511	11.6	1.36	(8.9–14.2)		517,775	(395,756–639,794)
GA	White NH	5,543	12.7	0.69	(11.3–14.0)		553,671	(492,557–614,785)
GA	Black NH	2,309	16.4	1.41	(13.6–19.1)		399,553	(325,482–473,624)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssstechinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Lifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

<sup>c</sup>Unweighted number of respondents who answered the lifetime asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of respondents who answered the lifetime asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>Other Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

<sup>h</sup>–/blank: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table L5**  
**Adult<sup>a</sup> lifetime<sup>b</sup> Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory: BRFSS 2020**

State	Race/Ethnicity <sup>a</sup>	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
GA	Other NH	336	12.7	3.00	(6.8–18.6)		52,406	(26,499–78,314)
GA	Multirace NH	161	11.6	3.44	(4.8–18.4)		11,528	(4,579–18,478)
GA	Hispanic	502	7.1	1.71	(3.7–10.4)		50,666	(25,891–75,440)
HI	White NH	2,602	10.5	0.85	(8.8–12.2)		27,464	(22,907–32,021)
HI	Black NH	75			(–)		2,706	(–)
HI	Other NH	3,032	13.4	0.80	(11.8–14.9)		70,683	(61,997–79,369)
HI	Multirace NH	1,374	19.5	1.36	(16.9–22.2)		34,616	(29,432–39,800)
HI	Hispanic	561	21.3	2.23	(17.0–25.7)		22,028	(16,971–27,084)
ID	White NH	5,117	13.8	0.70	(12.4–15.2)		152,658	(137,050–168,266)
ID	Black NH	20			(–)		1,156	(–)
ID	Other NH	145			(–)		3,120	(–)
ID	Multirace NH	87			(–)		2,469	(–)
ID	Hispanic	409	9.7	2.15	(5.5–14.0)		14,615	(7,895–21,334)
IL	White NH	2,670	12.5	0.81	(10.9–14.1)		752,894	(652,907–852,881)
IL	Black NH	442	14.6	2.03	(10.7–18.6)		191,434	(136,058–246,809)
IL	Other NH	213	9.5	2.62	(4.3–14.7)		64,923	(27,888–101,958)
IL	Multirace NH	33			(–)		13,994	(–)
IL	Hispanic	254	11.1	2.28	(6.6–15.6)		170,345	(99,159–241,532)
IN	White NH	6,839	13.6	0.50	(12.6–14.6)		557,443	(516,054–598,831)
IN	Black NH	721	17.7	1.91	(13.9–21.4)		81,232	(62,193–100,271)
IN	Other NH	216	12.6	2.88	(6.9–18.3)		20,469	(10,672–30,266)
IN	Multirace NH	124	23.7	4.61	(14.5–32.8)		11,870	(6,748–16,992)
IN	Hispanic	375	13.3	2.16	(9.1–17.6)		43,009	(28,241–57,777)
IA	White NH	8,558	11.8	0.42	(11.0–12.6)		244,304	(226,797–261,812)
IA	Black NH	183	17.5	3.09	(11.3–23.6)		14,349	(8,864–19,835)
IA	Other NH	161	13.3	3.35	(6.7–19.9)		10,515	(4,885–16,144)
IA	Multirace NH	96	16.1	3.80	(8.6–23.7)		4,165	(2,136–6,194)
IA	Hispanic	442	7.5	1.35	(4.8–10.1)		9,490	(6,026–12,954)
KS	White NH	9,001	13.7	0.48	(12.8–14.6)		233,190	(216,437–249,943)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssstechinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Lifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

<sup>c</sup>Unweighted number of respondents who answered the lifetime asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of respondents who answered the lifetime asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>Other Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

<sup>h</sup>‘–./blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table L5**  
**Adult<sup>a</sup> lifetime<sup>b</sup> Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory: BRFSS 2020**

State	Race/Ethnicity <sup>a</sup>	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
KS	Black NH	370	18.5	2.45	(13.7–23.3)		22,100	(15,718–28,483)
KS	Other NH	281	17.5	2.93	(11.7–23.2)		15,291	(9,678–20,905)
KS	Multirace NH	187	22.4	4.04	(14.4–30.3)		9,298	(5,553–13,044)
KS	Hispanic	508	12.5	1.81	(8.9–16.0)		28,477	(19,810–37,144)
KY	White NH	3,405	15.7	0.78	(14.1–17.2)		457,442	(411,418–503,467)
KY	Black NH	226	24.0	4.07	(15.9–32.0)		62,623	(37,936–87,310)
KY	Other NH	79			(–)		7,167	(–)
KY	Multirace NH	83	27.4	6.77	(13.9–40.9)		10,587	(4,520–16,654)
KY	Hispanic	63			(–)		17,127	(–)
LA	White NH	3,252	12.5	0.73	(11.1–14.0)		260,331	(229,417–291,246)
LA	Black NH	1,006	15.9	1.57	(12.8–19.0)		168,920	(133,578–204,261)
LA	Other NH	154	16.8	4.13	(8.6–24.9)		15,776	(7,255–24,297)
LA	Multirace NH	77			(–)		6,479	(–)
LA	Hispanic	138	18.0	4.12	(9.9–26.2)		34,355	(17,524–51,186)
ME	White NH	10,176	14.6	0.57	(13.5–15.7)		146,184	(134,648–157,720)
ME	Black NH	46			(–)		1,490	(–)
ME	Other NH	182	25.8	6.21	(13.5–38.0)		5,361	(2,294–8,429)
ME	Multirace NH	112			(–)		1,474	(–)
ME	Hispanic	157			(–)		3,665	(–)
MD	White NH	9,195	12.4	0.49	(11.4–13.3)		291,898	(268,182–315,613)
MD	Black NH	2,935	16.4	0.95	(14.5–18.2)		223,217	(195,650–250,785)
MD	Other NH	622	9.8	1.54	(6.7–12.8)		35,950	(24,348–47,551)
MD	Multirace NH	244	14.6	2.63	(9.4–19.8)		8,111	(5,049–11,174)
MD	Hispanic	864	9.2	1.20	(6.9–11.6)		43,413	(31,902–54,923)
MA	White NH	5,532	15.1	0.62	(13.9–16.3)		577,756	(529,552–625,960)
MA	Black NH	334	19.0	3.20	(12.7–25.3)		68,217	(42,622–93,811)
MA	Other NH	354	10.0	2.07	(6.0–14.1)		46,207	(26,321–66,093)
MA	Multirace NH	102	21.4	4.91	(11.7–31.1)		19,741	(10,110–29,371)
MA	Hispanic	613	19.5	2.26	(15.1–24.0)		123,965	(92,091–155,840)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssstechno.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Lifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

<sup>c</sup>Unweighted number of respondents who answered the lifetime asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of respondents who answered the lifetime asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>Other Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

<sup>h</sup>././blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table L5**  
**Adult<sup>a</sup> lifetime<sup>b</sup> Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory: BRFSS 2020**

State	Race/Ethnicity <sup>a</sup>	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
MI	White NH	5,849	15.0	0.63	(13.7–16.2)		881,654	(804,441–958,868)
MI	Black NH	664	17.3	1.79	(13.8–20.8)		173,319	(135,213–211,426)
MI	Other NH	245	14.7	3.06	(8.7–20.8)		51,326	(28,452–74,200)
MI	Multirace NH	152	27.6	4.73	(18.2–36.9)		24,776	(14,797–34,755)
MI	Hispanic	198	14.3	2.86	(8.6–19.9)		50,617	(29,424–71,809)
MN	White NH	13,323	11.9	0.34	(11.2–12.6)		419,769	(395,298–444,239)
MN	Black NH	563	16.2	1.83	(12.6–19.8)		41,814	(31,656–51,972)
MN	Other NH	616	9.1	1.37	(6.4–11.8)		24,254	(16,799–31,710)
MN	Multirace NH	256	25.6	3.27	(19.2–32.1)		13,804	(9,757–17,852)
MN	Hispanic	775	9.7	1.29	(7.2–12.3)		19,797	(14,370–25,223)
MS	White NH	3,758	13.7	0.76	(12.2–15.2)		180,519	(159,685–201,354)
MS	Black NH	2,471	15.2	0.96	(13.3–17.1)		127,826	(111,143–144,508)
MS	Other NH	105			(–)		6,852	(–)
MS	Multirace NH	32			(–)		2,462	(–)
MS	Hispanic	53			(–)		5,796	(–)
MO	White NH	7,581	13.0	0.54	(12.0–14.1)		492,555	(451,248–533,861)
MO	Black NH	841	17.5	1.72	(14.1–20.9)		90,539	(71,653–109,425)
MO	Other NH	232	9.8	2.88	(4.1–15.4)		14,849	(5,738–23,960)
MO	Multirace NH	140	15.2	3.59	(8.1–22.3)		9,426	(4,824–14,027)
MO	Hispanic	214	14.3	2.84	(8.7–19.9)		25,322	(14,807–35,838)
MT	White NH	5,433	14.9	0.61	(13.7–16.1)		108,442	(99,363–117,520)
MT	Black NH	10			(–)		369	(–)
MT	Other NH	445	19.9	2.82	(14.3–25.4)		10,829	(7,428–14,229)
MT	Multirace NH	151	20.1	3.83	(12.5–27.6)		2,935	(1,705–4,164)
MT	Hispanic	133	12.4	3.32	(5.8–19.0)		3,833	(1,719–5,948)
NE	White NH	12,821	10.8	0.42	(10.0–11.7)		126,831	(116,809–136,854)
NE	Black NH	284	12.0	2.60	(6.9–17.1)		7,700	(4,228–11,173)
NE	Other NH	288	10.0	2.33	(5.5–14.6)		4,849	(2,560–7,138)
NE	Multirace NH	132	21.1	5.33	(10.5–31.6)		4,852	(2,083–7,622)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssstechno.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Lifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

<sup>c</sup>Unweighted number of respondents who answered the lifetime asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of respondents who answered the lifetime asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>Other Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

<sup>h</sup>–/blank: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table L5**  
**Adult<sup>a</sup> lifetime<sup>b</sup> Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory: BRFSS 2020**

State	Race/Ethnicity <sup>a</sup>	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
NE	Hispanic	1,072	7.7	1.13	(5.5–9.9)		10,888	(7,643–14,133)
NV	White NH	1,635	14.1	1.12	(12.0–16.3)		167,627	(140,730–194,524)
NV	Black NH	125	20.9	4.11	(12.8–29.1)		47,162	(27,051–67,273)
NV	Other NH	159	10.5	2.98	(4.6–16.4)		31,165	(13,358–48,972)
NV	Multirace NH	78			(–)		3,079	(–)
NV	Hispanic	416	9.8	1.72	(6.4–13.2)		62,792	(40,234–85,349)
NH	White NH	5,875	15.3	0.65	(14.0–16.5)		150,215	(137,217–163,212)
NH	Black NH	40			(–)		1,511	(–)
NH	Other NH	189	12.7	3.51	(5.8–19.7)		5,450	(2,287–8,613)
NH	Multirace NH	74	27.9	7.80	(12.4–43.4)		4,692	(1,533–7,850)
NH	Hispanic	98	18.4	4.43	(9.6–27.2)		6,136	(2,977–9,294)
NJ	White NH	7,038	12.3	0.52	(11.3–13.3)		458,357	(418,858–497,857)
NJ	Black NH	1,166	15.1	1.32	(12.5–17.7)		124,505	(101,203–147,808)
NJ	Other NH	929	7.4	1.08	(5.2–9.5)		55,900	(39,434–72,365)
NJ	Multirace NH	202	20.1	3.38	(13.4–26.7)		8,021	(5,082–10,960)
NJ	Hispanic	1,610	14.5	1.11	(12.3–16.7)		198,005	(166,220–229,790)
NM	White NH	3,627	14.2	0.95	(12.4–16.1)		86,656	(74,849–98,464)
NM	Black NH	75			(–)		6,330	(–)
NM	Other NH	756	12.5	1.92	(8.7–16.3)		19,585	(13,350–25,820)
NM	Multirace NH	72			(–)		5,291	(–)
NM	Hispanic	2,252	13.6	1.09	(11.5–15.8)		104,210	(87,012–121,408)
NY	White NH	9,784	12.5	0.47	(11.6–13.4)		1,036,039	(956,305–1,115,773)
NY	Black NH	1,353	17.9	1.35	(15.3–20.6)		375,869	(315,074–436,665)
NY	Other NH	1,097	9.6	1.35	(7.0–12.3)		153,007	(108,576–197,437)
NY	Multirace NH	243	21.8	3.59	(14.7–28.9)		22,224	(13,940–30,508)
NY	Hispanic	1,768	15.9	1.08	(13.7–18.0)		447,650	(383,511–511,790)
NC	White NH	3,708	12.2	0.65	(10.9–13.5)		640,877	(572,026–709,728)
NC	Black NH	1,075	14.5	1.35	(11.9–17.2)		247,662	(199,471–295,853)
NC	Other NH	270	10.3	2.30	(5.8–14.8)		36,557	(20,030–53,085)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssstechinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Lifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

<sup>c</sup>Unweighted number of respondents who answered the lifetime asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of respondents who answered the lifetime asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>Other Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

<sup>h</sup>–/blank: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table L5**  
**Adult<sup>a</sup> lifetime<sup>b</sup> Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory: BRFSS 2020**

State	Race/Ethnicity <sup>a</sup>	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
NC	Multirace NH	102	21.6	5.12	(11.4–31.7)		24,651	(11,817–37,486)
NC	Hispanic	546	6.7	1.18	(4.4–9.0)		46,350	(29,983–62,716)
ND	White NH	3,983	11.5	0.75	(10.0–12.9)		55,960	(48,493–63,427)
ND	Black NH	49			(–)		367	(–)
ND	Other NH	232	17.1	3.43	(10.4–23.9)		5,998	(3,408–8,588)
ND	Multirace NH	52	39.3	11.08	(17.1–61.5)		3,347	(656–6,037)
ND	Hispanic	64			(–)		2,948	(–)
OH	White NH	12,426	13.8	0.46	(12.9–14.7)		981,041	(913,652–1,048,430)
OH	Black NH	982	17.9	1.64	(14.6–21.1)		191,365	(153,191–229,538)
OH	Other NH	328	10.6	2.59	(5.5–15.7)		27,957	(13,810–42,104)
OH	Multirace NH	280	27.4	3.64	(20.2–34.6)		27,715	(19,348–36,083)
OH	Hispanic	306	19.1	2.94	(13.3–24.9)		65,037	(43,497–86,576)
OK	White NH	3,626	15.6	0.77	(14.0–17.1)		316,093	(283,772–348,414)
OK	Black NH	263	17.0	2.73	(11.6–22.4)		40,454	(26,619–54,289)
OK	Other NH	481	15.3	2.02	(11.3–19.2)		43,118	(31,271–54,965)
OK	Multirace NH	259	26.7	3.67	(19.5–33.9)		35,663	(24,063–47,262)
OK	Hispanic	331	8.8	1.63	(5.6–12.0)		25,205	(15,828–34,583)
OR	White NH	4,428	15.9	0.63	(14.7–17.1)		405,289	(372,896–437,681)
OR	Black NH	69			(–)		13,365	(–)
OR	Other NH	223	17.5	3.19	(11.2–23.8)		37,714	(22,797–52,630)
OR	Multirace NH	123	26.8	5.03	(16.9–36.8)		18,710	(10,345–27,074)
OR	Hispanic	402	11.1	1.69	(7.8–14.4)		41,913	(28,713–55,113)
PA	White NH	4,350	14.1	0.72	(12.7–15.6)		1,088,407	(975,678–1,201,136)
PA	Black NH	493	19.0	2.40	(14.3–23.7)		194,913	(140,711–249,116)
PA	Other NH	228	10.1	2.60	(5.0–15.2)		44,886	(21,053–68,719)
PA	Multirace NH	76	28.9	7.19	(14.6–43.2)		21,523	(8,813–34,234)
PA	Hispanic	257	23.4	3.41	(16.6–30.1)		167,662	(113,633–221,691)
RI	White NH	4,188	15.3	0.84	(13.7–17.0)		92,749	(82,260–103,237)
RI	Black NH	193	14.3	2.91	(8.5–20.0)		6,206	(3,610–8,801)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssstechno.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Lifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

<sup>c</sup>Unweighted number of respondents who answered the lifetime asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of respondents who answered the lifetime asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>Other Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

<sup>h</sup>./blank': Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table L5**  
**Adult<sup>a</sup> lifetime<sup>b</sup> Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory: BRFSS 2020**

State	Race/Ethnicity <sup>a</sup>	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
RI	Other NH	232	16.3	4.49	(7.5–25.2)		7,437	(2,949–11,926)
RI	Multirace NH	95	28.7	7.62	(13.6–43.9)		2,913	(1,017–4,810)
RI	Hispanic	496	16.9	2.21	(12.6–21.3)		21,173	(15,212–27,135)
SC	White NH	2,776	13.6	0.83	(12.0–15.3)		363,205	(317,988–408,423)
SC	Black NH	890	14.3	1.56	(11.3–17.4)		145,313	(112,336–178,289)
SC	Other NH	94	15.2	4.38	(6.5–23.9)		11,246	(4,485–18,007)
SC	Multirace NH	73	22.2	6.28	(9.7–34.8)		15,683	(5,972–25,393)
SC	Hispanic	114	13.1	3.66	(5.8–20.3)		28,235	(11,767–44,703)
SD	White NH	5,505	10.2	0.84	(8.6–11.9)		56,954	(47,580–66,328)
SD	Black NH	35			(–)		1,678	(–)
SD	Other NH	994	16.3	3.11	(10.2–22.4)		9,067	(5,580–12,554)
SD	Multirace NH	117			(–)		2,035	(–)
SD	Hispanic	150			(–)		3,494	(–)
TN	White NH	3,753	15.2	0.80	(13.6–16.7)		601,075	(536,957–665,193)
TN	Black NH	464	21.0	2.60	(15.9–26.1)		174,445	(127,268–221,622)
TN	Other NH	127	10.8	3.19	(4.5–17.1)		13,524	(5,411–21,638)
TN	Multirace NH	74	25.2	6.69	(11.9–38.5)		15,921	(5,865–25,977)
TN	Hispanic	136	9.1	2.61	(3.9–14.2)		24,377	(10,466–38,287)
TX	White NH	5,574	13.3	0.83	(11.7–15.0)		1,228,514	(1,070,620–1,386,409)
TX	Black NH	804	16.9	2.15	(12.6–21.1)		430,359	(313,638–547,080)
TX	Other NH	473	9.8	2.69	(4.5–15.1)		134,516	(57,738–211,295)
TX	Multirace NH	197			(–)		31,614	(–)
TX	Hispanic	3,625	10.1	1.03	(8.1–12.1)		816,494	(647,771–985,217)
UT	White NH	9,309	16.4	0.50	(15.4–17.4)		296,065	(277,569–314,561)
UT	Black NH	73	16.2	4.43	(7.4–25.1)		4,096	(1,792–6,401)
UT	Other NH	313	11.9	2.07	(7.9–16.0)		13,614	(8,756–18,472)
UT	Multirace NH	128	31.7	5.26	(21.3–42.1)		10,485	(6,218–14,753)
UT	Hispanic	840	15.1	1.46	(12.3–18.0)		46,510	(37,026–55,994)
VT	White NH	6,015	14.6	0.70	(13.2–15.9)		67,500	(60,948–74,052)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssstechinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Lifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

<sup>c</sup>Unweighted number of respondents who answered the lifetime asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of respondents who answered the lifetime asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>Other Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

<sup>h</sup>–/blank: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%



**Table L5**  
**Adult<sup>a</sup> lifetime<sup>b</sup> Asthma Prevalence**  
**and Number by Race/Ethnicity and State or Territory: BRFSS 2020**

State	Race/Ethnicity <sup>a</sup>	Sample Size <sup>c</sup>	Prevalence (Percent)	Standard Error	95% CI <sup>d</sup> (Percent)	    	Weighted Number <sup>e</sup>	95% CI <sup>d</sup> (Weighted Number)
VT	Black NH	38			(-.)		462	(-.)
VT	Other NH	151	20.5	5.86	(8.9–32.1)		3,159	(1,179–5,139)
VT	Multirace NH	121	26.9	6.42	(14.1–39.6)		1,548	(688–2,407)
VT	Hispanic	67	24.5	7.34	(9.9–39.2)		2,427	(895–3,960)
VA	White NH	6,682	14.2	0.62	(13.0–15.4)		577,215	(525,217–629,212)
VA	Black NH	1,468	14.5	1.19	(12.1–16.8)		178,512	(147,985–209,038)
VA	Other NH	373	7.6	1.58	(4.5–10.7)		39,170	(22,850–55,491)
VA	Multirace NH	200	20.1	3.95	(12.3–27.9)		21,939	(12,362–31,515)
VA	Hispanic	544	11.2	1.85	(7.6–14.8)		67,457	(44,199–90,716)
WA	White NH	10,065	16.0	0.49	(15.0–16.9)		656,141	(615,172–697,110)
WA	Black NH	281	15.5	2.33	(10.9–20.1)		33,649	(23,017–44,282)
WA	Other NH	885	9.9	1.16	(7.6–12.2)		74,548	(56,745–92,352)
WA	Multirace NH	379	25.7	2.96	(19.9–31.5)		37,674	(27,392–47,956)
WA	Hispanic	936	12.8	1.31	(10.2–15.3)		84,198	(66,009–102,387)
WV	White NH	5,379	17.2	0.67	(15.8–18.5)		218,778	(201,103–236,453)
WV	Black NH	124			(-.)		5,859	(-.)
WV	Other NH	69			(-.)		2,571	(-.)
WV	Multirace NH	70	27.3	6.15	(15.0–39.6)		3,969	(1,909–6,030)
WV	Hispanic	56			(-.)		1,737	(-.)
WI	White NH	4,318	13.2	0.74	(11.7–14.6)		491,368	(434,830–547,906)
WI	Black NH	212	22.8	4.57	(13.8–31.8)		59,067	(32,754–85,379)
WI	Other NH	234			(-.)		15,390	(-.)
WI	Multirace NH	61	45.2	10.90	(23.4–67.0)		15,561	(4,907–26,214)
WI	Hispanic	171	10.5	3.03	(4.6–16.5)		28,351	(11,260–45,441)
WY	White NH	4,238	15.1	0.84	(13.4–16.7)		55,787	(49,501–62,074)
WY	Black NH	32			(-.)		378	(-.)
WY	Other NH	109			(-.)		963	(-.)
WY	Multirace NH	61			(-.)		1,109	(-.)
WY	Hispanic	225	18.1	3.75	(10.7–25.4)		7,212	(3,881–10,544)

Notes: For additional information on methods and variable description, refer to 'Technical Information', available at: <https://www.cdc.gov/asthma/brfss/2020/brfssstechinfo.html>

<sup>a</sup>Aged 18+ years

<sup>b</sup>Lifetime question: Has a doctor, nurse, or other health professional EVER told you that you had asthma?

<sup>c</sup>Unweighted number of respondents who answered the lifetime asthma question

<sup>d</sup>CI denotes confidence interval

<sup>e</sup>Weighted number of respondents who answered the lifetime asthma question

<sup>f</sup>U.S. Total includes 50 states plus the District of Columbia and excludes the territories

<sup>g</sup>Other Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

<sup>h</sup>.-./blank: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%