

Table C3
Child^a Current Asthma^b Prevalence
and Weighted Number^c by Age and State or Territory: BRFSS 2020

State	Age Group	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)		Weighted Number ^c	95% CI ^e Weighted Number ^c
Total ^f	0-4	9,622	4.6	0.65	(3.5–6.0)		606,370	(433,774–778,966)
Total ^f	5-9	10,496	7.9	0.67	(6.7–9.4)		1,052,654	(871,166–1,234,143)
Total ^f	10-14	16,519	8.8	0.52	(7.8–9.8)		1,167,667	(1,028,453–1,306,882)
Total ^f	15-17	10,569	9.2	0.66	(7.9–10.5)		749,151	(640,218–858,085)
CA	0-4	199	7.7	2.79	(3.7–15.2)		184,287	(46,002–322,572)
CA	5-9	193	7.3	2.20	(4.0–13.0)		180,391	(71,404–289,379)
CA	10-14	332	6.0	1.48	(3.6–9.6)		157,723	(79,798–235,647)
CA	15-17	183	6.0	1.94	(3.2–11.1)		75,960	(27,357–124,563)
CT	0-4	319	11.8	3.30	(6.7–19.9)		21,418	(8,754–34,083)
CT	5-9	437	11.8	2.44	(7.8–17.5)		20,542	(11,851–29,233)
CT	10-14	659	13.9	2.58	(9.5–19.7)		27,170	(16,740–37,599)
CT	15-17	436	8.6	1.75	(5.8–12.7)		11,516	(6,945–16,086)
DC	0-4	122	4.6	2.44	(1.6–12.6)		2,047	(0–4,244)
DC	5-9	185	11.3	3.30	(6.3–19.6)		4,281	(1,653–6,910)
DC	10-14	123	14.7	3.68	(8.8–23.4)		4,388	(2,093–6,684)
DC	15-17	113	8.4	3.14	(3.9–17.0)		1,645	(391–2,898)
FL	0-4	326	5.6	2.44	(2.3–12.8)		62,159	(7,336–116,982)
FL	5-9	410	5.7	1.90	(3.0–10.8)		61,876	(21,361–102,392)
FL	10-14	656	5.3	1.21	(3.4–8.2)		58,679	(32,896–84,462)
FL	15-17	329	7.6	2.76	(3.7–15.1)		57,086	(14,660–99,512)
GA	0-4	303	8.1	2.71	(4.1–15.2)		53,454	(16,878–90,031)
GA	5-9	409	11.3	3.05	(6.5–18.8)		71,858	(31,134–112,582)
GA	10-14	581	10.6	1.76	(7.6–14.6)		67,844	(45,164–90,523)
GA	15-17	428	8.9	2.12	(5.5–14.0)		38,289	(19,873–56,705)
HI	0-4	404	4.5	1.44	(2.4–8.3)		3,764	(1,369–6,158)
HI	5-9	328	9.4	1.93	(6.3–14.0)		7,984	(4,677–11,291)
HI	10-14	588	9.2	1.62	(6.4–12.9)		6,811	(4,368–9,253)
HI	15-17	247	8.1	2.69	(4.1–15.1)		3,802	(1,202–6,402)
IN	0-4	311	3.3	1.11	(1.7–6.3)		13,570	(4,541–22,599)
IN	5-9	401	5.4	1.26	(3.4–8.5)		21,551	(11,525–31,577)
IN	10-14	649	5.5	0.92	(3.9–7.6)		21,789	(14,534–29,044)

Notes: For additional information on methods and variable description, refer to “Technical Information, available at:

<https://www.cdc.gov/asthma/brfss/2020/child/brfsschildtechninfo.html>

^aAged 0-17

^bCurrent asthma question: Does the child still have asthma?

^cWeighted number of respondents who answered the current asthma question

^dUnweighted number of respondents who answered the current asthma question

^eCI denotes confidence interval

^fTotal includes data from 30 states and DC, but excludes Puerto Rico

‘.-/blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

Table C3
Child^a Current Asthma^b Prevalence
and Weighted Number^c by Age and State or Territory: BRFSS 2020

State	Age Group	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)		Weighted Number ^c	95% CI ^e Weighted Number ^c
IN	15-17	351	10.5	2.13	(7.0–15.5)		27,632	(16,036–39,228)
KS	0-4	501	3.7	1.21	(2.0–7.0)		6,947	(2,444–11,450)
KS	5-9	556	8.8	1.54	(6.2–12.3)		15,841	(10,188–21,494)
KS	10-14	814	8.2	1.13	(6.3–10.7)		15,162	(11,004–19,320)
KS	15-17	459	10.2	1.80	(7.2–14.3)		11,768	(7,527–16,009)
KY	0-4	175			(-.-)		5,487	(-.-)
KY	5-9	194	6.9	2.41	(3.5–13.4)		17,216	(5,170–29,262)
KY	10-14	279	11.7	2.82	(7.2–18.4)		34,098	(16,842–51,353)
KY	15-17	139	5.5	1.98	(2.7–10.9)		7,535	(2,177–12,893)
ME	0-4	313	3.4	1.31	(1.6–7.1)		1,989	(477–3,501)
ME	5-9	331	8.8	2.05	(5.5–13.7)		5,353	(2,826–7,881)
ME	10-14	528	11.4	2.14	(7.9–16.3)		7,123	(4,388–9,858)
ME	15-17	342	8.2	1.89	(5.1–12.7)		3,361	(1,809–4,914)
MA	0-4	137	5.4	2.48	(2.1–12.9)		16,641	(1,149–32,134)
MA	5-9	122	6.4	2.57	(2.8–13.7)		20,667	(4,005–37,329)
MA	10-14	159	10.2	3.96	(4.6–20.9)		27,134	(4,900–49,368)
MA	15-17	173	10.1	3.28	(5.2–18.5)		27,515	(9,178–45,852)
MI	0-4	334	2.8	1.00	(1.4–5.6)		14,991	(4,426–25,556)
MI	5-9	354	10.4	1.70	(7.5–14.2)		56,040	(37,855–74,225)
MI	10-14	401	11.7	2.12	(8.1–16.5)		65,670	(40,930–90,409)
MI	15-17	358	8.9	1.67	(6.1–12.8)		32,289	(20,158–44,420)
MN	0-4	653	1.0	0.38	(0.5–2.1)		3,703	(1,070–6,336)
MN	5-9	769	3.8	0.87	(2.4–5.9)		13,411	(7,253–19,570)
MN	10-14	1,411	6.2	0.74	(4.9–7.8)		20,760	(15,864–25,655)
MN	15-17	830	7.3	1.63	(4.7–11.2)		15,440	(8,478–22,403)
MS	0-4	329	4.9	1.49	(2.7–8.8)		8,216	(3,221–13,212)
MS	5-9	328	5.4	1.29	(3.3–8.5)		9,457	(4,959–13,955)
MS	10-14	410	13.6	2.24	(9.8–18.7)		25,846	(17,123–34,568)
MS	15-17	286	15.7	4.76	(8.4–27.4)		19,183	(5,968–32,397)
MO	0-4	471	4.8	1.34	(2.8–8.2)		16,217	(7,157–25,277)
MO	5-9	386	8.5	1.89	(5.5–13.0)		30,780	(16,798–44,762)
MO	10-14	610	10.5	1.67	(7.7–14.3)		37,173	(25,039–49,306)

Notes: For additional information on methods and variable description, refer to “Technical Information, available at:

<https://www.cdc.gov/asthma/brfss/2020/child/brfsschildtechninfo.html>

^aAged 0-17

^bCurrent asthma question: Does the child still have asthma?

^cWeighted number of respondents who answered the current asthma question

^dUnweighted number of respondents who answered the current asthma question

^eCI denotes confidence interval

^fTotal includes data from 30 states and DC, but excludes Puerto Rico

^g‘-./blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

Table C3
Child^a Current Asthma^b Prevalence
and Weighted Number^c by Age and State or Territory: BRFSS 2020

State	Age Group	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
MO	15-17	362	13.1	2.58	(8.9–19.1)		30,721	(17,878–43,565)
MT	0-4	265	1.9	0.93	(0.7–4.9)		1,184	(40–2,327)
MT	5-9	365	8.0	2.36	(4.4–14.0)		4,753	(1,837–7,669)
MT	10-14	478	5.5	1.15	(3.6–8.2)		3,286	(1,931–4,642)
MT	15-17	272	9.6	2.02	(6.3–14.3)		3,639	(2,121–5,157)
NE	0-4	723	2.1	0.98	(0.8–5.2)		2,701	(165–5,238)
NE	5-9	678	3.3	1.08	(1.7–6.2)		4,335	(1,516–7,153)
NE	10-14	1,152	5.9	0.99	(4.3–8.2)		7,564	(5,058–10,071)
NE	15-17	818	9.4	1.62	(6.7–13.1)		7,297	(4,724–9,870)
NV	0-4	75			(–)		0	(–)
NV	5-9	116	5.3	2.99	(1.7–15.2)		9,852	(0–20,976)
NV	10-14	153	9.0	3.20	(4.4–17.6)		17,312	(4,900–29,725)
NV	15-17	103	20.6	6.79	(10.3–36.9)		19,658	(4,769–34,546)
NH	0-4	141			(–)		2,124	(–)
NH	5-9	223	6.7	1.83	(3.9–11.3)		4,239	(1,925–6,553)
NH	10-14	343	8.7	1.61	(6.1–12.5)		5,889	(3,741–8,036)
NH	15-17	227	10.9	2.31	(7.2–16.4)		5,079	(2,905–7,254)
NJ	0-4	503	4.9	1.13	(3.1–7.6)		23,561	(12,684–34,437)
NJ	5-9	456	4.3	0.99	(2.8–6.7)		21,635	(11,879–31,391)
NJ	10-14	726	12.6	1.69	(9.6–16.3)		59,315	(42,737–75,893)
NJ	15-17	509	10.5	1.66	(7.6–14.2)		32,265	(21,845–42,686)
NM	0-4	273	2.2	1.13	(0.8–5.9)		2,664	(0–5,414)
NM	5-9	304	6.7	2.06	(3.6–12.1)		8,286	(3,195–13,377)
NM	10-14	611	9.7	2.11	(6.2–14.6)		11,568	(6,429–16,707)
NM	15-17	280	11.9	3.79	(6.2–21.5)		9,809	(3,281–16,337)
NY	0-4	205	4.4	1.95	(1.8–10.3)		46,612	(5,194–88,030)
NY	5-9	309	8.3	1.84	(5.3–12.7)		83,599	(46,908–120,290)
NY	10-14	286	10.1	2.27	(6.4–15.5)		107,930	(58,614–157,247)
NY	15-17	176	11.5	3.16	(6.6–19.2)		72,857	(32,034–113,679)
OH	0-4	629	2.8	0.77	(1.6–4.8)		17,474	(7,905–27,044)
OH	5-9	555	8.4	2.13	(5.0–13.6)		57,183	(27,355–87,011)
OH	10-14	930	8.5	1.28	(6.3–11.4)		56,715	(39,514–73,916)

Notes: For additional information on methods and variable description, refer to “Technical Information, available at:

<https://www.cdc.gov/asthma/brfss/2020/child/brfsschildtechno.html>

^aAged 0-17

^bCurrent asthma question: Does the child still have asthma?

^cWeighted number of respondents who answered the current asthma question

^dUnweighted number of respondents who answered the current asthma question

^eCI denotes confidence interval

^fTotal includes data from 30 states and DC, but excludes Puerto Rico

‘.–/blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

Table C3
Child^a Current Asthma^b Prevalence
and Weighted Number^c by Age and State or Territory: BRFSS 2020

State	Age Group	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)		Weighted Number ^c	95% CI ^e Weighted Number ^c
OH	15-17	740	10.1	1.64	(7.3–13.8)		40,765	(27,143–54,387)
PA	0-4	221	4.9	2.03	(2.1–10.8)		31,388	(5,063–57,713)
PA	5-9	228	10.5	2.95	(6.0–17.8)		74,206	(30,832–117,579)
PA	10-14	312	19.0	3.80	(12.7–27.6)		132,581	(72,522–192,639)
PA	15-17	360	10.8	2.65	(6.6–17.2)		45,205	(22,078–68,333)
RI	0-4	198	4.6	2.20	(1.8–11.4)		2,366	(103–4,630)
RI	5-9	195	10.5	2.83	(6.1–17.5)		5,665	(2,562–8,769)
RI	10-14	383	13.7	2.25	(9.9–18.8)		7,160	(4,765–9,555)
RI	15-17	221	8.8	2.48	(5.0–15.0)		3,204	(1,370–5,039)
TX	0-4	488	2.6	1.33	(1.0–7.0)		53,938	(164–107,711)
TX	5-9	474	10.0	2.61	(5.9–16.4)		203,556	(94,496–312,616)
TX	10-14	1,038	7.0	1.51	(4.6–10.6)		129,055	(72,764–185,347)
TX	15-17	486	8.6	2.30	(5.0–14.3)		105,904	(48,823–162,985)
UT	0-4	606	1.7	0.72	(0.8–3.9)		4,480	(801–8,159)
UT	5-9	645	6.9	1.16	(5.0–9.6)		17,936	(11,897–23,976)
UT	10-14	1,198	7.8	1.05	(5.9–10.1)		19,571	(14,170–24,971)
UT	15-17	837	9.7	1.29	(7.5–12.6)		14,830	(10,802–18,857)
VT	0-4	211			(.–.)		161	(.–.)
VT	5-9	320	5.3	1.36	(3.2–8.7)		1,570	(781–2,359)
VT	10-14	415	9.7	2.02	(6.4–14.4)		2,914	(1,681–4,146)
VT	15-17	273	15.1	3.24	(9.8–22.6)		3,201	(1,733–4,669)
WI	0-4	187			(.–.)		2,826	(.–.)
WI	5-9	225	5.8	2.20	(2.7–12.0)		18,590	(4,478–32,702)
WI	10-14	294	8.5	2.42	(4.8–14.6)		29,440	(12,865–46,015)
WI	15-17	231	9.9	3.34	(5.0–18.6)		21,696	(6,499–36,893)
Territory								
PR	0-4	238	3.8	1.40	(1.8–7.7)		6,572	(1,764–11,380)
PR	5-9	286	11.4	2.05	(7.9–16.1)		21,985	(13,821–30,150)
PR	10-14	409	8.3	1.52	(5.7–11.8)		14,812	(9,297–20,327)
PR	15-17	236	5.1	1.42	(2.9–8.7)		7,328	(3,280–11,376)

Notes: For additional information on methods and variable description, refer to “Technical Information, available at:

<https://www.cdc.gov/asthma/brfss/2020/child/brfsschildtechninfo.html>

^aAged 0-17

^bCurrent asthma question: Does the child still have asthma?

^cWeighted number of respondents who answered the current asthma question

^dUnweighted number of respondents who answered the current asthma question

^eCI denotes confidence interval

^fTotal includes data from 30 states and DC, but excludes Puerto Rico

‘.–./blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE) > 30%