

**Table C4
Child^a Current Asthma^b Prevalence
and Weighted Number^c by Race and State or Territory: BRFSS 2020**

State	Race ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
Total ^f	White	35,200	6.6	0.35	(6.0–7.4)		2,013,595	(1,803,484–2,223,707)
Total ^f	Black	4,244	12.6	0.98	(10.8–14.6)		906,366	(761,419–1,051,312)
Total ^f	Other	7,762	6.3	0.79	(4.9–8.0)		655,882	(487,940–823,824)
CA	White	585	7.3	1.42	(5.0–10.6)		390,477	(238,117–542,837)
CA	Black	63	9.6	3.71	(4.4–19.7)		54,699	(13,071–96,328)
CA	Other	259	5.4	2.06	(2.5–11.2)		153,185	(34,118–272,252)
CT	White	1,279	11.0	1.49	(8.4–14.3)		48,688	(35,256–62,119)
CT	Black	230	13.1	3.68	(7.4–22.2)		13,736	(5,766–21,705)
CT	Other	342	13.3	3.63	(7.6–22.1)		18,223	(7,608–28,837)
DC	White	240	2.9	1.09	(1.4–6.0)		1,079	(277–1,881)
DC	Black	228	15.0	2.73	(10.4–21.1)		10,921	(6,809–15,033)
DC	Other	75			(.–)		362	(.–)
FL	White	1,240	5.1	1.05	(3.3–7.6)		118,982	(70,007–167,958)
FL	Black	207	9.7	3.10	(5.1–17.7)		99,349	(35,050–163,648)
FL	Other	274	3.2	1.78	(1.1–9.2)		21,469	(0–45,016)
GA	White	1,006	7.7	1.34	(5.5–10.8)		87,951	(57,188–118,715)
GA	Black	502	14.6	2.77	(9.9–20.9)		126,953	(75,632–178,275)
GA	Other	213	4.6	2.15	(1.8–11.2)		16,540	(1,180–31,900)
HI	White	278	3.7	1.72	(1.5–9.0)		1,573	(109–3,037)
HI	Black	13			(.–)		170	(.–)
HI	Other	1,276	8.5	1.06	(6.6–10.8)		20,618	(15,487–25,748)
IN	White	1,372	5.5	0.75	(4.2–7.2)		60,666	(44,206–77,126)
IN	Black	171	8.0	2.17	(4.7–13.4)		14,991	(6,975–23,006)
IN	Other	169	4.8	1.52	(2.6–8.9)		8,886	(3,437–14,334)
KS	White	1,962	7.2	0.76	(5.8–8.8)		36,225	(28,607–43,843)
KS	Black	97	9.9	3.14	(5.2–17.9)		4,481	(1,616–7,346)
KS	Other	271	7.9	1.90	(4.9–12.5)		9,011	(4,619–13,403)
KY	White	700	6.5	1.17	(4.5–9.2)		47,952	(30,677–65,227)
KY	Black	37			(.–)		7,312	(.–)
KY	Other	50			(.–)		9,072	(.–)
ME	White	1,415	8.3	1.04	(6.5–10.6)		16,517	(12,463–20,571)

Notes: For additional information on methods and variable description, refer to “Technical Information, available at: <https://www.cdc.gov/asthma/brfss/2020/child/brfsschildtechno.html>

^aAged 0-17

^bCurrent asthma question: Does the child still have asthma?

^cWeighted number of respondents who answered the current asthma question

^dUnweighted number of respondents who answered the current asthma question

^eCI denotes confidence interval

^fTotal includes data from 30 states and DC, but excludes Puerto Rico

^gOther Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

‘.–/blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

**Table C4
Child^a Current Asthma^b Prevalence
and Weighted Number^c by Race and State or Territory: BRFSS 2020**

State	Race ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
ME	Black	25			(.-.)		50	(.-.)
ME	Other	74	7.4	3.80	(2.7–19.2)		1,260	(0–2,556)
MA	White	418	8.6	1.85	(5.6–13.0)		63,226	(36,029–90,424)
MA	Black	48			(.-.)		9,332	(.-.)
MA	Other	125	5.7	3.15	(1.9–16.0)		19,399	(0–41,151)
MI	White	1,091	7.4	0.90	(5.8–9.3)		103,030	(78,495–127,565)
MI	Black	183	13.6	3.06	(8.6–20.8)		47,927	(25,717–70,136)
MI	Other	173	7.2	1.99	(4.2–12.2)		18,033	(8,323–27,743)
MN	White	2,868	4.3	0.52	(3.3–5.4)		37,124	(28,246–46,003)
MN	Black	223	4.1	1.43	(2.1–8.1)		5,716	(1,811–9,621)
MN	Other	572	4.3	0.99	(2.7–6.7)		10,474	(5,704–15,244)
MS	White	670	7.6	2.00	(4.5–12.6)		23,642	(10,788–36,495)
MS	Black	621	12.2	1.77	(9.1–16.1)		37,947	(26,664–49,229)
MS	Other	62			(.-.)		1,113	(.-.)
MO	White	1,461	6.7	0.87	(5.2–8.7)		62,942	(46,640–79,243)
MO	Black	222	18.2	3.26	(12.7–25.5)		36,532	(22,629–50,436)
MO	Other	146	10.1	3.50	(5.0–19.3)		15,417	(4,313–26,522)
MT	White	1,101	4.9	0.67	(3.8–6.4)		8,676	(6,386–10,967)
MT	Black	4			(.-.)		128	(.-.)
MT	Other	275	9.4	3.23	(4.7–17.9)		4,058	(1,144–6,971)
NE	White	2,862	4.3	0.57	(3.3–5.5)		15,647	(11,555–19,740)
NE	Black	116	6.8	3.13	(2.7–16.1)		2,312	(279–4,345)
NE	Other	393	5.9	1.84	(3.1–10.7)		3,937	(1,451–6,424)
NV	White	283	7.4	2.35	(3.9–13.5)		23,673	(8,424–38,922)
NV	Black	24			(.-.)		10,563	(.-.)
NV	Other	140	4.7	1.64	(2.4–9.2)		12,586	(4,276–20,895)
NH	White	856	7.7	1.13	(5.7–10.2)		15,974	(11,280–20,668)
NH	Black	11			(.-.)		0	(.-.)
NH	Other	67			(.-.)		1,357	(.-.)
NJ	White	1,348	7.0	0.79	(5.6–8.7)		67,969	(52,875–83,062)
NJ	Black	307	14.9	2.63	(10.4–20.8)		46,281	(29,244–63,317)

Notes: For additional information on methods and variable description, refer to “Technical Information, available at: <https://www.cdc.gov/asthma/brfss/2020/child/brfsschildtechno.html>

^aAged 0-17

^bCurrent asthma question: Does the child still have asthma?

^cWeighted number of respondents who answered the current asthma question

^dUnweighted number of respondents who answered the current asthma question

^eCI denotes confidence interval

^fTotal includes data from 30 states and DC, but excludes Puerto Rico

^gOther Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

‘.-./blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

Table C4
Child^a Current Asthma^b Prevalence
and Weighted Number^c by Race and State or Territory: BRFSS 2020

State	Race ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
NJ	Other	539	4.7	0.94	(3.2–7.0)		22,527	(13,745–31,309)
NM	White	1,017	8.0	1.43	(5.6–11.3)		25,837	(16,543–35,131)
NM	Black	24			(.–)		1,640	(.–)
NM	Other	427	4.3	1.28	(2.4–7.7)		4,850	(2,044–7,655)
NY	White	617	7.0	1.34	(4.8–10.1)		143,014	(88,394–197,634)
NY	Black	115	13.9	3.64	(8.2–22.7)		95,258	(45,160–145,355)
NY	Other	244	7.0	1.91	(4.0–11.8)		72,726	(32,601–112,851)
OH	White	2,346	5.8	0.78	(4.4–7.5)		96,742	(70,748–122,735)
OH	Black	236	12.7	2.73	(8.3–19.1)		51,216	(28,630–73,801)
OH	Other	272	8.0	2.67	(4.1–15.0)		24,180	(7,625–40,734)
PA	White	854	7.4	1.22	(5.4–10.2)		124,796	(84,026–165,565)
PA	Black	131	33.7	6.77	(21.9–47.9)		119,941	(55,003–184,879)
PA	Other	136	9.0	3.30	(4.3–17.9)		38,643	(9,441–67,846)
RI	White	730	8.2	1.33	(5.9–11.2)		10,347	(7,021–13,673)
RI	Black	84	9.4	3.68	(4.2–19.5)		1,679	(382–2,976)
RI	Other	183	12.8	3.22	(7.7–20.5)		6,370	(3,067–9,674)
TX	White	1,807	6.0	1.03	(4.3–8.4)		269,447	(177,734–361,159)
TX	Black	208	8.8	2.75	(4.7–15.9)		94,377	(35,953–152,801)
TX	Other	471	7.9	2.89	(3.8–15.8)		128,629	(32,382–224,876)
UT	White	2,940	6.4	0.57	(5.3–7.6)		49,275	(40,612–57,939)
UT	Black	44			(.–)		641	(.–)
UT	Other	302	5.3	1.61	(2.9–9.5)		6,900	(2,704–11,095)
VT	White	1,105	7.7	1.06	(5.9–10.1)		7,425	(5,404–9,446)
VT	Black	17			(.–)		143	(.–)
VT	Other	97			(.–)		278	(.–)
WI	White	749	6.0	1.26	(4.0–9.0)		54,700	(32,096–77,303)
WI	Black	53			(.–)		12,072	(.–)
WI	Other	135			(.–)		5,780	(.–)

Notes: For additional information on methods and variable description, refer to “Technical Information, available at: <https://www.cdc.gov/asthma/brfss/2020/child/brfsschildtechno.html>

^aAged 0-17

^bCurrent asthma question: Does the child still have asthma?

^cWeighted number of respondents who answered the current asthma question

^dUnweighted number of respondents who answered the current asthma question

^eCI denotes confidence interval

^fTotal includes data from 30 states and DC, but excludes Puerto Rico

^gOther Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

‘.–/blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%