

**Table L5
Child^a Lifetime Asthma^b Prevalence
and Weighted Number^c by Race/Ethnicity and State or Territory: BRFSS 2020**

State	Race/Ethnicity ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
Total ^f	White NH ***	30,647	9.5	0.40	(8.8–10.3)		2,023,440	(1,853,081–2,193,800)
Total ^f	Black NH	3,886	19.0	1.35	(16.5–21.8)		1,205,041	(1,021,292–1,388,790)
Total ^f	Other NH	5,249	11.0	1.26	(8.8–13.7)		659,375	(502,324–816,427)
Total ^f	Hispanic	7,574	10.6	0.76	(9.2–12.2)		1,533,095	(1,310,745–1,755,446)
CA	White NH	229	8.7	2.40	(5.0–14.7)		171,363	(76,989–265,737)
CA	Black NH	43	18.6	6.36	(9.1–34.2)		64,966	(18,748–111,185)
CA	Other NH	159	10.9	3.61	(5.6–20.2)		189,356	(58,465–320,246)
CA	Hispanic	478	9.5	1.59	(6.8–13.1)		449,643	(299,078–600,208)
CT	White NH	1,066	15.3	1.96	(11.9–19.6)		52,865	(38,837–66,894)
CT	Black NH	185	15.8	3.76	(9.7–24.6)		13,082	(6,811–19,353)
CT	Other NH	186	18.2	4.71	(10.7–29.3)		13,463	(6,088–20,838)
CT	Hispanic	418	24.0	4.04	(17.0–32.8)		45,006	(27,427–62,585)
DC	White NH	209	5.9	1.64	(3.4–10.0)		1,679	(754–2,605)
DC	Black NH	219	19.6	3.05	(14.3–26.2)		13,765	(9,268–18,262)
DC	Other NH	57			(.–)		783	(.–)
DC	Hispanic	60			(.–)		670	(.–)
FL	White NH	969	8.7	1.55	(6.1–12.3)		131,592	(85,153–178,031)
FL	Black NH	175	15.8	4.33	(9.0–26.2)		137,609	(58,824–216,393)
FL	Other NH	140			(.–)		7,801	(.–)
FL	Hispanic	442	9.6	2.17	(6.1–14.8)		131,995	(73,074–190,916)
GA	White NH	889	13.5	2.00	(10.0–17.9)		125,677	(86,792–164,562)
GA	Black NH	485	23.4	3.45	(17.4–30.9)		197,399	(131,271–263,526)
GA	Other NH	141	9.5	3.76	(4.3–19.9)		22,182	(4,421–39,943)
GA	Hispanic	214	13.3	3.38	(8.0–21.4)		49,002	(23,987–74,016)
HI	White NH	243	3.4	1.18	(1.7–6.6)		1,177	(371–1,984)
HI	Black NH	13			(.–)		170	(.–)
HI	Other NH	1,085	13.7	1.44	(11.1–16.8)		26,513	(20,791–32,236)
HI	Hispanic	231	19.8	3.32	(14.1–27.1)		11,564	(7,448–15,680)
IN	White NH	1,278	7.3	0.79	(5.9–9.0)		72,088	(56,684–87,492)
IN	Black NH	165	11.4	2.71	(7.0–17.8)		20,329	(10,595–30,064)
IN	Other NH	112	9.6	3.01	(5.1–17.3)		11,516	(4,325–18,706)

Notes: For additional information on methods and variable description, refer to “Technical Information, available at: <https://www.cdc.gov/asthma/brfss/2020/child/brfsschildtechno.html>

^aAged 0-17

^bLifetime question: Has a doctor, nurse or other health professional ever said that the child has asthma?

^cWeighted number of respondents who answered the lifetime asthma question

^dUnweighted number of respondents who answered the lifetime asthma question

^eCI denotes confidence interval

^fTotal includes data from 30 states and DC, but excludes Puerto Rico

^gOther Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

‘.–/blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

Table L5
Child^a Lifetime Asthma^b Prevalence
and Weighted Number^c by Race/Ethnicity and State or Territory: BRFSS 2020

State	Race/Ethnicity ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
IN	Hispanic	163	12.3	3.10	(7.4–19.8)		23,147	(10,978–35,315)
KS	White NH	1,763	9.9	0.86	(8.3–11.7)		40,844	(33,776–47,912)
KS	Black NH	87	12.3	3.71	(6.7–21.6)		5,078	(1,974–8,182)
KS	Other NH	188	13.4	2.95	(8.6–20.3)		10,185	(5,605–14,764)
KS	Hispanic	304	11.0	2.08	(7.6–15.8)		15,223	(9,314–21,132)
KY	White NH	684	10.0	1.46	(7.5–13.3)		71,888	(51,091–92,684)
KY	Black NH	36			(.–.)		4,192	(.–.)
KY	Other NH	45	11.3	5.97	(3.8–29.1)		9,072	(0–19,054)
KY	Hispanic	25			(.–.)		8,397	(.–.)
ME	White NH	1,387	12.2	1.25	(10.0–14.9)		23,105	(18,415–27,796)
ME	Black NH	23			(.–.)		163	(.–.)
ME	Other NH	58	11.8	5.27	(4.7–26.5)		1,551	(136–2,966)
ME	Hispanic	52	17.1	7.97	(6.4–38.3)		2,564	(0–5,183)
MA	White NH	385	9.0	1.88	(5.9–13.4)		57,323	(33,484–81,161)
MA	Black NH	42	22.8	9.36	(9.5–45.6)		20,860	(1,133–40,586)
MA	Other NH	76	14.5	5.53	(6.6–28.9)		30,055	(5,476–54,634)
MA	Hispanic	92	18.1	5.00	(10.2–30.0)		44,638	(17,760–71,516)
MI	White NH	1,028	10.8	1.13	(8.8–13.2)		135,677	(107,515–163,839)
MI	Black NH	178	18.0	3.79	(11.8–26.7)		63,040	(34,598–91,482)
MI	Other NH	150	12.5	3.30	(7.3–20.5)		25,052	(11,550–38,555)
MI	Hispanic	101	12.5	3.32	(7.3–20.6)		27,610	(12,944–42,275)
MN	White NH	2,679	6.5	0.62	(5.3–7.8)		52,173	(42,201–62,144)
MN	Black NH	206	8.0	2.13	(4.7–13.3)		10,573	(4,941–16,204)
MN	Other NH	380	7.8	1.71	(5.1–11.9)		14,548	(8,135–20,961)
MN	Hispanic	403	4.7	1.08	(2.9–7.3)		6,105	(3,303–8,908)
MS	White NH	663	12.2	2.13	(8.6–17.0)		37,174	(23,308–51,040)
MS	Black NH	621	16.0	1.93	(12.6–20.2)		50,030	(37,588–62,471)
MS	Other NH	51	11.3	4.39	(5.1–23.1)		3,284	(766–5,801)
MS	Hispanic	22			(.–.)		1,277	(.–.)
MO	White NH	1,420	9.3	0.95	(7.6–11.4)		82,541	(65,693–99,388)
MO	Black NH	216	24.8	3.72	(18.2–32.8)		47,262	(31,474–63,050)

Notes: For additional information on methods and variable description, refer to “Technical Information, available at: <https://www.cdc.gov/asthma/brfss/2020/child/brfsschildtechno.html>

^aAged 0-17

^bLifetime question: Has a doctor, nurse or other health professional ever said that the child has asthma?

^cWeighted number of respondents who answered the lifetime asthma question

^dUnweighted number of respondents who answered the lifetime asthma question

^eCI denotes confidence interval

^fTotal includes data from 30 states and DC, but excludes Puerto Rico

^gOther Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

‘.–./blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

Table L5
Child^a Lifetime Asthma^b Prevalence
and Weighted Number^c by Race/Ethnicity and State or Territory: BRFSS 2020

State	Race/Ethnicity ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
MO	Other NH	119	13.8	4.32	(7.3–24.6)		17,001	(5,764–28,238)
MO	Hispanic	78	12.1	5.08	(5.1–26.0)		11,009	(1,379–20,640)
MT	White NH	1,064	8.0	0.85	(6.5–9.8)		13,327	(10,585–16,068)
MT	Black NH	4			(.–.)		128	(.–.)
MT	Other NH	256	15.3	3.80	(9.2–24.3)		5,988	(2,735–9,241)
MT	Hispanic	64	8.5	3.44	(3.7–18.1)		1,252	(278–2,225)
NE	White NH	2,511	6.5	0.68	(5.3–8.0)		19,840	(15,748–23,932)
NE	Black NH	106	8.0	3.37	(3.5–17.6)		2,632	(532–4,732)
NE	Other NH	218	10.3	2.58	(6.2–16.5)		3,988	(1,992–5,984)
NE	Hispanic	542	8.5	2.00	(5.3–13.3)		7,786	(4,014–11,557)
NV	White NH	200	7.6	2.45	(4.0–14.0)		15,237	(5,462–25,012)
NV	Black NH	20			(.–.)		9,377	(.–.)
NV	Other NH	51			(.–.)		3,510	(.–.)
NV	Hispanic	177	9.9	2.76	(5.6–16.7)		27,949	(12,601–43,296)
NH	White NH	830	11.4	1.23	(9.2–14.0)		22,207	(17,571–26,843)
NH	Black NH	9			(.–.)		0	(.–.)
NH	Other NH	54	10.8	3.96	(5.1–21.3)		2,252	(686–3,818)
NH	Hispanic	45	23.2	8.84	(10.2–44.4)		4,946	(618–9,274)
NJ	White NH	1,107	10.9	1.18	(8.8–13.5)		81,630	(63,836–99,423)
NJ	Black NH	256	23.1	4.12	(16.0–32.1)		58,088	(33,954–82,222)
NJ	Other NH	297	7.1	1.60	(4.5–10.9)		18,498	(10,237–26,760)
NJ	Hispanic	543	10.6	1.47	(8.1–13.9)		54,586	(39,536–69,636)
NM	White NH	414	11.3	2.82	(6.9–18.1)		10,815	(5,212–16,418)
NM	Black NH	9			(.–.)		613	(.–.)
NM	Other NH	310	9.0	2.60	(5.0–15.5)		5,903	(2,417–9,389)
NM	Hispanic	742	10.9	1.78	(7.9–14.9)		31,058	(20,902–41,213)
NY	White NH	537	9.7	1.56	(7.0–13.2)		165,387	(112,740–218,033)
NY	Black NH	98	18.0	4.75	(10.5–29.2)		105,045	(49,290–160,799)
NY	Other NH	143	12.5	3.38	(7.2–20.8)		69,716	(30,566–108,866)
NY	Hispanic	200	13.8	2.97	(8.9–20.7)		128,953	(71,310–186,595)
OH	White NH	2,278	8.4	0.91	(6.8–10.4)		134,614	(105,769–163,460)

Notes: For additional information on methods and variable description, refer to “Technical Information, available at: <https://www.cdc.gov/asthma/brfss/2020/child/brfsschildtechninfo.html>

^aAged 0-17

^bLifetime question: Has a doctor, nurse or other health professional ever said that the child has asthma?

^cWeighted number of respondents who answered the lifetime asthma question

^dUnweighted number of respondents who answered the lifetime asthma question

^eCI denotes confidence interval

^fTotal includes data from 30 states and DC, but excludes Puerto Rico

^gOther Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

‘.–./blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%

Table L5
Child^a Lifetime Asthma^b Prevalence
and Weighted Number^c by Race/Ethnicity and State or Territory: BRFSS 2020

State	Race/Ethnicity ^g	Sample Size ^d	Prevalence (Percent)	Standard Error	95% CI ^e (Percent)	 	Weighted Number ^c	95% CI ^e Weighted Number ^c
OH	Black NH	222	15.4	2.95	(10.5–22.1)		60,828	(36,767–84,888)
OH	Other NH	202	13.8	3.89	(7.8–23.3)		31,637	(12,855–50,419)
OH	Hispanic	162	9.4	2.92	(5.0–16.9)		16,184	(5,988–26,381)
PA	White NH	821	9.5	1.40	(7.1–12.6)		147,682	(104,157–191,208)
PA	Black NH	124	36.7	6.95	(24.3–51.0)		123,440	(58,397–188,482)
PA	Other NH	92	10.0	3.56	(4.9–19.4)		28,116	(7,852–48,380)
PA	Hispanic	88	17.3	4.96	(9.6–29.2)		51,646	(20,296–82,995)
RI	White NH	633	11.0	1.76	(8.0–15.0)		11,026	(7,481–14,572)
RI	Black NH	66	9.2	4.11	(3.8–21.0)		1,337	(181–2,494)
RI	Other NH	106	22.9	5.75	(13.5–36.0)		5,264	(2,251–8,276)
RI	Hispanic	199	20.3	3.78	(13.9–28.7)		11,605	(7,109–16,101)
TX	White NH	914	9.4	1.95	(6.3–14.0)		192,042	(111,276–272,809)
TX	Black NH	171	20.2	5.19	(11.9–32.2)		182,747	(80,929–284,565)
TX	Other NH	186	13.7	4.89	(6.6–26.3)		75,792	(18,618–132,966)
TX	Hispanic	1,218	9.4	1.69	(6.6–13.3)		345,544	(219,409–471,679)
UT	White NH	2,674	8.2	0.65	(7.1–9.6)		53,899	(45,575–62,222)
UT	Black NH	41			(.–)		1,093	(.–)
UT	Other NH	194	9.7	2.89	(5.3–17.0)		7,422	(2,811–12,032)
UT	Hispanic	383	10.3	1.74	(7.3–14.2)		18,149	(11,895–24,404)
VT	White NH	1,073	11.9	1.28	(9.6–14.7)		11,119	(8,765–13,473)
VT	Black NH	18			(.–)		178	(.–)
VT	Other NH	86			(.–)		379	(.–)
VT	Hispanic	45	13.6	6.61	(5.0–32.2)		590	(0–1,186)
WI	White NH	699	10.7	1.87	(7.6–15.0)		87,450	(56,090–118,809)
WI	Black NH	48			(.–)		11,019	(.–)
WI	Other NH	107	13.8	5.80	(5.8–29.4)		18,550	(2,353–34,746)
WI	Hispanic	83			(.–)		5,000	(.–)

Notes: For additional information on methods and variable description, refer to “Technical Information, available at: <https://www.cdc.gov/asthma/brfss/2020/child/brfsschildtechno.html>

^aAged 0-17

^bLifetime question: Has a doctor, nurse or other health professional ever said that the child has asthma?

^cWeighted number of respondents who answered the lifetime asthma question

^dUnweighted number of respondents who answered the lifetime asthma question

^eCI denotes confidence interval

^fTotal includes data from 30 states and DC, but excludes Puerto Rico

^gOther Race: American Indian Native Alaskan/Asian/Native Hawaiian or Pacific Islander/other; Multiracial: reported as Multiracial

‘.–/blank’: Suppressed if the normal approximation to the binomial distribution does not apply due to small sample size or relative standard error (RSE)>30%