

Index

A

- African horse sickness (AHSV) 246, 350, 353-55, 373, 401
- African swine fever virus (ASFV) 246, 350, 352, 373, 401
- Agriculture Agents 343, 352
- Agriculture pathogen biosafety 343
- Akabane virus 350, 354, 401
- Allergic reactions 192
- animal biosafety levels 61
- Animal Biosafety Levels (ABSL) 60
 - Animal Biosafety Level 1 61
 - Animal Biosafety Level 2 67
 - Animal Biosafety Level 3 61, 75
 - Animal Biosafety Level 4 85
- Animal facilities 27, 60, 91, 173, 243, 361-63, 372
- Anthrax iii, 104, 123-24, 161, 273
- Arboviruses 2, 5, 233, 236, 238-40, 246, 265-267
- arenaviruses 234, 237
- armadillos 144-45, 166
- Arthropod containment 61, 160, 169, 377-78, 401
- Ascaris* 192-93

B

- B virus (herpesvirus simiae) 1, 12, 19, 25, 29, 120-21, 204-10, 229, 232, 243, 384, 397, 402
- Bacillus anthracis* 123, 350
- Bacillus subtilis* 25, 330
- Bacterial agents 123
- Besnoitia besnoiti* 350
- Biological safety cabinets (BSC) 15, 18, 22, 25-27, 36, 38, 41, 44-45, 49, 51-52, 54, 57, 72, 75, 84, 86-87, 92-95, 97, 100, 103, 124-25, 128-30, 146, 150, 155-56, 160, 173-74, 176-78, 185, 187, 194, 200, 210, 221, 225, 239, 274, 278, 290-313, 315-19, 321-25, 330, 332, 335, 347, 383, 386-88, 401
 - Class I 23, 27, 59, 103, 219, 290-93, 299, 311-13, 315, 321
 - Class II 23, 27, 38, 41, 44, 51, 53-54, 57, 59, 75, 84, 86, 93-94, 96-97, 100, 103, 173-74, 176-78, 219, 235, 274, 278, 290, 292-300, 302, 307-09, 311-13, 315-18, 322-24, 347, 388
 - Class III 23, 26, 41, 44-45, 48-50, 52, 54, 59, 84-86, 92-95, 97, 103, 290, 297-98, 311-13, 319, 324, 347, 388
 - Positive-pressure personnel suit 26
- Biosafety levels (BSL) 4, 9-10, 24, 27, 30, 59, 60-61, 103-04, 234, 239-40, 290, 294, 378, 401
 - Biosafety Level 1 (BSL-1) 4-5, 23, 25, 30, 32-33, 59, 219

Biosafety Level 2 (BSL-2) 4, 7, 17, 23, 25, 27, 33, 35, 37, 59, 67, 104, 124-25, 127-29, 131, 133, 135, 137-41, 143-46, 148-50, 152-53, 155-57, 159-60, 170, 172-75, 177-78, 182, 185, 187, 189, 191, 194, 196, 198, 200-01, 203-04, 207, 210, 212, 216-17, 219, 221, 223, 225, 234-35, 237, 241, 243, 246, 269, 272, 274, 278, 284, 286, 305, 311, 363, 368, 372, 378, 383, 386

Biosafety Level 3 (BSL-3) 4, 7, 16, 24, 26-27, 38, 41-42, 45, 53, 57, 59, 104, 124, 126-29, 133, 135, 139, 141, 146, 149-50, 153, 160, 170, 172, 174, 196, 198, 201, 204, 207, 210, 212-13, 216, 219, 221, 223, 225-26, 234-38, 241, 243, 245, 269, 272, 284, 286, 300, 305, 311, 331-32, 343-44, 347-53, 355-57, 359-62, 364-67, 369-71, 373, 387

Biosafety Level 4 (BSL-4) 4, 16, 26, 45, 48-49, 51, 53-59, 87, 96, 100, 103, 120, 202, 207, 219, 234-38, 294, 305, 311, 331-32, 343-44, 350-51

Biosecurity iii, 6, 28, 86, 104-13, 374

Bioterrorism 1, 124, 134, 161, 279, 291, 339, 351, 361, 368, 376, 379, 399

Blastomyces dermatitidis 1, 170

Bloodborne pathogens 13, 20, 25, 27-29, 205, 223, 232, 383-84

Bluetongue virus 350

BMBL iii-iv, ix, 1, 3-7, 9, 11, 16, 19, 104, 290-91, 298, 377-78, 401

Bordetella pertussis 125, 162

Borna disease virus 351

Botulinum neurotoxin 134-35, 268, 390-91

Botulism 134-35, 164, 268-69, 278-79, 392

Bovine pleuropneumonia agent 358

Bovine spongiform encephalopathy 282, 284, 286, 351, 401

Brucella 1, 2, 7, 126-27, 162, 351

abortus 126-27, 162, 351

canis 126, 162

maris 126

melitensis 2, 7, 126-27, 162, 351

suis 126-27, 351

Brucellosis 126, 162

BSL-3-Ag xix, 53, 61, 96, 100, 213, 246, 265, 343-47, 350-51, 353, 357, 359, 360-61, 364, 367, 369, 370, 401

Burkholderia mallei 127, 351

Burkholderia pseudomallei 129, 163, 351

C

C virus 2, 13, 204, 228, 402

Cabinet laboratory 45, 49, 51, 53-54, 58, 85-86, 92, 94, 96, 101

Camelpox virus 351

Campylobacter 130, 163, 165

coli 130

fetus 130

jejuni 130, 163

upsaliensis 130

Caprine Pleuropneumonia Agent 359
 Category A UN Standard Triple Packaging 341
 Category B Non-specification Triple Packaging 342
 Cestode parasites 190
 Taenia solium 190
 Cestode Parasites 190
 Chemical Inactivation of Selected Toxins 391
 Chimeric viruses 239-40
 chimpanzees 203-04
Chlamydia 131-32
 pneumoniae 131-33, 164
 psittaci 1, 12, 131-33
 trachomatis 131-33, 164
 Cholera 159, 169, 352, 357, 373
 Classical swine fever virus 351, 357, 401
 Clean 43-44, 52-53, 55, 57, 83, 94, 96, 98, 100, 278, 288, 291-92, 298, 302,
 304, 307, 312, 319-20, 322-23, 325, 344, 348, 387, 389
 Clinical laboratories iii, 2, 4, 27, 60, 163, 166-68, 225, 330
Clostridium
 botulinum 134-35, 164, 390-93
 tetani 136
Coccidioides immitis 1, 12, 171, 179, 351
Coccidioides posadasii 171, 179
Cochliomyia hominivorax 351
 Congo-Crimean hemorrhagic fever 26, 250
 Conidia 170, 173-75, 178
 Containment
 Primary containment 23, 25, 56, 72, 79, 93, 99, 125, 129, 133, 135, 149,
 152-53, 155-56, 187, 194, 204, 210, 221, 269, 290-91, 298, 305, 309, 312,
 343-44, 347-48
 Secondary containment 45, 85, 288, 305, 388
Corynebacterium diphtheriae 137
Coxiella burnetii 1, 2, 11-12, 26, 195, 199
 Creutzfeldt-Jakob 282-83, 289, 401
Cryptococcus neoformans 172, 179
Cysticercus cellulosae 191
 Cytomegalovirus 115, 208, 229-30, 402

D

Decontamination iii, 23, 25, 31, 34, 38-40, 42-44, 46, 48-59, 64, 70-71, 75, 78,
 80, 82-83, 85, 87-88, 91-92, 94-101, 103, 135, 152-53, 155-56, 226, 245, 268,
 272, 275, 278, 280, 285, 301, 303-05, 307-08, 322, 324, 326-27, 329-32,
 334-35, 345-49, 388-91, 396
 Dengue 237, 251

Dermatophytes

Epidermophyton 176

Microsporium 176

Trichophyton 176

Diagnostic specimens 28, 202, 224, 241, 341

diphtheria 137-38, 164

Diphtheria 164

Disinfection 38-39, 44, 71, 80, 157, 282, 326-29, 331, 333-35, 372, 383

DOT Packaging Requirements 340

E

Eastern equine encephalitis virus xviii, 242, 351

Ebola 251, 330

emergency response 49, 91, 104, 110, 112-13, 336, 340

Encephalitis

Russian spring-summer 236

Russian Spring-Summer 260

Epidermophyton 176

equine encephalomyelitis 19, 116, 235, 237, 351

Escherichia coli 154, 168

F

Facility design 17, 22-23, 25-26, 30, 44-45, 55, 58, 60-61, 85, 98, 101, 290, 347, 381, 392

Fasciola 188-89

Filoviruses 237

Foot and mouth disease 351, 360-61, 374, 402

Francisella tularensis 1, 12, 138, 164, 351

Fungal Agents 170

G

Ganjam virus 265, 351

Germicidal Chemicals 330

Giardia 186-87

Giardia spp. 187

Gloves 4, 15, 23, 25, 32, 37, 42, 47, 50-51, 59, 63, 65, 69, 72-73, 77, 81-82, 89, 92-94, 103, 128-29, 133, 143-44, 149-50, 152-53, 155-57, 159-60, 175, 185, 189, 191, 204, 207, 212, 221-22, 225, 269, 272, 274, 278, 286-87, 293, 297, 300-01, 304, 312-13, 319, 344, 348, 361, 363, 372, 383, 386, 388

gonorrhoeae 148

Guidelines 3-4, 6, 8, 10, 12-13, 17, 19, 24-25, 28-29, 61, 121, 124, 160, 169, 206-07, 214, 219, 221, 227, 229-31, 235, 238, 284-86, 289, 324, 334, 343, 377-78, 383-86, 389, 394-95, 401

H

Hantaviruses 200, 234

Heartwater Disease Agent 362

Helicobacter pylori 139, 165

Hemorrhagic fever 26-27, 200, 227, 244, 402

Hendra virus 201-02, 228, 351, 366

HEPA filter 44, 50, 53-54, 57, 75, 92, 96, 100, 274, 291-97, 306-09, 311-13, 315-22, 345, 348-49, 387

Hepatitis

A virus 202-03

B virus (HBV) 1-2, 13, 25, 27, 29, 204-05, 229, 232, 330, 383-84, 402

C virus (HCV) 2, 13, 204-05, 228, 330, 383, 402

D virus (HDV) 204-05, 402

E virus 202-03

Herpesviruses 205, 208-10, 365

Herpesvirus simiae 205, 20-10, 229

Human herpesviruses 208-10

Herpesvirus simiae 205, 209-10, 229

CHV-1 12, 401

Histoplasma 173, 351

capsulatum 173-74

farciminosum 351

Hog cholera 357, 373

Human Herpes Virus 208, 402

Human immunodeficiency virus (HIV) 13, 25, 27-28, 146-47, 177, 209, 221-23, 232, 266, 330, 383-84, 402

Hypr 236, 253

I

Immunoprophylaxis 114

Importation and interstate shipment 28

infectious canine hepatitis virus 25

Influenza 5, 20, 211-14, 230, 271, 350, 366, 372, 375, 402

International transfer 336

Interstate shipment 28

Investigational New Drug (IND) 116, 122, 135, 196, 208, 237, 269, 402

J

Junin virus 236, 265

K

Kuru 283

Kyasanur Forest disease 255

L

- Laboratory-associated infections (LAI) 1-2, 6-7, 9, 18, 20, 126, 130, 132, 137, 140, 142, 150, 157-58, 161, 168, 171, 179-80, 192, 194-95, 197-99, 203-04, 210-11, 215, 220, 228, 230, 235-36, 241, 300, 326, 403
- Laboratory coat(s) 32, 36, 59, 63, 65, 69, 72, 77, 81, 103, 150, 189, 272, 274, 278, 287, 300, 363, 383, 386
- Laboratory hazard(s) 11, 17, 130, 132, 137, 140, 142, 145, 148-49, 152-53, 155-56, 159, 172, 184, 187, 189, 191, 204, 212, 235-36, 243, 290, 298, 302, 383
- Laboratory practice(s) 15, 22, 24, 104, 191, 224, 238-39, 361, 366, 372, 386
- Laboratory security and emergency response 113
- Legionella pneumophila* 140, 165
- Leishmania* spp. 20, 182-85
- Leprosy 144, 166
- Leptospira interrogans* 166
- Leptospirosis 142, 166
- Listeria monocytogenes 143, 166
- Loose-housed animals 27, 213, 246, 343, 351
- Louping ill virus 256, 350
- Low molecular weight (LMW) toxin(s) 274-75, 277-78, 385-86, 390-91, 403
- Lumpy skin disease virus (LSDV) 350, 364, 403
- Lymphocytic choriomeningitis 13, 20, 215, 230, 403
- Lymphogranuloma venereum (LGV) 131-33, 403

M

- Macaque 12, 205-07, 222
- Machupo 256
- malaria 182-84
- Malignant catarrhal fever virus 350, 365
- Mammalian Cells and Tissues 383
- Marburg 26, 256
- mask 15, 36, 42, 72, 225, 272
- medical surveillance 35, 40, 47, 59, 62, 68, 70, 76, 79, 86, 90, 103, 214
- Menangle virus (MenV) 350, 366, 403
- metacercariae 189
- mice 13, 20, 131, 133, 141, 144-46, 166, 169, 173, 176, 215-16, 245, 266, 273, 276, 280, 285, 353-55
- Microsporum 176
- Molds xvi, 171, 176-77, 287
- monkey pox 218-19
- Mycobacterium*
 - avium* 147-48
 - bovis* 145-46, 327, 330, 350
 - chelonei* 147
 - fortuitum* 147

kansasii 147
leprae 144, 147
marinum 147
scrofulaceum 147
tuberculosis 1-2, 20, 26-27, 145-48, 327-30, 383
ulcerans 147-48

Mycoplasma agalactiae 350

Mycoplasma mycoides 350, 358, 374

N

Naegleria

fowleri 182, 185

Nairobi sheep disease 251, 257, 351

needles and syringes 31, 34, 39, 46, 63, 70, 78, 87

Neisseria

gonorrhoeae 148

meningitidis 149-51

Nematode parasites 192

Newcastle disease virus (NDV) 258, 351, 367-68, 403

Nigeria gruberi 25

NIH Guidelines 3, 8, 10, 12-13, 19, 24-25, 214, 219, 231, 324, 377, 394, 395

O

Occupational health v, vii-viii, 13, 60, 62, 67-69, 75, 77, 88-89, 102, 114-15,
120-21, 168, 194, 214, 226, 229, 337, 398

Omsk Hemorrhagic 258

P

Paramyxovirus 201, 227-28, 367, 401

Parasitic agents

Blood and Tissue Protozoal Parasites 182

Cestode 190

Intestinal 186

Nematode 192

Trematode 188

Pathogens iii, 3, 5, 6, 9, 13, 17, 20, 25, 27-29, 61, 63, 69, 77, 106-07, 110-11,
115, 117, 131, 147, 157, 171, 176, 186, 197, 205, 208-09, 221, 223, 229, 232,
265, 271, 281, 326, 337, 343, 347, 350, 374-75, 377-78, 380, 383-84

Penicillium marneffeii 177, 181

Performance Testing BSCs 309

Personal protective equipment 15, 22-23, 25, 32, 36, 41, 49, 62-65, 67-69,
71-73, 75, 77, 79-82, 88, 92, 118, 121, 134, 152-53, 155-56, 160, 206-07, 235,
237, 239, 243, 286, 288, 344, 348, 386

personnel suit 26

Peste des petits ruminants virus (PPRV) 351, 368-69, 403

Pest management 31, 35, 40, 46, 64, 70, 78, 89, 380-82, 402
Physical Inactivation of Selected Toxins 390
Physical security 110, 344
Pike and Sulkin 1-2
Pipetting 14-15, 30, 34, 36, 39, 45, 63, 69, 78, 87, 127, 242, 301
Plague 159-60, 169, 351, 368
Plasmodium spp. 182-84
Plastic-backed absorbent toweling 301
Poliovirus 216-18, 231, 330, 402-03
Pontiac fever 141
Poxviruses 218-19, 231, 370
Primary barriers 22-23, 27, 32, 36, 41, 49, 59, 64, 72, 80, 92, 103, 290, 306, 347, 378
Primates 60, 102, 121, 123, 156, 166, 197, 203, 206-07, 216-17, 222-23, 229, 234
Prion diseases 282-85, 289
Production quantities 124, 129, 149-50, 153, 204, 216, 221
Protozoal parasites 182, 186
Pseudomonas
 pseudomallei 129, 163
psittacosis 131, 132

Q

Q fever 19, 195-96, 199, 351

R

Rabies virus 220
Radiological Hazards 299
Regulations iii, vi, 6, 28, 31, 34, 40, 44, 60, 85, 104, 114, 120, 243, 265, 286, 288, 299, 336-39, 350, 353-56, 358-60, 362-66, 369-73, 379, 386, 400
Retroviruses 119, 221-23, 240, 266
Ricin toxin 272, 274, 280
Rickettsia
 akari 196
 australis 196
 belli 198
 canada 198
 conorii 196
 Coxiella burnetii 195
 montana 198
 mooseri 196
 Orientia 196, 197
 proWazekii 196, 198
 rhipicephali 198
 rickettsii 196-99
 siberica 196

- spotted fever group 196-97
- Surveillance of personnel 198
- tsutsugamushi 196
- typhi* 196
- rickettsial agents 198
- Rickettsial Agents 195
- Rift Valley fever virus 244, 267, 351, 403
- Risk assessment iii, 1, 5, 9-12, 14-19, 22, 24, 30, 32, 37, 42-44, 50, 52-53, 60-65, 67-70, 72, 75-77, 79, 81-83, 85, 92-93, 95, 99, 105, 107, 109, 112, 119, 137, 152-56, 160, 194, 207, 210, 213-14, 226, 235, 237, 239-40, 272, 290, 292, 298, 300, 305, 311, 343, 348-49, 377, 379, 383, 385-87
- Risk group 10, 24, 204, 209
- Rocky Mountain spotted fever 197, 199

S

- Safety equipment 1, 3-4, 6, 9, 15, 17, 18, 22-27, 30, 32-33, 36, 41, 49, 59-61, 64, 67, 72, 76, 80, 92, 103, 150, 291, 386
- Salmon anemia virus 351, 403
- Salmonella*
 - Salmonellosis* 151
 - typhi* 1, 151-54, 168
- SALS 233-34, 236, 238-39, 241, 403
- SARS-associated coronavirus (SARS-CoV) 224-26, 403
- Schistosoma* spp. 188-89
- Screwworm 351
- Secondary barriers 23, 25-26, 33, 37, 42, 51, 59, 65, 73, 82, 94, 103, 305, 347, 378
- Select agents 5, 28, 104-05, 112-13, 127, 136, 172, 198, 202, 213-14, 233, 236, 244, 336, 338-39, 351, 361, 368, 376, 379, 389, 397, 399
- Serum 35, 40, 47, 70, 79, 90, 115-16, 119-20, 135, 201, 204, 206, 207, 214, 223, 225-26, 241, 269, 271, 273, 277, 352-56, 358-60, 362, 364, 366, 369-73, 383
- Severe Acute Respiratory Syndrome (SARS) 224, 232, 403
- Sharps 14, 17, 30-31, 34, 39, 45-46, 59, 63-64, 69-71, 78, 80, 87, 103, 223, 237, 241, 287-88, 387
- Sheep and Goat Pox Virus (SGPV) 370, 404
- Shiga toxin 154-55
- Shigella* spp. 2, 154
- Shigellosis 155-56
- Shipment 28
- Simian immunodeficiency virus (SIV) 221-23, 232, 404
- Smallpox 118, 218-19, 231
- Spaulding Classification 328
- Sporothrix schenckii* 175
- Spotted fever group 196, 197
- Spring viremia of carp virus (SVCV) 351, 371, 404

Staphylococcal Enterotoxins (SE) 270-72, 279, 385, 390-91, 393, 404
Sterilization iii, vi, 285, 288, 326-29, 331, 333-35, 346, 350, 387
Strongyloides spp. 192
Suit laboratory 45, 51, 55-57, 85, 93, 98, 100, 294, 331
Surveillance 2, 35-36, 40-41, 47, 49, 59, 62, 68, 70-71, 76, 79-80, 86, 88, 90,
103, 147, 164, 198, 202, 214, 222, 232, 240, 372
Swine vesicular disease virus (SVDV) 351, 372-73, 376, 404
Syphilis 157, 169

T

Taenia solium 190
Teschin disease virus 351
Tetanus 136-37, 164, 279
Theileria
 annulata 351
 bovis 351
 hirci 351
 lawrencei 351
Tissue preparation 287
Toxin Agents 268
Toxins of biological origin 268, 271, 273, 277, 385
Toxoplasma 25, 182-85
Trachoma 132
Training v, vii, 2, 6-7, 9, 15, 18, 22, 25-26, 30, 32-33, 35, 38, 40, 45-46, 48-49,
61-62, 67-68, 75-76, 85, 89-91, 104-05, 108-09, 112, 117, 179, 206, 238, 290,
308, 331, 380-81, 385
Transmissible spongiform encephalopathies (TSE) 282, 285, 289, 334, 404
Trematode parasites
 Fasciola 188
 Schistosoma 188
Treponema pallidum 157, 168
Trichophyton 176, 180, 330
Trypanosoma
 cruzi 182-85
 evansi 351
 vivax 351
Tuberculosis 1-2, 20, 26-27, 145-48, 166, 327-30, 383
Tularemia 138-39, 164
Typhoid fever 153
Typhus 197-99

U

Ultraviolet (UV) lamps 306, 310
Universal precautions 28-29, 232, 384

V

Vaccines 22, 45, 59, 85, 103, 116, 121, 124, 126-27, 135-38, 147, 151, 153, 156, 158-59, 196, 203, 205, 208, 216, 236-37, 240, 243, 246, 267, 269, 272, 274, 278, 356, 373-76, 388

Vaccinia 218-19, 231

Variola 218-19

Venezuelan equine encephalomyelitis 19, 235, 351

Vesicular exanthema virus 351

Vesicular stomatitis virus 351

Vibrio

cholerae 158-59, 169

parahaemolyticus 158-59, 169

Viral agent(s) 200, 209-10, 226, 265, 383

W

warning signs 59, 103

Wesselsbron disease virus 351

Western equine encephalomyelitis (WEE) virus 116, 237, 242, 264, 266, 404

West Nile virus (WNV) 240-41, 264, 267, 404

Y

Yellow fever 235-37, 265, 267

Yersinia pestis 159-60, 169

Z

Zoonotic viruses 5, 233

