

Public reporting burden of this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Project Clearance Officer, 1600 Clifton Road, MS-24, Atlanta, GA 30333, ATTN: PRA (0920-0743). Do not send the completed form to this address.

CDC National Survey of Maternity Practices in Infant Nutrition and Care (mPINC)

What is this survey about:	The Centers for Disease Control and Prevention (CDC) is inviting you to participate in a national survey of infant feeding practices at hospitals and birth centers in the United States and Territories that provided maternity care in the past year. The survey is being conducted for CDC by the Battelle Centers for Public Health Research and Evaluation. We need the response of every facility providing maternity care to make this study representative of all maternity care facilities in the United States and Territories. If your facility provides maternity care at multiple locations, please only report data for the specific location listed on the cover letter.
How long will the survey take to complete:	On average, the survey will take about 30 minutes to complete.
How will this information be used:	The purpose of this study is to find out about infant feeding practices at hospitals and birth centers in the United States and Territories. Information obtained from this survey will assist CDC with program planning. After data collection is complete, your facility will receive an individualized report containing a summary of survey results. Your name, facility name and other personal identifiers will not be shared with any other facility.
Confidentiality:	Your responses will be treated in a confidential manner and will be kept private to the extent allowed by law. Your name, facility name, and any other personal identifiers will not be included in either oral or written presentation of study results. Responses will be reported only in summary form so individual responses cannot be identified. Data may be released for additional approved research purposes. Your participation in the study is completely voluntary. Data collection will be managed by Battelle, Centers for Public Health Research and Evaluation, a national survey and research organization with extensive experience in collection of health data.
Who do I call if I have questions about how to complete the survey: Who do I call if I have questions	Diane Manninen, Ph.D., Task Leader, Battelle, toll-free at 1-866-826-4176
regarding my rights as a study participant:	Chairperson of Battelle IRB 1-877-810-9530 x 500

Thank you very much for taking the time to complete this survey

SECTION A: CENTER PRACTICES

A1. Are prenatal classes offered at your center, either by center staff or contracted personnel?

 \Box Yes \rightarrow Is breastfeeding covered as part of the class content in the prenatal/childbirth preparation class?

- Yes
- 🖵 No

Does your center offer a separate prenatal breastfeeding class?

- Yes
- 🛛 No
- 🖵 No
- Not sure
- A2. Approximately how many women (pregnant or postpartum) are asked by center staff about their newborn feeding plans?

Few	Some	Many	Most	Not sure
(0%–9%)	(10%–49%)	(50%-89%)	(90%+)	

A3. Is the mother's infant feeding decision recorded on a center record? *(either hers or her infant's center record)*

Rarely	Sometimes	Often	Almost always	Not sure
(0%–9%)	(10%–49%)	(50%–89%)	(90%+)	

A4. Approximately, how many mothers are encouraged to hold their **healthy full-term** infants <u>skin-to-skin</u> for at least 30 minutes within an hour of birth for <u>uncomplicated</u> <u>vaginal births</u>?

Few	Some	Many	Most	Not sure
(0%–9%)	(10%–49%)	(50%-89%)	(90%+)	

A5. Are routine newborn procedures (e.g. Apgar, cord clamping, foot printing) after <u>uncomplicated vaginal births</u> done while the mother is holding the **healthy full-term** infant <u>skin-to-skin</u>?

Rarely	Sometimes	Often	Almost always	Not sure
(0%–9%)	(10%–49%)	(50%–89%)	(90%+)	

A6. Approximately what percentage of **healthy full-term breastfed** infants are put to the breast for the first time during the specified period after delivery for <u>uncomplicated</u> <u>vaginal births</u>?

Within 1 hour after birth	%
1-2 hours after birth	%
2-4 hours after birth	%
4+ hours after birth	%
Total	100%

A7. Approximately what percentage of **healthy full-term breastfed** infants are given the following as a <u>first feeding</u> after <u>uncomplicated vaginal births</u>?

Breast milk	%
Water	%
Glucose water	%
Infant formula	%
Total	100%

A8. Approximately what percentage of live births in the past calendar or fiscal year were by cesarean section (total cesarean sections)? ____ %

If your center does not do cesarean sections, record "0" above and \rightarrow Skip to Question A12

A9. Approximately how many mothers (regardless of feeding method) are encouraged to hold their **healthy full-term** infants <u>skin-to-skin</u> for at least 30 minutes within **two hours** after delivery for <u>uncomplicated cesarean births</u>?

Few	Some	Many	Most	Not sure
(0%–9%)	(10%–49%)	(50%-89%)	(90%+)	

A10. Approximately what percentage of **healthy full-term breastfed** infants are put to the breast for the first time during the specified period after delivery for <u>uncomplicated</u> <u>cesarean sections</u>?

Within 2 hours after delivery	%
2–4 hours after delivery	%
4+ hours after delivery	%
Total	100%

A11. Approximately what percentage of **healthy full-term breastfed** infants are given the following as a first feeding after uncomplicated cesarean section births?

Breast milk	%
Water	%
Glucose water	%
Infant formula	%
Total	100%

A12. Of mothers who are breastfeeding, or intend to breastfeed, approximately how many do you teach breastfeeding techniques (e.g. comfortable positioning, holding infant, how to express milk, assessing the effectiveness of breastfeeding)?

Few	Some	Many	Most	Not sure
(0%–9%)	(10%–49%)	(50%–89%)	(90%+)	

A13. Approximately how many mothers are taught to recognize and respond to first signs of baby's hunger?

Few	Some	Many	Most	Not sure
(0%–9%)	(10%–49%)	(50%-89%)	(90%+)	

A14. How often do maternity care staff advise breastfeeding women to limit the length of suckling at each feeding (e.g. nurse for 5, 10, or 15 minutes on each breast)?

Rarely	Sometimes	Often	Almost always	Not sure
(0%–9%)	(10%–49%)	(50%–89%)	(90%+)	

A15. Of mothers who are breastfeeding, approximately how many mother-baby couples are observed and assessed by staff for breastfeeding effectiveness during the maternity care center stay?

Few	Some	Many	Most	Not sure
(0%–9%)	(10%–49%)	(50%-89%)	(90%+)	
Ì	Ì			

A16. Do staff at your center use a tool to assess breastfeeding effectiveness?

 \Box Yes \rightarrow What tool does your center use to assess breastfeeding effectiveness?

- A standardized tool (i.e. LATCH, IBFAT)
- A standard tool developed or adapted by your center, for use by maternity care staff

🛛 No

A17. Approximately what becentage of **nealthy full-term breastfed** infants are supplemented with something other than breast milk? (*Please provide your best estimate if your center does not formally track this information.*) ____%

If infants are never supplemented, record "0" above and \rightarrow Skip to Question A20

A18. Of the **healthy full-term breastfed** infants who are supplemented with <u>infant formula</u>, what percentage are supplemented for the following reasons?

Doctor's orders	%
Nurse's recommendation	%
Mother's choice	%
Other (please specify)	%
Total	100%

A19. Are **healthy full-term breastfed** infants <u>who are supplemented</u> ever given the following types of supplementary feedings?

	Yes	No
Water		
Glucose water		

A20. Approximately how many **healthy full-term breastfed** infants are given pacifiers by maternity care staff? *Please do not include the use of pacifiers for medical procedures* (e.g., circumcision) in your response.

Few	Some	Many	Most	Not sure
(0%–9%)	(10%–49%)	(50%-89%)	(90%+)	

- A21. Does your center receive free infant formula?
 - Yes
 - 🖵 No
 - Not sure
- A22. Does your center have a well baby nursery?
 - Yes
 - 🛛 No

		EXAMPLE ONLY			
A23.	23. Following uncomplicated vaginal births, are healthy full term breastfed infants routinely taken to the nursery or other separate area for transition (e.g. processing as pediatrics patient, vital signs, first bath)?				
	\Box Yes \rightarrow	On average, how long is the infant in this transition period?			
		minutes			
	🖵 No				
A24.	Are healthy	full-term breastfed infants routinely taken from the mother's room at night?			
	❑ Yes→	On average, how many hours is baby away from mother at night? Please use decimals to represent parts of hours (e.g.: .25=15 minutes, .5=30 minutes, .75=45 minutes.)			
		hours			
	🖵 No				

A25. Among mother-infant couples that do <u>not</u> room-in at night, approximately how many **healthy full-term breastfed** infants are brought to their mothers at night for feedings?

Few	Some	Many	Most	Not sure
(0%–9%)	(10%–49%)	(50%-89%)	(90%+)	

A26. Approximately how many **healthy full-term breastfed** infants are taken from the mother's room for:

	Few	Some	Many	Most	Not sure
	(0%–9%)	(10%–49%)	(50%–89%)	(90%+)	
Pediatric rounds					
Change of shift					
Visiting hours					
Hearing test					
Heel stick					
Infant photos					
Infant's bath					
Mother bathing					
Mother out of room					

- A27. What is the typical length of stay at your center for the mother and infant following an <u>uncomplicated vaginal birth</u>?
 - □ Four hours or less → Skip to Question A29
 - □ 5 12 hours \rightarrow Skip to Question A29
 - □ 13 24 hours \rightarrow Skip to Question A29
 - □ 25 48 hours
 - More than 48 hours
- A28. Approximately what percentage of **healthy full-term** infants, <u>regardless of feeding</u> <u>method</u>, remain with their mothers for at least the following number of hours per day?

8 or fewer hours per day	%
9–15 hours per day	%
16–23 hours per day	%
23+ hours per day	%
Total	100%

A29. Are discharge packs/bags containing infant formula samples given to breastfeeding mothers?

Yes

- 🖵 No
- A30. What support does your center routinely (most of the time) offer to breastfeeding mothers at discharge?

		Yes	No	Not sure
a.	Postpartum telephone call by center staff			
b.	Telephone number for patient to call			
C.	Postpartum follow-up visit at center after discharge			
d.	Home follow-up visit after discharge			
e.	Referral to center-based breastfeeding support group			
f.	Referral to other breastfeeding support groups			
g.	Referral to lactation consultant/specialist			
h.	Referral to WIC (for those eligible)			
i.	Referral to an outpatient lactation clinic			
j.	List of resources for breastfeeding help			
k.	Breastfeeding assessment sheet			
١.	Other (please specify)			

. .

A31. What is the highest level of Recharal care provided at your center?

- □ Healthy newborn→Skip to Question B1
- General Care (Level 1 or Level 2 NICU)
- □ Intensive care (Level 3 NICU)
- A32. Is banked donor milk ever used in your NICU?
 - Yes
 - 🛛 No
- A33. Among NICU infants receiving milk feedings, approximately how many are routinely provided human milk?

Few	Some	Many	Most	Not sure
(0%–9%)	(10%–49%)	(50%-89%)	(90%+)	

EXAMPLE ONLY NOT FOR DATA COLLECTION **TRAINING, PERSONNEL, AND POLICY** SECTION B: B1. On average, how many hours do birth attendants spend in breastfeeding education as new employees? Not <1 hour 1-4 hours 5–8 hours 9–18 hours >18 hours Not sure applicable On average, how many hours do each of the following types of maternity care staff B2. spend in breastfeeding education as new employees? Not 1-3 Not < 1 hour3+ hours hours sure applicable Physicians employed by the center, residents, interns Certified Nurse Midwives. advance practice nurses B3. How many birth attendants received breastfeeding education in the past year? Few Some Most Not sure Many (0%–9%) (10% - 49%)(50%-89%) (90%+) B4. On average, how many hours did birth attendants spend in breastfeeding education in the past year? Not <1 hour 1-4 hours 5-8 hours 9–18 hours >18 hours Not sure applicable B5. How often are birth attendants assessed for level of competency in breastfeeding management and support? Less than At least once Not assessed Not applicable once a a year year B6. On average, how many hours did each of the following types of maternity care staff spend in breastfeeding education in the past year? 1-3 3+ Not Not < 1 hour hours hours applicable sure Physicians employed by the center, residents, interns Certified Nurse Midwives, advance practice nurses

B7. Which of the following health care providers deliver infants at your center?

	Yes	No
Obstetrician/Gynecologists		
Family Practice Physicians		
Certified Nurse Midwives		

- B8. Does your center employ a designated lactation coordinator (person who is trained in breastfeeding physiology and management and is responsible for ensuring the implementation of a breastfeeding program)?
 - \Box Yes \rightarrow What are his/her credentials? (check all that apply)
 - Registered Nurse (RN)
 - □ International Board Certified Lactation Consultant (IBCLC)
 - Registered Dietician (RD)
 - Certified Nurse Midwife (CNM)
 - □ Other Lactation consultant/specialist
 - □ Other (please specify)_____

🛛 No

B9. How many full time equivalents (FTEs) are dedicated to lactation patient care? (*If less than 1 FTE, please record as a decimal. For example, 40 hours per week = 1 FTE, 20 hours per week = .5 FTEs and 10 hours per week = .25 FTEs.*)

_____FTEs

B10. How often is hands-on breastfeeding support available to mothers during their center stay?

	Always	Sometimes	Never
Weekday days			
Weekday nights			
Weekend days			
Weekend nights			

B11. Does your center or mother-baby anit have a written policy addressing.

	Yes	No	Not Sure
a. formal in-service training programs for center staff			
b. prenatal classes informing mothers about breastfeeding			
c. asking about mothers' feeding plans			
 d. initiating breastfeeding within 60 minutes after uncomplicated vaginal birth 			
 e. initiating breastfeeding after recovery for births by uncomplicated cesarean section 			
 f. showing mothers how to express breast milk and maintain lactation should they be separated from their infants 			
g. giving breastfed infants food or drink other than breast milk			
h. 24-hour/day rooming-in			
 breastfeeding on-demand and duration and frequency of individual feedings 			
j. use of pacifiers by breastfed infants			
 k. referral of mothers with breastfeeding problems to appropriate resources (e.g. lactation consultant/specialist, community support group, medical provider, WIC Program) 			
 referral of mothers to appropriate community breastfeeding resources upon discharge 			

B12. How are staff informed about these policies?

	Yes	No	Not Applicable
In-service training			
Policy is posted (paper, web-site)			
Newsletter			
New staff orientation			
New staff training			
Staff meeting			
Word of mouth			
Other (please specify)			

B13. Does your center provide any of the following to center staff who are also mothers?

		Yes	No
a.	A designated room to express milk		
b.	On-site child care for dependents of center staff		
C.	Electric breast pump for center staff use		
d.	Permission to use existing work breaks to express milk		
e.	Breastfeeding support group for center staff		
f.	Lactation consultant/specialist available for consult		
g.	Paid maternity leave (other than accrued vacation or sick leave)		

SECTION C: CENTER CHARACTERISTICS

- C1. How many total live births took place in the past calendar or fiscal year at your center?
- C2. Approximately what percentage of laboring women in the past calendar or fiscal year were given epidurals at your center? _____%
- C3. Approximately what percentage of patients received pharmacological agents (e.g. oxytocin, prostaglandins, misoprostol, mifepristone, relaxin) to initiate or speed up labor onset at your center in the past calendar or fiscal year? _____%
- C4. Approximately what percentage of patients received mechanical or surgical approaches (e.g. amniotomy, stripping or sweeping membranes, balloon or Foley catheter dilation) to initiate or speed up labor onset at your center in the past calendar or fiscal year?
- C5. Does your center record (keep track of) the number of mothers breastfeeding?

Yes: at admission \rightarrow	What percentage of women intended to breastfeed at admission, in the past calendar or fiscal year?%
Yes: at some point during the center stay \rightarrow	What percentage of women were breastfeeding during their center stay, in the past calendar or fiscal year?
Yes: at discharge →	What percentage of women were breastfeeding at discharge, in the past calendar or fiscal year?%
Yes: beyond discharge→	What percentage of women continued breastfeeding after discharge from the center, in the past calendar or fiscal year? %
No	
Not sure	

C6. Please select the positions or titles of the people who have worked on responding to this questionnaire.

	Your position	Other people contributing information to survey (check all that apply)
Mother-Baby Unit manager/supervisor		
Birth Center director		
Labor and Delivery unit manager/supervisor		
Maternity care services director/manager		
Lactation services coordinator		
Clinical nurse specialist		
Director of obstetrics and gynecology		
Director of perinatal care		
Director of pediatrics		
Medical Director		
NICU nurse manager		
Staff physician		
Staff midwife		
Staff nurse		
Database manager/coordinator		
Other (please specify)		

No other person worked on responding to this questionnaire

Thank you very much for your participation in this survey.

Comments:	 	

Please return by mail to:

CDC National Survey of Maternity Practices in Infant Nutrition and Care (mPINC) 1100 Dexter Avenue North, Suite 400 Seattle, WA 98109-3598