



## Breastfeeding Report Card — United States, 2010

Improving the health of mothers and their children is a primary goal of the Centers for Disease Control and Prevention (CDC). Protecting, promoting, and supporting breastfeeding, with its many known benefits for infants, children, and mothers, is a key strategy toward this goal.

There are many different ways that communities support mothers and babies to breastfeed, and everyone plays a role. The CDC Breastfeeding Report Card provides state-by-state data so that health professionals, legislators, employers, business owners, community advocates and family members can work together to protect, promote, and support breastfeeding. The Report Card indicators measure types of support in key community settings as well as the most current data on the breastfeeding goals outlined in *Healthy People 2010*.

The Report Card brings together all of this information to help tell the story of breastfeeding practices in your state. It condenses many types of data so that community partners can monitor progress, celebrate state successes, and identify opportunities for growth and improvement.

### What's new this year?

The most recent CDC data show that 3 out of every 4 new mothers in the U.S. now starts out breastfeeding. The U.S. has now met the *Healthy People 2010* national objective for breastfeeding initiation. However, rates of breastfeeding at 6 and 12 months as well as rates of exclusive breastfeeding\* at 3 and 6 months remain stagnant and low.

More babies in the U.S. are now born at Baby-Friendly facilities than ever before. However, these births still represent less than 4% of all births. Further, the CDC Maternity Practices in Infant Nutrition and Care (mPINC) survey of all birth facilities in the U.S. shows that the average score for facilities nationwide is only 65 out of 100, and only 2 states' facilities scored 80 or more points.

A greater number of people are now working on improving how states support mothers and babies to breastfeed. Nationwide, health departments now dedicate nearly 97 full-time equivalents (FTEs) to supporting breastfeeding mothers and babies in their states. However, this still represents less than 2 FTEs per state dedicated to a health issue that is clearly recognized as a national priority.

### What do the numbers tell us?


High breastfeeding initiation rates show that most mothers in the U.S. want to breastfeed and are trying to do so. However, even from the very start, mothers may not be getting the breastfeeding support they need. Low breastfeeding rates at 3, 6, and 12 months illustrate that mothers continue to face multiple barriers to breastfeeding.

Across the U.S., the average level of support that birth facilities provide to mothers and babies as they get started with breastfeeding is inadequate, and hospital practices and policies that interfere with breastfeeding remain common. In the U.S., too few hospitals participate in the global program to recognize best practices in supporting breastfeeding mothers and babies, known as the Baby-Friendly Hospital Initiative.

### What can states do to improve breastfeeding rates?

Use the Breastfeeding Report Card to identify your state's needs, develop solutions, and work together within your community to better protect, promote, and support breastfeeding statewide.

**Percent of children who are breastfed at 6 months of age, among children born in 2007 (provisional)**



\*The term "exclusive breastfeeding refers to the time when the baby gets only the mother's milk, with no other foods or liquids.

Source: National Immunization Survey, Centers for Disease Control and Prevention, Department of Health and Human Services.



## BREASTFEEDING REPORT CARD INDICATORS

Each indicator is measured in every state, allowing easy state-by-state comparisons.

Five indicators profile the extent to which infants in a state are breastfed. These are derived from the breastfeeding goals outlined in *Healthy People 2010*, a description of the nation's health priorities.

Elements of breastfeeding-friendly communities are measured in nine more indicators, measuring support from birth facilities, health professionals, state legislation, and public infrastructure (public facilities and services).

State	Ever Breastfed	Breastfeeding at 6 months	Breastfeeding at 12 months	Exclusive breastfeeding at 3 months	Exclusive breastfeeding at 6 months
<b>U.S. National</b>	<b>75.0</b>	43.0	22.4	33.0	13.3
Alabama	64.6	30.0	15.9	23.3	8.8
Alaska	<b>83.3</b>	<b>57.1</b>	<b>32.7</b>	<b>43.6</b>	<b>23.1</b>
Arizona	<b>78.8</b>	49.6	<b>25.3</b>	34.5	12.7
Arkansas	61.3	27.5	12.6	23.0	11.8
California	<b>86.6</b>	<b>53.8</b>	<b>31.4</b>	<b>40.4</b>	<b>17.2</b>
Colorado	<b>88.7</b>	<b>57.7</b>	<b>29.3</b>	<b>46.8</b>	<b>22.5</b>
Connecticut	71.0	49.3	21.7	39.0	<b>19.5</b>
Delaware	71.5	43.2	20.3	31.7	11.5
Dist of Columbia	65.4	44.1	23.7	29.1	11.7
Florida	73.4	38.0	17.3	30.6	9.9
Georgia	64.8	33.5	17.9	25.1	9.7
Hawaii	<b>87.5</b>	<b>60.4</b>	<b>33.1</b>	<b>42.3</b>	16.0
Idaho	<b>88.9</b>	<b>53.2</b>	<b>30.8</b>	<b>41.5</b>	<b>21.8</b>
Illinois	70.2	36.0	16.4	27.9	11.2
Indiana	70.5	37.8	16.9	29.2	10.5
Iowa	74.4	42.3	19.2	35.5	15.7
Kansas	<b>79.6</b>	47.4	20.2	37.3	<b>18.5</b>
Kentucky	58.7	29.6	13.1	26.4	12.0
Louisiana	56.6	20.2	9.8	22.0	7.8
Maine	<b>75.2</b>	48.2	<b>27.6</b>	<b>45.5</b>	<b>18.2</b>
Maryland	73.4	45.5	17.9	32.4	10.8
Massachusetts	<b>77.6</b>	<b>50.1</b>	23.3	37.9	<b>20.5</b>
Michigan	70.1	38.6	22.9	28.7	10.1
Minnesota	<b>81.9</b>	<b>51.7</b>	<b>26.6</b>	<b>49.0</b>	<b>20.4</b>
Mississippi	52.5	22.5	8.0	15.2	6.5
Missouri	72.6	38.2	19.4	28.2	12.4
Montana	<b>88.5</b>	<b>55.4</b>	<b>34.8</b>	<b>50.8</b>	<b>23.0</b>
Nebraska	<b>75.5</b>	47.0	23.9	38.8	12.4
Nevada	<b>82.3</b>	43.2	20.8	35.1	12.4
New Hampshire	<b>78.6</b>	<b>50.0</b>	<b>25.9</b>	<b>47.2</b>	<b>18.8</b>
New Jersey	72.1	42.3	19.8	29.8	10.0
New Mexico	<b>82.5</b>	49.0	24.8	<b>46.8</b>	<b>18.7</b>
New York	<b>81.4</b>	47.4	24.9	32.8	14.4
North Carolina	73.5	35.9	19.4	28.2	8.7
North Dakota	73.2	41.2	20.7	<b>40.9</b>	15.2
Ohio	64.8	37.5	20.3	34.8	12.8
Oklahoma	65.0	27.4	12.2	22.6	6.7
Oregon	<b>86.5</b>	<b>62.2</b>	<b>39.6</b>	<b>50.5</b>	<b>23.7</b>
Pennsylvania	63.8	36.2	18.5	34.0	10.8
Rhode Island	70.8	45.1	22.7	29.0	12.1
South Carolina	63.8	29.6	12.0	23.1	6.9
South Dakota	<b>76.9</b>	48.5	22.7	<b>43.6</b>	15.8
Tennessee	65.4	29.8	17.2	24.4	9.2
Texas	<b>75.8</b>	43.6	21.8	27.6	11.1
Utah	<b>89.8</b>	<b>58.3</b>	<b>35.4</b>	<b>41.3</b>	16.3
Vermont	<b>86.2</b>	<b>58.4</b>	<b>39.7</b>	<b>45.2</b>	<b>22.3</b>
Virginia	<b>77.3</b>	42.8	23.9	32.6	14.2
Washington	<b>87.9</b>	<b>59.9</b>	<b>33.4</b>	<b>43.8</b>	<b>21.2</b>
West Virginia	53.0	25.9	12.5	18.3	7.0
Wisconsin	<b>76.3</b>	48.1	23.5	39.3	16.4
Wyoming	<b>78.2</b>	<b>52.5</b>	<b>29.0</b>	<b>48.5</b>	16.7

**NOTE:** Percents in bold are those that have met the Healthy People 2010 goal.

**SOURCE:** Centers for Disease Control and Prevention National Immunization Survey, Provisional Data, 2007 births. [http://www.cdc.gov/breastfeeding/data/NIS\\_data/index.htm](http://www.cdc.gov/breastfeeding/data/NIS_data/index.htm)

State	Average mPINC Score	Percent of live births occurring at facilities designated as Baby Friendly (BFHI)	Percent of breastfed infants receiving formula before 2 days of age	Number of IBCLCs* per 1,000 live births	State legislation about breastfeeding in public places	State legislation mandating^ employer lactation support	Number of state health department FTEs** dedicated to breastfeeding	Breastfeeding coalition with public website	State child care center regulation supports lactation
<b>U.S. National</b>	65	3.78	25.4	2.40	49	16	96.79	42	12
Alabama	57	0	29.2	1.68	yes	no	2.00	yes	no
Alaska	74	21.70	14.8	5.93	yes	no	0.25	yes	no
Arizona	64	0	25.8	1.83	yes	no	2.50	yes	no
Arkansas	52	0	18.1	1.57	yes	yes	3.50	yes	no
California	73	10.85	25.8	2.28	yes	yes	7.60	yes	yes
Colorado	71	6.62	16.5	2.68	yes	yes	0.80	yes	no
Connecticut	71	15.94	18.4	4.48	yes	yes	1.00	yes	no
Delaware	67	0	23.7	3.14	yes	no	2.00	yes	yes
Dist of Columbia	72	0	33.9	0.99	yes	yes	2.00	yes	yes
Florida	65	1.53	28.0	1.76	yes	no	1.00	yes	no
Georgia	59	0	28.2	1.98	yes	no	2.00	yes	no
Hawaii	65	8.72	26.3	2.57	yes	no	1.00	yes	no
Idaho	68	6.46	17.6	2.39	no	no	1.00	yes	no
Illinois	63	1.34	28.1	2.27	yes	yes	2.00	yes	no
Indiana	64	4.70	20.4	2.94	yes	yes	2.33	yes	yes
Iowa	61	0	11.5	2.19	yes	no	0.50	yes	no
Kansas	62	0	10.9	2.51	yes	no	2.00	yes	no
Kentucky	57	5.58	18.6	2.11	yes	no	2.00	no	no
Louisiana	60	0	21.4	1.70	yes	no	1.00	no	no
Maine	79	19.02	9.4	5.80	yes	yes	1.00	no	no
Maryland	68	0	28.2	3.13	yes	no	2.50	yes	no
Massachusetts	79	3.13	20.3	4.61	yes	no	1.60	yes	no
Michigan	65	0	27.8	2.14	yes	no	2.00	yes	yes
Minnesota	67	0	9.8	2.93	yes	yes	2.00	no	no
Mississippi	51	0	37.9	1.20	yes	no	2.00	yes	yes
Missouri	64	0.84	20.9	2.16	yes	no	3.00	yes	no
Montana	66	0.25	9.1	2.46	yes	yes	0.50	yes	no
Nebraska	60	21.23	17.3	2.37	no	no	0.25	yes	no
Nevada	56	0	28.6	0.96	yes	no	1.00	yes	no
New Hampshire	81	16.17	11.9	6.21	yes	no	0.50	yes	no
New Jersey	62	0	35.0	2.44	yes	no	2.00	yes	no
New Mexico	64	0	18.9	2.55	yes	yes	1.00	yes	no
New York	67	2.47	33.2	2.30	yes	yes	5.25	yes	yes
North Carolina	62	3.18	30.5	3.14	yes	no	2.00	yes	no
North Dakota	64	0	9.4	1.68	yes	no	0.50	yes	no
Ohio	69	3.36	19.5	2.88	yes	no	1.50	yes	yes
Oklahoma	55	0	21.8	2.10	yes	yes	2.75	no	no
Oregon	77	6.26	15.2	4.68	yes	yes	1.50	yes	no
Pennsylvania	64	0.08	19.2	2.29	yes	no	2.00	yes	no
Rhode Island	81	13.13	33.8	5.31	yes	no	1.00	yes	no
South Carolina	62	0	22.8	1.72	yes	no	1.00	yes	no
South Dakota	58	0	14.6	2.15	yes	no	1.00	no	no
Tennessee	60	0.24	27.2	1.86	yes	yes	1.00	no	yes
Texas	62	3.29	34.6	1.53	yes	no	7.75	yes	no
Utah	64	5.89	27.5	1.47	yes	no	2.75	yes	no
Vermont	76	3.82	13.6	10.57	yes	yes	1.00	no	yes
Virginia	63	0.50	29.2	3.22	yes	no	2.70	yes	yes
Washington	75	8.78	20.0	4.36	yes	no	2.90	yes	no
West Virginia	58	0	21.1	2.60	yes	no	1.00	yes	yes
Wisconsin	71	15.73	11.9	3.00	yes	no	2.50	no	no
Wyoming	62	0	13.5	1.87	yes	no	0.86	yes	no

\* IBCLC -  
International  
Board  
Certified  
Lactation  
Consultant.

^State requires  
employers to  
provide space  
and time for  
lactation.

\*\*FTE - Full-Time  
Equivalent.



## Breastfeeding Report Card Indicators – 2010

### Healthy People 2010 Targets

Objective 16-19 – Increase the proportion of mothers who breastfeed their babies:

- In early postpartum to 75%
- At 6 months to 50%
- At 12 months to 25%
- Exclusively through 3 months to 40%
- Exclusively through 6 months to 17%

### Birth Facility Support

- State Maternity Practices in Infant Nutrition and Care (mPINC) score
- Percent of live births occurring at facilities identified as part of the Baby-Friendly Hospital Initiative
- Percent of breastfed infants receiving formula before 2 days of age

Birth facility policies and practices significantly impact whether a woman chooses to start breastfeeding and how long she continues to breastfeed. Several specific policies and practices, in combination, determine how much overall support for breastfeeding a woman birthing in a given facility is likely to receive and how likely her baby is to receive formula in the first 2 days.

Two initiatives, one national and one global, provide informative measures of birth facility support. The mPINC Survey, initiated by CDC, in collaboration with the Battelle Centers for Public Health Research and Evaluation in 2007, measures breastfeeding-related maternity care practices at intrapartum care facilities across the U.S. and compares the extent to which these practices vary by state. Thus, the state mPINC score represents the extent to which each state's birth facilities provide maternity care that supports breastfeeding.

The Baby-Friendly Hospital Initiative (BFHI) is a global program sponsored by the World Health Organization (WHO) and the United Nations Children's Fund (UNICEF) to encourage and recognize hospitals and birthing centers that offer an optimal level of care for lactation based on the WHO/UNICEF Ten Steps to Successful Breastfeeding for Hospitals.

To be designated as "Baby-Friendly," facilities undergo external evaluation to demonstrate that the facility meets all of the Ten Steps requirements. All types and sizes of birth facilities can seek the Baby-Friendly designation. Some states have several small Baby-Friendly facilities, others have only one or two large ones, and still others have none at all. Because facilities vary in size and the number of births, measuring their impact on public health requires more than just counting the number of Baby-Friendly facilities per state. The best way to measure their impact is to look at the proportion of births in a given state occurring at facilities that have earned the Baby-Friendly distinction.

### Professional Support

- Number of International Board Certified Lactation Consultants (IBCLCs) per 1,000 live births

IBCLCs are health professionals who specialize in the clinical management of breastfeeding. IBCLCs work in many health care settings, such as hospitals, birth centers, physicians' offices, public health clinics, and their own offices. A strong statewide group of professional breastfeeding experts (IBCLCs) is needed to assist the mother-infant pair, create and administer lactation programs, and educate other health professionals about breastfeeding. Much of an IBCLC's work is done one-on-one; therefore, only a rough estimate can be made of their availability to provide professional support within a state. The best measure is the ratio of IBCLCs to the number of live births.

### Legislation

- Laws protecting breastfeeding in public
- Laws mandating support for breastfeeding mothers who return to work

Most states now have some form of legislation (laws) protecting the basic human right to breastfeed. Unfortunately, despite protective laws, mothers and babies who breastfeed in public still face obstacles and negative reactions. Legislation reflects social acceptance of breastfeeding as a normal activity, concern for the health and well-being of children, and the importance of breastfeeding as a public health issue.

Laws mandating support for breastfeeding mothers who return to work encourage mothers to continue breastfeeding after returning to work by requiring a minimum level of breastfeeding support from the employer. Such laws support the economic goals of employers and employees as well as the well-being of mothers and children.

### Infrastructure

- Number of state health department full-time equivalents (FTEs) responsible for breastfeeding
- Statewide breastfeeding coalitions with public websites

State health departments are the central state agencies responsible for the public health and welfare of women and children. Among their many responsibilities, employees in these agencies help ensure appropriate consideration of breastfeeding in public programs and services. FTEs dedicated to the protection, promotion, and support of breastfeeding are needed to develop, implement, monitor, and maintain breastfeeding interventions.

A statewide coalition dedicated to breastfeeding represents a basic level of community support for breastfeeding. Though these coalitions differ in terms of what they do and how they do it, they share a commitment to empower community members to be local change agents. Coalition members make the case to their community for the importance of breastfeeding.

State coalitions with publicly available websites have an effective way to communicate. On their website, coalition members can share information with existing members and also recruit new members interested in breastfeeding issues. Coalition Web sites are also an excellent way to reach community members who want quality breastfeeding information and online support.

### Support in Child Care Settings

- Number of states with child care center regulations that support breastfeeding

In the U.S., nearly two thirds of infants are routinely cared for by someone other than a parent. About half of these infants attend child care centers; the other half spend time in a variety of home-based settings including licensed family child care homes or the home of a family member, friend, or neighbor. Thus, child care facilities—both family child care homes and child care centers—play an important role in promoting breastfeeding among mothers whose infants are cared for in these facilities. States that lack regulations that support breastfeeding at child care facilities are encouraged to meet best-practice national standards set by *Caring for Our Children*.

The CDC Breastfeeding Report Card was first released in 2007 and is updated annually. Indicator data sources and National Immunization Survey statistical information available at: [www.cdc.gov/breastfeeding/data/](http://www.cdc.gov/breastfeeding/data/)

#### For more information:

Division of Nutrition, Physical Activity, and Obesity  
National Center for Chronic Disease Prevention and Health Promotion  
Centers for Disease Control and Prevention  
Atlanta, GA USA  
1-800-CDC-INFO (232-4636)

August 2010

