

United States

2013 Land Line Only Codebook Report

ADULT Asthma Call-Back Survey

April 29, 2015



**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

STATE FIPS CODE

Survey: ADULT Asthma Call-Back

Column: 1-2

Prologue:

Description: STATE FIPS CODE .

Type: NUM

SAS Variable Name: _STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Alabama	170	1.42	1.80
4	Arizona	135	1.13	2.47
6	California	264	2.21	14.44
9	Connecticut	313	2.62	1.57
12	Florida	1,000	8.36	7.20
13	Georgia	190	1.59	3.33
15	Hawaii	179	1.50	0.64
18	Indiana	426	3.56	2.74
19	Iowa	282	2.36	0.93
20	Kansas	816	6.82	1.03
21	Kentucky	417	3.49	1.58
22	Louisiana	182	1.52	1.45
23	Maine	290	2.42	0.56
24	Maryland	303	2.53	2.19
25	Massachusetts	186	1.55	3.17
26	Michigan	583	4.87	4.26
28	Mississippi	274	2.29	0.95
29	Missouri	276	2.31	2.49
30	Montana	352	2.94	0.36
31	Nebraska	364	3.04	0.52
32	Nevada	158	1.32	0.94
33	New Hampshire	289	2.42	0.59
34	New Jersey	335	2.80	3.18
35	New Mexico	304	2.54	0.80
36	New York	149	1.25	8.64
37	North Carolina	148	1.24	3.39
39	Ohio	320	2.68	4.33
40	Oklahoma	318	2.66	1.53
41	Oregon	241	2.01	2.01
42	Pennsylvania	341	2.85	4.58
44	Rhode Island	244	2.04	0.43
48	Texas	306	2.56	7.87
49	Utah	446	3.73	0.93
50	Vermont	264	2.21	0.27
53	Washington	403	3.37	2.74
54	West Virginia	148	1.24	0.61
55	Wisconsin	232	1.94	2.13
72	Puerto Rico	314	2.62	1.36

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

MONTH NAME OF SOURCE FILE ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 3-4

Prologue:

Description: FILE MONTH

Type: NUM

SAS Variable Name: FMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	889	7.43	5.69
2	February	860	7.19	7.62
3	March	849	7.10	6.22
4	April	759	6.35	5.87
5	May	639	5.34	4.28
6	June	849	7.10	6.26
7	July	1,280	10.70	14.50
8	August	1,503	12.56	14.15
9	September	1,192	9.96	9.73
10	October	1,160	9.70	11.49
11	November	1,007	8.42	6.90
12	December	975	8.15	7.26

MONTH OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 13-14

Prologue:

Description: MONTH OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	528	4.41	3.23
2	February	783	6.55	7.58
3	March	960	8.03	7.89
4	April	856	7.16	5.73
5	May	675	5.64	4.04
6	June	632	5.28	4.10
7	July	1,201	10.04	9.22
8	August	1,587	13.27	17.56
9	September	1,246	10.42	12.53
10	October	1,254	10.48	11.78
11	November	1,039	8.69	7.84
12	December	1,201	10.04	8.52

DAY OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 15-16

Prologue:

Description: DAY OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IDAY_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		11,962	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

YEAR OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 17-20

Prologue:

Description: YEAR OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IYEAR_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
2013	Interview year	11,168	93.36	95.39
2014	Interview year	794	6.64	4.61

INTERVIEWER ID OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 21-23

Prologue:

Description: INTERVIEWER ID OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: INTVID_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interviewer Identification	11,962	100.00	100.00

DISPOSITION OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 24-26

Prologue:

Description: DISPOSITION OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: DISPCODE_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1100	Complete	11,944	99.85	99.96
1200	Partial complete	18	0.15	0.04

ANNUAL SEQUENCE NUMBER

Survey: ADULT Asthma Call-Back

Column: 27-36

Prologue:

Description: ANNUAL SEQUENCE NUMBER

Type: NUM
SAS Variable Name: SEQNO

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		11,962	100.00	100.00

NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 37-38

Prologue:

Description: NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: NATTMPTS_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Number of attempts of asthma call-back	11,962	100.00	100.00

PERMIT TO CALL BACK FROM BRFS

Survey: ADULT Asthma Call-Back

Column: 39

Prologue:

Description: PERMIT TO CALL BACK FROM BRFS

Type: NUM
SAS Variable Name: CALLBACK

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,962	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ARE YOU SAMPLE PERSON

Survey: ADULT Asthma Call-Back

Column: 40

Type: NUM

SAS Variable Name: SAMP_NAME

Prologue:

Description: Q1.1 Are you [sample person's first name or initials]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,554	96.59	94.57
2	No	408	3.41	5.43

MAY I SPEAK WITH SAMPLE PERSON

Survey: ADULT Asthma Call-Back

Column: 41

Type: NUM

SAS Variable Name: SAMP_PERS

Prologue:

Description: Q1.2 May I speak with [sample person's first name or initials]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	408	100.00	100.00
BLANK	Not asked or missing	11,554		

CHECK CORRECT PERSON ON PHONE

Survey: ADULT Asthma Call-Back

Column: 42

Type: NUM

SAS Variable Name: REPEAT

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: Check if correct person from core survey is on phone.

Description: Q2.0 Is this [sample person's name] and are you [sample person's age] years old? (IF YES, CONTINUE WITH Q2.1)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	879	100.00	100.00
BLANK	Not asked or missing	11,083		

EVER HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 43

Type: NUM

SAS Variable Name: EVER_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.1 Have you ever been told by a doctor or other health professional that you have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	879	100.00	100.00
BLANK	Not asked or missing	11,083		

STILL HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 44

Type: NUM

SAS Variable Name: CUR_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.2 Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	488	55.52	56.10
2	No	337	38.34	42.31
7	Don't know/Not sure	54	6.14	1.58
BLANK	Not asked or missing	11,083		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PERMISSION TO COMBINE THE ANSWER WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 45

Type: NUM

SAS Variable Name: PERMISS

Prologue:

Description: Q2.3 May we combine your answers to this survey with your answers from the survey you did a few weeks ago?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,648	55.58	76.00
7	Don't know/Not sure	5,314	44.42	24.00

AGE AT ASTHMA DIAGNOSIS

Survey: ADULT Asthma Call-Back

Column: 46-48

Type: NUM

SAS Variable Name: AGEDX

Prologue:

Description: Q3.1 How old were you when you were first told by a doctor or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 115	Age in years	10,598	88.60	88.58
777	Don't know	968	8.09	6.12
888	Less than 1 year old	389	3.25	5.28
999	Refused	7	0.06	0.02

TIME SINCE DIAGNOSIS

Survey: ADULT Asthma Call-Back

Column: 49

Type: NUM

SAS Variable Name: INCIDNT

Prologue:

Description: Q3.2 How long ago was that?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past 12 months	232	1.94	1.61
2	One to five years ago	1,036	8.66	8.02
3	More than 5 years ago	10,639	88.94	90.07
7	Don't know	49	0.41	0.25
9	Refused	6	0.05	0.05

LAST TALKED TO A DOCTOR

Survey: ADULT Asthma Call-Back

Column: 50-51

Type: NUM

SAS Variable Name: LAST_MD

Prologue:

Description: Q3.3 How long has it been since you last talked to a doctor or other health professional about your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Within the past year	7,234	60.47	48.88
5	One year to less than 3 years ago	1,525	12.75	16.21
6	Three years to five years ago	693	5.79	7.41
7	More than five years ago	2,280	19.06	26.12
77	Don't know	107	0.89	0.63
88	Never	114	0.95	0.73
99	Refused	9	0.08	0.04

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

LAST TOOK ASTHMA MEDICATION

Survey: ADULT Asthma Call-Back

Column: 52-53

Type: NUM

SAS Variable Name: LAST_MED

Prologue:

Description: Q3.4 How long has it been since you last took asthma medication?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	4,647	38.85	29.03
2	1-6 days ago	1,054	8.81	8.28
3	1 week to less than 3 months ago	1,238	10.35	10.04
4	3 months to less than 1 year ago	1,024	8.56	9.37
5	1 year to less than 3 years ago	871	7.28	9.86
6	3 years to 5 years ago	481	4.02	4.40
7	More than 5 years ago	2,174	18.17	25.47
77	Don't know	94	0.79	0.42
88	Never	364	3.04	3.06
99	Refused	15	0.13	0.06

LAST HAD ANY SYMPTOMS OF ASTHMA

Survey: ADULT Asthma Call-Back

Column: 54-55

Type: NUM

SAS Variable Name: LASTSYMP

Prologue:

Description: Q3.5 How long has it been since you last had any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	3,481	29.10	22.31
2	1-6 days ago	1,510	12.62	11.34
3	1 week to less than 3 months ago	2,069	17.30	16.21
4	3 months to less than 1 year ago	1,362	11.39	13.06
5	1 year to less than 3 years ago	864	7.22	9.56
6	3 years to 5 years ago	431	3.60	4.55
7	More than 5 years ago	1,900	15.88	21.13
77	Don't know	246	2.06	1.26
88	Never	88	0.74	0.51
99	Refused	11	0.09	0.07

SYMPTOM DAYS

Survey: ADULT Asthma Call-Back

Column: 56-58

Type: NUM

SAS Variable Name: SYMP_30D

Prologue:

Description: Q4.1 During the past 30 days, on how many days did you have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 29	Days	4,221	35.29	33.72
30	Every day	2,215	18.52	11.76
66	No symptoms past one year, skip filled	3,283	27.45	35.75
77	Don't know	253	2.12	1.31
88	No symptoms in the past 30 days	617	5.16	4.32
99	Refused	11	0.09	0.08
100	Symptoms 3 months to 1 year ago, skip filled	1,362	11.39	13.06

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

CONSTANT SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 59-60

Type: NUM

SAS Variable Name: DUR_30D

Prologue:

Description: Q4.2 Do you have symptoms all the time? "All the time" means symptoms that continue throughout the day. It does not mean symptoms for a little while each day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,179	9.86	6.63
2	No	970	8.11	4.91
6	Last symptoms one+ years ago, skip filled	3,283	27.45	35.75
7	Don't know	57	0.48	0.19
9	Refused	9	0.08	0.03
10	Last symptoms 3 months - 1 year ago, skip filled	1,362	11.39	13.06
11	No symptoms 'SYMP_30D' skip filled	617	5.16	4.32
12	1-29 'SYMP_30D' skip filled	4,221	35.29	33.72
77	Don't know 'SYMP_30D' skip filled	253	2.12	1.31
99	Refused 'SYMP_30D' skip filled	11	0.09	0.08

NIGHT SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 61-63

Type: NUM

SAS Variable Name: ASLEEP30

Prologue:

Description: Q4.3 During the past 30 days, on how many days did symptoms of asthma make it difficult for you to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Days/Nights	3,003	25.10	21.95
66	No symptoms past one year, skip filled	3,283	27.45	35.75
77	Don't know	318	2.66	1.56
88	None	3,369	28.16	23.31
99	Refused	10	0.08	0.05
100	Symptoms 3 months to 1 year ago, skip filled	1,362	11.39	13.06
111	No symptoms in the past 30 days, skip filled	617	5.16	4.32

SYMPTOM-FREE DAYS

Survey: ADULT Asthma Call-Back

Column: 64-65

Type: NUM

SAS Variable Name: SYMPFREE

Prologue:

Description: Q4.4 During the past two weeks, on how many days were you completely symptom-free, that is no coughing, wheezing, or other symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	Days/Nights	8,941	74.75	82.55
77	Don't know	205	1.71	0.85
88	None	2,799	23.40	16.25
99	Refused	17	0.14	0.36

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ASTHMA EPISODE OR ATTACK

Survey: ADULT Asthma Call-Back

Column: 66

Type: NUM

SAS Variable Name: EPIS_12M

Prologue:

Description: Q4.5 During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,780	39.96	35.12
2	No	3,771	31.52	28.64
6	No symptoms past 1 year, skip filled	3,283	27.45	35.75
7	Don't know	117	0.98	0.42
9	Refused	11	0.09	0.07

NUMBER OF EPISODES / ATTACKS

Survey: ADULT Asthma Call-Back

Column: 67-70

Type: NUM

SAS Variable Name: EPIS_TP

Prologue:

Description: Q4.6 During the past three months, how many asthma episodes or attacks have you had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Episodes	3,525	29.47	26.38
666	No symptoms past 1 year, skip filled	3,283	27.45	35.75
777	Don't know	368	3.08	1.86
888	None	873	7.30	6.83
999	Refused	14	0.12	0.05
1111	No episode/asthma attack past year, skip filled	3,899	32.59	29.13

DURATION OF ATTACK

Survey: ADULT Asthma Call-Back

Column: 71-74

Type: NUM

SAS Variable Name: DUR_ASTH

Prologue:

Description: Q4.7 How long did your most recent asthma episode or attack last?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Minutes	1,929	16.13	15.75
201 - 299	Hours	1,193	9.97	8.88
301 - 399	Days	939	7.85	5.93
401 - 499	Weeks	431	3.60	2.76
555	Never	11	0.09	0.15
666	No symptoms past 1 year, skip filled	3,283	27.45	35.75
777	Don't know	263	2.20	1.57
999	Refused	14	0.12	0.07
1111	No episode/asthma attack past year, skip filled	3,899	32.59	29.13

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TYPICAL ATTACK

Survey: ADULT Asthma Call-Back

Column: 75-76

Type: NUM

SAS Variable Name: COMPASTH

Prologue:

Description: Q4.8 Compared with other episodes or attacks, was this most recent attack shorter, longer, or about the same?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Shorter	1,080	9.03	7.66
2	Longer	739	6.18	6.12
3	About the same	2,882	24.09	20.96
4	The most recent attack was actually the first attack	25	0.21	0.17
6	No symptoms past year, skip filled	3,283	27.45	35.75
7	Don't know	52	0.43	0.19
9	Refused	2	0.02	0.02
11	No episode/asthma attack past year, skip filled	3,899	32.59	29.13

INSURANCE

Survey: ADULT Asthma Call-Back

Column: 77

Type: NUM

SAS Variable Name: INS1

Prologue:

Description: QINS1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare or Medicaid?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,008	92.02	83.62
2	No	927	7.75	15.69
7	Don't know/Not sure	19	0.16	0.59
9	Refused	8	0.07	0.10

INSURANCE OR COVERAGE GAP

Survey: ADULT Asthma Call-Back

Column: 78

Type: NUM

SAS Variable Name: INS2

Prologue:

Description: QINS2 During the past 12 months, was there any time that you did not have any health insurance or coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	448	3.75	5.79
2	No	10,545	88.15	77.70
5	No insurance at time of interview, skip filled	927	7.75	15.69
7	Don't know	29	0.24	0.64
9	Refused	13	0.11	0.18

NUMBER OF ROUTINE CHECKUPS PAST 12 MONTHS

Survey: ADULT Asthma Call-Back

Column: 79-81

Type: NUM

SAS Variable Name: NER_TIME

Prologue:

Description: Q5.1 During the past 12 months, how many times did you see a doctor or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	5,651	47.24	38.00
555	No current asthma, nothing happened past year, skip filled	2,124	17.76	25.18
666	No MD visit past year, skip filled	2,528	21.13	25.48
777	Don't know	164	1.37	0.65
888	None	1,473	12.31	10.50
999	Refused	22	0.18	0.18

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

EMERGENCY ROOM VISIT

Survey: ADULT Asthma Call-Back

Column: 82

Type: NUM

SAS Variable Name: ER_VISIT

Prologue: An urgent care center treats people with illness or injuries that must be addressed immediately and cannot wait for a regular medical appointment.

Description: Q5.2 During the past 12 months, have you had to visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,157	9.67	9.34
2	No	6,124	51.20	39.87
5	No current asthma, nothing happened past year, skip filled	2,124	17.76	25.18
6	No MD visit past year, skip filled	2,528	21.13	25.48
7	Don't know	28	0.23	0.13
9	Refused	1	0.01	0.01

NUMBER OF EMERGENCY ROOM VISITS

Survey: ADULT Asthma Call-Back

Column: 83-85

Type: NUM

SAS Variable Name: ER_TIMES

Prologue:

Description: Q5.3 During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	1,143	9.56	9.19
555	No current asthma, nothing happened past year, skip filled	2,124	17.76	25.18
666	No MD visit past year, skip filled	2,528	21.13	25.48
677	MD visit, no ER visit past year, skip filled	6,124	51.20	39.87
777	Don't know	41	0.34	0.25
999	Refused	2	0.02	0.03

NUMBER OF URGENT VISITS

Survey: ADULT Asthma Call-Back

Column: 86-88

Type: NUM

SAS Variable Name: URG_TIME

Prologue:

Description: Q5.4 During the past 12 months, how many times did you see a doctor or other health professional for urgent treatment of worsening asthma symptoms or for an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	2,226	18.61	15.46
555	No current asthma, nothing happened past year, skip filled	2,124	17.76	25.18
666	No MD visit past year, skip filled	2,528	21.13	25.48
777	Don't know	128	1.07	0.67
888	None	4,948	41.36	33.19
999	Refused	8	0.07	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

HOSPITAL VISIT

Survey: ADULT Asthma Call-Back

Column: 89

Type: NUM

SAS Variable Name: HOSP_VST

Prologue:

Description: Q5.5 During the past 12 months, that is since [one year ago today], have you had to stay overnight in a hospital because of your asthma? Do not include an overnight stay in the emergency room.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	394	3.29	2.70
2	No	6,197	51.81	41.98
4	MD visit, no symptoms past year, skip filled	698	5.84	4.59
5	No current asthma, nothing happened past year, skip filled	2,124	17.76	25.18
6	No MD visit past year, skip filled	2,528	21.13	25.48
7	Don't know	20	0.17	0.07
9	Refused	1	0.01	0.01

NUMBER OF HOSPITAL VISITS

Survey: ADULT Asthma Call-Back

Column: 90-92

Type: NUM

SAS Variable Name: HOSPTIME

Prologue:

Description: Q5.6a During the past 12 months, how many different times did you stay in any hospital overnight or longer because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	385	3.22	2.67
444	MD visit, no symptoms past year, skip filled	698	5.84	4.59
455	MD visit, symptoms, no hospital visit past year, skip filled	6,197	51.81	41.98
555	No current asthma, nothing happened past year, skip filled	2,124	17.76	25.18
666	No MD visit past year, skip filled	2,528	21.13	25.48
777	Don't know	28	0.23	0.10
999	Refused	2	0.02	0.01

HOSPITAL FOLLOW-UP

Survey: ADULT Asthma Call-Back

Column: 93-94

Type: NUM

SAS Variable Name: HOSPPLAN

Prologue:

Description: Q5.7 The last time you left the hospital, did a health professional talk with you about how to prevent serious attacks in the future?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	280	2.34	2.16
2	No	109	0.91	0.53
4	MD visit, no symptoms past year, skip filled	698	5.84	4.59
5	No current asthma, nothing happened past year, skip filled	2,124	17.76	25.18
6	No MD visit past year, skip filled	2,528	21.13	25.48
7	Don't know	24	0.20	0.08
9	Refused	2	0.02	0.01
45	MD visit, symptoms, no hospital visit past year, skip filled	6,197	51.81	41.98

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NUMBER OF MISSED DAYS

Survey: ADULT Asthma Call-Back

Column: 95-97

Type: NUM

SAS Variable Name: MISS_DAY

Prologue:

Description: Q5.8a During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	2,919	24.40	21.84
555	No current asthma, nothing happened past year, skip filled	2,124	17.76	25.18
777	Don't know	541	4.52	3.09
888	Zero	6,321	52.84	48.89
999	Refused	57	0.48	1.00

ACTIVITY LIMITATION

Survey: ADULT Asthma Call-Back

Column: 98

Type: NUM

SAS Variable Name: ACT_DAYS30

Prologue:

Description: Q5.9 During just the past 30 days, would you say you limited your usual activities due to asthma not at all, a little, a moderate amount, or a lot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at all	4,677	39.10	37.28
2	A little	2,738	22.89	21.12
3	A moderate amount	1,460	12.21	10.01
4	A lot	902	7.54	6.15
5	No current asthma, nothing happened past year, skip filled	2,124	17.76	25.18
7	Don't know	54	0.45	0.22
9	Refused	7	0.06	0.05

EVER TAUGHT RECOGNIZE EARLY SIGN OR SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 99

Type: NUM

SAS Variable Name: TCH_SIGN

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.1 . . . how to recognize early signs or symptoms of an asthma episode?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,106	59.40	63.29
2	No	4,534	37.90	34.46
7	Don't know/Not sure	315	2.63	1.96
9	Refused	7	0.06	0.29

EVER TAUGHT WHAT TO DO DURING ASTHMA EPISODE OR ATTACK

Survey: ADULT Asthma Call-Back

Column: 100

Type: NUM

SAS Variable Name: TCH_RESP

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.2 . . . what to do during an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,362	69.90	73.30
2	No	3,333	27.86	24.52
7	Don't know/Not sure	263	2.20	2.11
9	Refused	4	0.03	0.06

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

EVER TAUGHT HOW TO USE A PEAK FLOW

Survey: ADULT Asthma Call-Back

Column: 101

Type: NUM

SAS Variable Name: TCH_MON

Prologue: A peak flow meter is a hand held device that measures how quickly you can blow air out of your lungs. Has a doctor or other health professional ever taught you . . .

Description: Q6.3 . . . how to use a peak flow meter to adjust your daily medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,588	38.35	41.68
2	No	7,212	60.29	56.76
7	Don't know/Not sure	145	1.21	1.20
9	Refused	17	0.14	0.36

EVER GIVEN AN ASTHMA ACTION PLAN

Survey: ADULT Asthma Call-Back

Column: 102

Type: NUM

SAS Variable Name: MGT_PLAN

Prologue: An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

Description: Q6.4 Has a doctor or other health professional EVER given you an asthma action plan?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,004	25.11	27.65
2	No	8,700	72.73	70.06
7	Don't know/Not sure	250	2.09	2.27
9	Refused	8	0.07	0.02

EVER TAKEN A COURSE TO MANAGE ASTHMA

Survey: ADULT Asthma Call-Back

Column: 103

Type: NUM

SAS Variable Name: MGT_CLAS

Prologue:

Description: Q6.5 Have you ever taken a course or class on how to manage your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,013	8.47	8.49
2	No	10,907	91.18	91.20
7	Don't know/Not sure	39	0.33	0.29
9	Refused	3	0.03	0.03

AIR CLEANER USED

Survey: ADULT Asthma Call-Back

Column: 104

Type: NUM

SAS Variable Name: AIRCLEANER

Prologue: An air cleaner or purifier filters pollutants like dust, pollen, mold and chemicals out of the indoor air. It can be attached to the furnace or free standing. It is not, however, the same as a normal furnace filter.

Description: Q7.1 Is an air cleaner or purifier regularly used inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,124	26.12	26.08
2	No	8,756	73.20	73.12
7	Don't know/Not sure	75	0.63	0.71
9	Refused	7	0.06	0.09

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DEHUMIDIFIER USED

Survey: ADULT Asthma Call-Back

Column: 105

Type: NUM

SAS Variable Name: DEHUMID

Prologue:

Description: Q7.2 Is a dehumidifier regularly used to reduce moisture inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,757	23.05	23.10
2	No	9,149	76.48	76.50
7	Don't know/Not sure	51	0.43	0.38
9	Refused	5	0.04	0.03

EXHAUST FAN USED

Survey: ADULT Asthma Call-Back

Column: 106

Type: NUM

SAS Variable Name: KITC_FAN

Prologue:

Description: Q7.3 Is an exhaust fan that vents to the outside used regularly when cooking in your kitchen?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,838	57.16	59.79
2	No	5,055	42.26	39.52
7	Don't know/Not sure	66	0.55	0.68
9	Refused	3	0.03	0.01

GAS USED

Survey: ADULT Asthma Call-Back

Column: 107

Type: NUM

SAS Variable Name: COOK_GAS

Prologue:

Description: Q7.4 Is gas used for cooking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,449	37.19	44.56
2	No	7,496	62.67	54.96
7	Don't know/Not sure	15	0.13	0.48
9	Refused	2	0.02	0.00

SAW OR SMELLED MOLD PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 108

Type: NUM

SAS Variable Name: ENV_MOLD

Prologue:

Description: Q7.5 In the past 30 days, has anyone seen or smelled mold or a musty odor inside your home? Do not include mold on food.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,122	9.38	10.41
2	No	10,776	90.09	88.98
7	Don't know/Not sure	61	0.51	0.58
9	Refused	3	0.03	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

INDOOR PETS

Survey: ADULT Asthma Call-Back

Column: 109

Type: NUM

SAS Variable Name: ENV_PETS

Prologue:

Description: Q7.6 Does your household have pets such as dogs, cats, hamsters, birds or other feathered or furry pets that spend time indoors?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,596	55.14	57.66
2	No	5,359	44.80	42.32
7	Don't know/Not sure	5	0.04	0.01
9	Refused	2	0.02	0.01

PETS ALLOWED IN BEDROOM

Survey: ADULT Asthma Call-Back

Column: 110

Type: NUM

SAS Variable Name: PETBEDRM

Prologue:

Description: Q7.7 Are pets allowed in your bedroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,090	42.55	44.85
2	No	1,461	12.21	12.34
3	Some are/some aren't	32	0.27	0.32
6	No pets, skip coded	5,366	44.86	42.34
7	Don't know	9	0.08	0.13
9	Refused	4	0.03	0.02

SAW COCKROACH INSIDE YOUR HOME PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 111

Type: NUM

SAS Variable Name: C_ROACH

Prologue:

Description: Q7.8 In the past 30 days, has anyone seen a cockroach inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,252	10.47	13.38
2	No	10,690	89.37	86.56
7	Don't know/Not sure	19	0.16	0.06
9	Refused	1	0.01	0.00

SAW MICE OR RATS INSIDE YOUR HOME PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 112

Type: NUM

SAS Variable Name: C_RODENT

Prologue:

Description: Q7.9 In the past 30 days, has anyone seen mice or rats inside your home? Do not include mice or rats kept as pets.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	740	6.19	5.77
2	No	11,205	93.67	93.76
7	Don't know/Not sure	14	0.12	0.46
9	Refused	3	0.03	0.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FIREPLACE OR WOOD STOVE USED

Survey: ADULT Asthma Call-Back

Column: 113

Type: NUM

SAS Variable Name: WOOD_STOVE

Prologue:

Description: Q7.10 Is a wood burning fireplace or wood burning stove used in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,861	15.56	13.63
2	No	10,089	84.34	86.33
7	Don't know/Not sure	11	0.09	0.04
9	Refused	1	0.01	0.00

GAS APPLIANCE USED

Survey: ADULT Asthma Call-Back

Column: 114

Type: NUM

SAS Variable Name: GAS_STOVE

Prologue:

Description: Q7.11 Are unvented gas logs, unvented gas fireplace, or unvented gas stove used in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	697	5.83	5.05
2	No	11,199	93.62	93.50
7	Don't know/Not sure	58	0.48	1.18
9	Refused	8	0.07	0.27

ANYONE SMOKED INSIDE YOUR HOME

Survey: ADULT Asthma Call-Back

Column: 115

Type: NUM

SAS Variable Name: S_INSIDE

Prologue:

Description: Q7.12 In the past week, has anyone smoked inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,609	13.45	16.65
2	No	10,346	86.49	83.33
7	Don't know/Not sure	7	0.06	0.02

EVER ADVISED CHANGE THINGS IN YOUR HOME

Survey: ADULT Asthma Call-Back

Column: 116

Type: NUM

SAS Variable Name: MOD_ENV

Prologue:

Description: Q7.13 Has a health professional ever advised you to change things in your home, school, or work to improve your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,943	32.96	33.72
2	No	7,946	66.43	65.72
7	Don't know/Not sure	69	0.58	0.52
9	Refused	4	0.03	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

USE A MATTRESS COVER

Survey: ADULT Asthma Call-Back

Column: 117

Type: NUM

SAS Variable Name: MATTRESS

Prologue:

Description: Q7.14 Do you use a mattress cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,080	34.11	31.16
2	No	7,590	63.45	66.72
7	Don't know/Not sure	289	2.42	2.11
9	Refused	3	0.03	0.02

USE A PILLOW COVER

Survey: ADULT Asthma Call-Back

Column: 118

Type: NUM

SAS Variable Name: E_PILLOW

Prologue:

Description: Q7.15 Do you use a pillow cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,481	29.10	24.40
2	No	8,307	69.44	74.52
7	Don't know/Not sure	171	1.43	1.07
9	Refused	3	0.03	0.00

CARPETING OR RUGS IN YOUR BEDROOM

Survey: ADULT Asthma Call-Back

Column: 119

Type: NUM

SAS Variable Name: CARPET

Prologue:

Description: Q7.16 Do you have carpeting or rugs in your bedroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,902	66.06	62.00
2	No	4,051	33.87	37.91
7	Don't know/Not sure	7	0.06	0.07
9	Refused	2	0.02	0.01

WASH WATER TEMPERATURE

Survey: ADULT Asthma Call-Back

Column: 120

Type: NUM

SAS Variable Name: HOTWATER

Prologue:

Description: Q7.17 Are your sheets and pillowcases washed in cold, warm, or hot water?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cold	3,092	25.85	29.80
2	Warm	3,735	31.22	28.85
3	Hot	4,457	37.26	35.00
4	Varies	382	3.19	3.20
7	Don't know/Not sure	285	2.38	3.08
9	Refused	11	0.09	0.06

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

USE AN EXHAUST FAN IN YOUR BATHROOM

Survey: ADULT Asthma Call-Back

Column: 121

Type: NUM

SAS Variable Name: BATH_FAN

Prologue:

Description: Q7.18 In your bathroom, do you regularly use an exhaust fan that vents to the outside?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,064	59.05	57.47
2	No or "No Fan"	4,830	40.38	42.14
7	Don't know/Not sure	66	0.55	0.39
9	Refused	2	0.02	0.00

EVER USED OVER-THE-COUNTER MEDICATION

Survey: ADULT Asthma Call-Back

Column: 122

Type: NUM

SAS Variable Name: OTC

Prologue: The next set of questions is about medications for asthma. The first few questions are very general, but later questions are very specific to your medication use.

Description: Q8.1 Over-the-counter medication can be bought without a doctor's order. Have you ever used over-the-counter medication for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,229	26.99	26.79
2	No	8,252	68.99	69.46
5	Never took asthma medication, skip filled	364	3.04	3.06
7	Don't know	114	0.95	0.66
9	Refused	3	0.03	0.03

EVER USED PRESCRIPTION INHALER

Survey: ADULT Asthma Call-Back

Column: 123

Type: NUM

SAS Variable Name: INHALERE

Prologue:

Description: Q8.2 Have you ever used a prescription inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,866	90.84	92.14
2	No	707	5.91	4.68
5	Never took asthma medication, skip filled	364	3.04	3.06
7	Don't know	24	0.20	0.12
9	Refused	1	0.01	0.00

PROFESSIONAL INHALER INSTRUCTION

Survey: ADULT Asthma Call-Back

Column: 124

Type: NUM

SAS Variable Name: INHALERH

Prologue:

Description: Q8.3 Did a doctor or other health professional show you how to use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,238	85.59	87.67
2	No	577	4.82	4.19
5	Never took asthma medication, skip filled	364	3.04	3.06
6	Never used prescription inhaler, skip filled	732	6.12	4.80
7	Don't know	50	0.42	0.27
9	Refused	1	0.01	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

INHALER USE WATCHED

Survey: ADULT Asthma Call-Back

Column: 125

Type: NUM

SAS Variable Name: INHALERW

Prologue:

Description: Q8.4 Did a doctor or other health professional watch you use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,982	66.73	69.06
2	No	2,470	20.65	20.12
5	Never took asthma medication, skip filled	364	3.04	3.06
6	Never used prescription inhaler, skip filled	732	6.12	4.80
7	Don't know	413	3.45	2.95
9	Refused	1	0.01	0.00

MEDICATION IN HAND

Survey: ADULT Asthma Call-Back

Column: 126

Type: NUM

SAS Variable Name: SCR_MED1

Prologue: Now I am going to ask questions about specific prescription medications you may have taken for asthma in the past 3 months. I will be asking for the name, amount, and how often you take each medicine.

Description: Q8.5 It will help to get your medicines so you can read the labels. Can you please go get the asthma medicines while I wait on the phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,369	36.52	29.03
2	No	315	2.63	2.28
3	Respondent knows the meds	2,216	18.53	15.80
4	No asthma med. past 3 months, skip filled	4,659	38.95	49.58
5	Never took asthma medication, skip filled	364	3.04	3.06
7	Don't know	22	0.18	0.19
9	Refused	17	0.14	0.07

HAVE ALL THE MEDICATIONS

Survey: ADULT Asthma Call-Back

Column: 127-128

Type: NUM

SAS Variable Name: SCR_MED3

Prologue:

Description: Q8.7 Do you have all the medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, I have all the medications	4,172	34.88	27.43
2	Yes, I have some of the medications but not all	157	1.31	1.17
3	No	31	0.26	0.39
4	No asthma med. past 3 months, skip filled	4,659	38.95	49.58
5	Never took asthma medication, skip filled	364	3.04	3.06
7	Don't know	5	0.04	0.01
9	Refused	4	0.03	0.02
10	Know or no handy asthma medicines, skip filled	2,570	21.48	18.33

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TAKEN PRESCRIPTION INHALER PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 129

Type: NUM

SAS Variable Name: INH_SCR

Prologue:

Description: Q8.8 In the past 3 months have you taken prescription asthma medicine using an inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, inhaler in past 3 months	6,305	52.71	42.92
2	No inhaler in past 3 months	526	4.40	4.01
4	No asthma med. past 3 months, skip filled	4,659	38.95	49.58
5	Never took asthma medication, skip filled	364	3.04	3.06
6	Asthma med. past 3 months, never used inhaler, skip filled	87	0.73	0.33
7	Don't know	17	0.14	0.08
9	Refused	4	0.03	0.01

TAKEN MEDICATION IN PILL PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 130

Type: NUM

SAS Variable Name: PILLS

Prologue:

Description: Q8.20 In the past 3 months, have you taken any medicine in pill form for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,700	14.21	10.75
2	No	4,839	40.45	34.50
4	No asthma med. past 3 months, skip filled	4,659	38.95	49.58
5	Never took asthma medication, skip filled	364	3.04	3.06
7	Don't know	396	3.31	2.09
9	Refused	4	0.03	0.01

TAKEN MEDICATION IN SYRUP PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 131

Type: NUM

SAS Variable Name: SYRUP

Prologue:

Description: Q8.23 In the past 3 months, have you taken any prescription asthma medication in syrup form?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	30	0.25	0.24
2	No	6,760	56.51	46.25
4	No asthma med. past 3 months, skip filled	4,659	38.95	49.58
5	Never took asthma medication, skip filled	364	3.04	3.06
7	Don't know	145	1.21	0.86
9	Refused	4	0.03	0.01

TAKEN MEDICATION WITH A NEBULIZER PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 132

Type: NUM

SAS Variable Name: NEB_SCR

Prologue: A nebulizer is a small machine with a tube and facemask or mouthpiece that you breathe through continuously.

Description: Q8.25 In the past 3 months, were any of your asthma medicines used with a nebulizer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,672	13.98	12.13
2	No	4,963	41.49	33.38
4	No asthma med. past 3 months, skip filled	4,659	38.95	49.58
5	Never took asthma medication, skip filled	364	3.04	3.06
7	Don't know	296	2.47	1.77
9	Refused	8	0.07	0.07

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEBULIZER AT HOME

Survey: ADULT Asthma Call-Back

Column: 133

Type: NUM

SAS Variable Name: NEB_PLCA

Prologue: I am going to read a list of places where you might have used a nebulizer. Please answer "yes" if you have used a nebulizer in the place I mention; otherwise, answer "no." In the past 3 months, did you use a nebulizer . . .

Description: Q8.26a . . . at home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,623	13.57	11.74
2	No	44	0.37	0.37
4	No asthma med. past 3 months, skip filled	4,659	38.95	49.58
5	Never took asthma medication, skip filled	364	3.04	3.06
7	Don't know	5	0.04	0.02
8	No neb. in past 3 months, skip filled	5,267	44.03	35.23

NEBULIZER AT DOCTOR'S OFFICE

Survey: ADULT Asthma Call-Back

Column: 134

Type: NUM

SAS Variable Name: NEB_PLCB

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26b . . . at a doctor's office?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	413	3.45	3.24
2	No	1,250	10.45	8.86
4	No asthma med. past 3 months, skip filled	4,659	38.95	49.58
5	Never took asthma medication, skip filled	364	3.04	3.06
7	Don't know	9	0.08	0.03
8	No neb. in past 3 months, skip filled	5,267	44.03	35.23

NEBULIZER IN EMERGENCY ROOM

Survey: ADULT Asthma Call-Back

Column: 135

Type: NUM

SAS Variable Name: NEB_PLCC

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26c . . . in an emergency room?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	399	3.34	3.26
2	No	1,265	10.58	8.84
4	No asthma med. past 3 months, skip filled	4,659	38.95	49.58
5	Never took asthma medication, skip filled	364	3.04	3.06
7	Don't know	8	0.07	0.02
8	No neb. in past 3 months, skip filled	5,267	44.03	35.23

NEBULIZER AT WORK OR SCHOOL

Survey: ADULT Asthma Call-Back

Column: 136

Type: NUM

SAS Variable Name: NEB_PLCD

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26d . . . at work (or a school)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	86	0.72	0.65
2	No	1,581	13.22	11.45
4	No asthma med. past 3 months, skip filled	4,659	38.95	49.58
5	Never took asthma medication, skip filled	364	3.04	3.06
7	Don't know	5	0.04	0.02
8	No neb. in past 3 months, skip filled	5,267	44.03	35.23

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEBULIZER AT ANY OTHER PLACE

Survey: ADULT Asthma Call-Back

Column: 137

Type: NUM

SAS Variable Name: NEB_PLCE

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26e . . . at any other place?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	257	2.15	1.66
2	No	1,405	11.75	10.12
4	No asthma med. past 3 months, skip filled	4,659	38.95	49.58
5	Never took asthma medication, skip filled	364	3.04	3.06
7	Don't know	10	0.08	0.35
8	No neb. in past 3 months, skip filled	5,267	44.03	35.23

COST BARRIER: PRIMARY CARE DOCTOR

Survey: ADULT Asthma Call-Back

Column: 138

Type: NUM

SAS Variable Name: ASMDCOST

Prologue:

Description: Q9.1 Was there a time in the past 12 months when you needed to see your primary care doctor for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	815	6.81	9.10
2	No	8,991	75.16	65.41
5	No current asthma, skip filled	2,124	17.76	25.18
7	Don't know	26	0.22	0.27
9	Refused	6	0.05	0.05

COST BARRIER: SPECIALIST

Survey: ADULT Asthma Call-Back

Column: 139

Type: NUM

SAS Variable Name: ASSPCOST

Prologue:

Description: Q9.2 Was there a time in the past 12 months when you were referred to a specialist for asthma care but could not go because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	455	3.80	4.73
2	No	9,356	78.21	69.57
5	No current asthma, skip filled	2,124	17.76	25.18
7	Don't know	25	0.21	0.51
9	Refused	2	0.02	0.00

COST BARRIER: MEDICATION

Survey: ADULT Asthma Call-Back

Column: 140

Type: NUM

SAS Variable Name: ASRXCOST

Prologue:

Description: Q9.3 Was there a time in the past 12 months when you needed to buy medication for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,365	11.41	12.79
2	No	8,436	70.52	61.82
5	No current asthma, skip filled	2,124	17.76	25.18
7	Don't know	33	0.28	0.16
9	Refused	4	0.03	0.05

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

CURRENT EMPLOYMENT STATUS

Survey: ADULT Asthma Call-Back

Column: 141

Type: NUM

SAS Variable Name: EMP_STAT

Prologue:

Description: Q10.1 Next, we are interested in things that affect asthma in the workplace. However, first I'd like to ask how you would describe your current employment status. Would you say ...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed full-time	3,099	25.91	31.30
2	Employed part-time	1,277	10.68	15.26
3	Not employed	7,555	63.17	53.29
7	Don't know	21	0.18	0.10
9	Refused	8	0.07	0.04
BLANK	Partial complete	2		

REASON NOT NOW EMPLOYED

Survey: ADULT Asthma Call-Back

Column: 142-143

Type: NUM

SAS Variable Name: UNEMP_R

Prologue:

Description: Q10.2 What is the main reason you are not now employed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Keeping house	427	3.57	4.37
2	Going to school	95	0.79	5.31
3	Retired	4,153	34.72	15.36
4	Disabled	1,722	14.40	13.92
5	Unable to work for other health reasons	585	4.89	4.94
6	Looking for work	169	1.41	4.93
7	Laid off	112	0.94	1.44
8	Other	266	2.22	2.86
66	Now Employed, skip filled	4,376	36.59	46.57
77	Don't know	16	0.13	0.09
88	Unknown Employment, skip filled	29	0.24	0.14
99	Refused	10	0.08	0.07
BLANK	Partial complete	2		

EVER EMPLOYED OUTSIDE HOME

Survey: ADULT Asthma Call-Back

Column: 144

Type: NUM

SAS Variable Name: EMP_EVER1

Prologue:

Description: Q10.3 Have you ever been employed outside the home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,301	61.05	49.30
2	No	264	2.21	4.01
6	Now Employed, skip filled	4,376	36.59	46.57
7	Don't know	17	0.14	0.11
9	Refused	2	0.02	0.01
BLANK	Partial complete	2		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ASTHMA AGGRAVATED BY CURRENT JOB

Survey: ADULT Asthma Call-Back

Column: 145

Type: NUM

SAS Variable Name: WORKENV5

Prologue:

Description: Q10.4 Are your asthma symptoms MADE WORSE by things like chemicals, smoke, dust or mold in your CURRENT job?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,116	9.33	9.46
2	No	2,219	18.55	20.79
5	Now employed former/inactive/unknown asthma, skip filled	985	8.24	15.64
6	Never employed, skip filled	264	2.21	4.01
7	Don't know	49	0.41	0.39
8	Past employment unknown, skip filled	19	0.16	0.12
9	Refused	7	0.06	0.29
10	Previously but not currently employed, skip filled	7,301	61.05	49.30
BLANK	Partial complete	2		

ASTHMA CAUSED BY CURRENT JOB

Survey: ADULT Asthma Call-Back

Column: 146

Type: NUM

SAS Variable Name: WORKENV6

Prologue:

Description: Q10.5 Was your asthma first CAUSED by things like chemicals, smoke, dust or mold in your CURRENT job?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	320	2.68	3.60
2	No	3,859	32.27	41.68
6	Never employed, skip filled	264	2.21	4.01
7	Don't know	194	1.62	1.27
8	Past employment unknown, skip filled	19	0.16	0.12
9	Refused	3	0.03	0.01
10	Previously but not currently employed, skip filled	7,301	61.05	49.30
BLANK	Partial complete	2		

ASTHMA AGGRAVATED BY PREVIOUS JOB

Survey: ADULT Asthma Call-Back

Column: 147

Type: NUM

SAS Variable Name: WORKENV7

Prologue:

Description: Q10.6 Were your asthma symptoms MADE WORSE by things like chemicals, smoke, dust or mold in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,741	39.64	34.11
2	No	6,261	52.35	56.37
5	Caused by current job, skip filled	320	2.68	3.60
6	Never employed, skip filled	264	2.21	4.01
7	Don't know	340	2.84	1.70
8	Past employment unknown, skip filled	19	0.16	0.12
9	Refused	15	0.13	0.08
BLANK	Partial complete	2		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ASTHMA CAUSED BY PREVIOUS JOB

Survey: ADULT Asthma Call-Back

Column: 148

Type: NUM

SAS Variable Name: WORKENV8

Prologue:

Description: Q10.7 Was your asthma first CAUSED by things like chemicals, smoke, dust or mold in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,093	17.50	14.49
2	No	8,171	68.32	72.47
5	Caused by current job, skip filled	320	2.68	3.60
6	Never employed, skip filled	264	2.21	4.01
7	Don't know	1,076	9.00	5.23
8	Past employment unknown, skip filled	19	0.16	0.12
9	Refused	17	0.14	0.07
BLANK	Partial complete	2		

EVER CHANGE OR QUIT A JOB

Survey: ADULT Asthma Call-Back

Column: 149

Type: NUM

SAS Variable Name: WORKQUIT1

Prologue:

Description: Q10.8 Did you ever lose or quit a job because things in the workplace, like chemicals, smoke, dust or mold, caused your asthma or made your asthma symptoms worse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,024	8.56	8.47
2	No	3,919	32.77	26.71
5	Caused by current job, skip filled	320	2.68	3.60
6	Never employed, skip filled	264	2.21	4.01
7	Don't know	26	0.22	0.14
8	Past employment unknown, skip filled	19	0.16	0.12
9	Refused	3	0.03	0.01
55	Not made worse or caused in any previous job, skip filled	6,385	53.39	56.94
BLANK	Partial complete	2		

DOCTOR DISCUSSED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 150

Type: NUM

SAS Variable Name: WORKTALK

Prologue:

Description: Q10.9 Did you and a doctor or other health professional ever DISCUSS whether your asthma could have been caused by, or your symptoms made worse by, any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,175	18.19	16.01
2	No	9,343	78.12	79.18
6	Never employed, skip filled	264	2.21	4.01
7	Don't know	149	1.25	0.65
8	Past employment unknown, skip filled	19	0.16	0.12
9	Refused	10	0.08	0.02
BLANK	Partial complete	2		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DOCTOR DIAGNOSED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 151

Type: NUM

SAS Variable Name: WORKSEN3

Prologue:

Description: Q10.10 Have you ever been TOLD BY a doctor or other health professional that your asthma was caused by, or your symptoms made worse by, any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,580	13.21	11.73
2	No	9,965	83.32	83.72
6	Never employed, skip filled	264	2.21	4.01
7	Don't know	119	0.99	0.39
8	Past employment unknown, skip filled	19	0.16	0.12
9	Refused	13	0.11	0.02
BLANK	Partial complete	2		

SELF-IDENTIFIED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 152

Type: NUM

SAS Variable Name: WORKSEN4

Prologue:

Description: Q10.11 Have YOU ever TOLD a doctor or other health professional that your asthma was caused by, or your symptoms made worse by, any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,970	16.47	14.04
2	No	9,570	80.02	81.27
6	Never employed, skip filled	264	2.21	4.01
7	Don't know	126	1.05	0.55
8	Past employment unknown, skip filled	19	0.16	0.12
9	Refused	11	0.09	0.01
BLANK	Partial complete	2		

EVER TOLD HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE

Survey: ADULT Asthma Call-Back

Column: 153

Type: NUM

SAS Variable Name: COPD

Prologue:

Description: Q11.1 Have you ever been told by a doctor or health professional that you have chronic obstructive pulmonary disease, also known as COPD?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,770	23.19	13.77
2	No	9,019	75.50	85.16
7	Don't know/Not sure	150	1.26	1.01
9	Refused	7	0.06	0.06
BLANK	Partial complete	16		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

EVER TOLD HAVE EMPHYSEMA

Survey: ADULT Asthma Call-Back

Column: 154

Type: NUM

SAS Variable Name: EMPHY

Prologue:

Description: Q11.2 Have you ever been told by a doctor or other health professional that you have emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,350	11.30	7.68
2	No	10,498	87.88	91.84
7	Don't know/Not sure	94	0.79	0.46
9	Refused	4	0.03	0.02
BLANK	Partial complete	16		

EVER TOLD HAVE CHRONIC BRONCHITIS

Survey: ADULT Asthma Call-Back

Column: 155

Type: NUM

SAS Variable Name: BRONCH

Prologue:

Description: Q11.3 Have you ever been told by a doctor or other health professional that you have chronic bronchitis?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,846	32.19	24.52
2	No	7,924	66.33	74.24
7	Don't know/Not sure	169	1.41	1.18
9	Refused	7	0.06	0.06
BLANK	Partial complete	16		

EVER TOLD DEPRESSED

Survey: ADULT Asthma Call-Back

Column: 156

Type: NUM

SAS Variable Name: DEPRESS

Prologue:

Description: Q11.4 Have you ever been told by a doctor or other health professional that you were depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,517	37.81	34.86
2	No	7,370	61.69	64.54
7	Don't know/Not sure	43	0.36	0.21
9	Refused	16	0.13	0.38
BLANK	Partial complete	16		

USED HERBS TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 157

Type: NUM

SAS Variable Name: CAM_HERB

Prologue: Sometimes people use methods other than prescription medications to help treat or control their asthma. These methods are called non-traditional, complementary, or alternative healthcare. In the past 12 months, have you used . . . to control asthma?

Description: Q12.1 . . . herbs . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	563	4.71	4.30
2	No	9,234	77.31	70.38
5	No current asthma, skip filled	2,123	17.77	25.19
7	Don't know	20	0.17	0.11
9	Refused	4	0.03	0.02
BLANK	Partial complete	18		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

USED VITAMINS TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 158

Prologue:

Description: Q12.2 ... vitamins ...

Type: NUM

SAS Variable Name: CAM_VITA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	877	7.34	5.59
2	No	8,891	74.44	68.96
5	No current asthma, skip filled	2,123	17.77	25.19
7	Don't know	48	0.40	0.25
9	Refused	5	0.04	0.01
BLANK	Partial complete	18		

USED ACUPUNCTURE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 159

Prologue:

Description: Q12.3 ... acupuncture ...

Type: NUM

SAS Variable Name: CAM_PUNC

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	160	1.34	0.79
2	No	9,641	80.72	73.90
5	No current asthma, skip filled	2,123	17.77	25.19
7	Don't know	17	0.14	0.12
9	Refused	3	0.03	0.00
BLANK	Partial complete	18		

USED ACUPRESSURE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 160

Prologue:

Description: Q12.4 ... acupressure ...

Type: NUM

SAS Variable Name: CAM_PRES

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	130	1.09	0.65
2	No	9,664	80.91	73.99
5	No current asthma, skip filled	2,123	17.77	25.19
7	Don't know	23	0.19	0.17
9	Refused	4	0.03	0.01
BLANK	Partial complete	18		

USED AROMATHERAPY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 161

Prologue:

Description: Q12.5 ... aromatherapy ...

Type: NUM

SAS Variable Name: CAM_AROM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	433	3.63	4.18
2	No	9,360	78.37	70.42
5	No current asthma, skip filled	2,123	17.77	25.19
7	Don't know	25	0.21	0.21
9	Refused	3	0.03	0.00
BLANK	Partial complete	18		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

USED HOMEOPATHY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 162

Prologue:

Description: Q12.6 ... homeopathy ...

Type: NUM

SAS Variable Name: CAM_HOME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	241	2.02	1.46
2	No	9,502	79.55	72.76
5	No current asthma, skip filled	2,123	17.77	25.19
7	Don't know	72	0.60	0.38
9	Refused	6	0.05	0.22
BLANK	Partial complete	18		

USED REFLEXOLOGY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 163

Prologue:

Description: Q12.7 ... reflexology ...

Type: NUM

SAS Variable Name: CAM_REFL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	154	1.29	0.97
2	No	9,608	80.44	73.27
5	No current asthma, skip filled	2,123	17.77	25.19
7	Don't know	54	0.45	0.36
9	Refused	5	0.04	0.21
BLANK	Partial complete	18		

USED YOGA TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 164

Prologue:

Description: Q12.8 ... yoga ...

Type: NUM

SAS Variable Name: CAM_YOGA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	417	3.49	5.07
2	No	9,385	78.58	69.57
5	No current asthma, skip filled	2,123	17.77	25.19
7	Don't know	15	0.13	0.17
9	Refused	4	0.03	0.01
BLANK	Partial complete	18		

USED BREATHING TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 165

Prologue:

Description: Q12.9 ... breathing techniques ...

Type: NUM

SAS Variable Name: CAM_BR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,953	24.72	25.45
2	No	6,836	57.23	49.01
5	No current asthma, skip filled	2,123	17.77	25.19
7	Don't know	28	0.23	0.14
9	Refused	4	0.03	0.21
BLANK	Partial complete	18		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

USED NATUROPATHY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 166

Type: NUM

SAS Variable Name: CAM_NATR

Prologue:

Description: Q12.10 ... naturopathy...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	160	1.34	0.85
2	No	9,601	80.38	73.08
5	No current asthma, skip filled	2,123	17.77	25.19
7	Don't know	56	0.47	0.67
9	Refused	4	0.03	0.21
BLANK	Partial complete	18		

OTHER ALTERNATIVE CARE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 167

Type: NUM

SAS Variable Name: CAM_OTHR

Prologue:

Description: Q12.11 Besides the types I have just asked about, have you used any other type of alternative care for your asthma in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	896	7.50	7.18
2	No	8,877	74.32	67.26
5	No current asthma, skip filled	2,123	17.77	25.19
7	Don't know	44	0.37	0.17
9	Refused	4	0.03	0.21
BLANK	Partial complete	18		

TEXT FOR OTHER TYPE CARE

Survey: ADULT Asthma Call-Back

Column: 168-267

Type: CHAR

SAS Variable Name: CAM_TEXT

Prologue:

Description: Q12.12 What else have you used?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		11,066		
HIDDEN	Text field - up to 100 characters	896	100.00	100.00

LANGUAGE IDENTIFIER

Survey: ADULT Asthma Call-Back

Column: 348-349

Type: NUM

SAS Variable Name: QSTLANG_F

Prologue:

Description: Language identifier: Language in which the interview was conducted.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	11,565	96.81	95.11
2	Spanish	381	3.19	4.89
BLANK	Not asked or missing	16		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PERSON SELECTED TO CALL BACK FROM BRFSS

Survey: ADULT Asthma Call-Back

Column: 350

Prologue:

Description: Which person in the household was selected as the focus of the call-back?

Type: Num

SAS Variable Name: ADLTCHLD

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Adult	11,962	100.00	100.00

ASTHMA CALL-BACK SCRIPT TEST

Survey: ADULT Asthma Call-Back

Column: 351

Prologue:

Description: ASTHMA CALL-BACK SCRIPT TEST

Type: NUM

SAS Variable Name: CALLBACK_VER

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Callback using Protocol (2 weeks)	9,511	100.00	100.00
BLANK	Not asked or missing	2,451		

END OF THE RAW CALL BACK DATA

Survey: ADULT Asthma Call-Back

Column: 352

Prologue:

Description: END OF THE RAW CALL BACK DATA

Type: NUM

SAS Variable Name: END_OF_FILE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,962	100.00	100.00

EVER HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: ADULT Asthma Call-Back

Column: 353

Prologue:

Description: EVER HAVE ASTHMA COMBINED BRFSS (ASTHMA3) AND CALL BACK (EVER_ASTH)

Type: NUM

SAS Variable Name: _EVER_ASTH_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,962	100.00	100.00

STILL HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: ADULT Asthma Call-Back

Column: 354

Prologue:

Description: STILL HAVE ASTHMA COMBINED BRFSS (ASTHNOW) AND CALL BACK (CUR_ASTH)

Type: NUM

SAS Variable Name: _CUR_ASTH_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,839	73.89	66.91
2	No	2,889	24.15	31.44
7	Don't know/Not sure	231	1.93	1.63
9	Refused	3	0.03	0.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Survey: ADULT Asthma Call-Back

Column: 355

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Type: NUM

SAS Variable Name: FLAG1

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	AGE, AGEDX and INCIDNT are consistent	11,780	98.48	98.14
1	AGEDX is greater than AGE	3	0.03	0.38
2	AGE, AGEDX and INCIDNT are inconsistent	179	1.50	1.48

ADVAIR (+ A. DISKUS)

Survey: ADULT Asthma Call-Back

Column: 356

Prologue:

Description: ADVAIR (+ A. DISKUS)

Type: NUM

SAS Variable Name: INHALER_ID_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,854	15.50	10.45
2	No	10,108	84.50	89.55

AEROBID

Survey: ADULT Asthma Call-Back

Column: 357

Prologue:

Description: AEROBID

Type: NUM

SAS Variable Name: INHALER_ID_2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	0.10	0.13
2	No	11,950	99.90	99.87

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Survey: ADULT Asthma Call-Back

Column: 358

Prologue:

Description: ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Type: NUM

SAS Variable Name: INHALER_ID_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,797	15.02	14.69
2	No	10,165	84.98	85.31

ALUPENT

Survey: ADULT Asthma Call-Back

Column: 359

Prologue:

Description: ALUPENT

Type: NUM

SAS Variable Name: INHALER_ID_4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.05	0.04
2	No	11,956	99.95	99.96

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ATROVENT

Survey: ADULT Asthma Call-Back

Column: 360

Prologue:

Description: ATROVENT

Type: NUM

SAS Variable Name: INHALER_ID_5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	86	0.72	0.65
2	No	11,876	99.28	99.35

AZMACORT

Survey: ADULT Asthma Call-Back

Column: 361

Prologue:

Description: AZMACORT

Type: NUM

SAS Variable Name: INHALER_ID_6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	0.13	0.13
2	No	11,947	99.87	99.87

BECLOMETHASONE DIPROPIONATE

Survey: ADULT Asthma Call-Back

Column: 362

Prologue:

Description: BECLOMETHASONE DIPROPIONATE

Type: NUM

SAS Variable Name: INHALER_ID_7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	0.07	0.09
2	No	11,954	99.93	99.91

BECLOVENT

Survey: ADULT Asthma Call-Back

Column: 363

Prologue:

Description: BECLOVENT

Type: NUM

SAS Variable Name: INHALER_ID_8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.01
2	No	11,961	99.99	99.99

BITOLTEROL

Survey: ADULT Asthma Call-Back

Column: 364

Prologue:

Description: BITOLTEROL

Type: NUM

SAS Variable Name: INHALER_ID_9

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.02	0.04
2	No	11,960	99.98	99.96

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BUDESONIDE

Survey: ADULT Asthma Call-Back

Column: 365

Prologue:

Description: BUDESONIDE

Type: NUM

SAS Variable Name: INHALER_ID_11

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	0.12	0.04
2	No	11,948	99.88	99.96

COMBIVENT

Survey: ADULT Asthma Call-Back

Column: 366

Prologue:

Description: COMBIVENT

Type: NUM

SAS Variable Name: INHALER_ID_12

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	361	3.02	1.63
2	No	11,601	96.98	98.37

CROMOLYN

Survey: ADULT Asthma Call-Back

Column: 367

Prologue:

Description: CROMOLYN

Type: NUM

SAS Variable Name: INHALER_ID_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	11,961	99.99	100.00

FLOVENT

Survey: ADULT Asthma Call-Back

Column: 368

Prologue:

Description: FLOVENT

Type: NUM

SAS Variable Name: INHALER_ID_14

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	423	3.54	2.80
2	No	11,539	96.46	97.20

FLOVENT ROTADISK

Survey: ADULT Asthma Call-Back

Column: 369

Prologue:

Description: FLOVENT ROTADISK

Type: NUM

SAS Variable Name: INHALER_ID_15

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26	0.22	0.13
2	No	11,936	99.78	99.87

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLUNISOLIDE

Survey: ADULT Asthma Call-Back

Column: 370

Prologue:

Description: FLUNISOLIDE

Type: NUM

SAS Variable Name: INHALER_ID_16

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.06	0.01
2	No	11,955	99.94	99.99

FLUTICASONE

Survey: ADULT Asthma Call-Back

Column: 371

Prologue:

Description: FLUTICASONE

Type: NUM

SAS Variable Name: INHALER_ID_17

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	37	0.31	0.10
2	No	11,925	99.69	99.90

IPRATROPIUM BROMIDE

Survey: ADULT Asthma Call-Back

Column: 372

Prologue:

Description: IPRATROPIUM BROMIDE

Type: NUM

SAS Variable Name: INHALER_ID_19

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	32	0.27	0.13
2	No	11,930	99.73	99.87

MAXAIR

Survey: ADULT Asthma Call-Back

Column: 373

Prologue:

Description: MAXAIR

Type: NUM

SAS Variable Name: INHALER_ID_20

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	52	0.43	0.42
2	No	11,910	99.57	99.58

METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 374

Prologue:

Description: METAPROTERONOL

Type: NUM

SAS Variable Name: INHALER_ID_21

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	11,962	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEDOCROMIL

Survey: ADULT Asthma Call-Back

Column: 375

Prologue:

Description: NEDOCROMIL

Type: NUM

SAS Variable Name: INHALER_ID_22

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	11,962	100.00	100.00

PIRBUTEROL

Survey: ADULT Asthma Call-Back

Column: 376

Prologue:

Description: PIRBUTEROL

Type: NUM

SAS Variable Name: INHALER_ID_23

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.06	0.13
2	No	11,955	99.94	99.87

PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 377

Prologue:

Description: PROVENTIL

Type: NUM

SAS Variable Name: INHALER_ID_24

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	511	4.27	2.86
2	No	11,451	95.73	97.14

PULMICORT FLEXHALER

Survey: ADULT Asthma Call-Back

Column: 378

Prologue:

Description: PULMICORT FLEXHALER

Type: NUM

SAS Variable Name: INHALER_ID_25

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	137	1.15	1.04
2	No	11,825	98.85	98.96

SALMETEROL

Survey: ADULT Asthma Call-Back

Column: 379

Prologue:

Description: SALMETEROL

Type: NUM

SAS Variable Name: INHALER_ID_26

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.06	0.02
2	No	11,955	99.94	99.98

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SEREVENT

Survey: ADULT Asthma Call-Back

Column: 380

Prologue:

Description: SEREVENT

Type: NUM

SAS Variable Name: INHALER_ID_27

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	53	0.44	0.20
2	No	11,909	99.56	99.80

TERBUTALINE (+ T. SULFATE)

Survey: ADULT Asthma Call-Back

Column: 381

Prologue:

Description: TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: INHALER_ID_28

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.02	0.01
2	No	11,960	99.98	99.99

TORNALATE

Survey: ADULT Asthma Call-Back

Column: 382

Prologue:

Description: TORNALATE

Type: NUM

SAS Variable Name: INHALER_ID_30

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	11,961	99.99	100.00

TRIAMCINOLONE ACETONIDE

Survey: ADULT Asthma Call-Back

Column: 383

Prologue:

Description: TRIAMCINOLONE ACETONIDE

Type: NUM

SAS Variable Name: INHALER_ID_31

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.02	0.00
2	No	11,960	99.98	100.00

VANCERIL

Survey: ADULT Asthma Call-Back

Column: 384

Prologue:

Description: VANCERIL

Type: NUM

SAS Variable Name: INHALER_ID_32

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.03	0.00
2	No	11,959	99.97	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

VENTOLIN

Survey: ADULT Asthma Call-Back

Column: 385

Prologue:

Description: VENTOLIN

Type: NUM

SAS Variable Name: INHALER_ID_33

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	929	7.77	6.96
2	No	11,033	92.23	93.04

FORADIL

Survey: ADULT Asthma Call-Back

Column: 386

Prologue:

Description: FORADIL

Type: NUM

SAS Variable Name: INHALER_ID_34

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	32	0.27	0.12
2	No	11,930	99.73	99.88

FORMOTEROL

Survey: ADULT Asthma Call-Back

Column: 387

Prologue:

Description: FORMOTEROL

Type: NUM

SAS Variable Name: INHALER_ID_35

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	0.07	0.03
2	No	11,954	99.93	99.97

QVAR

Survey: ADULT Asthma Call-Back

Column: 388

Prologue:

Description: QVAR

Type: NUM

SAS Variable Name: INHALER_ID_36

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	275	2.30	2.28
2	No	11,687	97.70	97.72

LEVALBUTEROL TARTRATE

Survey: ADULT Asthma Call-Back

Column: 389

Prologue:

Description: LEVALBUTEROL TARTRATE

Type: NUM

SAS Variable Name: INHALER_ID_37

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.05	0.02
2	No	11,956	99.95	99.98

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

XOPENEX HFA

Survey: ADULT Asthma Call-Back

Column: 390

Prologue:

Description: XOPENEX HFA

Type: NUM

SAS Variable Name: INHALER_ID_38

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	218	1.82	2.33
2	No	11,744	98.18	97.67

MOMETASONE FUROATE

Survey: ADULT Asthma Call-Back

Column: 391

Prologue:

Description: MOMETASONE FUROATE

Type: NUM

SAS Variable Name: INHALER_ID_39

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	0.09	0.02
2	No	11,951	99.91	99.98

ASMANEX (TWISTHALER)

Survey: ADULT Asthma Call-Back

Column: 392

Prologue:

Description: ASMANEX (TWISTHALER)

Type: NUM

SAS Variable Name: INHALER_ID_40

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	174	1.45	0.90
2	No	11,788	98.55	99.10

PRO-AIR HFA

Survey: ADULT Asthma Call-Back

Column: 393

Prologue:

Description: PRO-AIR HFA

Type: NUM

SAS Variable Name: INHALER_ID_41

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,265	10.58	8.36
2	No	10,697	89.42	91.64

SYMBICORT

Survey: ADULT Asthma Call-Back

Column: 394

Prologue:

Description: SYMBICORT

Type: NUM

SAS Variable Name: INHALER_ID_42

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	736	6.15	4.35
2	No	11,226	93.85	95.65

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALVESCO

Survey: ADULT Asthma Call-Back

Column: 395

Prologue:

Description: ALVESCO

Type: NUM

SAS Variable Name: INHALER_ID_43

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	40	0.33	0.36
2	No	11,922	99.67	99.64

DULERA

Survey: ADULT Asthma Call-Back

Column: 396

Prologue:

Description: DULERA

Type: NUM

SAS Variable Name: INHALER_ID_44

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	205	1.71	1.13
2	No	11,757	98.29	98.87

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 397

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: INHALER_ID_7799

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	103	0.86	0.94
2	No	11,859	99.14	99.06

OTHER INHALER

Survey: ADULT Asthma Call-Back

Column: 398

Prologue:

Description: NEW OTHER PRESCRIPTION INHALER

Type: NUM

SAS Variable Name: OTHER_INHALER

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or missing	11,962		

PILL ACCOLATE

Survey: ADULT Asthma Call-Back

Column: 399

Prologue:

Description: PILL ACCOLATE

Type: NUM

SAS Variable Name: PILLS_ID_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	0.28	0.10
2	No	11,928	99.72	99.90

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL AEROLATE

Survey: ADULT Asthma Call-Back

Column: 400

Prologue:

Description: PILL AEROLATE

Type: NUM

SAS Variable Name: PILLS_ID_2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.02	0.00
2	No	11,960	99.98	100.00

PILL ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 401

Prologue:

Description: PILL ALBUTEROL

Type: NUM

SAS Variable Name: PILLS_ID_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	32	0.27	0.13
2	No	11,930	99.73	99.87

PILL ALUPENT

Survey: ADULT Asthma Call-Back

Column: 402

Prologue:

Description: PILL ALUPENT

Type: NUM

SAS Variable Name: PILLS_ID_4

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	11,962	100.00	100.00

PILL CHOLEDYL (OXTRIPHYLLINE)

Survey: ADULT Asthma Call-Back

Column: 403

Prologue:

Description: PILL CHOLEDYL (OXTRIPHYLLINE)

Type: NUM

SAS Variable Name: PILLS_ID_5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	11,961	99.99	100.00

PILL DELTASONE

Survey: ADULT Asthma Call-Back

Column: 404

Prologue:

Description: PILL DELTASONE

Type: NUM

SAS Variable Name: PILLS_ID_7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	11,962	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL ELIXOPHYLLIN

Survey: ADULT Asthma Call-Back

Column: 405

Prologue:

Description: PILL ELIXOPHYLLIN

Type: NUM

SAS Variable Name: PILLS_ID_8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	11,962	100.00	100.00

PILL MEDROL

Survey: ADULT Asthma Call-Back

Column: 406

Prologue:

Description: PILL MEDROL

Type: NUM

SAS Variable Name: PILLS_ID_11

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.06	0.02
2	No	11,955	99.94	99.98

PILL METAPREL

Survey: ADULT Asthma Call-Back

Column: 407

Prologue:

Description: PILL METAPREL

Type: NUM

SAS Variable Name: PILLS_ID_12

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	11,962	100.00	100.00

PILL METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 408

Prologue:

Description: PILL METAPROTERONOL

Type: NUM

SAS Variable Name: PILLS_ID_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.02	0.01
2	No	11,960	99.98	99.99

PILL METHYLPREDNISOLONE

Survey: ADULT Asthma Call-Back

Column: 409

Prologue:

Description: PILL METHYLPREDNISOLONE

Type: NUM

SAS Variable Name: PILLS_ID_14

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	0.08	0.15
2	No	11,952	99.92	99.85

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL MONTELUKAST

Survey: ADULT Asthma Call-Back

Column: 410

Prologue:

Description: PILL MONTELUKAST

Type: NUM

SAS Variable Name: PILLS_ID_15

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	254	2.12	1.70
2	No	11,708	97.88	98.30

PILL PEDIAPRED

Survey: ADULT Asthma Call-Back

Column: 411

Prologue:

Description: PILL PEDIAPRED

Type: NUM

SAS Variable Name: PILLS_ID_17

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	11,962	100.00	100.00

PILL PREDNISOLONE

Survey: ADULT Asthma Call-Back

Column: 412

Prologue:

Description: PILL PREDNISOLONE

Type: NUM

SAS Variable Name: PILLS_ID_18

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.05	0.06
2	No	11,956	99.95	99.94

PILL PREDNISONE

Survey: ADULT Asthma Call-Back

Column: 413

Prologue:

Description: PILL PREDNISONE

Type: NUM

SAS Variable Name: PILLS_ID_19

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	253	2.12	1.78
2	No	11,709	97.88	98.22

PILL PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 414

Prologue:

Description: PILL PROVENTIL

Type: NUM

SAS Variable Name: PILLS_ID_21

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	11,961	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL RESPID

Survey: ADULT Asthma Call-Back

Column: 415

Prologue:

Description: PILL RESPID

Type: NUM

SAS Variable Name: PILLS_ID_23

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	11,961	99.99	100.00

PILL SINGULAIR

Survey: ADULT Asthma Call-Back

Column: 416

Prologue:

Description: PILL SINGULAIR

Type: NUM

SAS Variable Name: PILLS_ID_24

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,048	8.76	6.32
2	No	10,914	91.24	93.68

PILL SLO-PHYLLIN

Survey: ADULT Asthma Call-Back

Column: 417

Prologue:

Description: PILL SLO-PHYLLIN

Type: NUM

SAS Variable Name: PILLS_ID_25

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	11,962	100.00	100.00

PILL SLO-BID

Survey: ADULT Asthma Call-Back

Column: 418

Prologue:

Description: PILL SLO-BID

Type: NUM

SAS Variable Name: PILLS_ID_26

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.01
2	No	11,961	99.99	99.99

PILL THEO-24

Survey: ADULT Asthma Call-Back

Column: 419

Prologue:

Description: PILL THEO-24

Type: NUM

SAS Variable Name: PILLS_ID_28

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	0.10	0.08
2	No	11,950	99.90	99.92

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL THEOCHRON

Survey: ADULT Asthma Call-Back

Column: 420

Prologue:

Description: PILL THEOCHRON

Type: NUM

SAS Variable Name: PILLS_ID_30

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,962	100.00	100.00

PILL THEOCLEAR

Survey: ADULT Asthma Call-Back

Column: 421

Prologue:

Description: PILL THEOCLEAR

Type: NUM

SAS Variable Name: PILLS_ID_31

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,962	100.00	100.00

PILL THEODUR

Survey: ADULT Asthma Call-Back

Column: 422

Prologue:

Description: PILL THEODUR

Type: NUM

SAS Variable Name: PILLS_ID_32

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.08	0.02
11,952	99.92	99.98

PILL THEO-DUR

Survey: ADULT Asthma Call-Back

Column: 423

Prologue:

Description: PILL THEO-DUR

Type: NUM

SAS Variable Name: PILLS_ID_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.07	0.12
11,954	99.93	99.88

PILL THEOPHYLLINE

Survey: ADULT Asthma Call-Back

Column: 424

Prologue:

Description: PILL THEOPHYLLINE

Type: NUM

SAS Variable Name: PILLS_ID_35

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
103	0.86	0.68
11,859	99.14	99.32

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL THEOSPAN

Survey: ADULT Asthma Call-Back

Column: 425

Prologue:

Description: PILL THEOSPAN

Type: NUM

SAS Variable Name: PILLS_ID_37

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	11,962	100.00	100.00

PILL T-PHYL

Survey: ADULT Asthma Call-Back

Column: 426

Prologue:

Description: PILL T-PHYL

Type: NUM

SAS Variable Name: PILLS_ID_40

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	11,962	100.00	100.00

PILL UNIPHYL

Survey: ADULT Asthma Call-Back

Column: 427

Prologue:

Description: PILL UNIPHYL

Type: NUM

SAS Variable Name: PILLS_ID_42

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.04	0.01
2	No	11,957	99.96	99.99

PILL VENTOLIN

Survey: ADULT Asthma Call-Back

Column: 428

Prologue:

Description: PILL VENTOLIN

Type: NUM

SAS Variable Name: PILLS_ID_43

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	11,962	100.00	100.00

PILL VOLMAX

Survey: ADULT Asthma Call-Back

Column: 429

Prologue:

Description: PILL VOLMAX

Type: NUM

SAS Variable Name: PILLS_ID_44

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	11,961	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL ZAFIRLUKAST

Survey: ADULT Asthma Call-Back

Column: 430

Prologue:

Description: PILL ZAFIRLUKAST

Type: NUM

SAS Variable Name: PILLS_ID_45

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	0.12	0.02
2	No	11,948	99.88	99.98

PILL ZILEUTON

Survey: ADULT Asthma Call-Back

Column: 431

Prologue:

Description: PILL ZILEUTON

Type: NUM

SAS Variable Name: PILLS_ID_46

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	11,961	99.99	100.00

PILL ZYFLO FILMTAB

Survey: ADULT Asthma Call-Back

Column: 432

Prologue:

Description: PILL ZYFLO FILMTAB

Type: NUM

SAS Variable Name: PILLS_ID_47

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.03	0.02
2	No	11,958	99.97	99.98

PILL TERBUTALINE (+ T. SULFATE)

Survey: ADULT Asthma Call-Back

Column: 433

Prologue:

Description: PILL TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: PILLS_ID_48

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.03	0.01
2	No	11,959	99.97	99.99

PILL BRETHINE

Survey: ADULT Asthma Call-Back

Column: 434

Prologue:

Description: PILL BRETHINE

Type: NUM

SAS Variable Name: PILLS_ID_49

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.01
2	No	11,961	99.99	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 435

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: PILLS_ID_7799

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	11,962	100.00	100.00

OTHER PILLS

Survey: ADULT Asthma Call-Back

Column: 436

Prologue:

Description: NEW OTHER PRESCRIPTION PILLS

Type: NUM

SAS Variable Name: OTHER_PILLS

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or missing	11,962		

SYRUP AEROLATE

Survey: ADULT Asthma Call-Back

Column: 437

Prologue:

Description: SYRUP AEROLATE

Type: NUM

SAS Variable Name: SYRUP_ID_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	11,961	99.99	100.00

SYRUP ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 438

Prologue:

Description: SYRUP ALBUTEROL

Type: NUM

SAS Variable Name: SYRUP_ID_2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	0.07	0.10
2	No	11,954	99.93	99.90

SYRUP ALUPENT

Survey: ADULT Asthma Call-Back

Column: 439

Prologue:

Description: SYRUP ALUPENT

Type: NUM

SAS Variable Name: SYRUP_ID_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.01
2	No	11,961	99.99	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYRUP METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 440

Prologue:

Description: SYRUP METAPROTERONOL

Type: NUM

SAS Variable Name: SYRUP_ID_4

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	11,962	100.00	100.00

SYRUP PREDNISOLONE

Survey: ADULT Asthma Call-Back

Column: 441

Prologue:

Description: SYRUP PREDNISOLONE

Type: NUM

SAS Variable Name: SYRUP_ID_5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	0.07	0.09
2	No	11,954	99.93	99.91

SYRUP PRELONE

Survey: ADULT Asthma Call-Back

Column: 442

Prologue:

Description: SYRUP PRELONE

Type: NUM

SAS Variable Name: SYRUP_ID_6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.03	0.01
2	No	11,958	99.97	99.99

SYRUP PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 443

Prologue:

Description: SYRUP PROVENTIL

Type: NUM

SAS Variable Name: SYRUP_ID_7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.05	0.01
2	No	11,956	99.95	99.99

SYRUP SLO-PHYLLIN

Survey: ADULT Asthma Call-Back

Column: 444

Prologue:

Description: SYRUP SLO-PHYLLIN

Type: NUM

SAS Variable Name: SYRUP_ID_8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.02	0.01
2	No	11,960	99.98	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYRUP THEOPHYLLINE

Survey: ADULT Asthma Call-Back

Column: 445

Prologue:

Description: SYRUP THEOPHYLLINE

Type: NUM

SAS Variable Name: SYRUP_ID_9

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	11,962	100.00	100.00

SYRUP VENTOLIN

Survey: ADULT Asthma Call-Back

Column: 446

Prologue:

Description: SYRUP VENTOLIN

Type: NUM

SAS Variable Name: SYRUP_ID_10

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	11,961	99.99	100.00

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 447

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: SYRUP_ID_7799

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	11,962	100.00	100.00

OTHER SYRUP

Survey: ADULT Asthma Call-Back

Column: 448

Prologue:

Description: NEW OTHER PRESCRIPTION SYRUP

Type: NUM

SAS Variable Name: OTHER_SYRUP

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or missing	11,962		

NEB ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 449

Prologue:

Description: NEB ALBUTEROL

Type: NUM

SAS Variable Name: NEB_ID_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,388	11.60	10.17
2	No	10,574	88.40	89.83

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB ALUPENT

Survey: ADULT Asthma Call-Back

Column: 450

Prologue:

Description: NEB ALUPENT

Type: NUM

SAS Variable Name: NEB_ID_2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.02	0.02
2	No	11,960	99.98	99.98

NEB ATROVENT

Survey: ADULT Asthma Call-Back

Column: 451

Prologue:

Description: NEB ATROVENT

Type: NUM

SAS Variable Name: NEB_ID_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	0.15	0.10
2	No	11,944	99.85	99.90

NEB BITOLTEROL

Survey: ADULT Asthma Call-Back

Column: 452

Prologue:

Description: NEB BITOLTEROL

Type: NUM

SAS Variable Name: NEB_ID_4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.04	0.21
2	No	11,957	99.96	99.79

NEB BUDESONIDE

Survey: ADULT Asthma Call-Back

Column: 453

Prologue:

Description: NEB BUDESONIDE

Type: NUM

SAS Variable Name: NEB_ID_5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	78	0.65	0.33
2	No	11,884	99.35	99.67

NEB CROMOLYN

Survey: ADULT Asthma Call-Back

Column: 454

Prologue:

Description: NEB CROMOLYN

Type: NUM

SAS Variable Name: NEB_ID_6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.03	0.03
2	No	11,958	99.97	99.97

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB DUONEB

Survey: ADULT Asthma Call-Back

Column: 455

Prologue:

Description: NEB DUONEB

Type: NUM

SAS Variable Name: NEB_ID_7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	73	0.61	0.41
2	No	11,889	99.39	99.59

NEB INTAL

Survey: ADULT Asthma Call-Back

Column: 456

Prologue:

Description: NEB INTAL

Type: NUM

SAS Variable Name: NEB_ID_8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.04	0.03
2	No	11,957	99.96	99.97

NEB IPRATROPIUM BROMIDE

Survey: ADULT Asthma Call-Back

Column: 457

Prologue:

Description: NEB IPRATROPIUM BROMIDE

Type: NUM

SAS Variable Name: NEB_ID_9

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	268	2.24	1.59
2	No	11,694	97.76	98.41

NEB LEVALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 458

Prologue:

Description: NEB LEVALBUTEROL

Type: NUM

SAS Variable Name: NEB_ID_10

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	0.14	0.08
2	No	11,945	99.86	99.92

NEB METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 459

Prologue:

Description: NEB METAPROTERONOL

Type: NUM

SAS Variable Name: NEB_ID_11

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.01
2	No	11,961	99.99	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 460

Prologue:

Description: NEB PROVENTIL

Type: NUM

SAS Variable Name: NEB_ID_12

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	0.16	0.13
2	No	11,943	99.84	99.87

NEB PULMICORT

Survey: ADULT Asthma Call-Back

Column: 461

Prologue:

Description: NEB PULMICORT

Type: NUM

SAS Variable Name: NEB_ID_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	28	0.23	0.15
2	No	11,934	99.77	99.85

NEB TORNALATE

Survey: ADULT Asthma Call-Back

Column: 462

Prologue:

Description: NEB TORNALATE

Type: NUM

SAS Variable Name: NEB_ID_14

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	11,962	100.00	100.00

NEB VENTOLIN

Survey: ADULT Asthma Call-Back

Column: 463

Prologue:

Description: NEB VENTOLIN

Type: NUM

SAS Variable Name: NEB_ID_15

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	0.15	0.35
2	No	11,944	99.85	99.65

NEB XOPENEX

Survey: ADULT Asthma Call-Back

Column: 464

Prologue:

Description: NEB XOPENEX

Type: NUM

SAS Variable Name: NEB_ID_16

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	71	0.59	0.56
2	No	11,891	99.41	99.44

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB COMBIVENT INHALATION SOLUTION

Survey: ADULT Asthma Call-Back

Column: 465

Prologue:

Description: NEB COMBIVENT INHALATION SOLUTION

Type: NUM

SAS Variable Name: NEB_ID_17

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	0.09	0.06
2	No	11,951	99.91	99.94

NEB PERFORMIST/FORMOTEROL

Survey: ADULT Asthma Call-Back

Column: 466

Prologue:

Description: NEB PERFORMIST/FORMOTEROL

Type: NUM

SAS Variable Name: NEB_ID_18

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	0.11	0.02
2	No	11,949	99.89	99.98

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 467

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: NEB_ID_7799

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	11,962	100.00	100.00

OTHER NEBULIZER

Survey: ADULT Asthma Call-Back

Column: 468

Prologue:

Description: New other prescription nebulizer

Type: NUM

SAS Variable Name: OTHER_NEB

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or missing	11,962		

OTHER INHALER TEXT

Survey: ADULT Asthma Call-Back

Column: 469-568

Prologue:

Description: New other prescription inhaler name

Type: CHAR

SAS Variable Name: OTH_I1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	11,961		
HIDDEN		1	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

OTHER PILLS TEXT

Survey: ADULT Asthma Call-Back

Column: 569-668

Prologue:

Description: New other prescription pills name

Type: CHAR
SAS Variable Name: OTH_P1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	11,961		
HIDDEN		1	100.00	100.00

OTHER SYRUP TEXT

Survey: ADULT Asthma Call-Back

Column: 669-768

Prologue:

Description: New other prescription syrup name

Type: CHAR
SAS Variable Name: OTH_S1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	11,962		

OTHER NEBULIZER TEXT

Survey: ADULT Asthma Call-Back

Column: 769-868

Prologue:

Description: New other prescription nebulizer name

Type: CHAR
SAS Variable Name: OTH_N1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	11,960		
HIDDEN		2	100.00	100.00

INHALER_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 869

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	636	5.32	2.84
3	No other medication text filled	11,325	94.67	97.15

INHALER_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 870

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	27	0.23	0.09
2	No	610	5.10	2.76
3	No other medication text filled	11,325	94.67	97.15

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

INHALER_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 871

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	474	3.96	2.03
2	No	163	1.36	0.81
3	No other medication text filled	11,325	94.67	97.15

INHALER_TEXT: ASTHMA MED., BUT NOT INHALER

Survey: ADULT Asthma Call-Back

Column: 872

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	30	0.25	0.31
2	No	607	5.07	2.53
3	No other medication text filled	11,325	94.67	97.15

INHALER_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 873

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	30	0.25	0.08
2	No	607	5.07	2.77
3	No other medication text filled	11,325	94.67	97.15

INHALER_TEXT: WAS BACK CODED TO EXISTING INHALER

Survey: ADULT Asthma Call-Back

Column: 874

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	85	0.71	0.36
2	No	552	4.61	2.49
3	No other medication text filled	11,325	94.67	97.15

INHALER_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 875

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	637	5.33	2.85
3	No other medication text filled	11,325	94.67	97.15

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

INHALER_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 876

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	636	5.32	2.84
3	No other medication text filled	11,325	94.67	97.15

INHALER_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 877

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	636	5.32	2.85
3	No other medication text filled	11,325	94.67	97.15

PILLS_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 878

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.03	0.01
2	No	89	0.74	0.57
3	No other medication text filled	11,870	99.23	99.43

PILLS_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 879

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	53	0.44	0.22
2	No	39	0.33	0.35
3	No other medication text filled	11,870	99.23	99.43

PILLS_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 880

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	20	0.17	0.19
2	No	72	0.60	0.39
3	No other medication text filled	11,870	99.23	99.43

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILLS_TEXT: ASTHMA MED., BUT NOT PILLS

Survey: ADULT Asthma Call-Back

Column: 881

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM
SAS Variable Name: PILLS_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.05	0.06
2	No	86	0.72	0.51
3	No other medication text filled	11,870	99.23	99.43

PILLS_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 882

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM
SAS Variable Name: PILLS_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.03	0.01
2	No	89	0.74	0.56
3	No other medication text filled	11,870	99.23	99.43

PILLS_TEXT: WAS BACK CODED TO EXISTING PILLS

Survey: ADULT Asthma Call-Back

Column: 883

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM
SAS Variable Name: PILLS_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.02	0.03
2	No	90	0.75	0.54
3	No other medication text filled	11,870	99.23	99.43

PILLS_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 884

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM
SAS Variable Name: PILLS_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	92	0.77	0.57
3	No other medication text filled	11,870	99.23	99.43

PILLS_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 885

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM
SAS Variable Name: PILLS_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.01
2	No	91	0.76	0.57
3	No other medication text filled	11,870	99.23	99.43

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILLS_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 886

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.03	0.05
2	No	88	0.74	0.53
3	No other medication text filled	11,870	99.23	99.43

SYRUP_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 887

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	2	0.02	0.01
3	No other medication text filled	11,959	99.97	99.99

SYRUP_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 888

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	0.03	0.01
3	No other medication text filled	11,959	99.97	99.99

SYRUP_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 889

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	0.03	0.01
3	No other medication text filled	11,959	99.97	99.99

SYRUP_TEXT: ASTHMA MED., BUT NOT SYRUP

Survey: ADULT Asthma Call-Back

Column: 890

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	0.03	0.01
3	No other medication text filled	11,959	99.97	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYRUP_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 891

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.02	0.01
2	No	1	0.01	0.00
3	No other medication text filled	11,959	99.97	99.99

SYRUP_TEXT: WAS BACK CODED TO EXISTING SYRUP

Survey: ADULT Asthma Call-Back

Column: 892

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	0.03	0.01
3	No other medication text filled	11,959	99.97	99.99

SYRUP_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 893

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	0.03	0.01
3	No other medication text filled	11,959	99.97	99.99

SYRUP_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 894

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	0.03	0.01
3	No other medication text filled	11,959	99.97	99.99

SYRUP_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 895

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	0.03	0.01
3	No other medication text filled	11,959	99.97	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 896

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	73	0.61	0.67
3	No other medication text filled	11,889	99.39	99.33

NEB_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 897

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	73	0.61	0.67
3	No other medication text filled	11,889	99.39	99.33

NEB_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 898

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	33	0.28	0.09
2	No	40	0.33	0.58
3	No other medication text filled	11,889	99.39	99.33

NEB_TEXT: ASTHMA MED., BUT NOT NEB

Survey: ADULT Asthma Call-Back

Column: 899

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	0.08	0.09
2	No	64	0.54	0.59
3	No other medication text filled	11,889	99.39	99.33

NEB_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 900

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	0.13	0.10
2	No	58	0.48	0.57
3	No other medication text filled	11,889	99.39	99.33

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB_TEXT: WAS BACK CODED TO EXISTING NEB

Survey: ADULT Asthma Call-Back

Column: 901

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	0.13	0.33
2	No	58	0.48	0.35
3	No other medication text filled	11,889	99.39	99.33

NEB_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 902

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	73	0.61	0.67
3	No other medication text filled	11,889	99.39	99.33

NEB_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 903

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.02	0.06
2	No	71	0.59	0.61
3	No other medication text filled	11,889	99.39	99.33

NEB_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 904

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	73	0.61	0.67
3	No other medication text filled	11,889	99.39	99.33

INHALED CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 905-906

Prologue:

Description: INHALED CORTICOSTEROIDS

Type: NUM

SAS Variable Name: INH_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 19	Count	11,832	98.91	99.43
99	Missing	130	1.09	0.57

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

INHALED ANTI-INFLAMMATORY

Survey: ADULT Asthma Call-Back

Column: 907-908

Prologue:

Description: INHALED ANTI-INFLAMMATORY

Type: NUM
SAS Variable Name: INH_AI

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 2	Count	11,832	98.91	99.43
99	Missing	130	1.09	0.57

INHALED ANTI-CHOLINERGIC

Survey: ADULT Asthma Call-Back

Column: 909-910

Prologue:

Description: INHALED ANTI-CHOLINERGIC

Type: NUM
SAS Variable Name: INH_AC

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 3	Count	11,832	98.91	99.43
99	Missing	130	1.09	0.57

INHALED BETA 2 AGONIST SHORT ACTING

Survey: ADULT Asthma Call-Back

Column: 911-912

Prologue:

Description: INHALED BETA 2 AGONIST SHORT ACTING

Type: NUM
SAS Variable Name: INH_B2AS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 14	Count	11,832	98.91	99.43
99	Missing	130	1.09	0.57

INHALED BETA 2 AGONIST LONG ACTING

Survey: ADULT Asthma Call-Back

Column: 913-914

Prologue:

Description: INHALED BETA 2 AGONIST LONG ACTING

Type: NUM
SAS Variable Name: INH_B2AL

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 7	Count	11,832	98.91	99.43
99	Missing	130	1.09	0.57

PILL CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 915-916

Prologue:

Description: PILL CORTICOSTEROIDS

Type: NUM
SAS Variable Name: PILL_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 6	Count	11,453	95.74	97.42
99	Missing	509	4.26	2.58

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL LEUKOTRIENE MODIFIERS

Survey: ADULT Asthma Call-Back

Column: 917-918

Prologue:

Description: PILL LEUKOTRIENE MODIFIERS

Type: NUM
SAS Variable Name: PILL_LM

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 6	Count	11,453	95.74	97.42
99	Missing	509	4.26	2.58

PILL BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 919-920

Prologue:

Description: PILL BETA 2 AGONIST

Type: NUM
SAS Variable Name: PILL_B2A

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9	Count	11,453	95.74	97.42
99	Missing	509	4.26	2.58

PILL METHYLXANTHINES

Survey: ADULT Asthma Call-Back

Column: 921-922

Prologue:

Description: PILL METHYLXANTHINES

Type: NUM
SAS Variable Name: PILL_METH

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 15	Count	11,453	95.74	97.42
99	Missing	509	4.26	2.58

SYRUP METHYLXANTHINES

Survey: ADULT Asthma Call-Back

Column: 923-924

Prologue:

Description: SYRUP METHYLXANTHINES

Type: NUM
SAS Variable Name: SYRP_METH

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 3	Count	11,704	97.84	98.65
99	Missing	258	2.16	1.35

SYRUP SHORT ACTING BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 925-926

Prologue:

Description: SYRUP SHORT ACTING BETA 2 AGONIST

Type: NUM
SAS Variable Name: SYRP_B2AS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 5	Count	11,704	97.84	98.65
99	Missing	258	2.16	1.35

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYRUP CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 927-928

Prologue:

Description: SYRUP CORTICOSTEROIDS

Type: NUM
SAS Variable Name: SYRP_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 2	Count	11,704	97.84	98.65
99	Missing	258	2.16	1.35

NEBULIZER ANTI-INFLAMMATORY

Survey: ADULT Asthma Call-Back

Column: 929-930

Prologue:

Description: NEBULIZER ANTI-INFLAMMATORY

Type: NUM
SAS Variable Name: NEB_AI

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 2	Count	11,549	96.55	97.68
99	Missing	413	3.45	2.32

NEBULIZER CORTICOSTEROID

Survey: ADULT Asthma Call-Back

Column: 931-932

Prologue:

Description: NEBULIZER CORTICOSTEROIDS

Type: NUM
SAS Variable Name: NEB_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 2	Count	11,549	96.55	97.68
99	Missing	413	3.45	2.32

NEBULIZER ANTICHOLINERGIC

Survey: ADULT Asthma Call-Back

Column: 933-934

Prologue:

Description: NEBULIZER ANTICHOLINERGIC

Type: NUM
SAS Variable Name: NEB_AC

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 4	Count	11,549	96.55	97.68
99	Missing	413	3.45	2.32

NEBULIZER BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 935-936

Prologue:

Description: NEBULIZER BETA 2 AGONIST

Type: NUM
SAS Variable Name: NEB_B2A

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 11	Count	11,549	96.55	97.68
99	Missing	413	3.45	2.32

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEBULIZER BETA 2 AGONIST LONG ACTING

Survey: ADULT Asthma Call-Back

Column: 937-938

Type: NUM

SAS Variable Name: NEB_B2AL

Prologue:

Description: NEBULIZER BETA 2 AGONIST LONG ACTING

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 1	Count	11,549	96.55	97.68
99	Missing	413	3.45	2.32

ADVAIR (+ A. DISKUS): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 939

Type: NUM

SAS Variable Name: ILP03_1

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

ADVAIR (+ A. DISKUS): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 940

Type: NUM

SAS Variable Name: ILP04_1

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	657	35.63	36.94
2	No	982	53.25	54.94
3	No attack in past 3 months	194	10.52	7.75
7	Don't know	10	0.54	0.32
9	Refused	1	0.05	0.05
BLANK	Skip filled	10,118		

ADVAIR (+ A. DISKUS): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 941

Type: NUM

SAS Variable Name: ILP05_1

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	483	26.19	25.80
2	No	1,131	61.33	67.00
3	Didn't exercise in past 3 months	211	11.44	6.83
7	Don't know	14	0.76	0.27
9	Refused	5	0.27	0.10
BLANK	Skip filled	10,118		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ADVAIR (+ A. DISKUS): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 942

Type: NUM

SAS Variable Name: ILP06_1

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,569	85.09	83.76
2	No	274	14.86	16.23
7	Don't know	1	0.05	0.01
BLANK	Skip filled	10,118		

ADVAIR (+ A. DISKUS): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 943-945

Type: NUM

SAS Variable Name: ILP08_1

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1,566	84.92	83.32
401 - 499	Weeks	159	8.62	9.80
555	Never	13	0.70	0.92
666	Less often than once a week	89	4.83	4.86
777	Don't know/Not sure	15	0.81	1.05
999	Refused	2	0.11	0.05
BLANK	Skip filled	10,118		

ADVAIR (+ A. DISKUS): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 946-947

Type: NUM

SAS Variable Name: ILP10_1

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

AEROBID: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 948

Type: NUM

SAS Variable Name: ILP03_2

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	16.67	15.24
2	No	10	83.33	84.76
BLANK	Skip filled	11,950		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

AEROBID: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 949

Type: NUM

SAS Variable Name: ILP04_2

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	66.67	81.93
2	No	3	25.00	15.67
3	No attack in past 3 months	1	8.33	2.40
BLANK	Skip filled	11,950		

AEROBID: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 950

Type: NUM

SAS Variable Name: ILP05_2

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	16.67	1.16
2	No	6	50.00	91.16
3	Didn't exercise in past 3 months	4	33.33	7.67
BLANK	Skip filled	11,950		

AEROBID: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 951

Type: NUM

SAS Variable Name: ILP06_2

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	33.33	4.20
2	No	8	66.67	95.80
BLANK	Skip filled	11,950		

AEROBID: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 952-954

Type: NUM

SAS Variable Name: ILP08_2

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	4	33.33	4.20
401 - 499	Weeks	3	25.00	7.39
666	Less often than once a week	4	33.33	74.23
777	Don't know/Not sure	1	8.33	14.18
BLANK	Skip filled	11,950		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

AEROBID: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 955-956

Type: NUM

SAS Variable Name: ILP10_2

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 957

Type: NUM

SAS Variable Name: ILP03_3

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	530	29.61	29.74
2	No	1,222	68.27	69.01
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	4	0.22	0.02
4	Medication has a built-in spacer/does not need a spacer	6	0.34	0.09
7	Don't know	27	1.51	1.11
9	Refused	1	0.06	0.03
BLANK	Skip filled	10,172		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 958

Type: NUM

SAS Variable Name: ILP04_3

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,521	84.97	84.93
2	No	149	8.32	9.95
3	No attack in past 3 months	111	6.20	4.65
7	Don't know	8	0.45	0.47
9	Refused	1	0.06	0.00
BLANK	Skip filled	10,172		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 959

Type: NUM

SAS Variable Name: ILP05_3

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	602	33.63	38.35
2	No	955	53.35	53.24
3	Didn't exercise in past 3 months	225	12.57	8.14
7	Don't know	7	0.39	0.27
9	Refused	1	0.06	0.00
BLANK	Skip filled	10,172		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 960

Type: NUM

SAS Variable Name: ILP06_3

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	473	26.42	22.62
2	No	1,311	73.24	77.09
7	Don't know	6	0.34	0.29
BLANK	Skip filled	10,172		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 961-963

Type: NUM

SAS Variable Name: ILP08_3

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	652	36.42	35.26
401 - 499	Weeks	520	29.05	31.83
555	Never	43	2.40	3.94
666	Less often than once a week	479	26.76	23.95
777	Don't know/Not sure	87	4.86	3.43
999	Refused	9	0.50	1.60
BLANK	Skip filled	10,172		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 964-965

Type: NUM

SAS Variable Name: ILP10_3

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1,279	71.45	73.53
77	Don't know	133	7.43	6.41
88	None	374	20.89	20.00
99	Refused	4	0.22	0.06
BLANK	Skip filled	10,172		

ALUPENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 966

Type: NUM

SAS Variable Name: ILP03_4

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	50.00	44.64
2	No	3	50.00	55.36
BLANK	Skip filled	11,956		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALUPENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 967

Type: NUM

SAS Variable Name: ILP04_4

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	100.00	100.00
BLANK	Skip filled	11,956		

ALUPENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 968

Type: NUM

SAS Variable Name: ILP05_4

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	33.33	44.61
2	No	3	50.00	47.89
3	Didn't exercise in past 3 months	1	16.67	7.51
BLANK	Skip filled	11,956		

ALUPENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 969

Type: NUM

SAS Variable Name: ILP06_4

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	16.67	36.90
2	No	4	66.67	55.60
7	Don't know	1	16.67	7.51
BLANK	Skip filled	11,956		

ALUPENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 970-972

Type: NUM

SAS Variable Name: ILP08_4

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	16.67	36.90
401 - 499	Weeks	2	33.33	49.75
666	Less often than once a week	1	16.67	5.61
777	Don't know/Not sure	2	33.33	7.74
BLANK	Skip filled	11,956		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALUPENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 973-974

Type: NUM

SAS Variable Name: ILP10_4

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	5	83.33	94.39
88	None	1	16.67	5.61
BLANK	Skip filled	11,956		

ATROVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 975

Type: NUM

SAS Variable Name: ILP03_5

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	28	33.73	28.89
2	No	55	66.27	71.11
BLANK	Skip filled	11,879		

ATROVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 976

Type: NUM

SAS Variable Name: ILP04_5

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	53	63.86	60.33
2	No	24	28.92	35.72
3	No attack in past 3 months	6	7.23	3.95
BLANK	Skip filled	11,879		

ATROVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 977

Type: NUM

SAS Variable Name: ILP05_5

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	25.30	24.11
2	No	50	60.24	46.04
3	Didn't exercise in past 3 months	11	13.25	28.48
7	Don't know	1	1.20	1.37
BLANK	Skip filled	11,879		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ATROVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 978

Type: NUM

SAS Variable Name: ILP06_5

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	53	63.86	61.18
2	No	30	36.14	38.82
BLANK	Skip filled	11,879		

ATROVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 979-981

Type: NUM

SAS Variable Name: ILP08_5

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	60	72.29	65.82
401 - 499	Weeks	10	12.05	4.65
666	Less often than once a week	8	9.64	14.20
777	Don't know/Not sure	4	4.82	13.59
999	Refused	1	1.20	1.74
BLANK	Skip filled	11,879		

ATROVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 982-983

Type: NUM

SAS Variable Name: ILP10_5

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

AZMACORT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 984

Type: NUM

SAS Variable Name: ILP03_6

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	50.00	78.30
2	No	7	50.00	21.70
BLANK	Skip filled	11,948		

AZMACORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 985

Type: NUM

SAS Variable Name: ILP04_6

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	71.43	57.91
2	No	4	28.57	42.09
BLANK	Skip filled	11,948		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

AZMACORT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 986

Type: NUM

SAS Variable Name: ILP05_6

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	28.57	30.20
2	No	9	64.29	69.67
3	Didn't exercise in past 3 months	1	7.14	0.13
BLANK	Skip filled	11,948		

AZMACORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 987

Type: NUM

SAS Variable Name: ILP06_6

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	71.43	89.99
2	No	4	28.57	10.01
BLANK	Skip filled	11,948		

AZMACORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 988-990

Type: NUM

SAS Variable Name: ILP08_6

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	8	57.14	68.55
401 - 499	Weeks	2	14.29	4.91
555	Never	1	7.14	18.50
666	Less often than once a week	1	7.14	2.94
777	Don't know/Not sure	2	14.29	5.11
BLANK	Skip filled	11,948		

AZMACORT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 991-992

Type: NUM

SAS Variable Name: ILP10_6

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

BECLOMETHASONE DIPROPIONATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 993

Type: NUM

SAS Variable Name: ILP03_7

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	100.00	100.00
BLANK	Skip filled	11,954		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BECLOMETHASONE DIPROPIONATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 994

Type: NUM

SAS Variable Name: ILP04_7

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	75.00	99.26
2	No	1	12.50	0.26
3	No attack in past 3 months	1	12.50	0.48
BLANK	Skip filled	11,954		

BECLOMETHASONE DIPROPIONATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 995

Type: NUM

SAS Variable Name: ILP05_7

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	37.50	51.27
2	No	4	50.00	48.47
3	Didn't exercise in past 3 months	1	12.50	0.26
BLANK	Skip filled	11,954		

BECLOMETHASONE DIPROPIONATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 996

Type: NUM

SAS Variable Name: ILP06_7

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	87.50	98.13
2	No	1	12.50	1.87
BLANK	Skip filled	11,954		

BECLOMETHASONE DIPROPIONATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 997-999

Type: NUM

SAS Variable Name: ILP08_7

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	8	100.00	100.00
BLANK	Skip filled	11,954		

BECLOMETHASONE DIPROPIONATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1000-1001

Type: NUM

SAS Variable Name: ILP10_7

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BECLOVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1002

Type: NUM

SAS Variable Name: ILP03_8

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	11,961		

BECLOVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1003

Type: NUM

SAS Variable Name: ILP04_8

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,961		

BECLOVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1004

Type: NUM

SAS Variable Name: ILP05_8

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,961		

BECLOVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1005

Type: NUM

SAS Variable Name: ILP06_8

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,961		

BECLOVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1006-1008

Type: NUM

SAS Variable Name: ILP08_8

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	11,961		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BECLOVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1009-1010

Type: NUM

SAS Variable Name: ILP10_8

Prologue:

Description: Q8.13 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

BITOLTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1011

Type: NUM

SAS Variable Name: ILP03_9

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	14.78
2	No	1	50.00	85.22
BLANK	Skip filled	11,960		

BITOLTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1012

Type: NUM

SAS Variable Name: ILP04_9

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	14.78
3	No attack in past 3 months	1	50.00	85.22
BLANK	Skip filled	11,960		

BITOLTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1013

Type: NUM

SAS Variable Name: ILP05_9

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	14.78
2	No	1	50.00	85.22
BLANK	Skip filled	11,960		

BITOLTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1014

Type: NUM

SAS Variable Name: ILP06_9

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	14.78
2	No	1	50.00	85.22
BLANK	Skip filled	11,960		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BITOLTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1015-1017

Type: NUM

SAS Variable Name: ILP08_9

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	14.78
401 - 499	Weeks	1	50.00	85.22
BLANK	Skip filled	11,960		

BITOLTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1018-1019

Type: NUM

SAS Variable Name: ILP10_9

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	2	100.00	100.00
BLANK	Skip filled	11,960		

BUDESONIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1020

Type: NUM

SAS Variable Name: ILP03_11

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	35.71	58.96
2	No	6	42.86	37.96
7	Don't know	3	21.43	3.07
BLANK	Skip filled	11,948		

BUDESONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1021

Type: NUM

SAS Variable Name: ILP04_11

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	57.14	66.48
2	No	4	28.57	28.26
3	No attack in past 3 months	1	7.14	4.16
7	Don't know	1	7.14	1.11
BLANK	Skip filled	11,948		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BUDESONIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1022

Type: NUM

SAS Variable Name: ILP05_11

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	7.14	0.73
2	No	9	64.29	90.75
3	Didn't exercise in past 3 months	3	21.43	7.41
7	Don't know	1	7.14	1.11
BLANK	Skip filled	11,948		

BUDESONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1023

Type: NUM

SAS Variable Name: ILP06_11

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	64.29	71.58
2	No	4	28.57	27.31
7	Don't know	1	7.14	1.11
BLANK	Skip filled	11,948		

BUDESONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1024-1026

Type: NUM

SAS Variable Name: ILP08_11

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	9	64.29	71.58
401 - 499	Weeks	1	7.14	1.66
555	Never	1	7.14	24.35
777	Don't know/Not sure	3	21.43	2.41
BLANK	Skip filled	11,948		

BUDESONIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1027-1028

Type: NUM

SAS Variable Name: ILP10_11

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

COMBIVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1029

Type: NUM

SAS Variable Name: ILP03_12

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	113	31.65	31.73
2	No	235	65.83	67.41
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	2	0.56	0.19
4	Medication has a built-in spacer/does not need a spacer	2	0.56	0.27
7	Don't know	5	1.40	0.41
BLANK	Skip filled	11,605		

COMBIVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1030

Type: NUM

SAS Variable Name: ILP04_12

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	280	78.43	76.40
2	No	60	16.81	17.12
3	No attack in past 3 months	15	4.20	6.24
9	Refused	2	0.56	0.24
BLANK	Skip filled	11,605		

COMBIVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1031

Type: NUM

SAS Variable Name: ILP05_12

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	127	35.57	35.75
2	No	175	49.02	50.39
3	Didn't exercise in past 3 months	55	15.41	13.86
BLANK	Skip filled	11,605		

COMBIVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1032

Type: NUM

SAS Variable Name: ILP06_12

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	171	47.90	46.77
2	No	186	52.10	53.23
BLANK	Skip filled	11,605		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

COMBIVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1033-1035

Type: NUM

SAS Variable Name: ILP08_12

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	198	55.46	50.59
401 - 499	Weeks	87	24.37	31.93
555	Never	8	2.24	5.67
666	Less often than once a week	41	11.48	7.91
777	Don't know/Not sure	22	6.16	3.88
999	Refused	1	0.28	0.02
BLANK	Skip filled	11,605		

COMBIVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1036-1037

Type: NUM

SAS Variable Name: ILP10_12

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

CROMOLYN: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1038

Type: NUM

SAS Variable Name: ILP03_13

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	11,961		

CROMOLYN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1039

Type: NUM

SAS Variable Name: ILP04_13

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,961		

CROMOLYN: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1040

Type: NUM

SAS Variable Name: ILP05_13

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,961		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

CROMOLYN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1041

Type: NUM

SAS Variable Name: ILP06_13

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,961		

CROMOLYN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1042-1044

Type: NUM

SAS Variable Name: ILP08_13

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	11,961		

CROMOLYN: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1045-1046

Type: NUM

SAS Variable Name: ILP10_13

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

FLOVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1047

Type: NUM

SAS Variable Name: ILP03_14

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	157	37.83	32.51
2	No	247	59.52	63.94
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	3	0.72	2.78
4	Medication has a built-in spacer/does not need a spacer	1	0.24	0.03
7	Don't know	7	1.69	0.73
BLANK	Skip filled	11,547		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLOVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1048

Type: NUM

SAS Variable Name: ILP04_14

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	173	41.69	39.33
2	No	196	47.23	53.76
3	No attack in past 3 months	44	10.60	6.79
7	Don't know	2	0.48	0.11
BLANK	Skip filled	11,547		

FLOVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1049

Type: NUM

SAS Variable Name: ILP05_14

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	114	27.47	29.89
2	No	270	65.06	66.73
3	Didn't exercise in past 3 months	29	6.99	3.18
7	Don't know	1	0.24	0.03
9	Refused	1	0.24	0.16
BLANK	Skip filled	11,547		

FLOVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1050

Type: NUM

SAS Variable Name: ILP06_14

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	318	76.63	56.39
2	No	97	23.37	43.61
BLANK	Skip filled	11,547		

FLOVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1051-1053

Type: NUM

SAS Variable Name: ILP08_14

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	323	77.83	66.29
401 - 499	Weeks	50	12.05	21.73
555	Never	3	0.72	3.49
666	Less often than once a week	35	8.43	8.13
777	Don't know/Not sure	3	0.72	0.32
999	Refused	1	0.24	0.04
BLANK	Skip filled	11,547		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLOVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1054-1055

Type: NUM

SAS Variable Name: ILP10_14

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

FLOVENT ROTADISK: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1056

Type: NUM

SAS Variable Name: ILP03_15

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

FLOVENT ROTADISK: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1057

Type: NUM

SAS Variable Name: ILP04_15

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	50.00	44.83
2	No	7	26.92	30.29
3	No attack in past 3 months	6	23.08	24.88
BLANK	Skip filled	11,936		

FLOVENT ROTADISK: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1058

Type: NUM

SAS Variable Name: ILP05_15

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	15.38	14.30
2	No	19	73.08	70.66
3	Didn't exercise in past 3 months	3	11.54	15.04
BLANK	Skip filled	11,936		

FLOVENT ROTADISK: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1059

Type: NUM

SAS Variable Name: ILP06_15

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	20	76.92	90.60
2	No	6	23.08	9.40
BLANK	Skip filled	11,936		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLOVENT ROTADISK: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1060-1062

Type: NUM

SAS Variable Name: ILP08_15

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	18	69.23	76.43
401 - 499	Weeks	4	15.38	17.74
666	Less often than once a week	2	7.69	2.49
777	Don't know/Not sure	1	3.85	3.21
999	Refused	1	3.85	0.11
BLANK	Skip filled	11,936		

FLOVENT ROTADISK: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1063-1064

Type: NUM

SAS Variable Name: ILP10_15

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

FLUNISOLIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1065

Type: NUM

SAS Variable Name: ILP03_16

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	25.77
2	No	4	57.14	38.22
7	Don't know	1	14.29	36.00
BLANK	Skip filled	11,955		

FLUNISOLIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1066

Type: NUM

SAS Variable Name: ILP04_16

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	42.86	52.13
2	No	3	42.86	29.00
3	No attack in past 3 months	1	14.29	18.87
BLANK	Skip filled	11,955		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLUNISOLIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1067

Type: NUM

SAS Variable Name: ILP05_16

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	6	85.71	81.13
3	Didn't exercise in past 3 months	1	14.29	18.87
BLANK	Skip filled	11,955		

FLUNISOLIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1068

Type: NUM

SAS Variable Name: ILP06_16

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	85.71	91.79
2	No	1	14.29	8.21
BLANK	Skip filled	11,955		

FLUNISOLIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1069-1071

Type: NUM

SAS Variable Name: ILP08_16

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	6	85.71	91.79
401 - 499	Weeks	1	14.29	8.21
BLANK	Skip filled	11,955		

FLUNISOLIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1072-1073

Type: NUM

SAS Variable Name: ILP10_16

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

FLUTICASONE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1074

Type: NUM

SAS Variable Name: ILP03_17

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	16.22	23.71
2	No	29	78.38	70.38
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	2	5.41	5.91
BLANK	Skip filled	11,925		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLUTICASONE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1075

Type: NUM

SAS Variable Name: ILP04_17

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	32.43	42.48
2	No	22	59.46	53.84
3	No attack in past 3 months	2	5.41	0.81
7	Don't know	1	2.70	2.87
BLANK	Skip filled	11,925		

FLUTICASONE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1076

Type: NUM

SAS Variable Name: ILP05_17

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	18.92	8.71
2	No	26	70.27	84.53
3	Didn't exercise in past 3 months	4	10.81	6.77
BLANK	Skip filled	11,925		

FLUTICASONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1077

Type: NUM

SAS Variable Name: ILP06_17

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	78.38	72.02
2	No	8	21.62	27.98
BLANK	Skip filled	11,925		

FLUTICASONE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1078-1080

Type: NUM

SAS Variable Name: ILP08_17

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	29	78.38	70.63
401 - 499	Weeks	6	16.22	26.28
666	Less often than once a week	2	5.41	3.09
BLANK	Skip filled	11,925		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLUTICASONE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1081-1082

Type: NUM

SAS Variable Name: ILP10_17

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

IPRATROPIUM BROMIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1083

Type: NUM

SAS Variable Name: ILP03_19

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	53.33	46.06
2	No	13	43.33	50.93
7	Don't know	1	3.33	3.00
BLANK	Skip filled	11,932		

IPRATROPIUM BROMIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1084

Type: NUM

SAS Variable Name: ILP04_19

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	60.00	68.15
2	No	8	26.67	15.65
3	No attack in past 3 months	4	13.33	16.21
BLANK	Skip filled	11,932		

IPRATROPIUM BROMIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1085

Type: NUM

SAS Variable Name: ILP05_19

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	30.00	25.04
2	No	13	43.33	56.89
3	Didn't exercise in past 3 months	8	26.67	18.07
BLANK	Skip filled	11,932		

IPRATROPIUM BROMIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1086

Type: NUM

SAS Variable Name: ILP06_19

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	60.00	81.09
2	No	12	40.00	18.91
BLANK	Skip filled	11,932		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

IPRATROPIUM BROMIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1087-1089

Type: NUM

SAS Variable Name: ILP08_19

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	18	60.00	67.30
401 - 499	Weeks	7	23.33	20.15
666	Less often than once a week	2	6.67	2.43
777	Don't know/Not sure	3	10.00	10.11
BLANK	Skip filled	11,932		

IPRATROPIUM BROMIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1090-1091

Type: NUM

SAS Variable Name: ILP10_19

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

MAXAIR: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1092

Type: NUM

SAS Variable Name: ILP03_20

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

MAXAIR: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1093

Type: NUM

SAS Variable Name: ILP04_20

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	43	82.69	96.70
2	No	4	7.69	2.02
3	No attack in past 3 months	3	5.77	0.93
9	Refused	2	3.85	0.34
BLANK	Skip filled	11,910		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

MAXAIR: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1094

Type: NUM

SAS Variable Name: ILP05_20

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	44.23	31.71
2	No	24	46.15	67.49
3	Didn't exercise in past 3 months	3	5.77	0.46
9	Refused	2	3.85	0.34
BLANK	Skip filled	11,910		

MAXAIR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1095

Type: NUM

SAS Variable Name: ILP06_20

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	19.23	6.04
2	No	40	76.92	93.62
9	Refused	2	3.85	0.34
BLANK	Skip filled	11,910		

MAXAIR: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1096-1098

Type: NUM

SAS Variable Name: ILP08_20

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	12	23.08	7.20
401 - 499	Weeks	15	28.85	20.53
666	Less often than once a week	22	42.31	71.83
777	Don't know/Not sure	1	1.92	0.09
999	Refused	2	3.85	0.34
BLANK	Skip filled	11,910		

MAXAIR: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1099-1100

Type: NUM

SAS Variable Name: ILP10_20

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	38	73.08	38.62
77	Don't know	1	1.92	0.11
88	None	11	21.15	60.93
99	Refused	2	3.85	0.34
BLANK	Skip filled	11,910		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

METAPROTERONOL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1101

Type: NUM

SAS Variable Name: ILP03_21

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

METAPROTERONOL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1102

Type: NUM

SAS Variable Name: ILP04_21

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

METAPROTERONOL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1103

Type: NUM

SAS Variable Name: ILP05_21

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

METAPROTERONOL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1104

Type: NUM

SAS Variable Name: ILP06_21

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

METAPROTERONOL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1105-1107

Type: NUM

SAS Variable Name: ILP08_21

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

METAPROTERONOL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1108-1109

Type: NUM

SAS Variable Name: ILP10_21

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEDOCROMIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1110

Type: NUM

SAS Variable Name: ILP03_22

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

NEDOCROMIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1111

Type: NUM

SAS Variable Name: ILP04_22

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

NEDOCROMIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1112

Type: NUM

SAS Variable Name: ILP05_22

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

NEDOCROMIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1113

Type: NUM

SAS Variable Name: ILP06_22

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

NEDOCROMIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1114-1116

Type: NUM

SAS Variable Name: ILP08_22

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

NEDOCROMIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1117-1118

Type: NUM

SAS Variable Name: ILP10_22

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PIRBUTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1119

Type: NUM

SAS Variable Name: ILP03_23

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	57.14	89.07
2	No	3	42.86	10.93
BLANK	Skip filled	11,955		

PIRBUTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1120

Type: NUM

SAS Variable Name: ILP04_23

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	71.43	90.34
2	No	1	14.29	0.22
7	Don't know	1	14.29	9.44
BLANK	Skip filled	11,955		

PIRBUTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1121

Type: NUM

SAS Variable Name: ILP05_23

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	42.86	89.58
2	No	3	42.86	10.28
3	Didn't exercise in past 3 months	1	14.29	0.14
BLANK	Skip filled	11,955		

PIRBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1122

Type: NUM

SAS Variable Name: ILP06_23

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	42.86	89.40
2	No	4	57.14	10.60
BLANK	Skip filled	11,955		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PIRBUTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1123-1125

Type: NUM

SAS Variable Name: ILP08_23

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	28.57	88.13
401 - 499	Weeks	2	28.57	1.90
666	Less often than once a week	1	14.29	0.14
777	Don't know/Not sure	2	28.57	9.83
BLANK	Skip filled	11,955		

PIRBUTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1126-1127

Type: NUM

SAS Variable Name: ILP10_23

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	5	71.43	90.42
88	None	2	28.57	9.58
BLANK	Skip filled	11,955		

PROVENTIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1128

Type: NUM

SAS Variable Name: ILP03_24

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	145	28.71	26.55
2	No	350	69.31	68.09
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	1	0.20	0.18
4	Medication has a built-in spacer/does not need a spacer	1	0.20	0.43
7	Don't know	8	1.58	4.75
BLANK	Skip filled	11,457		

PROVENTIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1129

Type: NUM

SAS Variable Name: ILP04_24

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	409	80.99	84.64
2	No	53	10.50	9.00
3	No attack in past 3 months	42	8.32	6.33
9	Refused	1	0.20	0.03
BLANK	Skip filled	11,457		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PROVENTIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1130

Type: NUM

SAS Variable Name: ILP05_24

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	160	31.68	30.10
2	No	256	50.69	53.91
3	Didn't exercise in past 3 months	84	16.63	14.38
7	Don't know	5	0.99	1.61
BLANK	Skip filled	11,457		

PROVENTIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1131

Type: NUM

SAS Variable Name: ILP06_24

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	143	28.32	27.86
2	No	361	71.49	71.97
9	Refused	1	0.20	0.17
BLANK	Skip filled	11,457		

PROVENTIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1132-1134

Type: NUM

SAS Variable Name: ILP08_24

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	206	40.79	37.09
401 - 499	Weeks	147	29.11	30.04
555	Never	8	1.58	2.11
666	Less often than once a week	122	24.16	26.23
777	Don't know/Not sure	21	4.16	4.11
999	Refused	1	0.20	0.43
BLANK	Skip filled	11,457		

PROVENTIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1135-1136

Type: NUM

SAS Variable Name: ILP10_24

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	392	77.62	84.20
77	Don't know	26	5.15	2.77
88	None	87	17.23	13.02
BLANK	Skip filled	11,457		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PULMICORT FLEXHALER: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1137

Type: NUM

SAS Variable Name: ILP03_25

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

PULMICORT FLEXHALER: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1138

Type: NUM

SAS Variable Name: ILP04_25

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	36	26.47	27.25
2	No	81	59.56	67.71
3	No attack in past 3 months	17	12.50	4.75
7	Don't know	1	0.74	0.23
9	Refused	1	0.74	0.06
BLANK	Skip filled	11,826		

PULMICORT FLEXHALER: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1139

Type: NUM

SAS Variable Name: ILP05_25

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	27	19.85	23.94
2	No	96	70.59	72.56
3	Didn't exercise in past 3 months	9	6.62	2.44
7	Don't know	3	2.21	1.03
9	Refused	1	0.74	0.03
BLANK	Skip filled	11,826		

PULMICORT FLEXHALER: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1140

Type: NUM

SAS Variable Name: ILP06_25

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	113	83.09	81.42
2	No	23	16.91	18.58
BLANK	Skip filled	11,826		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PULMICORT FLEXHALER: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1141-1143

Type: NUM

SAS Variable Name: ILP08_25

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	115	84.56	83.32
401 - 499	Weeks	12	8.82	10.36
555	Never	4	2.94	4.12
666	Less often than once a week	5	3.68	2.20
BLANK	Skip filled	11,826		

PULMICORT FLEXHALER: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1144-1145

Type: NUM

SAS Variable Name: ILP10_25

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

SALMETEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1146

Type: NUM

SAS Variable Name: ILP03_26

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	4	66.67	33.57
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	2	33.33	66.43
BLANK	Skip filled	11,956		

SALMETEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1147

Type: NUM

SAS Variable Name: ILP04_26

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	5	83.33	89.99
3	No attack in past 3 months	1	16.67	10.01
BLANK	Skip filled	11,956		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SALMETEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1148

Type: NUM

SAS Variable Name: ILP05_26

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	16.67	10.01
2	No	4	66.67	88.30
3	Didn't exercise in past 3 months	1	16.67	1.68
BLANK	Skip filled	11,956		

SALMETEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1149

Type: NUM

SAS Variable Name: ILP06_26

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	50.00	39.33
2	No	3	50.00	60.67
BLANK	Skip filled	11,956		

SALMETEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1150-1152

Type: NUM

SAS Variable Name: ILP08_26

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	4	66.67	41.01
666	Less often than once a week	2	33.33	58.99
BLANK	Skip filled	11,956		

SALMETEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1153-1154

Type: NUM

SAS Variable Name: ILP10_26

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

SEREVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1155

Type: NUM

SAS Variable Name: ILP03_27

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SEREVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1156

Type: NUM

SAS Variable Name: ILP04_27

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	19.61	21.71
2	No	34	66.67	68.22
3	No attack in past 3 months	6	11.76	8.87
7	Don't know	1	1.96	1.19
BLANK	Skip filled	11,911		

SEREVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1157

Type: NUM

SAS Variable Name: ILP05_27

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	27.45	26.14
2	No	30	58.82	53.60
3	Didn't exercise in past 3 months	7	13.73	20.26
BLANK	Skip filled	11,911		

SEREVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1158

Type: NUM

SAS Variable Name: ILP06_27

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	45	88.24	80.22
2	No	6	11.76	19.78
BLANK	Skip filled	11,911		

SEREVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1159-1161

Type: NUM

SAS Variable Name: ILP08_27

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	46	90.20	91.45
401 - 499	Weeks	4	7.84	6.60
555	Never	1	1.96	1.95
BLANK	Skip filled	11,911		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SEREVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1162-1163

Type: NUM

SAS Variable Name: ILP10_27

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

TERBUTALINE (+ T. SULFATE): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1164

Type: NUM

SAS Variable Name: ILP03_28

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	11,960		

TERBUTALINE (+ T. SULFATE): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1165

Type: NUM

SAS Variable Name: ILP04_28

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	11,960		

TERBUTALINE (+ T. SULFATE): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1166

Type: NUM

SAS Variable Name: ILP05_28

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	11,960		

TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1167

Type: NUM

SAS Variable Name: ILP06_28

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	90.33
2	No	1	50.00	9.67
BLANK	Skip filled	11,960		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TERBUTALINE (+ T. SULFATE): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1168-1170

Type: NUM

SAS Variable Name: ILP08_28

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	90.33
777	Don't know/Not sure	1	50.00	9.67
BLANK	Skip filled	11,960		

TERBUTALINE (+ T. SULFATE): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1171-1172

Type: NUM

SAS Variable Name: ILP10_28

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	50.00	90.33
77	Don't know	1	50.00	9.67
BLANK	Skip filled	11,960		

TORNALATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1173

Type: NUM

SAS Variable Name: ILP03_30

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	11,961		

TORNALATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1174

Type: NUM

SAS Variable Name: ILP04_30

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,961		

TORNALATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1175

Type: NUM

SAS Variable Name: ILP05_30

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,961		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TORNALATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1176

Type: NUM

SAS Variable Name: ILP06_30

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	11,961		

TORNALATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1177-1179

Type: NUM

SAS Variable Name: ILP08_30

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	100.00	100.00
BLANK	Skip filled	11,961		

TORNALATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1180-1181

Type: NUM

SAS Variable Name: ILP10_30

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	100.00	100.00
BLANK	Skip filled	11,961		

TRIAMCINOLONE ACETONIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1182

Type: NUM

SAS Variable Name: ILP03_31

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	11,960		

TRIAMCINOLONE ACETONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1183

Type: NUM

SAS Variable Name: ILP04_31

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	35.50
2	No	1	50.00	64.50
BLANK	Skip filled	11,960		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TRIAMCINOLONE ACETONIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1184

Type: NUM

SAS Variable Name: ILP05_31

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	11,960		

TRIAMCINOLONE ACETONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1185

Type: NUM

SAS Variable Name: ILP06_31

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	35.50
2	No	1	50.00	64.50
BLANK	Skip filled	11,960		

TRIAMCINOLONE ACETONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1186-1188

Type: NUM

SAS Variable Name: ILP08_31

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	100.00	100.00
BLANK	Skip filled	11,960		

TRIAMCINOLONE ACETONIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1189-1190

Type: NUM

SAS Variable Name: ILP10_31

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

VANCERIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1191

Type: NUM

SAS Variable Name: ILP03_32

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	27.97
2	No	2	66.67	72.03
BLANK	Skip filled	11,959		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

VANCERIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1192

Type: NUM

SAS Variable Name: ILP04_32

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	66.20
2	No	1	33.33	33.80
BLANK	Skip filled	11,959		

VANCERIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1193

Type: NUM

SAS Variable Name: ILP05_32

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	66.67	72.03
3	Didn't exercise in past 3 months	1	33.33	27.97
BLANK	Skip filled	11,959		

VANCERIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1194

Type: NUM

SAS Variable Name: ILP06_32

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	38.23
2	No	2	66.67	61.77
BLANK	Skip filled	11,959		

VANCERIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1195-1197

Type: NUM

SAS Variable Name: ILP08_32

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	66.67	66.20
666	Less often than once a week	1	33.33	33.80
BLANK	Skip filled	11,959		

VANCERIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1198-1199

Type: NUM

SAS Variable Name: ILP10_32

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

VENTOLIN: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1200

Type: NUM

SAS Variable Name: ILP03_33

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	259	28.12	25.44
2	No	635	68.95	72.52
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	2	0.22	0.02
4	Medication has a built-in spacer/does not need a spacer	7	0.76	0.94
7	Don't know	15	1.63	0.76
9	Refused	3	0.33	0.32
BLANK	Skip filled	11,041		

VENTOLIN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1201

Type: NUM

SAS Variable Name: ILP04_33

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	785	85.23	88.04
2	No	87	9.45	8.09
3	No attack in past 3 months	43	4.67	3.40
7	Don't know	3	0.33	0.07
9	Refused	3	0.33	0.40
BLANK	Skip filled	11,041		

VENTOLIN: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1202

Type: NUM

SAS Variable Name: ILP05_33

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	312	33.88	45.52
2	No	515	55.92	46.61
3	Didn't exercise in past 3 months	90	9.77	7.52
7	Don't know	2	0.22	0.06
9	Refused	2	0.22	0.30
BLANK	Skip filled	11,041		

VENTOLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1203

Type: NUM

SAS Variable Name: ILP06_33

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	263	28.56	34.49
2	No	656	71.23	65.21
9	Refused	2	0.22	0.30
BLANK	Skip filled	11,041		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

VENTOLIN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1204-1206

Type: NUM

SAS Variable Name: ILP08_33

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	348	37.79	40.17
401 - 499	Weeks	297	32.25	35.07
555	Never	11	1.19	1.55
666	Less often than once a week	226	24.54	20.85
777	Don't know/Not sure	35	3.80	1.95
999	Refused	4	0.43	0.41
BLANK	Skip filled	11,041		

VENTOLIN: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1207-1208

Type: NUM

SAS Variable Name: ILP10_33

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	664	72.10	73.59
77	Don't know	42	4.56	6.17
88	None	214	23.24	20.05
99	Refused	1	0.11	0.19
BLANK	Skip filled	11,041		

FORADIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1209

Type: NUM

SAS Variable Name: ILP03_34

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

FORADIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1210

Type: NUM

SAS Variable Name: ILP04_34

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	38.71	35.93
2	No	12	38.71	37.80
3	No attack in past 3 months	7	22.58	26.27
BLANK	Skip filled	11,931		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FORADIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1211

Type: NUM

SAS Variable Name: ILP05_34

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	29.03	49.60
2	No	20	64.52	49.14
3	Didn't exercise in past 3 months	2	6.45	1.26
BLANK	Skip filled	11,931		

FORADIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1212

Type: NUM

SAS Variable Name: ILP06_34

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	27	87.10	70.69
2	No	4	12.90	29.31
BLANK	Skip filled	11,931		

FORADIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1213-1215

Type: NUM

SAS Variable Name: ILP08_34

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	25	80.65	65.08
401 - 499	Weeks	4	12.90	13.34
555	Never	1	3.23	5.08
666	Less often than once a week	1	3.23	16.50
BLANK	Skip filled	11,931		

FORADIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1216-1217

Type: NUM

SAS Variable Name: ILP10_34

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

FORMOTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1218

Type: NUM

SAS Variable Name: ILP03_35

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	33.33	2.59
2	No	4	66.67	97.41
BLANK	Skip filled	11,956		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FORMOTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1219

Type: NUM

SAS Variable Name: ILP04_35

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	16.67	7.11
2	No	4	66.67	83.17
3	No attack in past 3 months	1	16.67	9.72
BLANK	Skip filled	11,956		

FORMOTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1220

Type: NUM

SAS Variable Name: ILP05_35

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	16.67	78.40
2	No	4	66.67	11.88
3	Didn't exercise in past 3 months	1	16.67	9.72
BLANK	Skip filled	11,956		

FORMOTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1221

Type: NUM

SAS Variable Name: ILP06_35

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	100.00	100.00
BLANK	Skip filled	11,956		

FORMOTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1222-1224

Type: NUM

SAS Variable Name: ILP08_35

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	6	100.00	100.00
BLANK	Skip filled	11,956		

FORMOTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1225-1226

Type: NUM

SAS Variable Name: ILP10_35

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

QVAR: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1227

Type: NUM

SAS Variable Name: ILP03_36

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	91	34.34	35.39
2	No	170	64.15	62.09
7	Don't know	4	1.51	2.52
BLANK	Skip filled	11,697		

QVAR: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1228

Type: NUM

SAS Variable Name: ILP04_36

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	102	38.49	46.76
2	No	128	48.30	45.24
3	No attack in past 3 months	35	13.21	7.99
BLANK	Skip filled	11,697		

QVAR: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1229

Type: NUM

SAS Variable Name: ILP05_36

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	71	26.79	36.78
2	No	161	60.75	53.64
3	Didn't exercise in past 3 months	30	11.32	9.22
7	Don't know	3	1.13	0.36
BLANK	Skip filled	11,697		

QVAR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1230

Type: NUM

SAS Variable Name: ILP06_36

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	221	83.40	79.66
2	No	44	16.60	20.34
BLANK	Skip filled	11,697		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

QVAR: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1231-1233

Type: NUM

SAS Variable Name: ILP08_36

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	226	85.28	83.98
401 - 499	Weeks	19	7.17	7.74
555	Never	2	0.75	2.57
666	Less often than once a week	12	4.53	5.04
777	Don't know/Not sure	6	2.26	0.68
BLANK	Skip filled	11,697		

QVAR: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1234-1235

Type: NUM

SAS Variable Name: ILP10_36

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

LEVALBUTEROL TARTRATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1236

Type: NUM

SAS Variable Name: ILP03_37

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	50.00	59.79
2	No	2	33.33	19.94
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	1	16.67	20.26
BLANK	Skip filled	11,956		

LEVALBUTEROL TARTRATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1237

Type: NUM

SAS Variable Name: ILP04_37

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	100.00	100.00
BLANK	Skip filled	11,956		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

LEVALBUTEROL TARTRATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1238

Type: NUM

SAS Variable Name: ILP05_37

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	16.67	20.26
2	No	3	50.00	59.25
3	Didn't exercise in past 3 months	2	33.33	20.49
BLANK	Skip filled	11,956		

LEVALBUTEROL TARTRATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1239

Type: NUM

SAS Variable Name: ILP06_37

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	50.00	28.76
2	No	3	50.00	71.24
BLANK	Skip filled	11,956		

LEVALBUTEROL TARTRATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1240-1242

Type: NUM

SAS Variable Name: ILP08_37

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	16.67	2.47
401 - 499	Weeks	3	50.00	40.21
666	Less often than once a week	2	33.33	57.32
BLANK	Skip filled	11,956		

LEVALBUTEROL TARTRATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1243-1244

Type: NUM

SAS Variable Name: ILP10_37

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	3	50.00	27.26
77	Don't know	1	16.67	3.98
88	None	2	33.33	68.77
BLANK	Skip filled	11,956		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

XOPENEX HFA: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1245

Type: NUM

SAS Variable Name: ILP03_38

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	65	29.95	22.66
2	No	150	69.12	77.10
7	Don't know	1	0.46	0.05
9	Refused	1	0.46	0.19
BLANK	Skip filled	11,745		

XOPENEX HFA: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1246

Type: NUM

SAS Variable Name: ILP04_38

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	179	82.49	86.68
2	No	21	9.68	9.79
3	No attack in past 3 months	16	7.37	3.19
7	Don't know	1	0.46	0.34
BLANK	Skip filled	11,745		

XOPENEX HFA: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1247

Type: NUM

SAS Variable Name: ILP05_38

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	68	31.34	34.16
2	No	119	54.84	44.33
3	Didn't exercise in past 3 months	29	13.36	21.32
9	Refused	1	0.46	0.19
BLANK	Skip filled	11,745		

XOPENEX HFA: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1248

Type: NUM

SAS Variable Name: ILP06_38

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	52	23.96	12.64
2	No	165	76.04	87.36
BLANK	Skip filled	11,745		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

XOPENEX HFA: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1249-1251

Type: NUM

SAS Variable Name: ILP08_38

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	86	39.63	42.22
401 - 499	Weeks	59	27.19	33.82
555	Never	8	3.69	7.81
666	Less often than once a week	57	26.27	15.43
777	Don't know/Not sure	7	3.23	0.72
BLANK	Skip filled	11,745		

XOPENEX HFA: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1252-1253

Type: NUM

SAS Variable Name: ILP10_38

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	155	71.43	81.47
77	Don't know	10	4.61	1.84
88	None	52	23.96	16.68
BLANK	Skip filled	11,745		

MOMETASONE FUROATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1254

Type: NUM

SAS Variable Name: ILP03_39

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

MOMETASONE FUROATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1255

Type: NUM

SAS Variable Name: ILP04_39

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	54.55	29.76
2	No	5	45.45	70.24
BLANK	Skip filled	11,951		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

MOMETASONE FUROATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1256

Type: NUM

SAS Variable Name: ILP05_39

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	18.18	13.16
2	No	6	54.55	74.85
3	Didn't exercise in past 3 months	3	27.27	11.99
BLANK	Skip filled	11,951		

MOMETASONE FUROATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1257

Type: NUM

SAS Variable Name: ILP06_39

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	81.82	80.79
2	No	2	18.18	19.21
BLANK	Skip filled	11,951		

MOMETASONE FUROATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1258-1260

Type: NUM

SAS Variable Name: ILP08_39

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	9	81.82	80.79
666	Less often than once a week	2	18.18	19.21
BLANK	Skip filled	11,951		

MOMETASONE FUROATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1261-1262

Type: NUM

SAS Variable Name: ILP10_39

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

ASMANEX (TWISTHALER): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1263

Type: NUM

SAS Variable Name: ILP03_40

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ASMANEX (TWISTHALER): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1264

Type: NUM

SAS Variable Name: ILP04_40

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	45	26.47	21.16
2	No	104	61.18	67.81
3	No attack in past 3 months	20	11.76	10.96
7	Don't know	1	0.59	0.07
BLANK	Skip filled	11,792		

ASMANEX (TWISTHALER): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1265

Type: NUM

SAS Variable Name: ILP05_40

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	37	21.76	24.54
2	No	118	69.41	71.96
3	Didn't exercise in past 3 months	15	8.82	3.50
BLANK	Skip filled	11,792		

ASMANEX (TWISTHALER): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1266

Type: NUM

SAS Variable Name: ILP06_40

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	147	86.47	90.26
2	No	23	13.53	9.74
BLANK	Skip filled	11,792		

ASMANEX (TWISTHALER): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1267-1269

Type: NUM

SAS Variable Name: ILP08_40

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	145	85.29	88.41
401 - 499	Weeks	14	8.24	6.90
555	Never	1	0.59	0.58
666	Less often than once a week	7	4.12	3.42
777	Don't know/Not sure	1	0.59	0.07
999	Refused	2	1.18	0.63
BLANK	Skip filled	11,792		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ASMANEX (TWISTHALER): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1270-1271

Type: NUM

SAS Variable Name: ILP10_40

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

PRO-AIR HFA: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1272

Type: NUM

SAS Variable Name: ILP03_41

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	345	27.40	22.87
2	No	892	70.85	75.14
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	2	0.16	0.25
4	Medication has a built-in spacer/does not need a spacer	3	0.24	0.65
7	Don't know	15	1.19	0.74
9	Refused	2	0.16	0.35
BLANK	Skip filled	10,703		

PRO-AIR HFA: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1273

Type: NUM

SAS Variable Name: ILP04_41

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,048	83.24	88.04
2	No	129	10.25	7.64
3	No attack in past 3 months	75	5.96	3.94
7	Don't know	6	0.48	0.21
9	Refused	1	0.08	0.16
BLANK	Skip filled	10,703		

PRO-AIR HFA: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1274

Type: NUM

SAS Variable Name: ILP05_41

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	424	33.68	38.90
2	No	672	53.38	51.03
3	Didn't exercise in past 3 months	160	12.71	9.87
7	Don't know	2	0.16	0.04
9	Refused	1	0.08	0.16
BLANK	Skip filled	10,703		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PRO-AIR HFA: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1275

Type: NUM

SAS Variable Name: ILP06_41

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	349	27.72	28.93
2	No	908	72.12	70.88
7	Don't know	1	0.08	0.03
9	Refused	1	0.08	0.16
BLANK	Skip filled	10,703		

PRO-AIR HFA: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1276-1278

Type: NUM

SAS Variable Name: ILP08_41

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	473	37.57	32.86
401 - 499	Weeks	398	31.61	41.30
555	Never	24	1.91	4.15
666	Less often than once a week	316	25.10	19.41
777	Don't know/Not sure	42	3.34	1.89
999	Refused	6	0.48	0.39
BLANK	Skip filled	10,703		

PRO-AIR HFA: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1279-1280

Type: NUM

SAS Variable Name: ILP10_41

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	970	77.05	78.20
77	Don't know	52	4.13	4.03
88	None	236	18.75	17.76
99	Refused	1	0.08	0.00
BLANK	Skip filled	10,703		

SYMBICORT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1281

Type: NUM

SAS Variable Name: ILP03_42

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYMBICORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1282

Type: NUM

SAS Variable Name: ILP04_42

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	298	40.82	40.11
2	No	367	50.27	52.23
3	No attack in past 3 months	62	8.49	7.07
7	Don't know	2	0.27	0.26
9	Refused	1	0.14	0.34
BLANK	Skip filled	11,232		

SYMBICORT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1283

Type: NUM

SAS Variable Name: ILP05_42

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	172	23.56	26.13
2	No	460	63.01	55.62
3	Didn't exercise in past 3 months	92	12.60	16.82
7	Don't know	5	0.68	1.09
9	Refused	1	0.14	0.34
BLANK	Skip filled	11,232		

SYMBICORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1284

Type: NUM

SAS Variable Name: ILP06_42

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	594	81.37	79.90
2	No	135	18.49	19.76
9	Refused	1	0.14	0.34
BLANK	Skip filled	11,232		

SYMBICORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1285-1287

Type: NUM

SAS Variable Name: ILP08_42

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	617	84.52	86.14
401 - 499	Weeks	61	8.36	8.96
555	Never	5	0.68	0.60
666	Less often than once a week	41	5.62	3.49
777	Don't know/Not sure	5	0.68	0.46
999	Refused	1	0.14	0.34
BLANK	Skip filled	11,232		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYMBICORT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1288-1289

Type: NUM

SAS Variable Name: ILP10_42

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

ALVESCO: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1290

Type: NUM

SAS Variable Name: ILP03_43

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	35.00	17.72
2	No	25	62.50	78.64
9	Refused	1	2.50	3.64
BLANK	Skip filled	11,922		

ALVESCO: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1291

Type: NUM

SAS Variable Name: ILP04_43

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	27.50	25.83
2	No	23	57.50	61.77
3	No attack in past 3 months	4	10.00	7.10
7	Don't know	1	2.50	1.67
9	Refused	1	2.50	3.64
BLANK	Skip filled	11,922		

ALVESCO: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1292

Type: NUM

SAS Variable Name: ILP05_43

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	17.50	47.55
2	No	25	62.50	36.68
3	Didn't exercise in past 3 months	5	12.50	9.73
7	Don't know	2	5.00	2.40
9	Refused	1	2.50	3.64
BLANK	Skip filled	11,922		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALVESCO: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1293

Type: NUM

SAS Variable Name: ILP06_43

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	85.00	89.24
2	No	5	12.50	7.12
9	Refused	1	2.50	3.64
BLANK	Skip filled	11,922		

ALVESCO: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1294-1296

Type: NUM

SAS Variable Name: ILP08_43

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	33	82.50	85.78
401 - 499	Weeks	4	10.00	7.04
666	Less often than once a week	2	5.00	3.54
999	Refused	1	2.50	3.64
BLANK	Skip filled	11,922		

ALVESCO: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1297-1298

Type: NUM

SAS Variable Name: ILP10_43

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

DULERA: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1299

Type: NUM

SAS Variable Name: ILP03_44

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	60	29.41	38.70
2	No	140	68.63	58.30
7	Don't know	3	1.47	2.36
9	Refused	1	0.49	0.64
BLANK	Skip filled	11,758		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DULERA: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1300

Type: NUM

SAS Variable Name: ILP04_44

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	75	36.76	57.99
2	No	109	53.43	37.45
3	No attack in past 3 months	18	8.82	3.56
7	Don't know	1	0.49	0.36
9	Refused	1	0.49	0.64
BLANK	Skip filled	11,758		

DULERA: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1301

Type: NUM

SAS Variable Name: ILP05_44

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	42	20.59	47.93
2	No	137	67.16	45.09
3	Didn't exercise in past 3 months	21	10.29	5.78
7	Don't know	2	0.98	0.40
9	Refused	2	0.98	0.80
BLANK	Skip filled	11,758		

DULERA: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1302

Type: NUM

SAS Variable Name: ILP06_44

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	153	75.00	66.14
2	No	49	24.02	32.86
7	Don't know	1	0.49	0.36
9	Refused	1	0.49	0.64
BLANK	Skip filled	11,758		

DULERA: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1303-1305

Type: NUM

SAS Variable Name: ILP08_44

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	153	75.00	71.90
401 - 499	Weeks	32	15.69	20.93
555	Never	2	0.98	1.33
666	Less often than once a week	13	6.37	4.51
777	Don't know/Not sure	3	1.47	0.69
999	Refused	1	0.49	0.64
BLANK	Skip filled	11,758		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DULERA: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1306-1307

Type: NUM

SAS Variable Name: ILP10_44

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

PILL ACCOLATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1308

Type: NUM

SAS Variable Name: PILL01_1

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	30	88.24	94.96
2	No	4	11.76	5.04
BLANK	Skip filled	11,928		

PILL AEROLATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1309

Type: NUM

SAS Variable Name: PILL01_2

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	23.08
2	No	1	50.00	76.92
BLANK	Skip filled	11,960		

PILL ALBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1310

Type: NUM

SAS Variable Name: PILL01_3

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	56.25	69.17
2	No	14	43.75	30.83
BLANK	Skip filled	11,930		

PILL ALUPENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1311

Type: NUM

SAS Variable Name: PILL01_4

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL CHOLEDYL (OXTRIPHYLLINE): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1312

Type: NUM

SAS Variable Name: PILL01_5

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,961		

PILL DELTASONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1313

Type: NUM

SAS Variable Name: PILL01_7

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

PILL ELIXOPHYLLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1314

Type: NUM

SAS Variable Name: PILL01_8

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

PILL MEDROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1315

Type: NUM

SAS Variable Name: PILL01_11

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	57.14	32.23
2	No	3	42.86	67.77
BLANK	Skip filled	11,955		

PILL METAPREL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1316

Type: NUM

SAS Variable Name: PILL01_12

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL METAPROTERONOL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1317

Type: NUM

SAS Variable Name: PILL01_13

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	11,960		

PILL METHYLPREDNISOLONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1318

Type: NUM

SAS Variable Name: PILL01_14

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	30.00	58.08
2	No	5	50.00	32.14
7	Don't know	1	10.00	1.57
9	Refused	1	10.00	8.22
BLANK	Skip filled	11,952		

PILL MONTELUKAST: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1319

Type: NUM

SAS Variable Name: PILL01_15

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	249	98.03	98.79
2	No	5	1.97	1.21
BLANK	Skip filled	11,708		

PILL PEDIAPRED: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1320

Type: NUM

SAS Variable Name: PILL01_17

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

PILL PREDNISOLONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1321

Type: NUM

SAS Variable Name: PILL01_18

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	33.33	56.20
2	No	3	50.00	41.86
7	Don't know	1	16.67	1.94
BLANK	Skip filled	11,956		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL PREDNISONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1322

Type: NUM

SAS Variable Name: PILL01_19

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	135	54.22	56.36
2	No	111	44.58	43.21
7	Don't know	2	0.80	0.36
9	Refused	1	0.40	0.07
BLANK	Skip filled	11,713		

PILL PROVENTIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1323

Type: NUM

SAS Variable Name: PILL01_21

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,961		

PILL RESPID: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1324

Type: NUM

SAS Variable Name: PILL01_23

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	11,961		

PILL SINGLAIR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1325

Type: NUM

SAS Variable Name: PILL01_24

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	991	95.29	95.35
2	No	49	4.71	4.65
BLANK	Skip filled	10,922		

PILL SLO-PHYLLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1326

Type: NUM

SAS Variable Name: PILL01_25

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL SLO-BID: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1327

Type: NUM

SAS Variable Name: PILL01_26

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,961		

PILL THEO-24: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1328

Type: NUM

SAS Variable Name: PILL01_28

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	90.00	86.77
2	No	1	10.00	13.23
BLANK	Skip filled	11,952		

PILL THEOCHRON: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1329

Type: NUM

SAS Variable Name: PILL01_30

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

PILL THEOCLEAR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1330

Type: NUM

SAS Variable Name: PILL01_31

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

PILL THEODUR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1331

Type: NUM

SAS Variable Name: PILL01_32

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	88.89	97.68
2	No	1	11.11	2.32
BLANK	Skip filled	11,953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL THEO-DUR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1332

Type: NUM

SAS Variable Name: PILL01_33

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	75.00	7.58
2	No	1	12.50	83.51
9	Refused	1	12.50	8.91
BLANK	Skip filled	11,954		

PILL THEOPHYLLINE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1333

Type: NUM

SAS Variable Name: PILL01_35

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	97	94.17	97.12
2	No	6	5.83	2.88
BLANK	Skip filled	11,859		

PILL THEOSPAN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1334

Type: NUM

SAS Variable Name: PILL01_37

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

PILL T-PHYL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1335

Type: NUM

SAS Variable Name: PILL01_40

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

PILL UNIPHYL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1336

Type: NUM

SAS Variable Name: PILL01_42

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	100.00	100.00
BLANK	Skip filled	11,957		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL VENTOLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1337

Type: NUM

SAS Variable Name: PILL01_43

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

PILL VOLMAX: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1338

Type: NUM

SAS Variable Name: PILL01_44

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	11,961		

PILL ZAFIRLUKAST: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1339

Type: NUM

SAS Variable Name: PILL01_45

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	100.00	100.00
BLANK	Skip filled	11,948		

PILL ZILEUTON: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1340

Type: NUM

SAS Variable Name: PILL01_46

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,961		

PILL ZYFLO FILMTAB: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1341

Type: NUM

SAS Variable Name: PILL01_47

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	100.00	100.00
BLANK	Skip filled	11,958		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1342

Type: NUM

SAS Variable Name: PILL01_48

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	9.48
9	Refused	2	66.67	90.52
BLANK	Skip filled	11,959		

PILL BRETHINE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1343

Type: NUM

SAS Variable Name: PILL01_49

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,961		

ALBUTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1344

Type: NUM

SAS Variable Name: NEB01_1

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,116	80.52	84.81
2	No	151	10.89	9.75
3	No attack in past 3 months	112	8.08	4.44
7	Don't know	6	0.43	0.99
9	Refused	1	0.07	0.02
BLANK	Skip filled	10,576		

ALBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1345

Type: NUM

SAS Variable Name: NEB02_1

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	655	47.26	48.01
2	No	727	52.45	51.57
7	Don't know	4	0.29	0.42
BLANK	Skip filled	10,576		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALBUTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1346

Type: NUM

SAS Variable Name: NEB03_1

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	717	51.73	48.06
401 - 499	Weeks	287	20.71	24.55
555	Never	13	0.94	0.36
666	Less often than once a week	312	22.51	24.14
777	Don't know/Not sure	57	4.11	2.90
BLANK	Skip filled	10,576		

ALUPENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1347

Type: NUM

SAS Variable Name: NEB01_2

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	3.06
3	No attack in past 3 months	1	50.00	96.94
BLANK	Skip filled	11,960		

ALUPENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1348

Type: NUM

SAS Variable Name: NEB02_2

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	3.06
2	No	1	50.00	96.94
BLANK	Skip filled	11,960		

ALUPENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1349

Type: NUM

SAS Variable Name: NEB03_2

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	96.94
401 - 499	Weeks	1	50.00	3.06
BLANK	Skip filled	11,960		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ATROVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1350

Type: NUM

SAS Variable Name: NEB01_3

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	66.67	57.03
2	No	4	22.22	32.19
3	No attack in past 3 months	2	11.11	10.78
BLANK	Skip filled	11,944		

ATROVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1351

Type: NUM

SAS Variable Name: NEB02_3

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	38.89	5.10
2	No	10	55.56	85.95
7	Don't know	1	5.56	8.95
BLANK	Skip filled	11,944		

ATROVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1352

Type: NUM

SAS Variable Name: NEB03_3

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	9	50.00	23.32
401 - 499	Weeks	1	5.56	2.26
666	Less often than once a week	7	38.89	72.48
777	Don't know/Not sure	1	5.56	1.94
BLANK	Skip filled	11,944		

BITOLTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1353

Type: NUM

SAS Variable Name: NEB01_4

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	80.00	99.69
2	No	1	20.00	0.31
BLANK	Skip filled	11,957		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BITOLTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1354

Type: NUM

SAS Variable Name: NEB02_4

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	1.39
2	No	3	60.00	98.61
BLANK	Skip filled	11,957		

BITOLTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1355

Type: NUM

SAS Variable Name: NEB03_4

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	60.00	16.82
401 - 499	Weeks	1	20.00	0.31
999	Refused	1	20.00	82.88
BLANK	Skip filled	11,957		

BUDESONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1356

Type: NUM

SAS Variable Name: NEB01_5

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	35	44.87	60.77
2	No	36	46.15	33.12
3	No attack in past 3 months	6	7.69	4.47
7	Don't know	1	1.28	1.64
BLANK	Skip filled	11,884		

BUDESONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1357

Type: NUM

SAS Variable Name: NEB02_5

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	55	70.51	73.05
2	No	17	21.79	23.49
7	Don't know	6	7.69	3.46
BLANK	Skip filled	11,884		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BUDESONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1358

Type: NUM

SAS Variable Name: NEB03_5

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	64	82.05	80.78
401 - 499	Weeks	4	5.13	3.55
555	Never	2	2.56	0.85
666	Less often than once a week	7	8.97	14.68
777	Don't know/Not sure	1	1.28	0.14
BLANK	Skip filled	11,884		

CROMOLYN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1359

Type: NUM

SAS Variable Name: NEB01_6

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	96.71
2	No	1	50.00	3.29
BLANK	Skip filled	11,960		

CROMOLYN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1360

Type: NUM

SAS Variable Name: NEB02_6

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	11,960		

CROMOLYN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1361

Type: NUM

SAS Variable Name: NEB03_6

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	100.00	100.00
BLANK	Skip filled	11,960		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DUONEB: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1362

Type: NUM

SAS Variable Name: NEB01_7

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	62	88.57	95.46
2	No	8	11.43	4.54
BLANK	Skip filled	11,892		

DUONEB: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1363

Type: NUM

SAS Variable Name: NEB02_7

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	39	55.71	20.53
2	No	31	44.29	79.47
BLANK	Skip filled	11,892		

DUONEB: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1364

Type: NUM

SAS Variable Name: NEB03_7

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	38	54.29	21.30
401 - 499	Weeks	14	20.00	33.90
555	Never	1	1.43	0.22
666	Less often than once a week	15	21.43	36.37
777	Don't know/Not sure	2	2.86	8.22
BLANK	Skip filled	11,892		

INTAL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1365

Type: NUM

SAS Variable Name: NEB01_8

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	11,960		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

INTAL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1366

Type: NUM

SAS Variable Name: NEB02_8

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	69.79
2	No	1	50.00	30.21
BLANK	Skip filled	11,960		

INTAL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1367

Type: NUM

SAS Variable Name: NEB03_8

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	69.79
666	Less often than once a week	1	50.00	30.21
BLANK	Skip filled	11,960		

IPRATROPIUM BROMIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1368

Type: NUM

SAS Variable Name: NEB01_9

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	184	71.04	75.39
2	No	58	22.39	20.62
3	No attack in past 3 months	15	5.79	3.56
7	Don't know	1	0.39	0.18
9	Refused	1	0.39	0.26
BLANK	Skip filled	11,703		

IPRATROPIUM BROMIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1369

Type: NUM

SAS Variable Name: NEB02_9

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	158	61.00	55.01
2	No	98	37.84	43.14
7	Don't know	3	1.16	1.85
BLANK	Skip filled	11,703		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

IPRATROPIUM BROMIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1370

Type: NUM

SAS Variable Name: NEB03_9

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	176	67.95	66.82
401 - 499	Weeks	43	16.60	17.17
555	Never	4	1.54	3.02
666	Less often than once a week	27	10.42	8.43
777	Don't know/Not sure	9	3.47	4.56
BLANK	Skip filled	11,703		

LEVALBUTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1371

Type: NUM

SAS Variable Name: NEB01_10

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	75.00	89.50
2	No	2	12.50	2.11
3	No attack in past 3 months	2	12.50	8.39
BLANK	Skip filled	11,946		

LEVALBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1372

Type: NUM

SAS Variable Name: NEB02_10

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	56.25	83.42
2	No	6	37.50	15.98
7	Don't know	1	6.25	0.60
BLANK	Skip filled	11,946		

LEVALBUTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1373

Type: NUM

SAS Variable Name: NEB03_10

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	10	62.50	84.64
401 - 499	Weeks	2	12.50	2.16
555	Never	2	12.50	2.35
666	Less often than once a week	1	6.25	2.97
777	Don't know/Not sure	1	6.25	7.87
BLANK	Skip filled	11,946		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

METAPROTERONOL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1374

Type: NUM

SAS Variable Name: NEB01_11

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,961		

METAPROTERONOL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1375

Type: NUM

SAS Variable Name: NEB02_11

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,961		

METAPROTERONOL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1376

Type: NUM

SAS Variable Name: NEB03_11

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	11,961		

PROVENTIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1377

Type: NUM

SAS Variable Name: NEB01_12

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	84.21	84.32
2	No	2	10.53	14.58
3	No attack in past 3 months	1	5.26	1.10
BLANK	Skip filled	11,943		

PROVENTIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1378

Type: NUM

SAS Variable Name: NEB02_12

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	42.11	33.13
2	No	9	47.37	63.59
7	Don't know	2	10.53	3.28
BLANK	Skip filled	11,943		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PROVENTIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1379

Type: NUM

SAS Variable Name: NEB03_12

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	12	63.16	41.01
401 - 499	Weeks	5	26.32	45.93
666	Less often than once a week	2	10.53	13.06
BLANK	Skip filled	11,943		

PULMICORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1380

Type: NUM

SAS Variable Name: NEB01_13

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	60.71	54.77
2	No	9	32.14	35.03
3	No attack in past 3 months	2	7.14	10.21
BLANK	Skip filled	11,934		

PULMICORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1381

Type: NUM

SAS Variable Name: NEB02_13

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	46.43	46.32
2	No	12	42.86	40.85
7	Don't know	3	10.71	12.83
BLANK	Skip filled	11,934		

PULMICORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1382

Type: NUM

SAS Variable Name: NEB03_13

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	15	53.57	50.85
401 - 499	Weeks	4	14.29	28.01
555	Never	1	3.57	0.88
666	Less often than once a week	7	25.00	19.12
777	Don't know/Not sure	1	3.57	1.14
BLANK	Skip filled	11,934		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TORNALATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1383

Type: NUM

SAS Variable Name: NEB01_14

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

TORNALATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1384

Type: NUM

SAS Variable Name: NEB02_14

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

TORNALATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1385

Type: NUM

SAS Variable Name: NEB03_14

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,962		

VENTOLIN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1386

Type: NUM

SAS Variable Name: NEB01_15

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	83.33	98.80
2	No	3	16.67	1.20
BLANK	Skip filled	11,944		

VENTOLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1387

Type: NUM

SAS Variable Name: NEB02_15

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	44.44	4.07
2	No	10	55.56	95.93
BLANK	Skip filled	11,944		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

VENTOLIN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1388

Type: NUM

SAS Variable Name: NEB03_15

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	9	50.00	4.57
401 - 499	Weeks	6	33.33	94.64
666	Less often than once a week	2	11.11	0.68
777	Don't know/Not sure	1	5.56	0.11
BLANK	Skip filled	11,944		

XOPENEX: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1389

Type: NUM

SAS Variable Name: NEB01_16

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	62	87.32	63.97
2	No	7	9.86	27.89
3	No attack in past 3 months	2	2.82	8.14
BLANK	Skip filled	11,891		

XOPENEX: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1390

Type: NUM

SAS Variable Name: NEB02_16

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	32.39	20.44
2	No	48	67.61	79.56
BLANK	Skip filled	11,891		

XOPENEX: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1391

Type: NUM

SAS Variable Name: NEB03_16

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	21	29.58	27.31
401 - 499	Weeks	13	18.31	13.18
555	Never	2	2.82	23.23
666	Less often than once a week	31	43.66	34.60
777	Don't know/Not sure	3	4.23	1.00
999	Refused	1	1.41	0.68
BLANK	Skip filled	11,891		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

COMBIVENT INHALATION SOLUTION: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1392

Type: NUM

SAS Variable Name: NEB01_17

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	72.73	45.50
2	No	2	18.18	8.90
3	No attack in past 3 months	1	9.09	45.60
BLANK	Skip filled	11,951		

COMBIVENT INHALATION SOLUTION: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1393

Type: NUM

SAS Variable Name: NEB02_17

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	36.36	12.67
2	No	7	63.64	87.33
BLANK	Skip filled	11,951		

COMBIVENT INHALATION SOLUTION: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1394

Type: NUM

SAS Variable Name: NEB03_17

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	18.18	9.41
401 - 499	Weeks	4	36.36	35.22
555	Never	1	9.09	5.09
666	Less often than once a week	2	18.18	45.75
777	Don't know/Not sure	2	18.18	4.52
BLANK	Skip filled	11,951		

PERFOROMIST/FORMOTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1395

Type: NUM

SAS Variable Name: NEB01_18

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	53.85	72.40
2	No	4	30.77	5.33
3	No attack in past 3 months	1	7.69	19.59
7	Don't know	1	7.69	2.68
BLANK	Skip filled	11,949		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PERFORMIST/FORMOTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1396

Type: NUM

SAS Variable Name: NEB02_18

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	69.23	47.55
2	No	4	30.77	52.45
BLANK	Skip filled	11,949		

PERFORMIST/FORMOTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1397

Type: NUM

SAS Variable Name: NEB03_18

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	11	84.62	71.93
401 - 499	Weeks	1	7.69	24.70
666	Less often than once a week	1	7.69	3.37
BLANK	Skip filled	11,949		

INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Survey: ADULT Asthma Call-Back

Column: 1398-1407

Type: NUM

SAS Variable Name: WEIGHT_IN

Prologue:

Description: INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interim adult asthma call-back weight	11,962	100.00	100.00

ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Survey: ADULT Asthma Call-Back

Column: 1408-1417

Type: NUM

SAS Variable Name: POST

Prologue:

Description: ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification factor	11,962	100.00	100.00

FINAL ADULT ASTHMA CALL-BACK WEIGHT

Survey: ADULT Asthma Call-Back

Column: 1418-1427

Type: NUM

SAS Variable Name: LANDWT_F

Prologue:

Description: FINAL ADULT ASTHMA CALL-BACK LAND LINE ONLY WEIGHT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Final adult asthma call-back land line only weight	11,962	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.

Survey: ADULT Asthma Call-Back

Column: 1428

Prologue:

Description: REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: REGION_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Regions are collapsed to 1 region	8,687	100.00	100.00
BLANK	No region collapsed	3,275		

RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1429

Prologue:

Description: RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: RACEG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Races are collapsed to 1 group	11,962	100.00	100.00

AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1430

Prologue:

Description: AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEF_F7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 24	253	2.12	13.74
2	Age 25 - 34	467	3.90	22.33
3	Age 35 - 44	1,050	8.78	15.62
4	Age 45 - 54	2,059	17.21	16.78
5	Age 55 - 64	3,316	27.72	16.03
6	Age 65 - 74	3,030	25.33	10.12
7	Age 75+	1,787	14.94	5.38

AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1431

Prologue:

Description: AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEF_F5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	720	6.02	36.07
2	Age 35 - 44	1,050	8.78	15.62
3	Age 45 - 54	2,059	17.21	16.78
4	Age 55 - 64	3,316	27.72	16.03
5	Age 65+	4,817	40.27	15.50

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1432

Type: NUM

SAS Variable Name: AGEG_F4

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	517	5.95	35.88
2	Age 35 - 44	752	8.65	15.93
3	Age 45 - 54	1,486	17.10	16.94
4	Age 55+	5,936	68.30	31.25
BLANK	Missing	3,271		

MODIFIED FOUR AGE GROUPS USED IN ASTHMA ADULT POST-STRATIFICATION

Survey: ADULT Asthma Call-Back

Column: 1433

Type: NUM

SAS Variable Name: AGEG_F4_M

Prologue:

Description: MODIFIED FOUR AGE GROUPS USED IN ASTHMA ADULT POST-STRATIFICATION

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 44	1,269	14.60	51.80
2	Age 45 - 54	1,486	17.10	16.94
3	Age 55 - 64	2,468	28.40	15.86
4	Age 65+	3,468	39.90	15.40
BLANK	Missing	3,271		

AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1434

Type: NUM

SAS Variable Name: AGEG_F3

Prologue:

Description: AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	108	5.76	32.64
2	Age 35 - 54	454	24.23	34.52
3	Age 55+	1,312	70.01	32.83
BLANK	Missing	10,088		

MODIFIED THREE AGE GROUPS USED IN ASTHMA ADULT POST-STRATIFICATION

Survey: ADULT Asthma Call-Back

Column: 1435

Type: NUM

SAS Variable Name: AGEG_F3_M

Prologue:

Description: MODIFIED THREE AGE GROUPS USED IN ASTHMA ADULT POST-STRATIFICATION

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 54	115	25.22	68.26
2	Age 55 - 64	120	26.32	16.06
3	Age 65+	221	48.46	15.67
BLANK	Missing	11,506		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1436

Prologue:

Description: AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 44	161	14.27	51.95
2	Age 45+	967	85.73	48.05
BLANK	Missing	10,834		

ADULT ASTHMA CALL-BACK ADJUST FACTOR

Survey: ADULT Asthma Call-Back

Column: 1437-1444

Prologue:

Description: ADULT ASTHMA CALL-BACK ADJUST FACTOR

Type: NUM
SAS Variable Name: ADJUST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification adjust factor	11,962	100.00	100.00

ACTIVE ASTHMA STATUS

Survey: ADULT Asthma Call-Back

Column: 1445

Prologue:

Description: Active Asthma Status

Type: NUM
SAS Variable Name: ACTASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Active Asthma	9,431	78.84	69.45
2	Inactive Asthma	2,529	21.14	30.55
9	Don't know/Not sure	2	0.02	0.00