


United States

2013 Land Line And Cell Phone Codebook Report

ADULT Asthma Call-Back Survey

April 29, 2015



**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

STATE FIPS CODE

Survey: ADULT Asthma Call-Back

Column: 1-2

Prologue:

Description: STATE FIPS CODE .

Type: NUM

SAS Variable Name: _STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
6	California	384	3.35	17.71
9	Connecticut	373	3.26	1.97
13	Georgia	240	2.09	4.46
15	Hawaii	307	2.68	0.77
18	Indiana	558	4.87	3.21
19	Iowa	370	3.23	1.21
24	Maryland	362	3.16	2.69
26	Michigan	848	7.40	5.32
28	Mississippi	352	3.07	1.19
29	Missouri	353	3.08	3.05
30	Montana	469	4.09	0.44
31	Nebraska	463	4.04	0.66
32	Nevada	212	1.85	1.02
33	New Hampshire	365	3.19	0.74
34	New Jersey	441	3.85	3.96
35	New Mexico	445	3.88	0.97
36	New York	183	1.60	10.03
37	North Carolina	176	1.54	3.99
39	Ohio	419	3.66	5.33
40	Oklahoma	368	3.21	1.78
41	Oregon	303	2.64	2.35
42	Pennsylvania	453	3.95	6.03
48	Texas	407	3.55	10.33
49	Utah	659	5.75	1.20
50	Vermont	332	2.90	0.35
53	Washington	519	4.53	3.60
54	West Virginia	228	1.99	0.84
55	Wisconsin	341	2.98	2.78
72	Puerto Rico	526	4.59	2.05

MONTH NAME OF SOURCE FILE ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 3-4

Prologue:

Description: FILE MONTH

Type: NUM

SAS Variable Name: FMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	992	8.66	6.99
2	February	925	8.07	9.29
3	March	860	7.51	7.10
4	April	887	7.74	6.99
5	May	647	5.65	4.84
6	June	875	7.64	5.70
7	July	1,359	11.86	14.22
8	August	1,133	9.89	11.99
9	September	974	8.50	7.79
10	October	1,166	10.18	11.07
11	November	878	7.66	8.22
12	December	760	6.63	5.81

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

MONTH OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 13-14

Prologue:

Description: MONTH OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	621	5.42	3.40
2	February	986	8.61	9.72
3	March	981	8.56	8.36
4	April	773	6.75	6.66
5	May	656	5.73	4.78
6	June	589	5.14	3.89
7	July	1,215	10.61	9.27
8	August	1,275	11.13	13.53
9	September	1,135	9.91	12.62
10	October	1,162	10.14	9.27
11	November	980	8.55	10.49
12	December	1,083	9.45	7.99

DAY OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 15-16

Prologue:

Description: DAY OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IDAY_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		11,456	100.00	100.00

YEAR OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 17-20

Prologue:

Description: YEAR OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IYEAR_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
2013	Interview year	10,466	91.36	94.83
2014	Interview year	990	8.64	5.17

INTERVIEWER ID OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 21-23

Prologue:

Description: INTERVIEWER ID OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: INTVID_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interviewer Identification	11,456	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DISPOSITION OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 24-26

Prologue:

Description: DISPOSITION OF ASTHMA CALL-BACK

Type: NUM

SAS Variable Name: DISPCODE_F

Value	Value Label
1100	Complete
1200	Partial complete

Frequency	Percentage	Weighted Percentage
11,444	99.90	99.93
12	0.10	0.07

ANNUAL SEQUENCE NUMBER

Survey: ADULT Asthma Call-Back

Column: 27-36

Prologue:

Description: ANNUAL SEQUENCE NUMBER

Type: NUM

SAS Variable Name: SEQNO

Value	Value Label
HIDDEN	

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 37-38

Prologue:

Description: NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Type: NUM

SAS Variable Name: NATTMPTS_F

Value	Value Label
HIDDEN	Number of attempts of asthma call-back

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

PERMIT TO CALL BACK FROM BRFS

Survey: ADULT Asthma Call-Back

Column: 39

Prologue:

Description: PERMIT TO CALL BACK FROM BRFS

Type: NUM

SAS Variable Name: CALLBACK

Value	Value Label
1	Yes

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

ARE YOU SAMPLE PERSON

Survey: ADULT Asthma Call-Back

Column: 40

Prologue:

Description: Q1.1 Are you [sample person's first name or initials]?

Type: NUM

SAS Variable Name: SAMP_NAME

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
11,095	96.85	96.62
361	3.15	3.38

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

MAY I SPEAK WITH SAMPLE PERSON

Survey: ADULT Asthma Call-Back

Column: 41

Type: NUM

SAS Variable Name: SAMP_PERS

Prologue:

Description: Q1.2 May I speak with [sample person's first name or initials]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	361	100.00	100.00
BLANK	Not asked or missing	11,095		

CHECK CORRECT PERSON ON PHONE

Survey: ADULT Asthma Call-Back

Column: 42

Type: NUM

SAS Variable Name: REPEAT

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: Check if correct person from core survey is on phone.

Description: Q2.0 Is this [sample person's name] and are you [sample person's age] years old? (IF YES, CONTINUE WITH Q2.1)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,107	100.00	100.00
BLANK	Not asked or missing	10,349		

EVER HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 43

Type: NUM

SAS Variable Name: EVER_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.1 Have you ever been told by a doctor or other health professional that you have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,107	100.00	100.00
BLANK	Not asked or missing	10,349		

STILL HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 44

Type: NUM

SAS Variable Name: CUR_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.2 Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	642	57.99	59.54
2	No	412	37.22	39.07
7	Don't know/Not sure	53	4.79	1.39
BLANK	Not asked or missing	10,349		

PERMISSION TO COMBINE THE ANSWER WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 45

Type: NUM

SAS Variable Name: PERMISS

Prologue:

Description: Q2.3 May we combine your answers to this survey with your answers from the survey you did a few weeks ago?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,680	49.58	75.51
7	Don't know/Not sure	5,776	50.42	24.49

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

AGE AT ASTHMA DIAGNOSIS

Survey: ADULT Asthma Call-Back

Column: 46-48

Type: NUM

SAS Variable Name: AGEDX

Prologue:

Description: Q3.1 How old were you when you were first told by a doctor or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 115	Age in years	10,125	88.38	88.50
777	Don't know	860	7.51	5.60
888	Less than 1 year old	467	4.08	5.88
999	Refused	4	0.03	0.01

TIME SINCE DIAGNOSIS

Survey: ADULT Asthma Call-Back

Column: 49

Type: NUM

SAS Variable Name: INCIDNT

Prologue:

Description: Q3.2 How long ago was that?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past 12 months	230	2.01	1.68
2	One to five years ago	961	8.39	7.63
3	More than 5 years ago	10,228	89.28	90.50
7	Don't know	34	0.30	0.17
9	Refused	3	0.03	0.03

LAST TALKED TO A DOCTOR

Survey: ADULT Asthma Call-Back

Column: 50-51

Type: NUM

SAS Variable Name: LAST_MD

Prologue:

Description: Q3.3 How long has it been since you last talked to a doctor or other health professional about your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Within the past year	6,479	56.56	49.43
5	One year to less than 3 years ago	1,576	13.76	15.40
6	Three years to five years ago	718	6.27	8.64
7	More than five years ago	2,473	21.59	24.71
77	Don't know	99	0.86	0.74
88	Never	107	0.93	1.06
99	Refused	4	0.03	0.02

LAST TOOK ASTHMA MEDICATION

Survey: ADULT Asthma Call-Back

Column: 52-53

Type: NUM

SAS Variable Name: LAST_MED

Prologue:

Description: Q3.4 How long has it been since you last took asthma medication?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	4,007	34.98	27.04
2	1-6 days ago	986	8.61	7.57
3	1 week to less than 3 months ago	1,230	10.74	10.03
4	3 months to less than 1 year ago	1,036	9.04	10.77
5	1 year to less than 3 years ago	915	7.99	10.33
6	3 years to 5 years ago	505	4.41	5.85
7	More than 5 years ago	2,352	20.53	24.71
77	Don't know	81	0.71	0.38
88	Never	333	2.91	3.22
99	Refused	11	0.10	0.11

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

LAST HAD ANY SYMPTOMS OF ASTHMA

Survey: ADULT Asthma Call-Back

Column: 54-55

Prologue:

Description: Q3.5 How long has it been since you last had any symptoms of asthma?

Type: NUM
SAS Variable Name: LASTSYMP

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	3,031	26.46	20.89
2	1-6 days ago	1,417	12.37	12.21
3	1 week to less than 3 months ago	2,028	17.70	16.67
4	3 months to less than 1 year ago	1,325	11.57	12.39
5	1 year to less than 3 years ago	890	7.77	9.88
6	3 years to 5 years ago	433	3.78	5.30
7	More than 5 years ago	2,015	17.59	20.02
77	Don't know	227	1.98	1.56
88	Never	81	0.71	0.97
99	Refused	9	0.08	0.12

SYMPTOM DAYS

Survey: ADULT Asthma Call-Back

Column: 56-58

Prologue:

Description: Q4.1 During the past 30 days, on how many days did you have any symptoms of asthma?

Type: NUM
SAS Variable Name: SYMP_30D

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 29	Days	3,999	34.91	34.73
30	Every day	1,894	16.53	10.76
66	No symptoms past one year, skip filled	3,419	29.84	36.16
77	Don't know	194	1.69	0.93
88	No symptoms in the past 30 days	619	5.40	4.89
99	Refused	6	0.05	0.13
100	Symptoms 3 months to 1 year ago, skip filled	1,325	11.57	12.39

CONSTANT SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 59-60

Prologue:

Description: Q4.2 Do you have symptoms all the time? "All the time" means symptoms that continue throughout the day. It does not mean symptoms for a little while each day.

Type: NUM
SAS Variable Name: DUR_30D

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	994	8.68	6.00
2	No	845	7.38	4.58
6	Last symptoms one+ years ago, skip filled	3,419	29.84	36.16
7	Don't know	50	0.44	0.17
9	Refused	5	0.04	0.02
10	Last symptoms 3 months - 1 year ago, skip filled	1,325	11.57	12.39
11	No symptoms 'SYMP_30D' skip filled	619	5.40	4.89
12	1-29 'SYMP_30D' skip filled	3,999	34.91	34.73
77	Don't know 'SYMP_30D' skip filled	194	1.69	0.93
99	Refused 'SYMP_30D' skip filled	6	0.05	0.13

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NIGHT SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 61-63

Type: NUM

SAS Variable Name: ASLEEP30

Prologue:

Description: Q4.3 During the past 30 days, on how many days did symptoms of asthma make it difficult for you to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Days/Nights	2,705	23.61	21.76
66	No symptoms past one year, skip filled	3,419	29.84	36.16
77	Don't know	264	2.30	1.36
88	None	3,118	27.22	23.27
99	Refused	6	0.05	0.17
100	Symptoms 3 months to 1 year ago, skip filled	1,325	11.57	12.39
111	No symptoms in the past 30 days, skip filled	619	5.40	4.89

SYMPTOM-FREE DAYS

Survey: ADULT Asthma Call-Back

Column: 64-65

Type: NUM

SAS Variable Name: SYMPFREE

Prologue:

Description: Q4.4 During the past two weeks, on how many days were you completely symptom-free, that is no coughing, wheezing, or other symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	Days/Nights	8,836	77.13	84.53
77	Don't know	177	1.55	0.83
88	None	2,434	21.25	14.56
99	Refused	9	0.08	0.08

ASTHMA EPISODE OR ATTACK

Survey: ADULT Asthma Call-Back

Column: 66

Type: NUM

SAS Variable Name: EPIS_12M

Prologue:

Description: Q4.5 During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,397	38.38	34.16
2	No	3,546	30.95	29.20
6	No symptoms past 1 year, skip filled	3,419	29.84	36.16
7	Don't know	90	0.79	0.41
9	Refused	4	0.03	0.07

NUMBER OF EPISODES / ATTACKS

Survey: ADULT Asthma Call-Back

Column: 67-70

Type: NUM

SAS Variable Name: EPIS_TP

Prologue:

Description: Q4.6 During the past three months, how many asthma episodes or attacks have you had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Episodes	3,287	28.69	25.74
666	No symptoms past 1 year, skip filled	3,419	29.84	36.16
777	Don't know	301	2.63	1.57
888	None	802	7.00	6.78
999	Refused	7	0.06	0.06
1111	No episode/asthma attack past year, skip filled	3,640	31.77	29.67

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DURATION OF ATTACK

Survey: ADULT Asthma Call-Back

Column: 71-74

Prologue:

Description: Q4.7 How long did your most recent asthma episode or attack last?

Type: NUM

SAS Variable Name: DUR_ASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Minutes	1,836	16.03	15.96
201 - 299	Hours	1,107	9.66	8.22
301 - 399	Days	815	7.11	5.89
401 - 499	Weeks	387	3.38	2.47
555	Never	9	0.08	0.08
666	No symptoms past 1 year, skip filled	3,419	29.84	36.16
777	Don't know	232	2.03	1.45
999	Refused	11	0.10	0.07
1111	No episode/asthma attack past year, skip filled	3,640	31.77	29.67

TYPICAL ATTACK

Survey: ADULT Asthma Call-Back

Column: 75-76

Prologue:

Description: Q4.8 Compared with other episodes or attacks, was this most recent attack shorter, longer, or about the same?

Type: NUM

SAS Variable Name: COMPASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Shorter	1,003	8.76	7.10
2	Longer	708	6.18	5.67
3	About the same	2,614	22.82	20.84
4	The most recent attack was actually the first attack	20	0.17	0.17
6	No symptoms past year, skip filled	3,419	29.84	36.16
7	Don't know	50	0.44	0.36
9	Refused	2	0.02	0.03
11	No episode/asthma attack past year, skip filled	3,640	31.77	29.67

INSURANCE

Survey: ADULT Asthma Call-Back

Column: 77

Prologue:

Description: QINS1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare or Medicaid?

Type: NUM

SAS Variable Name: INS1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,273	89.67	83.01
2	No	1,154	10.07	16.51
7	Don't know/Not sure	23	0.20	0.45
9	Refused	6	0.05	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

INSURANCE OR COVERAGE GAP

Survey: ADULT Asthma Call-Back

Column: 78

Type: NUM

SAS Variable Name: INS2

Prologue:

Description: QINS2 During the past 12 months, was there any time that you did not have any health insurance or coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	524	4.57	6.22
2	No	9,733	84.96	76.46
5	No insurance at time of interview, skip filled	1,154	10.07	16.51
7	Don't know	34	0.30	0.60
9	Refused	11	0.10	0.20

NUMBER OF ROUTINE CHECKUPS PAST 12 MONTHS

Survey: ADULT Asthma Call-Back

Column: 79-81

Type: NUM

SAS Variable Name: NER_TIME

Prologue:

Description: Q5.1 During the past 12 months, how many times did you see a doctor or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	5,027	43.88	37.02
555	No current asthma, nothing happened past year, skip filled	2,322	20.27	26.45
666	No MD visit past year, skip filled	2,591	22.62	23.73
777	Don't know	130	1.13	0.99
888	None	1,374	11.99	11.73
999	Refused	12	0.10	0.08

EMERGENCY ROOM VISIT

Survey: ADULT Asthma Call-Back

Column: 82

Type: NUM

SAS Variable Name: ER_VISIT

Prologue: An urgent care center treats people with illness or injuries that must be addressed immediately and cannot wait for a regular medical appointment.

Description: Q5.2 During the past 12 months, have you had to visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,119	9.77	8.95
2	No	5,402	47.15	40.77
5	No current asthma, nothing happened past year, skip filled	2,322	20.27	26.45
6	No MD visit past year, skip filled	2,591	22.62	23.73
7	Don't know	21	0.18	0.10
9	Refused	1	0.01	0.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NUMBER OF EMERGENCY ROOM VISITS

Survey: ADULT Asthma Call-Back

Column: 83-85

Type: NUM

SAS Variable Name: ER_TIMES

Prologue:

Description: Q5.3 During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	1,107	9.66	8.78
555	No current asthma, nothing happened past year, skip filled	2,322	20.27	26.45
666	No MD visit past year, skip filled	2,591	22.62	23.73
677	MD visit, no ER visit past year, skip filled	5,402	47.15	40.77
777	Don't know	32	0.28	0.26
999	Refused	2	0.02	0.01

NUMBER OF URGENT VISITS

Survey: ADULT Asthma Call-Back

Column: 86-88

Type: NUM

SAS Variable Name: URG_TIME

Prologue:

Description: Q5.4 During the past 12 months, how many times did you see a doctor or other health professional for urgent treatment of worsening asthma symptoms or for an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	1,976	17.25	14.45
555	No current asthma, nothing happened past year, skip filled	2,322	20.27	26.45
666	No MD visit past year, skip filled	2,591	22.62	23.73
777	Don't know	113	0.99	0.63
888	None	4,447	38.82	34.72
999	Refused	7	0.06	0.02

HOSPITAL VISIT

Survey: ADULT Asthma Call-Back

Column: 89

Type: NUM

SAS Variable Name: HOSP_VST

Prologue:

Description: Q5.5 During the past 12 months, that is since [one year ago today], have you had to stay overnight in a hospital because of your asthma? Do not include an overnight stay in the emergency room.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	336	2.93	2.66
2	No	5,574	48.66	42.38
4	MD visit, no symptoms past year, skip filled	615	5.37	4.70
5	No current asthma, nothing happened past year, skip filled	2,322	20.27	26.45
6	No MD visit past year, skip filled	2,591	22.62	23.73
7	Don't know	17	0.15	0.07
9	Refused	1	0.01	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NUMBER OF HOSPITAL VISITS

Survey: ADULT Asthma Call-Back

Column: 90-92

Type: NUM

SAS Variable Name: HOSPTIME

Prologue:

Description: Q5.6a During the past 12 months, how many different times did you stay in any hospital overnight or longer because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	330	2.88	2.65
444	MD visit, no symptoms past year, skip filled	615	5.37	4.70
455	MD visit, symptoms, no hospital visit past year, skip filled	5,574	48.66	42.38
555	No current asthma, nothing happened past year, skip filled	2,322	20.27	26.45
666	No MD visit past year, skip filled	2,591	22.62	23.73
777	Don't know	22	0.19	0.09
999	Refused	2	0.02	0.00

HOSPITAL FOLLOW-UP

Survey: ADULT Asthma Call-Back

Column: 93-94

Type: NUM

SAS Variable Name: HOSPPLAN

Prologue:

Description: Q5.7 The last time you left the hospital, did a health professional talk with you about how to prevent serious attacks in the future?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	242	2.11	2.22
2	No	90	0.79	0.44
4	MD visit, no symptoms past year, skip filled	615	5.37	4.70
5	No current asthma, nothing happened past year, skip filled	2,322	20.27	26.45
6	No MD visit past year, skip filled	2,591	22.62	23.73
7	Don't know	21	0.18	0.07
9	Refused	1	0.01	0.00
45	MD visit, symptoms, no hospital visit past year, skip filled	5,574	48.66	42.38

NUMBER OF MISSED DAYS

Survey: ADULT Asthma Call-Back

Column: 95-97

Type: NUM

SAS Variable Name: MISS_DAY

Prologue:

Description: Q5.8a During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	2,665	23.26	21.33
555	No current asthma, nothing happened past year, skip filled	2,322	20.27	26.45
777	Don't know	433	3.78	2.60
888	Zero	6,003	52.40	49.19
999	Refused	33	0.29	0.43

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ACTIVITY LIMITATION

Survey: ADULT Asthma Call-Back

Column: 98

Type: NUM

SAS Variable Name: ACT_DAYS30

Prologue:

Description: Q5.9 During just the past 30 days, would you say you limited your usual activities due to asthma not at all, a little, a moderate amount, or a lot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at all	4,474	39.05	38.40
2	A little	2,549	22.25	20.76
3	A moderate amount	1,264	11.03	9.01
4	A lot	799	6.97	5.08
5	No current asthma, nothing happened past year, skip filled	2,322	20.27	26.45
7	Don't know	45	0.39	0.28
9	Refused	3	0.03	0.02

EVER TAUGHT RECOGNIZE EARLY SIGN OR SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 99

Type: NUM

SAS Variable Name: TCH_SIGN

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.1 . . . how to recognize early signs or symptoms of an asthma episode?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,943	60.61	61.00
2	No	4,245	37.05	36.81
7	Don't know/Not sure	265	2.31	2.16
9	Refused	3	0.03	0.03

EVER TAUGHT WHAT TO DO DURING ASTHMA EPISODE OR ATTACK

Survey: ADULT Asthma Call-Back

Column: 100

Type: NUM

SAS Variable Name: TCH_RESP

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.2 . . . what to do during an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,144	71.09	71.94
2	No	3,071	26.81	26.12
7	Don't know/Not sure	238	2.08	1.87
9	Refused	3	0.03	0.07

EVER TAUGHT HOW TO USE A PEAK FLOW

Survey: ADULT Asthma Call-Back

Column: 101

Type: NUM

SAS Variable Name: TCH_MON

Prologue: A peak flow meter is a hand held device that measures how quickly you can blow air out of your lungs. Has a doctor or other health professional ever taught you . . .

Description: Q6.3 . . . how to use a peak flow meter to adjust your daily medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,386	38.29	41.07
2	No	6,906	60.28	57.76
7	Don't know/Not sure	152	1.33	1.10
9	Refused	12	0.10	0.07

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

EVER GIVEN AN ASTHMA ACTION PLAN

Survey: ADULT Asthma Call-Back

Column: 102

Type: NUM

SAS Variable Name: MGT_PLAN

Prologue: An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

Description: Q6.4 Has a doctor or other health professional EVER given you an asthma action plan?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,954	25.79	26.04
2	No	8,241	71.94	71.20
7	Don't know/Not sure	254	2.22	2.74
9	Refused	7	0.06	0.01

EVER TAKEN A COURSE TO MANAGE ASTHMA

Survey: ADULT Asthma Call-Back

Column: 103

Type: NUM

SAS Variable Name: MGT_CLAS

Prologue:

Description: Q6.5 Have you ever taken a course or class on how to manage your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	988	8.62	8.33
2	No	10,430	91.04	91.40
7	Don't know/Not sure	37	0.32	0.24
9	Refused	1	0.01	0.03

AIR CLEANER USED

Survey: ADULT Asthma Call-Back

Column: 104

Type: NUM

SAS Variable Name: AIRCLEANER

Prologue: An air cleaner or purifier filters pollutants like dust, pollen, mold and chemicals out of the indoor air. It can be attached to the furnace or free standing. It is not, however, the same as a normal furnace filter.

Description: Q7.1 Is an air cleaner or purifier regularly used inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,862	24.98	25.44
2	No	8,518	74.35	73.92
7	Don't know/Not sure	73	0.64	0.63
9	Refused	3	0.03	0.01

DEHUMIDIFIER USED

Survey: ADULT Asthma Call-Back

Column: 105

Type: NUM

SAS Variable Name: DEHUMID

Prologue:

Description: Q7.2 Is a dehumidifier regularly used to reduce moisture inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,573	22.46	23.05
2	No	8,834	77.11	76.48
7	Don't know/Not sure	47	0.41	0.44
9	Refused	2	0.02	0.02

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

EXHAUST FAN USED

Survey: ADULT Asthma Call-Back

Column: 106

Prologue:

Description: Q7.3 Is an exhaust fan that vents to the outside used regularly when cooking in your kitchen?

Type: NUM

SAS Variable Name: KITC_FAN

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,407	55.93	59.85
2	No	4,983	43.50	39.55
7	Don't know/Not sure	64	0.56	0.57
9	Refused	2	0.02	0.04

GAS USED

Survey: ADULT Asthma Call-Back

Column: 107

Prologue:

Description: Q7.4 Is gas used for cooking?

Type: NUM

SAS Variable Name: COOK_GAS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,643	40.53	50.40
2	No	6,791	59.28	49.35
7	Don't know/Not sure	20	0.17	0.24
9	Refused	2	0.02	0.02

SAW OR SMELLED MOLD PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 108

Prologue:

Description: Q7.5 In the past 30 days, has anyone seen or smelled mold or a musty odor inside your home? Do not include mold on food.

Type: NUM

SAS Variable Name: ENV_MOLD

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,197	10.45	9.53
2	No	10,208	89.11	90.17
7	Don't know/Not sure	49	0.43	0.28
9	Refused	2	0.02	0.02

INDOOR PETS

Survey: ADULT Asthma Call-Back

Column: 109

Prologue:

Description: Q7.6 Does your household have pets such as dogs, cats, hamsters, birds or other feathered or furry pets that spend time indoors?

Type: NUM

SAS Variable Name: ENV_PETS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,373	55.63	57.17
2	No	5,078	44.33	42.83
7	Don't know/Not sure	4	0.03	0.01
9	Refused	1	0.01	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PETS ALLOWED IN BEDROOM

Survey: ADULT Asthma Call-Back

Column: 110

Prologue:

Description: Q7.7 Are pets allowed in your bedroom?

Type: NUM

SAS Variable Name: PETBEDRM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,852	42.35	42.93
2	No	1,480	12.92	14.05
3	Some are/some aren't	35	0.31	0.14
6	No pets, skip coded	5,083	44.37	42.83
7	Don't know	4	0.03	0.04
9	Refused	2	0.02	0.01

SAW COCKROACH INSIDE YOUR HOME PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 111

Prologue:

Description: Q7.8 In the past 30 days, has anyone seen a cockroach inside your home?

Type: NUM

SAS Variable Name: C_ROACH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,111	9.70	11.21
2	No	10,330	90.17	88.73
7	Don't know/Not sure	15	0.13	0.06

SAW MICE OR RATS INSIDE YOUR HOME PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 112

Prologue:

Description: Q7.9 In the past 30 days, has anyone seen mice or rats inside your home? Do not include mice or rats kept as pets.

Type: NUM

SAS Variable Name: C_RODENT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	755	6.59	5.96
2	No	10,682	93.24	93.83
7	Don't know/Not sure	16	0.14	0.19
9	Refused	3	0.03	0.01

FIREPLACE OR WOOD STOVE USED

Survey: ADULT Asthma Call-Back

Column: 113

Prologue:

Description: Q7.10 Is a wood burning fireplace or wood burning stove used in your home?

Type: NUM

SAS Variable Name: WOOD_STOVE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,840	16.06	15.21
2	No	9,605	83.84	84.74
7	Don't know/Not sure	11	0.10	0.05

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

GAS APPLIANCE USED

Survey: ADULT Asthma Call-Back

Column: 114

Type: NUM

SAS Variable Name: GAS_STOVE

Prologue:

Description: Q7.11 Are unvented gas logs, unvented gas fireplace, or unvented gas stove used in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	704	6.15	6.93
2	No	10,692	93.33	92.36
7	Don't know/Not sure	56	0.49	0.67
9	Refused	4	0.03	0.04

ANYONE SMOKED INSIDE YOUR HOME

Survey: ADULT Asthma Call-Back

Column: 115

Type: NUM

SAS Variable Name: S_INSIDE

Prologue:

Description: Q7.12 In the past week, has anyone smoked inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,577	13.77	15.06
2	No	9,874	86.19	84.91
7	Don't know/Not sure	5	0.04	0.03

EVER ADVISED CHANGE THINGS IN YOUR HOME

Survey: ADULT Asthma Call-Back

Column: 116

Type: NUM

SAS Variable Name: MOD_ENV

Prologue:

Description: Q7.13 Has a health professional ever advised you to change things in your home, school, or work to improve your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,821	33.35	32.71
2	No	7,562	66.01	66.44
7	Don't know/Not sure	69	0.60	0.80
9	Refused	4	0.03	0.04

USE A MATTRESS COVER

Survey: ADULT Asthma Call-Back

Column: 117

Type: NUM

SAS Variable Name: MATTRESS

Prologue:

Description: Q7.14 Do you use a mattress cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,722	32.49	30.79
2	No	7,473	65.23	67.53
7	Don't know/Not sure	259	2.26	1.67
9	Refused	2	0.02	0.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

USE A PILLOW COVER

Survey: ADULT Asthma Call-Back

Column: 118

Prologue:

Type: NUM

SAS Variable Name: E_PILLOW

Description: Q7.15 Do you use a pillow cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,186	27.81	24.95
2	No	8,132	70.98	74.35
7	Don't know/Not sure	137	1.20	0.69
9	Refused	1	0.01	0.01

CARPETING OR RUGS IN YOUR BEDROOM

Survey: ADULT Asthma Call-Back

Column: 119

Prologue:

Type: NUM

SAS Variable Name: CARPET

Description: Q7.16 Do you have carpeting or rugs in your bedroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,439	64.94	61.62
2	No	4,009	34.99	38.29
7	Don't know/Not sure	6	0.05	0.08
9	Refused	2	0.02	0.01

WASH WATER TEMPERATURE

Survey: ADULT Asthma Call-Back

Column: 120

Prologue:

Type: NUM

SAS Variable Name: HOTWATER

Description: Q7.17 Are your sheets and pillowcases washed in cold, warm, or hot water?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cold	2,905	25.36	27.42
2	Warm	3,571	31.17	29.68
3	Hot	4,299	37.53	36.04
4	Varies	376	3.28	3.67
7	Don't know/Not sure	298	2.60	3.15
9	Refused	7	0.06	0.04

USE AN EXHAUST FAN IN YOUR BATHROOM

Survey: ADULT Asthma Call-Back

Column: 121

Prologue:

Type: NUM

SAS Variable Name: BATH_FAN

Description: Q7.18 In your bathroom, do you regularly use an exhaust fan that vents to the outside?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,675	58.27	57.33
2	No or "No Fan"	4,719	41.19	42.36
7	Don't know/Not sure	62	0.54	0.31

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

EVER USED OVER-THE-COUNTER MEDICATION

Survey: ADULT Asthma Call-Back

Column: 122

Type: NUM

SAS Variable Name: OTC

Prologue: The next set of questions is about medications for asthma. The first few questions are very general, but later questions are very specific to your medication use.

Description: Q8.1 Over-the-counter medication can be bought without a doctor's order. Have you ever used over-the-counter medication for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,145	27.45	26.21
2	No	7,875	68.74	69.69
5	Never took asthma medication, skip filled	333	2.91	3.22
7	Don't know	100	0.87	0.86
9	Refused	3	0.03	0.02

EVER USED PRESCRIPTION INHALER

Survey: ADULT Asthma Call-Back

Column: 123

Type: NUM

SAS Variable Name: INHALERE

Prologue:

Description: Q8.2 Have you ever used a prescription inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10,411	90.88	91.54
2	No	686	5.99	5.07
5	Never took asthma medication, skip filled	333	2.91	3.22
7	Don't know	25	0.22	0.18
9	Refused	1	0.01	0.00

PROFESSIONAL INHALER INSTRUCTION

Survey: ADULT Asthma Call-Back

Column: 124

Type: NUM

SAS Variable Name: INHALERH

Prologue:

Description: Q8.3 Did a doctor or other health professional show you how to use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,867	86.13	87.08
2	No	499	4.36	4.01
5	Never took asthma medication, skip filled	333	2.91	3.22
6	Never used prescription inhaler, skip filled	712	6.22	5.25
7	Don't know	45	0.39	0.45

INHALER USE WATCHED

Survey: ADULT Asthma Call-Back

Column: 125

Type: NUM

SAS Variable Name: INHALERW

Prologue:

Description: Q8.4 Did a doctor or other health professional watch you use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7,766	67.79	68.20
2	No	2,247	19.61	19.94
5	Never took asthma medication, skip filled	333	2.91	3.22
6	Never used prescription inhaler, skip filled	712	6.22	5.25
7	Don't know	397	3.47	3.39
9	Refused	1	0.01	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

MEDICATION IN HAND

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 126

SAS Variable Name: SCR_MED1

Prologue: Now I am going to ask questions about specific prescription medications you may have taken for asthma in the past 3 months. I will be asking for the name, amount, and how often you take each medicine.

Description: Q8.5 It will help to get your medicines so you can read the labels. Can you please go get the asthma medicines while I wait on the phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,680	32.12	24.92
2	No	347	3.03	3.05
3	Respondent knows the meds	2,155	18.81	16.38
4	No asthma med. past 3 months, skip filled	4,900	42.77	52.15
5	Never took asthma medication, skip filled	333	2.91	3.22
7	Don't know	24	0.21	0.20
9	Refused	17	0.15	0.08

HAVE ALL THE MEDICATIONS

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 127-128

SAS Variable Name: SCR_MED3

Prologue:

Description: Q8.7 Do you have all the medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, I have all the medications	3,496	30.52	23.45
2	Yes, I have some of the medications but not all	144	1.26	1.25
3	No	30	0.26	0.19
4	No asthma med. past 3 months, skip filled	4,900	42.77	52.15
5	Never took asthma medication, skip filled	333	2.91	3.22
7	Don't know	5	0.04	0.01
9	Refused	5	0.04	0.02
10	Know or no handy asthma medicines, skip filled	2,543	22.20	19.71

TAKEN PRESCRIPTION INHALER PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 129

SAS Variable Name: INH_SCR

Prologue:

Description: Q8.8 In the past 3 months have you taken prescription asthma medicine using an inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, inhaler in past 3 months	5,658	49.39	40.81
2	No inhaler in past 3 months	465	4.06	3.35
4	No asthma med. past 3 months, skip filled	4,900	42.77	52.15
5	Never took asthma medication, skip filled	333	2.91	3.22
6	Asthma med. past 3 months, never used inhaler, skip filled	84	0.73	0.41
7	Don't know	12	0.10	0.05
9	Refused	4	0.03	0.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TAKEN MEDICATION IN PILL PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 130

Type: NUM

SAS Variable Name: PILLS

Prologue:

Description: Q8.20 In the past 3 months, have you taken any medicine in pill form for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,468	12.81	9.70
2	No	4,403	38.43	33.06
4	No asthma med. past 3 months, skip filled	4,900	42.77	52.15
5	Never took asthma medication, skip filled	333	2.91	3.22
7	Don't know	348	3.04	1.86
9	Refused	4	0.03	0.01

TAKEN MEDICATION IN SYRUP PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 131

Type: NUM

SAS Variable Name: SYRUP

Prologue:

Description: Q8.23 In the past 3 months, have you taken any prescription asthma medication in syrup form?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	35	0.31	0.29
2	No	6,032	52.65	43.46
4	No asthma med. past 3 months, skip filled	4,900	42.77	52.15
5	Never took asthma medication, skip filled	333	2.91	3.22
7	Don't know	152	1.33	0.87
9	Refused	4	0.03	0.01

TAKEN MEDICATION WITH A NEBULIZER PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 132

Type: NUM

SAS Variable Name: NEB_SCR

Prologue: A nebulizer is a small machine with a tube and facemask or mouthpiece that you breathe through continuously.

Description: Q8.25 In the past 3 months, were any of your asthma medicines used with a nebulizer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,460	12.74	10.33
2	No	4,494	39.23	32.57
4	No asthma med. past 3 months, skip filled	4,900	42.77	52.15
5	Never took asthma medication, skip filled	333	2.91	3.22
7	Don't know	263	2.30	1.71
9	Refused	6	0.05	0.03

NEBULIZER AT HOME

Survey: ADULT Asthma Call-Back

Column: 133

Type: NUM

SAS Variable Name: NEB_PLCA

Prologue: I am going to read a list of places where you might have used a nebulizer. Please answer "yes" if you have used a nebulizer in the place I mention; otherwise, answer "no." In the past 3 months, did you use a nebulizer . . .

Description: Q8.26a . . . at home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,408	12.29	10.03
2	No	49	0.43	0.28
4	No asthma med. past 3 months, skip filled	4,900	42.77	52.15
5	Never took asthma medication, skip filled	333	2.91	3.22
7	Don't know	3	0.03	0.01
8	No neb. in past 3 months, skip filled	4,763	41.58	34.30

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEBULIZER AT DOCTOR'S OFFICE

Survey: ADULT Asthma Call-Back

Column: 134

Type: NUM

SAS Variable Name: NEB_PLCB

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26b . . . at a doctor's office?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	346	3.02	2.96
2	No	1,108	9.67	7.35
4	No asthma med. past 3 months, skip filled	4,900	42.77	52.15
5	Never took asthma medication, skip filled	333	2.91	3.22
7	Don't know	6	0.05	0.02
8	No neb. in past 3 months, skip filled	4,763	41.58	34.30

NEBULIZER IN EMERGENCY ROOM

Survey: ADULT Asthma Call-Back

Column: 135

Type: NUM

SAS Variable Name: NEB_PLCC

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26c . . . in an emergency room?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	392	3.42	3.12
2	No	1,062	9.27	7.19
4	No asthma med. past 3 months, skip filled	4,900	42.77	52.15
5	Never took asthma medication, skip filled	333	2.91	3.22
7	Don't know	6	0.05	0.02
8	No neb. in past 3 months, skip filled	4,763	41.58	34.30

NEBULIZER AT WORK OR SCHOOL

Survey: ADULT Asthma Call-Back

Column: 136

Type: NUM

SAS Variable Name: NEB_PLCD

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26d . . . at work (or a school)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	99	0.86	1.40
2	No	1,357	11.85	8.91
4	No asthma med. past 3 months, skip filled	4,900	42.77	52.15
5	Never took asthma medication, skip filled	333	2.91	3.22
7	Don't know	4	0.03	0.02
8	No neb. in past 3 months, skip filled	4,763	41.58	34.30

NEBULIZER AT ANY OTHER PLACE

Survey: ADULT Asthma Call-Back

Column: 137

Type: NUM

SAS Variable Name: NEB_PLCE

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26e . . . at any other place?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	227	1.98	1.88
2	No	1,224	10.68	8.37
4	No asthma med. past 3 months, skip filled	4,900	42.77	52.15
5	Never took asthma medication, skip filled	333	2.91	3.22
7	Don't know	9	0.08	0.08
8	No neb. in past 3 months, skip filled	4,763	41.58	34.30

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

COST BARRIER: PRIMARY CARE DOCTOR

Survey: ADULT Asthma Call-Back

Column: 138

Type: NUM

SAS Variable Name: ASMDCOST

Prologue:

Description: Q9.1 Was there a time in the past 12 months when you needed to see your primary care doctor for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	845	7.38	8.49
2	No	8,253	72.05	64.79
5	No current asthma, skip filled	2,322	20.27	26.46
7	Don't know	29	0.25	0.21
9	Refused	6	0.05	0.06
BLANK	Partial complete	1		

COST BARRIER: SPECIALIST

Survey: ADULT Asthma Call-Back

Column: 139

Type: NUM

SAS Variable Name: ASSPCOST

Prologue:

Description: Q9.2 Was there a time in the past 12 months when you were referred to a specialist for asthma care but could not go because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	446	3.89	4.88
2	No	8,658	75.58	68.46
5	No current asthma, skip filled	2,322	20.27	26.46
7	Don't know	27	0.24	0.20
9	Refused	2	0.02	0.01
BLANK	Partial complete	1		

COST BARRIER: MEDICATION

Survey: ADULT Asthma Call-Back

Column: 140

Type: NUM

SAS Variable Name: ASRXCOST

Prologue:

Description: Q9.3 Was there a time in the past 12 months when you needed to buy medication for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,363	11.90	12.17
2	No	7,738	67.55	61.22
5	No current asthma, skip filled	2,322	20.27	26.46
7	Don't know	30	0.26	0.13
9	Refused	2	0.02	0.02
BLANK	Partial complete	1		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

CURRENT EMPLOYMENT STATUS

Survey: ADULT Asthma Call-Back

Column: 141

Prologue:

Description: Q10.1 Next, we are interested in things that affect asthma in the workplace. However, first I'd like to ask how you would describe your current employment status. Would you say ...

Type: NUM

SAS Variable Name: EMP_STAT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed full-time	3,594	31.38	35.85
2	Employed part-time	1,366	11.93	16.54
3	Not employed	6,457	56.37	47.40
7	Don't know	25	0.22	0.16
9	Refused	12	0.10	0.05
BLANK	Partial complete	2		

REASON NOT NOW EMPLOYED

Survey: ADULT Asthma Call-Back

Column: 142-143

Prologue:

Description: Q10.2 What is the main reason you are not now employed?

Type: NUM

SAS Variable Name: UNEMP_R

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Keeping house	447	3.90	4.02
2	Going to school	186	1.62	5.67
3	Retired	3,235	28.24	14.69
4	Disabled	1,400	12.22	10.21
5	Unable to work for other health reasons	560	4.89	4.19
6	Looking for work	202	1.76	3.61
7	Laid off	113	0.99	1.30
8	Other	289	2.52	3.44
66	Now Employed, skip filled	4,960	43.30	52.39
77	Don't know	16	0.14	0.17
88	Unknown Employment, skip filled	37	0.32	0.21
99	Refused	9	0.08	0.12
BLANK	Partial complete	2		

EVER EMPLOYED OUTSIDE HOME

Survey: ADULT Asthma Call-Back

Column: 144

Prologue:

Description: Q10.3 Have you ever been employed outside the home?

Type: NUM

SAS Variable Name: EMP_EVER1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,230	54.39	43.64
2	No	244	2.13	3.87
6	Now Employed, skip filled	4,960	43.30	52.39
7	Don't know	18	0.16	0.09
9	Refused	2	0.02	0.01
BLANK	Partial complete	2		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ASTHMA AGGRAVATED BY CURRENT JOB

Survey: ADULT Asthma Call-Back

Column: 145

Type: NUM

SAS Variable Name: WORKENV5

Prologue:

Description: Q10.4 Are your asthma symptoms MADE WORSE by things like chemicals, smoke, dust or mold in your CURRENT job?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,193	10.42	11.18
2	No	2,445	21.35	23.45
5	Now employed former/inactive/unknown asthma, skip filled	1,256	10.97	16.82
6	Never employed, skip filled	244	2.13	3.87
7	Don't know	55	0.48	0.54
8	Past employment unknown, skip filled	20	0.17	0.10
9	Refused	11	0.10	0.40
10	Previously but not currently employed, skip filled	6,230	54.39	43.64
BLANK	Partial complete	2		

ASTHMA CAUSED BY CURRENT JOB

Survey: ADULT Asthma Call-Back

Column: 146

Type: NUM

SAS Variable Name: WORKENV6

Prologue:

Description: Q10.5 Was your asthma first CAUSED by things like chemicals, smoke, dust or mold in your CURRENT job?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	371	3.24	4.15
2	No	4,423	38.62	46.76
6	Never employed, skip filled	244	2.13	3.87
7	Don't know	164	1.43	1.48
8	Past employment unknown, skip filled	20	0.17	0.10
9	Refused	2	0.02	0.00
10	Previously but not currently employed, skip filled	6,230	54.39	43.64
BLANK	Partial complete	2		

ASTHMA AGGRAVATED BY PREVIOUS JOB

Survey: ADULT Asthma Call-Back

Column: 147

Type: NUM

SAS Variable Name: WORKENV7

Prologue:

Description: Q10.6 Were your asthma symptoms MADE WORSE by things like chemicals, smoke, dust or mold in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,279	37.36	31.66
2	No	6,245	54.52	58.43
5	Caused by current job, skip filled	371	3.24	4.15
6	Never employed, skip filled	244	2.13	3.87
7	Don't know	287	2.51	1.73
8	Past employment unknown, skip filled	20	0.17	0.10
9	Refused	8	0.07	0.06
BLANK	Partial complete	2		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ASTHMA CAUSED BY PREVIOUS JOB

Survey: ADULT Asthma Call-Back

Column: 148

Type: NUM

SAS Variable Name: WORKENV8

Prologue:

Description: Q10.7 Was your asthma first CAUSED by things like chemicals, smoke, dust or mold in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,895	16.54	12.00
2	No	8,012	69.95	74.58
5	Caused by current job, skip filled	371	3.24	4.15
6	Never employed, skip filled	244	2.13	3.87
7	Don't know	901	7.87	5.27
8	Past employment unknown, skip filled	20	0.17	0.10
9	Refused	11	0.10	0.04
BLANK	Partial complete	2		

EVER CHANGE OR QUIT A JOB

Survey: ADULT Asthma Call-Back

Column: 149

Type: NUM

SAS Variable Name: WORKQUIT1

Prologue:

Description: Q10.8 Did you ever lose or quit a job because things in the workplace, like chemicals, smoke, dust or mold, caused your asthma or made your asthma symptoms worse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	989	8.63	7.28
2	No	3,486	30.43	25.44
5	Caused by current job, skip filled	371	3.24	4.15
6	Never employed, skip filled	244	2.13	3.87
7	Don't know	18	0.16	0.07
8	Past employment unknown, skip filled	20	0.17	0.10
9	Refused	5	0.04	0.02
55	Not made worse or caused in any previous job, skip filled	6,321	55.19	59.07
BLANK	Partial complete	2		

DOCTOR DISCUSSED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 150

Type: NUM

SAS Variable Name: WORKTALK

Prologue:

Description: Q10.9 Did you and a doctor or other health professional ever DISCUSS whether your asthma could have been caused by, or your symptoms made worse by, any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,050	17.90	14.82
2	No	9,009	78.65	80.48
6	Never employed, skip filled	244	2.13	3.87
7	Don't know	124	1.08	0.71
8	Past employment unknown, skip filled	20	0.17	0.10
9	Refused	7	0.06	0.02
BLANK	Partial complete	2		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DOCTOR DIAGNOSED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 151

Type: NUM

SAS Variable Name: WORKSEN3

Prologue:

Description: Q10.10 Have you ever been TOLD BY a doctor or other health professional that your asthma was caused by, or your symptoms made worse by, any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,507	13.16	10.81
2	No	9,565	83.51	84.64
6	Never employed, skip filled	244	2.13	3.87
7	Don't know	111	0.97	0.55
8	Past employment unknown, skip filled	20	0.17	0.10
9	Refused	7	0.06	0.02
BLANK	Partial complete	2		

SELF-IDENTIFIED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 152

Type: NUM

SAS Variable Name: WORKSEN4

Prologue:

Description: Q10.11 Have YOU ever TOLD a doctor or other health professional that your asthma was caused by, or your symptoms made worse by, any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,836	16.03	13.13
2	No	9,235	80.63	82.36
6	Never employed, skip filled	244	2.13	3.87
7	Don't know	113	0.99	0.52
8	Past employment unknown, skip filled	20	0.17	0.10
9	Refused	6	0.05	0.01
BLANK	Partial complete	2		

EVER TOLD HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE

Survey: ADULT Asthma Call-Back

Column: 153

Type: NUM

SAS Variable Name: COPD

Prologue:

Description: Q11.1 Have you ever been told by a doctor or health professional that you have chronic obstructive pulmonary disease, also known as COPD?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,171	18.97	11.51
2	No	9,129	79.76	87.52
7	Don't know/Not sure	141	1.23	0.93
9	Refused	4	0.03	0.04
BLANK	Partial complete	11		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

EVER TOLD HAVE EMPHYSEMA

Survey: ADULT Asthma Call-Back

Column: 154

Type: NUM

SAS Variable Name: EMPHY

Prologue:

Description: Q11.2 Have you ever been told by a doctor or other health professional that you have emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,093	9.55	6.16
2	No	10,265	89.69	93.28
7	Don't know/Not sure	84	0.73	0.55
9	Refused	3	0.03	0.01
BLANK	Partial complete	11		

EVER TOLD HAVE CHRONIC BRONCHITIS

Survey: ADULT Asthma Call-Back

Column: 155

Type: NUM

SAS Variable Name: BRONCH

Prologue:

Description: Q11.3 Have you ever been told by a doctor or other health professional that you have chronic bronchitis?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,290	28.75	22.38
2	No	8,007	69.96	76.43
7	Don't know/Not sure	141	1.23	1.11
9	Refused	7	0.06	0.08
BLANK	Partial complete	11		

EVER TOLD DEPRESSED

Survey: ADULT Asthma Call-Back

Column: 156

Type: NUM

SAS Variable Name: DEPRESS

Prologue:

Description: Q11.4 Have you ever been told by a doctor or other health professional that you were depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,369	38.17	33.13
2	No	7,020	61.34	66.56
7	Don't know/Not sure	45	0.39	0.26
9	Refused	11	0.10	0.05
BLANK	Partial complete	11		

USED HERBS TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 157

Type: NUM

SAS Variable Name: CAM_HERB

Prologue: Sometimes people use methods other than prescription medications to help treat or control their asthma. These methods are called non-traditional, complementary, or alternative healthcare. In the past 12 months, have you used . . . to control asthma?

Description: Q12.1 . . . herbs . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	598	5.23	4.16
2	No	8,499	74.27	69.21
5	No current asthma, skip filled	2,321	20.28	26.47
7	Don't know	22	0.19	0.11
9	Refused	4	0.03	0.05
BLANK	Partial complete	12		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

USED VITAMINS TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 158

Prologue:

Description: Q12.2 ... vitamins ...

Type: NUM

SAS Variable Name: CAM_VITA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	837	7.31	5.94
2	No	8,240	72.00	67.35
5	No current asthma, skip filled	2,321	20.28	26.47
7	Don't know	41	0.36	0.22
9	Refused	5	0.04	0.01
BLANK	Partial complete	12		

USED ACUPUNCTURE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 159

Prologue:

Description: Q12.3 ... acupuncture ...

Type: NUM

SAS Variable Name: CAM_PUNC

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	152	1.33	1.20
2	No	8,946	78.17	72.16
5	No current asthma, skip filled	2,321	20.28	26.47
7	Don't know	22	0.19	0.17
9	Refused	3	0.03	0.00
BLANK	Partial complete	12		

USED ACUPRESSURE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 160

Prologue:

Description: Q12.4 ... acupressure ...

Type: NUM

SAS Variable Name: CAM_PRES

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	116	1.01	0.77
2	No	8,978	78.45	72.54
5	No current asthma, skip filled	2,321	20.28	26.47
7	Don't know	25	0.22	0.21
9	Refused	4	0.03	0.01
BLANK	Partial complete	12		

USED AROMATHERAPY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 161

Prologue:

Description: Q12.5 ... aromatherapy ...

Type: NUM

SAS Variable Name: CAM_AROM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	457	3.99	3.76
2	No	8,637	75.47	69.59
5	No current asthma, skip filled	2,321	20.28	26.47
7	Don't know	26	0.23	0.18
9	Refused	3	0.03	0.00
BLANK	Partial complete	12		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

USED HOMEOPATHY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 162

Prologue:

Description: Q12.6 ... homeopathy ...

Type: NUM

SAS Variable Name: CAM_HOME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	233	2.04	1.36
2	No	8,816	77.04	71.82
5	No current asthma, skip filled	2,321	20.28	26.47
7	Don't know	71	0.62	0.34
9	Refused	3	0.03	0.00
BLANK	Partial complete	12		

USED REFLEXOLOGY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 163

Prologue:

Description: Q12.7 ... reflexology ...

Type: NUM

SAS Variable Name: CAM_REFL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	132	1.15	1.08
2	No	8,932	78.05	72.12
5	No current asthma, skip filled	2,321	20.28	26.47
7	Don't know	56	0.49	0.33
9	Refused	3	0.03	0.00
BLANK	Partial complete	12		

USED YOGA TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 164

Prologue:

Description: Q12.8 ... yoga ...

Type: NUM

SAS Variable Name: CAM_YOGA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	443	3.87	4.85
2	No	8,658	75.66	68.54
5	No current asthma, skip filled	2,321	20.28	26.47
7	Don't know	18	0.16	0.13
9	Refused	4	0.03	0.01
BLANK	Partial complete	12		

USED BREATHING TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 165

Prologue:

Description: Q12.9 ... breathing techniques ...

Type: NUM

SAS Variable Name: CAM_BR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,887	25.23	24.83
2	No	6,206	54.23	48.57
5	No current asthma, skip filled	2,321	20.28	26.47
7	Don't know	27	0.24	0.12
9	Refused	3	0.03	0.00
BLANK	Partial complete	12		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

USED NATUROPATHY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 166

Prologue:

Description: Q12.10 ... naturopathy ...

Type: NUM

SAS Variable Name: CAM_NATR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	163	1.42	1.24
2	No	8,905	77.81	71.93
5	No current asthma, skip filled	2,321	20.28	26.47
7	Don't know	52	0.45	0.36
9	Refused	3	0.03	0.00
BLANK	Partial complete	12		

OTHER ALTERNATIVE CARE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 167

Prologue:

Description: Q12.11 Besides the types I have just asked about, have you used any other type of alternative care for your asthma in the past 12 months?

Type: NUM

SAS Variable Name: CAM_OTHR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	879	7.68	5.98
2	No	8,194	71.60	67.20
5	No current asthma, skip filled	2,321	20.28	26.47
7	Don't know	48	0.42	0.35
9	Refused	2	0.02	0.00
BLANK	Partial complete	12		

TEXT FOR OTHER TYPE CARE

Survey: ADULT Asthma Call-Back

Column: 168-267

Prologue:

Description: Q12.12 What else have you used?

Type: CHAR

SAS Variable Name: CAM_TEXT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		10,577		
HIDDEN	Text field - up to 100 characters	879	100.00	100.00

LANGUAGE IDENTIFIER

Survey: ADULT Asthma Call-Back

Column: 348-349

Prologue:

Description: Language identifier: Language in which the interview was conducted.

Type: NUM

SAS Variable Name: QSTLANG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	10,830	94.69	95.34
2	Spanish	607	5.31	4.66
BLANK	Not asked or missing	19		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PERSON SELECTED TO CALL BACK FROM BRFS

Survey: ADULT Asthma Call-Back

Column: 350

Prologue:

Description: Which person in the household was selected as the focus of the call-back?

Type: NUM
SAS Variable Name: ADLTCHLD

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Adult	11,455	100.00	100.00
BLANK	Not asked or missing	1		

ASTHMA CALL-BACK SCRIPT TEST

Survey: ADULT Asthma Call-Back

Column: 351

Prologue:

Description: ASTHMA CALL-BACK SCRIPT TEST

Type: NUM
SAS Variable Name: CALLBACK_VER

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Callback using Protocol (2 weeks)	8,814	100.00	100.00
BLANK	Not asked or missing	2,642		

END OF THE RAW CALL BACK DATA

Survey: ADULT Asthma Call-Back

Column: 352

Prologue:

Description: END OF THE RAW CALL BACK DATA

Type: NUM
SAS Variable Name: END_OF_FILE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,456	100.00	100.00

EVER HAVE ASTHMA COMBINED BRFS AND CALL BACK

Survey: ADULT Asthma Call-Back

Column: 353

Prologue:

Description: EVER HAVE ASTHMA COMBINED BRFS (ASTHMA3) AND CALL BACK (EVER_ASTH)

Type: NUM
SAS Variable Name: _EVER_ASTH_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,456	100.00	100.00

STILL HAVE ASTHMA COMBINED BRFS AND CALL BACK

Survey: ADULT Asthma Call-Back

Column: 354

Prologue:

Description: STILL HAVE ASTHMA COMBINED BRFS (ASTHNOW) AND CALL BACK (CUR_ASTH)

Type: NUM
SAS Variable Name: _CUR_ASTH_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,142	71.07	65.43
2	No	3,070	26.80	32.72
7	Don't know/Not sure	241	2.10	1.83
9	Refused	3	0.03	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Survey: ADULT Asthma Call-Back

Column: 355

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Type: NUM
SAS Variable Name: FLAG1

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	AGE, AGEDX and INCIDNT are consistent	11,282	98.48	98.79
1	AGEDX is greater than AGE	3	0.03	0.08
2	AGE, AGEDX and INCIDNT are inconsistent	171	1.49	1.13

ADVAIR (+ A. DISKUS)

Survey: ADULT Asthma Call-Back

Column: 356

Prologue:

Description: ADVAIR (+ A. DISKUS)

Type: NUM
SAS Variable Name: INHALER_ID_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,597	13.94	10.55
2	No	9,859	86.06	89.45

AEROBID

Survey: ADULT Asthma Call-Back

Column: 357

Prologue:

Description: AEROBID

Type: NUM
SAS Variable Name: INHALER_ID_2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	0.14	0.08
2	No	11,440	99.86	99.92

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Survey: ADULT Asthma Call-Back

Column: 358

Prologue:

Description: ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Type: NUM
SAS Variable Name: INHALER_ID_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,773	15.48	14.37
2	No	9,683	84.52	85.63

ALUPENT

Survey: ADULT Asthma Call-Back

Column: 359

Prologue:

Description: ALUPENT

Type: NUM
SAS Variable Name: INHALER_ID_4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.04	0.02
2	No	11,451	99.96	99.98

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ATROVENT

Survey: ADULT Asthma Call-Back

Column: 360

Prologue:

Description: ATROVENT

Type: NUM

SAS Variable Name: INHALER_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
61	0.53	0.49
11,395	99.47	99.51

AZMACORT

Survey: ADULT Asthma Call-Back

Column: 361

Prologue:

Description: AZMACORT

Type: NUM

SAS Variable Name: INHALER_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
17	0.15	0.16
11,439	99.85	99.84

BECLOMETHASONE DIPROPIONATE

Survey: ADULT Asthma Call-Back

Column: 362

Prologue:

Description: BECLOMETHASONE DIPROPIONATE

Type: NUM

SAS Variable Name: INHALER_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.07	0.11
11,448	99.93	99.89

BECLOVENT

Survey: ADULT Asthma Call-Back

Column: 363

Prologue:

Description: BECLOVENT

Type: NUM

SAS Variable Name: INHALER_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.01
11,454	99.98	99.99

BITOLTEROL

Survey: ADULT Asthma Call-Back

Column: 364

Prologue:

Description: BITOLTEROL

Type: NUM

SAS Variable Name: INHALER_ID_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.03	0.16
11,453	99.97	99.84

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BUDESONIDE

Survey: ADULT Asthma Call-Back
Column: 365
Prologue:
Description: BUDESONIDE

Type: NUM
SAS Variable Name: INHALER_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
11	0.10	0.04
11,445	99.90	99.96

COMBIVENT

Survey: ADULT Asthma Call-Back
Column: 366
Prologue:
Description: COMBIVENT

Type: NUM
SAS Variable Name: INHALER_ID_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
278	2.43	1.48
11,178	97.57	98.52

CROMOLYN

Survey: ADULT Asthma Call-Back
Column: 367
Prologue:
Description: CROMOLYN

Type: NUM
SAS Variable Name: INHALER_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
11,455	99.99	100.00

FLOVENT

Survey: ADULT Asthma Call-Back
Column: 368
Prologue:
Description: FLOVENT

Type: NUM
SAS Variable Name: INHALER_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
357	3.12	2.31
11,099	96.88	97.69

FLOVENT ROTADISK

Survey: ADULT Asthma Call-Back
Column: 369
Prologue:
Description: FLOVENT ROTADISK

Type: NUM
SAS Variable Name: INHALER_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
25	0.22	0.14
11,431	99.78	99.86

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLUNISOLIDE

Survey: ADULT Asthma Call-Back
Column: 370
Prologue:
Description: FLUNISOLIDE

Type: NUM
SAS Variable Name: INHALER_ID_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.05	0.01
11,450	99.95	99.99

FLUTICASONE

Survey: ADULT Asthma Call-Back
Column: 371
Prologue:
Description: FLUTICASONE

Type: NUM
SAS Variable Name: INHALER_ID_17

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
27	0.24	0.14
11,429	99.76	99.86

IPRATROPIUM BROMIDE

Survey: ADULT Asthma Call-Back
Column: 372
Prologue:
Description: IPRATROPIUM BROMIDE

Type: NUM
SAS Variable Name: INHALER_ID_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
24	0.21	0.10
11,432	99.79	99.90

MAXAIR

Survey: ADULT Asthma Call-Back
Column: 373
Prologue:
Description: MAXAIR

Type: NUM
SAS Variable Name: INHALER_ID_20

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
41	0.36	0.23
11,415	99.64	99.77

METAPROTERONOL

Survey: ADULT Asthma Call-Back
Column: 374
Prologue:
Description: METAPROTERONOL

Type: NUM
SAS Variable Name: INHALER_ID_21

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEDOCROMIL

Survey: ADULT Asthma Call-Back
Column: 375
Prologue:
Description: NEDOCROMIL

Type: NUM
SAS Variable Name: INHALER_ID_22

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

PIRBUTEROL

Survey: ADULT Asthma Call-Back
Column: 376
Prologue:
Description: PIRBUTEROL

Type: NUM
SAS Variable Name: INHALER_ID_23

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.05	0.09
11,450	99.95	99.91

PROVENTIL

Survey: ADULT Asthma Call-Back
Column: 377
Prologue:
Description: PROVENTIL

Type: NUM
SAS Variable Name: INHALER_ID_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
488	4.26	3.22
10,968	95.74	96.78

PULMICORT FLEXHALER

Survey: ADULT Asthma Call-Back
Column: 378
Prologue:
Description: PULMICORT FLEXHALER

Type: NUM
SAS Variable Name: INHALER_ID_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
130	1.13	1.03
11,326	98.87	98.97

SALMETEROL

Survey: ADULT Asthma Call-Back
Column: 379
Prologue:
Description: SALMETEROL

Type: NUM
SAS Variable Name: INHALER_ID_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.06	0.04
11,449	99.94	99.96

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SEREVENT

Survey: ADULT Asthma Call-Back

Column: 380

Prologue:

Description: SEREVENT

Type: NUM

SAS Variable Name: INHALER_ID_27

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
58	0.51	0.25
11,398	99.49	99.75

TERBUTALINE (+ T. SULFATE)

Survey: ADULT Asthma Call-Back

Column: 381

Prologue:

Description: TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: INHALER_ID_28

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.02
11,454	99.98	99.98

TORNALATE

Survey: ADULT Asthma Call-Back

Column: 382

Prologue:

Description: TORNALATE

Type: NUM

SAS Variable Name: INHALER_ID_30

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
11,455	99.99	100.00

TRIAMCINOLONE ACETONIDE

Survey: ADULT Asthma Call-Back

Column: 383

Prologue:

Description: TRIAMCINOLONE ACETONIDE

Type: NUM

SAS Variable Name: INHALER_ID_31

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.01
11,454	99.98	99.99

VANCERIL

Survey: ADULT Asthma Call-Back

Column: 384

Prologue:

Description: VANCERIL

Type: NUM

SAS Variable Name: INHALER_ID_32

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.03	0.00
11,453	99.97	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

VENTOLIN

Survey: ADULT Asthma Call-Back
Column: 385
Prologue:
Description: VENTOLIN

Type: NUM
SAS Variable Name: INHALER_ID_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
840	7.33	6.78
10,616	92.67	93.22

FORADIL

Survey: ADULT Asthma Call-Back
Column: 386
Prologue:
Description: FORADIL

Type: NUM
SAS Variable Name: INHALER_ID_34

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
29	0.25	0.10
11,427	99.75	99.90

FORMOTEROL

Survey: ADULT Asthma Call-Back
Column: 387
Prologue:
Description: FORMOTEROL

Type: NUM
SAS Variable Name: INHALER_ID_35

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.08	0.04
11,447	99.92	99.96

QVAR

Survey: ADULT Asthma Call-Back
Column: 388
Prologue:
Description: QVAR

Type: NUM
SAS Variable Name: INHALER_ID_36

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
258	2.25	2.04
11,198	97.75	97.96

LEVALBUTEROL TARTRATE

Survey: ADULT Asthma Call-Back
Column: 389
Prologue:
Description: LEVALBUTEROL TARTRATE

Type: NUM
SAS Variable Name: INHALER_ID_37

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.04	0.01
11,451	99.96	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

XOPENEX HFA

Survey: ADULT Asthma Call-Back
Column: 390
Prologue:
Description: XOPENEX HFA

Type: NUM
SAS Variable Name: INHALER_ID_38

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
186	1.62	1.92
11,270	98.38	98.08

MOMETASONE FUROATE

Survey: ADULT Asthma Call-Back
Column: 391
Prologue:
Description: MOMETASONE FUROATE

Type: NUM
SAS Variable Name: INHALER_ID_39

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
15	0.13	0.07
11,441	99.87	99.93

ASMANEX (TWISTHALER)

Survey: ADULT Asthma Call-Back
Column: 392
Prologue:
Description: ASMANEX (TWISTHALER)

Type: NUM
SAS Variable Name: INHALER_ID_40

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
156	1.36	0.91
11,300	98.64	99.09

PRO-AIR HFA

Survey: ADULT Asthma Call-Back
Column: 393
Prologue:
Description: PRO-AIR HFA

Type: NUM
SAS Variable Name: INHALER_ID_41

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,090	9.51	7.80
10,366	90.49	92.20

SYMBICORT

Survey: ADULT Asthma Call-Back
Column: 394
Prologue:
Description: SYMBICORT

Type: NUM
SAS Variable Name: INHALER_ID_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
652	5.69	3.53
10,804	94.31	96.47

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALVESCO

Survey: ADULT Asthma Call-Back
Column: 395
Prologue:
Description: ALVESCO

Type: NUM
SAS Variable Name: INHALER_ID_43

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
32	0.28	0.28
11,424	99.72	99.72

DULERA

Survey: ADULT Asthma Call-Back
Column: 396
Prologue:
Description: DULERA

Type: NUM
SAS Variable Name: INHALER_ID_44

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
181	1.58	1.16
11,275	98.42	98.84

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back
Column: 397
Prologue:
Description: DON'T KNOW/REFUSED

Type: NUM
SAS Variable Name: INHALER_ID_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
112	0.98	0.90
11,344	99.02	99.10

OTHER INHALER

Survey: ADULT Asthma Call-Back
Column: 398
Prologue:
Description: NEW OTHER PRESCRIPTION INHALER

Type: NUM
SAS Variable Name: OTHER_INHALER

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
11,455	99.99	99.99

PILL ACCOLATE

Survey: ADULT Asthma Call-Back
Column: 399
Prologue:
Description: PILL ACCOLATE

Type: NUM
SAS Variable Name: PILLS_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
28	0.24	0.10
11,428	99.76	99.90

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL AEROLATE

Survey: ADULT Asthma Call-Back
Column: 400
Prologue:
Description: PILL AEROLATE

Type: NUM
SAS Variable Name: PILLS_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.00
11,454	99.98	100.00

PILL ALBUTEROL

Survey: ADULT Asthma Call-Back
Column: 401
Prologue:
Description: PILL ALBUTEROL

Type: NUM
SAS Variable Name: PILLS_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
28	0.24	0.11
11,428	99.76	99.89

PILL ALUPENT

Survey: ADULT Asthma Call-Back
Column: 402
Prologue:
Description: PILL ALUPENT

Type: NUM
SAS Variable Name: PILLS_ID_4

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

PILL CHOLEDYL (OXTRIPHYLLINE)

Survey: ADULT Asthma Call-Back
Column: 403
Prologue:
Description: PILL CHOLEDYL (OXTRIPHYLLINE)

Type: NUM
SAS Variable Name: PILLS_ID_5

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

PILL DELTASONE

Survey: ADULT Asthma Call-Back
Column: 404
Prologue:
Description: PILL DELTASONE

Type: NUM
SAS Variable Name: PILLS_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
11,455	99.99	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL ELIXOPHYLLIN

Survey: ADULT Asthma Call-Back
Column: 405
Prologue:
Description: PILL ELIXOPHYLLIN

Type: NUM
SAS Variable Name: PILLS_ID_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

PILL MEDROL

Survey: ADULT Asthma Call-Back
Column: 406
Prologue:
Description: PILL MEDROL

Type: NUM
SAS Variable Name: PILLS_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.04	0.01
11,451	99.96	99.99

PILL METAPREL

Survey: ADULT Asthma Call-Back
Column: 407
Prologue:
Description: PILL METAPREL

Type: NUM
SAS Variable Name: PILLS_ID_12

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

PILL METAPROTERONOL

Survey: ADULT Asthma Call-Back
Column: 408
Prologue:
Description: PILL METAPROTERONOL

Type: NUM
SAS Variable Name: PILLS_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
11,455	99.99	100.00

PILL METHYLPREDNISOLONE

Survey: ADULT Asthma Call-Back
Column: 409
Prologue:
Description: PILL METHYLPREDNISOLONE

Type: NUM
SAS Variable Name: PILLS_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.05	0.16
11,450	99.95	99.84

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL MONTELUKAST

Survey: ADULT Asthma Call-Back
Column: 410
Prologue:
Description: PILL MONTELUKAST

Type: NUM
SAS Variable Name: PILLS_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
192	1.68	1.10
11,264	98.32	98.90

PILL PEDIAPRED

Survey: ADULT Asthma Call-Back
Column: 411
Prologue:
Description: PILL PEDIAPRED

Type: NUM
SAS Variable Name: PILLS_ID_17

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

PILL PREDNISOLONE

Survey: ADULT Asthma Call-Back
Column: 412
Prologue:
Description: PILL PREDNISOLONE

Type: NUM
SAS Variable Name: PILLS_ID_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.06	0.09
11,449	99.94	99.91

PILL PREDNISONONE

Survey: ADULT Asthma Call-Back
Column: 413
Prologue:
Description: PILL PREDNISONONE

Type: NUM
SAS Variable Name: PILLS_ID_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
204	1.78	1.42
11,252	98.22	98.58

PILL PROVENTIL

Survey: ADULT Asthma Call-Back
Column: 414
Prologue:
Description: PILL PROVENTIL

Type: NUM
SAS Variable Name: PILLS_ID_21

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
11,455	99.99	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL RESPID

Survey: ADULT Asthma Call-Back
Column: 415
Prologue:
Description: PILL RESPID

Type: NUM
SAS Variable Name: PILLS_ID_23

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
11,455	99.99	100.00

PILL SINGULAIR

Survey: ADULT Asthma Call-Back
Column: 416
Prologue:
Description: PILL SINGULAIR

Type: NUM
SAS Variable Name: PILLS_ID_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
960	8.38	6.36
10,496	91.62	93.64

PILL SLO-PHYLLIN

Survey: ADULT Asthma Call-Back
Column: 417
Prologue:
Description: PILL SLO-PHYLLIN

Type: NUM
SAS Variable Name: PILLS_ID_25

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

PILL SLO-BID

Survey: ADULT Asthma Call-Back
Column: 418
Prologue:
Description: PILL SLO-BID

Type: NUM
SAS Variable Name: PILLS_ID_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
11,455	99.99	99.99

PILL THEO-24

Survey: ADULT Asthma Call-Back
Column: 419
Prologue:
Description: PILL THEO-24

Type: NUM
SAS Variable Name: PILLS_ID_28

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.08	0.04
11,447	99.92	99.96

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL THEOCHRON

Survey: ADULT Asthma Call-Back
Column: 420
Prologue:
Description: PILL THEOCHRON

Type: NUM
SAS Variable Name: PILLS_ID_30

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

PILL THEOCLEAR

Survey: ADULT Asthma Call-Back
Column: 421
Prologue:
Description: PILL THEOCLEAR

Type: NUM
SAS Variable Name: PILLS_ID_31

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

PILL THEODUR

Survey: ADULT Asthma Call-Back
Column: 422
Prologue:
Description: PILL THEODUR

Type: NUM
SAS Variable Name: PILLS_ID_32

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.07	0.04
11,448	99.93	99.96

PILL THEO-DUR

Survey: ADULT Asthma Call-Back
Column: 423
Prologue:
Description: PILL THEO-DUR

Type: NUM
SAS Variable Name: PILLS_ID_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.04	0.02
11,451	99.96	99.98

PILL THEOPHYLLINE

Survey: ADULT Asthma Call-Back
Column: 424
Prologue:
Description: PILL THEOPHYLLINE

Type: NUM
SAS Variable Name: PILLS_ID_35

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
79	0.69	0.58
11,377	99.31	99.42

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL THEOSPAN

Survey: ADULT Asthma Call-Back
Column: 425
Prologue:
Description: PILL THEOSPAN

Type: NUM
SAS Variable Name: PILLS_ID_37

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
11,455	99.99	100.00

PILL T-PHYL

Survey: ADULT Asthma Call-Back
Column: 426
Prologue:
Description: PILL T-PHYL

Type: NUM
SAS Variable Name: PILLS_ID_40

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

PILL UNIPHYL

Survey: ADULT Asthma Call-Back
Column: 427
Prologue:
Description: PILL UNIPHYL

Type: NUM
SAS Variable Name: PILLS_ID_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.04	0.02
11,451	99.96	99.98

PILL VENTOLIN

Survey: ADULT Asthma Call-Back
Column: 428
Prologue:
Description: PILL VENTOLIN

Type: NUM
SAS Variable Name: PILLS_ID_43

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
11,455	99.99	100.00

PILL VOLMAX

Survey: ADULT Asthma Call-Back
Column: 429
Prologue:
Description: PILL VOLMAX

Type: NUM
SAS Variable Name: PILLS_ID_44

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
11,455	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL ZAFIRLUKAST

Survey: ADULT Asthma Call-Back

Column: 430

Prologue:

Description: PILL ZAFIRLUKAST

Type: NUM

SAS Variable Name: PILLS_ID_45

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.08	0.01
11,447	99.92	99.99

PILL ZILEUTON

Survey: ADULT Asthma Call-Back

Column: 431

Prologue:

Description: PILL ZILEUTON

Type: NUM

SAS Variable Name: PILLS_ID_46

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

PILL ZYFLO FILMTAB

Survey: ADULT Asthma Call-Back

Column: 432

Prologue:

Description: PILL ZYFLO FILMTAB

Type: NUM

SAS Variable Name: PILLS_ID_47

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.01
11,452	99.97	99.99

PILL TERBUTALINE (+ T. SULFATE)

Survey: ADULT Asthma Call-Back

Column: 433

Prologue:

Description: PILL TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: PILLS_ID_48

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.00
11,454	99.98	100.00

PILL BRETHINE

Survey: ADULT Asthma Call-Back

Column: 434

Prologue:

Description: PILL BRETHINE

Type: NUM

SAS Variable Name: PILLS_ID_49

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
11,455	99.99	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back
Column: 435
Prologue:
Description: DON'T KNOW/REFUSED

Type: NUM
SAS Variable Name: PILLS_ID_7799

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

OTHER PILLS

Survey: ADULT Asthma Call-Back
Column: 436
Prologue:
Description: NEW OTHER PRESCRIPTION PILLS

Type: NUM
SAS Variable Name: OTHER_PILLS

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
11,455	99.99	99.99

SYRUP AEROLATE

Survey: ADULT Asthma Call-Back
Column: 437
Prologue:
Description: SYRUP AEROLATE

Type: NUM
SAS Variable Name: SYRUP_ID_1

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

SYRUP ALBUTEROL

Survey: ADULT Asthma Call-Back
Column: 438
Prologue:
Description: SYRUP ALBUTEROL

Type: NUM
SAS Variable Name: SYRUP_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
16	0.14	0.12
11,440	99.86	99.88

SYRUP ALUPENT

Survey: ADULT Asthma Call-Back
Column: 439
Prologue:
Description: SYRUP ALUPENT

Type: NUM
SAS Variable Name: SYRUP_ID_3

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

SYRUP METAPROTERONOL

Survey: ADULT Asthma Call-Back
Column: 440
Prologue:
Description: SYRUP METAPROTERONOL

Type: NUM
SAS Variable Name: SYRUP_ID_4

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYRUP PREDNISOLONE

Survey: ADULT Asthma Call-Back
Column: 441
Prologue:
Description: SYRUP PREDNISOLONE

Type: NUM
SAS Variable Name: SYRUP_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.06	0.07
11,449	99.94	99.93

SYRUP PRELONE

Survey: ADULT Asthma Call-Back
Column: 442
Prologue:
Description: SYRUP PRELONE

Type: NUM
SAS Variable Name: SYRUP_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.01
11,452	99.97	99.99

SYRUP PROVENTIL

Survey: ADULT Asthma Call-Back
Column: 443
Prologue:
Description: SYRUP PROVENTIL

Type: NUM
SAS Variable Name: SYRUP_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.07	0.08
11,448	99.93	99.92

SYRUP SLO-PHYLLIN

Survey: ADULT Asthma Call-Back
Column: 444
Prologue:
Description: SYRUP SLO-PHYLLIN

Type: NUM
SAS Variable Name: SYRUP_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.02	0.02
11,454	99.98	99.98

SYRUP THEOPHYLLINE

Survey: ADULT Asthma Call-Back
Column: 445
Prologue:
Description: SYRUP THEOPHYLLINE

Type: NUM
SAS Variable Name: SYRUP_ID_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
11,455	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYRUP VENTOLIN

Survey: ADULT Asthma Call-Back

Column: 446

Prologue:

Description: SYRUP VENTOLIN

Type: NUM

SAS Variable Name: SYRUP_ID_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
11,455	99.99	100.00

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 447

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: SYRUP_ID_7799

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

OTHER SYRUP

Survey: ADULT Asthma Call-Back

Column: 448

Prologue:

Description: NEW OTHER PRESCRIPTION SYRUP

Type: NUM

SAS Variable Name: OTHER_SYRUP

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

NEB ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 449

Prologue:

Description: NEB ALBUTEROL

Type: NUM

SAS Variable Name: NEB_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,212	10.58	8.61
10,244	89.42	91.39

NEB ALUPENT

Survey: ADULT Asthma Call-Back

Column: 450

Prologue:

Description: NEB ALUPENT

Type: NUM

SAS Variable Name: NEB_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
11,455	99.99	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB ATROVENT

Survey: ADULT Asthma Call-Back
Column: 451
Prologue:
Description: NEB ATROVENT

Type: NUM
SAS Variable Name: NEB_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
19	0.17	0.14
11,437	99.83	99.86

NEB BITOLTEROL

Survey: ADULT Asthma Call-Back
Column: 452
Prologue:
Description: NEB BITOLTEROL

Type: NUM
SAS Variable Name: NEB_ID_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.03	0.07
11,453	99.97	99.93

NEB BUDESONIDE

Survey: ADULT Asthma Call-Back
Column: 453
Prologue:
Description: NEB BUDESONIDE

Type: NUM
SAS Variable Name: NEB_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
60	0.52	0.27
11,396	99.48	99.73

NEB CROMOLYN

Survey: ADULT Asthma Call-Back
Column: 454
Prologue:
Description: NEB CROMOLYN

Type: NUM
SAS Variable Name: NEB_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.03	0.01
11,452	99.97	99.99

NEB DUONEB

Survey: ADULT Asthma Call-Back
Column: 455
Prologue:
Description: NEB DUONEB

Type: NUM
SAS Variable Name: NEB_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
49	0.43	0.30
11,407	99.57	99.70

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB INTAL

Survey: ADULT Asthma Call-Back

Column: 456

Prologue:

Description: NEB INTAL

Type: NUM

SAS Variable Name: NEB_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.03	0.01
11,453	99.97	99.99

NEB IPRATROPIUM BROMIDE

Survey: ADULT Asthma Call-Back

Column: 457

Prologue:

Description: NEB IPRATROPIUM BROMIDE

Type: NUM

SAS Variable Name: NEB_ID_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
200	1.75	0.96
11,256	98.25	99.04

NEB LEVALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 458

Prologue:

Description: NEB LEVALBUTEROL

Type: NUM

SAS Variable Name: NEB_ID_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
11	0.10	0.05
11,445	99.90	99.95

NEB METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 459

Prologue:

Description: NEB METAPROTERONOL

Type: NUM

SAS Variable Name: NEB_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
11,455	99.99	100.00

NEB PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 460

Prologue:

Description: NEB PROVENTIL

Type: NUM

SAS Variable Name: NEB_ID_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
25	0.22	0.15
11,431	99.78	99.85

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB PULMICORT

Survey: ADULT Asthma Call-Back
Column: 461
Prologue:
Description: NEB PULMICORT

Type: NUM
SAS Variable Name: NEB_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
28	0.24	0.17
11,428	99.76	99.83

NEB TORNALATE

Survey: ADULT Asthma Call-Back
Column: 462
Prologue:
Description: NEB TORNALATE

Type: NUM
SAS Variable Name: NEB_ID_14

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

NEB VENTOLIN

Survey: ADULT Asthma Call-Back
Column: 463
Prologue:
Description: NEB VENTOLIN

Type: NUM
SAS Variable Name: NEB_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
19	0.17	0.11
11,437	99.83	99.89

NEB XOPENEX

Survey: ADULT Asthma Call-Back
Column: 464
Prologue:
Description: NEB XOPENEX

Type: NUM
SAS Variable Name: NEB_ID_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
70	0.61	0.82
11,386	99.39	99.18

NEB COMBIVENT INHALATION SOLUTION

Survey: ADULT Asthma Call-Back
Column: 465
Prologue:
Description: NEB COMBIVENT INHALATION SOLUTION

Type: NUM
SAS Variable Name: NEB_ID_17

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.06	0.04
11,449	99.94	99.96

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB PERFORMIST/FORMOTEROL

Survey: ADULT Asthma Call-Back

Column: 466

Prologue:

Description: NEB PERFORMIST/FORMOTEROL

Type: NUM

SAS Variable Name: NEB_ID_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.09	0.02
11,446	99.91	99.98

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 467

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: NEB_ID_7799

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

OTHER NEBULIZER

Survey: ADULT Asthma Call-Back

Column: 468

Prologue:

Description: New other prescription nebulizer

Type: NUM

SAS Variable Name: OTHER_NEB

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.03	0.04
11,453	99.97	99.96

OTHER INHALER TEXT

Survey: ADULT Asthma Call-Back

Column: 469-568

Prologue:

Description: New other prescription inhaler name

Type: CHAR

SAS Variable Name: OTH_I1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
11,455		
1	100.00	100.00

OTHER PILLS TEXT

Survey: ADULT Asthma Call-Back

Column: 569-668

Prologue:

Description: New other prescription pills name

Type: CHAR

SAS Variable Name: OTH_P1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
11,455		
1	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

OTHER SYRUP TEXT

Survey: ADULT Asthma Call-Back

Column: 669-768

Prologue:

Description: New other prescription syrup name

Type: CHAR
SAS Variable Name: OTH_S1R

Value	Value Label
BLANK	No other new asthma medication

Frequency	Percentage	Weighted Percentage
11,456		

OTHER NEBULIZER TEXT

Survey: ADULT Asthma Call-Back

Column: 769-868

Prologue:

Description: New other prescription nebulizer name

Type: CHAR
SAS Variable Name: OTH_N1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
11,453		
3	100.00	100.00

INHALER_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 869

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT1

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
526	4.59	2.97
10,929	95.40	97.03

INHALER_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 870

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT2

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
26	0.23	0.13
501	4.37	2.83
10,929	95.40	97.03

INHALER_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 871

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT3

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
368	3.21	1.74
159	1.39	1.23
10,929	95.40	97.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

INHALER_TEXT: ASTHMA MED., BUT NOT INHALER

Survey: ADULT Asthma Call-Back

Column: 872

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	0.18	0.19
2	No	506	4.42	2.78
3	No other medication text filled	10,929	95.40	97.03

INHALER_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 873

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	31	0.27	0.27
2	No	496	4.33	2.70
3	No other medication text filled	10,929	95.40	97.03

INHALER_TEXT: WAS BACK CODED TO EXISTING INHALER

Survey: ADULT Asthma Call-Back

Column: 874

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	82	0.72	0.56
2	No	445	3.88	2.41
3	No other medication text filled	10,929	95.40	97.03

INHALER_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 875

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	527	4.60	2.97
3	No other medication text filled	10,929	95.40	97.03

INHALER_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 876

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.01
2	No	526	4.59	2.96
3	No other medication text filled	10,929	95.40	97.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

INHALER_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 877

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.03	0.08
2	No	524	4.57	2.89
3	No other medication text filled	10,929	95.40	97.03

PILLS_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 878

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	75	0.65	0.56
3	No other medication text filled	11,380	99.34	99.44

PILLS_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 879

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	45	0.39	0.20
2	No	31	0.27	0.36
3	No other medication text filled	11,380	99.34	99.44

PILLS_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 880

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	0.13	0.13
2	No	61	0.53	0.43
3	No other medication text filled	11,380	99.34	99.44

PILLS_TEXT: ASTHMA MED., BUT NOT PILLS

Survey: ADULT Asthma Call-Back

Column: 881

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.03	0.02
2	No	72	0.63	0.53
3	No other medication text filled	11,380	99.34	99.44

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILLS_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 882

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.02	0.01
2	No	74	0.65	0.55
3	No other medication text filled	11,380	99.34	99.44

PILLS_TEXT: WAS BACK CODED TO EXISTING PILLS

Survey: ADULT Asthma Call-Back

Column: 883

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.02	0.04
2	No	74	0.65	0.52
3	No other medication text filled	11,380	99.34	99.44

PILLS_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 884

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	76	0.66	0.56
3	No other medication text filled	11,380	99.34	99.44

PILLS_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 885

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.01
2	No	75	0.65	0.55
3	No other medication text filled	11,380	99.34	99.44

PILLS_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 886

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.05	0.14
2	No	70	0.61	0.41
3	No other medication text filled	11,380	99.34	99.44

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYRUP_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 887

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT1

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
4	0.03	0.05
11,452	99.97	99.95

SYRUP_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 888

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT2

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
4	0.03	0.05
11,452	99.97	99.95

SYRUP_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 889

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT3

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
4	0.03	0.05
11,452	99.97	99.95

SYRUP_TEXT: ASTHMA MED., BUT NOT SYRUP

Survey: ADULT Asthma Call-Back

Column: 890

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT4

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
3	0.03	0.05
11,452	99.97	99.95

SYRUP_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 891

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT5

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
2	0.02	0.02
2	0.02	0.03
11,452	99.97	99.95

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYRUP_TEXT: WAS BACK CODED TO EXISTING SYRUP

Survey: ADULT Asthma Call-Back

Column: 892

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	4	0.03	0.05
3	No other medication text filled	11,452	99.97	99.95

SYRUP_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 893

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	4	0.03	0.05
3	No other medication text filled	11,452	99.97	99.95

SYRUP_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 894

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	4	0.03	0.05
3	No other medication text filled	11,452	99.97	99.95

SYRUP_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 895

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.03
2	No	3	0.03	0.02
3	No other medication text filled	11,452	99.97	99.95

NEB_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 896

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	55	0.48	0.26
3	No other medication text filled	11,401	99.52	99.74

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 897

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	55	0.48	0.26
3	No other medication text filled	11,401	99.52	99.74

NEB_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 898

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	0.18	0.03
2	No	34	0.30	0.22
3	No other medication text filled	11,401	99.52	99.74

NEB_TEXT: ASTHMA MED., BUT NOT NEB

Survey: ADULT Asthma Call-Back

Column: 899

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.05	0.09
2	No	49	0.43	0.16
3	No other medication text filled	11,401	99.52	99.74

NEB_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 900

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	0.13	0.05
2	No	40	0.35	0.21
3	No other medication text filled	11,401	99.52	99.74

NEB_TEXT: WAS BACK CODED TO EXISTING NEB

Survey: ADULT Asthma Call-Back

Column: 901

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	0.09	0.05
2	No	45	0.39	0.21
3	No other medication text filled	11,401	99.52	99.74

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 902

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	55	0.48	0.26
3	No other medication text filled	11,401	99.52	99.74

NEB_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 903

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.03	0.04
2	No	52	0.45	0.22
3	No other medication text filled	11,401	99.52	99.74

NEB_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 904

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	55	0.48	0.26
3	No other medication text filled	11,401	99.52	99.74

INHALED CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 905-906

Prologue:

Description: INHALED CORTICOSTEROIDS

Type: NUM

SAS Variable Name: INH_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 19	Count	11,348	99.06	99.45
99	Missing	108	0.94	0.55

INHALED ANTI-INFLAMMATORY

Survey: ADULT Asthma Call-Back

Column: 907-908

Prologue:

Description: INHALED ANTI-INFLAMMATORY

Type: NUM

SAS Variable Name: INH_AI

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 2	Count	11,348	99.06	99.45
99	Missing	108	0.94	0.55

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

INHALED ANTI-CHOLINERGIC

Survey: ADULT Asthma Call-Back

Column: 909-910

Prologue:

Description: INHALED ANTI-CHOLINERGIC

Type: NUM
SAS Variable Name: INH_AC

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
11,348	99.06	99.45
108	0.94	0.55

INHALED BETA 2 AGONIST SHORT ACTING

Survey: ADULT Asthma Call-Back

Column: 911-912

Prologue:

Description: INHALED BETA 2 AGONIST SHORT ACTING

Type: NUM
SAS Variable Name: INH_B2AS

Value	Value Label
0 - 14	Count
99	Missing

Frequency	Percentage	Weighted Percentage
11,348	99.06	99.45
108	0.94	0.55

INHALED BETA 2 AGONIST LONG ACTING

Survey: ADULT Asthma Call-Back

Column: 913-914

Prologue:

Description: INHALED BETA 2 AGONIST LONG ACTING

Type: NUM
SAS Variable Name: INH_B2AL

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
11,348	99.06	99.45
108	0.94	0.55

PILL CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 915-916

Prologue:

Description: PILL CORTICOSTEROIDS

Type: NUM
SAS Variable Name: PILL_CS

Value	Value Label
0 - 6	Count
99	Missing

Frequency	Percentage	Weighted Percentage
11,012	96.12	97.64
444	3.88	2.36

PILL LEUKOTRIENE MODIFIERS

Survey: ADULT Asthma Call-Back

Column: 917-918

Prologue:

Description: PILL LEUKOTRIENE MODIFIERS

Type: NUM
SAS Variable Name: PILL_LM

Value	Value Label
0 - 6	Count
99	Missing

Frequency	Percentage	Weighted Percentage
11,012	96.12	97.64
444	3.88	2.36

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 919-920

Prologue:

Description: PILL BETA 2 AGONIST

Type: NUM

SAS Variable Name: PILL_B2A

Value	Value Label
0 - 9	Count
99	Missing

Frequency	Percentage	Weighted Percentage
11,012	96.12	97.64
444	3.88	2.36

PILL METHYLXANTHINES

Survey: ADULT Asthma Call-Back

Column: 921-922

Prologue:

Description: PILL METHYLXANTHINES

Type: NUM

SAS Variable Name: PILL_METH

Value	Value Label
0 - 15	Count
99	Missing

Frequency	Percentage	Weighted Percentage
11,012	96.12	97.64
444	3.88	2.36

SYRUP METHYLXANTHINES

Survey: ADULT Asthma Call-Back

Column: 923-924

Prologue:

Description: SYRUP METHYLXANTHINES

Type: NUM

SAS Variable Name: SYRP_METH

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
11,208	97.84	98.63
248	2.16	1.37

SYRUP SHORT ACTING BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 925-926

Prologue:

Description: SYRUP SHORT ACTING BETA 2 AGONIST

Type: NUM

SAS Variable Name: SYRP_B2AS

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
11,208	97.84	98.63
248	2.16	1.37

SYRUP CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 927-928

Prologue:

Description: SYRUP CORTICOSTEROIDS

Type: NUM

SAS Variable Name: SYRP_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
11,208	97.84	98.63
248	2.16	1.37

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEBULIZER ANTI-INFLAMMATORY

Survey: ADULT Asthma Call-Back

Column: 929-930

Prologue:

Description: NEBULIZER ANTI-INFLAMMATORY

Type: NUM
SAS Variable Name: NEB_AI

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
11,095	96.85	97.78
361	3.15	2.22

NEBULIZER CORTICOSTEROID

Survey: ADULT Asthma Call-Back

Column: 931-932

Prologue:

Description: NEBULIZER CORTICOSTEROIDS

Type: NUM
SAS Variable Name: NEB_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
11,095	96.85	97.78
361	3.15	2.22

NEBULIZER ANTICHOLINERGIC

Survey: ADULT Asthma Call-Back

Column: 933-934

Prologue:

Description: NEBULIZER ANTICHOLINERGIC

Type: NUM
SAS Variable Name: NEB_AC

Value	Value Label
0 - 4	Count
99	Missing

Frequency	Percentage	Weighted Percentage
11,095	96.85	97.78
361	3.15	2.22

NEBULIZER BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 935-936

Prologue:

Description: NEBULIZER BETA 2 AGONIST

Type: NUM
SAS Variable Name: NEB_B2A

Value	Value Label
0 - 11	Count
99	Missing

Frequency	Percentage	Weighted Percentage
11,095	96.85	97.78
361	3.15	2.22

NEBULIZER BETA 2 AGONIST LONG ACTING

Survey: ADULT Asthma Call-Back

Column: 937-938

Prologue:

Description: NEBULIZER BETA 2 AGONIST LONG ACTING

Type: NUM
SAS Variable Name: NEB_B2AL

Value	Value Label
0 - 1	Count
99	Missing

Frequency	Percentage	Weighted Percentage
11,095	96.85	97.78
361	3.15	2.22

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ADVAIR (+ A. DISKUS): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 939

Type: NUM

SAS Variable Name: ILP03_1

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

ADVAIR (+ A. DISKUS): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 940

Type: NUM

SAS Variable Name: ILP04_1

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	556	35.03	35.06
2	No	850	53.56	54.82
3	No attack in past 3 months	171	10.78	9.71
7	Don't know	9	0.57	0.36
9	Refused	1	0.06	0.05
BLANK	Skip filled	9,869		

ADVAIR (+ A. DISKUS): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 941

Type: NUM

SAS Variable Name: ILP05_1

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	452	28.48	30.94
2	No	950	59.86	60.61
3	Didn't exercise in past 3 months	172	10.84	7.88
7	Don't know	11	0.69	0.54
9	Refused	2	0.13	0.03
BLANK	Skip filled	9,869		

ADVAIR (+ A. DISKUS): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 942

Type: NUM

SAS Variable Name: ILP06_1

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,346	84.81	85.25
2	No	239	15.06	14.74
7	Don't know	2	0.13	0.02
BLANK	Skip filled	9,869		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ADVAIR (+ A. DISKUS): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 943-945

Type: NUM

SAS Variable Name: ILP08_1

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1,338	84.31	83.28
401 - 499	Weeks	150	9.45	10.53
555	Never	12	0.76	2.47
666	Less often than once a week	71	4.47	2.75
777	Don't know/Not sure	16	1.01	0.98
BLANK	Skip filled	9,869		

ADVAIR (+ A. DISKUS): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 946-947

Type: NUM

SAS Variable Name: ILP10_1

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

AEROBID: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 948

Type: NUM

SAS Variable Name: ILP03_2

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	25.00	20.07
2	No	12	75.00	79.93
BLANK	Skip filled	11,440		

AEROBID: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 949

Type: NUM

SAS Variable Name: ILP04_2

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	62.50	41.60
2	No	3	18.75	14.11
3	No attack in past 3 months	3	18.75	44.29
BLANK	Skip filled	11,440		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

AEROBID: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 950

Type: NUM

SAS Variable Name: ILP05_2

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	18.75	9.00
2	No	9	56.25	84.77
3	Didn't exercise in past 3 months	4	25.00	6.24
BLANK	Skip filled	11,440		

AEROBID: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 951

Type: NUM

SAS Variable Name: ILP06_2

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	25.00	5.14
2	No	12	75.00	94.86
BLANK	Skip filled	11,440		

AEROBID: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 952-954

Type: NUM

SAS Variable Name: ILP08_2

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	4	25.00	5.14
401 - 499	Weeks	4	25.00	15.12
555	Never	2	12.50	30.36
666	Less often than once a week	4	25.00	38.01
777	Don't know/Not sure	2	12.50	11.37
BLANK	Skip filled	11,440		

AEROBID: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 955-956

Type: NUM

SAS Variable Name: ILP10_2

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 957

Type: NUM

SAS Variable Name: ILP03_3

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	510	28.85	32.14
2	No	1,223	69.17	66.58
4	Medication has a built-in spacer/does not need a spacer	6	0.34	0.26
7	Don't know	28	1.58	0.99
9	Refused	1	0.06	0.03
BLANK	Skip filled	9,688		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 958

Type: NUM

SAS Variable Name: ILP04_3

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,509	85.35	84.72
2	No	136	7.69	9.10
3	No attack in past 3 months	115	6.50	5.82
7	Don't know	7	0.40	0.36
9	Refused	1	0.06	0.00
BLANK	Skip filled	9,688		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 959

Type: NUM

SAS Variable Name: ILP05_3

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	671	37.95	44.24
2	No	887	50.17	47.93
3	Didn't exercise in past 3 months	203	11.48	7.69
7	Don't know	6	0.34	0.13
9	Refused	1	0.06	0.00
BLANK	Skip filled	9,688		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 960

Type: NUM

SAS Variable Name: ILP06_3

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	445	25.17	21.75
2	No	1,317	74.49	78.10
7	Don't know	6	0.34	0.15
BLANK	Skip filled	9,688		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 961-963

Type: NUM

SAS Variable Name: ILP08_3

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	609	34.45	33.62
401 - 499	Weeks	573	32.41	36.39
555	Never	48	2.71	6.04
666	Less often than once a week	460	26.02	20.94
777	Don't know/Not sure	72	4.07	2.88
999	Refused	6	0.34	0.12
BLANK	Skip filled	9,688		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 964-965

Type: NUM

SAS Variable Name: ILP10_3

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1,294	73.19	77.73
77	Don't know	118	6.67	4.21
88	None	355	20.08	18.03
99	Refused	1	0.06	0.02
BLANK	Skip filled	9,688		

ALUPENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 966

Type: NUM

SAS Variable Name: ILP03_4

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	20.00	22.92
2	No	4	80.00	77.08
BLANK	Skip filled	11,451		

ALUPENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 967

Type: NUM

SAS Variable Name: ILP04_4

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	80.00	78.12
2	No	1	20.00	21.88
BLANK	Skip filled	11,451		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALUPENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 968

Type: NUM

SAS Variable Name: ILP05_4

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	39.39
2	No	3	60.00	60.61
BLANK	Skip filled	11,451		

ALUPENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 969

Type: NUM

SAS Variable Name: ILP06_4

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	20.00	22.92
2	No	4	80.00	77.08
BLANK	Skip filled	11,451		

ALUPENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 970-972

Type: NUM

SAS Variable Name: ILP08_4

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	20.00	22.92
401 - 499	Weeks	2	40.00	48.01
666	Less often than once a week	2	40.00	29.07
BLANK	Skip filled	11,451		

ALUPENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 973-974

Type: NUM

SAS Variable Name: ILP10_4

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	3	60.00	70.93
88	None	2	40.00	29.07
BLANK	Skip filled	11,451		

ATROVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 975

Type: NUM

SAS Variable Name: ILP03_5

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	35.59	44.56
2	No	38	64.41	55.44
BLANK	Skip filled	11,397		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ATROVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 976

Type: NUM

SAS Variable Name: ILP04_5

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	38	64.41	69.05
2	No	17	28.81	28.17
3	No attack in past 3 months	4	6.78	2.78
BLANK	Skip filled	11,397		

ATROVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 977

Type: NUM

SAS Variable Name: ILP05_5

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	25.42	36.16
2	No	37	62.71	44.46
3	Didn't exercise in past 3 months	7	11.86	19.38
BLANK	Skip filled	11,397		

ATROVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 978

Type: NUM

SAS Variable Name: ILP06_5

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	41	69.49	61.15
2	No	18	30.51	38.85
BLANK	Skip filled	11,397		

ATROVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 979-981

Type: NUM

SAS Variable Name: ILP08_5

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	46	77.97	70.26
401 - 499	Weeks	5	8.47	6.20
666	Less often than once a week	5	8.47	1.90
777	Don't know/Not sure	2	3.39	20.87
999	Refused	1	1.69	0.77
BLANK	Skip filled	11,397		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ATROVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 982-983

Type: NUM

SAS Variable Name: ILP10_5

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

AZMACORT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 984

Type: NUM

SAS Variable Name: ILP03_6

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	47.06	66.02
2	No	9	52.94	33.98
BLANK	Skip filled	11,439		

AZMACORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 985

Type: NUM

SAS Variable Name: ILP04_6

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	58.82	36.97
2	No	5	29.41	50.76
3	No attack in past 3 months	1	5.88	3.21
7	Don't know	1	5.88	9.05
BLANK	Skip filled	11,439		

AZMACORT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 986

Type: NUM

SAS Variable Name: ILP05_6

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	35.29	26.33
2	No	11	64.71	73.67
BLANK	Skip filled	11,439		

AZMACORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 987

Type: NUM

SAS Variable Name: ILP06_6

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	64.71	69.69
2	No	6	35.29	30.31
BLANK	Skip filled	11,439		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

AZMACORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 988-990

Type: NUM

SAS Variable Name: ILP08_6

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	8	47.06	57.16
401 - 499	Weeks	5	29.41	27.12
555	Never	1	5.88	8.63
666	Less often than once a week	1	5.88	3.06
777	Don't know/Not sure	2	11.76	4.02
BLANK	Skip filled	11,439		

AZMACORT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 991-992

Type: NUM

SAS Variable Name: ILP10_6

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

BECLOMETHASONE DIPROPIONATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 993

Type: NUM

SAS Variable Name: ILP03_7

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	85.71	90.68
2	No	1	14.29	9.32
BLANK	Skip filled	11,449		

BECLOMETHASONE DIPROPIONATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 994

Type: NUM

SAS Variable Name: ILP04_7

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	85.71	90.68
7	Don't know	1	14.29	9.32
BLANK	Skip filled	11,449		

BECLOMETHASONE DIPROPIONATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 995

Type: NUM

SAS Variable Name: ILP05_7

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	57.14	70.70
2	No	3	42.86	29.30
BLANK	Skip filled	11,449		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BECLOMETHASONE DIPROPIONATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 996

Type: NUM

SAS Variable Name: ILP06_7

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	85.71	99.10
2	No	1	14.29	0.90
BLANK	Skip filled	11,449		

BECLOMETHASONE DIPROPIONATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 997-999

Type: NUM

SAS Variable Name: ILP08_7

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	7	100.00	100.00
BLANK	Skip filled	11,449		

BECLOMETHASONE DIPROPIONATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1000-1001

Type: NUM

SAS Variable Name: ILP10_7

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

BECLOVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1002

Type: NUM

SAS Variable Name: ILP03_8

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	41.76
2	No	1	50.00	58.24
BLANK	Skip filled	11,454		

BECLOVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1003

Type: NUM

SAS Variable Name: ILP04_8

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	11,454		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BECLOVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1004

Type: NUM

SAS Variable Name: ILP05_8

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	11,454		

BECLOVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1005

Type: NUM

SAS Variable Name: ILP06_8

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	58.24
2	No	1	50.00	41.76
BLANK	Skip filled	11,454		

BECLOVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1006-1008

Type: NUM

SAS Variable Name: ILP08_8

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	58.24
401 - 499	Weeks	1	50.00	41.76
BLANK	Skip filled	11,454		

BECLOVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1009-1010

Type: NUM

SAS Variable Name: ILP10_8

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

BITOLTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1011

Type: NUM

SAS Variable Name: ILP03_9

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	100.00	100.00
BLANK	Skip filled	11,453		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BITOLTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1012

Type: NUM

SAS Variable Name: ILP04_9

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	37.85
2	No	1	33.33	54.69
3	No attack in past 3 months	1	33.33	7.46
BLANK	Skip filled	11,453		

BITOLTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1013

Type: NUM

SAS Variable Name: ILP05_9

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	92.54
2	No	1	33.33	7.46
BLANK	Skip filled	11,453		

BITOLTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1014

Type: NUM

SAS Variable Name: ILP06_9

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	37.85
2	No	2	66.67	62.15
BLANK	Skip filled	11,453		

BITOLTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1015-1017

Type: NUM

SAS Variable Name: ILP08_9

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	33.33	37.85
401 - 499	Weeks	2	66.67	62.15
BLANK	Skip filled	11,453		

BITOLTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1018-1019

Type: NUM

SAS Variable Name: ILP10_9

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	3	100.00	100.00
BLANK	Skip filled	11,453		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BUDESONIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1020

Type: NUM

SAS Variable Name: ILP03_11

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	45.45	63.66
2	No	5	45.45	35.85
7	Don't know	1	9.09	0.50
BLANK	Skip filled	11,445		

BUDESONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1021

Type: NUM

SAS Variable Name: ILP04_11

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	63.64	68.51
2	No	3	27.27	27.03
3	No attack in past 3 months	1	9.09	4.45
BLANK	Skip filled	11,445		

BUDESONIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1022

Type: NUM

SAS Variable Name: ILP05_11

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	9.09	1.75
2	No	7	63.64	94.07
3	Didn't exercise in past 3 months	3	27.27	4.18
BLANK	Skip filled	11,445		

BUDESONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1023

Type: NUM

SAS Variable Name: ILP06_11

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	72.73	73.50
2	No	3	27.27	26.50
BLANK	Skip filled	11,445		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BUDESONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1024-1026

Type: NUM

SAS Variable Name: ILP08_11

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	8	72.73	73.50
555	Never	1	9.09	25.92
777	Don't know/Not sure	2	18.18	0.58
BLANK	Skip filled	11,445		

BUDESONIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1027-1028

Type: NUM

SAS Variable Name: ILP10_11

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

COMBIVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1029

Type: NUM

SAS Variable Name: ILP03_12

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	91	33.21	44.42
2	No	178	64.96	53.71
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	2	0.73	0.10
4	Medication has a built-in spacer/does not need a spacer	2	0.73	1.67
7	Don't know	1	0.36	0.10
BLANK	Skip filled	11,182		

COMBIVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1030

Type: NUM

SAS Variable Name: ILP04_12

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	213	77.74	78.72
2	No	48	17.52	13.90
3	No attack in past 3 months	13	4.74	7.38
BLANK	Skip filled	11,182		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

COMBIVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1031

Type: NUM

SAS Variable Name: ILP05_12

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	103	37.59	31.92
2	No	130	47.45	58.95
3	Didn't exercise in past 3 months	41	14.96	9.12
BLANK	Skip filled	11,182		

COMBIVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1032

Type: NUM

SAS Variable Name: ILP06_12

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	134	48.91	43.20
2	No	140	51.09	56.80
BLANK	Skip filled	11,182		

COMBIVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1033-1035

Type: NUM

SAS Variable Name: ILP08_12

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	158	57.66	50.57
401 - 499	Weeks	67	24.45	28.60
555	Never	6	2.19	4.00
666	Less often than once a week	32	11.68	14.17
777	Don't know/Not sure	11	4.01	2.66
BLANK	Skip filled	11,182		

COMBIVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1036-1037

Type: NUM

SAS Variable Name: ILP10_12

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

CROMOLYN: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1038

Type: NUM

SAS Variable Name: ILP03_13

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	11,455		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

CROMOLYN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1039

Type: NUM

SAS Variable Name: ILP04_13

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,455		

CROMOLYN: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1040

Type: NUM

SAS Variable Name: ILP05_13

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,455		

CROMOLYN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1041

Type: NUM

SAS Variable Name: ILP06_13

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,455		

CROMOLYN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1042-1044

Type: NUM

SAS Variable Name: ILP08_13

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	11,455		

CROMOLYN: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1045-1046

Type: NUM

SAS Variable Name: ILP10_13

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLOVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1047

Type: NUM

SAS Variable Name: ILP03_14

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	122	35.06	25.74
2	No	215	61.78	72.08
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	3	0.86	1.16
4	Medication has a built-in spacer/does not need a spacer	3	0.86	0.27
7	Don't know	5	1.44	0.75
BLANK	Skip filled	11,108		

FLOVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1048

Type: NUM

SAS Variable Name: ILP04_14

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	142	40.80	37.10
2	No	162	46.55	52.27
3	No attack in past 3 months	41	11.78	10.50
7	Don't know	3	0.86	0.13
BLANK	Skip filled	11,108		

FLOVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1049

Type: NUM

SAS Variable Name: ILP05_14

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	97	27.87	23.70
2	No	222	63.79	68.42
3	Didn't exercise in past 3 months	27	7.76	6.09
7	Don't know	1	0.29	0.03
9	Refused	1	0.29	1.76
BLANK	Skip filled	11,108		

FLOVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1050

Type: NUM

SAS Variable Name: ILP06_14

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	275	79.02	69.27
2	No	73	20.98	30.73
BLANK	Skip filled	11,108		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLOVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1051-1053

Type: NUM

SAS Variable Name: ILP08_14

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	277	79.60	72.79
401 - 499	Weeks	38	10.92	15.63
555	Never	3	0.86	1.04
666	Less often than once a week	27	7.76	10.25
777	Don't know/Not sure	2	0.57	0.24
999	Refused	1	0.29	0.06
BLANK	Skip filled	11,108		

FLOVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1054-1055

Type: NUM

SAS Variable Name: ILP10_14

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

FLOVENT ROTADISK: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1056

Type: NUM

SAS Variable Name: ILP03_15

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

FLOVENT ROTADISK: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1057

Type: NUM

SAS Variable Name: ILP04_15

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	44.00	33.15
2	No	10	40.00	48.19
3	No attack in past 3 months	4	16.00	18.66
BLANK	Skip filled	11,431		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLOVENT ROTADISK: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1058

Type: NUM

SAS Variable Name: ILP05_15

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	16.00	9.68
2	No	18	72.00	62.62
3	Didn't exercise in past 3 months	3	12.00	27.70
BLANK	Skip filled	11,431		

FLOVENT ROTADISK: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1059

Type: NUM

SAS Variable Name: ILP06_15

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	72.00	61.89
2	No	7	28.00	38.11
BLANK	Skip filled	11,431		

FLOVENT ROTADISK: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1060-1062

Type: NUM

SAS Variable Name: ILP08_15

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	17	68.00	72.27
401 - 499	Weeks	3	12.00	2.97
666	Less often than once a week	3	12.00	22.03
777	Don't know/Not sure	1	4.00	2.52
999	Refused	1	4.00	0.21
BLANK	Skip filled	11,431		

FLOVENT ROTADISK: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1063-1064

Type: NUM

SAS Variable Name: ILP10_15

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLUNISOLIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1065

Type: NUM

SAS Variable Name: ILP03_16

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	33.33	28.61
2	No	3	50.00	27.35
7	Don't know	1	16.67	44.04
BLANK	Skip filled	11,450		

FLUNISOLIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1066

Type: NUM

SAS Variable Name: ILP04_16

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	33.33	47.86
2	No	3	50.00	34.40
3	No attack in past 3 months	1	16.67	17.74
BLANK	Skip filled	11,450		

FLUNISOLIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1067

Type: NUM

SAS Variable Name: ILP05_16

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	5	83.33	82.26
3	Didn't exercise in past 3 months	1	16.67	17.74
BLANK	Skip filled	11,450		

FLUNISOLIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1068

Type: NUM

SAS Variable Name: ILP06_16

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	83.33	90.97
2	No	1	16.67	9.03
BLANK	Skip filled	11,450		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLUNISOLIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1069-1071

Type: NUM

SAS Variable Name: ILP08_16

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	5	83.33	90.97
401 - 499	Weeks	1	16.67	9.03
BLANK	Skip filled	11,450		

FLUNISOLIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1072-1073

Type: NUM

SAS Variable Name: ILP10_16

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

FLUTICASONE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1074

Type: NUM

SAS Variable Name: ILP03_17

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	11.11	27.73
2	No	23	85.19	68.98
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	1	3.70	3.29
BLANK	Skip filled	11,429		

FLUTICASONE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1075

Type: NUM

SAS Variable Name: ILP04_17

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	33.33	48.95
2	No	17	62.96	50.83
3	No attack in past 3 months	1	3.70	0.22
BLANK	Skip filled	11,429		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLUTICASONE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1076

Type: NUM

SAS Variable Name: ILP05_17

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	22.22	20.89
2	No	20	74.07	77.84
3	Didn't exercise in past 3 months	1	3.70	1.27
BLANK	Skip filled	11,429		

FLUTICASONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1077

Type: NUM

SAS Variable Name: ILP06_17

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	20	74.07	76.30
2	No	7	25.93	23.70
BLANK	Skip filled	11,429		

FLUTICASONE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1078-1080

Type: NUM

SAS Variable Name: ILP08_17

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	20	74.07	67.19
401 - 499	Weeks	6	22.22	30.68
666	Less often than once a week	1	3.70	2.13
BLANK	Skip filled	11,429		

FLUTICASONE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1081-1082

Type: NUM

SAS Variable Name: ILP10_17

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

IPRATROPIUM BROMIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1083

Type: NUM

SAS Variable Name: ILP03_19

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	54.55	29.29
2	No	9	40.91	64.46
7	Don't know	1	4.55	6.25
BLANK	Skip filled	11,434		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

IPRATROPIUM BROMIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1084

Type: NUM

SAS Variable Name: ILP04_19

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	59.09	75.72
2	No	6	27.27	13.42
3	No attack in past 3 months	3	13.64	10.87
BLANK	Skip filled	11,434		

IPRATROPIUM BROMIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1085

Type: NUM

SAS Variable Name: ILP05_19

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	36.36	25.36
2	No	8	36.36	65.47
3	Didn't exercise in past 3 months	6	27.27	9.17
BLANK	Skip filled	11,434		

IPRATROPIUM BROMIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1086

Type: NUM

SAS Variable Name: ILP06_19

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	68.18	77.79
2	No	7	31.82	22.21
BLANK	Skip filled	11,434		

IPRATROPIUM BROMIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1087-1089

Type: NUM

SAS Variable Name: ILP08_19

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	13	59.09	67.72
401 - 499	Weeks	5	22.73	26.27
666	Less often than once a week	2	9.09	1.92
777	Don't know/Not sure	2	9.09	4.09
BLANK	Skip filled	11,434		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

IPRATROPIUM BROMIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1090-1091

Type: NUM

SAS Variable Name: ILP10_19

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

MAXAIR: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1092

Type: NUM

SAS Variable Name: ILP03_20

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

MAXAIR: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1093

Type: NUM

SAS Variable Name: ILP04_20

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	35	85.37	94.85
2	No	3	7.32	3.71
3	No attack in past 3 months	1	2.44	0.73
9	Refused	2	4.88	0.71
BLANK	Skip filled	11,415		

MAXAIR: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1094

Type: NUM

SAS Variable Name: ILP05_20

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	36.59	41.87
2	No	21	51.22	56.77
3	Didn't exercise in past 3 months	3	7.32	0.66
9	Refused	2	4.88	0.71
BLANK	Skip filled	11,415		

MAXAIR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1095

Type: NUM

SAS Variable Name: ILP06_20

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	19.51	10.51
2	No	31	75.61	88.78
9	Refused	2	4.88	0.71
BLANK	Skip filled	11,415		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

MAXAIR: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1096-1098

Type: NUM

SAS Variable Name: ILP08_20

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	11	26.83	14.17
401 - 499	Weeks	11	26.83	35.40
666	Less often than once a week	17	41.46	49.73
999	Refused	2	4.88	0.71
BLANK	Skip filled	11,415		

MAXAIR: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1099-1100

Type: NUM

SAS Variable Name: ILP10_20

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	27	65.85	42.14
88	None	12	29.27	57.16
99	Refused	2	4.88	0.71
BLANK	Skip filled	11,415		

METAPROTERONOL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1101

Type: NUM

SAS Variable Name: ILP03_21

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

METAPROTERONOL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1102

Type: NUM

SAS Variable Name: ILP04_21

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

METAPROTERONOL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1103

Type: NUM

SAS Variable Name: ILP05_21

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

METAPROTERONOL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1104

Type: NUM

SAS Variable Name: ILP06_21

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

METAPROTERONOL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1105-1107

Type: NUM

SAS Variable Name: ILP08_21

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

METAPROTERONOL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1108-1109

Type: NUM

SAS Variable Name: ILP10_21

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

NEDOCROMIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1110

Type: NUM

SAS Variable Name: ILP03_22

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

NEDOCROMIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1111

Type: NUM

SAS Variable Name: ILP04_22

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

NEDOCROMIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1112

Type: NUM

SAS Variable Name: ILP05_22

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEDOCROMIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1113

Type: NUM

SAS Variable Name: ILP06_22

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

NEDOCROMIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1114-1116

Type: NUM

SAS Variable Name: ILP08_22

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

NEDOCROMIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1117-1118

Type: NUM

SAS Variable Name: ILP10_22

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

PIRBUTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1119

Type: NUM

SAS Variable Name: ILP03_23

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	66.67	74.33
2	No	2	33.33	25.67
BLANK	Skip filled	11,450		

PIRBUTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1120

Type: NUM

SAS Variable Name: ILP04_23

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	66.67	82.28
2	No	1	16.67	1.83
7	Don't know	1	16.67	15.88
BLANK	Skip filled	11,450		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PIRBUTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1121

Type: NUM

SAS Variable Name: ILP05_23

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	33.33	72.69
2	No	3	50.00	27.11
3	Didn't exercise in past 3 months	1	16.67	0.20
BLANK	Skip filled	11,450		

PIRBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1122

Type: NUM

SAS Variable Name: ILP06_23

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	33.33	80.64
2	No	4	66.67	19.36
BLANK	Skip filled	11,450		

PIRBUTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1123-1125

Type: NUM

SAS Variable Name: ILP08_23

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	33.33	80.64
401 - 499	Weeks	2	33.33	3.28
666	Less often than once a week	1	16.67	0.20
777	Don't know/Not sure	1	16.67	15.88
BLANK	Skip filled	11,450		

PIRBUTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1126-1127

Type: NUM

SAS Variable Name: ILP10_23

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	4	66.67	83.92
88	None	2	33.33	16.08
BLANK	Skip filled	11,450		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PROVENTIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1128

Type: NUM

SAS Variable Name: ILP03_24

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	130	26.92	23.73
2	No	345	71.43	72.82
7	Don't know	8	1.66	3.45
BLANK	Skip filled	10,973		

PROVENTIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1129

Type: NUM

SAS Variable Name: ILP04_24

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	383	79.30	85.04
2	No	48	9.94	6.62
3	No attack in past 3 months	51	10.56	8.30
7	Don't know	1	0.21	0.04
BLANK	Skip filled	10,973		

PROVENTIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1130

Type: NUM

SAS Variable Name: ILP05_24

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	153	31.68	41.08
2	No	241	49.90	45.85
3	Didn't exercise in past 3 months	84	17.39	11.50
7	Don't know	5	1.04	1.57
BLANK	Skip filled	10,973		

PROVENTIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1131

Type: NUM

SAS Variable Name: ILP06_24

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	135	27.95	23.38
2	No	346	71.64	76.46
7	Don't know	1	0.21	0.04
9	Refused	1	0.21	0.12
BLANK	Skip filled	10,973		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PROVENTIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1132-1134

Type: NUM

SAS Variable Name: ILP08_24

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	205	42.44	34.16
401 - 499	Weeks	130	26.92	39.93
555	Never	8	1.66	0.82
666	Less often than once a week	123	25.47	22.42
777	Don't know/Not sure	17	3.52	2.68
BLANK	Skip filled	10,973		

PROVENTIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1135-1136

Type: NUM

SAS Variable Name: ILP10_24

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	383	79.30	79.75
77	Don't know	18	3.73	1.20
88	None	82	16.98	19.05
BLANK	Skip filled	10,973		

PULMICORT FLEXHALER: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1137

Type: NUM

SAS Variable Name: ILP03_25

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

PULMICORT FLEXHALER: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1138

Type: NUM

SAS Variable Name: ILP04_25

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	39	30.47	26.97
2	No	74	57.81	66.44
3	No attack in past 3 months	14	10.94	6.47
7	Don't know	1	0.78	0.12
BLANK	Skip filled	11,328		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PULMICORT FLEXHALER: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1139

Type: NUM

SAS Variable Name: ILP05_25

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25	19.53	23.09
2	No	92	71.88	74.17
3	Didn't exercise in past 3 months	8	6.25	2.10
7	Don't know	2	1.56	0.61
9	Refused	1	0.78	0.03
BLANK	Skip filled	11,328		

PULMICORT FLEXHALER: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1140

Type: NUM

SAS Variable Name: ILP06_25

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	107	83.59	77.43
2	No	20	15.63	22.32
7	Don't know	1	0.78	0.25
BLANK	Skip filled	11,328		

PULMICORT FLEXHALER: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1141-1143

Type: NUM

SAS Variable Name: ILP08_25

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	111	86.72	81.83
401 - 499	Weeks	6	4.69	2.33
555	Never	7	5.47	15.15
666	Less often than once a week	4	3.13	0.70
BLANK	Skip filled	11,328		

PULMICORT FLEXHALER: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1144-1145

Type: NUM

SAS Variable Name: ILP10_25

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SALMETEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1146

Type: NUM

SAS Variable Name: ILP03_26

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	5	71.43	31.70
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	2	28.57	68.30
BLANK	Skip filled	11,449		

SALMETEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1147

Type: NUM

SAS Variable Name: ILP04_26

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	14.29	55.39
2	No	5	71.43	38.64
3	No attack in past 3 months	1	14.29	5.97
BLANK	Skip filled	11,449		

SALMETEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1148

Type: NUM

SAS Variable Name: ILP05_26

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	61.36
2	No	4	57.14	37.65
3	Didn't exercise in past 3 months	1	14.29	0.99
BLANK	Skip filled	11,449		

SALMETEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1149

Type: NUM

SAS Variable Name: ILP06_26

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	71.43	94.11
2	No	2	28.57	5.89
BLANK	Skip filled	11,449		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SALMETEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1150-1152

Type: NUM

SAS Variable Name: ILP08_26

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	6	85.71	95.10
666	Less often than once a week	1	14.29	4.90
BLANK	Skip filled	11,449		

SALMETEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1153-1154

Type: NUM

SAS Variable Name: ILP10_26

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

SEREVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1155

Type: NUM

SAS Variable Name: ILP03_27

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

SEREVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1156

Type: NUM

SAS Variable Name: ILP04_27

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	23.21	21.79
2	No	35	62.50	65.76
3	No attack in past 3 months	6	10.71	11.42
7	Don't know	1	1.79	0.49
9	Refused	1	1.79	0.54
BLANK	Skip filled	11,400		

SEREVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1157

Type: NUM

SAS Variable Name: ILP05_27

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	26.79	29.57
2	No	34	60.71	49.84
3	Didn't exercise in past 3 months	7	12.50	20.59
BLANK	Skip filled	11,400		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SEREVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1158

Type: NUM

SAS Variable Name: ILP06_27

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	49	87.50	90.65
2	No	7	12.50	9.35
BLANK	Skip filled	11,400		

SEREVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1159-1161

Type: NUM

SAS Variable Name: ILP08_27

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	51	91.07	94.41
401 - 499	Weeks	4	7.14	5.14
666	Less often than once a week	1	1.79	0.44
BLANK	Skip filled	11,400		

SEREVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1162-1163

Type: NUM

SAS Variable Name: ILP10_27

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

TERBUTALINE (+ T. SULFATE): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1164

Type: NUM

SAS Variable Name: ILP03_28

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	11,454		

TERBUTALINE (+ T. SULFATE): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1165

Type: NUM

SAS Variable Name: ILP04_28

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	11,454		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TERBUTALINE (+ T. SULFATE): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1166

Type: NUM

SAS Variable Name: ILP05_28

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	11,454		

TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1167

Type: NUM

SAS Variable Name: ILP06_28

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	90.85
2	No	1	50.00	9.15
BLANK	Skip filled	11,454		

TERBUTALINE (+ T. SULFATE): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1168-1170

Type: NUM

SAS Variable Name: ILP08_28

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	90.85
777	Don't know/Not sure	1	50.00	9.15
BLANK	Skip filled	11,454		

TERBUTALINE (+ T. SULFATE): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1171-1172

Type: NUM

SAS Variable Name: ILP10_28

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	50.00	90.85
77	Don't know	1	50.00	9.15
BLANK	Skip filled	11,454		

TORNALATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1173

Type: NUM

SAS Variable Name: ILP03_30

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	11,454		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TORNALATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1174

Type: NUM

SAS Variable Name: ILP04_30

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,455		

TORNALATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1175

Type: NUM

SAS Variable Name: ILP05_30

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,455		

TORNALATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1176

Type: NUM

SAS Variable Name: ILP06_30

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	11,455		

TORNALATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1177-1179

Type: NUM

SAS Variable Name: ILP08_30

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	100.00	100.00
BLANK	Skip filled	11,455		

TORNALATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1180-1181

Type: NUM

SAS Variable Name: ILP10_30

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	100.00	100.00
BLANK	Skip filled	11,455		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TRIAMCINOLONE ACETONIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1182

Type: NUM

SAS Variable Name: ILP03_31

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	11,454		

TRIAMCINOLONE ACETONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1183

Type: NUM

SAS Variable Name: ILP04_31

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	80.22
2	No	1	50.00	19.78
BLANK	Skip filled	11,454		

TRIAMCINOLONE ACETONIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1184

Type: NUM

SAS Variable Name: ILP05_31

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	11,454		

TRIAMCINOLONE ACETONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1185

Type: NUM

SAS Variable Name: ILP06_31

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	80.22
2	No	1	50.00	19.78
BLANK	Skip filled	11,454		

TRIAMCINOLONE ACETONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1186-1188

Type: NUM

SAS Variable Name: ILP08_31

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	100.00	100.00
BLANK	Skip filled	11,454		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TRIAMCINOLONE ACETONIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1189-1190

Type: NUM

SAS Variable Name: ILP10_31

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

VANCERIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1191

Type: NUM

SAS Variable Name: ILP03_32

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	28.42
2	No	2	66.67	71.58
BLANK	Skip filled	11,453		

VANCERIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1192

Type: NUM

SAS Variable Name: ILP04_32

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	11,453		

VANCERIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1193

Type: NUM

SAS Variable Name: ILP05_32

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	66.67	71.58
3	Didn't exercise in past 3 months	1	33.33	28.42
BLANK	Skip filled	11,453		

VANCERIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1194

Type: NUM

SAS Variable Name: ILP06_32

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	48.40
2	No	2	66.67	51.60
BLANK	Skip filled	11,453		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

VANCERIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1195-1197

Type: NUM

SAS Variable Name: ILP08_32

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	66.67	76.81
401 - 499	Weeks	1	33.33	23.19
BLANK	Skip filled	11,453		

VANCERIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1198-1199

Type: NUM

SAS Variable Name: ILP10_32

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

VENTOLIN: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1200

Type: NUM

SAS Variable Name: ILP03_33

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	218	26.17	19.55
2	No	591	70.95	78.61
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	1	0.12	0.02
4	Medication has a built-in spacer/does not need a spacer	6	0.72	0.60
7	Don't know	15	1.80	0.89
9	Refused	2	0.24	0.34
BLANK	Skip filled	10,623		

VENTOLIN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1201

Type: NUM

SAS Variable Name: ILP04_33

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	712	85.47	85.34
2	No	71	8.52	9.82
3	No attack in past 3 months	44	5.28	4.43
7	Don't know	3	0.36	0.04
9	Refused	3	0.36	0.37
BLANK	Skip filled	10,623		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

VENTOLIN: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1202

Type: NUM

SAS Variable Name: ILP05_33

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	313	37.58	48.31
2	No	455	54.62	46.08
3	Didn't exercise in past 3 months	62	7.44	5.27
7	Don't know	1	0.12	0.01
9	Refused	2	0.24	0.34
BLANK	Skip filled	10,623		

VENTOLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1203

Type: NUM

SAS Variable Name: ILP06_33

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	225	27.01	25.31
2	No	606	72.75	74.35
9	Refused	2	0.24	0.34
BLANK	Skip filled	10,623		

VENTOLIN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1204-1206

Type: NUM

SAS Variable Name: ILP08_33

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	304	36.49	32.15
401 - 499	Weeks	283	33.97	41.73
555	Never	14	1.68	1.52
666	Less often than once a week	206	24.73	23.16
777	Don't know/Not sure	23	2.76	1.09
999	Refused	3	0.36	0.34
BLANK	Skip filled	10,623		

VENTOLIN: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1207-1208

Type: NUM

SAS Variable Name: ILP10_33

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	594	71.31	76.00
77	Don't know	33	3.96	2.49
88	None	205	24.61	21.28
99	Refused	1	0.12	0.24
BLANK	Skip filled	10,623		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FORADIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1209

Type: NUM

SAS Variable Name: ILP03_34

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

FORADIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1210

Type: NUM

SAS Variable Name: ILP04_34

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	25.00	27.96
2	No	12	42.86	47.87
3	No attack in past 3 months	9	32.14	24.17
BLANK	Skip filled	11,428		

FORADIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1211

Type: NUM

SAS Variable Name: ILP05_34

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	35.71	41.53
2	No	14	50.00	53.43
3	Didn't exercise in past 3 months	4	14.29	5.05
BLANK	Skip filled	11,428		

FORADIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1212

Type: NUM

SAS Variable Name: ILP06_34

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25	89.29	79.05
2	No	3	10.71	20.95
BLANK	Skip filled	11,428		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FORADIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1213-1215

Type: NUM

SAS Variable Name: ILP08_34

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	24	85.71	73.30
401 - 499	Weeks	2	7.14	15.10
555	Never	1	3.57	2.22
666	Less often than once a week	1	3.57	9.39
BLANK	Skip filled	11,428		

FORADIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1216-1217

Type: NUM

SAS Variable Name: ILP10_34

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

FORMOTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1218

Type: NUM

SAS Variable Name: ILP03_35

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	0.82
2	No	4	57.14	95.72
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	1	14.29	3.46
BLANK	Skip filled	11,449		

FORMOTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1219

Type: NUM

SAS Variable Name: ILP04_35

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	14.29	9.44
2	No	5	71.43	83.43
3	No attack in past 3 months	1	14.29	7.13
BLANK	Skip filled	11,449		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FORMOTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1220

Type: NUM

SAS Variable Name: ILP05_35

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	81.31
2	No	4	57.14	11.56
3	Didn't exercise in past 3 months	1	14.29	7.13
BLANK	Skip filled	11,449		

FORMOTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1221

Type: NUM

SAS Variable Name: ILP06_35

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	100.00	100.00
BLANK	Skip filled	11,449		

FORMOTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1222-1224

Type: NUM

SAS Variable Name: ILP08_35

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	7	100.00	100.00
BLANK	Skip filled	11,449		

FORMOTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1225-1226

Type: NUM

SAS Variable Name: ILP10_35

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

QVAR: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1227

Type: NUM

SAS Variable Name: ILP03_36

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	83	33.60	39.11
2	No	158	63.97	56.20
4	Medication has a built-in spacer/does not need a spacer	1	0.40	0.45
7	Don't know	5	2.02	4.24
BLANK	Skip filled	11,209		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

QVAR: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1228

Type: NUM

SAS Variable Name: ILP04_36

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	86	34.82	47.10
2	No	130	52.63	46.07
3	No attack in past 3 months	31	12.55	6.84
BLANK	Skip filled	11,209		

QVAR: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1229

Type: NUM

SAS Variable Name: ILP05_36

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	66	26.72	28.59
2	No	152	61.54	58.04
3	Didn't exercise in past 3 months	28	11.34	13.10
7	Don't know	1	0.40	0.28
BLANK	Skip filled	11,209		

QVAR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1230

Type: NUM

SAS Variable Name: ILP06_36

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	206	83.40	82.09
2	No	41	16.60	17.91
BLANK	Skip filled	11,209		

QVAR: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1231-1233

Type: NUM

SAS Variable Name: ILP08_36

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	213	86.23	88.89
401 - 499	Weeks	17	6.88	3.50
555	Never	1	0.40	0.56
666	Less often than once a week	13	5.26	6.76
777	Don't know/Not sure	3	1.21	0.29
BLANK	Skip filled	11,209		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

QVAR: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1234-1235

Type: NUM

SAS Variable Name: ILP10_36

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

LEVALBUTEROL TARTRATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1236

Type: NUM

SAS Variable Name: ILP03_37

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	60.00	89.31
2	No	1	20.00	7.17
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	1	20.00	3.51
BLANK	Skip filled	11,451		

LEVALBUTEROL TARTRATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1237

Type: NUM

SAS Variable Name: ILP04_37

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	100.00	100.00
BLANK	Skip filled	11,451		

LEVALBUTEROL TARTRATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1238

Type: NUM

SAS Variable Name: ILP05_37

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	15.24
2	No	1	20.00	73.35
3	Didn't exercise in past 3 months	2	40.00	11.41
BLANK	Skip filled	11,451		

LEVALBUTEROL TARTRATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1239

Type: NUM

SAS Variable Name: ILP06_37

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	7.75
2	No	3	60.00	92.25
BLANK	Skip filled	11,451		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

LEVALBUTEROL TARTRATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1240-1242

Type: NUM

SAS Variable Name: ILP08_37

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	3	60.00	22.41
666	Less often than once a week	2	40.00	77.59
BLANK	Skip filled	11,451		

LEVALBUTEROL TARTRATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1243-1244

Type: NUM

SAS Variable Name: ILP10_37

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	2	40.00	7.75
88	None	3	60.00	92.25
BLANK	Skip filled	11,451		

XOPENEX HFA: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1245

Type: NUM

SAS Variable Name: ILP03_38

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	54	29.03	16.45
2	No	130	69.89	82.88
4	Medication has a built-in spacer/does not need a spacer	1	0.54	0.56
7	Don't know	1	0.54	0.10
BLANK	Skip filled	11,270		

XOPENEX HFA: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1246

Type: NUM

SAS Variable Name: ILP04_38

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	155	83.33	87.65
2	No	17	9.14	4.86
3	No attack in past 3 months	14	7.53	7.49
BLANK	Skip filled	11,270		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

XOPENEX HFA: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1247

Type: NUM

SAS Variable Name: ILP05_38

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	68	36.56	56.40
2	No	96	51.61	31.39
3	Didn't exercise in past 3 months	21	11.29	12.14
7	Don't know	1	0.54	0.06
BLANK	Skip filled	11,270		

XOPENEX HFA: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1248

Type: NUM

SAS Variable Name: ILP06_38

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	44	23.66	25.23
2	No	142	76.34	74.77
BLANK	Skip filled	11,270		

XOPENEX HFA: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1249-1251

Type: NUM

SAS Variable Name: ILP08_38

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	68	36.56	58.48
401 - 499	Weeks	58	31.18	21.28
555	Never	7	3.76	2.29
666	Less often than once a week	47	25.27	16.86
777	Don't know/Not sure	6	3.23	1.10
BLANK	Skip filled	11,270		

XOPENEX HFA: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1252-1253

Type: NUM

SAS Variable Name: ILP10_38

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	136	73.12	84.25
77	Don't know	6	3.23	1.17
88	None	44	23.66	14.57
BLANK	Skip filled	11,270		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

MOMETASONE FUROATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1254

Type: NUM

SAS Variable Name: ILP03_39

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

MOMETASONE FUROATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1255

Type: NUM

SAS Variable Name: ILP04_39

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	40.00	6.64
2	No	9	60.00	93.36
BLANK	Skip filled	11,441		

MOMETASONE FUROATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1256

Type: NUM

SAS Variable Name: ILP05_39

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	26.67	9.28
2	No	8	53.33	65.35
3	Didn't exercise in past 3 months	3	20.00	25.37
BLANK	Skip filled	11,441		

MOMETASONE FUROATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1257

Type: NUM

SAS Variable Name: ILP06_39

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	86.67	96.38
2	No	2	13.33	3.62
BLANK	Skip filled	11,441		

MOMETASONE FUROATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1258-1260

Type: NUM

SAS Variable Name: ILP08_39

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	13	86.67	96.38
666	Less often than once a week	2	13.33	3.62
BLANK	Skip filled	11,441		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

MOMETASONE FUROATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1261-1262

Type: NUM

SAS Variable Name: ILP10_39

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

ASMANEX (TWISTHALER): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1263

Type: NUM

SAS Variable Name: ILP03_40

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

ASMANEX (TWISTHALER): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1264

Type: NUM

SAS Variable Name: ILP04_40

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	41	26.80	29.25
2	No	88	57.52	53.84
3	No attack in past 3 months	23	15.03	16.84
7	Don't know	1	0.65	0.06
BLANK	Skip filled	11,303		

ASMANEX (TWISTHALER): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1265

Type: NUM

SAS Variable Name: ILP05_40

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	37	24.18	29.84
2	No	106	69.28	64.70
3	Didn't exercise in past 3 months	10	6.54	5.47
BLANK	Skip filled	11,303		

ASMANEX (TWISTHALER): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1266

Type: NUM

SAS Variable Name: ILP06_40

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	132	86.27	90.05
2	No	21	13.73	9.95
BLANK	Skip filled	11,303		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ASMANEX (TWISTHALER): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1267-1269

Type: NUM

SAS Variable Name: ILP08_40

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	131	85.62	89.09
401 - 499	Weeks	13	8.50	7.56
555	Never	1	0.65	0.41
666	Less often than once a week	6	3.92	2.43
999	Refused	2	1.31	0.52
BLANK	Skip filled	11,303		

ASMANEX (TWISTHALER): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1270-1271

Type: NUM

SAS Variable Name: ILP10_40

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

PRO-AIR HFA: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1272

Type: NUM

SAS Variable Name: ILP03_41

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	304	27.99	24.56
2	No	768	70.72	73.39
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	2	0.18	0.22
4	Medication has a built-in spacer/does not need a spacer	2	0.18	0.69
7	Don't know	9	0.83	0.83
9	Refused	1	0.09	0.31
BLANK	Skip filled	10,370		

PRO-AIR HFA: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1273

Type: NUM

SAS Variable Name: ILP04_41

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	908	83.61	85.89
2	No	102	9.39	8.89
3	No attack in past 3 months	67	6.17	4.04
7	Don't know	7	0.64	0.86
9	Refused	2	0.18	0.32
BLANK	Skip filled	10,370		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PRO-AIR HFA: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1274

Type: NUM

SAS Variable Name: ILP05_41

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	399	36.74	38.64
2	No	559	51.47	52.05
3	Didn't exercise in past 3 months	125	11.51	8.97
7	Don't know	1	0.09	0.01
9	Refused	2	0.18	0.32
BLANK	Skip filled	10,370		

PRO-AIR HFA: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1275

Type: NUM

SAS Variable Name: ILP06_41

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	294	27.07	27.75
2	No	789	72.65	71.89
7	Don't know	1	0.09	0.04
9	Refused	2	0.18	0.32
BLANK	Skip filled	10,370		

PRO-AIR HFA: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1276-1278

Type: NUM

SAS Variable Name: ILP08_41

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	400	36.83	33.85
401 - 499	Weeks	358	32.97	37.47
555	Never	22	2.03	3.70
666	Less often than once a week	266	24.49	22.14
777	Don't know/Not sure	34	3.13	2.27
999	Refused	6	0.55	0.58
BLANK	Skip filled	10,370		

PRO-AIR HFA: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1279-1280

Type: NUM

SAS Variable Name: ILP10_41

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	846	77.90	79.43
77	Don't know	39	3.59	3.51
88	None	199	18.32	17.05
99	Refused	2	0.18	0.01
BLANK	Skip filled	10,370		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYMBICORT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1281

Type: NUM

SAS Variable Name: ILP03_42

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

SYMBICORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1282

Type: NUM

SAS Variable Name: ILP04_42

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	270	41.93	44.06
2	No	312	48.45	47.07
3	No attack in past 3 months	59	9.16	7.77
7	Don't know	2	0.31	0.49
9	Refused	1	0.16	0.61
BLANK	Skip filled	10,812		

SYMBICORT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1283

Type: NUM

SAS Variable Name: ILP05_42

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	164	25.47	26.68
2	No	398	61.80	61.81
3	Didn't exercise in past 3 months	77	11.96	10.35
7	Don't know	4	0.62	0.54
9	Refused	1	0.16	0.61
BLANK	Skip filled	10,812		

SYMBICORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1284

Type: NUM

SAS Variable Name: ILP06_42

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	521	80.90	80.01
2	No	122	18.94	19.38
9	Refused	1	0.16	0.61
BLANK	Skip filled	10,812		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYMBICORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1285-1287

Type: NUM

SAS Variable Name: ILP08_42

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	544	84.47	84.62
401 - 499	Weeks	61	9.47	11.31
555	Never	3	0.47	0.13
666	Less often than once a week	31	4.81	2.92
777	Don't know/Not sure	4	0.62	0.41
999	Refused	1	0.16	0.61
BLANK	Skip filled	10,812		

SYMBICORT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1288-1289

Type: NUM

SAS Variable Name: ILP10_42

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

ALVESCO: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1290

Type: NUM

SAS Variable Name: ILP03_43

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	37.50	27.00
2	No	19	59.38	64.28
9	Refused	1	3.13	8.72
BLANK	Skip filled	11,424		

ALVESCO: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1291

Type: NUM

SAS Variable Name: ILP04_43

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	34.38	43.64
2	No	16	50.00	37.93
3	No attack in past 3 months	3	9.38	8.56
7	Don't know	1	3.13	1.16
9	Refused	1	3.13	8.72
BLANK	Skip filled	11,424		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALVESCO: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1292

Type: NUM

SAS Variable Name: ILP05_43

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	12.50	19.05
2	No	21	65.63	56.41
3	Didn't exercise in past 3 months	4	12.50	13.86
7	Don't know	2	6.25	1.96
9	Refused	1	3.13	8.72
BLANK	Skip filled	11,424		

ALVESCO: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1293

Type: NUM

SAS Variable Name: ILP06_43

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	28	87.50	84.46
2	No	3	9.38	6.82
9	Refused	1	3.13	8.72
BLANK	Skip filled	11,424		

ALVESCO: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1294-1296

Type: NUM

SAS Variable Name: ILP08_43

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	27	84.38	82.18
401 - 499	Weeks	3	9.38	8.69
666	Less often than once a week	1	3.13	0.41
999	Refused	1	3.13	8.72
BLANK	Skip filled	11,424		

ALVESCO: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1297-1298

Type: NUM

SAS Variable Name: ILP10_43

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DULERA: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1299

Type: NUM

SAS Variable Name: ILP03_44

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	52	29.05	29.59
2	No	123	68.72	66.66
7	Don't know	2	1.12	1.30
9	Refused	2	1.12	2.45
BLANK	Skip filled	11,277		

DULERA: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1300

Type: NUM

SAS Variable Name: ILP04_44

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	60	33.52	42.61
2	No	99	55.31	50.50
3	No attack in past 3 months	18	10.06	4.44
9	Refused	2	1.12	2.45
BLANK	Skip filled	11,277		

DULERA: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1301

Type: NUM

SAS Variable Name: ILP05_44

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	37	20.67	39.18
2	No	121	67.60	50.30
3	Didn't exercise in past 3 months	18	10.06	7.63
9	Refused	3	1.68	2.90
BLANK	Skip filled	11,277		

DULERA: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1302

Type: NUM

SAS Variable Name: ILP06_44

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	137	76.54	73.85
2	No	40	22.35	23.70
9	Refused	2	1.12	2.45
BLANK	Skip filled	11,277		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DULERA: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1303-1305

Type: NUM

SAS Variable Name: ILP08_44

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	138	77.09	76.99
401 - 499	Weeks	23	12.85	15.03
555	Never	3	1.68	0.38
666	Less often than once a week	11	6.15	4.35
777	Don't know/Not sure	2	1.12	0.80
999	Refused	2	1.12	2.45
BLANK	Skip filled	11,277		

DULERA: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1306-1307

Type: NUM

SAS Variable Name: ILP10_44

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

PILL ACCOLATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1308

Type: NUM

SAS Variable Name: PILL01_1

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25	89.29	96.08
2	No	3	10.71	3.92
BLANK	Skip filled	11,428		

PILL AEROLATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1309

Type: NUM

SAS Variable Name: PILL01_2

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	15.14
2	No	1	50.00	84.86
BLANK	Skip filled	11,454		

PILL ALBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1310

Type: NUM

SAS Variable Name: PILL01_3

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	60.71	57.58
2	No	11	39.29	42.42
BLANK	Skip filled	11,428		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL ALUPENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1311

Prologue:

Type: NUM
SAS Variable Name: PILL01_4

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

PILL CHOLEDYL (OXTRIPHYLLINE): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1312

Prologue:

Type: NUM
SAS Variable Name: PILL01_5

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

PILL DELTASONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1313

Prologue:

Type: NUM
SAS Variable Name: PILL01_7

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,455		

PILL ELIXOPHYLLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1314

Prologue:

Type: NUM
SAS Variable Name: PILL01_8

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

PILL MEDROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1315

Prologue:

Type: NUM
SAS Variable Name: PILL01_11

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	60.00	36.87
2	No	2	40.00	63.13
BLANK	Skip filled	11,451		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL METAPREL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1316

Type: NUM

SAS Variable Name: PILL01_12

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

PILL METAPROTERONOL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1317

Type: NUM

SAS Variable Name: PILL01_13

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,455		

PILL METHYLPREDNISOLONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1318

Type: NUM

SAS Variable Name: PILL01_14

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	33.33	64.19
2	No	3	50.00	23.13
9	Refused	1	16.67	12.68
BLANK	Skip filled	11,450		

PILL MONTELUKAST: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1319

Type: NUM

SAS Variable Name: PILL01_15

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	190	98.96	98.12
2	No	2	1.04	1.88
BLANK	Skip filled	11,264		

PILL PEDIAPRED: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1320

Type: NUM

SAS Variable Name: PILL01_17

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL PREDNISOLONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1321

Type: NUM

SAS Variable Name: PILL01_18

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	16.66
2	No	4	57.14	81.75
7	Don't know	1	14.29	1.60
BLANK	Skip filled	11,449		

PILL PREDNISONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1322

Type: NUM

SAS Variable Name: PILL01_19

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	104	52.00	50.15
2	No	94	47.00	49.57
7	Don't know	1	0.50	0.22
9	Refused	1	0.50	0.06
BLANK	Skip filled	11,256		

PILL PROVENTIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1323

Type: NUM

SAS Variable Name: PILL01_21

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,455		

PILL RESPID: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1324

Type: NUM

SAS Variable Name: PILL01_23

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	11,455		

PILL SINGULAIR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1325

Type: NUM

SAS Variable Name: PILL01_24

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	899	94.14	93.63
2	No	56	5.86	6.37
BLANK	Skip filled	10,501		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL SLO-PHYLLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1326

Type: NUM

SAS Variable Name: PILL01_25

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,456		
BLANK	Skip filled			

PILL SLO-BID: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1327

Type: NUM

SAS Variable Name: PILL01_26

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,455	100.00	100.00
BLANK	Skip filled			

PILL THEO-24: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1328

Type: NUM

SAS Variable Name: PILL01_28

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	100.00	100.00
BLANK	Skip filled	11,449		

PILL THEOCHRON: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1329

Type: NUM

SAS Variable Name: PILL01_30

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes			
BLANK	Skip filled	11,456		

PILL THEOCLEAR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1330

Type: NUM

SAS Variable Name: PILL01_31

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes			
BLANK	Skip filled	11,456		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL THEODUR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1331

Type: NUM

SAS Variable Name: PILL01_32

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	85.71	98.87
2	No	1	14.29	1.13
BLANK	Skip filled	11,449		

PILL THEO-DUR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1332

Type: NUM

SAS Variable Name: PILL01_33

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	80.00	39.65
9	Refused	1	20.00	60.35
BLANK	Skip filled	11,451		

PILL THEOPHYLLINE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1333

Type: NUM

SAS Variable Name: PILL01_35

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	72	91.14	96.12
2	No	7	8.86	3.88
BLANK	Skip filled	11,377		

PILL THEOSPAN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1334

Type: NUM

SAS Variable Name: PILL01_37

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,455		

PILL T-PHYL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1335

Type: NUM

SAS Variable Name: PILL01_40

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL UNIPHYL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1336

Type: NUM

SAS Variable Name: PILL01_42

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	80.00	78.14
2	No	1	20.00	21.86
BLANK	Skip filled	11,451		

PILL VENTOLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1337

Type: NUM

SAS Variable Name: PILL01_43

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,455		

PILL VOLMAX: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1338

Type: NUM

SAS Variable Name: PILL01_44

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	11,455		

PILL ZAFIRLUKAST: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1339

Type: NUM

SAS Variable Name: PILL01_45

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	100.00	100.00
BLANK	Skip filled	11,447		

PILL ZILEUTON: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1340

Type: NUM

SAS Variable Name: PILL01_46

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL ZYFLO FILMTAB: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1341

Type: NUM

SAS Variable Name: PILL01_47

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	100.00	100.00
BLANK	Skip filled	11,452		

PILL TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1342

Type: NUM

SAS Variable Name: PILL01_48

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	69.97
9	Refused	1	50.00	30.03
BLANK	Skip filled	11,454		

PILL BRETHINE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1343

Type: NUM

SAS Variable Name: PILL01_49

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,455		

ALBUTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1344

Type: NUM

SAS Variable Name: NEB01_1

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	963	79.59	87.97
2	No	123	10.17	5.97
3	No attack in past 3 months	121	10.00	6.01
7	Don't know	3	0.25	0.05
BLANK	Skip filled	10,246		

ALBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1345

Type: NUM

SAS Variable Name: NEB02_1

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	525	43.39	37.67
2	No	677	55.95	61.61
7	Don't know	8	0.66	0.72
BLANK	Skip filled	10,246		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALBUTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1346

Type: NUM

SAS Variable Name: NEB03_1

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	613	50.66	45.26
401 - 499	Weeks	238	19.67	26.44
555	Never	12	0.99	0.52
666	Less often than once a week	298	24.63	24.02
777	Don't know/Not sure	49	4.05	3.76
BLANK	Skip filled	10,246		

ALUPENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1347

Type: NUM

SAS Variable Name: NEB01_2

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No attack in past 3 months	1	100.00	100.00
BLANK	Skip filled	11,455		

ALUPENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1348

Type: NUM

SAS Variable Name: NEB02_2

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	11,455		

ALUPENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1349

Type: NUM

SAS Variable Name: NEB03_2

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	11,455		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ATROVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1350

Type: NUM

SAS Variable Name: NEB01_3

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	78.95	87.06
2	No	2	10.53	5.87
3	No attack in past 3 months	2	10.53	7.07
BLANK	Skip filled	11,437		

ATROVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1351

Type: NUM

SAS Variable Name: NEB02_3

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	21.05	19.01
2	No	12	63.16	70.74
7	Don't know	3	15.79	10.25
BLANK	Skip filled	11,437		

ATROVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1352

Type: NUM

SAS Variable Name: NEB03_3

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	9	47.37	40.64
401 - 499	Weeks	2	10.53	43.72
666	Less often than once a week	7	36.84	13.83
777	Don't know/Not sure	1	5.26	1.81
BLANK	Skip filled	11,437		

BITOLTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1353

Type: NUM

SAS Variable Name: NEB01_4

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	11,453		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BITOLTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1354

Type: NUM

SAS Variable Name: NEB02_4

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	2.83
2	No	2	66.67	97.17
BLANK	Skip filled	11,453		

BITOLTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1355

Type: NUM

SAS Variable Name: NEB03_4

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	66.67	46.97
999	Refused	1	33.33	53.03
BLANK	Skip filled	11,453		

BUDESONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1356

Type: NUM

SAS Variable Name: NEB01_5

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	48.33	60.79
2	No	25	41.67	32.86
3	No attack in past 3 months	5	8.33	5.29
7	Don't know	1	1.67	1.06
BLANK	Skip filled	11,396		

BUDESONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1357

Type: NUM

SAS Variable Name: NEB02_5

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	42	70.00	67.15
2	No	12	20.00	28.85
7	Don't know	6	10.00	4.00
BLANK	Skip filled	11,396		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BUDESONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1358

Type: NUM

SAS Variable Name: NEB03_5

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	48	80.00	79.54
401 - 499	Weeks	4	6.67	4.41
555	Never	1	1.67	1.22
666	Less often than once a week	6	10.00	14.75
777	Don't know/Not sure	1	1.67	0.08
BLANK	Skip filled	11,396		

CROMOLYN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1359

Type: NUM

SAS Variable Name: NEB01_6

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	77.15
2	No	1	50.00	22.85
BLANK	Skip filled	11,454		

CROMOLYN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1360

Type: NUM

SAS Variable Name: NEB02_6

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	11,454		

CROMOLYN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1361

Type: NUM

SAS Variable Name: NEB03_6

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	100.00	100.00
BLANK	Skip filled	11,454		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DUONEB: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1362

Type: NUM

SAS Variable Name: NEB01_7

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	38	82.61	84.88
2	No	8	17.39	15.12
BLANK	Skip filled	11,410		

DUONEB: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1363

Type: NUM

SAS Variable Name: NEB02_7

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24	52.17	23.90
2	No	22	47.83	76.10
BLANK	Skip filled	11,410		

DUONEB: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1364

Type: NUM

SAS Variable Name: NEB03_7

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	21	45.65	23.05
401 - 499	Weeks	10	21.74	46.37
666	Less often than once a week	13	28.26	23.62
777	Don't know/Not sure	2	4.35	6.96
BLANK	Skip filled	11,410		

INTAL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1365

Type: NUM

SAS Variable Name: NEB01_8

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	11,454		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

INTAL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1366

Type: NUM

SAS Variable Name: NEB02_8

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	9.99
2	No	1	50.00	90.01
BLANK	Skip filled	11,454		

INTAL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1367

Type: NUM

SAS Variable Name: NEB03_8

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	9.99
666	Less often than once a week	1	50.00	90.01
BLANK	Skip filled	11,454		

IPRATROPRIMUM BROMIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1368

Type: NUM

SAS Variable Name: NEB01_9

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	139	70.92	80.88
2	No	41	20.92	13.80
3	No attack in past 3 months	15	7.65	4.95
7	Don't know	1	0.51	0.37
BLANK	Skip filled	11,260		

IPRATROPRIMUM BROMIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1369

Type: NUM

SAS Variable Name: NEB02_9

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	124	63.27	56.48
2	No	67	34.18	41.59
7	Don't know	5	2.55	1.93
BLANK	Skip filled	11,260		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

IPRATROPIUM BROMIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1370

Type: NUM

SAS Variable Name: NEB03_9

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	140	71.43	71.43
401 - 499	Weeks	27	13.78	11.68
555	Never	3	1.53	2.63
666	Less often than once a week	19	9.69	8.26
777	Don't know/Not sure	7	3.57	6.00
BLANK	Skip filled	11,260		

LEVALBUTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1371

Type: NUM

SAS Variable Name: NEB01_10

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	60.00	86.77
2	No	2	20.00	4.14
3	No attack in past 3 months	2	20.00	9.09
BLANK	Skip filled	11,446		

LEVALBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1372

Type: NUM

SAS Variable Name: NEB02_10

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	30.00	25.20
2	No	6	60.00	73.63
7	Don't know	1	10.00	1.17
BLANK	Skip filled	11,446		

LEVALBUTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1373

Type: NUM

SAS Variable Name: NEB03_10

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	4	40.00	26.37
401 - 499	Weeks	1	10.00	1.17
555	Never	2	20.00	3.97
666	Less often than once a week	2	20.00	59.80
777	Don't know/Not sure	1	10.00	8.70
BLANK	Skip filled	11,446		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

METAPROTERONOL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1374

Type: NUM

SAS Variable Name: NEB01_11

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,455		

METAPROTERONOL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1375

Type: NUM

SAS Variable Name: NEB02_11

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	11,455		

METAPROTERONOL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1376

Type: NUM

SAS Variable Name: NEB03_11

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	11,455		

PROVENTIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1377

Type: NUM

SAS Variable Name: NEB01_12

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	20	80.00	83.85
2	No	2	8.00	11.98
3	No attack in past 3 months	3	12.00	4.17
BLANK	Skip filled	11,431		

PROVENTIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1378

Type: NUM

SAS Variable Name: NEB02_12

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	28.00	24.66
2	No	11	44.00	48.61
7	Don't know	7	28.00	26.72
BLANK	Skip filled	11,431		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PROVENTIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1379

Type: NUM

SAS Variable Name: NEB03_12

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	17	68.00	58.16
401 - 499	Weeks	3	12.00	25.13
555	Never	1	4.00	6.42
666	Less often than once a week	4	16.00	10.30
BLANK	Skip filled	11,431		

PULMICORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1380

Type: NUM

SAS Variable Name: NEB01_13

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	64.29	59.49
2	No	7	25.00	28.04
3	No attack in past 3 months	3	10.71	12.47
BLANK	Skip filled	11,428		

PULMICORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1381

Type: NUM

SAS Variable Name: NEB02_13

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	39.29	30.22
2	No	11	39.29	51.13
7	Don't know	6	21.43	18.65
BLANK	Skip filled	11,428		

PULMICORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1382

Type: NUM

SAS Variable Name: NEB03_13

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	17	60.71	47.25
401 - 499	Weeks	2	7.14	4.45
666	Less often than once a week	9	32.14	48.30
BLANK	Skip filled	11,428		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TORNALATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1383

Type: NUM

SAS Variable Name: NEB01_14

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

TORNALATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1384

Type: NUM

SAS Variable Name: NEB02_14

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

TORNALATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1385

Type: NUM

SAS Variable Name: NEB03_14

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	11,456		

VENTOLIN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1386

Type: NUM

SAS Variable Name: NEB01_15

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	84.21	92.88
2	No	3	15.79	7.12
BLANK	Skip filled	11,437		

VENTOLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1387

Type: NUM

SAS Variable Name: NEB02_15

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	47.37	32.24
2	No	9	47.37	66.37
7	Don't know	1	5.26	1.40
BLANK	Skip filled	11,437		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

VENTOLIN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1388

Type: NUM

SAS Variable Name: NEB03_15

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	11	57.89	33.78
401 - 499	Weeks	5	26.32	52.08
555	Never	1	5.26	10.69
666	Less often than once a week	2	10.53	3.45
BLANK	Skip filled	11,437		

XOPENEX: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1389

Type: NUM

SAS Variable Name: NEB01_16

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	60	85.71	91.68
2	No	5	7.14	4.05
3	No attack in past 3 months	4	5.71	3.92
7	Don't know	1	1.43	0.35
BLANK	Skip filled	11,386		

XOPENEX: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1390

Type: NUM

SAS Variable Name: NEB02_16

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	32.86	28.86
2	No	47	67.14	71.14
BLANK	Skip filled	11,386		

XOPENEX: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1391

Type: NUM

SAS Variable Name: NEB03_16

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	21	30.00	33.53
401 - 499	Weeks	9	12.86	15.32
666	Less often than once a week	37	52.86	50.18
777	Don't know/Not sure	3	4.29	0.97
BLANK	Skip filled	11,386		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

COMBIVENT INHALATION SOLUTION: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1392

Type: NUM

SAS Variable Name: NEB01_17

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	71.43	71.65
2	No	1	14.29	8.66
3	No attack in past 3 months	1	14.29	19.69
BLANK	Skip filled	11,449		

COMBIVENT INHALATION SOLUTION: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1393

Type: NUM

SAS Variable Name: NEB02_17

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	14.29	0.82
2	No	6	85.71	99.18
BLANK	Skip filled	11,449		

COMBIVENT INHALATION SOLUTION: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1394

Type: NUM

SAS Variable Name: NEB03_17

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	28.57	41.43
401 - 499	Weeks	2	28.57	29.86
555	Never	1	14.29	8.66
666	Less often than once a week	2	28.57	20.05
BLANK	Skip filled	11,449		

PERFORMIST/FORMOTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1395

Type: NUM

SAS Variable Name: NEB01_18

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	60.00	73.97
2	No	2	20.00	1.88
3	No attack in past 3 months	1	10.00	20.42
7	Don't know	1	10.00	3.74
BLANK	Skip filled	11,446		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PERFORMIST/FORMOTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1396

Type: NUM

SAS Variable Name: NEB02_18

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	60.00	50.42
2	No	4	40.00	49.58
BLANK	Skip filled	11,446		

PERFORMIST/FORMOTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1397

Type: NUM

SAS Variable Name: NEB03_18

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	8	80.00	66.86
401 - 499	Weeks	1	10.00	30.41
666	Less often than once a week	1	10.00	2.73
BLANK	Skip filled	11,446		

INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Survey: ADULT Asthma Call-Back

Column: 1398-1407

Type: NUM

SAS Variable Name: WEIGHT_IN

Prologue:

Description: INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interim adult asthma call-back weight	11,456	100.00	100.00

ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Survey: ADULT Asthma Call-Back

Column: 1408-1417

Type: NUM

SAS Variable Name: POST

Prologue:

Description: ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification factor	11,456	100.00	100.00

FINAL LAND LINE AND CELL PHONE COMBINED ADULT ASTHMA CALL-BACK WEIGHT

Survey: ADULT Asthma Call-Back

Column: 1418-1427

Type: NUM

SAS Variable Name: LLCPWT_F

Prologue:

Description: FINAL LAND LINE AND CELL PHONE COMBINED ADULT ASTHMA CALL-BACK WEIGHT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Final land line and cell phone combined adult asthma call-back weight	11,456	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.

Survey: ADULT Asthma Call-Back

Column: 1428

Prologue:

Description: REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: REGION_F

Value	Value Label
BLANK	No region collapsed

Frequency	Percentage	Weighted Percentage
11,456		

RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1429

Prologue:

Description: RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: RACEG_F

Value	Value Label
1	Races are collapsed to 1 group

Frequency	Percentage	Weighted Percentage
11,456	100.00	100.00

AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1430

Prologue:

Description: AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F7

Value	Value Label
1	Age 18 - 24
2	Age 25 - 34
3	Age 35 - 44
4	Age 45 - 54
5	Age 55 - 64
6	Age 65 - 74
7	Age 75+
BLANK	Missing

Frequency	Percentage	Weighted Percentage
413	5.39	18.67
630	8.22	18.67
842	10.99	15.38
1,392	18.17	16.78
1,962	25.61	15.77
1,530	19.97	9.12
892	11.64	5.60
3,795		

AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1431

Prologue:

Description: AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F5

Value	Value Label
1	Age 18 - 34
2	Age 35 - 44
3	Age 45 - 54
4	Age 55 - 64
5	Age 65+
BLANK	Missing

Frequency	Percentage	Weighted Percentage
863	12.32	38.13
719	10.27	15.40
1,240	17.70	16.72
1,809	25.83	15.35
2,373	33.88	14.40
4,452		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1432

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	330	13.49	39.37
2	Age 35 - 44	227	9.28	15.03
3	Age 45 - 54	432	17.66	16.20
4	Age 55+	1,457	59.57	29.40
BLANK	Missing	9,010		

AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1433

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F4_M

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 44	557	22.77	54.40
2	Age 45 - 54	432	17.66	16.20
3	Age 55 - 64	602	24.61	15.27
4	Age 65+	855	34.96	14.13
BLANK	Missing	9,010		

AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1434

Prologue:

Description: AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	36	15.79	32.89
2	Age 35 - 54	68	29.82	30.63
3	Age 55+	124	54.39	36.48
BLANK	Missing	11,228		

AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1435

Prologue:

Description: AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F2

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	11,456		

ADULT ASTHMA CALL-BACK ADJUST FACTOR

Survey: ADULT Asthma Call-Back

Column: 1436-1443

Prologue:

Description: ADULT ASTHMA CALL-BACK ADJUST FACTOR

Type: NUM
SAS Variable Name: ADJUST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification adjust factor	11,456	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ACTIVE ASTHMA STATUS

Survey: ADULT Asthma Call-Back

Column: 1444

Prologue:

Description: Active Asthma Status

Type: NUM
SAS Variable Name: ACTASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Active Asthma	8,691	75.86	68.44
2	Inactive Asthma	2,764	24.13	31.56
9	Don't know/Not sure	1	0.01	0.00