

United States

2013 Land Line Only Codebook Report

CHILD Asthma Call-Back Survey

April 29, 2015



STATE FIPS CODE

Survey: CHILD Asthma Call-Back

Column: 1-2

Prologue:

Description: STATE FIPS CODE .

Type: NUM

SAS Variable Name: _STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
20	Kansas	136	41.59	17.78
26	Michigan	97	29.66	65.32
49	Utah	94	28.75	16.89

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

MONTH NAME OF SOURCE FILE ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 3-4

Prologue:

Description: FILE MONTH

Type: NUM

SAS Variable Name: FMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	37	11.31	18.71
2	February	20	6.12	4.61
3	March	23	7.03	3.50
4	April	39	11.93	16.71
5	May	17	5.20	2.66
6	June	9	2.75	0.87
7	July	57	17.43	21.78
8	August	36	11.01	6.04
9	September	17	5.20	2.65
10	October	45	13.76	19.47
11	November	11	3.36	1.22
12	December	16	4.89	1.81

MONTH OF ASTHMA CALL-BACK INTERVIEW

Survey: CHILD Asthma Call-Back

Column: 13-14

Prologue:

Description: MONTH OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	63	19.27	14.45
2	February	20	6.12	7.74
3	March	17	5.20	10.44
4	April	40	12.23	9.89
5	May	33	10.09	7.13
6	June	8	2.45	3.43
7	July	36	11.01	9.33
8	August	19	5.81	4.94
9	September	16	4.89	7.23
10	October	19	5.81	6.71
11	November	21	6.42	8.46
12	December	35	10.70	10.25

DAY OF ASTHMA CALL-BACK INTERVIEW

Survey: CHILD Asthma Call-Back

Column: 15-16

Prologue:

Description: DAY OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IDAY_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

YEAR OF ASTHMA CALL-BACK INTERVIEW

Survey: CHILD Asthma Call-Back

Column: 17-20

Prologue:

Description: YEAR OF ASTHMA CALL-BACK INTERVIEW

Value	Value Label
2013	Interview year
2014	Interview year

Type: NUM		
SAS Variable Name: IYEAR_F		
Frequency	Percentage	Weighted Percentage
241	73.70	82.16
86	26.30	17.84

INTERVIEWER ID OF ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 21-23

Prologue:

Description: INTERVIEWER ID OF ASTHMA CALL-BACK

Value	Value Label
HIDDEN	

Type: NUM		
SAS Variable Name: INTVID_F		
Frequency	Percentage	Weighted Percentage
327	100.00	100.00

DISPOSITION OF ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 24-26

Prologue:

Description: DISPOSITION OF ASTHMA CALL-BACK

Value	Value Label
1100	Complete

Type: NUM		
SAS Variable Name: DISPCODE_F		
Frequency	Percentage	Weighted Percentage
327	100.00	100.00

ANNUAL SEQUENCE NUMBER

Survey: CHILD Asthma Call-Back

Column: 27-36

Prologue:

Description: ANNUAL SEQUENCE NUMBER

Value	Value Label
HIDDEN	

Type: NUM		
SAS Variable Name: SEQNO		
Frequency	Percentage	Weighted Percentage
327	100.00	100.00

NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 37-38

Prologue:

Description: NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Value	Value Label
HIDDEN	

Type: NUM		
SAS Variable Name: NATTMPTS_F		
Frequency	Percentage	Weighted Percentage
327	100.00	100.00

PERMIT TO CALL BACK FROM BRFS

Survey: CHILD Asthma Call-Back

Column: 39

Prologue:

Description: PERMIT TO CALL BACK FROM BRFS

Value	Value Label
1	Yes

Type: NUM		
SAS Variable Name: CALLBACK		
Frequency	Percentage	Weighted Percentage
327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ARE YOU SAMPLE PERSON

Survey: CHILD Asthma Call-Back

Column: 40

Type: NUM

SAS Variable Name: MKP_NAME

Prologue:

Description: Q1.1 Are you [sample person's first name or initials]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	287	87.77	83.91
2	No	40	12.23	16.09

MAY I SPEAK WITH PERSON

Survey: CHILD Asthma Call-Back

Column: 41

Type: NUM

SAS Variable Name: MKP_PERS

Prologue:

Description: Q1.2 May I speak with [sample person's first name or initials]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	40	100.00	100.00
BLANK	Not asked or missing	287		

CHECK CORRECT PERSON ON PHONE

Survey: CHILD Asthma Call-Back

Column: 42

Type: NUM

SAS Variable Name: REPEAT

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: Check if correct person from core survey is on phone.

Description: Q2.0 Is this [sample person's name] and are you [sample person's age] years old? (IF YES, CONTINUE WITH Q2.1)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	100.00	100.00
BLANK	Not asked or missing	314		

EVER HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: CHILD Asthma Call-Back

Column: 43

Type: NUM

SAS Variable Name: EVER_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure [child's name] qualifies for this study.

Description: Q2.1 Have you ever been told by a doctor or other health professional that [child's name] had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	100.00	100.00
BLANK	Not asked or missing	314		

STILL HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: CHILD Asthma Call-Back

Column: 44

Type: NUM

SAS Variable Name: CUR_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure [child's name] qualifies for this study.

Description: Q2.2 Does [he/she] still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	61.54	52.73
2	No	4	30.77	28.89
7	Don't know/Not sure	1	7.69	18.38
BLANK	Not asked or missing	314		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

RELATIONSHIP TO CHILD FROM QUESTION

Survey: CHILD Asthma Call-Back

Column: 45

Prologue:

Description: Q2.3 What is your relationship to the child?

Type: NUM

SAS Variable Name: RELATION

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Mother (Birth/Adoptive/Step)	87	81.31	79.04
2	Father (Birth/Adoptive/Step)	15	14.02	15.02
6	Unrelated	5	4.67	5.94
BLANK	Not asked or missing	220		

LEGAL GUARDIAN

Survey: CHILD Asthma Call-Back

Column: 46

Prologue:

Description: Q2.4 Are you the legal guardian for [child's name]?

Type: NUM

SAS Variable Name: GUARDIAN

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	100.00	100.00
BLANK	Not asked or missing	322		

PERMISSION TO COMBINE THE ANSWER WITH BRFS

Survey: CHILD Asthma Call-Back

Column: 47

Prologue:

Description: Q2.5 May we combine your answers to this survey with your answers from the survey you did a few weeks ago?

Type: NUM

SAS Variable Name: PERMISS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	1.53	1.08
7	Don't know/Not sure	322	98.47	98.92

AGE AT ASTHMA DIAGNOSIS

Survey: CHILD Asthma Call-Back

Column: 48-50

Prologue:

Description: Q3.1 How old was [child's name] when a doctor or other health professional first said [he/she] had asthma?

Type: NUM

SAS Variable Name: AGEDX

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 17	Age in years	268	81.96	77.70
777	Don't know	13	3.98	3.67
888	Less than 1 year old	46	14.07	18.63

TIME SINCE DIAGNOSIS

Survey: CHILD Asthma Call-Back

Column: 51

Prologue:

Description: Q3.2 How long ago was that? Was it . . . [READ CATEGORIES]

Type: NUM

SAS Variable Name: INCIDNT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past 12 months	27	8.26	12.48
2	One to five years ago	97	29.66	27.21
3	More than 5 years ago	201	61.47	59.37
7	Don't know	2	0.61	0.94

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

LAST TALKED TO A DOCTOR

Survey: CHILD Asthma Call-Back

Column: 52-53

Type: NUM

SAS Variable Name: LAST_MD

Prologue:

Description: Q3.3 How long has it been since you last talked to a doctor or other health professional about [child's name]'s asthma? This could have been in a doctor's office, the hospital, an emergency room or urgent care center.

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Within the past year	220	67.28	70.83
5	One year to less than 3 years ago	54	16.51	12.07
6	Three years to five years ago	21	6.42	5.14
7	More than five years ago	28	8.56	10.13
77	Don't know	4	1.22	1.83

LAST TOOK ASTHMA MEDICATION

Survey: CHILD Asthma Call-Back

Column: 54-55

Type: NUM

SAS Variable Name: LAST_MED

Prologue:

Description: Q3.4 How long has it been since [he/she] last took asthma medication?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	87	26.61	35.61
2	1-6 days ago	28	8.56	6.47
3	1 week to less than 3 months ago	54	16.51	15.10
4	3 months to less than 1 year ago	47	14.37	11.99
5	1 year to less than 3 years ago	50	15.29	11.83
6	3 years to 5 years ago	20	6.12	5.21
7	More than 5 years ago	33	10.09	11.95
77	Don't know	4	1.22	0.49
88	Never	4	1.22	1.34

LAST HAD ANY SYMPTOMS OF ASTHMA

Survey: CHILD Asthma Call-Back

Column: 56-57

Type: NUM

SAS Variable Name: LASTSYMP

Prologue:

Description: Q3.5 How long has it been since [he/she] last had any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	28	8.56	10.66
2	1-6 days ago	30	9.17	7.20
3	1 week to less than 3 months ago	95	29.05	36.69
4	3 months to less than 1 year ago	67	20.49	16.06
5	1 year to less than 3 years ago	41	12.54	11.02
6	3 years to 5 years ago	22	6.73	5.97
7	More than 5 years ago	35	10.70	11.30
77	Don't know	4	1.22	0.20
88	Never	5	1.53	0.89

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYMPTOM DAYS

Survey: CHILD Asthma Call-Back

Column: 58-60

Type: NUM

SAS Variable Name: SYMP_30D

Prologue:

Description: Q4.1 During the past 30 days, on how many days did [child's name] have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 29	Days	105	32.11	34.85
30	Every day	11	3.36	5.95
66	No symptoms past one year, skip filled	103	31.50	29.18
77	Don't know	7	2.14	1.64
88	No symptoms in the past 30 days	34	10.40	12.31
100	Symptoms 3 months to 1 year ago, skip filled	67	20.49	16.06

CONSTANT SYMPTOMS

Survey: CHILD Asthma Call-Back

Column: 61-62

Type: NUM

SAS Variable Name: DUR_30D

Prologue:

Description: Q4.2 Does [he/she] have symptoms all the time? "All the time" means symptoms that continue throughout the day. It does not mean symptoms for a little while each day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	2.14	5.44
2	No	4	1.22	0.52
6	Last symptoms one+ years ago, skip filled	103	31.50	29.18
10	Last symptoms 3 months - 1 year ago, skip filled	67	20.49	16.06
11	No symptoms 'SYMP_30D' skip filled	34	10.40	12.31
12	1-29 'SYMP_30D' skip filled	105	32.11	34.85
77	Don't know 'SYMP_30D' skip filled	7	2.14	1.64

NIGHT SYMPTOMS

Survey: CHILD Asthma Call-Back

Column: 63-65

Type: NUM

SAS Variable Name: ASLEEP30

Prologue:

Description: Q4.3 During the past 30 days, on how many days did symptoms of asthma make it difficult for [him/her] to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Days/Nights	44	13.46	24.27
66	No symptoms past one year, skip filled	103	31.50	29.18
77	Don't know	3	0.92	0.51
88	None	76	23.24	17.66
100	Symptoms 3 months to 1 year ago, skip filled	67	20.49	16.06
111	No symptoms in the past 30 days, skip filled	34	10.40	12.31

SYMPTOM FREE DAYS

Survey: CHILD Asthma Call-Back

Column: 66-67

Type: NUM

SAS Variable Name: SYMPFREE

Prologue:

Description: Q4.4 During the past two weeks, on how many days was [child's name] completely symptom-free, that is no coughing, wheezing, or other symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	Days/Nights	294	89.91	88.92
77	Don't know	8	2.45	1.02
88	None	25	7.65	10.06

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ASTHMA EPISODE OR ATTACK

Survey: CHILD Asthma Call-Back

Column: 68

Type: NUM

SAS Variable Name: EPIS_12M

Prologue:

Description: Q4.5 During the past 12 months, has [he/she] had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	143	43.73	49.37
2	No	80	24.46	20.66
6	No symptoms past 1 year, skip filled	103	31.50	29.18
7	Don't know	1	0.31	0.79

NUMBER OF EPISODES/ATTACKS

Survey: CHILD Asthma Call-Back

Column: 69-72

Type: NUM

SAS Variable Name: EPIS_TP

Prologue:

Description: Q4.6 During the past three months, how many asthma episodes or attacks has [he/she] had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Episodes	100	30.58	38.29
666	No symptoms past 1 year, skip filled	103	31.50	29.18
777	Don't know	4	1.22	0.41
888	None	39	11.93	10.66
1111	No episode/asthma attack past year, skip filled	81	24.77	21.45

DURATION OF ATTACK

Survey: CHILD Asthma Call-Back

Column: 73-76

Type: NUM

SAS Variable Name: DUR_ASTH

Prologue:

Description: Q4.7 How long did [his/her] most recent asthma episode or attack last?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Minutes	70	21.41	26.85
201 - 299	Hours	31	9.48	9.49
301 - 399	Days	25	7.65	8.44
401 - 499	Weeks	8	2.45	3.43
555	Never	1	0.31	0.18
666	No symptoms past 1 year, skip filled	103	31.50	29.18
777	Don't know	8	2.45	0.98
1111	No episode/asthma attack past year, skip filled	81	24.77	21.45

TYPICAL ATTACK

Survey: CHILD Asthma Call-Back

Column: 77-78

Type: NUM

SAS Variable Name: COMPASTH

Prologue:

Description: Q4.8 Compared with other episodes or attacks, was this most recent attack shorter, longer, or about the same?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Shorter	40	12.23	11.84
2	Longer	14	4.28	5.04
3	About the same	88	26.91	31.31
4	The most recent attack was actually the first attack	1	0.31	1.18
6	No symptoms past year, skip filled	103	31.50	29.18
11	No episode/asthma attack past year, skip filled	81	24.77	21.45

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

INSURANCE

Survey: CHILD Asthma Call-Back

Column: 79

Type: NUM

SAS Variable Name: INS1

Prologue:

Description: Q5.1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare or Medicaid?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	315	96.33	97.13
2	No	11	3.36	2.54
9	Refused	1	0.31	0.33

TYPE OF INSURANCE COVERAGE

Survey: CHILD Asthma Call-Back

Column: 80

Type: NUM

SAS Variable Name: INS_TYP

Prologue:

Description: Q5.2 What kind of health care coverage does [child's name] have? Is it paid through the parent's employer, or is it Medicaid, Medicare, Children's Health Insurance Program (CHIP), or some other type of insurance?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parent's employer	234	71.56	65.92
2	Medicaid/Medicare	45	13.76	19.39
3	CHIP replace with state specific name	15	4.59	6.91
4	Other	17	5.20	4.37
5	No insurance at time of interview, skip filled	12	3.67	2.87
7	Don't know	3	0.92	0.42
9	Refused	1	0.31	0.11

INSURANCE OR COVERAGE GAP

Survey: CHILD Asthma Call-Back

Column: 81

Type: NUM

SAS Variable Name: INS2

Prologue:

Description: Q5.3 During the past 12 months, was there any time that [he/she] did not have any health insurance or coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	3.06	5.50
2	No	305	93.27	91.63
5	No insurance at time of interview, skip filled	12	3.67	2.87

HAD A FLU SHOT

Survey: CHILD Asthma Call-Back

Column: 82

Type: NUM

SAS Variable Name: FLU_SHOT

Prologue: A flu shot is an influenza vaccine injected in your arm.

Description: Q5.4 During the past 12 months, did [child's name] have a flu shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	168	51.38	56.43
2	No	156	47.71	43.26
7	Don't know/Not sure	3	0.92	0.31

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

HAD A FLU VACCINE SPRAY

Survey: CHILD Asthma Call-Back

Column: 83

Type: NUM

SAS Variable Name: FLU_SPRAY

Prologue: A flu vaccine that is sprayed in the nose is called FluMist™.

Description: Q5.5 During the past 12 months, did [he/she] have a flu vaccine that was sprayed in [his/her] nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	38	11.62	8.99
2	No	287	87.77	90.19
7	Don't know/Not sure	2	0.61	0.82

ACTIVITY LIMITATION

Survey: CHILD Asthma Call-Back

Column: 84

Type: NUM

SAS Variable Name: ACT_DAYS30

Prologue:

Description: Q5.6 During just the past 30days, would you say [child's name] limited [his/her] usual activities due to asthma not at all, a little, a moderate amount, or a lot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at all	168	51.38	47.23
2	A little	71	21.71	23.89
3	A moderate amount	21	6.42	8.56
4	A lot	5	1.53	1.21
5	No current asthma, nothing happened past year, skip filled	61	18.65	19.01
7	Don't know	1	0.31	0.10

NUMBER OF ROUTINE CHECKUPS PAST 12 MONTHS

Survey: CHILD Asthma Call-Back

Column: 85-87

Type: NUM

SAS Variable Name: NER_TIME

Prologue:

Description: Q5.7 During the past 12 months how many times did [he/she] see a doctor or other health professional for a routine checkup for [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	177	54.13	61.39
555	No current asthma, nothing happened past year, skip filled	61	18.65	19.01
666	No MD visit past year, skip filled	44	13.46	9.09
777	Don't know	2	0.61	0.62
888	None	43	13.15	9.89

EMERGENCY ROOM VISIT

Survey: CHILD Asthma Call-Back

Column: 88

Type: NUM

SAS Variable Name: ER_VISIT

Prologue: An urgent care center treats people with illnesses or injuries that must be addressed immediately and cannot wait for a regular medical appointment.

Description: Q5.8 During the past 12 months, has [child's name] had to visit an emergency room or urgent care center because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	31	9.48	14.66
2	No	190	58.10	57.19
5	No current asthma, nothing happened past year, skip filled	61	18.65	19.01
6	No MD visit past year, skip filled	44	13.46	9.09
7	Don't know	1	0.31	0.04

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NUMBER OF EMERGENCY ROOM VISITS

Survey: CHILD Asthma Call-Back

Column: 89-91

Type: NUM

SAS Variable Name: ER_TIMES

Prologue:

Description: Q5.9 During the past 12 months, how many times did [he/she] visit an emergency room or urgent care center because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	31	9.48	14.66
555	No current asthma, nothing happened past year, skip filled	61	18.65	19.01
666	No MD visit past year, skip filled	44	13.46	9.09
677	MD visit, no ER visit past year, skip filled	190	58.10	57.19
777	Don't know	1	0.31	0.04

NUMBER OF URGENT VISITS

Survey: CHILD Asthma Call-Back

Column: 92-94

Type: NUM

SAS Variable Name: URG_TIME

Prologue:

Description: Q5.10 During the past 12 months, how many times did [child's name] see a doctor or other health professional for urgent treatment of worsening asthma symptoms or for an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	71	21.71	29.62
555	No current asthma, nothing happened past year, skip filled	61	18.65	19.01
666	No MD visit past year, skip filled	44	13.46	9.09
777	Don't know	1	0.31	0.10
888	None	150	45.87	42.18

HOSPITAL VISIT

Survey: CHILD Asthma Call-Back

Column: 95

Type: NUM

SAS Variable Name: HOSP_VST

Prologue:

Description: Q5.11 During the past 12 months, that is since [one year ago today], has [child's name] had to stay overnight in a hospital because of [his/her] asthma? Do not include an overnight stay in the emergency room.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.61	0.52
2	No	186	56.88	62.40
4	MD visit, no symptoms past year, skip filled	34	10.40	8.97
5	No current asthma, nothing happened past year, skip filled	61	18.65	19.01
6	No MD visit past year, skip filled	44	13.46	9.09

NUMBER OF HOSPITAL VISITS

Survey: CHILD Asthma Call-Back

Column: 96-98

Type: NUM

SAS Variable Name: HOSPTIME

Prologue:

Description: Q5.12 During the past 12 months, how many different times did [he/she] stay in any hospital overnight or longer because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	2	0.61	0.52
444	MD visit, no symptoms past year, skip filled	34	10.40	8.97
455	MD visit, symptoms, no hospital visit past year, skip filled	186	56.88	62.40
555	No current asthma, nothing happened past year, skip filled	61	18.65	19.01
666	No MD visit past year, skip filled	44	13.46	9.09

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

HOSPITAL FOLLOW-UP

Survey: CHILD Asthma Call-Back

Column: 99-100

Type: NUM

SAS Variable Name: HOSPPLAN

Prologue:

Description: Q5.13 The last time [he/she] left the hospital, did a health professional talk with you or [child's name] about how to prevent serious attacks in the future?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.61	0.52
4	MD visit, no symptoms past year, skip filled	34	10.40	8.97
5	No current asthma, nothing happened past year, skip filled	61	18.65	19.01
6	No MD visit past year, skip filled	44	13.46	9.09
45	MD visit, symptoms, no hospital visit past year, skip filled	186	56.88	62.40

EVER TAUGHT RECOGNIZE EARLY SIGN OR SYMPTOMS

Survey: CHILD Asthma Call-Back

Column: 101

Type: NUM

SAS Variable Name: TCH_SIGN

Prologue: Has a doctor or other health professional ever taught you or [child's name] . . .

Description: Q6.1 . . . how to recognize early signs or symptoms of an asthma episode?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	259	79.20	78.12
2	No	65	19.88	20.10
7	Don't know/Not sure	3	0.92	1.79

EVER TAUGHT WHAT TO DO DURING ASTHMA EPISODE OR ATTACK

Survey: CHILD Asthma Call-Back

Column: 102

Type: NUM

SAS Variable Name: TCH_RESP

Prologue: Has a doctor or other health professional ever taught you or [child's name] . . .

Description: Q6.2 . . . what to do during an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	279	85.32	85.78
2	No	47	14.37	13.98
7	Don't know/Not sure	1	0.31	0.25

EVER TAUGHT HOW TO USE A PEAK FLOW

Survey: CHILD Asthma Call-Back

Column: 103

Type: NUM

SAS Variable Name: TCH_MON

Prologue: A peak flow meter is a hand held device that measures how quickly [child's name] can blow air out of [his/her] lungs. Has a doctor or other health professional ever taught you or [child's name] . . .

Description: Q6.3 . . . how to use a peak flow meter to adjust [his/her] daily medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	122	37.31	42.08
2	No	201	61.47	57.40
7	Don't know/Not sure	4	1.22	0.52

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

EVER GIVEN AN ASTHMA ACTION PLAN

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 104

SAS Variable Name: MGT_PLAN

Prologue: An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

Description: Q6.4 Has a doctor or other health professional EVER given you or [child's name] an asthma action plan?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	147	44.95	49.35
2	No	177	54.13	50.15
7	Don't know/Not sure	3	0.92	0.51

EVER TAKEN A COURSE TO MANAGE ASTHMA

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 105

SAS Variable Name: MGT_CLAS

Prologue:

Description: Q6.5 Have you or [child's name] ever taken a course or class on how to manage [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	39	11.93	12.25
2	No	288	88.07	87.75

AIR CLEANER USED

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 106

SAS Variable Name: AIRCLEANER

Prologue: An air cleaner or purifier can filter out pollutants like dust, pollen, mold and chemicals. It can be attached to the furnace or free standing. It is not, however, the same as a normal furnace filter.

Description: Q7.1 Is an air cleaner or purifier regularly used inside [child's name]'s home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	84	25.69	28.08
2	No	243	74.31	71.92

DEHUMIDIFIER USED

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 107

SAS Variable Name: DEHUMID

Prologue:

Description: Q7.2 Is a dehumidifier regularly used to reduce moisture inside [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	101	30.89	33.82
2	No	226	69.11	66.18

EXHAUST FAN USED

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 108

SAS Variable Name: KITC_FAN

Prologue:

Description: Q7.3 Is an exhaust fan that vents to the outside used regularly when cooking in the kitchen in [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	188	57.49	60.37
2	No	138	42.20	39.60
7	Don't know/Not sure	1	0.31	0.02

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

GAS USED

Survey: CHILD Asthma Call-Back

Column: 109

Type: NUM

SAS Variable Name: COOK_GAS

Prologue:

Description: Q7.4 Is gas used for cooking in [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	123	37.61	47.09
2	No	204	62.39	52.91

SAW OR SMELLED MOLD PAST 30 DAYS

Survey: CHILD Asthma Call-Back

Column: 110

Type: NUM

SAS Variable Name: ENV_MOLD

Prologue:

Description: Q7.5 In the past 30 days, has anyone seen or smelled mold or a musty odor inside [his/her] home? Do not include mold on food.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24	7.34	6.66
2	No	303	92.66	93.34

INDOOR PETS

Survey: CHILD Asthma Call-Back

Column: 111

Type: NUM

SAS Variable Name: ENV_PETS

Prologue:

Description: Q7.6 Does [child's name]'s home have pets such as dogs, cats, hamsters, birds, or other feathered or furry pets that spend time indoors?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	210	64.22	62.31
2	No	117	35.78	37.69

PETS ALLOWED IN BEDROOM

Survey: CHILD Asthma Call-Back

Column: 112

Type: NUM

SAS Variable Name: PETBEDRM

Prologue:

Description: Q7.7 Is the pet allowed in [his/her] bedroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	134	40.98	39.74
2	No	74	22.63	22.26
3	Some are/some aren't	2	0.61	0.32
6	No pets, skip coded	117	35.78	37.69

SAW COCKROACH INSIDE CHILD'S HOME PAST 30 DAYS

Survey: CHILD Asthma Call-Back

Column: 113

Type: NUM

SAS Variable Name: C_ROACH

Prologue:

Description: Q7.8 In the past 30 days, has anyone seen a cockroach inside [child's name]'s home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	1.22	0.50
2	No	323	98.78	99.50

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SAW MICE OR RATS INSIDE CHILD'S HOME PAST 30 DAYS

Survey: CHILD Asthma Call-Back

Column: 114

Type: NUM

SAS Variable Name: C_RODENT

Prologue:

Description: Q7.9 In the past 30 days, has anyone seen mice or rats inside [his/her] home? Do not include mice or rats kept as pets.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	4.28	2.80
2	No	313	95.72	97.20

FIREPLACE OR WOOD STOVE USED

Survey: CHILD Asthma Call-Back

Column: 115

Type: NUM

SAS Variable Name: WOOD_STOVE

Prologue:

Description: Q7.10 Is a wood burning fireplace or wood burning stove used in [child's name]'s home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	53	16.21	11.69
2	No	274	83.79	88.31

GAS APPLIANCE USED

Survey: CHILD Asthma Call-Back

Column: 116

Type: NUM

SAS Variable Name: GAS_STOVE

Prologue:

Description: Q7.11 Are unvented gas logs, unvented gas fireplace, or unvented gas stoves used in [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	5.20	5.77
2	No	310	94.80	94.23

ANYONE SMOKED INSIDE CHILD'S HOME

Survey: CHILD Asthma Call-Back

Column: 117

Type: NUM

SAS Variable Name: S_INSIDE

Prologue:

Description: Q7.12 In the past week, has anyone smoked inside [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	3.67	6.75
2	No	315	96.33	93.25

EVER ADVISED CHANGE THINGS IN CHILD'S HOME

Survey: CHILD Asthma Call-Back

Column: 118

Type: NUM

SAS Variable Name: MOD_ENV

Prologue:

Description: Q7.13 Has a health professional ever advised you to change things in [his/her] home, school, or work to improve [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	107	32.72	40.41
2	No	220	67.28	59.59

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

USE A MATTRESS COVER

Survey: CHILD Asthma Call-Back

Column: 119

Type: NUM

SAS Variable Name: MATTRESS

Prologue:

Description: Q7.14 Does [he/she] use a mattress cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	109	33.33	36.71
2	No	217	66.36	63.16
7	Don't know/Not sure	1	0.31	0.13

USE A PILLOW COVER

Survey: CHILD Asthma Call-Back

Column: 120

Type: NUM

SAS Variable Name: E_PILLOW

Prologue:

Description: Q7.15 Does [he/she] use a pillow cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	100	30.58	32.92
2	No	225	68.81	67.00
7	Don't know/Not sure	2	0.61	0.07

CARPETING OR RUGS IN CHILD'S BEDROOM

Survey: CHILD Asthma Call-Back

Column: 121

Type: NUM

SAS Variable Name: CARPET

Prologue:

Description: Q7.16 Does [he/she] have carpeting or rugs in [his/her] bedroom? This does not include throw rugs small enough to be laundered.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	242	74.01	66.52
2	No	85	25.99	33.48

WASH WATER TEMPERATURE

Survey: CHILD Asthma Call-Back

Column: 122

Type: NUM

SAS Variable Name: HOTWATER

Prologue:

Description: Q7.17 Are [his/her] sheets and pillowcases washed in cold, warm, or hot water?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cold	55	16.82	20.74
2	Warm	115	35.17	31.73
3	Hot	144	44.04	39.99
4	Varies	10	3.06	7.16
7	Don't know/Not sure	3	0.92	0.38

USE AN EXHAUST FAN IN CHILD'S BATHROOM

Survey: CHILD Asthma Call-Back

Column: 123

Type: NUM

SAS Variable Name: BATH_FAN

Prologue:

Description: Q7.18 In [child's name]'s bathroom, does [he/she] regularly use an exhaust fan that vents to the outside?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	201	61.47	59.08
2	No or "No fan"	119	36.39	38.94
7	Don't know/Not sure	7	2.14	1.97

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

EVER USED OVER-THE-COUNTER MEDICATION

Survey: CHILD Asthma Call-Back

Column: 124

Type: NUM

SAS Variable Name: OTC

Prologue: The next set of questions is about medications for asthma. The first few questions are very general, but later questions are very specific to [child's name]'s medication use.

Description: Q8.1 Over-the-counter medication can be bought without a doctor's order. Has [child's name] ever used over-the-counter medication for [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	61	18.65	17.41
2	No	260	79.51	81.16
5	Never took asthma medication, skip filled	4	1.22	1.34
7	Don't know	2	0.61	0.09

EVER USED PRESCRIPTION INHALER

Survey: CHILD Asthma Call-Back

Column: 125

Type: NUM

SAS Variable Name: INHALERE

Prologue:

Description: Q8.2 Has [he/she] ever used a prescription inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	300	91.74	85.46
2	No	23	7.03	13.20
5	Never took asthma medication, skip filled	4	1.22	1.34

PROFESSIONAL INHALER INSTRUCTION

Survey: CHILD Asthma Call-Back

Column: 126

Type: NUM

SAS Variable Name: INHALERH

Prologue:

Description: Q8.3 Did a health professional show [him/her] how to use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	287	87.77	81.99
2	No	12	3.67	3.40
5	Never took asthma medication, skip filled	4	1.22	1.34
6	Never used prescription inhaler, skip filled	23	7.03	13.20
7	Don't know	1	0.31	0.06

INHALER USE WATCHED

Survey: CHILD Asthma Call-Back

Column: 127

Type: NUM

SAS Variable Name: INHALERW

Prologue:

Description: Q8.4 Did a doctor or other health professional watch [him/her] use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	239	73.09	71.57
2	No	53	16.21	12.55
5	Never took asthma medication, skip filled	4	1.22	1.34
6	Never used prescription inhaler, skip filled	23	7.03	13.20
7	Don't know	8	2.45	1.34

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

MEDICATION IN HAND

Survey: CHILD Asthma Call-Back

Column: 128

Type: NUM

SAS Variable Name: SCR_MED1

Prologue: Now I am going to ask questions about specific prescription medications [child's name] may have taken for asthma in the past 3 months. I will be asking for the name, amount, and how often [he/she] takes each medicine.

Description: Q8.5 It will help to get [child's name]'s medicines so you can read the labels. Can you please go get the asthma medicines while I wait on the phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	124	37.92	40.01
2	No	11	3.36	3.05
3	Respondent knows the meds	33	10.09	13.97
4	No asthma med. past 3 months, skip filled	154	47.09	41.47
5	Never took asthma medication, skip filled	4	1.22	1.34
7	Don't know	1	0.31	0.16

HAVE ALL THE MEDICATIONS

Survey: CHILD Asthma Call-Back

Column: 129-130

Type: NUM

SAS Variable Name: SCR_MED3

Prologue:

Description: Q8.7 Do you have all the medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, I have all the medications	117	35.78	32.26
2	Yes, I have some of the medications but not all	5	1.53	5.35
3	No	2	0.61	2.40
4	No asthma med. past 3 months, skip filled	154	47.09	41.47
5	Never took asthma medication, skip filled	4	1.22	1.34
10	Know or no handy asthma medicines, skip filled	45	13.76	17.17

TAKEN PRESCRIPTION INHALER PAST 3 MONTHS

Survey: CHILD Asthma Call-Back

Column: 131

Type: NUM

SAS Variable Name: INH_SCR

Prologue:

Description: Q8.8 In the past 3 months has [child's name] taken prescription asthma medicine using an inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, inhaler in past 3 months	153	46.79	50.63
2	No inhaler in past 3 months	8	2.45	1.64
4	No asthma med. past 3 months, skip filled	154	47.09	41.47
5	Never took asthma medication, skip filled	4	1.22	1.34
6	Asthma med. past 3 months, never used inhaler, skip filled	7	2.14	4.75
7	Don't know	1	0.31	0.16

TAKEN MEDICATION IN PILL PAST 3 MONTHS

Survey: CHILD Asthma Call-Back

Column: 132

Type: NUM

SAS Variable Name: PILLS

Prologue:

Description: Q8.20 In the past 3 months, has [he/she] taken any prescription medicine in pill form for [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	47	14.37	13.75
2	No	113	34.56	42.06
4	No asthma med. past 3 months, skip filled	154	47.09	41.47
5	Never took asthma medication, skip filled	4	1.22	1.34
7	Don't know	9	2.75	1.38

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TAKEN MEDICATION IN SYRUP PAST 3 MONTHS

Survey: CHILD Asthma Call-Back

Column: 133

Type: NUM

SAS Variable Name: SYRUP

Prologue:

Description: Q8.23 In the past 3 months, has [he/she] taken prescription asthma medication in syrup form?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.92	0.95
2	No	157	48.01	49.11
4	No asthma med. past 3 months, skip filled	154	47.09	41.47
5	Never took asthma medication, skip filled	4	1.22	1.34
7	Don't know	9	2.75	7.12

TAKEN MEDICATION WITH A NEBULIZER PAST 3 MONTHS

Survey: CHILD Asthma Call-Back

Column: 134

Type: NUM

SAS Variable Name: NEB_SCR

Prologue: A nebulizer is a small machine with a tube and facemask or mouthpiece that [child's name] breathes through continuously.

Description: Q8.25 In the past 3 months, were any of [child's name]'s prescription asthma medicines used with a nebulizer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	49	14.98	25.28
2	No	114	34.86	31.12
4	No asthma med. past 3 months, skip filled	154	47.09	41.47
5	Never took asthma medication, skip filled	4	1.22	1.34
7	Don't know	6	1.83	0.79

NEBULIZER AT HOME

Survey: CHILD Asthma Call-Back

Column: 135

Type: NUM

SAS Variable Name: NEB_PLCA

Prologue: I am going to read a list of places where [child's name] might have used a nebulizer. Please answer "yes" if [he/she] used a nebulizer in the place I mention; otherwise answer "no." In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26a . . . at home ?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	47	14.37	24.89
2	No	2	0.61	0.39
4	No asthma med. past 3 months, skip filled	154	47.09	41.47
5	Never took asthma medication, skip filled	4	1.22	1.34
8	No neb. in past 3 months, skip filled	120	36.70	31.91

NEBULIZER AT DOCTOR'S OFFICE

Survey: CHILD Asthma Call-Back

Column: 136

Type: NUM

SAS Variable Name: NEB_PLCB

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26b . . . at a doctor's office ?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	5.20	14.48
2	No	32	9.79	10.80
4	No asthma med. past 3 months, skip filled	154	47.09	41.47
5	Never took asthma medication, skip filled	4	1.22	1.34
8	No neb. in past 3 months, skip filled	120	36.70	31.91

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEBULIZER IN EMERGENCY ROOM

Survey: CHILD Asthma Call-Back

Column: 137

Type: NUM

SAS Variable Name: NEB_PLCC

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26c . . . in an emergency room?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	2.45	9.72
2	No	41	12.54	15.56
4	No asthma med. past 3 months, skip filled	154	47.09	41.47
5	Never took asthma medication, skip filled	4	1.22	1.34
8	No neb. in past 3 months, skip filled	120	36.70	31.91

NEBULIZER AT WORK OR SCHOOL

Survey: CHILD Asthma Call-Back

Column: 138

Type: NUM

SAS Variable Name: NEB_PLCD

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26d . . . at work (or a school)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	2.45	4.48
2	No	41	12.54	20.80
4	No asthma med. past 3 months, skip filled	154	47.09	41.47
5	Never took asthma medication, skip filled	4	1.22	1.34
8	No neb. in past 3 months, skip filled	120	36.70	31.91

NEBULIZER AT ANY OTHER PLACE

Survey: CHILD Asthma Call-Back

Column: 139

Type: NUM

SAS Variable Name: NEB_PLCE

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26e . . . at any other place?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	2.45	8.07
2	No	41	12.54	17.21
4	No asthma med. past 3 months, skip filled	154	47.09	41.47
5	Never took asthma medication, skip filled	4	1.22	1.34
8	No neb. in past 3 months, skip filled	120	36.70	31.91

COST BARRIER: PRIMARY CARE DOCTOR

Survey: CHILD Asthma Call-Back

Column: 140

Type: NUM

SAS Variable Name: ASMDCOST

Prologue:

Description: Q9.1 Was there a time in the past 12 months when [child's name] needed to see [his/her] primary care doctor for asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	1.22	1.95
2	No	262	80.12	79.05
5	No current asthma, skip filled	61	18.65	19.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

COST BARRIER: SPECIALIST

Survey: CHILD Asthma Call-Back

Column: 141

Type: NUM

SAS Variable Name: ASSPCOST

Prologue:

Description: Q9.2 Was there a time in the past 12 months when [child's name] was referred to a specialist for [his/her] asthma care but could not go because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	1.22	2.05
2	No	262	80.12	78.94
5	No current asthma, skip filled	61	18.65	19.01

COST BARRIER: MEDICATION

Survey: CHILD Asthma Call-Back

Column: 142

Type: NUM

SAS Variable Name: ASRXCOST

Prologue:

Description: Q9.3 Was there a time in the past 12 months when [he/she] needed medication for [his/her] asthma, but you could not buy it because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	4.59	8.62
2	No	251	76.76	72.37
5	No current asthma, skip filled	61	18.65	19.01

CURRENT GO TO SCHOOL OUTSIDE HOME

Survey: CHILD Asthma Call-Back

Column: 143

Type: NUM

SAS Variable Name: SCH_STAT

Prologue: Next, we are interested in things that might affect [child's name]'s asthma when [he/she] is not at home.

Description: Q10.1 Does [child's name] currently go to school or preschool outside the home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	310	94.80	87.94
2	No	17	5.20	12.06

REASON NOT IN SCHOOL NOW

Survey: CHILD Asthma Call-Back

Column: 144

Type: NUM

SAS Variable Name: NO_SCHL

Prologue:

Description: Q10.2 What is the main reason [he/she] is not now in school? [READ RESPONSE CATEGORIES]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not old enough	5	1.53	6.34
2	Home schooled	6	1.83	3.05
3	Unable to attend for health reason	1	0.31	1.10
4	On vacation or break	1	0.31	0.22
5	Other	3	0.92	0.30
6	Now goes to outside school, skip filled	310	94.80	87.94
7	Don't know/Not sure	1	0.31	1.05

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

GONE TO SCHOOL OUTSIDE HOME PAST 12 MONTHS

Survey: CHILD Asthma Call-Back

Column: 145

Type: NUM

SAS Variable Name: SCHL_12

Prologue:

Description: Q10.3 Has [child's name] gone to school in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.31	0.22
2	No	4	1.22	1.40
3	Home school, skip filled	6	1.83	3.05
5	Not old enough for school, skip filled	5	1.53	6.34
6	Now goes to outside school, skip filled	310	94.80	87.94
7	Don't know	1	0.31	1.05

WHAT GRADE WAS CHILD IN LAST TIME

Survey: CHILD Asthma Call-Back

Column: 146-147

Type: NUM

SAS Variable Name: SCHGRADE

Prologue:

Description: Q10.4 What grade was [he/she] in the last time [he/she] was in school?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Grade	299	91.44	86.11
44	No school past year, skip filled	4	1.22	1.40
55	Not old enough for school, skip filled	5	1.53	6.34
66	Kindergarten	7	2.14	1.87
77	Don't know	2	0.61	1.10
88	Preschool	8	2.45	2.96
99	Refused	2	0.61	0.22

HOW MANY DAYS MISSED SCHOOL

Survey: CHILD Asthma Call-Back

Column: 148-150

Type: NUM

SAS Variable Name: MISS_SCHL

Prologue:

Description: Q10.5 During the past 12 months, about how many days of school did [he/she] miss because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	82	25.08	26.91
444	No school past year, skip filled	4	1.22	1.40
555	Not old enough for school, skip filled	5	1.53	6.34
666	No current asthma, skip filled	61	18.65	19.01
777	Don't know	5	1.53	1.46
888	None	170	51.99	44.89

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

WRITTEN ASTHMA ACTION PLAN IN SCHOOL

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 151

SAS Variable Name: SCH_APL

Prologue: An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

Description: Q10.6 Does [child's name] have a written asthma action plan or asthma management plan on file at school?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	92	28.13	27.05
2	No	154	47.09	41.60
3	Home school, skip filled	6	1.83	3.05
4	No school past year, skip filled	4	1.22	1.40
5	Not old enough for school, skip filled	5	1.53	6.34
6	No current asthma, skip filled	59	18.04	18.60
7	Don't know	7	2.14	1.97

ASTHMA MEDICATION ALLOWED WITH CHILD IN SCHOOL

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 152

SAS Variable Name: SCH_MED

Prologue:

Description: Q10.7 Does the school [he/she] goes to allow children with asthma to carry their medication with them while at school?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	148	45.26	35.63
2	No	80	24.46	25.19
3	Home school, skip filled	6	1.83	3.05
4	No school past year, skip filled	4	1.22	1.40
5	Not old enough for school, skip filled	5	1.53	6.34
6	No current asthma, skip filled	59	18.04	18.60
7	Don't know	25	7.65	9.80

PETS IN CLASSROOM

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 153

SAS Variable Name: SCH_ANML

Prologue:

Description: Q10.8 Are there any pets such as dogs, cats, hamsters, birds or other feathered or furry pets in [his/her] classroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	5.20	4.13
2	No	283	86.54	82.79
3	Home school, skip filled	6	1.83	3.05
4	No school past year, skip filled	4	1.22	1.40
5	Not old enough for school, skip filled	5	1.53	6.34
7	Don't know	12	3.67	2.29

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

AWARE OF MOLD PROBLEM IN SCHOOL

Survey: CHILD Asthma Call-Back

Column: 154

Prologue:

Description: Q10.9 Are you aware of any mold problems in [child's name]'s school?

Type: NUM

SAS Variable Name: SCH_MOLD

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.61	0.93
2	No	304	92.97	86.68
3	Home school, skip filled	6	1.83	3.05
4	No school past year, skip filled	4	1.22	1.40
5	Not old enough for school, skip filled	5	1.53	6.34
7	Don't know	6	1.83	1.61

GO TO DAYCARE OUTSIDE HOME

Survey: CHILD Asthma Call-Back

Column: 155

Prologue:

Description: Q10.10 Does [child's name] go to day care outside [his/her] home?

Type: NUM

SAS Variable Name: DAYCARE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	5.81	8.67
2	No	97	29.66	41.31
3	Home school, skip filled	6	1.83	3.05
6	Over age ten, skip filled	205	62.69	46.97

WENT TO DAYCARE PAST 12 MONTHS

Survey: CHILD Asthma Call-Back

Column: 156

Prologue:

Description: Q10.11 Has [he/she] gone to daycare in the past 12 months?

Type: NUM

SAS Variable Name: DAYCARE1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	2.14	3.30
2	No	90	27.52	38.01
3	Home school, skip filled	6	1.83	3.05
5	Goes to daycare now, skip filled	19	5.81	8.67
6	Over age ten, skip filled	205	62.69	46.97

DAYS MISSED DAYCARE BECAUSE OF ASTHMA

Survey: CHILD Asthma Call-Back

Column: 157-160

Prologue:

Description: Q10.12 During the past 12 months, about how many days of daycare did [he/she] miss because of [his/her] asthma?

Type: NUM

SAS Variable Name: MISS_DCAR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	5	1.53	2.05
444	No current asthma, skip filled	7	2.14	2.00
555	No daycare past year, skip filled	90	27.52	38.01
666	Over age ten, skip filled	205	62.69	46.97
888	Zero	16	4.89	8.32
3333	Home school, skip filled	4	1.22	2.64

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

WRITTEN ASTHMA ACTION PLAN IN DAYCARE

Survey: CHILD Asthma Call-Back

Column: 161

Type: NUM

SAS Variable Name: DCARE_APL

Prologue:

Description: Q10.13 Does [child's name] have a written asthma action plan or asthma management plan on file at the daycare [he/she] went to last?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	1.53	1.80
2	No	16	4.89	8.57
3	Home school, skip filled	4	1.22	2.64
4	No current asthma, skip filled	7	2.14	2.00
5	No daycare past year, skip filled	90	27.52	38.01
6	Over age ten, skip filled	205	62.69	46.97

PETS IN DAYCARE

Survey: CHILD Asthma Call-Back

Column: 162

Type: NUM

SAS Variable Name: DCARE_ANML

Prologue:

Description: Q10.14 Are there any pets such as dogs, cats, hamsters, birds, or other feathered or furry pets in [his/her] room at daycare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	1.22	2.91
2	No	22	6.73	9.05
3	Home school, skip filled	6	1.83	3.05
5	No daycare past year, skip filled	90	27.52	38.01
6	Over age ten, skip filled	205	62.69	46.97

AWARE OF MOLD PROBLEM IN DAYCARE

Survey: CHILD Asthma Call-Back

Column: 163

Type: NUM

SAS Variable Name: DCARE_MLD

Prologue:

Description: Q10.15 Are you aware of any mold problems in [his/her] daycare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	26	7.95	11.97
3	Home school, skip filled	6	1.83	3.05
5	No daycare past year, skip filled	90	27.52	38.01
6	Over age ten, skip filled	205	62.69	46.97

SMOKING ALLOWED IN DAYCARE

Survey: CHILD Asthma Call-Back

Column: 164

Type: NUM

SAS Variable Name: DCARE_SMK

Prologue:

Description: Q10.16 Is smoking allowed at [his/her] daycare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	26	7.95	11.97
3	Home school, skip filled	6	1.83	3.05
5	No daycare past year, skip filled	90	27.52	38.01
6	Over age ten, skip filled	205	62.69	46.97

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

USED HERBS TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 165

Type: NUM

SAS Variable Name: CAM_HERB

Prologue: Sometimes people use methods other than prescription medications to help treat or control their asthma. These methods are called non-traditional, complementary, or alternative healthcare. In the past 12 months, has [he/she] used . . . to control asthma?

Description: Q11.1 . . . herbs . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	1.53	1.89
2	No	261	79.82	79.11
5	No current asthma, skip filled	61	18.65	19.01

USED VITAMINS TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 166

Type: NUM

SAS Variable Name: CAM_VITA

Prologue:

Description: Q11.2 . . . vitamins . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	3.98	6.10
2	No	253	77.37	74.90
5	No current asthma, skip filled	61	18.65	19.01

USED ACUPUNCTURE TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 167

Type: NUM

SAS Variable Name: CAM_PUNC

Prologue:

Description: Q11.3 . . . acupuncture . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.31	0.15
2	No	265	81.04	80.85
5	No current asthma, skip filled	61	18.65	19.01

USED ACUPRESSURE TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 168

Type: NUM

SAS Variable Name: CAM_PRES

Prologue:

Description: Q11.4 . . . acupressure . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	266	81.35	80.99
5	No current asthma, skip filled	61	18.65	19.01

USED AROMATHERAPY TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 169

Type: NUM

SAS Variable Name: CAM_AROM

Prologue:

Description: Q11.5 . . . aromatherapy . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	3.98	2.50
2	No	253	77.37	78.49
5	No current asthma, skip filled	61	18.65	19.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

USED HOMEOPATHY TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 170

Prologue:

Description: Q11.6 ... homeopathy ...

Type: NUM

SAS Variable Name: CAM_HOME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	1.22	0.86
2	No	262	80.12	80.14
5	No current asthma, skip filled	61	18.65	19.01

USED REFLEXOLOGY TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 171

Prologue:

Description: Q11.7 ... reflexology ...

Type: NUM

SAS Variable Name: CAM_REFL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.31	0.07
2	No	265	81.04	80.92
5	No current asthma, skip filled	61	18.65	19.01

USED YOGA TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 172

Prologue:

Description: Q11.8 ... yoga ...

Type: NUM

SAS Variable Name: CAM_YOGA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.31	0.09
2	No	265	81.04	80.90
5	No current asthma, skip filled	61	18.65	19.01

USED BREATHING TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 173

Prologue:

Description: Q11.9 ... breathing techniques ...

Type: NUM

SAS Variable Name: CAM_BR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	43	13.15	14.06
2	No	223	68.20	66.93
5	No current asthma, skip filled	61	18.65	19.01

USED NATUROPATHY TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 174

Prologue:

Description: Q11.10 ... naturopathy ...

Type: NUM

SAS Variable Name: CAM_NATR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.61	0.92
2	No	264	80.73	80.08
5	No current asthma, skip filled	61	18.65	19.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

OTHER ALTERNATIVE CARE TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 175

Type: NUM

SAS Variable Name: CAM_OTHR

Prologue:

Description: Q11.11 Besides the types I have just asked about, has [child's name] used any other type of alternative care for [his/her] asthma in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	6.42	9.48
2	No	245	74.92	71.52
5	No current asthma, skip filled	61	18.65	19.01

TEXT FOR OTHER TYPE CARE

Survey: CHILD Asthma Call-Back

Column: 176-275

Type: CHAR

SAS Variable Name: CAM_TEXT

Prologue:

Description: Q11.12 What else has [child's name] used?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		306		
HIDDEN	Text field - up to 100 characters	21	100.00	100.00

HEIGHT OF CHILD

Survey: CHILD Asthma Call-Back

Column: 276-279

Type: CHAR

SAS Variable Name: HEIGHT1

Prologue:

Description: Q12.1 How tall is [child's name]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		327	100.00	100.00

WEIGHT OF CHILD

Survey: CHILD Asthma Call-Back

Column: 280-283

Type: CHAR

SAS Variable Name: WEIGHT1

Prologue:

Description: Q12.2 How much does [he/she] weigh?

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		327	100.00	100.00

BIRTH WEIGHT

Survey: CHILD Asthma Call-Back

Column: 284-289

Type: CHAR

SAS Variable Name: BIRTHW1

Prologue:

Description: Q12.3 How much did [he/she] weigh at birth (in pounds)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

WHETHER BIRTH WEIGHT LESS THAN 5.5 POUNDS

Survey: CHILD Asthma Call-Back

Column: 290

Prologue:

Description: Q12.4 At birth, did [child's name] weigh less than 5 ½ pounds?

Type: NUM
SAS Variable Name: BIRTHRF

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	4.35	4.24
2	No	15	65.22	44.69
7	Don't know	7	30.43	51.07
BLANK	Have reported birth weight	304		

LANGUAGE IDENTIFIER

Survey: CHILD Asthma Call-Back

Column: 381-382

Prologue:

Description: Language identifier: Language in which the interview was conducted.

Type: NUM
SAS Variable Name: QSTLANG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	320	97.86	98.53
2	Spanish	7	2.14	1.47

PERSON SELECTED TO CALL BACK FROM BRFSS

Survey: CHILD Asthma Call-Back

Column: 383

Prologue:

Description: Which person in the household was selected as the focus of the call-back?

Type: NUM
SAS Variable Name: ADLTCHLD

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	Children	327	100.00	100.00

ASTHMA CALL-BACK SCRIPT TEST

Survey: CHILD Asthma Call-Back

Column: 384

Prologue:

Description: ASTHMA CALL-BACK SCRIPT TEST

Type: NUM
SAS Variable Name: CALLBACK_VER

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Callback using Protocol (2 weeks)	97	100.00	100.00
BLANK	Not asked or missing	230		

END OF THE RAW CALL BACK DATA

Survey: CHILD Asthma Call-Back

Column: 385

Prologue:

Description: END OF THE RAW CALL BACK DATA

Type: NUM
SAS Variable Name: END_OF_FILE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

EVER HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: CHILD Asthma Call-Back

Column: 386

Type: NUM

SAS Variable Name: _EVER_ASTH_C

Prologue:

Description: EVER HAVE ASTHMA COMBINED BRFSS (ASTHMA2) AND CALL BACK (EVER_ASTH)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	327	100.00	100.00

STILL HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: CHILD Asthma Call-Back

Column: 387

Type: NUM

SAS Variable Name: _CUR_ASTH_C

Prologue:

Description: STILL HAVE ASTHMA COMBINED BRFSS (ASTHNOW) AND CALL BACK (CUR_ASTH)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	227	69.42	71.02
2	No	96	29.36	27.37
7	Don't know/Not sure	4	1.22	1.62

RELATIONSHIP TO CHILD COMBINED BRFSS

Survey: CHILD Asthma Call-Back

Column: 388

Type: NUM

SAS Variable Name: RELATED

Prologue:

Description: RELATIONSHIP TO CHILD COMBINED BRFSS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parents	319	97.55	94.97
2	Guardian	8	2.45	5.03

FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Survey: CHILD Asthma Call-Back

Column: 389

Type: NUM

SAS Variable Name: FLAG1

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	AGE, AGEDX, and INCIDNT are consistent	312	95.41	94.77
1	AGEDX is greater than AGE	1	0.31	0.05
2	AGE, AGEDX, and INCIDNT are inconsistent	14	4.28	5.17

ADVAIR (+ A. DISKUS)

Survey: CHILD Asthma Call-Back

Column: 390

Type: NUM

SAS Variable Name: INHALER_ID_1

Prologue:

Description: ADVAIR (+ A. DISKUS)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	3.98	3.74
2	No	314	96.02	96.26

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

AEROBID

Survey: CHILD Asthma Call-Back

Column: 391

Prologue:

Description: AEROBID

Type: NUM

SAS Variable Name: INHALER_ID_2

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Survey: CHILD Asthma Call-Back

Column: 392

Prologue:

Description: ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Type: NUM

SAS Variable Name: INHALER_ID_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	68	20.80	26.80
2	No	259	79.20	73.20

ALUPENT

Survey: CHILD Asthma Call-Back

Column: 393

Prologue:

Description: ALUPENT

Type: NUM

SAS Variable Name: INHALER_ID_4

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

ATROVENT

Survey: CHILD Asthma Call-Back

Column: 394

Prologue:

Description: ATROVENT

Type: NUM

SAS Variable Name: INHALER_ID_5

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

AZMACORT

Survey: CHILD Asthma Call-Back

Column: 395

Prologue:

Description: AZMACORT

Type: NUM

SAS Variable Name: INHALER_ID_6

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

BECLOMETHASONE DIPROPIONATE

Survey: CHILD Asthma Call-Back

Column: 396

Prologue:

Description: BECLOMETHASONE DIPROPIONATE

Type: NUM

SAS Variable Name: INHALER_ID_7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BECLOVENT

Survey: CHILD Asthma Call-Back

Column: 397

Prologue:

Description: BECLOVENT

Type: NUM

SAS Variable Name: INHALER_ID_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

BITOLTEROL

Survey: CHILD Asthma Call-Back

Column: 398

Prologue:

Description: BITOLTEROL

Type: NUM

SAS Variable Name: INHALER_ID_9

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

BUDESONIDE

Survey: CHILD Asthma Call-Back

Column: 399

Prologue:

Description: BUDESONIDE

Type: NUM

SAS Variable Name: INHALER_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.31	0.20
326	99.69	99.80

COMBIVENT

Survey: CHILD Asthma Call-Back

Column: 400

Prologue:

Description: COMBIVENT

Type: NUM

SAS Variable Name: INHALER_ID_12

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

CROMOLYN

Survey: CHILD Asthma Call-Back

Column: 401

Prologue:

Description: CROMOLYN

Type: NUM

SAS Variable Name: INHALER_ID_13

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

FLOVENT

Survey: CHILD Asthma Call-Back

Column: 402

Prologue:

Description: FLOVENT

Type: NUM

SAS Variable Name: INHALER_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
31	9.48	13.70
296	90.52	86.30

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLOVENT ROTADISK

Survey: CHILD Asthma Call-Back

Column: 403

Prologue:

Description: FLOVENT ROTADISK

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: INHALER_ID_15

Frequency	Percentage	Weighted Percentage
3	0.92	0.26
324	99.08	99.74

FLUNISOLIDE

Survey: CHILD Asthma Call-Back

Column: 404

Prologue:

Description: FLUNISOLIDE

Value	Value Label
2	No

Type: NUM
SAS Variable Name: INHALER_ID_16

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

FLUTICASONE

Survey: CHILD Asthma Call-Back

Column: 405

Prologue:

Description: FLUTICASONE

Value	Value Label
2	No

Type: NUM
SAS Variable Name: INHALER_ID_17

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

IPRATROPIUM BROMIDE

Survey: CHILD Asthma Call-Back

Column: 406

Prologue:

Description: IPRATROPIUM BROMIDE

Value	Value Label
2	No

Type: NUM
SAS Variable Name: INHALER_ID_19

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

MAXAIR

Survey: CHILD Asthma Call-Back

Column: 407

Prologue:

Description: MAXAIR

Value	Value Label
2	No

Type: NUM
SAS Variable Name: INHALER_ID_20

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

METAPROTERONOL

Survey: CHILD Asthma Call-Back

Column: 408

Prologue:

Description: METAPROTERONOL

Value	Value Label
2	No

Type: NUM
SAS Variable Name: INHALER_ID_21

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEDOCROMIL

Survey: CHILD Asthma Call-Back

Column: 409

Prologue:

Description: NEDOCROMIL

Type: NUM

SAS Variable Name: INHALER_ID_22

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

PIRBUTEROL

Survey: CHILD Asthma Call-Back

Column: 410

Prologue:

Description: PIRBUTEROL

Type: NUM

SAS Variable Name: INHALER_ID_23

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

PROVENTIL

Survey: CHILD Asthma Call-Back

Column: 411

Prologue:

Description: PROVENTIL

Type: NUM

SAS Variable Name: INHALER_ID_24

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	2.14	0.93
2	No	320	97.86	99.07

PULMICORT FLEXHALER

Survey: CHILD Asthma Call-Back

Column: 412

Prologue:

Description: PULMICORT FLEXHALER

Type: NUM

SAS Variable Name: INHALER_ID_25

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	2.45	3.75
2	No	319	97.55	96.25

SALMETEROL

Survey: CHILD Asthma Call-Back

Column: 413

Prologue:

Description: SALMETEROL

Type: NUM

SAS Variable Name: INHALER_ID_26

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SEREVENT

Survey: CHILD Asthma Call-Back

Column: 414

Prologue:

Description: SEREVENT

Type: NUM

SAS Variable Name: INHALER_ID_27

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

TERBUTALINE (+ T. SULFATE)

Survey: CHILD Asthma Call-Back

Column: 415

Prologue:

Description: TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: INHALER_ID_28

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

TORNALATE

Survey: CHILD Asthma Call-Back

Column: 416

Prologue:

Description: TORNALATE

Type: NUM

SAS Variable Name: INHALER_ID_30

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

TRIAMCINOLONE ACETONIDE

Survey: CHILD Asthma Call-Back

Column: 417

Prologue:

Description: TRIAMCINOLONE ACETONIDE

Type: NUM

SAS Variable Name: INHALER_ID_31

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

VANCERIL

Survey: CHILD Asthma Call-Back

Column: 418

Prologue:

Description: VANCERIL

Type: NUM

SAS Variable Name: INHALER_ID_32

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

VENTOLIN

Survey: CHILD Asthma Call-Back

Column: 419

Prologue:

Description: VENTOLIN

Type: NUM

SAS Variable Name: INHALER_ID_33

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	22	6.73	6.36
2	No	305	93.27	93.64

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FORADIL

Survey: CHILD Asthma Call-Back

Column: 420

Prologue:

Description: FORADIL

Type: NUM

SAS Variable Name: INHALER_ID_34

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

FORMOTEROL

Survey: CHILD Asthma Call-Back

Column: 421

Prologue:

Description: FORMOTEROL

Type: NUM

SAS Variable Name: INHALER_ID_35

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

QVAR

Survey: CHILD Asthma Call-Back

Column: 422

Prologue:

Description: QVAR

Type: NUM

SAS Variable Name: INHALER_ID_36

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
18	5.50	6.20
309	94.50	93.80

LEVALBUTEROL TARTRATE

Survey: CHILD Asthma Call-Back

Column: 423

Prologue:

Description: LEVALBUTEROL TARTRATE

Type: NUM

SAS Variable Name: INHALER_ID_37

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

XOPENEX HFA

Survey: CHILD Asthma Call-Back

Column: 424

Prologue:

Description: XOPENEX HFA

Type: NUM

SAS Variable Name: INHALER_ID_38

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	2.45	2.68
319	97.55	97.32

MOMETASONE FUROATE

Survey: CHILD Asthma Call-Back

Column: 425

Prologue:

Description: MOMETASONE FUROATE

Type: NUM

SAS Variable Name: INHALER_ID_39

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ASMANEX (TWISTHALER)

Survey: CHILD Asthma Call-Back

Column: 426

Prologue:

Description: ASMANEX (TWISTHALER)

Value	Value Label
1	Yes
2	No

Type: NUM		
SAS Variable Name: INHALER_ID_40		
Frequency	Percentage	Weighted Percentage
1	0.31	0.13
326	99.69	99.87

PRO-AIR HFA

Survey: CHILD Asthma Call-Back

Column: 427

Prologue:

Description: PRO-AIR HFA

Value	Value Label
1	Yes
2	No

Type: NUM		
SAS Variable Name: INHALER_ID_41		
Frequency	Percentage	Weighted Percentage
29	8.87	7.27
298	91.13	92.73

SYMBICORT

Survey: CHILD Asthma Call-Back

Column: 428

Prologue:

Description: SYMBICORT

Value	Value Label
1	Yes
2	No

Type: NUM		
SAS Variable Name: INHALER_ID_42		
Frequency	Percentage	Weighted Percentage
9	2.75	1.30
318	97.25	98.70

ALVESCO

Survey: CHILD Asthma Call-Back

Column: 429

Prologue:

Description: ALVESCO

Value	Value Label
2	No

Type: NUM		
SAS Variable Name: INHALER_ID_43		
Frequency	Percentage	Weighted Percentage
327	100.00	100.00

DULERA

Survey: CHILD Asthma Call-Back

Column: 430

Prologue:

Description: DULERA

Value	Value Label
1	Yes
2	No

Type: NUM		
SAS Variable Name: INHALER_ID_44		
Frequency	Percentage	Weighted Percentage
5	1.53	1.89
322	98.47	98.11

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DON'T KNOW/REFUSED

Survey: CHILD Asthma Call-Back

Column: 431

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: INHALER_ID_7799

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.61	0.26
2	No	325	99.39	99.74

OTHER INHALER

Survey: CHILD Asthma Call-Back

Column: 432

Prologue:

Description: NEW OTHER PRESCRIPTION INHALER

Type: NUM

SAS Variable Name: OTHER_INHALER

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or missing	327		

PILL ACCOLATE

Survey: CHILD Asthma Call-Back

Column: 433

Prologue:

Description: PILL ACCOLATE

Type: NUM

SAS Variable Name: PILLS_ID_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

PILL AEROLATE

Survey: CHILD Asthma Call-Back

Column: 434

Prologue:

Description: PILL AEROLATE

Type: NUM

SAS Variable Name: PILLS_ID_2

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

PILL ALBUTEROL

Survey: CHILD Asthma Call-Back

Column: 435

Prologue:

Description: PILL ALBUTEROL

Type: NUM

SAS Variable Name: PILLS_ID_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

PILL ALUPENT

Survey: CHILD Asthma Call-Back

Column: 436

Prologue:

Description: PILL ALUPENT

Type: NUM

SAS Variable Name: PILLS_ID_4

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL CHOLEDYL (OXTRIPHYLLINE)

Survey: CHILD Asthma Call-Back

Column: 437

Prologue:

Description: PILL CHOLEDYL (OXTRIPHYLLINE)

Type: NUM
SAS Variable Name: PILLS_ID_5

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

PILL DELTASONE

Survey: CHILD Asthma Call-Back

Column: 438

Prologue:

Description: PILL DELTASONE

Type: NUM
SAS Variable Name: PILLS_ID_7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

PILL ELIXOPHYLLIN

Survey: CHILD Asthma Call-Back

Column: 439

Prologue:

Description: PILL ELIXOPHYLLIN

Type: NUM
SAS Variable Name: PILLS_ID_8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

PILL MEDROL

Survey: CHILD Asthma Call-Back

Column: 440

Prologue:

Description: PILL MEDROL

Type: NUM
SAS Variable Name: PILLS_ID_11

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

PILL METAPREL

Survey: CHILD Asthma Call-Back

Column: 441

Prologue:

Description: PILL METAPREL

Type: NUM
SAS Variable Name: PILLS_ID_12

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

PILL METAPROTERONOL

Survey: CHILD Asthma Call-Back

Column: 442

Prologue:

Description: PILL METAPROTERONOL

Type: NUM
SAS Variable Name: PILLS_ID_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL METHYLPREDNISOLONE

Survey: CHILD Asthma Call-Back

Column: 443

Prologue:

Description: PILL METHYLPREDNISOLONE

Type: NUM

SAS Variable Name: PILLS_ID_14

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

PILL MONTELUKAST

Survey: CHILD Asthma Call-Back

Column: 444

Prologue:

Description: PILL MONTELUKAST

Type: NUM

SAS Variable Name: PILLS_ID_15

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	2.14	2.39
2	No	320	97.86	97.61

PILL PEDIAPRED

Survey: CHILD Asthma Call-Back

Column: 445

Prologue:

Description: PILL PEDIAPRED

Type: NUM

SAS Variable Name: PILLS_ID_17

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

PILL PREDNISOLONE

Survey: CHILD Asthma Call-Back

Column: 446

Prologue:

Description: PILL PREDNISOLONE

Type: NUM

SAS Variable Name: PILLS_ID_18

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

PILL PREDNISONE

Survey: CHILD Asthma Call-Back

Column: 447

Prologue:

Description: PILL PREDNISONE

Type: NUM

SAS Variable Name: PILLS_ID_19

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.92	0.24
2	No	324	99.08	99.76

PILL PROVENTIL

Survey: CHILD Asthma Call-Back

Column: 448

Prologue:

Description: PILL PROVENTIL

Type: NUM

SAS Variable Name: PILLS_ID_21

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL RESPID

Survey: CHILD Asthma Call-Back

Column: 449

Prologue:

Description: PILL RESPID

Type: NUM

SAS Variable Name: PILLS_ID_23

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

PILL SINGULAIR

Survey: CHILD Asthma Call-Back

Column: 450

Prologue:

Description: PILL SINGULAIR

Type: NUM

SAS Variable Name: PILLS_ID_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
37	11.31	11.11
290	88.69	88.89

PILL SLO-PHYLLIN

Survey: CHILD Asthma Call-Back

Column: 451

Prologue:

Description: PILL SLO-PHYLLIN

Type: NUM

SAS Variable Name: PILLS_ID_25

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

PILL SLO-BID

Survey: CHILD Asthma Call-Back

Column: 452

Prologue:

Description: PILL SLO-BID

Type: NUM

SAS Variable Name: PILLS_ID_26

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

PILL THEO-24

Survey: CHILD Asthma Call-Back

Column: 453

Prologue:

Description: PILL THEO-24

Type: NUM

SAS Variable Name: PILLS_ID_28

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

PILL THEOCHRON

Survey: CHILD Asthma Call-Back

Column: 454

Prologue:

Description: PILL THEOCHRON

Type: NUM

SAS Variable Name: PILLS_ID_30

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL THEOCLEAR

Survey: CHILD Asthma Call-Back

Column: 455

Prologue:

Description: PILL THEOCLEAR

Type: NUM

SAS Variable Name: PILLS_ID_31

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

PILL THEODUR

Survey: CHILD Asthma Call-Back

Column: 456

Prologue:

Description: PILL THEODUR

Type: NUM

SAS Variable Name: PILLS_ID_32

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

PILL THEO-DUR

Survey: CHILD Asthma Call-Back

Column: 457

Prologue:

Description: PILL THEO-DUR

Type: NUM

SAS Variable Name: PILLS_ID_33

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

PILL THEOPHYLLINE

Survey: CHILD Asthma Call-Back

Column: 458

Prologue:

Description: PILL THEOPHYLLINE

Type: NUM

SAS Variable Name: PILLS_ID_35

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

PILL THEOSPAN

Survey: CHILD Asthma Call-Back

Column: 459

Prologue:

Description: PILL THEOSPAN

Type: NUM

SAS Variable Name: PILLS_ID_37

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

PILL T-PHYL

Survey: CHILD Asthma Call-Back

Column: 460

Prologue:

Description: PILL T-PHYL

Type: NUM

SAS Variable Name: PILLS_ID_40

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL UNIPHYL

Survey: CHILD Asthma Call-Back

Column: 461

Prologue:

Description: PILL UNIPHYL

Value	Value Label
2	No

Type: NUM
SAS Variable Name: PILLS_ID_42

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

PILL VENTOLIN

Survey: CHILD Asthma Call-Back

Column: 462

Prologue:

Description: PILL VENTOLIN

Value	Value Label
2	No

Type: NUM
SAS Variable Name: PILLS_ID_43

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

PILL VOLMAX

Survey: CHILD Asthma Call-Back

Column: 463

Prologue:

Description: PILL VOLMAX

Value	Value Label
2	No

Type: NUM
SAS Variable Name: PILLS_ID_44

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

PILL ZAFIRLUKAST

Survey: CHILD Asthma Call-Back

Column: 464

Prologue:

Description: PILL ZAFIRLUKAST

Value	Value Label
2	No

Type: NUM
SAS Variable Name: PILLS_ID_45

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

PILL ZILEUTON

Survey: CHILD Asthma Call-Back

Column: 465

Prologue:

Description: PILL ZILEUTON

Value	Value Label
2	No

Type: NUM
SAS Variable Name: PILLS_ID_46

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

PILL ZYFLO FILMTAB

Survey: CHILD Asthma Call-Back

Column: 466

Prologue:

Description: PILL ZYFLO FILMTAB

Value	Value Label
2	No

Type: NUM
SAS Variable Name: PILLS_ID_47

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL TERBUTALINE (+ T. SULFATE)

Survey: CHILD Asthma Call-Back

Column: 467

Prologue:

Description: PILL TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: PILLS_ID_48

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

PILL BRETHINE

Survey: CHILD Asthma Call-Back

Column: 468

Prologue:

Description: PILL BRETHINE

Type: NUM

SAS Variable Name: PILLS_ID_49

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

DON'T KNOW/REFUSED

Survey: CHILD Asthma Call-Back

Column: 469

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: PILLS_ID_7799

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

OTHER PILLS

Survey: CHILD Asthma Call-Back

Column: 470

Prologue:

Description: NEW OTHER PRESCRIPTION PILLS

Type: NUM

SAS Variable Name: OTHER_PILLS

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
327		

SYRUP AEROLATE

Survey: CHILD Asthma Call-Back

Column: 471

Prologue:

Description: SYRUP AEROLATE

Type: NUM

SAS Variable Name: SYRUP_ID_1

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

SYRUP ALBUTEROL

Survey: CHILD Asthma Call-Back

Column: 472

Prologue:

Description: SYRUP ALBUTEROL

Type: NUM

SAS Variable Name: SYRUP_ID_2

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYRUP ALUPENT

Survey: CHILD Asthma Call-Back

Column: 473

Prologue:

Description: SYRUP ALUPENT

Value	Value Label
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_3

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

SYRUP METAPROTERONOL

Survey: CHILD Asthma Call-Back

Column: 474

Prologue:

Description: SYRUP METAPROTERONOL

Value	Value Label
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_4

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

SYRUP PREDNISOLONE

Survey: CHILD Asthma Call-Back

Column: 475

Prologue:

Description: SYRUP PREDNISOLONE

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_5

Frequency	Percentage	Weighted Percentage
3	0.92	0.95
324	99.08	99.05

SYRUP PRELONE

Survey: CHILD Asthma Call-Back

Column: 476

Prologue:

Description: SYRUP PRELONE

Value	Value Label
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_6

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

SYRUP PROVENTIL

Survey: CHILD Asthma Call-Back

Column: 477

Prologue:

Description: SYRUP PROVENTIL

Value	Value Label
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_7

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

SYRUP SLO-PHYLLIN

Survey: CHILD Asthma Call-Back

Column: 478

Prologue:

Description: SYRUP SLO-PHYLLIN

Value	Value Label
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_8

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYRUP THEOPHYLLINE

Survey: CHILD Asthma Call-Back

Column: 479

Prologue:

Description: SYRUP THEOPHYLLINE

Type: NUM

SAS Variable Name: SYRUP_ID_9

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

SYRUP VENTOLIN

Survey: CHILD Asthma Call-Back

Column: 480

Prologue:

Description: SYRUP VENTOLIN

Type: NUM

SAS Variable Name: SYRUP_ID_10

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

DON'T KNOW/REFUSED

Survey: CHILD Asthma Call-Back

Column: 481

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: SYRUP_ID_7799

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

OTHER SYRUP

Survey: CHILD Asthma Call-Back

Column: 482

Prologue:

Description: NEW OTHER PRESCRIPTION SYRUP

Type: NUM

SAS Variable Name: OTHER_SYRUP

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
327		

NEB ALBUTEROL

Survey: CHILD Asthma Call-Back

Column: 483

Prologue:

Description: NEB ALBUTEROL

Type: NUM

SAS Variable Name: NEB_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
43	13.15	24.75
284	86.85	75.25

NEB ALUPENT

Survey: CHILD Asthma Call-Back

Column: 484

Prologue:

Description: NEB ALUPENT

Type: NUM

SAS Variable Name: NEB_ID_2

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB ATROVENT

Survey: CHILD Asthma Call-Back

Column: 485

Prologue:

Description: NEB ATROVENT

Type: NUM

SAS Variable Name: NEB_ID_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.31	1.11
2	No	326	99.69	98.89

NEB BITOLTEROL

Survey: CHILD Asthma Call-Back

Column: 486

Prologue:

Description: NEB BITOLTEROL

Type: NUM

SAS Variable Name: NEB_ID_4

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

NEB BUDESONIDE

Survey: CHILD Asthma Call-Back

Column: 487

Prologue:

Description: NEB BUDESONIDE

Type: NUM

SAS Variable Name: NEB_ID_5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.92	2.27
2	No	324	99.08	97.73

NEB CROMOLYN

Survey: CHILD Asthma Call-Back

Column: 488

Prologue:

Description: NEB CROMOLYN

Type: NUM

SAS Variable Name: NEB_ID_6

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

NEB DUONEB

Survey: CHILD Asthma Call-Back

Column: 489

Prologue:

Description: NEB DUONEB

Type: NUM

SAS Variable Name: NEB_ID_7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.31	0.09
2	No	326	99.69	99.91

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB INTAL

Survey: CHILD Asthma Call-Back

Column: 490

Prologue:

Description: NEB INTAL

Type: NUM

SAS Variable Name: NEB_ID_8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

NEB IPRATROPIUM BROMIDE

Survey: CHILD Asthma Call-Back

Column: 491

Prologue:

Description: NEB IPRATROPIUM BROMIDE

Type: NUM

SAS Variable Name: NEB_ID_9

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.31	0.13
2	No	326	99.69	99.87

NEB LEVALBUTEROL

Survey: CHILD Asthma Call-Back

Column: 492

Prologue:

Description: NEB LEVALBUTEROL

Type: NUM

SAS Variable Name: NEB_ID_10

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

NEB METAPROTERONOL

Survey: CHILD Asthma Call-Back

Column: 493

Prologue:

Description: NEB METAPROTERONOL

Type: NUM

SAS Variable Name: NEB_ID_11

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

NEB PROVENTIL

Survey: CHILD Asthma Call-Back

Column: 494

Prologue:

Description: NEB PROVENTIL

Type: NUM

SAS Variable Name: NEB_ID_12

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	327	100.00	100.00

NEB PULMICORT

Survey: CHILD Asthma Call-Back

Column: 495

Prologue:

Description: NEB PULMICORT

Type: NUM

SAS Variable Name: NEB_ID_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	1.22	2.29
2	No	323	98.78	97.71

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB TORNALATE

Survey: CHILD Asthma Call-Back

Column: 496

Prologue:

Description: NEB TORNALATE

Type: NUM

SAS Variable Name: NEB_ID_14

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

NEB VENTOLIN

Survey: CHILD Asthma Call-Back

Column: 497

Prologue:

Description: NEB VENTOLIN

Type: NUM

SAS Variable Name: NEB_ID_15

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

NEB XOPENEX

Survey: CHILD Asthma Call-Back

Column: 498

Prologue:

Description: NEB XOPENEX

Type: NUM

SAS Variable Name: NEB_ID_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	1.53	0.40
322	98.47	99.60

NEB COMBIVENT INHALATION SOLUTION

Survey: CHILD Asthma Call-Back

Column: 499

Prologue:

Description: NEB COMBIVENT INHALATION SOLUTION

Type: NUM

SAS Variable Name: NEB_ID_17

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

NEB PERFORMIST/FORMOTEROL

Survey: CHILD Asthma Call-Back

Column: 500

Prologue:

Description: NEB PERFORMIST/FORMOTEROL

Type: NUM

SAS Variable Name: NEB_ID_18

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

DON'T KNOW/REFUSED

Survey: CHILD Asthma Call-Back

Column: 501

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: NEB_ID_7799

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

OTHER NEBULIZER

Survey: CHILD Asthma Call-Back

Column: 502

Prologue:

Description: NEW OTHER PRESCRIPTION NEBULIZER

Type: NUM
SAS Variable Name: OTHER_NEB

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
327		

OTHER INHALER TEXT

Survey: CHILD Asthma Call-Back

Column: 503-602

Prologue:

Description: New other prescription inhaler name

Type: CHAR
SAS Variable Name: OTH_I1R

Value	Value Label
BLANK	No other new asthma medication

Frequency	Percentage	Weighted Percentage
327		

OTHER PILLS TEXT

Survey: CHILD Asthma Call-Back

Column: 603-702

Prologue:

Description: New other prescription pills name

Type: CHAR
SAS Variable Name: OTH_P1R

Value	Value Label
BLANK	No other new asthma medication

Frequency	Percentage	Weighted Percentage
327		

OTHER SYRUP TEXT

Survey: CHILD Asthma Call-Back

Column: 703-802

Prologue:

Description: New other prescription syrup name

Type: CHAR
SAS Variable Name: OTH_S1R

Value	Value Label
BLANK	No other new asthma medication

Frequency	Percentage	Weighted Percentage
327		

OTHER NEBULIZER TEXT

Survey: CHILD Asthma Call-Back

Column: 803-902

Prologue:

Description: New other prescription nebulizer name

Type: CHAR
SAS Variable Name: OTH_N1R

Value	Value Label
BLANK	No other new asthma medication

Frequency	Percentage	Weighted Percentage
327		

INHALER_TEXT: COUGH/COLD MED.

Survey: CHILD Asthma Call-Back

Column: 903

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT1

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
3	0.92	0.24
324	99.08	99.76

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

INHALER_TEXT: ALLERGY MED.

Survey: CHILD Asthma Call-Back

Column: 904

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.31	0.05
2	No	2	0.61	0.20
3	No other medication text filled	324	99.08	99.76

INHALER_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: CHILD Asthma Call-Back

Column: 905

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	0.92	0.24
3	No other medication text filled	324	99.08	99.76

INHALER_TEXT: ASTHMA MED., BUT NOT INHALER

Survey: CHILD Asthma Call-Back

Column: 906

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	0.92	0.24
3	No other medication text filled	324	99.08	99.76

INHALER_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: CHILD Asthma Call-Back

Column: 907

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	0.92	0.24
3	No other medication text filled	324	99.08	99.76

INHALER_TEXT: WAS BACK CODED TO EXISTING INHALER

Survey: CHILD Asthma Call-Back

Column: 908

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.61	0.20
2	No	1	0.31	0.05
3	No other medication text filled	324	99.08	99.76

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

INHALER_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: CHILD Asthma Call-Back

Column: 909

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	0.92	0.24
3	No other medication text filled	324	99.08	99.76

INHALER_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: CHILD Asthma Call-Back

Column: 910

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	0.92	0.24
3	No other medication text filled	324	99.08	99.76

INHALER_TEXT: DON'T KNOW

Survey: CHILD Asthma Call-Back

Column: 911

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	0.92	0.24
3	No other medication text filled	324	99.08	99.76

PILLS_TEXT: COUGH/COLD MED.

Survey: CHILD Asthma Call-Back

Column: 912

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	0.61	1.81
3	No other medication text filled	325	99.39	98.19

PILLS_TEXT: ALLERGY MED.

Survey: CHILD Asthma Call-Back

Column: 913

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.61	1.81
3	No other medication text filled	325	99.39	98.19

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILLS_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: CHILD Asthma Call-Back

Column: 914

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	0.61	1.81
3	No other medication text filled	325	99.39	98.19

PILLS_TEXT: ASTHMA MED., BUT NOT PILLS

Survey: CHILD Asthma Call-Back

Column: 915

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	0.61	1.81
3	No other medication text filled	325	99.39	98.19

PILLS_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: CHILD Asthma Call-Back

Column: 916

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	0.61	1.81
3	No other medication text filled	325	99.39	98.19

PILLS_TEXT: WAS BACK CODED TO EXISTING PILLS

Survey: CHILD Asthma Call-Back

Column: 917

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	0.61	1.81
3	No other medication text filled	325	99.39	98.19

PILLS_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: CHILD Asthma Call-Back

Column: 918

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	0.61	1.81
3	No other medication text filled	325	99.39	98.19

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILLS_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: CHILD Asthma Call-Back

Column: 919

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM
SAS Variable Name: PILLS_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	0.61	1.81
3	No other medication text filled	325	99.39	98.19

PILLS_TEXT: DON'T KNOW

Survey: CHILD Asthma Call-Back

Column: 920

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM
SAS Variable Name: PILLS_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	0.61	1.81
3	No other medication text filled	325	99.39	98.19

SYRUP_TEXT: COUGH/COLD MED.

Survey: CHILD Asthma Call-Back

Column: 921

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM
SAS Variable Name: SYRUP_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	327	100.00	100.00

SYRUP_TEXT: ALLERGY MED.

Survey: CHILD Asthma Call-Back

Column: 922

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM
SAS Variable Name: SYRUP_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	327	100.00	100.00

SYRUP_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: CHILD Asthma Call-Back

Column: 923

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM
SAS Variable Name: SYRUP_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	327	100.00	100.00

SYRUP_TEXT: ASTHMA MED., BUT NOT SYRUP

Survey: CHILD Asthma Call-Back

Column: 924

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM
SAS Variable Name: SYRUP_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYRUP_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: CHILD Asthma Call-Back

Column: 925

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	327	100.00	100.00

SYRUP_TEXT: WAS BACK CODED TO EXISTING SYRUP

Survey: CHILD Asthma Call-Back

Column: 926

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	327	100.00	100.00

SYRUP_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: CHILD Asthma Call-Back

Column: 927

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	327	100.00	100.00

SYRUP_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: CHILD Asthma Call-Back

Column: 928

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	327	100.00	100.00

SYRUP_TEXT: DON'T KNOW

Survey: CHILD Asthma Call-Back

Column: 929

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	327	100.00	100.00

NEB_TEXT: COUGH/COLD MED.

Survey: CHILD Asthma Call-Back

Column: 930

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB_TEXT: ALLERGY MED.

Survey: CHILD Asthma Call-Back

Column: 931

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	327	100.00	100.00

NEB_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: CHILD Asthma Call-Back

Column: 932

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	327	100.00	100.00

NEB_TEXT: ASTHMA MED., BUT NOT NEB

Survey: CHILD Asthma Call-Back

Column: 933

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	327	100.00	100.00

NEB_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: CHILD Asthma Call-Back

Column: 934

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	327	100.00	100.00

NEB_TEXT: WAS BACK CODED TO EXISTING NEB

Survey: CHILD Asthma Call-Back

Column: 935

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	327	100.00	100.00

NEB_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: CHILD Asthma Call-Back

Column: 936

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	327	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: CHILD Asthma Call-Back

Column: 937

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	327	100.00	100.00

NEB_TEXT: DON'T KNOW

Survey: CHILD Asthma Call-Back

Column: 938

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	327	100.00	100.00

INHALED CORTICOSTEROIDS

Survey: CHILD Asthma Call-Back

Column: 939-940

Prologue:

Description: INHALED CORTICOSTEROIDS

Type: NUM

SAS Variable Name: INH_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 19	Count	322	98.47	99.35
99	Missing	5	1.53	0.65

INHALED ANTI-INFLAMMATORY

Survey: CHILD Asthma Call-Back

Column: 941-942

Prologue:

Description: INHALED ANTI-INFLAMMATORY

Type: NUM

SAS Variable Name: INH_AI

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 2	Count	322	98.47	99.35
99	Missing	5	1.53	0.65

INHALED ANTI-CHOLINERGIC

Survey: CHILD Asthma Call-Back

Column: 943-944

Prologue:

Description: INHALED ANTI-CHOLINERGIC

Type: NUM

SAS Variable Name: INH_AC

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 3	Count	322	98.47	99.35
99	Missing	5	1.53	0.65

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

INHALED BETA 2 AGONIST SHORT ACTING

Survey: CHILD Asthma Call-Back

Column: 945-946

Prologue:

Description: INHALED BETA 2 AGONIST SHORT ACTING

Type: NUM
SAS Variable Name: INH_B2AS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 14	Count	322	98.47	99.35
99	Missing	5	1.53	0.65

INHALED BETA 2 AGONIST LONG ACTING

Survey: CHILD Asthma Call-Back

Column: 947-948

Prologue:

Description: INHALED BETA 2 AGONIST LONG ACTING

Type: NUM
SAS Variable Name: INH_B2AL

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 7	Count	322	98.47	99.35
99	Missing	5	1.53	0.65

PILL CORTICOSTEROIDS

Survey: CHILD Asthma Call-Back

Column: 949-950

Prologue:

Description: PILL CORTICOSTEROIDS

Type: NUM
SAS Variable Name: PILL_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 6	Count	314	96.02	98.13
99	Missing	13	3.98	1.87

PILL LEUKOTRIENE MODIFIERS

Survey: CHILD Asthma Call-Back

Column: 951-952

Prologue:

Description: PILL LEUKOTRIENE MODIFIERS

Type: NUM
SAS Variable Name: PILL_LM

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 6	Count	314	96.02	98.13
99	Missing	13	3.98	1.87

PILL BETA 2 AGONIST

Survey: CHILD Asthma Call-Back

Column: 953-954

Prologue:

Description: PILL BETA 2 AGONIST

Type: NUM
SAS Variable Name: PILL_B2A

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 9	Count	314	96.02	98.13
99	Missing	13	3.98	1.87

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL METHYLXANTHINES

Survey: CHILD Asthma Call-Back

Column: 955-956

Prologue:

Description: PILL METHYLXANTHINES

Value	Value Label
0 - 15	Count
99	Missing

Frequency	Percentage	Weighted Percentage
314	96.02	98.13
13	3.98	1.87

Type: NUM
SAS Variable Name: PILL_METH

SYRUP METHYLXANTHINES

Survey: CHILD Asthma Call-Back

Column: 957-958

Prologue:

Description: SYRUP METHYLXANTHINES

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
314	96.02	92.39
13	3.98	7.61

Type: NUM
SAS Variable Name: SYRP_METH

SYRUP SHORT ACTING BETA 2 AGONIST

Survey: CHILD Asthma Call-Back

Column: 959-960

Prologue:

Description: SYRUP SHORT ACTING BETA 2 AGONIST

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
314	96.02	92.39
13	3.98	7.61

Type: NUM
SAS Variable Name: SYRP_B2AS

SYRUP CORTICOSTEROIDS

Survey: CHILD Asthma Call-Back

Column: 961-962

Prologue:

Description: SYRUP CORTICOSTEROIDS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
314	96.02	92.39
13	3.98	7.61

Type: NUM
SAS Variable Name: SYRP_CS

NEBULIZER ANTI-INFLAMMATORY

Survey: CHILD Asthma Call-Back

Column: 963-964

Prologue:

Description: NEBULIZER ANTI-INFLAMMATORY

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
317	96.94	98.72
10	3.06	1.28

Type: NUM
SAS Variable Name: NEB_AI

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEBULIZER CORTICOSTEROID

Survey: CHILD Asthma Call-Back

Column: 965-966

Prologue:

Description: NEBULIZER CORTICOSTEROID

Type: NUM
SAS Variable Name: NEB_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 2	Count	317	96.94	98.72
99	Missing	10	3.06	1.28

NEBULIZER ANTICHOLINERGIC

Survey: CHILD Asthma Call-Back

Column: 967-968

Prologue:

Description: NEBULIZER ANTICHOLINERGIC

Type: NUM
SAS Variable Name: NEB_AC

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 4	Count	317	96.94	98.72
99	Missing	10	3.06	1.28

NEBULIZER BETA 2 AGONIST

Survey: CHILD Asthma Call-Back

Column: 969-970

Prologue:

Description: NEBULIZER BETA 2 AGONIST

Type: NUM
SAS Variable Name: NEB_B2A

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 11	Count	317	96.94	98.72
99	Missing	10	3.06	1.28

NEBULIZER BETA 2 AGONIST LONG ACTING

Survey: CHILD Asthma Call-Back

Column: 971-972

Prologue:

Description: NEBULIZER BETA 2 AGONIST LONG ACTING

Type: NUM
SAS Variable Name: NEB_B2AL

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 1	Count	317	96.94	98.72
99	Missing	10	3.06	1.28

ADVAIR (+ A. DISKUS): WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 973

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Type: NUM
SAS Variable Name: ILP03_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ADVAIR (+ A. DISKUS): WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 974

Type: NUM

SAS Variable Name: ILP04_1

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	30.77	63.43
2	No	8	61.54	33.89
3	No attack in past 3 months	1	7.69	2.68
BLANK	Skip filled	314		

ADVAIR (+ A. DISKUS): BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 975

Type: NUM

SAS Variable Name: ILP05_1

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	38.46	22.77
2	No	8	61.54	77.23
BLANK	Skip filled	314		

ADVAIR (+ A. DISKUS): REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 976

Type: NUM

SAS Variable Name: ILP06_1

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	84.62	40.97
2	No	2	15.38	59.03
BLANK	Skip filled	314		

ADVAIR (+ A. DISKUS): TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 977-979

Type: NUM

SAS Variable Name: ILP08_1

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	10	76.92	39.00
666	Less often than once a week	2	15.38	59.03
777	Don't know/Not sure	1	7.69	1.97
BLANK	Skip filled	314		

ADVAIR (+ A. DISKUS): NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 980-981

Type: NUM

SAS Variable Name: ILP10_1

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

AEROBID: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 982

Type: NUM

SAS Variable Name: ILP03_2

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

AEROBID: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 983

Type: NUM

SAS Variable Name: ILP04_2

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

AEROBID: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 984

Type: NUM

SAS Variable Name: ILP05_2

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

AEROBID: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 985

Type: NUM

SAS Variable Name: ILP06_2

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

AEROBID: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 986-988

Type: NUM

SAS Variable Name: ILP08_2

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

AEROBID: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 989-990

Type: NUM

SAS Variable Name: ILP10_2

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 991

Type: NUM

SAS Variable Name: ILP03_3

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	39	57.35	63.90
2	No	29	42.65	36.10
BLANK	Skip filled	259		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 992

Type: NUM

SAS Variable Name: ILP04_3

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	61	89.71	92.34
2	No	5	7.35	5.11
3	No attack in past 3 months	2	2.94	2.55
BLANK	Skip filled	259		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 993

Type: NUM

SAS Variable Name: ILP05_3

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	35	51.47	60.88
2	No	29	42.65	33.92
3	Didn't exercise in past 3 months	1	1.47	1.41
7	Don't know	3	4.41	3.80
BLANK	Skip filled	259		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 994

Type: NUM

SAS Variable Name: ILP06_3

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	22.06	39.84
2	No	53	77.94	60.16
BLANK	Skip filled	259		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 995-997

Type: NUM

SAS Variable Name: ILP08_3

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	20	29.41	42.86
401 - 499	Weeks	24	35.29	35.04
555	Never	3	4.41	3.05
666	Less often than once a week	16	23.53	16.72
777	Don't know/Not sure	5	7.35	2.33
BLANK	Skip filled	259		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 998-999

Type: NUM

SAS Variable Name: ILP10_3

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	47	69.12	61.57
77	Don't know	4	5.88	12.88
88	None	17	25.00	25.55
BLANK	Skip filled	259		

ALUPENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1000

Type: NUM

SAS Variable Name: ILP03_4

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

ALUPENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1001

Type: NUM

SAS Variable Name: ILP04_4

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

ALUPENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1002

Type: NUM

SAS Variable Name: ILP05_4

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALUPENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1003

Type: NUM

SAS Variable Name: ILP06_4

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

ALUPENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1004-1006

Type: NUM

SAS Variable Name: ILP08_4

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

ALUPENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1007-1008

Type: NUM

SAS Variable Name: ILP10_4

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

ATROVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1009

Type: NUM

SAS Variable Name: ILP03_5

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

ATROVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1010

Type: NUM

SAS Variable Name: ILP04_5

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

ATROVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1011

Type: NUM

SAS Variable Name: ILP05_5

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ATROVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1012

Type: NUM

SAS Variable Name: ILP06_5

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

ATROVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1013-1015

Type: NUM

SAS Variable Name: ILP08_5

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

ATROVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1016-1017

Type: NUM

SAS Variable Name: ILP10_5

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

AZMACORT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1018

Type: NUM

SAS Variable Name: ILP03_6

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

AZMACORT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1019

Type: NUM

SAS Variable Name: ILP04_6

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

AZMACORT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1020

Type: NUM

SAS Variable Name: ILP05_6

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

AZMACORT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1021

Type: NUM

SAS Variable Name: ILP06_6

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

AZMACORT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1022-1024

Type: NUM

SAS Variable Name: ILP08_6

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

AZMACORT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1025-1026

Type: NUM

SAS Variable Name: ILP10_6

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

BECLOMETHASONE DIPROPIONATE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1027

Type: NUM

SAS Variable Name: ILP03_7

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

BECLOMETHASONE DIPROPIONATE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1028

Type: NUM

SAS Variable Name: ILP04_7

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

BECLOMETHASONE DIPROPIONATE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1029

Type: NUM

SAS Variable Name: ILP05_7

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BECLOMETHASONE DIPROPIONATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1030

Type: NUM

SAS Variable Name: ILP06_7

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

BECLOMETHASONE DIPROPIONATE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1031-1033

Type: NUM

SAS Variable Name: ILP08_7

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

BECLOMETHASONE DIPROPIONATE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1034-1035

Type: NUM

SAS Variable Name: ILP10_7

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

BECLOVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1036

Type: NUM

SAS Variable Name: ILP03_8

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

BECLOVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1037

Type: NUM

SAS Variable Name: ILP04_8

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

BECLOVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1038

Type: NUM

SAS Variable Name: ILP05_8

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BECLOVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1039

Type: NUM

SAS Variable Name: ILP06_8

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

BECLOVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1040-1042

Type: NUM

SAS Variable Name: ILP08_8

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

BECLOVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1043-1044

Type: NUM

SAS Variable Name: ILP10_8

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

BITOLTEROL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1045

Type: NUM

SAS Variable Name: ILP03_9

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

BITOLTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1046

Type: NUM

SAS Variable Name: ILP04_9

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

BITOLTEROL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1047

Type: NUM

SAS Variable Name: ILP05_9

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BITOLTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1048

Type: NUM

SAS Variable Name: ILP06_9

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

BITOLTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1049-1051

Type: NUM

SAS Variable Name: ILP08_9

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

BITOLTEROL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1052-1053

Type: NUM

SAS Variable Name: ILP10_9

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

BUDESONIDE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1054

Type: NUM

SAS Variable Name: ILP03_11

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	326		

BUDESONIDE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1055

Type: NUM

SAS Variable Name: ILP04_11

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	326		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BUDESONIDE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1056

Type: NUM

SAS Variable Name: ILP05_11

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	326		

BUDESONIDE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1057

Type: NUM

SAS Variable Name: ILP06_11

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	326		

BUDESONIDE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1058-1060

Type: NUM

SAS Variable Name: ILP08_11

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	100.00	100.00
BLANK	Skip filled	326		

BUDESONIDE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1061-1062

Type: NUM

SAS Variable Name: ILP10_11

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

COMBIVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1063

Type: NUM

SAS Variable Name: ILP03_12

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

COMBIVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1064

Type: NUM

SAS Variable Name: ILP04_12

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

COMBIVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1065

Type: NUM

SAS Variable Name: ILP05_12

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

COMBIVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1066

Type: NUM

SAS Variable Name: ILP06_12

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

COMBIVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1067-1069

Type: NUM

SAS Variable Name: ILP08_12

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

COMBIVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1070-1071

Type: NUM

SAS Variable Name: ILP10_12

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

CROMOLYN: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1072

Type: NUM

SAS Variable Name: ILP03_13

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

CROMOLYN: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1073

Type: NUM

SAS Variable Name: ILP04_13

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

CROMOLYN: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1074

Type: NUM

SAS Variable Name: ILP05_13

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

CROMOLYN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1075

Type: NUM

SAS Variable Name: ILP06_13

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

CROMOLYN: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1076-1078

Type: NUM

SAS Variable Name: ILP08_13

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

CROMOLYN: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1079-1080

Type: NUM

SAS Variable Name: ILP10_13

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLOVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1081

Type: NUM

SAS Variable Name: ILP03_14

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	58.06	67.16
2	No	12	38.71	23.79
7	Don't know	1	3.23	9.05
BLANK	Skip filled	296		

FLOVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1082

Type: NUM

SAS Variable Name: ILP04_14

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	41.94	43.43
2	No	13	41.94	34.26
3	No attack in past 3 months	5	16.13	22.30
BLANK	Skip filled	296		

FLOVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1083

Type: NUM

SAS Variable Name: ILP05_14

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	25.81	27.60
2	No	23	74.19	72.40
BLANK	Skip filled	296		

FLOVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1084

Type: NUM

SAS Variable Name: ILP06_14

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	22	70.97	60.14
2	No	9	29.03	39.86
BLANK	Skip filled	296		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLOVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1085-1087

Type: NUM

SAS Variable Name: ILP08_14

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	25	80.65	73.52
401 - 499	Weeks	2	6.45	1.18
666	Less often than once a week	3	9.68	23.56
777	Don't know/Not sure	1	3.23	1.74
BLANK	Skip filled	296		

FLOVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1088-1089

Type: NUM

SAS Variable Name: ILP10_14

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FLOVENT ROTADISK: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1090

Type: NUM

SAS Variable Name: ILP03_15

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FLOVENT ROTADISK: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1091

Type: NUM

SAS Variable Name: ILP04_15

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	324		

FLOVENT ROTADISK: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1092

Type: NUM

SAS Variable Name: ILP05_15

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	73.89
2	No	1	33.33	26.11
BLANK	Skip filled	324		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLOVENT ROTADISK: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1093

Type: NUM

SAS Variable Name: ILP06_15

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	73.89
2	No	1	33.33	26.11
BLANK	Skip filled	324		

FLOVENT ROTADISK: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1094-1096

Type: NUM

SAS Variable Name: ILP08_15

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	100.00	100.00
BLANK	Skip filled	324		

FLOVENT ROTADISK: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1097-1098

Type: NUM

SAS Variable Name: ILP10_15

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FLUNISOLIDE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1099

Type: NUM

SAS Variable Name: ILP03_16

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FLUNISOLIDE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1100

Type: NUM

SAS Variable Name: ILP04_16

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLUNISOLIDE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1101

Type: NUM

SAS Variable Name: ILP05_16

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FLUNISOLIDE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1102

Type: NUM

SAS Variable Name: ILP06_16

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FLUNISOLIDE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1103-1105

Type: NUM

SAS Variable Name: ILP08_16

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FLUNISOLIDE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1106-1107

Type: NUM

SAS Variable Name: ILP10_16

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FLUTICASONE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1108

Type: NUM

SAS Variable Name: ILP03_17

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FLUTICASONE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1109

Type: NUM

SAS Variable Name: ILP04_17

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLUTICASONE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1110

Type: NUM

SAS Variable Name: ILP05_17

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FLUTICASONE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1111

Type: NUM

SAS Variable Name: ILP06_17

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FLUTICASONE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1112-1114

Type: NUM

SAS Variable Name: ILP08_17

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FLUTICASONE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1115-1116

Type: NUM

SAS Variable Name: ILP10_17

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

IPRATROPIUM BROMIDE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1117

Type: NUM

SAS Variable Name: ILP03_19

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

IPRATROPIUM BROMIDE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1118

Type: NUM

SAS Variable Name: ILP04_19

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

IPRATROPIUM BROMIDE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1119

Type: NUM

SAS Variable Name: ILP05_19

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

IPRATROPIUM BROMIDE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1120

Type: NUM

SAS Variable Name: ILP06_19

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

IPRATROPIUM BROMIDE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1121-1123

Type: NUM

SAS Variable Name: ILP08_19

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

IPRATROPIUM BROMIDE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1124-1125

Type: NUM

SAS Variable Name: ILP10_19

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

MAXAIR: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1126

Type: NUM

SAS Variable Name: ILP03_20

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

MAXAIR: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1127

Type: NUM

SAS Variable Name: ILP04_20

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

MAXAIR: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1128

Type: NUM

SAS Variable Name: ILP05_20

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

MAXAIR: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1129

Type: NUM

SAS Variable Name: ILP06_20

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

MAXAIR: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1130-1132

Type: NUM

SAS Variable Name: ILP08_20

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

MAXAIR: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1133-1134

Type: NUM

SAS Variable Name: ILP10_20

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

METAPROTERONOL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1135

Type: NUM

SAS Variable Name: ILP03_21

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

METAPROTERONOL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1136

Type: NUM

SAS Variable Name: ILP04_21

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

METAPROTERONOL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1137

Type: NUM

SAS Variable Name: ILP05_21

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

METAPROTERONOL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1138

Type: NUM

SAS Variable Name: ILP06_21

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

METAPROTERONOL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1139-1141

Type: NUM

SAS Variable Name: ILP08_21

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

METAPROTERONOL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1142-1143

Type: NUM

SAS Variable Name: ILP10_21

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

NEDOCROMIL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1144

Type: NUM

SAS Variable Name: ILP03_22

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

NEDOCROMIL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1145

Type: NUM

SAS Variable Name: ILP04_22

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEDOCROMIL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1146

Type: NUM

SAS Variable Name: ILP05_22

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

NEDOCROMIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1147

Type: NUM

SAS Variable Name: ILP06_22

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

NEDOCROMIL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1148-1150

Type: NUM

SAS Variable Name: ILP08_22

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

NEDOCROMIL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1151-1152

Type: NUM

SAS Variable Name: ILP10_22

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PIRBUTEROL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1153

Type: NUM

SAS Variable Name: ILP03_23

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PIRBUTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1154

Type: NUM

SAS Variable Name: ILP04_23

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PIRBUTEROL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1155

Type: NUM

SAS Variable Name: ILP05_23

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PIRBUTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1156

Type: NUM

SAS Variable Name: ILP06_23

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PIRBUTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1157-1159

Type: NUM

SAS Variable Name: ILP08_23

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PIRBUTEROL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1160-1161

Type: NUM

SAS Variable Name: ILP10_23

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PROVENTIL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1162

Type: NUM

SAS Variable Name: ILP03_24

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	50.00	37.11
2	No	3	50.00	62.89
BLANK	Skip filled	321		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PROVENTIL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1163

Type: NUM

SAS Variable Name: ILP04_24

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	83.33	88.62
2	No	1	16.67	11.38
BLANK	Skip filled	321		

PROVENTIL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1164

Type: NUM

SAS Variable Name: ILP05_24

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	50.00	36.45
2	No	3	50.00	63.55
BLANK	Skip filled	321		

PROVENTIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1165

Type: NUM

SAS Variable Name: ILP06_24

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	50.00	57.90
2	No	3	50.00	42.10
BLANK	Skip filled	321		

PROVENTIL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1166-1168

Type: NUM

SAS Variable Name: ILP08_24

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	50.00	61.30
401 - 499	Weeks	1	16.67	11.38
666	Less often than once a week	2	33.33	27.32
BLANK	Skip filled	321		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PROVENTIL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1169-1170

Type: NUM

SAS Variable Name: ILP10_24

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	4	66.67	51.89
77	Don't know	1	16.67	36.23
88	None	1	16.67	11.88
BLANK	Skip filled	321		

PULMICORT FLEXHALER: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1171

Type: NUM

SAS Variable Name: ILP03_25

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PULMICORT FLEXHALER: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1172

Type: NUM

SAS Variable Name: ILP04_25

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	25.00	3.44
2	No	5	62.50	95.19
3	No attack in past 3 months	1	12.50	1.37
BLANK	Skip filled	319		

PULMICORT FLEXHALER: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1173

Type: NUM

SAS Variable Name: ILP05_25

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	12.50	1.37
2	No	7	87.50	98.63
BLANK	Skip filled	319		

PULMICORT FLEXHALER: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1174

Type: NUM

SAS Variable Name: ILP06_25

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	87.50	97.52
2	No	1	12.50	2.48
BLANK	Skip filled	319		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PULMICORT FLEXHALER: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1175-1177

Type: NUM

SAS Variable Name: ILP08_25

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	7	87.50	97.52
401 - 499	Weeks	1	12.50	2.48
BLANK	Skip filled	319		

PULMICORT FLEXHALER: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1178-1179

Type: NUM

SAS Variable Name: ILP10_25

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

SALMETEROL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1180

Type: NUM

SAS Variable Name: ILP03_26

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

SALMETEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1181

Type: NUM

SAS Variable Name: ILP04_26

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

SALMETEROL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1182

Type: NUM

SAS Variable Name: ILP05_26

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SALMETEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1183

Type: NUM

SAS Variable Name: ILP06_26

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

SALMETEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1184-1186

Type: NUM

SAS Variable Name: ILP08_26

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

SALMETEROL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1187-1188

Type: NUM

SAS Variable Name: ILP10_26

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

SEREVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1189

Type: NUM

SAS Variable Name: ILP03_27

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

SEREVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1190

Type: NUM

SAS Variable Name: ILP04_27

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

SEREVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1191

Type: NUM

SAS Variable Name: ILP05_27

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SEREVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1192

Type: NUM

SAS Variable Name: ILP06_27

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

SEREVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1193-1195

Type: NUM

SAS Variable Name: ILP08_27

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

SEREVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1196-1197

Type: NUM

SAS Variable Name: ILP10_27

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

TERBUTALINE (+ T. SULFATE): WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1198

Type: NUM

SAS Variable Name: ILP03_28

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

TERBUTALINE (+ T. SULFATE): WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1199

Type: NUM

SAS Variable Name: ILP04_28

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

TERBUTALINE (+ T. SULFATE): BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1200

Type: NUM

SAS Variable Name: ILP05_28

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1201

Type: NUM

SAS Variable Name: ILP06_28

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

TERBUTALINE (+ T. SULFATE): TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1202-1204

Type: NUM

SAS Variable Name: ILP08_28

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

TERBUTALINE (+ T. SULFATE): NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1205-1206

Type: NUM

SAS Variable Name: ILP10_28

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

TORNALATE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1207

Type: NUM

SAS Variable Name: ILP03_30

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

TORNALATE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1208

Type: NUM

SAS Variable Name: ILP04_30

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

TORNALATE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1209

Type: NUM

SAS Variable Name: ILP05_30

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TORNALATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1210

Type: NUM

SAS Variable Name: ILP06_30

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

TORNALATE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1211-1213

Type: NUM

SAS Variable Name: ILP08_30

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

TORNALATE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1214-1215

Type: NUM

SAS Variable Name: ILP10_30

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

TRIAMCINOLONE ACETONIDE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1216

Type: NUM

SAS Variable Name: ILP03_31

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

TRIAMCINOLONE ACETONIDE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1217

Type: NUM

SAS Variable Name: ILP04_31

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

TRIAMCINOLONE ACETONIDE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1218

Type: NUM

SAS Variable Name: ILP05_31

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TRIAMCINOLONE ACETONIDE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1219

Type: NUM

SAS Variable Name: ILP06_31

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

TRIAMCINOLONE ACETONIDE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1220-1222

Type: NUM

SAS Variable Name: ILP08_31

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

TRIAMCINOLONE ACETONIDE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1223-1224

Type: NUM

SAS Variable Name: ILP10_31

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

VANCERIL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1225

Type: NUM

SAS Variable Name: ILP03_32

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

VANCERIL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1226

Type: NUM

SAS Variable Name: ILP04_32

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

VANCERIL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1227

Type: NUM

SAS Variable Name: ILP05_32

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

VANCERIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1228

Type: NUM

SAS Variable Name: ILP06_32

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

VANCERIL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1229-1231

Type: NUM

SAS Variable Name: ILP08_32

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

VANCERIL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1232-1233

Type: NUM

SAS Variable Name: ILP10_32

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

VENTOLIN: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1234

Type: NUM

SAS Variable Name: ILP03_33

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	45.45	57.73
2	No	12	54.55	42.27
BLANK	Skip filled	305		

VENTOLIN: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1235

Type: NUM

SAS Variable Name: ILP04_33

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	95.45	89.64
2	No	1	4.55	10.36
BLANK	Skip filled	305		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

VENTOLIN: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1236

Type: NUM

SAS Variable Name: ILP05_33

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	63.64	59.20
2	No	8	36.36	40.80
BLANK	Skip filled	305		

VENTOLIN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1237

Type: NUM

SAS Variable Name: ILP06_33

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	18.18	25.94
2	No	17	77.27	72.29
7	Don't know	1	4.55	1.77
BLANK	Skip filled	305		

VENTOLIN: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1238-1240

Type: NUM

SAS Variable Name: ILP08_33

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	7	31.82	40.06
401 - 499	Weeks	10	45.45	33.69
666	Less often than once a week	4	18.18	24.48
777	Don't know/Not sure	1	4.55	1.77
BLANK	Skip filled	305		

VENTOLIN: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1241-1242

Type: NUM

SAS Variable Name: ILP10_33

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	15	68.18	52.07
77	Don't know	3	13.64	7.41
88	None	4	18.18	40.52
BLANK	Skip filled	305		

FORADIL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1243

Type: NUM

SAS Variable Name: ILP03_34

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FORADIL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1244

Type: NUM

SAS Variable Name: ILP04_34

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FORADIL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1245

Type: NUM

SAS Variable Name: ILP05_34

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FORADIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1246

Type: NUM

SAS Variable Name: ILP06_34

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FORADIL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1247-1249

Type: NUM

SAS Variable Name: ILP08_34

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FORADIL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1250-1251

Type: NUM

SAS Variable Name: ILP10_34

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FORMOTEROL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1252

Type: NUM

SAS Variable Name: ILP03_35

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FORMOTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1253

Type: NUM

SAS Variable Name: ILP04_35

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FORMOTEROL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1254

Type: NUM

SAS Variable Name: ILP05_35

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FORMOTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1255

Type: NUM

SAS Variable Name: ILP06_35

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FORMOTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1256-1258

Type: NUM

SAS Variable Name: ILP08_35

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

FORMOTEROL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1259-1260

Type: NUM

SAS Variable Name: ILP10_35

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

QVAR: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1261

Type: NUM

SAS Variable Name: ILP03_36

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	72.22	77.89
2	No	5	27.78	22.11
BLANK	Skip filled	309		

QVAR: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1262

Type: NUM

SAS Variable Name: ILP04_36

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	38.89	55.11
2	No	8	44.44	41.49
3	No attack in past 3 months	3	16.67	3.40
BLANK	Skip filled	309		

QVAR: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1263

Type: NUM

SAS Variable Name: ILP05_36

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	22.22	15.83
2	No	14	77.78	84.17
BLANK	Skip filled	309		

QVAR: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1264

Type: NUM

SAS Variable Name: ILP06_36

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	88.89	88.26
2	No	2	11.11	11.74
BLANK	Skip filled	309		

QVAR: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1265-1267

Type: NUM

SAS Variable Name: ILP08_36

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	17	94.44	99.67
666	Less often than once a week	1	5.56	0.33
BLANK	Skip filled	309		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

QVAR: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1268-1269

Type: NUM

SAS Variable Name: ILP10_36

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

LEVALBUTEROL TARTRATE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1270

Type: NUM

SAS Variable Name: ILP03_37

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

LEVALBUTEROL TARTRATE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1271

Type: NUM

SAS Variable Name: ILP04_37

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

LEVALBUTEROL TARTRATE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1272

Type: NUM

SAS Variable Name: ILP05_37

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

LEVALBUTEROL TARTRATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1273

Type: NUM

SAS Variable Name: ILP06_37

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

LEVALBUTEROL TARTRATE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1274-1276

Type: NUM

SAS Variable Name: ILP08_37

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

LEVALBUTEROL TARTRATE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1277-1278

Type: NUM

SAS Variable Name: ILP10_37

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

XOPENEX HFA: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1279

Type: NUM

SAS Variable Name: ILP03_38

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	57.14	91.81
2	No	3	42.86	8.19
BLANK	Skip filled	320		

XOPENEX HFA: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1280

Type: NUM

SAS Variable Name: ILP04_38

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	85.71	94.32
3	No attack in past 3 months	1	14.29	5.68
BLANK	Skip filled	320		

XOPENEX HFA: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1281

Type: NUM

SAS Variable Name: ILP05_38

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	8.83
2	No	5	71.43	91.17
BLANK	Skip filled	320		

XOPENEX HFA: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1282

Type: NUM

SAS Variable Name: ILP06_38

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	14.29	1.40
2	No	6	85.71	98.60
BLANK	Skip filled	320		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

XOPENEX HFA: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1283-1285

Type: NUM

SAS Variable Name: ILP08_38

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	28.57	34.52
401 - 499	Weeks	3	42.86	12.47
666	Less often than once a week	2	28.57	53.02
BLANK	Skip filled	320		

XOPENEX HFA: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1286-1287

Type: NUM

SAS Variable Name: ILP10_38

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	4	57.14	41.30
88	None	3	42.86	58.70
BLANK	Skip filled	320		

MOMETASONE FUROATE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1288

Type: NUM

SAS Variable Name: ILP03_39

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

MOMETASONE FUROATE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1289

Type: NUM

SAS Variable Name: ILP04_39

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

MOMETASONE FUROATE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1290

Type: NUM

SAS Variable Name: ILP05_39

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

MOMETASONE FUROATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1291

Type: NUM

SAS Variable Name: ILP06_39

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

MOMETASONE FUROATE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1292-1294

Type: NUM

SAS Variable Name: ILP08_39

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

MOMETASONE FUROATE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1295-1296

Type: NUM

SAS Variable Name: ILP10_39

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

ASMANEX (TWISTHALER): WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1297

Type: NUM

SAS Variable Name: ILP03_40

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

ASMANEX (TWISTHALER): WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1298

Type: NUM

SAS Variable Name: ILP04_40

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	326		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ASMANEX (TWISTHALER): BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1299

Type: NUM

SAS Variable Name: ILP05_40

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	326		

ASMANEX (TWISTHALER): REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1300

Type: NUM

SAS Variable Name: ILP06_40

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	326		

ASMANEX (TWISTHALER): TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1301-1303

Type: NUM

SAS Variable Name: ILP08_40

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	326		

ASMANEX (TWISTHALER): NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1304-1305

Type: NUM

SAS Variable Name: ILP10_40

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PRO-AIR HFA: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1306

Type: NUM

SAS Variable Name: ILP03_41

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	44.83	54.98
2	No	16	55.17	45.02
BLANK	Skip filled	298		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PRO-AIR HFA: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1307

Type: NUM

SAS Variable Name: ILP04_41

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24	82.76	90.70
2	No	3	10.34	7.26
3	No attack in past 3 months	2	6.90	2.04
BLANK	Skip filled	298		

PRO-AIR HFA: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1308

Type: NUM

SAS Variable Name: ILP05_41

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	48.28	33.63
2	No	14	48.28	60.54
7	Don't know	1	3.45	5.83
BLANK	Skip filled	298		

PRO-AIR HFA: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1309

Type: NUM

SAS Variable Name: ILP06_41

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	17.24	19.20
2	No	24	82.76	80.80
BLANK	Skip filled	298		

PRO-AIR HFA: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1310-1312

Type: NUM

SAS Variable Name: ILP08_41

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	8	27.59	32.78
401 - 499	Weeks	12	41.38	34.61
666	Less often than once a week	7	24.14	25.54
777	Don't know/Not sure	2	6.90	7.07
BLANK	Skip filled	298		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PRO-AIR HFA: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1313-1314

Type: NUM

SAS Variable Name: ILP10_41

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	18	62.07	59.50
88	None	11	37.93	40.50
BLANK	Skip filled	298		

SYMBICORT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1315

Type: NUM

SAS Variable Name: ILP03_42

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

SYMBICORT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1316

Type: NUM

SAS Variable Name: ILP04_42

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	22.22	15.02
2	No	5	55.56	28.39
3	No attack in past 3 months	2	22.22	56.60
BLANK	Skip filled	318		

SYMBICORT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1317

Type: NUM

SAS Variable Name: ILP05_42

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	22.22	12.66
2	No	7	77.78	87.34
BLANK	Skip filled	318		

SYMBICORT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1318

Type: NUM

SAS Variable Name: ILP06_42

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	100.00	100.00
BLANK	Skip filled	318		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYMBICORT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1319-1321

Type: NUM

SAS Variable Name: ILP08_42

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	9	100.00	100.00
BLANK	Skip filled	318		

SYMBICORT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1322-1323

Type: NUM

SAS Variable Name: ILP10_42

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

ALVESCO: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1324

Type: NUM

SAS Variable Name: ILP03_43

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

ALVESCO: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1325

Type: NUM

SAS Variable Name: ILP04_43

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

ALVESCO: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1326

Type: NUM

SAS Variable Name: ILP05_43

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

ALVESCO: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1327

Type: NUM

SAS Variable Name: ILP06_43

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALVESCO: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1328-1330

Type: NUM

SAS Variable Name: ILP08_43

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

ALVESCO: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1331-1332

Type: NUM

SAS Variable Name: ILP10_43

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

DULERA: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1333

Type: NUM

SAS Variable Name: ILP03_44

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	20.00	36.54
2	No	4	80.00	63.46
BLANK	Skip filled	322		

DULERA: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1334

Type: NUM

SAS Variable Name: ILP04_44

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	40.89
2	No	3	60.00	59.11
BLANK	Skip filled	322		

DULERA: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1335

Type: NUM

SAS Variable Name: ILP05_44

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	40.89
2	No	2	40.00	39.22
3	Didn't exercise in past 3 months	1	20.00	19.88
BLANK	Skip filled	322		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DULERA: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1336

Type: NUM

SAS Variable Name: ILP06_44

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	100.00	100.00
BLANK	Skip filled	322		

DULERA: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1337-1339

Type: NUM

SAS Variable Name: ILP08_44

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	5	100.00	100.00
BLANK	Skip filled	322		

DULERA: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1340-1341

Type: NUM

SAS Variable Name: ILP10_44

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL ACCOLATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1342

Type: NUM

SAS Variable Name: PILL01_1

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL AEROLATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1343

Type: NUM

SAS Variable Name: PILL01_2

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL ALBUTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1344

Type: NUM

SAS Variable Name: PILL01_3

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL ALUPENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1345

Type: NUM

SAS Variable Name: PILL01_4

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL CHOLEDYL (OXTRIPHYLLINE): REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1346

Type: NUM

SAS Variable Name: PILL01_5

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL DELTASONE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1347

Type: NUM

SAS Variable Name: PILL01_7

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL ELIXOPHYLLIN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1348

Type: NUM

SAS Variable Name: PILL01_8

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL MEDROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1349

Type: NUM

SAS Variable Name: PILL01_11

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL METAPREL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1350

Type: NUM

SAS Variable Name: PILL01_12

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL METAPROTERONOL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1351

Type: NUM

SAS Variable Name: PILL01_13

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL METHYLPREDNISOLONE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1352

Type: NUM

SAS Variable Name: PILL01_14

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL MONTELUKAST: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1353

Type: NUM

SAS Variable Name: PILL01_15

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	100.00	100.00
BLANK	Skip filled	320		

PILL PEDIAPRED: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1354

Type: NUM

SAS Variable Name: PILL01_17

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL PREDNISOLONE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1355

Type: NUM

SAS Variable Name: PILL01_18

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL PREDNISONE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1356

Type: NUM

SAS Variable Name: PILL01_19

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	45.86
2	No	1	33.33	54.14
BLANK	Skip filled	324		

PILL PROVENTIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1357

Type: NUM

SAS Variable Name: PILL01_21

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL RESPID: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1358

Type: NUM

SAS Variable Name: PILL01_23

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL SINGULAIR: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1359

Type: NUM

SAS Variable Name: PILL01_24

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	36	97.30	99.34
7	Don't know	1	2.70	0.66
BLANK	Skip filled	290		

PILL SLO-PHYLLIN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1360

Type: NUM

SAS Variable Name: PILL01_25

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL SLO-BID: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1361

Type: NUM

SAS Variable Name: PILL01_26

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL THEO-24: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1362

Type: NUM

SAS Variable Name: PILL01_28

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL THEOCHRON: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1363

Type: NUM

SAS Variable Name: PILL01_30

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL THEOCLEAR: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1364

Type: NUM

SAS Variable Name: PILL01_31

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL THEODUR: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1365

Type: NUM

SAS Variable Name: PILL01_32

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL THEO-DUR: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1366

Type: NUM

SAS Variable Name: PILL01_33

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL THEOPHYLLINE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1367

Type: NUM

SAS Variable Name: PILL01_35

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL THEOSPAN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1368

Type: NUM

SAS Variable Name: PILL01_37

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL T-PHYL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1369

Type: NUM

SAS Variable Name: PILL01_40

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL UNIPHYL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1370

Type: NUM

SAS Variable Name: PILL01_42

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL VENTOLIN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1371

Type: NUM

SAS Variable Name: PILL01_43

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL VOLMAX: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1372

Type: NUM

SAS Variable Name: PILL01_44

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL ZAFIRLUKAST: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1373

Type: NUM

SAS Variable Name: PILL01_45

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL ZILEUTON: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1374

Type: NUM

SAS Variable Name: PILL01_46

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL ZYFLO FILMTAB: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1375

Type: NUM

SAS Variable Name: PILL01_47

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1376

Type: NUM

SAS Variable Name: PILL01_48

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PILL BRETHINE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1377

Type: NUM

SAS Variable Name: PILL01_49

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALBUTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1378

Type: NUM

SAS Variable Name: NEB01_1

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	40	93.02	94.11
2	No	2	4.65	1.84
3	No attack in past 3 months	1	2.33	4.06
BLANK	Skip filled	284		

ALBUTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1379

Type: NUM

SAS Variable Name: NEB02_1

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	27.91	43.68
2	No	31	72.09	56.32
BLANK	Skip filled	284		

ALBUTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1380

Type: NUM

SAS Variable Name: NEB03_1

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	9	20.93	19.27
401 - 499	Weeks	13	30.23	37.94
555	Never	2	4.65	5.92
666	Less often than once a week	18	41.86	35.98
999	Refused	1	2.33	0.88
BLANK	Skip filled	284		

ALUPENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1381

Type: NUM

SAS Variable Name: NEB01_2

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

ALUPENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1382

Type: NUM

SAS Variable Name: NEB02_2

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALUPENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1383

Type: NUM

SAS Variable Name: NEB03_2

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

ATROVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1384

Type: NUM

SAS Variable Name: NEB01_3

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	326		

ATROVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1385

Type: NUM

SAS Variable Name: NEB02_3

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	326		

ATROVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1386

Type: NUM

SAS Variable Name: NEB03_3

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
666	Less often than once a week	1	100.00	100.00
BLANK	Skip filled	326		

BITOLTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1387

Type: NUM

SAS Variable Name: NEB01_4

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BITOLTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1388

Type: NUM

SAS Variable Name: NEB02_4

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

BITOLTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1389

Type: NUM

SAS Variable Name: NEB03_4

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

BUDESONIDE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1390

Type: NUM

SAS Variable Name: NEB01_5

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	46.31
2	No	2	66.67	53.69
BLANK	Skip filled	324		

BUDESONIDE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1391

Type: NUM

SAS Variable Name: NEB02_5

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	48.25
2	No	2	66.67	51.75
BLANK	Skip filled	324		

BUDESONIDE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1392

Type: NUM

SAS Variable Name: NEB03_5

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	33.33	48.25
666	Less often than once a week	2	66.67	51.75
BLANK	Skip filled	324		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

CROMOLYN: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1393

Type: NUM

SAS Variable Name: NEB01_6

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

CROMOLYN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1394

Type: NUM

SAS Variable Name: NEB02_6

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

CROMOLYN: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1395

Type: NUM

SAS Variable Name: NEB03_6

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

DUONEB: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1396

Type: NUM

SAS Variable Name: NEB01_7

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	326		

DUONEB: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1397

Type: NUM

SAS Variable Name: NEB02_7

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	326		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DUONEB: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1398

Type: NUM

SAS Variable Name: NEB03_7

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
666	Less often than once a week	1	100.00	100.00
BLANK	Skip filled	326		

INTAL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1399

Type: NUM

SAS Variable Name: NEB01_8

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

INTAL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1400

Type: NUM

SAS Variable Name: NEB02_8

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

INTAL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1401

Type: NUM

SAS Variable Name: NEB03_8

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

IPRATROPIUM BROMIDE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1402

Type: NUM

SAS Variable Name: NEB01_9

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	326		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

IPRATROPIUM BROMIDE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1403

Type: NUM

SAS Variable Name: NEB02_9

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	326		

IPRATROPIUM BROMIDE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1404

Type: NUM

SAS Variable Name: NEB03_9

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
666	Less often than once a week	1	100.00	100.00
BLANK	Skip filled	326		

LEVALBUTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1405

Type: NUM

SAS Variable Name: NEB01_10

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

LEVALBUTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1406

Type: NUM

SAS Variable Name: NEB02_10

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

LEVALBUTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1407

Type: NUM

SAS Variable Name: NEB03_10

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

METAPROTERONOL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1408

Type: NUM

SAS Variable Name: NEB01_11

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

METAPROTERONOL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1409

Type: NUM

SAS Variable Name: NEB02_11

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

METAPROTERONOL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1410

Type: NUM

SAS Variable Name: NEB03_11

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PROVENTIL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1411

Type: NUM

SAS Variable Name: NEB01_12

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PROVENTIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1412

Type: NUM

SAS Variable Name: NEB02_12

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PROVENTIL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1413

Type: NUM

SAS Variable Name: NEB03_12

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PULMICORT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1414

Type: NUM

SAS Variable Name: NEB01_13

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	100.00	100.00
BLANK	Skip filled	323		

PULMICORT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1415

Type: NUM

SAS Variable Name: NEB02_13

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	98.43
2	No	1	25.00	1.57
BLANK	Skip filled	323		

PULMICORT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1416

Type: NUM

SAS Variable Name: NEB03_13

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	75.00	98.43
401 - 499	Weeks	1	25.00	1.57
BLANK	Skip filled	323		

TORNALATE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1417

Type: NUM

SAS Variable Name: NEB01_14

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

TORNALATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1418

Type: NUM

SAS Variable Name: NEB02_14

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TORNALATE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1419

Type: NUM

SAS Variable Name: NEB03_14

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

VENTOLIN: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1420

Type: NUM

SAS Variable Name: NEB01_15

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

VENTOLIN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1421

Type: NUM

SAS Variable Name: NEB02_15

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

VENTOLIN: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1422

Type: NUM

SAS Variable Name: NEB03_15

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

XOPENEX: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1423

Type: NUM

SAS Variable Name: NEB01_16

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	80.00	80.35
3	No attack in past 3 months	1	20.00	19.65
BLANK	Skip filled	322		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

XOPENEX: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1424

Type: NUM

SAS Variable Name: NEB02_16

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	20.00	19.65
2	No	4	80.00	80.35
BLANK	Skip filled	322		

XOPENEX: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1425

Type: NUM

SAS Variable Name: NEB03_16

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	40.00	45.54
401 - 499	Weeks	1	20.00	23.41
666	Less often than once a week	2	40.00	31.05
BLANK	Skip filled	322		

COMBIVENT INHALATION SOLUTION: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1426

Type: NUM

SAS Variable Name: NEB01_17

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

COMBIVENT INHALATION SOLUTION: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1427

Type: NUM

SAS Variable Name: NEB02_17

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

COMBIVENT INHALATION SOLUTION: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1428

Type: NUM

SAS Variable Name: NEB03_17

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PERFOROMIST/FORMOTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1429

Type: NUM

SAS Variable Name: NEB01_18

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PERFOROMIST/FORMOTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1430

Type: NUM

SAS Variable Name: NEB02_18

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

PERFOROMIST/FORMOTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1431

Type: NUM

SAS Variable Name: NEB03_18

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	327		

INTERIM CHILD ASTHMA CALL-BACK WEIGHT

Survey: CHILD Asthma Call-Back

Column: 1432-1441

Type: NUM

SAS Variable Name: CWEIGHT_IN

Prologue:

Description: INTERIM CHILD ASTHMA CALL-BACK WEIGHT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interim child asthma call-back weight	327	100.00	100.00

CHILD ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Survey: CHILD Asthma Call-Back

Column: 1442-1451

Type: NUM

SAS Variable Name: CPOST

Prologue:

Description: CHILD ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Child asthma call-back post stratification factor	327	100.00	100.00

REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.

Survey: CHILD Asthma Call-Back

Column: 1452

Type: NUM

SAS Variable Name: REGION_F

Prologue:

Description: REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Regions are collapsed to 1 region	230	100.00	100.00
BLANK	No region collapsed	97		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

CHILD RACE GROUP FOR ASTHMA CALL-BACK POST-STRATIFICATION

Survey: CHILD Asthma Call-Back

Column: 1453

Type: NUM

SAS Variable Name: CRACEG_F

Prologue:

Description: CHILD RACE GROUP FOR ASTHMA CALL-BACK POST-STRATIFICATION

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Races are collapsed to 1 group	327	100.00	100.00

IMPUTED CHILD AGE FOR ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 1454-1456

Type: NUM

SAS Variable Name: _CIMPAGE

Prologue:

Description: IMPUTED CHILD AGE FOR ASTHMA CALL-BACK

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Child age in years, combined, imputed and reported	327	100.00	100.00

FINAL CHILD ASTHMA CALL-BACK WEIGHT

Survey: CHILD Asthma Call-Back

Column: 1457-1466

Type: NUM

SAS Variable Name: CLANDWT_F

Prologue:

Description: FINAL CHILD ASTHMA CALL-BACK LAND LINE ONLY WEIGHT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Final child asthma call-back land line only weight	327	100.00	100.00

CHILD ASTHMA CALL-BACK AGE GROUPS

Survey: CHILD Asthma Call-Back

Column: 1467

Type: NUM

SAS Variable Name: CAGEG_F4

Prologue:

Description: CHILD ASTHMA CALL-BACK AGE GROUPS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 0 - 4	15	4.59	10.02
2	Age 5 - 9	76	23.24	34.09
3	Age 10 - 14	134	40.98	34.14
4	Age 15 - 17	102	31.19	21.75

CHILD ASTHMA CALL-BACK AGE GROUPS

Survey: CHILD Asthma Call-Back

Column: 1468

Type: NUM

SAS Variable Name: CAGEG_F3

Prologue:

Description: CHILD ASTHMA CALL-BACK AGE GROUPS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 0 - 6	16	4.89	10.76
2	Age 7 - 12	75	22.94	33.35
3	age 13 - 17	236	72.17	55.89

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

CHILD ASTHMA CALL-BACK AGE GROUPS

Survey: CHILD Asthma Call-Back

Column: 1469

Prologue:

Description: CHILD ASTHMA CALL-BACK AGE GROUPS

Type: NUM
SAS Variable Name: CAGEG_F2

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	327		

CHILD ASTHMA CALL-BACK AGE GROUPS

Survey: CHILD Asthma Call-Back

Column: 1470

Prologue:

Description: CHILD ASTHMA CALL-BACK AGE GROUPS

Type: NUM
SAS Variable Name: CAGEG_F1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	327		

CHILD ASTHMA CALL-BACK ADJUST FACTOR

Survey: CHILD Asthma Call-Back

Column: 1471-1478

Prologue:

Description: CHILD ASTHMA CALL-BACK ADJUST FACTOR

Type: NUM
SAS Variable Name: CADJUST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Child asthma call-back post stratification adjust factor	327	100.00	100.00

ACTIVE ASTHMA STATUS

Survey: CHILD Asthma Call-Back

Column: 1479

Prologue:

Description: Active Asthma Status

Type: NUM
SAS Variable Name: ACTASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Active Asthma	260	79.51	80.05
2	Inactive Asthma	67	20.49	19.95