

United States

2013 Land Line And Cell Phone Codebook Report

CHILD Asthma Call-Back Survey

April 29, 2015



STATE FIPS CODE

Survey: CHILD Asthma Call-Back

Column: 1-2

Prologue:

Description: STATE FIPS CODE .

Type: NUM

SAS Variable Name: _STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	Connecticut	84	8.81	5.08
18	Indiana	76	7.97	8.38
26	Michigan	140	14.69	14.56
28	Mississippi	79	8.29	5.15
30	Montana	81	8.50	1.04
31	Nebraska	93	9.76	2.11
34	New Jersey	85	8.92	11.70
48	Texas	91	9.55	40.75
49	Utah	144	15.11	3.81
53	Washington	80	8.39	7.42

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

MONTH NAME OF SOURCE FILE ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 3-4

Prologue:

Description: FILE MONTH

Type: NUM

SAS Variable Name: FMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	74	7.76	8.84
2	February	57	5.98	7.12
3	March	66	6.93	9.01
4	April	98	10.28	9.83
5	May	66	6.93	6.28
6	June	62	6.51	7.70
7	July	114	11.96	13.58
8	August	97	10.18	8.22
9	September	67	7.03	3.64
10	October	108	11.33	8.12
11	November	66	6.93	8.76
12	December	78	8.18	8.90

MONTH OF ASTHMA CALL-BACK INTERVIEW

Survey: CHILD Asthma Call-Back

Column: 13-14

Prologue:

Description: MONTH OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	101	10.60	5.71
2	February	68	7.14	7.44
3	March	90	9.44	11.02
4	April	59	6.19	7.02
5	May	45	4.72	6.28
6	June	65	6.82	8.39
7	July	88	9.23	13.32
8	August	67	7.03	6.98
9	September	69	7.24	6.18
10	October	83	8.71	6.41
11	November	89	9.34	10.13
12	December	129	13.54	11.12

DAY OF ASTHMA CALL-BACK INTERVIEW

Survey: CHILD Asthma Call-Back

Column: 15-16

Prologue:

Description: DAY OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IDAY_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		953	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

YEAR OF ASTHMA CALL-BACK INTERVIEW

Survey: CHILD Asthma Call-Back

Column: 17-20

Prologue:

Description: YEAR OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IYEAR_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
2013	Interview year	813	85.31	93.18
2014	Interview year	140	14.69	6.82

INTERVIEWER ID OF ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 21-23

Prologue:

Description: INTERVIEWER ID OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: INTVID_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		953	100.00	100.00

DISPOSITION OF ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 24-26

Prologue:

Description: DISPOSITION OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: DISPCODE_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1100	Complete	953	100.00	100.00

ANNUAL SEQUENCE NUMBER

Survey: CHILD Asthma Call-Back

Column: 27-36

Prologue:

Description: ANNUAL SEQUENCE NUMBER

Type: NUM
SAS Variable Name: SEQNO

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		953	100.00	100.00

NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 37-38

Prologue:

Description: NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: NATTMPTS_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		953	100.00	100.00

PERMIT TO CALL BACK FROM BRFS

Survey: CHILD Asthma Call-Back

Column: 39

Prologue:

Description: PERMIT TO CALL BACK FROM BRFS

Type: NUM
SAS Variable Name: CALLBACK

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	953	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ARE YOU SAMPLE PERSON

Survey: CHILD Asthma Call-Back

Column: 40

Type: NUM

SAS Variable Name: MKP_NAME

Prologue:

Description: Q1.1 Are you [sample person's first name or initials]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	915	96.01	96.18
2	No	38	3.99	3.82

MAY I SPEAK WITH PERSON

Survey: CHILD Asthma Call-Back

Column: 41

Type: NUM

SAS Variable Name: MKP_PERS

Prologue:

Description: Q1.2 May I speak with [sample person's first name or initials]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	38	100.00	100.00
BLANK	Not asked or missing	915		

CHECK CORRECT PERSON ON PHONE

Survey: CHILD Asthma Call-Back

Column: 42

Type: NUM

SAS Variable Name: REPEAT

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: Check if correct person from core survey is on phone.

Description: Q2.0 Is this [sample person's name] and are you [sample person's age] years old? (IF YES, CONTINUE WITH Q2.1)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	39	100.00	100.00
BLANK	Not asked or missing	914		

EVER HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: CHILD Asthma Call-Back

Column: 43

Type: NUM

SAS Variable Name: EVER_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure [child's name] qualifies for this study.

Description: Q2.1 Have you ever been told by a doctor or other health professional that [child's name] had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	39	100.00	100.00
BLANK	Not asked or missing	914		

STILL HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: CHILD Asthma Call-Back

Column: 44

Type: NUM

SAS Variable Name: CUR_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure [child's name] qualifies for this study.

Description: Q2.2 Does [he/she] still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	20	51.28	55.82
2	No	15	38.46	37.86
7	Don't know/Not sure	4	10.26	6.32
BLANK	Not asked or missing	914		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

RELATIONSHIP TO CHILD FROM QUESTION

Survey: CHILD Asthma Call-Back

Column: 45

Prologue:

Description: Q2.3 What is your relationship to the child?

Type: NUM
SAS Variable Name: RELATION

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Mother (Birth/Adoptive/Step)	238	71.04	70.02
2	Father (Birth/Adoptive/Step)	82	24.48	26.00
3	Brother/Sister (Step/Foster/Half/Adoptive)	1	0.30	0.24
4	Grandparent (Father/Mother)	6	1.79	0.55
6	Unrelated	8	2.39	3.18
BLANK	Not asked or missing	618		

LEGAL GUARDIAN

Survey: CHILD Asthma Call-Back

Column: 46

Prologue:

Description: Q2.4 Are you the legal guardian for [child's name]?

Type: NUM
SAS Variable Name: GUARDIAN

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	100.00	100.00
BLANK	Not asked or missing	938		

PERMISSION TO COMBINE THE ANSWER WITH BRFSS

Survey: CHILD Asthma Call-Back

Column: 47

Prologue:

Description: Q2.5 May we combine your answers to this survey with your answers from the survey you did a few weeks ago?

Type: NUM
SAS Variable Name: PERMISS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	424	44.49	73.57
7	Don't know/Not sure	529	55.51	26.43

AGE AT ASTHMA DIAGNOSIS

Survey: CHILD Asthma Call-Back

Column: 48-50

Prologue:

Description: Q3.1 How old was [child's name] when a doctor or other health professional first said [he/she] had asthma?

Type: NUM
SAS Variable Name: AGEDX

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 17	Age in years	780	81.85	82.96
777	Don't know	20	2.10	0.97
888	Less than 1 year old	152	15.95	15.94
999	Refused	1	0.10	0.14

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TIME SINCE DIAGNOSIS

Survey: CHILD Asthma Call-Back

Column: 51

Type: NUM

SAS Variable Name: INCIDNT

Prologue:

Description: Q3.2 How long ago was that? Was it . . . [READ CATEGORIES]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past 12 months	70	7.35	7.16
2	One to five years ago	283	29.70	34.77
3	More than 5 years ago	599	62.85	58.05
7	Don't know	1	0.10	0.02

LAST TALKED TO A DOCTOR

Survey: CHILD Asthma Call-Back

Column: 52-53

Type: NUM

SAS Variable Name: LAST_MD

Prologue:

Description: Q3.3 How long has it been since you last talked to a doctor or other health professional about [child's name]'s asthma? This could have been in a doctor's office, the hospital, an emergency room or urgent care center.

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Within the past year	609	63.90	70.65
5	One year to less than 3 years ago	168	17.63	14.79
6	Three years to five years ago	73	7.66	5.36
7	More than five years ago	95	9.97	8.53
77	Don't know	6	0.63	0.55
88	Never	2	0.21	0.12

LAST TOOK ASTHMA MEDICATION

Survey: CHILD Asthma Call-Back

Column: 54-55

Type: NUM

SAS Variable Name: LAST_MED

Prologue:

Description: Q3.4 How long has it been since [he/she] last took asthma medication?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	226	23.71	23.46
2	1-6 days ago	67	7.03	4.58
3	1 week to less than 3 months ago	168	17.63	16.02
4	3 months to less than 1 year ago	125	13.12	19.26
5	1 year to less than 3 years ago	132	13.85	14.29
6	3 years to 5 years ago	91	9.55	10.57
7	More than 5 years ago	118	12.38	9.69
77	Don't know	10	1.05	0.83
88	Never	16	1.68	1.28

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

LAST HAD ANY SYMPTOMS OF ASTHMA

Survey: CHILD Asthma Call-Back

Column: 56-57

Type: NUM

SAS Variable Name: LASTSYMP

Prologue:

Description: Q3.5 How long has it been since [he/she] last had any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	73	7.66	6.62
2	1-6 days ago	75	7.87	5.03
3	1 week to less than 3 months ago	249	26.13	27.26
4	3 months to less than 1 year ago	183	19.20	24.78
5	1 year to less than 3 years ago	137	14.38	17.05
6	3 years to 5 years ago	90	9.44	7.96
7	More than 5 years ago	116	12.17	9.78
77	Don't know	16	1.68	0.77
88	Never	14	1.47	0.77

SYMPTOM DAYS

Survey: CHILD Asthma Call-Back

Column: 58-60

Type: NUM

SAS Variable Name: SYMP_30D

Prologue:

Description: Q4.1 During the past 30 days, on how many days did [child's name] have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 29	Days	272	28.54	25.97
30	Every day	33	3.46	2.65
66	No symptoms past one year, skip filled	357	37.46	35.55
77	Don't know	18	1.89	0.83
88	No symptoms in the past 30 days	90	9.44	10.22
100	Symptoms 3 months to 1 year ago, skip filled	183	19.20	24.78

CONSTANT SYMPTOMS

Survey: CHILD Asthma Call-Back

Column: 61-62

Type: NUM

SAS Variable Name: DUR_30D

Prologue:

Description: Q4.2 Does [he/she] have symptoms all the time? "All the time" means symptoms that continue throughout the day. It does not mean symptoms for a little while each day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.73	0.87
2	No	25	2.62	1.75
6	Last symptoms one+ years ago, skip filled	357	37.46	35.55
9	Refused	1	0.10	0.02
10	Last symptoms 3 months - 1 year ago, skip filled	183	19.20	24.78
11	No symptoms 'SYMP_30D' skip filled	90	9.44	10.22
12	1-29 'SYMP_30D' skip filled	272	28.54	25.97
77	Don't know 'SYMP_30D' skip filled	18	1.89	0.83

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NIGHT SYMPTOMS

Survey: CHILD Asthma Call-Back

Column: 63-65

Type: NUM

SAS Variable Name: ASLEEP30

Prologue:

Description: Q4.3 During the past 30 days, on how many days did symptoms of asthma make it difficult for [him/her] to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Days/Nights	132	13.85	16.14
66	No symptoms past one year, skip filled	357	37.46	35.55
77	Don't know	11	1.15	0.62
88	None	179	18.78	12.47
99	Refused	1	0.10	0.22
100	Symptoms 3 months to 1 year ago, skip filled	183	19.20	24.78
111	No symptoms in the past 30 days, skip filled	90	9.44	10.22

SYMPTOM FREE DAYS

Survey: CHILD Asthma Call-Back

Column: 66-67

Type: NUM

SAS Variable Name: SYMPFREE

Prologue:

Description: Q4.4 During the past two weeks, on how many days was [child's name] completely symptom-free, that is no coughing, wheezing, or other symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	Days/Nights	868	91.08	93.71
77	Don't know	13	1.36	0.88
88	None	72	7.56	5.41

ASTHMA EPISODE OR ATTACK

Survey: CHILD Asthma Call-Back

Column: 68

Type: NUM

SAS Variable Name: EPIS_12M

Prologue:

Description: Q4.5 During the past 12 months, has [he/she] had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	373	39.14	41.18
2	No	218	22.88	22.89
6	No symptoms past 1 year, skip filled	357	37.46	35.55
7	Don't know	4	0.42	0.35
9	Refused	1	0.10	0.02

NUMBER OF EPISODES/ATTACKS

Survey: CHILD Asthma Call-Back

Column: 69-72

Type: NUM

SAS Variable Name: EPIS_TP

Prologue:

Description: Q4.6 During the past three months, how many asthma episodes or attacks has [he/she] had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Episodes	258	27.07	26.47
666	No symptoms past 1 year, skip filled	357	37.46	35.55
777	Don't know	12	1.26	1.30
888	None	103	10.81	13.40
1111	No episode/asthma attack past year, skip filled	223	23.40	23.27

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DURATION OF ATTACK

Survey: CHILD Asthma Call-Back

Column: 73-76

Type: NUM

SAS Variable Name: DUR_ASTH

Prologue:

Description: Q4.7 How long did [his/her] most recent asthma episode or attack last?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Minutes	164	17.21	16.62
201 - 299	Hours	88	9.23	7.80
301 - 399	Days	73	7.66	11.18
401 - 499	Weeks	22	2.31	3.93
666	No symptoms past 1 year, skip filled	357	37.46	35.55
777	Don't know	25	2.62	1.59
999	Refused	1	0.10	0.07
1111	No episode/asthma attack past year, skip filled	223	23.40	23.27

TYPICAL ATTACK

Survey: CHILD Asthma Call-Back

Column: 77-78

Type: NUM

SAS Variable Name: COMPASTH

Prologue:

Description: Q4.8 Compared with other episodes or attacks, was this most recent attack shorter, longer, or about the same?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Shorter	105	11.02	12.10
2	Longer	39	4.09	3.85
3	About the same	223	23.40	24.85
4	The most recent attack was actually the first attack	5	0.52	0.36
6	No symptoms past year, skip filled	357	37.46	35.55
7	Don't know	1	0.10	0.02
11	No episode/asthma attack past year, skip filled	223	23.40	23.27

INSURANCE

Survey: CHILD Asthma Call-Back

Column: 79

Type: NUM

SAS Variable Name: INS1

Prologue:

Description: Q5.1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare or Medicaid?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	908	95.28	93.56
2	No	42	4.41	5.73
7	Don't know/Not sure	2	0.21	0.64
9	Refused	1	0.10	0.07

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TYPE OF INSURANCE COVERAGE

Survey: CHILD Asthma Call-Back

Column: 80

Type: NUM

SAS Variable Name: INS_TYP

Prologue:

Description: Q5.2 What kind of health care coverage does [child's name] have? Is it paid through the parent's employer, or is it Medicaid, Medicare, Children's Health Insurance Program (CHIP), or some other type of insurance?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parent's employer	584	61.28	56.92
2	Medicaid/Medicare	193	20.25	26.13
3	CHIP replace with state specific name	61	6.40	5.33
4	Other	61	6.40	4.79
5	No insurance at time of interview, skip filled	45	4.72	6.44
7	Don't know	6	0.63	0.27
9	Refused	3	0.31	0.12

INSURANCE OR COVERAGE GAP

Survey: CHILD Asthma Call-Back

Column: 81

Type: NUM

SAS Variable Name: INS2

Prologue:

Description: Q5.3 During the past 12 months, was there any time that [he/she] did not have any health insurance or coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	42	4.41	4.83
2	No	865	90.77	88.70
5	No insurance at time of interview, skip filled	45	4.72	6.44
7	Don't know	1	0.10	0.04

HAD A FLU SHOT

Survey: CHILD Asthma Call-Back

Column: 82

Type: NUM

SAS Variable Name: FLU_SHOT

Prologue: A flu shot is an influenza vaccine injected in your arm.

Description: Q5.4 During the past 12 months, did [child's name] have a flu shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	485	50.89	53.41
2	No	455	47.74	45.17
7	Don't know/Not sure	13	1.36	1.43

HAD A FLU VACCINE SPRAY

Survey: CHILD Asthma Call-Back

Column: 83

Type: NUM

SAS Variable Name: FLU_SPRAY

Prologue: A flu vaccine that is sprayed in the nose is called FluMist™.

Description: Q5.5 During the past 12 months, did [he/she] have a flu vaccine that was sprayed in [his/her] nose?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	101	10.60	18.75
2	No	834	87.51	78.12
7	Don't know/Not sure	18	1.89	3.13

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ACTIVITY LIMITATION

Survey: CHILD Asthma Call-Back

Column: 84

Type: NUM

SAS Variable Name: ACT_DAYS30

Prologue:

Description: Q5.6 During just the past 30days, would you say [child's name] limited [his/her] usual activities due to asthma not at all, a little, a moderate amount, or a lot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at all	491	51.52	52.94
2	A little	177	18.57	18.27
3	A moderate amount	52	5.46	5.80
4	A lot	18	1.89	1.91
5	No current asthma, nothing happened past year, skip filled	207	21.72	18.78
7	Don't know	7	0.73	2.16
9	Refused	1	0.10	0.14

NUMBER OF ROUTINE CHECKUPS PAST 12 MONTHS

Survey: CHILD Asthma Call-Back

Column: 85-87

Type: NUM

SAS Variable Name: NER_TIME

Prologue:

Description: Q5.7 During the past 12 months how many times did [he/she] see a doctor or other health professional for a routine checkup for [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	487	51.10	54.68
555	No current asthma, nothing happened past year, skip filled	207	21.72	18.78
666	No MD visit past year, skip filled	134	14.06	10.18
777	Don't know	8	0.84	1.76
888	None	115	12.07	14.34
999	Refused	2	0.21	0.25

EMERGENCY ROOM VISIT

Survey: CHILD Asthma Call-Back

Column: 88

Type: NUM

SAS Variable Name: ER_VISIT

Prologue: An urgent care center treats people with illnesses or injuries that must be addressed immediately and cannot wait for a regular medical appointment.

Description: Q5.8 During the past 12 months, has [child's name] had to visit an emergency room or urgent care center because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	87	9.13	13.05
2	No	524	54.98	57.97
5	No current asthma, nothing happened past year, skip filled	207	21.72	18.78
6	No MD visit past year, skip filled	134	14.06	10.18
7	Don't know	1	0.10	0.02

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NUMBER OF EMERGENCY ROOM VISITS

Survey: CHILD Asthma Call-Back

Column: 89-91

Type: NUM

SAS Variable Name: ER_TIMES

Prologue:

Description: Q5.9 During the past 12 months, how many times did [he/she] visit an emergency room or urgent care center because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	87	9.13	13.05
555	No current asthma, nothing happened past year, skip filled	207	21.72	18.78
666	No MD visit past year, skip filled	134	14.06	10.18
677	MD visit, no ER visit past year, skip filled	524	54.98	57.97
777	Don't know	1	0.10	0.02

NUMBER OF URGENT VISITS

Survey: CHILD Asthma Call-Back

Column: 92-94

Type: NUM

SAS Variable Name: URG_TIME

Prologue:

Description: Q5.10 During the past 12 months, how many times did [child's name] see a doctor or other health professional for urgent treatment of worsening asthma symptoms or for an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	196	20.57	27.17
555	No current asthma, nothing happened past year, skip filled	207	21.72	18.78
666	No MD visit past year, skip filled	134	14.06	10.18
777	Don't know	8	0.84	0.58
888	None	408	42.81	43.28

HOSPITAL VISIT

Survey: CHILD Asthma Call-Back

Column: 95

Type: NUM

SAS Variable Name: HOSP_VST

Prologue:

Description: Q5.11 During the past 12 months, that is since [one year ago today], has [child's name] had to stay overnight in a hospital because of [his/her] asthma? Do not include an overnight stay in the emergency room.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	1.47	1.14
2	No	487	51.10	56.12
4	MD visit, no symptoms past year, skip filled	111	11.65	13.78
5	No current asthma, nothing happened past year, skip filled	207	21.72	18.78
6	No MD visit past year, skip filled	134	14.06	10.18

NUMBER OF HOSPITAL VISITS

Survey: CHILD Asthma Call-Back

Column: 96-98

Type: NUM

SAS Variable Name: HOSPTIME

Prologue:

Description: Q5.12 During the past 12 months, how many different times did [he/she] stay in any hospital overnight or longer because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	14	1.47	1.14
444	MD visit, no symptoms past year, skip filled	111	11.65	13.78
455	MD visit, symptoms, no hospital visit past year, skip filled	487	51.10	56.12
555	No current asthma, nothing happened past year, skip filled	207	21.72	18.78
666	No MD visit past year, skip filled	134	14.06	10.18

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

HOSPITAL FOLLOW-UP

Survey: CHILD Asthma Call-Back

Column: 99-100

Type: NUM

SAS Variable Name: HOSPPLAN

Prologue:

Description: Q5.13 The last time [he/she] left the hospital, did a health professional talk with you or [child's name] about how to prevent serious attacks in the future?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	1.26	1.07
2	No	2	0.21	0.08
4	MD visit, no symptoms past year, skip filled	111	11.65	13.78
5	No current asthma, nothing happened past year, skip filled	207	21.72	18.78
6	No MD visit past year, skip filled	134	14.06	10.18
45	MD visit, symptoms, no hospital visit past year, skip filled	487	51.10	56.12

EVER TAUGHT RECOGNIZE EARLY SIGN OR SYMPTOMS

Survey: CHILD Asthma Call-Back

Column: 101

Type: NUM

SAS Variable Name: TCH_SIGN

Prologue: Has a doctor or other health professional ever taught you or [child's name] . . .

Description: Q6.1 . . . how to recognize early signs or symptoms of an asthma episode?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	757	79.43	81.82
2	No	187	19.62	17.61
7	Don't know/Not sure	9	0.94	0.57

EVER TAUGHT WHAT TO DO DURING ASTHMA EPISODE OR ATTACK

Survey: CHILD Asthma Call-Back

Column: 102

Type: NUM

SAS Variable Name: TCH_RESP

Prologue: Has a doctor or other health professional ever taught you or [child's name] . . .

Description: Q6.2 . . . what to do during an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	801	84.05	84.42
2	No	141	14.80	13.53
7	Don't know/Not sure	11	1.15	2.05

EVER TAUGHT HOW TO USE A PEAK FLOW

Survey: CHILD Asthma Call-Back

Column: 103

Type: NUM

SAS Variable Name: TCH_MON

Prologue: A peak flow meter is a hand held device that measures how quickly [child's name] can blow air out of [his/her] lungs. Has a doctor or other health professional ever taught you or [child's name] . . .

Description: Q6.3 . . . how to use a peak flow meter to adjust [his/her] daily medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	359	37.67	44.29
2	No	577	60.55	54.33
7	Don't know/Not sure	16	1.68	1.28
9	Refused	1	0.10	0.09

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

EVER GIVEN AN ASTHMA ACTION PLAN

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 104

SAS Variable Name: MGT_PLAN

Prologue: An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

Description: Q6.4 Has a doctor or other health professional EVER given you or [child's name] an asthma action plan?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	446	46.80	47.96
2	No	490	51.42	50.57
7	Don't know/Not sure	17	1.78	1.47

EVER TAKEN A COURSE TO MANAGE ASTHMA

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 105

SAS Variable Name: MGT_CLAS

Prologue:

Description: Q6.5 Have you or [child's name] ever taken a course or class on how to manage [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	111	11.65	17.61
2	No	840	88.14	82.13
7	Don't know/Not sure	2	0.21	0.26

AIR CLEANER USED

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 106

SAS Variable Name: AIRCLEANER

Prologue: An air cleaner or purifier can filter out pollutants like dust, pollen, mold and chemicals. It can be attached to the furnace or free standing. It is not, however, the same as a normal furnace filter.

Description: Q7.1 Is an air cleaner or purifier regularly used inside [child's name]'s home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	270	28.33	32.83
2	No	681	71.46	66.91
7	Don't know/Not sure	2	0.21	0.26

DEHUMIDIFIER USED

Survey: CHILD Asthma Call-Back

Type: NUM

Column: 107

SAS Variable Name: DEHUMID

Prologue:

Description: Q7.2 Is a dehumidifier regularly used to reduce moisture inside [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	262	27.49	28.32
2	No	687	72.09	71.28
7	Don't know/Not sure	3	0.31	0.22
9	Refused	1	0.10	0.18

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

EXHAUST FAN USED

Survey: CHILD Asthma Call-Back

Column: 108

Type: NUM

SAS Variable Name: KITC_FAN

Prologue:

Description: Q7.3 Is an exhaust fan that vents to the outside used regularly when cooking in the kitchen in [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	636	66.74	71.10
2	No	310	32.53	28.40
7	Don't know/Not sure	6	0.63	0.36
9	Refused	1	0.10	0.14

GAS USED

Survey: CHILD Asthma Call-Back

Column: 109

Type: NUM

SAS Variable Name: COOK_GAS

Prologue:

Description: Q7.4 Is gas used for cooking in [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	385	40.40	44.94
2	No	566	59.39	54.86
7	Don't know/Not sure	2	0.21	0.20

SAW OR SMELLED MOLD PAST 30 DAYS

Survey: CHILD Asthma Call-Back

Column: 110

Type: NUM

SAS Variable Name: ENV_MOLD

Prologue:

Description: Q7.5 In the past 30 days, has anyone seen or smelled mold or a musty odor inside [his/her] home? Do not include mold on food.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	65	6.82	5.92
2	No	887	93.07	94.04
7	Don't know/Not sure	1	0.10	0.04

INDOOR PETS

Survey: CHILD Asthma Call-Back

Column: 111

Type: NUM

SAS Variable Name: ENV_PETS

Prologue:

Description: Q7.6 Does [child's name]'s home have pets such as dogs, cats, hamsters, birds, or other feathered or furry pets that spend time indoors?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	586	61.49	54.02
2	No	367	38.51	45.98

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PETS ALLOWED IN BEDROOM

Survey: CHILD Asthma Call-Back

Column: 112

Type: NUM

SAS Variable Name: PETBEDRM

Prologue:

Description: Q7.7 Is the pet allowed in [his/her] bedroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	360	37.78	31.40
2	No	222	23.29	22.42
3	Some are/some aren't	4	0.42	0.20
6	No pets, skip coded	367	38.51	45.98

SAW COCKROACH INSIDE CHILD'S HOME PAST 30 DAYS

Survey: CHILD Asthma Call-Back

Column: 113

Type: NUM

SAS Variable Name: C_ROACH

Prologue:

Description: Q7.8 In the past 30 days, has anyone seen a cockroach inside [child's name]'s home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	30	3.15	6.49
2	No	923	96.85	93.51

SAW MICE OR RATS INSIDE CHILD'S HOME PAST 30 DAYS

Survey: CHILD Asthma Call-Back

Column: 114

Type: NUM

SAS Variable Name: C_RODENT

Prologue:

Description: Q7.9 In the past 30 days, has anyone seen mice or rats inside [his/her] home? Do not include mice or rats kept as pets.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	35	3.67	3.33
2	No	918	96.33	96.67

FIREPLACE OR WOOD STOVE USED

Survey: CHILD Asthma Call-Back

Column: 115

Type: NUM

SAS Variable Name: WOOD_STOVE

Prologue:

Description: Q7.10 Is a wood burning fireplace or wood burning stove used in [child's name]'s home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	153	16.05	9.77
2	No	797	83.63	90.01
7	Don't know/Not sure	3	0.31	0.23

GAS APPLIANCE USED

Survey: CHILD Asthma Call-Back

Column: 116

Type: NUM

SAS Variable Name: GAS_STOVE

Prologue:

Description: Q7.11 Are unvented gas logs, unvented gas fireplace, or unvented gas stoves used in [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	47	4.93	3.15
2	No	904	94.86	96.81
7	Don't know/Not sure	1	0.10	0.02
9	Refused	1	0.10	0.02

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ANYONE SMOKED INSIDE CHILD'S HOME

Survey: CHILD Asthma Call-Back

Column: 117

Type: NUM

SAS Variable Name: S_INSIDE

Prologue:

Description: Q7.12 In the past week, has anyone smoked inside [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	58	6.09	6.85
2	No	894	93.81	93.14
7	Don't know/Not sure	1	0.10	0.02

EVER ADVISED CHANGE THINGS IN CHILD'S HOME

Survey: CHILD Asthma Call-Back

Column: 118

Type: NUM

SAS Variable Name: MOD_ENV

Prologue:

Description: Q7.13 Has a health professional ever advised you to change things in [his/her] home, school, or work to improve [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	341	35.78	37.19
2	No	607	63.69	62.56
7	Don't know/Not sure	5	0.52	0.25

USE A MATTRESS COVER

Survey: CHILD Asthma Call-Back

Column: 119

Type: NUM

SAS Variable Name: MATTRESS

Prologue:

Description: Q7.14 Does [he/she] use a mattress cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	359	37.67	41.17
2	No	574	60.23	57.13
7	Don't know/Not sure	20	2.10	1.70

USE A PILLOW COVER

Survey: CHILD Asthma Call-Back

Column: 120

Type: NUM

SAS Variable Name: E_PILLOW

Prologue:

Description: Q7.15 Does [he/she] use a pillow cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	318	33.37	36.11
2	No	624	65.48	62.75
7	Don't know/Not sure	11	1.15	1.14

CARPETING OR RUGS IN CHILD'S BEDROOM

Survey: CHILD Asthma Call-Back

Column: 121

Type: NUM

SAS Variable Name: CARPET

Prologue:

Description: Q7.16 Does [he/she] have carpeting or rugs in [his/her] bedroom? This does not include throw rugs small enough to be laundered.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	635	66.63	61.52
2	No	318	33.37	38.48

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

WASH WATER TEMPERATURE

Survey: CHILD Asthma Call-Back

Column: 122

Type: NUM

SAS Variable Name: HOTWATER

Prologue:

Description: Q7.17 Are [his/her] sheets and pillowcases washed in cold, warm, or hot water?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cold	208	21.83	20.70
2	Warm	319	33.47	30.31
3	Hot	378	39.66	43.87
4	Varies	35	3.67	3.30
7	Don't know/Not sure	12	1.26	1.69
9	Refused	1	0.10	0.14

USE AN EXHAUST FAN IN CHILD'S BATHROOM

Survey: CHILD Asthma Call-Back

Column: 123

Type: NUM

SAS Variable Name: BATH_FAN

Prologue:

Description: Q7.18 In [child's name]'s bathroom, does [he/she] regularly use an exhaust fan that vents to the outside?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	594	62.33	60.14
2	No or "No fan"	347	36.41	38.81
7	Don't know/Not sure	12	1.26	1.06

EVER USED OVER-THE-COUNTER MEDICATION

Survey: CHILD Asthma Call-Back

Column: 124

Type: NUM

SAS Variable Name: OTC

Prologue: The next set of questions is about medications for asthma. The first few questions are very general, but later questions are very specific to [child's name]'s medication use.

Description: Q8.1 Over-the-counter medication can be bought without a doctor's order. Has [child's name] ever used over-the-counter medication for [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	203	21.30	21.35
2	No	729	76.50	75.99
5	Never took asthma medication, skip filled	16	1.68	1.28
7	Don't know	5	0.52	1.38

EVER USED PRESCRIPTION INHALER

Survey: CHILD Asthma Call-Back

Column: 125

Type: NUM

SAS Variable Name: INHALERE

Prologue:

Description: Q8.2 Has [he/she] ever used a prescription inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	839	88.04	89.57
2	No	98	10.28	9.14
5	Never took asthma medication, skip filled	16	1.68	1.28

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PROFESSIONAL INHALER INSTRUCTION

Survey: CHILD Asthma Call-Back

Column: 126

Type: NUM

SAS Variable Name: INHALERH

Prologue:

Description: Q8.3 Did a health professional show [him/her] how to use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	796	83.53	85.90
2	No	41	4.30	3.60
5	Never took asthma medication, skip filled	16	1.68	1.28
6	Never used prescription inhaler, skip filled	98	10.28	9.14
7	Don't know	2	0.21	0.07

INHALER USE WATCHED

Survey: CHILD Asthma Call-Back

Column: 127

Type: NUM

SAS Variable Name: INHALERW

Prologue:

Description: Q8.4 Did a doctor or other health professional watch [him/her] use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	669	70.20	71.98
2	No	133	13.96	15.15
5	Never took asthma medication, skip filled	16	1.68	1.28
6	Never used prescription inhaler, skip filled	98	10.28	9.14
7	Don't know	37	3.88	2.45

MEDICATION IN HAND

Survey: CHILD Asthma Call-Back

Column: 128

Type: NUM

SAS Variable Name: SCR_MED1

Prologue: Now I am going to ask questions about specific prescription medications [child's name] may have taken for asthma in the past 3 months. I will be asking for the name, amount, and how often [he/she] takes each medicine.

Description: Q8.5 It will help to get [child's name]'s medicines so you can read the labels. Can you please go get the asthma medicines while I wait on the phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	263	27.60	24.00
2	No	37	3.88	4.16
3	Respondent knows the meds	159	16.68	15.68
4	No asthma med. past 3 months, skip filled	476	49.95	54.65
5	Never took asthma medication, skip filled	16	1.68	1.28
7	Don't know	2	0.21	0.22

HAVE ALL THE MEDICATIONS

Survey: CHILD Asthma Call-Back

Column: 129-130

Type: NUM

SAS Variable Name: SCR_MED3

Prologue:

Description: Q8.7 Do you have all the medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, I have all the medications	234	24.55	21.24
2	Yes, I have some of the medications but not all	22	2.31	2.19
3	No	7	0.73	0.57
4	No asthma med. past 3 months, skip filled	476	49.95	54.65
5	Never took asthma medication, skip filled	16	1.68	1.28
10	Know or no handy asthma medicines, skip filled	198	20.78	20.06

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TAKEN PRESCRIPTION INHALER PAST 3 MONTHS

Survey: CHILD Asthma Call-Back

Column: 131

Type: NUM

SAS Variable Name: INH_SCR

Prologue:

Description: Q8.8 In the past 3 months has [child's name] taken prescription asthma medicine using an inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, inhaler in past 3 months	403	42.29	39.87
2	No inhaler in past 3 months	29	3.04	1.49
4	No asthma med. past 3 months, skip filled	476	49.95	54.65
5	Never took asthma medication, skip filled	16	1.68	1.28
6	Asthma med. past 3 months, never used inhaler, skip filled	28	2.94	2.66
7	Don't know	1	0.10	0.04

TAKEN MEDICATION IN PILL PAST 3 MONTHS

Survey: CHILD Asthma Call-Back

Column: 132

Type: NUM

SAS Variable Name: PILLS

Prologue:

Description: Q8.20 In the past 3 months, has [he/she] taken any prescription medicine in pill form for [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	117	12.28	7.65
2	No	315	33.05	33.49
4	No asthma med. past 3 months, skip filled	476	49.95	54.65
5	Never took asthma medication, skip filled	16	1.68	1.28
7	Don't know	29	3.04	2.92

TAKEN MEDICATION IN SYRUP PAST 3 MONTHS

Survey: CHILD Asthma Call-Back

Column: 133

Type: NUM

SAS Variable Name: SYRUP

Prologue:

Description: Q8.23 In the past 3 months, has [he/she] taken prescription asthma medication in syrup form?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.73	0.56
2	No	435	45.65	40.28
4	No asthma med. past 3 months, skip filled	476	49.95	54.65
5	Never took asthma medication, skip filled	16	1.68	1.28
7	Don't know	19	1.99	3.23

TAKEN MEDICATION WITH A NEBULIZER PAST 3 MONTHS

Survey: CHILD Asthma Call-Back

Column: 134

Type: NUM

SAS Variable Name: NEB_SCR

Prologue: A nebulizer is a small machine with a tube and facemask or mouthpiece that [child's name] breathes through continuously.

Description: Q8.25 In the past 3 months, were any of [child's name]'s prescription asthma medicines used with a nebulizer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	137	14.38	14.23
2	No	302	31.69	26.92
4	No asthma med. past 3 months, skip filled	476	49.95	54.65
5	Never took asthma medication, skip filled	16	1.68	1.28
7	Don't know	22	2.31	2.92

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEBULIZER AT HOME

Survey: CHILD Asthma Call-Back

Column: 135

Type: NUM

SAS Variable Name: NEB_PLCA

Prologue: I am going to read a list of places where [child's name] might have used a nebulizer. Please answer "yes" if [he/she] used a nebulizer in the place I mention; otherwise answer "no." In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26a . . . at home ?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	132	13.85	13.84
2	No	5	0.52	0.39
4	No asthma med. past 3 months, skip filled	476	49.95	54.65
5	Never took asthma medication, skip filled	16	1.68	1.28
8	No neb. in past 3 months, skip filled	324	34.00	29.84

NEBULIZER AT DOCTOR'S OFFICE

Survey: CHILD Asthma Call-Back

Column: 136

Type: NUM

SAS Variable Name: NEB_PLCB

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26b . . . at a doctor's office ?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	40	4.20	4.78
2	No	95	9.97	9.04
4	No asthma med. past 3 months, skip filled	476	49.95	54.65
5	Never took asthma medication, skip filled	16	1.68	1.28
7	Don't know	2	0.21	0.40
8	No neb. in past 3 months, skip filled	324	34.00	29.84

NEBULIZER IN EMERGENCY ROOM

Survey: CHILD Asthma Call-Back

Column: 137

Type: NUM

SAS Variable Name: NEB_PLCC

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26c . . . in an emergency room?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	1.89	2.42
2	No	119	12.49	11.81
4	No asthma med. past 3 months, skip filled	476	49.95	54.65
5	Never took asthma medication, skip filled	16	1.68	1.28
8	No neb. in past 3 months, skip filled	324	34.00	29.84

NEBULIZER AT WORK OR SCHOOL

Survey: CHILD Asthma Call-Back

Column: 138

Type: NUM

SAS Variable Name: NEB_PLCD

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26d . . . at work (or a school)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	22	2.31	2.28
2	No	113	11.86	11.82
4	No asthma med. past 3 months, skip filled	476	49.95	54.65
5	Never took asthma medication, skip filled	16	1.68	1.28
7	Don't know	2	0.21	0.13
8	No neb. in past 3 months, skip filled	324	34.00	29.84

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEBULIZER AT ANY OTHER PLACE

Survey: CHILD Asthma Call-Back

Column: 139

Type: NUM

SAS Variable Name: NEB_PLCE

Prologue: In the past 3 months, did [child's name] use a nebulizer . . .

Description: Q8.26e . . . at any other place?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24	2.52	2.22
2	No	113	11.86	12.01
4	No asthma med. past 3 months, skip filled	476	49.95	54.65
5	Never took asthma medication, skip filled	16	1.68	1.28
8	No neb. in past 3 months, skip filled	324	34.00	29.84

COST BARRIER: PRIMARY CARE DOCTOR

Survey: CHILD Asthma Call-Back

Column: 140

Type: NUM

SAS Variable Name: ASMDCOST

Prologue:

Description: Q9.1 Was there a time in the past 12 months when [child's name] needed to see [his/her] primary care doctor for asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	2.20	4.11
2	No	723	75.87	77.08
5	No current asthma, skip filled	207	21.72	18.78
7	Don't know	2	0.21	0.03

COST BARRIER: SPECIALIST

Survey: CHILD Asthma Call-Back

Column: 141

Type: NUM

SAS Variable Name: ASSPCOST

Prologue:

Description: Q9.2 Was there a time in the past 12 months when [child's name] was referred to a specialist for [his/her] asthma care but could not go because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	1.89	3.89
2	No	727	76.29	77.25
5	No current asthma, skip filled	207	21.72	18.78
7	Don't know	1	0.10	0.08

COST BARRIER: MEDICATION

Survey: CHILD Asthma Call-Back

Column: 142

Type: NUM

SAS Variable Name: ASRXCOST

Prologue:

Description: Q9.3 Was there a time in the past 12 months when [he/she] needed medication for [his/her] asthma, but you could not buy it because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	51	5.35	5.91
2	No	693	72.72	75.28
5	No current asthma, skip filled	207	21.72	18.78
7	Don't know	2	0.21	0.02

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

CURRENT GO TO SCHOOL OUTSIDE HOME

Survey: CHILD Asthma Call-Back

Column: 143

Type: NUM

SAS Variable Name: SCH_STAT

Prologue: Next, we are interested in things that might affect [child's name]'s asthma when [he/she] is not at home.

Description: Q10.1 Does [child's name] currently go to school or preschool outside the home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	874	91.71	87.96
2	No	79	8.29	12.04

REASON NOT IN SCHOOL NOW

Survey: CHILD Asthma Call-Back

Column: 144

Type: NUM

SAS Variable Name: NO_SCHL

Prologue:

Description: Q10.2 What is the main reason [he/she] is not now in school? [READ RESPONSE CATEGORIES]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not old enough	31	3.25	4.52
2	Home schooled	27	2.83	4.62
3	Unable to attend for health reason	4	0.42	0.75
4	On vacation or break	10	1.05	1.11
5	Other	6	0.63	0.94
6	Now goes to outside school, skip filled	874	91.71	87.96
7	Don't know/Not sure	1	0.10	0.10

GONE TO SCHOOL OUTSIDE HOME PAST 12 MONTHS

Survey: CHILD Asthma Call-Back

Column: 145

Type: NUM

SAS Variable Name: SCHL_12

Prologue:

Description: Q10.3 Has [child's name] gone to school in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	1.36	1.93
2	No	7	0.73	0.87
3	Home school, skip filled	27	2.83	4.62
5	Not old enough for school, skip filled	31	3.25	4.52
6	Now goes to outside school, skip filled	874	91.71	87.96
7	Don't know	1	0.10	0.10

WHAT GRADE WAS CHILD IN LAST TIME

Survey: CHILD Asthma Call-Back

Column: 146-147

Type: NUM

SAS Variable Name: SCHGRADE

Prologue:

Description: Q10.4 What grade was [he/she] in the last time [he/she] was in school?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 12	Grade	815	85.52	80.63
44	No school past year, skip filled	7	0.73	0.87
55	Not old enough for school, skip filled	31	3.25	4.52
66	Kindergarten	39	4.09	6.09
77	Don't know	8	0.84	1.48
88	Preschool	49	5.14	6.22
99	Refused	4	0.42	0.19

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

HOW MANY DAYS MISSED SCHOOL

Survey: CHILD Asthma Call-Back

Column: 148-150

Type: NUM

SAS Variable Name: MISS_SCHL

Prologue:

Description: Q10.5 During the past 12 months, about how many days of school did [he/she] miss because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	255	26.76	32.49
444	No school past year, skip filled	7	0.73	0.87
555	Not old enough for school, skip filled	31	3.25	4.52
666	No current asthma, skip filled	205	21.51	18.62
777	Don't know	6	0.63	0.62
888	None	449	47.11	42.89

WRITTEN ASTHMA ACTION PLAN IN SCHOOL

Survey: CHILD Asthma Call-Back

Column: 151

Type: NUM

SAS Variable Name: SCH_APL

Prologue: An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

Description: Q10.6 Does [child's name] have a written asthma action plan or asthma management plan on file at school?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	307	32.21	35.13
2	No	359	37.67	35.27
3	Home school, skip filled	27	2.83	4.62
4	No school past year, skip filled	7	0.73	0.87
5	Not old enough for school, skip filled	31	3.25	4.52
6	No current asthma, skip filled	200	20.99	18.21
7	Don't know	22	2.31	1.38

ASTHMA MEDICATION ALLOWED WITH CHILD IN SCHOOL

Survey: CHILD Asthma Call-Back

Column: 152

Type: NUM

SAS Variable Name: SCH_MED

Prologue:

Description: Q10.7 Does the school [he/she] goes to allow children with asthma to carry their medication with them while at school?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	374	39.24	35.50
2	No	234	24.55	27.30
3	Home school, skip filled	27	2.83	4.62
4	No school past year, skip filled	7	0.73	0.87
5	Not old enough for school, skip filled	31	3.25	4.52
6	No current asthma, skip filled	200	20.99	18.21
7	Don't know	80	8.39	8.98

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PETS IN CLASSROOM

Survey: CHILD Asthma Call-Back

Column: 153

Type: NUM

SAS Variable Name: SCH_ANML

Prologue:

Description: Q10.8 Are there any pets such as dogs, cats, hamsters, birds or other feathered or furry pets in [his/her] classroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	28	2.94	3.06
2	No	828	86.88	84.21
3	Home school, skip filled	27	2.83	4.62
4	No school past year, skip filled	7	0.73	0.87
5	Not old enough for school, skip filled	31	3.25	4.52
7	Don't know	32	3.36	2.72

AWARE OF MOLD PROBLEM IN SCHOOL

Survey: CHILD Asthma Call-Back

Column: 154

Type: NUM

SAS Variable Name: SCH_MOLD

Prologue:

Description: Q10.9 Are you aware of any mold problems in [child's name]'s school?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	1.57	0.73
2	No	856	89.82	86.01
3	Home school, skip filled	27	2.83	4.62
4	No school past year, skip filled	7	0.73	0.87
5	Not old enough for school, skip filled	31	3.25	4.52
7	Don't know	17	1.78	3.25

GO TO DAYCARE OUTSIDE HOME

Survey: CHILD Asthma Call-Back

Column: 155

Type: NUM

SAS Variable Name: DAYCARE

Prologue:

Description: Q10.10 Does [child's name] go to day care outside [his/her] home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	68	7.14	7.28
2	No	302	31.69	40.61
3	Home school, skip filled	27	2.83	4.62
6	Over age ten, skip filled	543	56.98	44.35
7	Don't know	13	1.36	3.14

WENT TO DAYCARE PAST 12 MONTHS

Survey: CHILD Asthma Call-Back

Column: 156

Type: NUM

SAS Variable Name: DAYCARE1

Prologue:

Description: Q10.11 Has [he/she] gone to daycare in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	27	2.83	4.34
2	No	275	28.86	36.28
3	Home school, skip filled	27	2.83	4.62
5	Goes to daycare now, skip filled	68	7.14	7.28
6	Over age ten, skip filled	543	56.98	44.35
7	Don't know	13	1.36	3.14

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DAYS MISSED DAYCARE BECAUSE OF ASTHMA

Survey: CHILD Asthma Call-Back

Column: 157-160

Type: NUM

SAS Variable Name: MISS_DCAR

Prologue:

Description: Q10.12 During the past 12 months, about how many days of daycare did [he/she] miss because of [his/her] asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	29	3.04	4.01
444	No current asthma, skip filled	23	2.41	3.63
555	No daycare past year, skip filled	275	28.86	36.28
666	Over age ten, skip filled	543	56.98	44.35
777	Don't know	10	1.05	2.63
888	Zero	51	5.35	4.89
3333	Home school, skip filled	22	2.31	4.22

WRITTEN ASTHMA ACTION PLAN IN DAYCARE

Survey: CHILD Asthma Call-Back

Column: 161

Type: NUM

SAS Variable Name: DCARE_APL

Prologue:

Description: Q10.13 Does [child's name] have a written asthma action plan or asthma management plan on file at the daycare [he/she] went to last?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26	2.73	4.34
2	No	51	5.35	3.92
3	Home school, skip filled	22	2.31	4.22
4	No current asthma, skip filled	23	2.41	3.63
5	No daycare past year, skip filled	275	28.86	36.28
6	Over age ten, skip filled	543	56.98	44.35
7	Don't know	13	1.36	3.27

PETS IN DAYCARE

Survey: CHILD Asthma Call-Back

Column: 162

Type: NUM

SAS Variable Name: DCARE_ANML

Prologue:

Description: Q10.14 Are there any pets such as dogs, cats, hamsters, birds, or other feathered or furry pets in [his/her] room at daycare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	1.89	1.17
2	No	77	8.08	10.44
3	Home school, skip filled	27	2.83	4.62
5	No daycare past year, skip filled	275	28.86	36.28
6	Over age ten, skip filled	543	56.98	44.35
7	Don't know	13	1.36	3.14

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

AWARE OF MOLD PROBLEM IN DAYCARE

Survey: CHILD Asthma Call-Back

Column: 163

Prologue:

Description: Q10.15 Are you aware of any mold problems in [his/her] daycare?

Type: NUM

SAS Variable Name: DCARE_MLD

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.21	0.10
2	No	93	9.76	11.52
3	Home school, skip filled	27	2.83	4.62
5	No daycare past year, skip filled	275	28.86	36.28
6	Over age ten, skip filled	543	56.98	44.35
7	Don't know	13	1.36	3.14

SMOKING ALLOWED IN DAYCARE

Survey: CHILD Asthma Call-Back

Column: 164

Prologue:

Description: Q10.16 Is smoking allowed at [his/her] daycare?

Type: NUM

SAS Variable Name: DCARE_SMK

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	95	9.97	11.62
3	Home school, skip filled	27	2.83	4.62
5	No daycare past year, skip filled	275	28.86	36.28
6	Over age ten, skip filled	543	56.98	44.35
7	Don't know	13	1.36	3.14

USED HERBS TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 165

Prologue: Sometimes people use methods other than prescription medications to help treat or control their asthma. These methods are called non-traditional, complementary, or alternative healthcare. In the past 12 months, has [he/she] used . . . to control asthma?

Description: Q11.1 . . . herbs . . .

Type: NUM

SAS Variable Name: CAM_HERB

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24	2.52	3.44
2	No	722	75.76	77.78
5	No current asthma, skip filled	207	21.72	18.78

USED VITAMINS TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 166

Prologue:

Description: Q11.2 . . . vitamins . . .

Type: NUM

SAS Variable Name: CAM_VITA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	58	6.09	8.34
2	No	688	72.19	72.87
5	No current asthma, skip filled	207	21.72	18.78

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

USED ACUPUNCTURE TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 167

Prologue:

Description: Q11.3 ... acupuncture ...

Type: NUM

SAS Variable Name: CAM_PUNC

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.42	0.18
2	No	742	77.86	81.04
5	No current asthma, skip filled	207	21.72	18.78

USED ACUPRESSURE TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 168

Prologue:

Description: Q11.4 ... acupressure ...

Type: NUM

SAS Variable Name: CAM_PRES

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.63	0.24
2	No	740	77.65	80.98
5	No current asthma, skip filled	207	21.72	18.78

USED AROMATHERAPY TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 169

Prologue:

Description: Q11.5 ... aromatherapy ...

Type: NUM

SAS Variable Name: CAM_AROM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	37	3.88	5.65
2	No	709	74.40	75.57
5	No current asthma, skip filled	207	21.72	18.78

USED HOMEOPATHY TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 170

Prologue:

Description: Q11.6 ... homeopathy ...

Type: NUM

SAS Variable Name: CAM_HOME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	1.89	3.74
2	No	724	75.97	76.98
5	No current asthma, skip filled	207	21.72	18.78
7	Don't know	4	0.42	0.50

USED REFLEXOLOGY TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 171

Prologue:

Description: Q11.7 ... reflexology ...

Type: NUM

SAS Variable Name: CAM_REFL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.52	0.12
2	No	741	77.75	81.09
5	No current asthma, skip filled	207	21.72	18.78

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

USED YOGA TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 172

Prologue:

Description: Q11.8 ...yoga...

Type: NUM

SAS Variable Name: CAM_YOGA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	1.05	0.93
2	No	735	77.12	80.19
5	No current asthma, skip filled	207	21.72	18.78
7	Don't know	1	0.10	0.09

USED BREATHING TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 173

Prologue:

Description: Q11.9 ...breathing techniques...

Type: NUM

SAS Variable Name: CAM_BR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	128	13.43	16.39
2	No	617	64.74	64.82
5	No current asthma, skip filled	207	21.72	18.78
7	Don't know	1	0.10	0.01

USED NATUROPATHY TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 174

Prologue:

Description: Q11.10 ...naturopathy...

Type: NUM

SAS Variable Name: CAM_NATR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.73	1.66
2	No	738	77.44	79.47
5	No current asthma, skip filled	207	21.72	18.78
7	Don't know	1	0.10	0.09

OTHER ALTERNATIVE CARE TO CONTROL ASTHMA

Survey: CHILD Asthma Call-Back

Column: 175

Prologue:

Description: Q11.11 Besides the types I have just asked about, has [child's name] used any other type of alternative care for [his/her] asthma in the past 12 months?

Type: NUM

SAS Variable Name: CAM_OTHR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	53	5.56	6.30
2	No	691	72.51	74.74
5	No current asthma, skip filled	207	21.72	18.78
7	Don't know	2	0.21	0.18

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TEXT FOR OTHER TYPE CARE

Survey: CHILD Asthma Call-Back

Column: 176-275

Prologue:

Description: Q11.12 What else has [child's name] used?

Type: CHAR
SAS Variable Name: CAM_TEXT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		900		
HIDDEN	Text field - up to 100 characters	53	100.00	100.00

HEIGHT OF CHILD

Survey: CHILD Asthma Call-Back

Column: 276-279

Prologue:

Description: Q12.1 How tall is [child's name]?

Type: CHAR
SAS Variable Name: HEIGHT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		953	100.00	100.00

WEIGHT OF CHILD

Survey: CHILD Asthma Call-Back

Column: 280-283

Prologue:

Description: Q12.2 How much does [he/she] weigh?

Type: CHAR
SAS Variable Name: WEIGHT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		953	100.00	100.00

BIRTH WEIGHT

Survey: CHILD Asthma Call-Back

Column: 284-289

Prologue:

Description: Q12.3 How much did [he/she] weigh at birth (in pounds)?

Type: CHAR
SAS Variable Name: BIRTHW1

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		953	100.00	100.00

WHETHER BIRTH WEIGHT LESS THAN 5.5 POUNDS

Survey: CHILD Asthma Call-Back

Column: 290

Prologue:

Description: Q12.4 At birth, did [child's name] weigh less than 5 ½ pounds?

Type: NUM
SAS Variable Name: BIRTHRF

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	10.34	23.31
2	No	29	50.00	36.67
7	Don't know	20	34.48	38.88
9	Refused	3	5.17	1.13
BLANK	Have reported birth weight	895		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

LANGUAGE IDENTIFIER

Survey: CHILD Asthma Call-Back

Column: 381-382

Prologue:

Description: Language identifier: Language in which the interview was conducted.

Type: NUM

SAS Variable Name: QSTLANG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	919	96.43	92.38
2	Spanish	34	3.57	7.62

PERSON SELECTED TO CALL BACK FROM BRFSS

Survey: CHILD Asthma Call-Back

Column: 383

Prologue:

Description: Which person in the household was selected as the focus of the call-back?

Type: NUM

SAS Variable Name: ADLTCHLD

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	Children	953	100.00	100.00

ASTHMA CALL-BACK SCRIPT TEST

Survey: CHILD Asthma Call-Back

Column: 384

Prologue:

Description: ASTHMA CALL-BACK SCRIPT TEST

Type: NUM

SAS Variable Name: CALLBACK_VER

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Callback using Protocol (2 weeks)	645	100.00	100.00
BLANK	Not asked or missing	308		

END OF THE RAW CALL BACK DATA

Survey: CHILD Asthma Call-Back

Column: 385

Prologue:

Description: END OF THE RAW CALL BACK DATA

Type: NUM

SAS Variable Name: END_OF_FILE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	953	100.00	100.00

EVER HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: CHILD Asthma Call-Back

Column: 386

Prologue:

Description: EVER HAVE ASTHMA COMBINED BRFSS (ASTHMA2) AND CALL BACK (EVER_ASTH)

Type: NUM

SAS Variable Name: _EVER_ASTH_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	953	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

STILL HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: CHILD Asthma Call-Back

Column: 387

Type: NUM

SAS Variable Name: _CUR_ASTH_C

Prologue:

Description: STILL HAVE ASTHMA COMBINED BRFSS (ASTHNOW) AND CALL BACK (CUR_ASTH)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	642	67.37	65.99
2	No	296	31.06	31.46
7	Don't know/Not sure	15	1.57	2.55

RELATIONSHIP TO CHILD COMBINED BRFSS

Survey: CHILD Asthma Call-Back

Column: 388

Type: NUM

SAS Variable Name: RELATED

Prologue:

Description: RELATIONSHIP TO CHILD COMBINED BRFSS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parents	915	96.01	96.76
2	Guardian	30	3.15	2.33
3	Other relative	8	0.84	0.91

FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Survey: CHILD Asthma Call-Back

Column: 389

Type: NUM

SAS Variable Name: FLAG1

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	AGE, AGEDX, and INCIDNT are consistent	906	95.07	93.85
1	AGEDX is greater than AGE	6	0.63	0.53
2	AGE, AGEDX, and INCIDNT are inconsistent	41	4.30	5.62

ADVAIR (+ A. DISKUS)

Survey: CHILD Asthma Call-Back

Column: 390

Type: NUM

SAS Variable Name: INHALER_ID_1

Prologue:

Description: ADVAIR (+ A. DISKUS)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	50	5.25	4.59
2	No	903	94.75	95.41

AEROBID

Survey: CHILD Asthma Call-Back

Column: 391

Type: NUM

SAS Variable Name: INHALER_ID_2

Prologue:

Description: AEROBID

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.31	0.33
2	No	950	99.69	99.67

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Survey: CHILD Asthma Call-Back

Column: 392

Prologue:

Description: ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Type: NUM

SAS Variable Name: INHALER_ID_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	177	18.57	17.35
2	No	776	81.43	82.65

ALUPENT

Survey: CHILD Asthma Call-Back

Column: 393

Prologue:

Description: ALUPENT

Type: NUM

SAS Variable Name: INHALER_ID_4

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

ATROVENT

Survey: CHILD Asthma Call-Back

Column: 394

Prologue:

Description: ATROVENT

Type: NUM

SAS Variable Name: INHALER_ID_5

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

AZMACORT

Survey: CHILD Asthma Call-Back

Column: 395

Prologue:

Description: AZMACORT

Type: NUM

SAS Variable Name: INHALER_ID_6

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

BECLOMETHASONE DIPROPIONATE

Survey: CHILD Asthma Call-Back

Column: 396

Prologue:

Description: BECLOMETHASONE DIPROPIONATE

Type: NUM

SAS Variable Name: INHALER_ID_7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

BECLOVENT

Survey: CHILD Asthma Call-Back

Column: 397

Prologue:

Description: BECLOVENT

Type: NUM

SAS Variable Name: INHALER_ID_8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BITOLTEROL

Survey: CHILD Asthma Call-Back

Column: 398

Prologue:

Description: BITOLTEROL

Type: NUM

SAS Variable Name: INHALER_ID_9

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

BUDESONIDE

Survey: CHILD Asthma Call-Back

Column: 399

Prologue:

Description: BUDESONIDE

Type: NUM

SAS Variable Name: INHALER_ID_11

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

COMBIVENT

Survey: CHILD Asthma Call-Back

Column: 400

Prologue:

Description: COMBIVENT

Type: NUM

SAS Variable Name: INHALER_ID_12

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

CROMOLYN

Survey: CHILD Asthma Call-Back

Column: 401

Prologue:

Description: CROMOLYN

Type: NUM

SAS Variable Name: INHALER_ID_13

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

FLOVENT

Survey: CHILD Asthma Call-Back

Column: 402

Prologue:

Description: FLOVENT

Type: NUM

SAS Variable Name: INHALER_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
72	7.56	7.59
881	92.44	92.41

FLOVENT ROTADISK

Survey: CHILD Asthma Call-Back

Column: 403

Prologue:

Description: FLOVENT ROTADISK

Type: NUM

SAS Variable Name: INHALER_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.31	0.22
950	99.69	99.78

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLUNISOLIDE

Survey: CHILD Asthma Call-Back

Column: 404

Prologue:

Description: FLUNISOLIDE

Type: NUM
SAS Variable Name: INHALER_ID_16

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

FLUTICASONE

Survey: CHILD Asthma Call-Back

Column: 405

Prologue:

Description: FLUTICASONE

Type: NUM
SAS Variable Name: INHALER_ID_17

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.21	0.10
2	No	951	99.79	99.90

IPRATROPIUM BROMIDE

Survey: CHILD Asthma Call-Back

Column: 406

Prologue:

Description: IPRATROPIUM BROMIDE

Type: NUM
SAS Variable Name: INHALER_ID_19

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

MAXAIR

Survey: CHILD Asthma Call-Back

Column: 407

Prologue:

Description: MAXAIR

Type: NUM
SAS Variable Name: INHALER_ID_20

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.21	0.14
2	No	951	99.79	99.86

METAPROTERONOL

Survey: CHILD Asthma Call-Back

Column: 408

Prologue:

Description: METAPROTERONOL

Type: NUM
SAS Variable Name: INHALER_ID_21

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEDOCROMIL

Survey: CHILD Asthma Call-Back

Column: 409

Prologue:

Description: NEDOCROMIL

Value	Value Label
2	No

Type: NUM
SAS Variable Name: INHALER_ID_22

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

PIRBUTEROL

Survey: CHILD Asthma Call-Back

Column: 410

Prologue:

Description: PIRBUTEROL

Value	Value Label
2	No

Type: NUM
SAS Variable Name: INHALER_ID_23

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

PROVENTIL

Survey: CHILD Asthma Call-Back

Column: 411

Prologue:

Description: PROVENTIL

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: INHALER_ID_24

Frequency	Percentage	Weighted Percentage
20	2.10	1.45
933	97.90	98.55

PULMICORT FLEXHALER

Survey: CHILD Asthma Call-Back

Column: 412

Prologue:

Description: PULMICORT FLEXHALER

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: INHALER_ID_25

Frequency	Percentage	Weighted Percentage
20	2.10	1.94
933	97.90	98.06

SALMETEROL

Survey: CHILD Asthma Call-Back

Column: 413

Prologue:

Description: SALMETEROL

Value	Value Label
2	No

Type: NUM
SAS Variable Name: INHALER_ID_26

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

SEREVENT

Survey: CHILD Asthma Call-Back

Column: 414

Prologue:

Description: SEREVENT

Value	Value Label
2	No

Type: NUM
SAS Variable Name: INHALER_ID_27

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TERBUTALINE (+ T. SULFATE)

Survey: CHILD Asthma Call-Back

Column: 415

Prologue:

Description: TERBUTALINE (+ T. SULFATE)

Type: NUM
SAS Variable Name: INHALER_ID_28

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

TORNALATE

Survey: CHILD Asthma Call-Back

Column: 416

Prologue:

Description: TORNALATE

Type: NUM
SAS Variable Name: INHALER_ID_30

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

TRIAMCINOLONE ACETONIDE

Survey: CHILD Asthma Call-Back

Column: 417

Prologue:

Description: TRIAMCINOLONE ACETONIDE

Type: NUM
SAS Variable Name: INHALER_ID_31

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

VANCERIL

Survey: CHILD Asthma Call-Back

Column: 418

Prologue:

Description: VANCERIL

Type: NUM
SAS Variable Name: INHALER_ID_32

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.10	0.03
2	No	952	99.90	99.97

VENTOLIN

Survey: CHILD Asthma Call-Back

Column: 419

Prologue:

Description: VENTOLIN

Type: NUM
SAS Variable Name: INHALER_ID_33

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	63	6.61	6.52
2	No	890	93.39	93.48

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FORADIL

Survey: CHILD Asthma Call-Back

Column: 420

Prologue:

Description: FORADIL

Type: NUM

SAS Variable Name: INHALER_ID_34

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

FORMOTEROL

Survey: CHILD Asthma Call-Back

Column: 421

Prologue:

Description: FORMOTEROL

Type: NUM

SAS Variable Name: INHALER_ID_35

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

QVAR

Survey: CHILD Asthma Call-Back

Column: 422

Prologue:

Description: QVAR

Type: NUM

SAS Variable Name: INHALER_ID_36

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
30	3.15	3.03
923	96.85	96.97

LEVALBUTEROL TARTRATE

Survey: CHILD Asthma Call-Back

Column: 423

Prologue:

Description: LEVALBUTEROL TARTRATE

Type: NUM

SAS Variable Name: INHALER_ID_37

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

XOPENEX HFA

Survey: CHILD Asthma Call-Back

Column: 424

Prologue:

Description: XOPENEX HFA

Type: NUM

SAS Variable Name: INHALER_ID_38

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
26	2.73	5.14
927	97.27	94.86

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

MOMETASONE FUROATE

Survey: CHILD Asthma Call-Back

Column: 425

Prologue:

Description: MOMETASONE FUROATE

Value	Value Label
1	Yes
2	No

Type: NUM		
SAS Variable Name: INHALER_ID_39		
Frequency	Percentage	Weighted Percentage
1	0.10	0.45
952	99.90	99.55

ASMANEX (TWISTHALER)

Survey: CHILD Asthma Call-Back

Column: 426

Prologue:

Description: ASMANEX (TWISTHALER)

Value	Value Label
1	Yes
2	No

Type: NUM		
SAS Variable Name: INHALER_ID_40		
Frequency	Percentage	Weighted Percentage
6	0.63	2.46
947	99.37	97.54

PRO-AIR HFA

Survey: CHILD Asthma Call-Back

Column: 427

Prologue:

Description: PRO-AIR HFA

Value	Value Label
1	Yes
2	No

Type: NUM		
SAS Variable Name: INHALER_ID_41		
Frequency	Percentage	Weighted Percentage
60	6.30	4.81
893	93.70	95.19

SYMBICORT

Survey: CHILD Asthma Call-Back

Column: 428

Prologue:

Description: SYMBICORT

Value	Value Label
1	Yes
2	No

Type: NUM		
SAS Variable Name: INHALER_ID_42		
Frequency	Percentage	Weighted Percentage
13	1.36	1.09
940	98.64	98.91

ALVESCO

Survey: CHILD Asthma Call-Back

Column: 429

Prologue:

Description: ALVESCO

Value	Value Label
1	Yes
2	No

Type: NUM		
SAS Variable Name: INHALER_ID_43		
Frequency	Percentage	Weighted Percentage
3	0.31	0.22
950	99.69	99.78

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DULERA

Survey: CHILD Asthma Call-Back

Column: 430

Prologue:

Description: DULERA

Type: NUM

SAS Variable Name: INHALER_ID_44

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.73	0.36
946	99.27	99.64

DON'T KNOW/REFUSED

Survey: CHILD Asthma Call-Back

Column: 431

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: INHALER_ID_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
16	1.68	2.42
937	98.32	97.58

OTHER INHALER

Survey: CHILD Asthma Call-Back

Column: 432

Prologue:

Description: NEW OTHER PRESCRIPTION INHALER

Type: NUM

SAS Variable Name: OTHER_INHALER

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

PILL ACCOLATE

Survey: CHILD Asthma Call-Back

Column: 433

Prologue:

Description: PILL ACCOLATE

Type: NUM

SAS Variable Name: PILLS_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.10	0.09
952	99.90	99.91

PILL AEROLATE

Survey: CHILD Asthma Call-Back

Column: 434

Prologue:

Description: PILL AEROLATE

Type: NUM

SAS Variable Name: PILLS_ID_2

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL ALBUTEROL

Survey: CHILD Asthma Call-Back

Column: 435

Prologue:

Description: PILL ALBUTEROL

Type: NUM

SAS Variable Name: PILLS_ID_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.10	0.53
2	No	952	99.90	99.47

PILL ALUPENT

Survey: CHILD Asthma Call-Back

Column: 436

Prologue:

Description: PILL ALUPENT

Type: NUM

SAS Variable Name: PILLS_ID_4

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

PILL CHOLEDYL (OXTRIPHYLLINE)

Survey: CHILD Asthma Call-Back

Column: 437

Prologue:

Description: PILL CHOLEDYL (OXTRIPHYLLINE)

Type: NUM

SAS Variable Name: PILLS_ID_5

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

PILL DELTASONE

Survey: CHILD Asthma Call-Back

Column: 438

Prologue:

Description: PILL DELTASONE

Type: NUM

SAS Variable Name: PILLS_ID_7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

PILL ELIXOPHYLLIN

Survey: CHILD Asthma Call-Back

Column: 439

Prologue:

Description: PILL ELIXOPHYLLIN

Type: NUM

SAS Variable Name: PILLS_ID_8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

PILL MEDROL

Survey: CHILD Asthma Call-Back

Column: 440

Prologue:

Description: PILL MEDROL

Type: NUM

SAS Variable Name: PILLS_ID_11

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL METAPREL

Survey: CHILD Asthma Call-Back

Column: 441

Prologue:

Description: PILL METAPREL

Type: NUM

SAS Variable Name: PILLS_ID_12

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

PILL METAPROTERONOL

Survey: CHILD Asthma Call-Back

Column: 442

Prologue:

Description: PILL METAPROTERONOL

Type: NUM

SAS Variable Name: PILLS_ID_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

PILL METHYLPREDNISOLONE

Survey: CHILD Asthma Call-Back

Column: 443

Prologue:

Description: PILL METHYLPREDNISOLONE

Type: NUM

SAS Variable Name: PILLS_ID_14

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

PILL MONTELUKAST

Survey: CHILD Asthma Call-Back

Column: 444

Prologue:

Description: PILL MONTELUKAST

Type: NUM

SAS Variable Name: PILLS_ID_15

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	1.57	0.96
2	No	938	98.43	99.04

PILL PEDIAPRED

Survey: CHILD Asthma Call-Back

Column: 445

Prologue:

Description: PILL PEDIAPRED

Type: NUM

SAS Variable Name: PILLS_ID_17

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

PILL PREDNISOLONE

Survey: CHILD Asthma Call-Back

Column: 446

Prologue:

Description: PILL PREDNISOLONE

Type: NUM

SAS Variable Name: PILLS_ID_18

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.10	0.01
2	No	952	99.90	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL PREDNISONE

Survey: CHILD Asthma Call-Back

Column: 447

Prologue:

Description: PILL PREDNISONE

Type: NUM

SAS Variable Name: PILLS_ID_19

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.73	0.27
2	No	946	99.27	99.73

PILL PROVENTIL

Survey: CHILD Asthma Call-Back

Column: 448

Prologue:

Description: PILL PROVENTIL

Type: NUM

SAS Variable Name: PILLS_ID_21

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

PILL RESPID

Survey: CHILD Asthma Call-Back

Column: 449

Prologue:

Description: PILL RESPID

Type: NUM

SAS Variable Name: PILLS_ID_23

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

PILL SINGULAIR

Survey: CHILD Asthma Call-Back

Column: 450

Prologue:

Description: PILL SINGULAIR

Type: NUM

SAS Variable Name: PILLS_ID_24

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	94	9.86	5.89
2	No	859	90.14	94.11

PILL SLO-PHYLLIN

Survey: CHILD Asthma Call-Back

Column: 451

Prologue:

Description: PILL SLO-PHYLLIN

Type: NUM

SAS Variable Name: PILLS_ID_25

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL SLO-BID

Survey: CHILD Asthma Call-Back

Column: 452

Prologue:

Description: PILL SLO-BID

Value	Value Label
2	No

Type: NUM
SAS Variable Name: PILLS_ID_26

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

PILL THEO-24

Survey: CHILD Asthma Call-Back

Column: 453

Prologue:

Description: PILL THEO-24

Value	Value Label
2	No

Type: NUM
SAS Variable Name: PILLS_ID_28

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

PILL THEOCHRON

Survey: CHILD Asthma Call-Back

Column: 454

Prologue:

Description: PILL THEOCHRON

Value	Value Label
2	No

Type: NUM
SAS Variable Name: PILLS_ID_30

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

PILL THEOCLEAR

Survey: CHILD Asthma Call-Back

Column: 455

Prologue:

Description: PILL THEOCLEAR

Value	Value Label
2	No

Type: NUM
SAS Variable Name: PILLS_ID_31

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

PILL THEODUR

Survey: CHILD Asthma Call-Back

Column: 456

Prologue:

Description: PILL THEODUR

Value	Value Label
2	No

Type: NUM
SAS Variable Name: PILLS_ID_32

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

PILL THEO-DUR

Survey: CHILD Asthma Call-Back

Column: 457

Prologue:

Description: PILL THEO-DUR

Value	Value Label
2	No

Type: NUM
SAS Variable Name: PILLS_ID_33

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL THEOPHYLLINE

Survey: CHILD Asthma Call-Back

Column: 458

Prologue:

Description: PILL THEOPHYLLINE

Type: NUM

SAS Variable Name: PILLS_ID_35

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

PILL THEOSPAN

Survey: CHILD Asthma Call-Back

Column: 459

Prologue:

Description: PILL THEOSPAN

Type: NUM

SAS Variable Name: PILLS_ID_37

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

PILL T-PHYL

Survey: CHILD Asthma Call-Back

Column: 460

Prologue:

Description: PILL T-PHYL

Type: NUM

SAS Variable Name: PILLS_ID_40

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

PILL UNIPHYL

Survey: CHILD Asthma Call-Back

Column: 461

Prologue:

Description: PILL UNIPHYL

Type: NUM

SAS Variable Name: PILLS_ID_42

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

PILL VENTOLIN

Survey: CHILD Asthma Call-Back

Column: 462

Prologue:

Description: PILL VENTOLIN

Type: NUM

SAS Variable Name: PILLS_ID_43

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

PILL VOLMAX

Survey: CHILD Asthma Call-Back

Column: 463

Prologue:

Description: PILL VOLMAX

Type: NUM

SAS Variable Name: PILLS_ID_44

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL ZAFIRLUKAST

Survey: CHILD Asthma Call-Back

Column: 464

Prologue:

Description: PILL ZAFIRLUKAST

Type: NUM

SAS Variable Name: PILLS_ID_45

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

PILL ZILEUTON

Survey: CHILD Asthma Call-Back

Column: 465

Prologue:

Description: PILL ZILEUTON

Type: NUM

SAS Variable Name: PILLS_ID_46

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

PILL ZYFLO FILMTAB

Survey: CHILD Asthma Call-Back

Column: 466

Prologue:

Description: PILL ZYFLO FILMTAB

Type: NUM

SAS Variable Name: PILLS_ID_47

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

PILL TERBUTALINE (+ T. SULFATE)

Survey: CHILD Asthma Call-Back

Column: 467

Prologue:

Description: PILL TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: PILLS_ID_48

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

PILL BRETHINE

Survey: CHILD Asthma Call-Back

Column: 468

Prologue:

Description: PILL BRETHINE

Type: NUM

SAS Variable Name: PILLS_ID_49

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

DON'T KNOW/REFUSED

Survey: CHILD Asthma Call-Back

Column: 469

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: PILLS_ID_7799

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

OTHER PILLS

Survey: CHILD Asthma Call-Back

Column: 470

Prologue:

Description: NEW OTHER PRESCRIPTION PILLS

Type: NUM

SAS Variable Name: OTHER_PILLS

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

SYRUP AEROLATE

Survey: CHILD Asthma Call-Back

Column: 471

Prologue:

Description: SYRUP AEROLATE

Type: NUM

SAS Variable Name: SYRUP_ID_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

SYRUP ALBUTEROL

Survey: CHILD Asthma Call-Back

Column: 472

Prologue:

Description: SYRUP ALBUTEROL

Type: NUM

SAS Variable Name: SYRUP_ID_2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.10	0.01
2	No	952	99.90	99.99

SYRUP ALUPENT

Survey: CHILD Asthma Call-Back

Column: 473

Prologue:

Description: SYRUP ALUPENT

Type: NUM

SAS Variable Name: SYRUP_ID_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

SYRUP METAPROTERONOL

Survey: CHILD Asthma Call-Back

Column: 474

Prologue:

Description: SYRUP METAPROTERONOL

Type: NUM

SAS Variable Name: SYRUP_ID_4

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

SYRUP PREDNISOLONE

Survey: CHILD Asthma Call-Back

Column: 475

Prologue:

Description: SYRUP PREDNISOLONE

Type: NUM

SAS Variable Name: SYRUP_ID_5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.42	0.17
2	No	949	99.58	99.83

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYRUP PRELONE

Survey: CHILD Asthma Call-Back

Column: 476

Prologue:

Description: SYRUP PRELONE

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_6

Frequency	Percentage	Weighted Percentage
2	0.21	0.37
951	99.79	99.63

SYRUP PROVENTIL

Survey: CHILD Asthma Call-Back

Column: 477

Prologue:

Description: SYRUP PROVENTIL

Value	Value Label
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_7

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

SYRUP SLO-PHYLLIN

Survey: CHILD Asthma Call-Back

Column: 478

Prologue:

Description: SYRUP SLO-PHYLLIN

Value	Value Label
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_8

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

SYRUP THEOPHYLLINE

Survey: CHILD Asthma Call-Back

Column: 479

Prologue:

Description: SYRUP THEOPHYLLINE

Value	Value Label
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_9

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

SYRUP VENTOLIN

Survey: CHILD Asthma Call-Back

Column: 480

Prologue:

Description: SYRUP VENTOLIN

Value	Value Label
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_10

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

DON'T KNOW/REFUSED

Survey: CHILD Asthma Call-Back

Column: 481

Prologue:

Description: DON'T KNOW/REFUSED

Value	Value Label
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_7799

Frequency	Percentage	Weighted Percentage
953	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

OTHER SYRUP

Survey: CHILD Asthma Call-Back

Column: 482

Prologue:

Description: NEW OTHER PRESCRIPTION SYRUP

Type: NUM

SAS Variable Name: OTHER_SYRUP

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

NEB ALBUTEROL

Survey: CHILD Asthma Call-Back

Column: 483

Prologue:

Description: NEB ALBUTEROL

Type: NUM

SAS Variable Name: NEB_ID_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	115	12.07	12.51
2	No	838	87.93	87.49

NEB ALUPENT

Survey: CHILD Asthma Call-Back

Column: 484

Prologue:

Description: NEB ALUPENT

Type: NUM

SAS Variable Name: NEB_ID_2

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

NEB ATROVENT

Survey: CHILD Asthma Call-Back

Column: 485

Prologue:

Description: NEB ATROVENT

Type: NUM

SAS Variable Name: NEB_ID_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.21	0.22
2	No	951	99.79	99.78

NEB BITOLTEROL

Survey: CHILD Asthma Call-Back

Column: 486

Prologue:

Description: NEB BITOLTEROL

Type: NUM

SAS Variable Name: NEB_ID_4

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB BUDESONIDE

Survey: CHILD Asthma Call-Back

Column: 487

Prologue:

Description: NEB BUDESONIDE

Type: NUM

SAS Variable Name: NEB_ID_5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	1.05	1.04
2	No	943	98.95	98.96

NEB CROMOLYN

Survey: CHILD Asthma Call-Back

Column: 488

Prologue:

Description: NEB CROMOLYN

Type: NUM

SAS Variable Name: NEB_ID_6

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

NEB DUONEB

Survey: CHILD Asthma Call-Back

Column: 489

Prologue:

Description: NEB DUONEB

Type: NUM

SAS Variable Name: NEB_ID_7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.31	0.16
2	No	950	99.69	99.84

NEB INTAL

Survey: CHILD Asthma Call-Back

Column: 490

Prologue:

Description: NEB INTAL

Type: NUM

SAS Variable Name: NEB_ID_8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

NEB IPRATROPIUM BROMIDE

Survey: CHILD Asthma Call-Back

Column: 491

Prologue:

Description: NEB IPRATROPIUM BROMIDE

Type: NUM

SAS Variable Name: NEB_ID_9

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.10	0.02
2	No	952	99.90	99.98

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB LEVALBUTEROL

Survey: CHILD Asthma Call-Back

Column: 492

Prologue:

Description: NEB LEVALBUTEROL

Type: NUM

SAS Variable Name: NEB_ID_10

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.31	0.29
2	No	950	99.69	99.71

NEB METAPROTERONOL

Survey: CHILD Asthma Call-Back

Column: 493

Prologue:

Description: NEB METAPROTERONOL

Type: NUM

SAS Variable Name: NEB_ID_11

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

NEB PROVENTIL

Survey: CHILD Asthma Call-Back

Column: 494

Prologue:

Description: NEB PROVENTIL

Type: NUM

SAS Variable Name: NEB_ID_12

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

NEB PULMICORT

Survey: CHILD Asthma Call-Back

Column: 495

Prologue:

Description: NEB PULMICORT

Type: NUM

SAS Variable Name: NEB_ID_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	1.36	1.12
2	No	940	98.64	98.88

NEB TORNALATE

Survey: CHILD Asthma Call-Back

Column: 496

Prologue:

Description: NEB TORNALATE

Type: NUM

SAS Variable Name: NEB_ID_14

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB VENTOLIN

Survey: CHILD Asthma Call-Back

Column: 497

Prologue:

Description: NEB VENTOLIN

Type: NUM

SAS Variable Name: NEB_ID_15

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.21	0.10
2	No	951	99.79	99.90

NEB XOPENEX

Survey: CHILD Asthma Call-Back

Column: 498

Prologue:

Description: NEB XOPENEX

Type: NUM

SAS Variable Name: NEB_ID_16

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	1.36	1.06
2	No	940	98.64	98.94

NEB COMBIVENT INHALATION SOLUTION

Survey: CHILD Asthma Call-Back

Column: 499

Prologue:

Description: NEB COMBIVENT INHALATION SOLUTION

Type: NUM

SAS Variable Name: NEB_ID_17

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

NEB PERFOROMIST/FORMOTEROL

Survey: CHILD Asthma Call-Back

Column: 500

Prologue:

Description: NEB PERFOROMIST/FORMOTEROL

Type: NUM

SAS Variable Name: NEB_ID_18

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

DON'T KNOW/REFUSED

Survey: CHILD Asthma Call-Back

Column: 501

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: NEB_ID_7799

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

OTHER NEBULIZER

Survey: CHILD Asthma Call-Back

Column: 502

Prologue:

Description: NEW OTHER PRESCRIPTION NEBULIZER

Type: NUM

SAS Variable Name: OTHER_NEB

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	953	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

OTHER INHALER TEXT

Survey: CHILD Asthma Call-Back

Column: 503-602

Prologue:

Description: New other prescription inhaler name

Type: CHAR
SAS Variable Name: OTH_I1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	953		

OTHER PILLS TEXT

Survey: CHILD Asthma Call-Back

Column: 603-702

Prologue:

Description: New other prescription pills name

Type: CHAR
SAS Variable Name: OTH_P1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	953		

OTHER SYRUP TEXT

Survey: CHILD Asthma Call-Back

Column: 703-802

Prologue:

Description: New other prescription syrup name

Type: CHAR
SAS Variable Name: OTH_S1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	953		

OTHER NEBULIZER TEXT

Survey: CHILD Asthma Call-Back

Column: 803-902

Prologue:

Description: New other prescription nebulizer name

Type: CHAR
SAS Variable Name: OTH_N1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	953		

INHALER_TEXT: COUGH/COLD MED.

Survey: CHILD Asthma Call-Back

Column: 903

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	6	0.63	0.13
3	No other medication text filled	947	99.37	99.87

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

INHALER_TEXT: ALLERGY MED.

Survey: CHILD Asthma Call-Back

Column: 904

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.10	0.01
2	No	5	0.52	0.12
3	No other medication text filled	947	99.37	99.87

INHALER_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: CHILD Asthma Call-Back

Column: 905

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	6	0.63	0.13
3	No other medication text filled	947	99.37	99.87

INHALER_TEXT: ASTHMA MED., BUT NOT INHALER

Survey: CHILD Asthma Call-Back

Column: 906

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.10	0.01
2	No	5	0.52	0.12
3	No other medication text filled	947	99.37	99.87

INHALER_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: CHILD Asthma Call-Back

Column: 907

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	6	0.63	0.13
3	No other medication text filled	947	99.37	99.87

INHALER_TEXT: WAS BACK CODED TO EXISTING INHALER

Survey: CHILD Asthma Call-Back

Column: 908

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.42	0.11
2	No	2	0.21	0.02
3	No other medication text filled	947	99.37	99.87

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

INHALER_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: CHILD Asthma Call-Back

Column: 909

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	6	0.63	0.13
3	No other medication text filled	947	99.37	99.87

INHALER_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: CHILD Asthma Call-Back

Column: 910

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	6	0.63	0.13
3	No other medication text filled	947	99.37	99.87

INHALER_TEXT: DON'T KNOW

Survey: CHILD Asthma Call-Back

Column: 911

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	6	0.63	0.13
3	No other medication text filled	947	99.37	99.87

PILLS_TEXT: COUGH/COLD MED.

Survey: CHILD Asthma Call-Back

Column: 912

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	6	0.63	0.53
3	No other medication text filled	947	99.37	99.47

PILLS_TEXT: ALLERGY MED.

Survey: CHILD Asthma Call-Back

Column: 913

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.52	0.44
2	No	1	0.10	0.09
3	No other medication text filled	947	99.37	99.47

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILLS_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: CHILD Asthma Call-Back

Column: 914

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	6	0.63	0.53
3	No other medication text filled	947	99.37	99.47

PILLS_TEXT: ASTHMA MED., BUT NOT PILLS

Survey: CHILD Asthma Call-Back

Column: 915

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	6	0.63	0.53
3	No other medication text filled	947	99.37	99.47

PILLS_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: CHILD Asthma Call-Back

Column: 916

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	6	0.63	0.53
3	No other medication text filled	947	99.37	99.47

PILLS_TEXT: WAS BACK CODED TO EXISTING PILLS

Survey: CHILD Asthma Call-Back

Column: 917

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.10	0.09
2	No	5	0.52	0.44
3	No other medication text filled	947	99.37	99.47

PILLS_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: CHILD Asthma Call-Back

Column: 918

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	6	0.63	0.53
3	No other medication text filled	947	99.37	99.47

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILLS_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: CHILD Asthma Call-Back

Column: 919

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	6	0.63	0.53
3	No other medication text filled	947	99.37	99.47

PILLS_TEXT: DON'T KNOW

Survey: CHILD Asthma Call-Back

Column: 920

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	6	0.63	0.53
3	No other medication text filled	947	99.37	99.47

SYRUP_TEXT: COUGH/COLD MED.

Survey: CHILD Asthma Call-Back

Column: 921

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	953	100.00	100.00

SYRUP_TEXT: ALLERGY MED.

Survey: CHILD Asthma Call-Back

Column: 922

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	953	100.00	100.00

SYRUP_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: CHILD Asthma Call-Back

Column: 923

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	953	100.00	100.00

SYRUP_TEXT: ASTHMA MED., BUT NOT SYRUP

Survey: CHILD Asthma Call-Back

Column: 924

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	953	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYRUP_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: CHILD Asthma Call-Back

Column: 925

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	953	100.00	100.00

SYRUP_TEXT: WAS BACK CODED TO EXISTING SYRUP

Survey: CHILD Asthma Call-Back

Column: 926

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	953	100.00	100.00

SYRUP_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: CHILD Asthma Call-Back

Column: 927

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	953	100.00	100.00

SYRUP_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: CHILD Asthma Call-Back

Column: 928

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	953	100.00	100.00

SYRUP_TEXT: DON'T KNOW

Survey: CHILD Asthma Call-Back

Column: 929

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	953	100.00	100.00

NEB_TEXT: COUGH/COLD MED.

Survey: CHILD Asthma Call-Back

Column: 930

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	0.21	0.10
3	No other medication text filled	951	99.79	99.90

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB_TEXT: ALLERGY MED.

Survey: CHILD Asthma Call-Back

Column: 931

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM
SAS Variable Name: NEB_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	0.21	0.10
3	No other medication text filled	951	99.79	99.90

NEB_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: CHILD Asthma Call-Back

Column: 932

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM
SAS Variable Name: NEB_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	0.21	0.10
3	No other medication text filled	951	99.79	99.90

NEB_TEXT: ASTHMA MED., BUT NOT NEB

Survey: CHILD Asthma Call-Back

Column: 933

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM
SAS Variable Name: NEB_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.21	0.10
3	No other medication text filled	951	99.79	99.90

NEB_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: CHILD Asthma Call-Back

Column: 934

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM
SAS Variable Name: NEB_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	0.21	0.10
3	No other medication text filled	951	99.79	99.90

NEB_TEXT: WAS BACK CODED TO EXISTING NEB

Survey: CHILD Asthma Call-Back

Column: 935

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM
SAS Variable Name: NEB_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	0.21	0.10
3	No other medication text filled	951	99.79	99.90

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEB_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: CHILD Asthma Call-Back

Column: 936

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	0.21	0.10
3	No other medication text filled	951	99.79	99.90

NEB_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: CHILD Asthma Call-Back

Column: 937

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	0.21	0.10
3	No other medication text filled	951	99.79	99.90

NEB_TEXT: DON'T KNOW

Survey: CHILD Asthma Call-Back

Column: 938

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	0.21	0.10
3	No other medication text filled	951	99.79	99.90

INHALED CORTICOSTEROIDS

Survey: CHILD Asthma Call-Back

Column: 939-940

Prologue:

Description: INHALED CORTICOSTEROIDS

Type: NUM

SAS Variable Name: INH_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 19	Count	942	98.85	99.13
99	Missing	11	1.15	0.87

INHALED ANTI-INFLAMMATORY

Survey: CHILD Asthma Call-Back

Column: 941-942

Prologue:

Description: INHALED ANTI-INFLAMMATORY

Type: NUM

SAS Variable Name: INH_AI

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 2	Count	942	98.85	99.13
99	Missing	11	1.15	0.87

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

INHALED ANTI-CHOLINERGIC

Survey: CHILD Asthma Call-Back

Column: 943-944

Prologue:

Description: INHALED ANTI-CHOLINERGIC

Type: NUM
SAS Variable Name: INH_AC

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 3	Count	942	98.85	99.13
99	Missing	11	1.15	0.87

INHALED BETA 2 AGONIST SHORT ACTING

Survey: CHILD Asthma Call-Back

Column: 945-946

Prologue:

Description: INHALED BETA 2 AGONIST SHORT ACTING

Type: NUM
SAS Variable Name: INH_B2AS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 14	Count	942	98.85	99.13
99	Missing	11	1.15	0.87

INHALED BETA 2 AGONIST LONG ACTING

Survey: CHILD Asthma Call-Back

Column: 947-948

Prologue:

Description: INHALED BETA 2 AGONIST LONG ACTING

Type: NUM
SAS Variable Name: INH_B2AL

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 7	Count	942	98.85	99.13
99	Missing	11	1.15	0.87

PILL CORTICOSTEROIDS

Survey: CHILD Asthma Call-Back

Column: 949-950

Prologue:

Description: PILL CORTICOSTEROIDS

Type: NUM
SAS Variable Name: PILL_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 6	Count	914	95.91	96.25
99	Missing	39	4.09	3.75

PILL LEUKOTRIENE MODIFIERS

Survey: CHILD Asthma Call-Back

Column: 951-952

Prologue:

Description: PILL LEUKOTRIENE MODIFIERS

Type: NUM
SAS Variable Name: PILL_LM

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 6	Count	914	95.91	96.25
99	Missing	39	4.09	3.75

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL BETA 2 AGONIST

Survey: CHILD Asthma Call-Back

Column: 953-954

Prologue:

Description: PILL BETA 2 AGONIST

Type: NUM
SAS Variable Name: PILL_B2A

Value	Value Label
0 - 9	Count
99	Missing

Frequency	Percentage	Weighted Percentage
914	95.91	96.25
39	4.09	3.75

PILL METHYLXANTHINES

Survey: CHILD Asthma Call-Back

Column: 955-956

Prologue:

Description: PILL METHYLXANTHINES

Type: NUM
SAS Variable Name: PILL_METH

Value	Value Label
0 - 15	Count
99	Missing

Frequency	Percentage	Weighted Percentage
914	95.91	96.25
39	4.09	3.75

SYRUP METHYLXANTHINES

Survey: CHILD Asthma Call-Back

Column: 957-958

Prologue:

Description: SYRUP METHYLXANTHINES

Type: NUM
SAS Variable Name: SYRP_METH

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
924	96.96	95.94
29	3.04	4.06

SYRUP SHORT ACTING BETA 2 AGONIST

Survey: CHILD Asthma Call-Back

Column: 959-960

Prologue:

Description: SYRUP SHORT ACTING BETA 2 AGONIST

Type: NUM
SAS Variable Name: SYRP_B2AS

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
924	96.96	95.94
29	3.04	4.06

SYRUP CORTICOSTEROIDS

Survey: CHILD Asthma Call-Back

Column: 961-962

Prologue:

Description: SYRUP CORTICOSTEROIDS

Type: NUM
SAS Variable Name: SYRP_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
924	96.96	95.94
29	3.04	4.06

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEBULIZER ANTI-INFLAMMATORY

Survey: CHILD Asthma Call-Back

Column: 963-964

Prologue:

Description: NEBULIZER ANTI-INFLAMMATORY

Type: NUM
SAS Variable Name: NEB_AI

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
921	96.64	96.25
32	3.36	3.75

NEBULIZER CORTICOSTEROID

Survey: CHILD Asthma Call-Back

Column: 965-966

Prologue:

Description: NEBULIZER CORTICOSTEROID

Type: NUM
SAS Variable Name: NEB_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
921	96.64	96.25
32	3.36	3.75

NEBULIZER ANTICHOLINERGIC

Survey: CHILD Asthma Call-Back

Column: 967-968

Prologue:

Description: NEBULIZER ANTICHOLINERGIC

Type: NUM
SAS Variable Name: NEB_AC

Value	Value Label
0 - 4	Count
99	Missing

Frequency	Percentage	Weighted Percentage
921	96.64	96.25
32	3.36	3.75

NEBULIZER BETA 2 AGONIST

Survey: CHILD Asthma Call-Back

Column: 969-970

Prologue:

Description: NEBULIZER BETA 2 AGONIST

Type: NUM
SAS Variable Name: NEB_B2A

Value	Value Label
0 - 11	Count
99	Missing

Frequency	Percentage	Weighted Percentage
921	96.64	96.25
32	3.36	3.75

NEBULIZER BETA 2 AGONIST LONG ACTING

Survey: CHILD Asthma Call-Back

Column: 971-972

Prologue:

Description: NEBULIZER BETA 2 AGONIST LONG ACTING

Type: NUM
SAS Variable Name: NEB_B2AL

Value	Value Label
0 - 1	Count
99	Missing

Frequency	Percentage	Weighted Percentage
921	96.64	96.25
32	3.36	3.75

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ADVAIR (+ A. DISKUS): WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 973

Type: NUM

SAS Variable Name: ILP03_1

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

ADVAIR (+ A. DISKUS): WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 974

Type: NUM

SAS Variable Name: ILP04_1

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	32.00	57.92
2	No	30	60.00	38.87
3	No attack in past 3 months	4	8.00	3.21
BLANK	Skip filled	903		

ADVAIR (+ A. DISKUS): BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 975

Type: NUM

SAS Variable Name: ILP05_1

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	32.00	29.63
2	No	34	68.00	70.37
BLANK	Skip filled	903		

ADVAIR (+ A. DISKUS): REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 976

Type: NUM

SAS Variable Name: ILP06_1

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	41	82.00	80.80
2	No	7	14.00	16.99
7	Don't know	2	4.00	2.20
BLANK	Skip filled	903		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ADVAIR (+ A. DISKUS): TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 977-979

Type: NUM

SAS Variable Name: ILP08_1

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	38	76.00	78.09
401 - 499	Weeks	6	12.00	5.83
666	Less often than once a week	4	8.00	14.29
777	Don't know/Not sure	2	4.00	1.79
BLANK	Skip filled	903		

ADVAIR (+ A. DISKUS): NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 980-981

Type: NUM

SAS Variable Name: ILP10_1

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

AEROBID: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 982

Type: NUM

SAS Variable Name: ILP03_2

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	30.43
2	No	2	66.67	69.57
BLANK	Skip filled	950		

AEROBID: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 983

Type: NUM

SAS Variable Name: ILP04_2

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	950		

AEROBID: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 984

Type: NUM

SAS Variable Name: ILP05_2

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	67.71
7	Don't know	1	33.33	32.29
BLANK	Skip filled	950		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

AEROBID: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 985

Type: NUM

SAS Variable Name: ILP06_2

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	100.00	100.00
BLANK	Skip filled	950		

AEROBID: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 986-988

Type: NUM

SAS Variable Name: ILP08_2

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	33.33	32.29
401 - 499	Weeks	1	33.33	37.27
666	Less often than once a week	1	33.33	30.43
BLANK	Skip filled	950		

AEROBID: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 989-990

Type: NUM

SAS Variable Name: ILP10_2

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 991

Type: NUM

SAS Variable Name: ILP03_3

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	98	55.37	59.68
2	No	74	41.81	37.55
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	1	0.56	0.09
4	Medication has a built-in spacer/does not need a spacer	1	0.56	0.46
7	Don't know	3	1.69	2.22
BLANK	Skip filled	776		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 992

Type: NUM

SAS Variable Name: ILP04_3

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	147	83.05	76.48
2	No	17	9.60	19.24
3	No attack in past 3 months	10	5.65	3.01
7	Don't know	2	1.13	1.01
9	Refused	1	0.56	0.26
BLANK	Skip filled	776		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 993

Type: NUM

SAS Variable Name: ILP05_3

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	96	54.24	54.05
2	No	77	43.50	45.03
3	Didn't exercise in past 3 months	1	0.56	0.37
7	Don't know	3	1.69	0.55
BLANK	Skip filled	776		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 994

Type: NUM

SAS Variable Name: ILP06_3

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	46	25.99	42.80
2	No	130	73.45	56.93
7	Don't know	1	0.56	0.26
BLANK	Skip filled	776		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 995-997

Type: NUM

SAS Variable Name: ILP08_3

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	53	29.94	39.93
401 - 499	Weeks	70	39.55	35.47
555	Never	4	2.26	1.90
666	Less often than once a week	41	23.16	18.06
777	Don't know/Not sure	9	5.08	4.63
BLANK	Skip filled	776		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 998-999

Type: NUM

SAS Variable Name: ILP10_3

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	121	68.36	69.47
77	Don't know	6	3.39	4.09
88	None	50	28.25	26.44
BLANK	Skip filled	776		

ALUPENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1000

Type: NUM

SAS Variable Name: ILP03_4

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

ALUPENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1001

Type: NUM

SAS Variable Name: ILP04_4

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

ALUPENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1002

Type: NUM

SAS Variable Name: ILP05_4

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

ALUPENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1003

Type: NUM

SAS Variable Name: ILP06_4

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALUPENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1004-1006

Type: NUM

SAS Variable Name: ILP08_4

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

ALUPENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1007-1008

Type: NUM

SAS Variable Name: ILP10_4

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

ATROVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1009

Type: NUM

SAS Variable Name: ILP03_5

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

ATROVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1010

Type: NUM

SAS Variable Name: ILP04_5

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

ATROVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1011

Type: NUM

SAS Variable Name: ILP05_5

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

ATROVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1012

Type: NUM

SAS Variable Name: ILP06_5

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ATROVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1013-1015

Type: NUM

SAS Variable Name: ILP08_5

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

ATROVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1016-1017

Type: NUM

SAS Variable Name: ILP10_5

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

AZMACORT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1018

Type: NUM

SAS Variable Name: ILP03_6

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

AZMACORT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1019

Type: NUM

SAS Variable Name: ILP04_6

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

AZMACORT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1020

Type: NUM

SAS Variable Name: ILP05_6

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

AZMACORT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1021

Type: NUM

SAS Variable Name: ILP06_6

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

AZMACORT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1022-1024

Type: NUM

SAS Variable Name: ILP08_6

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

AZMACORT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1025-1026

Type: NUM

SAS Variable Name: ILP10_6

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BECLOMETHASONE DIPROPIONATE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1027

Type: NUM

SAS Variable Name: ILP03_7

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BECLOMETHASONE DIPROPIONATE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1028

Type: NUM

SAS Variable Name: ILP04_7

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BECLOMETHASONE DIPROPIONATE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1029

Type: NUM

SAS Variable Name: ILP05_7

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BECLOMETHASONE DIPROPIONATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1030

Type: NUM

SAS Variable Name: ILP06_7

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BECLOMETHASONE DIPROPIONATE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1031-1033

Type: NUM

SAS Variable Name: ILP08_7

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BECLOMETHASONE DIPROPIONATE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1034-1035

Type: NUM

SAS Variable Name: ILP10_7

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BECLOVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1036

Type: NUM

SAS Variable Name: ILP03_8

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BECLOVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1037

Type: NUM

SAS Variable Name: ILP04_8

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BECLOVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1038

Type: NUM

SAS Variable Name: ILP05_8

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BECLOVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1039

Type: NUM

SAS Variable Name: ILP06_8

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BECLOVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1040-1042

Type: NUM

SAS Variable Name: ILP08_8

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BECLOVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1043-1044

Type: NUM

SAS Variable Name: ILP10_8

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BITOLTEROL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1045

Type: NUM

SAS Variable Name: ILP03_9

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BITOLTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1046

Type: NUM

SAS Variable Name: ILP04_9

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BITOLTEROL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1047

Type: NUM

SAS Variable Name: ILP05_9

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BITOLTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1048

Type: NUM

SAS Variable Name: ILP06_9

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BITOLTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1049-1051

Type: NUM

SAS Variable Name: ILP08_9

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BITOLTEROL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1052-1053

Type: NUM

SAS Variable Name: ILP10_9

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BUDESONIDE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1054

Type: NUM

SAS Variable Name: ILP03_11

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BUDESONIDE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1055

Type: NUM

SAS Variable Name: ILP04_11

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BUDESONIDE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1056

Type: NUM

SAS Variable Name: ILP05_11

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BUDESONIDE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1057

Type: NUM

SAS Variable Name: ILP06_11

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BUDESONIDE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1058-1060

Type: NUM

SAS Variable Name: ILP08_11

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BUDESONIDE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1061-1062

Type: NUM

SAS Variable Name: ILP10_11

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

COMBIVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1063

Type: NUM

SAS Variable Name: ILP03_12

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

COMBIVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1064

Type: NUM

SAS Variable Name: ILP04_12

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

COMBIVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1065

Type: NUM

SAS Variable Name: ILP05_12

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

COMBIVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1066

Type: NUM

SAS Variable Name: ILP06_12

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

COMBIVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1067-1069

Type: NUM

SAS Variable Name: ILP08_12

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

COMBIVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1070-1071

Type: NUM

SAS Variable Name: ILP10_12

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

CROMOLYN: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1072

Type: NUM

SAS Variable Name: ILP03_13

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

CROMOLYN: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1073

Type: NUM

SAS Variable Name: ILP04_13

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

CROMOLYN: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1074

Type: NUM

SAS Variable Name: ILP05_13

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

CROMOLYN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1075

Type: NUM

SAS Variable Name: ILP06_13

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

CROMOLYN: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1076-1078

Type: NUM

SAS Variable Name: ILP08_13

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

CROMOLYN: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1079-1080

Type: NUM

SAS Variable Name: ILP10_13

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

FLOVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1081

Type: NUM

SAS Variable Name: ILP03_14

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	55	76.39	84.59
2	No	16	22.22	13.70
7	Don't know	1	1.39	1.71
BLANK	Skip filled	881		

FLOVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1082

Type: NUM

SAS Variable Name: ILP04_14

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	47.22	32.32
2	No	31	43.06	61.60
3	No attack in past 3 months	5	6.94	5.26
7	Don't know	2	2.78	0.81
BLANK	Skip filled	881		

FLOVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1083

Type: NUM

SAS Variable Name: ILP05_14

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	31.94	24.71
2	No	47	65.28	72.07
7	Don't know	1	1.39	0.60
9	Refused	1	1.39	2.62
BLANK	Skip filled	881		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLOVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1084

Type: NUM

SAS Variable Name: ILP06_14

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	52	72.22	81.63
2	No	19	26.39	17.76
7	Don't know	1	1.39	0.60
BLANK	Skip filled	881		

FLOVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1085-1087

Type: NUM

SAS Variable Name: ILP08_14

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	57	79.17	86.56
401 - 499	Weeks	8	11.11	5.78
666	Less often than once a week	4	5.56	6.10
777	Don't know/Not sure	3	4.17	1.56
BLANK	Skip filled	881		

FLOVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1088-1089

Type: NUM

SAS Variable Name: ILP10_14

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

FLOVENT ROTADISK: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1090

Type: NUM

SAS Variable Name: ILP03_15

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

FLOVENT ROTADISK: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1091

Type: NUM

SAS Variable Name: ILP04_15

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	4.83
2	No	2	66.67	95.17
BLANK	Skip filled	950		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLOVENT ROTADISK: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1092

Type: NUM

SAS Variable Name: ILP05_15

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	84.05
2	No	1	33.33	15.95
BLANK	Skip filled	950		

FLOVENT ROTADISK: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1093

Type: NUM

SAS Variable Name: ILP06_15

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	20.79
2	No	1	33.33	79.21
BLANK	Skip filled	950		

FLOVENT ROTADISK: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1094-1096

Type: NUM

SAS Variable Name: ILP08_15

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	66.67	20.79
401 - 499	Weeks	1	33.33	79.21
BLANK	Skip filled	950		

FLOVENT ROTADISK: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1097-1098

Type: NUM

SAS Variable Name: ILP10_15

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

FLUNISOLIDE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1099

Type: NUM

SAS Variable Name: ILP03_16

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLUNISOLIDE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1100

Type: NUM

SAS Variable Name: ILP04_16

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

FLUNISOLIDE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1101

Type: NUM

SAS Variable Name: ILP05_16

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

FLUNISOLIDE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1102

Type: NUM

SAS Variable Name: ILP06_16

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

FLUNISOLIDE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1103-1105

Type: NUM

SAS Variable Name: ILP08_16

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

FLUNISOLIDE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1106-1107

Type: NUM

SAS Variable Name: ILP10_16

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLUTICASONE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1108

Type: NUM

SAS Variable Name: ILP03_17

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	14.47
2	No	1	50.00	85.53
BLANK	Skip filled	951		

FLUTICASONE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1109

Type: NUM

SAS Variable Name: ILP04_17

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	14.47
2	No	1	50.00	85.53
BLANK	Skip filled	951		

FLUTICASONE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1110

Type: NUM

SAS Variable Name: ILP05_17

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	951		

FLUTICASONE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1111

Type: NUM

SAS Variable Name: ILP06_17

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	85.53
2	No	1	50.00	14.47
BLANK	Skip filled	951		

FLUTICASONE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1112-1114

Type: NUM

SAS Variable Name: ILP08_17

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	85.53
401 - 499	Weeks	1	50.00	14.47
BLANK	Skip filled	951		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FLUTICASONE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1115-1116

Type: NUM

SAS Variable Name: ILP10_17

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

IPRATROPIUM BROMIDE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1117

Type: NUM

SAS Variable Name: ILP03_19

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

IPRATROPIUM BROMIDE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1118

Type: NUM

SAS Variable Name: ILP04_19

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

IPRATROPIUM BROMIDE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1119

Type: NUM

SAS Variable Name: ILP05_19

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

IPRATROPIUM BROMIDE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1120

Type: NUM

SAS Variable Name: ILP06_19

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

IPRATROPIUM BROMIDE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1121-1123

Type: NUM

SAS Variable Name: ILP08_19

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

IPRATROPIUM BROMIDE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1124-1125

Type: NUM

SAS Variable Name: ILP10_19

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

MAXAIR: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1126

Type: NUM

SAS Variable Name: ILP03_20

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

MAXAIR: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1127

Type: NUM

SAS Variable Name: ILP04_20

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	951		

MAXAIR: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1128

Type: NUM

SAS Variable Name: ILP05_20

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	951		

MAXAIR: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1129

Type: NUM

SAS Variable Name: ILP06_20

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	35.53
2	No	1	50.00	64.47
BLANK	Skip filled	951		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

MAXAIR: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1130-1132

Type: NUM

SAS Variable Name: ILP08_20

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	50.00	64.47
777	Don't know/Not sure	1	50.00	35.53
BLANK	Skip filled	951		

MAXAIR: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1133-1134

Type: NUM

SAS Variable Name: ILP10_20

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	2	100.00	100.00
BLANK	Skip filled	951		

METAPROTERONOL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1135

Type: NUM

SAS Variable Name: ILP03_21

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

METAPROTERONOL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1136

Type: NUM

SAS Variable Name: ILP04_21

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

METAPROTERONOL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1137

Type: NUM

SAS Variable Name: ILP05_21

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

METAPROTERONOL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1138

Type: NUM

SAS Variable Name: ILP06_21

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

METAPROTERONOL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1139-1141

Type: NUM

SAS Variable Name: ILP08_21

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

METAPROTERONOL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1142-1143

Type: NUM

SAS Variable Name: ILP10_21

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

NEDOCROMIL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1144

Type: NUM

SAS Variable Name: ILP03_22

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

NEDOCROMIL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1145

Type: NUM

SAS Variable Name: ILP04_22

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

NEDOCROMIL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1146

Type: NUM

SAS Variable Name: ILP05_22

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

NEDOCROMIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1147

Type: NUM

SAS Variable Name: ILP06_22

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

NEDOCROMIL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1148-1150

Type: NUM

SAS Variable Name: ILP08_22

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

NEDOCROMIL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1151-1152

Type: NUM

SAS Variable Name: ILP10_22

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PIRBUTEROL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1153

Type: NUM

SAS Variable Name: ILP03_23

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PIRBUTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1154

Type: NUM

SAS Variable Name: ILP04_23

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PIRBUTEROL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1155

Type: NUM

SAS Variable Name: ILP05_23

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PIRBUTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1156

Type: NUM

SAS Variable Name: ILP06_23

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PIRBUTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1157-1159

Type: NUM

SAS Variable Name: ILP08_23

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PIRBUTEROL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1160-1161

Type: NUM

SAS Variable Name: ILP10_23

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PROVENTIL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1162

Type: NUM

SAS Variable Name: ILP03_24

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	55.00	62.68
2	No	9	45.00	37.32
BLANK	Skip filled	933		

PROVENTIL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1163

Type: NUM

SAS Variable Name: ILP04_24

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	85.00	93.15
2	No	3	15.00	6.85
BLANK	Skip filled	933		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PROVENTIL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1164

Type: NUM

SAS Variable Name: ILP05_24

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	40.00	54.27
2	No	12	60.00	45.73
BLANK	Skip filled	933		

PROVENTIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1165

Type: NUM

SAS Variable Name: ILP06_24

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	35.00	59.76
2	No	13	65.00	40.24
BLANK	Skip filled	933		

PROVENTIL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1166-1168

Type: NUM

SAS Variable Name: ILP08_24

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	7	35.00	59.76
401 - 499	Weeks	9	45.00	27.07
555	Never	1	5.00	6.37
666	Less often than once a week	3	15.00	6.80
BLANK	Skip filled	933		

PROVENTIL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1169-1170

Type: NUM

SAS Variable Name: ILP10_24

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	15	75.00	70.79
77	Don't know	1	5.00	3.16
88	None	3	15.00	19.68
99	Refused	1	5.00	6.37
BLANK	Skip filled	933		

PULMICORT FLEXHALER: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1171

Type: NUM

SAS Variable Name: ILP03_25

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	933		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PULMICORT FLEXHALER: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1172

Type: NUM

SAS Variable Name: ILP04_25

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	30.00	44.02
2	No	12	60.00	45.61
3	No attack in past 3 months	1	5.00	9.80
7	Don't know	1	5.00	0.57
BLANK	Skip filled	933		

PULMICORT FLEXHALER: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1173

Type: NUM

SAS Variable Name: ILP05_25

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	10.00	11.51
2	No	18	90.00	88.49
BLANK	Skip filled	933		

PULMICORT FLEXHALER: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1174

Type: NUM

SAS Variable Name: ILP06_25

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	85.00	83.60
2	No	3	15.00	16.40
BLANK	Skip filled	933		

PULMICORT FLEXHALER: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1175-1177

Type: NUM

SAS Variable Name: ILP08_25

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	17	85.00	67.25
401 - 499	Weeks	2	10.00	27.40
666	Less often than once a week	1	5.00	5.35
BLANK	Skip filled	933		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PULMICORT FLEXHALER: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1178-1179

Type: NUM

SAS Variable Name: ILP10_25

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

SALMETEROL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1180

Type: NUM

SAS Variable Name: ILP03_26

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

SALMETEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1181

Type: NUM

SAS Variable Name: ILP04_26

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

SALMETEROL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1182

Type: NUM

SAS Variable Name: ILP05_26

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

SALMETEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1183

Type: NUM

SAS Variable Name: ILP06_26

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

SALMETEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1184-1186

Type: NUM

SAS Variable Name: ILP08_26

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SALMETEROL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1187-1188

Type: NUM

SAS Variable Name: ILP10_26

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

SEREVENT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1189

Type: NUM

SAS Variable Name: ILP03_27

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

SEREVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1190

Type: NUM

SAS Variable Name: ILP04_27

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

SEREVENT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1191

Type: NUM

SAS Variable Name: ILP05_27

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

SEREVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1192

Type: NUM

SAS Variable Name: ILP06_27

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

SEREVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1193-1195

Type: NUM

SAS Variable Name: ILP08_27

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SEREVENT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1196-1197

Type: NUM

SAS Variable Name: ILP10_27

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

TERBUTALINE (+ T. SULFATE): WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1198

Type: NUM

SAS Variable Name: ILP03_28

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

TERBUTALINE (+ T. SULFATE): WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1199

Type: NUM

SAS Variable Name: ILP04_28

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

TERBUTALINE (+ T. SULFATE): BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1200

Type: NUM

SAS Variable Name: ILP05_28

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1201

Type: NUM

SAS Variable Name: ILP06_28

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

TERBUTALINE (+ T. SULFATE): TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1202-1204

Type: NUM

SAS Variable Name: ILP08_28

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TERBUTALINE (+ T. SULFATE): NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1205-1206

Type: NUM

SAS Variable Name: ILP10_28

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

TORNALATE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1207

Type: NUM

SAS Variable Name: ILP03_30

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

TORNALATE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1208

Type: NUM

SAS Variable Name: ILP04_30

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

TORNALATE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1209

Type: NUM

SAS Variable Name: ILP05_30

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

TORNALATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1210

Type: NUM

SAS Variable Name: ILP06_30

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

TORNALATE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1211-1213

Type: NUM

SAS Variable Name: ILP08_30

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TORNALATE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1214-1215

Type: NUM

SAS Variable Name: ILP10_30

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

TRIAMCINOLONE ACETONIDE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1216

Type: NUM

SAS Variable Name: ILP03_31

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

TRIAMCINOLONE ACETONIDE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1217

Type: NUM

SAS Variable Name: ILP04_31

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

TRIAMCINOLONE ACETONIDE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1218

Type: NUM

SAS Variable Name: ILP05_31

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

TRIAMCINOLONE ACETONIDE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1219

Type: NUM

SAS Variable Name: ILP06_31

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

TRIAMCINOLONE ACETONIDE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1220-1222

Type: NUM

SAS Variable Name: ILP08_31

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TRIAMCINOLONE ACETONIDE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1223-1224

Type: NUM

SAS Variable Name: ILP10_31

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

VANCERIL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1225

Type: NUM

SAS Variable Name: ILP03_32

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	952		

VANCERIL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1226

Type: NUM

SAS Variable Name: ILP04_32

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	952		

VANCERIL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1227

Type: NUM

SAS Variable Name: ILP05_32

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	952		

VANCERIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1228

Type: NUM

SAS Variable Name: ILP06_32

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	952		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

VANCERIL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1229-1231

Type: NUM

SAS Variable Name: ILP08_32

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	100.00	100.00
BLANK	Skip filled	952		

VANCERIL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1232-1233

Type: NUM

SAS Variable Name: ILP10_32

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

VENTOLIN: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1234

Type: NUM

SAS Variable Name: ILP03_33

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	35	56.45	53.36
2	No	25	40.32	46.15
4	Medication has a built-in spacer/does not need a spacer	1	1.61	0.16
7	Don't know	1	1.61	0.33
BLANK	Skip filled	891		

VENTOLIN: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1235

Type: NUM

SAS Variable Name: ILP04_33

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	52	83.87	80.76
2	No	7	11.29	16.50
3	No attack in past 3 months	3	4.84	2.73
BLANK	Skip filled	891		

VENTOLIN: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1236

Type: NUM

SAS Variable Name: ILP05_33

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	33	53.23	41.84
2	No	28	45.16	52.87
3	Didn't exercise in past 3 months	1	1.61	5.29
BLANK	Skip filled	891		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

VENTOLIN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1237

Type: NUM

SAS Variable Name: ILP06_33

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	22.58	34.95
2	No	48	77.42	65.05
BLANK	Skip filled	891		

VENTOLIN: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1238-1240

Type: NUM

SAS Variable Name: ILP08_33

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	18	29.03	25.39
401 - 499	Weeks	25	40.32	52.28
555	Never	1	1.61	0.32
666	Less often than once a week	15	24.19	16.28
777	Don't know/Not sure	3	4.84	5.73
BLANK	Skip filled	891		

VENTOLIN: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1241-1242

Type: NUM

SAS Variable Name: ILP10_33

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	47	75.81	64.71
77	Don't know	3	4.84	2.03
88	None	12	19.35	33.26
BLANK	Skip filled	891		

FORADIL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1243

Type: NUM

SAS Variable Name: ILP03_34

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

FORADIL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1244

Type: NUM

SAS Variable Name: ILP04_34

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FORADIL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1245

Type: NUM

SAS Variable Name: ILP05_34

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

FORADIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1246

Type: NUM

SAS Variable Name: ILP06_34

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

FORADIL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1247-1249

Type: NUM

SAS Variable Name: ILP08_34

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

FORADIL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1250-1251

Type: NUM

SAS Variable Name: ILP10_34

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

FORMOTEROL: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1252

Type: NUM

SAS Variable Name: ILP03_35

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

FORMOTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1253

Type: NUM

SAS Variable Name: ILP04_35

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

FORMOTEROL: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1254

Type: NUM

SAS Variable Name: ILP05_35

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

FORMOTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1255

Type: NUM

SAS Variable Name: ILP06_35

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

FORMOTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1256-1258

Type: NUM

SAS Variable Name: ILP08_35

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

FORMOTEROL: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1259-1260

Type: NUM

SAS Variable Name: ILP10_35

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

QVAR: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1261

Type: NUM

SAS Variable Name: ILP03_36

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	63.33	72.45
2	No	11	36.67	27.55
BLANK	Skip filled	923		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

QVAR: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1262

Type: NUM

SAS Variable Name: ILP04_36

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	50.00	61.02
2	No	14	46.67	38.24
3	No attack in past 3 months	1	3.33	0.74
BLANK	Skip filled	923		

QVAR: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1263

Type: NUM

SAS Variable Name: ILP05_36

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	26.67	38.69
2	No	21	70.00	60.57
3	Didn't exercise in past 3 months	1	3.33	0.74
BLANK	Skip filled	923		

QVAR: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1264

Type: NUM

SAS Variable Name: ILP06_36

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	25	83.33	85.94
2	No	5	16.67	14.06
BLANK	Skip filled	923		

QVAR: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1265-1267

Type: NUM

SAS Variable Name: ILP08_36

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	27	90.00	90.09
666	Less often than once a week	2	6.67	4.93
777	Don't know/Not sure	1	3.33	4.99
BLANK	Skip filled	923		

QVAR: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1268-1269

Type: NUM

SAS Variable Name: ILP10_36

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

LEVALBUTEROL TARTRATE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1270

Type: NUM

SAS Variable Name: ILP03_37

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

LEVALBUTEROL TARTRATE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1271

Type: NUM

SAS Variable Name: ILP04_37

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

LEVALBUTEROL TARTRATE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1272

Type: NUM

SAS Variable Name: ILP05_37

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

LEVALBUTEROL TARTRATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1273

Type: NUM

SAS Variable Name: ILP06_37

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

LEVALBUTEROL TARTRATE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1274-1276

Type: NUM

SAS Variable Name: ILP08_37

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

LEVALBUTEROL TARTRATE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1277-1278

Type: NUM

SAS Variable Name: ILP10_37

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

XOPENEX HFA: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1279

Type: NUM

SAS Variable Name: ILP03_38

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	56.00	82.12
2	No	11	44.00	17.88
BLANK	Skip filled	928		

XOPENEX HFA: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1280

Type: NUM

SAS Variable Name: ILP04_38

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	76.00	91.88
2	No	5	20.00	7.45
7	Don't know	1	4.00	0.67
BLANK	Skip filled	928		

XOPENEX HFA: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1281

Type: NUM

SAS Variable Name: ILP05_38

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	44.00	72.62
2	No	13	52.00	26.72
9	Refused	1	4.00	0.67
BLANK	Skip filled	928		

XOPENEX HFA: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1282

Type: NUM

SAS Variable Name: ILP06_38

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	32.00	65.72
2	No	16	64.00	33.61
9	Refused	1	4.00	0.67
BLANK	Skip filled	928		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

XOPENEX HFA: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1283-1285

Type: NUM

SAS Variable Name: ILP08_38

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	10	40.00	69.85
401 - 499	Weeks	4	16.00	10.44
555	Never	2	8.00	1.79
666	Less often than once a week	7	28.00	17.20
777	Don't know/Not sure	1	4.00	0.06
999	Refused	1	4.00	0.67
BLANK	Skip filled	928		

XOPENEX HFA: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1286-1287

Type: NUM

SAS Variable Name: ILP10_38

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	15	60.00	81.07
88	None	10	40.00	18.93
BLANK	Skip filled	928		

MOMETASONE FUROATE: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1288

Type: NUM

SAS Variable Name: ILP03_39

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

MOMETASONE FUROATE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1289

Type: NUM

SAS Variable Name: ILP04_39

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	952		

MOMETASONE FUROATE: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1290

Type: NUM

SAS Variable Name: ILP05_39

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	952		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

MOMETASONE FUROATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1291

Type: NUM

SAS Variable Name: ILP06_39

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	952		

MOMETASONE FUROATE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1292-1294

Type: NUM

SAS Variable Name: ILP08_39

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	952		

MOMETASONE FUROATE: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1295-1296

Type: NUM

SAS Variable Name: ILP10_39

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

ASMANEX (TWISTHALER): WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1297

Type: NUM

SAS Variable Name: ILP03_40

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

ASMANEX (TWISTHALER): WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1298

Type: NUM

SAS Variable Name: ILP04_40

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	16.67	5.40
2	No	5	83.33	94.60
BLANK	Skip filled	947		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ASMANEX (TWISTHALER): BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1299

Type: NUM

SAS Variable Name: ILP05_40

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	16.67	5.40
2	No	5	83.33	94.60
BLANK	Skip filled	947		

ASMANEX (TWISTHALER): REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1300

Type: NUM

SAS Variable Name: ILP06_40

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	83.33	94.60
2	No	1	16.67	5.40
BLANK	Skip filled	947		

ASMANEX (TWISTHALER): TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1301-1303

Type: NUM

SAS Variable Name: ILP08_40

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	5	83.33	94.60
401 - 499	Weeks	1	16.67	5.40
BLANK	Skip filled	947		

ASMANEX (TWISTHALER): NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1304-1305

Type: NUM

SAS Variable Name: ILP10_40

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PRO-AIR HFA: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1306

Type: NUM

SAS Variable Name: ILP03_41

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	48.33	40.77
2	No	31	51.67	59.23
BLANK	Skip filled	893		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PRO-AIR HFA: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1307

Type: NUM

SAS Variable Name: ILP04_41

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	55	91.67	97.05
2	No	4	6.67	1.90
3	No attack in past 3 months	1	1.67	1.05
BLANK	Skip filled	893		

PRO-AIR HFA: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1308

Type: NUM

SAS Variable Name: ILP05_41

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	28	46.67	43.46
2	No	31	51.67	55.46
7	Don't know	1	1.67	1.08
BLANK	Skip filled	893		

PRO-AIR HFA: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1309

Type: NUM

SAS Variable Name: ILP06_41

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	25.00	25.55
2	No	45	75.00	74.45
BLANK	Skip filled	893		

PRO-AIR HFA: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1310-1312

Type: NUM

SAS Variable Name: ILP08_41

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	17	28.33	22.95
401 - 499	Weeks	20	33.33	32.26
555	Never	1	1.67	2.58
666	Less often than once a week	19	31.67	39.60
777	Don't know/Not sure	2	3.33	2.15
999	Refused	1	1.67	0.46
BLANK	Skip filled	893		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PRO-AIR HFA: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1313-1314

Type: NUM

SAS Variable Name: ILP10_41

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	41	68.33	61.24
88	None	19	31.67	38.76
BLANK	Skip filled	893		

SYMBICORT: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1315

Type: NUM

SAS Variable Name: ILP03_42

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Does [he/she] use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

SYMBICORT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1316

Type: NUM

SAS Variable Name: ILP04_42

Prologue:

Description: Q8.14 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] when [he/she] had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	46.15	35.82
2	No	6	46.15	62.67
3	No attack in past 3 months	1	7.69	1.51
BLANK	Skip filled	940		

SYMBICORT: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1317

Type: NUM

SAS Variable Name: ILP05_42

Prologue:

Description: Q8.15 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	38.46	27.72
2	No	8	61.54	72.28
BLANK	Skip filled	940		

SYMBICORT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1318

Type: NUM

SAS Variable Name: ILP06_42

Prologue:

Description: Q8.16 In the past 3 months, did [he/she] take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	92.31	85.73
2	No	1	7.69	14.27
BLANK	Skip filled	940		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

SYMBICORT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1319-1321

Type: NUM

SAS Variable Name: ILP08_42

Prologue:

Description: Q8.18 How many times per day or per week does [he/she] use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	13	100.00	100.00
BLANK	Skip filled	940		

SYMBICORT: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1322-1323

Type: NUM

SAS Variable Name: ILP10_42

Prologue:

Description: Q8.19 How many canisters of this inhaler has [he/she] used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

ALVESCO: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1324

Type: NUM

SAS Variable Name: ILP03_43

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	950		

ALVESCO: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1325

Type: NUM

SAS Variable Name: ILP04_43

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	78.14
2	No	2	66.67	21.86
BLANK	Skip filled	950		

ALVESCO: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1326

Type: NUM

SAS Variable Name: ILP05_43

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	3	100.00	100.00
BLANK	Skip filled	950		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALVESCO: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1327

Type: NUM

SAS Variable Name: ILP06_43

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	81.62
2	No	1	33.33	18.38
BLANK	Skip filled	950		

ALVESCO: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1328-1330

Type: NUM

SAS Variable Name: ILP08_43

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	33.33	3.48
666	Less often than once a week	2	66.67	96.52
BLANK	Skip filled	950		

ALVESCO: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1331-1332

Type: NUM

SAS Variable Name: ILP10_43

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

DULERA: WHETHER SPACER USED

Survey: CHILD Asthma Call-Back

Column: 1333

Type: NUM

SAS Variable Name: ILP03_44

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	36.24
2	No	5	71.43	63.76
BLANK	Skip filled	946		

DULERA: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1334

Type: NUM

SAS Variable Name: ILP04_44

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	34.17
2	No	5	71.43	65.83
BLANK	Skip filled	946		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DULERA: BEFORE EXERCISING

Survey: CHILD Asthma Call-Back

Column: 1335

Type: NUM

SAS Variable Name: ILP05_44

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	34.17
2	No	4	57.14	47.95
3	Didn't exercise in past 3 months	1	14.29	17.88
BLANK	Skip filled	946		

DULERA: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1336

Type: NUM

SAS Variable Name: ILP06_44

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	100.00	100.00
BLANK	Skip filled	946		

DULERA: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1337-1339

Type: NUM

SAS Variable Name: ILP08_44

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	7	100.00	100.00
BLANK	Skip filled	946		

DULERA: NUMBER OF CANISTERS

Survey: CHILD Asthma Call-Back

Column: 1340-1341

Type: NUM

SAS Variable Name: ILP10_44

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL ACCOLATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1342

Type: NUM

SAS Variable Name: PILL01_1

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	952		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL AEROLATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1343

Type: NUM

SAS Variable Name: PILL01_2

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL ALBUTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1344

Type: NUM

SAS Variable Name: PILL01_3

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	952		

PILL ALUPENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1345

Type: NUM

SAS Variable Name: PILL01_4

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL CHOLEDYL (OXTRIPHYLLINE): REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1346

Type: NUM

SAS Variable Name: PILL01_5

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL DELTASONE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1347

Type: NUM

SAS Variable Name: PILL01_7

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL ELIXOPHYLLIN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1348

Type: NUM

SAS Variable Name: PILL01_8

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL MEDROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1349

Type: NUM

SAS Variable Name: PILL01_11

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL METAPREL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1350

Type: NUM

SAS Variable Name: PILL01_12

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL METAPROTERONOL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1351

Type: NUM

SAS Variable Name: PILL01_13

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL METHYLPREDNISOLONE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1352

Type: NUM

SAS Variable Name: PILL01_14

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL MONTELUKAST: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1353

Type: NUM

SAS Variable Name: PILL01_15

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	86.67	91.39
2	No	2	13.33	8.61
BLANK	Skip filled	938		

PILL PEDIAPRED: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1354

Type: NUM

SAS Variable Name: PILL01_17

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL PREDNISOLONE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1355

Type: NUM

SAS Variable Name: PILL01_18

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL PREDNISONE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1356

Type: NUM

SAS Variable Name: PILL01_19

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	33.33	38.86
2	No	4	66.67	61.14
BLANK	Skip filled	947		

PILL PROVENTIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1357

Type: NUM

SAS Variable Name: PILL01_21

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL RESPID: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1358

Type: NUM

SAS Variable Name: PILL01_23

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL SINGULAIR: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1359

Type: NUM

SAS Variable Name: PILL01_24

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	87	92.55	93.99
2	No	6	6.38	5.08
7	Don't know	1	1.06	0.92
BLANK	Skip filled	859		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL SLO-PHYLLIN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1360

Type: NUM

SAS Variable Name: PILL01_25

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL SLO-BID: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1361

Type: NUM

SAS Variable Name: PILL01_26

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL THEO-24: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1362

Type: NUM

SAS Variable Name: PILL01_28

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL THEOCHRON: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1363

Type: NUM

SAS Variable Name: PILL01_30

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL THEOCLEAR: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1364

Type: NUM

SAS Variable Name: PILL01_31

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL THEODUR: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1365

Type: NUM

SAS Variable Name: PILL01_32

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL THEO-DUR: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1366

Type: NUM

SAS Variable Name: PILL01_33

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL THEOPHYLLINE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1367

Type: NUM

SAS Variable Name: PILL01_35

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL THEOSPAN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1368

Type: NUM

SAS Variable Name: PILL01_37

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL T-PHYL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1369

Type: NUM

SAS Variable Name: PILL01_40

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL UNIPHYL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1370

Type: NUM

SAS Variable Name: PILL01_42

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL VENTOLIN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1371

Type: NUM

SAS Variable Name: PILL01_43

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PILL VOLMAX: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1372

Type: NUM

SAS Variable Name: PILL01_44

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL ZAFIRLUKAST: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1373

Type: NUM

SAS Variable Name: PILL01_45

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL ZILEUTON: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1374

Type: NUM

SAS Variable Name: PILL01_46

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL ZYFLO FILMTAB: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1375

Type: NUM

SAS Variable Name: PILL01_47

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1376

Type: NUM

SAS Variable Name: PILL01_48

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PILL BRETHINE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1377

Type: NUM

SAS Variable Name: PILL01_49

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALBUTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1378

Type: NUM

SAS Variable Name: NEB01_1

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	103	89.57	91.36
2	No	6	5.22	2.62
3	No attack in past 3 months	4	3.48	3.72
7	Don't know	2	1.74	2.30
BLANK	Skip filled	838		

ALBUTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1379

Type: NUM

SAS Variable Name: NEB02_1

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26	22.61	27.35
2	No	89	77.39	72.65
BLANK	Skip filled	838		

ALBUTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1380

Type: NUM

SAS Variable Name: NEB03_1

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	27	23.48	25.12
401 - 499	Weeks	28	24.35	25.78
555	Never	6	5.22	4.04
666	Less often than once a week	46	40.00	39.35
777	Don't know/Not sure	6	5.22	5.38
999	Refused	2	1.74	0.33
BLANK	Skip filled	838		

ALUPENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1381

Type: NUM

SAS Variable Name: NEB01_2

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

ALUPENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1382

Type: NUM

SAS Variable Name: NEB02_2

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

ALUPENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1383

Type: NUM

SAS Variable Name: NEB03_2

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

ATROVENT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1384

Type: NUM

SAS Variable Name: NEB01_3

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	951		

ATROVENT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1385

Type: NUM

SAS Variable Name: NEB02_3

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	951		

ATROVENT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1386

Type: NUM

SAS Variable Name: NEB03_3

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
666	Less often than once a week	2	100.00	100.00
BLANK	Skip filled	951		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BITOLTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1387

Type: NUM

SAS Variable Name: NEB01_4

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BITOLTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1388

Type: NUM

SAS Variable Name: NEB02_4

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BITOLTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1389

Type: NUM

SAS Variable Name: NEB03_4

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

BUDESONIDE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1390

Type: NUM

SAS Variable Name: NEB01_5

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	40.00	64.39
2	No	5	50.00	22.69
3	No attack in past 3 months	1	10.00	12.92
BLANK	Skip filled	943		

BUDESONIDE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1391

Type: NUM

SAS Variable Name: NEB02_5

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	70.00	80.23
2	No	3	30.00	19.77
BLANK	Skip filled	943		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

BUDESONIDE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1392

Type: NUM

SAS Variable Name: NEB03_5

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	7	70.00	80.23
666	Less often than once a week	3	30.00	19.77
BLANK	Skip filled	943		

CROMOLYN: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1393

Type: NUM

SAS Variable Name: NEB01_6

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

CROMOLYN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1394

Type: NUM

SAS Variable Name: NEB02_6

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

CROMOLYN: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1395

Type: NUM

SAS Variable Name: NEB03_6

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

DUONEB: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1396

Type: NUM

SAS Variable Name: NEB01_7

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	90.94
2	No	1	33.33	9.06
BLANK	Skip filled	950		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

DUONEB: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1397

Type: NUM

SAS Variable Name: NEB02_7

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	49.59
2	No	2	66.67	50.41
BLANK	Skip filled	950		

DUONEB: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1398

Type: NUM

SAS Variable Name: NEB03_7

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	33.33	49.59
666	Less often than once a week	2	66.67	50.41
BLANK	Skip filled	950		

INTAL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1399

Type: NUM

SAS Variable Name: NEB01_8

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

INTAL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1400

Type: NUM

SAS Variable Name: NEB02_8

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

INTAL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1401

Type: NUM

SAS Variable Name: NEB03_8

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

IPRATROPRIMUM BROMIDE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1402

Type: NUM

SAS Variable Name: NEB01_9

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	952		

IPRATROPRIMUM BROMIDE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1403

Type: NUM

SAS Variable Name: NEB02_9

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	952		

IPRATROPRIMUM BROMIDE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1404

Type: NUM

SAS Variable Name: NEB03_9

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
666	Less often than once a week	1	100.00	100.00
BLANK	Skip filled	952		

LEVALBUTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1405

Type: NUM

SAS Variable Name: NEB01_10

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	83.36
2	No	1	33.33	16.64
BLANK	Skip filled	950		

LEVALBUTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1406

Type: NUM

SAS Variable Name: NEB02_10

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	16.64
2	No	2	66.67	83.36
BLANK	Skip filled	950		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

LEVALBUTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1407

Type: NUM

SAS Variable Name: NEB03_10

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	33.33	16.64
666	Less often than once a week	2	66.67	83.36
BLANK	Skip filled	950		

METAPROTERONOL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1408

Type: NUM

SAS Variable Name: NEB01_11

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

METAPROTERONOL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1409

Type: NUM

SAS Variable Name: NEB02_11

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

METAPROTERONOL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1410

Type: NUM

SAS Variable Name: NEB03_11

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PROVENTIL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1411

Type: NUM

SAS Variable Name: NEB01_12

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

PROVENTIL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1412

Type: NUM

SAS Variable Name: NEB02_12

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PROVENTIL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1413

Type: NUM

SAS Variable Name: NEB03_12

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PULMICORT: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1414

Type: NUM

SAS Variable Name: NEB01_13

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	83.33	92.45
2	No	1	8.33	6.00
3	No attack in past 3 months	1	8.33	1.55
BLANK	Skip filled	941		

PULMICORT: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1415

Type: NUM

SAS Variable Name: NEB02_13

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	75.00	80.54
2	No	3	25.00	19.46
BLANK	Skip filled	941		

PULMICORT: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1416

Type: NUM

SAS Variable Name: NEB03_13

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	8	66.67	78.99
401 - 499	Weeks	1	8.33	4.37
555	Never	2	16.67	6.89
666	Less often than once a week	1	8.33	9.75
BLANK	Skip filled	941		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

TORNALATE: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1417

Type: NUM

SAS Variable Name: NEB01_14

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

TORNALATE: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1418

Type: NUM

SAS Variable Name: NEB02_14

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

TORNALATE: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1419

Type: NUM

SAS Variable Name: NEB03_14

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

VENTOLIN: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1420

Type: NUM

SAS Variable Name: NEB01_15

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	47.70
2	No	1	50.00	52.30
BLANK	Skip filled	951		

VENTOLIN: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1421

Type: NUM

SAS Variable Name: NEB02_15

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	47.70
2	No	1	50.00	52.30
BLANK	Skip filled	951		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

VENTOLIN: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1422

Type: NUM

SAS Variable Name: NEB03_15

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	47.70
666	Less often than once a week	1	50.00	52.30
BLANK	Skip filled	951		

XOPENEX: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1423

Type: NUM

SAS Variable Name: NEB01_16

Prologue:

Description: Q8.28 In the past 3 months, did child's name take [MEDICINE FROM NEB_ID SERIES] when he/she had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	69.23	67.49
2	No	3	23.08	24.90
3	No attack in past 3 months	1	7.69	7.61
BLANK	Skip filled	940		

XOPENEX: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1424

Type: NUM

SAS Variable Name: NEB02_16

Prologue:

Description: Q8.29 In the past 3 months, did he/she take [MEDICINE FROM NEB_ID SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	23.08	6.24
2	No	10	76.92	93.76
BLANK	Skip filled	940		

XOPENEX: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1425

Type: NUM

SAS Variable Name: NEB03_16

Prologue:

Description: Q8.30 How many times per day or per week does he/she use [MEDICINE FROM NEB_ID SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	23.08	6.24
401 - 499	Weeks	2	15.38	23.09
555	Never	3	23.08	20.90
666	Less often than once a week	5	38.46	49.78
BLANK	Skip filled	940		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

COMBIVENT INHALATION SOLUTION: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1426

Type: NUM

SAS Variable Name: NEB01_17

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

COMBIVENT INHALATION SOLUTION: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1427

Type: NUM

SAS Variable Name: NEB02_17

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

COMBIVENT INHALATION SOLUTION: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1428

Type: NUM

SAS Variable Name: NEB03_17

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PERFORMIST/FORMOTEROL: WHEN ATTACK

Survey: CHILD Asthma Call-Back

Column: 1429

Type: NUM

SAS Variable Name: NEB01_18

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PERFORMIST/FORMOTEROL: REGULAR SCHEDULE

Survey: CHILD Asthma Call-Back

Column: 1430

Type: NUM

SAS Variable Name: NEB02_18

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

PERFORMIST/FORMOTEROL: TIMES PER DAY/WEEK

Survey: CHILD Asthma Call-Back

Column: 1431

Type: NUM

SAS Variable Name: NEB03_18

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	953		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

INTERIM CHILD ASTHMA CALL-BACK WEIGHT

Survey: CHILD Asthma Call-Back

Column: 1432-1441

Prologue:

Description: INTERIM CHILD ASTHMA CALL-BACK WEIGHT

Type: NUM
SAS Variable Name: CWEIGHT_IN

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interim child asthma call-back weight	953	100.00	100.00

CHILD ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Survey: CHILD Asthma Call-Back

Column: 1442-1451

Prologue:

Description: CHILD ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Type: NUM
SAS Variable Name: CPOST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Child asthma call-back post stratification factor	953	100.00	100.00

REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.

Survey: CHILD Asthma Call-Back

Column: 1452

Prologue:

Description: REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.

Type: NUM
SAS Variable Name: REGION_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No region collapsed	953		

CHILD RACE GROUP FOR ASTHMA CALL-BACK POST-STRATIFICATION

Survey: CHILD Asthma Call-Back

Column: 1453

Prologue:

Description: CHILD RACE GROUP FOR ASTHMA CALL-BACK POST-STRATIFICATION

Type: NUM
SAS Variable Name: CRACEG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Races are collapsed to 1 group	953	100.00	100.00

IMPUTED CHILD AGE FOR ASTHMA CALL-BACK

Survey: CHILD Asthma Call-Back

Column: 1454-1456

Prologue:

Description: IMPUTED CHILD AGE FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: _CIMPAGE

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Child age in years, combined, imputed and reported	953	100.00	100.00

FINAL LAND LINE AND CELL PHONE COMBINED CHILD ASTHMA CALL-BACK WEIGHT

Survey: CHILD Asthma Call-Back

Column: 1457-1466

Prologue:

Description: FINAL LAND LINE AND CELL PHONE COMBINED CHILD ASTHMA CALL-BACK WEIGHT

Type: NUM
SAS Variable Name: CLLCPWT_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Final land line and cell phone combined child asthma call-back weight	953	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013**

CHILD ASTHMA CALL-BACK AGE GROUPS

Survey: CHILD Asthma Call-Back

Column: 1467

Prologue:

Description: CHILD ASTHMA CALL-BACK AGE GROUPS

Type: NUM
SAS Variable Name: CAGEG_F4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 0 - 4	42	6.15	7.56
2	Age 5 - 9	145	21.23	29.09
3	Age 10 - 14	305	44.66	40.02
4	Age 15 - 17	191	27.96	23.33
BLANK	Missing	270		

CHILD ASTHMA CALL-BACK AGE GROUPS

Survey: CHILD Asthma Call-Back

Column: 1468

Prologue:

Description: CHILD ASTHMA CALL-BACK AGE GROUPS

Type: NUM
SAS Variable Name: CAGEG_F3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 0 - 6	94	9.86	13.33
2	Age 7 - 12	216	22.67	30.94
3	age 13 - 17	643	67.47	55.73

CHILD ASTHMA CALL-BACK AGE GROUPS

Survey: CHILD Asthma Call-Back

Column: 1469

Prologue:

Description: CHILD ASTHMA CALL-BACK AGE GROUPS

Type: NUM
SAS Variable Name: CAGEG_F2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 0 - 9	189	32.36	44.64
2	Age 10 - 17	395	67.64	55.36
BLANK	Missing	369		

CHILD ASTHMA CALL-BACK AGE GROUPS

Survey: CHILD Asthma Call-Back

Column: 1470

Prologue:

Description: CHILD ASTHMA CALL-BACK AGE GROUPS

Type: NUM
SAS Variable Name: CAGEG_F1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	953		

CHILD ASTHMA CALL-BACK ADJUST FACTOR

Survey: CHILD Asthma Call-Back

Column: 1471-1478

Prologue:

Description: CHILD ASTHMA CALL-BACK ADJUST FACTOR

Type: NUM
SAS Variable Name: CADJUST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Child asthma call-back post stratification adjust factor	953	100.00	100.00

ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2013

ACTIVE ASTHMA STATUS

Survey: CHILD Asthma Call-Back

Column: 1479

Prologue:

Description: Active Asthma Status

Type: NUM

SAS Variable Name: ACTASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Active Asthma	712	74.71	78.87
2	Inactive Asthma	241	25.29	21.13