

United States

2014 Land Line Only Codebook Report

ADULT Asthma Call-Back Survey

November 11, 2016



STATE FIPS CODE

Survey: ADULT Asthma Call-Back

Column: 1-2

Prologue:

Description: STATE FIPS CODE .

Type: NUM

SAS Variable Name: _STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Alabama	279	21.87	13.71
12	Florida	312	24.45	49.66
20	Kansas	359	28.13	6.58
22	Louisiana	137	10.74	9.82
25	Massachusetts	189	14.81	20.22

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

MONTH NAME OF SOURCE FILE ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 3-4

Prologue:

Description: FILE MONTH

Type: NUM
SAS Variable Name: FMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	73	5.72	2.61
2	February	70	5.49	3.50
3	March	271	21.24	23.72
4	April	81	6.35	4.12
5	May	152	11.91	12.12
6	June	143	11.21	17.29
7	July	102	7.99	9.05
8	August	106	8.31	6.03
9	September	63	4.94	3.94
10	October	64	5.02	5.79
11	November	79	6.19	6.29
12	December	72	5.64	5.55

MONTH OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 13-14

Prologue:

Description: MONTH OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	53	4.15	2.18
2	February	74	5.80	2.80
3	March	68	5.33	2.88
4	April	107	8.39	5.23
5	May	176	13.79	14.57
6	June	170	13.32	22.13
7	July	111	8.70	10.23
8	August	103	8.07	7.46
9	September	81	6.35	5.67
10	October	125	9.80	10.31
11	November	110	8.62	5.81
12	December	98	7.68	10.71

DAY OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 15-16

Prologue:

Description: DAY OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IDAY_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		1,276	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

YEAR OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 17-20

Prologue:

Description: YEAR OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IYEAR_F

Value	Value Label
2014	Interview year
2015	

Frequency	Percentage	Weighted Percentage
1,252	98.12	98.27
24	1.88	1.73

INTERVIEWER ID OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 21-23

Prologue:

Description: INTERVIEWER ID OF ASTHMA CALL-BACK

Type: NUM

SAS Variable Name: INTVID_F

Value	Value Label
HIDDEN	Interviewer Identification

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

DISPOSITION OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 24-26

Prologue:

Description: DISPOSITION OF ASTHMA CALL-BACK

Type: NUM

SAS Variable Name: DISPCODE_F

Value	Value Label
1100	Complete
1200	Partial complete

Frequency	Percentage	Weighted Percentage
1,273	99.76	99.96
3	0.24	0.04

ANNUAL SEQUENCE NUMBER

Survey: ADULT Asthma Call-Back

Column: 27-36

Prologue:

Description: ANNUAL SEQUENCE NUMBER

Type: NUM

SAS Variable Name: SEQNO

Value	Value Label
HIDDEN	

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 37-38

Prologue:

Description: NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Type: NUM

SAS Variable Name: NATTMPTS_F

Value	Value Label
HIDDEN	Number of attempts of asthma call-back

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PERMIT TO CALL BACK FROM BRFS

Survey: ADULT Asthma Call-Back

Column: 39

Prologue:

Description: PERMIT TO CALL BACK FROM BRFS

Type: NUM
SAS Variable Name: CALLBACK

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,276	100.00	100.00

ARE YOU SAMPLE PERSON

Survey: ADULT Asthma Call-Back

Column: 40

Prologue:

Description: Q1.1 Are you [sample person's first name or initials]?

Type: NUM
SAS Variable Name: SAMP_NAME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,195	93.65	91.11
2	No	81	6.35	8.89

MAY I SPEAK WITH SAMPLE PERSON

Survey: ADULT Asthma Call-Back

Column: 41

Prologue:

Description: Q1.2 May I speak with [sample person's first name or initials]?

Type: NUM
SAS Variable Name: SAMP_PERS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	81	100.00	100.00
BLANK	Not asked or missing	1,195		

CHECK CORRECT PERSON ON PHONE

Survey: ADULT Asthma Call-Back

Column: 42

Prologue:

FOR THOSE WHO DISAGREE WITH BRFS ASTHMA STATUS: Check if correct person from core survey is on phone.

Description: Q2.0 Is this [sample person's name] and are you [sample person's age] years old? (IF YES, CONTINUE WITH Q2.1)

Type: NUM
SAS Variable Name: REPEAT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	100.00	100.00
BLANK	Not asked or missing	1,242		

EVER HAVE ASTHMA INCONSISTENT WITH BRFS

Survey: ADULT Asthma Call-Back

Column: 43

Prologue:

FOR THOSE WHO DISAGREE WITH BRFS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.1 Have you ever been told by a doctor or other health professional that you have asthma?

Type: NUM
SAS Variable Name: EVER_ASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	100.00	100.00
BLANK	Not asked or missing	1,242		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

STILL HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 44

Type: NUM

SAS Variable Name: CUR_ASTH

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.2 Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	20.59	27.96
2	No	22	64.71	60.86
7	Don't know/Not sure	5	14.71	11.18
BLANK	Not asked or missing	1,242		

PERMISSION TO COMBINE THE ANSWER WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 45

Type: NUM

SAS Variable Name: PERMISS

Prologue:

Description: Q2.3 May we combine your answers to this survey with your answers from the survey you did a few weeks ago?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	530	41.54	70.34
7	Don't know/Not sure	746	58.46	29.66

AGE AT ASTHMA DIAGNOSIS

Survey: ADULT Asthma Call-Back

Column: 46-48

Type: NUM

SAS Variable Name: AGEDX

Prologue:

Description: Q3.1 How old were you when you were first told by a doctor or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 115	Age in years	1,112	87.15	85.98
777	Don't know	120	9.40	5.66
888	Less than 1 year old	41	3.21	7.17
999	Refused	3	0.24	1.19

TIME SINCE DIAGNOSIS

Survey: ADULT Asthma Call-Back

Column: 49

Type: NUM

SAS Variable Name: INCIDNT

Prologue:

Description: Q3.2 How long ago was that?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past 12 months	31	2.43	2.21
2	One to five years ago	110	8.62	5.52
3	More than 5 years ago	1,118	87.62	91.26
7	Don't know	12	0.94	0.42
9	Refused	5	0.39	0.59

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

LAST TALKED TO A DOCTOR

Survey: ADULT Asthma Call-Back

Column: 50-51

Type: NUM

SAS Variable Name: LAST_MD

Prologue:

Description: Q3.3 How long has it been since you last talked to a doctor or other health professional about your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Within the past year	782	61.29	54.76
5	One year to less than 3 years ago	147	11.52	15.46
6	Three years to five years ago	69	5.41	6.08
7	More than five years ago	249	19.51	21.94
77	Don't know	13	1.02	0.52
88	Never	14	1.10	1.21
99	Refused	2	0.16	0.04

LAST TOOK ASTHMA MEDICATION

Survey: ADULT Asthma Call-Back

Column: 52-53

Type: NUM

SAS Variable Name: LAST_MED

Prologue:

Description: Q3.4 How long has it been since you last took asthma medication?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	509	39.89	30.98
2	1-6 days ago	89	6.97	9.77
3	1 week to less than 3 months ago	147	11.52	13.89
4	3 months to less than 1 year ago	87	6.82	8.50
5	1 year to less than 3 years ago	69	5.41	6.82
6	3 years to 5 years ago	59	4.62	5.58
7	More than 5 years ago	268	21.00	22.10
77	Don't know	10	0.78	0.26
88	Never	37	2.90	2.06
99	Refused	1	0.08	0.05

LAST HAD ANY SYMPTOMS OF ASTHMA

Survey: ADULT Asthma Call-Back

Column: 54-55

Type: NUM

SAS Variable Name: LASTSYMP

Prologue:

Description: Q3.5 How long has it been since you last had any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	379	29.70	27.00
2	1-6 days ago	136	10.66	9.20
3	1 week to less than 3 months ago	226	17.71	19.57
4	3 months to less than 1 year ago	130	10.19	10.16
5	1 year to less than 3 years ago	77	6.03	5.09
6	3 years to 5 years ago	49	3.84	5.42
7	More than 5 years ago	239	18.73	22.00
77	Don't know	25	1.96	1.10
88	Never	9	0.71	0.31
99	Refused	6	0.47	0.13

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

SYMPTOM DAYS

Survey: ADULT Asthma Call-Back

Column: 56-58

Type: NUM

SAS Variable Name: SYMP_30D

Prologue:

Description: Q4.1 During the past 30 days, on how many days did you have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 29	Days	427	33.46	36.95
30	Every day	243	19.04	14.22
66	No symptoms past one year, skip filled	374	29.31	32.83
77	Don't know	25	1.96	1.06
88	No symptoms in the past 30 days	74	5.80	4.48
99	Refused	3	0.24	0.30
100	Symptoms 3 months to 1 year ago, skip filled	130	10.19	10.16

CONSTANT SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 59-60

Type: NUM

SAS Variable Name: DUR_30D

Prologue:

Description: Q4.2 Do you have symptoms all the time? "All the time" means symptoms that continue throughout the day. It does not mean symptoms for a little while each day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	151	11.83	9.21
2	No	85	6.66	4.71
6	Last symptoms one+ years ago, skip filled	374	29.31	32.83
7	Don't know	7	0.55	0.31
10	Last symptoms 3 months - 1 year ago, skip filled	130	10.19	10.16
11	No symptoms 'SYMP_30D' skip filled	74	5.80	4.48
12	1-29 'SYMP_30D' skip filled	427	33.46	36.95
77	Don't know 'SYMP_30D' skip filled	25	1.96	1.06
99	Refused 'SYMP_30D' skip filled	3	0.24	0.30

NIGHT SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 61-63

Type: NUM

SAS Variable Name: ASLEEP30

Prologue:

Description: Q4.3 During the past 30 days, on how many days did symptoms of asthma make it difficult for you to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Days/Nights	317	24.84	31.48
66	No symptoms past one year, skip filled	374	29.31	32.83
77	Don't know	40	3.13	0.96
88	None	340	26.65	20.06
99	Refused	1	0.08	0.03
100	Symptoms 3 months to 1 year ago, skip filled	130	10.19	10.16
111	No symptoms in the past 30 days, skip filled	74	5.80	4.48

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

SYMPTOM-FREE DAYS

Survey: ADULT Asthma Call-Back

Column: 64-65

Type: NUM

SAS Variable Name: SYMPFREE

Prologue:

Description: Q4.4 During the past two weeks, on how many days were you completely symptom-free, that is no coughing, wheezing, or other symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	Days/Nights	948	74.29	78.95
77	Don't know	34	2.66	2.18
88	None	293	22.96	18.84
99	Refused	1	0.08	0.03

ASTHMA EPISODE OR ATTACK

Survey: ADULT Asthma Call-Back

Column: 66

Type: NUM

SAS Variable Name: EPIS_12M

Prologue:

Description: Q4.5 During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	517	40.52	41.03
2	No	369	28.92	25.31
6	No symptoms past 1 year, skip filled	374	29.31	32.83
7	Don't know	15	1.18	0.81
9	Refused	1	0.08	0.03

NUMBER OF EPISODES / ATTACKS

Survey: ADULT Asthma Call-Back

Column: 67-70

Type: NUM

SAS Variable Name: EPIS_TP

Prologue:

Description: Q4.6 During the past three months, how many asthma episodes or attacks have you had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Episodes	370	29.00	33.86
666	No symptoms past 1 year, skip filled	374	29.31	32.83
777	Don't know	49	3.84	2.26
888	None	95	7.45	4.55
999	Refused	3	0.24	0.35
1111	No episode/asthma attack past year, skip filled	385	30.17	26.15

DURATION OF ATTACK

Survey: ADULT Asthma Call-Back

Column: 71-74

Type: NUM

SAS Variable Name: DUR_ASTH

Prologue:

Description: Q4.7 How long did your most recent asthma episode or attack last?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Minutes	198	15.52	19.71
201 - 299	Hours	125	9.80	7.30
301 - 399	Days	119	9.33	8.06
401 - 499	Weeks	42	3.29	2.50
555	Never	1	0.08	0.24
666	No symptoms past 1 year, skip filled	374	29.31	32.83
777	Don't know	28	2.19	2.57
999	Refused	4	0.31	0.65
1111	No episode/asthma attack past year, skip filled	385	30.17	26.15

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

TYPICAL ATTACK

Survey: ADULT Asthma Call-Back

Column: 75-76

Prologue:

Description: Q4.8 Compared with other episodes or attacks, was this most recent attack shorter, longer, or about the same?

Type: NUM

SAS Variable Name: COMPASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Shorter	120	9.40	8.75
2	Longer	68	5.33	6.49
3	About the same	318	24.92	24.20
4	The most recent attack was actually the first attack	5	0.39	0.18
6	No symptoms past year, skip filled	374	29.31	32.83
7	Don't know	5	0.39	1.17
9	Refused	1	0.08	0.24
11	No episode/asthma attack past year, skip filled	385	30.17	26.15

INSURANCE

Survey: ADULT Asthma Call-Back

Column: 77

Prologue:

Description: QINS1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare or Medicaid?

Type: NUM

SAS Variable Name: INS1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,199	93.97	84.80
2	No	74	5.80	14.99
7	Don't know/Not sure	1	0.08	0.07
9	Refused	2	0.16	0.13

INSURANCE OR COVERAGE GAP

Survey: ADULT Asthma Call-Back

Column: 78

Prologue:

Description: QINS2 During the past 12 months, was there any time that you did not have any health insurance or coverage?

Type: NUM

SAS Variable Name: INS2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	66	5.17	6.19
2	No	1,133	88.79	78.61
5	No insurance at time of interview, skip filled	74	5.80	14.99
7	Don't know	1	0.08	0.07
9	Refused	2	0.16	0.13

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

NUMBER OF ROUTINE CHECKUPS PAST 12 MONTHS

Survey: ADULT Asthma Call-Back

Column: 79-81

Type: NUM

SAS Variable Name: NER_TIME

Prologue:

Description: Q5.1 During the past 12 months, how many times did you see a doctor or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	595	46.63	40.87
555	No current asthma, nothing happened past year, skip filled	238	18.65	23.17
666	No MD visit past year, skip filled	244	19.12	21.70
777	Don't know	17	1.33	1.16
888	None	175	13.71	12.33
999	Refused	7	0.55	0.77

EMERGENCY ROOM VISIT

Survey: ADULT Asthma Call-Back

Column: 82

Type: NUM

SAS Variable Name: ER_VISIT

Prologue: An urgent care center treats people with illness or injuries that must be addressed immediately and cannot wait for a regular medical appointment.

Description: Q5.2 During the past 12 months, have you had to visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	128	10.03	12.44
2	No	664	52.04	42.61
5	No current asthma, nothing happened past year, skip filled	238	18.65	23.17
6	No MD visit past year, skip filled	244	19.12	21.70
7	Don't know	2	0.16	0.08

NUMBER OF EMERGENCY ROOM VISITS

Survey: ADULT Asthma Call-Back

Column: 83-85

Type: NUM

SAS Variable Name: ER_TIMES

Prologue:

Description: Q5.3 During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	127	9.95	12.11
555	No current asthma, nothing happened past year, skip filled	238	18.65	23.17
666	No MD visit past year, skip filled	244	19.12	21.70
677	MD visit, no ER visit past year, skip filled	664	52.04	42.61
777	Don't know	3	0.24	0.41

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

NUMBER OF URGENT VISITS

Survey: ADULT Asthma Call-Back

Column: 86-88

Type: NUM

SAS Variable Name: URG_TIME

Prologue:

Description: Q5.4 During the past 12 months, how many times did you see a doctor or other health professional for urgent treatment of worsening asthma symptoms or for an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	250	19.59	18.77
555	No current asthma, nothing happened past year, skip filled	238	18.65	23.17
666	No MD visit past year, skip filled	244	19.12	21.70
777	Don't know	8	0.63	0.86
888	None	536	42.01	35.50

HOSPITAL VISIT

Survey: ADULT Asthma Call-Back

Column: 89

Type: NUM

SAS Variable Name: HOSP_VST

Prologue:

Description: Q5.5 During the past 12 months, that is since [one year ago today], have you had to stay overnight in a hospital because of your asthma? Do not include an overnight stay in the emergency room.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	49	3.84	5.42
2	No	649	50.86	44.37
4	MD visit, no symptoms past year, skip filled	93	7.29	5.07
5	No current asthma, nothing happened past year, skip filled	238	18.65	23.17
6	No MD visit past year, skip filled	244	19.12	21.70
7	Don't know	3	0.24	0.27

NUMBER OF HOSPITAL VISITS

Survey: ADULT Asthma Call-Back

Column: 90-92

Type: NUM

SAS Variable Name: HOSPTIME

Prologue:

Description: Q5.6a During the past 12 months, how many different times did you stay in any hospital overnight or longer because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	49	3.84	5.42
444	MD visit, no symptoms past year, skip filled	93	7.29	5.07
455	MD visit, symptoms, no hospital visit past year, skip filled	649	50.86	44.37
555	No current asthma, nothing happened past year, skip filled	238	18.65	23.17
666	No MD visit past year, skip filled	244	19.12	21.70
777	Don't know	3	0.24	0.27

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

HOSPITAL FOLLOW-UP

Survey: ADULT Asthma Call-Back

Column: 93-94

Type: NUM

SAS Variable Name: HOSPPLAN

Prologue:

Description: Q5.7 The last time you left the hospital, did a health professional talk with you about how to prevent serious attacks in the future?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	32	2.51	3.70
2	No	15	1.18	1.59
4	MD visit, no symptoms past year, skip filled	93	7.29	5.07
5	No current asthma, nothing happened past year, skip filled	238	18.65	23.17
6	No MD visit past year, skip filled	244	19.12	21.70
7	Don't know	5	0.39	0.40
45	MD visit, symptoms, no hospital visit past year, skip filled	649	50.86	44.37

NUMBER OF MISSED DAYS

Survey: ADULT Asthma Call-Back

Column: 95-97

Type: NUM

SAS Variable Name: MISS_DAY

Prologue:

Description: Q5.8a During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	321	25.16	25.35
555	No current asthma, nothing happened past year, skip filled	238	18.65	23.17
777	Don't know	73	5.72	3.33
888	Zero	636	49.84	47.60
999	Refused	8	0.63	0.55

ACTIVITY LIMITATION

Survey: ADULT Asthma Call-Back

Column: 98

Type: NUM

SAS Variable Name: ACT_DAYS30

Prologue:

Description: Q5.9 During just the past 30 days, would you say you limited your usual activities due to asthma not at all, a little, a moderate amount, or a lot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at all	515	40.36	34.39
2	A little	280	21.94	22.76
3	A moderate amount	138	10.82	10.32
4	A lot	98	7.68	9.04
5	No current asthma, nothing happened past year, skip filled	238	18.65	23.17
7	Don't know	7	0.55	0.33

EVER TAUGHT RECOGNIZE EARLY SIGN OR SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 99

Type: NUM

SAS Variable Name: TCH_SIGN

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.1 . . . how to recognize early signs or symptoms of an asthma episode?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	725	56.82	58.53
2	No	511	40.05	39.66
7	Don't know/Not sure	39	3.06	1.77
9	Refused	1	0.08	0.05

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

EVER TAUGHT WHAT TO DO DURING ASTHMA EPISODE OR ATTACK

Survey: ADULT Asthma Call-Back

Column: 100

Type: NUM

SAS Variable Name: TCH_RESP

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.2 . . . what to do during an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	871	68.26	76.66
2	No	378	29.62	22.00
7	Don't know/Not sure	22	1.72	0.94
9	Refused	5	0.39	0.39

EVER TAUGHT HOW TO USE A PEAK FLOW

Survey: ADULT Asthma Call-Back

Column: 101

Type: NUM

SAS Variable Name: TCH_MON

Prologue: A peak flow meter is a hand held device that measures how quickly you can blow air out of your lungs. Has a doctor or other health professional ever taught you . . .

Description: Q6.3 . . . how to use a peak flow meter to adjust your daily medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	498	39.03	45.93
2	No	765	59.95	53.46
7	Don't know/Not sure	12	0.94	0.58
9	Refused	1	0.08	0.03

EVER GIVEN AN ASTHMA ACTION PLAN

Survey: ADULT Asthma Call-Back

Column: 102

Type: NUM

SAS Variable Name: MGT_PLAN

Prologue: An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

Description: Q6.4 Has a doctor or other health professional EVER given you an asthma action plan?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	333	26.10	30.08
2	No	911	71.39	67.65
7	Don't know/Not sure	29	2.27	2.20
9	Refused	3	0.24	0.06

EVER TAKEN A COURSE TO MANAGE ASTHMA

Survey: ADULT Asthma Call-Back

Column: 103

Type: NUM

SAS Variable Name: MGT_CLAS

Prologue:

Description: Q6.5 Have you ever taken a course or class on how to manage your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	109	8.54	7.44
2	No	1,161	90.99	91.28
7	Don't know/Not sure	3	0.24	1.22
9	Refused	3	0.24	0.07

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

AIR CLEANER USED

Survey: ADULT Asthma Call-Back

Column: 104

Type: NUM

SAS Variable Name: AIRCLEANER

Prologue: An air cleaner or purifier filters pollutants like dust, pollen, mold and chemicals out of the indoor air. It can be attached to the furnace or free standing. It is not, however, the same as a normal furnace filter.

Description: Q7.1 Is an air cleaner or purifier regularly used inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	353	27.66	30.34
2	No	911	71.39	68.86
7	Don't know/Not sure	12	0.94	0.80

DEHUMIDIFIER USED

Survey: ADULT Asthma Call-Back

Column: 105

Type: NUM

SAS Variable Name: DEHUMID

Prologue:

Description: Q7.2 Is a dehumidifier regularly used to reduce moisture inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	286	22.41	20.66
2	No	981	76.88	79.18
7	Don't know/Not sure	8	0.63	0.09
9	Refused	1	0.08	0.06

EXHAUST FAN USED

Survey: ADULT Asthma Call-Back

Column: 106

Type: NUM

SAS Variable Name: KITC_FAN

Prologue:

Description: Q7.3 Is an exhaust fan that vents to the outside used regularly when cooking in your kitchen?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	757	59.33	65.49
2	No	513	40.20	33.08
7	Don't know/Not sure	6	0.47	1.42

GAS USED

Survey: ADULT Asthma Call-Back

Column: 107

Type: NUM

SAS Variable Name: COOK_GAS

Prologue:

Description: Q7.4 Is gas used for cooking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	365	28.61	27.70
2	No	910	71.32	72.29
9	Refused	1	0.08	0.02

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

SAW OR SMELLED MOLD PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 108

Type: NUM

SAS Variable Name: ENV_MOLD

Prologue:

Description: Q7.5 In the past 30 days, has anyone seen or smelled mold or a musty odor inside your home? Do not include mold on food.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	96	7.52	10.19
2	No	1,174	92.01	89.72
7	Don't know/Not sure	6	0.47	0.09

INDOOR PETS

Survey: ADULT Asthma Call-Back

Column: 109

Type: NUM

SAS Variable Name: ENV_PETS

Prologue:

Description: Q7.6 Does your household have pets such as dogs, cats, hamsters, birds or other feathered or furry pets that spend time indoors?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	674	52.82	60.61
2	No	602	47.18	39.39

PETS ALLOWED IN BEDROOM

Survey: ADULT Asthma Call-Back

Column: 110

Type: NUM

SAS Variable Name: PETBEDRM

Prologue:

Description: Q7.7 Are pets allowed in your bedroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	527	41.30	46.16
2	No	146	11.44	14.44
3	Some are/some aren't	1	0.08	0.01
6	No pets, skip coded	602	47.18	39.39

SAW COCKROACH INSIDE YOUR HOME PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 111

Type: NUM

SAS Variable Name: C_ROACH

Prologue:

Description: Q7.8 In the past 30 days, has anyone seen a cockroach inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	201	15.75	20.83
2	No	1,072	84.01	79.10
7	Don't know/Not sure	3	0.24	0.08

SAW MICE OR RATS INSIDE YOUR HOME PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 112

Type: NUM

SAS Variable Name: C_RODENT

Prologue:

Description: Q7.9 In the past 30 days, has anyone seen mice or rats inside your home? Do not include mice or rats kept as pets.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	81	6.35	7.77
2	No	1,195	93.65	92.23

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

FIREPLACE OR WOOD STOVE USED

Survey: ADULT Asthma Call-Back

Column: 113

Prologue:

Description: Q7.10 Is a wood burning fireplace or wood burning stove used in your home?

Type: NUM
SAS Variable Name: WOOD_STOVE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	154	12.07	11.07
2	No	1,122	87.93	88.93

GAS APPLIANCE USED

Survey: ADULT Asthma Call-Back

Column: 114

Prologue:

Description: Q7.11 Are unvented gas logs, unvented gas fireplace, or unvented gas stove used in your home?

Type: NUM
SAS Variable Name: GAS_STOVE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	76	5.96	3.33
2	No	1,193	93.50	96.40
7	Don't know/Not sure	7	0.55	0.27

ANYONE SMOKED INSIDE YOUR HOME

Survey: ADULT Asthma Call-Back

Column: 115

Prologue:

Description: Q7.12 In the past week, has anyone smoked inside your home?

Type: NUM
SAS Variable Name: S_INSIDE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	152	11.91	13.95
2	No	1,124	88.09	86.05

EVER ADVISED CHANGE THINGS IN YOUR HOME

Survey: ADULT Asthma Call-Back

Column: 116

Prologue:

Description: Q7.13 Has a health professional ever advised you to change things in your home, school, or work to improve your asthma?

Type: NUM
SAS Variable Name: MOD_ENV

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	398	31.19	39.18
2	No	864	67.71	60.19
7	Don't know/Not sure	13	1.02	0.60
9	Refused	1	0.08	0.03

USE A MATTRESS COVER

Survey: ADULT Asthma Call-Back

Column: 117

Prologue:

Description: Q7.14 Do you use a mattress cover that is made especially for controlling dust mites?

Type: NUM
SAS Variable Name: MATTRESS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	513	40.20	40.01
2	No	724	56.74	58.57
7	Don't know/Not sure	39	3.06	1.42

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

USE A PILLOW COVER

Survey: ADULT Asthma Call-Back

Column: 118

Prologue:

Type: NUM
SAS Variable Name: E_PILLOW

Description: Q7.15 Do you use a pillow cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	408	31.97	34.82
2	No	848	66.46	62.96
7	Don't know/Not sure	20	1.57	2.22

CARPETING OR RUGS IN YOUR BEDROOM

Survey: ADULT Asthma Call-Back

Column: 119

Prologue:

Type: NUM
SAS Variable Name: CARPET

Description: Q7.16 Do you have carpeting or rugs in your bedroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	797	62.46	47.01
2	No	477	37.38	52.73
7	Don't know/Not sure	2	0.16	0.26

WASH WATER TEMPERATURE

Survey: ADULT Asthma Call-Back

Column: 120

Prologue:

Type: NUM
SAS Variable Name: HOTWATER

Description: Q7.17 Are your sheets and pillowcases washed in cold, warm, or hot water?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cold	358	28.06	30.96
2	Warm	366	28.68	25.27
3	Hot	463	36.29	36.13
4	Varies	57	4.47	5.20
7	Don't know/Not sure	32	2.51	2.45

USE AN EXHAUST FAN IN YOUR BATHROOM

Survey: ADULT Asthma Call-Back

Column: 121

Prologue:

Type: NUM
SAS Variable Name: BATH_FAN

Description: Q7.18 In your bathroom, do you regularly use an exhaust fan that vents to the outside?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	735	57.60	58.22
2	No or "No Fan"	533	41.77	41.39
7	Don't know/Not sure	6	0.47	0.17
9	Refused	2	0.16	0.22

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

EVER USED OVER-THE-COUNTER MEDICATION

Survey: ADULT Asthma Call-Back

Column: 122

Type: NUM

SAS Variable Name: OTC

Prologue: The next set of questions is about medications for asthma. The first few questions are very general, but later questions are very specific to your medication use.

Description: Q8.1 Over-the-counter medication can be bought without a doctor's order. Have you ever used over-the-counter medication for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	323	25.31	28.89
2	No	901	70.61	66.76
5	Never took asthma medication, skip filled	37	2.90	2.06
7	Don't know	14	1.10	2.26
9	Refused	1	0.08	0.03

EVER USED PRESCRIPTION INHALER

Survey: ADULT Asthma Call-Back

Column: 123

Type: NUM

SAS Variable Name: INHALERE

Prologue:

Description: Q8.2 Have you ever used a prescription inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,141	89.42	91.17
2	No	93	7.29	5.38
5	Never took asthma medication, skip filled	37	2.90	2.06
7	Don't know	5	0.39	1.39

PROFESSIONAL INHALER INSTRUCTION

Survey: ADULT Asthma Call-Back

Column: 124

Type: NUM

SAS Variable Name: INHALERH

Prologue:

Description: Q8.3 Did a doctor or other health professional show you how to use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,077	84.40	87.49
2	No	56	4.39	3.17
5	Never took asthma medication, skip filled	37	2.90	2.06
6	Never used prescription inhaler, skip filled	98	7.68	6.77
7	Don't know	8	0.63	0.51

INHALER USE WATCHED

Survey: ADULT Asthma Call-Back

Column: 125

Type: NUM

SAS Variable Name: INHALERW

Prologue:

Description: Q8.4 Did a doctor or other health professional watch you use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	838	65.67	72.86
2	No	266	20.85	17.30
5	Never took asthma medication, skip filled	37	2.90	2.06
6	Never used prescription inhaler, skip filled	98	7.68	6.77
7	Don't know	37	2.90	1.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

MEDICATION IN HAND

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 126

SAS Variable Name: SCR_MED1

Prologue: Now I am going to ask questions about specific prescription medications you may have taken for asthma in the past 3 months. I will be asking for the name, amount, and how often you take each medicine.

Description: Q8.5 It will help to get your medicines so you can read the labels. Can you please go get the asthma medicines while I wait on the phone?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	510	39.97	32.59
2	No	32	2.51	4.62
3	Respondent knows the meds	193	15.13	17.24
4	No asthma med. past 3 months, skip filled	494	38.71	43.30
5	Never took asthma medication, skip filled	37	2.90	2.06
7	Don't know	5	0.39	0.15
9	Refused	5	0.39	0.03

HAVE ALL THE MEDICATIONS

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 127-128

SAS Variable Name: SCR_MED3

Prologue:

Description: Q8.7 Do you have all the medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, I have all the medications	488	38.24	31.34
2	Yes, I have some of the medications but not all	18	1.41	1.19
3	No	2	0.16	0.05
4	No asthma med. past 3 months, skip filled	494	38.71	43.30
5	Never took asthma medication, skip filled	37	2.90	2.06
7	Don't know	2	0.16	0.01
10	Know or no handy asthma medicines, skip filled	235	18.42	22.05

TAKEN PRESCRIPTION INHALER PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 129

SAS Variable Name: INH_SCR

Prologue:

Description: Q8.8 In the past 3 months have you taken prescription asthma medicine using an inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, inhaler in past 3 months	668	52.35	48.10
2	No inhaler in past 3 months	62	4.86	5.07
4	No asthma med. past 3 months, skip filled	494	38.71	43.30
5	Never took asthma medication, skip filled	37	2.90	2.06
6	Asthma med. past 3 months, never used inhaler, skip filled	12	0.94	1.36
7	Don't know	3	0.24	0.11

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

TAKEN MEDICATION IN PILL PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 130

Type: NUM

SAS Variable Name: PILLS

Prologue:

Description: Q8.20 In the past 3 months, have you taken any medicine in pill form for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	189	14.81	12.81
2	No	508	39.81	37.55
4	No asthma med. past 3 months, skip filled	494	38.71	43.30
5	Never took asthma medication, skip filled	37	2.90	2.06
7	Don't know	47	3.68	4.18
9	Refused	1	0.08	0.10

TAKEN MEDICATION IN SYRUP PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 131

Type: NUM

SAS Variable Name: SYRUP

Prologue:

Description: Q8.23 In the past 3 months, have you taken any prescription asthma medication in syrup form?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.24	0.09
2	No	728	57.05	52.34
4	No asthma med. past 3 months, skip filled	494	38.71	43.30
5	Never took asthma medication, skip filled	37	2.90	2.06
7	Don't know	14	1.10	2.20

TAKEN MEDICATION WITH A NEBULIZER PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 132

Type: NUM

SAS Variable Name: NEB_SCR

Prologue: A nebulizer is a small machine with a tube and facemask or mouthpiece that you breathe through continuously.

Description: Q8.25 In the past 3 months, were any of your asthma medicines used with a nebulizer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	194	15.20	17.33
2	No	513	40.20	34.95
4	No asthma med. past 3 months, skip filled	494	38.71	43.30
5	Never took asthma medication, skip filled	37	2.90	2.06
7	Don't know	37	2.90	2.31
9	Refused	1	0.08	0.05

NEBULIZER AT HOME

Survey: ADULT Asthma Call-Back

Column: 133

Type: NUM

SAS Variable Name: NEB_PLCA

Prologue: I am going to read a list of places where you might have used a nebulizer. Please answer "yes" if you have used a nebulizer in the place I mention; otherwise, answer "no." In the past 3 months, did you use a nebulizer . . .

Description: Q8.26a . . . at home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	188	14.73	16.92
2	No	5	0.39	0.32
4	No asthma med. past 3 months, skip filled	494	38.71	43.30
5	Never took asthma medication, skip filled	37	2.90	2.06
7	Don't know	1	0.08	0.09
8	No neb. in past 3 months, skip filled	551	43.18	37.31

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

NEBULIZER AT DOCTOR'S OFFICE

Survey: ADULT Asthma Call-Back

Column: 134

Type: NUM

SAS Variable Name: NEB_PLCB

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26b . . . at a doctor's office?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	47	3.68	3.93
2	No	146	11.44	13.30
4	No asthma med. past 3 months, skip filled	494	38.71	43.30
5	Never took asthma medication, skip filled	37	2.90	2.06
7	Don't know	1	0.08	0.09
8	No neb. in past 3 months, skip filled	551	43.18	37.31

NEBULIZER IN EMERGENCY ROOM

Survey: ADULT Asthma Call-Back

Column: 135

Type: NUM

SAS Variable Name: NEB_PLCC

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26c . . . in an emergency room?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	39	3.06	7.01
2	No	154	12.07	10.23
4	No asthma med. past 3 months, skip filled	494	38.71	43.30
5	Never took asthma medication, skip filled	37	2.90	2.06
7	Don't know	1	0.08	0.09
8	No neb. in past 3 months, skip filled	551	43.18	37.31

NEBULIZER AT WORK OR SCHOOL

Survey: ADULT Asthma Call-Back

Column: 136

Type: NUM

SAS Variable Name: NEB_PLCD

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26d . . . at work (or a school)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	0.47	0.62
2	No	187	14.66	16.61
4	No asthma med. past 3 months, skip filled	494	38.71	43.30
5	Never took asthma medication, skip filled	37	2.90	2.06
7	Don't know	1	0.08	0.09
8	No neb. in past 3 months, skip filled	551	43.18	37.31

NEBULIZER AT ANY OTHER PLACE

Survey: ADULT Asthma Call-Back

Column: 137

Type: NUM

SAS Variable Name: NEB_PLCE

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26e . . . at any other place?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	34	2.66	2.48
2	No	159	12.46	14.75
4	No asthma med. past 3 months, skip filled	494	38.71	43.30
5	Never took asthma medication, skip filled	37	2.90	2.06
7	Don't know	1	0.08	0.09
8	No neb. in past 3 months, skip filled	551	43.18	37.31

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

COST BARRIER: PRIMARY CARE DOCTOR

Survey: ADULT Asthma Call-Back

Column: 138

Type: NUM

SAS Variable Name: ASMDCOST

Prologue:

Description: Q9.1 Was there a time in the past 12 months when you needed to see your primary care doctor for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	92	7.22	12.69
2	No	945	74.12	64.14
5	No current asthma, skip filled	238	18.67	23.17
BLANK	Partial complete	1		

COST BARRIER: SPECIALIST

Survey: ADULT Asthma Call-Back

Column: 139

Type: NUM

SAS Variable Name: ASSPCOST

Prologue:

Description: Q9.2 Was there a time in the past 12 months when you were referred to a specialist for asthma care but could not go because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	48	3.76	7.46
2	No	987	77.41	69.28
5	No current asthma, skip filled	238	18.67	23.17
7	Don't know	2	0.16	0.09
BLANK	Partial complete	1		

COST BARRIER: MEDICATION

Survey: ADULT Asthma Call-Back

Column: 140

Type: NUM

SAS Variable Name: ASRXCOST

Prologue:

Description: Q9.3 Was there a time in the past 12 months when you needed to buy medication for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	155	12.16	15.18
2	No	882	69.18	61.66
5	No current asthma, skip filled	238	18.67	23.17
BLANK	Partial complete	1		

CURRENT EMPLOYMENT STATUS

Survey: ADULT Asthma Call-Back

Column: 141

Type: NUM

SAS Variable Name: EMP_STAT

Prologue:

Description: Q10.1 Next, we are interested in things that affect asthma in the workplace. However, first I'd like to ask how you would describe your current employment status. Would you say ...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed full-time	297	23.29	29.29
2	Employed part-time	119	9.33	11.41
3	Not employed	857	67.22	59.21
7	Don't know	1	0.08	0.07
9	Refused	1	0.08	0.01
BLANK	Partial complete	1		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

REASON NOT NOW EMPLOYED

Survey: ADULT Asthma Call-Back

Column: 142-143

Prologue:

Description: Q10.2 What is the main reason you are not now employed?

Type: NUM

SAS Variable Name: UNEMP_R

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Keeping house	41	3.22	4.15
2	Going to school	10	0.78	3.22
3	Retired	457	35.84	13.75
4	Disabled	218	17.10	20.39
5	Unable to work for other health reasons	64	5.02	4.18
6	Looking for work	12	0.94	4.70
7	Laid off	12	0.94	3.06
8	Other	41	3.22	5.66
66	Now Employed, skip filled	416	32.63	40.70
88	Unknown Employment, skip filled	2	0.16	0.09
99	Refused	2	0.16	0.10
BLANK	Partial complete	1		

EVER EMPLOYED OUTSIDE HOME

Survey: ADULT Asthma Call-Back

Column: 144

Prologue:

Description: Q10.3 Have you ever been employed outside the home?

Type: NUM

SAS Variable Name: EMP_EVER1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	827	64.86	50.78
2	No	31	2.43	8.50
6	Now Employed, skip filled	416	32.63	40.70
9	Refused	1	0.08	0.01
BLANK	Partial complete	1		

ASTHMA AGGRAVATED BY CURRENT JOB

Survey: ADULT Asthma Call-Back

Column: 145

Prologue:

Description: Q10.4 Are your asthma symptoms MADE WORSE by things like chemicals, smoke, dust or mold in your CURRENT job?

Type: NUM

SAS Variable Name: WORKENV5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	100	7.84	7.82
2	No	205	16.08	21.56
5	Now employed former/inactive/unknown asthma, skip filled	106	8.31	11.21
6	Never employed, skip filled	31	2.43	8.50
7	Don't know	4	0.31	0.10
8	Past employment unknown, skip filled	1	0.08	0.01
9	Refused	1	0.08	0.00
10	Previously but not currently employed, skip filled	827	64.86	50.78
BLANK	Partial complete	1		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

ASTHMA CAUSED BY CURRENT JOB

Survey: ADULT Asthma Call-Back

Column: 146

Type: NUM

SAS Variable Name: WORKENV6

Prologue:

Description: Q10.5 Was your asthma first CAUSED by things like chemicals, smoke, dust or mold in your CURRENT job?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	33	2.59	3.12
2	No	364	28.55	36.88
6	Never employed, skip filled	31	2.43	8.50
7	Don't know	18	1.41	0.70
8	Past employment unknown, skip filled	1	0.08	0.01
9	Refused	1	0.08	0.00
10	Previously but not currently employed, skip filled	827	64.86	50.78
BLANK	Partial complete	1		

ASTHMA AGGRAVATED BY PREVIOUS JOB

Survey: ADULT Asthma Call-Back

Column: 147

Type: NUM

SAS Variable Name: WORKENV7

Prologue:

Description: Q10.6 Were your asthma symptoms MADE WORSE by things like chemicals, smoke, dust or mold in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	519	40.71	36.27
2	No	650	50.98	49.35
5	Caused by current job, skip filled	33	2.59	3.12
6	Never employed, skip filled	31	2.43	8.50
7	Don't know	38	2.98	2.66
8	Past employment unknown, skip filled	1	0.08	0.01
9	Refused	3	0.24	0.09
BLANK	Partial complete	1		

ASTHMA CAUSED BY PREVIOUS JOB

Survey: ADULT Asthma Call-Back

Column: 148

Type: NUM

SAS Variable Name: WORKENV8

Prologue:

Description: Q10.7 Was your asthma first CAUSED by things like chemicals, smoke, dust or mold in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	209	16.39	11.35
2	No	877	68.78	70.80
5	Caused by current job, skip filled	33	2.59	3.12
6	Never employed, skip filled	31	2.43	8.50
7	Don't know	123	9.65	6.18
8	Past employment unknown, skip filled	1	0.08	0.01
9	Refused	1	0.08	0.03
BLANK	Partial complete	1		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

EVER CHANGE OR QUIT A JOB

Survey: ADULT Asthma Call-Back

Column: 149

Type: NUM

SAS Variable Name: WORKQUIT1

Prologue:

Description: Q10.8 Did you ever lose or quit a job because things in the workplace, like chemicals, smoke, dust or mold, caused your asthma or made your asthma symptoms worse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	109	8.55	11.12
2	No	425	33.33	26.28
5	Caused by current job, skip filled	33	2.59	3.12
6	Never employed, skip filled	31	2.43	8.50
7	Don't know	3	0.24	0.25
8	Past employment unknown, skip filled	1	0.08	0.01
55	Not made worse or caused in any previous job, skip filled	673	52.78	50.72
BLANK	Partial complete	1		

DOCTOR DISCUSSED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 150

Type: NUM

SAS Variable Name: WORKTALK

Prologue:

Description: Q10.9 Did you and a doctor or other health professional ever DISCUSS whether your asthma could have been caused by, or your symptoms made worse by, any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	200	15.69	14.49
2	No	1,021	80.08	76.18
6	Never employed, skip filled	31	2.43	8.50
7	Don't know	20	1.57	0.70
8	Past employment unknown, skip filled	1	0.08	0.01
9	Refused	2	0.16	0.11
BLANK	Partial complete	1		

DOCTOR DIAGNOSED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 151

Type: NUM

SAS Variable Name: WORKSEN3

Prologue:

Description: Q10.10 Have you ever been TOLD BY a doctor or other health professional that your asthma was caused by, or your symptoms made worse by, any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	134	10.51	10.80
2	No	1,093	85.73	80.00
6	Never employed, skip filled	31	2.43	8.50
7	Don't know	14	1.10	0.63
8	Past employment unknown, skip filled	1	0.08	0.01
9	Refused	2	0.16	0.05
BLANK	Partial complete	1		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

SELF-IDENTIFIED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 152

Type: NUM

SAS Variable Name: WORKSEN4

Prologue:

Description: Q10.11 Have YOU ever TOLD a doctor or other health professional that your asthma was caused by, or your symptoms made worse by, any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	193	15.14	11.29
2	No	1,038	81.41	79.31
6	Never employed, skip filled	31	2.43	8.50
7	Don't know	10	0.78	0.57
8	Past employment unknown, skip filled	1	0.08	0.01
9	Refused	2	0.16	0.31
BLANK	Partial complete	1		

EVER TOLD HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE

Survey: ADULT Asthma Call-Back

Column: 153

Type: NUM

SAS Variable Name: COPD

Prologue:

Description: Q11.1 Have you ever been told by a doctor or health professional that you have chronic obstructive pulmonary disease, also known as COPD?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	306	24.04	16.28
2	No	952	74.78	82.49
7	Don't know/Not sure	15	1.18	1.23
BLANK	Partial complete	3		

EVER TOLD HAVE EMPHYSEMA

Survey: ADULT Asthma Call-Back

Column: 154

Type: NUM

SAS Variable Name: EMPHY

Prologue:

Description: Q11.2 Have you ever been told by a doctor or other health professional that you have emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	120	9.43	7.90
2	No	1,148	90.18	91.62
7	Don't know/Not sure	5	0.39	0.48
BLANK	Partial complete	3		

EVER TOLD HAVE CHRONIC BRONCHITIS

Survey: ADULT Asthma Call-Back

Column: 155

Type: NUM

SAS Variable Name: BRONCH

Prologue:

Description: Q11.3 Have you ever been told by a doctor or other health professional that you have chronic bronchitis?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	413	32.44	25.87
2	No	839	65.91	73.48
7	Don't know/Not sure	21	1.65	0.66
BLANK	Partial complete	3		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

EVER TOLD DEPRESSED

Survey: ADULT Asthma Call-Back

Column: 156

Type: NUM

SAS Variable Name: DEPRESS

Prologue:

Description: Q11.4 Have you ever been told by a doctor or other health professional that you were depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	470	36.92	33.97
2	No	799	62.77	65.74
7	Don't know/Not sure	4	0.31	0.29
BLANK	Partial complete	3		

USED HERBS TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 157

Type: NUM

SAS Variable Name: CAM_HERB

Prologue: Sometimes people use methods other than prescription medications to help treat or control their asthma. These methods are called non-traditional, complementary, or alternative healthcare. In the past 12 months, have you used . . . to control asthma?

Description: Q12.1 . . . herbs . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	46	3.61	4.84
2	No	989	77.69	72.01
5	No current asthma, skip filled	237	18.62	23.14
7	Don't know	1	0.08	0.01
BLANK	Partial complete	3		

USED VITAMINS TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 158

Type: NUM

SAS Variable Name: CAM_VITA

Prologue:

Description: Q12.2 . . . vitamins . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	93	7.31	7.71
2	No	940	73.84	69.10
5	No current asthma, skip filled	237	18.62	23.14
7	Don't know	3	0.24	0.05
BLANK	Partial complete	3		

USED ACUPUNCTURE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 159

Type: NUM

SAS Variable Name: CAM_PUNC

Prologue:

Description: Q12.3 . . . acupuncture . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	1.26	1.34
2	No	1,019	80.05	75.51
5	No current asthma, skip filled	237	18.62	23.14
7	Don't know	1	0.08	0.01
BLANK	Partial complete	3		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

USED ACUPRESSURE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 160

Prologue:

Description: Q12.4 ... acupressure ...

Type: NUM
SAS Variable Name: CAM_PRES

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	1.02	0.55
2	No	1,022	80.28	76.30
5	No current asthma, skip filled	237	18.62	23.14
7	Don't know	1	0.08	0.01
BLANK	Partial complete	3		

USED AROMATHERAPY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 161

Prologue:

Description: Q12.5 ... aromatherapy ...

Type: NUM
SAS Variable Name: CAM_AROM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	49	3.85	2.92
2	No	986	77.45	73.90
5	No current asthma, skip filled	237	18.62	23.14
7	Don't know	1	0.08	0.04
BLANK	Partial complete	3		

USED HOMEOPATHY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 162

Prologue:

Description: Q12.6 ... homeopathy ...

Type: NUM
SAS Variable Name: CAM_HOME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	1.02	0.74
2	No	1,017	79.89	76.04
5	No current asthma, skip filled	237	18.62	23.14
7	Don't know	6	0.47	0.08
BLANK	Partial complete	3		

USED REFLEXOLOGY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 163

Prologue:

Description: Q12.7 ... reflexology ...

Type: NUM
SAS Variable Name: CAM_REFL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	1.02	0.18
2	No	1,020	80.13	76.55
5	No current asthma, skip filled	237	18.62	23.14
7	Don't know	3	0.24	0.13
BLANK	Partial complete	3		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

USED YOGA TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 164

Prologue:

Description: Q12.8 ... yoga ...

Type: NUM

SAS Variable Name: CAM_YOGA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	38	2.99	2.15
2	No	997	78.32	74.70
5	No current asthma, skip filled	237	18.62	23.14
7	Don't know	1	0.08	0.01
BLANK	Partial complete	3		

USED BREATHING TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 165

Prologue:

Description: Q12.9 ... breathing techniques ...

Type: NUM

SAS Variable Name: CAM_BR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	291	22.86	23.60
2	No	743	58.37	53.21
5	No current asthma, skip filled	237	18.62	23.14
7	Don't know	1	0.08	0.01
9	Refused	1	0.08	0.04
BLANK	Partial complete	3		

USED NATUROPATHY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 166

Prologue:

Description: Q12.10 ... naturopathy ...

Type: NUM

SAS Variable Name: CAM_NATR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	1.02	0.70
2	No	1,021	80.20	76.10
5	No current asthma, skip filled	237	18.62	23.14
7	Don't know	2	0.16	0.06
BLANK	Partial complete	3		

OTHER ALTERNATIVE CARE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 167

Prologue:

Description: Q12.11 Besides the types I have just asked about, have you used any other type of alternative care for your asthma in the past 12 months?

Type: NUM

SAS Variable Name: CAM_OTHR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	97	7.62	7.50
2	No	936	73.53	69.29
5	No current asthma, skip filled	237	18.62	23.14
7	Don't know	3	0.24	0.08
BLANK	Partial complete	3		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

TEXT FOR OTHER TYPE CARE

Survey: ADULT Asthma Call-Back

Column: 168-267

Prologue:

Description: Q12.12 What else have you used?

Type: CHAR
SAS Variable Name: CAM_TEXT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		1,179		
HIDDEN	Text field - up to 100 characters	97	100.00	100.00

LANGUAGE IDENTIFIER

Survey: ADULT Asthma Call-Back

Column: 348-349

Prologue:

Description: Language identifier: Language in which the interview was conducted.

Type: NUM
SAS Variable Name: QSTLANG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	1,273	99.76	98.04
2	Spanish	3	0.24	1.96

PERSON SELECTED TO CALL BACK FROM BRFS

Survey: ADULT Asthma Call-Back

Column: 350

Prologue:

Description: Which person in the household was selected as the focus of the call-back?

Type: Num
SAS Variable Name: ADLTCHLD

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Adult	1,276	100.00	100.00

ASTHMA CALL-BACK SCRIPT TEST

Survey: ADULT Asthma Call-Back

Column: 351

Prologue:

Description: ASTHMA CALL-BACK SCRIPT TEST

Type: NUM
SAS Variable Name: CALLBACK_VER

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Callback using Protocol (2 weeks)	1,276	100.00	100.00

END OF THE RAW CALL BACK DATA

Survey: ADULT Asthma Call-Back

Column: 352

Prologue:

Description: END OF THE RAW CALL BACK DATA

Type: NUM
SAS Variable Name: END_OF_FILE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,276	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

EVER HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: ADULT Asthma Call-Back

Column: 353

Type: NUM

SAS Variable Name: _EVER_ASTH_C

Prologue:

Description: EVER HAVE ASTHMA COMBINED BRFSS (ASTHMA3) AND CALL BACK (EVER_ASTH)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,276	100.00	100.00

STILL HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: ADULT Asthma Call-Back

Column: 354

Type: NUM

SAS Variable Name: _CUR_ASTH_C

Prologue:

Description: STILL HAVE ASTHMA COMBINED BRFSS (ASTHNOW) AND CALL BACK (CUR_ASTH)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	933	73.12	69.80
2	No	316	24.76	27.34
7	Don't know/Not sure	27	2.12	2.85

FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Survey: ADULT Asthma Call-Back

Column: 355

Type: NUM

SAS Variable Name: FLAG1

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	AGE, AGEDX and INCIDNT are consistent	1,249	97.88	98.82
1	AGEDX is greater than AGE	1	0.08	0.02
2	AGE, AGEDX and INCIDNT are inconsistent	26	2.04	1.16

ADVAIR (+ A. DISKUS)

Survey: ADULT Asthma Call-Back

Column: 356

Type: NUM

SAS Variable Name: INHALER_ID_1

Prologue:

Description: ADVAIR (+ A. DISKUS)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	178	13.95	11.01
2	No	1,098	86.05	88.99

AEROBID

Survey: ADULT Asthma Call-Back

Column: 357

Type: NUM

SAS Variable Name: INHALER_ID_2

Prologue:

Description: AEROBID

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.16	0.19
2	No	1,274	99.84	99.81

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Survey: ADULT Asthma Call-Back

Column: 358

Prologue:

Description: ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Type: NUM
SAS Variable Name: INHALER_ID_3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	177	13.87	11.60
2	No	1,099	86.13	88.40

ALUPENT

Survey: ADULT Asthma Call-Back

Column: 359

Prologue:

Description: ALUPENT

Type: NUM
SAS Variable Name: INHALER_ID_4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.08	0.01
2	No	1,275	99.92	99.99

ATROVENT

Survey: ADULT Asthma Call-Back

Column: 360

Prologue:

Description: ATROVENT

Type: NUM
SAS Variable Name: INHALER_ID_5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	1.02	0.66
2	No	1,263	98.98	99.34

AZMACORT

Survey: ADULT Asthma Call-Back

Column: 361

Prologue:

Description: AZMACORT

Type: NUM
SAS Variable Name: INHALER_ID_6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.16	0.10
2	No	1,274	99.84	99.90

BECLOMETHASONE DIPROPIONATE

Survey: ADULT Asthma Call-Back

Column: 362

Prologue:

Description: BECLOMETHASONE DIPROPIONATE

Type: NUM
SAS Variable Name: INHALER_ID_7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.08	0.09
2	No	1,275	99.92	99.91

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

BECLOVENT

Survey: ADULT Asthma Call-Back

Column: 363

Prologue:

Description: BECLOVENT

Type: NUM

SAS Variable Name: INHALER_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.08	0.24
1,275	99.92	99.76

BITOLTEROL

Survey: ADULT Asthma Call-Back

Column: 364

Prologue:

Description: BITOLTEROL

Type: NUM

SAS Variable Name: INHALER_ID_9

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	100.00	100.00
1,276	100.00	100.00

BUDESONIDE

Survey: ADULT Asthma Call-Back

Column: 365

Prologue:

Description: BUDESONIDE

Type: NUM

SAS Variable Name: INHALER_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.16	0.09
1,274	99.84	99.91

COMBIVENT

Survey: ADULT Asthma Call-Back

Column: 366

Prologue:

Description: COMBIVENT

Type: NUM

SAS Variable Name: INHALER_ID_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
33	2.59	1.43
1,243	97.41	98.57

CROMOLYN

Survey: ADULT Asthma Call-Back

Column: 367

Prologue:

Description: CROMOLYN

Type: NUM

SAS Variable Name: INHALER_ID_13

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	100.00	100.00
1,276	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

FLOVENT

Survey: ADULT Asthma Call-Back

Column: 368

Prologue:

Description: FLOVENT

Type: NUM

SAS Variable Name: INHALER_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
62	4.86	2.95
1,214	95.14	97.05

FLOVENT ROTADISK

Survey: ADULT Asthma Call-Back

Column: 369

Prologue:

Description: FLOVENT ROTADISK

Type: NUM

SAS Variable Name: INHALER_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.16	0.12
1,274	99.84	99.88

FLUNISOLIDE

Survey: ADULT Asthma Call-Back

Column: 370

Prologue:

Description: FLUNISOLIDE

Type: NUM

SAS Variable Name: INHALER_ID_16

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

FLUTICASONE

Survey: ADULT Asthma Call-Back

Column: 371

Prologue:

Description: FLUTICASONE

Type: NUM

SAS Variable Name: INHALER_ID_17

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.55	0.28
1,269	99.45	99.72

IPRATROPIUM BROMIDE

Survey: ADULT Asthma Call-Back

Column: 372

Prologue:

Description: IPRATROPIUM BROMIDE

Type: NUM

SAS Variable Name: INHALER_ID_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.55	0.21
1,269	99.45	99.79

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

MAXAIR

Survey: ADULT Asthma Call-Back

Column: 373

Prologue:

Description: MAXAIR

Type: NUM

SAS Variable Name: INHALER_ID_20

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.08	0.00
1,275	99.92	100.00

METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 374

Prologue:

Description: METAPROTERONOL

Type: NUM

SAS Variable Name: INHALER_ID_21

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	100.00	100.00

NEDOCROMIL

Survey: ADULT Asthma Call-Back

Column: 375

Prologue:

Description: NEDOCROMIL

Type: NUM

SAS Variable Name: INHALER_ID_22

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	100.00	100.00

PIRBUTEROL

Survey: ADULT Asthma Call-Back

Column: 376

Prologue:

Description: PIRBUTEROL

Type: NUM

SAS Variable Name: INHALER_ID_23

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.16	0.03
1,274	99.84	99.97

PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 377

Prologue:

Description: PROVENTIL

Type: NUM

SAS Variable Name: INHALER_ID_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
34	2.66	3.08
1,242	97.34	96.92

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PULMICORT FLEXHALER

Survey: ADULT Asthma Call-Back

Column: 378

Prologue:

Description: PULMICORT FLEXHALER

Type: NUM

SAS Variable Name: INHALER_ID_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
14	1.10	0.46
1,262	98.90	99.54

SALMETEROL

Survey: ADULT Asthma Call-Back

Column: 379

Prologue:

Description: SALMETEROL

Type: NUM

SAS Variable Name: INHALER_ID_26

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

SEREVENT

Survey: ADULT Asthma Call-Back

Column: 380

Prologue:

Description: SEREVENT

Type: NUM

SAS Variable Name: INHALER_ID_27

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.39	0.10
1,271	99.61	99.90

TERBUTALINE (+ T. SULFATE)

Survey: ADULT Asthma Call-Back

Column: 381

Prologue:

Description: TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: INHALER_ID_28

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

TORNALATE

Survey: ADULT Asthma Call-Back

Column: 382

Prologue:

Description: TORNALATE

Type: NUM

SAS Variable Name: INHALER_ID_30

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

TRIAMCINOLONE ACETONIDE

Survey: ADULT Asthma Call-Back

Column: 383

Prologue:

Description: TRIAMCINOLONE ACETONIDE

Type: NUM

SAS Variable Name: INHALER_ID_31

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

VANCERIL

Survey: ADULT Asthma Call-Back

Column: 384

Prologue:

Description: VANCERIL

Type: NUM

SAS Variable Name: INHALER_ID_32

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

VENTOLIN

Survey: ADULT Asthma Call-Back

Column: 385

Prologue:

Description: VENTOLIN

Type: NUM

SAS Variable Name: INHALER_ID_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
98	7.68	6.31
1,178	92.32	93.69

FORADIL

Survey: ADULT Asthma Call-Back

Column: 386

Prologue:

Description: FORADIL

Type: NUM

SAS Variable Name: INHALER_ID_34

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.39	0.15
1,271	99.61	99.85

FORMOTEROL

Survey: ADULT Asthma Call-Back

Column: 387

Prologue:

Description: FORMOTEROL

Type: NUM

SAS Variable Name: INHALER_ID_35

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.24	0.14
1,273	99.76	99.86

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

QVAR

Survey: ADULT Asthma Call-Back

Column: 388

Prologue:

Description: QVAR

Type: NUM

SAS Variable Name: INHALER_ID_36

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
24	1.88	2.71
1,252	98.12	97.29

LEVALBUTEROL TARTRATE

Survey: ADULT Asthma Call-Back

Column: 389

Prologue:

Description: LEVALBUTEROL TARTRATE

Type: NUM

SAS Variable Name: INHALER_ID_37

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

XOPENEX HFA

Survey: ADULT Asthma Call-Back

Column: 390

Prologue:

Description: XOPENEX HFA

Type: NUM

SAS Variable Name: INHALER_ID_38

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
12	0.94	1.48
1,264	99.06	98.52

MOMETASONE FUROATE

Survey: ADULT Asthma Call-Back

Column: 391

Prologue:

Description: MOMETASONE FUROATE

Type: NUM

SAS Variable Name: INHALER_ID_39

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.08	0.05
1,275	99.92	99.95

ASMANEX (TWISTHALER)

Survey: ADULT Asthma Call-Back

Column: 392

Prologue:

Description: ASMANEX (TWISTHALER)

Type: NUM

SAS Variable Name: INHALER_ID_40

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
14	1.10	1.46
1,262	98.90	98.54

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PRO-AIR HFA

Survey: ADULT Asthma Call-Back

Column: 393

Prologue:

Description: PRO-AIR HFA

Type: NUM

SAS Variable Name: INHALER_ID_41

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
192	15.05	17.06
1,084	84.95	82.94

SYMBICORT

Survey: ADULT Asthma Call-Back

Column: 394

Prologue:

Description: SYMBICORT

Type: NUM

SAS Variable Name: INHALER_ID_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
97	7.60	6.29
1,179	92.40	93.71

ALVESCO

Survey: ADULT Asthma Call-Back

Column: 395

Prologue:

Description: ALVESCO

Type: NUM

SAS Variable Name: INHALER_ID_43

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.39	0.38
1,271	99.61	99.62

DULERA

Survey: ADULT Asthma Call-Back

Column: 396

Prologue:

Description: DULERA

Type: NUM

SAS Variable Name: INHALER_ID_44

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
26	2.04	1.17
1,250	97.96	98.83

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 397

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: INHALER_ID_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
11	0.86	0.55
1,265	99.14	99.45

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

OTHER INHALER

Survey: ADULT Asthma Call-Back

Column: 398

Prologue:

Description: NEW OTHER PRESCRIPTION INHALER

Type: NUM

SAS Variable Name: OTHER_INHALER

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

PILL ACCOLATE

Survey: ADULT Asthma Call-Back

Column: 399

Prologue:

Description: PILL ACCOLATE

Type: NUM

SAS Variable Name: PILLS_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.31	0.07
1,272	99.69	99.93

PILL AEROLATE

Survey: ADULT Asthma Call-Back

Column: 400

Prologue:

Description: PILL AEROLATE

Type: NUM

SAS Variable Name: PILLS_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.08	0.02
1,275	99.92	99.98

PILL ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 401

Prologue:

Description: PILL ALBUTEROL

Type: NUM

SAS Variable Name: PILLS_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.31	0.07
1,272	99.69	99.93

PILL ALUPENT

Survey: ADULT Asthma Call-Back

Column: 402

Prologue:

Description: PILL ALUPENT

Type: NUM

SAS Variable Name: PILLS_ID_4

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PILL CHOLEDYL (OXTRIPHYLLINE)

Survey: ADULT Asthma Call-Back

Column: 403

Prologue:

Description: PILL CHOLEDYL (OXTRIPHYLLINE)

Type: NUM
SAS Variable Name: PILLS_ID_5

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

PILL DELTASONE

Survey: ADULT Asthma Call-Back

Column: 404

Prologue:

Description: PILL DELTASONE

Type: NUM
SAS Variable Name: PILLS_ID_7

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

PILL ELIXOPHYLLIN

Survey: ADULT Asthma Call-Back

Column: 405

Prologue:

Description: PILL ELIXOPHYLLIN

Type: NUM
SAS Variable Name: PILLS_ID_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

PILL MEDROL

Survey: ADULT Asthma Call-Back

Column: 406

Prologue:

Description: PILL MEDROL

Type: NUM
SAS Variable Name: PILLS_ID_11

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

PILL METAPREL

Survey: ADULT Asthma Call-Back

Column: 407

Prologue:

Description: PILL METAPREL

Type: NUM
SAS Variable Name: PILLS_ID_12

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

PILL METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 408

Prologue:

Description: PILL METAPROTERONOL

Type: NUM
SAS Variable Name: PILLS_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.08	0.02
1,275	99.92	99.98

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PILL METHYLPREDNISOLONE

Survey: ADULT Asthma Call-Back

Column: 409

Prologue:

Description: PILL METHYLPREDNISOLONE

Type: NUM
SAS Variable Name: PILLS_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.08	0.08
1,275	99.92	99.92

PILL MONTELUKAST

Survey: ADULT Asthma Call-Back

Column: 410

Prologue:

Description: PILL MONTELUKAST

Type: NUM
SAS Variable Name: PILLS_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
37	2.90	2.19
1,239	97.10	97.81

PILL PEDIAPRED

Survey: ADULT Asthma Call-Back

Column: 411

Prologue:

Description: PILL PEDIAPRED

Type: NUM
SAS Variable Name: PILLS_ID_17

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

PILL PREDNISOLONE

Survey: ADULT Asthma Call-Back

Column: 412

Prologue:

Description: PILL PREDNISOLONE

Type: NUM
SAS Variable Name: PILLS_ID_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.16	1.64
1,274	99.84	98.36

PILL PREDNISONONE

Survey: ADULT Asthma Call-Back

Column: 413

Prologue:

Description: PILL PREDNISONONE

Type: NUM
SAS Variable Name: PILLS_ID_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
20	1.57	1.15
1,256	98.43	98.85

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PILL PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 414

Prologue:

Description: PILL PROVENTIL

Value	Value Label
2	No

Type: NUM
SAS Variable Name: PILLS_ID_21

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

PILL RESPID

Survey: ADULT Asthma Call-Back

Column: 415

Prologue:

Description: PILL RESPID

Value	Value Label
2	No

Type: NUM
SAS Variable Name: PILLS_ID_23

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

PILL SINGULAIR

Survey: ADULT Asthma Call-Back

Column: 416

Prologue:

Description: PILL SINGULAIR

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: PILLS_ID_24

Frequency	Percentage	Weighted Percentage
118	9.25	7.57
1,158	90.75	92.43

PILL SLO-PHYLLIN

Survey: ADULT Asthma Call-Back

Column: 417

Prologue:

Description: PILL SLO-PHYLLIN

Value	Value Label
2	No

Type: NUM
SAS Variable Name: PILLS_ID_25

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

PILL SLO-BID

Survey: ADULT Asthma Call-Back

Column: 418

Prologue:

Description: PILL SLO-BID

Value	Value Label
2	No

Type: NUM
SAS Variable Name: PILLS_ID_26

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PILL THEO-24

Survey: ADULT Asthma Call-Back

Column: 419

Prologue:

Description: PILL THEO-24

Type: NUM
SAS Variable Name: PILLS_ID_28

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.08	0.02
1,275	99.92	99.98

PILL THEOCHRON

Survey: ADULT Asthma Call-Back

Column: 420

Prologue:

Description: PILL THEOCHRON

Type: NUM
SAS Variable Name: PILLS_ID_30

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	100.00	100.00

PILL THEOCLEAR

Survey: ADULT Asthma Call-Back

Column: 421

Prologue:

Description: PILL THEOCLEAR

Type: NUM
SAS Variable Name: PILLS_ID_31

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	100.00	100.00

PILL THEODUR

Survey: ADULT Asthma Call-Back

Column: 422

Prologue:

Description: PILL THEODUR

Type: NUM
SAS Variable Name: PILLS_ID_32

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	100.00	100.00

PILL THEO-DUR

Survey: ADULT Asthma Call-Back

Column: 423

Prologue:

Description: PILL THEO-DUR

Type: NUM
SAS Variable Name: PILLS_ID_33

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PILL THEOPHYLLINE

Survey: ADULT Asthma Call-Back

Column: 424

Prologue:

Description: PILL THEOPHYLLINE

Type: NUM

SAS Variable Name: PILLS_ID_35

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.47	0.23
1,270	99.53	99.77

PILL THEOSPAN

Survey: ADULT Asthma Call-Back

Column: 425

Prologue:

Description: PILL THEOSPAN

Type: NUM

SAS Variable Name: PILLS_ID_37

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

PILL T-PHYL

Survey: ADULT Asthma Call-Back

Column: 426

Prologue:

Description: PILL T-PHYL

Type: NUM

SAS Variable Name: PILLS_ID_40

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

PILL UNIPHYL

Survey: ADULT Asthma Call-Back

Column: 427

Prologue:

Description: PILL UNIPHYL

Type: NUM

SAS Variable Name: PILLS_ID_42

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

PILL VENTOLIN

Survey: ADULT Asthma Call-Back

Column: 428

Prologue:

Description: PILL VENTOLIN

Type: NUM

SAS Variable Name: PILLS_ID_43

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

PILL VOLMAX

Survey: ADULT Asthma Call-Back

Column: 429

Prologue:

Description: PILL VOLMAX

Type: NUM

SAS Variable Name: PILLS_ID_44

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PILL ZAFIRLUKAST

Survey: ADULT Asthma Call-Back

Column: 430

Prologue:

Description: PILL ZAFIRLUKAST

Type: NUM
SAS Variable Name: PILLS_ID_45

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.16	0.01
1,274	99.84	99.99

PILL ZILEUTON

Survey: ADULT Asthma Call-Back

Column: 431

Prologue:

Description: PILL ZILEUTON

Type: NUM
SAS Variable Name: PILLS_ID_46

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	100.00	100.00

PILL ZYFLO FILMTAB

Survey: ADULT Asthma Call-Back

Column: 432

Prologue:

Description: PILL ZYFLO FILMTAB

Type: NUM
SAS Variable Name: PILLS_ID_47

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	100.00	100.00

PILL TERBUTALINE (+ T. SULFATE)

Survey: ADULT Asthma Call-Back

Column: 433

Prologue:

Description: PILL TERBUTALINE (+ T. SULFATE)

Type: NUM
SAS Variable Name: PILLS_ID_48

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.08	0.01
1,275	99.92	99.99

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 434

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM
SAS Variable Name: PILLS_ID_7799

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

OTHER PILLS

Survey: ADULT Asthma Call-Back

Column: 435

Prologue:

Description: NEW OTHER PRESCRIPTION PILLS

Type: NUM

SAS Variable Name: OTHER_PILLS

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

SYRUP AEROLATE

Survey: ADULT Asthma Call-Back

Column: 436

Prologue:

Description: SYRUP AEROLATE

Type: NUM

SAS Variable Name: SYRUP_ID_1

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

SYRUP ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 437

Prologue:

Description: SYRUP ALBUTEROL

Type: NUM

SAS Variable Name: SYRUP_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.08	0.08
1,275	99.92	99.92

SYRUP ALUPENT

Survey: ADULT Asthma Call-Back

Column: 438

Prologue:

Description: SYRUP ALUPENT

Type: NUM

SAS Variable Name: SYRUP_ID_3

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

SYRUP METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 439

Prologue:

Description: SYRUP METAPROTERONOL

Type: NUM

SAS Variable Name: SYRUP_ID_4

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

SYRUP PREDNISOLONE

Survey: ADULT Asthma Call-Back

Column: 440

Prologue:

Description: SYRUP PREDNISOLONE

Type: NUM

SAS Variable Name: SYRUP_ID_5

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

SYRUP PRELONE

Survey: ADULT Asthma Call-Back

Column: 441

Prologue:

Description: SYRUP PRELONE

Value	Value Label
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_6

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

SYRUP PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 442

Prologue:

Description: SYRUP PROVENTIL

Value	Value Label
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_7

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

SYRUP SLO-PHYLLIN

Survey: ADULT Asthma Call-Back

Column: 443

Prologue:

Description: SYRUP SLO-PHYLLIN

Value	Value Label
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_8

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

SYRUP THEOPHYLLINE

Survey: ADULT Asthma Call-Back

Column: 444

Prologue:

Description: SYRUP THEOPHYLLINE

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_9

Frequency	Percentage	Weighted Percentage
1	0.08	0.01
1,275	99.92	99.99

SYRUP VENTOLIN

Survey: ADULT Asthma Call-Back

Column: 445

Prologue:

Description: SYRUP VENTOLIN

Value	Value Label
1	Yes
2	No

Type: NUM
SAS Variable Name: SYRUP_ID_10

Frequency	Percentage	Weighted Percentage
1	0.08	0.00
1,275	99.92	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 446

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: SYRUP_ID_7799

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

OTHER SYRUP

Survey: ADULT Asthma Call-Back

Column: 447

Prologue:

Description: NEW OTHER PRESCRIPTION SYRUP

Type: NUM

SAS Variable Name: OTHER_SYRUP

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

NEB ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 448

Prologue:

Description: NEB ALBUTEROL

Type: NUM

SAS Variable Name: NEB_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
156	12.23	13.38
1,120	87.77	86.62

NEB ALUPENT

Survey: ADULT Asthma Call-Back

Column: 449

Prologue:

Description: NEB ALUPENT

Type: NUM

SAS Variable Name: NEB_ID_2

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

NEB ATROVENT

Survey: ADULT Asthma Call-Back

Column: 450

Prologue:

Description: NEB ATROVENT

Type: NUM

SAS Variable Name: NEB_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.24	0.14
1,273	99.76	99.86

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

NEB BITOLTEROL

Survey: ADULT Asthma Call-Back

Column: 451

Prologue:

Description: NEB BITOLTEROL

Type: NUM
SAS Variable Name: NEB_ID_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.08	1.64
1,275	99.92	98.36

NEB BUDESONIDE

Survey: ADULT Asthma Call-Back

Column: 452

Prologue:

Description: NEB BUDESONIDE

Type: NUM
SAS Variable Name: NEB_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
11	0.86	0.37
1,265	99.14	99.63

NEB CROMOLYN

Survey: ADULT Asthma Call-Back

Column: 453

Prologue:

Description: NEB CROMOLYN

Type: NUM
SAS Variable Name: NEB_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.16	0.06
1,274	99.84	99.94

NEB DUONEB

Survey: ADULT Asthma Call-Back

Column: 454

Prologue:

Description: NEB DUONEB

Type: NUM
SAS Variable Name: NEB_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.55	0.18
1,269	99.45	99.82

NEB INTAL

Survey: ADULT Asthma Call-Back

Column: 455

Prologue:

Description: NEB INTAL

Type: NUM
SAS Variable Name: NEB_ID_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

NEB IPRATROPIUM BROMIDE

Survey: ADULT Asthma Call-Back

Column: 456

Prologue:

Description: NEB IPRATROPIUM BROMIDE

Type: NUM
SAS Variable Name: NEB_ID_9

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	44	3.45	3.16
2	No	1,232	96.55	96.84

NEB LEVALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 457

Prologue:

Description: NEB LEVALBUTEROL

Type: NUM
SAS Variable Name: NEB_ID_10

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.24	0.07
2	No	1,273	99.76	99.93

NEB METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 458

Prologue:

Description: NEB METAPROTERONOL

Type: NUM
SAS Variable Name: NEB_ID_11

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1,276	100.00	100.00

NEB PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 459

Prologue:

Description: NEB PROVENTIL

Type: NUM
SAS Variable Name: NEB_ID_12

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.16	0.12
2	No	1,274	99.84	99.88

NEB PULMICORT

Survey: ADULT Asthma Call-Back

Column: 460

Prologue:

Description: NEB PULMICORT

Type: NUM
SAS Variable Name: NEB_ID_13

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.24	0.07
2	No	1,273	99.76	99.93

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

NEB TORNALATE

Survey: ADULT Asthma Call-Back

Column: 461

Prologue:

Description: NEB TORNALATE

Type: NUM
SAS Variable Name: NEB_ID_14

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

NEB VENTOLIN

Survey: ADULT Asthma Call-Back

Column: 462

Prologue:

Description: NEB VENTOLIN

Type: NUM
SAS Variable Name: NEB_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.16	0.86
1,274	99.84	99.14

NEB XOPENEX

Survey: ADULT Asthma Call-Back

Column: 463

Prologue:

Description: NEB XOPENEX

Type: NUM
SAS Variable Name: NEB_ID_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
7	0.55	0.21
1,269	99.45	99.79

NEB COMBIVENT INHALATION SOLUTION

Survey: ADULT Asthma Call-Back

Column: 464

Prologue:

Description: NEB COMBIVENT INHALATION SOLUTION

Type: NUM
SAS Variable Name: NEB_ID_17

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.16	0.01
1,274	99.84	99.99

NEB PERFORMIST/FORMOTEROL

Survey: ADULT Asthma Call-Back

Column: 465

Prologue:

Description: NEB PERFORMIST/FORMOTEROL

Type: NUM
SAS Variable Name: NEB_ID_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.24	0.06
1,273	99.76	99.94

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 466

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: NEB_ID_7799

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

OTHER NEBULIZER

Survey: ADULT Asthma Call-Back

Column: 467

Prologue:

Description: New other prescription nebulizer

Type: NUM

SAS Variable Name: OTHER_NEB

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

OTHER INHALER TEXT

Survey: ADULT Asthma Call-Back

Column: 468-567

Prologue:

Description: New other prescription inhaler name

Type: CHAR

SAS Variable Name: OTH_I1R

Value	Value Label
BLANK	No other new asthma medication

Frequency	Percentage	Weighted Percentage
1,276		

OTHER PILLS TEXT

Survey: ADULT Asthma Call-Back

Column: 568-667

Prologue:

Description: New other prescription pills name

Type: CHAR

SAS Variable Name: OTH_P1R

Value	Value Label
BLANK	No other new asthma medication

Frequency	Percentage	Weighted Percentage
1,276		

OTHER SYRUP TEXT

Survey: ADULT Asthma Call-Back

Column: 668-767

Prologue:

Description: New other prescription syrup name

Type: CHAR

SAS Variable Name: OTH_S1R

Value	Value Label
BLANK	No other new asthma medication

Frequency	Percentage	Weighted Percentage
1,276		

OTHER NEBULIZER TEXT

Survey: ADULT Asthma Call-Back

Column: 768-867

Prologue:

Description: New other prescription nebulizer name

Type: CHAR

SAS Variable Name: OTH_N1R

Value	Value Label
BLANK	No other new asthma medication

Frequency	Percentage	Weighted Percentage
1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

INHALER_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 868

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	75	5.88	4.71
3	No other medication text filled	1,201	94.12	95.29

INHALER_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 869

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	0.86	0.96
2	No	64	5.02	3.76
3	No other medication text filled	1,201	94.12	95.29

INHALER_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 870

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	53	4.15	1.97
2	No	22	1.72	2.74
3	No other medication text filled	1,201	94.12	95.29

INHALER_TEXT: ASTHMA MED., BUT NOT INHALER

Survey: ADULT Asthma Call-Back

Column: 871

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.24	0.17
2	No	72	5.64	4.54
3	No other medication text filled	1,201	94.12	95.29

INHALER_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 872

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.24	0.51
2	No	72	5.64	4.20
3	No other medication text filled	1,201	94.12	95.29

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

INHALER_TEXT: WAS BACK CODED TO EXISTING INHALER

Survey: ADULT Asthma Call-Back

Column: 873

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	0.71	1.16
2	No	66	5.17	3.56
3	No other medication text filled	1,201	94.12	95.29

INHALER_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 874

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	75	5.88	4.71
3	No other medication text filled	1,201	94.12	95.29

INHALER_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 875

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	75	5.88	4.71
3	No other medication text filled	1,201	94.12	95.29

INHALER_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 876

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	75	5.88	4.71
3	No other medication text filled	1,201	94.12	95.29

PILLS_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 877

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM
SAS Variable Name: PILLS_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.08	0.01
2	No	9	0.71	0.49
3	No other medication text filled	1,266	99.22	99.49

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PILLS_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 878

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM
SAS Variable Name: PILLS_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.55	0.40
2	No	3	0.24	0.11
3	No other medication text filled	1,266	99.22	99.49

PILLS_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 879

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM
SAS Variable Name: PILLS_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.08	0.08
2	No	9	0.71	0.42
3	No other medication text filled	1,266	99.22	99.49

PILLS_TEXT: ASTHMA MED., BUT NOT PILLS

Survey: ADULT Asthma Call-Back

Column: 880

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM
SAS Variable Name: PILLS_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	10	0.78	0.51
3	No other medication text filled	1,266	99.22	99.49

PILLS_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 881

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM
SAS Variable Name: PILLS_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.08	0.01
2	No	9	0.71	0.50
3	No other medication text filled	1,266	99.22	99.49

PILLS_TEXT: WAS BACK CODED TO EXISTING PILLS

Survey: ADULT Asthma Call-Back

Column: 882

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM
SAS Variable Name: PILLS_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	10	0.78	0.51
3	No other medication text filled	1,266	99.22	99.49

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PILLS_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 883

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM
SAS Variable Name: PILLS_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	10	0.78	0.51
3	No other medication text filled	1,266	99.22	99.49

PILLS_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 884

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM
SAS Variable Name: PILLS_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	10	0.78	0.51
3	No other medication text filled	1,266	99.22	99.49

PILLS_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 885

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM
SAS Variable Name: PILLS_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	10	0.78	0.51
3	No other medication text filled	1,266	99.22	99.49

SYRUP_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 886

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM
SAS Variable Name: SYRUP_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	1,276	100.00	100.00

SYRUP_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 887

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM
SAS Variable Name: SYRUP_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	1,276	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

SYRUP_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 888

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM
SAS Variable Name: SYRUP_TEXT3

Value	Value Label
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

SYRUP_TEXT: ASTHMA MED., BUT NOT SYRUP

Survey: ADULT Asthma Call-Back

Column: 889

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM
SAS Variable Name: SYRUP_TEXT4

Value	Value Label
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

SYRUP_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 890

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM
SAS Variable Name: SYRUP_TEXT5

Value	Value Label
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

SYRUP_TEXT: WAS BACK CODED TO EXISTING SYRUP

Survey: ADULT Asthma Call-Back

Column: 891

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM
SAS Variable Name: SYRUP_TEXT6

Value	Value Label
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

SYRUP_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 892

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM
SAS Variable Name: SYRUP_TEXT7

Value	Value Label
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

SYRUP_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 893

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM
SAS Variable Name: SYRUP_TEXT8

Value	Value Label
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
1,276	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

SYRUP_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 894

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM
SAS Variable Name: SYRUP_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	No other medication text filled	1,276	100.00	100.00

NEB_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 895

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM
SAS Variable Name: NEB_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	10	0.78	0.31
3	No other medication text filled	1,266	99.22	99.69

NEB_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 896

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM
SAS Variable Name: NEB_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	10	0.78	0.31
3	No other medication text filled	1,266	99.22	99.69

NEB_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 897

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM
SAS Variable Name: NEB_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.31	0.04
2	No	6	0.47	0.27
3	No other medication text filled	1,266	99.22	99.69

NEB_TEXT: ASTHMA MED., BUT NOT NEB

Survey: ADULT Asthma Call-Back

Column: 898

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM
SAS Variable Name: NEB_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.08	0.01
2	No	9	0.71	0.30
3	No other medication text filled	1,266	99.22	99.69

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

NEB_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 899

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM
SAS Variable Name: NEB_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.24	0.25
2	No	7	0.55	0.06
3	No other medication text filled	1,266	99.22	99.69

NEB_TEXT: WAS BACK CODED TO EXISTING NEB

Survey: ADULT Asthma Call-Back

Column: 900

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM
SAS Variable Name: NEB_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.16	0.02
2	No	8	0.63	0.29
3	No other medication text filled	1,266	99.22	99.69

NEB_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 901

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM
SAS Variable Name: NEB_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	10	0.78	0.31
3	No other medication text filled	1,266	99.22	99.69

NEB_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 902

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM
SAS Variable Name: NEB_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	10	0.78	0.31
3	No other medication text filled	1,266	99.22	99.69

NEB_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 903

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM
SAS Variable Name: NEB_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	10	0.78	0.31
3	No other medication text filled	1,266	99.22	99.69

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

INHALED CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 904-905

Prologue:

Description: INHALED CORTICOSTEROIDS

Type: NUM
SAS Variable Name: INH_CS

Value	Value Label
0 - 19	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,262	98.90	99.58
14	1.10	0.42

INHALED ANTI-INFLAMMATORY

Survey: ADULT Asthma Call-Back

Column: 906-907

Prologue:

Description: INHALED ANTI-INFLAMMATORY

Type: NUM
SAS Variable Name: INH_AI

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,262	98.90	99.58
14	1.10	0.42

INHALED ANTI-CHOLINERGIC

Survey: ADULT Asthma Call-Back

Column: 908-909

Prologue:

Description: INHALED ANTI-CHOLINERGIC

Type: NUM
SAS Variable Name: INH_AC

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,262	98.90	99.58
14	1.10	0.42

INHALED BETA 2 AGONIST SHORT ACTING

Survey: ADULT Asthma Call-Back

Column: 910-911

Prologue:

Description: INHALED BETA 2 AGONIST SHORT ACTING

Type: NUM
SAS Variable Name: INH_B2AS

Value	Value Label
0 - 14	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,262	98.90	99.58
14	1.10	0.42

INHALED BETA 2 AGONIST LONG ACTING

Survey: ADULT Asthma Call-Back

Column: 912-913

Prologue:

Description: INHALED BETA 2 AGONIST LONG ACTING

Type: NUM
SAS Variable Name: INH_B2AL

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,262	98.90	99.58
14	1.10	0.42

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PILL CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 914-915

Prologue:

Description: PILL CORTICOSTEROIDS

Type: NUM
SAS Variable Name: PILL_CS

Value	Value Label
0 - 6	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,217	95.38	95.41
59	4.62	4.59

PILL LEUKOTRIENE MODIFIERS

Survey: ADULT Asthma Call-Back

Column: 916-917

Prologue:

Description: PILL LEUKOTRIENE MODIFIERS

Type: NUM
SAS Variable Name: PILL_LM

Value	Value Label
0 - 6	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,217	95.38	95.41
59	4.62	4.59

PILL BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 918-919

Prologue:

Description: PILL BETA 2 AGONIST

Type: NUM
SAS Variable Name: PILL_B2A

Value	Value Label
0 - 9	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,217	95.38	95.41
59	4.62	4.59

PILL METHYLXANTHINES

Survey: ADULT Asthma Call-Back

Column: 920-921

Prologue:

Description: PILL METHYLXANTHINES

Type: NUM
SAS Variable Name: PILL_METH

Value	Value Label
0 - 15	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,217	95.38	95.41
59	4.62	4.59

SYRUP METHYLXANTHINES

Survey: ADULT Asthma Call-Back

Column: 922-923

Prologue:

Description: SYRUP METHYLXANTHINES

Type: NUM
SAS Variable Name: SYRP_METH

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,251	98.04	97.49
25	1.96	2.51

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

SYRUP SHORT ACTING BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 924-925

Prologue:

Description: SYRUP SHORT ACTING BETA 2 AGONIST

Type: NUM
SAS Variable Name: SYRP_B2AS

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,251	98.04	97.49
25	1.96	2.51

SYRUP CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 926-927

Prologue:

Description: SYRUP CORTICOSTEROIDS

Type: NUM
SAS Variable Name: SYRP_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,251	98.04	97.49
25	1.96	2.51

NEBULIZER ANTI-INFLAMMATORY

Survey: ADULT Asthma Call-Back

Column: 928-929

Prologue:

Description: NEBULIZER ANTI-INFLAMMATORY

Type: NUM
SAS Variable Name: NEB_AI

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,227	96.16	97.33
49	3.84	2.67

NEBULIZER CORTICOSTEROID

Survey: ADULT Asthma Call-Back

Column: 930-931

Prologue:

Description: NEBULIZER CORTICOSTEROIDS

Type: NUM
SAS Variable Name: NEB_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,227	96.16	97.33
49	3.84	2.67

NEBULIZER ANTICHOLINERGIC

Survey: ADULT Asthma Call-Back

Column: 932-933

Prologue:

Description: NEBULIZER ANTICHOLINERGIC

Type: NUM
SAS Variable Name: NEB_AC

Value	Value Label
0 - 4	Count
99	Missing

Frequency	Percentage	Weighted Percentage
1,227	96.16	97.33
49	3.84	2.67

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

NEBULIZER BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 934-935

Prologue:

Description: NEBULIZER BETA 2 AGONIST

Type: NUM
SAS Variable Name: NEB_B2A

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 11	Count	1,227	96.16	97.33
99	Missing	49	3.84	2.67

NEBULIZER BETA 2 AGONIST LONG ACTING

Survey: ADULT Asthma Call-Back

Column: 936-937

Prologue:

Description: NEBULIZER BETA 2 AGONIST LONG ACTING

Type: NUM
SAS Variable Name: NEB_B2AL

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 1	Count	1,227	96.16	97.33
99	Missing	49	3.84	2.67

ADVAIR (+ A. DISKUS): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 938

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Type: NUM
SAS Variable Name: ILP03_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

ADVAIR (+ A. DISKUS): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 939

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Type: NUM
SAS Variable Name: ILP04_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	58	32.58	38.38
2	No	89	50.00	55.09
3	No attack in past 3 months	29	16.29	6.27
7	Don't know	1	0.56	0.03
9	Refused	1	0.56	0.23
BLANK	Skip filled	1,098		

ADVAIR (+ A. DISKUS): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 940

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Type: NUM
SAS Variable Name: ILP05_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	41	23.03	25.23
2	No	110	61.80	61.42
3	Didn't exercise in past 3 months	27	15.17	13.35
BLANK	Skip filled	1,098		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

ADVAIR (+ A. DISKUS): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 941

Type: NUM

SAS Variable Name: ILP06_1

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	154	86.52	81.78
2	No	24	13.48	18.22
BLANK	Skip filled	1,098		

ADVAIR (+ A. DISKUS): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 942-944

Type: NUM

SAS Variable Name: ILP08_1

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	152	85.39	81.14
401 - 499	Weeks	18	10.11	13.22
555	Never	2	1.12	0.92
666	Less often than once a week	4	2.25	0.82
777	Don't know/Not sure	2	1.12	3.91
BLANK	Skip filled	1,098		

ADVAIR (+ A. DISKUS): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 945-946

Type: NUM

SAS Variable Name: ILP10_1

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

AEROBID: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 947

Type: NUM

SAS Variable Name: ILP03_2

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	4.07
2	No	1	50.00	95.93
BLANK	Skip filled	1,274		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

AEROBID: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 948

Type: NUM

SAS Variable Name: ILP04_2

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	4.07
3	No attack in past 3 months	1	50.00	95.93
BLANK	Skip filled	1,274		

AEROBID: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 949

Type: NUM

SAS Variable Name: ILP05_2

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	1,274		

AEROBID: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 950

Type: NUM

SAS Variable Name: ILP06_2

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	95.93
2	No	1	50.00	4.07
BLANK	Skip filled	1,274		

AEROBID: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 951-953

Type: NUM

SAS Variable Name: ILP08_2

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	95.93
401 - 499	Weeks	1	50.00	4.07
BLANK	Skip filled	1,274		

AEROBID: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 954-955

Type: NUM

SAS Variable Name: ILP10_2

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 956

Type: NUM

SAS Variable Name: ILP03_3

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	51	28.81	26.25
2	No	117	66.10	69.45
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	2	1.13	0.23
4	Medication has a built-in spacer/does not need a spacer	4	2.26	0.62
7	Don't know	2	1.13	2.09
9	Refused	1	0.56	1.35
BLANK	Skip filled	1,099		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 957

Type: NUM

SAS Variable Name: ILP04_3

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	144	81.36	86.46
2	No	16	9.04	9.42
3	No attack in past 3 months	14	7.91	2.51
7	Don't know	2	1.13	0.25
9	Refused	1	0.56	1.35
BLANK	Skip filled	1,099		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 958

Type: NUM

SAS Variable Name: ILP05_3

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	59	33.33	29.12
2	No	88	49.72	51.12
3	Didn't exercise in past 3 months	28	15.82	18.21
7	Don't know	1	0.56	0.20
9	Refused	1	0.56	1.35
BLANK	Skip filled	1,099		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 959

Type: NUM

SAS Variable Name: ILP06_3

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	50	28.25	23.45
2	No	126	71.19	75.20
9	Refused	1	0.56	1.35
BLANK	Skip filled	1,099		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 960-962

Type: NUM

SAS Variable Name: ILP08_3

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	65	36.72	38.72
401 - 499	Weeks	54	30.51	30.14
555	Never	3	1.69	0.62
666	Less often than once a week	47	26.55	23.78
777	Don't know/Not sure	7	3.95	5.38
999	Refused	1	0.56	1.35
BLANK	Skip filled	1,099		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 963-964

Type: NUM

SAS Variable Name: ILP10_3

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	104	58.76	59.36
77	Don't know	23	12.99	7.44
88	None	48	27.12	29.81
99	Refused	2	1.13	3.39
BLANK	Skip filled	1,099		

ALUPENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 965

Type: NUM

SAS Variable Name: ILP03_4

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,275		

ALUPENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 966

Type: NUM

SAS Variable Name: ILP04_4

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,275		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

ALUPENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 967

Type: NUM

SAS Variable Name: ILP05_4

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Didn't exercise in past 3 months	1	100.00	100.00
BLANK	Skip filled	1,275		

ALUPENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 968

Type: NUM

SAS Variable Name: ILP06_4

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,275		

ALUPENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 969-971

Type: NUM

SAS Variable Name: ILP08_4

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	1,275		

ALUPENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 972-973

Type: NUM

SAS Variable Name: ILP10_4

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	100.00	100.00
BLANK	Skip filled	1,275		

ATROVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 974

Type: NUM

SAS Variable Name: ILP03_5

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	30.77	18.48
2	No	9	69.23	81.52
BLANK	Skip filled	1,263		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

ATROVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 975

Type: NUM

SAS Variable Name: ILP04_5

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	76.92	51.84
2	No	1	7.69	41.07
3	No attack in past 3 months	2	15.38	7.09
BLANK	Skip filled	1,263		

ATROVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 976

Type: NUM

SAS Variable Name: ILP05_5

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	15.38	54.08
2	No	7	53.85	36.80
3	Didn't exercise in past 3 months	4	30.77	9.12
BLANK	Skip filled	1,263		

ATROVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 977

Type: NUM

SAS Variable Name: ILP06_5

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	76.92	78.72
2	No	3	23.08	21.28
BLANK	Skip filled	1,263		

ATROVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 978-980

Type: NUM

SAS Variable Name: ILP08_5

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	10	76.92	84.99
401 - 499	Weeks	1	7.69	7.35
666	Less often than once a week	1	7.69	7.02
777	Don't know/Not sure	1	7.69	0.64
BLANK	Skip filled	1,263		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

ATROVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 981-982

Type: NUM

SAS Variable Name: ILP10_5

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

AZMACORT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 983

Type: NUM

SAS Variable Name: ILP03_6

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	54.80
2	No	1	50.00	45.20
BLANK	Skip filled	1,274		

AZMACORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 984

Type: NUM

SAS Variable Name: ILP04_6

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	45.20
2	No	1	50.00	54.80
BLANK	Skip filled	1,274		

AZMACORT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 985

Type: NUM

SAS Variable Name: ILP05_6

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	54.80
3	Didn't exercise in past 3 months	1	50.00	45.20
BLANK	Skip filled	1,274		

AZMACORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 986

Type: NUM

SAS Variable Name: ILP06_6

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	54.80
2	No	1	50.00	45.20
BLANK	Skip filled	1,274		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

AZMACORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 987-989

Type: NUM

SAS Variable Name: ILP08_6

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	54.80
777	Don't know/Not sure	1	50.00	45.20
BLANK	Skip filled	1,274		

AZMACORT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 990-991

Type: NUM

SAS Variable Name: ILP10_6

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

BECLOMETHASONE DIPROPIONATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 992

Type: NUM

SAS Variable Name: ILP03_7

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	1,275		

BECLOMETHASONE DIPROPIONATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 993

Type: NUM

SAS Variable Name: ILP04_7

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	1,275		

BECLOMETHASONE DIPROPIONATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 994

Type: NUM

SAS Variable Name: ILP05_7

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	1,275		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

BECLOMETHASONE DIPROPIONATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 995

Type: NUM

SAS Variable Name: ILP06_7

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	1,275		

BECLOMETHASONE DIPROPIONATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 996-998

Type: NUM

SAS Variable Name: ILP08_7

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
555	Never	1	100.00	100.00
BLANK	Skip filled	1,275		

BECLOMETHASONE DIPROPIONATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 999-1000

Type: NUM

SAS Variable Name: ILP10_7

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

BECLOVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1001

Type: NUM

SAS Variable Name: ILP03_8

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	1,275		

BECLOVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1002

Type: NUM

SAS Variable Name: ILP04_8

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,275		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

BECLOVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1003

Type: NUM

SAS Variable Name: ILP05_8

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	1,275		

BECLOVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1004

Type: NUM

SAS Variable Name: ILP06_8

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	1,275		

BECLOVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1005-1007

Type: NUM

SAS Variable Name: ILP08_8

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
666	Less often than once a week	1	100.00	100.00
BLANK	Skip filled	1,275		

BECLOVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1008-1009

Type: NUM

SAS Variable Name: ILP10_8

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

BITOLTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1010

Type: NUM

SAS Variable Name: ILP03_9

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

BITOLTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1011

Type: NUM

SAS Variable Name: ILP04_9

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

BITOLTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1012

Type: NUM

SAS Variable Name: ILP05_9

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

BITOLTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1013

Type: NUM

SAS Variable Name: ILP06_9

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

BITOLTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1014-1016

Type: NUM

SAS Variable Name: ILP08_9

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

BITOLTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1017-1018

Type: NUM

SAS Variable Name: ILP10_9

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

BUDESONIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1019

Type: NUM

SAS Variable Name: ILP03_11

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	25.51
2	No	1	50.00	74.49
BLANK	Skip filled	1,274		

BUDESONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1020

Type: NUM

SAS Variable Name: ILP04_11

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	1,274		

BUDESONIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1021

Type: NUM

SAS Variable Name: ILP05_11

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	1,274		

BUDESONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1022

Type: NUM

SAS Variable Name: ILP06_11

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	1,274		

BUDESONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1023-1025

Type: NUM

SAS Variable Name: ILP08_11

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	100.00	100.00
BLANK	Skip filled	1,274		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

BUDESONIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1026-1027

Type: NUM

SAS Variable Name: ILP10_11

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

COMBIVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1028

Type: NUM

SAS Variable Name: ILP03_12

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	28.13	14.68
2	No	20	62.50	81.62
4	Medication has a built-in spacer/does not need a spacer	3	9.38	3.69
BLANK	Skip filled	1,244		

COMBIVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1029

Type: NUM

SAS Variable Name: ILP04_12

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	27	84.38	89.87
2	No	3	9.38	8.95
3	No attack in past 3 months	2	6.25	1.18
BLANK	Skip filled	1,244		

COMBIVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1030

Type: NUM

SAS Variable Name: ILP05_12

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	21.88	6.30
2	No	18	56.25	74.67
3	Didn't exercise in past 3 months	7	21.88	19.03
BLANK	Skip filled	1,244		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

COMBIVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1031

Type: NUM

SAS Variable Name: ILP06_12

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	50.00	35.43
2	No	16	50.00	64.57
BLANK	Skip filled	1,244		

COMBIVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1032-1034

Type: NUM

SAS Variable Name: ILP08_12

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	21	65.63	42.25
401 - 499	Weeks	6	18.75	51.37
666	Less often than once a week	5	15.63	6.38
BLANK	Skip filled	1,244		

COMBIVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1035-1036

Type: NUM

SAS Variable Name: ILP10_12

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

CROMOLYN: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1037

Type: NUM

SAS Variable Name: ILP03_13

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

CROMOLYN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1038

Type: NUM

SAS Variable Name: ILP04_13

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

CROMOLYN: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1039

Type: NUM

SAS Variable Name: ILP05_13

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

CROMOLYN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1040

Type: NUM

SAS Variable Name: ILP06_13

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

CROMOLYN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1041-1043

Type: NUM

SAS Variable Name: ILP08_13

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

CROMOLYN: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1044-1045

Type: NUM

SAS Variable Name: ILP10_13

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

FLOVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1046

Type: NUM

SAS Variable Name: ILP03_14

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	27	43.55	56.24
2	No	35	56.45	43.76
BLANK	Skip filled	1,214		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

FLOVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1047

Type: NUM

SAS Variable Name: ILP04_14

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	36	58.06	65.74
2	No	18	29.03	25.58
3	No attack in past 3 months	7	11.29	6.19
7	Don't know	1	1.61	2.48
BLANK	Skip filled	1,214		

FLOVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1048

Type: NUM

SAS Variable Name: ILP05_14

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	19	30.65	33.79
2	No	36	58.06	49.47
3	Didn't exercise in past 3 months	7	11.29	16.75
BLANK	Skip filled	1,214		

FLOVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1049

Type: NUM

SAS Variable Name: ILP06_14

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	51	82.26	84.31
2	No	11	17.74	15.69
BLANK	Skip filled	1,214		

FLOVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1050-1052

Type: NUM

SAS Variable Name: ILP08_14

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	47	75.81	81.64
401 - 499	Weeks	8	12.90	11.46
555	Never	2	3.23	0.89
666	Less often than once a week	5	8.06	6.02
BLANK	Skip filled	1,214		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

FLOVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1053-1054

Type: NUM

SAS Variable Name: ILP10_14

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

FLOVENT ROTADISK: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1055

Type: NUM

SAS Variable Name: ILP03_15

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

FLOVENT ROTADISK: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1056

Type: NUM

SAS Variable Name: ILP04_15

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	10.76
2	No	1	50.00	89.24
BLANK	Skip filled	1,274		

FLOVENT ROTADISK: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1057

Type: NUM

SAS Variable Name: ILP05_15

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	10.76
2	No	1	50.00	89.24
BLANK	Skip filled	1,274		

FLOVENT ROTADISK: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1058

Type: NUM

SAS Variable Name: ILP06_15

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	1,274		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

FLOVENT ROTADISK: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1059-1061

Type: NUM

SAS Variable Name: ILP08_15

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	100.00	100.00
BLANK	Skip filled	1,274		

FLOVENT ROTADISK: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1062-1063

Type: NUM

SAS Variable Name: ILP10_15

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

FLUNISOLIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1064

Type: NUM

SAS Variable Name: ILP03_16

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

FLUNISOLIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1065

Type: NUM

SAS Variable Name: ILP04_16

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

FLUNISOLIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1066

Type: NUM

SAS Variable Name: ILP05_16

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

FLUNISOLIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1067

Type: NUM

SAS Variable Name: ILP06_16

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

FLUNISOLIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1068-1070

Type: NUM

SAS Variable Name: ILP08_16

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

FLUNISOLIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1071-1072

Type: NUM

SAS Variable Name: ILP10_16

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

FLUTICASONE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1073

Type: NUM

SAS Variable Name: ILP03_17

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	14.29	2.24
2	No	6	85.71	97.76
BLANK	Skip filled	1,269		

FLUTICASONE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1074

Type: NUM

SAS Variable Name: ILP04_17

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	71.43	70.35
2	No	2	28.57	29.65
BLANK	Skip filled	1,269		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

FLUTICASONE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1075

Type: NUM

SAS Variable Name: ILP05_17

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	14.29	4.28
2	No	6	85.71	95.72
BLANK	Skip filled	1,269		

FLUTICASONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1076

Type: NUM

SAS Variable Name: ILP06_17

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	100.00	100.00
BLANK	Skip filled	1,269		

FLUTICASONE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1077-1079

Type: NUM

SAS Variable Name: ILP08_17

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	7	100.00	100.00
BLANK	Skip filled	1,269		

FLUTICASONE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1080-1081

Type: NUM

SAS Variable Name: ILP10_17

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

IPRATROPIUM BROMIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1082

Type: NUM

SAS Variable Name: ILP03_19

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	42.86	37.84
2	No	2	28.57	50.44
4	Medication has a built-in spacer/does not need a spacer	1	14.29	2.35
7	Don't know	1	14.29	9.37
BLANK	Skip filled	1,269		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

IPRATROPIUM BROMIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1083

Type: NUM

SAS Variable Name: ILP04_19

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	85.71	57.69
2	No	1	14.29	42.31
BLANK	Skip filled	1,269		

IPRATROPIUM BROMIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1084

Type: NUM

SAS Variable Name: ILP05_19

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	42.86	19.85
2	No	4	57.14	80.15
BLANK	Skip filled	1,269		

IPRATROPIUM BROMIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1085

Type: NUM

SAS Variable Name: ILP06_19

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	42.86	19.08
2	No	4	57.14	80.92
BLANK	Skip filled	1,269		

IPRATROPIUM BROMIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1086-1088

Type: NUM

SAS Variable Name: ILP08_19

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	4	57.14	28.46
401 - 499	Weeks	2	28.57	63.42
666	Less often than once a week	1	14.29	8.12
BLANK	Skip filled	1,269		

IPRATROPIUM BROMIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1089-1090

Type: NUM

SAS Variable Name: ILP10_19

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

MAXAIR: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1091

Type: NUM

SAS Variable Name: ILP03_20

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

MAXAIR: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1092

Type: NUM

SAS Variable Name: ILP04_20

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,275		

MAXAIR: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1093

Type: NUM

SAS Variable Name: ILP05_20

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	1,275		

MAXAIR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1094

Type: NUM

SAS Variable Name: ILP06_20

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,275		

MAXAIR: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1095-1097

Type: NUM

SAS Variable Name: ILP08_20

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	100.00	100.00
BLANK	Skip filled	1,275		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

MAXAIR: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1098-1099

Type: NUM

SAS Variable Name: ILP10_20

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	100.00	100.00
BLANK	Skip filled	1,275		

METAPROTERONOL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1100

Type: NUM

SAS Variable Name: ILP03_21

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

METAPROTERONOL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1101

Type: NUM

SAS Variable Name: ILP04_21

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

METAPROTERONOL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1102

Type: NUM

SAS Variable Name: ILP05_21

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

METAPROTERONOL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1103

Type: NUM

SAS Variable Name: ILP06_21

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

METAPROTERONOL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1104-1106

Type: NUM

SAS Variable Name: ILP08_21

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

METAPROTERONOL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1107-1108

Type: NUM

SAS Variable Name: ILP10_21

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

NEDOCROMIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1109

Type: NUM

SAS Variable Name: ILP03_22

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

NEDOCROMIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1110

Type: NUM

SAS Variable Name: ILP04_22

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

NEDOCROMIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1111

Type: NUM

SAS Variable Name: ILP05_22

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

NEDOCROMIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1112

Type: NUM

SAS Variable Name: ILP06_22

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

NEDOCROMIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back
Column: 1113-1115

Type: NUM
SAS Variable Name: ILP08_22

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

NEDOCROMIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back
Column: 1116-1117

Type: NUM
SAS Variable Name: ILP10_22

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PIRBUTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back
Column: 1118

Type: NUM
SAS Variable Name: ILP03_23

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	1,274		

PIRBUTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back
Column: 1119

Type: NUM
SAS Variable Name: ILP04_23

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	43.60
2	No	1	50.00	56.40
BLANK	Skip filled	1,274		

PIRBUTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back
Column: 1120

Type: NUM
SAS Variable Name: ILP05_23

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	1,274		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PIRBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1121

Type: NUM

SAS Variable Name: ILP06_23

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	43.60
2	No	1	50.00	56.40
BLANK	Skip filled	1,274		

PIRBUTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1122-1124

Type: NUM

SAS Variable Name: ILP08_23

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	43.60
555	Never	1	50.00	56.40
BLANK	Skip filled	1,274		

PIRBUTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1125-1126

Type: NUM

SAS Variable Name: ILP10_23

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
88	None	2	100.00	100.00
BLANK	Skip filled	1,274		

PROVENTIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1127

Type: NUM

SAS Variable Name: ILP03_24

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	27.27	7.40
2	No	22	66.67	91.49
4	Medication has a built-in spacer/does not need a spacer	1	3.03	0.28
7	Don't know	1	3.03	0.84
BLANK	Skip filled	1,243		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PROVENTIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1128

Type: NUM

SAS Variable Name: ILP04_24

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	28	84.85	96.37
2	No	3	9.09	2.10
3	No attack in past 3 months	2	6.06	1.53
BLANK	Skip filled	1,243		

PROVENTIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1129

Type: NUM

SAS Variable Name: ILP05_24

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	27.27	7.98
2	No	23	69.70	89.63
3	Didn't exercise in past 3 months	1	3.03	2.39
BLANK	Skip filled	1,243		

PROVENTIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1130

Type: NUM

SAS Variable Name: ILP06_24

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	27.27	61.73
2	No	24	72.73	38.27
BLANK	Skip filled	1,243		

PROVENTIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1131-1133

Type: NUM

SAS Variable Name: ILP08_24

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	11	33.33	79.60
401 - 499	Weeks	9	27.27	10.19
555	Never	1	3.03	0.15
666	Less often than once a week	12	36.36	10.05
BLANK	Skip filled	1,243		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PROVENTIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1134-1135

Type: NUM

SAS Variable Name: ILP10_24

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	21	63.64	93.74
77	Don't know	1	3.03	1.81
88	None	11	33.33	4.45
BLANK	Skip filled	1,243		

PULMICORT FLEXHALER: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1136

Type: NUM

SAS Variable Name: ILP03_25

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PULMICORT FLEXHALER: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1137

Type: NUM

SAS Variable Name: ILP04_25

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	42.86	40.45
2	No	6	42.86	58.35
3	No attack in past 3 months	2	14.29	1.20
BLANK	Skip filled	1,262		

PULMICORT FLEXHALER: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1138

Type: NUM

SAS Variable Name: ILP05_25

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	28.57	29.09
2	No	8	57.14	60.23
3	Didn't exercise in past 3 months	2	14.29	10.68
BLANK	Skip filled	1,262		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PULMICORT FLEXHALER: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1139

Type: NUM

SAS Variable Name: ILP06_25

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	64.29	70.39
2	No	5	35.71	29.61
BLANK	Skip filled	1,262		

PULMICORT FLEXHALER: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1140-1142

Type: NUM

SAS Variable Name: ILP08_25

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	8	57.14	50.20
401 - 499	Weeks	5	35.71	41.43
666	Less often than once a week	1	7.14	8.37
BLANK	Skip filled	1,262		

PULMICORT FLEXHALER: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1143-1144

Type: NUM

SAS Variable Name: ILP10_25

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

SALMETEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1145

Type: NUM

SAS Variable Name: ILP03_26

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

SALMETEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1146

Type: NUM

SAS Variable Name: ILP04_26

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

SALMETEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1147

Type: NUM

SAS Variable Name: ILP05_26

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

SALMETEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1148

Type: NUM

SAS Variable Name: ILP06_26

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

SALMETEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1149-1151

Type: NUM

SAS Variable Name: ILP08_26

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

SALMETEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1152-1153

Type: NUM

SAS Variable Name: ILP10_26

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

SEREVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1154

Type: NUM

SAS Variable Name: ILP03_27

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

SEREVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1155

Type: NUM

SAS Variable Name: ILP04_27

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	20.86
2	No	1	20.00	10.91
3	No attack in past 3 months	1	20.00	10.41
9	Refused	1	20.00	57.81
BLANK	Skip filled	1,271		

SEREVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1156

Type: NUM

SAS Variable Name: ILP05_27

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	20.00	57.81
2	No	3	60.00	23.44
3	Didn't exercise in past 3 months	1	20.00	18.75
BLANK	Skip filled	1,271		

SEREVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1157

Type: NUM

SAS Variable Name: ILP06_27

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	60.00	79.14
2	No	2	40.00	20.86
BLANK	Skip filled	1,271		

SEREVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1158-1160

Type: NUM

SAS Variable Name: ILP08_27

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	60.00	79.14
401 - 499	Weeks	1	20.00	2.12
666	Less often than once a week	1	20.00	18.75
BLANK	Skip filled	1,271		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

SEREVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1161-1162

Type: NUM

SAS Variable Name: ILP10_27

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

TERBUTALINE (+ T. SULFATE): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1163

Type: NUM

SAS Variable Name: ILP03_28

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

TERBUTALINE (+ T. SULFATE): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1164

Type: NUM

SAS Variable Name: ILP04_28

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

TERBUTALINE (+ T. SULFATE): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1165

Type: NUM

SAS Variable Name: ILP05_28

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1166

Type: NUM

SAS Variable Name: ILP06_28

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

TERBUTALINE (+ T. SULFATE): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1167-1169

Type: NUM

SAS Variable Name: ILP08_28

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

TERBUTALINE (+ T. SULFATE): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1170-1171

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Type: NUM
SAS Variable Name: ILP10_28

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

TORNALATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1172

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Type: NUM
SAS Variable Name: ILP03_30

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

TORNALATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1173

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Type: NUM
SAS Variable Name: ILP04_30

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

TORNALATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1174

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Type: NUM
SAS Variable Name: ILP05_30

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

TORNALATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1175

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Type: NUM
SAS Variable Name: ILP06_30

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

TORNALATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1176-1178

Type: NUM

SAS Variable Name: ILP08_30

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

TORNALATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1177-1178

Type: NUM

SAS Variable Name: ILP10_30

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

TRIAMCINOLONE ACETONIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1180

Type: NUM

SAS Variable Name: ILP03_31

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

TRIAMCINOLONE ACETONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1182

Type: NUM

SAS Variable Name: ILP04_31

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

TRIAMCINOLONE ACETONIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1183

Type: NUM

SAS Variable Name: ILP05_31

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

TRIAMCINOLONE ACETONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1184

Type: NUM

SAS Variable Name: ILP06_31

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

TRIAMCINOLONE ACETONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1185-1187

Type: NUM

SAS Variable Name: ILP08_31

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

TRIAMCINOLONE ACETONIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1186-1187

Type: NUM

SAS Variable Name: ILP10_31

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

VANCERIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1189

Type: NUM

SAS Variable Name: ILP03_32

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

VANCERIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1191

Type: NUM

SAS Variable Name: ILP04_32

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

VANCERIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1192

Type: NUM

SAS Variable Name: ILP05_32

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

VANCERIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1193

Type: NUM

SAS Variable Name: ILP06_32

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

VANCERIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1194-1196

Type: NUM

SAS Variable Name: ILP08_32

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

VANCERIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1197-1198

Type: NUM

SAS Variable Name: ILP10_32

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

VENTOLIN: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1199

Type: NUM

SAS Variable Name: ILP03_33

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	29.59	15.12
2	No	67	68.37	84.12
4	Medication has a built-in spacer/does not need a spacer	1	1.02	0.65
7	Don't know	1	1.02	0.11
BLANK	Skip filled	1,178		

VENTOLIN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1200

Type: NUM

SAS Variable Name: ILP04_33

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	77	78.57	86.54
2	No	8	8.16	7.24
3	No attack in past 3 months	13	13.27	6.22
BLANK	Skip filled	1,178		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

VENTOLIN: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1201

Type: NUM

SAS Variable Name: ILP05_33

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	29.59	34.93
2	No	53	54.08	51.21
3	Didn't exercise in past 3 months	16	16.33	13.86
BLANK	Skip filled	1,178		

VENTOLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1202

Type: NUM

SAS Variable Name: ILP06_33

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	31	31.63	31.09
2	No	67	68.37	68.91
BLANK	Skip filled	1,178		

VENTOLIN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1203-1205

Type: NUM

SAS Variable Name: ILP08_33

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	36	36.73	35.57
401 - 499	Weeks	29	29.59	29.10
555	Never	2	2.04	1.55
666	Less often than once a week	26	26.53	32.32
777	Don't know/Not sure	5	5.10	1.46
BLANK	Skip filled	1,178		

VENTOLIN: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1204-1205

Type: NUM

SAS Variable Name: ILP10_33

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	71	72.45	76.67
77	Don't know	7	7.14	12.65
88	None	20	20.41	10.68
BLANK	Skip filled	1,178		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

FORADIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1207

Type: NUM

SAS Variable Name: ILP03_34

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

FORADIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1209

Type: NUM

SAS Variable Name: ILP04_34

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	41.19
2	No	3	75.00	58.81
BLANK	Skip filled	1,272		

FORADIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1210

Type: NUM

SAS Variable Name: ILP05_34

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	41.19
2	No	3	75.00	58.81
BLANK	Skip filled	1,272		

FORADIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1211

Type: NUM

SAS Variable Name: ILP06_34

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	97.52
2	No	1	25.00	2.48
BLANK	Skip filled	1,272		

FORADIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1212-1214

Type: NUM

SAS Variable Name: ILP08_34

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	75.00	97.52
401 - 499	Weeks	1	25.00	2.48
BLANK	Skip filled	1,272		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

FORADIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1213-1214

Type: NUM

SAS Variable Name: ILP10_34

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

FORMOTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1216

Type: NUM

SAS Variable Name: ILP03_35

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	16.56
2	No	1	33.33	48.98
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	1	33.33	34.46
BLANK	Skip filled	1,273		

FORMOTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1218

Type: NUM

SAS Variable Name: ILP04_35

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	51.02
2	No	1	33.33	48.98
BLANK	Skip filled	1,273		

FORMOTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1219

Type: NUM

SAS Variable Name: ILP05_35

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	51.02
2	No	1	33.33	48.98
BLANK	Skip filled	1,273		

FORMOTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1220

Type: NUM

SAS Variable Name: ILP06_35

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	1,273		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

FORMOTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1221-1223

Type: NUM

SAS Variable Name: ILP08_35

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	100.00	100.00
BLANK	Skip filled	1,273		

FORMOTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1224-1225

Type: NUM

SAS Variable Name: ILP10_35

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

QVAR: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1226

Type: NUM

SAS Variable Name: ILP03_36

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	37.50	15.49
2	No	15	62.50	84.51
BLANK	Skip filled	1,252		

QVAR: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1227

Type: NUM

SAS Variable Name: ILP04_36

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	50.00	37.87
2	No	11	45.83	59.15
3	No attack in past 3 months	1	4.17	2.98
BLANK	Skip filled	1,252		

QVAR: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1228

Type: NUM

SAS Variable Name: ILP05_36

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	37.50	30.82
2	No	12	50.00	64.62
3	Didn't exercise in past 3 months	3	12.50	4.57
BLANK	Skip filled	1,252		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

QVAR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1229

Type: NUM

SAS Variable Name: ILP06_36

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	20	83.33	95.39
2	No	4	16.67	4.61
BLANK	Skip filled	1,252		

QVAR: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1230-1232

Type: NUM

SAS Variable Name: ILP08_36

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	19	79.17	93.50
401 - 499	Weeks	3	12.50	4.55
555	Never	1	4.17	1.89
666	Less often than once a week	1	4.17	0.06
BLANK	Skip filled	1,252		

QVAR: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1233-1234

Type: NUM

SAS Variable Name: ILP10_36

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

LEVALBUTEROL TARTRATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1235

Type: NUM

SAS Variable Name: ILP03_37

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

LEVALBUTEROL TARTRATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1236

Type: NUM

SAS Variable Name: ILP04_37

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

LEVALBUTEROL TARTRATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1237

Type: NUM

SAS Variable Name: ILP05_37

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

LEVALBUTEROL TARTRATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1238

Type: NUM

SAS Variable Name: ILP06_37

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

LEVALBUTEROL TARTRATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1239-1241

Type: NUM

SAS Variable Name: ILP08_37

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

LEVALBUTEROL TARTRATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1242-1243

Type: NUM

SAS Variable Name: ILP10_37

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

XOPENEX HFA: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1244

Type: NUM

SAS Variable Name: ILP03_38

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	25.00	6.92
2	No	8	66.67	90.25
7	Don't know	1	8.33	2.83
BLANK	Skip filled	1,264		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

XOPENEX HFA: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1245

Type: NUM

SAS Variable Name: ILP04_38

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	91.67	98.03
2	No	1	8.33	1.97
BLANK	Skip filled	1,264		

XOPENEX HFA: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1246

Type: NUM

SAS Variable Name: ILP05_38

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	41.67	82.05
2	No	4	33.33	8.17
3	Didn't exercise in past 3 months	3	25.00	9.78
BLANK	Skip filled	1,264		

XOPENEX HFA: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1247

Type: NUM

SAS Variable Name: ILP06_38

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	25.00	7.57
2	No	9	75.00	92.43
BLANK	Skip filled	1,264		

XOPENEX HFA: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1248-1250

Type: NUM

SAS Variable Name: ILP08_38

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	25.00	9.36
401 - 499	Weeks	6	50.00	83.28
666	Less often than once a week	2	16.67	5.91
777	Don't know/Not sure	1	8.33	1.46
BLANK	Skip filled	1,264		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

XOPENEX HFA: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1251-1252

Type: NUM

SAS Variable Name: ILP10_38

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	9	75.00	92.64
88	None	3	25.00	7.36
BLANK	Skip filled	1,264		

MOMETASONE FUROATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1253

Type: NUM

SAS Variable Name: ILP03_39

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

MOMETASONE FUROATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1254

Type: NUM

SAS Variable Name: ILP04_39

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,275		

MOMETASONE FUROATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1255

Type: NUM

SAS Variable Name: ILP05_39

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,275		

MOMETASONE FUROATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1256

Type: NUM

SAS Variable Name: ILP06_39

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,275		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

MOMETASONE FUROATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1257-1259

Type: NUM

SAS Variable Name: ILP08_39

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	1,275		

MOMETASONE FUROATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1260-1261

Type: NUM

SAS Variable Name: ILP10_39

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

ASMANEX (TWISTHALER): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1262

Type: NUM

SAS Variable Name: ILP03_40

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

ASMANEX (TWISTHALER): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1263

Type: NUM

SAS Variable Name: ILP04_40

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	42.86	65.26
2	No	8	57.14	34.74
BLANK	Skip filled	1,262		

ASMANEX (TWISTHALER): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1264

Type: NUM

SAS Variable Name: ILP05_40

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	14.29	60.52
2	No	11	78.57	38.97
3	Didn't exercise in past 3 months	1	7.14	0.52
BLANK	Skip filled	1,262		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

ASMANEX (TWISTHALER): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1265

Type: NUM

SAS Variable Name: ILP06_40

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	85.71	96.05
2	No	2	14.29	3.95
BLANK	Skip filled	1,262		

ASMANEX (TWISTHALER): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1266-1268

Type: NUM

SAS Variable Name: ILP08_40

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	12	85.71	96.05
555	Never	1	7.14	3.00
777	Don't know/Not sure	1	7.14	0.95
BLANK	Skip filled	1,262		

ASMANEX (TWISTHALER): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1269-1270

Type: NUM

SAS Variable Name: ILP10_40

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PRO-AIR HFA: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1271

Type: NUM

SAS Variable Name: ILP03_41

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	53	28.04	25.24
2	No	128	67.72	73.79
3	Medication is a dry powder inhaler or disk inhaler, not a canister inhaler	1	0.53	0.04
4	Medication has a built-in spacer/does not need a spacer	4	2.12	0.77
7	Don't know	3	1.59	0.16
BLANK	Skip filled	1,087		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PRO-AIR HFA: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1272

Type: NUM

SAS Variable Name: ILP04_41

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	161	85.19	87.83
2	No	13	6.88	8.82
3	No attack in past 3 months	14	7.41	3.12
9	Refused	1	0.53	0.22
BLANK	Skip filled	1,087		

PRO-AIR HFA: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1273

Type: NUM

SAS Variable Name: ILP05_41

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	54	28.57	27.98
2	No	111	58.73	62.10
3	Didn't exercise in past 3 months	24	12.70	9.92
BLANK	Skip filled	1,087		

PRO-AIR HFA: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1274

Type: NUM

SAS Variable Name: ILP06_41

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	45	23.81	25.01
2	No	144	76.19	74.99
BLANK	Skip filled	1,087		

PRO-AIR HFA: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1275-1277

Type: NUM

SAS Variable Name: ILP08_41

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	76	40.21	38.58
401 - 499	Weeks	59	31.22	25.74
555	Never	1	0.53	8.09
666	Less often than once a week	44	23.28	24.81
777	Don't know/Not sure	9	4.76	2.78
BLANK	Skip filled	1,087		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PRO-AIR HFA: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1278-1279

Type: NUM

SAS Variable Name: ILP10_41

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	137	72.49	75.81
77	Don't know	12	6.35	4.23
88	None	40	21.16	19.96
BLANK	Skip filled	1,087		

SYMBICORT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1280

Type: NUM

SAS Variable Name: ILP03_42

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

SYMBICORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1281

Type: NUM

SAS Variable Name: ILP04_42

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	37	38.95	31.37
2	No	48	50.53	62.11
3	No attack in past 3 months	10	10.53	6.53
BLANK	Skip filled	1,181		

SYMBICORT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1282

Type: NUM

SAS Variable Name: ILP05_42

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	20	21.05	19.51
2	No	60	63.16	74.61
3	Didn't exercise in past 3 months	15	15.79	5.88
BLANK	Skip filled	1,181		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

SYMBICORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1283

Type: NUM

SAS Variable Name: ILP06_42

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	78	82.11	78.79
2	No	17	17.89	21.21
BLANK	Skip filled	1,181		

SYMBICORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1284-1286

Type: NUM

SAS Variable Name: ILP08_42

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	78	82.11	77.08
401 - 499	Weeks	12	12.63	21.24
555	Never	1	1.05	0.19
666	Less often than once a week	2	2.11	1.05
777	Don't know/Not sure	2	2.11	0.44
BLANK	Skip filled	1,181		

SYMBICORT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1285-1286

Type: NUM

SAS Variable Name: ILP10_42

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

ALVESCO: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1289

Type: NUM

SAS Variable Name: ILP03_43

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	20.00	7.06
2	No	4	80.00	92.94
BLANK	Skip filled	1,271		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

ALVESCO: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1290

Type: NUM

SAS Variable Name: ILP04_43

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	20.00	9.05
2	No	3	60.00	82.11
3	No attack in past 3 months	1	20.00	8.84
BLANK	Skip filled	1,271		

ALVESCO: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1291

Type: NUM

SAS Variable Name: ILP05_43

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	4	80.00	92.94
3	Didn't exercise in past 3 months	1	20.00	7.06
BLANK	Skip filled	1,271		

ALVESCO: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1292

Type: NUM

SAS Variable Name: ILP06_43

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	60.00	59.76
2	No	2	40.00	40.24
BLANK	Skip filled	1,271		

ALVESCO: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1293-1295

Type: NUM

SAS Variable Name: ILP08_43

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	60.00	59.76
401 - 499	Weeks	1	20.00	31.19
666	Less often than once a week	1	20.00	9.05
BLANK	Skip filled	1,271		

ALVESCO: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1296-1297

Type: NUM

SAS Variable Name: ILP10_43

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

DULERA: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1298

Type: NUM

SAS Variable Name: ILP03_44

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	38.46	30.21
2	No	16	61.54	69.79
BLANK	Skip filled	1,250		

DULERA: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1299

Type: NUM

SAS Variable Name: ILP04_44

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	53.85	61.61
2	No	11	42.31	38.23
3	No attack in past 3 months	1	3.85	0.16
BLANK	Skip filled	1,250		

DULERA: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1300

Type: NUM

SAS Variable Name: ILP05_44

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	34.62	46.77
2	No	14	53.85	51.34
3	Didn't exercise in past 3 months	3	11.54	1.88
BLANK	Skip filled	1,250		

DULERA: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1301

Type: NUM

SAS Variable Name: ILP06_44

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	69.23	88.41
2	No	8	30.77	11.59
BLANK	Skip filled	1,250		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

DULERA: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1302-1304

Type: NUM

SAS Variable Name: ILP08_44

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	21	80.77	94.75
401 - 499	Weeks	3	11.54	4.06
666	Less often than once a week	2	7.69	1.18
BLANK	Skip filled	1,250		

DULERA: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1305-1306

Type: NUM

SAS Variable Name: ILP10_44

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PILL ACCOLATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1307

Type: NUM

SAS Variable Name: PILL01_1

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	100.00	100.00
BLANK	Skip filled	1,272		

PILL AEROLATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1308

Type: NUM

SAS Variable Name: PILL01_2

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,275		

PILL ALBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1309

Type: NUM

SAS Variable Name: PILL01_3

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	100.00	100.00
BLANK	Skip filled	1,272		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PILL ALUPENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1310

Type: NUM

SAS Variable Name: PILL01_4

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PILL CHOLEDYL (OXTRIPHYLLINE): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1311

Type: NUM

SAS Variable Name: PILL01_5

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PILL DELTASONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1312

Type: NUM

SAS Variable Name: PILL01_7

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PILL ELIXOPHYLLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1313

Type: NUM

SAS Variable Name: PILL01_8

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PILL MEDROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1314

Type: NUM

SAS Variable Name: PILL01_11

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PILL METAPREL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1315

Type: NUM

SAS Variable Name: PILL01_12

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PILL METAPROTERONOL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1316

Type: NUM

SAS Variable Name: PILL01_13

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,275		

PILL METHYLPREDNISOLONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1317

Type: NUM

SAS Variable Name: PILL01_14

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	1,275		

PILL MONTELUKAST: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1318

Type: NUM

SAS Variable Name: PILL01_15

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	37	100.00	100.00
BLANK	Skip filled	1,239		

PILL PEDIAPRED: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1319

Type: NUM

SAS Variable Name: PILL01_17

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PILL PREDNISOLONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1320

Type: NUM

SAS Variable Name: PILL01_18

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	1,274		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PILL PREDNISONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1321

Type: NUM

SAS Variable Name: PILL01_19

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	55.00	51.63
2	No	9	45.00	48.37
BLANK	Skip filled	1,256		

PILL PROVENTIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1322

Type: NUM

SAS Variable Name: PILL01_21

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PILL RESPID: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1323

Type: NUM

SAS Variable Name: PILL01_23

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PILL SINGULAIR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1324

Type: NUM

SAS Variable Name: PILL01_24

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	114	97.44	99.28
2	No	3	2.56	0.72
BLANK	Skip filled	1,159		

PILL SLO-PHYLLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1325

Type: NUM

SAS Variable Name: PILL01_25

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PILL SLO-BID: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1326

Type: NUM

SAS Variable Name: PILL01_26

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PILL THEO-24: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1327

Type: NUM

SAS Variable Name: PILL01_28

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,275		

PILL THEOCHRON: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1328

Type: NUM

SAS Variable Name: PILL01_30

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PILL THEOCLEAR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1329

Type: NUM

SAS Variable Name: PILL01_31

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PILL THEODUR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1330

Type: NUM

SAS Variable Name: PILL01_32

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PILL THEO-DUR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1331

Type: NUM

SAS Variable Name: PILL01_33

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PILL THEOPHYLLINE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1332

Prologue:

Type: NUM
SAS Variable Name: PILL01_35

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	100.00	100.00
BLANK	Skip filled	1,270		

PILL THEOSPAN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1333

Prologue:

Type: NUM
SAS Variable Name: PILL01_37

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PILL T-PHYL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1334

Prologue:

Type: NUM
SAS Variable Name: PILL01_40

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PILL UNIPHYL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1335

Prologue:

Type: NUM
SAS Variable Name: PILL01_42

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PILL VENTOLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1336

Prologue:

Type: NUM
SAS Variable Name: PILL01_43

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PILL VOLMAX: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1337

Type: NUM

SAS Variable Name: PILL01_44

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PILL ZAFIRLUKAST: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1338

Type: NUM

SAS Variable Name: PILL01_45

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	1,274		

PILL ZILEUTON: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1339

Type: NUM

SAS Variable Name: PILL01_46

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PILL ZYFLO FILMTAB: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1340

Type: NUM

SAS Variable Name: PILL01_47

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PILL TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1341

Type: NUM

SAS Variable Name: PILL01_48

Prologue:

Description: Q8.22 In the past 3 months, did you take [MEDICATION LISTED IN PILLS_MD] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,275		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

ALBUTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1342

Type: NUM

SAS Variable Name: NEB01_1

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	133	85.26	86.35
2	No	16	10.26	13.21
3	No attack in past 3 months	6	3.85	0.41
7	Don't know	1	0.64	0.03
BLANK	Skip filled	1,120		

ALBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1343

Type: NUM

SAS Variable Name: NEB02_1

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	68	43.59	42.92
2	No	87	55.77	56.96
7	Don't know	1	0.64	0.12
BLANK	Skip filled	1,120		

ALBUTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1344

Type: NUM

SAS Variable Name: NEB03_1

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	75	48.08	28.91
401 - 499	Weeks	33	21.15	28.64
555	Never	5	3.21	4.11
666	Less often than once a week	34	21.79	26.61
777	Don't know/Not sure	7	4.49	10.34
999	Refused	2	1.28	1.40
BLANK	Skip filled	1,120		

ALUPENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1345

Type: NUM

SAS Variable Name: NEB01_2

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

ALUPENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1346

Type: NUM

SAS Variable Name: NEB02_2

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

ALUPENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1347

Type: NUM

SAS Variable Name: NEB03_2

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

ATROVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1348

Type: NUM

SAS Variable Name: NEB01_3

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	90.11
7	Don't know	1	33.33	9.89
BLANK	Skip filled	1,273		

ATROVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1349

Type: NUM

SAS Variable Name: NEB02_3

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	33.33	47.59
2	No	1	33.33	42.53
7	Don't know	1	33.33	9.89
BLANK	Skip filled	1,273		

ATROVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1350

Type: NUM

SAS Variable Name: NEB03_3

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	33.33	47.59
401 - 499	Weeks	1	33.33	42.53
777	Don't know/Not sure	1	33.33	9.89
BLANK	Skip filled	1,273		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

BITOLTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1351

Type: NUM

SAS Variable Name: NEB01_4

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,275		

BITOLTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1352

Type: NUM

SAS Variable Name: NEB02_4

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	1,275		

BITOLTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1353

Type: NUM

SAS Variable Name: NEB03_4

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	1,275		

BUDESONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1354

Type: NUM

SAS Variable Name: NEB01_5

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	54.55	71.91
2	No	4	36.36	26.35
7	Don't know	1	9.09	1.74
BLANK	Skip filled	1,265		

BUDESONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1355

Type: NUM

SAS Variable Name: NEB02_5

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8	72.73	54.64
2	No	3	27.27	45.36
BLANK	Skip filled	1,265		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

BUDESONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1356

Type: NUM

SAS Variable Name: NEB03_5

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	9	81.82	55.55
401 - 499	Weeks	1	9.09	3.25
666	Less often than once a week	1	9.09	41.20
BLANK	Skip filled	1,265		

CROMOLYN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1357

Type: NUM

SAS Variable Name: NEB01_6

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	91.00
7	Don't know	1	50.00	9.00
BLANK	Skip filled	1,274		

CROMOLYN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1358

Type: NUM

SAS Variable Name: NEB02_6

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	50.00	91.00
7	Don't know	1	50.00	9.00
BLANK	Skip filled	1,274		

CROMOLYN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1359

Type: NUM

SAS Variable Name: NEB03_6

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	50.00	91.00
777	Don't know/Not sure	1	50.00	9.00
BLANK	Skip filled	1,274		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

DUONEB: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1360

Type: NUM

SAS Variable Name: NEB01_7

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	66.67	88.10
2	No	1	16.67	8.51
3	No attack in past 3 months	1	16.67	3.39
BLANK	Skip filled	1,270		

DUONEB: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1361

Type: NUM

SAS Variable Name: NEB02_7

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	33.33	14.98
2	No	4	66.67	85.02
BLANK	Skip filled	1,270		

DUONEB: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1362

Type: NUM

SAS Variable Name: NEB03_7

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	4	66.67	39.25
666	Less often than once a week	1	16.67	52.55
777	Don't know/Not sure	1	16.67	8.20
BLANK	Skip filled	1,270		

INTAL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1363

Type: NUM

SAS Variable Name: NEB01_8

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

INTAL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1364

Type: NUM

SAS Variable Name: NEB02_8

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

INTAL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1365

Type: NUM

SAS Variable Name: NEB03_8

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

IPRATROPRIMUM BROMIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1366

Type: NUM

SAS Variable Name: NEB01_9

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	32	76.19	80.89
2	No	8	19.05	15.26
3	No attack in past 3 months	1	2.38	3.69
7	Don't know	1	2.38	0.17
BLANK	Skip filled	1,234		

IPRATROPRIMUM BROMIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1367

Type: NUM

SAS Variable Name: NEB02_9

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	27	64.29	47.14
2	No	15	35.71	52.86
BLANK	Skip filled	1,234		

IPRATROPRIMUM BROMIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1368

Type: NUM

SAS Variable Name: NEB03_9

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	27	64.29	44.62
401 - 499	Weeks	8	19.05	16.34
666	Less often than once a week	6	14.29	34.54
999	Refused	1	2.38	4.50
BLANK	Skip filled	1,234		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

LEVALBUTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1369

Type: NUM

SAS Variable Name: NEB01_10

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	92.95
2	No	1	33.33	7.05
BLANK	Skip filled	1,273		

LEVALBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1370

Type: NUM

SAS Variable Name: NEB02_10

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	79.66
2	No	1	33.33	20.34
BLANK	Skip filled	1,273		

LEVALBUTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1371

Type: NUM

SAS Variable Name: NEB03_10

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	66.67	79.66
666	Less often than once a week	1	33.33	20.34
BLANK	Skip filled	1,273		

METAPROTERONOL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1372

Type: NUM

SAS Variable Name: NEB01_11

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

METAPROTERONOL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1373

Type: NUM

SAS Variable Name: NEB02_11

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

METAPROTERONOL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1374

Type: NUM

SAS Variable Name: NEB03_11

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

PROVENTIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1375

Type: NUM

SAS Variable Name: NEB01_12

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	1,274		

PROVENTIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1376

Type: NUM

SAS Variable Name: NEB02_12

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	60.22
2	No	1	50.00	39.78
BLANK	Skip filled	1,274		

PROVENTIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1377

Type: NUM

SAS Variable Name: NEB03_12

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	50.00	60.22
666	Less often than once a week	1	50.00	39.78
BLANK	Skip filled	1,274		

PULMICORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1378

Type: NUM

SAS Variable Name: NEB01_13

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	1,273		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PULMICORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1379

Type: NUM

SAS Variable Name: NEB02_13

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	66.67	92.41
2	No	1	33.33	7.59
BLANK	Skip filled	1,273		

PULMICORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1380

Type: NUM

SAS Variable Name: NEB03_13

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	66.67	92.41
666	Less often than once a week	1	33.33	7.59
BLANK	Skip filled	1,273		

TORNALATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1381

Type: NUM

SAS Variable Name: NEB01_14

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

TORNALATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1382

Type: NUM

SAS Variable Name: NEB02_14

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

TORNALATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1383

Type: NUM

SAS Variable Name: NEB03_14

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	1,276		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

VENTOLIN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1384

Type: NUM

SAS Variable Name: NEB01_15

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	1,274		

VENTOLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1385

Type: NUM

SAS Variable Name: NEB02_15

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	2	100.00	100.00
BLANK	Skip filled	1,274		

VENTOLIN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1386

Type: NUM

SAS Variable Name: NEB03_15

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	50.00	95.66
666	Less often than once a week	1	50.00	4.34
BLANK	Skip filled	1,274		

XOPENEX: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1387

Type: NUM

SAS Variable Name: NEB01_16

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	100.00	100.00
BLANK	Skip filled	1,269		

XOPENEX: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1388

Type: NUM

SAS Variable Name: NEB02_16

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	14.29	26.56
2	No	6	85.71	73.44
BLANK	Skip filled	1,269		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

XOPENEX: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1389

Type: NUM

SAS Variable Name: NEB03_16

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	4	57.14	40.00
401 - 499	Weeks	1	14.29	32.25
666	Less often than once a week	1	14.29	5.73
777	Don't know/Not sure	1	14.29	22.02
BLANK	Skip filled	1,269		

COMBIVENT INHALATION SOLUTION: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1390

Type: NUM

SAS Variable Name: NEB01_17

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	100.00	100.00
BLANK	Skip filled	1,274		

COMBIVENT INHALATION SOLUTION: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1391

Type: NUM

SAS Variable Name: NEB02_17

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	50.00	70.47
2	No	1	50.00	29.53
BLANK	Skip filled	1,274		

COMBIVENT INHALATION SOLUTION: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1392

Type: NUM

SAS Variable Name: NEB03_17

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	50.00	70.47
666	Less often than once a week	1	50.00	29.53
BLANK	Skip filled	1,274		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

PERFORMIST/FORMOTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1393

Type: NUM

SAS Variable Name: NEB01_18

Prologue:

Description: Q8.28 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	1,273		

PERFORMIST/FORMOTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1394

Type: NUM

SAS Variable Name: NEB02_18

Prologue:

Description: Q8.29 In the past 3 months, did you take [MEDICINE FROM NEB_MEDS SERIES] on a regular schedule everyday?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	100.00	100.00
BLANK	Skip filled	1,273		

PERFORMIST/FORMOTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1395

Type: NUM

SAS Variable Name: NEB03_18

Prologue:

Description: Q8.30 How many times per day or per week do you use [MEDICINE FROM NEB_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	66.67	79.59
401 - 499	Weeks	1	33.33	20.41
BLANK	Skip filled	1,273		

INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Survey: ADULT Asthma Call-Back

Column: 1396-1405

Type: NUM

SAS Variable Name: WEIGHT_IN

Prologue:

Description: INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interim adult asthma call-back weight	1,276	100.00	100.00

ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Survey: ADULT Asthma Call-Back

Column: 1406-1415

Type: NUM

SAS Variable Name: POST

Prologue:

Description: ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification factor	1,276	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

FINAL ADULT ASTHMA CALL-BACK WEIGHT

Survey: ADULT Asthma Call-Back

Column: 1416-1425

Prologue:

Description: FINAL ADULT ASTHMA CALL-BACK LAND LINE ONLY WEIGHT

Type: NUM
SAS Variable Name: LANDWT_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Final adult asthma call-back land line only weight	1,276	100.00	100.00

REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.

Survey: ADULT Asthma Call-Back

Column: 1426

Prologue:

Description: REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: REGION_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Regions are collapsed to 1 region	775	100.00	100.00
BLANK	No region collapsed	501		

RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1427

Prologue:

Description: RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: RACEG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Races are collapsed to 1 group	1,276	100.00	100.00

AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1428

Prologue:

Description: AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F2

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing	1,276		

AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1429

Prologue:

Description: AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	21	5.05	38.33
2	Age 35 - 54	76	18.27	29.67
3	Age 55+	319	76.68	31.99
BLANK	Missing	860		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1430

Prologue:

Description: AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F3A

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 54	343	26.88	67.55
2	Age 55 - 64	375	29.39	15.36
3	Age 65+	558	43.73	17.09

AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1431

Prologue:

Description: AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F3_M

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 44	154	12.07	49.12
2	Age 45 - 64	564	44.20	33.78
3	Age 65+	558	43.73	17.09

AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1432

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	73	5.72	36.22
2	Age 35 - 44	81	6.35	12.91
3	Age 45 - 54	189	14.81	18.43
4	Age 55+	933	73.12	32.45

AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1433

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F4_M

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 44	154	12.07	49.12
2	Age 45 - 54	189	14.81	18.43
3	Age 55 - 64	375	29.39	15.36
4	Age 65+	558	43.73	17.09

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1434

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F4_M2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	73	5.72	36.22
2	Age 35 - 54	270	21.16	31.33
3	Age 55 - 64	375	29.39	15.36
4	Age 65+	558	43.73	17.09

AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1435

Prologue:

Description: AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	73	5.72	36.22
2	Age 35 - 44	81	6.35	12.91
3	Age 45 - 54	189	14.81	18.43
4	Age 55 - 64	375	29.39	15.36
5	Age 65+	558	43.73	17.09

AGE COLLAPSED TO 6 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1436

Prologue:

Description: AGE COLLAPSED TO 6 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 24	21	1.65	12.21
2	Age 25 - 34	52	4.08	24.00
3	Age 35 - 44	81	6.35	12.91
4	Age 45 - 54	189	14.81	18.43
5	Age 55 - 64	375	29.39	15.36
6	Age 65+	558	43.73	17.09

AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1437

Prologue:

Description: AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 24	4	2.12	13.01
2	Age 25 - 34	8	4.23	21.08
3	Age 35 - 44	18	9.52	15.40
4	Age 45 - 54	35	18.52	19.56
5	Age 55 - 64	59	31.22	14.22
6	Age 65 - 74	43	22.75	12.47
7	Age 75+	22	11.64	4.26
BLANK	Missing	1,087		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2014**

ACTIVE ASTHMA STATUS

Survey: ADULT Asthma Call-Back

Column: 1438

Prologue:

Description: Active Asthma Status

Type: NUM
SAS Variable Name: ACTASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Active Asthma	992	77.74	72.97
2	Inactive Asthma	283	22.18	27.01
9	Don't know/Not sure	1	0.08	0.02

ADULT ASTHMA CALL-BACK ADJUST FACTOR

Survey: ADULT Asthma Call-Back

Column: 1439-1446

Prologue:

Description: ADULT ASTHMA CALL-BACK ADJUST FACTOR

Type: NUM
SAS Variable Name: ADJUST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification adjust factor	1,276	100.00	100.00