

# Lung Cancer Screening Guidelines and Recommendations

Organization	Groups eligible for screening	Year
<a href="#"><u>American Academy of Family Practice<sup>1</sup></u></a>	Evidence is insufficient to recommend for or against screening.	2013
<a href="#"><u>American Association for Thoracic Surgery<sup>2</sup></u></a>	<ol style="list-style-type: none"> <li>1. Age 55 to 79 years with <math>\geq 30</math> pack-year smoking history.</li> <li>2. Long-term lung cancer survivors who have completed 4 years of surveillance without recurrence, and who can tolerate lung cancer treatment in order to detect second primary lung cancer until the age of 79.</li> <li>3. Age 50 to 79 years with a 20 pack-year smoking history and additional comorbidity that produces a cumulative risk of developing lung cancer <math>\geq 5\%</math> in 5 years.</li> </ol>	2012
<a href="#"><u>American Cancer Society<sup>3</sup></u></a>	Age 55 to 74 years with $\geq 30$ pack-year smoking history, either currently smoking or have quit within the past 15 years, and who are in relatively good health.	2013
<a href="#"><u>American College of Chest Physicians<sup>4</sup></u></a>	Age 55 to 74 years with $\geq 30$ pack-year smoking history and either continue to smoke or have quit within the past 15 years.	2013
<a href="#"><u>American College of Chest Physicians and American Society of Clinical Oncology<sup>5</sup></u></a>	Age 55 to 74 years with $\geq 30$ pack-year smoking history and either continue to smoke or have quit within the past 15 years.	2012
<a href="#"><u>American Lung Association<sup>6</sup></u></a>	Age 55 to 74 years with $\geq 30$ pack-year smoking history and no history of lung cancer.	2012
<a href="#"><u>National Comprehensive Cancer Network<sup>7</sup></u></a>	<ol style="list-style-type: none"> <li>1. Age 55 to 74 years with <math>\geq 30</math> pack-year smoking history and smoking cessation <math>&lt; 15</math> years.</li> <li>2. Age <math>\geq 50</math> years and <math>\geq 20</math> pack-year smoking history and 1 additional risk factor (other than secondhand smoke).<sup>a</sup></li> </ol>	2012
<a href="#"><u>U.S. Preventive Services Task Force<sup>8</sup></u></a>	Age 55 to 80 years with $\geq 30$ pack-year smoking history and smoking cessation $< 15$ years.	2013

<sup>a</sup>Additional risk factors include cancer history, lung disease history, family history of lung cancer, radon exposure, occupational exposure, and history of chronic obstructive pulmonary disease or pulmonary fibrosis. Cancers with increased risk of developing new primary lung cancer include survivors of lung cancer, lymphomas, cancer of the head and neck, and smoking-related cancers. Occupational exposures identified as carcinogens targeting the lungs include silica, cadmium, asbestos, arsenic, beryllium, chromium (VI), diesel fumes, and nickel.

## References

1. American Academy of Family Physicians. Lung cancer clinical recommendations. Available at: <http://www.aafp.org/patient-care/clinical-recommendations/all/lung-cancer.html>. Accessed September 9, 2016.
2. Jaklitsch MT, Jacobson FL, Austin JH. The American Association for Thoracic Surgery guidelines for lung cancer screening using low-dose computed tomography scans for lung cancer survivors and other high-risk groups. *Journal of Thoracic and Cardiovascular Surgery* 2012;144(1):33–38. DOI: [10.1016/j.jtcvs.2012.05.060](https://doi.org/10.1016/j.jtcvs.2012.05.060). Available at: <http://www.ncbi.nlm.nih.gov/pubmed/22710039>.
3. Smith RA, Andrews K, Brooks D, DeSantis CE, Fedewa SA, Lortet-Tieulent J, et al. Cancer screening in the United States, 2016: A review of current American Cancer Society guidelines and current issues in cancer screening. *CA: A Cancer Journal for Clinicians* 2016;66(2):96–114. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/26797525>.
4. Detterbeck FC, Mazzone PJ, Naidich DP, Bach PB. Screening for lung cancer: Diagnosis and management of lung cancer, 3<sup>rd</sup> ed: American College of Chest Physicians evidence-based clinical practice guidelines. *Chest* 2013;143(5 Suppl):e78S–92S. DOI: [10.1378/chest.12-2350](https://doi.org/10.1378/chest.12-2350). Available at: <http://www.ncbi.nlm.nih.gov/pubmed/23649455>.
5. Bach PB, Mirkin JN, Oliver TK. Benefits and harms of CT screening for lung cancer: a systematic review. *JAMA* 2012;307(22):2418–2429. DOI: [10.1001/jama.2012.5521](https://doi.org/10.1001/jama.2012.5521). Available at: <http://www.ncbi.nlm.nih.gov/pubmed/22610500>.
6. American Lung Association. Providing guidance on lung cancer screening to patients and physicians. An update from the American Lung Association Screening Committee. April 30, 2015. Available at: <http://www.lung.org/assets/documents/lung-cancer/lung-cancer-screening-report.pdf>. Accessed September 9, 2016.
7. Wood DE, Eapen GA, Ettinger DS. Lung cancer screening. *Journal of the National Comprehensive Cancer Control* 2012;10(2):240–265. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/22308518>.
8. National Comprehensive Cancer Network Clinical Practice Guidelines in Oncology. Lung cancer screening. Version 2. 2016.