

REVISED CDC Health Systems Scorecard (HSSC) Assessment Tool
version 2.0 (Replication of Electronic Version)¹

The CDC Health Systems Scorecard (HSSC) v2.0



US Department of Health and Human Services
Centers for Disease Control and Prevention
National Center for Chronic Disease Prevention and Health Promotion
Division for Heart Disease and Stroke Prevention

Updated July 2022

¹ This document is not intended to be used for data collection. It is for documentation purposes only.

CDC Health Systems Scorecard (HSSC) v2.0

Introduction

No standard approach exists to assess the policies and strategies that health systems use to provide primary care to U.S. adults with preventable risk factors including high blood pressure, high cholesterol, prediabetes or diabetes, obesity, chronic obstructive pulmonary disease (COPD), cancer, or who smoke. The result is a lack of comparable data to assess the impact of health care policies and strategies on health outcomes. State and local public health programs can use the HSSC v2.0 to identify which policies are in place in primary care health systems to identify possible gaps in their use of evidence-based strategies to manage chronic conditions.

Purpose

The purpose of this tool is to provide a standardized approach in the assessment of evidence-based policies and strategies that healthcare organizations use to care for adults with chronic conditions and behavioral health risk factors. This tool can be used regularly to identify areas of primary care practice that might need to be refreshed or enhanced. Health care organizations can use the HSSC v2.0 to identify areas for targeted quality improvement activities by utilizing the resources the tool suggests. Tailored quality improvement resources are provided with scorecard results.

Instructions for completing the HSSC v2.0

- The HSSC v2.0 is intended for use by small (0-44,999 patients) to medium (45,000-49,999 patients) sized health systems. CDC recommends that the person who completes the HSSC v2.0 be knowledgeable about the policies and protocols in place at the health system level to guide the prevention, management, and care services provided to adult patients with chronic conditions.
- Each of the eight modules of the HSSC v2.0 is devoted to a specific topic. Some module questions focus on specific chronic conditions (high blood pressure, high cholesterol, prediabetes or diabetes, obesity, or chronic obstructive pulmonary disease [COPD]). The user can select the condition(s) of interest and may complete each section in separate sittings and in any order. Scores are calculated per section and can also be tallied and combined for a total score. Completing the entire HSSC v2.0 will take about 30 minutes.
- Answer “Yes,” “No,” or “not applicable” (“N/A”) for each HSSC v2.0 item. All questions should be answered consistently according to the policies or protocols that are currently in place or were established within the last 12 months in the health system.
- For most questions, provide a response based on typical practices in the health system for managing patients who have one or more of the following chronic conditions and who are stable or relatively stable with a treatment regimen: high blood pressure, high cholesterol, prediabetes or diabetes, obesity, or COPD. Questions about tobacco use cessation and cancer screening for eligible patients are also included.

- Navigate between modules by pressing the “Next” and “Previous” buttons at the bottom of each page. Answers will be saved between modules when using these buttons.
- Glossary terms are **bolded** throughout the HSSC v2.0. Click on the word to go to the [Glossary](#) for a more complete definition. At the top of each module, a [Citations](#) link will take the user to a list of all evidence used to develop the HSSC v2.0. All the Glossary and Citations links will open in new windows.
- The account holder (partner health department) can provide a username and password to the user (health system). Or the user can create a new username and password, if the account holder’s settings allow. If new login information is created, we recommend that the user contact their partnering health department so they may associate that username to the user’s Scorecard responses. Using the assigned, or a new, username and password will enable the user to save a partially completed Scorecard and return to it later to complete it. However, once the assessment is completed and closed, user responses to the HSSC v2.0 can only be accessed by the account holder. Please contact the partner state or local health department for assessment results if your health system needs to change any responses or would like access to the results after you have completed and closed the Scorecard.
- Upon completion of the HSSC v2.0, users will receive a customized report of suggested resources to refer to for more information for quality improvement. This report is unique to each user and is automatically generated based on the responses provided and scoring. The user should print or save the score report for their records. Users can contact their health department for their results and can [access a complete list of resources on the CDC website](#).

Health System Information and Module Selection

Please provide the following information for your health system. Questions with asterisks (*) are required.

Please enter the name of your health system:*

Please enter the contact information of your health system's Point of Contact.*

First Name*

Last Name*

Street Address*

Address Line 2

City*

State*

Zip Code*

Phone Number*

Email Address*

Please indicate your health system type (check all that apply):*

- | | |
|--|--|
| <input type="checkbox"/> Metropolitan/Urban Hospital | <input type="checkbox"/> Health Maintenance Organization (HMO) |
| <input type="checkbox"/> Critical Access Hospital | <input type="checkbox"/> Health Center Controlled Network (HCCN) |
| <input type="checkbox"/> Small/Rural Hospital | <input type="checkbox"/> Health Plan (private, public, or other) |
| <input type="checkbox"/> VA Hospital/Clinic | <input type="checkbox"/> Multispecialty (psychology, OB/GYN, etc.) |
| <input type="checkbox"/> Community Health Center (or similar) | <input type="checkbox"/> Individual primary clinic |
| <input type="checkbox"/> Federally Qualified Health Center | <input type="checkbox"/> State or local government responsible for providing clinical care |
| <input type="checkbox"/> Rural Health Center | <input type="checkbox"/> Other (please specify): |
| <input type="checkbox"/> Provider Group/Practice | |
| <input type="checkbox"/> Accountable Care Organization (ACO) | |
| <input type="checkbox"/> Independent Physician Association (IPA) | |

Please enter an approximate count of how many sites or clinics are a part of your health system:*

Please enter an approximate count of unique adult patients (18-85 years old) served by your health system for outpatient services (in the last calendar year):*

Please enter the name of the Electronic Health Record (EHR) system(s) that are currently in use (please list all):

What certification/recognition programs, quality measurement reporting, standards, and/or tools does your organization currently use? Please list all that apply for the following health conditions:

Refer to Glossary: General Terms for a list of common national programs.

1. High Blood Pressure:
2. High Cholesterol:
3. Prediabetes or Diabetes:
4. Obesity:
5. [Chronic obstructive pulmonary disease \(COPD\)](#):
6. Tobacco Use and Dependence:
7. Cancer (Breast, Cervical, and/or Colorectal):

Which modules would you like to complete?

- A. Multidisciplinary Team for the Care Management Approach for Adults with High Blood Pressure, High Cholesterol, Prediabetes, Diabetes, Obesity, or COPD
- B. Clinical Guidelines for Adults with High Blood Pressure, High Cholesterol, Prediabetes, Diabetes, Obesity, or COPD

This module is disease-specific. Which of the following diseases would you like to score?

- High Blood Pressure
- High Cholesterol
- Prediabetes or Diabetes
- Obesity
- COPD

- C. Electronic Health Record (EHR) and Patient Tracking Systems for Adults with High Blood Pressure, High Cholesterol, Prediabetes, Diabetes, Obesity, or COPD
- D. Clinical Decision Support and Protocols for Adults with High Blood Pressure, High Cholesterol, Prediabetes, Diabetes, Obesity, or COPD

This module is disease-specific. Which of the following diseases would you like to score?

- High Blood Pressure
- High Cholesterol
- Prediabetes or Diabetes
- Obesity
- COPD

E. Patient Education for Adults with High Blood Pressure, High Cholesterol, Prediabetes, Diabetes, Obesity, or COPD

This module is disease-specific. Which of the following diseases would you like to score?

- High Blood Pressure
- High Cholesterol
- Prediabetes or Diabetes
- Obesity
- COPD

F. Self-Management and Care Management for Adults with High Blood Pressure, High Cholesterol, Prediabetes, Diabetes, Obesity, or COPD

G. Tobacco Use and Dependence Cessation

H. Guidelines for Screening for Breast, Cervical, and/or Colorectal Cancer of Eligible Patients

This module is disease-specific. Which of the following diseases would you like to score?

- Breast Cancer
- Cervical Cancer
- Colorectal Cancer

A. Multidisciplinary Team for Care Management Approach for Adults with High Blood Pressure, High Cholesterol, Prediabetes, Diabetes, Obesity, or COPD

<i>During the past 12 months, did your health system have a policy/protocol in place that required your practices to...?</i>	Yes	No	N/A	Score
<p>1. Use a multidisciplinary team to manage the care of patients?</p> <p><i>If “Yes,” continue to question A2.</i> <i>If “No,” skip to question A4.</i></p>	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
<p>2. Have a multidisciplinary team that includes <u>at least</u> a nurse or pharmacist in addition to the patient and their primary care provider?</p> <p><i>Continue to A3.</i></p>	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
<p>3. Have a multidisciplinary team approach that communicates regularly and coordinates patient care through team “huddles” or regularly scheduled meetings to discuss patient care, use of EHRs to promote communication between team members, etc.?</p> <p><i>Continue to A6.</i></p>	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
<p>4. Refer patients to a specialized clinic or center to primarily manage patient’s care (e.g., a hypertension clinic or endocrinology clinic)?</p> <p><i>If “Yes,” skip to question A6.</i> <i>If “No,” continue to question A5.</i></p>	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
<p>5. Use the patient’s primary care provider (physician, nurse practitioner, or physician assistant) to primarily manage the patient’s care?</p> <p><i>You have completed Module A.</i></p>	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
<p>6. Have a Collaborative Practice Agreement (CPA) in place that incorporates pharmacists or community health workers?</p> <p><i>Continue to A7.</i></p>	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
<p>7. Have pharmacists provide Collaborative Drug Therapy Management (CDTM) or Medication Therapy Management (MTM)?</p> <p><i>You have completed Module A.</i></p>	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
Your Health System’s Multidisciplinary Team Score:				
Maximum Multidisciplinary Team Score:				

Note: This module includes a subset of unscored informational questions that were identified as helpful for health systems seeking to make healthcare improvements. These unscored items do not need to be completed for a module score to be generated.

The following question is for informational purposes only.		
8. If yes to A1, please indicate who else, in addition to the previously identified team members, is included on the multidisciplinary team:	Yes	No
Nurse Practitioner	<input type="checkbox"/>	<input type="checkbox"/>
Physician Assistant	<input type="checkbox"/>	<input type="checkbox"/>
Medical Assistant	<input type="checkbox"/>	<input type="checkbox"/>
Dietitian/Nutritionist	<input type="checkbox"/>	<input type="checkbox"/>
Community Health Worker	<input type="checkbox"/>	<input type="checkbox"/>
Social Worker	<input type="checkbox"/>	<input type="checkbox"/>
Health Educator/Nurse Educator	<input type="checkbox"/>	<input type="checkbox"/>
Other (please specify): _____	<input type="checkbox"/>	<input type="checkbox"/>

B. Clinical Guidelines for Adults with High Blood Pressure, High Cholesterol, Prediabetes, Diabetes, Obesity, or COPD

During the past 12 months, did your health system have a policy/protocol in place that required your practices to...?	Yes	No	N/A	Score
1. Follow evidence-based clinical guidelines released by national organizations (e.g., National Heart, Lung, and Blood Institute; American Diabetes Association; American Association of Clinical Endocrinologists; American Heart Association; American College of Cardiology; National Diabetes Prevention Program)? <i>Continue to B2.</i>	a. High Blood Pressure <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	b. High Cholesterol <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	c. Prediabetes or Diabetes <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	d. Obesity <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	e. COPD <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
2. Have all primary care providers follow the same evidence-based clinical guidelines to diagnose and treat adult patients with a specific condition? <i>Continue to B3.</i>	a. High Blood Pressure <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	b. High Cholesterol <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	c. Prediabetes or Diabetes <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	d. Obesity <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	e. COPD <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	

During the past 12 months, did your health system have a policy/protocol in place that required your practices to...?		Yes	No	N/A	Score
3. Conduct data-driven quality improvement initiatives to improve provider adherence to clinical guidelines (e.g., the Plan-Do-Study-Act model)? <i>You have completed Module B.</i>	a. High Blood Pressure	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	b. High Cholesterol	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	c. Prediabetes or Diabetes	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	d. Obesity	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	e. COPD	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
Your Health System's Clinical Guidelines Score:					
Maximum Clinical Guidelines Score:					

Note: This module includes a subset of unscored informational questions that were identified as helpful for health systems seeking to make healthcare improvements. These unscored items do not need to be completed for a module score to be generated.

The following question is for informational purposes only. Checking the box indicates "yes" to the question.					
During the past 12 months, did your health system have a policy/protocol in place that required your practices to...?	High Blood Pressure	High Cholesterol	Diabetes	Obesity	COPD
4. Follow evidence-based clinical guidelines issued by <u>your health system</u> for each specified medical condition? <i>Note: Please report health system-specific guidelines not captured by the first question in Module B.</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

C. Electronic Health Record (EHR) and Patient Tracking Systems				
During the past 12 months, did your health system have a policy/protocol in place that required your practices to...?	Yes	No	N/A	Score
1. Use an EHR system to manage and inform patient care? <i>If "Yes," continue to question C2. If "No," answer questions only in the B Path.</i>	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
2. Have an EHR system that qualifies for the Promoting Interoperability Program ? <i>Continue to answer questions in the A Path.</i>	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	

A Path

During the past 12 months, did your health system have a policy/protocol in place that required your practices to...?		Yes	No	N/A	Score
3. Use the EHR system to transmit health data to <u>all</u> providers in the system? <i>Continue to C4a.</i>		<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
4. Use <u>provider prompts</u> to order tests and imaging studies, notify when patient is due for screening, or notify when patient’s condition is not controlled? <i>Continue to C5a.</i>		<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
5. Use <u>patient prompts</u> to notify patients with selected medical conditions who are overdue for office visits or to order tests and imaging studies? (These prompts can be external but linked to the EHR, such as a patient portal.) <i>Continue to C6a.</i>		<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
6. Track key measures for the selected medical condition (e.g., blood pressure, lipid levels, A1c), abnormal test or imaging results, referrals to specialists, or provider dashboards with appropriate goals and metrics? <i>Continue to C7a.</i>		<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
7. Use the EHR system to identify patients without a diagnosis of...?	a. High Blood Pressure	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
<i>Continue to C8a.</i>	b. High Cholesterol	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
8. Use the EHR system to report standardized clinical quality measures for the management and treatment of patients with...?	a. High Blood Pressure	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
<i>Continue to C9a.</i>	b. High Cholesterol	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
9. Use the EHR system and standardized clinical quality measures to track differences in <u>priority populations</u> compared to overall populations?	a. High Blood Pressure	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
<i>Continue to C10a.</i>	b. High Cholesterol	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
10. Generate and transmit prescription orders? <i>Continue to C11a.</i>		<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
11. Generate and transmit consultation requests? <i>Continue to C12a.</i>		<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
12. View electronic results of lab/pathology reports or screening and diagnostic imaging results? <i>You have completed Module C.</i>		<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	

B Path				
During the past 12 months, did your health system have a policy/protocol in place that required your practices to...?	Yes	No	N/A	Score
3. Regularly use a patient tracking system (e.g., a report or registry) to track management for patient populations (e.g., daily, weekly, or monthly)?	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
Your Health System's Electronic Health Record and Patient Tracking Score:				
Maximum Electronic Health Record and Patient Tracking Score:				

D. Clinical Decision Support and Protocols for Adults with High Blood Pressure, High Cholesterol, Prediabetes, Diabetes, Obesity, or COPD

During the past 12 months, have the practices in your health system systematically used the following clinical decision supports and protocols?	Yes	No	N/A	Score
1. Cut-off points when making diagnostic or screening decisions? <i>Continue to D2.</i>	a. High Blood Pressure (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. High Cholesterol (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Prediabetes or Diabetes (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	d. Obesity (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	e. COPD (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
2. Functionality of recommending, ordering, or viewing laboratory test(s) and results? <i>Continue to D3.</i>	a. High Blood Pressure (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. High Cholesterol (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Prediabetes or Diabetes (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	d. Obesity (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
3. Recommendations for lifestyle modifications (i.e., diet and physical activity)? <i>Continue to D4.</i>	a. High Blood Pressure (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. High Cholesterol (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Prediabetes or Diabetes (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	d. Obesity (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	e. COPD (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	

During the past 12 months, have the practices in your health system systematically used the following clinical decision supports and protocols?		Yes	No	N/A	Score
4. Evidence-based cardiovascular disease (CVD) risk calculator ?	a. High Blood Pressure	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. High Cholesterol	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Prediabetes or Diabetes	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	d. Obesity	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	e. COPD	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
<i>Continue to D5.</i>					
5. Drug management protocol (e.g., prescribing first-line medications to initiate treatment, drug-dosing [titration] support, or second-line medication if the condition is not controlled)?	a. High Blood Pressure	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. High Cholesterol	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Prediabetes or Diabetes	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	d. Obesity	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
<i>Continue to D6.</i>					
6. Specified follow-up time period, including follow-up with primary care providers or other members of the health treatment team?	a. High Blood Pressure	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. High Cholesterol	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Prediabetes or Diabetes	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	d. Obesity	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
<i>Continue to D7.</i>					
7. Documentation in paper charts or electronic charts of positive or negative change in condition at follow-up?	a. High Blood Pressure	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. High Cholesterol	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Prediabetes or Diabetes	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	d. Obesity	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
<i>Continue to D8.</i>					
8. Flags in patients' paper charts or electronic prompts when a patient's medical condition is <u>uncontrolled</u> ?	a. High Blood Pressure	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. High Cholesterol	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Prediabetes or Diabetes	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	d. Obesity	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
<i>Continue to D9.</i>					
9. Flags in patients' paper charts or electronic prompts for determining <u>when</u> tests should be done?	a. High Blood Pressure	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. High Cholesterol	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Prediabetes or Diabetes	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	d. Obesity	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
<i>Continue to D10.</i>					

During the past 12 months, have the practices in your health system systematically used the following clinical decision supports and protocols?		Yes	No	N/A	Score
10. Flags in patients' paper charts or electronic prompts for medication adjustment? <i>Continue to D11.</i>	a. High Blood Pressure	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. High Cholesterol	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Prediabetes or Diabetes	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	d. Obesity	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
11. Flags in patients' paper charts or electronic prompts for <u>tobacco cessation</u> ? <i>You have completed Module D.</i>	a. High Blood Pressure	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. High Cholesterol	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Prediabetes or Diabetes	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	d. Obesity	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	e. COPD	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
Your Health System's Clinical Decision Support and Protocols Score:					
Maximum Clinical Decision Support and Protocols Score:					

E. Patient Education for Adults with High Blood Pressure, High Cholesterol, Prediabetes, Diabetes, Obesity, or COPD					
During the past 12 months, did your health system have a policy/protocol in place that required your practices to...?		Yes	No	N/A	Score
1. Educate patients via <u>telephone or e-mail or in group classes</u> on-site (e.g., for disease management)? <i>Indicate "Yes" for those disease states in which education is offered using active interaction (as opposed to education that is limited to printed and online material).</i> <i>Continue to E2.</i>	a. High Blood Pressure	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. High Cholesterol	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Prediabetes or Diabetes	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	d. Obesity	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	e. COPD	<input type="checkbox"/> (1 point)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
2. Provide any educational <u>materials</u> to the patient such as printed materials, DVDs/videos, self-study programs, or referrals to community organizations or websites? <i>Continue to E3.</i>	a. High Blood Pressure	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. High Cholesterol	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Prediabetes or Diabetes	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	d. Obesity	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	e. COPD	<input type="checkbox"/> (1 point)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	

During the past 12 months, did your health system have a policy/protocol in place that required your practices to...?		Yes	No	N/A	Score
3. Teach patients problem-solving skills? <i>Include what to do to maintain compliance with medications and lifestyle, especially during special circumstances like traveling or celebrations.</i> <i>Continue to E4.</i>	a. High Blood Pressure	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	b. High Cholesterol	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	c. Prediabetes or Diabetes	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	d. Obesity	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	e. COPD	<input type="checkbox"/> <i>(1 point)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
4. Communicate and provide specific goals regarding management of their medical condition <u>orally</u> during the visit, <u>written down on a piece of paper</u> , or <u>by other reporting method</u> for patient? <i>This may be orally during a visit, written on paper, or online through a patient portal.</i> <i>Continue to E5.</i>	a. High Blood Pressure	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	b. High Cholesterol	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	c. Prediabetes or Diabetes	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	d. Obesity	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	e. COPD	<input type="checkbox"/> <i>(1 point)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
5. Employ evidence-based methods to increase patient self-efficacy and encourage them to feel in control of their condition(s)? <i>Include methods such as motivational interviewing, use of reminder techniques, and encouraging use of social support networks.</i> <i>You have completed Module E.</i>	a. High Blood Pressure	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	b. High Cholesterol	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	c. Prediabetes or Diabetes	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	d. Obesity	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	e. COPD	<input type="checkbox"/> <i>(1 point)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
Your Health System's Patient Education Score:					
Maximum Patient Education Score:					

F. Self-Management and Care Management for Adults with High Blood Pressure, High Cholesterol, Prediabetes, Diabetes, Obesity, or COPD					
During the past 12 months, did your health system have a policy/protocol in place that required your practices to...?		Yes	No	N/A	Score
1. Use any staff to work jointly with patients to develop their self-management goals ? <i>For High Blood Pressure, if "Yes," continue to F2_HBP1.</i> <i>For High Blood Pressure, if "No," skip to F2.</i>	a. High Blood Pressure	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	b. High Cholesterol	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	c. Prediabetes or Diabetes	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	d. Obesity	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	

During the past 12 months, did your health system have a policy/protocol in place that required your practices to...?		Yes	No	N/A	Score
2_HBP1. Encourage self-measured blood pressure monitoring (SMBP) with clinical support for patients? <i>If “Yes,” continue to F2_HBP2. If “No,” skip to F2.</i>		<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
2_HBP2. Document or receive electronic transmission of self-measured (i.e., home) blood pressure readings in the EHR? <i>Continue to F2_HBP3.</i>		<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
2_HBP3. Provide blood pressure cuffs through a loaner program ? <i>Continue to F2.</i>		<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
2. Assess patient progress in meeting health goals? <i>Include the review of logs from self-testing, weight control tracking, food diary, or physical activity diary. Continue to F3.</i>	a. High Blood Pressure	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	b. High Cholesterol	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	c. Prediabetes or Diabetes	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	d. Obesity	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
3. Record patients’ self-measured clinical values (e.g., blood pressure, glucose levels, weight, smoking diary, and food diary) and provide clinical staff advice, medication changes, or lifestyle modifications back to patients? <i>Continue to F4.</i>	a. High Blood Pressure	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	b. High Cholesterol	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	c. Prediabetes or Diabetes	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	d. Obesity	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
4. Record patients’ self-measured clinical values (e.g., blood pressure, glucose levels, weight, smoking diary, food diary) and communicate those values to clinical staff? <i>Continue to F5.</i>	a. High Blood Pressure	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	b. High Cholesterol	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	c. Prediabetes or Diabetes	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	d. Obesity	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
5. Refer patients to a professional for specialized care (e.g., to pharmacists for consultation or Medication Therapy Management (MTM), nurses, registered dietitians, certified diabetes educators, or tobacco cessation quitline)? <i>Continue to F6.</i>	a. High Blood Pressure	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	b. High Cholesterol	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	c. Prediabetes or Diabetes	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	d. Obesity	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	e. COPD	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	

During the past 12 months, did your health system have a policy/protocol in place that required your practices to...?		Yes	No	N/A	Score
6. Refer patients to evidence-based lifestyle change and disease self-management programs (e.g., National Diabetes Prevention Program, Weight Watchers®, TOPS)? <i>If "Yes," continue to F7. If "No," skip to F8.</i>	a. High Blood Pressure	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. High Cholesterol	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Prediabetes or Diabetes	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	d. Obesity	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	e. COPD	<input type="checkbox"/> (1 point)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
7. Receive information back from referred evidence-based lifestyle change programs (e.g., report on attendance, participation or participant outcomes)? <i>Continue to F9.</i>	a. High Blood Pressure	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. High Cholesterol	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Prediabetes or Diabetes	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	d. Obesity	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	e. COPD	<input type="checkbox"/> (1 point)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
8. Have lifestyle referral information integrated with the EHR? <i>Continue to F9.</i>	a. High Blood Pressure	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. High Cholesterol	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Prediabetes or Diabetes	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	d. Obesity	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	e. COPD	<input type="checkbox"/> (1 point)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
9. Provide follow-up care? <i>Include follow-up by community health workers (CHWs), patient navigators or coaches, or other health care extenders and review of logs from self-testing, weight control, food diary, or physical activity diary. Continue to F10.</i>	a. High Blood Pressure	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. High Cholesterol	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Prediabetes or Diabetes	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	d. Obesity	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
10. Provide non-clinician case management? <i>Include case management provided by nurses, as well as by CHWs or patient navigators with nurse oversight. Continue to F11.</i>	a. High Blood Pressure	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. High Cholesterol	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Prediabetes or Diabetes	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	d. Obesity	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	

During the past 12 months, did your health system have a policy/protocol in place that required your practices to...?		Yes	No	N/A	Score
11. Refer patients to social support groups of others with the same medical condition? <i>Continue to F12.</i>	a. High Blood Pressure	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. High Cholesterol	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Prediabetes or Diabetes	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	d. Obesity	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
12. Determine the patient's cognitive ability/capacity to engage in self-care or management? <i>Continue to F13.</i>		<input type="checkbox"/> (1 point)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
13. Determine the availability of a caregiver to assist with self-care or management? <i>For High Blood Pressure and High Cholesterol, continue to F16. For all other conditions, you have completed Module F.</i>		<input type="checkbox"/> (1 point)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
Your Health System's Self-Management and Care Management Score:					
Maximum Self-Management and Care Management Score:					

Note: This module includes a subset of unscored informational questions that were identified as helpful for health systems seeking to make healthcare improvements. These unscored items do not need to be completed for a module score to be generated.

The following questions are for informational purposes only. Checking the box indicates "yes" to the question.		
14. If "Yes" to F2_HBP1, please indicate who is referred for the self-measured blood pressure monitoring program. Please check all that apply.	Yes	No
Patients with diagnosed hypertension who have uncontrolled blood pressure	<input type="checkbox"/>	<input type="checkbox"/>
Patients without diagnosed hypertension who have elevated blood pressure	<input type="checkbox"/>	<input type="checkbox"/>
Patients changing blood pressure medication	<input type="checkbox"/>	<input type="checkbox"/>
Other, please describe:	<input type="checkbox"/>	<input type="checkbox"/>
15. If "Yes" to F6, to which evidence-based lifestyle change and disease self-management programs do you refer patients? Please check all that apply.	Yes	No
National Diabetes Prevention Program (DPP)	<input type="checkbox"/>	<input type="checkbox"/>
Diabetes Self-Management Education and Support (DSMES)	<input type="checkbox"/>	<input type="checkbox"/>
Weight Watchers®	<input type="checkbox"/>	<input type="checkbox"/>
Taking Off Pounds Sensibly (TOPS)	<input type="checkbox"/>	<input type="checkbox"/>
YMCA's Blood Pressure Self-Monitoring Program (BPSM)	<input type="checkbox"/>	<input type="checkbox"/>
Heart Health Ambassador BPSM (modeled after the Y's program)	<input type="checkbox"/>	<input type="checkbox"/>
Supplemental Nutrition and Assistance Program and Education (SNAP-ED)	<input type="checkbox"/>	<input type="checkbox"/>
Expanded Food and Nutrition Education Program (EFNEP)	<input type="checkbox"/>	<input type="checkbox"/>
Curves Complete	<input type="checkbox"/>	<input type="checkbox"/>
Other	<input type="checkbox"/>	<input type="checkbox"/>

Cardiac Rehabilitation Services

The following questions are for informational purposes only. Checking the box indicates “yes” to the question.

<i>During the past 12 months, did your health system...?</i>	Yes	No	N/A
16. Incorporate referral to cardiac rehabilitation services into standardized processes of care for eligible patients? <i>Continue to F17.</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
17. Automate referrals to cardiac rehabilitation services for all eligible patients? <i>Continue to F18.</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
18. Use a liaison to help educate, refer, schedule, and enroll eligible patients in cardiac rehabilitation services? <i>For High Blood Pressure and High Cholesterol, you have completed Module F.</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

G. Tobacco Use and Dependence Cessation

<i>During the past 12 months, did your health system have a policy/protocol in place that required your primary care providers and staff to routinely implement the following clinical guidelines on tobacco use and dependence?</i>	Yes	No	Score
1. <u>Ask</u> every patient about tobacco use at every visit. <i>Continue to G2.</i>	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
2. <u>Advise</u> every patient who uses tobacco to quit at every visit. <i>Continue to G3.</i>	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
3. <u>Assess</u> patients’ current willingness to quit at every visit. <i>Continue to G4.</i>	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
4. <u>Assist</u> patients making a quit attempt by providing evidence-based tobacco cessation counseling . <i>Continue to G5.</i>	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
5. <u>Assist</u> patients making a quit attempt by offering FDA-approved tobacco cessation medication . <i>Continue to G6.</i>	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
6. <u>Arrange</u> follow-up with patients to provide ongoing support, either in person or by phone. <i>Continue to G7.</i>	<input type="checkbox"/> <i>(3 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	

<i>During the past 12 months, did your health system have a policy/protocol in place that required your primary care providers and staff to routinely implement the following clinical guidelines on tobacco use and dependence?</i>	Yes	No	Score
7. <u>Refer</u> patients to additional cessation supports, including tobacco quit lines (1-800-QUIT-NOW), websites (smokefree.gov), state- and community-based quit programs, or a tobacco treatment specialist. <i>Continue to G8.</i>	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	
8. Does your health system have a policy in place that requires all facilities be 100% tobacco free (including e-cigarettes), in both indoor and outdoor locations? <i>You have completed Module G.</i>	<input type="checkbox"/> (3 points)	<input type="checkbox"/> (0 points)	
Your Health System's Tobacco Use and Dependence Cessation Score:			
Maximum Tobacco Use and Dependence Cessation Score:			

H. Guidelines for Screening for Breast, Cervical, and/or Colorectal Cancer of Eligible Patients					
<i>During the past 12 months, in order to increase the proportion of eligible patients screened for certain cancers, did your health system have a policy/protocol in place that required your practices to...?</i>		Yes	No	N/A	Score
1. Make available small media products (e.g., videos/DVDs, letters, brochures, pamphlets, flyers, newsletters) to patients? <i>Continue to H2.</i>	a. Breast Cancer Screening	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. Cervical Cancer Screening	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Colorectal Cancer Screening	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
2. Provide one-on-one education (e.g., phone or in-person education) about cancer screening, delivered by health care providers or staff or by lay persons? <i>Continue to H3.</i>	a. Breast Cancer Screening	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	b. Cervical Cancer Screening	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
	c. Colorectal Cancer Screening	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
3. Provide group education (education about cancer and cancer screening delivered to 2 or more patients by health care providers or staff or by lay persons)? <i>Continue to H4.</i>	a. Breast Cancer Screening	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	

During the past 12 months, in order to increase the proportion of eligible patients screened for certain cancers, did your health system have a policy/protocol in place that required your practices to...?		Yes	No	N/A	Score
4. Provide client reminders (e.g., messages advising people that they are due or overdue for screening; may include letter/postcard, phone call, e-mail, text, or other reminder)? <i>Continue to H5.</i>	a. Breast Cancer Screening	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	b. Cervical Cancer Screening	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	c. Colorectal Cancer Screening	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
5. Reduce structural barriers (noneconomic obstacles that impede access to screening)? Examples include: (1) Modified hours of service when patients can receive screening (e.g., evening or weekend hours). (2) Screening offered in alternative or nonclinical settings (e.g., mobile mammography vans at worksites or providing screening in residential communities). (3) Simplified administrative procedures, scheduling, or other obstacles. <i>Continue to H6.</i>	a. Breast Cancer Screening	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	b. Colorectal Cancer Screening	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
6. Reduce patient out-of-pocket costs for screening? <i>Continue to H7.</i>	a. Breast Cancer Screening	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
7. Assess provider delivery of or referral for screening and offer feedback (e.g., evaluate provider or practice performance in screening patients and report back about their performance)? <i>Continue to H8.</i>	a. Breast Cancer Screening	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	b. Cervical Cancer Screening	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	c. Colorectal Cancer Screening	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
8. Use reminder systems to notify providers when a patient is due or overdue for screenings (e.g., chart checklists/flow sheets, prompts such as stickers, flags, or other manual or electronic notices to providers)? <i>For Breast and Cervical Cancer, you have completed Module H.</i> <i>For Colorectal Cancer, continue to H9.</i>	a. Breast Cancer Screening	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	b. Cervical Cancer Screening	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	c. Colorectal Cancer Screening	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	
	d. Endoscopic Colorectal Cancer Screening	<input type="checkbox"/> <i>(2 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	<input type="checkbox"/> <i>(0 points)</i>	

For Colorectal Cancer				
<i>During the past 12 months, did your health system have a policy/protocol in place that required your practices to...?</i>	Yes	No	N/A	Score
9. Offer both stool blood testing and colonoscopy as options for colorectal cancer screening ? <i>Continue to H10.</i>	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
10. Monitor provider recommendations for colorectal cancer screening intervals for consistency with published guidelines, taking into account personal and family history; AND/OR colorectal cancer or adenoma surveillance intervals for consistency with published guidelines? <i>Continue to H11.</i>	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
11. (For primary care practices) Refer only to endoscopists who provide high-quality exams as judged by quality indicators such as their adenoma detection rates, cecal intubation rates, and percentage of exams with adequate bowel preparation quality? <i>Continue to H12.</i>	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
12. (For endoscopy practices) Require that endoscopists report their colonoscopy performance on quality indicators such as their adenoma detection rates, cecal intubation rates, and percentage of exams with adequate bowel preparation quality? <i>For Colorectal Cancer, you have completed Module H.</i>	<input type="checkbox"/> (2 points)	<input type="checkbox"/> (0 points)	<input type="checkbox"/> (0 points)	
Your Health System's Guidelines for Screening of Cancers Score:				
Maximum Guidelines for Screening of Cancers Score:				

Note: This module includes a subset of unscored informational questions that were identified as helpful for health systems seeking to make healthcare improvements. These unscored items do not need to be completed for a module score to be generated.

The following question is for informational purposes only.			
<i>During the past 12 months, did your health system have a policy/protocol in place that required your practices to...?</i>	Yes	No	N/A
13. Collect and report any measures related to cancer screening to systems or entities such as the Uniform Data System (UDS) or the Centers for Medicare & Medicaid Services or cancer registries?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

All Selected Modules Have Been Completed

You have completed all selected modules of the HSSC v2.0. If you would like to complete additional modules, please use the “Previous” button below to navigate back to the Information and Module Selection page to select additional modules. If you have finished all the modules you would like to complete at this time, hit the “Next” button to view your HSSC v2.0 Score Report.

Appendix A: HSSC v2.0 Glossary

CDC Health Systems Scorecard (HSSC) v2.0 Glossary

The glossary provides definitions of terms used in some of the HSSC v2.0 modules. Evidence is based on literature published through June 2020.

General Terms

Term	Definition	Source/Resources
Chronic Obstructive Pulmonary Disease (COPD)	A group of diseases that cause airflow blockage and breathing-related problems. It includes emphysema and chronic bronchitis. COPD makes breathing difficult for the 16 million Americans who have this disease.	
Common national certification/recognition programs, quality measurement reporting, standards, and/or tools (this is not an exhaustive list)	<ul style="list-style-type: none">• Accountable Care Organization (ACO)• American Medical Group Foundation Measure Up Pressure Down participant• CMS Million Hearts Risk Reduction Model• Community Health Center (or similar)• Comprehensive Primary Care Plus (CPC+) practice• Critical Access Hospital• Evidence NOW participant• Federally Qualified Health Center (FQHC)• Health Center Controlled Network (HCCN)• Health Department Lead QI initiative participant• Health Maintenance Organization (HMO)• Health Plan (private, public, or other)• Independent Physician Association (IPA)	

Term	Definition	Source/Resources
Common national certification/recognition programs, quality measurement reporting, standards, and/or tools (this is not an exhaustive list), continued	<ul style="list-style-type: none"> • Indian Health Service (IHS) provider • Individual primary clinic • Metropolitan/Urban Hospital • Medicare Shared Savings Program • Pioneer Accountable Care Organization (ACO) • Federally Qualified Health Center (FQHC) provider • CMS Million Hearts Risk Reduction Model • Transforming Clinical Practice Initiative participant (TCPI) • Quality Improvement Organization-Quality Innovation Network (QIO-QIN) participant • WISEWOMAN program participant <p>Target: BP</p>	
Health system	<p>Health system refers to health care delivery organizations and may include health maintenance organizations (HMOs), Federally Qualified Health Centers (FQHCs), Rural Health Centers (RHCs), and other clinical groups operating within the state.</p>	

For more definitions of general terms used in the HSSC v2.0, see the CDC publication [Everyday Words for Public Health Communication](#).

Module A: Multidisciplinary Team for Care Management Approach for Adults with High Blood Pressure, High Cholesterol, Prediabetes or Diabetes, Obesity, or COPD

Term	Definition	Source/Resources
Collaborative Drug Therapy Management (CDTM)	A collaborative practice agreement between one or more physicians and pharmacists wherein qualified pharmacists working within the context of a defined protocol are permitted to assume professional responsibility for performing patient assessments; ordering drug therapy-related laboratory tests; administering drugs; and selecting, initiating, monitoring, continuing, and adjusting drug regimens.	Collaborative Drug Therapy Management By Pharmacists, 2003
Collaborative Practice Agreement (CPA) (other related terms are Collaborative Care Agreement, Coordinated Care Agreement, Physician-Pharmacist Agreement, Collaborative Drug Therapy Management, Delegation of Authority by Physician, Physician Delegation, or Consult Agreement)	A formal agreement in which a licensed provider makes a diagnosis, supervises patient care, and refers patients to other providers under a protocol that allows the other providers to perform specific patient care functions.	Collaborative Practice Agreements and Pharmacists' Patient Care Services

Term	Definition	Source/Resources
Community health worker (CHW)	<p>Community health workers (CHWs) provide health education, referral and follow-up, case management, and basic preventive health care and home visiting services to specific communities. Please note that a CHW may also be referred to as a lay health worker, <i>promotor</i>, <i>promotora</i>, community health advocate, lay health educator, community health representative, peer health promoter, community health advisor, patient navigator, lay health advisor, neighborhood health advisor, community care coordinator, community health educator, community health promoter, case work aide, community connector, community health outreach worker, family support worker, outreach specialist, peer educator, peer support worker, AND/OR public health aide.</p>	<p>CDC Community Health Worker Toolkit</p>
Medication Therapy Management (MTM)	<p>A distinct service or group of services that optimize therapeutic outcomes for individual patients; it represents one type of pharmacists' patient care services. The five core elements of the MTM service model include:</p> <ol style="list-style-type: none"> 1. Medication therapy review (MTR). 2. Personal medication record (PMR). 3. Medication-related action plan (MAP). 4. Intervention and/or referral. 5. Documentation and follow-up. 	<p>Medication Therapy Management in Pharmacy Practice: Core Elements of an MTM Service Model (Version 2.0)</p>

Term	Definition	Source/Resources
Multidisciplinary team	<p>A multidisciplinary team (MDT) includes the patient, the patient’s primary care provider, and other professionals such as nurses, pharmacists, dietitians, social workers, and community health workers. Team members provide process support and share responsibilities of care to complement the activities of the primary care provider. Responsibilities include medication management, patient follow-up, and adherence and self-management support.</p>	Multidisciplinary Teams (MDTs)

Module B: Clinical Guidelines for Adults with High Blood Pressure, High Cholesterol, Prediabetes or Diabetes, Obesity, or COPD

Term	Definition	Source/Resources
Data-driven quality improvement initiatives	Evidence-based interventions designed to refine care delivery systems to make sure patients get the right care at the right time, particularly among underserved populations.	NACDD DP13-1305 Domain 3 Resource Guide Institute for Healthcare Improvement
Evidence-based clinical guidelines	<p>Clinical practice guidelines are statements that include recommendations intended to optimize patient care that are informed by a systematic review of evidence and an assessment of the benefits and harms of alternative care options.</p> <p>Evidence-based guidelines should be those developed following the Institute of Medicine’s eight Standards for Developing Trustworthy Clinical Practice Guidelines:</p> <ol style="list-style-type: none"> 1. Establishing transparency. 2. Management of conflict of interest. 3. Guideline development group composition. 4. Clinical practice guideline–systematic review intersection. 5. Establishing evidence foundations for and rating strength of recommendations. 6. Articulation of recommendations. 7. External review. 8. Updating. <p>Guidelines can be found at the National Guideline Clearinghouse.</p>	About Systematic Evidence Reviews and Clinical Practice Guidelines Standards for Developing Trustworthy Clinical Practice Guidelines Agency for Healthcare Research and Quality

Term	Definition	Source/Resources
Plan-Do-Study-Act (PDSA) model	<p>A tool used by the Institute for Healthcare Improvement to test an idea by temporarily trialing a change and assessing its impact. The four stages of the PDSA cycle:</p> <ol style="list-style-type: none"> 1. Plan: develop the change to be tested or implemented 2. Do: carry out the test or change 3. Study: review data before and after the change and reflect on what was learned 4. Act: plan the next change cycle or full implementation 	<p>Institute for Healthcare Improvement PDSA Worksheet</p>

Module C: Electronic Health Record (EHR) and Patient Tracking Systems for Adults with High Blood Pressure, High Cholesterol, Prediabetes or Diabetes, Obesity, or COPD

Term	Definition	Source/Resources
Electronic Health Record (EHR) System	<p>An electronic version of a patient’s medical history that is maintained by the provider over time and may include all of the key administrative clinical data relevant to that person’s care under a particular provider, including demographics, progress notes, problems, medications, vital signs, past medical history, immunizations, laboratory data, and radiology reports.</p> <p>The EHR automates access to information and has the potential to streamline the clinician’s workflow. The EHR also has the ability to support other care-related activities directly or indirectly through various interfaces, including evidence-based decision support, quality management, and outcomes reporting.</p>	<p>CMS Electronic Health Records</p> <p>NACDD DP13-1305 Domain 3 Resource Guide</p>
Patient tracking system	<p>A patient tracking system, also known as a registry, is an information system for tracking individual patients and populations of patients.</p>	<p>Institute for Healthcare Improvement: Clinical Information Systems</p>
Priority Populations	<p>Populations affected disproportionately by chronic disease due to socioeconomic or other characteristics, including inadequate access to care, poor quality of care, or low income. The specific patient population is often identified and defined based on disease and risk factor burden data.</p>	

Term	Definition	Source/Resources
Promoting Interoperability Program Objectives	In 2019, CMS and ONCHIT established standards and other criteria for structured data that EHRs must meet in order to qualify for use in the Promoting Interoperability Programs. The 2019 objectives include electronic prescribing, health information exchange, provider to patient exchange, and public health and clinical data exchange.	Promoting Interoperability Program Fact Sheet

Module D: Clinical Decision Support and Protocols for Adults with High Blood Pressure, High Cholesterol, Prediabetes or Diabetes, Obesity, or COPD

Term	Definition	Source/Resources
Cardiovascular disease (CVD) risk calculator	A risk assessment tool that uses information from the Framingham Heart Study to predict a person’s chance of having a heart attack in the next 10 years. This tool is designed for adults aged 20 and older who do not have heart disease or diabetes.	ACC/AHA’s Heart Risk Calculator ACC’s CVD Risk Calculator
Clinical Decision-Support Systems (CDSS)	Computer-based information systems designed to help health care providers implement clinical guidelines at the point of care. CDSS use patient data to provide tailored patient assessments and evidence-based treatment recommendations for health care providers to consider. CDSS are often incorporated within EHR systems and integrated with other computer-based functions that offer patient-care summary reports, feedback on quality indicators, and benchmarking.	The Community Guide Cardiovascular Disease Prevention and Control: Clinical Decision-Support Systems

Module E: Patient Education for Adults with High Blood Pressure, High Cholesterol, Prediabetes or Diabetes, Obesity, or COPD

Term	Definition	Source/Resources
Self-efficacy	A concept of the Social Cognitive Theory by Albert Bandura . It is the personal judgment of “how well one can execute courses of action required to deal with prospective situations” (Bandura, 1982). Expectations of self-efficacy determine whether an individual will be able to exhibit coping behavior and how long effort will be sustained in the face of obstacles.	<i>Social Learning Theory</i> (Albert Bandura)

Module F: Self-Management and Care Management for Adults with High Blood Pressure, High Cholesterol, Prediabetes or Diabetes, Obesity, or COPD

Term	Definition	Source/Resources
Cardiac Rehabilitation Services	Cardiac rehabilitation services are comprehensive, long-term programs involving medical evaluation, prescribed exercise, cardiac risk factor modification, education, and counselling. These programs are designed to limit the physiologic and psychological effects of cardiac illness, reduce the risk for sudden death or re-infarction, control cardiac symptoms, stabilize or reverse the atherosclerotic process, and enhance the psychosocial and vocational status of selected patients.	Million Hearts® Cardiac Rehabilitation Change Package
Evidence-based lifestyle change programs	A structured lifestyle change program for people living with chronic conditions with a scientific base showing effectiveness. These programs may promote the following elements: reduce weight, adopt healthy eating, and engage in regular physical activity.	CDC-recognized Lifestyle Change Programs
Health care extenders	Non-physician health care professionals who help people take actions to prevent and manage their health conditions. They include nurse practitioners, medical assistants, community health workers, pharmacists, social workers, and registered dietitians.	National Association of Chronic Disease Directors Community Programs Linked to Clinical Services
Liaison (<i>for cardiac rehabilitation</i>)	Someone who assists in discharge, referrals, timely enrollment, and patient education.	Million Hearts® Cardiac Rehabilitation Change Package
Loaner program	A strategy to supporting self-measured blood pressure. Health care systems may choose to purchase monitors and loan them out to patients.	Million Hearts® Self-Measured Blood Pressure Monitoring

Term	Definition	Source/Resources
Medication Therapy Management (MTM)	<p>A distinct service or group of services that optimize therapeutic outcomes for individual patients; it represents one type of pharmacists' patient care services. The five core elements of the MTM service model include:</p> <ol style="list-style-type: none"> 1. Medication therapy review (MTR). 2. Personal medication record (PMR). 3. Medication-related action plan (MAP). 4. Intervention and/or referral. 5. Documentation and follow-up. 	<p>Medication Therapy Management in Pharmacy Practice: Core Elements of an MTM Service Model (Version 2.0)</p>
Self-measured blood pressure (SMBP)	<p>The regular use of a personal blood pressure measurement device that is used by the patient outside a clinical setting.</p>	<p>Million Hearts® Self-Measured Blood Pressure Monitoring: Action Steps for Public Health Practitioners</p>
Self-management goals	<p>Tailored, realistic, and achievable results from managing an individual's symptoms, treatment, physical and social consequences, and lifestyle change inherent in living with a chronic condition.</p>	<p>Self-management approaches for people with chronic conditions: a review</p>

Module G: Tobacco Use and Dependence Cessation

Term	Definition	Source/Resources
5 A's Intervention Model	<p>The five components of the 5 A's intervention model are:</p> <ol style="list-style-type: none"> 1. Ask about tobacco use. <i>Identify and document tobacco use status for every patient at every visit.</i> 2. Advise to quit. <i>In a clear, strong, and personalized manner, urge every tobacco user to quit.</i> 3. Assess willingness to quit. <i>Is the tobacco user willing to make a quit attempt at this time?</i> 4. Assist in quit attempt. <i>For the patient willing to make a quit attempt, offer medication and provide or refer for counseling or additional treatment to help the patient quit. For the patient unwilling to quit at the time, provide interventions designed to increase future quit attempts.</i> 5. Arrange follow up. <i>For the patient willing to make a quit attempt, arrange for follow-up contacts, beginning within the first week after the quit date. For the patient unwilling to make a quit attempt at the time, address tobacco dependence and willingness to quit at next clinic visit.</i> <p>Refer patients to additional cessation supports, including tobacco quit lines (1-800-QUIT-NOW), websites (smokefree.gov), community-based quit programs, or a tobacco treatment specialist.</p>	<p>2014 CDC OSH's Best Practices for Comprehensive Tobacco Control Programs: III. Cessation Interventions</p> <p>2008 AHRQ's Treating Tobacco Use and Dependence Clinical Practice Guideline</p>
Tobacco Cessation Counseling	<p>Tobacco Cessation Counseling programs provide information and resources to help tobacco users develop a quit plan, address specific barriers to quitting, seek support for their efforts, and manage withdrawal symptoms and stress to prevent relapse. The most effective counseling is tailored to meet individual needs and preferences. Methods and intensity will vary based on the type and amount of support needed.</p>	<p>An Overview of Tobacco Cessation Counseling</p> <p>2008 AHRQ's Treating Tobacco Use and Dependence Clinical Practice Guideline</p> <p>2014 CDC OSH's Best Practices for Comprehensive Tobacco Control Programs: III. Cessation Interventions</p>
Tobacco Cessation Medication	<p>The seven Food and Drug Administration (FDA)–approved cessation medications are bupropion, varenicline, and five forms of nicotine replacement therapy (NRT), including the patch, gum, lozenge, inhaler, and nasal spray.</p>	<p>2014 CDC OSH's Best Practices for Comprehensive Tobacco Control Programs: III. Cessation Interventions</p>

Module H: Guidelines for Screening for Breast, Cervical, and/or Colorectal Cancer of Eligible Patients

Term	Definition	Source/Resources
Centers for Medicare & Medicaid Services (CMS)	A federal agency that runs the Medicare program. CMS also works with states to run the Medicaid program. CMS works to make sure that beneficiaries in these programs are able to get high-quality health care.	CMS.gov About CMS
Colorectal Cancer Screening	Screening types include colonoscopy, flexible sigmoidoscopy, computed tomography colonography, the guaiac-based fecal occult blood test, the fecal immunochemical test, the multitargeted stool DNA test, and the methylated SEPT9 DNA test.	Screening for Colorectal Cancer US Preventive Services Task Force Recommendation Statement
Uniform Data System (UDS)	The UDS is a core system of information appropriate for reviewing the operation and performance of health centers. UDS is a reporting requirement for Health Resources and Service Administration (HRSA) grantees, including community health centers, migrant health centers, health care for the homeless grantees, and public housing primary care grantees. The data are used to improve health center performance and operation and to identify trends over time. UDS data are compared with national data to review differences between the U.S population at large and those individuals and families who rely on the health care safety net for primary care.	Uniform Data System Resources Uniform Data System Reporting Instructions

Appendix B: HSSC v2.0 Reference List

Module A: Multidisciplinary Team for Care Management Approach for Adults with High Blood Pressure, High Cholesterol, Prediabetes or Diabetes, Obesity, or COPD

- Andersen UO, Simper AM, Ibsen H, Svendsen TL. Treating the hypertensive patient in a nurse-led hypertension clinic. *Blood Pressure*. 2010;19(3):182-187.
- Burns A. Medication therapy management in pharmacy practice: Core elements of an MTM service model (version 2.0). The American Pharmacists Association and the National Association of Chain Drug Stores Foundation; 2008.
- Chung LP, Lake F, Hyde E, et al. Integrated multidisciplinary community service for chronic obstructive pulmonary disease reduces hospitalisations. *Internal Medicine Journal*. 2016;46(4):427-434.
- Giberson S, Yoder S, Lee MP. *Improving Patient and Health System Outcomes Through Advanced Pharmacy Practice: A report to the U.S. Surgeon General*. Office of the Chief Pharmacist. U.S. Public Health Service; 2011.
- Glynn LG, Murphy AW, Smith SM, Schroeder K, Fahey T. Interventions used to improve control of blood pressure in patients with hypertension. *Cochrane Database of Systematic Reviews*. 2010(3).
- Green BB, Cook AJ, Ralston JD, et al. Effectiveness of home blood pressure monitoring, Web communication, and pharmacist care on hypertension control: a randomized controlled trial. *JAMA*. 2008;299(24):2857-2867.
- Jacob V, Chattopadhyay SK, Thota AB, et al. Economics of team-based care in controlling blood pressure: a Community Guide systematic review. *American Journal of Preventive Medicine*. 2015;49(5):772-783.
- Kruis AL, Smidt N, Assendelft WJJ, et al. Integrated disease management interventions for patients with chronic obstructive pulmonary disease. *Cochrane Database of Systematic Reviews*. 2013(10):CD009437.
- Mason JM, Freemantle N, Gibson JM, New JP. Specialist nurse-led clinics to improve control of hypertension and hyperlipidemia in diabetes: economic analysis of the SPLINT trial. *Diabetes Care*. 2005;28(1):40.
- Matson Koffman D, Granade SA, Anwuri VV. Strategies for establishing policy, environmental, and systems-level interventions for managing high blood pressure and high cholesterol in health care settings: a qualitative case study. *Preventing Chronic Disease*. 2008;5(3):A83.
- Proia KK, Thota AB, Njie GJ, et al. Team-based care and improved blood pressure control: a community guide systematic review. *American Journal of Preventive Medicine*. 2014;47(1):86-99.
- Tsuyuki RT, Johnson JA, Teo KK, et al. A randomized trial of the effect of community pharmacist intervention on cholesterol risk management: The Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP). *Archives of Internal Medicine*. 2002;162(10):1149-1155.
- Zhong H, Ni X-J, Cui M, Liu X-Y. Evaluation of pharmacist care for patients with chronic obstructive pulmonary disease: a systematic review and meta-analysis. *International Journal of Clinical Pharmacy*. 2014;36(6):1230-1240.

Module B: Clinical Guidelines for Adults with High Blood Pressure, High Cholesterol, Prediabetes or Diabetes, Obesity, or COPD

- Arnett DK, Blumenthal RS, Albert MA, et al. 2019 ACC/AHA guideline on the primary prevention of cardiovascular disease: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Circulation*. 2019;0(0):CIR.0000000000000678.
- Berg AO. Screening for type 2 diabetes mellitus in adults: recommendations and rationale. *Annals of Internal Medicine*. 2003;138(3):212-214.
- Calonge N. Screening for high blood pressure: U.S. Preventive Services Task Force reaffirmation recommendation statement. *Annals of Internal Medicine*. 2007;147(11):783-786.
- Ciemens EL, Ritchey MD, Joshi VV, Loustalot F, Hannan J, Cuddeback JK. Application of a tool to identify undiagnosed hypertension — United States, 2016. *Morbidity and Mortality Weekly Report*. 2018;67:798–802.
- Corriere MD, Minang LB, Sisson SD, Brancati FL, Kalyani RR. The use of clinical guidelines highlights ongoing educational gaps in physicians' knowledge and decision making related to diabetes. *BMC Medical Education*. 2014;14:186-186.
- Criner GJ, Bourbeau J, Diekemper RL, et al. Prevention of acute exacerbations of COPD: American College of Chest Physicians and Canadian Thoracic Society Guideline. *Chest*. 2015;147(4):894-942.
- Durso SC. Using clinical guidelines designed for older adults with diabetes mellitus and complex health status. *JAMA*. 2006;295(16):1935-1940.
- Erratum for 2018. AHA/ACC/AACVPR/AAPA/ABC/ACPM/ADA/AGS/APhA/ASPC/NLA/PCNA Guideline on the Management of Blood Cholesterol: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Journal of the American College of Cardiology*. 2019;73(24):3237-3241.
- Finkel JB, Duffy D. 2013 ACC/AHA cholesterol treatment guideline: Paradigm shifts in managing atherosclerotic cardiovascular disease risk. *Trends in Cardiovascular Medicine*. 2015;25(4):340-347.
- Global Strategy for the Diagnosis, Management and Prevention of COPD. Global Initiative for Chronic Obstructive Lung Disease (GOLD). 2019.
- Grundy SM, Stone NJ, Bailey AL, et al. 2018 AHA/ACC/AACVPR/AAPA/ABC/ACPM/ADA/AGS/APhA/ASPC/NLA/PCNA guideline on the management of blood cholesterol: executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Journal of the American College of Cardiology*. 2018.
- He X, Li J, Wang B, et al. Diabetes self-management education reduces risk of all-cause mortality in type 2 diabetes patients: a systematic review and meta-analysis. *Endocrine*. 2017;55(3):712-731.
- Jackson SL, Ayala C, Tong X, Wall HK. Clinical implementation of self-measured blood pressure monitoring, 2015–2016. *American Journal of Preventive Medicine*. 2019;56(1):e13-e21.
- James PA, Oparil S, Carter BL, et al. 2014 Evidence-based guideline for the management of high blood pressure in adults: report from the panel members appointed to the Eighth Joint National Committee (JNC 8). *JAMA*. 2014;311(5):507-520.

Jensen MD, Ryan DH, Apovian CM, et al. 2013 AHA/ACC/TOS guideline for the management of overweight and obesity in adults: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the Obesity Society. *Journal of the American College of Cardiology*. 2014;63(25, Part B):2985-3023.

Kenefick H, Lee J, Fleishman V. Improving physician adherence to clinical practice guidelines: barriers and strategies for change. Cambridge: New England Healthcare Institute; 2008.

Kumah E, Sciolli G, Toraldo ML, Murante AM. The diabetes self-management educational programs and their integration in the usual care: A systematic literature review. *Health Policy*. 2018;122(8):866-877.

Laiteerapong N, Keh CE, Naylor KB, et al. A resident-led quality improvement initiative to improve obesity screening. *American Journal of Medical Quality: the Official Journal of the American College of Medical Quality*. 2011;26(4):315-322.

Matson Koffman D, Granade SA, Anwuri VV. Strategies for establishing policy, environmental, and systems-level interventions for managing high blood pressure and high cholesterol in health care settings: a qualitative case study. *Preventing Chronic Disease*. 2008;5(3):A83.

Odgers-Jewell K, Ball LE, Kelly JT, Isenring EA, Reidlinger DP, Thomas R. Effectiveness of group-based self-management education for individuals with Type 2 diabetes: a systematic review with meta-analyses and meta-regression. *Diabetic Medicine*. 2017;34(8):1027-1039.

Overington JD, Huang YC, Abramson MJ, et al. Implementing clinical guidelines for chronic obstructive pulmonary disease: barriers and solutions. *Journal of Thoracic Disease*. 2014;6(11):1586-1596.

Persell SD, Kaiser D, Dolan NC, et al. Changes in performance after implementation of a multifaceted electronic-health-record-based quality improvement system. *Medical Care*. 2011;49(2):117-125.

Qaseem A, Wilt TJ, Weinberger SE, et al. Diagnosis and management of stable chronic obstructive pulmonary disease: a clinical practice guideline update from the American College of Physicians, American College of Chest Physicians, American Thoracic Society, and European Respiratory Society. *Annals of Internal Medicine*. 2011;155(3):179-191.

Reboussin DM, Allen NB, Griswold ME, et al. Systematic review for the 2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA guideline for the prevention, detection, evaluation, and management of high blood pressure in adults: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Journal of the American College of Cardiology*. 2018;71(19):2176-2198.

Render M, Rice K, Sharafkhaneh A, et al. *VA/DoD Clinical Practice Guidelines: Management of Chronic Obstructive Pulmonary Disease (COPD)*. Washington, DC: Department of Veterans Affairs and Department of Defense; 2014.

Ritchey MD, Gillespie C, Wozniak G, et al. Potential need for expanded pharmacologic treatment and lifestyle modification services under the 2017 ACC/AHA Hypertension Guideline. *Journal of Clinical Hypertension*. 2018;20(10):1377-1391.

Siu AL, on behalf of the USPSTF. Screening for abnormal blood glucose and type 2 diabetes mellitus: U.S. Preventive Services Task Force recommendation statement. *Annals of Internal Medicine*. 2015;163(11):861-868.

Stone NJ, Robinson JG, Lichtenstein AH, et al. 2013 ACC/AHA guideline on the treatment of blood cholesterol to reduce atherosclerotic cardiovascular risk in adults: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *Circulation*. 2014;129(25 Pt B):S1-S45.

USPST Force. Behavioral weight loss interventions to prevent obesity-related morbidity and mortality in adults: US Preventive Services Task Force recommendation statement. *JAMA*. 2018;320(11):1163-1171.

Wall HK, Ritchey MD, Gillespie C, Omura JD, Jamal A, George MG. Vital Signs: Prevalence of key cardiovascular disease risk factors for Million Hearts 2022 — United States, 2011–2016. *Morbidity and Mortality Weekly Report*. 2018(35):9.

Whelton PK, Carey RM, Aronow WS, et al. 2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA guideline for the prevention, detection, evaluation, and management of high blood pressure in adults: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Circulation*. 2018;138(17):e484-e594.

Module C: Electronic Health Record (EHR) and Patient Tracking Systems for Adults with High Blood Pressure, High Cholesterol, Prediabetes or Diabetes, Obesity, or COPD

Blumenthal D, Tavenner M. The “meaningful use” regulation for electronic health records. *New England Journal of Medicine*. 2010;363(6):501-504.

Brown KE, Johnson KJ, DeRonne BM, Parenti CM, Rice KL. Order set to improve the care of patients hospitalized for an exacerbation of chronic obstructive pulmonary disease. *Annals of the American Thoracic Society*. 2016;13(6):811-815.

DesRoches C, Jha A. *Health Information Technology in the United States: On the Cusp of Change, 2009*. Washington, DC: Robert Wood Johnson Foundation, The George Washington University, and the Massachusetts General Hospital; 2009.

Jones SS, Rudin RS, Perry T, Shekelle PG. Health information technology: an updated systematic review with a focus on meaningful use. *Annals of Internal Medicine*. 2014;160(1):48-54.

Matson Koffman D, Granade SA, Anwuri VV. Strategies for establishing policy, environmental, and systems-level interventions for managing high blood pressure and high cholesterol in health care settings: a qualitative case study. *Preventing Chronic Disease*. 2008;5(3):A83.

Shea CM, Reiter KL, Weaver MA, et al. Stage 1 of the meaningful use incentive program for electronic health records: a study of readiness for change in ambulatory practice settings in one integrated delivery system. *BMC Medical Informatics and Decision Making*. 2014;14:119-119.

Sonstein L, Clark C, Seidensticker S, Zeng L, Sharma G. Improving adherence for management of acute exacerbation of chronic obstructive pulmonary disease. *American Journal of Medicine*. 2014;127(11):1097-1104.

Module D: Clinical Decision Support and Protocols for Adults with High Blood Pressure, High Cholesterol, Prediabetes or Diabetes, Obesity, or COPD

Arnett DK, Blumenthal RS, Albert MA, et al. 2019 ACC/AHA guideline on the primary prevention of cardiovascular disease: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Circulation*. 2019;140(11):e596-e646.

Atthobari J, Monster TBM, de Jong PE, de Jong-van den Berg LTW, Prevend Study G. The effect of hypertension and hypercholesterolemia screening with subsequent intervention letter on the use of blood pressure and lipid lowering drugs. *British Journal of Clinical Pharmacology*. 2004;57(3):328-336.

Bright TJ, Wong A, Dhurjati R, et al. Effect of clinical decision-support systems: a systematic review. *Annals of Internal Medicine*. 2012;157(1):29-43.

Campo G, Pavasini R, Biscaglia S, Contoli M, Ceconi C. Overview of the pharmacological challenges facing physicians in the management of patients with concomitant cardiovascular disease and chronic obstructive pulmonary disease. *European Heart Journal - Cardiovascular Pharmacotherapy*. 2015;1(3):205-211.

Criner GJ, Bourbeau J, Diekemper RL, et al. Prevention of acute exacerbations of COPD: American College of Chest Physicians and Canadian Thoracic Society Guideline. *Chest*. 2015;147(4):894-942.

Fitzpatrick SL, Dickins K, Avery E, et al. Effect of an obesity best practice alert on physician documentation and referral practices. *Translational Behavioral Medicine*. 2017;7(4):881-890.

Erratum for 2018. AHA/ACC/AACVPR/AAPA/ABC/ACPM/ADA/AGS/APhA/ASPC/NLA/PCNA guideline on the management of blood cholesterol: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Journal of the American College of Cardiology*. 2019;73(24):3237-3241.

Garg AX, Adhikari NKJ, McDonald H, et al. Effects of computerized clinical decision support systems on practitioner performance and patient outcomes: a systematic review. *JAMA*. 2005;293(10):1223-1238.

Glynn LG, Murphy AW, Smith SM, Schroeder K, Fahey T. Interventions used to improve control of blood pressure in patients with hypertension. *Cochrane Database of Systematic Reviews*. 2010(3).

Goff DC, Lloyd-Jones DM, Bennett G, et al. 2013 ACC/AHA guideline on the assessment of cardiovascular risk: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *Circulation*. 2014;129(25 Pt B):S49-S73.

Grundy SM, Stone NJ, Bailey AL, et al. 2018 AHA/ACC/AACVPR/AAPA/ABC/ACPM/ADA/AGS/APhA/ASPC/NLA/PCNA guideline on the management of blood cholesterol: executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Journal of the American College of Cardiology*. 2018;139:e1082-e1443.

Howard ML, Vincent AH. Statin effects on exacerbation rates, mortality, and inflammatory markers in patients with chronic obstructive pulmonary disease: a review of prospective studies. *Pharmacotherapy: The Journal of Human Pharmacology and Drug Therapy*. 2016;36(5):536-547.

James PA, Oparil S, Carter BL, et al. 2014 evidence-based guideline for the management of high blood pressure in adults: report from the panel members appointed to the Eighth Joint National Committee (JNC 8). *JAMA*. 2014;311(5):507-520.

Lahousse L, Verhamme KM, Stricker BH, Brusselle GG. Cardiac effects of current treatments of chronic obstructive pulmonary disease. *The Lancet Respiratory Medicine*. 2016;4(2):149-164.

Matson Koffman D, Granade SA, Anwuri VV. Strategies for establishing policy, environmental, and systems-level interventions for managing high blood pressure and high cholesterol in health care settings: a qualitative case study. *Preventing Chronic Disease*. 2008;5(3):A83.

Nelson KE, Hersh AL, Nkoy FL, Maselli JH, Srivastava R, Cabana MD. Primary care physician smoking screening and counseling for patients with chronic disease. *Preventive Medicine*. 2015;71:77-82.

Njie GJ, Proia KK, Thota AB, et al. Clinical decision support systems and prevention: a community guide cardiovascular disease systematic review. *American Journal of Preventive Medicine*. 2015;49(5):784-795.

Persell SD, Kaiser D, Dolan NC, et al. Changes in performance after implementation of a multifaceted electronic-health-record-based quality improvement system. *Medical Care*. 2011;49(2):117-125.

Qaseem A, Wilt TJ, Weinberger SE, et al. Diagnosis and management of stable chronic obstructive pulmonary disease: a clinical practice guideline update from the American College of Physicians, American College of Chest

Physicians, American Thoracic Society, and European Respiratory Society. *Annals of Internal Medicine*. 2011;155(3):179-191.

Reboussin DM, Allen NB, Griswold ME, et al. Systematic review for the 2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA guideline for the prevention, detection, evaluation, and management of high blood pressure in adults: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Journal of the American College of Cardiology*. 2018;71(19):2176-2198.

Sperl-Hillen JM, Rossom RC, Kharbanda EO, et al. Priorities Wizard: multisite web-based primary care clinical decision support improved chronic care outcomes with high use rates and high clinician satisfaction rates. *EGEMS (Washington, DC)*. 2019;7(1):9-9.

Stone NJ, Robinson JG, Lichtenstein AH, et al. 2013 ACC/AHA guideline on the treatment of blood cholesterol to reduce atherosclerotic cardiovascular risk in adults: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *Circulation*. 2014;129(25 Pt B):S1-S45.

Wall HK, Ritchey MD, Gillspie C, Omura JD, Jamal A, George MG. Vital Signs: prevalence of key cardiovascular disease risk factors for Million Hearts 2022 — United States, 2011–2016. *Morbidity and Mortality Weekly Report*. 2018(35):9.

Weymann N, Härter M, Dirmaier J. Information and decision support needs in patients with type 2 diabetes. *Health Informatics Journal*. 2014;22(1):46-59.

Whelton PK, Carey RM, Aronow WS, et al. 2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA guideline for the prevention, detection, evaluation, and management of high blood pressure in adults: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Circulation*. 2018;138(17):e484-e594.

Wilkinson MJ, Nathan AG, Huang ES. Personalized decision support in type 2 diabetes mellitus: current evidence and future directions. *Current Diabetes Reports*. 2013;13(2):205-212.

Module E: Patient Education for Adults with High Blood Pressure, High Cholesterol, Prediabetes or Diabetes, Obesity, or COPD

Barnes RD, Ivezaj V. A systematic review of motivational interviewing for weight loss among adults in primary care. *Obesity Reviews*. 2015;16(4):304-318.

Dansinger ML, Tatsioni A, Wong JB, Chung M, Balk EM. Meta-analysis: the effect of dietary counseling for weight loss. *Annals of Internal Medicine*. 2007;147(1):41-50.

Kuo C-C, Lin C-C, Tsai F-M. Effectiveness of empowerment-based self-management interventions on patients with chronic metabolic diseases: a systematic review and meta-analysis. *Worldviews on Evidence-Based Nursing*. 2014;11(5):301-315.

Lin JS, O'Connor E, Evans CV, Senger CA, Rowland MG, Groom HC. Behavioral counseling to promote a healthy lifestyle in persons with cardiovascular risk factors: a systematic review for the U.S. Preventive Services Task Force. *Annals of Internal Medicine*. 2014;161(8):568-578.

Margolius D, Bodenheimer T, Bennett H, et al. Health coaching to improve hypertension treatment in a low-income, minority population. *Annals of Family Medicine*. 2012;10(3):199-205.

Rochester CL, Vogiatzis I, Holland AE, et al. An official American Thoracic Society/European Respiratory Society policy statement: enhancing implementation, use, and delivery of pulmonary rehabilitation. *American Journal of Respiratory and Critical Care Medicine*. 2015;192(11):1373-1386.

Schellenberg ES, Dryden DM, Vandermeer B, Ha C, Korownyk C. Lifestyle interventions for patients with and at risk for type 2 diabetes: a systematic review and meta-analysis. *Annals of Internal Medicine*. 2013;159(8):543-551.

Spruit MA, Singh SJ, Garvey C, et al. An official American Thoracic Society/European Respiratory Society statement: key concepts and advances in pulmonary rehabilitation. *American Journal of Respiratory and Critical Care Medicine*. 2013;188(8):e13-e64.

Willard-Grace R, Chen EH, Hessler D, et al. Health coaching by medical assistants to improve control of diabetes, hypertension, and hyperlipidemia in low-income patients: a randomized controlled trial. *Annals of Family Medicine*. 2015;13(2):130-138.

Wing RR, Bolin P, Brancati FL, et al. Cardiovascular effects of intensive lifestyle intervention in type 2 diabetes. *New England Journal of Medicine*. 2013;369(2):145-154.

Module F: Self-Management and Care Management for Adults with High Blood Pressure, High Cholesterol, Prediabetes or Diabetes, Obesity, or COPD

Arena R, Williams M, Forman DE, et al. Increasing referral and participation rates to outpatient cardiac rehabilitation: the valuable role of healthcare professionals in the inpatient and home health settings: a science advisory from the American Heart Association. *Circulation*. 2012;125:1321-1329.

Battersby M, Von Korff M, Schaefer J, et al. Twelve evidence-based principles for implementing self-management support in primary care. *Joint Commission Journal on Quality and Patient Safety*. 2010;36(12):561-570.

Borson S, Frank L, Bayley PJ, et al. Improving dementia care: the role of screening and detection of cognitive impairment. *Alzheimer's & Dementia*. 2013;9(2):151-159.

Centers for Disease Control and Prevention. *Cardiac Rehabilitation Change Package*. Atlanta, GA: Centers for Disease Control and Prevention, US Dept of Health and Human Services; 2018.

Gabbay RA, Lendel I, Saleem TM, et al. Nurse case management improves blood pressure, emotional distress and diabetes complication screening. *Diabetes Research and Clinical Practice*. 2006;71(1):28-35.

Green BB, Cook AJ, Ralston JD, et al. Effectiveness of home blood pressure monitoring, Web communication, and pharmacist care on hypertension control: a randomized controlled trial. *JAMA*. 2008;299(24):2857-2867.

Gritz ER, Vidrine DJ, Cororve Fingeret M. Smoking cessation: a critical component of medical management in chronic disease populations. *American Journal of Preventive Medicine*. 2007;33(6):S414-S422.

Ishani A, Greer N, Taylor BC, et al. Effect of nurse case management compared with usual care on controlling cardiovascular risk factors in patients with diabetes: a randomized controlled trial. *Diabetes Care*. 2011;34(8):1689-1694.

Lee JK, Grace KA, Taylor AJ. Effect of a pharmacy care program on medication adherence and persistence, blood pressure, and low-density lipoprotein cholesterol: a randomized controlled trial. *JAMA*. 2006;296(21):2563-2571.

Mitnick S, Leffler C, Hood VL, American College of Physicians Ethics, Professionalism and Human Rights Committee. Family caregivers, patients and physicians: ethical guidance to optimize relationships. *Journal of General Internal Medicine*. 2010;25(3):255-260.

REVISED CDC Health Systems Scorecard (HSC) Assessment Tool version 2.0 (Replication of Electronic Version)

Onubogu U, Graham M, Robinson T. Pilot study of an action plan intervention for self-management in overweight/obese adults in a medically underserved minority population: phase I. *Journal of the Association of Black Nursing Faculty*. 2014;25(3):64-71.

Pack QR, Mansour M, Barboza JS, et al. An early appointment to outpatient cardiac rehabilitation at hospital discharge improves attendance at orientation: a randomized, single-blind, controlled trial. *Circulation*. 2012;127(3):349-355.

Qaseem A, Wilt TJ, Weinberger SE, et al. Diagnosis and management of stable chronic obstructive pulmonary disease: a clinical practice guideline update from the American College of Physicians, American College of Chest Physicians, American Thoracic Society, and European Respiratory Society. *Annals of Internal Medicine*. 2011;155(3):179-191.

Uhlig K, Patel K, Ip S, Kitsios GD, Balk EM. Self-measured blood pressure monitoring in the management of hypertension: a systematic review and meta-analysis. *Annals of Internal Medicine*. 2013;159(3):185-194.

Wenger NK, Froelicher ES, Smith LK, et al. Cardiac Rehabilitation. Clinical Practice Guideline No. 17. Rockville, MD: US Department of Health and Human Services, Public Health Service, Agency for Health Care Policy and Research and the National Heart, Lung, and Blood Institute, AHCPR Publication No. 96-0672, October 1995.

Module G: Tobacco Use and Dependence Cessation

Babb S, Malarcher A, Schauer G, Asman K, Jamal A. Quitting smoking among adults — United States, 2000–2015. *Morbidity and Mortality Weekly Report*. 2017;65(52):1457-1464.

Community Preventive Services Task Force. *Reducing Tobacco Use and Secondhand Smoke Exposure: Smoke-Free Policies*. Atlanta, GA: Community Preventive Services Task Force; 2013

Fiore MC, Jaén CR, Baker TB, et al. Treating Tobacco Use and Dependence: 2008 Update. 2008; <http://www.ahrq.gov/professionals/clinicians-providers/guidelines-recommendations/tobacco/index.html>. Accessed May 6, 2019.

Fiore MC, Schroeder SA, Baker TB. Smoke, the chief killer—strategies for targeting combustible tobacco use. *New England Journal of Medicine*. 2014;370(4):297-299.

King BA, Dube SR, Babb SD, McAfee TA. Patient-reported recall of smoking cessation interventions from a health professional. *Preventive Medicine*. 2013;57(5):715-717.

Kruger J, O'Halloran A, Rosenthal AC, Babb SD, Fiore MC. Receipt of evidence-based brief cessation interventions by health professionals and use of cessation assisted treatments among current adult cigarette-only smokers: National Adult Tobacco Survey, 2009-2010. *BMC Public Health*. 2016;16:141-141.

Longo DR, Brownson RC, Johnson JC, et al. Hospital smoking bans and employee smoking behavior: results of a national survey. *JAMA*. 1996;275(16):1252-1257.

Longo DR, Feldman MM, Kruse RL, Brownson RC, Petroski GF, Hewett JE. Implementing smoking bans in American hospitals: results of a national survey. *Tobacco Control*. 1998;7(1):47-55.

Maciosek MV, LaFrance AB, Dehmer SP, et al. Health benefits and cost-effectiveness of brief clinician tobacco counseling for youth and adults. *Annals of Family Medicine*. 2017;15(1):37-47.

Osinubi OYO, Sinha S, Rovner E, et al. Efficacy of tobacco dependence treatment in the context of a “smoke-free grounds” worksite policy: a case study. *American Journal of Industrial Medicine*. 2004;46(2):180-187.

Papadakis S, McDonald P, Mullen K-A, Reid R, Skulsky K, Pipe A. Strategies to increase the delivery of smoking cessation treatments in primary care settings: A systematic review and meta-analysis. *Preventive Medicine*. 2010;51(3):199-213.

Patnode CD, Henderson JT, Thompson JH, Senger CA, Fortmann SP, Whitlock EP. Behavioral counseling and pharmacotherapy interventions for tobacco cessation in adults, including pregnant women: a review of reviews for the U.S. Preventive Services Task Force Interventions for Smoking Cessation. *Annals of Internal Medicine*. 2015;163(8):608-621.

Quinn VP, Hollis JF, Smith KS, et al. Effectiveness of the 5-As tobacco cessation treatments in nine HMOs. *Journal of General Internal Medicine*. 2009;24(2):149-154.

Rice VH, Heath L, Livingstone-Banks J, Hartmann-Boyce J. Nursing interventions for smoking cessation. *Cochrane Database of Systematic Reviews*. 2017(12).

Schauer GL, Wheaton AG, Malarcher AM, Croft JB. Health-care provider screening and advice for smoking cessation among smokers with and without COPD: 2009–2010 National Adult Tobacco Survey. *Chest*. 2016;149(3):676-684.

Sheffer C, Stitzer M, Wheeler JG. Smoke-free medical facility campus legislation: support, resistance, difficulties and cost. *International Journal of Environmental Research and Public Health*. 2009;6(1):246-258.

Siu AL, for the USPSTF. Behavioral and pharmacotherapy interventions for tobacco smoking cessation in adults, including pregnant women: U.S. Preventive Services Task Force Recommendation Statement. *Annals of Internal Medicine*. 2015;163(8):622-634.

Stead LF, Buitrago D, Preciado N, Sanchez G, Hartmann-Boyce J, Lancaster T. Physician advice for smoking cessation. *Cochrane Database of Systematic Reviews*. 2013;2013(5):CD000165.

Thomas D, Abramson MJ, Bonevski B, George J. System change interventions for smoking cessation. *Cochrane Database of Systematic Reviews*. 2017;10(2):CD010742.

Module H: Guidelines for Screening for Breast, Cervical, and/or Colorectal Cancer of Eligible Patients

Baron RC, Melillo S, Rimer BK, et al. Intervention to increase recommendation and delivery of screening for breast, cervical, and colorectal cancers by healthcare providers: a systematic review of provider reminders. *American Journal of Preventive Medicine*. 2010;38(1):110-117.

Community Preventive Services Task Force. Updated recommendations for client- and provider-oriented interventions to increase breast, cervical, and colorectal cancer screening. *American Journal of Preventive Medicine*. 2012;43(1):92-96.

Corley DA, Jensen CD, Marks AR, et al. Adenoma detection rate and risk of colorectal cancer and death. *New England Journal of Medicine*. 2014;370(26):2539-2541.

Fletcher RH, Nadel MR, Allen JI, et al. The quality of colonoscopy services—responsibilities of referring clinicians: a consensus statement of the Quality Assurance Task Group, National Colorectal Cancer Roundtable. *Journal of General Internal Medicine*. 2010;25(11):1230-1234.

Inadomi JM, Vijan S, Janz NK, et al. Adherence to colorectal cancer screening: a randomized clinical trial of competing strategies. *Archives of Internal Medicine*. 2012;172(7):575-582.

Kaminski MF, Regula J, Kraszewska E, et al. Quality indicators for colonoscopy and the risk of interval cancer. *New England Journal of Medicine*. 2010;362(19):1795-1803.

Lin JS, Piper MA, Perdue LA, et al. Screening for colorectal cancer: updated evidence report and systematic review for the US Preventive Services Task Force. *JAMA*. 2016;315(23):2576-2594.

Melnikow J, Henderson JT, Burda BU, Senger CA, Durbin S, Soulsby MA. *Screening for Cervical Cancer With High-Risk Human Papillomavirus Testing: A Systematic Evidence Review for the U.S. Preventive Services Task Force*. Rockville, MD: U.S. Department of Health and Human Services: Agency for Healthcare Research and Quality; 2018.

Nelson HD, Cantor A, Humphrey L, et al. *Screening for Breast Cancer: A Systematic Review to Update the 2009 U.S. Preventive Services Task Force Recommendation*. Rockville, MD: U.S. Department of Health and Human Services: Agency for Healthcare Research and Quality; 2016.

Sabatino SA, Lawrence B, Elder R, et al. Effectiveness of interventions to increase screening for breast, cervical, and colorectal cancers: nine updated systematic reviews for the Guide to Community Preventive Services. *American Journal of Preventive Medicine*. 2012;43(1):97-118.

Vogelaar I, van Ballegooijen M, Schrag D, et al. How much can current interventions reduce colorectal cancer mortality in the U.S.? Mortality projections for scenarios of risk-factor modification, screening, and treatment. *Cancer*. 2006;107(7):1624-1633.

Appendix C: Screen Shot of HSSC v2.0 User Summary Report

HSSC Score Report

The HSSC Score Report includes your Overall Score, scores for each module and disease selected, considerations for improvement, and helpful resources. Considerations and resources are automatically generated according to your answers to the questions. Evidence is based on literature published through June 2020.

! After clicking “Exit” below or closing the browser window, you will not be able to return to this page. We recommend printing or saving this page for your records by clicking the “Print Results” button at the bottom of this page. This will not preserve the hyperlinked resources; however, you may copy and paste the short links (bit.ly) into your web browser to access the resource directly. You can also contact your health department for your results, and you can [access a complete list of resources on the CDC website](#).

Overall HSSC Score: _____ % (____ out of ____ maximum total points for selected modules)

This Score Report and the scores were generated from the answers provided for the selected modules and diseases listed below.

Module A					
Module B:	Blood Pressure	Cholesterol	Diabetes	Obesity	COPD
Module C					
Module D	Blood Pressure	Cholesterol	Diabetes	Obesity	COPD
Module E	Blood Pressure	Cholesterol	Diabetes	Obesity	COPD
Module F	Blood Pressure	Cholesterol	Diabetes	Obesity	COPD
Module G					
Module H	Breast	Cervical	Colorectal		

Your overall score is calculated as a percentage of the maximum total possible points achievable based on the modules and diseases you selected to complete. Points are weighted by disease and module; therefore, the overall score may not equal the average of each Module Score.

Below are scores for each module and each disease selected. Overall module scores may not equal the average of the disease specific scores because questions are weighted by disease.

Module A: Multidisciplinary Team for Care Management Approach for Adults with High Blood Pressure, High Cholesterol, Prediabetes or Diabetes, Obesity, or COPD

Module A Score: ____%

Considerations	Resources
<p>Incorporate team-based care into your practice for patients with high blood pressure, high cholesterol, prediabetes or diabetes, obesity, and/or COPD.</p>	<p>2017 CDC DHDSP’s Best Practices for Cardiovascular Disease Prevention Programs (https://bit.ly/3tWMq5i)</p> <p>CDC DDT’s National Diabetes Education Program (https://bit.ly/3OXrwLF)</p> <p>2020 CPSTF’s Team-Based Care to Improve Blood Pressure Control (https://bit.ly/3DZkLTm)</p> <p>2016 CPSTF’s Team-Based Care for Patients with Type 2 Diabetes (https://bit.ly/31YPYJz)</p> <p>2017 AMA’s Patient Care Module: Managing Type 2 Diabetes: A Team-Based Approach (https://bit.ly/3shJmR4)</p>
<p>Include at least a nurse, pharmacist, or community health worker on the multidisciplinary health care team in your practice for patients with high blood pressure, high cholesterol, prediabetes or diabetes, obesity, and/or COPD.</p>	<p>2017 CDC DHDSP’s Best Practices for Cardiovascular Disease Prevention Programs (https://bit.ly/3tWMq5i)</p> <p>2018 CDC DDT’s Recognized Lifestyle Program: How Pharmacists Can Participate (https://bit.ly/3bsALVB)</p> <p>2021 CDC DDT’s Rx for the National Diabetes Prevention Program: Action Guide for Community Pharmacists (https://bit.ly/3xWt3ux)</p> <p>2020 CPSTF’s Team-Based Care to Improve Blood Pressure Control (https://bit.ly/3DZkLTm)</p> <p>2016 CPSTF’s Team-Based Care for Patients with Type 2 Diabetes (https://bit.ly/31YPYJz)</p>
<p>Implement workflows and approaches to increase communication among members of the clinical care team to discuss patient care.</p>	<p>2017 AMA’s Patient Care Module: Managing Type 2 Diabetes: A Team-Based Approach (https://bit.ly/3shJmR4)</p>
<p>Refer chronic disease patients to specialized clinics or centers (e.g., a hypertension clinic) when a team-based care approach is not available.</p>	<p>2020 CPSTF’s Team-Based Care to Improve Blood Pressure Control (https://bit.ly/3DZkLTm)</p> <p>2016 CPSTF’s Team-Based Care for Patients with Type 2 Diabetes (https://bit.ly/31YPYJz)</p>

Considerations	Resources
<p>If feasible, implement a protocol for applying a team-based care approach for patients with high blood pressure, high cholesterol, prediabetes or diabetes, obesity, and/or COPD. Otherwise, consider including a nurse or pharmacist on a multidisciplinary health care team or referring chronic disease patients to specialized clinics or centers.</p>	<p>2017 CDC DHDSP’s Best Practices for Cardiovascular Disease Prevention Programs (https://bit.ly/3tWMq5i)</p> <p>2018 CDC DDT’s Recognized Lifestyle Program: How Pharmacists Can Participate (https://bit.ly/3bsALVB)</p> <p>2021 CDC DDT’s Rx for the National Diabetes Prevention Program: Action Guide for Community Pharmacists (https://bit.ly/3xWt3ux)</p> <p>2020 CPSTF’s Team-Based Care to Improve Blood Pressure Control (https://bit.ly/3DZkLTm)</p> <p>2016 CPSTF’s Team-Based Care for Patients with Type 2 Diabetes (https://bit.ly/31YPYJz)</p>
<p>Use a Collaborative Practice Agreement to incorporate pharmacists or community health workers into your practice.</p>	<p>2017 CDC DHDSP’s Best Practices for Cardiovascular Disease Prevention Programs (https://bit.ly/3tWMq5i)</p> <p>2022 CDC DHDSP’s Community Health Worker (CHW) Toolkit (https://bit.ly/3nyOtsV)</p>
<p>Arrange for pharmacists to provide Collaborative Drug Therapy Management or Medication Therapy Management to patients.</p>	<p>2017 CDC DHDSP’s Best Practices for Cardiovascular Disease Prevention Programs (https://bit.ly/3tWMq5i)</p> <p>2012 CDC DHDSP’s Partnering with Pharmacists in the Prevention and Control of Chronic Diseases (https://bit.ly/3xPXhiM)</p> <p>2021 CDC DDT’s Rx for the National Diabetes Prevention Program: Action Guide for Community Pharmacists (https://bit.ly/3xWt3ux)</p>

Module B: Clinical Guidelines for Adults with High Blood Pressure, High Cholesterol, Prediabetes or Diabetes, Obesity, or COPD

Module B Score: ___%

Module B Blood Pressure Score: ___%

Module B Cholesterol Score: ___%

Module B Diabetes Score: ___%

Module B Obesity Score: ___%

Module B COPD Score: ___%

Considerations	Resources
Implement evidence-based clinical practice guidelines into your practice for patients with high blood pressure.	<p>2021 AHRQ’s Clinical Guidelines (https://bit.ly/3brhYKm)</p> <p>For High Blood Pressure</p> <ul style="list-style-type: none"> • 2015 USPSTF’s Screening for High Blood Pressure in Adults (https://bit.ly/3ypfPGH) • 2017 ACC/AHA’s Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults (https://bit.ly/3pZS2sN) • CDC Million Hearts® Hypertension Treatment Protocols (https://bit.ly/3P4BQBf)
Implement evidence-based clinical practice guidelines into your practice for patients with high cholesterol.	<p>2021 AHRQ’s Clinical Guidelines (https://bit.ly/3brhYKm)</p> <p>For High Cholesterol</p> <ul style="list-style-type: none"> • 2018 AHA/ACC’s Guideline on the Management of Blood Cholesterol (https://bit.ly/34iS0oA) • 2016 USPSTF’s Statin Use for the Primary Prevention of Cardiovascular Disease in Adults: Preventive Medication (https://bit.ly/32UaNX2)
Implement evidence-based clinical practice guidelines into your practice for patients with prediabetes or diabetes.	<p>2021 AHRQ’s Clinical Guidelines (https://bit.ly/3brhYKm)</p> <p>For Prediabetes or Diabetes</p> <ul style="list-style-type: none"> • 2015 USPSTF’s Screening for Type 2 Diabetes Mellitus in Adults (https://bit.ly/3L2Kf5V) • 2019 ADA’s Standards of Care (https://bit.ly/3F3v5KP)

Considerations	Resources
Implement evidence-based clinical practice guidelines into your practice for patients with obesity.	<p>2021 AHRQ’s Clinical Guidelines (https://bit.ly/3brhYKm)</p> <p>For Obesity</p> <ul style="list-style-type: none"> • 2018 USPSTF’s Behavioral Weight Loss Interventions to Prevent Obesity-Related Morbidity and Mortality in Adults (https://bit.ly/3eY855q) • 2019 ACC/AHA’s Guideline on the Primary Prevention of Cardiovascular Disease (https://bit.ly/3t4vU3J) • 2016 AACE/ACE’s Comprehensive Clinical Practice Guidelines for Medical Care of Patients with Obesity (https://bit.ly/3JM5gCy)
Implement evidence-based clinical practice guidelines into your practice for patients with COPD.	<p>2021 AHRQ’s Clinical Guidelines (https://bit.ly/3brhYKm)</p> <p>For COPD</p> <ul style="list-style-type: none"> • 2011 ACP/ACC’s Diagnosis and Management of Stable Chronic Obstructive Pulmonary Disease: A Clinical Practice Guideline Update (https://bit.ly/3t3M2Ch) • 2020 GOLD’s Global Strategy for Prevention, Diagnosis, and Management of COPD (https://bit.ly/31B0czl)
Conduct quality improvement initiatives to improve care provided to patients with high blood pressure.	<p>IHI’s PDSA Worksheet (https://bit.ly/3eYu107)</p> <p>For High Blood Pressure</p> <ul style="list-style-type: none"> • 2013 AMCF’s Measure Up Pressure Down Provider Toolkit to Improve Hypertension Control (https://bit.ly/3q08OJm) • 2020 Million Hearts® Hypertension Control Change Package, Second Edition (https://bit.ly/3u4MyQf)
Conduct quality improvement initiatives to improve care provided to patients with high cholesterol.	<p>IHI’s PDSA Worksheet (https://bit.ly/3eYu107)</p> <p>For High Cholesterol</p> <ul style="list-style-type: none"> • 2013 AHA’s Guide for Improving Cardiovascular Health at the Community Level (https://bit.ly/3OPPskr) • Million Hearts® Cholesterol Management Toolkit (https://bit.ly/3yfy01g)
Conduct quality improvement initiatives to improve care provided to patients with prediabetes or diabetes.	<p>IHI’s PDSA Worksheet (https://bit.ly/3eYu107)</p> <p>For Prediabetes or Diabetes</p> <ul style="list-style-type: none"> • 2022 AHRQ’s Improving Diabetes Care Quality (https://bit.ly/3nij9y8) • 2017 Healthy People 2020’s Improving Diabetes Screening and Referral to Prevention Programs (https://bit.ly/3xPY1o4)

Considerations	Resources
Conduct quality improvement initiatives to improve care provided to patients with obesity.	IHI's PDSA Worksheet (https://bit.ly/3eYu107) For Obesity <ul style="list-style-type: none"> 2007 VDH's Promoting Healthier Weight in Adult Primary Care (https://bit.ly/3HYcOSg)
Conduct quality improvement initiatives to improve care provided to patients with COPD.	IHI's PDSA Worksheet (https://bit.ly/3eYu107) For COPD <ul style="list-style-type: none"> 2014 Implementing clinical guidelines for chronic obstructive pulmonary disease: barriers and solutions (https://bit.ly/3A0lhIV)

Module C: Electronic Health Record (EHR) and Patient Tracking Systems for Adults with High Blood Pressure, High Cholesterol, Prediabetes or Diabetes, Obesity, or COPD

Module C Score: ___%

Considerations	Resources
<p>These resources can be used to find more information relevant to all questions asked in Module C. See below for more specific considerations.</p>	<ul style="list-style-type: none"> • 2018 Health IT and Health Information Exchange Basics (https://bit.ly/39X6rln) • 2019 HealthIT.gov Meaningful Use (https://bit.ly/3ndmWwX) • 2022 CMS EHR Incentive Programs (https://go.cms.gov/30krY6t) • 2020 Million Hearts® Hypertension Control Change Package for Clinicians (https://bit.ly/3u4MyQf)
<p>Incorporate the functionality to transmit health data to all providers in your health care system via the EHR system.</p>	<ul style="list-style-type: none"> • 2018 Health IT and Health Information Exchange Basics (https://bit.ly/39X6rln) • 2019 HealthIT.gov Meaningful Use (https://bit.ly/3ndmWwX) • 2021 HealthIT.gov ONC Health IT Certification Program (https://bit.ly/3OXntir) • 2022 CMS EHR Incentive Programs (https://go.cms.gov/30krY6t) • 2020 Million Hearts® Hypertension Control Change Package for Clinicians (https://bit.ly/3u4MyQf)
<p>Incorporate the protocol of provider prompts to order tests and imaging studies, notify when patient is due for screening, or notify when patient’s condition is not controlled.</p>	<ul style="list-style-type: none"> • 2018 Health IT and Health Information Exchange Basics (https://bit.ly/39X6rln) • 2019 HealthIT.gov Meaningful Use (https://bit.ly/3ndmWwX) • 2021 HealthIT.gov ONC Health IT Certification Program (https://bit.ly/3OXntir) • 2022 CMS EHR Incentive Programs (https://go.cms.gov/30krY6t) • 2020 Million Hearts® Hypertension Control Change Package for Clinicians (https://bit.ly/3u4MyQf)

Considerations	Resources
<p>Incorporate the protocol of patient prompts to notify patients with selected medical conditions who are overdue for office visits or to order tests and imaging studies.</p>	<ul style="list-style-type: none"> • 2018 Health IT and Health Information Exchange Basics (https://bit.ly/39X6rln) • 2019 HealthIT.gov Meaningful Use (https://bit.ly/3ndmWwX) • 2021 HealthIT.gov ONC Health IT Certification Program (https://bit.ly/3OXntir) • 2022 CMS EHR Incentive Programs (https://go.cms.gov/3OkrY6t) • 2020 Million Hearts® Hypertension Control Change Package for Clinicians (https://bit.ly/3u4MyQf)
<p>Track key measures for a patient’s medical condition, abnormal test or imaging results, and any referrals to specialists, or implementing the use of provider dashboards with appropriate goals and metrics.</p>	<ul style="list-style-type: none"> • 2018 HealthIT.gov Learning the EHR Basics (https://bit.ly/39X6rln) • 2019 HealthIT.gov Meaningful Use (https://bit.ly/3ndmWwX) • 2021 HealthIT.gov ONC Health IT Certification Program (https://bit.ly/3OXntir) • 2022 CMS EHR Incentive Programs (https://go.cms.gov/3OkrY6t) • 2020 Million Hearts® Hypertension Control Change Package for Clinicians (https://bit.ly/3u4MyQf)
<p>Generate and transmit prescription orders electronically.</p>	<ul style="list-style-type: none"> • 2018 Health IT and Health Information Exchange Basics (https://bit.ly/39X6rln) • 2019 HealthIT.gov Meaningful Use (https://bit.ly/3ndmWwX) • 2021 HealthIT.gov ONC Health IT Certification Program (https://bit.ly/3OXntir) • 2022 CMS EHR Incentive Programs (https://go.cms.gov/3OkrY6t) • 2020 Million Hearts® Hypertension Control Change Package for Clinicians (https://bit.ly/3u4MyQf)
<p>Generate and transmit consultation requests electronically.</p>	<ul style="list-style-type: none"> • 2018 Health IT and Health Information Exchange Basics (https://bit.ly/39X6rln) • 2019 HealthIT.gov Meaningful Use (https://bit.ly/3ndmWwX) • 2021 HealthIT.gov ONC Health IT Certification Program (https://bit.ly/3OXntir) • 2022 CMS EHR Incentive Programs (https://go.cms.gov/3OkrY6t) • 2020 Million Hearts® Hypertension Control Change Package for Clinicians (https://bit.ly/3u4MyQf)

Considerations	Resources
View lab/pathology reports or screening and diagnostic imaging results electronically.	<ul style="list-style-type: none"> • 2018 Health IT and Health Information Exchange Basics (https://bit.ly/39X6rln) • 2019 HealthIT.gov Meaningful Use (https://bit.ly/3ndmWwX) • 2021 HealthIT.gov ONC Health IT Certification Program (https://bit.ly/3OXntir) • 2022 CMS EHR Incentive Programs (https://go.cms.gov/3OkrY6t) • 2020 Million Hearts® Hypertension Control Change Package for Clinicians (https://bit.ly/3u4MyQf)
Use an EHR system to manage and inform patient care.	<ul style="list-style-type: none"> • 2018 Health IT and Health Information Exchange Basics (https://bit.ly/39X6rln) • 2019 HealthIT.gov Meaningful Use (https://bit.ly/3ndmWwX) • 2021 HealthIT.gov ONC Health IT Certification Program (https://bit.ly/3OXntir) • 2022 CMS EHR Incentive Programs (https://go.cms.gov/3OkrY6t) • 2020 Million Hearts® Hypertension Control Change Package for Clinicians (https://bit.ly/3u4MyQf)
Regularly use patient tracking systems to track patient management.	<ul style="list-style-type: none"> • 2018 Health IT and Health Information Exchange Basics (https://bit.ly/39X6rln) • 2021 HealthIT.gov ONC Health IT Certification Program (https://bit.ly/3OXntir)

Module D: Clinical Decision Support and Protocols for Adults with High Blood Pressure, High Cholesterol, Prediabetes or Diabetes, Obesity, or COPD

Module D Score: ___%

Module D Blood Pressure Score: ___%

Module D Cholesterol Score: ___%

Module D Diabetes Score: ___%

Module D Obesity Score: ___%

Module D COPD Score: ___%

Considerations	Resources
<p>These resources can be used to find more information related to all questions asked in Module D. See below for more specific considerations.</p>	<ul style="list-style-type: none"> • 2017 HealthIT.gov Optimizing Strategies for Clinical Decision Support (https://bit.ly/39Tnrco) • AHRQ’s Clinical Decision Support (https://bit.ly/3yko5cr)
<p>Incorporate cut-off points in your clinical decision support system when making diagnostic or screening decisions for adult patients with high blood pressure, high cholesterol, prediabetes or diabetes, obesity, and/or COPD.</p>	<p><u>For High Blood Pressure and High Cholesterol</u></p> <ul style="list-style-type: none"> • 2013 CPSTF’s Cardiovascular Disease: Clinical Decision-Support Systems (CDSS) (https://bit.ly/36twajX) • 2017 NYC Health’s ABCS Toolkit for the Practice Facilitator (https://bit.ly/3tL2qaQ) • 2017 CDC DHDSP’s Best Practices for Cardiovascular Disease Prevention Programs (https://bit.ly/3tWMq5i) <p><u>For Prediabetes or Diabetes</u></p> <ul style="list-style-type: none"> • 2008 AHRQ’s Trial of Decision Support to Improve Diabetes Outcomes (Ohio) (https://bit.ly/3HRmBJx) • CDC and AMA’s Prevent Diabetes STAT (https://bit.ly/3Lq63c7)
<p>Incorporate the functionality of recommending, ordering, or viewing laboratory test(s) and results in your clinical decision support system for adult patients with high blood pressure, high cholesterol, prediabetes or diabetes, and/or obesity.</p>	<p><u>For High Cholesterol</u></p> <ul style="list-style-type: none"> • CDC Million Hearts® Cholesterol Management Toolkit (https://bit.ly/3yfy01g)

Considerations	Resources
<p>Incorporate recommendation statements on lifestyle modifications (e.g., diet and physical activity) in your clinical decision support system for adult patients with high blood pressure, high cholesterol, prediabetes or diabetes, obesity, and/or COPD.</p>	<ul style="list-style-type: none"> • 2015 HHS’s Step It Up! The Surgeon General’s Call to Action to Promote Walking and Walkable Communities (https://bit.ly/3OEiiDQ) • 2014 ACSM’s Exercise is Medicine: Healthcare Providers’ Action Guide (https://bit.ly/3Lq47AK)
<p>Incorporate a cardiovascular risk calculator in your clinical decision support system for adult patients with high blood pressure, high cholesterol, prediabetes or diabetes, obesity, and/or COPD.</p>	<ul style="list-style-type: none"> • 2013 ACC/AHA’s Guideline on the Assessment of Cardiovascular Risk (https://bit.ly/3DhJCTP) • ACC/AHA’s Heart Risk Calculator (https://bit.ly/3DxCWRP) • ACC’s CVD Risk Calculator (https://bit.ly/3IM16ZM) • 2013 NHLBI’s Assessing Cardiovascular Risk: Systematic Evidence Review (https://bit.ly/3DkvZ6n)
<p>Include drug management protocol in your clinical decision support system for adult patients with high blood pressure, high cholesterol, prediabetes or diabetes, and/or obesity.</p>	
<p>Include a specified follow-up time period with particular health care providers in your clinical decision support system for adult patients with high blood pressure, high cholesterol, prediabetes or diabetes, and/or obesity.</p>	
<p>Document positive or negative changes in condition at follow-up as a part of your clinical decision support system for adult patients with high blood pressure, high cholesterol, prediabetes or diabetes, and/or obesity.</p>	
<p>Incorporate the functionality in your clinical decision support system of flagging patient’s charts when an adult patient has uncontrolled high blood pressure, high cholesterol, prediabetes or diabetes, and/or obesity.</p>	
<p>Incorporate the functionality in your clinical decision support system of flagging patient’s charts when an adult patient needs testing for high blood pressure, high cholesterol, prediabetes or diabetes, and/or obesity.</p>	
<p>Incorporate the functionality in your clinical decision support system of flagging patient’s charts when an adult patient needs medication adjustments for high blood pressure, high cholesterol, prediabetes or diabetes, and/or obesity.</p>	

Considerations**Resources**

Incorporate the functionality in your clinical decision support system of flagging patient's charts for tobacco cessation for an adult patient with high blood pressure, high cholesterol, prediabetes or diabetes, and/or COPD.

Module E: Patient Education for Adults with High Blood Pressure, High Cholesterol, Prediabetes or Diabetes, Obesity, or COPD

Module E Score: ___%

Module E Blood Pressure Score: ___%

Module E Cholesterol Score: ___%

Module E Diabetes Score: ___%

Module E Obesity Score: ___%

Module E COPD Score: ___%

Considerations	Resources
Implement patient education programs for patients with high blood pressure.	<p>For High Blood Pressure</p> <ul style="list-style-type: none"> • Million Hearts® Tools (https://bit.ly/3NiQKCD) • 2020 CDC’s Hypertension Resources for Health Professionals (https://bit.ly/3QQJYay) • 2016 AHA/AMA’s Target:BP™ (https://bit.ly/3IMLvJn) • YMCA’s Blood Pressure Self-Monitoring (https://bit.ly/3qHMaWa)
Implement patient education programs for patients with high cholesterol.	<p>For High Cholesterol</p> <ul style="list-style-type: none"> • 2018 CDC’s Cholesterol Resources for Health Professionals (https://bit.ly/3xNIZiu) • NHLBI’s High Blood Cholesterol (https://bit.ly/3RijYFe) • AHA’s Cholesterol Tools and Resources (https://bit.ly/3IOWkiS)
Implement patient education programs for patients with prediabetes or diabetes.	<p>For Prediabetes or Diabetes</p> <ul style="list-style-type: none"> • 2021 CDC DDT’s Rx for the National Diabetes Prevention Program: Action Guide for Community Pharmacists (https://bit.ly/3xWt3ux) • ADA’s Patient Education Materials (https://bit.ly/3qIOL4a) • NIDDK’s Health Information For Health Professionals (https://bit.ly/3bozT4b)
Implement patient education programs for patients with obesity.	<p>For Obesity</p> <ul style="list-style-type: none"> • 2022 CDC’s Defining Adult Overweight & Obesity (https://bit.ly/3QPcSHK) • 2022 NHLBI’s Overweight and Obesity (https://bit.ly/3nfHPrb) • NIDDK’s Weight Management & Healthy Living Tips (https://bit.ly/3NN8c2t)

Considerations	Resources
Implement patient education programs for patients with COPD.	<p>For COPD</p> <ul style="list-style-type: none"> • CDC’s Chronic Obstructive Pulmonary Disease (https://bit.ly/3A8uWad) • ATS’s Patient Education Resources (https://bit.ly/3uCO3Vc) • 2022 NHLBI’s COPD (https://bit.ly/3buEKRY)

Module F: Self-Management and Care Management for Adults with High Blood Pressure, High Cholesterol, Prediabetes or Diabetes, Obesity, or COPD

Module F Score: ___%

Module F Blood Pressure Score: ___%

Module F Cholesterol Score: ___%

Module F Diabetes Score: ___%

Module F Obesity Score: ___%

Module F COPD Score: ___%

Considerations	Resources
Implement a self- and care-management protocol for staff to apply when treating patients with high blood pressure.	<p>For High Blood Pressure</p> <ul style="list-style-type: none"> • 2014 Million Hearts® Self-Measured Blood Pressure Monitoring: Action Steps for Clinicians (https://bit.ly/3zZPUbb) • 2013 Million Hearts® Self-Measured Blood Pressure Monitoring: Action Steps for Public Health Practitioners (https://bit.ly/3ngboc5) • 2022 CDC DHDSPP’s Community Health Worker Toolkit (https://bit.ly/3nyOtsV) • 2015 CPSTF’s Self-Measured Blood Pressure Monitoring Interventions for Improved Blood Pressure Control - When Used Alone (https://bit.ly/3IQBH00) • 2016 AHA/AMA’s Target:BP™ (https://bit.ly/3IMLvJn) • Self-Management Resource Center (https://bit.ly/3iLfvuo) • 2017 CDC DHDSPP’s Best Practices for Cardiovascular Disease Prevention Programs (https://bit.ly/3tWMq5i) • YMCA’s Blood Pressure Self-Monitoring (https://bit.ly/3IL85lp)

Considerations	Resources
Implement a self- and care-management protocol for staff to apply when treating patients with high cholesterol.	<p>For High Cholesterol</p> <ul style="list-style-type: none"> • 2018 CDC’s Cholesterol Resources for Health Professionals (https://bit.ly/3xNIZiu) • AHA’s Cholesterol Tools and Resources (https://bit.ly/3IOwkiS) • Self-Management Resource Center (https://bit.ly/3iLfvuo) • 2018 AHA’s Cholesterol Management Guide for Health Care Practitioners (https://bit.ly/382iJYl) • U.S. NLM’s MedlinePlus: Cholesterol (https://bit.ly/3HOy90e) • 2017 CDC DHDSP’s Best Practices for Cardiovascular Disease Prevention Programs (https://bit.ly/3tWMq5i)
Implement a self- and care-management protocol for staff to apply when treating patients with prediabetes or diabetes.	<p>For Prediabetes or Diabetes</p> <ul style="list-style-type: none"> • CDC DDT’s Information for Diabetes Professionals (https://bit.ly/3OXrwlF) • 2021 CDC DDT’s Diabetes Self-Management Education and Support Toolkit (https://bit.ly/3bowq5G) • 2021 CDC DDT’s Diabetes Prevention Recognition Program (https://bit.ly/3Ne6tTG) • ADA’s Patient Education Materials (https://bit.ly/3qIOL4a) • NIDDK’s Health Information for Health Professionals (https://bit.ly/3bozT4b) • Self-Management Resource Center (https://bit.ly/3iLfvuo)
Implement a self- and care-management protocol for staff to apply when treating patients with obesity.	<p>For Obesity</p> <ul style="list-style-type: none"> • 2022 CDC’s Defining Adult Overweight & Obesity (https://bit.ly/3QPcSHK) • 2022 NHLBI’s Overweight and Obesity (https://bit.ly/3nfHPrb) • NIDDK’s Weight Management & Healthy Living Tips (https://bit.ly/3NN8c2t) • Self-Management Resource Center (https://bit.ly/3iLfvuo)
Implement a self- and care-management protocol for staff to apply when treating patients with COPD.	<p>For COPD</p> <ul style="list-style-type: none"> • CDC’s Chronic Obstructive Pulmonary Disease (https://bit.ly/3A8uWad) • ATS’s Patient Education Resources (https://bit.ly/3uCO3Vc) • 2022 NHLBI’s COPD (https://bit.ly/3buEKRY) • Self-Management Resource Center (https://bit.ly/3iLfvuo)

Considerations	Resources
Implement a protocol to assess for patient cognitive ability and availability of caregiver assistance.	<ul style="list-style-type: none"> • 2013 Alzheimer’s Association Recommendations for Detection of Cognitive Impairment in Primary Care (https://bit.ly/3qJh2pk) • AA’s Cognitive Assessment (https://bit.ly/3JNFFJ9) • 2012 Practical Guidelines for the Recognition and Diagnosis of Dementia (https://bit.ly/3tKdfVN) • 2015 Information Sharing Preferences of Older Patients and Their Families (https://bit.ly/3tMCGd) • Self-Management Resource Center (https://bit.ly/3iLfvuo) • 2017 GSA’s Cognitive Impairment Detection and Earlier Diagnosis (https://bit.ly/3Lk0jAT)

Module G: Tobacco Use and Dependence Cessation

Module G Score: ___%

Considerations	Resources
Implement a protocol that requires primary care providers to follow the 5 A's intervention model when discussing tobacco use during patient visits.	<ul style="list-style-type: none">• Million Hearts® Tobacco Cessation Change Package (https://bit.ly/3A1z63q)• Million Hearts® Tobacco Cessation Protocols (https://bit.ly/3P4ju45)• 2016 Million Hearts® Identifying and Treating Patients Who Use Tobacco: Action Steps for Clinicians (https://bit.ly/39RDkvy)• 2008 AHRQ's Treating Tobacco Use and Dependence Clinical Practice Guideline (https://bit.ly/3HRpKsP)• 2014 CDC OSH's Best Practices for Comprehensive Tobacco Control Programs: III. Cessation Interventions (https://bit.ly/3OIXoUa)
Implement a policy to require all facilities to be 100% tobacco-free (including e-cigarettes) in both indoor and outdoor locations.	<ul style="list-style-type: none">• 2013 UCSF SCLC's Destination Tobacco-Free: A Practical Tool for Hospitals and Health Systems (https://bit.ly/37Yja60)• 2015 UC AMCSM's DIMENSIONS: Tobacco-Free Policy Toolkit (https://bit.ly/3qE3VFZ)• 2018 NBHN's How to Implement a Tobacco-Free Policy (https://bit.ly/35jwIz1)

Module H: Guidelines for Screening for Breast, Cervical, and/or Colorectal Cancer of Eligible Patients

Module H Score: ___%

Module H Breast Cancer Screening Score: ___%

Module H Cervical Cancer Screening Score: ___%

Module H Colorectal Cancer Screening Score: ___%

Considerations	Resources
<p>Implement policies that support evidence-based interventions to increase the proportion of eligible patients screened for cancers.</p>	<ul style="list-style-type: none"> • CDC’s DCPC’s Resource Library (https://bit.ly/3OoweBW) • CPSTF’s Cancer Prevention and Control Task Force Findings (https://bit.ly/3tOtzdc) • NCI’s Evidence-Based Cancer Control Programs (https://bit.ly/3NfLShD) • Cancer Control PLANET (https://bit.ly/3HU8mE8) <p>For Breast Cancer</p> <ul style="list-style-type: none"> • 2020 CDC DCPC’s Breast Cancer Screening Guidelines for Women (https://bit.ly/39MlgHH) <p>For Cervical Cancer</p> <ul style="list-style-type: none"> • CDC DCPC’s Cervical Cancer Screening Guidelines for Average-Risk Women (https://bit.ly/3u0RWnq) <p>For Colorectal Cancer</p> <ul style="list-style-type: none"> • NCCR’s How To Increase Colorectal Cancer Screening Rates In Practice: A Primary Care Clinician’s Evidence-Based Toolbox And Guide (https://bit.ly/3uE0d04) • NCCR’s Colorectal Cancer Screening Resources to Improve Quality (https://bit.ly/36CbyG7)
<p>Monitor quality indicators for colorectal cancer screening and providing resources to health care providers on improving quality of colorectal cancer screening.</p>	<ul style="list-style-type: none"> • CDC’s DCPC’s Resource Library (https://bit.ly/3OoweBW) • National Colorectal Cancer Screening Provider Education Resources (https://bit.ly/3JNjkGT) • NCCR’s Colorectal Cancer Screening Resources to Improve Quality (https://bit.ly/36CbyG7) • CDC: CRC Screening and Surveillance: Optimizing Quality (https://bit.ly/3OG70yN) • American Society for Gastrointestinal Endoscopy Quality Indicators (https://bit.ly/36TCZee)

! After clicking “Exit” below or closing the browser window, you will not be able to return to this page. We recommend printing or saving this page for your records by clicking the “Print Results” button at the bottom of this page. This will not preserve the hyperlinked resources; however, you may type the short links (bit.ly) into your web browser to directly access the resource. You can also contact your health department for your results and can [access a complete list of resources on the CDC website](#).