

Article DOI: <https://doi.org/10.3201/eid2904.221005>

EID cannot ensure accessibility for supplementary materials supplied by authors. Readers who have difficulty accessing supplementary content should contact the authors for assistance.

Powassan Virus Infection Detected by Metagenomic Next-Generation Sequencing, Ohio, USA

Appendix

A single 140-nt sequence from Powassan virus was detected by metagenomic next-generation sequencing in the cerebrospinal fluid of a 4-year-old boy.

```
>NDX550313_RUO:156:HKNFTBGXK:1:22109:2530:9011#ATCTCAGG+ATAGCCTT/1  
CAGCATCACAGTCCTGGACATGCATCCTGGAGCGGGAAAGACACACAGAGTCCTTC  
CCGAGCTGATTCGTGAATGCATTGACAAAAGATTGAGGACTGTTGTGTTGGCCCCAA  
CGCGGGTGTCTGAAAGAGATGGAAA
```

Appendix References

11. Katoh K, Standley DM. MAFFT: iterative refinement and additional methods. *Methods Mol Biol.* 2014;1079:131–46. [PubMed https://doi.org/10.1007/978-1-62703-646-7_8](https://doi.org/10.1007/978-1-62703-646-7_8)
12. Guindon S, Dufayard J-F, Lefort V, Anisimova M, Hordijk W, Gascuel O. New algorithms and methods to estimate maximum-likelihood phylogenies: assessing the performance of PhyML 3.0. *Syst Biol.* 2010;59:307–21. [PubMed https://doi.org/10.1093/sysbio/syq010](https://doi.org/10.1093/sysbio/syq010)