



September 19, 2012

Dear Colleague:

Advice from a provider plays a critical role in a parent's decision to get their child vaccinated against seasonal influenza. The Administration on Intellectual and Developmental Disabilities, the Centers for Disease Control and Prevention, and the Health Resources and Services Administration ask for your help in urging your pediatric patients and clients with neurologic disorders and developmental disabilities to get vaccinated against influenza each year. Parents of such children who develop acute respiratory illness should be advised to consult a provider as soon as possible during influenza season, and providers are recommended to prescribe antiviral medications immediately if influenza is suspected. Antiviral treatment works best if started shortly after influenza illness onset.

A recent study published in *Pediatrics*, "Neurologic Disorders among Pediatric Deaths Associated with the 2009 Pandemic Influenza," found that a large percentage of children dying from complications related to 2009 H1N1 virus infection had chronic neurologic disorders.

- The *Pediatrics* study looked at 2009 H1N1 influenza-related deaths in children based on data submitted to CDC from U.S. state and local health departments during the 2009 H1N1 pandemic.
 - Of the 336 children reported to have died from 2009 H1N1-associated complications, 227 (68%) had an underlying health condition.
 - Among those children, 64% had a neurologic disorder including developmental disabilities like cerebral palsy, intellectual disability, or epilepsy.
- Children with neurologic disorders tended to be older and remain hospitalized longer than children without underlying medical conditions who died of 2009 H1N1-related complications. These children also were more likely to die while hospitalized (80%) rather than in an emergency department or at home.
 - Children with neurologic disorders who died of 2009 H1N1-associated complications had a median age of 10 years, and the median time from symptom onset to death was 8 days.

- Of the children with neurologic conditions, only 3% were fully vaccinated against 2009 H1N1, the latter perhaps in part due to the timing of the availability of monovalent 2009 H1N1 vaccine.
- Focus groups with families indicated that when providers explained to parents how their child's specific special health need put them at greater risk for complications from influenza, the parents were more prone to have their child with special health needs vaccinated.

CDC recommendations to protect children with neurologic disorders include:


- Annual influenza vaccination is recommended for everyone aged 6 months and older. This is especially important for people who are at high risk of developing serious complications, including young children, and anyone with chronic medical conditions (e.g. children with neurologic and neuromuscular disorders). While influenza vaccine is not 100% effective, it is the best prevention method available.
- Annual influenza vaccination is also recommended for adults who come in contact with children with neurologic disorders including developmental disabilities such as caregivers, health care providers, and child care providers.
- Prompt antiviral treatment is recommended for children at high risk of influenza complications, including those with neurologic or neuromuscular disorders, for suspected influenza, even without testing or waiting for testing results. Antiviral drugs are a second line of defense against influenza. Antiviral treatment of influenza is most effective when started within 48 hours of illness onset, but may still provide some clinical benefit when started later.

Please help get children vaccinated against influenza every year. And if a child shows influenza-like illness symptoms, please encourage parents of such children to bring the child in for assessment promptly so antiviral treatment can be started as soon as possible. Our partners at the American Academy of Pediatrics, Families Fighting Flu, and Family Voices join us in supporting this urgent need. More information can be found at <http://www.cdc.gov/NCBDDD/features/flu-neurological-disorders.html>.


Sincerely,



Coleen A. Boyle, Ph.D., MS.Hyg.
Director, National Center on Birth Defects and Developmental Disabilities
Centers for Disease Control and Prevention



Melinda Wharton, MD, MPH
Captain, United States Public Health Service
Deputy Director, National Center for Immunization and Respiratory Diseases



Michael C. Lu, MD, MS, MPH
Associate Administrator
Maternal and Child Health Bureau
Human Resources and Services Administration



Sharon Lewis
Commissioner
Administration on Intellectual and Developmental Disabilities