

User Guide for Interactive Report II

2009-10 Influenza Vaccination Coverage

The **interactive report II** displays the final 2009-10 cumulative influenza vaccination coverage levels based on self-reported influenza vaccinations from the Behavioral Risk Factor Surveillance System (BRFSS) and National H1N1 Flu Survey (NHFS). See methods documentation on the [influenza vaccination coverage](#) webpage for further data analysis description.

Contents

Comparison Selection	2
Report Options.....	4
Footnotes	4
Print Menu	5
Export Menu	6
Other Features	6
Help Guide.....	7

Comparison Selection

- The **interactive report II** initially displays a profile of influenza vaccinations by age/priority groups and by racial/ethnic groups for the 2009-10 influenza season. The table is intentionally left blank.

Final estimates of 2009-10 influenza vaccination coverage* through May 2010—United States,(†) Behavioral Risk Factor Surveillance System (BRFSS) and National 2009 H1N1 Flu Survey (NHFS)

Click on a state, HHS region, or U.S. to view coverage.

Filter States

State

- Alabama
- Alaska
- Arizona
- Arkansas
- California
- Colorado
- Connecticut
- Delaware
- District of Columbia

U.S. or HHS Region

- United States
- Region 1
- Region 2
- Region 3
- Region 4
- Region 5
- Region 6
- Region 7
- Region 8

Vaccination Coverage for Selected Area(s)

Groups	State/Region	n	% (%)	CI (%)	Diff	Compared to U.S.
<ul style="list-style-type: none"> ▼ Seasonal influenza vaccination Persons ≥6 mos Children, 6 mos–17 yrs Adults, ≥18 yrs Adults 18–49 yrs HR (†) Adults 18–49 yrs non-HR (†) Adults 50–64 yrs Adults ≥65 yrs ▼ Seasonal influenza vaccination - by race/ethnicity Persons ≥6 mos, non-Hispanic white Persons ≥6 mos, non-Hispanic black Persons ≥6 mos, Hispanic Persons ≥6 mos, non-Hispanic Asian Persons ≥6 mos, non-Hispanic AI/AN – + 						

Footnotes

* For seasonal influenza vaccination, coverage estimates are for persons with reported vaccination during August 2009–May 2010 who were interviewed during October 2009–June 2010. For influenza A (H1N1) 2009 monovalent vaccination, coverage estimates are for persons with reported vaccination during October 2009–May 2010 who were interviewed during November 2009–June 2010.

† Excludes U.S. territories

- To view all vaccinations available in the 2009-10 influenza season click '-' button in the **bottom left corner** of the table to collapse the list.

Table

Vaccination Coverage for Selected Area(s)

Groups	State/Region	n	% (%)
▶ Seasonal influenza vaccination			
▶ Seasonal influenza vaccination - by race/ethnicity			
▶ Influenza A (H1N1) 2009 monovalent vaccination			
▶ Influenza A (H1N1) 2009 monovalent vaccination - by race/ethnicity			
▶ Any (seasonal and/or H1N1) influenza vaccination			
▶ Any (seasonal and/or H1N1) influenza vaccination - by race/ethnicity			

– +

For Collapse All

* For seasonal influenza vaccination, coverage estimates are for persons with reported vaccination during August 2009–May 2010 who were interviewed during October 2009–June 2010. For influenza A (H1N1) 2009 monovalent vaccination, coverage estimates are for persons with reported vaccination during October 2009–May 2010 who were interviewed during November 2009–June 2010.

- To view the 2009-10 influenza vaccination profile of a state, a Department of Health and Human Services (HHS) region, or combination of both and its comparison to United States estimate, select the state or HHS region from the corresponding lists. The table shows percentage-point differences of the estimates compared to the value for United States as deviations from zero percent–point difference (0.0) along the number line (**'Diff'** column for value, **'Compared to U.S.'** column for graphical representation along the number line). Hold 'Ctrl' to select

multiple states or 'Shift' to select a range. Holding the 'Ctrl' key and clicking on a selected state allows you to deselect it. Up to three comparisons can be made at one time.

State

- Alabama
- Alaska
- Arizona
- Arkansas
- California
- Colorado
- Connecticut
- Delaware
- District of Columbia

U.S. or HHS Region

- United States
- Region 1
- Region 2
- Region 3
- Region 4
- Region 5
- Region 6
- Region 7
- Region 8

Filter States

State

- Colorado
- Montana
- North Dakota
- South Dakota
- Utah
- Wyoming

U.S. or HHS Region

- United States
- Region 1
- Region 2
- Region 3
- Region 4
- Region 5
- Region 6
- Region 7
- Region 8

Vaccination Coverage for Selected Area(s)

Groups	State/Region	n	% (§)	CI (¶)	Diff	Compared to U.S.		
						-50.0	0.0	50.0
Seasonal influenza vaccination								
Persons ≥6 mos	United States	511,357	41.2 (±0.4)		0.0			
	Region 8	54,066	44.4 (±1.2)		3.2			
	South Dakota	8,664	53.0 (±2.2)		11.8			
Children, 6 mos–17 yrs	United States	149,872	43.7 (±0.9)		0.0			
	Region 8	15,940	45.3 (±3.5)		1.6			
	South Dakota	2,619	56.5 (±5.0)		12.8			
Adults, ≥18 yrs	United States	361,485	40.4 (±0.4)		0.0			
	Region 8	38,126	44.0 (±1.0)		3.6			
	South Dakota	6,045	52.0 (±2.4)		11.6			
Adults 18–49 yrs HR (†)	United States	22,233	38.2 (±1.3)		0.0			
	Region 8	2,252	44.9 (±3.7)		6.7			
	South Dakota	361	50.7 (±8.9)		12.5			
Adults 18–49 yrs non-HR (†)	United States	97,936	28.4 (±0.6)		0.0			

Footnotes

* For seasonal influenza vaccination, coverage estimates are for persons with reported vaccination during August 2009–May 2010 who were interviewed during October 2009–June 2010. For influenza A (H1N1) 2009 monovalent vaccination, coverage estimates are for persons with reported vaccination during October 2009–May 2010 who were interviewed during November 2009–June 2010.

† Excludes U.S. territories

- To clear selections or comparisons, click the **Clear Selection** button.

U.S. to view coverage.


Help Guide
Export Menu

Clear Selection
Print Menu


Vaccination Coverage for Selected Area(s)

Groups	State/Region	n	% (§)	CI (¶)	Diff	Compared to U.S.		
						-50.0	0.0	50.0
Seasonal influenza vaccination								
Persons ≥6 mos	Region 1	54,853	49.1 (±1.2)		7.9			
	Connecticut	8,563	44.6 (±2.1)		3.4			
	Massachusetts	14,087	51.6 (±2.2)		10.4			
Children, 6 mos–17 yrs	Region 1	14,178	54.5 (±3.3)		10.8			
	Connecticut	3,092	46.6 (±3.5)		2.9			
	Massachusetts	1,973	57.6 (±6.2)		13.9			

- The list of states can also be filtered by HHS Region. Click the **Filter States** button above the state list and select the desired region.



- To clear the filtered region and return the state table to the original look, select again the **Filter States** button and select the *Remove Filter*.




Report Options

- Click '+' button in the **bottom right corner** of any box to expand lists further.
- Click '-' button in the **bottom right corner** of any box to collapse lists down.
- Click the **blue square** in the **top right corner** of any box to maximize.
- Click the **blue arrow** in the **top right corner** of the maximized box to restore the box to original size.

Footnotes

- Footnotes are displayed beneath the table. To view all of the footnotes at once, click the blue square at the top right corner of the *Footnotes* box to maximize.



- Click the blue arrow in the top right corner to the restore the footnotes to original size.

Footnotes

* For seasonal influenza vaccination, coverage estimates are for persons with reported vaccination during August 2009–May 2010 who were interviewed during 2009–June 2010. For influenza A (H1N1) 2009 monovalent vaccination, coverage estimates are for persons with reported vaccination during October 2009–May 2010 who were interviewed during November 2009–June 2010.

† Excludes U.S. territories

‡ High-risk includes asthma, other lung problems, diabetes, heart disease, kidney problems, anemia, weakened immune system caused by a chronic illness or by medicines taken for a chronic illness.

× Initial target group includes pregnant women, persons who live with or provide care for infants aged <6 months, health-care and emergency medical services personnel, children and young adults aged 6 months–24 years, and persons aged 25–64 years who have medical conditions that put them at higher risk for influenza-related complication.

‡ Includes Native Hawaiian or other Pacific Islander, multiracial, and other race.

§ Month of vaccination was imputed for respondents with missing month of vaccination data. Percentages are weighted to the U.S. population.

¶ 95% confidence interval



€ Estimates not reliable because sample size is <30.

£ Estimates not reliable because relative standard error is >0.3.


¥ Estimates might be unreliable because confidence interval half-width is >10.

Print Menu

- Printing options for the full **interactive report** or individual components of the report are available by selecting the **Print Menu** button, which opens the menu as a pop-up window.



- There are two print modes available to select: 'Rescale to fit page' or 'Resize to fit page'. 'Rescale to fit page' means that you will get exactly what you see on your screen as a printout, rescaled to fit the paper size. The quality of the output (especially text) might not be quite as crisp as for the resize option. 'Resize to fit page' means that the report internally resizes all components individually to fit to the paper size. The output will be crisp but text in the report may appear larger than on the screen, you might see different chart axis labels and scroll bars may appear although they are not present on your screen.
- You have the option to have the buttons within the **interactive report** showing in your printed output. You can also choose to have the images and the background appear in the printed output by checking or unchecking the respective boxes.



Export Menu

- The **Export Menu** button allows exporting of the full **interactive report** or individual components of the report in either JPEG or PNG format. The **Export Menu** is displayed in a pop-up window.



Other Features

- Many of the **interactive report** options are also available with the right click mouse button. A right click anywhere in the active report will display the following menu options.
 - Clear State Selection:** This option allows you to deselect all states that are currently selected.
 - Clear National/Regional Selection:** This option allows you to deselect all HHS regions selected.
 - Filter State Table to Selection:** This option allows you to create a filter for the states that are currently selected.
 - Clear Filter:** This option allows you to clear a filter that has been applied.
 - Print Menu:** See [Print Menu](#) for further information.
 - Export Menu:** See [Export Menu](#) for further information.
 - Reset Layout:** This option allows you to return to the original layout of the Interactive Report.
 - About InstantAtlas:** Provides software version and website information for InstantAtlas, the software used to create this report.
 - Settings:** Opens Adobe Flash Player settings menu.
 - Global Settings:** Provides website and help menu for Adobe Flash Player 10 in pop up window.

- **About Adobe Flash Player 10:** Provides website and information for Adobe Flash Player 10 in pop up window.

Help Guide

- This help guide can be accessed anytime from the **Interactive Report II** page by selecting the **Help Guide** button. Alternatively it can be found on the [influenza vaccination coverage](#) webpage as the user guide to using the **interactive report**.