

**Table 13. Number of deaths and case fatality ratio (CFR) in 2010\*, by pathogen, Foodborne Diseases Active Surveillance Network (FoodNet), United States**

Pathogen	Overall 2010		
	# deaths	total # cases	CFR
<b>Bacteria</b>			
<i>Campylobacter</i>	8	6,365	0.13
<i>Listeria</i> <sup>†</sup>	16	125	12.80
<i>Salmonella</i>	29	8,256	0.35
<i>Shigella</i>	0	1,780	0.00
STEC <sup>§</sup> O157	2	442	0.45
STEC non-O157	1	451	0.22
<i>Vibrio</i>	6	193	3.11
<i>Yersinia</i>	1	159	0.63
<b>Parasites</b>			
<i>Cryptosporidium</i>	5	1,290	0.39
<i>Cyclospora</i>	0	28	0.00
<b>Total</b>	<b>68</b>	<b>19,089</b>	<b>0.36</b>

\*Data are preliminary

<sup>†</sup>*Listeria* cases defined as isolation of *L. monocytogenes* from a normally sterile site or, in the setting of miscarriage or stillbirth, isolation of *L. monocytogenes* from placental or fetal tissue

<sup>§</sup>Shiga toxin-producing *Escherichia coli*