

2019 YRBS Combined Datasets User's Guide

QNVEG3:

Numerator: Calculated
 Denominator: Students who answered A, B, C, D, E, F, or G for Q71, Q72, Q73, and Q74
 Summary text: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding french fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)

Variable label: Ate vegetables three or more times per day

Dependence: Depends on Q71, Q72, Q73, and Q74

SAS code:

```
TOTALv=0;
array vegq3a (*) q71 q72 q73 q74;
array summv3a (*) q71n q72n q73n q74n;
do i = 1 to dim(vegq3a);
if vegq3a{i} = '1' then summv3a{i} = 0;
else if vegq3a{i} = '2' then summv3a{i} = 2/7;
else if vegq3a{i} = '3' then summv3a{i} = 5/7;
else if vegq3a{i} = '4' then summv3a{i} = 1;
else if vegq3a{i} = '5' then summv3a{i} = 2;
else if vegq3a{i} = '6' then summv3a{i} = 3;
else if vegq3a{i} = '7' then summv3a{i} = 4;
else summv3a{i} = .;
TOTALv=TOTALv+summv3a{i};
end;
if TOTALv ge 3 then QNVEG3=1;
else if 0 le TOTALv lt 3 then QNVEG3=2;
```

QNSODA1:

Numerator: Students who answered D, E, F, or G for Q75
 Denominator: Students who answered A, B, C, D, E, F, or G for Q75
 Summary text: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)

Variable label: Drank a can, bottle, or glass of soda or pop one or more times per day

Dependence: Depends on Q75

SAS code:

```
if q75 in ('4','5','6','7') then QNSODA1=1;
else if q75 in ('1','2','3') then QNSODA1=2;
```

QNSODA2:

Numerator: Students who answered E, F, or G for Q75
 Denominator: Students who answered A, B, C, D, E, F, or G for Q75
 Summary text: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)

Variable label: Drank a can, bottle, or glass of soda or pop two or more times per day

Dependence: Depends on Q75

SAS code:

```
if q75 in ('5','6','7') then QNSODA2=1;
else if q75 in ('1','2','3','4') then QNSODA2=2;
```

QNMILK1:

Numerator: Students who answered D, E, F, or G for Q76
 Denominator: Students who answered A, B, C, D, E, F, or G for Q76
 Summary text: Percentage of students who drank one or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)

Variable label: Drank one or more glasses per day of milk

Dependence: Depends on Q76

SAS code:

```
if q76 in ('4','5','6','7') then QNMILK1=1;
else if q76 in ('1','2','3') then QNMILK1=2;
```

2019 YRBS Combined Datasets User's Guide

QNMILK3:	
Numerator:	Students who answered F or G for Q76
Denominator:	Students who answered A, B, C, D, E, F, or G for Q76
Summary text:	Percentage of students who drank three or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)
Variable label:	Drank three or more glasses per day of milk
Dependence:	Depends on Q76
SAS code:	if q76 in ('6','7') then QNMILK3=1; else if q76 in ('1','2','3','4','5') then QNMILK3=2;
QNBK7DAY:	
Numerator:	Students who answered H for Q77
Denominator:	Students who answered A, B, C, D, E, F, G or H for Q77
Summary text:	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)
Variable label:	Ate breakfast on all 7 days
Dependence:	Depends on Q77
SAS code:	if q77 in ('8') then QNBK7DAY=1; else if q77 in ('1','2','3','4','5','6','7') then QNBK7DAY=2;
QNPA0DAY:	
Numerator:	Students who answered A for Q78
Denominator:	Students who answered A, B, C, D, E, F, G, or H for Q78
Summary text:	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)
Variable label:	Did not participate in at least 60 minutes of physical activity on at least 1 day
Dependence:	Depends on Q78
SAS code:	if q78='1' then QNPA0DAY=1; else if q78 in ('2','3','4','5','6','7','8') then QNPA0DAY=2;
QNPA7DAY:	
Numerator:	Students who answered H for Q78
Denominator:	Students who answered A, B, C, D, E, F, G, or H for Q78
Summary text:	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)
Variable label:	Were physically active at least 60 minutes per day on all 7 days
Dependence:	Depends on Q78
SAS code:	if q78='8' then QNPA7DAY=1; else if q78 in ('1','2','3','4','5','6','7') then QNPA7DAY=2;
QNDLYPE:	
Numerator:	Students who answered F for Q81
Denominator:	Students who answered A, B, C, D, E, or F for Q81
Summary text:	Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)
Variable label:	Attended physical education (PE) classes on all 5 days
Dependence:	Depends on Q81
SAS code:	if Q81='6' then QNDLYPE=1; else if Q81 in ('1','2','3','4','5') then QNDLYPE=2;

2019 YRBS Combined Datasets User's Guide

QNNODNT:

Numerator:	Students who answered D for Q86
Denominator:	Students who answered A, B, C, D, or E for Q86
Summary text:	Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)
Variable label:	Never saw a dentist
Dependence:	Depends on Q86
SAS code:	if Q86='4' then QNNODNT=1; else if Q86 in ('1','2','3','5') then QNNODNT =2;

Appendix E: Selected Additional Risk Behavior Variable Specifications

Appendix E Appendix E contains the specifications for selected additional risk behavior variables in original and dichotomized formats. These variables come from questions that are not on the standard 2019 YRBS questionnaire but they are considered to be of broad interest and so are included in the Combined Datasets.

qbikehelmet:

When you rode a bicycle during the past 12 months, how often did you wear a helmet?

- A. I did not ride a bicycle during the past 12 months
- B. Never wore a helmet**
- C. Rarely wore a helmet**
- D. Sometimes wore a helmet
- E. Most of the time wore a helmet
- F. Always wore a helmet

Variable label: Bicycle helmet use

Short response:

- A. Did not ride a bicycle
- B. Never wore a helmet**
- C. Rarely wore a helmet**
- D. Sometimes wore a helmet
- E. Most of the time wore a helmet
- F. Always wore a helmet

qnbikehelmet:

Numerator: Students who answered B or C

Denominator: Students who answered B, C, D, E, or F

Summary text: Percentage of students who rarely or never wore a bicycle helmet (during the past 12 months before the survey, among those who had ridden a bicycle)

Variable label: Rarely or never wore a bicycle helmet

qdrivemarijuana:

During the past 30 days, how many times did you drive a car or other vehicle when you had been using marijuana (also called grass, pot, or weed)?

- A. I did not drive a car or other vehicle during the past 30 days
- B. 0 times
- C. 1 time**
- D. 2 or 3 times**
- E. 4 or 5 times**
- F. 6 or more times**

Variable label: Drive when using marijuana

Short response:

- A. Did not drive
- B. 0 times
- C. 1 time**
- D. 2 or 3 times**
- E. 4 or 5 times**
- F. 6 or more times**

qndrivemarijuana:

Numerator: Students who answered C, D, E, or F

Denominator: Students who answered B, C, D, E, or F

Summary text: Percentage of students who drove a car or other vehicle when they had been using marijuana (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)

Variable label: Drove a car or other vehicle when they had been using marijuana

qcelldriving:

During the past 30 days, on how many days did you talk on a cell phone while driving a car or other vehicle?

- A. I did not drive a car or other vehicle during the past 30 days
- B. 0 days
- C. **1 or 2 days**
- D. **3 to 5 days**
- E. **6 to 9 days**
- F. **10 to 19 days**
- G. **20 to 29 days**
- H. **All 30 days**

Variable label: Cell phone use while driving

Short response:

- A. Did not drive
- B. 0 days
- C. **1 or 2 days**
- D. **3 to 5 days**
- E. **6 to 9 days**
- F. **10 to 19 days**
- G. **20 to 29 days**
- H. **All 30 days**

qnccelldriving:

Numerator: Students who answered C, D, E, F, G, or H

Denominator: Students who answered B, C, D, E, F, G, or H

Summary text: Percentage of students who talked on a cell phone while driving (on at least 1 day during the 30 days before the survey, among students who drove a car or other vehicle)

Variable label: Talked on cell phone while driving

qpropertydamage:

During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books **on school property**?

- A. 0 times
- B. **1 time**
- C. **2 or 3 times**
- D. **4 or 5 times**
- E. **6 or 7 times**
- F. **8 or 9 times**
- G. **10 or 11 times**
- H. **12 or more times**

Variable label: Property stolen at school >= 1 time

qnpropertydamage:

Numerator: Students who answered B, C, D, E, F, G, or H

Denominator: Students who answered A, B, C, D, E, F, G, or H

Summary text: Percentage of students who reported that their property had been stolen or deliberately damaged on school property one or more times (such as their car, clothing, or books, during the 12 months before the survey)

Variable label: Reported that their property had been stolen or deliberately damaged on school property one or more times

qbullyweight:

During the past 12 months, have you ever been the victim of teasing or name calling because of your weight, size, or physical appearance?

- A. Yes
- B. No

Variable label: Victim of teasing b/c of physical appearance

qnbullyweight:

Numerator: Students who answered A

Denominator: Students who answered A or B

Summary text: Percentage of students who have been the victim of teasing or name calling because of their weight, size, or physical appearance (during the 12 months before the survey)

Variable label: Have been the victim of teasing or name calling because of their weight, size, or physical appearance

qbullygender:

During the past 12 months, have you ever been the victim of teasing or name calling because of your gender?

- A. Yes
- B. No

Variable label: Victim of gender teasing

qnbullygender:

Numerator: Students who answered A

Denominator: Students who answered A or B

Summary text: Percentage of students who have been the victim of teasing or name calling because of their gender (during the 12 months before the survey)

Variable label: Have been the victim of teasing or name calling because of their gender

qbullygay:

During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual?

- A. Yes
- B. No

Variable label: Ever been teased b/c labeled GLB

qnbullygay:

Numerator: Students who answered A

Denominator: Students who answered A or B

Summary text: Percentage of students who have been the victim of teasing or name calling because someone thought they were gay, lesbian, or bisexual (during the 12 months before the survey)

Variable label: Have been the victim of teasing or name calling because someone thought they were gay, lesbian, or bisexual

qchokeself:

Have you ever been choked by someone or tried to choke yourself on purpose, such as with a belt, towel, or rope, for the feeling or experience it caused? (This is also called the Choking Game, Knock Out, Space Monkey, Flatlining, or the Fainting Game.)

- A. Yes
- B. No

Variable label: Ever been choked/choked self on purpose

qnchokeself:

Numerator: Students who answered A
 Denominator: Students who answered A or B
 Summary text: Percentage of students who have ever been choked by someone or tried to choke themselves on purpose (such as with a belt, towel, or rope, for the feeling or experience it caused, also called the Choking Game, Knock Out, Space Monkey, Flatlining, or the Fainting Game)

Variable label: Have ever been choked by someone or tried to choke themselves on purpose

qcigschool:

During the past 30 days, on how many days did you smoke cigarettes on school property?

- A. 0 days
- B. 1 or 2 days
- C. 3 to 5 days
- D. 6 to 9 days
- E. 10 to 19 days
- F. 20 to 29 days
- G. All 30 days

Variable label: Currently smoke at school >=1 days

qncigschool:

Numerator: Students who answered B, C, D, E, F, or G
 Denominator: Students who answered A, B, C, D, E, F, or G
 Summary text: Percentage of students who smoked cigarettes on school property (on at least 1 day during the 30 days before the survey)

Variable label: Smoked cigarettes on school property

qchewtobschool:

During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?

- A. 0 days
- B. 1 or 2 days
- C. 3 to 5 days
- D. 6 to 9 days
- E. 10 to 19 days
- F. 20 to 29 days
- G. All 30 days

Variable label: Current snuff @ school

qnchewtobschool:

Numerator: Students who answered B, C, D, E, F, or G
 Denominator: Students who answered A, B, C, D, E, F, or G
 Summary text: Percentage of students who used chewing tobacco, snuff, or dip (on school property on one or more of the past 30 days)

Variable label: Used chewing tobacco, snuff, or dip on school property

qalcoholschool:

During the past 30 days, on how many days did you have at least one drink of alcohol on school property?

- A. 0 days
- B. 1 or 2 days**
- C. 3 to 5 days**
- D. 6 to 9 days**
- E. 10 to 19 days**
- F. 20 to 29 days**
- G. All 30 days**

Variable label: Current drink at school

qnalcoholschool:

Numerator: Students who answered B, C, D, E, F, or G

Denominator: Students who answered A, B, C, D, E, F, or G

Summary text: Percentage of students who currently had at least one drink of alcohol on school property (on at least 1 day during the 30 days before the survey)

Variable label: currently had at least one drink of alcohol on school property

qtypealcohol2:

During the past 30 days, what type of alcohol did you drink most often? (Select only **one** response.)

- A. I did not drink alcohol during the past 30 days
- B. Beer
- C. Wine
- D. Vodka**
- E. Some other liquor, such as rum, scotch, bourbon, whiskey, or tequila**
- F. Flavored alcoholic beverages, such as Smirnoff Ice, Bacardi Silver, Mike's Hard Lemonade, Four Loko, Blast, or Hard Apple Cider
- G. Some other type of alcohol

Variable label: Type of alcohol drink most often

Short response:

- A. Did not drink in past 30 days
- B. Beer
- C. Wine
- D. Vodka**
- E. Some other liquor**
- F. Flavored alcoholic beverages
- G. Some other type of alcohol

qntypealcohol2:

Numerator: Students who answered D or E

Denominator: Students who answered B, C, D, E, F, G, or H

Summary text: Percentage of students who reported liquor as the type of alcohol they drank most often (such as vodka, rum, scotch, bourbon, whiskey, or tequila during the 30 days before the survey, among students who drank alcohol)

Variable label: Reported liquor as the type of alcohol they drank most often

qhowmarijuana:

During the past 30 days, how did you usually use marijuana?

- A. I did not use marijuana during the past 30 days
- B. I smoked it in a joint, bong, pipe, or blunt**
- C. I ate it in food such as brownies, cakes, cookies, or candy
- D. I drank it in tea, cola, alcohol, or other drinks
- E. I vaporized it
- F. I used it some other way

Variable label: Usual use of marijuana

Short response:

- A. Did not use marijuana
- B. Smoked it**
- C. Ate in food
- D. Drank in tea or other drink
- E. Vaporized
- F. Some other way

qnhowmarijuana;

Numerator: Students who answered B

Denominator: Students who answered B, C, D, E, or F

Summary text: Percentage of students who usually used marijuana by smoking it in a joint, bong, pipe, or blunt (during the 30 days before the survey, among students who used marijuana)

Variable label: Usually used marijuana by smoking it in a joint, bong, pipe, or blunt

qmarijuanaschool:

During the past 30 days, how many times did you use marijuana on school property?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: Marijuana use at school

qnarijuanaschool:

Numerator: Students who answered B, C, D, E, or F

Denominator: Students who answered A, B, C, D, E, or F

Summary text: Percentage of students who used marijuana on school property (one or more times during the 30 days before the survey)

Variable label: Used marijuana on school property

qcurrentopioid:

During the past 30 days, how many times have you taken **prescription pain medicine** without a doctor's prescription or differently than how a doctor told you to use it?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: Times take pain medicine w/o prescription 30d

qcurrentopioid:

Numerator: Students who answered B, C, D, E, or F

Denominator: Students who answered A, B, C, D, E, or F

Summary text: Percentage of students who currently took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (one or more times during the 30 days before the survey)

Variable label: Currently took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it

qcurrentcocaine:

During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: Current cocaine use

qcurrentcocaine:

Numerator: Students who answered B, C, D, E, or F

Denominator: Students who answered A, B, C, D, E, or F

Summary text: Percentage of students who currently used any form of cocaine (including powder, crack, or freebase, one or more times during the 30 days before the survey)

Variable label: Currently used any form of cocaine

2019 YRBS Combined Datasets User's Guide

qcurrentheroin:

During the past 30 days, how many times did you use heroin (also called smack, junk, or China White)?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: Current heroin use

qcurrentheroin;

Numerator: Students who answered B, C, D, E, or F

Denominator: Students who answered A, B, C, D, E, or F

Summary text: Percentage of students who currently used heroin (also called "smack," "junk," or "China White," one or more times during the 30 days before the survey)

Variable label: Currently used heroin

qcurrentmeth:

During the past 30 days, how many times did you use methamphetamines (also called speed, crystal, crank, or ice)?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: Current meth use

qcurrentmeth:

Numerator: Students who answered B, C, D, E, or F

Denominator: Students who answered A, B, C, D, E, or F

Summary text: Percentage of students who currently used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during the 30 days before the survey)

Variable label: Currently used methamphetamines

qhallucdrug:

During your life, how many times have you used hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: Ever used hallucinogenic drugs

qnhallucdrug:

Numerator: Students who answered B, C, D, E, or F

Denominator: Students who answered A, B, C, D, E, or F

Summary text: Percentage of students who ever used hallucinogenic drugs (such as LSD, acid, PCP, angel dust, mescaline, or mushrooms, one or more times during their life)

Variable label: Ever used hallucinogenic drugs

qprescription30d:

During the past 30 days, how many times did you take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: Times take drug w/o prescription 30d

qnprescription30d:

Numerator: Students who answered B, C, D, E, or F

Denominator: Students who answered A, B, C, D, E, or F

Summary text: Percentage of students who currently took a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during the 30 days before the survey)

Variable label: Currently took a prescription drug without a doctor's prescription

2019 YRBS Combined Datasets User's Guide

QNILLICT:

Numerator: Students who answered B, C, D, E, F, or G for Q50, Q51, Q52, Q53, Q54, or qhallucdrug

Denominator: Students who answered B, C, D, E, F, or G for Q50, Q51, Q52, Q53, Q54, or qjallucdrug and A for Q50, Q51, Q52, Q53, Q54, and qhalluncdrug

Summary text: Percentage of students who ever used select illicit drugs (counting cocaine, inhalants, heroin, methamphetamines, ecstasy, or hallucinogens, one or more times during their life)

Variable label: Ever used select illicit drugs

Dependence: Depends on Q50, Q51, Q52, Q53, Q54, and qhallucdrug

SAS code: if q50 in ('2','3','4','5','6') or q51 in ('2','3','4','5','6') or q52 in ('2','3','4','5','6') or q53 in ('2','3','4','5','6') or q54 in ('2','3','4','5','6') or qhallucdrug in ('2','3','4','5','6')
then QNILLICT=1;
else if q50 in ('1') and q51 in ('1') and q52 in ('1') and q53 in ('1') and q54 in ('1') and qhallucdrug in ('1')
then QNILLICT=2;

qgenderexp:

A person's appearance, style, dress, or the way they walk or talk may affect how people describe them. How do you think other people at school would describe you?

- A. Very feminine
- B. Mostly feminine
- C. Somewhat feminine
- D. Equally feminine and masculine**
- E. Somewhat masculine
- F. Mostly masculine
- G. Very masculine

Variable label: Others description of your masc/fem

qngenderexp:

Numerator: Students who answered D

Denominator: Students who answered A, B, C, D, E, F, or G

Summary text: Percentage of students who think other people at school would describe them as equally feminine and masculine

Variable label: think other people at school would describe them as equally feminine and masculine

qtaughtHIV:

Have you ever been taught about AIDS or HIV infection in school?

- A. Yes**
- B. No
- C. Not sure

Variable label: Ever taught about AIDS/HIV at school

qntaughtHIV:

Numerator: Students who answered A

Denominator: Students who answered A, B, or C

Summary text: Percentage of students who have been taught about AIDS or HIV infection in school

Variable label: Have been taught about AIDS or HIV infection in school

qtaughtsexed:

Have you ever had sex education in school?

- A. Yes
- B. No
- C. Not sure

Variable label: Ever had sex education in school

qntaughtsexed:

Numerator: Students who answered A
Denominator: Students who answered A, B, or C
Summary text: Percentage of students who have had sex education in school
Variable label: Have had sex education in school

qtaughtstd:

Have you ever been taught in school about sexually transmitted diseases (STDs)?

- A. Yes
- B. No
- C. Not sure

Variable label: Ever been taught in school about STDs

qntaughtstd:

Numerator: Students who answered A
Denominator: Students who answered A, B, or C
Summary text: Percentage of students who have been taught in school about sexually transmitted diseases (STDs)
Variable label: Have been taught in school about sexually transmitted diseases (STDs)

qtaughtcondom:

Have you ever been taught in school about how to use a condom to prevent pregnancy or sexually transmitted diseases (STDs), including HIV?

- A. Yes
- B. No
- C. Not sure

Variable label: Ever been taught in school about how to use condom

qntaughtcondom:

Numerator: Students who answered A
Denominator: Students who answered A, B, or C
Summary text: Percentage of students who have ever been taught in school about how to use a condom to prevent pregnancy or sexually transmitted diseases (STDs) (including HIV)
Variable label: Have ever been taught in school about how to use a condom to prevent pregnancy or sexually transmitted diseases (STDs)

qtaughtbc:

Have you ever been taught in school about birth control methods?

- A. **Yes**
- B. No
- C. Not sure

Variable label: Ever been taught about BC methods in sch

qntaughtbc:

Numerator: Students who answered A

Denominator: Students who answered A, B, or C

Summary text: Percentage of students who have been taught in school about birth control methods

Variable label: Have been taught in school about birth control methods

qdietpop:

During the past 7 days, how many times did you drink a can, bottle, or glass of diet soda or pop, such as Diet Coke, Diet Pepsi, or Sprite Zero?

- A. I did not drink diet soda or pop during the past 7 days
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

Variable label: Diet soda drinking >=1 time/day

Short response:

- A. Did not drink diet soda or pop
- B. 1 to 3 times
- C. 4 to 6 times
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

qndietpop:

Numerator: Students who answered D, E, F, or G

Denominator: Students who answered A, B, C, D, E, F, or G

Summary text: Percentage of students drank a can, bottle, or glass of diet soda or pop (such as Diet Coke, Diet Pepsi, or Sprite Zero one or more times per day, during the 7 days before the survey)

Variable label: Drank a can, bottle, or glass of diet soda or pop

qcoffeetea:

During the past 7 days, how many times did you drink a cup, can, or bottle of coffee, coffee drinks, or any kind of tea?

- A. I did not drink coffee, coffee drinks, or tea during the past 7 days
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

Variable label: Coffee/tea drinking \geq 1 time/day

Short response:

- A. Did not drink coffee or tea
- B. 1 to 3 times
- C. 4 to 6 times
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

qncoffeetea:

Numerator: Students who answered D, E, F, or G

Denominator: Students who answered A, B, C, D, E, F, or G

Summary text: Percentage of students who drank a cup, can, or bottle of coffee, coffee drinks, or any kind of tea (one or more times per day, during the 7 days before the survey)

Variable label: Drank a cup, can, or bottle of coffee, coffee drinks, or any kind of tea

2019 YRBS Combined Datasets User's Guide

qsportsdrink:

During the past 7 days, how many times did you drink a can, bottle, or glass of a sports drink such as Gatorade or PowerAde? (Do not count low-calorie sports drinks such as Propel or G2.)

- A. I did not drink sports drinks during the past 7 days
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

Variable label: Sports drinks

Short response:

- A. Did not drink sports drinks
- B. 1 to 3 times
- C. 4 to 6 times
- D. 1 time per day
- E. 2 times per day
- F. 3 times per day
- G. 4 or more times per day

qnsportsdrink:

Numerator: Students who answered A

Denominator: Students who answered A, B, C, D, E, F, or G

Summary text: Percentage of students who did not drink a can, bottle, or glass of a sports drink (such as Gatorade or PowerAde, not including low-calorie sports drinks such as Propel or G2, during the 7 days before the survey)

Variable label: Did not drink a can, bottle, or glass of a sports drink

qnspdrk1:

Numerator: Students who answered D, E, F, or G

Denominator: Students who answered A, B, C, D, E, F, or G

Summary text: Percentage of students who drank a can, bottle, or glass of a sports drink one or more times per day (such as Gatorade or PowerAde, not including low-calorie sports drinks such as Propel or G2, during the 7 days before the survey)

Variable label: Drank a can, bottle, or glass of a sports drink one or more times per day

qnspdrk2:

Numerator: Students who answered E, F, or G

Denominator: Students who answered A, B, C, D, E, F, or G

Summary text: Percentage of students who drank a can, bottle, or glass of a sports drink two or more times per day (such as Gatorade or PowerAde, not including low-calorie sports drinks such as Propel or G2, during the 7 days before the survey)

Variable label: Drank a can, bottle, or glass of a sports drink two or more times per day

qenergydrink:

During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet energy drinks or sports drinks such as Gatorade or PowerAde.)

- A. I did not drink energy drinks during the past 7 days
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

Variable label: Energy drink \geq 1 time/day

Short response:

- A. Did not drink energy drinks
- B. 1 to 3 times
- C. 4 to 6 times
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

qnenergydrink:

Numerator: Students who answered D, E, F, or G

Denominator: Students who answered A, B, C, D, E, F, or G

Summary text: Percentage of students who drank a can, bottle, or glass of an energy drink (such as Red Bull or Jolt, not including diet energy drinks or sports drinks such as Gatorade or PowerAde, one or more times per day during the 7 days before the survey)

Variable label: Drank a can, bottle, or glass of an energy drink

qsugardrink:

During the past 7 days, how many times did you drink a can, bottle, or glass of a sugar-sweetened beverage such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight? (Do not count soda or pop, sports drinks, energy drinks, or 100% fruit juice.)

- A. I did not drink sugar-sweetened beverages during the past 7 days
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

Variable label: Sugar-sweetened beverage \geq 1 time/day

Short response:

- A. Did not drink sugar drinks
- B. 1 to 3 times
- C. 4 to 6 times
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

qnsugardrink:

Numerator: Students who answered D, E, F, or G

Denominator: Students who answered A, B, C, D, E, F, or G

Summary text: Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage (such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight, not counting soda or pop, sports drinks, energy drinks, or 100% fruit juice, one or more times per day during the 7 days before the survey)

Variable label: Drank a can, bottle, or glass of a sugar-sweetened beverage

qtransgender:

Some people describe themselves as transgender when their sex at birth does not match the way they think or feel about their gender. Are you transgender?

- A. No, I am not transgender
- B. Yes, I am transgender**
- C. I am not sure if I am transgender
- D. I do not know what this question is asking

Variable label: Transgender

Short response:

- A. No
- B. Yes, I am transgender**
- C. Not sure if I am transgender
- D. DK what question is asking

qntransgender:

Numerator: Students who answered B
Denominator: Students who answered A, B, C, or D
Summary text: Percentage of students who are transgender
Variable label: Are transgender