

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Unintentional Injuries/Violence

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN8: Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else)	5.4 (4.7-6.2)	17,997	15.7 (9.8-24.3)	322	14.0 (6.8-26.6)	312	Yes	No	No
QN9: Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)	14.2 (13.4-15.1)	73,238	28.1 (22.5-34.4)	1,942	23.6 (17.7-30.8)	1,627	Yes	Yes	No
QN10: Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	4.2 (3.6-4.9)	37,755	20.3 (13.4-29.4)	874	19.4 (12.2-29.4)	666	Yes	Yes	No
QN11: Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)	37.8 (35.5-40.2)	37,994	46.7 (37.5-56.2)	1,026	48.0 (37.4-58.8)	784	No	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Unintentional Injuries/Violence

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN12: Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	13.9 (12.6-15.3)	12,538	25.4 (16.3-37.4)	255	26.8 (18.7-36.7)	245	Yes	Yes	No
QN13: Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)	3.8 (3.2-4.4)	84,775	19.7 (15.4-24.8)	2,130	17.2 (13.0-22.5)	1,815	Yes	Yes	No
QN14: Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)	3.6 (2.9-4.3)	49,920	17.6 (12.7-23.8)	1,595	17.6 (12.0-25.1)	1,213	Yes	Yes	No
QN15: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)	5.4 (4.7-6.2)	45,942	26.7 (19.9-34.8)	794	21.7 (15.3-29.9)	834	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Unintentional Injuries/Violence

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN16: Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)	5.2 (4.7-5.7)	82,958	21.6 (17.2-26.7)	2,134	20.8 (15.8-27.0)	1,805	Yes	Yes	No
QN17: Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)	19.4 (18.3-20.5)	43,598	36.6 (30.1-43.6)	728	32.8 (24.6-42.1)	773	Yes	Yes	No
QN18: Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)	6.8 (6.3-7.4)	83,428	25.4 (20.8-30.7)	2,131	20.7 (15.9-26.5)	1,806	Yes	Yes	No
QN19: Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)	7.3 (6.7-8.0)	89,474	24.7 (19.4-30.9)	2,077	20.4 (15.4-26.5)	1,828	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Unintentional Injuries/Violence

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
Q20: Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey)	9.8 (9.0-10.8)	55,429	31.7 (25.2-39.0)	1,600	26.7 (18.1-37.4)	1,321	Yes	Yes	No
Q21: Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	7.1 (6.2-8.1)	44,256	18.8 (13.0-26.4)	1,098	18.1 (10.2-30.0)	891	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Unintentional Injuries/Violence

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
Q22: Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)	7.1 (6.5-7.9)	54,412	22.8 (17.3-29.5)	1,470	20.0 (14.4-27.3)	1,169	Yes	Yes	No
Q23: Percentage of students who were bullied on school property (ever during the 12 months before the survey)	18.9 (18.0-20.0)	70,340	36.9 (31.2-42.9)	1,872	30.0 (22.8-38.4)	1,540	Yes	Yes	No
Q24: Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)	15.8 (15.0-16.5)	89,769	29.2 (23.0-36.2)	2,098	22.9 (17.1-30.0)	1,830	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Unintentional Injuries/Violence

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN25: Percentage of students who felt sad or hopeless (almost every day for ≥2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)	30.0 (28.8-31.3)	88,995	54.0 (47.5-60.3)	2,067	51.3 (42.6-59.9)	1,809	Yes	Yes	No
QN26: Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)	16.0 (15.1-17.0)	70,109	45.0 (38.2-52.1)	1,869	41.7 (33.3-50.7)	1,529	Yes	Yes	No
QN27: Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)	13.4 (12.6-14.2)	89,363	39.1 (32.4-46.2)	2,088	35.5 (27.9-43.8)	1,800	Yes	Yes	No
QN28: Percentage of students who attempted suicide (one or more times during the 12 months before the survey)	6.8 (6.0-7.6)	43,976	32.3 (23.2-42.9)	711	23.4 (14.9-34.6)	766	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Unintentional Injuries/Violence

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
Q29: Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)	2.2 (1.8-2.6)	14,447	15.6 (8.8-26.3)	243	7.0 (3.2-14.5)	255	Yes	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Tobacco Use

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN30: Percentage of students who ever tried cigarette smoking (even one or two puffs)	25.4 (22.7-28.2)	18,954	32.3 (24.1-41.7)	314	30.2 (20.9-41.3)	301	No	No	No
QN31: Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)	7.7 (6.2-9.5)	35,492	22.9 (16.4-31.0)	577	21.8 (15.8-29.3)	626	Yes	Yes	No
QN32: Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)	7.4 (6.1-9.0)	89,230	22.1 (17.8-27.2)	2,258	17.3 (13.1-22.4)	1,941	Yes	Yes	No
QNFRCIG: Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)	1.8 (1.0-3.0)	89,230	8.3 (5.4-12.6)	2,258	5.6 (3.5-8.8)	1,941	Yes	Yes	No
QNDAYCIG: Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)	1.3 (0.7-2.3)	89,230	6.9 (4.3-11.1)	2,258	4.6 (2.7-7.7)	1,941	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Tobacco Use

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN33: Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)	7.4 (5.0-10.8)	2,696	31.9 (11.9-61.9)	142	26.5 (7.6-61.1)	102	No	No	No
QN34: Percentage of students who ever used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo])	40.6 (38.0-43.2)	80,095	45.8 (36.7-55.1)	1,697	41.5 (33.4-50.0)	1,510	No	No	No
QN35: Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)	16.7 (15.1-18.4)	83,472	29.1 (23.7-35.0)	1,862	22.2 (17.1-28.4)	1,700	Yes	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Tobacco Use

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
Q36: Percentage of students who usually got their own electronic vapor products by buying them in a store (such as a convenience store, supermarket, discount store, gas station, or vape store, during the 30 days before the survey, among students who currently used electronic vapor products and who were aged <18 years)	11.1 (8.1-15.0)	8,500	21.6 (15.9-28.6)	510	16.4 (10.5-24.7)	325	Yes	No	No
Q37: Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)	4.6 (4.0-5.4)	83,256	21.1 (16.6-26.6)	2,108	18.6 (14.2-24.0)	1,797	Yes	Yes	No
Q38: Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)	7.1 (5.9-8.4)	83,070	27.1 (21.7-33.4)	2,089	18.4 (13.4-24.7)	1,796	Yes	Yes	Yes

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Tobacco Use

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QNTB2: Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)	11.0 (9.3-12.9)	82,385	33.8 (28.3-39.8)	2,094	26.0 (19.9-33.1)	1,775	Yes	Yes	No
QNTB3: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)	12.5 (11.0-14.2)	82,363	36.3 (30.7-42.2)	2,106	29.1 (22.7-36.3)	1,790	Yes	Yes	No
QNTB4: Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)	20.6 (18.7-22.6)	77,526	44.1 (37.4-51.0)	2,006	34.9 (27.8-42.8)	1,708	Yes	Yes	No
QN39: Percentage of students who tried to quit using all tobacco products (including cigarettes, cigars, smokeless tobacco, shisha or hookah tobacco, and electronic vapor products, ever during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)	44.6 (39.4-50.0)	4,504	27.5 (10.0-56.5)	123	26.0 (13.1-45.1)	113	No	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Alcohol/Other Drug Use

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN40: Percentage of students who ever drank alcohol (at least one drink of alcohol, on at least 1 day during their life)	58.5 (56.4-60.5)	62,166	70.4 (63.3-76.6)	1,505	63.6 (56.0-70.6)	1,291	Yes	No	No
QN41: Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)	14.1 (13.1-15.2)	82,672	39.3 (32.4-46.6)	1,774	31.1 (24.9-38.0)	1,681	Yes	Yes	Yes
QN42: Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)	28.4 (26.9-30.1)	85,552	33.9 (27.4-40.9)	1,653	32.5 (25.6-40.2)	1,605	No	No	No
QN43: Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)	40.5 (37.6-43.4)	9,057	12.9 (4.7-30.8)	174	44.1 (23.7-66.8)	140	Yes	No	Yes

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Alcohol/Other Drug Use

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN44: Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)	14.0 (12.8-15.4)	77,079	18.6 (13.5-25.0)	1,654	18.3 (13.4-24.5)	1,526	No	No	No
QN45: Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)	3.5 (2.3-5.2)	30,076	5.0 (2.9-8.5)	424	2.2 (1.1-4.4)	478	No	No	No
QN46: Percentage of students who ever used marijuana (one or more times during their life)	36.0 (33.7-38.4)	63,125	42.4 (35.0-50.3)	1,363	40.9 (32.6-49.8)	1,226	No	No	No
QN47: Percentage of students who tried marijuana for the first time before age 13 years	5.9 (5.1-6.8)	88,417	19.5 (14.9-25.1)	1,836	15.5 (11.5-20.6)	1,735	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Alcohol/Other Drug Use

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN48: Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)	20.7 (19.1-22.4)	88,643	28.7 (23.2-35.0)	1,862	25.0 (19.0-32.2)	1,733	Yes	No	No
QN49: Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)	3.6 (3.0-4.2)	80,388	26.7 (21.7-32.4)	2,100	23.5 (18.4-29.5)	1,783	Yes	Yes	No
QN50: Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)	5.5 (4.6-6.7)	32,409	29.2 (21.6-38.3)	499	22.5 (15.0-32.4)	552	Yes	Yes	No
QN51: Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)	1.3 (1.0-1.7)	79,288	23.8 (19.6-28.5)	2,087	18.4 (13.8-23.9)	1,776	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Alcohol/Other Drug Use

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN52: Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life)	1.6 (1.3-1.9)	76,712	23.0 (19.2-27.2)	2,022	21.1 (15.8-27.6)	1,719	Yes	Yes	No
QN53: Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)	3.0 (2.6-3.4)	58,010	30.6 (25.8-35.8)	1,782	23.5 (19.0-28.8)	1,416	Yes	Yes	Yes
QN54: Percentage of students who ever used synthetic marijuana (also called "K2," "Spice," "fake weed," "King Kong," "Yucatan Fire," "Skunk," or "Moon Rocks," one or more times during their life)	5.7 (4.4-7.3)	58,580	30.3 (24.2-37.2)	1,791	18.4 (14.3-23.5)	1,444	Yes	Yes	Yes
QN55: Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life)	2.7 (1.8-3.9)	6,248	20.7 (11.4-34.5)	98	13.1 (5.8-26.9)	97	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Alcohol/Other Drug Use

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN56: Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)	12.1 (10.8-13.5)	86,480	36.4 (31.4-41.8)	2,211	32.6 (25.0-41.3)	1,940	Yes	Yes	No
QN57: Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)	1.6 (1.2-2.1)	53,346	19.2 (15.6-23.4)	1,554	15.1 (10.5-21.2)	1,260	Yes	Yes	No
QN58: Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)	20.7 (19.4-22.1)	81,989	33.6 (27.3-40.6)	1,878	33.2 (26.0-41.2)	1,640	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Sexual Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN59: Percentage of students who ever had sexual intercourse	35.3 (33.4-37.4)	58,543	43.7 (34.2-53.7)	968	33.8 (26.4-42.0)	963	No	No	No
QN60: Percentage of students who had sexual intercourse for the first time before age 13 years	2.7 (2.2-3.2)	81,893	14.5 (10.0-20.4)	1,315	11.7 (7.8-17.3)	1,383	Yes	Yes	No
QN61: Percentage of students who had sexual intercourse with four or more persons during their life	7.4 (6.5-8.3)	81,942	16.4 (11.3-23.2)	1,324	12.6 (8.0-19.3)	1,385	Yes	No	No
QN62: Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)	25.4 (23.7-27.3)	82,003	27.4 (20.6-35.5)	1,327	26.0 (20.0-32.9)	1,385	No	No	No
QN63: Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)	18.6 (17.0-20.3)	19,978	31.7 (21.0-44.7)	477	36.8 (22.1-54.5)	356	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Sexual Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN64: Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)	56.0 (53.3-58.6)	19,791	33.7 (20.8-49.6)	466	43.9 (28.0-61.1)	346	Yes	No	No
QN65: Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	26.0 (23.9-28.3)	19,393	11.5 (6.0-21.1)	502	15.1 (7.4-28.4)	367	Yes	Yes	No
QNIUDIMP: Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	6.1 (5.3-7.1)	19,393	1.9 (0.9-3.8)	502	17.5 (6.2-40.2)	367	Yes	No	No
QNSHPARG: Percentage of students who used a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active))	4.9 (3.9-6.1)	19,393	11.3 (2.8-36.3)	502	1.0 (0.4-2.2)	367	No	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Sexual Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QNOTHHPL: Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	37.0 (34.5-39.6)	19,393	24.7 (12.1-43.9)	502	33.6 (19.8-50.9)	367	No	No	No
QNDUALBC: Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)	13.0 (11.4-14.7)	19,252	2.9 (1.6-5.2)	453	9.8 (3.4-25.5)	335	Yes	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Sexual Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QNBCNONE: Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)	11.7 (9.9-13.8)	19,393	31.4 (21.7-42.9)	502	18.7 (10.2-31.9)	367	Yes	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Dietary Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QNOBESE: Percentage of students who had obesity (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [‡]	13.1 (11.8-14.5)	82,926	20.5 (15.0-27.3)	1,717	20.4 (14.0-28.8)	1,549	Yes	No	No
QNOWT: Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts) [‡]	15.1 (14.4-15.8)	82,926	11.0 (7.9-15.1)	1,717	12.6 (8.9-17.7)	1,549	Yes	No	No
QN68: Percentage of students who described themselves as slightly or very overweight	30.8 (29.5-32.2)	76,006	26.3 (21.1-32.3)	2,018	42.9 (33.2-53.2)	1,668	No	Yes	Yes
QN69: Percentage of students who were trying to lose weight	45.1 (43.7-46.5)	31,132	52.4 (41.4-63.2)	469	47.8 (38.8-56.9)	491	No	No	No
QN70: Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)	28.9 (27.8-29.9)	85,117	37.6 (30.7-45.1)	2,245	33.6 (26.9-41.2)	1,914	Yes	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

[‡]Based on reference data from the 2000 CDC Growth Charts. In 2017, new, slightly different ranges were used to calculate biologically implausible responses to height and weight questions.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Dietary Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN71: Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)	10.9 (10.1-11.8)	86,173	19.3 (15.6-23.8)	2,260	14.9 (10.4-20.9)	1,921	Yes	No	No
QNFR0: Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	6.2 (5.7-6.7)	84,650	10.2 (7.7-13.3)	2,221	9.8 (5.5-16.7)	1,891	Yes	No	No
QNFR1: Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	58.6 (57.3-59.9)	84,650	49.7 (42.7-56.7)	2,221	54.5 (47.1-61.6)	1,891	Yes	No	No
QNFR2: Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	27.9 (26.6-29.2)	84,650	22.7 (16.6-30.4)	2,221	24.5 (19.2-30.7)	1,891	No	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Dietary Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QNFR3: Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)	15.5 (14.6-16.5)	84,650	16.4 (11.1-23.5)	2,221	11.1 (7.9-15.3)	1,891	No	Yes	No
QN72: Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)	41.1 (39.5-42.7)	76,249	41.0 (35.1-47.2)	2,061	44.3 (36.1-52.9)	1,731	No	No	No
QN73: Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)	36.2 (34.8-37.6)	76,468	41.4 (34.6-48.6)	2,078	41.7 (34.4-49.3)	1,748	No	No	No
QN74: Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)	52.2 (50.4-54.0)	76,310	43.9 (37.9-50.0)	2,047	46.9 (37.6-56.5)	1,733	Yes	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Dietary Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN75: Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)	18.1 (16.8-19.5)	75,742	28.8 (24.0-34.1)	2,040	25.7 (17.7-35.7)	1,717	Yes	No	No
QNVEG0: Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	7.3 (6.5-8.2)	74,879	10.0 (7.1-14.0)	1,938	9.8 (5.2-17.5)	1,657	No	No	No
QNVEG1: Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	58.9 (57.4-60.4)	74,879	62.1 (55.9-67.9)	1,938	59.6 (50.0-68.6)	1,657	No	No	No
QNVEG2: Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	24.2 (23.1-25.3)	74,879	32.0 (26.7-37.8)	1,938	28.1 (22.2-34.9)	1,657	Yes	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Dietary Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QNVG3: Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)	12.1 (11.4-12.9)	74,879	18.0 (13.0-24.4)	1,938	14.2 (10.9-18.3)	1,657	Yes	No	No
QN76: Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	32.3 (30.9-33.7)	78,702	36.9 (29.8-44.6)	2,093	29.7 (22.9-37.5)	1,758	No	No	No
QNSODA1: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	14.2 (13.0-15.5)	78,702	17.0 (12.4-22.8)	2,093	23.0 (17.6-29.5)	1,758	No	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Dietary Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	8.8 (7.9-9.8)	78,702	13.2 (9.0-18.8)	2,093	15.5 (10.4-22.3)	1,758	No	Yes	No
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)	4.7 (4.0-5.6)	78,702	8.4 (5.2-13.3)	2,093	9.4 (5.4-15.7)	1,758	No	No	No
QN77: Percentage of students who did not drink milk (during the 7 days before the survey)	25.4 (23.6-27.3)	18,018	25.9 (18.5-35.0)	380	38.0 (27.6-49.7)	372	No	Yes	Yes
QNMILK1: Percentage of students who drank one or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)	30.2 (28.3-32.1)	18,018	32.5 (23.0-43.7)	380	24.2 (16.4-34.3)	372	No	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Dietary Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QNMILK2: Percentage of students who drank two or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)	19.1 (17.6-20.7)	18,018	22.2 (13.0-35.3)	380	13.2 (7.3-22.7)	372	No	No	No
QNMILK3: Percentage of students who drank three or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)	8.6 (7.8-9.4)	18,018	9.6 (4.5-19.5)	380	4.8 (2.1-10.8)	372	No	No	No
QN78: Percentage of students who did not eat breakfast (during the 7 days before the survey)	13.8 (13.0-14.6)	34,301	32.0 (23.8-41.4)	574	16.3 (10.4-24.5)	609	Yes	No	Yes

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Dietary Behaviors

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QNBK7DAY: Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)	35.3 (33.5-37.1)	34,301	13.2 (9.1-18.7)	574	24.2 (15.5-35.6)	609	Yes	Yes	No
QNWATER1: Percentage of students who drank a bottle or glass of plain water one or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	77.6 (77.1-78.1)	19,243	61.8 (57.3-66.2)	257	67.3 (61.6-72.5)	317	Yes	Yes	No
QNWATER2: Percentage of students who drank a bottle or glass of plain water two or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	68.3 (67.7-69.0)	19,243	55.0 (50.5-59.5)	257	58.3 (52.4-64.0)	317	Yes	Yes	No
QNWATER3: Percentage of students who drank a bottle or glass of plain water three or more times per day (counting tap, bottled, and unflavored sparkling water, during the 7 days before the survey)	52.4 (51.7-53.1)	19,243	44.6 (39.5-49.7)	257	44.6 (39.3-50.1)	317	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Physical Activity

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN79: Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	45.5 (43.9-47.0)	87,920	22.9 (17.7-29.1)	2,265	23.3 (18.5-29.0)	1,929	Yes	Yes	No
QNPA0DAY: Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	15.4 (14.6-16.2)	87,920	28.6 (22.8-35.2)	2,265	25.4 (19.2-32.6)	1,929	Yes	Yes	No
QNPA7DAY: Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)	23.2 (22.2-24.3)	87,920	11.3 (7.9-15.9)	2,265	8.2 (5.4-12.3)	1,929	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Physical Activity

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN80: Percentage of students who watched television 3 or more hours per day (on an average school day)	20.0 (18.4-21.7)	65,267	15.3 (11.1-20.6)	1,914	17.1 (12.2-23.4)	1,559	No	No	No
QN81: Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)	41.8 (40.7-42.9)	68,506	41.5 (36.1-47.1)	1,986	49.2 (40.7-57.6)	1,612	No	No	No
QN82: Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)	41.0 (38.7-43.2)	65,543	47.8 (39.7-56.0)	1,934	47.8 (41.5-54.2)	1,557	No	Yes	No
QNDLYPE: Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)	20.1 (17.9-22.4)	65,543	11.0 (7.3-16.1)	1,934	17.4 (12.4-23.8)	1,557	Yes	No	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Physical Activity

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN83: Percentage of students who played on at least one sports team (counting any teams run by their school or community groups, during the 12 months before the survey)	57.5 (54.7-60.2)	8,666	44.2 (30.7-58.7)	180	44.0 (29.5-59.7)	189	No	No	No
QN84: Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)	14.7 (13.6-15.9)	68,044	35.7 (28.8-43.3)	1,790	35.5 (23.7-49.3)	1,486	Yes	Yes	No
QN88: Percentage of students who got 8 or more hours of sleep (on an average school night)	23.1 (21.8-24.5)	23,063	18.1 (11.2-27.9)	460	14.6 (9.1-22.6)	435	No	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.

2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

Select U.S. States High School Surveys Risk Behaviors and Transgender Report

Other

Health Risk Behavior	Cisgender		Transgender		Not Sure		Difference Between Cisgender and Transgender? [†]	Difference Between Cisgender and Not Sure? [†]	Difference Between Transgender and Not Sure? [†]
	% 95% CI*	N	% 95% CI	N	% 95% CI	N			
QN85: Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)	11.8 (10.8-12.8)	72,828	28.8 (23.0-35.5)	1,826	22.4 (14.2-33.5)	1,532	Yes	Yes	No
QN86: Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)	78.8 (76.7-80.7)	53,199	51.4 (44.2-58.5)	1,696	57.5 (44.8-69.3)	1,363	Yes	Yes	No
QNNODNT: Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)	1.5 (1.1-2.1)	53,199	11.9 (7.5-18.4)	1,696	7.5 (4.3-12.7)	1,363	Yes	Yes	No
QN87: Percentage of students who had ever been told by a doctor or nurse that they had asthma	24.8 (23.8-25.8)	61,569	32.0 (25.1-39.8)	1,708	28.2 (18.7-40.2)	1,400	No	No	No
QN89: Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey)	74.7 (72.6-76.7)	44,104	58.5 (50.1-66.5)	767	60.3 (50.1-69.6)	786	Yes	Yes	No

*Confidence interval.

[†]Based on t-test analyses, p<0.05.