


Tobacco Use



DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR DISEASE CONTROL AND PREVENTION




Percentage of High School Students Who Ever Smoked Cigarettes,^{*} by Type of Grades Earned (Mostly A's, B's, C's or D's/F's), 2009^{**}



^{*}Ever tried cigarette smoking, even one or two puffs.

^{**} $p < .0001$ after controlling for sex, race/ethnicity, and grade level.


Percentage of High School Students Who Ever Smoked Cigarettes Daily* by Type of Grades Earned (Mostly A's, B's, C's or D's/F's), 2009**



*Ever smoked at least one cigarette every day for 30 days.

** $p < .0001$ after controlling for sex, race/ethnicity, and grade level.


Percentage of High School Students Who Currently Smoked Cigarettes,^{*} by Type of Grades Earned (Mostly A's, B's, C's or D's/F's), 2009^{**}



^{*}Smoked cigarettes on at least 1 day during the 30 days before the survey.

^{**} $p < .0001$ after controlling for sex, race/ethnicity, and grade level.


Percentage of High School Students Who Reported Current Frequent Cigarette Use,^{*} by Type of Grades Earned (Mostly A's, B's, C's or D's/F's), 2009^{**}



^{*}Smoked cigarettes on 20 or more days during the 30 days before the survey.

^{**} $p < .0001$ after controlling for sex, race/ethnicity, and grade level.


Percentage of High School Students Who Currently Smoked Cigars,^{*} by Type of Grades Earned (Mostly A's, B's, C's or D's/F's), 2009^{**}



^{*}Smoked cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey.

^{**} $p < .0001$ after controlling for sex, race/ethnicity, and grade level.


Percentage of High School Students Who Currently Used Tobacco,* by Type of Grades Earned (Mostly A's, B's, C's or D's/F's), 2009**



*Smoked cigarettes, cigars, cigarillos, or little cigars; or used chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey.

** $p < .0001$ after controlling for sex, race/ethnicity, and grade level.

Percentage of High School Students Who Smoked a Whole Cigarette for the First Time Before Age 13 Years, by Type of Grades Earned (Mostly A's, B's, C's or D's/F's), 2009*




Smoked a whole cigarette for the first time before age 13 years

Mostly A's Mostly B's Mostly C's Mostly D's/F's

* $p < .0001$ after controlling for sex, race/ethnicity, and grade level.


Percentage of High School Students Who Smoked Cigarettes on School Property,* by Type of Grades Earned (Mostly A's, B's, C's or D's/F's), 2009**



* On at least 1 day during the 30 days before the survey.

** $p < .0001$ after controlling for sex, race/ethnicity, and grade level.


Percentage of High School Students Who Currently Used Smokeless Tobacco,* by Type of Grades Earned (Mostly A's, B's, C's or D's/F's), 2009**



*Used chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey.

** $p < .0001$ after controlling for sex, race/ethnicity, and grade level.

Percentage of High School Students Who Used Smokeless Tobacco on School Property,* by Type of Grades Earned (Mostly A's, B's, C's or D's/F's), 2009**



* Used chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey.

** $p < .0001$ after controlling for sex, race/ethnicity, and grade level.