

Table 3.6. Number and rate* of deaths with hepatitis C listed as a cause of death† among U.S. residents, by jurisdiction and year — United States, 2014–2018

State	2014		2015		2016		2017		2018	
	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*	No.	Rate*
Alabama	246	3.97	187	3.08	166	2.63	188	2.97	167	2.54
Alaska	60	7.13	41	4.95	50	5.38	38	4.38	40	5.00
Arizona	553	6.90	567	6.90	500	5.81	480	5.45	348	3.84
Arkansas	160	4.39	183	5.01	184	4.91	169	4.43	150	3.86
California	3,409	7.66	3,245	7.19	2,917	6.33	2,630	5.58	2,391	4.98
Colorado	352	5.49	362	5.51	385	5.74	386	5.62	387	5.48
Connecticut	156	3.25	153	3.20	123	2.52	130	2.61	89	1.72
Delaware	50	3.91	45	3.41	47	3.63	49	3.80	34	2.33
District of Columbia	92	13.21	101	13.93	95	13.37	83	11.42	70	9.40
Florida	1,266	4.71	1,270	4.62	1,222	4.26	1,222	4.16	1,005	3.34
Georgia	426	3.58	396	3.26	368	2.98	344	2.66	326	2.46
Hawaii	87	4.99	68	3.70	70	3.75	67	3.48	49	2.42
Idaho	110	5.44	99	4.79	115	5.40	84	3.82	108	4.87
Illinois	364	2.33	399	2.56	354	2.18	288	1.72	279	1.67
Indiana	263	3.26	270	3.26	295	3.60	269	3.16	259	2.98
Iowa	112	3.04	125	3.19	109	2.67	122	3.01	98	2.40
Kansas	126	3.62	141	4.11	148	4.20	141	3.83	130	3.48
Kentucky	250	4.70	270	5.09	269	5.05	306	5.58	319	5.77
Louisiana	400	7.25	396	7.15	383	6.60	382	6.49	352	5.92
Maine	59	3.42	57	3.05	40	1.87	32	1.60	34	1.69
Maryland	335	4.42	366	4.84	327	4.32	340	4.41	352	4.44
Massachusetts	303	3.65	317	3.71	261	2.98	267	3.00	211	2.33
Michigan	511	3.88	512	3.77	415	3.06	368	2.61	384	2.72
Minnesota	245	3.50	234	3.40	240	3.28	235	3.19	209	2.81
Mississippi	171	4.82	162	4.57	183	5.08	159	4.38	141	3.70
Missouri	314	4.13	275	3.50	258	3.23	247	3.06	244	3.09
Montana	55	3.77	77	5.76	75	5.71	68	4.89	76	5.36
Nebraska	77	3.49	82	3.60	78	3.25	79	3.29	72	3.26
Nevada	181	5.33	173	4.80	181	4.97	153	4.00	140	3.59
New Hampshire	62	3.18	65	3.28	68	3.57	57	2.90	64	3.36
New Jersey	446	3.93	400	3.52	378	3.24	342	2.90	309	2.64
New Mexico	205	8.29	195	8.05	203	8.12	175	6.70	163	6.30
New York	1,092	4.42	979	3.89	789	3.06	701	2.71	615	2.40
North Carolina	495	4.08	532	4.19	511	3.92	460	3.44	426	3.11
North Dakota	24	2.78	32	3.55	20	2.25	23	2.88	23	2.52
Ohio	567	3.78	559	3.70	546	3.58	541	3.48	480	3.16
Oklahoma	523	11.62	510	11.02	538	11.46	555	11.84	534	11.00
Oregon	563	10.79	514	9.68	491	8.90	518	9.24	466	8.03
Pennsylvania	629	3.73	726	4.18	564	3.28	563	3.15	417	2.37
Rhode Island	104	7.70	97	7.26	89	6.57	76	5.15	91	6.37
South Carolina	271	4.38	294	4.67	299	4.51	302	4.51	259	3.70
South Dakota	31	3.18	35	3.33	37	3.46	29	2.56	30	2.80
Tennessee	554	6.83	592	7.27	482	5.89	469	5.57	517	6.01
Texas	1,860	6.41	1,996	6.72	1,886	6.12	1,888	6.03	1,708	5.30
Utah	91	3.34	98	3.47	85	2.98	68	2.29	78	2.59
Vermont	33	3.86	43	4.87	35	3.72	40	4.44	30	3.32
Virginia	335	3.27	330	3.15	327	3.03	290	2.68	272	2.48
Washington	644	7.21	651	7.06	517	5.53	528	5.46	466	4.76
West Virginia	110	4.72	107	4.65	118	4.85	116	4.94	108	4.90
Wisconsin	205	2.70	208	2.78	214	2.70	145	1.82	151	1.90
Wyoming	36	4.77	30	3.95	38	4.89	41	5.50	42	5.84
Total	19,613	5.01	19,566	4.91	18,093	4.42	17,253	4.13	15,713	3.72

Source: CDC, National Center for Health Statistics, Multiple Cause of Death 1999–2018 on CDC WONDER Online Database. Data are from the 2014–2018 Multiple Cause of Death files and are based on information from all death certificates filed in the vital records offices of the fifty states and the District of Columbia through the Vital Statistics Cooperative Program. Deaths of nonresidents (e.g., nonresident aliens, nationals living abroad, residents of Puerto Rico, Guam, the Virgin Islands, and other U.S. Territories) and fetal deaths are excluded. Numbers are slightly lower than previously reported for 2013–2016 due to NCHS standards which restrict displayed data to U.S. residents. Accessed at <http://wonder.cdc.gov/mcd-icd10.html> on February 14, 2020. CDC WONDER dataset documentation and technical methods can be accessed at <https://wonder.cdc.gov/wonder/help/mcd.html#>.

* Rates are age-adjusted per 100,000 U.S. standard population in 2000 using the following age group distribution (in years): <1, 1–4, 5–14, 15–24, 25–34, 35–44, 45–54, 55–64, 65–74, 75–84, and 85+. For age-adjusted death rates, the age-specific death rate is rounded to one decimal place before proceeding to the next step in the calculation of age-adjusted death rates for NCHS Multiple Cause of Death on CDC WONDER. This rounding step may affect the precision of rates calculated for small numbers of deaths. Missing data are not included.

† Cause of death is defined as one of the multiple causes of death and is based on the International Classification of Diseases, 10th Revision (ICD-10) codes B17.1, and B18.2 (hepatitis C).