

# **HIV/AIDS**


## **Surveillance Supplemental Report**

===== Volume 12, Number 2 =====

### **AIDS Cases, by Geographic Area of Residence and Metropolitan Statistical Area of Residence, 2004**



**DEPARTMENT OF HEALTH AND HUMAN SERVICES**  
**Public Health Service**  
Centers for Disease Control and Prevention  
Atlanta, Georgia 30333



The *HIV/AIDS Surveillance Supplemental Report* is published by the HIV Incidence and Case Surveillance Branch of the Division of HIV/AIDS Prevention–Surveillance and Epidemiology, National Center for HIV, STD, and TB Prevention, Coordinating Center for Infectious Diseases, Centers for Disease Control and Prevention (CDC), Atlanta, Georgia.

Data are presented for AIDS cases reported to CDC through June 2005. All data are provisional.

The *HIV/AIDS Surveillance Supplemental Report* is not copyrighted and may be used and copied without permission. Citation of the source is, however, appreciated.

### **Suggested citation**

Centers for Disease Control and Prevention. AIDS cases, by geographic area of residence and metropolitan statistical area of residence, 2004. *HIV/AIDS Surveillance Supplemental Report* 2006;12(No. 2):[inclusive page numbers]. Available at: <http://www.cdc.gov/hiv/topics/surveillance/resources/reports>.

Centers for Disease Control and Prevention . . . . . Julie Louise Gerberding, M.D., M.P.H.  
*Director*

Coordinating Center for Infectious Diseases . . . . . Mitchell L. Cohen, M.D.  
*Director*

National Center for HIV, STD, and TB Prevention . . . . . Kevin Fenton, M.D., Ph.D.  
*Director*

Division of HIV/AIDS Prevention–Surveillance and Epidemiology . . . . . Robert S. Janssen, M.D.  
*Director*

HIV Incidence and Case Surveillance Branch . . . . . Matthew T. McKenna, M.D., M.P.H.  
*Chief*

Research and Dissemination Team . . . . . Michael Campsmith, D.D.S., M.P.H.  
*Team Supervisor*

Quantitative Sciences and Informatics Branch . . . . . Timothy A. Green, Ph.D.  
*Chief*

**On the Web:** <http://www.cdc.gov/hiv/topics/surveillance/resources/reports>.

### **Confidential information, referrals, and educational material on HIV infection and AIDS**

CDC-INFO (formerly, the CDC National AIDS Hotline)

1-800-232-4636 (in English, en Español)

1-888-232-6348 (TTY)

E-mail: [cdcinfo@cdc.gov](mailto:cdcinfo@cdc.gov)

### **Acknowledgments**

Publication of this report would not have been possible without the contributions of the state and territorial health departments and the HIV/AIDS surveillance programs that provided surveillance data to CDC.

This report was prepared by the following staff and contractors of the Division of HIV/AIDS Prevention–Surveillance and Epidemiology, National Center for HIV, STD, and TB Prevention: Michael Campsmith, Robert Frey, Xiaohong Hu, Denise Hughes, Matthew McKenna, Marie Morgan (editing), and Michael Friend (desktop publishing).

The HIV/AIDS design element is used with the permission of the American Red Cross.

# Contents

---

<b>Commentary</b>		6
<b>Section 1</b>	<b>Data by Geographic Area</b>	
Table 1	Adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number and rate of cases and by prevalence, 2004	7
Table 2a	Male adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	8
Table 2b	Female adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	9
	<b>Race/ethnicity</b>	
Table 3a	White male adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	10
Table 3b	Black male adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	11
Table 3c	Hispanic male adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	12
Table 3d	Asian/Pacific Islander male adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	13
Table 3e	American Indian/Alaska Native male adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	14
Table 4a	White female adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	15
Table 4b	Black female adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	16
Table 4c	Hispanic female adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	17
Table 4d	Asian/Pacific Islander female adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	18
Table 4e	American Indian/Alaska Native female adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	19
	<b>Transmission category</b>	
Table 5a	Male adults and adolescents infected through male-to-male sexual contact: area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004	20
Table 5b	Male adults and adolescents infected through injection drug use: area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004	21
Table 5c	Male adults and adolescents infected through male-to-male sexual contact and injection drug use: area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004	22

Table 5d	Male adults and adolescents infected through high-risk heterosexual contact: area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004	23
Table 6a	Female adults and adolescents infected through injection drug use: area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004	24
Table 6b	Female adults and adolescents infected through high-risk heterosexual contact: area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004	25
<b>Section 2</b>	<b>Data by Metropolitan Statistical Area</b>	
Table 7	Adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number and rate of cases and by prevalence, 2004	26
Table 8a	Male adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	28
Table 8b	Female adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	30
	<b>Race/ethnicity</b>	
Table 9a	White male adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	32
Table 9b	Black male adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	34
Table 9c	Hispanic male adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	36
Table 9d	Asian/Pacific Islander male adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	38
Table 9e	American Indian/Alaska Native male adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	40
Table 10a	White female adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	42
Table 10b	Black female adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	44
Table 10c	Hispanic female adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	46
Table 10d	Asian/Pacific Islander female adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	48
Table 10e	American Indian/Alaska Native female adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004	50
	<b>Transmission category</b>	
Table 11a	Male adults and adolescents infected through male-to-male sexual contact: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004	52

Table 11b	Male adults and adolescents infected through injection drug use: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004	54
Table 11c	Male adults and adolescents infected through male-to-male sexual contact and injection drug use: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004	56
Table 11d	Male adults and adolescents infected through high-risk heterosexual contact: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004	58
Table 12a	Female adults and adolescents infected through injection drug use: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004	60
Table 12b	Female adults and adolescents infected through high-risk heterosexual contact: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004	62
<b>Technical Notes</b>		64

The HIV/AIDS epidemic was first recognized in the United States in 1981. Since that time, all states have conducted AIDS surveillance by using a standardized, confidential name-based reporting system. Since 1985, many states have also implemented HIV case reporting as part of their comprehensive HIV/AIDS surveillance programs. AIDS is the end stage of the natural history of HIV infection, and treatment advances since the mid-1990s have diminished the capacity of AIDS surveillance data to accurately represent the trends in the incidence of HIV infection or the need for prevention and care services (increasingly, AIDS data represent late diagnosis of HIV disease, lack of access to effective therapies, or treatment failures). As of January 1, 2006, 44 states and territories had laws or regulations requiring the reporting of adults, adolescents, and children with confirmed HIV infection by using a confidential name-based reporting system (the same as the AIDS reporting system for all jurisdictions in the United States).

To best direct resources toward communities with the greatest need, health planners often establish priorities by comparing the magnitude and effect of the epidemic between 2 areas. Because not all jurisdictions use the same confidential named-based surveillance system to collect data on cases of HIV infection and cases of AIDS, only AIDS data are presented in this report. In future reports, when all jurisdictions use the same system to collect HIV data and AIDS data, the geographic areas (states, territories, and associated nations) and the metropolitan statistical areas (MSAs) will be ranked by reported cases of HIV infection as well as by reported cases of AIDS.

This report presents the number of AIDS cases in adults and adolescents aged 13 years or older that were reported during 2004, cases reported during 1981–2004, case rates (cases reported per 100,000 population), and estimates of AIDS prevalence as of December 31, 2004, for areas (Table 1) and MSAs with a population of 500,000 or more (Table 7) in the United States. Data are stratified by sex (Tables 2 and 8), race/ethnicity (Tables 3, 4, 9, and 10), and transmission category (Tables 5, 6, 11, and 12) for areas and MSAs. The cumulative numbers of AIDS cases (1981–2004), the numbers of new AIDS cases reported during 2004

(incidence) (Tables 5, 6, 11, and 12), and the numbers of persons living with AIDS as of December 31, 2004 (prevalence) (Tables 1–4 and 7–10), are based on reported AIDS cases (or deaths); these data have been adjusted for reporting delays. Additionally, the data in Tables 5, 6, 11, and 12 have been adjusted for the redistribution of AIDS cases in persons initially reported without an identified risk factor.

In all tables, areas are ranked in descending order of the number of AIDS cases (see Technical Notes); the numbers should also be considered in the context of the population size of each area or MSA. Tables 1 and 7 include AIDS case rates (cases reported per 100,000 population) to allow for such comparisons. Ranking areas by AIDS rates shifts the order of the areas, moving some of the smaller jurisdictions such as Puerto Rico, the U.S. Virgin Islands, and Delaware to higher positions on the list. Rates for areas with small populations are unstable and should be interpreted with caution.

The following are highlights of this report.

- In most of the area tables, New York, Florida, California, Texas, and New Jersey ranked highest in the number of AIDS cases reported during 2004.
- New York ranked first in the reported numbers of black (not Hispanic) adults and adolescents with AIDS (cumulative number of cases, number of cases reported during 2004, and number of persons living with AIDS).
- Puerto Rico ranked second in the cumulative number of cases in female Hispanics and third in cases in male Hispanics.
- Hawaii ranked third in the cumulative number of cases in Asian/Pacific Islander adults and adolescents.
- Arizona, Oklahoma, Washington, and Alaska ranked high in the cumulative number of cases in American Indian/Alaska Native adults and adolescents.
- In most MSA tables, New York City, Los Angeles, Miami, Washington, DC, and Chicago ranked highest in the cumulative number of cases and the number of cases reported during 2004.

**Table 1. Adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number and rate of cases and by prevalence, 2004**

Area of residence	Cases				Rate (per 100,000)		Prevalence <sup>a</sup>	
	1981–2004		2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	Rate	Rank	No.	Rank
Alabama	7,669	25	466	23	12.4	24	3,338	26
Alaska	590	46	54	45	10.3	28	299	46
Arizona	9,276	23	562	21	12.2	25	4,063	23
Arkansas	3,451	34	185	33	8.1	33	2,027	32
California	134,573	2	4,667	3	16.1	16	56,855	2
Colorado	8,110	24	338	27	9.0	30	3,738	24
Connecticut	13,711	16	642	19	22.0	11	6,447	18
Delaware	3,277	35	157	36	22.7	10	1,628	35
District of Columbia	16,079	12	990	12	209.8	1	8,993	11
Florida	95,208	3	5,800	2	39.8	3	44,829	3
Georgia	28,026	8	1,635	7	22.9	9	14,190	8
Guam	67	54	1	54	0.8	54	36	54
Hawaii	2,753	36	136	37	13.0	22	1,267	36
Idaho	558	48	22	47	2.0	51	277	48
Illinois	30,739	6	1,676	6	16.1	16	15,355	6
Indiana	7,516	26	396	25	7.8	34	3,713	25
Iowa	1,553	41	64	43	2.6	50	746	41
Kansas	2,566	37	115	39	5.1	42	1,145	39
Kentucky	4,212	32	251	30	7.3	36	2,345	30
Louisiana	15,934	13	1,009	11	27.4	6	7,440	14
Maine	1,047	44	60	44	5.3	40	498	45
Maryland	27,236	10	1,446	9	31.6	4	12,980	9
Massachusetts	18,129	11	564	20	10.5	27	8,221	12
Michigan	13,521	17	654	18	7.8	34	5,677	20
Minnesota	4,388	30	218	31	5.2	41	2,049	31
Mississippi	5,976	27	479	22	20.2	13	3,061	27
Missouri	10,205	22	394	26	8.2	32	5,011	22
Montana	350	50	7	53	0.9	53	175	50
Nebraska	1,318	43	68	42	4.7	43	635	43
Nevada	5,162	29	304	28	16.0	18	2,644	28
New Hampshire	987	45	42	46	3.8	46	532	44
New Jersey	46,459	5	1,842	5	25.7	7	17,310	5
New Mexico	2,388	38	183	34	11.8	26	1,158	37
New York	164,458	1	7,609	1	47.6	2	69,860	1
North Carolina	13,958	15	1,136	10	16.2	15	7,225	15
North Dakota	130	53	17	50	3.2	48	65	53
Ohio	13,521	17	660	17	6.9	37	6,689	16
Oklahoma	4,356	31	195	32	6.7	38	1,940	33
Oregon	5,538	28	281	29	9.4	29	2,536	29
Pacific Islands <sup>b</sup>	2	55	0	—	0.0	—	4	55
Pennsylvania	30,174	7	1,622	8	15.5	20	15,207	7
Puerto Rico	27,805	9	907	13	29.3	5	10,035	10
Rhode Island	2,386	39	131	38	14.4	21	1,155	38
South Carolina	11,989	19	752	16	21.6	12	6,525	17
South Dakota	221	51	12	52	1.9	52	109	51
Tennessee	11,071	20	774	15	15.8	19	5,742	19
Texas	64,089	4	3,297	4	18.4	14	29,816	4
Utah	2,189	40	79	41	4.3	44	1,121	40
Vermont	439	49	17	50	3.2	48	230	49
Virgin Islands	584	47	20	48	23.7	8	293	47
Virginia	15,565	14	795	14	12.9	23	7,871	13
Washington	11,012	21	444	24	8.6	31	5,131	21
West Virginia	1,364	42	93	40	6.0	39	657	42
Wisconsin	4,186	33	177	35	3.8	46	1,931	34
Wyoming	218	52	18	49	4.2	45	101	52

<sup>a</sup> Data are adjusted for delays in reporting cases and deaths.

<sup>b</sup> American Samoa and the Commonwealth of the Northern Mariana Islands.

**Table 2a. Male adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Area of residence	Cases				Prevalence <sup>a</sup>	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Alabama	6,175	26	316	26	2,554	26
Alaska	495	46	40	45	238	46
Arizona	8,369	23	473	19	3,578	23
Arkansas	2,836	34	144	34	1,595	33
California	123,619	1	4,074	2	50,564	1
Colorado	7,472	24	291	27	3,360	24
Connecticut	9,967	19	397	20	4,377	21
Delaware	2,430	36	93	37	1,118	36
District of Columbia	12,730	13	705	11	6,634	11
Florida	72,545	3	4,069	3	32,494	3
Georgia	22,744	8	1,195	7	10,912	8
Guam	59	54	1	54	30	54
Hawaii	2,546	35	122	36	1,141	35
Idaho	485	47	14	48	227	47
Illinois	25,721	6	1,285	5	12,318	5
Indiana	6,585	25	322	25	3,121	25
Iowa	1,343	41	46	44	614	41
Kansas	2,271	37	88	39	959	39
Kentucky	3,603	32	205	30	1,941	30
Louisiana	12,849	12	696	12	5,558	14
Maine	915	44	47	43	420	44
Maryland	19,912	10	909	9	8,809	9
Massachusetts	14,133	11	394	21	5,969	13
Michigan	11,141	16	517	18	4,519	19
Minnesota	3,834	31	161	31	1,658	32
Mississippi	4,544	28	334	23	2,181	29
Missouri	9,136	20	334	23	4,320	22
Montana	308	50	6	53	152	50
Nebraska	1,120	43	50	42	510	43
Nevada	4,483	29	243	29	2,237	28
New Hampshire	810	45	31	46	416	45
New Jersey	33,197	5	1,218	6	11,721	6
New Mexico	2,195	38	156	33	1,040	37
New York	123,468	2	5,169	1	49,123	2
North Carolina	10,834	17	797	10	5,352	16
North Dakota	117	53	13	50	55	53
Ohio	11,789	15	537	16	5,536	15
Oklahoma	3,867	30	159	32	1,681	31
Oregon	5,108	27	255	28	2,274	27
Pacific Islands <sup>b</sup>	2	55	0	—	3	55
Pennsylvania	23,984	7	1,133	8	11,293	7
Puerto Rico	21,180	9	651	13	7,174	10
Rhode Island	1,812	40	90	38	838	40
South Carolina	9,014	22	521	17	4,685	17
South Dakota	184	52	9	52	91	51
Tennessee	9,082	21	587	14	4,547	18
Texas	55,428	4	2,505	4	24,338	4
Utah	1,972	39	65	41	990	38
Vermont	383	49	13	50	193	49
Virgin Islands	416	48	14	48	195	48
Virginia	12,601	14	552	15	5,997	12
Washington	10,061	18	373	22	4,510	20
West Virginia	1,149	42	69	40	532	42
Wisconsin	3,597	33	142	35	1,592	34
Wyoming	190	51	15	47	86	52

<sup>a</sup> Data are adjusted for delays in reporting cases and deaths.

<sup>b</sup> American Samoa and the Commonwealth of the Northern Mariana Islands.



**Table 2b. Female adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Area of residence	Cases				Prevalence <sup>a</sup>	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Alabama	1,494	21	150	19	783	22
Alaska	95	47	14	42	61	47
Arizona	907	26	89	23	485	27
Arkansas	615	30	41	32	432	28
California	10,954	4	593	5	6,291	3
Colorado	638	29	47	30	378	32
Connecticut	3,744	12	245	14	2,071	13
Delaware	847	27	64	26	509	26
District of Columbia	3,349	13	285	12	2,359	11
Florida	22,663	2	1,731	2	12,336	2
Georgia	5,282	9	440	8	3,277	8
Guam	8	54	0	—	5	54
Hawaii	207	41	14	42	126	40
Idaho	73	48	8	47	50	48
Illinois	5,018	10	391	9	3,038	9
Indiana	931	25	74	24	592	25
Iowa	210	40	18	40	132	38
Kansas	295	37	27	36	186	37
Kentucky	609	31	46	31	404	30
Louisiana	3,085	15	313	11	1,882	14
Maine	132	46	13	45	78	46
Maryland	7,324	6	537	6	4,171	6
Massachusetts	3,996	11	170	18	2,252	12
Michigan	2,380	18	137	21	1,159	19
Minnesota	554	34	57	29	392	31
Mississippi	1,432	22	145	20	879	21
Missouri	1,069	23	60	28	692	23
Montana	42	50	1	53	23	50
Nebraska	198	42	18	40	125	41
Nevada	679	28	61	27	407	29
New Hampshire	177	44	11	46	116	44
New Jersey	13,262	3	624	4	5,589	4
New Mexico	193	43	27	36	118	43
New York	40,989	1	2,440	1	20,736	1
North Carolina	3,124	14	339	10	1,873	16
North Dakota	13	53	4	49	10	53
Ohio	1,732	20	123	22	1,154	20
Oklahoma	489	35	36	34	259	36
Oregon	430	36	26	38	262	35
Pacific Islands <sup>b</sup>	0	—	0	—	1	55
Pennsylvania	6,190	8	489	7	3,913	7
Puerto Rico	6,625	7	256	13	2,861	10
Rhode Island	574	33	41	32	318	34
South Carolina	2,975	16	231	16	1,840	17
South Dakota	37	51	3	51	18	51
Tennessee	1,989	19	187	17	1,194	18
Texas	8,661	5	792	3	5,478	5
Utah	217	38	14	42	131	39
Vermont	56	49	4	49	37	49
Virgin Islands	168	45	6	48	98	45
Virginia	2,964	17	243	15	1,874	15
Washington	951	24	71	25	622	24
West Virginia	215	39	24	39	125	41
Wisconsin	589	32	35	35	339	33
Wyoming	28	52	3	51	15	52

<sup>a</sup> Data are adjusted for delays in reporting cases and deaths.

<sup>b</sup> American Samoa and the Commonwealth of the Northern Mariana Islands.

**Table 3a. White male adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Area of residence	Cases				Prevalence <sup>a</sup>	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Alabama	2,561	29	101	27	982	31
Alaska	302	47	19	45	132	47
Arizona	5,782	13	265	9	2,239	16
Arkansas	1,829	32	84	29	992	30
California	73,904	1	1,798	1	25,799	1
Colorado	5,449	16	168	20	2,262	14
Connecticut	4,062	22	154	22	1,726	22
Delaware	795	42	29	42	337	42
District of Columbia	2,893	25	69	33	1,119	27
Florida	30,395	3	1,417	2	12,498	3
Georgia	8,313	9	251	11	3,235	8
Guam	8	54	0	–	3	54
Hawaii	1,596	36	62	34	693	34
Idaho	433	45	13	46	194	45
Illinois	10,431	5	407	5	4,339	5
Indiana	4,576	19	168	20	1,992	18
Iowa	1,118	38	30	41	458	38
Kansas	1,686	33	58	36	634	36
Kentucky	2,533	30	126	24	1,326	25
Louisiana	5,739	14	179	18	2,054	17
Maine	849	41	40	40	379	41
Maryland	4,522	20	143	23	1,748	21
Massachusetts	8,362	8	194	15	3,023	11
Michigan	4,830	17	192	16	1,891	19
Minnesota	2,776	26	82	30	1,041	29
Mississippi	1,603	34	80	31	655	35
Missouri	5,879	12	170	19	2,536	12
Montana	272	48	5	50	131	48
Nebraska	782	43	20	44	307	44
Nevada	2,936	24	116	26	1,318	26
New Hampshire	695	44	21	43	336	43
New Jersey	9,922	6	294	7	3,176	9
New Mexico	1,152	37	60	35	486	37
New York	37,338	2	1,193	3	12,800	2
North Carolina	3,645	23	227	12	1,571	23
North Dakota	95	51	8	49	39	51
Ohio	7,434	11	283	8	3,141	10
Oklahoma	2,774	27	95	28	1,117	28
Oregon	4,422	21	191	17	1,866	20
Pacific Islands <sup>b</sup>	0	–	0	–	0	–
Pennsylvania	9,857	7	404	6	4,106	6
Puerto Rico	40	53	0	–	11	53
Rhode Island	1,104	39	45	39	452	39
South Carolina	2,756	28	122	25	1,340	24
South Dakota	140	50	5	50	63	50
Tennessee	4,706	18	224	13	2,244	15
Texas	29,033	4	861	4	10,541	4
Utah	1,603	34	49	38	754	33
Vermont	335	46	11	47	162	46
Virgin Islands	49	52	0	–	24	52
Virginia	5,703	15	196	14	2,392	13
Washington	8,027	10	263	10	3,368	7
West Virginia	949	40	53	37	432	40
Wisconsin	2,268	31	71	32	877	32
Wyoming	163	49	11	47	72	49

<sup>a</sup> Data are adjusted for delays in reporting cases and deaths.

<sup>b</sup> American Samoa and the Commonwealth of the Northern Mariana Islands.

**Table 3b. Black male adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Area of residence	Cases				Prevalence <sup>a</sup>	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Alabama	3,525	18	208	19	1,507	19
Alaska	38	45	4	45	21	46
Arizona	630	33	40	32	287	33
Arkansas	948	28	55	26	561	25
California	19,535	3	659	6	8,509	3
Colorado	787	30	48	30	434	29
Connecticut	3,462	19	119	21	1,369	22
Delaware	1,495	24	56	25	705	24
District of Columbia	9,299	10	599	9	5,139	10
Florida	29,005	2	1,814	2	13,361	2
Georgia	13,744	7	882	3	7,194	5
Guam	3	53	0	—	0	—
Hawaii	113	41	9	39	57	42
Idaho	7	51	0	—	6	50
Illinois	11,741	8	639	7	5,845	7
Indiana	1,730	23	119	21	919	23
Iowa	135	40	9	39	90	40
Kansas	347	35	13	37	176	35
Kentucky	974	26	67	24	534	26
Louisiana	6,749	11	492	12	3,306	12
Maine	34	46	2	47	24	45
Maryland	14,839	5	719	5	6,708	6
Massachusetts	3,043	20	98	23	1,462	21
Michigan	5,892	15	294	16	2,401	15
Minnesota	707	31	53	28	412	31
Mississippi	2,872	22	238	17	1,486	20
Missouri	2,928	21	147	20	1,607	18
Montana	8	49	1	49	6	50
Nebraska	204	38	19	34	108	37
Nevada	788	29	54	27	415	30
New Hampshire	57	44	6	42	37	44
New Jersey	17,207	4	609	8	5,841	8
New Mexico	95	43	6	42	45	43
New York	48,946	1	2,281	1	20,120	1
North Carolina	6,737	12	533	11	3,460	11
North Dakota	8	49	4	45	8	49
Ohio	3,931	17	225	18	2,122	17
Oklahoma	659	32	40	32	336	32
Oregon	247	36	18	35	136	36
Pacific Islands <sup>b</sup>	0	—	0	—	0	—
Pennsylvania	11,456	9	571	10	5,625	9
Puerto Rico	2	54	0	—	0	—
Rhode Island	395	34	18	35	198	34
South Carolina	6,085	14	370	13	3,211	13
South Dakota	14	48	2	47	13	48
Tennessee	4,166	16	330	14	2,159	16
Texas	14,476	6	871	4	7,281	4
Utah	113	41	5	44	61	41
Vermont	26	47	1	49	18	47
Virgin Islands	246	37	8	41	104	38
Virginia	6,260	13	307	15	3,183	14
Washington	949	27	43	31	509	28
West Virginia	184	39	11	38	91	39
Wisconsin	997	25	49	29	531	27
Wyoming	5	52	0	—	2	52

<sup>a</sup> Data are adjusted for delays in reporting cases and deaths.

<sup>b</sup> American Samoa and the Commonwealth of the Northern Mariana Islands.

**Table 3c. Hispanic male adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Area of residence	Cases				Prevalence <sup>a</sup>	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Alabama	75	41	5	42	54	41
Alaska	42	45	3	46	27	45
Arizona	1,632	11	142	9	886	11
Arkansas	47	43	5	42	35	43
California	26,577	2	1,442	2	14,403	2
Colorado	1,147	12	63	13	611	12
Connecticut	2,393	10	123	10	1,251	10
Delaware	132	36	8	39	74	37
District of Columbia	483	18	34	19	328	18
Florida	12,618	4	786	3	6,288	5
Georgia	601	16	57	15	425	16
Guam	0	—	0	—	0	—
Hawaii	143	34	15	31	87	34
Idaho	38	46	0	—	22	46
Illinois	3,312	7	213	7	1,962	7
Indiana	257	28	33	20	194	23
Iowa	78	40	6	40	56	40
Kansas	188	31	15	31	118	31
Kentucky	80	39	11	36	66	38
Louisiana	310	24	21	27	170	26
Maine	25	47	5	42	18	47
Maryland	460	19	40	18	300	19
Massachusetts	2,593	8	100	11	1,391	9
Michigan	348	21	22	26	189	24
Minnesota	250	29	20	28	158	28
Mississippi	46	44	13	34	30	44
Missouri	267	27	15	31	144	30
Montana	6	51	0	—	3	52
Nebraska	118	38	10	37	83	36
Nevada	664	15	58	14	436	15
New Hampshire	52	42	3	46	37	42
New Jersey	5,830	6	292	6	2,576	6
New Mexico	842	13	79	12	453	14
New York	35,899	1	1,600	1	15,431	1
North Carolina	314	23	19	29	235	21
North Dakota	4	52	0	—	3	52
Ohio	372	20	26	23	238	20
Oklahoma	154	33	12	35	85	35
Oregon	338	22	30	22	218	22
Pacific Islands <sup>b</sup>	0	—	0	—	0	—
Pennsylvania	2,542	9	152	8	1,471	8
Puerto Rico	21,133	3	651	5	7,159	3
Rhode Island	289	25	26	23	171	25
South Carolina	136	35	23	25	104	33
South Dakota	4	52	1	49	4	51
Tennessee	165	32	31	21	117	32
Texas	11,592	5	738	4	6,295	4
Utah	216	30	10	37	146	29
Vermont	19	48	1	49	10	48
Virgin Islands	119	37	6	40	66	38
Virginia	513	17	43	17	334	17
Washington	727	14	47	16	454	13
West Virginia	13	50	3	46	7	50
Wisconsin	282	26	17	30	159	27
Wyoming	16	49	4	45	9	49

<sup>a</sup> Data are adjusted for delays in reporting cases and deaths.

<sup>b</sup> American Samoa and the Commonwealth of the Northern Mariana Islands.

**Table 3d. Asian/Pacific Islander male adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Area of residence	Cases				Prevalence <sup>a</sup>	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Alabama	9	35	1	25	9	32
Alaska	6	39	0	—	5	37
Arizona	30	20	4	12	10	31
Arkansas	2	44	0	—	1	46
California	2,746	1	139	1	1,439	1
Colorado	32	19	4	12	18	21
Connecticut	28	21	1	25	22	19
Delaware	1	48	0	—	1	46
District of Columbia	43	14	0	—	37	12
Florida	115	6	9	8	64	8
Georgia	49	12	2	18	36	13
Guam	46	13	1	25	25	16
Hawaii	678	3	33	3	297	3
Idaho	3	42	0	—	2	44
Illinois	87	8	19	5	84	6
Indiana	14	31	2	18	12	28
Iowa	9	35	1	25	8	34
Kansas	8	37	0	—	3	41
Kentucky	10	33	0	—	9	32
Louisiana	6	39	2	18	4	39
Maine	1	48	0	—	0	—
Maryland	17	26	7	9	23	17
Massachusetts	105	7	2	18	78	7
Michigan	35	16	4	12	23	17
Minnesota	22	24	2	18	14	24
Mississippi	8	37	0	—	4	39
Missouri	25	23	1	25	12	28
Montana	0	—	0	—	0	—
Nebraska	6	39	1	25	6	36
Nevada	61	11	7	9	44	11
New Hampshire	3	42	1	25	3	41
New Jersey	33	17	11	6	32	14
New Mexico	10	33	0	—	5	37
New York	979	2	72	2	552	2
North Carolina	27	22	3	16	18	21
North Dakota	0	—	0	—	0	—
Ohio	33	17	1	25	22	19
Oklahoma	17	26	1	25	13	25
Oregon	43	14	7	9	27	15
Pacific Islands <sup>b</sup>	2	44	0	—	3	41
Pennsylvania	85	9	3	16	58	9
Puerto Rico	1	48	0	—	0	—
Rhode Island	13	32	1	25	13	25
South Carolina	15	29	4	12	12	28
South Dakota	0	—	0	—	0	—
Tennessee	17	26	0	—	13	25
Texas	220	4	31	4	152	4
Utah	18	25	1	25	15	23
Vermont	2	44	0	—	2	44
Virgin Islands	1	48	0	—	0	—
Virginia	80	10	1	25	52	10
Washington	168	5	10	7	90	5
West Virginia	2	44	2	18	1	46
Wisconsin	15	29	2	18	8	34
Wyoming	0	—	0	—	0	—

<sup>a</sup> Data are adjusted for delays in reporting cases and deaths.

<sup>b</sup> American Samoa and the Commonwealth of the Northern Mariana Islands.

**Table 3e. American Indian/Alaska Native male adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Area of residence	Cases				Prevalence <sup>a</sup>	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Alabama	2	47	0	—	0	—
Alaska	103	5	13	4	51	8
Arizona	253	3	20	2	123	3
Arkansas	5	42	0	—	2	42
California	520	1	23	1	235	1
Colorado	39	13	3	11	21	12
Connecticut	13	27	0	—	5	30
Delaware	7	38	0	—	1	45
District of Columbia	7	38	1	18	4	35
Florida	58	11	1	18	20	13
Georgia	17	25	1	18	11	19
Guam	0	—	0	—	0	—
Hawaii	10	30	2	14	5	30
Idaho	4	45	1	18	3	38
Illinois	31	15	2	14	19	14
Indiana	5	42	0	—	2	42
Iowa	2	47	0	—	1	45
Kansas	22	22	0	—	11	19
Kentucky	3	46	1	18	3	38
Louisiana	10	30	1	18	8	24
Maine	6	40	0	—	0	—
Maryland	29	16	0	—	8	24
Massachusetts	17	25	0	—	6	29
Michigan	27	18	2	14	7	27
Minnesota	76	9	3	11	32	10
Mississippi	5	42	0	—	1	45
Missouri	32	14	1	18	16	16
Montana	19	24	0	—	9	22
Nebraska	9	35	0	—	5	30
Nevada	29	16	4	10	19	14
New Hampshire	2	47	0	—	2	42
New Jersey	24	21	3	11	13	18
New Mexico	96	6	11	5	52	7
New York	88	8	8	7	54	6
North Carolina	91	7	15	3	59	5
North Dakota	10	30	1	18	5	30
Ohio	10	30	1	18	8	24
Oklahoma	260	2	10	6	128	2
Oregon	53	12	8	7	25	11
Pacific Islands <sup>b</sup>	0	—	0	—	0	—
Pennsylvania	10	30	1	18	5	30
Puerto Rico	0	—	0	—	0	—
Rhode Island	11	28	0	—	3	38
South Carolina	9	35	0	—	4	35
South Dakota	26	19	1	18	11	19
Tennessee	9	35	0	—	4	35
Texas	73	10	2	14	39	9
Utah	22	22	0	—	14	17
Vermont	1	50	0	—	1	45
Virgin Islands	0	—	0	—	0	—
Virginia	11	28	1	18	7	27
Washington	157	4	6	9	71	4
West Virginia	1	50	0	—	1	45
Wisconsin	25	20	1	18	9	22
Wyoming	6	40	0	—	3	38

<sup>a</sup> Data are adjusted for delays in reporting cases and deaths.

<sup>b</sup> American Samoa and the Commonwealth of the Northern Mariana Islands.

**Table 4a. White female adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Area of residence	Cases				Prevalence <sup>a</sup>	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Alabama	333	23	28	16	172	25
Alaska	37	47	3	45	24	47
Arizona	485	16	22	23	237	20
Arkansas	253	29	18	25	172	25
California	3,726	3	151	3	1,929	3
Colorado	309	25	15	29	169	27
Connecticut	1,123	8	70	7	594	8
Delaware	131	36	12	31	84	35
District of Columbia	122	39	4	44	77	36
Florida	3,794	2	281	1	2,088	2
Georgia	717	11	54	10	414	11
Guam	1	54	0	—	0	—
Hawaii	81	44	7	39	50	43
Idaho	58	45	3	45	35	45
Illinois	1,098	9	56	9	575	9
Indiana	473	18	24	21	265	18
Iowa	143	35	11	33	75	38
Kansas	165	34	7	39	97	34
Kentucky	295	27	17	27	185	23
Louisiana	482	17	39	14	269	17
Maine	116	41	9	35	64	41
Maryland	824	10	54	10	444	10
Massachusetts	1,452	7	47	12	680	7
Michigan	472	19	19	24	218	22
Minnesota	196	33	11	33	113	32
Mississippi	227	30	24	21	129	30
Missouri	424	21	17	27	243	19
Montana	30	48	1	50	18	48
Nebraska	94	42	7	39	56	42
Nevada	296	26	25	20	169	27
New Hampshire	129	37	6	42	76	37
New Jersey	2,448	4	86	6	955	5
New Mexico	86	43	9	35	45	44
New York	5,828	1	273	2	2,712	1
North Carolina	462	20	60	8	282	16
North Dakota	10	51	3	45	7	52
Ohio	636	12	39	14	400	12
Oklahoma	276	28	18	25	137	29
Oregon	324	24	13	30	183	24
Pacific Islands <sup>b</sup>	0	—	0	—	0	—
Pennsylvania	1,466	6	126	5	865	6
Puerto Rico	4	53	1	50	1	53
Rhode Island	226	31	8	38	116	31
South Carolina	390	22	28	16	230	21
South Dakota	24	49	2	49	12	49
Tennessee	547	14	43	13	318	14
Texas	2,177	5	131	4	1,227	4
Utah	122	39	6	42	70	39
Vermont	46	46	3	45	31	46
Virgin Islands	9	52	0	—	8	51
Virginia	591	13	27	18	325	13
Washington	534	15	27	18	312	15
West Virginia	127	38	12	31	68	40
Wisconsin	218	32	9	35	102	33
Wyoming	21	50	0	—	10	50

<sup>a</sup> Data are adjusted for delays in reporting cases and deaths.

<sup>b</sup> American Samoa and the Commonwealth of the Northern Mariana Islands.

**Table 4b. Black female adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Area of residence	Cases				Prevalence <sup>a</sup>	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Alabama	1,141	20	119	16	596	21
Alaska	13	44	3	42	9	44
Arizona	148	33	26	26	89	33
Arkansas	355	25	23	30	252	25
California	3,955	7	217	12	2,212	8
Colorado	161	32	14	34	99	32
Connecticut	1,550	17	76	19	767	18
Delaware	672	22	47	22	396	23
District of Columbia	3,150	10	270	9	2,212	8
Florida	16,379	2	1,201	2	8,578	2
Georgia	4,434	6	370	6	2,752	6
Guam	0	—	0	—	0	—
Hawaii	13	44	1	45	12	43
Idaho	3	50	0	—	5	47
Illinois	3,285	9	286	8	2,057	10
Indiana	414	24	44	23	298	24
Iowa	51	40	6	38	46	39
Kansas	101	36	12	35	67	35
Kentucky	278	28	25	28	191	27
Louisiana	2,544	12	266	10	1,570	12
Maine	8	47	2	43	6	46
Maryland	6,387	4	471	4	3,638	3
Massachusetts	1,556	16	66	21	948	15
Michigan	1,822	15	113	18	887	16
Minnesota	278	28	39	25	228	26
Mississippi	1,180	19	116	17	738	19
Missouri	619	23	43	24	429	22
Montana	2	52	0	—	1	51
Nebraska	72	38	8	37	48	38
Nevada	296	26	24	29	178	29
New Hampshire	27	42	5	40	26	41
New Jersey	8,812	3	419	5	3,602	4
New Mexico	17	43	1	45	7	45
New York	22,737	1	1,483	1	11,719	1
North Carolina	2,559	11	260	11	1,510	13
North Dakota	2	52	1	45	2	50
Ohio	966	21	71	20	653	20
Oklahoma	132	34	15	33	77	34
Oregon	52	39	6	38	40	40
Pacific Islands <sup>b</sup>	0	—	0	—	0	—
Pennsylvania	3,773	8	288	7	2,434	7
Puerto Rico	5	48	0	—	0	—
Rhode Island	208	31	20	32	111	31
South Carolina	2,540	13	196	13	1,575	11
South Dakota	5	48	1	45	5	47
Tennessee	1,387	18	134	15	839	17
Texas	4,917	5	508	3	3,176	5
Utah	44	41	2	43	25	42
Vermont	9	46	1	45	4	49
Virgin Islands	111	35	4	41	54	36
Virginia	2,231	14	193	14	1,439	14
Washington	249	30	26	26	191	27
West Virginia	83	37	10	36	54	36
Wisconsin	281	27	22	31	176	30
Wyoming	3	50	0	—	1	51

<sup>a</sup> Data are adjusted for delays in reporting cases and deaths.

<sup>b</sup> American Samoa and the Commonwealth of the Northern Mariana Islands.



**Table 4c. Hispanic female adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Area of residence	Cases				Prevalence <sup>a</sup>	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Alabama	16	40	2	37	13	40
Alaska	5	46	1	43	3	47
Arizona	204	11	28	11	127	11
Arkansas	5	46	0	—	6	45
California	2,832	3	202	4	1,878	3
Colorado	145	12	14	12	95	12
Connecticut	1,055	7	98	7	699	7
Delaware	38	29	3	33	23	34
District of Columbia	58	24	9	21	50	21
Florida	2,287	4	218	3	1,523	4
Georgia	103	16	13	14	92	13
Guam	0	—	0	—	0	—
Hawaii	13	43	0	—	10	41
Idaho	9	44	4	31	7	44
Illinois	571	10	42	10	372	10
Indiana	37	30	5	27	26	28
Iowa	14	41	1	43	10	41
Kansas	20	37	7	22	15	36
Kentucky	30	33	2	37	24	33
Louisiana	50	25	7	22	37	25
Maine	6	45	2	37	5	46
Maryland	94	17	11	19	73	17
Massachusetts	956	8	56	9	596	8
Michigan	66	20	4	31	41	24
Minnesota	40	28	5	27	26	28
Mississippi	14	41	3	33	8	43
Missouri	19	38	0	—	15	36
Montana	3	49	0	—	2	50
Nebraska	19	38	2	37	14	38
Nevada	63	21	7	22	43	23
New Hampshire	21	36	0	—	14	38
New Jersey	1,922	5	109	6	976	6
New Mexico	60	22	14	12	46	22
New York	12,178	1	653	1	6,095	1
North Carolina	60	22	12	17	53	19
North Dakota	0	—	0	—	0	—
Ohio	121	14	13	14	90	14
Oklahoma	24	35	1	43	16	35
Oregon	37	30	6	25	25	30
Pacific Islands <sup>b</sup>	0	—	0	—	0	—
Pennsylvania	917	9	69	8	594	9
Puerto Rico	6,613	2	255	2	2,857	2
Rhode Island	128	13	12	17	86	15
South Carolina	30	33	5	27	25	30
South Dakota	0	—	0	—	0	—
Tennessee	34	32	6	25	25	30
Texas	1,515	6	143	5	1,029	5
Utah	41	27	5	27	30	27
Vermont	1	51	0	—	1	51
Virgin Islands	46	26	2	37	33	26
Virginia	108	15	13	14	80	16
Washington	83	18	10	20	61	18
West Virginia	4	48	2	37	3	47
Wisconsin	73	19	3	33	51	20
Wyoming	3	49	3	33	3	47

<sup>a</sup> Data are adjusted for delays in reporting cases and deaths.

<sup>b</sup> American Samoa and the Commonwealth of the Northern Mariana Islands.

**Table 4d. Asian/Pacific Islander female adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Area of residence	Cases				Prevalence <sup>a</sup>	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Alabama	3	33	1	14	2	30
Alaska	4	25	2	11	3	25
Arizona	2	36	0	—	0	—
Arkansas	1	41	0	—	1	38
California	326	1	17	2	201	1
Colorado	4	25	0	—	2	30
Connecticut	7	17	1	14	6	15
Delaware	2	36	2	11	2	30
District of Columbia	11	13	0	—	9	12
Florida	26	6	4	6	13	10
Georgia	20	9	3	9	15	8
Guam	7	17	0	—	5	19
Hawaii	96	3	6	5	51	3
Idaho	0	—	0	—	0	—
Illinois	15	11	4	6	15	8
Indiana	6	21	1	14	2	30
Iowa	0	—	0	—	0	—
Kansas	2	36	1	14	2	30
Kentucky	4	25	1	14	2	30
Louisiana	0	—	0	—	0	—
Maine	1	41	0	—	0	—
Maryland	4	25	1	14	6	15
Massachusetts	22	8	0	—	21	6
Michigan	8	15	1	14	6	15
Minnesota	10	14	1	14	8	13
Mississippi	2	36	1	14	1	38
Missouri	4	25	0	—	4	24
Montana	0	—	0	—	0	—
Nebraska	4	25	1	14	3	25
Nevada	13	12	3	9	10	11
New Hampshire	0	—	0	—	0	—
New Jersey	6	21	4	6	5	19
New Mexico	2	36	0	—	1	38
New York	166	2	21	1	128	2
North Carolina	7	17	1	14	5	19
North Dakota	0	—	0	—	0	—
Ohio	4	25	0	—	5	19
Oklahoma	5	23	0	—	2	30
Oregon	8	15	0	—	6	15
Pacific Islands <sup>b</sup>	0	—	0	—	1	38
Pennsylvania	16	10	1	14	8	13
Puerto Rico	0	—	0	—	0	—
Rhode Island	3	33	1	14	3	25
South Carolina	7	17	0	—	5	19
South Dakota	0	—	0	—	0	—
Tennessee	5	23	1	14	3	25
Texas	37	4	9	3	33	4
Utah	4	25	0	—	2	30
Vermont	0	—	0	—	0	—
Virgin Islands	0	—	0	—	0	—
Virginia	25	7	8	4	21	6
Washington	34	5	2	11	24	5
West Virginia	1	41	0	—	0	—
Wisconsin	3	33	0	—	3	25
Wyoming	0	—	0	—	0	—

<sup>a</sup> Data are adjusted for delays in reporting cases and deaths.

<sup>b</sup> American Samoa and the Commonwealth of the Northern Mariana Islands.

**Table 4e. American Indian/Alaska Native female adults and adolescents: area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Area of residence	Cases				Prevalence <sup>a</sup>	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Alabama	1	38	0	—	1	35
Alaska	35	5	4	4	21	6
Arizona	54	2	11	1	23	4
Arkansas	1	38	0	—	1	35
California	78	1	5	2	44	1
Colorado	19	11	4	4	12	10
Connecticut	5	27	0	—	3	24
Delaware	3	32	0	—	2	28
District of Columbia	6	25	1	13	6	17
Florida	16	12	4	4	12	10
Georgia	4	30	0	—	2	28
Guam	0	—	0	—	0	—
Hawaii	1	38	0	—	0	—
Idaho	3	32	1	13	2	28
Illinois	27	9	1	13	9	12
Indiana	1	38	0	—	1	35
Iowa	1	38	0	—	0	—
Kansas	2	36	0	—	1	35
Kentucky	1	38	1	13	1	35
Louisiana	3	32	0	—	1	35
Maine	1	38	0	—	2	28
Maryland	7	22	0	—	4	20
Massachusetts	5	27	1	13	3	24
Michigan	8	19	0	—	4	20
Minnesota	29	7	1	13	15	9
Mississippi	5	27	1	13	3	24
Missouri	3	32	0	—	1	35
Montana	7	22	0	—	2	28
Nebraska	9	16	0	—	4	20
Nevada	10	14	1	13	7	15
New Hampshire	0	—	0	—	0	—
New Jersey	10	14	2	11	8	13
New Mexico	28	8	3	8	18	8
New York	22	10	4	4	22	5
North Carolina	30	6	3	8	19	7
North Dakota	1	38	0	—	1	35
Ohio	4	30	0	—	3	24
Oklahoma	49	3	2	11	25	3
Oregon	9	16	1	13	8	13
Pacific Islands <sup>b</sup>	0	—	0	—	0	—
Pennsylvania	7	22	3	8	5	18
Puerto Rico	0	—	0	—	0	—
Rhode Island	9	16	0	—	2	28
South Carolina	2	36	0	—	1	35
South Dakota	8	19	0	—	2	28
Tennessee	1	38	0	—	1	35
Texas	8	19	1	13	7	15
Utah	6	25	1	13	4	20
Vermont	0	—	0	—	0	—
Virgin Islands	0	—	0	—	0	—
Virginia	1	38	1	13	1	35
Washington	44	4	5	2	30	2
West Virginia	0	—	0	—	0	—
Wisconsin	12	13	0	—	5	18
Wyoming	1	38	0	—	1	35

<sup>a</sup> Data are adjusted for delays in reporting cases and deaths.

<sup>b</sup> American Samoa and the Commonwealth of the Northern Mariana Islands.

**Table 5a. Male adults and adolescents infected through male-to-male sexual contact: area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004**

Area of residence	Male-to-male sexual contact					
	Incidence				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Alabama	3,902	25	187	26	1,618	27
Alaska	340	46	20	45	147	46
Arizona	6,146	19	334	14	2,559	20
Arkansas	1,887	35	81	34	1,039	34
California	96,324	1	2,324	1	37,897	1
Colorado	5,713	21	201	23	2,481	22
Connecticut	3,399	27	140	29	1,462	28
Delaware	1,033	39	34	41	458	39
District of Columbia	7,830	12	268	19	3,581	11
Florida	43,294	3	2,308	2	19,001	3
Georgia	14,780	6	736	6	6,686	6
Guam	45	54	1	54	23	54
Hawaii	2,139	34	45	38	910	35
Idaho	330	47	11	47	138	47
Illinois	17,011	5	901	5	7,613	5
Indiana	4,836	23	214	22	2,199	23
Iowa	963	40	34	41	406	40
Kansas	1,646	37	56	36	665	38
Kentucky	2,546	33	136	30	1,316	29
Louisiana	7,697	14	355	12	3,068	17
Maine	691	44	33	43	294	44
Maryland	8,031	11	330	15	3,199	13
Massachusetts	7,199	16	215	21	2,801	18
Michigan	7,389	15	347	13	3,151	15
Minnesota	2,950	29	120	31	1,204	31
Mississippi	2,809	30	196	24	1,289	30
Missouri	6,986	17	240	20	3,195	14
Montana	198	49	4	51	103	49
Nebraska	762	43	29	44	330	43
Nevada	3,327	28	196	24	1,682	24
New Hampshire	521	45	19	46	259	45
New Jersey	11,304	8	375	9	4,371	8
New Mexico	1,653	36	74	35	752	36
New York	54,644	2	2,280	3	21,826	2
North Carolina	5,863	20	371	10	2,756	19
North Dakota	68	53	5	48	28	53
Ohio	8,963	9	361	11	3,954	9
Oklahoma	2,681	31	106	32	1,135	32
Oregon	3,847	26	164	27	1,626	26
Pacific Islands <sup>a</sup>	1	55	0	—	1	55
Pennsylvania	12,525	7	417	7	5,091	7
Puerto Rico	4,647	24	155	28	1,633	25
Rhode Island	845	41	41	40	354	42
South Carolina	4,997	22	297	16	2,516	21
South Dakota	118	52	5	48	52	51
Tennessee	6,292	18	390	8	3,123	16
Texas	38,567	4	1,686	4	15,655	4
Utah	1,400	38	49	37	681	37
Vermont	263	48	3	52	127	48
Virgin Islands	185	50	3	52	87	50
Virginia	8,255	10	288	17	3,671	10
Washington	7,698	13	282	18	3,324	12
West Virginia	797	42	44	39	373	41
Wisconsin	2,565	32	103	33	1,101	33
Wyoming	125	51	5	48	52	51

Note. Data are adjusted for delays in reporting cases and deaths and for redistribution of cases in persons initially reported without an identified risk factor.

<sup>a</sup> American Samoa and the Commonwealth of the Northern Mariana Islands.

**Table 5b. Male adults and adolescents infected through injection drug use: area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004**

Area of residence	Injection drug use					
	Incidence				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Alabama	870	23	35	25	324	26
Alaska	62	47	3	48	38	47
Arizona	962	21	62	21	394	22
Arkansas	365	35	18	35	220	33
California	10,732	5	333	5	4,651	2
Colorado	588	28	35	25	293	27
Connecticut	5,130	10	153	13	2,131	10
Delaware	960	22	23	30	407	21
District of Columbia	2,892	13	177	11	1,575	13
Florida	11,963	3	514	2	4,456	4
Georgia	4,098	12	188	10	1,725	12
Guam	5	54	0	—	3	54
Hawaii	152	42	8	39	84	40
Idaho	54	49	3	48	32	48
Illinois	5,862	9	220	9	2,494	9
Indiana	693	26	43	23	347	25
Iowa	137	43	8	39	72	42
Kansas	192	39	6	42	78	41
Kentucky	478	33	30	28	275	28
Louisiana	2,455	15	133	14	1,073	15
Maine	117	44	6	42	65	44
Maryland	8,552	6	376	4	3,584	6
Massachusetts	4,985	11	162	12	2,092	11
Michigan	2,129	17	67	19	629	19
Minnesota	332	36	22	31	153	36
Mississippi	537	30	54	22	274	29
Missouri	727	25	32	27	370	24
Montana	38	50	0	—	13	50
Nebraska	105	45	5	45	55	45
Nevada	589	27	22	31	249	32
New Hampshire	163	40	7	41	92	39
New Jersey	16,167	2	317	6	4,561	3
New Mexico	194	38	13	37	99	38
New York	53,974	1	1,341	1	17,828	1
North Carolina	2,576	14	109	15	1,092	14
North Dakota	18	53	1	51	12	52
Ohio	1,258	19	63	20	652	18
Oklahoma	402	34	20	34	176	35
Oregon	504	31	27	29	266	30
Pacific Islands <sup>a</sup>	0	—	0	—	0	—
Pennsylvania	7,584	7	254	8	3,711	5
Puerto Rico	11,663	4	301	7	3,464	7
Rhode Island	584	29	21	33	257	31
South Carolina	1,719	18	85	17	758	17
South Dakota	21	52	4	46	12	52
Tennessee	1,219	20	83	18	574	20
Texas	7,196	8	386	3	3,390	8
Utah	269	37	4	46	142	37
Vermont	55	48	2	50	26	49
Virgin Islands	91	46	6	42	41	46
Virginia	2,167	16	94	16	1,020	16
Washington	785	24	40	24	388	23
West Virginia	160	41	12	38	72	42
Wisconsin	491	32	17	36	219	34
Wyoming	24	51	1	51	13	50

Note. Data are adjusted for delays in reporting cases and deaths and for redistribution of cases in persons initially reported without an identified risk factor.

<sup>a</sup> American Samoa and the Commonwealth of the Northern Mariana Islands.

**Table 5c. Male adults and adolescents infected through male-to-male sexual contact and injection drug use: area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004**

Area of residence	Male-to-male sexual contact and injection drug use					
	Incidence				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Alabama	707	23	20	27	253	25
Alaska	44	47	3	42	24	46
Arizona	1,153	13	57	7	447	13
Arkansas	338	32	10	33	158	32
California	13,857	1	259	1	5,304	1
Colorado	963	16	44	9	388	18
Connecticut	535	28	16	30	174	29
Delaware	216	38	9	36	90	39
District of Columbia	944	19	41	11	408	17
Florida	5,633	4	199	3	2,152	4
Georgia	1,842	8	66	6	781	6
Guam	2	54	0	—	0	—
Hawaii	213	39	6	41	95	38
Idaho	52	45	1	48	34	44
Illinois	2,281	5	87	5	1,122	5
Indiana	616	25	20	27	274	24
Iowa	127	41	7	39	60	41
Kansas	275	36	9	36	127	36
Kentucky	331	33	23	23	170	31
Louisiana	1,497	10	55	8	605	10
Maine	46	46	2	44	23	48
Maryland	1,359	11	35	14	475	12
Massachusetts	830	21	22	24	333	21
Michigan	1,005	14	31	18	345	20
Minnesota	343	31	21	25	152	33
Mississippi	422	30	15	32	174	29
Missouri	984	15	25	22	441	14
Montana	42	48	0	—	24	46
Nebraska	134	40	2	44	61	40
Nevada	478	29	19	29	209	28
New Hampshire	57	44	2	44	30	45
New Jersey	2,092	7	44	9	670	8
New Mexico	286	34	10	33	132	35
New York	7,196	2	190	4	2,373	3
North Carolina	870	20	33	16	379	19
North Dakota	12	53	0	—	3	53
Ohio	949	17	38	13	427	15
Oklahoma	587	26	16	30	243	26
Oregon	555	27	21	25	233	27
Pacific Islands <sup>a</sup>	0	—	0	—	0	—
Pennsylvania	1,800	9	31	18	728	7
Puerto Rico	2,181	6	34	15	641	9
Rhode Island	126	42	8	38	50	42
South Carolina	693	24	28	20	318	22
South Dakota	16	52	0	—	6	52
Tennessee	763	22	33	16	305	23
Texas	6,501	3	235	2	2,658	2
Utah	219	37	7	39	112	37
Vermont	28	50	0	—	15	50
Virgin Islands	24	51	0	—	9	51
Virginia	948	18	26	21	416	16
Washington	1,226	12	41	11	500	11
West Virginia	86	43	3	42	41	43
Wisconsin	283	35	10	33	135	34
Wyoming	29	49	2	44	16	49

Note. Data are adjusted for delays in reporting cases and deaths and for redistribution of cases in persons initially reported without an identified risk factor.

<sup>a</sup> American Samoa and the Commonwealth of the Northern Mariana Islands.

**Table 5d. Male adults and adolescents infected through high-risk heterosexual contact: area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004**

Area of residence	High-risk heterosexual contact <sup>a</sup>					
	Incidence				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Alabama	701	20	71	17	326	21
Alaska	37	45	4	42	23	45
Arizona	266	26	18	30	139	31
Arkansas	231	30	22	27	151	29
California	3,378	5	274	5	2,158	4
Colorado	221	31	33	24	159	27
Connecticut	1,012	16	39	21	547	17
Delaware	232	28	19	29	153	28
District of Columbia	1,317	13	162	10	1,004	11
Florida	11,699	1	944	1	6,285	1
Georgia	2,607	7	231	7	1,519	7
Guam	4	53	0	—	2	53
Hawaii	67	41	4	42	38	42
Idaho	31	48	0	—	18	48
Illinois	1,395	12	134	14	886	13
Indiana	390	23	32	25	245	23
Iowa	66	42	5	39	48	39
Kansas	109	38	9	38	68	37
Kentucky	245	27	10	35	145	30
Louisiana	1,252	14	140	12	734	15
Maine	39	44	3	46	23	45
Maryland	2,293	9	289	4	1,392	8
Massachusetts	902	17	55	19	580	16
Michigan	579	22	39	21	316	22
Minnesota	118	36	15	32	89	35
Mississippi	764	19	70	18	399	20
Missouri	348	24	18	30	235	25
Montana	16	49	0	—	7	52
Nebraska	72	39	5	39	44	40
Nevada	125	35	10	35	81	36
New Hampshire	36	46	4	42	20	47
New Jersey	3,444	4	199	8	1,809	5
New Mexico	72	39	13	34	44	40
New York	9,325	2	778	2	6,092	2
North Carolina	1,680	10	139	13	995	12
North Dakota	12	52	2	48	8	51
Ohio	614	21	51	20	400	19
Oklahoma	164	33	21	28	101	34
Oregon	153	34	15	32	108	32
Pacific Islands <sup>b</sup>	1	55	0	—	1	55
Pennsylvania	2,310	8	251	6	1,588	6
Puerto Rico	3,055	6	188	9	1,342	9
Rhode Island	232	28	27	26	161	26
South Carolina	1,611	11	147	11	1,014	10
South Dakota	14	50	3	46	11	49
Tennessee	814	18	83	16	477	18
Texas	3,862	3	405	3	2,391	3
Utah	35	47	2	48	26	44
Vermont	14	50	1	50	11	49
Virgin Islands	117	37	5	39	55	38
Virginia	1,214	15	92	15	762	14
Washington	341	25	34	23	240	24
West Virginia	58	43	4	42	32	43
Wisconsin	166	32	10	35	107	33
Wyoming	4	53	1	50	2	53

Note. Data are adjusted for delays in reporting cases and deaths and for redistribution of cases in persons initially reported without an identified risk factor.

<sup>a</sup> Heterosexual contact with a person with, or at increased risk for, HIV infection (e.g., an injection drug user).

<sup>b</sup> American Samoa and the Commonwealth of the Northern Mariana Islands.

**Table 6a. Female adults and adolescents infected through injection drug use: area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004**

Area of residence	Injection drug use					
	Incidence				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Alabama	446	21	35	19	203	22
Alaska	26	47	1	47	12	49
Arizona	365	23	23	23	155	25
Arkansas	171	34	7	35	99	32
California	4,378	4	159	5	2,160	4
Colorado	231	30	20	25	128	27
Connecticut	2,086	11	77	12	984	9
Delaware	419	22	14	30	214	21
District of Columbia	1,639	12	107	9	956	11
Florida	6,387	3	316	2	2,530	2
Georgia	1,581	13	86	11	775	13
Guam	2	54	0	—	1	54
Hawaii	73	41	0	—	35	42
Idaho	24	48	1	47	15	47
Illinois	2,549	9	134	7	1,181	8
Indiana	251	29	15	28	121	29
Iowa	52	44	7	35	29	44
Kansas	80	38	4	41	43	39
Kentucky	195	31	15	28	108	31
Louisiana	998	15	72	14	509	14
Maine	48	45	4	41	25	45
Maryland	3,963	5	230	4	1,809	5
Massachusetts	2,088	10	90	10	984	9
Michigan	1,148	14	41	17	409	17
Minnesota	146	35	10	33	88	34
Mississippi	303	25	26	22	165	24
Missouri	273	27	17	26	149	26
Montana	10	52	0	—	5	52
Nebraska	70	42	5	38	42	40
Nevada	269	28	16	27	120	30
New Hampshire	70	42	2	43	42	40
New Jersey	6,801	2	154	6	2,241	3
New Mexico	74	40	5	38	34	43
New York	21,550	1	751	1	8,220	1
North Carolina	979	16	59	15	459	16
North Dakota	5	53	2	43	4	53
Ohio	525	19	29	21	308	19
Oklahoma	172	33	12	32	78	35
Oregon	140	36	8	34	77	36
Pacific Islands <sup>a</sup>	0	—	0	—	0	—
Pennsylvania	3,009	7	126	8	1,639	7
Puerto Rico	2,551	8	77	12	897	12
Rhode Island	294	26	13	31	126	28
South Carolina	633	18	35	19	311	18
South Dakota	17	50	1	47	7	50
Tennessee	510	20	38	18	257	20
Texas	3,322	6	234	3	1,789	6
Utah	106	37	2	43	53	37
Vermont	23	49	0	—	13	48
Virgin Islands	39	46	2	43	19	46
Virginia	909	17	51	16	473	15
Washington	322	24	23	23	190	23
West Virginia	75	39	5	38	44	38
Wisconsin	193	32	7	35	95	33
Wyoming	12	51	1	47	6	51

Note. Data are adjusted for delays in reporting cases and deaths and for redistribution of cases in persons initially reported without an identified risk factor.

<sup>a</sup> American Samoa and the Commonwealth of the Northern Mariana Islands.



**Table 6b. Female adults and adolescents infected through high-risk heterosexual contact: area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004**

Area of residence	High-risk heterosexual contact <sup>a</sup>					
	Incidence				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Alabama	1,041	22	113	18	555	22
Alaska	66	47	9	41	47	47
Arizona	527	26	69	23	308	27
Arkansas	438	27	37	30	319	26
California	6,059	4	346	4	3,785	3
Colorado	381	31	27	35	238	32
Connecticut	1,727	17	105	20	1,037	17
Delaware	428	28	45	29	284	28
District of Columbia	1,802	16	187	14	1,342	12
Florida	16,187	2	1,393	2	9,336	2
Georgia	3,824	7	345	5	2,360	6
Guam	6	54	0	—	4	54
Hawaii	129	41	5	48	80	39
Idaho	48	48	7	44	33	48
Illinois	2,661	10	259	9	1,741	10
Indiana	656	24	62	25	445	24
Iowa	144	38	13	39	95	38
Kansas	201	37	16	37	132	37
Kentucky	418	29	33	31	282	29
Louisiana	2,078	13	251	10	1,298	15
Maine	82	46	7	44	50	46
Maryland	3,504	8	338	6	2,251	7
Massachusetts	1,819	15	112	19	1,166	16
Michigan	1,226	19	71	22	709	20
Minnesota	371	33	51	27	270	30
Mississippi	1,125	21	132	17	689	21
Missouri	781	23	66	24	527	23
Montana	29	50	1	50	18	50
Nebraska	120	42	10	40	77	41
Nevada	394	30	48	28	268	31
New Hampshire	97	45	6	47	70	45
New Jersey	6,248	3	290	7	3,097	5
New Mexico	111	43	9	41	72	43
New York	19,942	1	1,434	1	11,642	1
North Carolina	2,166	12	188	13	1,302	14
North Dakota	7	53	1	50	5	53
Ohio	1,212	20	89	21	800	19
Oklahoma	301	34	28	34	171	36
Oregon	273	36	21	36	175	35
Pacific Islands <sup>b</sup>	1	55	0	—	1	55
Pennsylvania	3,304	9	279	8	2,199	8
Puerto Rico	4,162	6	195	12	1,876	9
Rhode Island	281	35	33	31	188	34
South Carolina	2,327	11	196	11	1,481	11
South Dakota	16	51	2	49	9	51
Tennessee	1,503	18	148	16	915	18
Texas	5,436	5	573	3	3,526	4
Utah	100	44	9	41	71	44
Vermont	33	49	1	50	22	49
Virgin Islands	134	39	7	44	75	42
Virginia	2,027	14	171	15	1,333	13
Washington	584	25	57	26	402	25
West Virginia	131	40	15	38	79	40
Wisconsin	376	32	30	33	233	33
Wyoming	13	52	1	50	9	51

Note. Data are adjusted for delays in reporting cases and deaths and for redistribution of cases in persons initially reported without an identified risk factor.

<sup>a</sup> Heterosexual contact with a person with, or at increased risk for, HIV infection (e.g., an injection drug user).

<sup>b</sup> American Samoa and the Commonwealth of the Northern Mariana Islands.

**Table 7. Adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number and rate of cases and by prevalence, 2004**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Rate (per 100,000)		Prevalence	
	1981–2004		2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	Rate	Rank	No.	Rank
Akron, Ohio	668	89	32	92	5.5	92	379	86
Albany–Schenectady–Troy, NY	2,061	56	156	47	21.8	26	1,063	54
Albuquerque, NM	1,289	74	100	58	15.5	42	581	78
Allentown–Bethlehem–Easton, Pa–NJ	1,171	77	84	63	12.8	50	629	73
Atlanta–Sandy Springs–Marietta, Ga	19,457	10	1,009	8	26.6	21	9,599	9
Augusta–Richmond County, Ga–SC	1,721	63	138	50	32.9	13	887	59
Austin–Round Rock, Tex	4,434	29	191	33	16.7	38	2,026	31
Bakersfield, Calif	1,344	72	69	69	12.0	57	851	64
Baltimore–Towson, Md	18,353	12	864	11	39.6	6	8,257	11
Baton Rouge, La	3,291	42	255	26	42.7	4	1,627	40
Birmingham–Hoover, Ala	2,357	51	113	57	12.6	55	985	57
Boise City–Nampa, Idaho	259	97	7	97	2.6	97	122	97
Boston, Mass–NH (includes Boston Division, Cambridge Division, and Essex Division)	12,465	13	348	20	10.4	67	5,586	14
Bridgeport–Stamford–Norwalk, Conn	3,439	41	156	47	21.1	28	1,623	41
Buffalo–Niagara Falls, NY	2,253	53	158	45	16.3	40	1,050	55
Cape Coral–Fort Myers, Fla	1,575	68	84	63	19.1	34	711	71
Charleston–North Charleston, SC	1,865	60	92	61	19.1	34	950	58
Charlotte–Gastonia–Concord, NC–SC	2,762	49	262	25	21.9	25	1,421	46
Chicago, Ill–Ind–Wis (includes Chicago Division, Gary Division, and Lake Division)	27,613	6	1,494	5	19.7	33	13,594	6
Cincinnati–Middletown, Ohio–Ky–Ind	2,444	50	126	54	7.5	82	1,171	50
Cleveland–Elyria–Mentor, Ohio	3,852	35	159	44	9.0	72	1,998	34
Colorado Springs, Colo	545	90	27	93	5.8	91	255	91
Columbia, SC	2,909	45	181	36	32.2	14	1,724	39
Columbus, Ohio	2,791	48	136	51	9.8	70	1,266	48
Dallas, Tex (includes Dallas Division and Fort Worth Division)	18,638	11	920	9	20.3	31	8,930	10
Dayton, Ohio	1,111	81	60	76	8.5	75	578	79
Denver–Aurora, Colo	6,414	22	245	27	13.2	48	2,836	22
Des Moines, Iowa	477	95	19	96	46.5	3	217	96
Detroit, Mich (includes Detroit Division and Warren Division)	9,401	16	468	15	12.7	52	3,845	19
El Paso, Tex	1,394	70	80	66	14.6	44	773	68
Fresno, Calif	1,321	73	57	79	8.4	76	589	76
Grand Rapids–Wyoming, Mich	721	88	39	89	6.3	89	330	90
Greensboro–High Point, NC	1,160	79	60	76	10.9	65	515	81
Greenville, SC	1,158	80	78	67	16.1	41	583	77
Harrisburg–Carlisle, Pa	1,165	78	53	81	12.1	56	623	75
Hartford–West Hartford–East Hartford, Conn	4,763	25	231	30	23.3	23	2,227	27
Honolulu, Hawaii	2,010	58	114	56	15.2	43	850	65
Houston–Baytown–Sugar Land, Tex	23,827	8	1,239	7	30.2	17	10,057	8
Indianapolis, Ind	3,491	39	178	38	13.6	47	1,773	37
Jackson, Miss	2,166	54	160	42	38.0	9	1,140	51
Jacksonville, Fla	5,461	23	366	19	36.6	11	2,756	23
Kansas City, Mo–Kan	4,339	31	139	49	8.8	73	2,018	32
Knoxville, Tenn	809	85	33	91	6.0	90	387	85
Lakeland, Fla	1,613	67	135	53	31.2	15	761	69
Las Vegas–Paradise, Nev	4,130	33	264	24	19.8	32	2,183	29
Little Rock–North Little Rock, Ark	1,233	75	63	75	12.0	57	741	70
Los Angeles, Calif (includes Los Angeles Division and Santa Anna Division)	54,819	2	2,284	3	22.0	24	23,752	2
Louisville, Ky–Ind	2,088	55	117	55	11.8	61	1,119	52
Madison, Wis	483	94	22	94	4.9	95	229	95
McAllen–Edinburg–Pharr, Tex	533	91	52	82	10.7	66	355	89
Memphis, Tenn–Miss–Ark	4,437	28	335	21	33.2	12	2,264	25

**Table 7. Adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number and rate of cases and by prevalence, 2004 (cont)**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Rate (per 100,000)		Prevalence	
	1981—2004		2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	Rate	Rank	No.	Rank
Miami, Fla (includes Fort Lauderdale Division, Miami Division, and West Palm Beach Division)	51,539	3	2,871	2	64.6	1	23,529	3
Milwaukee–Waukesha–West Allis, Wis	2,332	52	98	59	7.9	80	1,070	53
Minneapolis–St. Paul–Bloomington, Minn–Wis	3,888	34	177	40	6.9	86	1,822	36
Nashville–Davidson–Murfreesboro, Tenn	3,476	40	243	28	21.1	28	1,843	35
New Haven–Milford, Conn	4,320	32	190	34	27.0	20	2,047	30
New Orleans–Metairie–Kenner, La	8,195	18	420	17	38.8	7	3,627	20
New York, NY–NJ–Pa (includes Edison Division, Nassau Division, New York Division, and Newark Division)	184,528	1	7,801	1	50.6	2	74,535	1
Oklahoma City, Okla	2,039	57	69	69	7.3	83	883	60
Omaha–Council Bluffs, Neb–Iowa	921	84	47	83	7.2	84	453	83
Orlando, Fla	7,695	20	579	14	37.9	10	3,906	18
Oxnard–Thousand Oaks–Ventura, Calif	942	83	44	84	6.8	87	424	84
Palm Bay–Melbourne–Titusville, Fla	1,400	69	65	73	14.6	44	669	72
Philadelphia, Pa–NJ–Del–Md (includes Camden Division, Philadelphia Division, and Wilmington Division)	25,695	7	1,307	6	27.2	19	12,749	7
Phoenix–Mesa–Scottsdale, Ariz	6,668	21	430	16	14.5	46	2,907	21
Pittsburgh, Pa	2,917	44	136	51	6.6	88	1,259	49
Portland–South Portland, Me	532	92	22	94	5.1	94	255	91
Portland–Vancouver–Beaverton, Ore–Wash	4,473	27	216	31	12.7	52	2,014	33
Poughkeepsie–Newburgh–Middletown, NY	2,898	46	208	32	38.1	8	1,362	47
Providence–New Bedford–Fall River, RI–Mass	3,630	37	179	37	13.1	49	1,745	38
Raleigh–Cary, NC	1,674	64	158	45	21.3	27	986	56
Richmond, Va	3,129	43	173	41	18.1	36	1,476	45
Riverside–San Bernardino–Ontario, Calif	7,948	19	330	22	11.0	64	4,108	16
Rochester, NY	2,850	47	178	38	20.5	30	1,507	44
Sacramento–Arden–Arcade–Roseville, Calif	3,681	36	87	62	5.3	93	1,539	43
St. Louis, Mo–Ill	5,422	24	236	29	10.3	68	2,693	24
Salt Lake City, Utah	1,667	65	57	79	7.2	84	852	63
San Antonio, Tex	4,566	26	190	34	12.8	50	2,194	28
San Diego–Carlsbad–San Marcos, Calif	12,071	14	409	18	17.2	37	5,643	13
San Francisco, Calif (includes Oakland Division and San Francisco Division)	38,742	4	866	10	25.0	22	13,710	5
San Jose–Sunnyvale–Santa Clara, Calif	3,516	38	66	72	4.7	96	1,560	42
San Juan–Caguas–Guaynabo, Puerto Rico	20,197	9	621	13	30.5	16	7,079	12
Sarasota–Bradenton–Venice, Fla	1,813	61	93	60	16.5	39	866	62
Scranton–Wilkes-Barre, Pa	489	93	38	90	8.0	78	234	94
Seattle, Wash (includes Seattle Division and Tacoma Division)	8,603	17	318	23	12.0	57	3,932	17
Springfield, Mass	1,973	59	65	73	11.2	63	876	61
Stockton, Calif	977	82	59	78	11.5	62	494	82
Syracuse, NY	1,213	76	43	86	7.9	80	563	80
Tampa–St. Petersburg–Clearwater, Fla	10,132	15	658	12	30.2	17	4,673	15
Toledo, Ohio	727	87	44	84	8.1	77	379	86
Tucson, Ariz	1,798	62	77	68	10.3	68	780	67
Tulsa, Okla	1,350	71	69	69	9.6	71	627	74
Virginia Beach–Norfolk–Newport News, Va–NC	4,394	30	160	42	11.9	60	2,233	26
Washington, DC–Va–Md–WVa (includes Bethesda Division and Washington Division)	28,456	5	1,794	4	42.7	4	15,583	4
Wichita, Kan	782	86	41	87	8.7	74	366	88
Worcester, Mass	1,648	66	82	65	12.7	52	837	66
Youngstown–Warren–Boardman, Ohio–Pa	477	95	40	88	8.0	78	237	93

Note. Data are adjusted for delays in reporting cases and deaths.

**Table 8a. Male adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Akron, Ohio	588	89	25	91	311	87
Albany–Schenectady–Troy, NY	1,581	59	101	53	745	60
Albuquerque, NM	1,194	69	87	56	533	71
Allentown–Bethlehem–Easton, Pa–NJ	845	81	50	72	429	79
Atlanta–Sandy Springs–Marietta, Ga	16,433	10	768	8	7,734	9
Augusta–Richmond County, Ga–SC	1,320	64	103	51	626	66
Austin–Round Rock, Tex	3,872	28	157	33	1,704	29
Bakersfield, Calif	1,225	67	60	64	779	55
Baltimore–Towson, Md	13,130	12	534	11	5,504	11
Baton Rouge, La	2,467	45	171	30	1,136	42
Birmingham–Hoover, Ala	1,970	52	85	58	793	54
Boise City–Nampa, Idaho	233	97	4	97	106	97
Boston, Mass–NH (includes Boston Division, Cambridge Division, and Essex Division)	9,937	14	244	23	4,140	14
Bridgeport–Stamford–Norwalk, Conn	2,491	44	99	54	1,100	45
Buffalo–Niagara Falls, NY	1,804	55	123	39	800	53
Cape Coral–Fort Myers, Fla	1,138	72	50	72	486	74
Charleston–North Charleston, SC	1,476	61	63	63	705	62
Charlotte–Gastonia–Concord, NC–SC	2,213	48	198	26	1,103	44
Chicago, Ill–Ind–Wis (includes Chicago Division, Gary Division, and Lake Division)	23,046	5	1,154	5	10,883	6
Cincinnati–Middletown, Ohio–Ky–Ind	2,208	49	105	49	1,010	49
Cleveland–Elyria–Mentor, Ohio	3,256	35	125	38	1,603	32
Colorado Springs, Colo	476	91	22	93	215	92
Columbia, SC	2,260	47	129	37	1,306	40
Columbus, Ohio	2,494	42	117	43	1,075	46
Dallas, Tex (includes Dallas Division and Fort Worth Division)	16,466	9	720	10	7,427	10
Dayton, Ohio	966	76	47	76	470	77
Denver–Aurora, Colo	5,973	22	214	25	2,575	22
Des Moines, Iowa	411	94	13	96	178	96
Detroit, Mich (includes Detroit Division and Warren Division)	7,546	17	361	17	2,986	19
El Paso, Tex	1,251	66	72	60	686	64
Fresno, Calif	1,122	73	49	74	479	76
Grand Rapids–Wyoming, Mich	625	87	33	85	270	90
Greensboro–High Point, NC	928	80	46	79	398	81
Greenville, SC	937	79	59	66	458	78
Harrisburg–Carlisle, Pa	951	78	43	81	488	73
Hartford–West Hartford–East Hartford, Conn	3,556	29	137	35	1,557	33
Honolulu, Hawaii	1,868	53	102	52	769	58
Houston–Baytown–Sugar Land, Tex	20,215	7	879	6	7,871	8
Indianapolis, Ind	3,101	37	140	34	1,515	34
Jackson, Miss	1,591	58	106	48	778	56
Jacksonville, Fla	4,034	26	252	21	1,883	25
Kansas City, Mo–Kan	3,956	27	117	43	1,756	28
Knoxville, Tenn	717	85	25	91	333	85
Lakeland, Fla	1,162	71	87	56	502	72
Las Vegas–Paradise, Nev	3,550	30	215	24	1,838	26
Little Rock–North Little Rock, Ark	1,066	74	51	71	623	67
Los Angeles, Calif (includes Los Angeles Division and Santa Anna Division)	50,405	2	2,016	2	21,153	2
Louisville, Ky–Ind	1,798	56	99	54	928	51
Madison, Wis	420	93	17	94	197	93
McAllen–Edinburg–Pharr, Tex	464	92	41	82	296	88
Memphis, Tenn–Miss–Ark	3,450	32	250	22	1,677	30

**Table 8a. Male adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004 (cont)**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Miami, Fla (includes Fort Lauderdale Division, Miami Division, and West Palm Beach Division)	38,343	3	1,974	3	16,684	3
Milwaukee–Waukesha–West Allis, Wis	1,980	51	80	59	858	52
Minneapolis–St. Paul–Bloomington, Minn–Wis	3,402	33	131	36	1,474	36
Nashville–Davidson–Murfreesboro, Tenn	2,943	39	187	29	1,515	34
New Haven–Milford, Conn	3,035	38	118	41	1,339	38
New Orleans–Metairie–Kenner, La	6,745	19	288	19	2,743	20
New York, NY–NJ–Pa (includes Edison Division, Nassau Division, New York Division, and Newark Division)	135,292	1	5,189	1	51,185	1
Oklahoma City, Okla	1,855	54	60	64	778	56
Omaha–Council Bluffs, Neb–Iowa	785	84	37	84	362	84
Orlando, Fla	6,216	20	447	13	3,087	18
Oxnard–Thousand Oaks–Ventura, Calif	844	82	39	83	374	83
Palm Bay–Melbourne–Titusville, Fla	1,054	75	47	76	482	75
Philadelphia, Pa–NJ–Del–Md (includes Camden Division, Philadelphia Division, and Wilmington Division)	20,177	8	870	7	9,305	7
Phoenix–Mesa–Scottsdale, Ariz	6,049	21	371	15	2,584	21
Pittsburgh, Pa	2,520	41	110	46	1,024	48
Portland–South Portland, Me	479	90	16	95	223	91
Portland–Vancouver–Beaverton, Ore–Wash	4,171	24	195	27	1,822	27
Poughkeepsie–Newburgh–Middletown, NY	2,403	46	162	32	1,065	47
Providence–New Bedford–Fall River, RI–Mass	2,705	40	118	41	1,224	41
Raleigh–Cary, NC	1,319	65	109	47	724	61
Richmond, Va	2,494	42	114	45	1,112	43
Riverside–San Bernardino–Ontario, Calif	7,131	18	289	18	3,613	15
Rochester, NY	2,016	50	104	50	961	50
Sacramento–Arden–Arcade–Roseville, Calif	3,288	34	72	60	1,310	39
St. Louis, Mo–Ill	4,802	23	191	28	2,303	23
Salt Lake City, Utah	1,502	60	48	75	750	59
San Antonio, Tex	4,141	25	167	31	1,922	24
San Diego–Carlsbad–San Marcos, Calif	11,181	13	367	16	5,118	12
San Francisco, Calif (includes Oakland Division and San Francisco Division)	36,146	4	758	9	12,355	4
San Jose–Sunnyvale–Santa Clara, Calif	3,197	36	54	70	1,380	37
San Juan–Caguas–Guaynabo, Puerto Rico	15,398	11	447	13	5,072	13
Sarasota–Bradenton–Venice, Fla	1,454	62	66	62	659	65
Scranton–Wilkes-Barre, Pa	411	94	27	89	187	94
Seattle, Wash (includes Seattle Division and Tacoma Division)	7,922	16	270	20	3,480	17
Springfield, Mass	1,418	63	47	76	593	68
Stockton, Calif	831	83	45	80	393	82
Syracuse, NY	959	77	26	90	406	80
Tampa–St. Petersburg–Clearwater, Fla	8,188	15	480	12	3,551	16
Toledo, Ohio	600	88	31	87	294	89
Tucson, Ariz	1,640	57	59	66	694	63
Tulsa, Okla	1,202	68	57	68	550	70
Virginia Beach–Norfolk–Newport News, Va–NC	3,466	31	119	40	1,647	31
Washington, DC–Va–Md–WVa (includes Bethesda Division and Washington Division)	22,498	6	1,223	4	11,375	5
Wichita, Kan	704	86	33	85	312	86
Worcester, Mass	1,164	70	55	69	555	69
Youngstown–Warren–Boardman, Ohio–Pa	388	96	30	88	186	95

Note. Data are adjusted for delays in reporting cases and deaths.

**Table 8b. Female adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Akron, Ohio	80	89	7	90	69	84
Albany–Schenectady–Troy, NY	479	44	55	30	317	41
Albuquerque, NM	95	86	13	71	48	91
Allentown–Bethlehem–Easton, Pa–NJ	326	61	34	46	200	59
Atlanta–Sandy Springs–Marietta, Ga	3,024	10	241	9	1,864	10
Augusta–Richmond County, Ga–SC	401	50	35	44	261	48
Austin–Round Rock, Tex	562	37	34	46	322	38
Bakersfield, Calif	119	83	9	83	72	83
Baltimore–Towson, Md	5,223	5	330	7	2,753	5
Baton Rouge, La	824	27	84	21	491	28
Birmingham–Hoover, Ala	387	55	28	52	192	61
Boise City–Nampa, Idaho	26	97	3	97	15	97
Boston, Mass–NH (includes Boston Division, Cambridge Division, and Essex Division)	2,528	12	104	18	1,446	12
Bridgeport–Stamford–Norwalk, Conn	948	22	57	28	523	25
Buffalo–Niagara Falls, NY	449	46	35	44	249	52
Cape Coral–Fort Myers, Fla	437	48	34	46	226	56
Charleston–North Charleston, SC	389	54	29	51	245	53
Charlotte–Gastonia–Concord, NC–SC	549	39	64	24	318	40
Chicago, Ill–Ind–Wis (includes Chicago Division, Gary Division, and Lake Division)	4,567	7	340	6	2,711	6
Cincinnati–Middletown, Ohio–Ky–Ind	236	67	21	58	161	66
Cleveland–Elyria–Mentor, Ohio	596	34	34	46	394	31
Colorado Springs, Colo	69	92	5	94	39	93
Columbia, SC	649	30	52	32	418	30
Columbus, Ohio	297	64	19	60	191	62
Dallas, Tex (includes Dallas Division and Fort Worth Division)	2,172	13	200	10	1,503	11
Dayton, Ohio	145	78	13	71	108	73
Denver–Aurora, Colo	441	47	31	50	260	49
Des Moines, Iowa	66	94	6	91	39	93
Detroit, Mich (includes Detroit Division and Warren Division)	1,855	15	107	17	859	17
El Paso, Tex	143	79	8	86	88	78
Fresno, Calif	199	71	8	86	110	72
Grand Rapids–Wyoming, Mich	96	85	6	91	60	85
Greensboro–High Point, NC	232	68	14	69	118	70
Greenville, SC	221	69	19	60	125	69
Harrisburg–Carlisle, Pa	214	70	10	80	135	68
Hartford–West Hartford–East Hartford, Conn	1,207	20	94	19	669	20
Honolulu, Hawaii	142	80	12	74	82	81
Houston–Baytown–Sugar Land, Tex	3,612	9	360	5	2,186	8
Indianapolis, Ind	390	53	38	43	258	51
Jackson, Miss	575	36	54	31	362	34
Jacksonville, Fla	1,427	18	114	15	873	16
Kansas City, Mo–Kan	383	56	22	57	262	47
Knoxville, Tenn	92	87	8	86	54	87
Lakeland, Fla	451	45	48	35	259	50
Las Vegas–Paradise, Nev	580	35	49	33	345	36
Little Rock–North Little Rock, Ark	167	73	12	74	118	70
Los Angeles, Calif (includes Los Angeles Division and Santa Anna Division)	4,414	8	268	8	2,599	7
Louisville, Ky–Ind	290	65	18	62	191	62
Madison, Wis	63	95	5	94	32	95
McAllen–Edinburg–Pharr, Tex	69	92	11	78	59	86
Memphis, Tenn–Miss–Ark	987	21	85	20	587	21

**Table 8b. Female adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004 (cont)**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Miami, Fla (includes Fort Lauderdale Division, Miami Division, and West Palm Beach Division)	13,196	2	897	2	6,845	2
Milwaukee–Waukesha–West Allis, Wis	352	59	18	62	212	57
Minneapolis–St. Paul–Bloomington, Minn–Wis	486	42	46	37	348	35
Nashville–Davidson–Murfreesboro, Tenn	533	40	56	29	329	37
New Haven–Milford, Conn	1,285	19	72	23	708	19
New Orleans–Metairie–Kenner, La	1,450	17	132	13	884	15
New York, NY–NJ–Pa (includes Edison Division, Nassau Division, New York Division, and Newark Division)	49,236	1	2,612	1	23,351	1
Oklahoma City, Okla	184	72	9	83	105	74
Omaha–Council Bluffs, Neb–Iowa	136	81	10	80	91	77
Orlando, Fla	1,479	16	132	13	819	18
Oxnard–Thousand Oaks–Ventura, Calif	98	84	5	94	50	90
Palm Bay–Melbourne–Titusville, Fla	346	60	18	62	187	64
Philadelphia, Pa–NJ–Del–Md (includes Camden Division, Philadelphia Division, and Wilmington Division)	5,518	4	437	4	3,444	4
Phoenix–Mesa–Scottsdale, Ariz	619	33	59	26	322	38
Pittsburgh, Pa	397	51	26	55	235	54
Portland–South Portland, Me	53	96	6	91	32	95
Portland–Vancouver–Beaverton, Ore–Wash	302	63	21	58	193	60
Poughkeepsie–Newburgh–Middletown, NY	495	41	46	37	296	42
Providence–New Bedford–Fall River, RI–Mass	925	24	61	25	521	26
Raleigh–Cary, NC	355	58	49	33	263	46
Richmond, Va	635	31	59	26	364	33
Riverside–San Bernardino–Ontario, Calif	817	28	41	41	495	27
Rochester, NY	834	26	74	22	546	23
Sacramento–Arden–Arcade–Roseville, Calif	393	52	15	68	228	55
St. Louis, Mo–Ill	620	32	45	39	390	32
Salt Lake City, Utah	165	74	9	83	102	75
San Antonio, Tex	425	49	23	56	272	45
San Diego–Carlsbad–San Marcos, Calif	890	25	42	40	524	24
San Francisco, Calif (includes Oakland Division and San Francisco Division)	2,596	11	108	16	1,355	13
San Jose–Sunnyvale–Santa Clara, Calif	319	62	12	74	180	65
San Juan–Caguas–Guaynabo, Puerto Rico	4,799	6	174	12	2,007	9
Sarasota–Bradenton–Venice, Fla	359	57	27	53	207	58
Scranton–Wilkes-Barre, Pa	78	90	11	78	47	92
Seattle, Wash (includes Seattle Division and Tacoma Division)	681	29	48	35	452	29
Springfield, Mass	555	38	18	62	282	43
Stockton, Calif	146	77	14	69	101	76
Syracuse, NY	254	66	17	67	156	67
Tampa–St. Petersburg–Clearwater, Fla	1,944	14	178	11	1,122	14
Toledo, Ohio	127	82	13	71	85	80
Tucson, Ariz	158	75	18	62	86	79
Tulsa, Okla	148	76	12	74	76	82
Virginia Beach–Norfolk–Newport News, Va–NC	928	23	41	41	586	22
Washington, DC–Va–Md–WVa (includes Bethesda Division and Washington Division)	5,958	3	571	3	4,208	3
Wichita, Kan	78	90	8	86	54	87
Worcester, Mass	484	43	27	53	282	43
Youngstown–Warren–Boardman, Ohio–Pa	89	88	10	80	51	89

Note. Data are adjusted for delays in reporting cases and deaths.

**Table 9a. White male adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Akron, Ohio	391	86	15	84	201	76
Albany–Schenectady–Troy, NY	797	54	32	55	322	56
Albuquerque, NM	621	63	34	51	247	69
Allentown–Bethlehem–Easton, Pa–NJ	422	82	24	66	187	81
Atlanta–Sandy Springs–Marietta, Ga	6,432	11	164	16	2,358	12
Augusta–Richmond County, Ga–SC	329	90	20	73	164	85
Austin–Round Rock, Tex	2,200	28	76	27	916	28
Bakersfield, Calif	522	75	16	83	274	61
Baltimore–Towson, Md	2,562	23	78	24	1,014	24
Baton Rouge, La	711	58	24	66	262	66
Birmingham–Hoover, Ala	830	53	27	61	298	59
Boise City–Nampa, Idaho	205	94	4	94	91	94
Boston, Mass–NH (includes Boston Division, Cambridge Division, and Essex Division)	5,969	13	120	19	2,075	15
Bridgeport–Stamford–Norwalk, Conn	1,063	47	36	48	448	45
Buffalo–Niagara Falls, NY	758	56	44	42	312	58
Cape Coral–Fort Myers, Fla	592	66	30	57	265	63
Charleston–North Charleston, SC	531	74	23	69	250	68
Charlotte–Gastonia–Concord, NC–SC	725	57	71	28	333	54
Chicago, Ill–Ind–Wis (includes Chicago Division, Gary Division, and Lake Division)	8,734	7	341	5	3,568	6
Cincinnati–Middletown, Ohio–Ky–Ind	1,464	38	52	38	619	37
Cleveland–Elyria–Mentor, Ohio	1,496	37	56	34	668	35
Colorado Springs, Colo	351	87	14	86	149	86
Columbia, SC	591	67	25	63	290	60
Columbus, Ohio	1,822	31	67	31	724	32
Dallas, Tex (includes Dallas Division and Fort Worth Division)	10,318	6	320	6	3,959	5
Dayton, Ohio	638	62	21	71	267	62
Denver–Aurora, Colo	4,358	16	124	18	1,741	16
Des Moines, Iowa	351	87	10	91	137	88
Detroit, Mich (includes Detroit Division and Warren Division)	2,519	24	92	21	997	25
El Paso, Tex	193	95	4	94	66	95
Fresno, Calif	537	72	17	80	175	82
Grand Rapids–Wyoming, Mich	426	81	19	74	169	83
Greensboro–High Point, NC	335	89	19	74	135	89
Greenville, SC	451	79	17	80	204	75
Harrisburg–Carlisle, Pa	499	77	19	74	235	71
Hartford–West Hartford–East Hartford, Conn	1,228	41	39	44	504	44
Honolulu, Hawaii	1,097	45	52	38	427	46
Houston–Baytown–Sugar Land, Tex	10,677	5	240	9	3,220	7
Indianapolis, Ind	2,076	29	69	30	928	26
Jackson, Miss	410	83	13	89	134	90
Jacksonville, Fla	1,796	32	78	24	774	31
Kansas City, Mo–Kan	2,788	21	71	28	1,118	22
Knoxville, Tenn	562	68	15	84	265	63
Lakeland, Fla	547	69	35	50	242	70
Las Vegas–Paradise, Nev	2,203	27	103	20	1,042	23
Little Rock–North Little Rock, Ark	646	61	25	63	358	53
Los Angeles, Calif (includes Los Angeles Division and Santa Anna Division)	25,708	2	735	2	8,663	2
Louisville, Ky–Ind	1,112	44	53	37	560	40
Madison, Wis	315	91	5	93	127	91
McAllen–Edinburg–Pharr, Tex	45	96	3	96	29	96
Memphis, Tenn–Miss–Ark	1,019	49	36	48	425	47



**Table 9a. White male adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004 (cont)**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Miami, Fla (includes Fort Lauderdale Division, Miami Division, and West Palm Beach Division)	11,945	4	518	3	4,613	4
Milwaukee–Waukesha–West Allis, Wis	1,052	48	33	52	383	51
Minneapolis–St. Paul–Bloomington, Minn–Wis	2,455	25	60	33	924	27
Nashville–Davidson–Murfreesboro, Tenn	1,678	34	81	23	832	30
New Haven–Milford, Conn	1,217	43	54	36	546	41
New Orleans–Metairie–Kenner, La	3,333	19	86	22	1,152	21
New York, NY–NJ–Pa (includes Edison Division, Nassau Division, New York Division, and Newark Division)	39,330	1	1,139	1	12,832	1
Oklahoma City, Okla	1,368	39	39	44	523	43
Omaha–Council Bluffs, Neb–Iowa	543	71	18	78	223	72
Orlando, Fla	3,243	20	174	15	1,466	19
Oxnard–Thousand Oaks–Ventura, Calif	505	76	23	69	195	78
Palm Bay–Melbourne–Titusville, Fla	705	59	28	60	329	55
Philadelphia, Pa–NJ–Del–Md (includes Camden Division, Philadelphia Division, and Wilmington Division)	6,642	10	256	8	2,765	9
Phoenix–Mesa–Scottsdale, Ariz	4,293	17	216	10	1,673	17
Pittsburgh, Pa	1,664	35	56	34	615	38
Portland–South Portland, Me	444	80	14	86	199	77
Portland–Vancouver–Beaverton, Ore–Wash	3,595	18	145	17	1,486	18
Poughkeepsie–Newburgh–Middletown, NY	661	60	40	43	254	67
Providence–New Bedford–Fall River, RI–Mass	1,709	33	65	32	703	33
Raleigh–Cary, NC	452	78	25	63	188	80
Richmond, Va	780	55	33	52	315	57
Riverside–San Bernardino–Ontario, Calif	4,561	15	187	12	2,237	13
Rochester, NY	952	51	37	46	403	50
Sacramento–Arden–Arcade–Roseville, Calif	2,318	26	45	41	871	29
St. Louis, Mo–Ill	2,699	22	77	26	1,160	20
Salt Lake City, Utah	1,221	42	37	46	576	39
San Antonio, Tex	1,570	36	52	38	632	36
San Diego–Carlsbad–San Marcos, Calif	7,266	8	176	14	2,928	8
San Francisco, Calif (includes Oakland Division and San Francisco Division)	24,698	3	393	4	7,558	3
San Jose–Sunnyvale–Santa Clara, Calif	1,892	30	24	66	696	34
San Juan–Caguas–Guaynabo, Puerto Rico	30	97	0	—	9	97
Sarasota–Bradenton–Venice, Fla	985	50	33	52	404	48
Scranton–Wilkes-Barre, Pa	280	92	19	74	117	92
Seattle, Wash (includes Seattle Division and Tacoma Division)	6,248	12	185	13	2,562	11
Springfield, Mass	546	70	13	89	192	79
Stockton, Calif	395	84	14	86	149	86
Syracuse, NY	606	65	10	91	221	73
Tampa–St. Petersburg–Clearwater, Fla	5,325	14	258	7	2,181	14
Toledo, Ohio	394	85	17	80	166	84
Tucson, Ariz	1,071	46	32	55	404	48
Tulsa, Okla	840	52	30	57	361	52
Virginia Beach–Norfolk–Newport News, Va–NC	1,243	40	30	57	537	42
Washington, DC–Va–Md–WVa (includes Bethesda Division and Washington Division)	7,046	9	208	11	2,750	10
Wichita, Kan	537	72	21	71	211	74
Worcester, Mass	609	64	27	61	263	65
Youngstown–Warren–Boardman, Ohio–Pa	226	93	18	78	93	93

Note. Data are adjusted for delays in reporting cases and deaths.

**Table 9b. Black male adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Akron, Ohio	191	73	10	72	105	74
Albany–Schenectady–Troy, NY	542	53	50	36	296	52
Albuquerque, NM	66	89	4	88	30	90
Allentown–Bethlehem–Easton, Pa–NJ	113	83	7	82	70	80
Atlanta–Sandy Springs–Marietta, Ga	9,475	7	555	5	5,015	6
Augusta–Richmond County, Ga–SC	974	33	83	25	452	38
Austin–Round Rock, Tex	887	38	41	45	381	40
Bakersfield, Calif	310	66	14	65	232	57
Baltimore–Towson, Md	10,359	6	439	7	4,353	7
Baton Rouge, La	1,729	21	147	17	859	22
Birmingham–Hoover, Ala	1,118	31	55	34	476	33
Boise City–Nampa, Idaho	3	96	0	—	3	95
Boston, Mass–NH (includes Boston Division, Cambridge Division, and Essex Division)	2,389	14	73	28	1,165	15
Bridgeport–Stamford–Norwalk, Conn	879	39	31	54	371	43
Buffalo–Niagara Falls, NY	787	43	61	30	353	48
Cape Coral–Fort Myers, Fla	445	59	13	67	158	66
Charleston–North Charleston, SC	917	36	37	47	430	39
Charlotte–Gastonia–Concord, NC–SC	1,432	25	124	19	734	25
Chicago, Ill–Ind–Wis (includes Chicago Division, Gary Division, and Lake Division)	10,902	5	581	4	5,278	5
Cincinnati–Middletown, Ohio–Ky–Ind	710	46	49	37	365	47
Cleveland–Elyria–Mentor, Ohio	1,531	24	58	31	793	23
Colorado Springs, Colo	65	90	5	84	33	89
Columbia, SC	1,633	23	98	21	986	20
Columbus, Ohio	612	51	45	40	313	51
Dallas, Tex (includes Dallas Division and Fort Worth Division)	4,016	12	239	11	2,164	11
Dayton, Ohio	315	65	26	56	195	62
Denver–Aurora, Colo	644	50	34	50	336	50
Des Moines, Iowa	30	93	1	92	19	92
Detroit, Mich (includes Detroit Division and Warren Division)	4,838	11	253	10	1,881	12
El Paso, Tex	46	91	2	91	24	91
Fresno, Calif	188	74	10	72	92	75
Grand Rapids–Wyoming, Mich	128	81	9	75	63	81
Greensboro–High Point, NC	575	52	25	57	249	55
Greenville, SC	461	58	35	49	235	56
Harrisburg–Carlisle, Pa	343	63	19	61	191	63
Hartford–West Hartford–East Hartford, Conn	1,185	29	44	43	457	36
Honolulu, Hawaii	104	84	9	75	50	85
Houston–Baytown–Sugar Land, Tex	6,171	10	414	8	2,888	9
Indianapolis, Ind	934	34	58	31	513	29
Jackson, Miss	1,163	30	89	23	634	27
Jacksonville, Fla	2,100	17	160	15	1,023	19
Kansas City, Mo–Kan	908	37	31	54	484	31
Knoxville, Tenn	137	80	9	75	56	82
Lakeland, Fla	537	55	45	40	221	59
Las Vegas–Paradise, Nev	709	47	48	38	369	45
Little Rock–North Little Rock, Ark	404	61	22	58	251	54
Los Angeles, Calif (includes Los Angeles Division and Santa Anna Division)	8,559	8	334	9	3,606	8
Louisville, Ky–Ind	652	49	44	43	338	49
Madison, Wis	70	88	8	80	51	84
McAllen–Edinburg–Pharr, Tex	4	95	0	—	2	96
Memphis, Tenn–Miss–Ark	2,369	15	204	12	1,211	14

**Table 9b. Black male adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004 (cont)**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Miami, Fla (includes Fort Lauderdale Division, Miami Division, and West Palm Beach Division)	16,477	2	918	2	7,245	3
Milwaukee–Waukesha–West Allis, Wis	733	45	34	50	367	46
Minneapolis–St. Paul–Bloomington, Minn–Wis	662	48	48	38	380	41
Nashville–Davidson–Murfreesboro, Tenn	1,192	28	94	22	632	28
New Haven–Milford, Conn	1,213	27	34	50	471	34
New Orleans–Metairie–Kenner, La	3,158	13	187	13	1,462	13
New York, NY–NJ–Pa (includes Edison Division, Nassau Division, New York Division, and Newark Division)	57,533	1	2,348	1	21,835	1
Oklahoma City, Okla	318	64	14	65	161	65
Omaha–Council Bluffs, Neb–Iowa	170	76	11	70	81	78
Orlando, Fla	1,977	20	181	14	1,042	18
Oxnard–Thousand Oaks–Ventura, Calif	37	92	0	—	17	93
Palm Bay–Melbourne–Titusville, Fla	277	70	15	64	117	72
Philadelphia, Pa–NJ–Del–Md (includes Camden Division, Philadelphia Division, and Wilmington Division)	11,531	4	505	6	5,428	4
Phoenix–Mesa–Scottsdale, Ariz	470	57	33	53	226	58
Pittsburgh, Pa	797	42	51	35	371	43
Portland–South Portland, Me	17	94	1	92	14	94
Portland–Vancouver–Beaverton, Ore–Wash	226	71	16	63	120	70
Poughkeepsie–Newburgh–Middletown, NY	979	32	69	29	479	32
Providence–New Bedford–Fall River, RI–Mass	539	54	20	60	257	53
Raleigh–Cary, NC	813	41	78	26	491	30
Richmond, Va	1,657	22	77	27	759	24
Riverside–San Bernardino–Ontario, Calif	918	35	36	48	465	35
Rochester, NY	734	44	45	40	380	41
Sacramento–Arden–Arcade–Roseville, Calif	504	56	5	84	210	61
St. Louis, Mo–Ill	2,015	19	105	20	1,096	16
Salt Lake City, Utah	92	86	5	84	47	86
San Antonio, Tex	443	60	9	75	214	60
San Diego–Carlsbad–San Marcos, Calif	1,278	26	58	31	652	26
San Francisco, Calif (includes Oakland Division and San Francisco Division)	6,181	9	153	16	2,399	10
San Jose–Sunnyvale–Santa Clara, Calif	290	68	5	84	143	67
San Juan–Caguas–Guaynabo, Puerto Rico	1	97	0	—	0	—
Sarasota–Bradenton–Venice, Fla	346	62	22	58	177	64
Scranton–Wilkes-Barre, Pa	82	87	3	90	46	87
Seattle, Wash (includes Seattle Division and Tacoma Division)	855	40	39	46	453	37
Springfield, Mass	308	67	11	70	119	71
Stockton, Calif	159	77	12	69	89	77
Syracuse, NY	282	69	13	67	141	68
Tampa–St. Petersburg–Clearwater, Fla	2,037	18	134	18	968	21
Toledo, Ohio	182	75	9	75	108	73
Tucson, Ariz	125	82	4	88	46	87
Tulsa, Okla	224	72	18	62	121	69
Virginia Beach–Norfolk–Newport News, Va–NC	2,125	16	84	24	1,055	17
Washington, DC–Va–Md–WVa (includes Bethesda Division and Washington Division)	14,175	3	917	3	7,762	2
Wichita, Kan	93	85	8	80	55	83
Worcester, Mass	158	78	10	72	91	76
Youngstown–Warren–Boardman, Ohio–Pa	142	79	7	82	78	79

Note. Data are adjusted for delays in reporting cases and deaths.

**Table 9c. Hispanic male adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Akron, Ohio	5	97	0	—	5	97
Albany–Schenectady–Troy, NY	232	44	19	37	122	46
Albuquerque, NM	464	30	48	22	236	33
Allentown–Bethlehem–Easton, Pa–NJ	306	39	18	39	169	38
Atlanta–Sandy Springs–Marietta, Ga	467	29	46	23	320	26
Augusta–Richmond County, Ga–SC	16	90	0	—	9	93
Austin–Round Rock, Tex	769	21	39	25	391	21
Bakersfield, Calif	367	37	25	31	254	31
Baltimore–Towson, Md	161	51	13	45	109	49
Baton Rouge, La	21	84	0	—	12	88
Birmingham–Hoover, Ala	18	89	2	82	16	85
Boise City–Nampa, Idaho	22	83	0	—	11	89
Boston, Mass–NH (includes Boston Division, Cambridge Division, and Essex Division)	1,472	13	49	21	822	13
Bridgeport–Stamford–Norwalk, Conn	535	28	32	27	273	29
Buffalo–Niagara Falls, NY	234	42	15	43	119	47
Cape Coral–Fort Myers, Fla	96	57	7	60	62	55
Charleston–North Charleston, SC	21	84	3	76	18	80
Charlotte–Gastonia–Concord, NC–SC	37	77	1	89	22	78
Chicago, Ill–Ind–Wis (includes Chicago Division, Gary Division, and Lake Division)	3,191	7	208	6	1,882	5
Cincinnati–Middletown, Ohio–Ky–Ind	21	84	4	70	17	83
Cleveland–Elyria–Mentor, Ohio	217	46	11	52	133	42
Colorado Springs, Colo	54	69	3	76	30	71
Columbia, SC	29	78	5	65	23	77
Columbus, Ohio	43	74	4	70	27	73
Dallas, Tex (includes Dallas Division and Fort Worth Division)	1,997	10	148	8	1,217	9
Dayton, Ohio	12	95	0	—	7	95
Denver–Aurora, Colo	899	19	46	23	459	19
Des Moines, Iowa	25	80	2	82	18	80
Detroit, Mich (includes Detroit Division and Warren Division)	158	52	12	49	85	52
El Paso, Tex	1,008	17	66	16	593	15
Fresno, Calif	373	36	22	33	199	35
Grand Rapids–Wyoming, Mich	62	65	4	70	34	67
Greensboro–High Point, NC	14	91	2	82	11	89
Greenville, SC	23	82	5	65	17	83
Harrisburg–Carlisle, Pa	103	55	4	70	59	57
Hartford–West Hartford–East Hartford, Conn	1,127	14	53	18	585	16
Honolulu, Hawaii	101	56	12	49	54	58
Houston–Baytown–Sugar Land, Tex	3,264	6	213	5	1,687	7
Indianapolis, Ind	83	58	12	49	67	54
Jackson, Miss	11	96	4	70	7	95
Jacksonville, Fla	109	54	9	55	62	55
Kansas City, Mo–Kan	209	47	13	45	126	45
Knoxville, Tenn	14	91	1	89	9	93
Lakeland, Fla	72	61	6	61	35	66
Las Vegas–Paradise, Nev	561	26	52	19	369	22
Little Rock–North Little Rock, Ark	14	91	4	70	11	89
Los Angeles, Calif (includes Los Angeles Division and Santa Anna Division)	14,721	3	858	2	8,142	2
Louisville, Ky–Ind	25	80	2	82	20	79
Madison, Wis	27	79	2	82	15	86
McAllen–Edinburg–Pharr, Tex	414	32	37	26	263	30
Memphis, Tenn–Miss–Ark	41	76	9	55	28	72

**Table 9c. Hispanic male adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004 (cont)**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Miami, Fla (includes Fort Lauderdale Division, Miami Division, and West Palm Beach Division)	9,624	4	513	3	4,615	4
Milwaukee–Waukesha–West Allis, Wis	179	49	10	54	97	51
Minneapolis–St. Paul–Bloomington, Minn–Wis	199	48	19	37	128	44
Nashville–Davidson–Murfreesboro, Tenn	59	67	11	52	40	61
New Haven–Milford, Conn	594	24	30	30	317	27
New Orleans–Metairie–Kenner, La	222	45	13	45	112	48
New York, NY–NJ–Pa (includes Edison Division, Nassau Division, New York Division, and Newark Division)	37,068	1	1,608	1	15,733	1
Oklahoma City, Okla	79	59	3	76	46	60
Omaha–Council Bluffs, Neb–Iowa	65	63	8	58	53	59
Orlando, Fla	956	18	89	14	561	18
Oxnard–Thousand Oaks–Ventura, Calif	286	40	15	43	154	41
Palm Bay–Melbourne–Titusville, Fla	61	66	3	76	31	69
Philadelphia, Pa–NJ–Del–Md (includes Camden Division, Philadelphia Division, and Wilmington Division)	1,892	11	104	11	1,038	11
Phoenix–Mesa–Scottsdale, Ariz	1,096	16	108	10	580	17
Pittsburgh, Pa	47	72	3	76	31	69
Portland–South Portland, Me	14	91	1	89	10	92
Portland–Vancouver–Beaverton, Ore–Wash	264	41	20	36	164	39
Poughkeepsie–Newburgh–Middletown, NY	749	23	50	20	323	25
Providence–New Bedford–Fall River, RI–Mass	426	31	32	27	244	32
Raleigh–Cary, NC	48	70	6	61	40	61
Richmond, Va	44	73	1	89	27	73
Riverside–San Bernardino–Ontario, Calif	1,542	12	61	17	836	12
Rochester, NY	312	38	18	39	163	40
Sacramento–Arden–Arcade–Roseville, Calif	379	35	13	45	183	37
St. Louis, Mo–Ill	70	62	8	58	38	64
Salt Lake City, Utah	162	50	6	61	109	49
San Antonio, Tex	2,100	9	104	11	1,057	10
San Diego–Carlsbad–San Marcos, Calif	2,367	8	124	9	1,396	8
San Francisco, Calif (includes Oakland Division and San Francisco Division)	4,050	5	170	7	1,822	6
San Jose–Sunnyvale–Santa Clara, Calif	845	20	22	33	449	20
San Juan–Caguas–Guaynabo, Puerto Rico	15,362	2	447	4	5,059	3
Sarasota–Bradenton–Venice, Fla	115	53	9	55	70	53
Scranton–Wilkes-Barre, Pa	48	70	5	65	24	75
Seattle, Wash (includes Seattle Division and Tacoma Division)	544	27	32	27	335	24
Springfield, Mass	562	25	23	32	280	28
Stockton, Calif	234	42	16	42	130	43
Syracuse, NY	64	64	2	82	38	64
Tampa–St. Petersburg–Clearwater, Fla	765	22	78	15	365	23
Toledo, Ohio	21	84	3	76	18	80
Tucson, Ariz	397	33	22	33	223	34
Tulsa, Okla	42	75	6	61	24	75
Virginia Beach–Norfolk–Newport News, Va–NC	76	60	5	65	40	61
Washington, DC–Va–Md–WVa (includes Bethesda Division and Washington Division)	1,101	15	90	13	738	14
Wichita, Kan	57	68	2	82	34	67
Worcester, Mass	387	34	18	39	194	36
Youngstown–Warren–Boardman, Ohio–Pa	20	88	5	65	15	86

Note. Data are adjusted for delays in reporting cases and deaths.

**Table 9d. Asian/Pacific Islander male adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Akron, Ohio	0	—	0	—	0	—
Albany–Schenectady–Troy, NY	5	51	0	—	3	52
Albuquerque, NM	4	57	0	—	2	63
Allentown–Bethlehem–Easton, Pa–NJ	2	72	1	30	2	63
Atlanta–Sandy Springs–Marietta, Ga	37	18	2	21	27	18
Augusta–Richmond County, Ga–SC	1	84	0	—	1	77
Austin–Round Rock, Tex	8	42	1	30	6	39
Bakersfield, Calif	9	39	2	21	7	34
Baltimore–Towson, Md	7	44	4	13	9	28
Baton Rouge, La	1	84	0	—	1	77
Birmingham–Hoover, Ala	3	64	1	30	2	63
Boise City–Nampa, Idaho	3	64	0	—	2	63
Boston, Mass–NH (includes Boston Division, Cambridge Division, and Essex Division)	90	9	2	21	67	10
Bridgeport–Stamford–Norwalk, Conn	11	37	0	—	7	34
Buffalo–Niagara Falls, NY	6	47	0	—	4	48
Cape Coral–Fort Myers, Fla	2	72	0	—	0	—
Charleston–North Charleston, SC	2	72	0	—	2	63
Charlotte–Gastonia–Concord, NC–SC	5	51	1	30	4	48
Chicago, Ill–Ind–Wis (includes Chicago Division, Gary Division, and Lake Division)	76	12	18	5	75	8
Cincinnati–Middletown, Ohio–Ky–Ind	8	42	0	—	5	44
Cleveland–Elyria–Mentor, Ohio	7	44	0	—	5	44
Colorado Springs, Colo	5	51	0	—	3	52
Columbia, SC	2	72	0	—	1	77
Columbus, Ohio	12	34	0	—	8	31
Dallas, Tex (includes Dallas Division and Fort Worth Division)	88	11	11	7	62	12
Dayton, Ohio	1	84	0	—	1	77
Denver–Aurora, Colo	23	22	4	13	12	24
Des Moines, Iowa	4	57	0	—	3	52
Detroit, Mich (includes Detroit Division and Warren Division)	22	23	2	21	16	20
El Paso, Tex	2	72	0	—	1	77
Fresno, Calif	17	26	0	—	12	24
Grand Rapids–Wyoming, Mich	4	57	1	30	2	63
Greensboro–High Point, NC	1	84	0	—	1	77
Greenville, SC	2	72	2	21	2	63
Harrisburg–Carlisle, Pa	2	72	0	—	1	77
Hartford–West Hartford–East Hartford, Conn	10	38	1	30	8	31
Honolulu, Hawaii	553	4	26	4	231	4
Houston–Baytown–Sugar Land, Tex	89	10	12	6	64	11
Indianapolis, Ind	5	51	1	30	4	48
Jackson, Miss	2	72	0	—	1	77
Jacksonville, Fla	4	57	1	30	3	52
Kansas City, Mo–Kan	13	30	1	30	7	34
Knoxville, Tenn	3	64	0	—	3	52
Lakeland, Fla	1	84	1	30	1	77
Las Vegas–Paradise, Nev	54	15	6	12	40	15
Little Rock–North Little Rock, Ark	0	—	0	—	0	—
Los Angeles, Calif (includes Los Angeles Division and Santa Anna Division)	1,059	1	76	2	564	1
Louisville, Ky–Ind	5	51	0	—	5	44
Madison, Wis	3	64	1	30	2	63
McAllen–Edinburg–Pharr, Tex	1	84	1	30	1	77
Memphis, Tenn–Miss–Ark	4	57	0	—	3	52

**Table 9d. Asian/Pacific Islander male adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004 (cont)**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Miami, Fla (includes Fort Lauderdale Division, Miami Division, and West Palm Beach Division)	37	18	2	21	18	19
Milwaukee–Waukesha–West Allis, Wis	5	51	1	30	3	52
Minneapolis–St. Paul–Bloomington, Minn–Wis	22	23	2	21	14	22
Nashville–Davidson–Murfreesboro, Tenn	6	47	0	—	6	39
New Haven–Milford, Conn	3	64	0	—	3	52
New Orleans–Metairie–Kenner, La	4	57	1	30	2	63
New York, NY–NJ–Pa (includes Edison Division, Nassau Division, New York Division, and Newark Division)	974	3	77	1	555	2
Oklahoma City, Okla	13	30	1	30	9	28
Omaha–Council Bluffs, Neb–Iowa	2	72	0	—	1	77
Orlando, Fla	26	21	2	21	11	27
Oxnard–Thousand Oaks–Ventura, Calif	14	29	0	—	6	39
Palm Bay–Melbourne–Titusville, Fla	6	47	0	—	3	52
Philadelphia, Pa–NJ–Del–Md (includes Camden Division, Philadelphia Division, and Wilmington Division)	65	14	3	17	48	13
Phoenix–Mesa–Scottsdale, Ariz	18	25	3	17	6	39
Pittsburgh, Pa	7	44	0	—	4	48
Portland–South Portland, Me	0	—	0	—	0	—
Portland–Vancouver–Beaverton, Ore–Wash	42	17	7	9	28	17
Poughkeepsie–Newburgh–Middletown, NY	3	64	1	30	2	63
Providence–New Bedford–Fall River, RI–Mass	16	28	1	30	14	22
Raleigh–Cary, NC	3	64	0	—	3	52
Richmond, Va	4	57	0	—	1	77
Riverside–San Bernardino–Ontario, Calif	66	13	4	13	45	14
Rochester, NY	6	47	1	30	5	44
Sacramento–Arden–Arcade–Roseville, Calif	48	16	7	9	31	16
St. Louis, Mo–Ill	13	30	0	—	6	39
Salt Lake City, Utah	12	34	0	—	9	28
San Antonio, Tex	13	30	2	21	8	31
San Diego–Carlsbad–San Marcos, Calif	203	5	9	8	114	5
San Francisco, Calif (includes Oakland Division and San Francisco Division)	1,024	2	32	3	497	3
San Jose–Sunnyvale–Santa Clara, Calif	156	6	3	17	86	7
San Juan–Caguas–Guaynabo, Puerto Rico	1	84	0	—	0	—
Sarasota–Bradenton–Venice, Fla	3	64	1	30	2	63
Scranton–Wilkes-Barre, Pa	0	—	0	—	0	—
Seattle, Wash (includes Seattle Division and Tacoma Division)	141	7	7	9	69	9
Springfield, Mass	1	84	0	—	1	77
Stockton, Calif	31	20	3	17	16	20
Syracuse, NY	2	72	0	—	2	63
Tampa–St. Petersburg–Clearwater, Fla	17	26	1	30	12	24
Toledo, Ohio	2	72	1	30	2	63
Tucson, Ariz	9	39	1	30	3	52
Tulsa, Okla	2	72	0	—	2	63
Virginia Beach–Norfolk–Newport News, Va–NC	12	34	0	—	7	34
Washington, DC–Va–Md–WVa (includes Bethesda Division and Washington Division)	112	8	4	13	90	6
Wichita, Kan	1	84	0	—	1	77
Worcester, Mass	9	39	0	—	7	34
Youngstown–Warren–Boardman, Ohio–Pa	0	—	0	—	0	—

Note. Data are adjusted for delays in reporting cases and deaths.

**Table 9e. American Indian/Alaska Native male adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Akron, Ohio	0	—	0	—	0	—
Albany–Schenectady–Troy, NY	2	58	0	—	1	54
Albuquerque, NM	39	11	1	17	18	12
Allentown–Bethlehem–Easton, Pa–NJ	0	—	0	—	0	—
Atlanta–Sandy Springs–Marietta, Ga	10	29	0	—	7	24
Augusta–Richmond County, Ga–SC	0	—	0	—	0	—
Austin–Round Rock, Tex	7	33	0	—	6	26
Bakersfield, Calif	14	24	2	10	8	20
Baltimore–Towson, Md	21	19	0	—	8	20
Baton Rouge, La	1	70	0	—	0	—
Birmingham–Hoover, Ala	0	—	0	—	0	—
Boise City–Nampa, Idaho	0	—	0	—	0	—
Boston, Mass–NH (includes Boston Division, Cambridge Division, and Essex Division)	9	30	0	—	4	32
Bridgeport–Stamford–Norwalk, Conn	0	—	0	—	0	—
Buffalo–Niagara Falls, NY	4	43	1	17	4	32
Cape Coral–Fort Myers, Fla	2	58	0	—	0	—
Charleston–North Charleston, SC	1	70	0	—	1	54
Charlotte–Gastonia–Concord, NC–SC	5	39	0	—	2	42
Chicago, Ill–Ind–Wis (includes Chicago Division, Gary Division, and Lake Division)	26	18	2	10	13	16
Cincinnati–Middletown, Ohio–Ky–Ind	2	58	0	—	2	42
Cleveland–Elyria–Mentor, Ohio	4	43	0	—	4	32
Colorado Springs, Colo	1	70	0	—	1	54
Columbia, SC	1	70	0	—	1	54
Columbus, Ohio	2	58	1	17	1	54
Dallas, Tex (includes Dallas Division and Fort Worth Division)	37	13	2	10	16	13
Dayton, Ohio	0	—	0	—	0	—
Denver–Aurora, Colo	33	14	3	6	16	13
Des Moines, Iowa	0	—	0	—	0	—
Detroit, Mich (includes Detroit Division and Warren Division)	4	43	0	—	2	42
El Paso, Tex	0	—	0	—	0	—
Fresno, Calif	6	36	0	—	1	54
Grand Rapids–Wyoming, Mich	5	39	0	—	2	42
Greensboro–High Point, NC	3	54	0	—	2	42
Greenville, SC	0	—	0	—	0	—
Harrisburg–Carlisle, Pa	1	70	0	—	0	—
Hartford–West Hartford–East Hartford, Conn	5	39	0	—	2	42
Honolulu, Hawaii	8	31	2	10	3	36
Houston–Baytown–Sugar Land, Tex	11	28	0	—	8	20
Indianapolis, Ind	2	58	0	—	1	54
Jackson, Miss	0	—	0	—	0	—
Jacksonville, Fla	3	54	0	—	1	54
Kansas City, Mo–Kan	30	15	1	17	14	15
Knoxville, Tenn	1	70	0	—	0	—
Lakeland, Fla	3	54	0	—	3	36
Las Vegas–Paradise, Nev	19	20	3	6	13	16
Little Rock–North Little Rock, Ark	0	—	0	—	0	—
Los Angeles, Calif (includes Los Angeles Division and Santa Anna Division)	125	3	7	2	62	2
Louisville, Ky–Ind	2	58	0	—	2	42
Madison, Wis	4	43	1	17	2	42
McAllen–Edinburg–Pharr, Tex	0	—	0	—	0	—
Memphis, Tenn–Miss–Ark	2	58	0	—	0	—



**Table 9e. American Indian/Alaska Native male adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004 (cont)**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Miami, Fla (includes Fort Lauderdale Division, Miami Division, and West Palm Beach Division)	18	22	0	—	7	24
Milwaukee–Waukesha–West Allis, Wis	6	36	0	—	2	42
Minneapolis–St. Paul–Bloomington, Minn–Wis	63	9	2	10	28	9
Nashville–Davidson–Murfreesboro, Tenn	5	39	0	—	3	36
New Haven–Milford, Conn	4	43	0	—	1	54
New Orleans–Metairie–Kenner, La	2	58	0	—	2	42
New York, NY–NJ–Pa (includes Edison Division, Nassau Division, New York Division, and Newark Division)	76	6	6	4	43	5
Oklahoma City, Okla	76	6	3	6	39	7
Omaha–Council Bluffs, Neb–Iowa	4	43	0	—	3	36
Orlando, Fla	7	33	0	—	4	32
Oxnard–Thousand Oaks–Ventura, Calif	0	—	0	—	0	—
Palm Bay–Melbourne–Titusville, Fla	4	43	1	17	1	54
Philadelphia, Pa–NJ–Del–Md (includes Camden Division, Philadelphia Division, and Wilmington Division)	14	24	1	17	5	29
Phoenix–Mesa–Scottsdale, Ariz	141	2	9	1	74	1
Pittsburgh, Pa	1	70	0	—	0	—
Portland–South Portland, Me	4	43	0	—	0	—
Portland–Vancouver–Beaverton, Ore–Wash	39	11	6	4	20	11
Poughkeepsie–Newburgh–Middletown, NY	4	43	0	—	2	42
Providence–New Bedford–Fall River, RI–Mass	13	26	0	—	5	29
Raleigh–Cary, NC	2	58	0	—	1	54
Richmond, Va	4	43	1	17	2	42
Riverside–San Bernardino–Ontario, Calif	40	10	0	—	26	10
Rochester, NY	2	58	0	—	1	54
Sacramento–Arden–Arcade–Roseville, Calif	28	17	2	10	11	19
St. Louis, Mo–Ill	3	54	0	—	0	—
Salt Lake City, Utah	15	23	0	—	8	20
San Antonio, Tex	7	33	0	—	6	26
San Diego–Carlsbad–San Marcos, Calif	67	8	0	—	29	8
San Francisco, Calif (includes Oakland Division and San Francisco Division)	150	1	7	2	57	3
San Jose–Sunnyvale–Santa Clara, Calif	12	27	0	—	5	29
San Juan–Caguas–Guaynabo, Puerto Rico	0	—	0	—	0	—
Sarasota–Bradenton–Venice, Fla	1	70	0	—	1	54
Scranton–Wilkes-Barre, Pa	1	70	0	—	0	—
Seattle, Wash (includes Seattle Division and Tacoma Division)	111	4	3	6	52	4
Springfield, Mass	0	—	0	—	0	—
Stockton, Calif	2	58	0	—	1	54
Syracuse, NY	4	43	1	17	3	36
Tampa–St. Petersburg–Clearwater, Fla	8	31	0	—	1	54
Toledo, Ohio	0	—	0	—	0	—
Tucson, Ariz	29	16	0	—	12	18
Tulsa, Okla	92	5	2	10	41	6
Virginia Beach–Norfolk–Newport News, Va–NC	2	58	0	—	1	54
Washington, DC–Va–Md–WVa (includes Bethesda Division and Washington Division)	19	20	1	17	6	26
Wichita, Kan	6	36	0	—	3	36
Worcester, Mass	0	—	0	—	0	—
Youngstown–Warren–Boardman, Ohio–Pa	0	—	0	—	0	—

Note. Data are adjusted for delays in reporting cases and deaths.

**Table 10a. White female adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Metropolitan statistical area of residence (population $\geq$ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Akron, Ohio	36	88	4	66	34	72
Albany–Schenectady–Troy, NY	172	33	20	17	106	29
Albuquerque, NM	44	82	5	59	19	88
Allentown–Bethlehem–Easton, Pa–NJ	111	50	13	26	56	54
Atlanta–Sandy Springs–Marietta, Ga	369	15	29	9	215	15
Augusta–Richmond County, Ga–SC	56	73	1	88	29	81
Austin–Round Rock, Tex	162	36	5	59	91	37
Bakersfield, Calif	54	74	2	83	31	78
Baltimore–Towson, Md	517	12	40	7	295	12
Baton Rouge, La	80	62	8	40	44	62
Birmingham–Hoover, Ala	94	57	8	40	40	65
Boise City–Nampa, Idaho	19	94	0	—	9	94
Boston, Mass–NH (includes Boston Division, Cambridge Division, and Essex Division)	819	6	24	12	360	7
Bridgeport–Stamford–Norwalk, Conn	273	22	13	26	126	24
Buffalo–Niagara Falls, NY	108	51	9	35	53	58
Cape Coral–Fort Myers, Fla	96	56	9	35	59	50
Charleston–North Charleston, SC	51	80	1	88	32	74
Charlotte–Gastonia–Concord, NC–SC	92	58	14	24	58	52
Chicago, Ill–Ind–Wis (includes Chicago Division, Gary Division, and Lake Division)	888	5	34	8	421	5
Cincinnati–Middletown, Ohio–Ky–Ind	98	55	9	35	64	49
Cleveland–Elyria–Mentor, Ohio	118	47	8	40	76	44
Colorado Springs, Colo	32	91	3	75	17	89
Columbia, SC	80	62	7	46	47	61
Columbus, Ohio	120	46	6	51	69	48
Dallas, Tex (includes Dallas Division and Fort Worth Division)	615	10	28	11	350	9
Dayton, Ohio	61	70	4	66	43	63
Denver–Aurora, Colo	195	29	8	40	106	29
Des Moines, Iowa	38	87	2	83	17	89
Detroit, Mich (includes Detroit Division and Warren Division)	240	24	8	40	106	29
El Paso, Tex	19	94	0	—	9	94
Fresno, Calif	53	76	1	88	35	71
Grand Rapids–Wyoming, Mich	32	91	4	66	15	91
Greensboro–High Point, NC	34	89	4	66	24	86
Greenville, SC	70	68	6	51	40	65
Harrisburg–Carlisle, Pa	83	61	3	75	57	53
Hartford–West Hartford–East Hartford, Conn	326	19	21	15	169	19
Honolulu, Hawaii	45	81	5	59	27	83
Houston–Baytown–Sugar Land, Tex	681	8	49	6	345	10
Indianapolis, Ind	157	38	8	40	92	36
Jackson, Miss	60	71	6	51	32	74
Jacksonville, Fla	267	23	19	18	163	20
Kansas City, Mo–Kan	164	34	6	51	103	32
Knoxville, Tenn	52	78	6	51	31	78
Lakeland, Fla	115	49	13	26	77	43
Las Vegas–Paradise, Nev	227	26	17	20	129	23
Little Rock–North Little Rock, Ark	53	76	3	75	32	74
Los Angeles, Calif (includes Los Angeles Division and Santa Anna Division)	1,159	3	51	5	589	3
Louisville, Ky–Ind	99	53	4	66	59	50
Madison, Wis	34	89	2	83	15	91
McAllen–Edinburg–Pharr, Tex	3	96	0	—	3	96
Memphis, Tenn–Miss–Ark	90	59	2	83	49	60

**Table 10a. White female adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004 (cont)**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Miami, Fla (includes Fort Lauderdale Division, Miami Division, and West Palm Beach Division)	1,312	2	66	3	626	2
Milwaukee–Waukesha–West Allis, Wis	78	67	3	75	38	69
Minneapolis–St. Paul–Bloomington, Minn–Wis	154	40	7	46	90	38
Nashville–Davidson–Murfreesboro, Tenn	181	30	16	22	109	28
New Haven–Milford, Conn	366	16	29	9	216	14
New Orleans–Metairie–Kenner, La	205	28	11	32	115	27
New York, NY–NJ–Pa (includes Edison Division, Nassau Division, New York Division, and Newark Division)	6,760	1	252	1	2,843	1
Oklahoma City, Okla	102	52	3	75	55	55
Omaha–Council Bluffs, Neb–Iowa	59	72	5	59	41	64
Orlando, Fla	304	21	22	14	163	20
Oxnard–Thousand Oaks–Ventura, Calif	43	83	2	83	22	87
Palm Bay–Melbourne–Titusville, Fla	130	43	6	51	79	41
Philadelphia, Pa–NJ–Del–Md (includes Camden Division, Philadelphia Division, and Wilmington Division)	923	4	81	2	532	4
Phoenix–Mesa–Scottsdale, Ariz	320	20	14	24	151	22
Pittsburgh, Pa	145	41	9	35	75	45
Portland–South Portland, Me	43	83	4	66	25	84
Portland–Vancouver–Beaverton, Ore–Wash	218	27	10	33	124	25
Poughkeepsie–Newburgh–Middletown, NY	176	32	16	22	101	33
Providence–New Bedford–Fall River, RI–Mass	435	13	18	19	236	13
Raleigh–Cary, NC	40	85	6	51	32	74
Richmond, Va	79	65	3	75	40	65
Riverside–San Bernardino–Ontario, Calif	333	18	10	33	185	18
Rochester, NY	177	31	9	35	99	34
Sacramento–Arden–Arcade–Roseville, Calif	164	34	7	46	96	35
St. Louis, Mo–Ill	160	37	7	46	82	40
Salt Lake City, Utah	84	60	5	59	50	59
San Antonio, Tex	118	47	7	46	71	46
San Diego–Carlsbad–San Marcos, Calif	375	14	12	29	188	17
San Francisco, Calif (includes Oakland Division and San Francisco Division)	776	7	21	15	370	6
San Jose–Sunnyvale–Santa Clara, Calif	142	42	3	75	70	47
San Juan–Caguas–Guaynabo, Puerto Rico	3	96	0	—	0	—
Sarasota–Bradenton–Venice, Fla	127	45	12	29	78	42
Scranton–Wilkes-Barre, Pa	54	74	5	59	31	78
Seattle, Wash (includes Seattle Division and Tacoma Division)	352	17	17	20	207	16
Springfield, Mass	129	44	1	88	55	55
Stockton, Calif	64	69	4	66	34	72
Syracuse, NY	99	53	3	75	54	57
Tampa–St. Petersburg–Clearwater, Fla	663	9	52	4	356	8
Toledo, Ohio	52	78	4	66	28	82
Tucson, Ariz	79	65	4	66	39	68
Tulsa, Okla	80	62	6	51	38	69
Virginia Beach–Norfolk–Newport News, Va–NC	157	38	5	59	86	39
Washington, DC–Va–Md–W Va (includes Bethesda Division and Washington Division)	529	11	23	13	296	11
Wichita, Kan	39	86	1	88	25	84
Worcester, Mass	233	25	12	29	117	26
Youngstown–Warren–Boardman, Ohio–Pa	32	91	1	88	13	93

Note. Data are adjusted for delays in reporting cases and deaths.

**Table 10b. Black female adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Metropolitan statistical area of residence (population $\geq$ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Akron, Ohio	43	80	3	78	32	79
Albany–Schenectady–Troy, NY	244	44	29	31	171	37
Albuquerque, NM	8	93	1	88	2	94
Allentown–Bethlehem–Easton, Pa–NJ	64	72	8	64	50	70
Atlanta–Sandy Springs–Marietta, Ga	2,567	7	204	8	1,579	7
Augusta–Richmond County, Ga–SC	335	31	31	30	224	30
Austin–Round Rock, Tex	306	35	19	45	172	36
Bakersfield, Calif	28	83	2	84	19	84
Baltimore–Towson, Md	4,673	4	288	5	2,434	5
Baton Rouge, La	741	19	76	17	443	20
Birmingham–Hoover, Ala	291	38	20	42	150	44
Boise City–Nampa, Idaho	1	96	0	—	1	95
Boston, Mass–NH (includes Boston Division, Cambridge Division, and Essex Division)	1,253	13	52	20	768	11
Bridgeport–Stamford–Norwalk, Conn	458	26	26	35	247	29
Buffalo–Niagara Falls, NY	260	43	22	40	144	47
Cape Coral–Fort Myers, Fla	302	36	19	45	134	49
Charleston–North Charleston, SC	332	33	27	33	208	34
Charlotte–Gastonia–Concord, NC–SC	455	27	48	21	257	27
Chicago, Ill–Ind–Wis (includes Chicago Division, Gary Division, and Lake Division)	3,047	6	256	7	1,890	6
Cincinnati–Middletown, Ohio–Ky–Ind	134	60	12	55	92	57
Cleveland–Elyria–Mentor, Ohio	391	30	19	45	255	28
Colorado Springs, Colo	27	84	2	84	16	87
Columbia, SC	557	22	43	24	362	21
Columbus, Ohio	160	57	10	58	105	54
Dallas, Tex (includes Dallas Division and Fort Worth Division)	1,293	12	144	9	951	9
Dayton, Ohio	83	67	9	61	64	66
Denver–Aurora, Colo	128	61	11	56	80	61
Des Moines, Iowa	23	86	3	78	18	85
Detroit, Mich (includes Detroit Division and Warren Division)	1,568	9	94	11	727	13
El Paso, Tex	12	91	0	—	10	91
Fresno, Calif	83	67	1	88	36	75
Grand Rapids–Wyoming, Mich	49	77	2	84	35	77
Greensboro–High Point, NC	195	53	10	58	92	57
Greenville, SC	150	58	13	52	84	59
Harrisburg–Carlisle, Pa	103	65	3	78	56	68
Hartford–West Hartford–East Hartford, Conn	401	29	25	36	191	35
Honolulu, Hawaii	12	91	1	88	11	90
Houston–Baytown–Sugar Land, Tex	2,435	8	265	6	1,497	8
Indianapolis, Ind	219	48	27	33	153	43
Jackson, Miss	508	24	47	22	327	22
Jacksonville, Fla	1,105	15	85	14	668	15
Kansas City, Mo–Kan	203	52	14	50	145	46
Knoxville, Tenn	35	82	1	88	22	82
Lakeland, Fla	310	34	28	32	161	41
Las Vegas–Paradise, Nev	275	39	23	39	165	40
Little Rock–North Little Rock, Ark	113	64	9	61	84	59
Los Angeles, Calif (includes Los Angeles Division and Santa Anna Division)	1,473	10	91	13	824	10
Louisville, Ky–Ind	177	55	13	52	123	52
Madison, Wis	23	86	3	78	13	88
McAllen–Edinburg–Pharr, Tex	1	96	0	—	0	—
Memphis, Tenn–Miss–Ark	881	17	80	15	527	17

**Table 10b. Black female adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004 (cont)**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Miami, Fla (includes Fort Lauderdale Division, Miami Division, and West Palm Beach Division)	10,302	2	696	2	5,195	2
Milwaukee–Waukesha–West Allis, Wis	212	50	13	52	130	50
Minneapolis–St. Paul–Bloomington, Minn–Wis	268	41	34	28	218	31
Nashville–Davidson–Murfreesboro, Tenn	335	31	38	26	210	33
New Haven–Milford, Conn	619	21	20	42	288	26
New Orleans–Metairie–Kenner, La	1,198	14	114	10	736	12
New York, NY–NJ–Pa (includes Edison Division, Nassau Division, New York Division, and Newark Division)	28,941	1	1,641	1	13,743	1
Oklahoma City, Okla	58	73	6	69	36	75
Omaha–Council Bluffs, Neb–Iowa	58	73	4	75	38	74
Orlando, Fla	865	18	77	16	446	19
Oxnard–Thousand Oaks–Ventura, Calif	14	90	1	88	7	92
Palm Bay–Melbourne–Titusville, Fla	193	54	11	56	94	56
Philadelphia, Pa–NJ–Del–Md (includes Camden Division, Philadelphia Division, and Wilmington Division)	3,932	5	306	4	2,482	4
Phoenix–Mesa–Scottsdale, Ariz	120	63	20	42	69	63
Pittsburgh, Pa	243	45	17	48	154	42
Portland–South Portland, Me	5	94	1	88	4	93
Portland–Vancouver–Beaverton, Ore–Wash	53	75	6	69	42	72
Poughkeepsie–Newburgh–Middletown, NY	231	46	24	37	142	48
Providence–New Bedford–Fall River, RI–Mass	273	40	24	37	148	45
Raleigh–Cary, NC	298	37	39	25	216	32
Richmond, Va	541	23	53	19	313	24
Riverside–San Bernardino–Ontario, Calif	262	42	17	48	169	38
Rochester, NY	468	25	47	22	317	23
Sacramento–Arden–Arcade–Roseville, Calif	176	56	7	68	102	55
St. Louis, Mo–Ill	448	28	38	26	300	25
Salt Lake City, Utah	40	81	2	84	23	81
San Antonio, Tex	95	66	8	64	60	67
San Diego–Carlsbad–San Marcos, Calif	223	47	10	58	129	51
San Francisco, Calif (includes Oakland Division and San Francisco Division)	1,370	11	65	18	721	14
San Jose–Sunnyvale–Santa Clara, Calif	77	69	3	78	48	71
San Juan–Caguas–Guaynabo, Puerto Rico	5	94	0	—	0	—
Sarasota–Bradenton–Venice, Fla	206	51	14	50	110	53
Scranton–Wilkes-Barre, Pa	19	89	3	78	13	88
Seattle, Wash (includes Seattle Division and Tacoma Division)	217	49	21	41	166	39
Springfield, Mass	150	58	5	72	68	64
Stockton, Calif	50	76	6	69	41	73
Syracuse, NY	123	62	8	64	77	62
Tampa–St. Petersburg–Clearwater, Fla	1,042	16	92	12	605	16
Toledo, Ohio	70	71	9	61	53	69
Tucson, Ariz	22	88	4	75	17	86
Tulsa, Okla	49	77	5	72	27	80
Virginia Beach–Norfolk–Newport News, Va–NC	738	20	33	29	475	18
Washington, DC–Va–Md–WVa (includes Bethesda Division and Washington Division)	5,192	3	513	3	3,713	3
Wichita, Kan	25	85	4	75	20	83
Worcester, Mass	77	69	5	72	66	65
Youngstown–Warren–Boardman, Ohio–Pa	49	77	8	64	35	77

Note. Data are adjusted for delays in reporting cases and deaths.

**Table 10c. Hispanic female adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Akron, Ohio	1	92	0	—	1	90
Albany–Schenectady–Troy, NY	62	35	6	33	35	39
Albuquerque, NM	30	49	6	33	19	50
Allentown–Bethlehem–Easton, Pa–NJ	149	24	12	22	93	24
Atlanta–Sandy Springs–Marietta, Ga	72	32	7	30	61	28
Augusta–Richmond County, Ga–SC	9	71	2	55	6	72
Austin–Round Rock, Tex	92	28	10	26	57	30
Bakersfield, Calif	35	45	5	42	21	46
Baltimore–Towson, Md	22	56	1	66	14	57
Baton Rouge, La	3	86	0	—	4	79
Birmingham–Hoover, Ala	2	89	0	—	1	90
Boise City–Nampa, Idaho	5	79	3	47	5	75
Boston, Mass–NH (includes Boston Division, Cambridge Division, and Essex Division)	432	9	28	11	295	9
Bridgeport–Stamford–Norwalk, Conn	213	17	18	16	146	18
Buffalo–Niagara Falls, NY	72	32	3	47	46	34
Cape Coral–Fort Myers, Fla	38	43	6	33	32	40
Charleston–North Charleston, SC	4	85	0	—	3	81
Charlotte–Gastonia–Concord, NC–SC	1	92	1	66	2	86
Chicago, Ill–Ind–Wis (includes Chicago Division, Gary Division, and Lake Division)	571	6	43	6	370	6
Cincinnati–Middletown, Ohio–Ky–Ind	2	89	0	—	2	86
Cleveland–Elyria–Mentor, Ohio	85	29	7	30	61	28
Colorado Springs, Colo	9	71	0	—	6	72
Columbia, SC	6	77	1	66	5	75
Columbus, Ohio	14	60	3	47	14	57
Dallas, Tex (includes Dallas Division and Fort Worth Division)	237	15	24	13	178	12
Dayton, Ohio	0	—	0	—	0	—
Denver–Aurora, Colo	102	27	11	24	67	27
Des Moines, Iowa	5	79	1	66	3	81
Detroit, Mich (includes Detroit Division and Warren Division)	35	45	4	44	18	52
El Paso, Tex	112	26	8	28	68	26
Fresno, Calif	60	36	6	33	37	38
Grand Rapids–Wyoming, Mich	10	65	0	—	8	65
Greensboro–High Point, NC	1	92	0	—	1	90
Greenville, SC	1	92	0	—	1	90
Harrisburg–Carlisle, Pa	25	52	3	47	20	48
Hartford–West Hartford–East Hartford, Conn	474	8	47	5	305	8
Honolulu, Hawaii	11	63	0	—	8	65
Houston–Baytown–Sugar Land, Tex	483	7	42	8	334	7
Indianapolis, Ind	13	61	2	55	12	60
Jackson, Miss	3	86	0	—	1	90
Jacksonville, Fla	36	44	6	33	28	42
Kansas City, Mo–Kan	11	63	2	55	9	63
Knoxville, Tenn	2	89	1	66	1	90
Lakeland, Fla	22	56	6	33	18	52
Las Vegas–Paradise, Nev	58	38	5	42	38	37
Little Rock–North Little Rock, Ark	0	—	0	—	0	—
Los Angeles, Calif (includes Los Angeles Division and Santa Anna Division)	1,642	3	117	4	1,099	3
Louisville, Ky–Ind	10	65	0	—	7	67
Madison, Wis	3	86	0	—	2	86
McAllen–Edinburg–Pharr, Tex	65	34	11	24	55	31
Memphis, Tenn–Miss–Ark	9	71	0	—	5	75

**Table 10c. Hispanic female adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004 (cont)**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Miami, Fla (includes Fort Lauderdale Division, Miami Division, and West Palm Beach Division)	1,458	4	118	3	931	4
Milwaukee–Waukesha–West Allis, Wis	59	37	2	55	42	35
Minneapolis–St. Paul–Bloomington, Minn–Wis	29	50	3	47	19	50
Nashville–Davidson–Murfreesboro, Tenn	10	65	2	55	9	63
New Haven–Milford, Conn	295	12	23	14	201	11
New Orleans–Metairie–Kenner, La	42	40	6	33	29	41
New York, NY–NJ–Pa (includes Edison Division, Nassau Division, New York Division, and Newark Division)	13,253	1	685	1	6,541	1
Oklahoma City, Okla	9	71	0	—	7	67
Omaha–Council Bluffs, Neb–Iowa	10	65	1	66	7	67
Orlando, Fla	305	10	32	10	208	10
Oxnard–Thousand Oaks–Ventura, Calif	41	42	2	55	21	46
Palm Bay–Melbourne–Titusville, Fla	21	58	0	—	12	60
Philadelphia, Pa–NJ–Del–Md (includes Camden Division, Philadelphia Division, and Wilmington Division)	630	5	43	6	407	5
Phoenix–Mesa–Scottsdale, Ariz	144	25	19	15	90	25
Pittsburgh, Pa	6	77	0	—	5	75
Portland–South Portland, Me	5	79	1	66	3	81
Portland–Vancouver–Beaverton, Ore–Wash	18	59	4	44	14	57
Poughkeepsie–Newburgh–Middletown, NY	83	30	6	33	50	32
Providence–New Bedford–Fall River, RI–Mass	203	20	18	16	131	21
Raleigh–Cary, NC	12	62	2	55	11	62
Richmond, Va	10	65	2	55	7	67
Riverside–San Bernardino–Ontario, Calif	207	19	13	21	135	20
Rochester, NY	186	22	18	16	128	22
Sacramento–Arden–Arcade–Roseville, Calif	35	45	1	66	22	44
St. Louis, Mo–Ill	10	65	0	—	7	67
Salt Lake City, Utah	34	48	2	55	24	43
San Antonio, Tex	211	18	8	28	140	19
San Diego–Carlsbad–San Marcos, Calif	248	14	18	16	176	14
San Francisco, Calif (includes Oakland Division and San Francisco Division)	302	11	16	20	178	12
San Jose–Sunnyvale–Santa Clara, Calif	78	31	4	44	47	33
San Juan–Caguas–Guaynabo, Puerto Rico	4,788	2	174	2	2,004	2
Sarasota–Bradenton–Venice, Fla	24	54	0	—	17	55
Scranton–Wilkes-Barre, Pa	5	79	3	47	3	81
Seattle, Wash (includes Seattle Division and Tacoma Division)	51	39	6	33	40	36
Springfield, Mass	274	13	12	22	158	15
Stockton, Calif	23	55	3	47	18	52
Syracuse, NY	25	52	2	55	17	55
Tampa–St. Petersburg–Clearwater, Fla	223	16	33	9	152	17
Toledo, Ohio	5	79	0	—	4	79
Tucson, Ariz	42	40	7	30	22	44
Tulsa, Okla	5	79	1	66	3	81
Virginia Beach–Norfolk–Newport News, Va–NC	27	51	2	55	20	48
Washington, DC–Va–Md–WVa (includes Bethesda Division and Washington Division)	190	21	26	12	157	16
Wichita, Kan	8	75	3	47	6	72
Worcester, Mass	171	23	10	26	95	23
Youngstown–Warren–Boardman, Ohio–Pa	8	75	1	66	2	86

Note. Data are adjusted for delays in reporting cases and deaths.

**Table 10d. Asian/Pacific Islander female adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Akron, Ohio	0	—	0	—	1	39
Albany–Schenectady–Troy, NY	0	—	0	—	0	—
Albuquerque, NM	1	47	0	—	1	39
Allentown–Bethlehem–Easton, Pa–NJ	0	—	0	—	0	—
Atlanta–Sandy Springs–Marietta, Ga	12	13	1	13	8	13
Augusta–Richmond County, Ga–SC	1	47	1	13	1	39
Austin–Round Rock, Tex	2	35	0	—	2	28
Bakersfield, Calif	2	35	0	—	2	28
Baltimore–Towson, Md	4	24	1	13	6	16
Baton Rouge, La	0	—	0	—	0	—
Birmingham–Hoover, Ala	0	—	0	—	0	—
Boise City–Nampa, Idaho	0	—	0	—	0	—
Boston, Mass–NH (includes Boston Division, Cambridge Division, and Essex Division)	20	8	0	—	19	7
Bridgeport–Stamford–Norwalk, Conn	2	35	0	—	2	28
Buffalo–Niagara Falls, NY	2	35	1	13	1	39
Cape Coral–Fort Myers, Fla	0	—	0	—	0	—
Charleston–North Charleston, SC	0	—	0	—	0	—
Charlotte–Gastonia–Concord, NC–SC	0	—	0	—	0	—
Chicago, Ill–Ind–Wis (includes Chicago Division, Gary Division, and Lake Division)	16	10	4	5	15	10
Cincinnati–Middletown, Ohio–Ky–Ind	1	47	0	—	1	39
Cleveland–Elyria–Mentor, Ohio	1	47	0	—	1	39
Colorado Springs, Colo	0	—	0	—	0	—
Columbia, SC	4	24	0	—	3	24
Columbus, Ohio	1	47	0	—	1	39
Dallas, Tex (includes Dallas Division and Fort Worth Division)	18	9	4	5	16	9
Dayton, Ohio	1	47	0	—	1	39
Denver–Aurora, Colo	3	29	0	—	1	39
Des Moines, Iowa	0	—	0	—	0	—
Detroit, Mich (includes Detroit Division and Warren Division)	6	21	1	13	4	22
El Paso, Tex	0	—	0	—	0	—
Fresno, Calif	3	29	0	—	2	28
Grand Rapids–Wyoming, Mich	1	47	0	—	1	39
Greensboro–High Point, NC	0	—	0	—	0	—
Greenville, SC	0	—	0	—	0	—
Harrisburg–Carlisle, Pa	0	—	0	—	0	—
Hartford–West Hartford–East Hartford, Conn	4	24	1	13	3	24
Honolulu, Hawaii	71	4	6	4	33	4
Houston–Baytown–Sugar Land, Tex	11	14	3	9	8	13
Indianapolis, Ind	1	47	1	13	1	39
Jackson, Miss	0	—	0	—	0	—
Jacksonville, Fla	2	35	0	—	1	39
Kansas City, Mo–Kan	2	35	0	—	2	28
Knoxville, Tenn	1	47	0	—	0	—
Lakeland, Fla	2	35	1	13	1	39
Las Vegas–Paradise, Nev	10	15	2	10	7	15
Little Rock–North Little Rock, Ark	0	—	0	—	0	—
Los Angeles, Calif (includes Los Angeles Division and Santa Anna Division)	102	3	7	2	62	3
Louisville, Ky–Ind	3	29	1	13	1	39
Madison, Wis	1	47	0	—	1	39
McAllen–Edinburg–Pharr, Tex	0	—	0	—	0	—
Memphis, Tenn–Miss–Ark	1	47	1	13	1	39



**Table 10d. Asian/Pacific Islander female adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004 (cont)**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Miami, Fla (includes Fort Lauderdale Division, Miami Division, and West Palm Beach Division)	6	21	0	—	4	22
Milwaukee–Waukesha–West Allis, Wis	0	—	0	—	0	—
Minneapolis–St. Paul–Bloomington, Minn–Wis	8	18	1	13	6	16
Nashville–Davidson–Murfreesboro, Tenn	1	47	0	—	0	—
New Haven–Milford, Conn	0	—	0	—	1	39
New Orleans–Metairie–Kenner, La	0	—	0	—	0	—
New York, NY–NJ–Pa (includes Edison Division, Nassau Division, New York Division, and Newark Division)	163	1	22	1	128	1
Oklahoma City, Okla	4	24	0	—	2	28
Omaha–Council Bluffs, Neb–Iowa	2	35	0	—	2	28
Orlando, Fla	3	29	1	13	2	28
Oxnard–Thousand Oaks–Ventura, Calif	0	—	0	—	0	—
Palm Bay–Melbourne–Titusville, Fla	0	—	0	—	0	—
Philadelphia, Pa–NJ–Del–Md (includes Camden Division, Philadelphia Division, and Wilmington Division)	14	12	4	5	9	12
Phoenix–Mesa–Scottsdale, Ariz	2	35	0	—	0	—
Pittsburgh, Pa	2	35	0	—	0	—
Portland–South Portland, Me	0	—	0	—	0	—
Portland–Vancouver–Beaverton, Ore–Wash	8	18	0	—	6	16
Poughkeepsie–Newburgh–Middletown, NY	1	47	0	—	0	—
Providence–New Bedford–Fall River, RI–Mass	3	29	1	13	3	24
Raleigh–Cary, NC	1	47	0	—	1	39
Richmond, Va	1	47	0	—	1	39
Riverside–San Bernardino–Ontario, Calif	10	15	1	13	5	20
Rochester, NY	0	—	0	—	0	—
Sacramento–Arden–Arcade–Roseville, Calif	10	15	0	—	6	16
St. Louis, Mo–Ill	2	35	0	—	2	28
Salt Lake City, Utah	3	29	0	—	2	28
San Antonio, Tex	1	47	0	—	1	39
San Diego–Carlsbad–San Marcos, Calif	39	5	1	13	28	5
San Francisco, Calif (includes Oakland Division and San Francisco Division)	119	2	4	5	68	2
San Jose–Sunnyvale–Santa Clara, Calif	16	10	2	10	12	11
San Juan–Caguas–Guaynabo, Puerto Rico	0	—	0	—	0	—
Sarasota–Bradenton–Venice, Fla	1	47	1	13	1	39
Scranton–Wilkes-Barre, Pa	0	—	0	—	0	—
Seattle, Wash (includes Seattle Division and Tacoma Division)	25	7	2	10	17	8
Springfield, Mass	1	47	0	—	1	39
Stockton, Calif	7	20	1	13	5	20
Syracuse, NY	2	35	1	13	2	28
Tampa–St. Petersburg–Clearwater, Fla	5	23	0	—	1	39
Toledo, Ohio	0	—	0	—	0	—
Tucson, Ariz	0	—	0	—	0	—
Tulsa, Okla	1	47	0	—	0	—
Virginia Beach–Norfolk–Newport News, Va–NC	4	24	0	—	3	24
Washington, DC–Va–Md–WVa (includes Bethesda Division and Washington Division)	28	6	7	2	21	6
Wichita, Kan	0	—	0	—	0	—
Worcester, Mass	1	47	0	—	1	39
Youngstown–Warren–Boardman, Ohio–Pa	0	—	0	—	0	—

Note. Data are adjusted for delays in reporting cases and deaths.

**Table 10e. American Indian/Alaska Native female adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Akron, Ohio	0	—	0	—	0	—
Albany–Schenectady–Troy, NY	1	41	0	—	1	32
Albuquerque, NM	12	9	1	5	7	8
Allentown–Bethlehem–Easton, Pa–NJ	1	41	1	5	1	32
Atlanta–Sandy Springs–Marietta, Ga	3	27	0	—	1	32
Augusta–Richmond County, Ga–SC	0	—	0	—	0	—
Austin–Round Rock, Tex	0	—	0	—	0	—
Bakersfield, Calif	0	—	0	—	0	—
Baltimore–Towson, Md	6	17	0	—	4	17
Baton Rouge, La	0	—	0	—	0	—
Birmingham–Hoover, Ala	0	—	0	—	0	—
Boise City–Nampa, Idaho	1	41	0	—	0	—
Boston, Mass–NH (includes Boston Division, Cambridge Division, and Essex Division)	0	—	0	—	0	—
Bridgeport–Stamford–Norwalk, Conn	1	41	0	—	1	32
Buffalo–Niagara Falls, NY	3	27	0	—	2	23
Cape Coral–Fort Myers, Fla	1	41	0	—	1	32
Charleston–North Charleston, SC	1	41	0	—	0	—
Charlotte–Gastonia–Concord, NC–SC	0	—	0	—	0	—
Chicago, Ill–Ind–Wis (includes Chicago Division, Gary Division, and Lake Division)	25	3	1	5	7	8
Cincinnati–Middletown, Ohio–Ky–Ind	0	—	0	—	0	—
Cleveland–Elyria–Mentor, Ohio	1	41	0	—	0	—
Colorado Springs, Colo	1	41	0	—	0	—
Columbia, SC	0	—	0	—	0	—
Columbus, Ohio	2	35	0	—	2	23
Dallas, Tex (includes Dallas Division and Fort Worth Division)	6	17	0	—	5	14
Dayton, Ohio	0	—	0	—	0	—
Denver–Aurora, Colo	13	8	1	5	7	8
Des Moines, Iowa	0	—	0	—	0	—
Detroit, Mich (includes Detroit Division and Warren Division)	3	27	0	—	2	23
El Paso, Tex	0	—	0	—	0	—
Fresno, Calif	0	—	0	—	0	—
Grand Rapids–Wyoming, Mich	3	27	0	—	0	—
Greensboro–High Point, NC	1	41	0	—	0	—
Greenville, SC	0	—	0	—	0	—
Harrisburg–Carlisle, Pa	3	27	1	5	2	23
Hartford–West Hartford–East Hartford, Conn	1	41	0	—	1	32
Honolulu, Hawaii	1	41	0	—	0	—
Houston–Baytown–Sugar Land, Tex	1	41	1	5	1	32
Indianapolis, Ind	0	—	0	—	0	—
Jackson, Miss	2	35	1	5	2	23
Jacksonville, Fla	1	41	1	5	1	32
Kansas City, Mo–Kan	2	35	0	—	1	32
Knoxville, Tenn	0	—	0	—	0	—
Lakeland, Fla	1	41	0	—	1	32
Las Vegas–Paradise, Nev	9	14	1	5	6	11
Little Rock–North Little Rock, Ark	1	41	0	—	1	32
Los Angeles, Calif (includes Los Angeles Division and Santa Anna Division)	20	7	1	5	12	4
Louisville, Ky–Ind	0	—	0	—	0	—
Madison, Wis	1	41	0	—	0	—
McAllen–Edinburg–Pharr, Tex	0	—	0	—	0	—
Memphis, Tenn–Miss–Ark	1	41	0	—	1	32

**Table 10e. American Indian/Alaska Native female adults and adolescents: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by number of cases and prevalence, 2004 (cont)**

Metropolitan statistical area of residence (population ≥ 500,000)	Cases				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Miami, Fla (includes Fort Lauderdale Division, Miami Division, and West Palm Beach Division)	5	21	1	5	4	17
Milwaukee–Waukesha–West Allis, Wis	3	27	0	—	1	32
Minneapolis–St. Paul–Bloomington, Minn–Wis	26	2	1	5	14	3
Nashville–Davidson–Murfreesboro, Tenn	0	—	0	—	0	—
New Haven–Milford, Conn	3	27	0	—	1	32
New Orleans–Metairie–Kenner, La	1	41	0	—	0	—
New York, NY–NJ–Pa (includes Edison Division, Nassau Division, New York Division, and Newark Division)	22	5	4	2	18	2
Oklahoma City, Okla	11	11	0	—	5	14
Omaha–Council Bluffs, Neb–Iowa	7	15	0	—	2	23
Orlando, Fla	1	41	0	—	0	—
Oxnard–Thousand Oaks–Ventura, Calif	0	—	0	—	0	—
Palm Bay–Melbourne–Titusville, Fla	1	41	1	5	1	32
Philadelphia, Pa–NJ–Del–Md (includes Camden Division, Philadelphia Division, and Wilmington Division)	6	17	1	5	4	17
Phoenix–Mesa–Scottsdale, Ariz	25	3	6	1	9	6
Pittsburgh, Pa	0	—	0	—	0	—
Portland–South Portland, Me	0	—	0	—	0	—
Portland–Vancouver–Beaverton, Ore–Wash	5	21	1	5	6	11
Poughkeepsie–Newburgh–Middletown, NY	0	—	0	—	0	—
Providence–New Bedford–Fall River, RI–Mass	11	11	0	—	3	20
Raleigh–Cary, NC	2	35	0	—	1	32
Richmond, Va	0	—	0	—	0	—
Riverside–San Bernardino–Ontario, Calif	4	25	0	—	1	32
Rochester, NY	1	41	0	—	0	—
Sacramento–Arden–Arcade–Roseville, Calif	5	21	0	—	1	32
St. Louis, Mo–Ill	0	—	0	—	0	—
Salt Lake City, Utah	4	25	0	—	2	23
San Antonio, Tex	0	—	0	—	0	—
San Diego–Carlsbad–San Marcos, Calif	5	21	1	5	3	20
San Francisco, Calif (includes Oakland Division and San Francisco Division)	22	5	2	3	12	4
San Jose–Sunnyvale–Santa Clara, Calif	6	17	0	—	2	23
San Juan–Caguas–Guaynabo, Puerto Rico	0	—	0	—	0	—
Sarasota–Bradenton–Venice, Fla	0	—	0	—	0	—
Scranton–Wilkes-Barre, Pa	0	—	0	—	0	—
Seattle, Wash (includes Seattle Division and Tacoma Division)	30	1	1	5	19	1
Springfield, Mass	1	41	0	—	0	—
Stockton, Calif	0	—	0	—	0	—
Syracuse, NY	2	35	1	5	3	20
Tampa–St. Petersburg–Clearwater, Fla	3	27	1	5	2	23
Toledo, Ohio	0	—	0	—	0	—
Tucson, Ariz	11	11	2	3	5	14
Tulsa, Okla	12	9	0	—	8	7
Virginia Beach–Norfolk–Newport News, Va–NC	1	41	1	5	1	32
Washington, DC–Va–Md–WVa (includes Bethesda Division and Washington Division)	7	15	1	5	6	11
Wichita, Kan	2	35	0	—	0	—
Worcester, Mass	1	41	0	—	1	32
Youngstown–Warren–Boardman, Ohio–Pa	0	—	0	—	0	—

Note. Data are adjusted for delays in reporting cases and deaths.

**Table 11a. Male adults and adolescents infected through male-to-male sexual contact: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004**

Metropolitan statistical area of residence (population ≥ 500,000)	Male-to-male sexual contact					
	Incidence				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Akron, Ohio	489	84	19	85	243	79
Albany–Schenectady–Troy, NY	800	64	48	47	366	66
Albuquerque, NM	903	61	45	52	393	63
Allentown–Bethlehem–Easton, Pa–NJ	350	90	8	93	151	91
Atlanta–Sandy Springs–Marietta, Ga	11,263	9	547	6	4,969	9
Augusta–Richmond County, Ga–SC	697	69	39	58	318	69
Austin–Round Rock, Tex	2,655	29	106	32	1,112	31
Bakersfield, Calif	591	75	26	76	320	68
Baltimore–Towson, Md	4,350	20	194	17	1,655	22
Baton Rouge, La	1,054	53	67	39	455	56
Birmingham–Hoover, Ala	1,363	44	50	46	541	47
Boise City–Nampa, Idaho	176	97	3	96	74	96
Boston, Mass–NH	5,472	14	149	23	2,097	17
(includes Boston Division, Cambridge Division, and Essex Division)						
Bridgeport–Stamford–Norwalk, Conn	944	59	35	65	398	61
Buffalo–Niagara Falls, NY	1,000	55	47	49	435	59
Cape Coral–Fort Myers, Fla	605	74	30	71	266	74
Charleston–North Charleston, SC	839	63	39	58	387	65
Charlotte–Gastonia–Concord, NC–SC	1,175	49	110	29	571	46
Chicago, Ill–Ind–Wis	15,479	5	803	4	6,870	5
(includes Chicago Division, Gary Division, and Lake Division)						
Cincinnati–Middletown, Ohio–Ky–Ind	1,735	40	44	55	764	38
Cleveland–Elyria–Mentor, Ohio	2,366	33	108	30	1,129	29
Colorado Springs, Colo	334	91	5	95	146	92
Columbia, SC	1,316	45	74	38	713	40
Columbus, Ohio	1,974	37	87	35	760	39
Dallas, Tex	12,813	8	691	5	5,490	7
(includes Dallas Division and Fort Worth Division)						
Dayton, Ohio	743	68	32	66	346	67
Denver–Aurora, Colo	4,688	17	154	22	1,975	18
Des Moines, Iowa	313	93	8	93	127	94
Detroit, Mich	4,977	16	245	15	2,115	15
(includes Detroit Division and Warren Division)						
El Paso, Tex	907	60	46	51	493	51
Fresno, Calif	761	67	13	91	308	70
Grand Rapids–Wyoming, Mich	440	87	27	74	194	87
Greensboro–High Point, NC	514	81	21	82	218	83
Greenville, SC	620	71	37	61	300	72
Harrisburg–Carlisle, Pa	511	82	14	88	232	81
Hartford–West Hartford–East Hartford, Conn	1,090	51	36	63	445	58
Honolulu, Hawaii	1,564	41	30	71	604	45
Houston–Baytown–Sugar Land, Tex	14,216	7	465	8	4,988	8
Indianapolis, Ind	2,389	32	107	31	1,114	30
Jackson, Miss	998	56	62	42	459	53
Jacksonville, Fla	2,365	34	125	25	1,020	34
Kansas City, Mo–Kan	3,078	25	84	36	1,330	26
Knoxville, Tenn	550	79	21	82	259	75
Lakeland, Fla	608	73	47	49	258	76
Las Vegas–Paradise, Nev	2,657	28	178	20	1,410	23
Little Rock–North Little Rock, Ark	776	65	31	69	452	57
Los Angeles, Calif	41,593	2	1,138	3	16,842	2
(includes Los Angeles Division and Santa Anna Division)						
Louisville, Ky–Ind	1,253	47	57	44	623	43
Madison, Wis	303	94	13	91	136	93
McAllen–Edinburg–Pharr, Tex	319	92	27	74	190	88
Memphis, Tenn–Miss–Ark	2,426	31	189	18	1,164	28

**Table 11a. Male adults and adolescents infected through male-to-male sexual contact: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004 (cont)**

Metropolitan statistical area of residence (population ≥ 500,000)	Male-to-male sexual contact					
	Incidence				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Miami, Fla (includes Fort Lauderdale Division, Miami Division, and West Palm Beach Division)	22,286	4	1,173	2	9,566	3
Milwaukee–Waukesha–West Allis, Wis	1,471	43	61	43	636	42
Minneapolis–St. Paul–Bloomington, Minn–Wis	2,683	27	105	33	1,103	32
Nashville–Davidson–Murfreesboro, Tenn	1,949	38	104	34	1,014	36
New Haven–Milford, Conn	973	57	45	52	456	55
New Orleans–Metairie–Kenner, La	4,515	18	162	21	1,686	21
New York, NY–NJ–Pa (includes Edison Division, Nassau Division, New York Division, and Newark Division)	57,726	1	2,291	1	22,493	1
Oklahoma City, Okla	1,313	46	37	61	532	48
Omaha–Council Bluffs, Neb–Iowa	551	78	22	80	246	78
Orlando, Fla	4,213	21	300	11	2,104	16
Oxnard–Thousand Oaks–Ventura, Calif	615	72	32	66	268	73
Palm Bay–Melbourne–Titusville, Fla	645	70	23	78	301	71
Philadelphia, Pa–NJ–Del–Md (includes Camden Division, Philadelphia Division, and Wilmington Division)	9,926	10	340	10	3,985	11
Phoenix–Mesa–Scottsdale, Ariz	4,497	19	270	14	1,867	19
Pittsburgh, Pa	1,846	39	65	40	708	41
Portland–South Portland, Me	386	88	14	88	167	89
Portland–Vancouver–Beaverton, Ore–Wash	3,246	24	125	25	1,354	25
Poughkeepsie–Newburgh–Middletown, NY	561	77	40	57	257	77
Providence–New Bedford–Fall River, RI–Mass	1,143	50	48	47	469	52
Raleigh–Cary, NC	776	65	63	41	393	63
Richmond, Va	1,476	42	55	45	612	44
Riverside–San Bernardino–Ontario, Calif	5,252	15	182	19	2,613	13
Rochester, NY	1,015	54	36	63	459	53
Sacramento–Arden–Arcade–Roseville, Calif	2,322	35	31	69	883	37
St. Louis, Mo–Ill	3,880	22	124	27	1,777	20
Salt Lake City, Utah	1,067	52	38	60	516	50
San Antonio, Tex	3,070	26	134	24	1,368	24
San Diego–Carlsbad–San Marcos, Calif	9,075	11	288	13	4,041	10
San Francisco, Calif (includes Oakland Division and San Francisco Division)	27,827	3	428	9	9,178	4
San Jose–Sunnyvale–Santa Clara, Calif	2,482	30	32	66	1,057	33
San Juan–Caguas–Guaynabo, Puerto Rico	3,541	23	111	28	1,211	27
Sarasota–Bradenton–Venice, Fla	957	58	24	77	413	60
Scranton–Wilkes-Barre, Pa	197	96	3	96	74	96
Seattle, Wash (includes Seattle Division and Tacoma Division)	6,238	12	213	16	2,648	12
Springfield, Mass	497	83	30	71	199	86
Stockton, Calif	469	85	18	86	200	85
Syracuse, NY	572	76	21	82	239	80
Tampa–St. Petersburg–Clearwater, Fla	5,562	13	294	12	2,353	14
Toledo, Ohio	465	86	23	78	205	84
Tucson, Ariz	1,226	48	45	52	519	49
Tulsa, Okla	871	62	44	55	394	62
Virginia Beach–Norfolk–Newport News, Va–NC	2,236	36	83	37	1,020	34
Washington, DC–Va–Md–WVa (includes Bethesda Division and Washington Division)	14,338	6	473	7	6,374	6
Wichita, Kan	523	80	22	80	225	82
Worcester, Mass	370	89	14	88	161	90
Youngstown–Warren–Boardman, Ohio–Pa	247	95	17	87	117	95

Note. Data are adjusted for delays in reporting cases and deaths and for redistribution of cases in persons initially reported without an identified risk factor.

**Table 11b. Male adults and adolescents infected through injection drug use: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004**

Metropolitan statistical area of residence (population $\geq$ 500,000)	Injection drug use					
	Incidence				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Akron, Ohio	47	93	2	88	27	92
Albany–Schenectady–Troy, NY	586	35	27	31	248	32
Albuquerque, NM	98	82	7	72	43	82
Allentown–Bethlehem–Easton, Pa–NJ	363	45	10	60	198	43
Atlanta–Sandy Springs–Marietta, Ga	2,874	11	126	9	1,219	10
Augusta–Richmond County, Ga–SC	322	50	11	55	126	55
Austin–Round Rock, Tex	603	33	20	42	241	34
Bakersfield, Calif	350	47	12	52	241	34
Baltimore–Towson, Md	6,838	3	300	2	2,726	3
Baton Rouge, La	871	23	46	19	374	25
Birmingham–Hoover, Ala	250	61	12	52	91	66
Boise City–Nampa, Idaho	20	97	1	92	13	97
Boston, Mass–NH (includes Boston Division, Cambridge Division, and Essex Division)	3,028	9	92	11	1,292	9
Bridgeport–Stamford–Norwalk, Conn	1,095	20	37	25	445	18
Buffalo–Niagara Falls, NY	605	32	15	49	210	42
Cape Coral–Fort Myers, Fla	234	63	9	67	66	75
Charleston–North Charleston, SC	305	52	12	52	115	59
Charlotte–Gastonia–Concord, NC–SC	594	34	26	33	231	38
Chicago, Ill–Ind–Wis (includes Chicago Division, Gary Division, and Lake Division)	5,165	6	185	7	2,127	6
Cincinnati–Middletown, Ohio–Ky–Ind	179	71	11	55	103	62
Cleveland–Elyria–Mentor, Ohio	450	40	13	51	221	40
Colorado Springs, Colo	54	90	3	86	21	94
Columbia, SC	432	42	22	38	221	40
Columbus, Ohio	263	57	17	47	131	52
Dallas, Tex (includes Dallas Division and Fort Worth Division)	1,548	16	88	12	754	14
Dayton, Ohio	74	87	8	70	41	83
Denver–Aurora, Colo	389	43	25	35	178	46
Des Moines, Iowa	33	96	1	92	15	96
Detroit, Mich (includes Detroit Division and Warren Division)	1,550	15	54	16	419	21
El Paso, Tex	145	77	9	67	65	76
Fresno, Calif	229	65	7	72	103	62
Grand Rapids–Wyoming, Mich	76	85	2	88	30	90
Greensboro–High Point, NC	231	64	4	82	72	74
Greenville, SC	135	78	9	67	62	77
Harrisburg–Carlisle, Pa	290	53	10	60	173	47
Hartford–West Hartford–East Hartford, Conn	2,026	13	61	14	877	13
Honolulu, Hawaii	106	80	6	74	60	78
Houston–Baytown–Sugar Land, Tex	2,211	12	104	10	942	12
Indianapolis, Ind	283	54	20	42	144	51
Jackson, Miss	171	73	22	38	97	65
Jacksonville, Fla	700	28	37	25	294	28
Kansas City, Mo–Kan	237	62	11	55	109	60
Knoxville, Tenn	78	84	1	92	33	87
Lakeland, Fla	157	75	10	60	60	78
Las Vegas–Paradise, Nev	480	39	19	45	194	44
Little Rock–North Little Rock, Ark	105	81	6	74	60	78
Los Angeles, Calif (includes Los Angeles Division and Santa Anna Division)	3,524	8	130	8	1,477	8
Louisville, Ky–Ind	252	60	10	60	131	52
Madison, Wis	47	93	1	92	22	93
McAllen–Edinburg–Pharr, Tex	60	89	5	78	40	84
Memphis, Tenn–Miss–Ark	352	46	31	27	164	49

**Table 11b. Male adults and adolescents infected through injection drug use: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004 (cont)**

Metropolitan statistical area of residence (population ≥ 500,000)	Injection drug use					
	Incidence				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Miami, Fla (includes Fort Lauderdale Division, Miami Division, and West Palm Beach Division)	6,138	5	196	6	2,023	7
Milwaukee–Waukesha–West Allis, Wis	266	56	10	60	101	64
Minneapolis–St. Paul–Bloomington, Minn–Wis	267	55	18	46	121	56
Nashville–Davidson–Murfreesboro, Tenn	521	37	31	27	241	34
New Haven–Milford, Conn	1,629	14	45	20	660	15
New Orleans–Metairie–Kenner, La	972	22	48	18	399	22
New York, NY–NJ–Pa (includes Edison Division, Nassau Division, New York Division, and Newark Division)	59,942	1	1,391	1	18,354	1
Oklahoma City, Okla	173	72	5	78	76	72
Omaha–Council Bluffs, Neb–Iowa	76	85	5	78	37	85
Orlando, Fla	1,217	18	86	13	562	17
Oxnard–Thousand Oaks–Ventura, Calif	85	83	5	78	34	86
Palm Bay–Melbourne–Titusville, Fla	204	69	10	60	81	70
Philadelphia, Pa–NJ–Del–Md (includes Camden Division, Philadelphia Division, and Wilmington Division)	6,836	4	218	4	3,127	2
Phoenix–Mesa–Scottsdale, Ariz	643	29	45	20	264	31
Pittsburgh, Pa	368	44	17	47	150	50
Portland–South Portland, Me	51	91	1	92	32	88
Portland–Vancouver–Beaverton, Ore–Wash	339	49	23	37	182	45
Poughkeepsie–Newburgh–Middletown, NY	1,526	17	39	23	584	16
Providence–New Bedford–Fall River, RI–Mass	1,055	21	39	23	445	18
Raleigh–Cary, NC	263	57	15	49	130	54
Richmond, Va	531	36	20	42	226	39
Riverside–San Bernardino–Ontario, Calif	843	24	24	36	379	23
Rochester, NY	766	26	29	30	335	26
Sacramento–Arden–Arcade–Roseville, Calif	345	48	3	86	118	57
St. Louis, Mo–Ill	314	51	10	60	169	48
Salt Lake City, Utah	215	67	4	82	117	58
San Antonio, Tex	449	41	30	29	232	37
San Diego–Carlsbad–San Marcos, Calif	755	27	40	22	377	24
San Francisco, Calif (includes Oakland Division and San Francisco Division)	2,935	10	60	15	1,127	11
San Jose–Sunnyvale–Santa Clara, Calif	261	59	4	82	108	61
San Juan–Caguas–Guaynabo, Puerto Rico	8,317	2	206	5	2,355	4
Sarasota–Bradenton–Venice, Fla	193	70	8	70	88	67
Scranton–Wilkes-Barre, Pa	146	76	6	74	74	73
Seattle, Wash (includes Seattle Division and Tacoma Division)	503	38	27	31	246	33
Springfield, Mass	771	25	22	38	299	27
Stockton, Calif	158	74	11	55	83	68
Syracuse, NY	218	66	2	88	83	68
Tampa–St. Petersburg–Clearwater, Fla	1,161	19	53	17	429	20
Toledo, Ohio	49	92	2	88	30	90
Tucson, Ariz	213	68	11	55	80	71
Tulsa, Okla	109	79	4	82	51	81
Virginia Beach–Norfolk–Newport News, Va–NC	613	31	21	41	271	30
Washington, DC–Va–Md–WVa (includes Bethesda Division and Washington Division)	4,391	7	243	3	2,318	5
Wichita, Kan	45	95	1	92	19	95
Worcester, Mass	618	30	26	33	274	29
Youngstown–Warren–Boardman, Ohio–Pa	66	88	6	74	31	89

Note. Data are adjusted for delays in reporting cases and deaths and for redistribution of cases in persons initially reported without an identified risk factor.

**Table 11c. Male adults and adolescents infected through male-to-male sexual contact and injection drug use: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004**

Metropolitan statistical area of residence (population ≥ 500,000)	Male-to-male sexual contact and injection drug use					
	Incidence				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Akron, Ohio	50	88	2	84	25	85
Albany–Schenectady–Troy, NY	121	64	4	60	41	75
Albuquerque, NM	172	50	6	42	68	51
Allentown–Bethlehem–Easton, Pa–NJ	40	90	1	91	21	88
Atlanta–Sandy Springs–Marietta, Ga	1,347	11	48	9	592	9
Augusta–Richmond County, Ga–SC	109	71	6	42	45	69
Austin–Round Rock, Tex	473	25	14	28	221	21
Bakersfield, Calif	186	44	6	42	123	35
Baltimore–Towson, Md	939	14	22	17	322	15
Baton Rouge, La	288	35	15	25	129	34
Birmingham–Hoover, Ala	192	43	5	52	62	54
Boise City–Nampa, Idaho	19	97	0	—	10	97
Boston, Mass–NH (includes Boston Division, Cambridge Division, and Essex Division)	566	21	15	25	218	22
Bridgeport–Stamford–Norwalk, Conn	117	68	4	60	43	70
Buffalo–Niagara Falls, NY	120	66	3	70	50	66
Cape Coral–Fort Myers, Fla	79	81	3	70	31	82
Charleston–North Charleston, SC	122	62	5	52	58	59
Charlotte–Gastonia–Concord, NC–SC	170	52	8	38	74	48
Chicago, Ill–Ind–Wis (includes Chicago Division, Gary Division, and Lake Division)	2,003	6	74	4	973	4
Cincinnati–Middletown, Ohio–Ky–Ind	174	48	4	60	73	49
Cleveland–Elyria–Mentor, Ohio	292	33	12	30	130	32
Colorado Springs, Colo	75	83	4	60	35	80
Columbia, SC	169	53	6	42	101	40
Columbus, Ohio	164	56	10	32	76	46
Dallas, Tex (includes Dallas Division and Fort Worth Division)	1,664	7	50	8	648	7
Dayton, Ohio	86	77	3	70	37	78
Denver–Aurora, Colo	752	18	36	11	282	19
Des Moines, Iowa	34	94	2	84	14	95
Detroit, Mich (includes Detroit Division and Warren Division)	673	20	20	20	210	23
El Paso, Tex	103	72	5	52	59	57
Fresno, Calif	123	61	8	38	61	55
Grand Rapids–Wyoming, Mich	54	86	3	70	18	91
Greensboro–High Point, NC	68	85	3	70	24	87
Greenville, SC	72	84	3	70	28	83
Harrisburg–Carlisle, Pa	89	75	2	84	42	72
Hartford–West Hartford–East Hartford, Conn	193	42	6	42	61	55
Honolulu, Hawaii	147	57	5	52	66	53
Houston–Baytown–Sugar Land, Tex	2,220	5	63	6	755	6
Indianapolis, Ind	273	38	9	35	130	32
Jackson, Miss	132	59	4	60	55	63
Jacksonville, Fla	427	27	9	35	176	27
Kansas City, Mo–Kan	519	22	13	29	226	20
Knoxville, Tenn	46	89	4	60	16	93
Lakeland, Fla	119	67	5	52	43	70
Las Vegas–Paradise, Nev	381	29	15	25	172	28
Little Rock–North Little Rock, Ark	113	70	2	84	57	60
Los Angeles, Calif (includes Los Angeles Division and Santa Anna Division)	4,249	3	79	3	1,668	2
Louisville, Ky–Ind	169	53	10	32	81	44
Madison, Wis	40	90	2	84	21	88
McAllen–Edinburg–Pharr, Tex	33	95	5	52	16	93
Memphis, Tenn–Miss–Ark	290	34	8	38	87	42



**Table 11c. Male adults and adolescents infected through male-to-male sexual contact and injection drug use: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004 (cont)**

Metropolitan statistical area of residence (population ≥ 500,000)	Male-to-male sexual contact and injection drug use					
	Incidence				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Miami, Fla (includes Fort Lauderdale Division, Miami Division, and West Palm Beach Division)	2,457	4	90	2	862	5
Milwaukee–Waukesha–West Allis, Wis	140	58	6	42	59	57
Minneapolis–St. Paul–Bloomington, Minn–Wis	300	31	17	24	133	31
Nashville–Davidson–Murfreesboro, Tenn	262	39	12	30	120	37
New Haven–Milford, Conn	183	47	4	60	51	65
New Orleans–Metairie–Kenner, La	760	17	19	21	292	17
New York, NY–NJ–Pa (includes Edison Division, Nassau Division, New York Division, and Newark Division)	7,748	1	187	1	2,464	1
Oklahoma City, Okla	300	31	9	35	121	36
Omaha–Council Bluffs, Neb–Iowa	92	74	2	84	42	72
Orlando, Fla	514	23	22	17	198	24
Oxnard–Thousand Oaks–Ventura, Calif	80	80	3	70	34	81
Palm Bay–Melbourne–Titusville, Fla	79	81	3	70	41	75
Philadelphia, Pa–NJ–Del–Md (includes Camden Division, Philadelphia Division, and Wilmington Division)	1,519	9	27	14	592	9
Phoenix–Mesa–Scottsdale, Ariz	841	16	46	10	321	16
Pittsburgh, Pa	184	45	4	60	57	60
Portland–South Portland, Me	23	96	1	91	13	96
Portland–Vancouver–Beaverton, Ore–Wash	458	26	18	22	183	25
Poughkeepsie–Newburgh–Middletown, NY	184	45	4	60	71	50
Providence–New Bedford–Fall River, RI–Mass	173	49	10	32	76	46
Raleigh–Cary, NC	115	69	3	70	57	60
Richmond, Va	224	40	8	38	89	41
Riverside–San Bernardino–Ontario, Calif	900	15	28	13	430	12
Rochester, NY	132	59	4	60	53	64
Sacramento–Arden–Arcade–Roseville, Calif	482	24	6	42	181	26
St. Louis, Mo–Ill	349	30	6	42	157	29
Salt Lake City, Utah	172	50	6	42	83	43
San Antonio, Tex	396	28	18	22	152	30
San Diego–Carlsbad–San Marcos, Calif	1,278	12	32	12	543	11
San Francisco, Calif (includes Oakland Division and San Francisco Division)	4,909	2	72	5	1,572	3
San Jose–Sunnyvale–Santa Clara, Calif	283	36	5	52	113	38
San Juan–Caguas–Guaynabo, Puerto Rico	1,524	8	21	19	423	13
Sarasota–Bradenton–Venice, Fla	121	64	1	91	42	72
Scranton–Wilkes-Barre, Pa	40	90	0	—	21	88
Seattle, Wash (includes Seattle Division and Tacoma Division)	954	13	27	14	373	14
Springfield, Mass	82	79	3	70	36	79
Stockton, Calif	122	62	1	91	48	67
Syracuse, NY	83	78	3	70	25	85
Tampa–St. Petersburg–Clearwater, Fla	751	19	27	14	288	18
Toledo, Ohio	53	87	3	70	28	83
Tucson, Ariz	209	41	6	42	80	45
Tulsa, Okla	168	55	3	70	68	51
Virginia Beach–Norfolk–Newport News, Va–NC	276	37	5	52	112	39
Washington, DC–Va–Md–WVa (includes Bethesda Division and Washington Division)	1,501	10	58	7	645	8
Wichita, Kan	101	73	2	84	47	68
Worcester, Mass	87	76	0	—	41	75
Youngstown–Warren–Boardman, Ohio–Pa	36	93	3	70	17	92

Note. Data are adjusted for delays in reporting cases and deaths and for redistribution of cases in persons initially reported without an identified risk factor.

**Table 11d. Male adults and adolescents infected through high-risk heterosexual contact: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004**

Metropolitan statistical area of residence (population $\geq$ 500,000)	High-risk heterosexual contact <sup>a</sup>					
	Incidence				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Akron, Ohio	21	89	2	87	14	90
Albany–Schenectady–Troy, NY	113	55	12	48	72	59
Albuquerque, NM	35	83	9	59	22	84
Allentown–Bethlehem–Easton, Pa–NJ	75	71	3	79	40	74
Atlanta–Sandy Springs–Marietta, Ga	1,441	8	131	7	841	8
Augusta–Richmond County, Ga–SC	195	38	27	24	116	40
Austin–Round Rock, Tex	194	40	17	38	118	39
Bakersfield, Calif	108	59	14	42	83	53
Baltimore–Towson, Md	1,318	9	143	6	722	10
Baton Rouge, La	283	28	35	19	163	26
Birmingham–Hoover, Ala	184	43	17	38	89	52
Boise City–Nampa, Idaho	13	95	0	—	7	95
Boston, Mass–NH (includes Boston Division, Cambridge Division, and Essex Division)	639	13	34	20	412	13
Bridgeport–Stamford–Norwalk, Conn	337	23	13	45	194	23
Buffalo–Niagara Falls, NY	126	53	9	59	92	50
Cape Coral–Fort Myers, Fla	223	34	11	51	113	43
Charleston–North Charleston, SC	212	36	16	41	134	35
Charlotte–Gastonia–Concord, NC–SC	352	21	34	20	201	21
Chicago, Ill–Ind–Wis (includes Chicago Division, Gary Division, and Lake Division)	1,229	10	116	9	760	9
Cincinnati–Middletown, Ohio–Ky–Ind	91	65	3	79	54	65
Cleveland–Elyria–Mentor, Ohio	168	46	11	51	105	47
Colorado Springs, Colo	12	97	0	—	8	94
Columbia, SC	362	19	40	18	254	17
Columbus, Ohio	135	50	17	38	91	51
Dallas, Tex (includes Dallas Division and Fort Worth Division)	689	12	84	11	468	11
Dayton, Ohio	56	76	4	73	33	76
Denver–Aurora, Colo	165	47	22	33	116	40
Des Moines, Iowa	19	91	1	91	16	86
Detroit, Mich (includes Detroit Division and Warren Division)	377	18	27	24	201	21
El Paso, Tex	85	68	13	45	54	65
Fresno, Calif	15	94	0	—	3	97
Grand Rapids–Wyoming, Mich	49	78	3	79	24	82
Greensboro–High Point, NC	113	55	11	51	74	58
Greenville, SC	104	60	10	55	60	63
Harrisburg–Carlisle, Pa	51	77	5	72	33	76
Hartford–West Hartford–East Hartford, Conn	313	24	14	42	160	28
Honolulu, Hawaii	49	78	3	79	28	79
Houston–Baytown–Sugar Land, Tex	1,913	6	204	5	1,134	5
Indianapolis, Ind	160	49	11	51	106	46
Jackson, Miss	301	25	26	27	157	29
Jacksonville, Fla	583	15	73	12	367	15
Kansas City, Mo–Kan	96	62	7	65	66	61
Knoxville, Tenn	30	85	3	79	18	85
Lakeland, Fla	276	29	23	31	132	36
Las Vegas–Paradise, Nev	85	68	6	70	52	67
Little Rock–North Little Rock, Ark	67	73	4	73	45	72
Los Angeles, Calif (includes Los Angeles Division and Santa Anna Division)	1,507	7	94	10	925	7
Louisville, Ky–Ind	131	51	10	55	78	56
Madison, Wis	16	93	2	87	13	91
McAllen–Edinburg–Pharr, Tex	60	74	8	62	46	71
Memphis, Tenn–Miss–Ark	453	17	41	17	249	18

**Table 11d. Male adults and adolescents infected through high-risk heterosexual contact: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004 (cont)**

Metropolitan statistical area of residence (population ≥ 500,000)	High-risk heterosexual contact <sup>a</sup>					
	Incidence				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Miami, Fla (includes Fort Lauderdale Division, Miami Division, and West Palm Beach Division)	7,285	2	538	2	3,870	2
Milwaukee–Waukesha–West Allis, Wis	84	70	4	73	52	67
Minneapolis–St. Paul–Bloomington, Minn–Wis	95	63	12	48	71	60
Nashville–Davidson–Murfreesboro, Tenn	201	37	24	30	119	38
New Haven–Milford, Conn	290	27	9	59	154	31
New Orleans–Metairie–Kenner, La	552	16	59	14	328	16
New York, NY–NJ–Pa (includes Edison Division, Nassau Division, New York Division, and Newark Division)	11,062	1	839	1	6,733	1
Oklahoma City, Okla	60	74	8	62	37	75
Omaha–Council Bluffs, Neb–Iowa	44	82	3	79	25	81
Orlando, Fla	344	22	57	16	183	24
Oxnard–Thousand Oaks–Ventura, Calif	46	81	4	73	26	80
Palm Bay–Melbourne–Titusville, Fla	112	57	7	65	51	69
Philadelphia, Pa–NJ–Del–Md (includes Camden Division, Philadelphia Division, and Wilmington Division)	2,222	5	228	4	1,502	4
Phoenix–Mesa–Scottsdale, Ariz	194	40	14	42	105	47
Pittsburgh, Pa	104	60	27	24	81	54
Portland–South Portland, Me	13	95	0	—	6	96
Portland–Vancouver–Beaverton, Ore–Wash	110	58	13	45	79	55
Poughkeepsie–Newburgh–Middletown, NY	194	40	21	35	139	34
Providence–New Bedford–Fall River, RI–Mass	301	25	32	22	208	20
Raleigh–Cary, NC	195	38	22	33	126	37
Richmond, Va	271	30	19	37	162	27
Riverside–San Bernardino–Ontario, Calif	234	33	26	27	147	33
Rochester, NY	131	51	7	65	95	49
Sacramento–Arden–Arcade–Roseville, Calif	161	48	3	79	110	44
St. Louis, Mo–Ill	218	35	10	55	155	30
Salt Lake City, Utah	21	89	1	91	16	86
San Antonio, Tex	266	31	21	35	152	32
San Diego–Carlsbad–San Marcos, Calif	170	45	32	22	114	42
San Francisco, Calif (includes Oakland Division and San Francisco Division)	604	14	58	15	404	14
San Jose–Sunnyvale–Santa Clara, Calif	115	54	7	65	75	57
San Juan–Caguas–Guaynabo, Puerto Rico	2,252	4	125	8	1,012	6
Sarasota–Bradenton–Venice, Fla	180	44	10	55	108	45
Scranton–Wilkes-Barre, Pa	19	91	2	87	12	92
Seattle, Wash (includes Seattle Division and Tacoma Division)	240	32	23	31	174	25
Springfield, Mass	88	66	6	70	48	70
Stockton, Calif	86	67	12	48	56	64
Syracuse, NY	70	72	4	73	43	73
Tampa–St. Petersburg–Clearwater, Fla	812	11	73	12	440	12
Toledo, Ohio	34	84	2	87	23	83
Tucson, Ariz	26	87	0	—	9	93
Tulsa, Okla	49	78	7	65	31	78
Virginia Beach–Norfolk–Newport News, Va–NC	356	20	26	27	215	19
Washington, DC–Va–Md–WVa (includes Bethesda Division and Washington Division)	2,538	3	329	3	1,854	3
Wichita, Kan	30	85	4	73	16	86
Worcester, Mass	93	64	8	62	62	62
Youngstown–Warren–Boardman, Ohio–Pa	22	88	3	79	15	89

Note. Data are adjusted for delays in reporting cases and deaths and for redistribution of cases in persons initially reported without an identified risk factor.

<sup>a</sup> Heterosexual contact with a person with, or at increased risk for, HIV infection (e.g., an injection drug user).

**Table 12a. Female adults and adolescents infected through injection drug use: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004**

Metropolitan statistical area of residence (population ≥ 500,000)	Injection drug use					
	Incidence				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Akron, Ohio	22	92	3	69	16	87
Albany–Schenectady–Troy, NY	225	34	15	29	118	33
Albuquerque, NM	37	84	3	69	13	90
Allentown–Bethlehem–Easton, Pa–NJ	146	46	2	76	84	40
Atlanta–Sandy Springs–Marietta, Ga	1,041	12	54	9	506	12
Augusta–Richmond County, Ga–SC	140	49	9	39	73	46
Austin–Round Rock, Tex	272	30	13	35	130	30
Bakersfield, Calif	51	78	3	69	29	76
Baltimore–Towson, Md	3,376	3	194	2	1,499	2
Baton Rouge, La	337	26	23	19	153	27
Birmingham–Hoover, Ala	114	56	8	46	45	68
Boise City–Nampa, Idaho	11	97	0	—	6	96
Boston, Mass–NH (includes Boston Division, Cambridge Division, and Essex Division)	1,234	11	54	9	577	11
Bridgeport–Stamford–Norwalk, Conn	528	18	18	21	239	19
Buffalo–Niagara Falls, NY	171	41	7	48	70	48
Cape Coral–Fort Myers, Fla	144	47	5	58	53	58
Charleston–North Charleston, SC	90	65	4	64	48	65
Charlotte–Gastonia–Concord, NC–SC	184	39	9	39	80	43
Chicago, Ill–Ind–Wis (includes Chicago Division, Gary Division, and Lake Division)	2,320	6	112	6	1,030	6
Cincinnati–Middletown, Ohio–Ky–Ind	73	72	4	64	41	70
Cleveland–Elyria–Mentor, Ohio	196	38	7	48	119	32
Colorado Springs, Colo	31	88	0	—	17	85
Columbia, SC	149	44	9	39	83	41
Columbus, Ohio	89	66	5	58	54	56
Dallas, Tex (includes Dallas Division and Fort Worth Division)	847	14	62	8	487	13
Dayton, Ohio	45	80	4	64	30	75
Denver–Aurora, Colo	157	43	15	29	85	39
Des Moines, Iowa	15	95	2	76	7	95
Detroit, Mich (includes Detroit Division and Warren Division)	980	13	34	15	340	14
El Paso, Tex	38	83	1	83	19	84
Fresno, Calif	103	60	1	83	49	63
Grand Rapids–Wyoming, Mich	33	87	2	76	13	90
Greensboro–High Point, NC	69	73	2	76	24	78
Greenville, SC	52	77	5	58	23	79
Harrisburg–Carlisle, Pa	85	69	0	—	41	70
Hartford–West Hartford–East Hartford, Conn	716	15	30	17	340	14
Honolulu, Hawaii	48	79	0	—	22	80
Houston–Baytown–Sugar Land, Tex	1,272	10	82	7	615	9
Indianapolis, Ind	104	59	6	54	51	61
Jackson, Miss	129	52	9	39	69	49
Jacksonville, Fla	440	22	18	21	222	22
Kansas City, Mo–Kan	113	57	6	54	72	47
Knoxville, Tenn	34	86	2	76	20	83
Lakeland, Fla	116	55	7	48	53	58
Las Vegas–Paradise, Nev	219	36	9	39	94	37
Little Rock–North Little Rock, Ark	53	75	2	76	35	73
Los Angeles, Calif (includes Los Angeles Division and Santa Anna Division)	1,381	8	49	12	700	7
Louisville, Ky–Ind	88	67	4	64	49	63
Madison, Wis	18	94	1	83	4	97
McAllen–Edinburg–Pharr, Tex	15	95	3	69	11	93
Memphis, Tenn–Miss–Ark	158	42	7	48	68	50

**Table 12a. Female adults and adolescents infected through injection drug use: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004 (cont)**

Metropolitan statistical area of residence (population ≥ 500,000)	Injection drug use					
	Incidence				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Miami, Fla (includes Fort Lauderdale Division, Miami Division, and West Palm Beach Division)	3,585	2	134	4	1,235	5
Milwaukee–Waukesha–West Allis, Wis	113	57	3	69	60	54
Minneapolis–St. Paul–Bloomington, Minn–Wis	128	53	9	39	76	44
Nashville–Davidson–Murfreesboro, Tenn	223	35	17	25	111	34
New Haven–Milford, Conn	678	16	18	21	318	16
New Orleans–Metairie–Kenner, La	455	21	26	18	239	19
New York, NY–NJ–Pa (includes Edison Division, Nassau Division, New York Division, and Newark Division)	25,929	1	791	1	9,295	1
Oklahoma City, Okla	66	74	5	58	36	72
Omaha–Council Bluffs, Neb–Iowa	45	80	4	64	26	77
Orlando, Fla	422	23	32	16	180	24
Oxnard–Thousand Oaks–Ventura, Calif	31	88	1	83	16	87
Palm Bay–Melbourne–Titusville, Fla	101	61	9	39	53	58
Philadelphia, Pa–NJ–Del–Md (includes Camden Division, Philadelphia Division, and Wilmington Division)	2,768	4	123	5	1,465	3
Phoenix–Mesa–Scottsdale, Ariz	250	31	16	27	104	35
Pittsburgh, Pa	144	47	7	48	67	51
Portland–South Portland, Me	20	93	0	—	10	94
Portland–Vancouver–Beaverton, Ore–Wash	94	62	6	54	54	56
Poughkeepsie–Newburgh–Middletown, NY	240	32	15	29	101	36
Providence–New Bedford–Fall River, RI–Mass	519	19	21	20	239	19
Raleigh–Cary, NC	118	54	11	37	64	53
Richmond, Va	205	37	11	37	90	38
Riverside–San Bernardino–Ontario, Calif	343	25	14	34	189	23
Rochester, NY	505	20	18	21	275	17
Sacramento–Arden–Arcade–Roseville, Calif	173	40	1	83	82	42
St. Louis, Mo–Ill	149	44	7	48	67	51
Salt Lake City, Utah	86	68	1	83	45	68
San Antonio, Tex	131	51	8	46	75	45
San Diego–Carlsbad–San Marcos, Calif	351	24	15	29	165	26
San Francisco, Calif (includes Oakland Division and San Francisco Division)	1,359	9	47	13	612	10
San Jose–Sunnyvale–Santa Clara, Calif	94	62	2	76	48	65
San Juan–Caguas–Guaynabo, Puerto Rico	1,892	7	51	11	660	8
Sarasota–Bradenton–Venice, Fla	133	50	5	58	60	54
Scranton–Wilkes-Barre, Pa	44	82	1	83	22	80
Seattle, Wash (includes Seattle Division and Tacoma Division)	232	33	17	25	134	29
Springfield, Mass	300	27	12	36	129	31
Stockton, Calif	79	71	1	83	48	65
Syracuse, NY	94	62	3	69	50	62
Tampa–St. Petersburg–Clearwater, Fla	621	17	38	14	271	18
Toledo, Ohio	36	85	5	58	22	80
Tucson, Ariz	80	70	6	54	34	74
Tulsa, Okla	53	75	3	69	17	85
Virginia Beach–Norfolk–Newport News, Va–NC	299	28	15	29	168	25
Washington, DC–Va–Md–WVa (includes Bethesda Division and Washington Division)	2,386	5	157	3	1,366	4
Wichita, Kan	23	91	1	83	14	89
Worcester, Mass	289	29	16	27	149	28
Youngstown–Warren–Boardman, Ohio–Pa	28	90	1	83	13	90

Note. Data are adjusted for delays in reporting cases and deaths and for redistribution of cases in persons initially reported without an identified risk factor.

**Table 12b. Female adults and adolescents infected through high-risk heterosexual contact: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004**

Metropolitan statistical area of residence (population ≥ 500,000)	High-risk heterosexual contact <sup>a</sup>					
	Incidence				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Akron, Ohio	68	83	8	74	52	81
Albany–Schenectady–Troy, NY	273	47	31	37	188	43
Albuquerque, NM	53	90	3	91	32	90
Allentown–Bethlehem–Easton, Pa–NJ	182	65	8	74	107	66
Atlanta–Sandy Springs–Marietta, Ga	2,091	9	190	7	1,281	9
Augusta–Richmond County, Ga–SC	257	53	29	42	176	48
Austin–Round Rock, Tex	287	45	25	47	184	46
Bakersfield, Calif	63	84	5	82	40	86
Baltimore–Towson, Md	2,014	10	168	9	1,196	10
Baton Rouge, La	508	23	69	18	323	24
Birmingham–Hoover, Ala	270	49	22	52	137	57
Boise City–Nampa, Idaho	14	97	1	97	9	97
Boston, Mass–NH (includes Boston Division, Cambridge Division, and Essex Division)	1,194	13	79	16	786	13
Bridgeport–Stamford–Norwalk, Conn	434	29	33	35	269	31
Buffalo–Niagara Falls, NY	291	43	15	57	171	50
Cape Coral–Fort Myers, Fla	289	44	25	47	162	52
Charleston–North Charleston, SC	295	42	23	50	185	44
Charlotte–Gastonia–Concord, NC–SC	379	34	41	27	223	37
Chicago, Ill–Ind–Wis (includes Chicago Division, Gary Division, and Lake Division)	2,414	8	215	6	1,574	6
Cincinnati–Middletown, Ohio–Ky–Ind	164	67	11	61	114	65
Cleveland–Elyria–Mentor, Ohio	404	32	29	42	261	33
Colorado Springs, Colo	38	94	4	87	22	94
Columbia, SC	496	24	44	23	325	23
Columbus, Ohio	205	61	10	70	131	60
Dallas, Tex (includes Dallas Division and Fort Worth Division)	1,310	12	177	8	949	11
Dayton, Ohio	97	75	11	61	69	72
Denver–Aurora, Colo	269	50	19	55	165	51
Des Moines, Iowa	42	92	3	91	28	92
Detroit, Mich (includes Detroit Division and Warren Division)	878	18	51	20	495	19
El Paso, Tex	99	73	9	71	62	74
Fresno, Calif	92	77	4	87	56	77
Grand Rapids–Wyoming, Mich	61	85	3	91	43	84
Greensboro–High Point, NC	154	69	8	74	84	70
Greenville, SC	168	66	11	61	101	67
Harrisburg–Carlisle, Pa	131	70	11	61	89	69
Hartford–West Hartford–East Hartford, Conn	536	22	36	34	321	25
Honolulu, Hawaii	88	78	2	95	53	79
Houston–Baytown–Sugar Land, Tex	2,464	7	243	5	1,538	7
Indianapolis, Ind	276	46	30	40	198	41
Jackson, Miss	445	28	48	21	282	28
Jacksonville, Fla	999	16	116	13	626	15
Kansas City, Mo–Kan	269	50	24	49	185	44
Knoxville, Tenn	57	88	4	87	34	89
Lakeland, Fla	343	38	33	35	201	40
Las Vegas–Paradise, Nev	352	37	41	27	235	36
Little Rock–North Little Rock, Ark	111	71	8	74	76	71
Los Angeles, Calif (includes Los Angeles Division and Santa Anna Division)	2,800	6	137	11	1,742	5
Louisville, Ky–Ind	208	60	12	59	134	59
Madison, Wis	42	92	5	82	27	93
McAllen–Edinburg–Pharr, Tex	58	87	12	59	44	83
Memphis, Tenn–Miss–Ark	854	19	79	16	510	18

**Table 12b. Female adults and adolescents infected through high-risk heterosexual contact: metropolitan statistical area of residence at the time of AIDS diagnosis, ranked by incidence and prevalence, 2004 (cont)**

Metropolitan statistical area of residence (population ≥ 500,000)	High-risk heterosexual contact <sup>a</sup>					
	Incidence				Prevalence	
	1981–2004		2004		Dec. 31, 2004	
	No.	Rank	No.	Rank	No.	Rank
Miami, Fla (includes Fort Lauderdale Division, Miami Division, and West Palm Beach Division)	9,490	2	749	2	5,328	2
Milwaukee–Waukesha–West Allis, Wis	229	58	16	56	146	55
Minneapolis–St. Paul–Bloomington, Minn–Wis	324	39	42	24	240	35
Nashville–Davidson–Murfreesboro, Tenn	316	40	41	27	212	38
New Haven–Milford, Conn	618	21	30	40	367	21
New Orleans–Metairie–Kenner, La	981	17	100	15	604	17
New York, NY–NJ–Pa (includes Edison Division, Nassau Division, New York Division, and Newark Division)	23,518	1	1,496	1	13,040	1
Oklahoma City, Okla	110	72	7	78	64	73
Omaha–Council Bluffs, Neb–Iowa	88	78	5	82	60	75
Orlando, Fla	1,063	15	111	14	608	16
Oxnard–Thousand Oaks–Ventura, Calif	56	89	5	82	32	90
Palm Bay–Melbourne–Titusville, Fla	231	57	7	78	126	62
Philadelphia, Pa–NJ–Del–Md (includes Camden Division, Philadelphia Division, and Wilmington Division)	2,877	5	268	4	1,913	4
Phoenix–Mesa–Scottsdale, Ariz	364	35	47	22	208	39
Pittsburgh, Pa	237	55	26	46	161	53
Portland–South Portland, Me	30	96	3	91	21	96
Portland–Vancouver–Beaverton, Ore–Wash	200	63	22	52	129	61
Poughkeepsie–Newburgh–Middletown, NY	271	48	28	44	184	46
Providence–New Bedford–Fall River, RI–Mass	402	33	42	24	275	30
Raleigh–Cary, NC	247	54	31	37	174	49
Richmond, Va	426	30	40	30	262	32
Riverside–San Bernardino–Ontario, Calif	447	27	31	37	276	29
Rochester, NY	355	36	28	44	257	34
Sacramento–Arden–Arcade–Roseville, Calif	212	59	4	87	136	58
St. Louis, Mo–Ill	474	26	42	24	316	26
Salt Lake City, Utah	73	80	5	82	53	79
San Antonio, Tex	300	41	22	52	191	42
San Diego–Carlsbad–San Marcos, Calif	493	25	37	33	333	22
San Francisco, Calif (includes Oakland Division and San Francisco Division)	1,133	14	58	19	685	14
San Jose–Sunnyvale–Santa Clara, Calif	200	63	7	78	118	64
San Juan–Caguas–Guaynabo, Puerto Rico	2,965	4	145	10	1,298	8
Sarasota–Bradenton–Venice, Fla	234	56	23	50	144	56
Scranton–Wilkes-Barre, Pa	35	95	2	95	22	94
Seattle, Wash (includes Seattle Division and Tacoma Division)	422	31	38	32	295	27
Springfield, Mass	264	52	11	61	147	54
Stockton, Calif	71	81	11	61	50	82
Syracuse, NY	159	68	9	71	100	68
Tampa–St. Petersburg–Clearwater, Fla	1,338	11	123	12	813	12
Toledo, Ohio	98	74	11	61	60	75
Tucson, Ariz	70	82	11	61	43	84
Tulsa, Okla	93	76	11	61	56	77
Virginia Beach–Norfolk–Newport News, Va–NC	637	20	39	31	400	20
Washington, DC–Va–Md–WVa (includes Bethesda Division and Washington Division)	3,642	3	403	3	2,708	3
Wichita, Kan	51	91	6	81	37	87
Worcester, Mass	204	62	13	58	126	62
Youngstown–Warren–Boardman, Ohio–Pa	60	86	9	71	37	87

Note. Data are adjusted for delays in reporting cases and deaths and for redistribution of cases in persons initially reported without an identified risk factor.

<sup>a</sup> Heterosexual contact with a person with, or at increased risk for, HIV infection (e.g., an injection drug user).

# Technical Notes

---

All 50 states, the District of Columbia, U.S. dependencies, possessions, and associated nations\* report AIDS cases to CDC by using a uniform case definition and case surveillance report form. This supplemental report includes cases reported according to the CDC guidelines for AIDS case surveillance and the case definition in effect at the time of the report; all cases meet the 1999 surveillance case definition [1].

This report presents the cumulative number of AIDS cases reported during 1981–2004, the number of cases reported during 2004, the case rate (cases per 100,000 population) for 2004, and estimated AIDS prevalence as of December 31, 2004, among adults and adolescents aged 13 years or older, by area of residence at the time of AIDS diagnosis. Rank refers to the number assigned to an area or a metropolitan statistical area (MSA) according to the magnitude of the measure, without consideration for the distance between the values [2]. The lowest rank number was assigned to the highest value of the measure. Ties were resolved by assigning the smallest of the corresponding ranks according to the SAS rank procedure (online documentation for version 8, SAS Institute, Inc., Cary, NC). Because rank indicates a relative position in a series, a rank value is influenced by fluctuations associated with the corresponding area or MSA as well as those of the other sites in the series. Values of 0 were not assigned a rank.

Tables 7–12 represent data for MSAs with a postcensal 2004 estimated population of 500,000 or more. The MSAs, defined by the Office of Management and Budget, were most recently updated in December 2005 (<http://www.census.gov/population/www/estimates/metrodef.html>).

Data in this report were compiled from cases reported to CDC through June 2005. Tables 1–4 and 7–10 present the number of AIDS cases reported to CDC either during 2004 or during 1981–2004; Tables 1 and 7 also present the AIDS case rate (cases per 100,000 population). AIDS prevalence was estimated by adjusting data for delays in the reporting of cases

and deaths. In Tables 5, 6, 11, and 12, incidence and prevalence estimates are presented for cases diagnosed through December 2004. These estimates do not represent reported case counts. Rather, these numbers are point estimates, which result from the adjustment of reported case counts. The reported case counts are adjusted for reporting delays and for redistribution of cases in persons initially reported without an identified HIV transmission risk factor [3, 4]. The estimates do not include adjustment for incomplete reporting. These estimates contain an element of uncertainty, and small numbers should be interpreted with caution, as uncertainty in estimates is greater for small numbers.

AIDS case rates presented in Tables 1 and 7 were calculated by using population denominators based on official postcensal estimated 2004 populations from the U.S. Census Bureau [5] and bridged-race estimates from the National Center for Health Statistics. Population denominators for Guam, Puerto Rico, the U.S. Pacific Islands, and the U.S. Virgin Islands were based on postcensal estimated 2004 populations from the U.S. Census Bureau International Data Base (<http://www.census.gov/ipc/www/idbnew.html>). Consistent with the listing in the data sources, the name in the area tables (1–6) is District of Columbia; the name in the MSA tables (7–12) is Washington, DC.

Estimated numbers of AIDS cases in persons exposed through hemophilia/coagulation disorders or receipt of blood transfusion, blood components, or tissue are not presented. The relatively small number of cases in these categories in recent years does not provide information that results in accurate estimates. Similarly, in Tables 11 and 12, estimates are presented only for transmission categories for which there are sufficient numbers at the MSA level. Persons whose transmission category is classified as “high-risk heterosexual contact” are persons who reported specific heterosexual contact with a person with, or at increased risk for, HIV infection (e.g., an injection drug user).

---

\*Data are presented for the 50 states, the District of Columbia, Guam, Puerto Rico, the U.S. Pacific Islands, and the U.S. Virgin Islands. The U.S. Pacific Islands include American Samoa and the Commonwealth of the Northern Mariana Islands.



## References

1. CDC. Guidelines for national human immunodeficiency virus case surveillance, including monitoring for human immunodeficiency virus infection and acquired immunodeficiency syndrome. *MMWR* 1999;48(RR-13):1–31.
2. Colton T. *Statistics in Medicine*. Boston: Little, Brown; 1974:14.
3. Song R, Hall HI, Frey R. Uncertainties associated with incidence estimates of HIV/AIDS diagnoses adjusted for reporting delay and risk redistribution. *Stat Med* 2005;24:453–464.
4. Neal JJ, Fleming PL, Green TA, Ward JW. Trends in heterosexually acquired AIDS in the United States, 1988 through 1995. *J Acquir Immune Defic Syndr Hum Retrovirol* 1997;14:465–474.
5. U.S. Census Bureau. Population estimates: entire data set. Available at: <http://www.census.gov/popest/datasets.html>. Accessed June 20, 2006.