

HIV Surveillance **Report** | Supplemental Report

Volume 20, Number 4
Revised October 2015

Diagnosed HIV Infection among Adults and Adolescents in Metropolitan Statistical Areas—United States and Puerto Rico, 2013



This issue of the *HIV Surveillance Supplemental Report* is published by the Division of HIV/AIDS Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Centers for Disease Control and Prevention (CDC), U.S. Department of Health and Human Services, Atlanta, Georgia.

Data are presented for diagnoses of HIV infection reported to CDC through June 2014.

The *HIV Surveillance Supplemental Report* is not copyrighted and may be used and copied without permission. Citation of the source is, however, appreciated.

Suggested citation

Centers for Disease Control and Prevention. Diagnosed HIV infection among adults and adolescents in metropolitan statistical areas—United States and Puerto Rico, 2013. *HIV Surveillance Supplemental Report* 2015;20(No. 4):[inclusive page numbers]. Revised edition. <http://www.cdc.gov/hiv/library/reports/surveillance/>. Published September 2015. Accessed [date].

On the Web: <http://www.cdc.gov/hiv/library/reports/surveillance/>.

Confidential information, referrals, and educational material on HIV infection

CDC-INFO

1-800-232-4636 (in English, en Español)

1-888-232-6348 (TTY)

<http://www.cdc.gov/cdc-info/requestform.html>

Acknowledgments

Publication of this report was made possible with the contributions of the state and territorial health departments and the HIV surveillance programs that provided surveillance data to CDC.

This report was prepared by the following staff and contractors of the Division of HIV/AIDS Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, CDC: Hollie Clark, Anna Satcher Johnson, Baohua Wu, Hong Zhu, H. Irene Hall, and Michael Friend (desktop publishing).

Contents

Commentary	5
Suggested Readings	9
Technical Notes	10
References	13
Tables	
Section 1. Diagnosed HIV Infection among Adults and Adolescents, by Metropolitan Statistical Area (MSA) and Sex	
1a Diagnoses of HIV infection, 2013, and persons living with diagnosed HIV infection (prevalence), year-end 2012, adults and adolescents, by metropolitan statistical area of residence—United States and Puerto Rico	15
1b Diagnoses of HIV infection, 2013, and persons living with diagnosed HIV infection (prevalence), year-end 2012, adult and adolescent males, by metropolitan statistical area of residence—United States and Puerto Rico	18
1c Diagnoses of HIV infection, 2013, and persons living with diagnosed HIV infection (prevalence), year-end 2012, adult and adolescent females, by metropolitan statistical area of residence—United States and Puerto Rico	21
Section 2. Diagnosed HIV Infection among Adults and Adolescents, by MSA, Sex, and Age	
2a Diagnoses of HIV infection among adult and adolescent males, by age and metropolitan statistical area of residence, 2013—United States and Puerto Rico	24
2b Adult and adolescent males living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2012—United States and Puerto Rico	28
3a Diagnoses of HIV infection among adult and adolescent females, by age and metropolitan statistical area of residence, 2013—United States and Puerto Rico	32
3b Adult and adolescent females living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2012—United States and Puerto Rico	36
Section 3. Diagnosed HIV Infection among Adults and Adolescents, by MSA, Sex, and Race/Ethnicity	
4a Diagnoses of HIV infection among adult and adolescent males, by race/ethnicity and metropolitan statistical area of residence, 2013—United States	40
4b Adult and adolescent males living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2012—United States	44
5a Diagnoses of HIV infection among adult and adolescent females, by race/ethnicity and metropolitan statistical area of residence, 2013—United States	48
5b Adult and adolescent females living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2012—United States	52

Section 4. Diagnosed HIV Infection among Adults and Adolescents, by MSA, Sex, and Transmission Category

- | | | |
|----|---|----|
| 6a | Diagnoses of HIV infection among adult and adolescent males, by transmission category and metropolitan statistical area of residence, 2013—United States and Puerto Rico | 56 |
| 6b | Adult and adolescent males living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States and Puerto Rico | 59 |
| 7a | Diagnoses of HIV infection among adult and adolescent females, by transmission category and metropolitan statistical area of residence, 2013—United States and Puerto Rico | 62 |
| 7b | Adult and adolescent females living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States and Puerto Rico | 65 |

Section 5. Diagnosed HIV Infection among Adults and Adolescents, by MSA, Race/Ethnicity, and Transmission Category

- | | | |
|----|--|----|
| 8a | Diagnoses of HIV infection among black/African American adults and adolescents, by transmission category and metropolitan statistical area of residence, 2013—United States | 68 |
| 8b | Diagnoses of HIV infection among Hispanic/Latino adult and adolescents, by transmission category and metropolitan statistical area of residence, 2013—United States | 71 |
| 8c | Diagnoses of HIV infection among white adult and adolescents, by transmission category and metropolitan statistical area of residence, 2013—United States | 74 |
| 9a | Black/African American adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States | 77 |
| 9b | Hispanic/Latino adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States | 80 |
| 9c | White adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States | 83 |

Section 6. Deaths of Adults and Adolescents with Diagnosed HIV Infection, by MSA and Sex

- | | | |
|----|--|----|
| 10 | Deaths of adults and adolescents with diagnosed HIV infection, by sex and metropolitan statistical area of residence, 2012—United States and Puerto Rico | 86 |
|----|--|----|

To best direct resources toward communities with the greatest need, health planners often establish priorities by comparing the magnitude and effect of HIV disease amongst geographic areas. This surveillance supplemental report complements the 2013 HIV Surveillance Report by presenting data on diagnoses of HIV infection during 2013 and persons living with diagnosed HIV infection at year-end 2012 (prevalence) for adults and adolescents (aged 13 years and older) residing in metropolitan statistical areas (MSAs; population of 500,000 or more) in the United States and Puerto Rico. Consistent with CDC's approach of High-Impact HIV Prevention, HIV programs may use this information to target populations and areas at greatest need for HIV prevention and treatment services.

This report presents the unadjusted numbers and the estimated (statistically adjusted) numbers and rates (cases diagnosed per 100,000 persons) of diagnosed HIV infection during 2013 and of persons living with diagnosed HIV infection as of December 31, 2012 for adults and adolescents aged 13 years and older. Rankings for HIV diagnoses are based on the estimated rates derived from the MSA data.

REPORT FORMAT

Data in this report are presented by MSA of residence at the time of diagnosis for persons whose diagnosis of HIV infection was made during 2013 as well as for persons living with diagnosed HIV infection (prevalence) at year-end 2012. Data on diagnosis of HIV infection, by sex, age, and race/ethnicity include numerical rankings for estimated rates of diagnoses of HIV infection (Tables 1a–1c, 2a, 3a, 4a, 5a, 10).

Data were adjusted to account for delays in reporting of diagnoses of HIV infection and deaths of persons with diagnosed HIV infection but not for incomplete reporting. The multiple imputation procedure was used to assign transmission categories to adults and adolescents with HIV infection that were reported without an identified risk factor (Tables 6a–9c). For more information on this procedure, refer to Technical Notes.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these num-

bers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable. At the end of each table, rows are included to present summary data for all MSAs, smaller metropolitan areas (population 50,000–499,999), and nonmetropolitan areas (population less than 50,000).

Please read all titles and footnotes carefully to ensure a complete understanding of the data presented in each table.

HIGHLIGHTS OF ANALYSES

The statements in this section, unless otherwise indicated, are based on stable estimates (i.e., based on 12 or more diagnoses or prevalent cases). All rates are per 100,000 population and refer to adults and adolescents aged 13 years and older. Rates of diagnoses of HIV infection are based on the estimated (adjusted) number of diagnoses of HIV infection during 2013. HIV prevalence rates are based on the estimated (adjusted) number of persons living with diagnosed HIV infection as of December 31, 2012. Data are summarized but not presented for Native Hawaiians/other Pacific Islanders due to small population denominators (i.e., less than 100) (see Technical Notes, Tabulation and Presentation of Data).

In 2013, HIV diagnoses occurred primarily among persons residing in large MSAs ($\geq 500,000$ population). Among large MSAs, 5 MSAs (Miami-Fort Lauderdale-West Palm Beach, FL, New York-Newark-Jersey City, NY-NJ-PA, Baltimore-Columbia-Towson, MD, New Orleans-Metairie, LA, and Jackson, MS) had the highest HIV prevalence rates accounting for approximately 30% of the number of persons living with diagnosed HIV infection in large MSAs at year-end 2012. Rates of diagnoses of HIV infection and prevalence rates overall, by sex, and by sex and age were often highest in MSAs in the South. Miami-Fort Lauderdale-West Palm Beach, FL had the highest rate of diagnoses of HIV infection and HIV prevalence rate overall and the highest rates for several demographic populations.

By race/ethnicity, rates of diagnoses of HIV infection and prevalence rates were highest in MSAs in the

South for blacks/African Americans. For Hispanics/Latinos, rates of diagnoses of HIV infection and prevalence rates were highest in MSAs in the Northeast and South. For whites, rates of diagnoses of HIV infection and prevalence rates were often highest in MSAs in Florida.

By transmission category, the majority of diagnoses were among MSM. Additionally, for each transmission category, estimated numbers of diagnoses of HIV infection and prevalent cases were often highest in New York-Newark-Jersey City, NY-NJ-PA.

Death rates for male and female adults and adolescents with diagnosed HIV infection were often highest in MSAs in the South. For both males and females, the highest death rates were in Baltimore-Columbia-Towson, MD.

Diagnosed HIV Infection among Adults and Adolescents in MSAs, Smaller Metropolitan Areas, and Nonmetropolitan Areas

- For adults and adolescents residing in MSAs in the United States and Puerto Rico, rates of diagnoses of HIV infection (22.0) and prevalence rates (439.3) are approximately 2 times the rates of those residing in smaller metropolitan areas (10.5 and 188.1, respectively), and more than 3 times the rates of those residing in nonmetropolitan areas (6.9 and 120.4, respectively) (Table 1a).

Diagnosed HIV Infection among Adults and Adolescents by MSA and Sex

- Among adults and adolescents, the following 5 MSAs had the highest rates of diagnoses of HIV infection: Miami-Fort Lauderdale-West Palm Beach, FL (52.0), New Orleans-Metairie, LA (51.9), Baton Rouge, LA (43.6), Baltimore-Columbia-Towson, MD (43.3), and Atlanta-Sandy Springs-Roswell, GA (42.5).
- Among adult and adolescent males and females, MSAs in the South had the highest rates of diagnoses of HIV infection. For males, the following 5 MSAs had the highest rates of diagnoses of HIV infection: New Orleans-Metairie, LA (87.3), Miami-Fort Lauderdale-West Palm Beach, FL (83.8), Atlanta-Sandy Springs-Roswell, GA (73.9), Baltimore-Columbia-Towson, MD (67.1), and Baton Rouge, LA (64.2). For females, the following 5 MSAs had the highest rates of diagnoses of HIV infection:

Baton Rouge, LA (24.1), Miami-Fort Lauderdale-West Palm Beach, FL (22.5), Baltimore-Columbia-Towson, MD (21.7), Washington-Arlington-Alexandria, DC-VA-MD-WV (21.5), and New Orleans-Metairie, LA (19.1) (Tables 1b/c).

- Among adult and adolescent males and females, the HIV prevalence rates (1,515.2 and 611.5, respectively) were highest in Miami-Fort Lauderdale-West Palm Beach, FL (Tables 1b/c).

Diagnosed HIV Infection among Adults and Adolescents by MSA, Sex, and Age

- Among males aged 13–24 years, the rate of diagnoses of HIV infection (112.1) was highest in New Orleans-Metairie, LA, and the HIV prevalence rate (318.4) was highest in Jackson, MS. Among males aged 25–34 years, the rate of diagnoses of HIV infection (153.6) was highest in Atlanta-Sandy Springs-Roswell, GA, and the HIV prevalence rate (1,162.6) was highest in Memphis, TN-MS-AR. Among all other age groups for males (i.e., 35–44 years, 45–54 years, and 55 years and older), the rates of diagnoses of HIV infection (119.3, 108.6, and 33.6, respectively) were highest in Miami-Fort Lauderdale-West Palm Beach, FL. Among males aged 35–44 and 45–54 years, HIV prevalence rates (1,982.8 and 3,221.1, respectively) were highest in Miami-Fort Lauderdale-West Palm Beach, FL. Among males aged 55 years and older, the HIV prevalence rate (1,347.3) was highest in San Francisco-Oakland-Hayward, CA (Tables 2a/b).
- Among females aged 13–24, 25–34, and 35–44 years, rates of diagnoses of HIV infection (28.4, 38.8, and 45.9, respectively) were highest in Baton Rouge, LA. Among females aged 45–54 years, the rate of diagnoses of HIV infection (39.1) was highest in Baltimore-Columbia-Towson, MD. Among females aged 55 years and older, the rate of diagnoses of HIV infection (10.0) was highest in Miami-Fort Lauderdale-West Palm Beach, FL. Among females aged 13–24, 35–44, and 45–54 years, the HIV prevalence rates (167.1, 1,012.4, and 1,143.2, respectively) were highest in Miami-Fort Lauderdale-West Palm Beach, FL. Among females aged 25–34 years, the HIV prevalence rate (779.7) was highest in Baton Rouge, LA. Among females aged 55

years and older, the HIV prevalence rate (436.3) was highest in New York-Newark-Jersey City, NY-NJ-PA (Tables 3a/b).

Diagnosed HIV Infection among Adults and Adolescents by MSA, Sex, and Race/Ethnicity

- Among American Indian/Alaska Native males, the rate of diagnoses of HIV infection (68.2) was highest in Tulsa, OK; the HIV prevalence rate (1,713.7) was highest in San Francisco-Oakland-Hayward, CA. Among American Indian/Alaska Native females, the HIV prevalence rate (551.6) was highest in Minneapolis-St. Paul-Bloomington, MN-WI. There were no stable rates of diagnoses of HIV infection (i.e., based on 12 or more diagnoses) for American Indian/Alaska Native females (Tables 4a–5b).
- Among Asian males, the rate of diagnoses of HIV infection (35.0) was highest in Miami-Fort Lauderdale-West Palm Beach, FL; the HIV prevalence rate (258.5) was highest in San Francisco-Oakland-Hayward, CA. Among Asian females, the only stable rate of diagnoses of HIV infection (i.e., based on 12 or more diagnoses; 1.6) was in Los Angeles-Long Beach-Anaheim, CA; the HIV prevalence rate (53.7) was highest in Jacksonville, FL (Tables 4a–5b).
- Among black/African American males, the 5 MSAs with the highest rates of diagnoses of HIV infection were in the South: Baltimore-Columbia-Towson, MD (182.3), Atlanta-Sandy Springs-Roswell, GA (180.2), New Orleans-Metairie, LA (171.6), Washington-Arlington-Alexandria, DC-VA-MD-WV (169.6), and Baton Rouge, LA (160.0). The HIV prevalence rate for black/African American males (3,220.8) was highest in Miami-Fort Lauderdale-West Palm Beach, FL. Among black/African American females, all but 1 of the 5 MSAs with the highest rates of diagnoses of HIV infection were in the South: Cape Coral-Fort Myers, FL (127.6), Miami-Fort Lauderdale-West Palm Beach, FL (83.0), Washington-Arlington-Alexandria, DC-VA-MD-WV (71.4), Boston-Cambridge-Newton, MA-NH (69.9), and Baltimore-Columbia-Towson, MD (62.1). The HIV prevalence rate for black/African American females (2,309.1) was highest in Miami-Fort Lauderdale-West Palm Beach, FL (Tables 4a–5b).
- Among Hispanic/Latino males, the 5 MSAs with the highest rates of diagnoses of HIV infection were Atlanta-Sandy Springs-Roswell, GA (96.5), Springfield, MA (91.3), Buffalo-Cheektowaga-Niagara Falls, NY (89.5), Boston-Cambridge-Newton, MA-NH (86.0), and Miami-Fort Lauderdale-West Palm Beach, FL (78.4). The HIV prevalence rate for Hispanic/Latino males (1,833.3) was highest in New York-Newark-Jersey City, NY-NJ-PA. Among Hispanic/Latino females, the 5 MSAs with the highest rates of diagnoses of HIV infection were Boston-Cambridge-Newton, MA-NH (26.0), Atlanta-Sandy Springs-Roswell, GA (17.8), New York-Newark-Jersey City, NY-NJ-PA (16.7), Orlando-Kissimmee-Sanford, FL (15.5), and Philadelphia-Camden-Wilmington, PA-NJ-DE-MD (12.1). The HIV prevalence rate for Hispanic/Latino females (981.4) was highest in Rochester, NY (Tables 4a–5b).
- For Native Hawaiians/other Pacific Islanders, there were no stable rates of diagnoses of HIV infection (i.e., based on 12 or more diagnoses). Among Native Hawaiian/other Pacific Islander males, there were between 5 and 10 diagnoses of HIV infection per MSA in Honolulu (Urban), HI, San Francisco-Oakland-Hayward, CA, and Seattle-Tacoma-Bellevue, WA, less than 5 diagnoses of HIV infection per MSA in Cincinnati, OH-KY-IN, Fresno, CA, Kansas City, MO-KS, Las Vegas-Henderson-Paradise, NV, Los Angeles-Long Beach-Anaheim, CA, Miami-Fort Lauderdale-West Palm Beach, FL, New York-Newark-Jersey City, NY-NJ-PA, Orlando-Kissimmee-Sanford, FL, Oxnard-Thousand Oaks-Ventura, CA, Philadelphia-Camden-Wilmington, PA-NJ-DE-MD, Phoenix-Mesa-Scottsdale, AZ, Riverside-San Bernardino-Ontario, CA, San Diego-Carlsbad, CA, San Jose-Sunnyvale-Santa Clara, CA, Stockton-Lodi, CA, and Washington-Arlington-Alexandria, CA, and no diagnoses in the remaining MSAs. Among Native Hawaiian/other Pacific Islander females, there were less than 5 diagnoses of HIV infection per MSA in Dallas-Fort Worth-Arlington, TX, Honolulu (Urban), HI, Los Angeles-Long Beach-Anaheim, CA, Oklahoma City, OK, Portland-Vancouver-Hillsboro, OR-WA, San Francisco-Oakland-Hayward, CA, Seattle-

Tacoma-Bellevue, WA, and Tampa-St. Petersburg-Clearwater, FL, and no diagnoses of HIV infection in the remaining MSAs. Among Native Hawaiian/other Pacific Islander males, the HIV prevalence rate (2,103.5) was highest in Chicago-Naperville-Elgin, IL. Among Native Hawaiian/other Pacific Islander females, the only stable HIV prevalence rate (i.e., based on 12 or more diagnoses; 92.8) was in Honolulu (Urban), HI.

- Among white males, the 5 MSAs with the highest rates of diagnoses of HIV infection were Miami-Fort Lauderdale-West Palm Beach, FL (57.6), New Orleans-Metairie, LA (47.3), San Francisco-Oakland-Hayward, CA (34.3), Cape Coral-Ft. Meyers, FL (33.5), and Orlando-Kissimmee-Sanford, FL (32.9). The HIV prevalence rate for white males (1,482.8) was highest in San Francisco-Oakland-Hayward, CA. Among white females, the 5 MSAs with the highest rates of diagnoses of HIV infection were Jacksonville, FL (4.9), Tampa-St. Petersburg-Clearwater, FL (4.6), Miami-Fort Lauderdale-West Palm Beach, FL (4.4), Las Vegas-Henderson-Paradise, NV (4.2), and Baltimore-Columbia-Towson, MD (4.1). The HIV prevalence rate for white females (141.4) was highest in Miami-Fort Lauderdale-West Palm Beach, FL (Tables 4a–5b). Note that among white males and females, 3 of the 5 MSAs with the highest rates of diagnoses of HIV infection were located in Florida.

Diagnosed HIV Infection among Adults and Adolescents by MSA, Sex, and Transmission Category

- Among males, the estimated numbers of HIV diagnoses for all transmission categories were highest in New York-Newark-Jersey City, NY-NJ-PA, including males diagnosed with HIV infection attributed to male-to-male sexual contact (3,007), injection drug use (348), male-to-male sexual contact and injection drug use (86), and heterosexual contact (389). Also, the estimated numbers of males living with diagnosed HIV infection attributed to male-to-male sexual contact (57,861), injection drug use (22,613), male-to-male sexual contact and injection drug use (5,212), and heterosexual contact (11,602) were highest in New York-Newark-Jersey City,

NY-NJ-PA. The same applied to females—the estimated numbers of HIV diagnoses and the estimated HIV prevalence for all transmission categories among females, including injection drug use (170 and 14,242, respectively) and heterosexual contact (924 and 28,880, respectively) were highest in New York-Newark-Jersey City, NY-NJ-PA (Tables 6a–7b).

Diagnosed HIV Infection among Adults and Adolescents by MSA, Race/Ethnicity, and Transmission Category

- Among black/African American adults and adolescents, the estimated number of HIV diagnoses attributed to male-to-male sexual contact (1,021) and to male-to-male sexual contact and injection drug use (26) were highest in Atlanta-Sandy Springs-Roswell, GA. The estimated numbers of HIV diagnoses attributed to injection drug use (266) and to heterosexual contact (747) were highest in New York-Newark-Jersey City, NY-NJ-PA. The estimated numbers of persons living with diagnosed HIV infection attributed to male-to-male sexual contact (17,126), injection drug use (17,831), male-to-male sexual contact and injection drug use (1,802), and heterosexual contact (22,815) were highest in New York-Newark-Jersey City, NY-NJ-PA (Tables 8a, 9a).
- Among Hispanic/Latino adults and adolescents, the estimated numbers of HIV diagnoses and persons living with diagnosed HIV infection attributed to male-to-male sexual contact (1,001 and 18,018, respectively), injection drug use (170 and 13,430, respectively), male-to-male sexual contact and injection drug use (33 and 1,958, respectively), and heterosexual contact (371 and 12,128, respectively) were highest in New York-Newark-Jersey City, NY-NJ-PA (Tables 8b, 9b).
- Among white adults and adolescents, the estimated numbers of HIV diagnoses and persons living with diagnosed HIV infection attributed to male-to-male sexual contact (746 and 18,641, respectively), injection drug use (57 and 3,757, respectively), and heterosexual contact (125 and 3,145, respectively) were highest in New York-Newark-Jersey City, NY-NJ-PA. For HIV infection attributed to male-to-male sexual contact and injection drug use, the estimated numbers of

HIV diagnoses and persons living with diagnosed HIV infection (36 and 1,707, respectively) were highest in San Francisco-Oakland-Hayward, CA (Tables 8c, 9c).

Deaths of Adults and Adolescents with Diagnosed HIV Infection, by MSA and Sex

- For males, the estimated death rates in 2012 for persons with diagnosed HIV infection were highest in Baltimore-Columbia-Towson, MD (32.4), Jackson, MS (30.8), Miami-Fort Lauderdale-West Palm Beach, FL (27.9), San Juan-Carolina-Caguas, PR (26.3), and New Orleans-Metairie, LA (24.4) (Table 10).
- For females, the estimated death rates in 2012 for persons with diagnosed HIV infection were highest in Baltimore-Columbia-Towson, MD (14.6), Baton Rouge, LA (13.1), Miami-Fort Lauderdale-West Palm Beach, FL (12.7), Jackson, MS (12.2), and Memphis, TN-MS-AR (11.1) (Table 10).

McDavid Harrison K, Kajese T, Hall HI, Song R. Risk factor redistribution of the national HIV/AIDS surveillance data: an alternative approach. *Public Health Rep* 2008;123(5):618–627.

Office of Management and Budget. Standards for delineating metropolitan and micropolitan statistical areas. *Federal Register* 2010;75(123):37246–39052. <http://go.usa.gov/vSpG>. Published June 28, 2010. Accessed June 1, 2015.

Office of Management and Budget. Revised delineations of metropolitan statistical areas, micropolitan statistical areas, and combined statistical areas, and guidance on uses of the delineations of these areas. OMB Bulletin 13-01. <http://go.usa.gov/vSyB>. Published February 28, 2013. Accessed June 1, 2015.

SUGGESTED READINGS

CDC. *HIV Surveillance Report, 2013*; vol. 25.

<http://www.cdc.gov/hiv/library/reports/surveillance>. Published February 2015. Accessed June 1, 2015.

CDC. Diagnosed HIV infection among adults and adolescents in metropolitan statistical areas—United States and Puerto Rico, 2011. *HIV Surveillance Supplemental Report* 2013;18(No. 8). Revised edition. <http://www.cdc.gov/hiv/library/reports/surveillance/>. Published March 2014. Accessed June 1, 2015.

CDC. Diagnoses of HIV infection and AIDS among adolescents and young adults in the United States and 5 U.S. dependent areas, 2006–2009. *HIV Surveillance Supplemental Report* 2012;17(No. 2). <http://www.cdc.gov/hiv/library/reports/surveillance/>. Published January 2012. Accessed June 1, 2015.

CDC. HIV infections attributed to male-to-male sexual contact—metropolitan statistical areas, United States and Puerto Rico, 2010. *MMWR* 2012;61(47):962–966.

CDC. High-Impact HIV Prevention in the United States: CDC’s approach to reducing HIV infections in the United States. <http://go.usa.gov/p9xw>. Accessed June 1, 2015.

SURVEILLANCE OF HIV INFECTION

This report includes case report data from 50 states, the District of Columbia, and Puerto Rico in which laws or regulations require confidential reporting to the jurisdiction (not to CDC), by name for adults and adolescents with confirmed diagnoses of HIV infection. After the removal of personal identifying information, data from these reports were submitted to CDC.

Numbers (statistically adjusted [estimated] and unadjusted) and rates (adjusted) for 105 MSAs and 28 divisions located within any of these areas were included in the tabulations. Aside from the summary totals for smaller metropolitan (50,000–499,999 population) and nonmetropolitan areas (less than 50,000) that were provided in the final rows of each table, cases were excluded for persons who were diagnosed with HIV infection in MSAs with populations of less than 500,000. The MSAs and divisions were located in 44 states (Alabama, Arizona, Arkansas, California, Colorado, Connecticut, Delaware, Florida, Georgia, Hawaii, Idaho, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan, Minnesota, Mississippi, Missouri, Nebraska, Nevada, New Hampshire, New Jersey, New Mexico, New York, North Carolina, Ohio, Oklahoma, Oregon, Pennsylvania, Rhode Island, South Carolina, Tennessee, Texas, Utah, Virginia, Washington, West Virginia, and Wisconsin), the District of Columbia, and 1 U.S. dependent area (Puerto Rico). Alaska, Montana, North Dakota, South Dakota, Vermont, and Wyoming do not have MSAs within their borders.

TABULATION AND PRESENTATION OF DATA

The data in this report include information received by CDC through June 30, 2014. Data are presented for adults and adolescents aged 13 years or older diagnosed with HIV infection during 2013 or living with diagnosed HIV infection as of December 31, 2012 (prevalence). Tables include the total numbers (statistically adjusted [estimated] and unadjusted) and rates (adjusted) of diagnoses of HIV infection in 2013, and the total numbers (statistically adjusted [estimated] and unadjusted) and rates (adjusted) of HIV prevalence at

year-end 2012 by MSA of residence at diagnosis. Summary data are provided for persons residing in MSAs (populations of 500,000 or more), in metropolitan areas with populations of 50,000–499,999, and in nonmetropolitan areas (populations of less than 50,000), including diagnoses of HIV infection among persons with an unknown county of residence.

Data tables are organized as follows:

1. Diagnosed HIV infection among adults and adolescents, by MSA (Table 1a) and sex (Tables 1b/c)
2. Diagnosed HIV infection among adults and adolescents, by MSA, sex, and age (Tables 2a–3b)
3. Diagnosed HIV infection among adults and adolescents, by MSA, sex, and race/ethnicity (Tables 4a–5b)
4. Diagnosed HIV infection among adults and adolescents, by MSA, sex, and transmission category (Tables 6a–7b)
5. Diagnosed HIV infection among adults and adolescents, by MSA, race/ethnicity, and transmission category (Tables 8a–9c)
6. Deaths of adults and adolescents with a diagnosis of HIV infection, by MSA and sex (Table 10)

Please use caution when interpreting reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers: the underlying relative standard errors are greater than 30%, so the numbers are considered unreliable. For the assessment of trends in diagnoses, deaths, and prevalence, it is preferable to use statistically adjusted (estimated) data to eliminate artifacts of reporting in the surveillance system.

In accordance with *Data Re-Release Agreement for HIV Surveillance and Surveillance-Related Data* (issued October 24, 2011) [1], a suppression rule was applied for population denominators less than 100. This affected Native Hawaiians/other Pacific Islanders, who had female populations of less than 100 in 16 MSAs and male populations of less than 100 in 18 MSAs. Also, data for American Indians/Alaska Natives and Asians were excluded from tabulations by MSA, race/ethnicity, and transmission category (Tables 8a–9c), as nearly all of the case counts for American Indians/Alaska Natives and Asians in these tables were less

than 12 and thus were associated with unstable estimated numbers and rates.

We excluded data for San Juan-Carolina-Caguas, PR from tables displaying diagnoses of HIV infection by race/ethnicity (Tables 4a–5b, 8a–9c). The 2013 postcensal estimates do not include population estimates for Puerto Rico by race/ethnicity, thereby preventing assessment of the suppression rule for these population denominators.

Since population estimates are not available by transmission category, we used the most similar population to approximate the true population denominator for tables that present the estimated number of persons living with diagnosed HIV infection by transmission category (Tables 6a–9c). For example, the population estimate for male adults and adolescents who resided in a given MSA was used as a proxy for the population of adult and adolescent men who have sex with men residing in the MSA.

Diagnoses of HIV Infection

Data in this report were compiled from diagnoses of HIV infection that were reported by the United States and Puerto Rico to CDC through June 30, 2014. All jurisdictions report diagnoses of HIV infection to the CDC based on the guidelines for HIV case surveillance and use the 2008 surveillance case definition for HIV infection [2]. Please use caution when interpreting data on diagnoses of HIV infection. HIV surveillance reports may not be representative of all persons with HIV because not all infected persons have (1) been tested or (2) tested at a time when the infection could be detected and diagnosed. Also, some states offer anonymous HIV testing; the results of anonymous tests are not reported to the confidential name-based HIV registries of state and local health departments. Therefore, reports of confidential test results may not represent all persons who tested positive for HIV infection. In addition, testing patterns are influenced by many factors, including the extent to which testing is routinely offered to specific groups, or the availability of, and access to, medical care and testing services. The data presented in this report provide a minimum estimate of persons for whom HIV infection has been diagnosed and reported to the surveillance system.

Persons Living with Diagnosed HIV Infection (Prevalence)

Prevalence of HIV infection was based on the number of persons living with diagnosed HIV infection, regardless of the stage of disease, as of December 31, 2012. The exclusion of data from the most recent year allowed at least 18 months for deaths to be reported and for these deaths to be factored into calculations of prevalence.

Deaths

Persons reported to the National HIV Surveillance System are assumed alive unless their deaths have been reported to CDC. Death data include all deaths of persons with diagnosed HIV infection, regardless of the cause of death (Table 10). Data are reported for deaths that occurred by December 31, 2012, thereby allowing at least 18 months for deaths to be reported to CDC. The estimated numbers and rates of deaths resulted from statistical adjustment for delays in reporting.

Population of Area of Residence

In the Federal Register for June 28, 2010, the Office of Management and Budget (OMB) published revised standards for defining MSAs in federal statistical activities [3]. These standards, which provided for the identification of MSAs in the United States and Puerto Rico, replaced the 2000 standards. The adoption of the new standards was effective as of June 28, 2010. On February 28, 2013, the OMB announced new MSA delineations based on the new standards and Census 2010 data [4]. The OMB defines populations of area of residence as areas with populations of 500,000 or more (MSAs), areas with populations of 50,000–499,999, or areas with populations of less than 50,000 (nonmetropolitan areas). The Boston-Cambridge-Newton, MA-NH, New York-Newark-Jersey City, NY-NJ-PA, and San Francisco-Oakland-Hayward, CA MSAs all include one division with a population less than 500,000. Therefore, data presented for divisions in these 3 MSAs do not sum to the MSA totals.

Age

The designation “adults and adolescents” refers to persons aged 13 years and older. For presentations of data on persons living with diagnosed HIV infection (Tables 1a/b/c, 2b, 3b, 4b, 5b, 6b, 7b, 9a/b/c), the age-group assignment (for example, 20–24 years) is based on the person's age as of December 31, 2012. For presentations

of data on deaths of persons with diagnosed HIV infection (Table 10), age-group assignment (i.e., 13 years and older) is determined based on the person's age at the time of death. For presentations of data on diagnoses of HIV infection in 2013, the age-group assignment is based on the person's age at the time of diagnosis.

Age-group designations for transmission categories in tables displaying data on prevalence are based on a person's age at the end of 2012. That is, the transmission categories in these tables include persons who were children at the time of diagnosis but who were aged 13 years and older on December 31, 2012.

Race and Ethnicity

The data presented in this report were collected using the OMB's revised standards for ethnic and racial data, which calls for splitting Asian/Pacific Islander into 2 categories (Asian and Native Hawaiian/other Pacific Islander) and collecting 2 categories of ethnicity (Hispanic or Latino and not Hispanic or Latino) [5]. For presentations of data on persons living with diagnosed HIV infection by race/ethnicity (Tables 4b, 5b), the Asian category includes cases in Asians/Pacific Islanders that were diagnosed before the implementation of the new ethnic/racial categories in 2003 plus a small proportion of cases in Asians and Native Hawaiians/other Pacific Islanders that were diagnosed after 2003 and classified according to the old racial category (Asian/ Pacific Islander).

Ethnicity data were also collected in accordance with the revised OMB standards [5]. Hispanics and Latinos can be of any race (Tables 4a–5b, 8c, 9c).

Transmission Categories

Transmission category is the term for the classification of cases that summarizes a person's possible HIV risk factors; the summary classification results from selecting, from the presumed hierarchical order of probability, the single risk factor most likely to have been responsible for transmission. For surveillance purposes, a diagnosis of HIV infection is counted only once in the hierarchy of transmission categories. Persons with more than 1 reported risk factor for HIV infection are classified in the transmission category listed first in the hierarchy. The exception is men who had sexual contact with other men and injected drugs; this group makes up a separate transmission category.

Persons whose transmission category is classified as male-to-male sexual contact include men who ever had

sexual contact with other men (i.e., homosexual contact) and men who ever had sexual contact with both men and women (i.e., bisexual contact). Persons whose transmission category is classified as heterosexual contact are persons who have ever had heterosexual contact with a person known to have, or to be at high risk for, HIV infection (e.g., an injection drug user).

Cases of HIV infection reported without a risk factor listed in the hierarchy of transmission categories are classified as “no identified risk (NIR)” [6]. Cases classified as NIR include cases that are being followed up by local health department staff; cases in persons whose risk-factor information is missing because they died, declined to be interviewed, or were lost to follow-up; and cases in persons who were interviewed or for whom other follow-up information was available but for whom no risk factor was identified.

Because a substantial proportion of persons with diagnosed HIV infection are reported to CDC without an identified risk factor, multiple imputation is used to assign a transmission category [6]. Multiple imputation is a statistical approach in which each missing transmission category is replaced with a set of plausible values that represent the uncertainty about the true, but missing, value [7]. The plausible values are analyzed by using standard procedures, and the results from these analyses are then combined to produce the final results. In the tables displaying transmission categories (Tables 6a–9c), multiple imputation was used.

ESTIMATION METHODS

Diagnoses of HIV infection in 2013 and prevalence of HIV infection at year-end 2012 were estimated by using the same methods that were used for the 2013 HIV Surveillance Report [8]. Estimated numbers and rates were not adjusted for incomplete reporting. Estimated numbers were rounded to zero decimal places and estimated rates to one decimal place.

Reporting Delays

Reporting delays (time between HIV diagnosis or death and the reporting of diagnosis or death to CDC) may differ among demographic and geographic categories; some reporting delays have been as long as several years. The statistical adjustment of the data on diagnoses, prevalence, and deaths is based on estimates of reporting-delay distributions, which are calculated by using a modified semiparametric life-table statistical procedure. This procedure takes into

account differences in reporting delays due to sex, race/ethnicity, HIV transmission categories, geographic area (i.e., reporting city, state, or dependent area; region of residence), the size of the MSA, and the type of facility where the diagnosis was made or death occurred [9]. The statistical adjustment of the data on diagnoses takes into consideration the information reported from the state or dependent area where the diagnosis was made; the statistical adjustment of data on deaths takes into consideration the information from the state where the death occurred.

Rates

Rates per 100,000 population were calculated for (1) the numbers of diagnoses of HIV infection in 2013, (2) the numbers of persons living with diagnosed HIV infection at year-end 2012 (prevalence), and (3) the numbers of deaths at year-end 2012 of persons with diagnosed HIV infection.

The population denominators used to compute rates for areas in the United States and Puerto Rico were based on the Vintage 2013 postcensal estimates file from the U.S. Census Bureau [10]. Each rate was calculated by dividing the estimated total number of diagnoses (or deaths or prevalence) for the calendar year by the population for that calendar year and then multiplying that number by 100,000. The denominators used for calculating the rates specific to age, sex, and race/ethnicity were computed by applying the appropriate vintage estimates for age, sex, and race/ethnicity for the 50 states and the District of Columbia [10]. The same method was used to calculate the denominators for Puerto Rico, with the exception of race/ethnicity estimates; these data are not available for Puerto Rico (see next paragraph).

CDC currently does not provide subpopulation rates by race/ethnicity for Puerto Rico because the U.S. Census Bureau does not collect information from the dependent areas. Rates for transmission categories are not provided because of the absence of denominator data from the U.S. Census Bureau, the source of data used for calculating all rates in this report. For this reason, and because the suppression rule could not be assessed for all population denominators (see Tabulation and Presentation of Data), rates for San Juan-Carolina-Caguas, PR were not calculated for the tables displaying race/ethnicity (Tables 4a/b, 5a/b, 8a/b/c, 9a/b/c).

Ranks

Rank refers to the number assigned to an area or a metropolitan statistical area (MSA) according to the magnitude of the measure, without consideration for the distance between the values [11]. The lowest rank number was assigned to the highest value of the measure. Ties were resolved by assigning the smallest of the corresponding ranks according to the SAS rank procedure [12]. Because rank indicates a relative position in a series, a rank value is influenced by fluctuations associated with the corresponding area or MSA as well as those of the other sites in the series. Estimated rates based on reported or estimated numbers less than 12 were not assigned a rank.

REFERENCES

1. HIV Incidence and Case Surveillance Branch. *Data re-release agreement for HIV surveillance and surveillance-related data*. Agreement sent to funded areas, October 24, 2011.
2. CDC. Revised surveillance case definitions for HIV infection among adults, adolescents, and children aged <18 months and for HIV infection and AIDS among children aged 18 months to <13 years—United States 2008. *MMWR* 2008;57(RR-10):1–12.
3. Office of Management and Budget. Standards for delineating metropolitan and micropolitan statistical areas. *Federal Register* 2010;75(123):37246–39052. <http://go.usa.gov/vSpG>. Published June 28, 2010. Accessed June 1, 2015.
4. Office of Management and Budget. Revised delineations of metropolitan statistical areas, micropolitan statistical areas, and combined statistical areas, and guidance on uses of the delineations of these areas. OMB Bulletin 13-01. <http://go.usa.gov/vSyB>. Published February 28, 2013. Accessed June 1, 2015.
5. Office of Management and Budget. Revisions to the standards for the classification of federal data on race and ethnicity. *Federal Register* 1997;62:58781–58790. <http://go.usa.gov/vSdR>. Accessed March 1, 2013.
6. McDavid Harrison K, Kajese T, Hall HI, Song R. Risk factor redistribution of the national HIV/AIDS surveillance data: an alternative approach. *Public Health Rep* 2008;123(5):618–627.
7. Rubin, DB. *Multiple Imputation for Nonresponse in Surveys*. New York: John Wiley & Sons Inc; 1987.
8. CDC. *HIV Surveillance Report, 2013*; vol. 25. <http://www.cdc.gov/hiv/library/reports/surveillance>. Published February 2015. Accessed June 1, 2015.

9. Song R, Green TA. An improved approach to accounting for reporting delay in case surveillance systems. *JP Journal of Biostatistics* 2012;7(1):1–14.
10. U.S. Census Bureau. Population estimates [entire data set]. July 1, 2013. <http://go.usa.gov/3MaN3>. Accessed June 1, 2015.
11. Colton T. *Statistics in Medicine*. Boston: Little, Brown; 1974:14.
12. SAS Institute Inc. *Base SAS 9.3 Procedures Guide*. Cary, NC: SAS Institute Inc; 2012:1181–1203.

Table 1a. Diagnoses of HIV infection, 2013, and persons living with diagnosed HIV infection (prevalence), year-end 2012, adults and adolescents, by metropolitan statistical area of residence—United States and Puerto Rico

MSA of residence	Diagnosis, 2013				Prevalence of diagnosed HIV infection, year-end 2012		
	No.	Estimated ^a		Rank ^b	No.	Estimated ^a	
		No.	Rate			No.	Rate
Akron, Ohio	48	49	8.2	87	811	809	134.9
Albany–Schenectady–Troy, NY	65	68	9.1	83	2,085	2,053	274.2
Albuquerque, NM	67	70	9.3	81	1,285	1,277	171.5
Allentown–Bethlehem–Easton, PA–NJ	62	65	9.3	82	1,432	1,411	201.9
Atlanta–Sandy Springs–Roswell, GA	1,212	1,915	42.5	5	25,466	25,934	584.4
Augusta–Richmond County, GA–SC	98	151	31.5	11	2,050	2,081	436.7
Austin–Round Rock, TX	286	332	21.5	30	4,738	4,838	322.7
Bakersfield, CA	102	118	17.5	46	1,733	1,766	263.5
Baltimore–Columbia–Towson, MD	649	1,009	43.3	4	17,935	18,229	788.9
Baton Rouge, LA	287	296	43.6	3	4,423	4,399	654.3
Birmingham–Hoover, AL	167	172	18.1	43	3,827	3,785	401.7
Boise City, ID	22	23	4.3	102	452	451	88.0
Boston–Cambridge–Newton, MA–NH ^c	494	733	18.3	42	12,655	13,313	336.8
Boston Division	286	427	25.7	—	7,552	7,943	482.9
Cambridge Division	198	296	15.0	—	4,816	5,085	261.3
Bridgeport–Stamford–Norwalk, CT	90	94	12.0	66	2,685	2,679	345.1
Buffalo–Cheektowaga–Niagara Falls, NY	128	132	13.6	61	2,263	2,221	229.3
Cape Coral–Fort Myers, FL	142	147	25.7	17	1,638	1,628	292.3
Charleston–North Charleston, SC	121	125	21.1	32	2,283	2,274	391.8
Charlotte–Concord–Gastonia, NC–SC	418	432	22.5	26	7,127	7,084	377.1
Chattanooga, TN–GA	47	52	11.4	71	1,149	1,129	248.9
Chicago–Naperville–Elgin, IL–IN–WI	1,538	1,873	23.7	25	29,601	30,499	388.0
Chicago Division	1,377	1,694	27.8	—	27,008	27,882	460.0
Elgin Division	33	38	7.5	—	602	615	121.8
Gary Division	78	84	14.4	—	1,170	1,164	199.6
Lake County Division	50	57	7.9	—	821	838	117.9
Cincinnati, OH–KY–IN	241	248	14.1	58	3,424	3,414	194.5
Cleveland–Elyria, OH	290	298	17.1	47	4,749	4,731	271.8
Colorado Springs, CO	30	31	5.5	99	806	801	146.8
Columbia, SC	169	175	26.4	16	3,928	3,910	597.0
Columbus, OH	301	310	19.1	39	5,015	5,003	312.4
Dallas–Fort Worth–Arlington, TX	1,195	1,386	25.3	19	21,724	22,195	412.9
Dallas Division	926	1,074	29.7	—	17,282	17,658	497.8
Fort Worth Division	269	312	16.8	—	4,442	4,537	248.2
Dayton, OH	86	88	13.1	64	1,417	1,414	209.5
Deltona–Daytona Beach–Ormond Beach, FL	95	98	18.6	40	1,455	1,445	278.8
Denver–Aurora–Lakewood, CO	242	251	11.3	72	9,060	9,033	415.5
Des Moines–West Des Moines, IA	35	36	7.4	92	597	596	124.8
Detroit–Warren–Dearborn, MI	527	543	15.1	54	9,795	9,588	267.0
Detroit Division	349	360	24.5	—	7,159	6,988	471.1
Warren Division	178	184	8.6	—	2,636	2,601	123.4
Durham–Chapel Hill, NC	105	108	24.1	23	2,029	2,015	456.3
El Paso, TX	117	136	20.7	34	1,776	1,819	277.2
Fresno, CA	91	106	14.1	56	1,583	1,616	216.8
Grand Rapids–Wyoming, MI	50	52	6.2	96	970	958	116.3
Greensboro–High Point, NC	130	135	21.8	28	2,357	2,342	380.7
Greenville–Anderson–Mauldin, SC	106	110	15.5	52	1,611	1,605	228.8
Harrisburg–Carlisle, PA	49	51	10.7	74	1,314	1,283	273.3
Hartford–West Hartford–East Hartford, CT	119	123	11.9	69	3,471	3,459	334.7
Honolulu (Urban), HI	57	59	7.1	94	1,640	1,633	199.6

Table 1a. Diagnoses of HIV infection, 2013, and persons living with diagnosed HIV infection (prevalence), year-end 2012, adults and adolescents, by metropolitan statistical area of residence—United States and Puerto Rico (cont)

MSA of residence	Diagnosis, 2013				Prevalence of diagnosed HIV infection, year-end 2012		
	No.	Estimated ^a			No.	Estimated ^a	
		No.	Rate	Rank ^b		No.	Rate
Houston–The Woodlands–Sugar Land, TX	1,460	1,546	30.5	12	24,015	24,185	489.8
Indianapolis–Carmel–Anderson, IN	256	264	16.6	48	4,620	4,603	292.8
Jackson, MS	162	168	35.6	8	3,350	3,303	701.6
Jacksonville, FL	361	373	32.0	9	6,124	6,086	529.7
Kansas City, MO–KS	203	210	12.5	65	4,804	4,779	287.0
Knoxville, TN	59	62	8.5	85	1,174	1,148	159.7
Lakeland–Winter Haven, FL	100	104	19.9	36	1,769	1,758	341.7
Lancaster, PA	32	33	7.5	91	750	734	169.0
Las Vegas–Henderson–Paradise, NV	391	404	24.2	21	6,188	6,152	374.0
Little Rock–North Little Rock–Conway, AR	126	168	28.2	15	1,869	1,897	320.9
Los Angeles–Long Beach–Anaheim, CA	2,043	2,373	21.6	29	51,457	52,299	481.6
Anaheim Division	301	350	13.4	—	6,603	6,709	261.1
Los Angeles Division	1,742	2,023	24.2	—	44,854	45,590	550.0
Louisville–Jefferson County, KY–IN	182	188	17.9	45	2,987	2,955	283.6
Madison, WI	33	34	6.4	95	674	671	128.5
McAllen–Edinburg–Mission, TX	103	119	19.4	37	993	1,020	168.9
Memphis, TN–MS–AR	392	412	37.6	7	7,339	7,199	658.8
Miami–Fort Lauderdale–West Palm Beach, FL	2,499	2,579	52.0	1	51,519	51,238	1,046.0
Fort Lauderdale Division	836	862	55.5	—	16,677	16,584	1,081.1
Miami Division	1,287	1,329	59.7	—	26,991	26,854	1,220.9
West Palm Beach Division	376	388	32.8	—	7,851	7,800	669.7
Milwaukee–Waukesha–West Allis, WI	133	137	10.5	75	3,050	3,037	234.4
Minneapolis–St. Paul–Bloomington, MN–WI	261	271	9.5	79	6,259	6,230	221.2
Modesto, CA	20	23	5.4	100	521	529	126.7
Nashville–Davidson–Murfreesboro–Franklin, TN	232	240	16.5	49	5,055	4,950	347.3
New Haven–Milford, CT	94	98	13.4	62	3,106	3,097	422.0
New Orleans–Metairie, LA	521	538	51.9	2	8,112	8,060	787.6
New York–Newark–Jersey City, NY–NJ–PA ^c	4,137	4,933	29.4	13	143,636	143,974	864.1
Nassau County Division	237	248	10.3	—	5,886	5,812	242.3
New York Division	3,348	3,846	32.2	—	121,608	121,665	1,026.6
Newark Division	522	807	38.7	—	14,856	15,227	734.7
North Port–Sarasota–Bradenton, FL	90	94	14.6	55	1,661	1,653	261.9
Ogden–Clearfield, UT	8	8	1.7	104	288	287	61.5
Oklahoma City, OK	168	227	21.0	33	2,552	2,589	244.6
Omaha–Council Bluffs, NE–IA	55	57	7.8	89	1,270	1,265	176.7
Orlando–Kissimmee–Sanford, FL	584	604	31.7	10	10,117	10,065	539.8
Oxnard–Thousand Oaks–Ventura, CA	52	61	8.7	84	864	877	127.6
Palm Bay–Melbourne–Titusville, FL	65	67	14.0	60	1,212	1,202	253.2
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	1,096	1,222	24.1	22	26,064	25,831	511.8
Camden Division	142	223	21.2	—	3,062	3,155	300.5
Montgomery Division	126	131	8.0	—	2,199	2,156	131.9
Philadelphia Division	737	767	43.3	—	18,366	18,094	1,024.7
Wilmington Division	91	102	16.9	—	2,437	2,427	406.1
Phoenix–Mesa–Scottsdale, AZ	528	546	15.2	53	9,706	9,658	274.0
Pittsburgh, PA	142	147	7.2	93	2,994	2,929	143.8
Portland–South Portland, ME	18	19	4.2	103	649	650	145.9
Portland–Vancouver–Hillsboro, OR–WA	183	189	9.8	77	4,314	4,294	224.8
Providence–Warwick, RI–MA	126	154	11.2	73	3,130	3,184	233.0
Provo–Orem, UT	3	3	0.7	105	148	148	36.5
Raleigh, NC	211	218	21.9	27	3,337	3,329	344.4

Table 1a. Diagnoses of HIV infection, 2013, and persons living with diagnosed HIV infection (prevalence), year-end 2012, adults and adolescents, by metropolitan statistical area of residence—United States and Puerto Rico (cont)

MSA of residence	Diagnosis, 2013				Prevalence of diagnosed HIV infection, year-end 2012		
	No.	Estimated ^a			No.	Estimated ^a	
		No.	Rate	Rank ^b		No.	Rate
Richmond, VA	181	188	18.0	44	4,520	4,497	435.0
Riverside–San Bernardino–Ontario, CA	429	497	14.1	57	7,939	8,075	231.2
Rochester, NY	106	109	11.9	68	2,940	2,893	315.2
Sacramento–Roseville–Arden–Arcade, CA	190	220	12.0	67	3,690	3,752	206.6
St. Louis, MO–IL	311	330	14.1	59	6,771	6,762	289.6
Salt Lake City, UT	67	70	7.8	90	1,894	1,890	214.6
San Antonio–New Braunfels, TX	409	476	25.7	18	5,146	5,271	291.1
San Diego–Carlsbad–San Marcos, CA	473	550	20.5	35	12,219	12,404	467.7
San Francisco–Oakland–Hayward, CA ^c	750	819	21.3	31	24,478	24,535	648.7
Oakland Division	293	340	15.2	—	7,205	7,325	333.0
San Francisco Division	443	463	33.5	—	16,392	16,323	1,196.4
San Jose–Sunnyvale–Santa Clara, CA	129	150	9.4	80	3,216	3,268	209.0
San Juan–Carolina–Caguas, PR	448	561	29.0	14	13,099	13,155	677.7
Scranton–Wilkes-Barre–Hazleton, PA	28	29	5.9	98	584	571	117.8
Seattle–Tacoma–Bellevue, WA	344	355	11.7	70	8,603	8,561	287.9
Seattle Division	286	296	12.6	—	7,594	7,558	327.9
Tacoma Division	58	60	8.8	—	1,009	1,003	150.0
Spokane–Spokane Valley, WA	22	23	5.0	101	428	425	95.3
Springfield, MA	65	98	18.3	41	1,844	1,943	364.1
Stockton–Lodi, CA	80	92	16.5	50	1,180	1,201	215.2
Syracuse, NY	57	59	10.5	76	1,088	1,067	190.8
Tampa–St. Petersburg–Clearwater, FL	593	612	25.0	20	10,364	10,298	424.4
Toledo, OH	47	48	9.5	78	949	946	185.9
Tucson, AZ	108	112	13.3	63	1,985	1,972	236.9
Tulsa, OK	111	151	19.2	38	1,595	1,617	207.8
Virginia Beach–Norfolk–Newport News, VA–NC	329	340	23.8	24	6,623	6,587	465.0
Washington–Arlington–Alexandria, DC–VA–MD–WV	1,478	1,990	40.3	6	32,544	33,484	689.1
Silver Spring Division	230	358	34.2	—	3,945	4,108	398.3
Washington Division	1,248	1,632	41.9	—	28,599	29,376	767.5
Wichita, KS	30	31	6.0	97	805	802	156.3
Winston-Salem, NC	86	88	16.2	51	1,687	1,672	310.2
Worcester, MA–CT	43	63	8.0	88	1,809	1,888	242.4
Youngstown–Warren–Boardman, OH–PA	39	40	8.4	86	672	668	139.9
Subtotal for MSAs (population of ≥500,000)	34,160	39,193	22.0	—	770,708	774,788	439.3
Metropolitan areas (population of 50,000–499,999)	5,850	6,564	10.5	—	117,125	117,155	188.1
Nonmetropolitan areas	1,557	1,768	6.9	—	30,641	30,614	120.4
Total^d	41,830	47,926	18.0	—	926,457	930,750	352.4

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^b Based on estimated rate. Ranks were not assigned to MSAs with estimated rates that were based on reported or estimated numbers less than 12.

^c Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^d Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 1b. Diagnoses of HIV infection, 2013, and persons living with diagnosed HIV infection (prevalence), year-end 2012, adult and adolescent males, by metropolitan statistical area of residence—United States and Puerto Rico

MSA of residence	Diagnosis, 2013				Prevalence of diagnosed HIV infection, year-end 2012		
	No.	Estimated ^a			No.	Estimated ^a	
		No.	Rate	Rank ^b		No.	Rate
Akron, OH	43	44	15.3	83	646	644	223.9
Albany–Schenectady–Troy, NY	47	49	13.5	87	1,399	1,377	379.1
Albuquerque, NM	59	61	16.8	77	1,149	1,142	313.9
Allentown–Bethlehem–Easton, PA–NJ	45	47	13.9	86	909	894	264.1
Atlanta–Sandy Springs–Roswell, GA	1,021	1,599	73.9	3	19,993	20,394	955.7
Augusta–Richmond County, GA–SC	77	118	51.0	9	1,359	1,376	597.3
Austin–Round Rock, TX	248	287	37.3	28	4,048	4,135	552.9
Bakersfield, CA	91	105	30.2	42	1,544	1,573	455.6
Baltimore–Columbia–Towson, MD	480	745	67.1	4	11,589	11,801	1,070.8
Baton Rouge, LA	206	212	64.2	5	2,743	2,728	833.7
Birmingham–Hoover, AL	138	142	31.5	39	2,832	2,800	624.2
Boise City, ID	21	22	8.3	101	387	386	152.0
Boston–Cambridge–Newton, MA–NH ^c	375	554	28.9	45	9,254	9,737	512.8
Boston Division	218	324	40.8	—	5,714	6,013	764.9
Cambridge Division	147	220	23.2	—	3,313	3,499	373.9
Bridgeport–Stamford–Norwalk, CT	71	74	19.6	71	1,774	1,770	472.7
Buffalo–Cheektowaga–Niagara Falls, NY	96	99	21.2	65	1,568	1,536	330.7
Cape Coral–Fort Myers, FL	101	105	37.6	27	1,079	1,072	395.2
Charleston–North Charleston, SC	94	98	33.8	36	1,646	1,640	581.4
Charlotte–Concord–Gastonia, NC–SC	329	341	36.9	30	5,056	5,028	556.5
Chattanooga, TN–GA	39	44	19.9	68	861	848	390.2
Chicago–Naperville–Elgin, IL–IN–WI	1,282	1,564	40.8	22	23,347	24,077	631.9
Chicago Division	1,151	1,418	48.1	—	21,376	22,088	754.6
Elgin Division	26	30	12.0	—	444	454	181.7
Gary Division	63	68	24.2	—	897	892	317.9
Lake County Division	42	48	13.4	—	630	643	182.4
Cincinnati, OH–KY–IN	195	201	23.5	60	2,717	2,709	318.2
Cleveland–Elyria, OH	241	248	29.8	43	3,783	3,769	454.6
Colorado Springs, CO	24	25	8.8	99	678	674	247.1
Columbia, SC	131	136	42.3	17	2,865	2,853	901.6
Columbus, OH	254	262	33.1	37	4,104	4,094	524.7
Dallas–Fort Worth–Arlington, TX	971	1,126	42.1	19	17,340	17,714	673.9
Dallas Division	757	877	49.6	—	13,969	14,270	821.9
Fort Worth Division	214	249	27.4	—	3,371	3,444	385.9
Dayton, OH	70	72	22.2	62	1,111	1,109	342.6
Deltona–Daytona Beach–Ormond Beach, FL	71	73	28.8	46	1,000	993	397.4
Denver–Aurora–Lakewood, CO	214	221	20.1	67	8,144	8,119	754.9
Des Moines–West Des Moines, IA	30	31	13.0	90	489	488	209.9
Detroit–Warren–Dearborn, MI	441	455	26.3	53	7,512	7,361	427.1
Detroit Division	289	298	42.6	—	5,316	5,195	737.3
Warren Division	152	157	15.2	—	2,196	2,166	212.6
Durham–Chapel Hill, NC	86	89	41.6	21	1,442	1,432	684.5
El Paso, TX	97	113	35.4	33	1,556	1,595	501.2
Fresno, CA	78	91	24.4	56	1,291	1,319	356.7
Grand Rapids–Wyoming, MI	37	38	9.3	98	742	732	181.7
Greensboro–High Point, NC	99	103	35.1	35	1,692	1,681	576.1
Greenville–Anderson–Mauldin, SC	89	93	27.0	52	1,215	1,211	357.6
Harrisburg–Carlisle, PA	37	38	16.5	79	978	954	418.6
Hartford–West Hartford–East Hartford, CT	92	95	19.0	72	2,360	2,352	471.1
Honolulu (Urban), HI	54	55	13.3	89	1,412	1,406	341.7

Table 1b. Diagnoses of HIV infection, 2013, and persons living with diagnosed HIV infection (prevalence), year-end 2012, adult and adolescent males, by metropolitan statistical area of residence—United States and Puerto Rico (cont)

MSA of residence	Diagnosis, 2013				Prevalence of diagnosed HIV infection, year-end 2012		
	No.	Estimated ^a			No.	Estimated ^a	
		No.	Rate	Rank ^b		No.	Rate
Houston–The Woodlands–Sugar Land, TX	1,138	1,204	48.1	13	17,767	17,892	732.7
Indianapolis–Carmel–Anderson, IN	205	211	27.4	50	3,794	3,780	497.2
Jackson, MS	126	131	58.5	8	2,316	2,283	1,025.4
Jacksonville, FL	261	271	48.1	12	3,924	3,899	703.7
Kansas City, MO–KS	171	177	21.7	64	4,063	4,041	499.9
Knoxville, TN	52	55	15.5	82	956	932	267.6
Lakeland–Winter Haven, FL	74	77	30.3	41	1,134	1,128	451.5
Lancaster, PA	30	31	14.5	84	485	474	225.5
Las Vegas–Henderson–Paradise, NV	341	353	42.1	18	5,208	5,179	628.7
Little Rock–North Little Rock–Conway, AR	103	138	48.2	11	1,503	1,526	537.3
Los Angeles–Long Beach–Anaheim, CA	1,811	2,103	39.1	25	45,548	46,304	870.4
Anaheim Division	267	310	24.3	—	5,802	5,899	467.4
Los Angeles Division	1,544	1,793	43.8	—	39,746	40,406	995.8
Louisville–Jefferson County, KY–IN	151	156	30.6	40	2,411	2,384	473.4
Madison, WI	28	29	11.0	94	544	542	209.9
McAllen–Edinburg–Mission, TX	85	98	33.1	38	786	807	277.5
Memphis, TN–MS–AR	301	316	61.0	6	5,036	4,941	953.7
Miami–Fort Lauderdale–West Palm Beach, FL	1,937	2,001	83.8	2	35,878	35,689	1,515.2
Fort Lauderdale Division	669	691	92.1	—	11,604	11,541	1,562.9
Miami Division	1,014	1,048	97.9	—	19,428	19,336	1,827.6
West Palm Beach Division	254	262	46.3	—	4,846	4,812	860.9
Milwaukee–Waukesha–West Allis, WI	109	112	17.9	74	2,397	2,388	382.2
Minneapolis–St. Paul–Bloomington, MN–WI	194	202	14.4	85	4,844	4,820	348.7
Modesto, CA	17	19	9.4	97	424	431	210.4
Nashville–Davidson–Murfreesboro–Franklin, TN	193	200	28.4	48	3,963	3,883	562.9
New Haven–Milford, CT	80	84	24.0	58	2,003	1,997	570.0
New Orleans–Metairie, LA	421	435	87.3	1	5,804	5,766	1,171.2
New York–Newark–Jersey City, NY–NJ–PA ^c	3,225	3,833	47.7	14	98,772	99,056	1,243.9
Nassau County Division	186	195	16.7	—	3,952	3,903	336.0
New York Division	2,651	3,049	53.6	—	84,606	84,693	1,503.1
Newark Division	363	563	56.0	—	9,235	9,493	950.3
North Port–Sarasota–Bradenton, FL	70	73	23.9	59	1,162	1,156	384.9
Ogden–Clearfield, UT	7	7	3.0	104	248	247	106.2
Oklahoma City, OK	141	190	36.0	32	2,131	2,160	417.7
Omaha–Council Bluffs, NE–IA	42	43	12.1	92	959	955	272.4
Orlando–Kissimmee–Sanford, FL	450	465	50.2	10	7,636	7,596	839.4
Oxnard–Thousand Oaks–Ventura, CA	47	55	16.0	80	735	747	220.3
Palm Bay–Melbourne–Titusville, FL	50	52	22.3	61	807	800	347.9
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	850	947	39.1	26	18,408	18,247	756.6
Camden Division	107	168	33.0	—	2,290	2,363	466.6
Montgomery Division	101	105	13.2	—	1,689	1,654	209.0
Philadelphia Division	574	597	72.1	—	12,805	12,611	1,527.3
Wilmington Division	68	77	26.6	—	1,624	1,618	562.0
Phoenix–Mesa–Scottsdale, AZ	467	483	27.2	51	8,456	8,413	482.9
Pittsburgh, PA	122	127	12.9	91	2,401	2,347	239.9
Portland–South Portland, ME	14	15	6.8	103	530	530	247.6
Portland–Vancouver–Hillsboro, OR–WA	163	168	17.7	75	3,826	3,807	406.5
Providence–Warwick, RI–MA	101	125	18.9	73	2,201	2,241	342.2
Provo–Orem, UT	3	3	1.5	105	127	127	62.8
Raleigh, NC	168	173	36.1	31	2,481	2,476	529.7

Table 1b. Diagnoses of HIV infection, 2013, and persons living with diagnosed HIV infection (prevalence), year-end 2012, adult and adolescent males, by metropolitan statistical area of residence—United States and Puerto Rico (cont)

MSA of residence	Diagnosis, 2013				Prevalence of diagnosed HIV infection, year-end 2012		
	No.	Estimated ^a			No.	Estimated ^a	
		No.	Rate	Rank ^b		No.	Rate
Richmond, VA	144	149	29.7	44	3,372	3,355	678.5
Riverside–San Bernardino–Ontario, CA	380	441	25.2	55	6,830	6,949	402.0
Rochester, NY	85	88	19.8	69	1,965	1,932	436.4
Sacramento–Roseville–Arden-Arcade, CA	161	186	20.9	66	3,076	3,130	354.8
St. Louis, MO–IL	257	271	24.2	57	5,480	5,469	489.1
Salt Lake City, UT	58	60	13.4	88	1,611	1,607	364.6
San Antonio–New Braunfels, TX	369	428	47.3	15	4,367	4,475	505.7
San Diego–Carlsbad–San Marcos, CA	428	497	37.0	29	11,015	11,182	841.5
San Francisco–Oakland–Hayward, CA ^c	687	749	39.7 ^c	24	22,001	22,042	1,188.5
Oakland Division	259	300	27.6	—	5,890	5,992	561.4
San Francisco Division	414	433	62.7	—	15,299	15,234	2,235.4
San Jose–Sunnyvale–Santa Clara, CA	115	133	16.8	78	2,789	2,833	362.1
San Juan–Carolina–Caguas, PR	340	426	47.2	16	8,915	8,947	985.4
Scranton–Wilkes-Barre–Hazleton, PA	17	17	7.4	102	426	415	176.5
Seattle–Tacoma–Bellevue, WA	287	296	19.7	70	7,505	7,469	506.3
Seattle Division	244	252	21.5	—	6,725	6,693	584.1
Tacoma Division	43	44	13.3	—	780	776	235.6
Spokane–Spokane Valley, WA	18	18	8.3	100	374	372	169.1
Springfield, MA	46	69	27.4	49	1,183	1,252	496.6
Stockton–Lodi, CA	69	80	28.7	47	959	977	354.0
Syracuse, NY	41	42	15.6	81	752	736	273.0
Tampa–St. Petersburg–Clearwater, FL	475	491	41.8	20	7,609	7,558	648.7
Toledo, OH	41	42	17.2	76	679	676	276.1
Tucson, AZ	88	91	22.1	63	1,709	1,697	417.3
Tulsa, OK	99	134	35.2	34	1,354	1,373	363.1
Virginia Beach–Norfolk–Newport News, VA–NC	271	280	40.2	23	4,811	4,784	691.7
Washington–Arlington–Alexandria, DC–VA–MD–WV	1,082	1,442	60.4	7	22,776	23,437	997.5
Silver Spring Division	139	215	43.0	—	2,461	2,562	519.0
Washington Division	943	1,227	65.0	—	20,315	20,875	1,124.8
Wichita, KS	24	25	9.7	96	648	645	255.4
Winston-Salem, NC	66	68	26.2	54	1,159	1,149	448.2
Worcester, MA–CT	28	41	10.5	95	1,162	1,213	318.0
Youngstown–Warren–Boardman, OH–PA	27	28	12.1	93	509	506	219.7
Subtotal for MSAs (population of ≥500,000)	27,625	31,629	36.5	—	582,318	585,693	684.2
Metropolitan areas (population of 50,000–499,999)	4,598	5,151	16.7	—	87,436	87,483	285.8
Nonmetropolitan areas	1,212	1,375	10.8	—	22,145	22,128	174.1
Total^d	33,640	38,464	29.6	—	698,291	701,860	544.4

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^b Based on estimated rate. Ranks were not assigned to MSAs with estimated rates that were based on reported or estimated numbers less than 12.

^c Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^d Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 1c. Diagnoses of HIV infection, 2013, and persons living with diagnosed HIV infection (prevalence), year-end 2012, adult and adolescent females, by metropolitan statistical area of residence—United States and Puerto Rico

MSA of residence	Diagnosis, 2013				Prevalence of diagnosed HIV infection, year-end 2012		
	No.	Estimated ^a		Rank ^b	No.	Estimated ^a	
		No.	Rate			No.	Rate
Akron, OH	5	5	1.6	99	165	164	52.8
Albany–Schenectady–Troy, NY	18	19	4.9	58	686	677	175.5
Albuquerque, NM	8	8	2.1	88	136	135	35.5
Allentown–Bethlehem–Easton, PA–NJ	17	18	5.0	55	523	517	143.5
Atlanta–Sandy Springs–Roswell, GA	191	317	13.5	11	5,473	5,540	240.5
Augusta–Richmond County, GA–SC	21	33	13.3	13	691	705	286.3
Austin–Round Rock, TX	38	44	5.8	45	690	703	93.6
Bakersfield, CA	11	13	4.0	71	189	193	59.4
Baltimore–Columbia–Towson, MD	169	264	21.7	3	6,346	6,427	531.9
Baton Rouge, LA	81	84	24.1	1	1,680	1,671	484.1
Birmingham–Hoover, AL	29	30	6.0	42	995	985	199.5
Boise City, ID	1	1	0.4	104	65	65	25.1
Boston–Cambridge–Newton, MA–NH ^c	119	179	8.6	28	3,401	3,575	174.1
Boston Division	68	103	11.9	—	1,838	1,930	224.7
Cambridge Division	51	76	7.4	—	1,503	1,586	157.0
Bridgeport–Stamford–Norwalk, CT	19	20	5.0	56	911	909	226.3
Buffalo–Cheektowaga–Niagara Falls, NY	32	33	6.5	37	695	685	135.9
Cape Coral–Fort Myers, FL	41	42	14.4	9	559	556	194.6
Charleston–North Charleston, SC	27	28	9.1	25	637	634	212.6
Charlotte–Concord–Gastonia, NC–SC	89	91	9.2	24	2,071	2,057	210.9
Chattanooga, TN–GA	8	9	3.7	77	288	281	119.0
Chicago–Naperville–Elgin, IL–IN–WI	256	310	7.6	31	6,254	6,422	158.5
Chicago Division	226	277	8.8	—	5,632	5,794	184.9
Elgin Division	7	8	3.2	—	158	160	63.0
Gary Division	15	16	5.3	—	273	272	89.9
Lake County Division	8	9	2.5	—	191	195	54.4
Cincinnati, OH–KY–IN	46	47	5.2	51	707	706	78.1
Cleveland–Elyria, OH	49	50	5.5	47	966	962	105.5
Colorado Springs, CO	6	6	2.2	87	128	127	46.6
Columbia, SC	38	39	11.5	16	1,063	1,058	312.4
Columbus, OH	47	48	5.8	44	911	909	110.7
Dallas–Fort Worth–Arlington, TX	224	260	9.3	23	4,384	4,481	163.1
Dallas Division	169	197	10.7	—	3,313	3,388	187.1
Fort Worth Division	55	63	6.6	—	1,071	1,093	116.8
Dayton, OH	16	16	4.7	64	306	306	87.0
Deltona–Daytona Beach–Ormond Beach, FL	24	25	9.1	26	455	452	168.5
Denver–Aurora–Lakewood, CO	28	29	2.6	84	916	914	83.2
Des Moines–West Des Moines, IA	5	5	2.1	90	108	108	44.0
Detroit–Warren–Dearborn, MI	86	88	4.7	63	2,283	2,227	119.3
Detroit Division	60	62	8.0	—	1,843	1,793	230.2
Warren Division	26	27	2.4	—	440	435	39.9
Durham–Chapel Hill, NC	19	20	8.2	29	587	583	250.9
El Paso, TX	20	23	6.8	34	220	224	66.4
Fresno, CA	13	15	4.0	70	292	297	79.1
Grand Rapids–Wyoming, MI	13	14	3.3	82	228	225	53.6
Greensboro–High Point, NC	31	32	9.8	20	665	661	204.4
Greenville–Anderson–Mauldin, SC	17	17	4.7	62	396	394	108.7
Harrisburg–Carlisle, PA	12	13	5.2	50	336	329	136.3
Hartford–West Hartford–East Hartford, CT	27	28	5.2	52	1,111	1,108	207.3
Honolulu (Urban), HI	3	3	0.8	102	228	227	55.8

Table 1c. Diagnoses of HIV infection, 2013, and persons living with diagnosed HIV infection (prevalence), year-end 2012, adult and adolescent females, by metropolitan statistical area of residence—United States and Puerto Rico (cont)

MSA of residence	Diagnosis, 2013				Prevalence of diagnosed HIV infection, year-end 2012		
	No.	Estimated ^a			No.	Estimated ^a	
		No.	Rate	Rank ^b		No.	Rate
Houston–The Woodlands–Sugar Land, TX	322	342	13.4	12	6,248	6,293	252.1
Indianapolis–Carmel–Anderson, IN	51	53	6.5	38	826	823	101.3
Jackson, MS	36	38	15.1	8	1,034	1,020	410.9
Jacksonville, FL	100	103	17.0	6	2,200	2,188	367.6
Kansas City, MO–KS	32	33	3.8	74	741	738	86.1
Knoxville, TN	7	7	1.9	94	218	216	58.3
Lakeland–Winter Haven, FL	26	27	10.1	19	635	630	238.0
Lancaster, PA	2	2	0.9	101	265	260	116.1
Las Vegas–Henderson–Paradise, NV	50	52	6.2	40	980	973	118.4
Little Rock–North Little Rock–Conway, AR	23	30	9.6	21	366	371	120.8
Los Angeles–Long Beach–Anaheim, CA	232	270	4.8	59	5,909	5,995	108.2
Anaheim Division	34	40	3.0	—	801	810	62.0
Los Angeles Division	198	230	5.4	—	5,108	5,184	122.5
Louisville–Jefferson County, KY–IN	31	32	5.9	43	576	570	106.0
Madison, WI	5	5	1.9	95	130	129	48.9
McAllen–Edinburg–Mission, TX	18	21	6.6	36	207	212	67.9
Memphis, TN–MS–AR	91	95	16.6	7	2,303	2,258	392.9
Miami–Fort Lauderdale–West Palm Beach, FL	562	578	22.5	2	15,641	15,549	611.5
Fort Lauderdale Division	167	172	21.3	—	5,073	5,043	633.9
Miami Division	273	281	24.3	—	7,563	7,518	658.6
West Palm Beach Division	122	126	20.4	—	3,005	2,988	493.3
Milwaukee–Waukesha–West Allis, WI	24	25	3.7	76	653	649	96.7
Minneapolis–St. Paul–Bloomington, MN–WI	67	69	4.7	61	1,415	1,410	98.3
Modesto, CA	3	3	1.6	100	97	98	46.2
Nashville–Davidson–Murfreesboro–Franklin, TN	39	40	5.3	49	1,092	1,068	145.2
New Haven–Milford, CT	14	14	3.7	75	1,103	1,101	286.9
New Orleans–Metairie, LA	100	103	19.1	5	2,308	2,294	431.9
New York–Newark–Jersey City, NY–NJ–PA ^c	912	1,100	12.6	15	44,864	44,918	516.4
Nassau County Division	51	53	4.3	—	1,934	1,909	154.2
New York Division	697	797	12.7	—	37,002	36,972	594.8
Newark Division	159	244	22.6	—	5,621	5,735	534.2
North Port–Sarasota–Bradenton, FL	20	21	6.1	41	499	497	150.2
Ogden–Clearfield, UT	1	1	0.4	103	40	40	17.1
Oklahoma City, OK	27	37	6.7	35	421	428	79.1
Omaha–Council Bluffs, NE–IA	13	13	3.6	78	311	310	84.8
Orlando–Kissimmee–Sanford, FL	134	139	14.2	10	2,481	2,469	257.3
Oxnard–Thousand Oaks–Ventura, CA	5	6	1.7	98	129	130	37.3
Palm Bay–Melbourne–Titusville, FL	15	15	6.2	39	405	401	164.1
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	246	275	10.4	17	7,656	7,585	287.8
Camden Division	35	55	10.1	—	772	792	145.7
Montgomery Division	25	26	3.1	—	510	502	59.5
Philadelphia Division	163	170	18.0	—	5,561	5,483	583.2
Wilmington Division	23	25	7.9	—	813	809	261.1
Phoenix–Mesa–Scottsdale, AZ	61	63	3.5	81	1,250	1,245	69.8
Pittsburgh, PA	20	21	1.9	93	593	582	55.0
Portland–South Portland, ME	4	4	1.8	97	119	119	51.6
Portland–Vancouver–Hillsboro, OR–WA	20	21	2.1	89	488	486	50.0
Providence–Warwick, RI–MA	25	29	4.1	68	929	943	132.6
Provo–Orem, UT	0	0	0.0	105	21	21	10.4
Raleigh, NC	43	44	8.6	27	856	852	170.8

Table 1c. Diagnoses of HIV infection, 2013, and persons living with diagnosed HIV infection (prevalence), year-end 2012, adult and adolescent females, by metropolitan statistical area of residence—United States and Puerto Rico (cont)

MSA of residence	Diagnosis, 2013				Prevalence of diagnosed HIV infection, year-end 2012		
	No.	Estimated ^a			No.	Estimated ^a	
		No.	Rate	Rank ^b		No.	Rate
Richmond, VA	37	39	7.1	33	1,148	1,142	211.8
Riverside–San Bernardino–Ontario, CA	49	57	3.2	83	1,109	1,126	63.8
Rochester, NY	21	22	4.5	65	975	961	202.2
Sacramento–Roseville–Arden–Arcade, CA	29	34	3.5	80	614	623	66.6
St. Louis, MO–IL	54	58	4.8	60	1,291	1,293	106.3
Salt Lake City, UT	9	9	2.1	91	283	283	64.2
San Antonio–New Braunfels, TX	40	47	5.0	54	779	796	86.0
San Diego–Carlsbad–San Marcos, CA	45	52	3.9	72	1,204	1,222	92.3
San Francisco–Oakland–Hayward, CA ^c	63	69	3.6	79	2,477	2,493	129.4
Oakland Division	34	40	3.4	—	1,315	1,334	117.8
San Francisco Division	29	30	4.3	—	1,093	1,089	159.5
San Jose–Sunnyvale–Santa Clara, CA	14	16	2.0	92	427	434	55.6
San Juan–Carolina–Caguas, PR	108	135	13.1	14	4,184	4,209	407.3
Scranton–Wilkes-Barre–Hazleton, PA	11	11	4.5	66	158	156	62.5
Seattle–Tacoma–Bellevue, WA	57	59	3.9	73	1,098	1,093	72.9
Seattle Division	42	44	3.7	—	869	865	74.6
Tacoma Division	15	15	4.5	—	229	228	67.0
Spokane–Spokane Valley, WA	4	4	1.8	96	54	54	23.7
Springfield, MA	19	29	10.2	18	661	691	245.4
Stockton–Lodi, CA	11	13	4.5	67	221	224	79.4
Syracuse, NY	16	16	5.7	46	336	331	114.3
Tampa–St. Petersburg–Clearwater, FL	118	122	9.5	22	2,755	2,740	217.2
Toledo, OH	6	6	2.3	86	270	270	102.3
Tucson, AZ	20	21	4.9	57	276	275	64.5
Tulsa, OK	12	16	4.1	69	241	244	61.1
Virginia Beach–Norfolk–Newport News, VA–NC	58	60	8.2	30	1,812	1,803	248.8
Washington–Arlington–Alexandria, DC–VA–MD–WV	396	547	21.5	4	9,768	10,047	400.3
Silver Spring Division	91	142	26.2	—	1,484	1,546	287.5
Washington Division	305	405	20.2	—	8,284	8,500	431.1
Wichita, KS	6	7	2.5	85	157	157	60.2
Winston-Salem, NC	20	21	7.2	32	528	523	185.0
Worcester, MA–CT	15	22	5.5	48	647	675	169.8
Youngstown–Warren–Boardman, OH–PA	12	12	5.0	53	163	162	65.5
Subtotal for MSAs (population of ≥500,000)	6,535	7,564	8.2	—	188,390	189,095	208.4
Metropolitan areas (population of 50,000–499,999)	1,252	1,414	4.4	—	29,689	29,671	93.6
Nonmetropolitan areas	345	393	3.1	—	8,496	8,487	66.7
Total^d	8,190	9,462	6.9	—	228,166	228,890	169.3

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^b Based on estimated rate. Ranks were not assigned to MSAs with estimated rates that were based on reported or estimated numbers less than 12.

^c Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^d Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 2a. Diagnoses of HIV infection among adult and adolescent males, by age and metropolitan statistical area of residence, 2013—United States and Puerto Rico

MSA of residence	13–24 years				25–34 years				35–44 years				45–54 years				≥55 years			
	Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a			
	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b
Akron, OH	13	13	21.5	62	13	13	31.6	77	10	10	25.2	—	4	4	8.4	—	3	3	3.3	—
Albany–Schenectady–Troy, NY	9	9	11.8	—	13	14	25.2	84	8	8	15.6	—	14	15	23.3	56	3	3	2.7	—
Albuquerque, NM	14	14	19.4	65	20	21	31.6	78	9	10	17.6	—	9	9	15.6	—	7	7	6.5	—
Allentown–Bethlehem–Easton, PA–NJ	6	6	9.2	—	4	4	8.5	—	11	12	23.1	—	15	15	25.0	53	9	10	8.7	—
Atlanta–Sandy Springs–Roswell, GA	277	427	91.0	3	361	575	153.6	1	186	284	71.9	6	152	240	61.5	7	45	73	13.6	17
Augusta–Richmond County, GA–SC	27	42	83.8	4	22	33	83.8	12	11	18	53.7	—	12	18	46.6	14	5	7	10.0	—
Austin–Round Rock, TX	40	46	28.5	52	90	104	62.8	32	60	70	46.9	26	45	52	42.6	19	13	15	8.8	33
Bakersfield, CA	24	27	31.3	50	28	32	46.3	52	16	19	32.8	49	17	20	37.0	30	6	7	8.8	—
Baltimore–Columbia–Towson, MD	112	175	78.2	6	133	207	107.3	4	81	126	75.3	5	84	129	65.3	5	70	108	32.8	2
Baton Rouge, LA	57	59	76.0	7	55	57	93.9	8	41	42	82.8	3	37	38	71.9	4	16	16	18.4	9
Birmingham–Hoover, AL	40	41	46.2	29	45	46	61.1	34	26	27	36.3	43	18	18	24.3	54	9	10	7.0	—
Boise City, ID	3	3	5.6	—	8	8	18.1	—	4	4	9.3	—	5	5	12.2	—	1	1	1.4	—
Boston–Cambridge–Newton, MA–NH ^c	48	70	18.2	69	118	176	52.5	43	67	99	33.6	47	107	158	46.3	15	35	51	9.0	32
Boston Division	36	53	32.5	—	59	88	58.9	—	38	57	46.7	—	59	87	64.4	—	26	39	17.3	—
Cambridge Division	10	15	8.1	—	55	84	51.8	—	28	42	27.9	—	47	70	40.9	—	7	10	3.5	—
Bridgeport–Stamford–Norwalk, CT	13	13	17.6	71	20	21	38.4	64	11	11	18.7	—	18	19	25.7	50	9	10	8.5	—
Buffalo–Cheektowaga–Niagara Falls, NY	20	21	21.7	60	29	30	41.0	60	20	21	32.6	50	17	18	21.7	61	10	10	6.6	—
Cape Coral–Fort Myers, FL	10	10	23.6	—	25	26	72.2	24	18	19	54.0	18	30	31	76.2	3	18	19	15.3	15
Charleston–North Charleston, SC	23	24	39.3	37	31	32	57.7	39	23	24	52.2	20	10	11	23.1	—	7	8	9.4	—
Charlotte–Concord–Gastonia, NC–SC	87	90	47.4	26	88	91	59.5	36	71	73	44.1	31	57	59	35.7	32	26	27	11.0	25
Chattanooga, TN–GA	8	9	20.8	—	12	13	38.5	63	11	13	37.6	—	4	4	11.2	—	4	5	6.3	—
Chicago–Naperville–Elgin, IL–IN–WI	361	439	54.9	16	431	526	76.9	19	219	267	41.8	33	178	218	33.2	36	94	115	10.9	26
Chicago Division	316	389	65.0	—	388	478	86.7	—	202	248	49.8	—	165	204	40.9	—	81	100	12.5	—
Elgin Division	7	8	13.6	—	12	14	34.6	—	3	3	8.1	—	2	2	5.3	—	2	2	3.4	—
Gary Division	24	25	43.0	—	17	18	42.8	—	10	11	26.5	—	4	4	8.5	—	8	9	10.4	—
Lake County Division	14	16	19.3	—	14	16	31.8	—	4	5	8.2	—	7	8	11.6	—	3	3	3.4	—
Cincinnati, OH–KY–IN	63	65	36.3	39	59	61	43.7	57	25	26	19.6	69	32	33	21.6	62	16	17	6.6	37
Cleveland–Elyria, OH	71	73	45.0	30	70	72	59.0	37	44	45	37.5	40	39	40	27.3	46	17	17	6.2	40
Colorado Springs, CO	3	3	4.6	—	8	8	15.7	—	6	6	14.6	—	5	5	11.4	—	2	2	2.8	—
Columbia, SC	40	41	53.5	17	36	37	69.2	27	25	26	53.2	19	18	19	36.1	31	12	13	14.2	16
Columbus, OH	79	81	49.3	21	63	65	44.3	55	54	56	41.3	35	46	48	35.4	33	12	12	5.9	41
Dallas–Fort Worth–Arlington, TX	254	295	50.7	19	342	397	80.0	15	188	218	44.8	29	133	154	32.7	37	54	63	9.8	30
Dallas Division	193	224	58.3	—	273	316	94.9	—	143	166	50.1	—	108	125	40.1	—	40	46	11.4	—
Fort Worth Division	61	71	35.9	—	69	80	49.4	—	45	52	33.6	—	25	29	18.3	—	14	17	7.1	—
Dayton, OH	23	24	35.1	42	18	18	36.4	72	16	16	36.3	42	8	8	15.2	—	5	5	4.8	—
Deltona–Daytona Beach–Ormond Beach, FL	15	15	35.5	40	16	16	51.7	44	6	6	19.6	—	17	17	43.8	17	17	17	16.4	12
Denver–Aurora–Lakewood, CO	36	37	18.0	70	80	82	38.0	65	49	51	25.2	60	35	36	19.6	68	14	15	5.1	44

Table 2a. Diagnoses of HIV infection among adult and adolescent males, by age and metropolitan statistical area of residence, 2013—United States and Puerto Rico (cont)

MSA of residence	13–24 years				25–34 years				35–44 years				45–54 years				≥55 years			
	Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a			
	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b
Des Moines–West Des Moines, IA	2	2	4.4	—	9	9	20.6	—	7	7	17.5	—	8	8	20.2	—	4	4	6.4	—
Detroit–Warren–Dearborn, MI	153	157	44.9	31	122	125	49.3	50	57	59	22.0	64	68	70	22.4	59	41	42	7.8	35
Detroit Division	113	116	76.1	—	73	75	70.2	—	35	36	33.3	—	39	41	33.5	—	29	30	14.4	—
Warren Division	40	41	20.8	—	49	51	34.1	—	22	23	14.4	—	29	30	15.5	—	12	12	3.7	—
Durham–Chapel Hill, NC	29	30	63.9	11	19	20	51.1	46	16	16	46.7	27	14	14	43.3	18	8	8	13.9	—
El Paso, TX	25	29	34.1	43	36	42	69.8	26	10	12	22.9	—	15	18	37.4	29	11	13	16.9	—
Fresno, CA	15	18	18.7	67	31	36	49.4	48	13	15	25.4	59	13	16	28.7	44	6	7	7.6	—
Grand Rapids–Wyoming, MI	5	5	5.6	—	13	13	19.4	86	11	11	18.2	—	6	6	8.9	—	2	2	1.7	—
Greensboro–High Point, NC	29	30	48.0	25	27	28	63.4	31	18	19	39.5	36	15	15	30.2	41	10	11	12.7	—
Greenville–Anderson–Mauldin, SC	30	31	41.8	34	23	24	45.0	54	15	15	28.8	55	14	15	25.3	52	7	8	7.7	—
Harrisburg–Carlisle, PA	7	7	16.4	—	12	12	33.4	74	6	6	17.9	—	8	8	20.7	—	4	4	5.4	—
Hartford–West Hartford–East Hartford, CT	20	21	20.6	64	21	22	28.4	82	24	25	33.9	46	20	20	22.6	57	7	7	4.6	—
Honolulu (Urban), HI	6	6	7.1	—	14	14	17.5	87	13	13	20.9	68	16	16	26.6	48	5	5	4.2	—
Houston–The Woodlands–Sugar Land, TX	322	343	62.2	12	373	393	81.7	14	200	211	47.1	25	165	175	41.8	20	78	82	13.5	18
Indianapolis–Carmel–Anderson, IN	75	77	49.1	22	67	69	51.0	47	27	28	21.1	67	27	28	20.6	65	9	9	4.4	—
Jackson, MS	40	41	83.5	5	37	38	96.9	7	23	24	66.9	9	14	15	40.9	21	12	12	19.9	6
Jacksonville, FL	75	78	69.4	9	74	76	78.6	17	48	49	56.4	14	42	45	45.9	16	22	23	13.4	19
Kansas City, MO–KS	33	34	21.2	63	53	55	37.8	66	44	46	33.9	45	28	29	20.7	63	13	13	5.7	42
Knoxville, TN	9	10	13.7	—	18	19	36.2	73	11	12	22.2	—	10	10	17.4	—	4	4	3.5	—
Lakeland–Winter Haven, FL	15	15	31.6	49	24	25	67.0	30	13	13	36.9	41	15	15	39.2	26	7	7	7.9	—
Lancaster, PA	7	7	16.3	—	7	7	22.1	—	5	5	16.9	—	5	5	14.5	—	6	6	8.8	—
Las Vegas–Henderson–Paradise, NV	79	81	49.4	20	126	130	85.6	10	63	65	44.3	30	48	49	35.4	34	25	27	11.4	24
Little Rock–North Little Rock–Conway, AR	31	42	70.6	8	31	41	79.3	16	27	36	79.4	4	6	8	16.8	—	8	11	13.0	—
Los Angeles–Long Beach–Anaheim, CA	352	409	35.3	41	647	749	74.1	20	398	463	50.6	21	293	342	37.8	28	121	141	10.1	29
Anaheim Division	44	52	19.0	—	97	112	50.2	—	64	74	34.8	—	43	50	22.3	—	19	22	6.4	—
Los Angeles Division	308	357	40.3	—	550	637	80.9	—	334	389	55.3	—	250	291	42.9	—	102	119	11.4	—
Louisville–Jefferson County, KY–IN	32	33	33.5	45	50	51	61.1	33	36	37	45.4	28	23	24	26.9	47	10	10	6.6	—
Madison, WI	7	7	12.5	—	7	7	14.9	—	4	4	10.0	—	7	7	16.9	—	3	3	4.2	—
McAllen–Edinburg–Mission, TX	16	19	22.4	57	28	32	59.5	35	25	29	56.0	16	9	10	25.3	—	7	8	12.2	—
Memphis, TN–MS–AR	106	110	94.2	2	88	92	104.7	5	45	47	56.0	15	41	43	50.1	11	21	23	16.1	14
Miami–Fort Lauderdale–West Palm Beach, FL	292	301	67.9	10	512	527	137.0	3	447	463	119.3	1	444	458	108.6	1	242	252	33.6	1
Fort Lauderdale Division	92	95	67.2	—	160	164	137.0	—	162	168	139.1	—	166	171	124.2	—	89	92	40.2	—
Miami Division	167	172	84.0	—	285	294	158.9	—	235	244	130.2	—	221	229	119.3	—	106	110	36.3	—
West Palm Beach Division	33	34	35.1	—	67	69	86.3	—	50	51	64.1	—	57	59	63.2	—	47	49	22.7	—
Milwaukee–Waukesha–West Allis, WI	28	29	22.6	56	39	40	37.2	69	17	17	18.2	71	17	17	16.1	72	8	8	4.4	—
Minneapolis–St. Paul–Bloomington, MN–WI	37	39	14.4	75	58	60	23.3	85	34	36	15.6	73	44	46	18.0	70	21	22	5.6	43
Modesto, CA	1	1	2.3	—	6	7	18.7	—	3	3	10.1	—	2	2	6.7	—	5	6	10.8	—

Table 2a. Diagnoses of HIV infection among adult and adolescent males, by age and metropolitan statistical area of residence, 2013—United States and Puerto Rico (cont)

MSA of residence	13–24 years				25–34 years				35–44 years				45–54 years				≥55 years			
	Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a			
	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b
Nashville–Davidson–Murfreesboro–Franklin, TN	46	47	32.7	46	71	73	58.0	38	35	37	30.4	54	29	30	25.3	51	12	12	6.5	38
New Haven–Milford, CT	17	17	24.2	55	25	26	47.1	51	12	12	24.1	62	17	18	28.8	43	9	10	9.3	—
New Orleans–Metairie, LA	104	108	112.1	1	133	137	149.8	2	84	88	115.2	2	72	75	87.8	2	28	29	19.2	7
New York–Newark–Jersey City, NY–NJ–PA ^c	666	777	48.9	23	1,045	1,205	84.4	11	646	778	59.1	11	553	686	48.9	13	315	387	16.9	11
Nassau County Division	36	38	16.0	—	49	50	31.1	—	41	43	24.5	—	32	34	15.1	—	28	30	8.0	—
New York Division	558	630	56.5	—	892	996	91.0	—	516	598	63.0	—	436	525	55.2	—	249	301	19.1	—
Newark Division	66	103	51.6	—	99	153	103.4	—	85	133	80.2	—	78	120	61.5	—	35	54	18.1	—
North Port–Sarasota–Bradenton, FL	8	8	18.6	—	16	16	49.3	49	11	11	31.8	—	8	9	20.4	—	27	28	19.0	8
Ogden–Clearfield, UT	1	1	1.8	—	3	3	6.7	—	3	3	7.6	—	0	0	0.0	—	0	0	0.0	—
Oklahoma City, OK	40	54	46.8	28	40	53	53.3	41	30	40	48.4	24	21	29	34.8	35	10	14	9.3	—
Omaha–Council Bluffs, NE–IA	12	12	17.0	72	11	11	16.9	—	12	12	21.2	65	6	6	10.3	—	1	1	1.0	—
Orlando–Kissimmee–Sanford, FL	79	81	41.4	35	133	137	82.1	13	103	107	71.3	7	81	83	53.8	9	54	56	21.9	5
Oxnard–Thousand Oaks–Ventura, CA	8	9	12.3	—	18	21	37.3	68	11	13	24.0	—	8	9	15.7	—	2	2	2.4	—
Palm Bay–Melbourne–Titusville, FL	12	13	32.2	47	12	12	42.2	58	10	10	36.5	—	9	9	22.7	—	7	7	7.6	—
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	215	233	47.1	27	248	278	68.4	28	130	144	39.4	37	153	172	40.6	22	104	118	16.2	13
Camden Division	17	26	25.5	—	34	54	69.0	—	17	26	33.7	—	23	36	38.5	—	16	25	16.1	—
Montgomery Division	13	14	9.3	—	28	29	25.7	—	15	15	12.7	—	24	25	16.7	—	21	22	8.2	—
Philadelphia Division	170	177	95.9	—	163	169	101.5	—	91	95	77.3	—	97	100	77.1	—	53	56	24.9	—
Wilmington Division	15	17	28.0	—	23	26	54.3	—	7	7	16.2	—	9	11	21.8	—	14	16	18.5	—
Phoenix–Mesa–Scottsdale, AZ	101	104	27.6	53	158	164	51.5	45	113	116	39.1	38	64	66	23.6	55	31	32	6.3	39
Pittsburgh, PA	27	28	15.7	74	41	44	28.6	81	24	25	18.0	72	19	20	11.7	73	11	11	3.3	—
Portland–South Portland, ME	0	0	0.0	—	3	3	10.0	—	6	7	20.6	—	4	4	10.2	—	1	1	1.4	—
Portland–Vancouver–Hillsboro, OR–WA	21	22	12.3	77	53	55	31.9	76	38	39	23.0	63	43	45	28.4	45	8	8	3.0	—
Providence–Warwick, RI–MA	15	17	12.7	76	32	40	39.3	62	20	24	24.9	61	20	26	22.1	60	14	18	8.5	34
Provo–Orem, UT	1	1	1.4	—	2	2	4.9	—	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—
Raleigh, NC	40	41	40.4	36	44	45	54.3	40	37	39	41.8	32	32	33	37.8	27	15	15	13.4	20
Richmond, VA	60	62	60.5	14	36	38	44.0	56	21	22	27.3	56	14	14	16.5	71	13	14	9.3	31
Riverside–San Bernardino–Ontario, CA	81	94	21.9	59	98	114	37.0	71	85	99	35.3	44	76	89	31.1	39	40	46	10.2	28
Rochester, NY	18	18	19.3	66	27	28	41.2	59	16	16	27.1	58	14	15	19.1	69	10	10	7.2	—
Sacramento–Roseville–Arden–Arcade, CA	36	42	21.6	61	50	58	37.7	67	33	38	27.2	57	26	30	20.5	66	16	19	7.1	36
St. Louis, MO–IL	110	115	51.8	18	65	69	37.0	70	31	33	19.4	70	37	40	20.2	67	14	15	4.2	46
Salt Lake City, UT	10	10	10.1	—	28	29	30.4	79	8	8	10.1	—	8	8	12.6	—	4	4	4.0	—
San Antonio–New Braunfels, TX	87	101	48.3	24	136	157	93.7	9	61	71	48.4	23	62	72	49.6	12	23	27	11.5	23
San Diego–Carlsbad–San Marcos, CA	75	88	29.0	51	154	179	67.2	29	93	108	50.3	22	74	86	40.5	23	32	37	10.5	27
San Francisco–Oakland–Hayward, CA ^c	100	110	33.7	44	237	256	72.6	23	168	182	54.6	17	120	133	40.4	24	62	69	12.6	21
Oakland Division	43	50	23.5	—	79	91	48.1	—	59	68	36.2	—	53	61	32.2	—	25	29	9.5	—
San Francisco Division	56	59	60.0	—	155	161	107.2	—	106	111	86.3	—	64	68	57.9	—	33	35	17.7	—

Table 2a. Diagnoses of HIV infection among adult and adolescent males, by age and metropolitan statistical area of residence, 2013—United States and Puerto Rico (cont)

MSA of residence	13–24 years				25–34 years				35–44 years				45–54 years				≥55 years			
	Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a			
	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b
San Jose–Sunnyvale–Santa Clara, CA	13	15	10.0	78	39	45	30.1	80	27	31	21.2	66	25	29	20.6	64	11	13	6.2	—
San Juan–Carolina–Caguas, PR	61	76	38.1	38	88	110	77.9	18	71	89	63.5	10	69	87	61.5	6	51	64	22.8	3
Scranton–Wilkes-Barre–Hazleton, PA	1	1	2.3	—	8	8	24.0	—	4	4	12.3	—	3	3	7.7	—	1	1	1.3	—
Seattle–Tacoma–Bellevue, WA	50	51	18.3	68	79	83	28.4	83	83	85	32.3	53	57	59	22.5	58	18	19	4.5	45
Seattle Division	35	36	17.1	—	69	72	31.5	—	74	76	36.0	—	51	52	25.7	—	15	15	4.9	—
Tacoma Division	15	15	21.8	—	10	10	16.9	—	9	9	17.7	—	6	6	11.0	—	3	3	3.3	—
Spokane–Spokane Valley, WA	2	2	4.5	—	6	6	16.8	—	2	2	6.4	—	6	6	17.4	—	2	2	2.8	—
Springfield, MA	9	13	21.4	—	9	14	37.4	—	13	20	57.9	12	8	12	28.7	—	7	11	13.7	—
Stockton–Lodi, CA	15	17	25.9	54	22	25	53.1	42	16	19	41.5	34	12	14	30.5	40	4	5	6.2	—
Syracuse, NY	8	8	14.0	—	13	13	32.8	75	10	10	28.1	—	7	7	14.9	—	3	3	3.6	—
Tampa–St. Petersburg–Clearwater, FL	86	88	42.2	33	120	123	69.9	25	97	100	56.8	13	102	107	53.1	10	70	73	17.6	10
Toledo, OH	12	12	22.3	58	9	9	23.9	—	6	6	17.4	—	9	9	23.3	—	5	5	6.8	—
Tucson, AZ	15	15	16.6	73	25	26	40.8	61	18	19	32.4	52	23	24	39.5	25	7	7	5.3	—
Tulsa, OK	25	35	44.0	32	35	47	73.8	21	15	20	33.5	48	14	18	29.0	42	10	14	11.9	—
Virginia Beach–Norfolk–Newport News, VA–NC	89	92	56.4	15	93	97	72.8	22	38	39	38.3	39	29	30	26.4	49	22	23	12.3	22
Washington–Arlington–Alexandria, DC–VA–MD–WV	212	287	61.6	13	346	462	100.8	6	227	299	70.6	8	196	256	60.2	8	101	138	22.4	4
Silver Spring Division	12	19	19.7	—	36	56	67.0	—	40	62	73.5	—	31	48	52.5	—	20	31	21.0	—
Washington Division	200	269	72.3	—	310	406	108.3	—	187	237	69.9	—	165	209	62.2	—	81	107	22.8	—
Wichita, KS	8	8	14.8	—	3	3	7.0	—	7	7	18.9	—	4	4	9.9	—	2	2	2.7	—
Winston-Salem, NC	16	16	31.9	48	16	16	45.1	53	13	13	32.5	51	14	14	31.1	38	7	7	8.6	—
Worcester, MA–CT	6	9	11.3	—	9	13	23.2	—	6	9	14.9	—	6	8	11.2	—	1	1	1.2	—
Youngstown–Warren–Boardman, OH–PA	2	2	4.8	—	7	7	23.8	—	4	4	12.8	—	8	8	21.1	—	6	6	7.3	—
Subtotal for MSAs (population of ≥500,000)	6,273	7,151	39.9	—	8,656	9,913	65.4	—	5,474	6,255	44.3	—	4,765	5,480	37.1	—	2,457	2,830	11.5	—
Metropolitan areas (population of 50,000–499,999)	1,135	1,280	19.0	—	1,284	1,432	29.3	—	878	976	21.9	—	797	899	18.2	—	504	564	5.8	—
Nonmetropolitan areas	256	287	11.6	—	334	377	20.7	—	255	295	16.5	—	242	274	13.0	—	125	142	3.1	—
Total^d	7,700	8,774	32.3	—	10,327	11,802	54.0	—	6,644	7,581	37.2	—	5,854	6,727	30.9	—	3,115	3,580	9.2	—

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^b Based on estimated rate. Ranks were not assigned to MSAs with estimated rates that were based on reported or estimated numbers less than 12.

^c Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^d Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 2b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2012—United States and Puerto Rico

MSA of residence	13–24 years			25–34 years			35–44 years			45–54 years			≥55 years		
	No.	Estimated ^a		No.	Estimated ^a		No.	Estimated ^a		No.	Estimated ^a		No.	Estimated ^a	
		No.	Rate		No.	Rate		No.	Rate		No.	Rate		No.	Rate
Akron, OH	29	29	46.4	99	99	238.4	138	138	333.1	232	232	457.4	148	146	159.6
Albany–Schenectady–Troy, NY	37	38	48.2	119	119	217.9	238	237	447.1	567	560	867.7	438	423	374.8
Albuquerque, NM	31	31	41.4	163	163	253.5	277	276	491.0	426	423	697.2	252	248	231.3
Allentown–Bethlehem–Easton, PA–NJ	31	32	47.0	99	99	209.3	181	180	349.2	345	339	540.6	253	244	222.6
Atlanta–Sandy Springs–Roswell, GA	1,161	1,306	282.4	3,983	4,231	1,130.7	4,882	5,010	1,257.6	6,605	6,595	1,703.8	3,362	3,252	635.5
Augusta–Richmond County, GA–SC	94	105	210.3	220	231	589.2	257	262	765.7	462	458	1,179.2	326	320	469.8
Austin–Round Rock, TX	168	178	110.4	685	712	443.6	1,104	1,128	780.4	1,367	1,383	1,154.3	724	734	454.2
Bakersfield, CA	38	41	46.5	221	228	334.0	407	415	735.3	570	577	1,053.2	308	311	399.3
Baltimore–Columbia–Towson, MD	583	654	290.1	1,583	1,691	901.5	1,924	1,986	1,174.5	4,325	4,355	2,171.2	3,174	3,116	975.1
Baton Rouge, LA	188	189	245.5	567	567	949.7	643	639	1,260.4	812	807	1,508.4	533	527	609.1
Birmingham–Hoover, AL	166	167	188.2	480	478	634.6	640	636	865.5	960	948	1,234.4	586	571	424.8
Boise City, ID	12	12	22.6	60	60	133.8	77	77	175.6	166	165	394.8	72	71	102.2
Boston–Cambridge–Newton, MA–NH ^b	218	246	64.0	777	867	265.3	1,835	1,951	654.6	3,840	3,993	1,162.7	2,584	2,680	489.9
Boston Division	130	147	89.1	480	536	369.0	1,087	1,155	944.8	2,366	2,461	1,813.6	1,651	1,714	785.0
Cambridge Division	85	96	52.4	282	316	199.9	699	747	501.0	1,376	1,435	835.4	871	904	330.7
Bridgeport–Stamford–Norwalk, CT	60	60	81.1	164	165	299.7	313	313	511.3	647	645	886.0	590	586	528.8
Buffalo–Cheektowaga–Niagara Falls, NY	68	68	70.8	203	203	287.2	286	283	441.4	623	612	740.4	388	370	245.3
Cape Coral–Fort Myers, FL	33	33	77.0	116	116	335.6	254	254	720.3	407	404	1,009.1	269	265	223.7
Charleston–North Charleston, SC	100	101	169.1	218	218	404.0	329	328	737.2	586	583	1,254.7	413	409	528.5
Charlotte–Concord–Gastonia, NC–SC	312	313	170.2	876	877	577.0	1,186	1,183	711.8	1,730	1,718	1,054.3	952	937	393.3
Chattanooga, TN–GA	37	38	88.5	108	108	322.3	213	212	615.2	313	307	832.3	190	182	261.6
Chicago–Naperville–Elgin, IL–IN–WI	1,165	1,258	157.5	3,792	3,994	585.8	5,281	5,456	848.1	7,828	7,994	1,204.3	5,281	5,374	525.8
Chicago Division	1,031	1,120	186.5	3,426	3,621	660.7	4,843	5,013	1,004.0	7,204	7,368	1,465.4	4,872	4,965	639.5
Elgin Division	26	28	46.9	70	73	177.9	126	129	297.6	139	141	321.9	83	84	133.0
Gary Division	68	69	117.5	163	163	382.8	185	185	425.4	296	293	595.3	185	183	210.0
Lake County Division	40	42	51.7	133	137	273.1	127	130	226.3	189	191	281.9	141	142	148.7
Cincinnati, OH–KY–IN	191	192	107.7	416	418	303.7	590	589	437.9	984	980	636.4	536	531	214.7
Cleveland–Elyria, OH	201	202	125.3	572	572	475.0	844	842	687.0	1,340	1,336	886.7	826	816	297.9
Colorado Springs, CO	18	18	27.6	69	69	137.4	128	128	304.6	292	290	634.3	171	169	243.8
Columbia, SC	192	193	254.4	482	482	906.6	661	658	1,342.6	985	980	1,893.9	545	540	622.0
Columbus, OH	245	246	149.0	711	711	496.9	990	989	738.8	1,443	1,440	1,065.8	715	708	348.4
Dallas–Fort Worth–Arlington, TX	936	990	172.9	2,910	3,017	615.9	4,419	4,512	931.6	6,019	6,098	1,304.4	3,056	3,097	504.0
Dallas Division	720	762	201.7	2,343	2,430	735.6	3,625	3,703	1,124.0	4,893	4,956	1,610.2	2,388	2,419	619.1
Fort Worth Division	216	227	116.9	567	587	368.0	794	810	522.6	1,126	1,142	715.1	668	677	302.9
Dayton, OH	88	89	130.5	185	185	365.4	218	218	476.6	373	372	671.9	247	245	236.0
Deltona–Daytona Beach–Ormond Beach, FL	49	49	113.1	122	122	396.5	219	218	688.6	360	357	881.6	250	246	238.4
Denver–Aurora–Lakewood, CO	138	139	68.7	792	793	377.3	1,624	1,622	820.3	3,167	3,156	1,695.8	2,423	2,410	861.0

Table 2b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2012—United States and Puerto Rico (cont)

MSA of residence	13–24 years			25–34 years			35–44 years			45–54 years			≥55 years		
	No.	Estimated ^a		No.	Estimated ^a		No.	Estimated ^a		No.	Estimated ^a		No.	Estimated ^a	
		No.	Rate		No.	Rate		No.	Rate		No.	Rate		No.	Rate
Des Moines–West Des Moines, IA	21	21	46.3	62	62	140.4	126	126	310.6	170	169	421.5	110	110	177.1
Detroit–Warren–Dearborn, MI	610	612	174.2	1,297	1,292	514.4	1,559	1,541	564.7	2,444	2,390	746.0	1,602	1,527	289.2
Detroit Division	438	439	281.9	931	928	876.1	1,075	1,060	950.8	1,722	1,681	1,341.3	1,150	1,088	527.4
Warren Division	172	173	88.3	366	364	250.5	484	481	298.2	722	709	363.5	452	439	136.4
Durham–Chapel Hill, NC	71	71	155.4	232	232	605.9	326	325	929.7	470	466	1,404.0	343	337	594.0
El Paso, TX	89	95	110.1	260	272	459.0	411	420	819.3	517	525	1,108.2	279	283	382.7
Fresno, CA	58	61	64.9	245	255	360.7	278	285	490.7	419	424	745.5	291	294	327.6
Grand Rapids–Wyoming, MI	35	36	39.0	102	102	152.2	192	191	308.0	281	276	392.5	132	128	113.6
Greensboro–High Point, NC	119	120	194.4	305	305	687.8	420	419	880.4	558	554	1,079.9	290	284	326.0
Greenville–Anderson–Mauldin, SC	71	71	97.8	165	165	317.8	290	290	537.3	454	452	785.7	235	232	227.5
Harrisburg–Carlisle, PA	29	29	65.4	89	89	246.6	201	200	578.0	390	381	944.4	269	255	349.2
Hartford–West Hartford–East Hartford, CT	78	78	75.5	220	221	297.0	406	406	547.9	935	932	1,007.1	721	715	462.8
Honolulu (Urban), HI	25	25	29.2	151	151	192.9	254	254	401.8	526	523	826.4	456	453	375.3
Houston–The Woodlands–Sugar Land, TX	989	1,012	187.4	3,059	3,099	659.3	4,412	4,447	1,010.1	5,778	5,802	1,399.4	3,529	3,532	612.0
Indianapolis–Carmel–Anderson, IN	210	211	136.3	607	607	452.1	967	966	739.8	1,357	1,350	990.0	653	646	316.1
Jackson, MS	156	157	318.4	443	441	1,107.1	612	608	1,694.7	713	700	1,884.3	392	377	623.5
Jacksonville, FL	236	237	210.5	703	703	747.6	847	844	963.1	1,336	1,326	1,352.6	802	789	487.5
Kansas City, MO–KS	190	191	121.2	562	562	393.1	956	955	709.5	1,572	1,562	1,086.4	783	771	335.9
Knoxville, TN	37	37	52.7	100	101	196.4	284	280	520.9	352	342	577.0	183	172	151.6
Lakeland–Winter Haven, FL	47	47	96.6	141	141	382.7	238	238	653.8	400	398	1,005.5	308	305	344.0
Lancaster, PA	20	20	45.5	52	52	164.3	124	124	403.8	171	166	464.2	118	112	164.5
Las Vegas–Henderson–Paradise, NV	213	214	131.7	844	844	560.3	1,261	1,258	855.5	1,860	1,848	1,338.8	1,030	1,015	450.5
Little Rock–North Little Rock–Conway, AR	95	101	170.1	234	242	470.8	351	355	777.1	520	523	1,118.1	303	305	378.2
Los Angeles–Long Beach–Anaheim, CA	1,271	1,345	115.1	6,500	6,732	679.2	10,976	11,191	1,217.8	16,647	16,822	1,867.3	10,154	10,214	761.8
Anaheim Division	165	174	64.1	816	845	385.3	1,411	1,440	674.4	2,100	2,122	948.6	1,310	1,319	394.8
Los Angeles Division	1,106	1,170	130.6	5,684	5,888	762.7	9,565	9,752	1,382.1	14,547	14,700	2,170.8	8,844	8,896	883.5
Louisville–Jefferson County, KY–IN	154	154	158.3	389	388	465.3	566	563	688.1	829	819	902.1	473	460	306.1
Madison, WI	17	17	30.2	73	73	152.4	121	121	298.9	214	213	498.3	119	117	167.3
McAllen–Edinburg–Mission, TX	42	45	54.5	190	197	369.5	227	233	457.8	224	228	570.3	103	105	161.2
Memphis, TN–MS–AR	352	355	301.1	1,032	1,027	1,162.6	1,240	1,221	1,432.6	1,531	1,493	1,689.2	881	844	611.1
Miami–Fort Lauderdale–West Palm Beach, FL	1,139	1,141	255.8	3,700	3,703	985.5	7,704	7,690	1,982.8	13,595	13,528	3,221.1	9,740	9,626	1,326.2
Fort Lauderdale Division	365	366	263.0	1,182	1,182	1,003.9	2,340	2,334	1,924.2	4,628	4,604	3,330.8	3,089	3,055	1,376.0
Miami Division	602	603	291.0	2,074	2,077	1,150.4	4,407	4,401	2,359.7	7,223	7,191	3,798.7	5,122	5,063	1,720.1
West Palm Beach Division	172	172	172.7	444	444	573.4	957	955	1,193.1	1,744	1,733	1,874.5	1,529	1,508	720.0
Milwaukee–Waukesha–West Allis, WI	148	148	115.2	348	349	326.8	528	528	547.2	884	880	793.4	489	483	265.5
Minneapolis–St. Paul–Bloomington, MN–WI	183	184	67.5	690	690	273.8	1,100	1,098	478.7	1,846	1,837	718.4	1,025	1,012	271.1
Modesto, CA	7	7	14.7	64	66	181.2	98	100	304.8	148	150	444.3	107	108	205.5

Table 2b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2012—United States and Puerto Rico (cont)

MSA of residence	13–24 years			25–34 years			35–44 years			45–54 years			≥55 years		
	No.	Estimated ^a		No.	Estimated ^a		No.	Estimated ^a		No.	Estimated ^a		No.	Estimated ^a	
		No.	Rate		No.	Rate		No.	Rate		No.	Rate		No.	Rate
Nashville–Davidson–Murfreesboro–Franklin, TN	181	181	127.5	559	555	448.3	967	958	799.6	1,442	1,408	1,172.3	814	779	424.4
New Haven–Milford, CT	70	70	97.0	182	182	331.8	363	363	693.1	752	749	1,182.5	636	632	589.9
New Orleans–Metairie, LA	269	270	281.0	863	862	961.3	1,271	1,267	1,681.2	1,987	1,972	2,293.7	1,414	1,394	960.3
New York–Newark–Jersey City, NY–NJ–PA ^b	3,497	3,595	225.5	11,034	11,235	798.5	19,003	19,168	1,452.1	35,154	35,195	2,501.3	30,084	29,864	1,336.1
Nassau County Division	168	169	71.8	466	469	292.4	711	713	396.4	1,395	1,379	612.7	1,212	1,174	325.6
New York Division	2,946	3,002	267.1	9,553	9,684	898.8	16,556	16,656	1,758.2	30,044	30,046	3,157.6	25,507	25,306	1,649.0
Newark Division	365	405	203.8	964	1,031	699.5	1,593	1,656	986.5	3,278	3,337	1,697.9	3,035	3,063	1,062.0
North Port–Sarasota–Bradenton, FL	24	24	55.3	127	127	387.3	219	218	613.1	430	428	945.4	362	358	250.0
Ogden–Clearfield, UT	7	7	12.4	49	49	104.8	64	64	163.0	79	79	226.4	49	49	87.7
Oklahoma City, OK	120	127	111.9	357	367	375.4	541	549	674.6	739	743	892.0	374	374	264.9
Omaha–Council Bluffs, NE–IA	35	35	48.8	153	153	230.3	258	258	450.1	350	349	577.0	163	161	169.9
Orlando–Kissimmee–Sanford, FL	357	358	182.0	1,210	1,210	757.8	1,757	1,752	1,181.0	2,771	2,756	1,793.1	1,541	1,520	616.5
Oxnard–Thousand Oaks–Ventura, CA	18	19	25.6	97	101	180.1	145	148	275.1	308	311	519.4	167	169	177.4
Palm Bay–Melbourne–Titusville, FL	40	40	101.3	92	92	323.7	116	116	409.2	332	330	785.4	227	222	242.5
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	965	979	194.9	2,508	2,531	634.2	3,458	3,454	933.0	6,562	6,503	1,506.6	4,915	4,779	674.7
Camden Division	89	99	95.6	284	307	394.6	443	457	573.9	882	902	945.3	592	598	398.7
Montgomery Division	78	78	52.7	182	183	161.3	294	292	238.9	659	647	424.2	476	454	178.1
Philadelphia Division	721	724	382.7	1,856	1,855	1,148.0	2,460	2,443	1,976.2	4,351	4,287	3,257.9	3,417	3,302	1,502.7
Wilmington Division	77	78	127.9	186	187	401.5	261	262	586.0	670	667	1,280.9	430	425	507.2
Phoenix–Mesa–Scottsdale, AZ	270	270	72.8	1,268	1,268	405.1	2,165	2,160	730.0	3,085	3,067	1,100.7	1,668	1,648	341.1
Pittsburgh, PA	137	137	76.8	295	295	199.7	481	475	345.2	916	896	518.8	572	543	159.2
Portland–South Portland, ME	5	5	13.6	46	46	152.1	96	96	297.1	228	228	559.8	155	155	213.8
Portland–Vancouver–Hillsboro, OR–WA	84	84	48.0	478	478	280.2	926	925	548.9	1,346	1,340	851.0	992	981	370.1
Providence–Warwick, RI–MA	57	60	43.3	219	227	230.1	428	437	444.2	933	946	798.3	564	571	284.3
Provo–Orem, UT	5	5	7.3	25	25	58.4	31	31	95.0	40	40	172.8	26	26	75.6
Raleigh, NC	107	108	109.0	429	430	518.8	603	603	658.6	900	898	1,057.6	442	438	400.5
Richmond, VA	205	205	202.7	500	500	599.6	613	611	766.9	1,204	1,199	1,358.5	850	840	592.1
Riverside–San Bernardino–Ontario, CA	229	243	56.7	825	859	285.2	1,220	1,245	444.2	2,550	2,582	902.3	2,006	2,021	467.3
Rochester, NY	101	101	104.6	204	205	312.5	346	344	556.3	723	709	897.1	591	572	410.4
Sacramento–Roseville–Arden–Arcade, CA	149	158	81.5	409	425	282.6	592	605	434.8	1,109	1,121	748.5	817	822	329.4
St. Louis, MO–IL	362	367	164.5	911	916	496.5	1,190	1,188	702.5	1,952	1,942	959.0	1,065	1,055	311.5
Salt Lake City, UT	34	34	34.1	197	197	204.2	386	386	486.5	643	641	979.4	351	349	351.3
San Antonio–New Braunfels, TX	234	249	120.8	828	859	532.3	1,063	1,087	753.8	1,494	1,521	1,049.5	748	760	332.4
San Diego–Carlsbad–San Marcos, CA	223	236	77.0	1,454	1,505	581.2	2,562	2,609	1,222.6	4,289	4,331	2,031.2	2,487	2,502	741.6
San Francisco–Oakland–Hayward, CA ^b	359	372	114.5	1,915	1,949	570.6	4,244	4,268	1,285.7	8,326	8,332	2,546.5	7,157	7,120	1,347.3
Oakland Division	205	216	102.7	681	707	384.5	1,121	1,146	613.8	2,109	2,135	1,122.7	1,774	1,788	603.5
San Francisco Division	145	147	148.2	1,175	1,181	814.0	2,982	2,980	2,331.6	5,909	5,887	5,046.4	5,088	5,038	2,615.2

Table 2b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2012—United States and Puerto Rico (cont)

MSA of residence	13–24 years			25–34 years			35–44 years			45–54 years			≥55 years		
	No.	Estimated ^a		No.	Estimated ^a		No.	Estimated ^a		No.	Estimated ^a		No.	Estimated ^a	
		No.	Rate		No.	Rate		No.	Rate		No.	Rate		No.	Rate
San Jose–Sunnyvale–Santa Clara, CA	47	50	33.4	305	315	214.4	695	710	483.6	1,063	1,075	763.8	679	684	344.3
San Juan–Carolina–Caguas, PR	268	290	143.8	1,016	1,068	739.9	2,028	2,064	1,451.7	3,264	3,245	2,288.0	2,339	2,279	819.7
Scranton–Wilkes-Barre–Hazleton, PA	14	14	31.2	50	50	149.6	89	88	258.3	161	157	379.7	112	105	130.1
Seattle–Tacoma–Bellevue, WA	148	149	53.4	923	925	329.0	1,892	1,889	722.6	2,826	2,810	1,077.9	1,716	1,695	431.2
Seattle Division	118	119	57.0	801	803	361.8	1,693	1,691	810.1	2,552	2,538	1,246.8	1,561	1,542	508.3
Tacoma Division	30	30	42.8	122	122	206.2	199	198	376.2	274	272	476.0	155	154	170.8
Spokane–Spokane Valley, WA	15	15	32.8	49	49	137.6	80	80	251.5	145	143	397.3	85	84	119.9
Springfield, MA	53	61	96.8	125	137	385.6	229	244	712.0	460	479	1,118.6	316	331	431.2
Stockton–Lodi, CA	48	51	74.5	143	148	312.3	222	226	502.9	345	349	757.3	201	203	291.3
Syracuse, NY	40	40	67.4	98	98	245.5	142	141	377.3	293	288	584.0	179	170	203.6
Tampa–St. Petersburg–Clearwater, FL	341	343	164.2	935	935	537.7	1,624	1,619	917.1	2,873	2,851	1,405.1	1,836	1,810	449.0
Toledo, OH	38	38	67.8	79	79	206.8	176	175	494.1	255	253	619.5	131	130	175.8
Tucson, AZ	33	33	36.3	158	157	248.4	338	337	586.7	679	674	1,096.2	501	496	372.1
Tulsa, OK	55	58	75.1	187	194	305.3	344	350	580.7	513	515	808.7	255	255	226.4
Virginia Beach–Norfolk–Newport News, VA–NC	284	285	175.1	864	866	671.1	962	959	938.2	1,671	1,658	1,427.6	1,030	1,017	560.0
Washington–Arlington–Alexandria, DC–VA–MD–WV	914	1,001	216.9	3,304	3,502	779.1	4,836	4,998	1,192.2	8,017	8,172	1,919.0	5,705	5,764	971.6
Silver Spring Division	87	98	104.4	350	380	462.1	556	583	692.0	864	886	967.4	604	615	433.7
Washington Division	827	903	245.5	2,954	3,122	850.0	4,280	4,415	1,318.0	7,153	7,286	2,179.7	5,101	5,149	1,140.7
Wichita, KS	30	30	55.3	95	95	216.6	168	168	440.3	228	227	530.3	127	126	171.0
Winston-Salem, NC	67	67	133.1	165	165	451.5	252	251	605.5	419	415	892.9	256	250	308.1
Worcester, MA–CT	38	42	53.2	92	100	179.4	224	236	394.8	480	497	670.9	328	338	301.2
Youngstown–Warren–Boardman, OH–PA	29	29	67.3	59	59	195.4	103	103	316.2	189	188	469.7	129	127	151.1
Subtotal for MSAs (population of ≥500,000)	23,907	24,795	138.9	79,532	81,352	545.7	126,745	128,036	907.2	209,440	209,801	1,413.1	142,694	141,709	593.3
Metropolitan areas (population of 50,000–499,999)	4,059	4,180	62.1	12,134	12,305	254.5	19,177	19,257	430.0	31,630	31,546	628.2	20,436	20,196	211.6
Nonmetropolitan areas	950	976	39.4	2,999	3,036	167.1	5,129	5,144	285.1	8,011	7,988	370.4	5,056	4,984	111.9
Total^c	29,147	30,216	111.7	95,310	97,393	451.8	152,272	153,694	753.6	251,764	252,051	1,144.4	169,798	168,506	444.8

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^b Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^c Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 3a. Diagnoses of HIV infection among adult and adolescent females, by age and metropolitan statistical area of residence, 2013—United States and Puerto Rico

MSA of residence	13–24 years				25–34 years				35–44 years				45–54 years				≥55 years			
	Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a			
	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b
Akron, OH	1	1	1.7	—	0	0	0.0	—	1	1	2.4	—	0	0	0.0	—	3	3	2.7	—
Albany–Schenectady–Troy, NY	4	4	5.5	—	2	2	3.7	—	6	6	11.5	—	2	2	3.7	—	4	4	3.0	—
Albuquerque, NM	2	2	2.9	—	2	2	3.2	—	2	2	3.7	—	1	1	1.6	—	1	1	0.8	—
Allentown–Bethlehem–Easton, PA–NJ	0	0	0.0	—	7	8	15.9	—	3	3	6.0	—	6	6	9.7	—	1	1	0.8	—
Atlanta–Sandy Springs–Roswell, GA	14	22	4.8	16	49	81	20.5	9	50	84	19.7	12	58	95	23.0	9	20	34	5.3	9
Augusta–Richmond County, GA–SC	3	5	10.3	—	2	3	6.8	—	6	10	27.6	—	6	10	23.8	—	4	6	6.8	—
Austin–Round Rock, TX	8	9	6.0	—	11	13	8.1	—	6	7	5.0	—	10	12	9.8	—	3	3	1.8	—
Bakersfield, CA	2	2	3.0	—	4	5	7.8	—	1	1	2.3	—	2	3	5.1	—	2	2	2.6	—
Baltimore–Columbia–Towson, MD	18	28	12.9	6	31	49	24.3	7	42	66	36.5	4	54	84	39.1	1	24	37	9.2	2
Baton Rouge, LA	21	22	28.4	1	22	23	38.8	1	23	24	45.9	1	8	8	15.0	—	7	8	7.2	—
Birmingham–Hoover, AL	1	1	1.2	—	7	7	9.0	—	9	9	12.0	—	8	8	10.2	—	4	4	2.4	—
Boise City, ID	0	0	0.0	—	0	0	0.0	—	1	1	2.4	—	0	0	0.0	—	0	0	0.0	—
Boston–Cambridge–Newton, MA–NH ^c	15	22	5.9	14	28	41	12.1	19	25	37	12.1	19	31	47	13.1	18	20	31	4.5	10
Boston Division	9	13	8.1	—	17	25	16.3	—	12	18	14.0	—	17	26	18.4	—	13	20	7.3	—
Cambridge Division	6	9	4.9	—	11	16	9.8	—	13	19	12.6	—	14	21	11.6	—	7	11	3.1	—
Bridgeport–Stamford–Norwalk, CT	4	5	6.4	—	3	3	5.8	—	4	4	6.5	—	4	4	5.3	—	4	4	3.0	—
Buffalo–Cheektowaga–Niagara Falls, NY	6	6	6.7	—	7	7	9.9	—	14	14	21.9	9	5	5	6.0	—	0	0	0.0	—
Cape Coral–Fort Myers, FL	6	6	14.6	—	7	8	21.9	—	15	15	42.8	2	12	12	28.7	4	1	1	0.7	—
Charleston–North Charleston, SC	8	8	14.9	—	7	7	12.8	—	3	3	6.8	—	4	4	8.2	—	5	5	5.3	—
Charlotte–Concord–Gastonia, NC–SC	9	9	5.0	—	12	12	7.6	29	28	29	16.2	15	29	30	17.3	11	11	11	3.8	—
Chattanooga, TN–GA	1	2	3.7	—	3	3	8.8	—	2	2	5.8	—	2	2	5.4	—	0	0	0.0	—
Chicago–Naperville–Elgin, IL–IN–WI	49	60	7.8	10	58	71	10.3	25	57	68	10.4	23	54	66	9.6	21	38	46	3.6	15
Chicago Division	44	54	9.3	—	52	64	11.5	—	48	58	11.4	—	48	59	11.3	—	34	42	4.3	—
Elgin Division	0	0	0.0	—	3	3	9.0	—	2	2	5.3	—	1	1	2.6	—	1	1	1.6	—
Gary Division	4	4	7.3	—	1	1	2.3	—	5	5	11.3	—	4	5	9.2	—	1	1	1.0	—
Lake County Division	1	1	1.6	—	2	2	4.5	—	2	2	3.9	—	1	1	1.7	—	2	2	1.9	—
Cincinnati, OH–KY–IN	7	7	4.2	—	15	15	10.9	22	8	8	6.1	—	11	11	7.2	—	5	5	1.7	—
Cleveland–Elyria, OH	4	4	2.6	—	16	17	13.1	17	12	12	9.7	24	13	13	8.5	22	4	4	1.2	—
Colorado Springs, CO	2	2	3.7	—	3	3	6.3	—	1	1	2.4	—	0	0	0.0	—	0	0	0.0	—
Columbia, SC	4	4	5.7	—	12	12	22.6	8	7	7	13.9	—	6	6	11.0	—	9	10	8.8	—
Columbus, OH	8	8	5.1	—	15	15	10.3	24	10	10	7.6	—	7	7	5.3	—	7	7	2.9	—
Dallas–Fort Worth–Arlington, TX	37	43	7.6	11	67	78	15.5	15	50	58	11.5	21	46	53	11.2	20	24	28	3.7	14
Dallas Division	28	32	8.8	—	53	62	18.3	—	35	41	11.9	—	36	42	13.4	—	17	20	4.1	—
Fort Worth Division	9	10	5.4	—	14	16	9.7	—	15	17	10.7	—	10	11	7.1	—	7	8	3.0	—
Dayton, OH	1	1	1.6	—	7	7	14.0	—	5	5	10.8	—	3	3	5.4	—	0	0	0.0	—
Deltona–Daytona Beach–Ormond Beach, FL	3	3	7.7	—	4	4	13.3	—	7	7	22.1	—	5	5	12.0	—	5	5	4.1	—
Denver–Aurora–Lakewood, CO	5	5	2.8	—	12	12	5.9	33	5	5	2.7	—	4	4	2.2	—	2	2	0.6	—
Des Moines–West Des Moines, IA	0	0	0.0	—	1	1	2.3	—	2	2	5.0	—	2	2	5.0	—	0	0	0.0	—

Table 3a. Diagnoses of HIV infection among adult and adolescent females, by age and metropolitan statistical area of residence, 2013—United States and Puerto Rico (cont)

MSA of residence	13–24 years				25–34 years				35–44 years				45–54 years				≥55 years			
	Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a			
	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b
Detroit–Warren–Dearborn, MI	18	19	5.5	15	29	30	11.3	20	13	13	4.7	30	18	18	5.6	27	8	8	1.3	—
Detroit Division	14	14	9.6	—	21	22	19.0	—	9	9	7.9	—	11	11	8.8	—	5	5	2.0	—
Warren Division	4	4	2.2	—	8	8	5.5	—	4	4	2.5	—	7	7	3.6	—	3	3	0.8	—
Durham–Chapel Hill, NC	1	1	2.1	—	4	4	10.0	—	6	6	16.8	—	6	6	16.8	—	2	2	2.8	—
El Paso, TX	2	2	2.9	—	5	6	10.0	—	5	6	10.6	—	3	3	6.7	—	5	6	6.0	—
Fresno, CA	2	2	2.6	—	2	2	3.4	—	4	5	8.2	—	3	3	6.0	—	2	2	2.1	—
Grand Rapids–Wyoming, MI	3	3	3.4	—	6	6	8.9	—	3	4	6.0	—	1	1	1.5	—	0	0	0.0	—
Greensboro–High Point, NC	3	3	4.9	—	10	10	21.2	—	6	6	12.2	—	3	3	5.7	—	9	9	8.4	—
Greenville–Anderson–Mauldin, SC	2	2	2.8	—	3	3	5.7	—	5	5	9.2	—	5	5	8.5	—	2	2	1.6	—
Harrisburg–Carlisle, PA	2	2	4.8	—	4	4	12.5	—	1	1	3.1	—	3	3	7.6	—	2	2	2.3	—
Hartford–West Hartford–East Hartford, CT	3	3	3.1	—	5	5	6.9	—	7	7	9.6	—	5	5	5.4	—	7	7	3.7	—
Honolulu (Urban), HI	0	0	0.0	—	1	1	1.5	—	1	1	1.8	—	0	0	0.0	—	1	1	0.7	—
Houston–The Woodlands–Sugar Land, TX	46	48	9.1	8	111	118	25.1	6	78	83	18.2	13	52	56	13.1	17	35	38	5.5	8
Indianapolis–Carmel–Anderson, IN	11	11	7.3	—	11	11	8.0	—	15	15	11.6	20	10	11	7.8	—	4	4	1.6	—
Jackson, MS	12	12	25.1	2	10	10	24.5	—	6	6	16.0	—	5	6	14.3	—	3	3	3.9	—
Jacksonville, FL	11	11	10.4	—	17	17	17.7	11	28	29	31.3	7	28	29	27.8	6	16	16	8.2	4
Kansas City, MO–KS	5	5	3.3	—	7	7	4.9	—	10	10	7.6	—	7	7	4.9	—	3	3	1.1	—
Knoxville, TN	1	1	1.5	—	2	2	4.0	—	1	1	1.9	—	2	2	3.4	—	1	1	0.7	—
Lakeland–Winter Haven, FL	3	3	6.6	—	9	10	25.5	—	7	7	19.3	—	3	3	7.7	—	4	4	3.9	—
Lancaster, PA	0	0	0.0	—	0	0	0.0	—	1	1	3.3	—	0	0	0.0	—	1	1	1.3	—
Las Vegas–Henderson–Paradise, NV	10	10	6.5	—	12	12	8.5	28	8	8	5.8	—	15	16	12.0	19	5	5	2.0	—
Little Rock–North Little Rock–Conway, AR	6	8	13.4	—	5	6	11.9	—	7	9	18.8	—	4	5	11.1	—	1	1	1.2	—
Los Angeles–Long Beach–Anaheim, CA	37	43	3.9	19	53	62	6.4	32	57	66	7.2	28	57	67	7.2	23	28	32	1.9	17
Anaheim Division	3	4	1.4	—	9	11	5.0	—	5	6	2.7	—	11	13	5.6	—	6	7	1.7	—
Los Angeles Division	34	39	4.6	—	44	51	6.8	—	52	60	8.6	—	46	54	7.8	—	22	25	2.0	—
Louisville–Jefferson County, KY–IN	0	0	0.0	—	8	8	9.7	—	10	10	12.3	—	9	9	10.0	—	4	5	2.4	—
Madison, WI	2	2	3.6	—	1	1	2.3	—	0	0	0.0	—	2	2	4.8	—	0	0	0.0	—
McAllen–Edinburg–Mission, TX	5	6	7.1	—	1	1	2.1	—	4	5	8.3	—	6	7	15.7	—	2	2	2.9	—
Memphis, TN–MS–AR	10	10	8.9	—	28	30	31.7	4	18	18	20.1	11	23	24	25.3	8	12	12	6.9	7
Miami–Fort Lauderdale–West Palm Beach, FL	65	67	15.7	4	139	143	37.2	2	130	134	33.8	6	138	142	32.3	2	90	92	10.0	1
Fort Lauderdale Division	24	25	18.3	—	42	43	34.6	—	48	50	38.8	—	26	27	18.7	—	27	28	10.1	—
Miami Division	33	34	17.1	—	71	73	40.0	—	50	51	27.4	—	73	75	37.8	—	46	47	12.2	—
West Palm Beach Division	8	8	8.8	—	26	27	34.6	—	32	33	40.3	—	39	40	41.0	—	17	17	6.6	—
Milwaukee–Waukesha–West Allis, WI	2	2	1.6	—	2	2	1.8	—	6	6	6.2	—	5	5	4.5	—	9	10	4.3	—
Minneapolis–St. Paul–Bloomington, MN–WI	12	12	4.7	17	27	28	10.9	23	7	7	3.2	—	14	14	5.6	26	7	7	1.6	—
Modesto, CA	1	1	2.4	—	0	0	0.0	—	1	1	3.5	—	1	1	3.3	—	0	0	0.0	—
Nashville–Davidson–Murfreesboro–Franklin, TN	8	8	5.8	—	10	10	7.7	—	7	7	5.8	—	3	3	2.5	—	11	11	5.0	—
New Haven–Milford, CT	1	1	1.5	—	3	3	5.3	—	6	6	11.3	—	2	2	3.1	—	2	2	1.5	—

Table 3a. Diagnoses of HIV infection among adult and adolescent females, by age and metropolitan statistical area of residence, 2013—United States and Puerto Rico (cont)

MSA of residence	13–24 years				25–34 years				35–44 years				45–54 years				≥55 years			
	Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a			
	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b
New Orleans–Metairie, LA	15	15	16.1	3	32	33	34.4	3	30	31	39.1	3	14	14	16.1	13	9	9	5.2	—
New York–Newark–Jersey City, NY–NJ–PA ^c	103	120	7.8	9	210	255	17.5	12	237	286	20.9	10	196	233	15.6	16	166	206	7.1	6
Nassau County Division	5	5	2.3	—	7	7	4.6	—	16	17	9.4	—	11	11	4.8	—	12	12	2.8	—
New York Division	86	96	8.8	—	162	186	16.4	—	179	205	20.7	—	149	167	16.4	—	121	143	7.1	—
Newark Division	11	17	9.2	—	41	62	41.5	—	40	62	35.6	—	34	52	25.1	—	33	51	14.1	—
North Port–Sarasota–Bradenton, FL	1	1	2.4	—	5	5	15.3	—	7	7	19.4	—	4	4	8.4	—	3	3	1.7	—
Ogden–Clearfield, UT	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	1	1	1.6	—
Oklahoma City, OK	1	1	1.2	—	4	6	5.9	—	8	11	12.7	—	14	19	22.6	10	0	0	0.0	—
Omaha–Council Bluffs, NE–IA	2	2	2.9	—	1	1	1.6	—	3	3	5.4	—	5	5	8.5	—	2	2	1.8	—
Orlando–Kissimmee–Sanford, FL	19	19	10.2	7	29	30	18.2	10	16	17	10.7	22	44	46	28.3	5	26	28	9.0	3
Oxnard–Thousand Oaks–Ventura, CA	0	0	0.0	—	1	1	2.4	—	2	2	4.4	—	2	2	3.7	—	0	0	0.0	—
Palm Bay–Melbourne–Titusville, FL	1	1	2.9	—	7	7	25.0	—	4	4	13.9	—	3	3	7.1	—	0	0	0.0	—
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	32	34	7.0	12	58	66	15.7	14	57	65	16.8	14	64	71	15.7	15	35	39	4.3	12
Camden Division	2	3	3.5	—	9	15	18.7	—	13	20	23.8	—	7	11	10.8	—	4	6	3.4	—
Montgomery Division	3	3	2.1	—	5	5	4.6	—	6	6	5.0	—	6	7	4.2	—	5	5	1.7	—
Philadelphia Division	23	24	12.6	—	40	42	23.4	—	36	37	27.8	—	40	42	29.4	—	24	25	8.3	—
Wilmington Division	4	4	7.0	—	4	4	8.6	—	2	2	4.5	—	11	12	21.5	—	2	2	2.4	—
Phoenix–Mesa–Scottsdale, AZ	16	16	4.6	18	17	17	5.8	35	9	10	3.3	—	8	8	2.9	—	11	11	1.9	—
Pittsburgh, PA	3	3	1.8	—	7	7	4.9	—	6	6	4.5	—	2	2	1.2	—	2	2	0.5	—
Portland–South Portland, ME	0	0	0.0	—	1	1	3.3	—	2	2	6.2	—	1	1	2.5	—	0	0	0.0	—
Portland–Vancouver–Hillsboro, OR–WA	1	1	0.6	—	5	5	3.0	—	5	5	3.1	—	9	9	5.8	—	0	0	0.0	—
Providence–Warwick, RI–MA	7	8	6.1	—	8	9	9.1	—	2	2	2.1	—	5	7	5.5	—	3	3	1.2	—
Provo–Orem, UT	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—
Raleigh, NC	4	4	4.2	—	6	6	7.0	—	12	12	12.8	18	14	14	15.9	14	7	7	5.1	—
Richmond, VA	6	6	6.2	—	12	12	14.1	16	4	4	5.0	—	9	10	10.2	—	6	7	3.7	—
Riverside–San Bernardino–Ontario, CA	4	5	1.1	—	8	9	3.1	—	13	15	5.3	29	16	18	6.4	24	8	9	1.8	—
Rochester, NY	2	2	2.2	—	3	3	4.5	—	4	4	6.5	—	9	9	11.3	—	3	3	1.8	—
Sacramento–Roseville–Arden–Arcade, CA	4	5	2.5	—	9	10	6.8	—	6	7	4.9	—	4	5	3.0	—	6	7	2.2	—
St. Louis, MO–IL	8	8	3.9	—	16	17	8.9	26	12	13	7.3	26	10	11	5.2	—	8	9	2.1	—
Salt Lake City, UT	3	3	3.2	—	2	2	2.2	—	2	2	2.7	—	2	2	3.2	—	0	0	0.0	—
San Antonio–New Braunfels, TX	8	9	4.7	—	12	14	8.7	27	7	8	5.4	—	6	7	4.9	—	7	8	2.9	—
San Diego–Carlsbad–San Marcos, CA	5	6	2.3	—	15	17	7.1	31	13	15	7.2	27	7	8	3.9	—	5	6	1.4	—
San Francisco–Oakland–Hayward, CA ^c	5	6	1.8	—	18	20	5.8	34	9	10	2.9	—	17	19	5.7	25	14	16	2.5	16
Oakland Division	4	5	2.3	—	10	12	6.0	—	3	3	1.8	—	9	10	5.2	—	8	10	2.6	—
San Francisco Division	1	1	1.1	—	8	8	5.9	—	6	6	5.2	—	8	8	7.6	—	6	6	2.7	—
San Jose–Sunnyvale–Santa Clara, CA	1	1	0.8	—	1	1	0.8	—	3	4	2.5	—	5	6	4.2	—	4	5	2.0	—
San Juan–Carolina–Caguas, PR	10	12	6.3	—	14	17	11.3	21	31	39	25.0	8	40	50	30.8	3	13	16	4.5	11
Scranton–Wilkes-Barre–Hazleton, PA	3	3	7.2	—	3	3	9.6	—	2	2	6.2	—	1	1	2.5	—	2	2	2.0	—

Table 3a. Diagnoses of HIV infection among adult and adolescent females, by age and metropolitan statistical area of residence, 2013—United States and Puerto Rico (cont)

MSA of residence	13–24 years				25–34 years				35–44 years				45–54 years				≥55 years			
	Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a				Estimated ^a			
	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b	No.	No.	Rate	Rank ^b
Seattle–Tacoma–Bellevue, WA	6	6	2.3	—	20	21	7.4	30	19	19	7.7	25	6	6	2.4	—	6	7	1.5	—
Seattle Division	4	4	2.1	—	15	15	7.1	—	14	14	7.2	—	4	4	2.1	—	5	6	1.6	—
Tacoma Division	2	2	3.2	—	5	5	8.6	—	5	5	9.7	—	2	2	3.6	—	1	1	1.0	—
Spokane–Spokane Valley, WA	1	1	2.3	—	2	2	5.9	—	1	1	3.3	—	0	0	0.0	—	0	0	0.0	—
Springfield, MA	2	3	5.0	—	4	6	16.4	—	3	4	12.0	—	5	8	17.0	—	5	7	7.5	—
Stockton–Lodi, CA	0	0	0.0	—	1	1	2.5	—	1	1	2.5	—	6	7	15.3	—	3	3	4.1	—
Syracuse, NY	2	2	3.5	—	5	5	12.5	—	2	2	5.3	—	5	5	10.3	—	2	2	2.0	—
Tampa–St. Petersburg–Clearwater, FL	13	13	6.5	13	29	30	16.3	13	23	24	12.9	17	33	34	16.1	12	20	21	4.3	13
Toledo, OH	2	2	3.7	—	1	1	2.6	—	1	1	2.8	—	1	1	2.5	—	1	1	1.1	—
Tucson, AZ	5	5	5.8	—	7	7	12.0	—	5	5	9.0	—	3	4	5.9	—	0	0	0.0	—
Tulsa, OK	3	4	5.7	—	4	6	8.4	—	2	3	4.5	—	3	4	5.9	—	0	0	0.0	—
Virginia Beach–Norfolk–Newport News, VA–NC	7	7	5.0	—	15	15	12.2	18	15	15	14.7	16	11	11	9.2	—	10	10	4.5	—
Washington–Arlington–Alexandria, DC–VA–MD–WV	47	65	14.5	5	104	145	30.7	5	110	153	34.9	5	90	124	27.5	7	45	60	8.2	5
Silver Spring Division	9	15	16.5	—	23	36	41.4	—	28	44	48.9	—	22	34	34.0	—	9	14	7.8	—
Washington Division	38	51	14.0	—	81	109	28.4	—	82	109	31.3	—	68	90	25.6	—	36	46	8.3	—
Wichita, KS	0	0	0.0	—	1	1	2.4	—	1	1	2.7	—	1	1	2.5	—	3	3	4.0	—
Winston-Salem, NC	0	0	0.0	—	5	5	13.0	—	8	8	19.0	—	4	4	8.3	—	3	3	3.0	—
Worcester, MA–CT	2	3	4.0	—	4	6	10.8	—	4	6	9.9	—	3	4	5.2	—	2	3	2.3	—
Youngstown–Warren–Boardman, OH–PA	0	0	0.0	—	4	4	13.9	—	1	1	3.2	—	4	4	10.3	—	3	3	3.0	—
Subtotal for MSAs (population of ≥500,000)	881	998	5.8	—	1,649	1,897	12.5	—	1,565	1,822	12.6	—	1,512	1,768	11.5	—	928	1,079	3.6	—
Metropolitan areas (population of 50,000–499,999)	193	222	3.5	—	316	354	7.6	—	301	337	7.6	—	261	295	5.8	—	181	204	1.8	—
Nonmetropolitan areas	57	64	2.8	—	91	101	6.1	—	71	83	4.9	—	73	83	4.0	—	53	63	1.2	—
Total^d	1,139	1,298	5.0	—	2,070	2,375	11.1	—	1,945	2,254	11.0	—	1,866	2,177	9.7	—	1,170	1,358	3.0	—

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^b Based on estimated rate. Ranks were not assigned to MSAs with estimated rates that were based on reported or estimated numbers less than 12.

^c Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^d Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 3b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2012—United States and Puerto Rico

MSA of residence	13–24 years			25–34 years			35–44 years			45–54 years			≥55 years		
	Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a		
	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate
Akron, OH	8	8	12.8	33	33	78.2	41	41	95.4	55	55	102.3	28	28	25.1
Albany–Schenectady–Troy, NY	26	26	34.7	63	63	116.0	203	202	370.8	235	232	341.4	159	154	114.8
Albuquerque, NM	6	6	8.4	17	17	26.3	35	35	61.9	41	41	64.8	37	37	29.0
Allentown–Bethlehem–Easton, PA–NJ	17	17	26.8	58	58	121.6	153	153	289.4	198	195	302.3	97	94	71.4
Atlanta–Sandy Springs–Roswell, GA	252	271	60.7	935	971	246.4	1,553	1,586	371.4	1,698	1,696	412.4	1,035	1,017	162.4
Augusta–Richmond County, GA–SC	25	27	57.4	92	96	244.1	158	162	451.5	256	260	619.2	160	160	194.2
Austin–Round Rock, TX	28	29	18.7	108	111	72.2	200	204	148.3	224	228	191.8	130	131	70.8
Bakersfield, CA	11	11	14.6	34	35	61.6	52	53	102.3	59	60	114.9	33	34	39.4
Baltimore–Columbia–Towson, MD	268	283	129.6	733	767	389.4	1,621	1,652	906.3	2,382	2,391	1,101.1	1,342	1,334	338.9
Baton Rouge, LA	110	110	146.3	462	461	779.7	514	511	998.9	369	367	658.5	225	222	213.6
Birmingham–Hoover, AL	42	42	48.3	165	165	205.1	313	311	405.9	305	301	365.8	170	166	99.2
Boise City, ID	1	1	2.0	14	14	32.5	16	16	37.8	21	21	49.2	13	13	16.5
Boston–Cambridge–Newton, MA–NH ^b	124	133	35.0	367	400	119.8	896	944	304.3	1,217	1,265	350.5	797	834	124.6
Boston Division	73	78	46.8	203	219	145.7	454	478	374.8	657	681	479.0	451	473	174.4
Cambridge Division	51	55	30.9	158	174	108.7	428	452	291.5	535	558	308.0	331	346	103.0
Bridgeport–Stamford–Norwalk, CT	20	20	28.2	84	84	154.2	207	207	321.0	349	348	447.7	251	250	186.4
Buffalo–Cheektowaga–Niagara Falls, NY	28	28	30.2	113	112	159.7	216	215	322.0	212	209	238.3	126	121	64.9
Cape Coral–Fort Myers, FL	18	18	43.6	103	103	306.9	150	149	421.6	169	168	395.9	119	117	88.4
Charleston–North Charleston, SC	33	33	59.9	67	67	122.0	161	161	356.1	233	232	466.8	143	141	151.2
Charlotte–Concord–Gastonia, NC–SC	81	81	45.3	263	262	163.6	620	617	351.4	688	683	401.4	419	413	142.5
Chattanooga, TN–GA	14	14	33.5	59	59	172.2	87	84	239.4	79	78	200.9	49	46	53.0
Chicago–Naperville–Elgin, IL–IN–WI	371	389	50.8	999	1,037	150.4	1,747	1,792	272.8	1,869	1,907	275.2	1,268	1,297	104.1
Chicago Division	337	354	60.8	911	946	170.4	1,546	1,589	312.2	1,678	1,716	325.9	1,160	1,189	123.8
Elgin Division	7	7	12.9	25	26	65.3	54	55	127.9	48	48	110.4	24	24	32.9
Gary Division	17	17	30.0	30	30	67.5	92	92	202.4	92	91	174.2	42	42	40.1
Lake County Division	10	11	14.8	33	34	69.4	55	56	94.5	51	52	73.7	42	43	39.1
Cincinnati, OH–KY–IN	60	60	35.1	123	123	88.0	202	202	147.0	209	208	130.7	113	112	38.0
Cleveland–Elyria, OH	46	46	29.4	122	122	97.1	258	258	199.2	344	342	212.2	196	195	57.4
Colorado Springs, CO	8	8	14.5	15	15	31.7	39	38	92.1	42	42	87.1	24	24	29.7
Columbia, SC	26	26	36.8	153	153	283.5	296	295	571.9	365	363	642.4	223	221	208.8
Columbus, OH	48	48	30.2	182	182	125.2	285	285	211.7	259	259	187.1	137	136	55.7
Dallas–Fort Worth–Arlington, TX	267	279	50.5	886	914	183.4	1,345	1,373	275.4	1,214	1,234	261.3	672	682	94.0
Dallas Division	210	219	60.2	678	699	208.4	1,026	1,047	310.6	901	916	295.6	498	507	109.1
Fort Worth Division	57	59	31.6	208	215	131.9	319	326	201.8	313	318	195.6	174	176	67.1
Dayton, OH	16	16	24.0	52	52	101.9	90	90	188.0	109	109	187.4	39	39	30.5
Deltona–Daytona Beach–Ormond Beach, FL	24	24	59.5	90	90	296.9	111	111	337.8	145	144	329.8	85	84	68.9
Denver–Aurora–Lakewood, CO	22	22	11.5	135	135	66.1	262	262	138.2	319	318	169.7	178	176	54.5

Table 3b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2012—United States and Puerto Rico (cont)

MSA of residence	13–24 years			25–34 years			35–44 years			45–54 years			≥55 years		
	No.	Estimated ^a		No.	Estimated ^a		No.	Estimated ^a		No.	Estimated ^a		No.	Estimated ^a	
		No.	Rate		No.	Rate		No.	Rate		No.	Rate		No.	Rate
Des Moines–West Des Moines, IA	6	6	13.3	24	24	53.4	41	41	101.7	23	23	56.2	14	14	19.0
Detroit–Warren–Dearborn, MI	120	120	35.5	333	332	126.8	632	622	215.1	705	685	204.0	493	469	72.9
Detroit Division	104	104	68.0	243	241	213.4	513	504	420.5	559	541	409.0	424	402	154.3
Warren Division	16	16	8.7	90	90	60.8	119	118	69.5	146	144	70.7	69	67	17.5
Durham–Chapel Hill, NC	24	24	49.6	66	66	162.4	170	168	465.8	203	202	552.9	124	123	174.2
El Paso, TX	10	10	12.8	33	34	58.7	69	70	127.3	58	59	111.6	50	51	54.8
Fresno, CA	17	18	19.5	25	26	38.1	74	76	133.3	103	105	182.9	73	73	70.5
Grand Rapids–Wyoming, MI	12	12	13.3	55	55	81.5	73	73	117.9	57	56	78.6	31	30	23.2
Greensboro–High Point, NC	28	28	44.6	101	101	210.4	216	216	425.4	216	215	393.9	104	102	94.8
Greenville–Anderson–Mauldin, SC	11	11	15.4	65	65	122.9	110	110	198.3	150	149	246.8	60	60	48.4
Harrisburg–Carlisle, PA	12	12	28.0	33	33	93.4	119	118	345.7	94	91	217.8	78	75	85.9
Hartford–West Hartford–East Hartford, CT	29	29	29.5	101	101	137.5	286	286	370.6	415	413	425.0	280	278	147.8
Honolulu (Urban), HI	9	9	12.4	27	27	39.7	61	61	100.7	74	74	117.4	57	56	39.6
Houston–The Woodlands–Sugar Land, TX	339	345	67.6	1,326	1,341	290.7	2,031	2,044	460.6	1,606	1,615	382.3	946	947	144.0
Indianapolis–Carmel–Anderson, IN	54	54	35.5	155	155	111.4	249	249	187.9	244	241	171.2	124	123	49.8
Jackson, MS	45	45	90.3	175	174	413.5	347	343	889.5	306	301	736.3	161	156	203.5
Jacksonville, FL	103	103	94.9	466	466	485.8	635	632	686.7	650	646	619.0	346	341	175.6
Kansas City, MO–KS	22	22	14.4	137	137	94.5	245	245	180.7	217	216	145.2	120	119	43.0
Knoxville, TN	5	5	7.4	49	49	95.3	59	59	108.6	65	64	103.3	40	39	28.8
Lakeland–Winter Haven, FL	42	42	90.4	81	81	216.6	204	203	548.4	195	193	477.1	113	111	107.6
Lancaster, PA	11	11	25.4	24	23	73.2	80	80	255.1	87	85	229.3	63	61	75.5
Las Vegas–Henderson–Paradise, NV	36	36	23.2	135	134	92.6	268	267	189.0	328	326	246.9	213	210	84.7
Little Rock–North Little Rock–Conway, AR	25	26	44.9	58	59	112.6	107	108	225.3	120	120	243.0	56	56	57.6
Los Angeles–Long Beach–Anaheim, CA	237	244	21.8	851	873	91.9	1,620	1,646	177.2	1,888	1,909	206.8	1,313	1,323	81.9
Anaheim Division	19	19	7.5	104	106	51.2	236	240	109.6	254	256	112.2	188	189	47.9
Los Angeles Division	218	225	26.1	747	767	103.2	1,384	1,406	198.0	1,634	1,653	237.7	1,125	1,134	92.8
Louisville–Jefferson County, KY–IN	19	19	20.0	99	98	117.1	185	184	222.2	168	165	176.3	105	103	56.4
Madison, WI	4	4	7.2	20	20	43.6	37	37	92.8	47	47	107.0	22	22	27.4
McAllen–Edinburg–Mission, TX	18	19	23.2	54	56	101.1	65	67	119.8	43	44	100.2	27	27	35.1
Memphis, TN–MS–AR	110	110	95.4	528	521	550.8	720	706	761.7	626	614	627.7	319	307	176.6
Miami–Fort Lauderdale–West Palm Beach, FL	714	714	167.1	2,227	2,223	587.2	4,039	4,021	1,012.4	5,031	5,001	1,143.2	3,630	3,590	397.9
Fort Lauderdale Division	206	206	155.3	779	777	632.8	1,384	1,378	1,073.0	1,666	1,656	1,155.6	1,038	1,026	382.5
Miami Division	367	367	182.6	1,034	1,032	572.7	1,836	1,828	978.7	2,407	2,393	1,214.4	1,919	1,897	504.1
West Palm Beach Division	141	140	150.3	414	413	547.8	819	815	994.0	958	952	980.3	673	667	258.7
Milwaukee–Waukesha–West Allis, WI	26	26	20.8	86	86	78.0	194	193	195.2	234	232	200.0	113	112	50.8
Minneapolis–St. Paul–Bloomington, MN–WI	64	64	24.3	308	308	122.2	443	443	194.7	403	401	155.3	197	195	45.0
Modesto, CA	2	2	4.3	12	12	34.2	22	22	67.3	37	37	107.8	24	24	39.1

Table 3b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2012—United States and Puerto Rico (cont)

MSA of residence	13–24 years			25–34 years			35–44 years			45–54 years			≥55 years		
	Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a			Estimated ^a		
	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate
Nashville–Davidson–Murfreesboro–Franklin, TN	40	40	29.0	159	158	121.7	361	356	292.6	357	347	274.5	175	167	76.1
New Haven–Milford, CT	30	30	42.3	77	77	135.6	258	258	462.8	463	462	689.7	275	273	205.5
New Orleans–Metairie, LA	125	125	130.3	502	501	538.3	736	732	936.6	662	657	723.7	283	279	161.0
New York–Newark–Jersey City, NY–NJ–PA ^b	1,949	1,974	128.2	4,101	4,154	287.7	9,508	9,558	692.9	16,871	16,870	1,123.4	12,435	12,362	436.3
Nassau County Division	99	99	44.8	196	196	126.1	393	392	208.4	698	689	291.3	548	534	122.2
New York Division	1,615	1,629	148.3	3,413	3,445	307.7	7,763	7,782	786.8	13,850	13,828	1,350.9	10,361	10,289	518.2
Newark Division	218	230	122.9	471	493	330.0	1,286	1,319	744.0	2,200	2,232	1,075.5	1,446	1,461	414.6
North Port–Sarasota–Bradenton, FL	23	23	55.8	92	92	279.0	130	129	346.8	162	161	326.8	92	91	53.7
Ogden–Clearfield, UT	0	0	0.0	5	5	10.6	10	10	25.8	21	21	60.5	4	4	6.5
Oklahoma City, OK	23	24	22.0	94	97	100.5	121	123	150.7	126	127	147.3	57	57	34.2
Omaha–Council Bluffs, NE–IA	12	12	17.2	60	60	90.4	121	121	213.3	83	83	134.8	35	35	31.2
Orlando–Kissimmee–Sanford, FL	105	105	55.3	331	330	208.0	720	718	465.4	800	796	495.1	525	519	175.8
Oxnard–Thousand Oaks–Ventura, CA	3	3	4.4	15	15	29.3	32	33	60.2	48	48	77.6	31	31	28.0
Palm Bay–Melbourne–Titusville, FL	13	13	36.3	57	57	201.3	107	105	350.0	139	138	310.6	89	88	83.3
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	333	335	68.2	966	970	235.8	2,027	2,020	517.6	2,806	2,772	599.6	1,524	1,488	168.9
Camden Division	21	22	23.4	78	84	106.8	182	188	222.2	302	306	301.9	189	192	104.4
Montgomery Division	18	18	12.6	70	70	62.8	130	129	101.7	194	191	119.5	98	94	31.2
Philadelphia Division	263	263	137.0	726	724	415.1	1,504	1,492	1,124.9	2,009	1,977	1,354.9	1,059	1,027	347.8
Wilmington Division	31	31	51.8	92	92	196.8	211	211	453.0	301	299	536.8	178	175	174.9
Phoenix–Mesa–Scottsdale, AZ	59	59	16.9	196	196	65.7	373	373	128.9	412	410	145.6	210	207	36.7
Pittsburgh, PA	19	19	11.0	74	74	51.2	168	165	118.8	208	204	112.8	124	119	28.3
Portland–South Portland, ME	5	5	13.5	18	18	58.9	35	35	104.3	39	39	90.9	22	22	25.4
Portland–Vancouver–Hillsboro, OR–WA	23	23	13.6	84	84	48.7	127	127	76.9	152	151	95.4	102	101	32.9
Providence–Warwick, RI–MA	33	35	26.0	93	95	95.8	227	230	222.8	375	380	302.3	201	203	82.0
Provo–Orem, UT	1	1	1.5	3	3	7.3	8	8	25.4	8	8	35.2	1	1	2.5
Raleigh, NC	28	28	29.8	107	107	123.7	235	235	245.6	307	304	342.0	179	178	133.3
Richmond, VA	37	37	37.1	140	140	164.5	299	298	358.9	399	396	413.7	273	269	153.8
Riverside–San Bernardino–Ontario, CA	51	54	13.2	153	157	53.8	325	330	115.5	378	381	132.6	202	204	41.2
Rochester, NY	27	27	29.3	64	64	95.7	207	206	314.9	417	410	491.0	260	253	152.4
Sacramento–Roseville–Arden–Arcade, CA	29	30	16.1	71	73	49.0	158	161	113.4	195	196	124.9	161	162	54.3
St. Louis, MO–IL	75	76	34.6	283	285	149.1	441	442	247.6	349	349	163.4	143	142	34.1
Salt Lake City, UT	6	6	6.3	60	60	64.8	104	104	139.0	66	66	101.4	47	47	41.9
San Antonio–New Braunfels, TX	56	58	30.4	151	157	98.5	220	224	149.6	215	218	144.1	137	139	50.8
San Diego–Carlsbad–San Marcos, CA	47	48	18.2	164	169	70.9	345	351	167.3	377	381	178.0	271	273	69.0
San Francisco–Oakland–Hayward, CA ^b	70	71	22.7	272	277	82.3	581	588	179.3	859	863	264.6	695	694	111.4
Oakland Division	43	44	21.9	150	154	82.6	345	351	181.8	423	428	216.5	354	357	101.0
San Francisco Division	24	24	24.7	115	116	83.6	219	220	186.9	413	412	384.2	322	318	143.0

Table 3b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by age and metropolitan statistical area of residence, year-end 2012—United States and Puerto Rico (cont)

MSA of residence	13–24 years			25–34 years			35–44 years			45–54 years			≥55 years		
	No.	Estimated ^a		No.	Estimated ^a		No.	Estimated ^a		No.	Estimated ^a		No.	Estimated ^a	
		No.	Rate		No.	Rate		No.	Rate		No.	Rate		No.	Rate
San Jose–Sunnyvale–Santa Clara, CA	10	10	7.4	66	68	49.6	120	122	86.1	120	122	89.8	111	112	49.2
San Juan–Carolina–Caguas, PR	131	137	69.3	499	515	327.5	953	965	616.8	1,499	1,498	913.0	1,102	1,094	305.5
Scranton–Wilkes-Barre–Hazleton, PA	16	16	37.1	24	24	74.9	48	48	142.2	45	44	107.5	25	24	24.1
Seattle–Tacoma–Bellevue, WA	48	48	18.2	170	170	62.9	347	346	137.2	326	324	125.4	207	204	45.0
Seattle Division	40	40	20.2	132	132	62.3	277	276	138.7	260	259	129.1	160	158	45.2
Tacoma Division	8	8	12.2	38	38	64.9	70	70	131.7	66	65	112.6	47	46	44.5
Spokane–Spokane Valley, WA	1	1	1.9	14	14	40.7	16	16	51.5	14	14	37.1	9	9	11.2
Springfield, MA	32	34	52.5	63	68	180.1	163	171	456.9	271	281	602.3	132	138	144.9
Stockton–Lodi, CA	8	8	13.2	29	30	64.7	62	63	138.6	72	73	158.5	50	50	61.2
Syracuse, NY	15	15	25.1	42	42	104.1	91	91	229.3	123	121	237.2	65	62	62.8
Tampa–St. Petersburg–Clearwater, FL	115	116	56.3	444	442	247.4	696	694	380.8	909	903	426.2	591	584	121.0
Toledo, OH	17	17	30.3	44	44	114.4	117	117	315.9	69	69	159.5	23	23	26.1
Tucson, AZ	12	12	13.7	42	42	69.5	62	62	107.8	97	97	151.4	63	62	39.8
Tulsa, OK	20	21	27.4	48	50	76.6	83	84	138.2	62	62	94.0	28	28	21.1
Virginia Beach–Norfolk–Newport News, VA–NC	78	78	53.7	269	269	217.6	515	514	485.4	597	593	470.8	353	349	155.9
Washington–Arlington–Alexandria, DC–VA–MD–WV	419	451	100.7	1,396	1,463	314.3	2,858	2,937	672.1	3,077	3,141	698.9	2,018	2,054	289.5
Silver Spring Division	49	55	62.4	242	257	301.3	495	515	565.9	417	429	427.2	281	291	168.2
Washington Division	370	396	110.1	1,154	1,206	317.2	2,363	2,422	700.0	2,660	2,713	777.0	1,737	1,763	328.6
Wichita, KS	7	7	13.6	34	34	79.3	51	51	134.3	40	40	91.5	25	25	29.4
Winston-Salem, NC	9	9	17.6	65	64	163.1	143	142	323.9	186	185	372.7	125	123	124.0
Worcester, MA–CT	19	21	27.5	73	79	143.9	173	182	294.5	243	250	334.0	139	144	109.8
Youngstown–Warren–Boardman, OH–PA	9	9	21.9	24	24	81.6	45	45	138.6	50	50	119.7	35	34	33.4
Subtotal for MSAs (population of ≥500,000)	8,342	8,520	49.7	25,919	26,297	176.1	49,759	50,085	346.9	63,152	63,188	409.1	41,218	41,005	142.5
Metropolitan areas (population of 50,000–499,999)	1,343	1,367	21.5	4,952	4,999	108.1	8,470	8,481	190.9	9,283	9,246	179.5	5,641	5,578	50.2
Nonmetropolitan areas	411	418	18.5	1,551	1,565	94.9	2,410	2,409	141.1	2,531	2,520	118.8	1,593	1,575	31.6
Total^c	10,187	10,402	40.3	32,587	33,035	155.8	61,048	61,396	298.2	75,546	75,545	332.5	48,798	48,511	108.1

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^b Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^c Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 4a. Diagnoses of HIV infection among adult and adolescent males, by race/ethnicity and metropolitan statistical area of residence, 2013—United States

MSA of residence	American Indian/Alaska Native				Asian				Black/African American				Hispanic/Latino ^a				White			
	Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b			
	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c
Akron, OH	0	0	0.0	—	0	0	0.0	—	22	23	72.1	60	1	1	22.3	—	18	19	7.7	82
Albany–Schenectady–Troy, NY	0	0	0.0	—	2	2	16.2	—	17	18	69.1	66	10	11	70.0	—	18	19	6.1	92
Albuquerque, NM	6	6	35.4	—	0	0	0.0	—	4	4	41.3	—	31	33	19.8	56	18	19	11.4	61
Allentown–Bethlehem–Easton, PA–NJ	0	0	0.0	—	2	2	22.8	—	8	8	52.8	—	8	8	18.6	—	25	27	9.9	72
Atlanta–Sandy Springs–Roswell, GA	0	0	0.0	—	8	13	11.0	—	754	1,180	180.2	2	135	214	96.5	1	113	178	15.7	38
Augusta–Richmond County, GA–SC	0	0	0.0	—	0	0	0.0	—	57	89	117.1	19	4	5	45.2	—	14	21	15.3	44
Austin–Round Rock, TX	0	0	0.0	—	5	6	15.0	—	33	38	71.0	63	102	118	51.3	14	102	118	27.2	9
Bakersfield, CA	3	4	145.1	—	0	0	0.0	—	13	15	74.2	59	49	57	33.5	42	26	30	22.0	18
Baltimore–Columbia–Towson, MD	0	0	0.0	—	4	6	11.2	—	343	534	182.3	1	15	23	41.7	30	101	156	22.7	17
Baton Rouge, LA	0	0	0.0	—	0	0	0.0	—	171	176	160.0	5	2	2	15.7	—	33	34	17.2	32
Birmingham–Hoover, AL	0	0	0.0	—	0	0	0.0	—	89	92	76.8	57	3	3	15.7	—	45	46	15.3	43
Boise City, ID	2	2	118.2	—	0	0	0.0	—	2	2	74.5	—	2	2	6.7	—	15	15	7.2	88
Boston–Cambridge–Newton, MA–NH ^d	0	0	0.0	—	13	19	14.5	7	86	128	95.9	39	102	152	86.0	4	166	244	16.8	34
Boston Division	0	0	0.0	—	7	10	18.7	—	60	89	96.5	—	63	93	117.8	—	83	124	22.3	—
Cambridge Division	0	0	0.0	—	6	9	12.2	—	26	39	98.9	—	39	59	62.7	—	74	110	15.2	—
Bridgeport–Stamford–Norwalk, CT	0	0	0.0	—	2	2	11.1	—	24	25	66.9	69	24	25	37.2	36	20	21	8.4	80
Buffalo–Cheektowaga–Niagara Falls, NY	0	0	0.0	—	3	3	25.9	—	35	36	71.6	61	16	16	89.5	3	39	40	10.6	66
Cape Coral–Fort Myers, FL	0	0	0.0	—	1	1	28.4	—	19	19	98.9	37	15	16	33.0	44	66	68	33.5	4
Charleston–North Charleston, SC	0	0	0.0	—	1	1	20.3	—	62	65	91.4	43	5	5	33.2	—	23	24	12.3	57
Charlotte–Concord–Gastonia, NC–SC	0	0	0.0	—	4	4	14.3	—	191	197	105.2	28	34	35	42.5	28	94	98	16.1	36
Chattanooga, TN–GA	0	0	0.0	—	0	0	0.0	—	15	15	55.8	72	2	3	32.4	—	22	25	14.4	49
Chicago–Naperville–Elgin, IL–IN–WI	2	3	51.8	—	22	27	11.6	11	605	738	125.2	13	282	345	43.8	24	347	422	19.4	25
Chicago Division	2	3	74.8	—	20	25	12.3	—	546	674	132.2	—	256	315	50.8	—	305	375	23.7	—
Elgin Division	0	0	0.0	—	1	1	13.8	—	8	9	71.6	—	6	7	10.5	—	11	13	7.8	—
Gary Division	0	0	0.0	—	1	1	29.2	—	36	39	87.2	—	7	8	19.4	—	17	19	9.8	—
Lake County Division	0	0	0.0	—	0	0	0.0	—	15	17	73.8	—	13	15	24.1	—	14	16	6.4	—
Cincinnati, OH–KY–IN	0	0	0.0	—	3	3	17.6	—	94	97	101.0	32	5	5	24.6	—	91	94	13.2	52
Cleveland–Elyria, OH	0	0	0.0	—	0	0	0.0	—	134	138	92.1	42	18	19	47.4	20	79	81	13.2	53
Colorado Springs, CO	0	0	0.0	—	1	1	16.5	—	5	5	29.2	—	5	5	13.2	—	13	13	6.5	91
Columbia, SC	0	0	0.0	—	0	0	0.0	—	98	101	102.1	30	7	7	41.5	—	23	24	12.4	55
Columbus, OH	2	2	120.9	—	1	1	3.9	—	110	114	105.5	27	6	6	22.6	—	126	130	21.1	22
Dallas–Fort Worth–Arlington, TX	0	0	0.0	—	14	16	10.2	14	393	456	121.4	15	249	289	40.5	31	286	332	23.9	15
Dallas Division	0	0	0.0	—	7	8	6.7	—	311	361	135.1	—	199	231	46.5	—	220	255	29.7	—
Fort Worth Division	0	0	0.0	—	7	8	21.1	—	82	95	87.6	—	50	58	26.9	—	66	77	14.6	—
Dayton, OH	0	0	0.0	—	0	0	0.0	—	45	46	99.4	36	2	2	28.1	—	22	23	8.8	78
Deltona–Daytona Beach–Ormond Beach, FL	0	0	0.0	—	1	1	24.0	—	21	22	90.9	45	11	11	42.0	—	36	37	19.0	27
Denver–Aurora–Lakewood, CO	1	1	18.7	—	4	4	10.7	—	31	32	52.9	75	67	69	30.0	49	111	116	15.4	42
Des Moines–West Des Moines, IA	0	0	0.0	—	1	1	12.9	—	5	5	45.1	—	3	3	20.1	—	21	22	10.8	65

Table 4a. Diagnoses of HIV infection among adult and adolescent males, by race/ethnicity and metropolitan statistical area of residence, 2013—United States (cont)

MSA of residence	American Indian/Alaska Native				Asian				Black/African American				Hispanic/Latino ^a				White			
	Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b			
	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c
Detroit–Warren–Dearborn, MI	0	0	0.0	—	5	5	8.3	—	313	323	90.8	47	15	15	23.8	53	101	104	8.6	79
Detroit Division	0	0	0.0	—	1	1	5.2	—	239	247	95.6	—	6	6	17.1	—	37	38	10.3	—
Warren Division	0	0	0.0	—	4	4	9.8	—	74	76	78.1	—	9	9	32.1	—	64	66	7.8	—
Durham–Chapel Hill, NC	0	0	0.0	—	1	1	10.1	—	63	65	120.8	16	4	4	17.2	—	18	19	15.2	45
El Paso, TX	0	0	0.0	—	0	0	0.0	—	4	5	37.8	—	86	100	40.3	32	7	8	15.9	—
Fresno, CA	1	1	49.9	—	3	3	9.5	—	4	4	24.8	—	52	61	33.1	43	16	19	14.7	47
Grand Rapids–Wyoming, MI	0	0	0.0	—	1	1	11.8	—	11	11	44.6	—	2	2	6.4	—	19	20	5.8	93
Greensboro–High Point, NC	0	0	0.0	—	1	1	10.9	—	68	71	100.0	34	8	8	38.2	—	20	21	11.2	64
Greenville–Anderson–Mauldin, SC	0	0	0.0	—	1	1	18.5	—	54	56	105.9	26	6	6	29.1	—	26	27	10.5	67
Harrisburg–Carlisle, PA	0	0	0.0	—	0	0	0.0	—	17	17	79.2	55	1	1	9.2	—	19	19	10.5	68
Hartford–West Hartford–East Hartford, CT	0	0	0.0	—	1	1	4.8	—	39	40	79.5	54	25	26	42.4	29	27	28	7.8	81
Honolulu (Urban), HI	1	1	92.2	—	17	18	10.4	13	3	3	21.6	—	7	7	21.0	—	15	15	15.5	41
Houston–The Woodlands–Sugar Land, TX	1	1	16.8	—	34	36	20.1	2	522	548	137.7	9	353	374	42.9	27	202	217	21.2	19
Indianapolis–Carmel–Anderson, IN	0	0	0.0	—	3	3	17.0	—	117	121	114.9	22	24	25	54.2	12	56	57	9.7	73
Jackson, MS	0	0	0.0	—	0	0	0.0	—	108	112	109.9	25	4	4	66.4	—	10	10	9.3	—
Jacksonville, FL	0	0	0.0	—	3	3	15.8	—	161	167	153.9	7	20	21	49.7	18	70	73	19.1	26
Kansas City, MO–KS	0	0	0.0	—	3	3	15.7	—	65	67	70.5	64	23	24	37.2	37	76	78	12.6	54
Knoxville, TN	0	0	0.0	—	1	1	21.5	—	16	17	87.9	49	1	1	9.3	—	34	35	11.4	62
Lakeland–Winter Haven, FL	0	0	0.0	—	0	0	0.0	—	33	34	99.5	35	21	22	47.6	19	19	20	12.0	58
Lancaster, PA	0	0	0.0	—	1	1	25.7	—	4	4	55.6	—	6	6	33.7	—	18	18	10.3	70
Las Vegas–Henderson–Paradise, NV	0	0	0.0	—	12	12	17.3	4	74	77	90.2	48	113	117	50.3	16	127	131	31.3	6
Little Rock–North Little Rock–Conway, AR	0	0	0.0	—	1	1	33.2	—	61	81	139.3	8	6	9	59.8	—	32	43	21.1	21
Los Angeles–Long Beach–Anaheim, CA	2	2	20.1	—	102	117	14.6	6	351	408	116.9	20	856	996	43.3	26	464	538	29.8	7
Anaheim Division	0	0	0.0	—	41	47	20.1	—	6	7	31.5	—	144	167	40.7	—	75	88	15.1	—
Los Angeles Division	2	2	26.9	—	61	70	12.3	—	345	401	122.7	—	712	829	43.8	—	389	451	36.8	—
Louisville–Jefferson County, KY–IN	0	0	0.0	—	1	1	12.2	—	59	61	92.4	41	7	7	33.9	—	80	83	20.4	24
Madison, WI	0	0	0.0	—	2	2	18.6	—	8	8	75.7	—	2	2	16.0	—	16	16	7.4	85
McAllen–Edinburg–Mission, TX	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	84	97	36.7	38	1	1	4.4	—
Memphis, TN–MS–AR	0	0	0.0	—	0	0	0.0	—	255	268	119.6	17	10	11	39.2	—	33	34	13.7	51
Miami–Fort Lauderdale–West Palm Beach, FL	2	2	58.6	—	19	20	35.0	1	658	680	154.7	6	774	798	78.4	5	472	489	57.6	1
Fort Lauderdale Division	0	0	0.0	—	5	5	20.4	—	251	259	142.5	—	138	142	71.5	—	271	280	84.1	—
Miami Division	1	1	97.8	—	14	14	84.4	—	294	305	182.2	—	587	605	85.5	—	112	117	68.1	—
West Palm Beach Division	1	1	104.5	—	0	0	0.0	—	113	116	128.2	—	49	51	45.6	—	89	92	26.8	—
Milwaukee–Waukesha–West Allis, WI	0	0	0.0	—	2	2	10.5	—	56	58	63.9	70	17	18	30.2	48	33	34	7.5	84
Minneapolis–St. Paul–Bloomington, MN–WI	4	4	50.4	—	2	2	2.6	—	63	65	67.3	68	21	22	30.7	46	102	107	9.5	76
Modesto, CA	0	0	0.0	—	1	1	10.6	—	2	2	41.7	—	7	8	9.3	—	7	8	8.2	—
Nashville–Davidson–Murfreesboro–Franklin, TN	0	0	0.0	—	3	3	19.1	—	98	101	101.6	31	16	17	37.3	35	76	78	14.8	46
New Haven–Milford, CT	0	0	0.0	—	2	2	16.1	—	29	31	77.5	56	22	23	43.7	25	26	27	11.2	63

Table 4a. Diagnoses of HIV infection among adult and adolescent males, by race/ethnicity and metropolitan statistical area of residence, 2013—United States (cont)

MSA of residence	American Indian/Alaska Native				Asian				Black/African American				Hispanic/Latino ^a				White			
	Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b			
	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c
New Orleans–Metairie, LA	1	1	52.6	—	6	6	42.7	—	261	270	171.6	3	22	23	52.0	13	126	130	47.3	2
New York–Newark–Jersey City, NY–NJ–PA ^d	4	4	30.3	—	84	95	11.2	12	1,192	1,429	119.5	18	1,077	1,260	68.6	6	691	839	20.8	23
Nassau County Division	0	0	0.0	—	3	3	4.6	—	47	50	51.1	—	55	57	30.3	—	66	69	8.6	—
New York Division	4	4	39.9	—	80	90	12.8	—	946	1,073	118.5	—	908	1,032	71.5	—	563	678	26.6	—
Newark Division	0	0	0.0	—	1	2	2.3	—	190	297	166.3	—	103	159	86.1	—	58	88	15.7	—
North Port–Sarasota–Bradenton, FL	0	0	0.0	—	0	0	0.0	—	16	17	96.1	38	12	12	37.7	33	41	43	17.3	31
Ogden–Clearfield, UT	0	0	0.0	—	0	0	0.0	—	1	1	31.2	—	1	1	3.9	—	5	5	2.6	—
Oklahoma City, OK	2	3	13.9	—	3	4	25.4	—	51	68	129.6	10	13	18	30.4	47	65	88	24.2	14
Omaha–Council Bluffs, NE–IA	0	0	0.0	—	0	0	0.0	—	14	14	55.5	73	8	8	26.6	—	20	21	7.2	87
Orlando–Kissimmee–Sanford, FL	0	0	0.0	—	3	3	8.2	—	150	154	116.6	21	129	133	55.3	10	158	164	32.9	5
Oxnard–Thousand Oaks–Ventura, CA	0	0	0.0	—	3	4	15.9	—	3	4	55.5	—	25	29	21.8	55	15	17	10.0	71
Palm Bay–Melbourne–Titusville, FL	0	0	0.0	—	1	1	24.4	—	11	11	54.4	—	4	4	21.5	—	33	34	18.7	29
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	5	5	131.4	—	16	18	14.0	9	524	578	127.0	11	114	132	67.6	7	177	199	12.3	56
Camden Division	0	0	0.0	—	2	3	14.0	—	53	83	108.9	—	25	39	81.0	—	25	39	11.1	—
Montgomery Division	1	1	119.4	—	7	8	18.9	—	20	21	41.9	—	13	13	32.8	—	54	56	8.5	—
Philadelphia Division	4	4	261.4	—	7	7	13.3	—	410	427	155.9	—	72	75	90.2	—	75	77	19.2	—
Wilmington Division	0	0	0.0	—	0	0	0.0	—	41	47	85.3	—	4	4	18.2	—	23	26	13.3	—
Phoenix–Mesa–Scottsdale, AZ	17	17	54.1	2	5	5	8.5	—	72	75	84.7	52	170	175	35.8	40	196	203	18.8	28
Pittsburgh, PA	0	0	0.0	—	2	2	10.6	—	50	52	69.4	65	8	8	58.2	—	55	57	6.7	90
Portland–South Portland, ME	0	0	0.0	—	0	0	0.0	—	2	2	55.4	—	1	1	30.6	—	11	12	5.8	—
Portland–Vancouver–Hillsboro, OR–WA	1	1	15.0	—	5	6	10.2	—	11	11	41.7	—	35	36	36.6	39	111	115	15.6	39
Providence–Warwick, RI–MA	0	0	0.0	—	0	0	0.0	—	9	11	34.5	—	26	33	50.1	17	63	77	14.4	48
Provo–Orem, UT	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	3	3	1.8	—
Raleigh, NC	0	0	0.0	—	0	0	0.0	—	109	112	124.7	14	11	11	24.3	—	48	50	16.0	37
Richmond, VA	0	0	0.0	—	1	1	5.8	—	103	107	75.4	58	4	4	14.9	—	35	36	11.8	60
Riverside–San Bernardino–Ontario, CA	0	0	0.0	—	12	14	13.1	10	59	69	54.5	74	157	182	22.6	54	147	170	25.6	11
Rochester, NY	0	0	0.0	—	0	0	0.0	—	41	42	95.3	40	17	18	66.9	8	26	27	7.7	83
Sacramento–Roseville–Arden–Arcade, CA	1	1	21.8	—	9	10	9.6	—	38	44	71.2	62	51	59	33.9	41	61	71	13.9	50
St. Louis, MO–IL	0	0	0.0	—	4	4	16.4	—	160	168	90.8	46	13	14	47.0	21	79	84	9.7	74
Salt Lake City, UT	0	0	0.0	—	3	3	22.6	—	4	4	55.7	—	10	11	14.6	—	39	40	11.9	59
San Antonio–New Braunfels, TX	0	0	0.0	—	5	6	31.1	—	44	51	84.2	53	236	275	58.5	9	75	87	25.1	13
San Diego–Carlsbad–San Marcos, CA	2	2	36.3	—	19	22	15.7	5	52	61	87.6	50	177	205	51.0	15	171	198	29.0	8
San Francisco–Oakland–Hayward, CA ^d	4	4	87.6	—	79	85	19.3	3	145	163	114.6	24	170	184	46.8	22	266	287	34.3	3
Oakland Division	1	1	36.9	—	28	32	13.3	—	91	106	97.0	—	56	65	26.4	—	76	88	19.6	—
San Francisco Division	3	3	208.2	—	51	53	27.0	—	49	51	174.4	—	110	115	86.7	—	187	196	63.4	—
San Jose–Sunnyvale–Santa Clara, CA	0	0	0.0	—	19	22	8.7	15	8	9	45.8	—	44	51	24.9	52	43	50	16.9	33
San Juan–Carolina–Caguas, PR ^e	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scranton–Wilkes-Barre–Hazleton, PA	0	0	0.0	—	0	0	0.0	—	7	7	90.6	—	3	3	21.2	—	6	6	3.0	—

Table 4a. Diagnoses of HIV infection among adult and adolescent males, by race/ethnicity and metropolitan statistical area of residence, 2013—United States (cont)

MSA of residence	American Indian/Alaska Native				Asian				Black/African American				Hispanic/Latino ^a				White			
	Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b			
	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c
Seattle–Tacoma–Bellevue, WA	3	3	23.8	—	13	13	7.7	16	48	50	56.3	71	48	49	37.5	34	162	167	16.1	35
Seattle Division	3	3	33.8	—	13	13	8.6	—	35	36	57.1	—	40	41	40.3	—	142	147	18.4	—
Tacoma Division	0	0	0.0	—	0	0	0.0	—	13	13	54.1	—	8	8	27.7	—	20	21	8.6	—
Spokane–Spokane Valley, WA	0	0	0.0	—	1	1	26.1	—	0	0	0.0	—	0	0	0.0	—	17	17	9.0	77
Springfield, MA	0	0	0.0	—	0	0	0.0	—	12	18	114.9	23	24	36	91.3	2	10	15	8.1	—
Stockton–Lodi, CA	0	0	0.0	—	2	2	5.8	—	14	16	85.1	51	26	30	28.3	51	21	24	23.5	16
Syracuse, NY	0	0	0.0	—	1	1	15.4	—	11	11	60.1	—	10	10	111.5	—	15	15	6.7	89
Tampa–St. Petersburg–Clearwater, FL	0	0	0.0	—	10	10	29.6	—	150	155	126.9	12	103	106	55.3	11	207	215	26.5	10
Toledo, OH	0	0	0.0	—	0	0	0.0	—	21	22	67.4	67	2	2	15.4	—	18	19	9.7	75
Tucson, AZ	0	0	0.0	—	0	0	0.0	—	11	11	74.5	—	37	38	28.8	50	40	41	17.4	30
Tulsa, OK	15	20	68.2	1	1	1	17.9	—	23	31	104.3	29	8	11	35.0	—	49	67	25.2	12
Virginia Beach–Norfolk–Newport News, VA–NC	0	0	0.0	—	3	3	12.6	—	191	197	100.5	33	13	13	32.3	45	62	65	15.5	40
Washington–Arlington–Alexandria, DC–VA–MD–WV	0	0	0.0	—	25	32	14.1	8	699	963	169.6	4	126	159	45.9	23	204	253	21.1	20
Silver Spring Division	0	0	0.0	—	5	8	12.4	—	80	124	169.9	—	23	36	45.4	—	29	44	16.1	—
Washington Division	0	0	0.0	—	20	24	14.8	—	619	839	169.6	—	103	123	46.0	—	175	209	22.7	—
Wichita, KS	0	0	0.0	—	0	0	0.0	—	9	9	49.6	—	3	3	11.2	—	10	10	5.4	—
Winston-Salem, NC	1	1	129.3	—	1	1	28.8	—	37	38	91.4	44	8	8	36.4	—	19	19	10.4	69
Worcester, MA–CT	0	0	0.0	—	0	0	0.0	—	7	11	71.4	—	8	12	33.8	—	13	18	5.7	94
Youngstown–Warren–Boardman, OH–PA	0	0	0.0	—	0	0	0.0	—	9	9	40.5	—	2	2	29.5	—	14	14	7.4	86
Subtotal for MSAs (population of ≥500,000)	83	92	26.3	—	650	734	12.9	—	11,181	12,999	117.3	—	6,764	7,694	46.7	—	7,962	8,947	17.7	—
Metropolitan areas (population of 50,000–499,999)	49	52	16.6	—	51	56	8.9	—	1,863	2,112	74.7	—	658	742	22.4	—	1,767	1,942	8.5	—
Nonmetropolitan areas	20	22	8.8	—	3	4	4.4	—	511	583	54.2	—	187	210	21.1	—	448	505	5.0	—
Total^f	154	169	18.4	—	707	799	12.5	—	13,652	15,847	105.7	—	7,635	8,686	41.8	—	10,248	11,495	13.8	—

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States. MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

Data for Native Hawaiians/other Pacific Islanders are not presented due to small population denominators (i.e., less than 100). However, data are summarized in Commentary.

^a Hispanics/Latinos can be of any race.

^b Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^c Based on estimated rate. Ranks were not assigned to MSAs with estimated rates that were based on reported or estimated numbers less than 12.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan–Carolina–Caguas, PR. The 2013 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 4b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2012—United States

MSA of residence	American Indian/ Alaska Native			Asian ^a			Black/African American			Hispanic/Latino ^b			White		
	Estimated ^c			Estimated ^c			Estimated ^c			Estimated ^c			Estimated ^c		
	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate
Akron, OH	1	1	194.6	3	3	47.4	226	225	722.5	17	17	378.4	381	380	157.5
Albany–Schenectady–Troy, NY	0	0	0.0	10	10	81.9	393	386	1,518.7	240	236	1,620.9	603	595	195.2
Albuquerque, NM	53	52	304.9	4	4	56.2	62	62	625.8	576	573	355.0	434	431	264.2
Allentown–Bethlehem–Easton, PA–NJ	0	0	0.0	3	3	33.9	153	152	1,006.8	330	321	756.6	391	385	143.5
Atlanta–Sandy Springs–Roswell, GA	7	7	161.8	92	98	88.7	12,314	12,598	1,966.1	2,142	2,225	1,016.7	4,595	4,614	407.5
Augusta–Richmond County, GA–SC	0	0	0.0	2	2	51.7	961	972	1,294.3	49	51	447.4	316	319	235.1
Austin–Round Rock, TX	3	3	135.6	31	32	87.2	702	716	1,375.9	1,256	1,289	581.6	1,945	1,981	466.1
Bakersfield, CA	3	3	126.4	17	17	121.8	357	362	1,771.0	655	670	405.3	465	473	344.2
Baltimore–Columbia–Towson, MD	10	11	388.2	52	55	104.0	8,579	8,718	3,012.0	421	437	814.0	2,031	2,077	302.8
Baton Rouge, LA	2	2	244.8	8	8	121.9	2,112	2,099	1,929.1	45	45	355.4	547	545	278.6
Birmingham–Hoover, AL	1	1	81.8	4	4	71.0	1,659	1,641	1,393.5	70	69	346.8	992	981	326.5
Boise City, ID	3	3	177.5	4	4	90.2	12	12	477.8	46	46	155.4	310	309	146.3
Boston–Cambridge–Newton, MA–NH ^d	8	9	305.1	195	211	163.0	2,341	2,472	1,899.8	1,891	1,999	1,174.9	4,656	4,877	337.8
Boston Division	6	7	476.4	95	102	190.5	1,653	1,745	1,926.6	1,082	1,144	1,498.6	2,784	2,917	526.5
Cambridge Division	2	2	173.0	97	105	146.0	675	714	1,889.4	793	839	930.2	1,683	1,773	245.0
Bridgeport–Stamford–Norwalk, CT	1	1	256.4	17	17	95.0	574	572	1,576.0	546	546	831.6	594	592	236.3
Buffalo–Cheektowaga–Niagara Falls, NY	2	2	65.3	21	21	183.0	595	580	1,162.1	246	241	1,359.5	560	550	145.6
Cape Coral–Fort Myers, FL	0	0	0.0	4	4	114.0	354	352	1,829.6	190	189	394.0	521	517	261.6
Charleston–North Charleston, SC	2	2	168.4	3	3	61.5	987	984	1,416.1	78	78	509.6	531	528	281.3
Charlotte–Concord–Gastonia, NC–SC	5	5	146.7	16	16	59.1	3,101	3,080	1,695.9	315	315	392.2	1,425	1,418	236.0
Chattanooga, TN–GA	2	2	324.7	4	4	125.9	301	294	1,070.4	43	43	548.0	496	490	279.2
Chicago–Naperville–Elgin, IL–IN–WI	27	28	572.3	281	291	129.3	9,967	10,314	1,753.9	4,611	4,769	616.3	7,252	7,430	340.8
Chicago Division	27	28	818.8	262	271	139.6	9,243	9,585	1,885.0	4,199	4,349	713.7	6,499	6,673	421.8
Elgin Division	0	0	0.0	13	13	162.0	95	97	762.1	143	147	227.1	176	179	110.8
Gary Division	0	0	0.0	1	1	28.1	429	427	963.3	104	104	269.0	333	330	172.7
Lake County Division	0	0	0.0	5	5	27.2	200	204	910.7	165	169	276.7	244	248	101.1
Cincinnati, OH–KY–IN	1	1	67.7	11	11	64.3	1,190	1,188	1,258.7	89	90	414.1	1,365	1,358	192.1
Cleveland–Elyria, OH	1	1	74.1	13	13	75.6	1,917	1,907	1,281.6	314	313	832.6	1,414	1,411	229.7
Colorado Springs, CO	4	4	221.8	5	5	84.4	119	118	693.0	96	95	259.0	440	437	215.1
Columbia, SC	0	0	0.0	7	7	118.6	2,101	2,093	2,150.8	105	105	610.5	599	595	310.9
Columbus, OH	3	3	183.4	17	17	67.8	1,369	1,365	1,300.4	162	162	610.6	2,397	2,391	391.9
Dallas–Fort Worth–Arlington, TX	13	13	123.6	173	178	120.1	5,426	5,562	1,523.0	3,916	4,021	579.8	7,207	7,322	531.4
Dallas Division	12	12	183.2	134	138	123.2	4,322	4,432	1,699.4	3,215	3,301	683.4	5,811	5,904	691.8
Fort Worth Division	1	1	25.7	39	40	110.6	1,104	1,131	1,082.7	701	720	342.0	1,396	1,418	270.5
Dayton, OH	2	2	288.3	6	6	98.1	493	493	1,057.7	26	26	372.9	557	555	214.8
Deltona–Daytona Beach–Ormond Beach, FL	1	1	138.5	5	5	121.9	339	337	1,426.6	123	122	467.8	508	504	261.8
Denver–Aurora–Lakewood, CO	32	31	582.3	58	58	155.7	968	964	1,650.3	1,579	1,576	708.0	5,379	5,363	730.6
Des Moines–West Des Moines, IA	0	0	0.0	14	14	187.8	65	65	601.3	48	48	325.6	351	350	178.2

**Table 4b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2012—
United States (cont)**

MSA of residence	American Indian/ Alaska Native			Asian ^a			Black/African American			Hispanic/Latino ^b			White		
	No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c	
		No.	Rate		No.	Rate		No.	Rate		No.	Rate		No.	Rate
Detroit–Warren–Dearborn, MI	10	10	186.8	28	28	46.8	4,721	4,616	1,294.3	280	276	433.2	2,213	2,177	179.3
Detroit Division	6	6	247.2	13	13	67.7	4,007	3,910	1,486.8	178	174	486.9	935	918	245.9
Warren Division	4	4	136.7	15	15	37.1	714	706	754.0	102	102	364.3	1,278	1,258	149.7
Durham–Chapel Hill, NC	1	1	145.6	8	8	82.0	924	916	1,731.3	135	135	579.9	333	331	276.1
El Paso, TX	0	0	0.0	1	1	30.7	72	74	604.4	1,355	1,389	564.4	116	118	222.9
Fresno, CA	7	7	300.6	39	40	113.6	167	170	951.1	636	653	360.5	424	431	338.6
Grand Rapids–Wyoming, MI	1	1	66.7	8	8	95.9	166	164	661.2	108	107	342.6	440	433	130.5
Greensboro–High Point, NC	6	6	469.3	9	9	98.1	1,078	1,071	1,530.3	88	88	419.4	474	471	251.7
Greenville–Anderson–Mauldin, SC	1	1	129.2	4	4	74.5	632	630	1,206.7	81	81	393.9	474	472	184.0
Harrisburg–Carlisle, PA	0	0	0.0	6	6	87.8	329	322	1,486.9	128	125	1,198.1	468	456	245.7
Hartford–West Hartford–East Hartford, CT	0	0	0.0	22	22	107.3	646	644	1,299.6	875	872	1,465.9	788	785	216.1
Honolulu (Urban), HI	3	3	270.9	250	250	148.8	80	79	615.2	131	131	405.2	701	698	718.6
Houston–The Woodlands–Sugar Land, TX	17	17	285.3	194	197	114.4	7,074	7,119	1,834.7	4,971	5,022	595.7	5,070	5,093	504.9
Indianapolis–Carmel–Anderson, IN	0	0	0.0	27	27	159.4	1,355	1,351	1,315.9	243	243	549.1	2,044	2,035	347.6
Jackson, MS	1	1	287.8	1	1	41.6	1,838	1,811	1,780.1	53	52	857.0	357	353	318.6
Jacksonville, FL	1	1	52.6	25	25	133.5	2,258	2,243	2,100.3	209	208	521.4	1,329	1,320	349.3
Kansas City, MO–KS	9	9	251.6	33	33	174.0	1,281	1,276	1,351.3	399	398	626.5	2,218	2,204	358.7
Knoxville, TN	0	0	0.0	5	4	97.4	177	173	907.7	32	32	293.9	721	702	227.3
Lakeland–Winter Haven, FL	5	5	675.8	2	2	48.6	494	491	1,440.9	165	164	375.5	450	448	272.4
Lancaster, PA	0	0	0.0	0	0	0.0	62	60	844.6	149	145	826.1	247	242	135.1
Las Vegas–Henderson–Paradise, NV	19	19	500.7	157	157	230.3	1,045	1,038	1,240.5	1,279	1,275	565.9	2,562	2,544	608.6
Little Rock–North Little Rock–Conway, AR	2	2	168.5	2	2	50.2	668	681	1,195.8	58	59	417.4	730	738	361.6
Los Angeles–Long Beach–Anaheim, CA	77	78	697.4	1,519	1,557	196.9	7,264	7,389	2,140.1	18,949	19,319	852.8	16,673	16,878	935.7
Anaheim Division	13	13	469.5	271	279	122.5	232	235	1,091.6	2,436	2,483	616.7	2,770	2,806	484.9
Los Angeles Division	64	65	773.6	1,248	1,278	227.0	7,032	7,154	2,209.9	16,513	16,836	903.8	13,903	14,072	1,148.7
Louisville–Jefferson County, KY–IN	0	0	0.0	13	13	161.4	886	874	1,354.5	100	99	488.3	1,321	1,308	324.0
Madison, WI	2	2	252.7	10	10	94.4	98	97	909.8	57	57	451.4	370	368	167.4
McAllen–Edinburg–Mission, TX	0	0	5.3	1	1	37.0	10	10	524.1	724	745	288.1	44	45	166.2
Memphis, TN–MS–AR	1	1	80.9	7	7	71.2	3,925	3,845	1,729.9	129	128	470.3	853	839	331.8
Miami–Fort Lauderdale–West Palm Beach, FL	14	14	401.6	121	121	221.6	13,980	13,890	3,220.8	11,808	11,770	1,196.4	9,219	9,163	1,064.8
Fort Lauderdale Division	7	7	488.7	62	62	252.6	4,331	4,304	2,439.0	1,963	1,956	1,021.6	4,960	4,932	1,471.1
Miami Division	5	5	453.0	43	43	255.7	7,005	6,959	4,176.7	9,129	9,102	1,333.3	2,880	2,864	1,559.3
West Palm Beach Division	2	2	207.7	16	16	120.8	2,644	2,627	2,979.6	716	712	649.6	1,379	1,367	400.2
Milwaukee–Waukesha–West Allis, WI	3	3	116.3	23	23	122.8	1,135	1,131	1,261.0	302	301	531.5	875	872	193.7
Minneapolis–St. Paul–Bloomington, MN–WI	54	53	655.0	63	62	81.7	1,300	1,294	1,378.0	455	454	653.1	2,868	2,853	256.3
Modesto, CA	1	1	82.2	8	8	79.6	30	31	554.6	159	162	195.2	220	223	226.0
Nashville–Davidson–Murfreesboro–Franklin, TN	2	2	102.3	22	22	139.4	1,662	1,625	1,670.5	226	226	506.5	1,963	1,921	367.8
New Haven–Milford, CT	1	1	161.5	15	15	118.6	673	672	1,712.0	558	556	1,088.2	726	723	298.1
New Orleans–Metairie, LA	4	4	205.3	30	30	212.8	3,176	3,156	2,047.3	359	358	826.1	2,102	2,086	761.3

**Table 4b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2012—
United States (cont)**

MSA of residence	American Indian/ Alaska Native			Asian ^a			Black/African American			Hispanic/Latino ^b			White		
	No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c	
		No.	Rate		No.	Rate		No.	Rate		No.	Rate		No.	Rate
New York–Newark–Jersey City, NY–NJ–PA ^d	59	59	439.8	1,458	1,474	177.6	36,623	36,706	3,098.7	32,923	33,032	1,833.3	22,875	22,940	567.3
Nassau County Division	1	1	55.5	33	33	50.1	1,085	1,068	1,105.9	1,010	1,005	545.3	1,480	1,458	181.7
New York Division	55	55	541.9	1,368	1,380	199.4	30,028	29,996	3,342.7	29,579	29,628	2,088.0	19,685	19,739	774.6
Newark Division	3	3	233.6	50	54	80.7	5,210	5,347	3,024.0	1,987	2,054	1,140.6	1,465	1,501	266.0
North Port–Sarasota–Bradenton, FL	2	2	344.9	4	4	95.0	298	296	1,694.3	156	155	487.6	688	685	281.2
Ogden–Clearfield, UT	5	5	441.5	4	4	121.5	23	23	737.7	55	55	209.7	157	156	80.2
Oklahoma City, OK	58	59	305.3	18	18	126.4	532	543	1,067.3	199	203	358.5	1,244	1,257	350.8
Omaha–Council Bluffs, NE–IA	8	8	531.4	10	10	135.0	233	232	914.9	113	113	377.3	572	570	202.1
Orlando–Kissimmee–Sanford, FL	8	8	359.9	43	43	118.7	2,665	2,651	2,054.2	1,658	1,651	715.8	3,106	3,089	625.0
Oxnard–Thousand Oaks–Ventura, CA	0	0	0.0	11	11	50.8	30	30	485.3	337	344	261.5	342	347	202.0
Palm Bay–Melbourne–Titusville, FL	0	0	0.0	6	6	144.0	243	241	1,172.3	67	67	365.2	472	468	256.1
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	14	14	356.9	142	143	113.9	9,935	9,832	2,178.0	2,553	2,544	1,337.1	5,094	5,052	313.5
Camden Division	0	0	0.0	25	27	121.8	951	985	1,302.9	431	443	935.2	782	803	226.8
Montgomery Division	1	1	113.5	13	13	32.2	390	378	764.0	211	208	527.3	974	957	146.3
Philadelphia Division	13	13	811.5	102	102	191.5	7,620	7,500	2,755.4	1,774	1,755	2,159.9	2,870	2,824	694.2
Wilmington Division	0	0	0.0	2	2	18.9	974	968	1,787.8	137	137	619.8	468	468	238.3
Phoenix–Mesa–Scottsdale, AZ	208	207	660.2	76	76	131.0	732	726	851.9	2,440	2,434	511.9	4,854	4,825	453.7
Pittsburgh, PA	0	0	0.0	9	9	46.7	795	776	1,045.3	82	81	612.0	1,351	1,321	153.3
Portland–South Portland, ME	0	0	0.0	0	0	0.0	50	50	1,378.7	26	26	811.9	448	449	222.9
Portland–Vancouver–Hillsboro, OR–WA	30	30	450.0	61	61	116.3	239	239	896.2	440	438	460.9	2,965	2,949	404.8
Providence–Warwick, RI–MA	5	5	219.7	29	30	172.0	396	401	1,287.2	481	488	760.2	1,244	1,272	239.3
Provo–Orem, UT	0	0	0.0	1	1	34.5	3	3	266.6	36	36	170.2	81	81	47.3
Raleigh, NC	9	9	594.0	13	13	58.9	1,352	1,349	1,544.7	232	232	514.4	808	806	263.9
Richmond, VA	1	1	52.7	14	14	82.7	2,234	2,222	1,589.5	145	145	541.5	895	890	294.7
Riverside–San Bernardino–Ontario, CA	26	26	316.3	94	97	90.8	894	911	728.7	2,118	2,167	275.0	3,597	3,645	546.9
Rochester, NY	1	1	90.2	5	5	42.6	723	710	1,620.9	337	331	1,312.1	747	735	206.6
Sacramento–Roseville–Arden–Arcade, CA	27	28	533.2	84	87	83.1	540	552	895.9	535	548	324.0	1,820	1,845	363.1
St. Louis, MO–IL	1	1	43.4	18	18	73.6	2,705	2,701	1,468.0	181	181	621.3	2,419	2,411	278.9
Salt Lake City, UT	10	10	340.5	16	16	108.9	85	85	1,194.7	298	298	420.8	1,169	1,166	349.9
San Antonio–New Braunfels, TX	6	6	244.4	26	27	149.4	472	483	826.3	2,675	2,745	602.0	1,062	1,084	318.7
San Diego–Carlsbad–San Marcos, CA	70	71	1,129.4	288	295	213.1	1,222	1,240	1,799.3	3,511	3,582	912.6	5,781	5,848	854.2
San Francisco–Oakland–Hayward, CA ^d	81	82	1,713.7	1,098	1,107	258.5	3,845	3,869	2,735.1	4,083	4,109	1,063.7	12,326	12,309	1,482.8
Oakland Division	15	16	521.6	279	286	123.0	2,020	2,054	1,897.8	1,124	1,150	482.4	2,310	2,341	524.8
San Francisco Division	63	63	4,251.7	805	807	423.1	1,642	1,631	5,553.5	2,807	2,804	2,136.4	9,577	9,527	3,110.2
San Jose–Sunnyvale–Santa Clara, CA	7	7	409.7	245	251	102.6	226	230	1,150.8	1,052	1,071	527.5	1,219	1,234	421.6
San Juan–Carolina–Caguas, PR ^e	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scranton–Wilkes-Barre–Hazleton, PA	1	1	382.6	0	0	0.0	91	89	1,147.6	73	73	521.5	243	235	112.8

Table 4b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2012—United States (cont)

MSA of residence	American Indian/ Alaska Native			Asian ^a			Black/African American			Hispanic/Latino ^b			White		
	No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c	
		No.	Rate		No.	Rate		No.	Rate		No.	Rate		No.	Rate
Seattle–Tacoma–Bellevue, WA	62	62	487.1	232	232	140.0	944	940	1,103.1	907	905	718.4	5,110	5,082	495.1
Seattle Division	54	54	601.4	215	215	145.0	779	775	1,266.5	800	798	817.0	4,659	4,634	587.7
Tacoma Division	8	8	212.8	17	17	97.6	165	164	685.7	107	107	378.0	451	448	188.3
Spokane–Spokane Valley, WA	5	5	136.4	6	6	161.0	20	20	463.1	25	25	268.4	310	308	159.7
Springfield, MA	2	2	495.3	12	13	195.4	211	225	1,422.3	575	606	1,598.0	373	395	210.0
Stockton–Lodi, CA	4	4	294.7	42	43	111.9	211	215	1,101.0	329	336	324.4	336	342	326.8
Syracuse, NY	3	3	166.1	6	6	90.6	207	202	1,078.2	77	76	860.9	397	389	168.9
Tampa–St. Petersburg–Clearwater, FL	11	11	351.4	44	44	130.9	2,271	2,256	1,854.1	1,030	1,025	550.7	4,090	4,061	504.0
Toledo, OH	0	0	0.0	5	5	132.4	254	253	792.8	38	38	289.4	362	360	187.4
Tucson, AZ	40	40	441.2	16	16	155.7	116	115	762.6	554	552	426.7	951	943	398.6
Tulsa, OK	70	71	245.0	5	5	76.8	256	260	897.8	116	119	390.1	822	832	313.6
Virginia Beach–Norfolk–Newport News, VA–NC	5	5	188.9	28	28	118.4	3,185	3,168	1,625.4	176	175	445.0	1,279	1,270	305.1
Washington–Arlington–Alexandria, DC–VA–MD–WV	22	23	426.7	243	250	115.5	13,743	14,207	2,549.9	2,331	2,396	717.3	5,695	5,802	487.3
Silver Spring Division	5	5	584.4	45	48	79.7	1,226	1,280	1,804.6	399	418	544.4	676	698	253.1
Washington Division	17	18	394.5	198	202	129.4	12,517	12,926	2,658.6	1,932	1,978	768.9	5,019	5,104	557.9
Wichita, KS	1	1	44.2	7	7	82.2	128	127	690.7	94	94	352.4	380	378	196.9
Winston-Salem, NC	1	1	130.0	7	7	200.9	658	651	1,592.4	109	109	499.0	352	349	186.9
Worcester, MA–CT	1	1	134.5	19	21	148.5	207	217	1,494.8	373	390	1,150.8	542	564	179.4
Youngstown–Warren–Boardman, OH–PA	2	2	544.2	0	0	0.0	248	247	1,076.7	52	52	767.5	194	192	97.9
Subtotal for MSAs (population of ≥500,000)	1,295	1,302	375.3	8,178	8,317	151.0	208,788	209,917	1,921.5	129,018	130,395	812.2	207,427	208,042	412.4
Metropolitan areas (population of 50,000–499,999)	529	527	171.2	580	588	95.3	32,004	32,028	1,145.6	11,613	11,709	363.2	36,847	36,779	162.0
Nonmetropolitan areas	253	253	100.5	50	50	64.7	9,829	9,813	914.1	2,731	2,751	281.7	8,319	8,296	82.0
Total^f	2,093	2,099	231.5	8,863	9,014	145.4	252,871	254,101	1,717.6	144,348	145,868	720.1	255,121	255,680	307.0

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States. MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

Data for Native Hawaiians/other Pacific Islanders are not presented due to small population denominators (i.e., less than 100). However, data are summarized in Commentary.

^a Includes Asian/Pacific Islander legacy cases (see Technical Notes).

^b Hispanics/Latinos can be of any race.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan–Carolina–Caguas, PR. The 2013 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 5a. Diagnoses of HIV infection among adult and adolescent females, by race/ethnicity and metropolitan statistical area of residence, 2013—United States

MSA of residence	American Indian/Alaska Native				Asian				Black/African American				Hispanic/Latino ^a				White			
	Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b			
	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c
Akron, OH	0	0	0.0	—	0	0	0.0	—	3	3	8.2	—	0	0	0.0	—	2	2	0.8	—
Albany–Schenectady–Troy, NY	0	0	0.0	—	1	1	7.6	—	8	8	29.7	—	4	5	29.4	—	4	4	1.3	—
Albuquerque, NM	3	3	15.5	—	0	0	0.0	—	0	0	0.0	—	2	2	1.2	—	3	3	1.8	—
Allentown–Bethlehem–Easton, PA–NJ	0	0	0.0	—	0	0	0.0	—	9	9	60.5	—	6	7	15.1	—	2	2	0.7	—
Atlanta–Sandy Springs–Roswell, GA	0	0	0.0	—	1	2	1.3	—	154	256	32.2	21	20	34	17.8	2	15	23	1.9	17
Augusta–Richmond County, GA–SC	0	0	0.0	—	0	0	0.0	—	14	23	26.7	33	2	3	33.0	—	4	5	3.8	—
Austin–Round Rock, TX	0	0	0.0	—	1	1	2.8	—	24	28	49.6	10	6	7	3.2	—	7	8	1.9	—
Bakersfield, CA	0	0	0.0	—	1	1	6.9	—	1	1	7.4	—	5	6	4.0	—	4	5	3.4	—
Baltimore–Columbia–Towson, MD	2	3	97.4	—	1	2	2.7	—	142	222	62.1	5	5	8	15.7	—	19	29	4.1	5
Baton Rouge, LA	0	0	0.0	—	1	1	14.7	—	69	71	57.6	7	2	2	20.5	—	8	9	4.2	—
Birmingham–Hoover, AL	0	0	0.0	—	0	0	0.0	—	23	24	16.3	50	0	0	0.0	—	6	6	1.9	—
Boise City, ID	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	1	1	0.5	—
Boston–Cambridge–Newton, MA–NH ^d	0	0	0.0	—	3	4	3.0	—	69	104	69.9	4	31	47	26.0	1	15	22	1.4	23
Boston Division	0	0	0.0	—	0	0	0.0	—	41	62	57.5	—	21	32	39.4	—	5	7	1.2	—
Cambridge Division	0	0	0.0	—	3	4	5.5	—	28	42	105.3	—	10	15	15.7	—	10	14	1.8	—
Bridgeport–Stamford–Norwalk, CT	0	0	0.0	—	0	0	0.0	—	11	11	25.4	—	5	5	7.9	—	3	4	1.3	—
Buffalo–Cheektowaga–Niagara Falls, NY	0	0	0.0	—	3	3	25.9	—	14	14	24.2	40	5	5	27.3	—	9	9	2.3	—
Cape Coral–Fort Myers, FL	0	0	0.0	—	0	0	0.0	—	27	28	127.6	1	4	4	8.7	—	9	9	4.3	—
Charleston–North Charleston, SC	0	0	0.0	—	0	0	0.0	—	23	24	28.3	28	0	0	0.0	—	4	4	2.1	—
Charlotte–Concord–Gastonia, NC–SC	0	0	0.0	—	5	5	17.5	—	67	69	30.2	24	2	2	2.8	—	13	13	2.1	15
Chattanooga, TN–GA	0	0	0.0	—	0	0	0.0	—	4	4	12.3	—	1	1	15.5	—	3	4	1.9	—
Chicago–Naperville–Elgin, IL–IN–WI	1	1	23.1	—	6	7	2.7	—	186	226	31.1	22	28	33	4.5	15	26	31	1.4	24
Chicago Division	1	1	32.4	—	6	7	3.2	—	167	205	32.5	—	21	26	4.4	—	23	28	1.7	—
Elgin Division	0	0	0.0	—	0	0	0.0	—	5	6	39.7	—	1	1	1.9	—	0	0	0.0	—
Gary Division	0	0	0.0	—	0	0	0.0	—	12	13	23.0	—	2	2	5.2	—	1	1	0.5	—
Lake County Division	0	0	0.0	—	0	0	0.0	—	2	2	8.8	—	4	5	7.9	—	2	2	0.9	—
Cincinnati, OH–KY–IN	0	0	0.0	—	0	0	0.0	—	27	28	25.1	36	2	2	10.6	—	15	15	2.1	14
Cleveland–Elyria, OH	0	0	0.0	—	0	0	0.0	—	29	30	16.3	51	6	6	15.7	—	11	11	1.7	—
Colorado Springs, CO	0	0	0.0	—	1	1	10.8	—	3	3	21.1	—	0	0	0.0	—	2	2	1.0	—
Columbia, SC	0	0	0.0	—	0	0	0.0	—	31	32	27.7	29	2	2	15.4	—	5	5	2.5	—
Columbus, OH	1	1	58.2	—	0	0	0.0	—	26	27	22.4	43	4	4	17.0	—	13	13	2.1	13
Dallas–Fort Worth–Arlington, TX	0	0	0.0	—	5	6	3.5	—	164	190	42.5	16	29	34	5.0	14	21	25	1.7	18
Dallas Division	0	0	0.0	—	4	5	3.7	—	126	146	45.6	—	25	29	6.2	—	12	14	1.6	—
Fort Worth Division	0	0	0.0	—	1	1	2.8	—	38	44	34.6	—	4	5	2.2	—	9	10	1.9	—
Dayton, OH	0	0	0.0	—	0	0	0.0	—	9	9	16.8	—	2	2	29.8	—	4	4	1.5	—
Deltona–Daytona Beach–Ormond Beach, FL	0	0	0.0	—	0	0	0.0	—	12	12	45.8	13	1	1	3.7	—	10	10	4.9	—
Denver–Aurora–Lakewood, CO	0	0	0.0	—	1	1	2.2	—	8	8	14.2	—	9	9	4.2	—	8	9	1.1	—
Des Moines–West Des Moines, IA	0	0	0.0	—	2	2	25.0	—	3	3	28.5	—	0	0	0.0	—	0	0	0.0	—

Table 5a. Diagnoses of HIV infection among adult and adolescent females, by race/ethnicity and metropolitan statistical area of residence, 2013—United States (cont)

MSA of residence	American Indian/Alaska Native				Asian				Black/African American				Hispanic/Latino ^a				White			
	Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b			
	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c
Detroit–Warren–Dearborn, MI	0	0	0.0	—	0	0	0.0	—	64	66	15.1	52	2	2	3.2	—	19	20	1.5	21
Detroit Division	0	0	0.0	—	0	0	0.0	—	48	49	15.8	—	2	2	5.9	—	9	9	2.4	—
Warren Division	0	0	0.0	—	0	0	0.0	—	16	17	13.4	—	0	0	0.0	—	10	10	1.2	—
Durham–Chapel Hill, NC	0	0	0.0	—	0	0	0.0	—	16	16	24.8	38	1	1	5.4	—	2	2	1.5	—
El Paso, TX	0	0	0.0	—	0	0	0.0	—	1	1	13.5	—	18	21	7.4	9	1	1	2.9	—
Fresno, CA	0	0	0.0	—	0	0	0.0	—	3	3	19.4	—	6	7	3.8	—	2	2	1.8	—
Grand Rapids–Wyoming, MI	0	0	0.0	—	1	1	10.1	—	6	7	26.8	—	2	2	6.7	—	4	4	1.2	—
Greensboro–High Point, NC	0	0	0.0	—	1	1	10.5	—	25	26	29.5	26	3	3	16.2	—	1	1	0.5	—
Greenville–Anderson–Mauldin, SC	0	0	0.0	—	0	0	0.0	—	15	15	25.0	37	0	0	0.0	—	2	2	0.7	—
Harrisburg–Carlisle, PA	0	0	0.0	—	0	0	0.0	—	5	6	24.9	—	0	0	0.0	—	7	7	3.6	—
Hartford–West Hartford–East Hartford, CT	0	0	0.0	—	0	0	0.0	—	14	14	26.3	34	5	5	8.0	—	8	8	2.1	—
Honolulu (Urban), HI	0	0	0.0	—	1	1	0.5	—	0	0	0.0	—	0	0	0.0	—	1	1	1.4	—
Houston–The Woodlands–Sugar Land, TX	0	0	0.0	—	6	6	3.2	—	224	236	51.1	9	56	60	7.3	11	32	35	3.3	7
Indianapolis–Carmel–Anderson, IN	0	0	0.0	—	0	0	0.0	—	36	37	30.2	23	3	3	8.0	—	10	11	1.7	—
Jackson, MS	0	0	0.0	—	0	0	0.0	—	34	36	29.5	25	0	0	0.0	—	1	1	0.8	—
Jacksonville, FL	0	0	0.0	—	0	0	0.0	—	73	75	58.6	6	6	6	14.9	—	19	20	4.9	1
Kansas City, MO–KS	0	0	0.0	—	1	1	4.7	—	19	20	18.0	49	1	1	1.7	—	9	9	1.4	—
Knoxville, TN	0	0	0.0	—	0	0	0.0	—	3	3	15.0	—	1	1	11.4	—	3	3	0.9	—
Lakeland–Winter Haven, FL	0	0	0.0	—	0	0	0.0	—	17	17	46.4	12	4	4	9.5	—	5	6	3.1	—
Lancaster, PA	0	0	0.0	—	0	0	0.0	—	1	1	15.6	—	1	1	5.5	—	0	0	0.0	—
Las Vegas–Henderson–Paradise, NV	0	0	0.0	—	3	3	3.4	—	23	24	27.0	32	8	8	3.7	—	16	17	4.2	4
Little Rock–North Little Rock–Conway, AR	0	0	0.0	—	0	0	0.0	—	16	21	28.9	27	1	1	11.5	—	5	7	3.2	—
Los Angeles–Long Beach–Anaheim, CA	0	0	0.0	—	13	15	1.6	1	85	99	24.8	39	84	98	4.2	17	47	55	3.0	8
Anaheim Division	0	0	0.0	—	1	1	0.4	—	5	6	29.0	—	12	14	3.5	—	16	19	3.1	—
Los Angeles Division	0	0	0.0	—	12	14	2.1	—	80	93	24.6	—	72	84	4.4	—	31	36	3.0	—
Louisville–Jefferson County, KY–IN	0	0	0.0	—	1	1	10.9	—	18	19	24.2	41	1	1	5.9	—	11	12	2.7	—
Madison, WI	0	0	0.0	—	0	0	0.0	—	1	1	10.4	—	0	0	0.0	—	3	3	1.3	—
McAllen–Edinburg–Mission, TX	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	18	21	7.3	10	0	0	0.0	—
Memphis, TN–MS–AR	0	0	0.0	—	0	0	0.0	—	85	89	33.0	20	2	2	9.8	—	4	4	1.5	—
Miami–Fort Lauderdale–West Palm Beach, FL	0	0	0.0	—	1	1	1.6	—	411	423	83.0	2	111	114	10.4	6	38	39	4.4	3
Fort Lauderdale Division	0	0	0.0	—	0	0	0.0	—	136	140	64.6	—	21	22	10.2	—	9	9	2.7	—
Miami Division	0	0	0.0	—	1	1	5.5	—	187	192	100.8	—	75	77	10.0	—	10	10	6.2	—
West Palm Beach Division	0	0	0.0	—	0	0	0.0	—	88	91	88.9	—	15	15	14.0	—	19	20	5.2	—
Milwaukee–Waukesha–West Allis, WI	1	1	47.7	—	1	1	5.0	—	15	15	14.0	53	3	3	5.6	—	4	4	0.9	—
Minneapolis–St. Paul–Bloomington, MN–WI	1	1	11.4	—	0	0	0.0	—	46	47	48.4	11	4	4	6.5	—	14	14	1.2	25
Modesto, CA	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	2	2	2.8	—	1	1	1.1	—
Nashville–Davidson–Murfreesboro–Franklin, TN	0	0	0.0	—	1	1	5.7	—	25	26	22.1	44	1	1	2.7	—	11	11	2.0	—
New Haven–Milford, CT	0	0	0.0	—	0	0	0.0	—	7	7	15.5	—	4	4	7.5	—	3	3	1.2	—
New Orleans–Metairie, LA	0	0	0.0	—	1	1	6.7	—	79	81	43.0	15	9	9	24.7	—	11	11	3.9	—

Table 5a. Diagnoses of HIV infection among adult and adolescent females, by race/ethnicity and metropolitan statistical area of residence, 2013—United States (cont)

MSA of residence	American Indian/Alaska Native				Asian				Black/African American				Hispanic/Latino ^a				White			
	Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b			
	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c
New York–Newark–Jersey City, NY–NJ–PA ^d	0	0	0.0	—	10	12	1.3	—	506	613	41.5	17	268	317	16.7	3	91	115	2.7	9
Nassau County Division	0	0	0.0	—	0	0	0.0	—	23	24	20.8	—	17	18	9.9	—	9	9	1.1	—
New York Division	0	0	0.0	—	9	10	1.3	—	373	419	37.1	—	223	257	16.9	—	63	79	2.9	—
Newark Division	0	0	0.0	—	1	1	2.0	—	107	166	76.8	—	28	42	23.7	—	17	25	4.1	—
North Port–Sarasota–Bradenton, FL	0	0	0.0	—	0	0	0.0	—	11	11	55.9	—	2	2	6.6	—	7	7	2.6	—
Ogden–Clearfield, UT	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—
Oklahoma City, OK	3	4	19.7	—	1	1	7.3	—	10	13	23.7	—	0	0	0.0	—	10	14	3.6	—
Omaha–Council Bluffs, NE–IA	0	0	0.0	—	1	1	11.4	—	5	5	18.7	—	2	2	7.4	—	5	5	1.7	—
Orlando–Kissimmee–Sanford, FL	0	0	0.0	—	0	0	0.0	—	76	79	53.4	8	38	39	15.5	4	18	18	3.6	6
Oxnard–Thousand Oaks–Ventura, CA	0	0	0.0	—	0	0	0.0	—	1	1	20.7	—	2	2	1.8	—	1	1	0.6	—
Palm Bay–Melbourne–Titusville, FL	0	0	0.0	—	0	0	0.0	—	5	5	21.8	—	1	1	5.0	—	8	8	4.3	—
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	0	0	0.0	—	6	6	4.3	—	181	199	36.2	19	20	23	12.1	5	37	45	2.6	11
Camden Division	0	0	0.0	—	0	0	0.0	—	21	32	37.4	—	4	6	13.5	—	10	16	4.3	—
Montgomery Division	0	0	0.0	—	0	0	0.0	—	15	16	29.3	—	2	2	5.9	—	7	7	1.0	—
Philadelphia Division	0	0	0.0	—	6	6	10.4	—	128	134	38.6	—	13	13	15.7	—	16	16	3.8	—
Wilmington Division	0	0	0.0	—	0	0	0.0	—	17	17	27.6	—	1	1	4.8	—	4	5	2.4	—
Phoenix–Mesa–Scottsdale, AZ	4	4	12.0	—	0	0	0.0	—	21	22	26.2	35	20	21	4.3	16	16	16	1.5	22
Pittsburgh, PA	0	0	0.0	—	0	0	0.0	—	10	10	12.0	—	1	1	7.8	—	8	8	0.9	—
Portland–South Portland, ME	0	0	0.0	—	0	0	0.0	—	3	3	107.1	—	0	0	0.0	—	1	1	0.5	—
Portland–Vancouver–Hillsboro, OR–WA	0	0	0.0	—	0	0	0.0	—	2	2	8.4	—	4	4	4.6	—	12	12	1.6	20
Providence–Warwick, RI–MA	0	0	0.0	—	0	0	0.0	—	9	10	30.8	—	8	10	14.5	—	8	10	1.7	—
Provo–Orem, UT	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—	0	0	0.0	—
Raleigh, NC	0	0	0.0	—	1	1	4.3	—	29	30	27.6	30	5	5	12.3	—	7	7	2.2	—
Richmond, VA	0	0	0.0	—	0	0	0.0	—	30	31	18.6	48	1	1	4.3	—	6	7	2.0	—
Riverside–San Bernardino–Ontario, CA	0	0	0.0	—	3	3	2.7	—	10	11	8.8	—	22	26	3.2	18	14	16	2.4	12
Rochester, NY	0	0	0.0	—	0	0	0.0	—	8	8	16.4	—	8	8	30.6	—	4	4	1.1	—
Sacramento–Roseville–Arden–Arcade, CA	0	0	0.0	—	4	5	3.8	—	11	13	19.8	—	2	2	1.3	—	10	11	2.1	—
St. Louis, MO–IL	0	0	0.0	—	1	1	3.6	—	42	45	19.8	47	3	3	11.3	—	8	9	1.0	—
Salt Lake City, UT	0	0	0.0	—	1	1	6.0	—	4	4	79.1	—	1	1	1.6	—	3	3	0.9	—
San Antonio–New Braunfels, TX	0	0	0.0	—	1	1	5.2	—	14	16	27.1	31	21	25	5.1	13	4	5	1.3	—
San Diego–Carlsbad–San Marcos, CA	0	0	0.0	—	1	1	0.7	—	10	12	19.8	—	18	21	5.1	12	15	17	2.6	10
San Francisco–Oakland–Hayward, CA ^d	1	1	21.6	—	6	6	1.3	—	28	32	20.1	46	11	12	3.1	—	13	14	1.7	19
Oakland Division	0	0	0.0	—	2	2	0.8	—	22	25	19.9	—	3	4	1.5	—	5	6	1.2	—
San Francisco Division	1	1	81.1	—	4	4	1.8	—	6	6	22.3	—	8	8	6.6	—	8	8	2.9	—
San Jose–Sunnyvale–Santa Clara, CA	0	0	0.0	—	2	2	0.9	—	4	5	25.3	—	6	7	3.5	—	2	2	0.8	—
San Juan–Carolina–Caguas, PR ^e	-	-	-	—	-	-	-	—	-	-	-	—	-	-	-	—	-	-	-	—
Scranton–Wilkes-Barre–Hazleton, PA	0	0	0.0	—	0	0	0.0	—	3	3	63.3	—	1	1	7.4	—	7	7	3.2	—

Table 5a. Diagnoses of HIV infection among adult and adolescent females, by race/ethnicity and metropolitan statistical area of residence, 2013—United States (cont)

MSA of residence	American Indian/Alaska Native				Asian				Black/African American				Hispanic/Latino ^a				White			
	Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b				Estimated ^b			
	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c	No.	No.	Rate	Rank ^c
Seattle–Tacoma–Bellevue, WA	2	2	15.2	—	3	4	1.9	—	28	29	37.0	18	10	10	8.9	—	12	12	1.2	26
Seattle Division	1	1	10.9	—	3	4	2.1	—	24	25	43.2	—	6	6	7.0	—	8	8	1.0	—
Tacoma Division	1	1	25.3	—	0	0	0.0	—	4	4	20.1	—	4	4	15.2	—	4	4	1.7	—
Spokane–Spokane Valley, WA	0	0	0.0	—	0	0	0.0	—	1	1	38.3	—	0	0	0.0	—	3	3	1.5	—
Springfield, MA	0	0	0.0	—	0	0	0.0	—	4	6	35.4	—	9	13	29.4	—	6	9	4.6	—
Stockton–Lodi, CA	0	0	0.0	—	0	0	0.0	—	5	6	28.6	—	4	5	4.5	—	2	2	2.1	—
Syracuse, NY	1	1	51.3	—	1	1	14.1	—	10	10	47.9	—	0	0	0.0	—	3	3	1.3	—
Tampa–St. Petersburg–Clearwater, FL	0	0	0.0	—	1	1	2.4	—	62	64	44.8	14	15	16	7.8	8	39	41	4.6	2
Toledo, OH	0	0	0.0	—	0	0	0.0	—	2	2	5.6	—	0	0	0.0	—	4	4	2.0	—
Tucson, AZ	0	0	0.0	—	0	0	0.0	—	7	7	62.1	—	7	7	5.1	—	6	7	2.7	—
Tulsa, OK	1	1	4.4	—	1	2	19.2	—	6	8	23.9	—	1	1	4.8	—	3	4	1.5	—
Virginia Beach–Norfolk–Newport News, VA–NC	0	0	0.0	—	0	0	0.0	—	47	48	21.3	45	3	3	8.2	—	8	8	2.0	—
Washington–Arlington–Alexandria, DC–VA–MD–WV	0	0	0.0	—	4	5	2.1	—	345	478	71.4	3	22	30	9.4	7	18	25	2.0	16
Silver Spring Division	0	0	0.0	—	3	4	6.1	—	73	114	131.9	—	8	13	16.6	—	6	10	3.2	—
Washington Division	0	0	0.0	—	1	1	0.5	—	272	364	62.5	—	14	17	7.1	—	12	15	1.6	—
Wichita, KS	0	0	0.0	—	0	0	0.0	—	4	4	24.1	—	0	0	0.0	—	2	2	1.0	—
Winston-Salem, NC	0	0	0.0	—	0	0	0.0	—	12	12	24.1	42	2	2	10.2	—	5	5	2.5	—
Worcester, MA–CT	0	0	0.0	—	0	0	0.0	—	8	12	92.8	—	4	6	15.6	—	2	3	0.9	—
Youngstown–Warren–Boardman, OH–PA	0	0	0.0	—	0	0	0.0	—	7	7	28.5	—	0	0	0.0	—	5	5	2.5	—
Subtotal for MSAs (population of ≥500,000)	21	24	6.6	—	111	126	2.0	—	4,108	4,780	37.0	—	1,082	1,246	7.7	—	973	1,103	2.1	—
Metropolitan areas (population of 50,000–499,999)	13	14	4.4	—	28	31	4.3	—	688	783	26.6	—	113	129	4.2	—	334	369	1.6	—
Nonmetropolitan areas	9	10	3.9	—	2	2	2.2	—	207	239	23.7	—	29	32	3.8	—	87	97	0.9	—
Total^f	43	49	5.1	—	141	159	2.2	—	5,043	5,867	34.8	—	1,232	1,419	7.0	—	1,401	1,579	1.8	—

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States. MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

Data for Native Hawaiians/other Pacific Islanders are not presented due to small population denominators (i.e., less than 100). However, data are summarized in Commentary.

^a Hispanics/Latinos can be of any race.

^b Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^c Based on estimated rate. Ranks were not assigned to MSAs with estimated rates that were based on reported or estimated numbers less than 12.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan–Carolina–Caguas, PR. The 2013 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 5b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2012—United States

MSA of residence	American Indian/ Alaska Native			Asian ^a			Black/African American			Hispanic/Latino ^b			White		
	No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c	
		No.	Rate		No.	Rate		No.	Rate		No.	Rate		No.	Rate
Akron, OH	0	0	0.0	2	2	30.5	94	93	249.6	4	4	89.9	65	65	25.1
Albany–Schenectady–Troy, NY	0	0	0.0	7	7	54.0	269	265	970.4	118	117	788.7	190	187	57.6
Albuquerque, NM	8	8	38.7	0	0	0.0	14	14	184.1	58	58	34.2	54	54	31.5
Allentown–Bethlehem–Easton, PA–NJ	2	2	478.5	1	1	10.7	115	114	768.8	239	236	543.0	131	130	44.9
Atlanta–Sandy Springs–Roswell, GA	2	1	23.3	25	27	23.0	4,283	4,328	556.7	510	525	279.1	472	477	40.3
Augusta–Richmond County, GA–SC	0	0	0.0	2	2	42.2	571	582	670.2	14	14	154.5	89	91	65.0
Austin–Round Rock, TX	0	0	0.0	7	7	18.6	310	315	575.0	180	184	86.5	167	170	39.4
Bakersfield, CA	1	1	39.3	3	3	19.5	35	36	224.3	87	89	59.9	61	63	45.8
Baltimore–Columbia–Towson, MD	4	4	144.7	14	16	26.3	5,286	5,352	1,515.9	130	132	281.1	638	650	89.4
Baton Rouge, LA	1	1	119.1	1	1	15.2	1,498	1,490	1,215.9	11	11	111.8	161	160	78.9
Birmingham–Hoover, AL	0	0	0.0	1	1	15.3	764	756	526.5	21	21	144.1	165	163	50.3
Boise City, ID	1	1	63.5	1	1	18.6	9	9	583.0	14	14	50.7	40	40	18.3
Boston–Cambridge–Newton, MA–NH ^d	2	2	70.3	53	56	39.3	1,853	1,955	1,338.1	720	758	432.0	722	749	48.0
Boston Division	1	1	66.7	19	20	32.3	1,144	1,204	1,134.0	325	341	433.2	323	336	56.1
Cambridge Division	1	1	92.1	34	36	46.9	696	739	1,897.4	388	410	439.5	361	375	47.6
Bridgeport–Stamford–Norwalk, CT	1	1	229.9	6	6	30.2	436	435	988.6	276	275	433.4	174	174	64.4
Buffalo–Cheektowaga–Niagara Falls, NY	2	2	62.3	10	10	87.1	338	333	565.0	123	122	666.5	156	153	37.7
Cape Coral–Fort Myers, FL	0	0	0.0	0	0	0.0	334	332	1,553.1	75	75	165.2	143	142	67.2
Charleston–North Charleston, SC	1	1	87.6	0	0	0.0	503	501	608.2	23	23	196.9	106	105	54.5
Charlotte–Concord–Gastonia, NC–SC	2	2	58.3	8	8	28.7	1,621	1,610	726.2	89	89	122.3	301	299	46.8
Chattanooga, TN–GA	0	0	0.0	1	1	27.5	164	158	478.9	13	13	201.0	105	104	54.7
Chicago–Naperville–Elgin, IL–IN–WI	6	6	115.5	56	58	23.4	4,263	4,391	604.8	939	962	132.2	757	767	33.3
Chicago Division	6	6	160.3	52	54	25.2	3,955	4,081	646.7	828	849	148.1	578	586	34.9
Elgin Division	0	0	0.0	3	3	33.1	56	57	393.6	42	43	72.2	48	49	28.7
Gary Division	0	0	0.0	0	0	0.0	166	166	292.5	21	21	54.1	80	80	39.8
Lake County Division	0	0	0.0	1	1	4.8	86	88	367.4	48	49	87.2	51	52	20.6
Cincinnati, OH–KY–IN	0	0	0.0	2	2	10.7	415	414	377.9	22	22	117.7	248	248	33.2
Cleveland–Elyria, OH	2	2	118.8	2	2	10.6	628	627	342.9	123	122	320.8	186	185	28.0
Colorado Springs, CO	2	2	115.5	2	2	22.0	42	42	295.7	20	20	54.4	57	56	27.6
Columbia, SC	0	0	0.0	2	2	31.3	874	870	761.2	28	28	214.4	145	144	72.1
Columbus, OH	1	1	58.4	5	5	19.0	571	570	488.1	30	30	129.8	272	271	42.3
Dallas–Fort Worth–Arlington, TX	7	7	62.4	41	42	26.9	2,747	2,811	646.8	665	681	104.2	715	727	50.0
Dallas Division	5	5	70.7	31	32	27.1	2,182	2,234	713.5	521	533	118.0	424	432	48.1
Fort Worth Division	2	2	48.2	10	10	26.4	565	577	475.0	144	148	73.3	291	296	53.2
Dayton, OH	1	1	138.9	0	0	0.0	198	198	359.9	2	2	30.4	96	96	34.7
Deltona–Daytona Beach–Ormond Beach, FL	0	0	0.0	0	0	0.0	268	267	988.0	43	43	156.1	135	134	65.2
Denver–Aurora–Lakewood, CO	14	14	243.3	14	14	31.3	360	360	633.6	183	182	83.8	335	335	44.3
Des Moines–West Des Moines, IA	0	0	0.0	4	4	51.1	56	56	537.3	11	11	84.8	35	35	16.6

Table 5b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2012—United States (cont)

MSA of residence	American Indian/ Alaska Native			Asian ^a			Black/African American			Hispanic/Latino ^b			White		
	Estimated ^c			Estimated ^c			Estimated ^c			Estimated ^c			Estimated ^c		
	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate	No.	No.	Rate
Detroit–Warren–Dearborn, MI	5	5	86.6	11	11	17.4	1,842	1,797	412.1	75	74	118.5	283	276	21.7
Detroit Division	2	2	71.3	4	4	19.7	1,586	1,543	487.1	55	54	156.3	145	141	35.9
Warren Division	3	3	99.8	7	7	16.4	256	254	213.0	20	20	71.7	138	135	15.4
Durham–Chapel Hill, NC	0	0	0.0	3	3	27.8	482	478	736.1	47	47	253.7	42	41	30.8
El Paso, TX	0	0	0.0	0	0	0.0	22	23	275.1	178	182	65.3	17	17	38.5
Fresno, CA	5	5	195.5	7	7	19.2	84	85	472.8	124	126	72.1	67	68	50.0
Grand Rapids–Wyoming, MI	1	1	65.6	7	7	72.5	130	129	518.0	22	21	72.8	58	57	16.4
Greensboro–High Point, NC	7	7	512.9	3	3	31.8	530	527	615.7	17	17	91.7	97	96	46.9
Greenville–Anderson–Mauldin, SC	0	0	0.0	1	1	17.6	268	267	442.3	21	21	121.6	100	99	36.1
Harrisburg–Carlisle, PA	0	0	0.0	0	0	0.0	139	136	614.8	51	50	503.7	119	117	59.2
Hartford–West Hartford–East Hartford, CT	0	0	0.0	5	5	23.6	339	339	626.7	511	509	810.9	251	250	64.2
Honolulu (Urban), HI	1	1	132.8	57	57	28.7	22	22	303.6	21	21	70.8	66	66	92.1
Houston–The Woodlands–Sugar Land, TX	1	1	16.5	40	41	22.5	4,175	4,205	932.0	1,111	1,121	140.7	729	732	70.7
Indianapolis–Carmel–Anderson, IN	0	0	0.0	7	7	37.0	476	475	394.8	53	53	143.1	262	260	41.7
Jackson, MS	1	1	255.7	1	1	40.2	908	895	747.1	13	13	349.3	75	73	61.0
Jacksonville, FL	1	1	52.8	12	12	53.7	1,667	1,658	1,314.5	86	86	213.9	378	376	95.2
Kansas City, MO–KS	0	0	0.0	8	8	38.0	424	423	392.4	60	60	102.8	218	217	33.3
Knoxville, TN	0	0	0.0	1	1	20.4	79	78	379.7	8	8	89.0	127	126	38.1
Lakeland–Winter Haven, FL	2	2	262.1	0	0	0.0	359	355	958.4	76	76	182.8	178	176	99.6
Lancaster, PA	0	0	0.0	0	0	0.0	63	62	977.1	99	97	544.3	85	83	43.0
Las Vegas–Henderson–Paradise, NV	10	10	248.3	21	21	24.0	436	433	507.8	160	159	73.4	330	327	81.4
Little Rock–North Little Rock–Conway, AR	1	1	76.8	1	1	19.2	249	252	363.4	10	10	94.5	87	88	40.7
Los Angeles–Long Beach–Anaheim, CA	14	14	120.3	180	184	20.0	1,873	1,899	478.7	2,703	2,746	120.3	1,020	1,032	56.7
Anaheim Division	0	0	0.1	46	47	18.2	88	89	451.9	387	393	98.5	273	275	45.9
Los Angeles Division	14	14	158.0	134	137	20.8	1,785	1,811	480.1	2,316	2,354	124.9	747	757	62.0
Louisville–Jefferson County, KY–IN	1	1	86.7	3	3	33.6	342	337	448.9	21	21	128.1	178	177	41.2
Madison, WI	0	0	0.0	5	5	46.1	61	61	623.0	12	12	108.9	49	49	21.2
McAllen–Edinburg–Mission, TX	0	0	0.0	0	0	0.0	1	1	109.0	200	205	73.0	6	6	22.5
Memphis, TN–MS–AR	1	1	61.7	4	4	35.7	2,033	1,991	742.0	40	40	193.2	193	191	71.4
Miami–Fort Lauderdale–West Palm Beach, FL	8	8	223.5	16	16	25.8	11,645	11,577	2,309.1	2,397	2,386	225.0	1,271	1,261	141.4
Fort Lauderdale Division	7	7	457.6	8	8	29.0	4,002	3,979	1,889.9	405	404	195.7	524	519	153.2
Miami Division	1	1	87.2	7	7	37.6	5,362	5,329	2,784.9	1,704	1,696	227.2	360	358	203.1
West Palm Beach Division	0	0	0.0	1	1	6.1	2,281	2,269	2,281.0	288	286	266.1	387	384	102.0
Milwaukee–Waukesha–West Allis, WI	5	5	169.1	7	7	35.8	415	412	377.8	102	101	190.1	108	108	22.6
Minneapolis–St. Paul–Bloomington, MN–WI	49	49	551.6	26	26	31.8	872	870	918.5	86	86	139.9	338	336	28.8
Modesto, CA	0	0	0.0	5	5	43.4	12	12	236.0	27	27	33.9	50	51	47.1
Nashville–Davidson–Murfreesboro–Franklin, TN	1	1	53.4	8	8	46.4	681	664	583.7	55	55	150.6	325	318	57.1
New Haven–Milford, CT	1	1	153.8	1	1	7.0	462	461	1,003.3	344	344	653.5	275	274	103.2
New Orleans–Metairie, LA	0	0	0.0	8	8	54.9	1,908	1,897	1,024.4	97	97	267.8	254	252	87.5

Table 5b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2012—United States (cont)

MSA of residence	American Indian/ Alaska Native			Asian ^a			Black/African American			Hispanic/Latino ^b			White		
	No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c	
		No.	Rate		No.	Rate		No.	Rate		No.	Rate		No.	Rate
New York–Newark–Jersey City, NY–NJ–PA ^d	22	22	145.6	311	313	34.5	24,711	24,750	1,685.2	13,669	13,673	730.9	3,911	3,913	90.3
Nassau County Division	1	1	50.4	12	12	16.7	840	828	724.8	476	473	267.8	423	415	48.2
New York Division	20	20	174.9	284	286	37.8	19,802	19,774	1,754.4	12,305	12,295	817.9	2,984	2,989	109.1
Newark Division	1	1	68.7	14	14	19.8	3,940	4,021	1,868.2	828	845	484.8	426	433	72.3
North Port–Sarasota–Bradenton, FL	0	0	0.0	0	0	0.0	266	264	1,322.0	53	53	176.8	162	162	59.5
Ogden–Clearfield, UT	0	0	0.0	1	1	22.5	5	5	231.8	7	7	28.3	26	26	13.1
Oklahoma City, OK	28	28	140.1	4	4	24.4	155	158	284.7	41	42	83.4	168	170	45.0
Omaha–Council Bluffs, NE–IA	7	7	440.7	6	6	70.8	159	159	585.8	28	28	105.8	105	104	35.1
Orlando–Kissimmee–Sanford, FL	0	0	0.0	7	7	16.6	1,487	1,481	1,022.8	548	545	223.3	389	386	75.3
Oxnard–Thousand Oaks–Ventura, CA	0	0	0.0	1	1	3.7	12	12	226.0	60	61	47.4	55	55	30.5
Palm Bay–Melbourne–Titusville, FL	0	0	0.0	2	2	32.2	223	221	955.4	28	28	140.3	144	143	75.0
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	13	13	305.1	41	41	30.0	5,274	5,226	956.6	1,021	1,015	556.4	1,051	1,037	59.9
Camden Division	0	0	0.0	5	5	20.8	402	415	484.1	195	199	436.8	147	150	39.5
Montgomery Division	2	2	229.9	5	5	11.4	226	223	422.3	56	55	165.2	171	167	23.8
Philadelphia Division	8	8	415.2	28	28	48.9	4,070	4,014	1,162.3	716	708	850.2	567	556	126.7
Wilmington Division	3	3	494.3	3	3	25.7	576	574	920.4	54	54	262.8	166	164	78.2
Phoenix–Mesa–Scottsdale, AZ	47	47	142.4	21	21	31.9	308	306	378.2	342	342	73.5	507	504	45.5
Pittsburgh, PA	0	0	0.0	4	4	20.9	381	375	439.5	9	9	70.8	164	159	17.2
Portland–South Portland, ME	1	1	143.3	2	2	50.9	46	46	1,664.9	10	10	309.6	59	59	27.1
Portland–Vancouver–Hillsboro, OR–WA	8	8	114.9	22	22	35.4	105	105	434.1	52	52	60.5	285	284	37.1
Providence–Warwick, RI–MA	6	6	247.0	5	5	25.9	279	283	907.6	253	256	390.4	369	375	64.4
Provo–Orem, UT	0	0	0.0	0	0	0.0	2	2	254.8	5	5	25.2	14	14	8.1
Raleigh, NC	2	2	125.6	7	7	30.8	643	640	607.7	54	54	134.2	134	133	41.3
Richmond, VA	1	1	52.4	6	6	33.7	948	943	568.2	39	39	169.7	128	127	39.5
Riverside–San Bernardino–Ontario, CA	6	6	72.1	19	19	15.8	371	377	290.9	337	343	43.5	344	349	51.3
Rochester, NY	0	0	0.0	2	2	16.4	447	439	882.4	258	255	981.4	187	185	48.6
Sacramento–Roseville–Arden–Arcade, CA	2	2	30.0	28	29	24.4	245	248	386.8	81	82	49.2	247	250	46.2
St. Louis, MO–IL	0	0	0.0	6	6	21.6	921	922	403.2	37	37	141.4	271	272	29.6
Salt Lake City, UT	4	4	130.8	8	8	48.8	74	74	1,504.9	60	60	91.9	131	131	38.6
San Antonio–New Braunfels, TX	0	0	0.0	9	9	40.9	200	205	353.8	399	408	84.4	142	145	41.6
San Diego–Carlsbad–San Marcos, CA	8	8	138.4	60	61	37.9	282	286	491.7	450	457	113.3	389	394	60.1
San Francisco–Oakland–Hayward, CA ^d	12	12	250.1	138	140	28.2	1,249	1,258	800.3	431	435	117.8	587	588	70.7
Oakland Division	2	2	59.3	57	58	22.1	821	834	654.1	179	182	78.1	226	228	49.2
San Francisco Division	10	10	785.5	79	79	35.4	418	414	1,492.5	236	237	193.8	323	322	113.5
San Jose–Sunnyvale–Santa Clara, CA	3	3	160.8	43	44	17.0	121	123	681.9	124	126	64.4	128	130	45.7
San Juan–Carolina–Caguas, PR ^e	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scranton–Wilkes-Barre–Hazleton, PA	0	0	0.0	0	0	0.0	36	35	756.2	29	29	214.1	80	79	34.9

Table 5b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by race/ethnicity and metropolitan statistical area of residence, year-end 2012—United States (cont)

MSA of residence	American Indian/ Alaska Native			Asian ^a			Black/African American			Hispanic/Latino ^b			White		
	No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c		No.	Estimated ^c	
		No.	Rate		No.	Rate		No.	Rate		No.	Rate		No.	Rate
Seattle–Tacoma–Bellevue, WA	23	22	167.7	47	47	24.2	480	479	633.8	106	106	94.5	408	405	38.9
Seattle Division	18	17	187.2	37	37	21.9	403	403	727.7	78	78	90.8	308	306	38.4
Tacoma Division	5	5	123.1	10	10	40.3	77	77	378.1	28	28	106.8	100	99	40.4
Spokane–Spokane Valley, WA	2	2	49.8	5	5	97.2	6	6	228.2	2	2	23.0	38	38	18.9
Springfield, MA	0	0	0.0	4	4	53.6	145	153	892.5	380	394	896.9	124	131	62.8
Stockton–Lodi, CA	1	1	77.0	10	10	23.9	85	87	427.5	43	44	44.3	78	78	71.3
Syracuse, NY	3	3	146.7	4	4	55.2	150	148	693.2	36	35	391.0	116	114	46.6
Tampa–St. Petersburg–Clearwater, FL	2	2	60.7	9	9	22.3	1,527	1,519	1,085.1	423	422	218.6	727	722	83.1
Toledo, OH	0	0	0.0	1	1	24.9	163	163	443.5	12	12	87.9	94	94	45.8
Tucson, AZ	9	9	90.0	6	6	46.8	69	69	590.1	73	73	52.6	114	113	45.9
Tulsa, OK	15	15	50.2	2	2	28.9	81	82	249.7	22	22	85.0	113	114	40.3
Virginia Beach–Norfolk–Newport News, VA–NC	4	4	161.3	5	5	17.1	1,442	1,434	634.3	77	76	214.7	258	258	62.0
Washington–Arlington–Alexandria, DC–VA–MD–WV	8	8	145.4	81	83	32.9	8,227	8,472	1,283.0	572	587	189.0	645	655	53.3
Silver Spring Division	2	2	213.7	22	23	32.9	1,120	1,168	1,375.5	111	116	152.5	176	182	61.5
Washington Division	6	6	131.6	59	60	32.9	7,107	7,303	1,269.4	461	471	200.8	469	473	50.7
Wichita, KS	0	0	0.0	1	1	11.0	73	73	391.4	22	22	88.7	55	55	27.4
Winston-Salem, NC	1	1	113.5	0	0	0.0	409	405	796.9	20	20	101.6	88	88	42.8
Worcester, MA–CT	0	0	1.0	6	6	43.6	207	221	1,775.5	222	229	664.0	203	209	63.5
Youngstown–Warren–Boardman, OH–PA	0	0	0.0	0	0	0.0	90	89	352.3	17	17	310.9	49	49	23.1
Subtotal for MSAs (population of ≥500,000)	413	412	112.8	1,652	1,679	27.1	114,022	114,450	898.1	34,050	34,245	215.5	27,844	27,869	52.6
Metropolitan areas (population of 50,000–499,999)	225	224	69.3	231	233	32.8	15,687	15,671	537.3	2,815	2,829	94.5	8,365	8,345	35.2
Nonmetropolitan areas	118	118	45.5	26	26	28.4	4,819	4,809	476.5	656	659	81.3	2,464	2,463	23.8
Total^f	764	761	80.4	1,922	1,952	27.9	135,324	135,756	814.4	37,771	37,989	192.9	39,002	39,012	44.8

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States. MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

Data for Native Hawaiians/other Pacific Islanders are not presented due to small population denominators (i.e., less than 100). However, data are summarized in Commentary.

^a Includes Asian/Pacific Islander legacy cases (see Technical Notes).

^b Hispanics/Latinos can be of any race.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan–Carolina–Caguas, PR. The 2013 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 6a. Diagnoses of HIV infection among adult and adolescent males, by transmission category and metropolitan statistical area of residence, 2013—United States and Puerto Rico

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	27	36	3	3	0	1	3	4	10	0
Albany–Schenectady–Troy, NY	24	33	0	3	5	5	5	8	13	0
Albuquerque, NM	42	47	3	3	7	7	3	3	4	0
Allentown–Bethlehem–Easton, PA–NJ	21	30	5	8	1	1	5	8	13	0
Atlanta–Sandy Springs–Roswell, GA	551	1,393	7	51	19	49	8	103	436	2
Augusta–Richmond County, GA–SC	21	89	0	7	0	2	4	21	52	0
Austin–Round Rock, TX	187	256	5	8	9	13	4	11	43	0
Bakersfield, CA	43	72	12	17	5	8	5	8	26	0
Baltimore–Columbia–Towson, MD	226	515	21	53	8	21	75	154	150	3
Baton Rouge, LA	100	155	8	19	4	10	12	27	82	0
Birmingham–Hoover, AL	108	130	2	3	1	2	2	7	25	0
Boise City, ID	8	13	2	2	4	5	1	2	6	0
Boston–Cambridge–Newton, MA–NH ^d	226	423	14	50	13	23	11	56	111	1
Boston Division	132	251	8	32	3	7	3	34	72	1
Cambridge Division	88	163	6	19	10	16	7	22	36	0
Bridgeport–Stamford–Norwalk, CT	40	50	4	9	0	0	11	14	16	1
Buffalo–Cheektowaga–Niagara Falls, NY	63	80	7	10	4	4	2	5	20	0
Cape Coral–Fort Myers, FL	62	72	1	2	2	2	27	29	9	0
Charleston–North Charleston, SC	67	84	0	2	1	2	3	9	23	0
Charlotte–Concord–Gastonia, NC–SC	204	285	4	11	4	8	12	36	105	0
Chattanooga, TN–GA	18	35	1	2	2	3	1	4	17	0
Chicago–Naperville–Elgin, IL–IN–WI	969	1,361	14	33	28	41	52	81	219	48
Chicago Division	885	1,237	10	25	26	38	47	72	183	46
Elgin Division	16	25	2	2	2	2	0	0	6	0
Gary Division	41	56	1	4	0	1	4	7	17	1
Lake County Division	27	43	1	2	0	0	1	2	13	1
Cincinnati, OH–KY–IN	123	168	7	10	7	9	4	12	54	1
Cleveland–Elyria, OH	144	218	3	7	2	4	12	20	80	0
Colorado Springs, CO	13	18	2	3	0	0	2	3	7	0
Columbia, SC	73	99	2	8	2	5	10	23	44	0
Columbus, OH	166	229	1	6	7	9	8	18	72	0
Dallas–Fort Worth–Arlington, TX	706	1,019	8	23	15	29	26	55	216	0
Dallas Division	577	812	4	15	13	23	8	28	155	0
Fort Worth Division	129	207	4	8	2	6	18	27	61	0
Dayton, OH	43	61	1	2	0	1	3	7	23	0
Deltona–Daytona Beach–Ormond Beach, FL	53	55	10	10	6	6	1	1	1	0
Denver–Aurora–Lakewood, CO	170	198	5	6	5	6	9	11	25	0
Des Moines–West Des Moines, IA	26	28	1	1	0	0	2	2	1	0
Detroit–Warren–Dearborn, MI	263	390	7	17	6	10	16	35	149	2
Detroit Division	163	250	6	15	4	8	9	25	107	1
Warren Division	100	140	1	2	2	3	7	10	42	1
Durham–Chapel Hill, NC	50	70	2	4	2	3	2	11	30	0
El Paso, TX	70	96	4	6	5	7	0	4	18	0
Fresno, CA	74	88	0	0	1	1	2	3	1	0
Grand Rapids–Wyoming, MI	23	31	1	2	2	2	2	3	9	0
Greensboro–High Point, NC	45	75	1	5	4	6	3	18	46	0
Greenville–Anderson–Mauldin, SC	64	80	2	4	1	1	2	7	20	0
Harrisburg–Carlisle, PA	27	30	1	2	0	0	5	6	4	0
Hartford–West Hartford–East Hartford, CT	63	73	6	8	2	3	10	12	11	0
Honolulu (Urban), HI	31	48	3	4	1	2	1	2	18	0

Table 6a. Diagnoses of HIV infection among adult and adolescent males, by transmission category and metropolitan statistical area of residence, 2013—United States and Puerto Rico (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Houston—The Woodlands—Sugar Land, TX	744	1,013	19	41	20	35	76	114	279	1
Indianapolis—Carmel—Anderson, IN	150	175	2	4	5	6	23	26	25	0
Jackson, MS	77	106	3	6	0	1	9	17	37	0
Jacksonville, FL	187	210	3	5	5	6	43	50	23	0
Kansas City, MO—KS	129	154	5	7	7	8	3	8	27	0
Knoxville, TN	40	49	0	1	2	3	0	2	10	0
Lakeland—Winter Haven, FL	44	49	2	2	1	1	23	24	4	0
Lancaster, PA	23	27	2	3	1	1	0	0	4	0
Las Vegas—Henderson—Paradise, NV	261	292	9	11	26	28	15	21	30	0
Little Rock—North Little Rock—Conway, AR	67	124	0	3	1	4	1	7	34	1
Los Angeles—Long Beach—Anaheim, CA	1,356	1,938	42	63	41	63	13	40	359	0
Anaheim Division	227	272	11	14	14	17	6	8	9	0
Los Angeles Division	1,129	1,665	31	49	27	46	7	32	350	0
Louisville—Jefferson County, KY—IN	93	136	4	6	2	3	5	11	47	0
Madison, WI	20	27	0	0	0	0	1	2	7	0
McAllen—Edinburg—Mission, TX	46	66	1	3	0	1	23	27	15	0
Memphis, TN—MS—AR	147	257	0	6	1	7	26	47	127	0
Miami—Fort Lauderdale—West Palm Beach, FL	1,434	1,592	31	42	17	21	292	345	163	1
Fort Lauderdale Division	513	560	17	21	7	8	83	101	49	0
Miami Division	775	865	6	11	5	8	140	164	88	0
West Palm Beach Division	146	167	8	10	5	6	69	79	26	0
Milwaukee—Waukesha—West Allis, WI	81	98	4	5	2	3	3	6	19	0
Minneapolis—St. Paul—Bloomington, MN—WI	122	177	2	5	7	9	4	12	59	0
Modesto, CA	12	15	2	3	0	0	1	2	2	0
Nashville—Davidson—Murfreesboro—Franklin, TN	135	181	2	4	2	3	2	12	52	0
New Haven—Milford, CT	47	56	10	14	1	1	9	12	13	0
New Orleans—Metairie, LA	258	356	14	25	5	12	21	42	123	0
New York—Newark—Jersey City, NY—NJ—PA ^d	1,989	3,007	52	348	49	86	171	389	964	3
Nassau County Division	108	151	3	14	7	9	12	22	56	0
New York Division	1,735	2,454	35	240	40	66	145	287	696	2
Newark Division	128	381	12	92	1	10	13	79	209	1
North Port—Sarasota—Bradenton, FL	42	54	2	3	1	1	11	15	14	0
Ogden—Clearfield, UT	3	6	0	0	0	0	1	1	3	0
Oklahoma City, OK	87	155	6	11	7	12	4	12	37	0
Omaha—Council Bluffs, NE—IA	32	35	1	1	1	1	5	6	3	0
Orlando—Kissimmee—Sanford, FL	299	368	19	24	12	14	36	58	84	1
Oxnard—Thousand Oaks—Ventura, CA	42	53	0	0	1	2	0	0	4	0
Palm Bay—Melbourne—Titusville, FL	31	45	1	2	0	1	1	3	17	1
Philadelphia—Camden—Wilmington, PA—NJ—DE—MD	507	614	42	72	16	20	204	240	81	1
Camden Division	42	109	6	29	1	4	8	26	50	0
Montgomery Division	55	62	7	8	1	1	31	33	7	0
Philadelphia Division	371	391	26	30	10	11	153	164	14	1
Wilmington Division	39	51	3	5	4	5	12	17	10	0
Phoenix—Mesa—Scottsdale, AZ	336	406	24	28	26	31	12	17	69	0
Pittsburgh, PA	93	109	4	7	0	1	6	10	19	0
Portland—South Portland, ME	10	12	2	3	0	0	0	0	2	0
Portland—Vancouver—Hillsboro, OR—WA	116	139	4	5	17	19	3	6	23	0
Providence—Warwick, RI—MA	66	94	3	8	6	7	10	16	16	0
Provo—Orem, UT	3	3	0	0	0	0	0	0	0	0
Raleigh, NC	97	141	1	5	6	8	4	19	60	0

Table 6a. Diagnoses of HIV infection among adult and adolescent males, by transmission category and metropolitan statistical area of residence, 2013—United States and Puerto Rico (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Richmond, VA	104	123	5	7	4	5	8	13	23	0
Riverside–San Bernardino–Ontario, CA	290	370	14	18	13	16	30	36	33	0
Rochester, NY	53	67	9	13	1	1	2	6	20	0
Sacramento–Roseville–Arden–Arcade, CA	96	149	7	10	2	4	18	23	38	0
St. Louis, MO–IL	179	233	2	4	4	6	23	27	49	1
Salt Lake City, UT	39	45	2	2	11	11	0	0	6	2
San Antonio–New Braunfels, TX	286	365	20	27	13	17	12	19	38	0
San Diego–Carlsbad–San Marcos, CA	350	425	21	25	11	13	28	34	18	0
San Francisco–Oakland–Hayward, CA ^d	539	643	21	26	51	58	14	23	62	0
Oakland Division	196	261	8	11	13	16	7	11	35	0
San Francisco Division	336	369	13	14	38	41	7	9	20	0
San Jose–Sunnyvale–Santa Clara, CA	68	109	7	9	6	8	3	6	31	0
San Juan–Carolina–Caguas, PR	175	239	50	79	5	7	74	100	36	0
Scranton–Wilkes-Barre–Hazleton, PA	10	11	3	4	0	0	2	2	2	0
Seattle–Tacoma–Bellevue, WA	206	245	10	12	24	27	6	12	41	0
Seattle Division	178	210	8	9	20	23	6	10	32	0
Tacoma Division	28	35	2	3	4	5	0	2	9	0
Spokane–Spokane Valley, WA	9	11	2	2	5	5	0	0	2	0
Springfield, MA	18	41	5	18	0	1	1	9	22	0
Stockton–Lodi, CA	48	60	4	5	3	4	9	11	5	0
Syracuse, NY	22	31	1	4	4	5	1	3	13	0
Tampa–St. Petersburg–Clearwater, FL	354	402	20	24	17	18	36	46	48	0
Toledo, OH	30	37	2	2	1	1	1	2	7	0
Tucson, AZ	56	64	3	5	4	5	14	16	11	1
Tulsa, OK	66	111	2	4	5	8	7	11	19	0
Virginia Beach–Norfolk–Newport News, VA–NC	172	242	3	8	2	5	11	25	83	0
Washington–Arlington–Alexandria, DC–VA–MD–WV	571	1,105	13	59	20	40	93	236	385	3
Silver Spring Division	58	145	1	6	1	4	24	59	55	0
Washington Division	513	959	12	52	19	36	69	178	330	3
Wichita, KS	15	19	2	2	2	2	0	1	5	0
Winston-Salem, NC	37	54	3	5	0	1	1	8	25	0
Worcester, MA–CT	19	33	1	4	0	0	0	3	8	0
Youngstown–Warren–Boardman, OH–PA	11	20	0	1	2	2	3	4	11	0
Subtotal for MSAs (population of ≥500,000)	18,283	25,822	730	1,582	683	1,006	1,824	3,136	6,105	83
Metropolitan areas (population of 50,000–499,999)	2,740	3,989	166	322	141	211	340	618	1,211	12
Nonmetropolitan areas	630	990	53	112	32	56	114	214	383	3
Total^e	21,741	31,015	958	2,049	861	1,284	2,296	4,017	7,784	99

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not report or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 6b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States and Puerto Rico

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	442	529	20	29	27	31	42	49	115	6
Albany–Schenectady–Troy, NY	707	778	244	293	129	136	120	144	199	26
Albuquerque, NM	821	878	63	72	123	133	48	55	94	4
Allentown–Bethlehem–Easton, PA–NJ	355	405	205	238	41	46	171	185	137	20
Atlanta–Sandy Springs–Roswell, GA	12,532	16,404	764	1,243	1,133	1,328	510	1,310	5,054	109
Augusta–Richmond County, GA–SC	691	920	109	165	62	81	97	188	400	21
Austin–Round Rock, TX	2,871	3,201	258	289	345	379	191	244	383	22
Bakersfield, CA	603	692	387	405	295	306	141	154	118	16
Baltimore–Columbia–Towson, MD	4,080	5,631	3,321	3,457	642	727	1,411	1,830	2,135	155
Baton Rouge, LA	1,087	1,575	341	450	160	246	285	428	870	29
Birmingham–Hoover, AL	1,809	2,196	134	172	116	143	201	269	572	20
Boise City, ID	241	271	33	36	53	58	13	16	47	4
Boston–Cambridge–Newton, MA–NH ^d	5,158	6,216	1,277	1,798	472	555	547	1,025	1,800	142
Boston Division	3,351	3,954	742	1,046	295	345	321	590	1,005	78
Cambridge Division	1,653	2,095	521	730	165	197	211	416	763	61
Bridgeport–Stamford–Norwalk, CT	690	841	461	543	47	56	252	298	324	32
Buffalo–Cheektowaga–Niagara Falls, NY	890	937	257	293	139	143	128	142	154	21
Cape Coral–Fort Myers, FL	513	618	72	89	64	72	241	281	189	12
Charleston–North Charleston, SC	931	1,112	114	164	92	113	166	237	343	13
Charlotte–Concord–Gastonia, NC–SC	2,758	3,567	349	486	171	250	398	697	1,380	28
Chattanooga, TN–GA	577	657	50	58	40	46	50	74	144	13
Chicago–Naperville–Elgin, IL–IN–WI	15,576	18,183	2,035	2,357	1,512	1,687	1,308	1,571	2,916	279
Chicago Division	14,399	16,757	1,869	2,160	1,376	1,530	1,148	1,382	2,584	259
Elgin Division	278	321	43	47	35	38	39	44	49	4
Gary Division	520	630	75	90	64	74	74	90	164	9
Lake County Division	379	476	48	59	37	46	47	56	119	6
Cincinnati, OH–KY–IN	1,844	2,198	98	131	119	139	171	214	485	26
Cleveland–Elyria, OH	2,408	2,824	244	303	221	254	293	349	617	39
Colorado Springs, CO	470	522	39	46	65	76	21	25	83	5
Columbia, SC	1,619	1,893	190	290	143	182	346	473	567	15
Columbus, OH	2,722	3,326	133	191	158	201	280	343	811	33
Dallas–Fort Worth–Arlington, TX	12,846	14,654	725	878	924	1,070	749	1,007	2,096	105
Dallas Division	10,773	12,212	401	520	651	764	520	706	1,624	68
Fort Worth Division	2,073	2,442	324	358	273	306	229	301	472	37
Dayton, OH	807	911	31	43	49	55	67	82	157	17
Deltona–Daytona Beach–Ormond Beach, FL	680	709	110	115	73	76	64	77	73	16
Denver–Aurora–Lakewood, CO	6,070	6,428	362	397	895	937	296	317	521	40
Des Moines–West Des Moines, IA	331	361	26	29	42	45	40	48	50	5
Detroit–Warren–Dearborn, MI	5,137	5,834	444	522	357	412	361	489	1,213	104
Detroit Division	3,469	3,978	370	436	261	308	293	408	923	65
Warren Division	1,668	1,855	74	85	96	105	68	81	290	39
Durham–Chapel Hill, NC	741	959	115	168	57	82	124	211	405	12
El Paso, TX	1,131	1,242	88	104	79	91	124	142	134	15
Fresno, CA	998	1,034	127	128	135	137	11	12	20	7
Grand Rapids–Wyoming, MI	509	587	21	28	42	48	46	61	124	9
Greensboro–High Point, NC	975	1,217	100	162	51	81	104	205	462	16
Greenville–Anderson–Mauldin, SC	806	903	70	90	70	81	100	128	169	9
Harrisburg–Carlisle, PA	514	534	208	223	62	64	115	125	79	9
Hartford–West Hartford–East Hartford, CT	860	1,032	843	911	108	119	230	267	319	24
Honolulu (Urban), HI	1,119	1,170	78	81	104	107	35	39	76	10

Table 6b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States and Puerto Rico (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Houston—The Woodlands—Sugar Land, TX	10,769	12,861	1,078	1,313	1,068	1,232	2,053	2,345	2,799	141
Indianapolis—Carmel—Anderson, IN	2,675	2,951	161	188	266	286	288	328	404	27
Jackson, MS	1,201	1,606	86	200	89	143	179	309	761	25
Jacksonville, FL	2,407	2,437	308	311	257	258	847	857	105	36
Kansas City, MO—KS	3,068	3,309	153	172	355	373	119	153	368	34
Knoxville, TN	681	757	68	74	36	40	44	55	127	7
Lakeland—Winter Haven, FL	532	591	95	111	56	61	325	356	126	10
Lancaster, PA	232	270	87	104	19	24	55	67	92	10
Las Vegas—Henderson—Paradise, NV	3,884	4,121	325	348	454	487	175	200	370	24
Little Rock—North Little Rock—Conway, AR	1,081	1,208	87	101	96	106	84	102	155	9
Los Angeles—Long Beach—Anaheim, CA	34,919	39,798	1,355	1,717	2,960	3,333	833	1,202	5,481	254
Anaheim Division	4,844	5,032	347	357	326	339	127	135	158	36
Los Angeles Division	30,075	34,767	1,008	1,360	2,634	2,994	706	1,067	5,323	218
Louisville—Jefferson County, KY—IN	1,597	1,874	140	154	132	151	157	187	385	18
Madison, WI	373	427	22	27	44	50	20	29	85	10
McAllen—Edinburg—Mission, TX	494	605	53	72	21	33	80	93	138	3
Memphis, TN—MS—AR	2,954	3,704	154	223	157	213	593	749	1,178	52
Miami—Fort Lauderdale—West Palm Beach, FL	21,482	23,407	1,855	2,207	1,462	1,601	7,238	8,107	3,841	367
Fort Lauderdale Division	7,074	7,771	572	687	475	523	2,067	2,445	1,416	115
Miami Division	12,169	13,183	1,031	1,229	813	884	3,492	3,853	1,923	186
West Palm Beach Division	2,239	2,452	252	290	174	193	1,679	1,810	502	67
Milwaukee—Waukesha—West Allis, WI	1,618	1,836	172	199	159	176	126	156	322	21
Minneapolis—St. Paul—Bloomington, MN—WI	3,316	3,890	183	225	338	378	167	290	840	36
Modesto, CA	284	312	34	36	44	48	23	26	39	9
Nashville—Davidson—Murfreesboro—Franklin, TN	2,652	2,974	339	343	185	202	261	325	526	39
New Haven—Milford, CT	754	870	657	736	84	92	233	263	275	35
New Orleans—Metairie, LA	3,091	4,020	384	536	411	542	397	606	1,521	63
New York—Newark—Jersey City, NY—NJ—PA ^d	46,869	57,861	15,499	22,613	4,297	5,212	8,354	11,602	23,753	1,768
Nassau County Division	2,101	2,516	510	686	214	238	248	348	879	116
New York Division	41,420	50,589	12,760	18,731	3,646	4,394	6,961	9,522	19,819	1,457
Newark Division	3,052	4,405	1,879	2,789	361	497	1,044	1,617	2,899	185
North Port—Sarasota—Bradenton, FL	734	795	90	99	53	59	168	192	117	11
Ogden—Clearfield, UT	169	185	9	10	44	45	4	6	22	1
Oklahoma City, OK	1,403	1,599	124	142	257	282	90	121	257	17
Omaha—Council Bluffs, NE—IA	591	704	47	54	87	99	64	83	170	15
Orlando—Kissimmee—Sanford, FL	5,162	5,555	707	766	423	453	564	758	780	63
Oxnard—Thousand Oaks—Ventura, CA	554	610	41	45	41	45	31	35	68	11
Palm Bay—Melbourne—Titusville, FL	482	539	73	81	53	58	89	109	110	14
Philadelphia—Camden—Wilmington, PA—NJ—DE—MD	8,728	9,127	3,684	3,819	1,075	1,095	3,864	3,978	1,057	227
Camden Division	1,079	1,306	357	473	113	132	350	421	391	30
Montgomery Division	910	951	241	254	95	97	323	332	120	21
Philadelphia Division	5,984	6,079	2,684	2,685	752	749	2,919	2,938	466	161
Wilmington Division	755	790	402	408	115	118	272	288	80	14
Phoenix—Mesa—Scottsdale, AZ	6,065	6,511	612	646	814	867	304	335	661	54
Pittsburgh, PA	1,741	1,785	175	194	93	96	226	242	166	30
Portland—South Portland, ME	386	416	34	49	30	32	16	27	64	6
Portland—Vancouver—Hillsboro, OR—WA	2,888	3,043	224	231	373	384	113	129	228	21
Providence—Warwick, RI—MA	1,054	1,206	478	544	128	140	266	316	275	35
Provo—Orem, UT	81	87	7	8	19	19	4	6	16	7
Raleigh, NC	1,440	1,816	134	198	108	143	156	301	643	19

Table 6b. Adult and adolescent males living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States and Puerto Rico (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Richmond, VA	2,020	2,259	362	404	198	218	365	439	427	35
Riverside–San Bernardino–Ontario, CA	5,020	5,406	459	487	605	636	355	386	391	34
Rochester, NY	1,016	1,139	361	448	122	135	134	186	332	23
Sacramento–Roseville–Arden–Arcade, CA	2,034	2,191	222	229	325	338	332	349	163	22
St. Louis, MO–IL	4,104	4,526	208	253	272	309	280	326	616	54
Salt Lake City, UT	1,069	1,128	134	138	266	272	41	51	101	18
San Antonio–New Braunfels, TX	3,094	3,598	284	336	220	270	200	256	569	16
San Diego–Carlsbad–San Marcos, CA	8,943	9,170	520	531	1,030	1,044	360	375	162	62
San Francisco–Oakland–Hayward, CA ^d	16,638	17,152	1,143	1,172	2,861	2,890	683	741	676	87
Oakland Division	4,349	4,647	392	412	394	416	438	466	317	51
San Francisco Division	11,857	12,036	599	604	2,338	2,341	198	222	307	31
San Jose–Sunnyvale–Santa Clara, CA	2,034	2,248	139	151	229	246	143	167	244	22
San Juan–Carolina–Caguas, PR	2,762	2,933	3,290	3,361	560	560	1,883	1,969	420	124
Scranton–Wilkes-Barre–Hazleton, PA	195	212	70	76	27	29	86	90	48	7
Seattle–Tacoma–Bellevue, WA	5,565	5,938	292	315	800	828	279	341	569	47
Seattle Division	5,084	5,396	221	239	726	748	217	272	477	38
Tacoma Division	481	541	71	76	74	81	62	69	92	9
Spokane–Spokane Valley, WA	239	254	34	35	63	65	12	15	26	3
Springfield, MA	433	556	388	470	72	81	76	113	214	31
Stockton–Lodi, CA	501	524	198	203	115	118	118	124	27	9
Syracuse, NY	456	487	93	115	45	48	60	71	98	16
Tampa–St. Petersburg–Clearwater, FL	5,188	5,504	541	572	470	485	840	917	570	79
Toledo, OH	487	516	32	36	48	50	60	65	52	8
Tucson, AZ	1,230	1,292	141	147	154	163	77	83	107	13
Tulsa, OK	944	1,029	72	82	160	172	68	81	110	7
Virginia Beach–Norfolk–Newport News, VA–NC	2,930	3,527	332	412	227	273	374	521	948	51
Washington–Arlington–Alexandria, DC–VA–MD–WV	12,606	15,976	1,851	2,328	1,055	1,269	2,662	3,649	4,602	215
Silver Spring Division	1,027	1,569	129	189	74	107	457	656	774	41
Washington Division	11,579	14,407	1,722	2,139	981	1,162	2,205	2,993	3,828	174
Wichita, KS	448	477	29	31	87	89	34	39	50	8
Winston-Salem, NC	606	790	58	107	48	66	91	172	356	13
Worcester, MA–CT	436	541	371	435	65	74	87	135	203	30
Youngstown–Warren–Boardman, OH–PA	242	322	62	86	15	23	53	63	137	12
Subtotal for MSAs (population of ≥500,000)	355,570	409,312	55,966	69,331	36,144	40,404	48,260	60,584	86,378	6,062
Metropolitan areas (population of 50,000–499,999)	46,560	54,809	10,917	13,101	6,979	7,909	8,338	10,646	14,642	1,018
Nonmetropolitan areas	10,348	12,833	2,905	3,589	1,784	2,100	2,513	3,286	4,595	320
Total^e	416,026	481,202	70,579	87,060	45,446	51,018	59,480	75,071	106,760	7,509

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not report or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 7a. Diagnoses of HIV infection among adult and adolescent females, by transmission category and metropolitan statistical area of residence, 2013—United States and Puerto Rico

MSA of residence	Injection drug use		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	0	0	3	5	2	0
Albany–Schenectady–Troy, NY	1	3	6	16	11	0
Albuquerque, NM	3	3	2	5	3	0
Allentown–Bethlehem–Easton, PA–NJ	2	4	11	14	4	0
Atlanta–Sandy Springs–Roswell, GA	1	23	55	290	135	4
Augusta–Richmond County, GA–SC	0	3	4	29	17	1
Austin–Round Rock, TX	2	5	7	39	29	0
Bakersfield, CA	1	2	5	10	5	1
Baltimore–Columbia–Towson, MD	13	36	77	224	79	4
Baton Rouge, LA	3	9	22	75	56	0
Birmingham–Hoover, AL	1	3	12	27	16	0
Boise City, ID	0	0	0	1	1	0
Boston–Cambridge–Newton, MA–NH ^d	7	27	17	150	95	1
Boston Division	4	16	7	87	57	0
Cambridge Division	3	11	10	64	38	1
Bridgeport–Stamford–Norwalk, CT	0	2	9	18	10	0
Buffalo–Cheektowaga–Niagara Falls, NY	3	5	13	28	16	0
Cape Coral–Fort Myers, FL	3	3	37	39	1	0
Charleston–North Charleston, SC	1	3	10	25	16	0
Charlotte–Concord–Gastonia, NC–SC	2	10	20	81	67	0
Chattanooga, TN–GA	0	1	1	7	7	1
Chicago–Naperville–Elgin, IL–IN–WI	12	29	136	271	108	10
Chicago Division	12	27	125	241	89	9
Elgin Division	0	1	1	7	6	0
Gary Division	0	1	7	15	8	0
Lake County Division	0	1	3	8	5	0
Cincinnati, OH–KY–IN	11	15	2	32	33	0
Cleveland–Elyria, OH	3	7	15	43	31	0
Colorado Springs, CO	0	0	5	6	1	0
Columbia, SC	0	3	8	36	30	0
Columbus, OH	5	8	10	40	32	0
Dallas–Fort Worth–Arlington, TX	8	24	126	236	90	0
Dallas Division	8	21	89	175	72	0
Fort Worth Division	0	2	37	61	18	0
Dayton, OH	2	3	3	13	11	0
Deltona–Daytona Beach–Ormond Beach, FL	4	5	12	20	8	0
Denver–Aurora–Lakewood, CO	3	5	14	24	11	0
Des Moines–West Des Moines, IA	0	0	4	5	1	0
Detroit–Warren–Dearborn, MI	9	16	19	71	58	1
Detroit Division	6	12	9	49	45	1
Warren Division	3	5	10	22	13	1
Durham–Chapel Hill, NC	1	2	5	17	13	0
El Paso, TX	2	4	6	19	12	0
Fresno, CA	3	4	10	11	0	0
Grand Rapids–Wyoming, MI	2	2	5	10	6	2
Greensboro–High Point, NC	1	3	8	28	22	1
Greenville–Anderson–Mauldin, SC	2	4	4	14	11	0
Harrisburg–Carlisle, PA	2	3	4	10	6	0
Hartford–West Hartford–East Hartford, CT	4	7	12	21	11	0
Honolulu (Urban), HI	1	1	0	2	2	0
Houston–The Woodlands–Sugar Land, TX	9	33	133	308	180	0

Table 7a. Diagnoses of HIV infection among adult and adolescent females, by transmission category and metropolitan statistical area of residence, 2013—United States and Puerto Rico (cont)

MSA of residence	Injection drug use		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Indianapolis–Carmel–Anderson, IN	4	5	32	47	15	0
Jackson, MS	3	4	17	33	16	1
Jacksonville, FL	5	7	79	95	16	1
Kansas City, MO–KS	5	7	14	26	13	0
Knoxville, TN	0	1	2	7	5	0
Lakeland–Winter Haven, FL	1	1	23	26	2	0
Lancaster, PA	0	0	0	2	2	0
Las Vegas–Henderson–Paradise, NV	4	6	32	44	14	1
Little Rock–North Little Rock–Conway, AR	0	2	9	28	14	0
Los Angeles–Long Beach–Anaheim, CA	11	37	59	231	162	1
Anaheim Division	2	4	22	35	10	0
Los Angeles Division	9	33	37	196	152	1
Louisville–Jefferson County, KY–IN	3	5	7	27	21	0
Madison, WI	1	1	1	4	3	0
McAllen–Edinburg–Mission, TX	0	1	13	20	5	0
Memphis, TN–MS–AR	1	3	72	92	18	1
Miami–Fort Lauderdale–West Palm Beach, FL	38	48	428	524	96	5
Fort Lauderdale Division	14	15	135	154	18	2
Miami Division	12	19	203	259	58	2
West Palm Beach Division	12	14	90	110	20	1
Milwaukee–Waukesha–West Allis, WI	2	4	7	21	15	0
Minneapolis–St. Paul–Bloomington, MN–WI	2	6	10	62	55	1
Modesto, CA	0	0	2	3	1	0
Nashville–Davidson–Murfreesboro–Franklin, TN	1	3	22	37	16	0
New Haven–Milford, CT	4	5	5	10	5	0
New Orleans–Metairie, LA	2	9	41	93	57	0
New York–Newark–Jersey City, NY–NJ–PA ^d	31	170	268	924	613	5
Nassau County Division	1	6	18	47	32	0
New York Division	23	115	226	678	448	4
Newark Division	6	47	24	196	129	1
North Port–Sarasota–Bradenton, FL	3	4	10	16	7	1
Ogden–Clearfield, UT	0	0	0	1	1	0
Oklahoma City, OK	8	14	4	23	15	0
Omaha–Council Bluffs, NE–IA	1	1	10	12	2	0
Orlando–Kissimmee–Sanford, FL	12	17	64	119	58	4
Oxnard–Thousand Oaks–Ventura, CA	0	0	3	6	2	0
Palm Bay–Melbourne–Titusville, FL	2	3	7	12	6	0
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	12	23	195	251	39	1
Camden Division	1	9	11	46	23	0
Montgomery Division	1	1	24	25	0	0
Philadelphia Division	5	8	143	162	15	0
Wilmington Division	5	5	17	19	1	0
Phoenix–Mesa–Scottsdale, AZ	5	11	27	52	29	0
Pittsburgh, PA	3	5	6	16	11	0
Portland–South Portland, ME	0	1	0	3	4	0
Portland–Vancouver–Hillsboro, OR–WA	5	6	9	15	6	0
Providence–Warwick, RI–MA	8	11	9	18	8	1
Provo–Orem, UT	0	0	0	0	0	0
Raleigh, NC	1	4	8	40	34	0
Richmond, VA	0	0	27	38	10	0
Riverside–San Bernardino–Ontario, CA	4	8	28	49	17	0

Table 7a. Diagnoses of HIV infection among adult and adolescent females, by transmission category and metropolitan statistical area of residence, 2013—United States and Puerto Rico (cont)

MSA of residence	Injection drug use		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Rochester, NY	2	4	7	17	12	0
Sacramento–Roseville–Arden–Arcade, CA	2	3	20	30	7	0
St. Louis, MO–IL	1	3	31	55	22	0
Salt Lake City, UT	1	1	3	8	5	0
San Antonio–New Braunfels, TX	8	12	14	35	18	0
San Diego–Carlsbad–San Marcos, CA	6	9	30	44	9	0
San Francisco–Oakland–Hayward, CA ^d	17	21	21	48	25	0
Oakland Division	4	8	10	32	20	0
San Francisco Division	13	14	11	16	5	0
San Jose–Sunnyvale–Santa Clara, CA	2	3	6	12	6	1
San Juan–Carolina–Caguas, PR	17	25	67	108	24	2
Scranton–Wilkes-Barre–Hazleton, PA	5	5	2	6	4	0
Seattle–Tacoma–Bellevue, WA	3	6	10	53	44	0
Seattle Division	1	3	7	40	34	0
Tacoma Division	2	3	3	13	10	0
Spokane–Spokane Valley, WA	1	1	1	3	2	0
Springfield, MA	1	4	7	24	11	1
Stockton–Lodi, CA	1	1	8	11	2	0
Syracuse, NY	3	4	3	11	10	1
Tampa–St. Petersburg–Clearwater, FL	11	16	82	106	25	0
Toledo, OH	0	1	1	6	5	0
Tucson, AZ	2	3	11	18	7	0
Tulsa, OK	2	3	6	13	4	0
Virginia Beach–Norfolk–Newport News, VA–NC	1	5	18	55	39	0
Washington–Arlington–Alexandria, DC–VA–MD–WV	11	54	115	482	270	11
Silver Spring Division	0	11	34	128	57	4
Washington Division	11	43	81	355	213	7
Wichita, KS	1	2	1	5	4	0
Winston-Salem, NC	1	2	5	19	14	0
Worcester, MA–CT	2	5	3	17	10	0
Youngstown–Warren–Boardman, OH–PA	0	1	5	11	7	0
Subtotal for MSAs (population of ≥500,000)	410	949	2,879	6,545	3,246	70
Metropolitan areas (population of 50,000–499,999)	100	184	513	1,210	639	19
Nonmetropolitan areas	21	44	132	346	192	3
Total^e	533	1,188	3,541	8,180	4,116	95

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not report or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 7b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States and Puerto Rico

MSA of residence	Injection drug use		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	16	26	95	136	54	2
Albany–Schenectady–Troy, NY	152	201	327	455	207	20
Albuquerque, NM	29	34	82	100	25	1
Allentown–Bethlehem–Easton, PA–NJ	131	157	268	347	124	13
Atlanta–Sandy Springs–Roswell, GA	505	838	2,979	4,593	1,989	110
Augusta–Richmond County, GA–SC	74	144	197	552	420	9
Austin–Round Rock, TX	136	180	339	511	215	12
Bakersfield, CA	52	59	101	126	36	7
Baltimore–Columbia–Towson, MD	2,043	2,287	2,784	3,966	1,519	174
Baton Rouge, LA	212	362	628	1,284	840	26
Birmingham–Hoover, AL	77	141	456	824	462	20
Boise City, ID	17	21	25	43	23	1
Boston–Cambridge–Newton, MA–NH ^d	658	1,104	1,210	2,358	1,533	114
Boston Division	358	601	657	1,259	823	69
Cambridge Division	286	484	520	1,059	697	43
Bridgeport–Stamford–Norwalk, CT	267	327	417	559	227	24
Buffalo–Cheektowaga–Niagara Falls, NY	141	158	460	517	94	10
Cape Coral–Fort Myers, FL	69	85	370	456	120	15
Charleston–North Charleston, SC	71	108	351	508	215	18
Charlotte–Concord–Gastonia, NC–SC	195	392	760	1,623	1,116	41
Chattanooga, TN–GA	26	37	141	241	121	4
Chicago–Naperville–Elgin, IL–IN–WI	1,247	1,651	3,166	4,533	1,841	238
Chicago Division	1,158	1,523	2,836	4,054	1,638	217
Elgin Division	35	37	96	119	27	5
Gary Division	33	55	138	206	102	11
Lake County Division	21	36	96	154	74	5
Cincinnati, OH–KY–IN	74	123	364	568	269	15
Cleveland–Elyria, OH	127	170	577	761	262	31
Colorado Springs, CO	33	43	58	78	37	6
Columbia, SC	102	159	637	885	324	14
Columbus, OH	110	174	458	714	343	21
Dallas–Fort Worth–Arlington, TX	593	914	2,184	3,479	1,607	89
Dallas Division	354	612	1,689	2,722	1,270	53
Fort Worth Division	239	302	495	756	337	35
Dayton, OH	32	43	181	251	93	11
Deltona–Daytona Beach–Ormond Beach, FL	88	98	296	334	71	20
Denver–Aurora–Lakewood, CO	182	236	544	664	190	15
Des Moines–West Des Moines, IA	7	10	66	96	35	2
Detroit–Warren–Dearborn, MI	413	588	889	1,578	981	61
Detroit Division	354	490	711	1,257	778	45
Warren Division	59	98	178	321	203	16
Durham–Chapel Hill, NC	68	115	209	453	310	15
El Paso, TX	30	39	134	179	56	7
Fresno, CA	105	108	167	180	20	9
Grand Rapids–Wyoming, MI	18	29	129	193	81	4
Greensboro–High Point, NC	42	113	197	538	426	10
Greenville–Anderson–Mauldin, SC	39	57	257	335	100	3
Harrisburg–Carlisle, PA	76	79	227	245	33	5
Hartford–West Hartford–East Hartford, CT	419	477	481	605	211	26
Honolulu (Urban), HI	45	56	117	161	66	10

Table 7b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States and Puerto Rico (cont)

MSA of residence	Injection drug use		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Houston—The Woodlands—Sugar Land, TX	878	1,189	3,652	4,987	1,718	117
Indianapolis—Carmel—Anderson, IN	96	127	536	674	194	22
Jackson, MS	78	176	355	826	601	17
Jacksonville, FL	321	323	1,807	1,820	72	44
Kansas City, MO—KS	108	127	443	601	190	10
Knoxville, TN	35	42	116	171	67	3
Lakeland—Winter Haven, FL	98	106	450	500	87	24
Lancaster, PA	56	75	124	180	85	5
Las Vegas—Henderson—Paradise, NV	155	201	628	750	197	22
Little Rock—North Little Rock—Conway, AR	50	61	247	301	69	9
Los Angeles—Long Beach—Anaheim, CA	805	1,267	2,728	4,500	2,376	228
Anaheim Division	166	176	570	609	65	25
Los Angeles Division	639	1,092	2,158	3,890	2,311	203
Louisville—Jefferson County, KY—IN	91	119	294	441	191	11
Madison, WI	19	25	69	101	42	3
McAllen—Edinburg—Mission, TX	12	21	133	182	62	9
Memphis, TN—MS—AR	126	199	1,566	2,028	611	31
Miami—Fort Lauderdale—West Palm Beach, FL	1,529	1,805	11,928	13,292	2,184	451
Fort Lauderdale Division	508	637	3,642	4,270	923	136
Miami Division	749	857	5,896	6,434	918	226
West Palm Beach Division	272	311	2,390	2,587	343	89
Milwaukee—Waukesha—West Allis, WI	113	145	359	489	181	15
Minneapolis—St. Paul—Bloomington, MN—WI	115	189	576	1,186	724	36
Modesto, CA	34	36	47	56	16	7
Nashville—Davidson—Murfreesboro—Franklin, TN	221	235	660	817	211	16
New Haven—Milford, CT	402	452	522	621	179	27
New Orleans—Metairie, LA	273	488	973	1,741	1,062	66
New York—Newark—Jersey City, NY—NJ—PA ^d	9,001	14,242	17,797	28,880	18,066	1,796
Nassau County Division	325	483	920	1,337	689	88
New York Division	7,236	11,674	14,748	23,801	15,018	1,497
Newark Division	1,338	1,967	1,985	3,572	2,298	197
North Port—Sarasota—Bradenton, FL	86	97	321	381	92	18
Ogden—Clearfield, UT	8	10	23	29	9	1
Oklahoma City, OK	94	119	192	295	135	15
Omaha—Council Bluffs, NE—IA	35	45	150	257	126	7
Orlando—Kissimmee—Sanford, FL	372	423	1,625	1,971	484	75
Oxnard—Thousand Oaks—Ventura, CA	25	30	79	95	25	5
Palm Bay—Melbourne—Titusville, FL	60	73	246	314	99	14
Philadelphia—Camden—Wilmington, PA—NJ—DE—MD	2,001	2,076	5,045	5,335	610	174
Camden Division	157	206	446	566	169	20
Montgomery Division	98	114	342	377	70	11
Philadelphia Division	1,497	1,507	3,728	3,851	336	124
Wilmington Division	249	249	529	541	35	19
Phoenix—Mesa—Scottsdale, AZ	299	356	682	856	269	32
Pittsburgh, PA	86	106	392	465	115	11
Portland—South Portland, ME	23	34	42	82	54	3
Portland—Vancouver—Hillsboro, OR—WA	97	111	305	360	86	14
Providence—Warwick, RI—MA	308	374	429	549	192	20
Provo—Orem, UT	2	3	15	17	4	1
Raleigh, NC	105	189	294	641	457	22
Richmond, VA	184	239	616	876	348	27

Table 7b. Adult and adolescent females living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States and Puerto Rico (cont)

MSA of residence	Injection drug use		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Riverside–San Bernardino–Ontario, CA	242	298	618	792	249	36
Rochester, NY	283	390	324	553	368	17
Sacramento–Roseville–Arden–Arcade, CA	141	152	408	452	65	19
St. Louis, MO–IL	117	177	816	1,095	358	22
Salt Lake City, UT	81	94	132	184	70	5
San Antonio–New Braunfels, TX	133	192	365	587	281	18
San Diego–Carlsbad–San Marcos, CA	270	281	850	898	84	42
San Francisco–Oakland–Hayward, CA ^d	783	847	1,302	1,558	392	88
Oakland Division	285	331	799	959	231	44
San Francisco Division	489	506	457	543	147	41
San Jose–Sunnyvale–Santa Clara, CA	59	76	243	342	125	17
San Juan–Carolina–Caguas, PR	992	1,008	2,937	3,105	255	96
Scranton–Wilkes-Barre–Hazleton, PA	37	47	78	104	43	5
Seattle–Tacoma–Bellevue, WA	188	246	497	800	413	47
Seattle Division	129	179	384	644	356	42
Tacoma Division	59	67	113	156	57	5
Spokane–Spokane Valley, WA	16	18	28	35	10	1
Springfield, MA	201	265	253	402	207	23
Stockton–Lodi, CA	72	75	134	145	15	4
Syracuse, NY	61	74	206	248	69	8
Tampa–St. Petersburg–Clearwater, FL	446	513	1,854	2,155	455	72
Toledo, OH	24	33	203	230	43	7
Tucson, AZ	76	81	150	176	50	18
Tulsa, OK	48	58	131	175	62	11
Virginia Beach–Norfolk–Newport News, VA–NC	239	350	822	1,411	751	42
Washington–Arlington–Alexandria, DC–VA–MD–WV	1,305	1,915	4,822	7,896	3,641	235
Silver Spring Division	60	139	828	1,372	596	36
Washington Division	1,245	1,777	3,994	6,524	3,045	200
Wichita, KS	27	28	112	127	18	2
Winston-Salem, NC	50	102	178	413	300	8
Worcester, MA–CT	191	240	246	415	210	20
Youngstown–Warren–Boardman, OH–PA	19	30	86	125	58	7
Subtotal for MSAs (population of ≥500,000)	33,223	45,469	97,589	138,115	57,578	5,511
Metropolitan areas (population of 50,000–499,999)	4,997	6,471	15,930	22,481	8,762	719
Nonmetropolitan areas	1,233	1,707	4,388	6,567	2,875	213
Total^e	39,764	54,083	118,610	168,265	69,792	6,542

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not report or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 8a. Diagnoses of HIV infection among black/African American adults and adolescents, by transmission category and metropolitan statistical area of residence, 2013—United States

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	15	20	0	0	0	1	3	5	7	0
Albany–Schenectady–Troy, NY	4	9	0	3	0	0	6	14	15	0
Albuquerque, NM	1	1	0	0	2	2	1	1	0	0
Allentown–Bethlehem–Easton, PA–NJ	1	2	2	3	0	0	8	12	6	0
Atlanta–Sandy Springs–Roswell, GA	410	1,021	4	58	7	26	53	327	434	5
Augusta–Richmond County, GA–SC	18	66	0	7	0	1	5	37	48	1
Austin–Round Rock, TX	21	32	1	3	0	1	4	30	31	0
Bakersfield, CA	2	7	2	4	0	1	2	4	8	0
Baltimore–Columbia–Towson, MD	157	347	20	64	5	13	132	326	171	6
Baton Rouge, LA	80	124	8	22	4	9	30	92	118	0
Birmingham–Hoover, AL	67	84	1	4	0	1	11	27	33	0
Boise City, ID	0	1	0	0	0	0	0	0	2	0
Boston–Cambridge–Newton, MA–NH ^d	28	69	6	35	0	1	12	126	109	1
Boston Division	21	50	4	23	0	1	5	77	71	1
Cambridge Division	7	19	2	12	0	0	7	49	38	1
Bridgeport–Stamford–Norwalk, CT	10	12	2	4	0	0	13	19	10	1
Buffalo–Cheektowaga–Niagara Falls, NY	23	28	1	3	1	1	8	17	16	0
Cape Coral–Fort Myers, FL	6	6	0	0	0	0	39	41	1	0
Charleston–North Charleston, SC	41	54	1	4	0	0	12	29	31	0
Charlotte–Concord–Gastonia, NC–SC	121	162	3	16	1	4	18	84	115	0
Chattanooga, TN–GA	6	13	0	1	0	0	2	6	11	0
Chicago–Naperville–Elgin, IL–IN–WI	447	632	14	38	9	16	131	247	190	32
Chicago Division	408	577	13	33	9	15	120	223	163	30
Elgin Division	7	9	0	1	0	0	1	5	5	0
Gary Division	23	31	0	2	0	0	9	18	16	0
Lake County Division	9	15	1	2	0	0	1	2	6	0
Cincinnati, OH–KY–IN	50	79	2	7	1	3	3	34	65	1
Cleveland–Elyria, OH	78	120	2	7	0	1	18	40	65	0
Colorado Springs, CO	2	3	0	1	0	0	3	5	3	0
Columbia, SC	54	74	2	9	0	3	14	48	59	0
Columbus, OH	61	95	0	6	0	1	10	39	65	0
Dallas–Fort Worth–Arlington, TX	272	404	9	29	2	8	106	204	168	0
Dallas Division	220	327	6	22	2	6	74	151	135	0
Fort Worth Division	52	77	3	7	0	2	32	53	33	0
Dayton, OH	26	38	0	2	0	1	4	15	24	0
Deltona–Daytona Beach–Ormond Beach, FL	14	14	5	6	2	2	8	12	4	0
Denver–Aurora–Lakewood, CO	21	25	1	2	0	1	7	13	10	0
Des Moines–West Des Moines, IA	3	4	0	0	0	0	3	4	2	0
Detroit–Warren–Dearborn, MI	181	271	9	24	5	9	23	83	159	2
Detroit Division	131	203	9	22	4	7	13	62	130	1
Warren Division	50	68	0	2	1	1	10	21	29	1
Durham–Chapel Hill, NC	38	50	2	5	1	2	7	24	31	0
El Paso, TX	1	4	0	0	0	0	0	2	4	0
Fresno, CA	4	4	1	1	0	0	2	2	0	0
Grand Rapids–Wyoming, MI	6	8	0	1	0	0	4	7	7	2
Greensboro–High Point, NC	33	49	2	7	2	3	10	38	46	1
Greenville–Anderson–Mauldin, SC	45	50	1	3	0	0	5	18	18	0
Harrisburg–Carlisle, PA	10	12	2	3	0	0	5	8	5	0
Hartford–West Hartford–East Hartford, CT	21	26	3	6	0	1	16	22	13	0
Honolulu (Urban), HI	1	3	0	0	0	0	0	0	2	0

Table 8a. Diagnoses of HIV infection among black/African American adults and adolescents, by transmission category and metropolitan statistical area of residence, 2013—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Houston—The Woodlands—Sugar Land, TX	346	449	7	36	6	13	132	286	255	0
Indianapolis—Carmel—Anderson, IN	84	102	3	6	3	4	34	46	29	0
Jackson, MS	67	89	4	8	0	1	26	49	45	1
Jacksonville, FL	109	122	4	7	0	1	91	111	30	1
Kansas City, MO—KS	51	59	1	2	2	3	13	24	17	0
Knoxville, TN	9	14	0	1	0	0	1	5	9	0
Lakeland—Winter Haven, FL	17	18	0	0	0	0	31	34	2	0
Lancaster, PA	3	4	0	0	0	0	0	1	2	0
Las Vegas—Henderson—Paradise, NV	53	65	2	5	0	1	18	29	24	1
Little Rock—North Little Rock—Conway, AR	41	70	0	4	0	2	7	25	29	1
Los Angeles—Long Beach—Anaheim, CA	220	362	12	30	5	11	19	104	180	0
Anaheim Division	4	6	0	0	1	1	5	6	1	0
Los Angeles Division	216	357	12	29	4	10	14	98	179	0
Louisville—Jefferson County, KY—IN	31	47	4	7	1	2	8	23	33	0
Madison, WI	7	8	0	0	0	0	0	1	2	0
McAllen—Edinburg—Mission, TX	0	0	0	0	0	0	0	0	0	0
Memphis, TN—MS—AR	124	216	1	9	0	5	88	127	127	1
Miami—Fort Lauderdale—West Palm Beach, FL	356	419	36	51	2	4	518	625	157	3
Fort Lauderdale Division	147	166	22	26	2	3	172	202	44	2
Miami Division	163	198	8	17	0	1	225	279	85	1
West Palm Beach Division	46	54	6	8	0	0	121	143	28	0
Milwaukee—Waukesha—West Allis, WI	41	50	3	4	1	1	6	17	20	0
Minneapolis—St. Paul—Bloomington, MN—WI	30	53	0	4	1	2	10	53	68	1
Modesto, CA	0	0	1	2	0	0	0	0	1	0
Nashville—Davidson—Murfreesboro—Franklin, TN	64	89	0	2	1	2	17	35	41	0
New Haven—Milford, CT	13	17	4	7	0	0	8	13	11	0
New Orleans—Metairie, LA	144	213	9	25	2	7	45	105	140	0
New York—Newark—Jersey City, NY—NJ—PA ^d	644	1,001	32	266	8	22	219	747	795	5
Nassau County Division	18	27	1	10	2	2	15	34	34	0
New York Division	563	790	19	169	5	14	183	515	549	4
Newark Division	57	178	10	84	1	6	20	194	209	1
North Port—Sarasota—Bradenton, FL	8	10	1	2	0	0	11	16	7	0
Ogden—Clearfield, UT	1	1	0	0	0	0	0	0	0	0
Oklahoma City, OK	30	54	3	7	0	1	3	19	25	0
Omaha—Council Bluffs, NE—IA	9	10	0	0	0	0	9	10	1	0
Orlando—Kissimmee—Sanford, FL	89	112	5	10	2	3	56	105	74	2
Oxnard—Thousand Oaks—Ventura, CA	2	3	0	0	0	0	1	1	1	0
Palm Bay—Melbourne—Titusville, FL	4	7	1	2	0	0	2	6	9	0
Philadelphia—Camden—Wilmington, PA—NJ—DE—MD	310	359	25	51	7	9	288	356	75	2
Camden Division	17	43	2	21	0	1	14	50	41	0
Montgomery Division	10	11	2	3	0	0	22	23	1	0
Philadelphia Division	261	277	14	20	6	6	232	256	25	1
Wilmington Division	22	29	7	8	1	1	20	25	8	0
Phoenix—Mesa—Scottsdale, AZ	47	64	1	4	3	4	9	23	33	0
Pittsburgh, PA	39	45	4	6	0	0	4	11	13	0
Portland—South Portland, ME	0	0	1	2	0	0	0	3	4	0
Portland—Vancouver—Hillsboro, OR—WA	6	8	0	0	1	1	2	4	4	0
Providence—Warwick, RI—MA	5	6	0	1	0	0	7	13	6	1
Provo—Orem, UT	0	0	0	0	0	0	0	0	0	0
Raleigh, NC	64	91	0	5	1	2	11	44	62	0
Richmond, VA	79	91	1	3	1	1	28	42	24	0

Table 8a. Diagnoses of HIV infection among black/African American adults and adolescents, by transmission category and metropolitan statistical area of residence, 2013—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Riverside–San Bernardino–Ontario, CA	45	56	3	5	0	0	13	18	8	0
Rochester, NY	26	32	4	7	1	1	2	10	16	0
Sacramento–Roseville–Arden–Arcade, CA	26	35	2	3	0	0	15	19	6	0
St. Louis, MO–IL	111	139	3	7	1	2	41	65	46	1
Salt Lake City, UT	1	1	0	0	1	1	0	4	6	2
San Antonio–New Braunfels, TX	30	40	4	6	1	2	7	19	16	0
San Diego–Carlsbad–San Marcos, CA	39	49	2	3	0	0	15	20	6	0
San Francisco–Oakland–Hayward, CA ^d	102	136	11	16	6	8	14	35	40	0
Oakland Division	66	92	5	9	1	2	9	28	32	0
San Francisco Division	35	40	6	6	5	5	5	6	4	0
San Jose–Sunnyvale–Santa Clara, CA	4	6	0	0	1	1	3	5	4	1
San Juan–Carolina–Caguas, PR ^e	—	—	—	—	—	—	—	—	—	—
Scranton–Wilkes-Barre–Hazleton, PA	4	5	1	2	0	0	1	3	4	0
Seattle–Tacoma–Bellevue, WA	27	38	1	3	3	4	5	33	40	0
Seattle Division	20	28	0	2	3	4	4	28	32	0
Tacoma Division	7	11	1	2	0	0	1	5	8	0
Spokane–Spokane Valley, WA	0	0	0	0	0	0	1	1	0	0
Springfield, MA	3	8	1	7	0	0	1	9	11	0
Stockton–Lodi, CA	9	11	1	1	0	0	7	10	2	0
Syracuse, NY	7	9	2	5	0	0	0	7	12	1
Tampa–St. Petersburg–Clearwater, FL	106	120	5	9	3	3	69	86	29	0
Toledo, OH	17	19	1	1	0	0	1	3	4	0
Tucson, AZ	4	6	0	1	0	0	7	12	7	0
Tulsa, OK	16	24	1	1	0	0	7	13	5	0
Virginia Beach–Norfolk–Newport News, VA–NC	122	166	1	9	2	4	18	66	95	0
Washington–Arlington–Alexandria, DC–VA–MD–WV	308	683	22	100	6	21	172	623	536	13
Silver Spring Division	25	69	1	13	0	2	47	150	80	4
Washington Division	283	614	21	87	6	19	125	473	456	9
Wichita, KS	6	8	0	1	0	0	0	5	7	0
Winston-Salem, NC	22	29	2	4	0	0	3	17	22	0
Worcester, MA–CT	4	7	0	2	0	0	2	13	9	0
Youngstown–Warren–Boardman, OH–PA	6	8	0	1	0	0	3	7	7	0
Subtotal for MSAs (population of ≥500,000)	6,571	9,988	338	1,151	114	264	2,867	6,280	5,399	95
Metropolitan areas (population of 50,000–499,999)	1,029	1,568	61	203	21	51	427	1,057	1,013	17
Nonmetropolitan areas	266	412	12	57	3	13	121	336	316	4
Total^f	7,902	12,069	416	1,435	139	331	3,436	7,761	6,802	119

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not report or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan–Carolina–Caguas, PR. The 2013 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 8b. Diagnoses of HIV infection among Hispanic/Latino adult and adolescents, by transmission category and metropolitan statistical area of residence, 2013—United States

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	1	1	0	0	0	0	0	0	0	0
Albany–Schenectady–Troy, NY	6	8	0	1	1	1	2	5	5	0
Albuquerque, NM	25	28	1	1	2	2	2	3	3	0
Allentown–Bethlehem–Easton, PA–NJ	4	6	1	3	1	1	4	6	4	0
Atlanta–Sandy Springs–Roswell, GA	79	198	0	7	2	5	5	37	69	1
Augusta–Richmond County, GA–SC	0	3	0	1	0	0	1	5	5	0
Austin–Round Rock, TX	77	105	1	3	5	7	5	10	20	0
Bakersfield, CA	30	43	4	6	2	3	6	10	12	1
Baltimore–Columbia–Towson, MD	6	18	1	3	0	1	4	10	9	0
Baton Rouge, LA	1	2	1	1	0	0	1	1	1	0
Birmingham–Hoover, AL	3	3	0	0	0	0	0	0	0	0
Boise City, ID	1	1	0	0	0	0	1	1	0	0
Boston–Cambridge–Newton, MA–NH ^d	57	111	7	26	3	5	10	57	56	0
Boston Division	36	70	4	16	1	2	4	37	39	0
Cambridge Division	21	41	3	10	2	3	6	20	17	0
Bridgeport–Stamford–Norwalk, CT	15	19	0	3	0	0	5	9	9	0
Buffalo–Cheektowaga–Niagara Falls, NY	7	10	4	5	1	1	2	5	7	0
Cape Coral–Fort Myers, FL	10	12	0	0	0	0	7	8	2	0
Charleston–North Charleston, SC	5	5	0	0	0	0	0	0	0	0
Charlotte–Concord–Gastonia, NC–SC	21	30	1	2	0	0	1	5	13	0
Chattanooga, TN–GA	1	2	0	0	0	0	0	1	2	0
Chicago–Naperville–Elgin, IL–IN–WI	211	298	5	11	6	8	31	52	57	9
Chicago Division	195	271	5	10	6	8	27	43	44	9
Elgin Division	2	7	0	0	0	0	0	1	5	0
Gary Division	4	6	0	1	0	0	2	3	3	0
Lake County Division	10	15	0	0	0	0	2	5	5	0
Cincinnati, OH–KY–IN	3	5	0	0	0	0	0	2	4	0
Cleveland–Elyria, OH	11	16	0	1	1	1	1	6	11	0
Colorado Springs, CO	4	5	0	0	0	0	0	0	1	0
Columbia, SC	1	3	0	1	0	0	2	5	6	0
Columbus, OH	3	5	1	2	0	0	0	3	6	0
Dallas–Fort Worth–Arlington, TX	190	268	3	8	3	6	20	41	62	0
Dallas Division	160	219	3	7	2	4	14	29	45	0
Fort Worth Division	30	49	0	1	1	2	6	11	17	0
Dayton, OH	1	2	0	0	0	0	0	2	3	0
Deltona–Daytona Beach–Ormond Beach, FL	6	6	3	3	2	2	1	1	0	0
Denver–Aurora–Lakewood, CO	54	62	1	3	2	2	8	11	11	0
Des Moines–West Des Moines, IA	3	3	0	0	0	0	0	0	0	0
Detroit–Warren–Dearborn, MI	8	14	0	0	0	0	3	4	6	0
Detroit Division	1	5	0	0	0	0	3	3	4	0
Warren Division	7	9	0	0	0	0	0	0	2	0
Durham–Chapel Hill, NC	0	2	0	0	0	0	0	2	5	0
El Paso, TX	64	87	6	9	3	5	6	20	25	0
Fresno, CA	48	57	0	0	1	1	8	9	1	0
Grand Rapids–Wyoming, MI	0	0	1	1	1	1	1	2	1	0
Greensboro–High Point, NC	3	6	0	0	1	1	1	4	6	0
Greenville–Anderson–Mauldin, SC	4	5	0	0	0	0	0	1	2	0
Harrisburg–Carlisle, PA	1	1	0	0	0	0	0	0	0	0
Hartford–West Hartford–East Hartford, CT	20	22	3	4	2	2	1	4	4	0
Honolulu (Urban), HI	5	6	1	1	0	0	0	0	1	0

Table 8b. Diagnoses of HIV infection among Hispanic/Latino adult and adolescents, by transmission category and metropolitan statistical area of residence, 2013—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Houston—The Woodlands—Sugar Land, TX	216	319	7	17	5	10	45	87	136	1
Indianapolis—Carmel—Anderson, IN	17	19	0	0	0	0	8	8	2	0
Jackson, MS	1	4	0	0	0	0	0	0	3	0
Jacksonville, FL	13	16	0	0	1	1	9	10	3	0
Kansas City, MO—KS	13	20	1	2	2	2	0	1	8	0
Knoxville, TN	1	1	0	0	0	0	0	1	1	0
Lakeland—Winter Haven, FL	13	15	1	1	1	1	8	8	2	0
Lancaster, PA	2	3	2	2	1	1	0	1	2	0
Las Vegas—Henderson—Paradise, NV	94	103	3	3	3	3	14	16	7	0
Little Rock—North Little Rock—Conway, AR	5	8	0	0	0	0	0	1	2	0
Los Angeles—Long Beach—Anaheim, CA	658	929	17	33	22	32	32	100	211	0
Anaheim Division	125	149	2	4	11	13	11	16	7	0
Los Angeles Division	533	780	15	29	11	19	21	84	204	0
Louisville—Jefferson County, KY—IN	6	7	0	0	0	0	0	1	2	0
Madison, WI	1	2	0	0	0	0	0	0	1	0
McAllen—Edinburg—Mission, TX	46	65	1	4	0	1	36	47	19	0
Memphis, TN—MS—AR	0	7	0	0	0	0	5	5	7	0
Miami—Fort Lauderdale—West Palm Beach, FL	635	691	14	18	8	9	159	191	69	2
Fort Lauderdale Division	109	118	5	6	3	3	32	37	10	0
Miami Division	499	538	4	7	5	6	106	130	48	1
West Palm Beach Division	27	34	5	6	0	0	21	25	11	1
Milwaukee—Waukesha—West Allis, WI	11	13	2	3	0	0	3	4	4	0
Minneapolis—St. Paul—Bloomington, MN—WI	13	19	0	1	0	0	3	6	9	0
Modesto, CA	6	7	0	0	0	0	2	3	1	0
Nashville—Davidson—Murfreesboro—Franklin, TN	9	14	1	2	0	0	1	2	6	0
New Haven—Milford, CT	17	18	3	3	1	1	3	4	2	0
New Orleans—Metairie, LA	13	17	1	2	0	1	9	13	8	0
New York—Newark—Jersey City, NY—NJ—PA ^d	697	1,001	34	170	20	33	144	371	450	2
Nassau County Division	34	46	3	7	1	1	9	21	25	0
New York Division	606	829	27	129	19	29	126	301	353	1
Newark Division	48	117	3	33	0	3	9	49	71	1
North Port—Sarasota—Bradenton, FL	5	5	0	0	1	1	7	7	1	1
Ogden—Clearfield, UT	1	1	0	0	0	0	0	0	0	0
Oklahoma City, OK	9	17	0	0	0	1	0	0	4	0
Omaha—Council Bluffs, NE—IA	8	8	0	0	0	0	1	2	1	0
Orlando—Kissimmee—Sanford, FL	88	103	15	17	2	2	32	49	30	1
Oxnard—Thousand Oaks—Ventura, CA	22	28	0	0	1	1	1	2	3	0
Palm Bay—Melbourne—Titusville, FL	2	3	1	1	0	0	0	0	2	1
Philadelphia—Camden—Wilmington, PA—NJ—DE—MD	63	83	12	19	4	5	39	48	16	0
Camden Division	11	28	2	8	1	2	1	7	14	0
Montgomery Division	6	7	1	1	0	0	7	7	1	0
Philadelphia Division	43	45	9	9	3	3	29	31	1	0
Wilmington Division	3	3	0	0	0	0	2	2	0	0
Phoenix—Mesa—Scottsdale, AZ	128	148	14	17	8	9	11	22	29	0
Pittsburgh, PA	6	7	0	1	0	0	1	2	2	0
Portland—South Portland, ME	1	1	0	0	0	0	0	0	0	0
Portland—Vancouver—Hillsboro, OR—WA	27	32	0	1	2	2	3	5	7	0
Providence—Warwick, RI—MA	11	19	6	11	0	0	8	13	9	0
Provo—Orem, UT	0	0	0	0	0	0	0	0	0	0
Raleigh, NC	3	7	1	2	1	2	0	6	11	0
Richmond, VA	0	1	1	1	0	0	3	3	1	0

Table 8b. Diagnoses of HIV infection among Hispanic/Latino adult and adolescents, by transmission category and metropolitan statistical area of residence, 2013—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Riverside–San Bernardino–Ontario, CA	126	158	7	10	4	5	24	35	18	0
Rochester, NY	9	11	4	6	0	0	5	9	7	0
Sacramento–Roseville–Arden–Arcade, CA	31	48	1	2	1	2	5	9	15	0
St. Louis, MO–IL	8	12	0	0	0	0	3	4	5	0
Salt Lake City, UT	6	8	0	0	2	2	1	1	2	0
San Antonio–New Braunfels, TX	187	237	17	24	9	11	15	27	29	0
San Diego–Carlsbad–San Marcos, CA	141	170	12	15	7	9	25	33	10	0
San Francisco–Oakland–Hayward, CA ^d	143	165	5	7	9	11	7	14	17	0
Oakland Division	45	56	1	2	4	5	1	5	8	0
San Francisco Division	95	104	4	5	5	6	6	9	8	0
San Jose–Sunnyvale–Santa Clara, CA	23	43	4	6	1	2	2	7	20	0
San Juan–Carolina–Caguas, PR ^e	—	—	—	—	—	—	—	—	—	—
Scranton–Wilkes-Barre–Hazleton, PA	1	1	2	2	0	0	1	1	0	0
Seattle–Tacoma–Bellevue, WA	31	36	3	4	4	5	6	14	14	0
Seattle Division	27	31	3	3	2	2	6	10	8	0
Tacoma Division	4	5	0	1	2	2	0	4	6	0
Spokane–Spokane Valley, WA	0	0	0	0	0	0	0	0	0	0
Springfield, MA	8	20	4	12	0	1	5	16	16	0
Stockton–Lodi, CA	21	25	1	1	0	0	7	8	1	0
Syracuse, NY	5	7	1	2	1	1	0	0	3	0
Tampa–St. Petersburg–Clearwater, FL	80	90	8	10	2	2	16	20	12	0
Toledo, OH	1	1	0	0	1	1	0	0	0	0
Tucson, AZ	21	23	3	4	1	1	14	16	5	1
Tulsa, OK	5	8	0	0	0	0	3	4	1	0
Virginia Beach–Norfolk–Newport News, VA–NC	8	13	0	0	0	0	3	3	5	0
Washington–Arlington–Alexandria, DC–VA–MD–WV	98	141	0	4	2	3	17	41	31	0
Silver Spring Division	17	30	0	2	0	0	6	17	8	0
Washington Division	81	110	0	2	2	3	11	25	23	0
Wichita, KS	1	1	0	0	1	1	0	0	1	0
Winston-Salem, NC	4	7	0	0	0	0	0	3	6	0
Worcester, MA–CT	5	10	1	3	0	0	1	5	5	0
Youngstown–Warren–Boardman, OH–PA	0	2	0	0	0	0	0	0	2	0
Subtotal for MSAs (population of ≥500,000)	4,813	6,476	255	554	167	234	886	1,653	1,725	24
Metropolitan areas (population of 50,000–499,999)	380	562	36	69	16	25	114	212	225	3
Nonmetropolitan areas	69	138	10	22	3	9	38	73	96	1
Total^f	5,273	7,199	305	655	188	271	1,042	1,951	2,059	28

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

Hispanics/Latinos can be of any race.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not report or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan–Carolina–Caguas, PR. The 2013 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 8c. Diagnoses of HIV infection among white adult and adolescents, by transmission category and metropolitan statistical area of residence, 2013—United States

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	10	14	3	3	0	0	2	3	5	0
Albany–Schenectady–Troy, NY	12	14	1	2	4	4	3	3	2	0
Albuquerque, NM	11	13	4	4	2	2	1	2	3	0
Allentown–Bethlehem–Easton, PA–NJ	14	19	4	6	0	0	3	4	6	0
Atlanta–Sandy Springs–Roswell, GA	53	150	3	9	10	18	4	25	58	0
Augusta–Richmond County, GA–SC	3	17	0	2	0	1	2	7	13	0
Austin–Round Rock, TX	80	107	4	6	4	5	2	9	19	0
Bakersfield, CA	10	20	6	7	3	4	2	3	9	0
Baltimore–Columbia–Towson, MD	52	126	11	19	3	7	13	33	41	0
Baton Rouge, LA	19	29	2	4	0	1	2	8	18	0
Birmingham–Hoover, AL	37	42	2	2	1	1	3	7	8	0
Boise City, ID	6	10	2	2	3	3	0	1	5	0
Boston–Cambridge–Newton, MA–NH ^d	125	214	8	16	10	16	5	19	33	0
Boston Division	66	114	4	8	2	4	1	6	15	0
Cambridge Division	54	92	4	8	8	13	3	12	15	0
Bridgeport–Stamford–Norwalk, CT	14	16	2	4	0	0	2	4	5	0
Buffalo–Cheektowaga–Niagara Falls, NY	29	36	4	5	2	2	1	5	12	0
Cape Coral–Fort Myers, FL	45	52	3	3	2	2	18	19	7	0
Charleston–North Charleston, SC	18	21	0	1	1	1	1	5	7	0
Charlotte–Concord–Gastonia, NC–SC	56	86	2	3	3	4	7	18	39	0
Chattanooga, TN–GA	11	20	1	2	2	3	0	4	11	1
Chicago–Naperville–Elgin, IL–IN–WI	272	380	6	11	12	16	15	30	68	16
Chicago Division	247	341	3	6	10	14	14	27	54	15
Elgin Division	6	8	2	2	2	2	0	0	1	0
Gary Division	11	17	1	2	0	0	0	1	6	0
Lake County Division	8	14	0	1	0	0	1	3	7	1
Cincinnati, OH–KY–IN	67	79	15	17	6	6	2	7	16	0
Cleveland–Elyria, OH	51	75	4	6	0	0	5	11	30	0
Colorado Springs, CO	7	11	1	1	0	0	3	3	4	0
Columbia, SC	16	19	0	1	2	2	2	6	8	0
Columbus, OH	95	120	4	5	4	5	7	13	29	0
Dallas–Fort Worth–Arlington, TX	218	302	4	8	9	13	22	33	54	0
Dallas Division	177	237	3	6	8	11	8	15	36	0
Fort Worth Division	41	65	1	2	1	2	14	18	18	0
Dayton, OH	15	20	3	3	0	0	1	3	7	0
Deltona–Daytona Beach–Ormond Beach, FL	30	31	6	6	2	2	4	7	4	0
Denver–Aurora–Lakewood, CO	91	106	4	5	3	4	6	9	15	0
Des Moines–West Des Moines, IA	20	21	1	1	0	0	0	0	0	0
Detroit–Warren–Dearborn, MI	65	94	7	9	1	1	9	18	38	1
Detroit Division	26	35	3	4	0	0	2	8	15	0
Warren Division	39	59	4	5	1	1	7	10	23	1
Durham–Chapel Hill, NC	12	17	1	1	1	1	0	2	6	0
El Paso, TX	5	6	0	0	2	2	0	1	1	0
Fresno, CA	16	19	1	1	0	0	1	1	0	0
Grand Rapids–Wyoming, MI	14	19	2	2	0	0	2	2	5	0
Greensboro–High Point, NC	8	18	0	0	1	2	0	2	12	0
Greenville–Anderson–Mauldin, SC	15	24	1	2	1	1	1	2	10	0
Harrisburg–Carlisle, PA	16	17	1	2	0	0	4	8	5	0
Hartford–West Hartford–East Hartford, CT	21	24	4	5	0	0	5	7	5	0
Honolulu (Urban), HI	6	13	1	1	0	0	1	2	8	0

Table 8c. Diagnoses of HIV infection among white adult and adolescents, by transmission category and metropolitan statistical area of residence, 2013—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Houston—The Woodlands—Sugar Land, TX	141	189	12	18	9	11	21	33	51	0
Indianapolis—Carmel—Anderson, IN	45	49	3	3	2	2	10	14	6	0
Jackson, MS	5	10	1	1	0	0	0	0	5	0
Jacksonville, FL	61	66	4	5	2	2	18	19	4	0
Kansas City, MO—KS	59	68	8	9	3	3	3	7	12	0
Knoxville, TN	29	33	0	0	2	2	1	3	5	0
Lakeland—Winter Haven, FL	13	16	2	2	0	0	7	8	2	0
Lancaster, PA	17	18	0	0	0	0	0	0	1	0
Las Vegas—Henderson—Paradise, NV	92	100	8	9	21	22	12	17	10	0
Little Rock—North Little Rock—Conway, AR	19	40	0	1	1	2	2	7	15	0
Los Angeles—Long Beach—Anaheim, CA	370	498	20	32	13	18	14	45	94	0
Anaheim Division	64	76	8	11	2	2	10	17	7	0
Los Angeles Division	306	422	12	21	11	16	4	28	87	0
Louisville—Jefferson County, KY—IN	53	77	3	5	1	1	4	12	30	0
Madison, WI	10	15	1	1	0	0	2	3	6	0
McAllen—Edinburg—Mission, TX	0	1	0	0	0	0	0	0	1	0
Memphis, TN—MS—AR	21	31	0	0	1	1	5	6	10	0
Miami—Fort Lauderdale—West Palm Beach, FL	416	451	18	20	7	8	40	49	29	0
Fort Lauderdale Division	249	267	3	3	2	2	13	16	13	0
Miami Division	97	108	6	6	0	0	10	12	9	0
West Palm Beach Division	70	75	9	10	5	5	17	21	7	0
Milwaukee—Waukesha—West Allis, WI	27	32	1	1	1	1	1	4	7	0
Minneapolis—St. Paul—Bloomington, MN—WI	74	97	3	5	6	7	1	12	32	0
Modesto, CA	5	7	1	1	0	0	1	1	1	0
Nashville—Davidson—Murfreesboro—Franklin, TN	61	75	2	3	1	1	4	10	19	0
New Haven—Milford, CT	15	19	7	8	0	0	2	3	5	0
New Orleans—Metairie, LA	92	116	6	8	3	4	7	14	29	0
New York—Newark—Jersey City, NY—NJ—PA ^d	472	746	12	57	19	26	42	125	237	1
Nassau County Division	44	61	0	2	4	4	6	11	21	0
New York Division	406	609	7	38	14	19	29	89	170	1
Newark Division	20	72	5	17	0	1	7	22	43	0
North Port—Sarasota—Bradenton, FL	28	38	4	5	0	0	3	7	13	0
Ogden—Clearfield, UT	1	4	0	0	0	0	1	1	3	0
Oklahoma City, OK	41	70	9	14	7	10	5	9	13	0
Omaha—Council Bluffs, NE—IA	15	17	2	2	1	1	5	5	2	0
Orlando—Kissimmee—Sanford, FL	113	140	11	13	8	9	10	19	34	1
Oxnard—Thousand Oaks—Ventura, CA	14	17	0	0	0	0	1	1	1	0
Palm Bay—Melbourne—Titusville, FL	23	33	0	0	0	0	6	9	12	0
Philadelphia—Camden—Wilmington, PA—NJ—DE—MD	115	147	15	23	5	6	53	68	26	0
Camden Division	11	33	3	9	0	0	4	13	17	0
Montgomery Division	34	38	4	4	1	1	19	20	3	0
Philadelphia Division	56	58	7	8	1	1	24	27	3	0
Wilmington Division	14	19	1	2	3	3	6	8	3	0
Phoenix—Mesa—Scottsdale, AZ	136	166	14	16	14	16	16	20	32	0
Pittsburgh, PA	40	48	3	5	0	1	7	12	13	0
Portland—South Portland, ME	9	10	1	1	0	0	0	1	2	0
Portland—Vancouver—Hillsboro, OR—WA	80	94	8	9	14	15	6	9	15	0
Providence—Warwick, RI—MA	47	65	5	6	6	7	4	8	9	0
Provo—Orem, UT	3	3	0	0	0	0	0	0	0	0
Raleigh, NC	30	43	1	2	4	5	0	6	20	0

Table 8c. Diagnoses of HIV infection among white adult and adolescents, by transmission category and metropolitan statistical area of residence, 2013—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Richmond, VA	23	29	3	3	3	3	4	7	8	0
Riverside–San Bernardino–Ontario, CA	110	142	8	11	7	8	16	25	20	0
Rochester, NY	18	23	3	5	0	0	1	3	8	0
Sacramento–Roseville–Arden–Arcade, CA	34	57	6	8	1	2	10	16	20	0
St. Louis, MO–IL	56	76	0	1	3	4	9	12	19	0
Salt Lake City, UT	27	30	3	3	8	8	2	2	2	0
San Antonio–New Braunfels, TX	61	76	5	6	3	4	2	5	8	0
San Diego–Carlsbad–San Marcos, CA	144	173	13	16	4	5	16	21	9	0
San Francisco–Oakland–Hayward, CA ^d	204	239	16	18	33	36	5	8	21	0
Oakland Division	57	76	5	6	6	7	3	5	10	0
San Francisco Division	145	160	11	12	27	29	2	3	10	0
San Jose–Sunnyvale–Santa Clara, CA	27	39	4	5	3	4	3	5	8	0
San Juan–Carolina–Caguas, PR ^e	—	—	—	—	—	—	—	—	—	—
Scranton–Wilkes-Barre–Hazleton, PA	4	4	5	5	0	0	2	4	2	0
Seattle–Tacoma–Bellevue, WA	132	146	8	9	14	15	3	10	17	0
Seattle Division	116	128	5	6	13	14	2	8	14	0
Tacoma Division	16	18	3	3	1	1	1	2	3	0
Spokane–Spokane Valley, WA	9	10	3	3	5	5	0	2	3	0
Springfield, MA	7	12	1	3	0	0	2	8	6	1
Stockton–Lodi, CA	12	16	3	4	3	3	2	3	3	0
Syracuse, NY	8	12	1	1	2	2	1	2	6	0
Tampa–St. Petersburg–Clearwater, FL	159	179	18	21	12	13	30	42	27	0
Toledo, OH	12	17	1	2	0	0	1	4	8	0
Tucson, AZ	31	35	2	3	3	3	4	6	6	0
Tulsa, OK	31	56	3	5	4	6	2	4	12	0
Virginia Beach–Norfolk–Newport News, VA–NC	38	58	3	3	0	1	8	11	21	0
Washington–Arlington–Alexandria, DC–VA–MD–WV	138	229	2	8	9	13	9	29	64	0
Silver Spring Division	11	37	0	2	1	2	4	12	19	0
Washington Division	127	191	2	5	8	10	5	17	45	0
Wichita, KS	6	7	3	3	1	1	1	1	1	0
Winston-Salem, NC	10	17	2	2	0	0	3	5	9	0
Worcester, MA–CT	10	16	2	4	0	0	0	1	3	0
Youngstown–Warren–Boardman, OH–PA	4	9	0	1	2	2	4	7	9	0
Subtotal for MSAs (population of ≥500,000)	5,772	7,779	431	628	365	453	615	1,162	1,752	28
Metropolitan areas (population of 50,000–499,999)	1,145	1,603	125	173	96	121	223	404	512	10
Nonmetropolitan areas	260	393	38	58	25	33	64	116	148	2
Total^f	7,212	9,853	596	865	488	611	911	1,704	2,442	41

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not report or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan–Carolina–Caguas, PR. The 2013 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 9a. Black/African American adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	131	166	15	27	14	15	75	106	85	4
Albany–Schenectady–Troy, NY	128	148	147	191	32	34	188	262	167	16
Albuquerque, NM	29	33	10	12	8	10	14	20	15	0
Allentown–Bethlehem–Easton, PA–NJ	46	55	47	62	9	10	108	135	58	4
Atlanta–Sandy Springs–Roswell, GA	7,134	9,676	946	1,594	618	754	2,749	4,745	5,150	157
Augusta–Richmond County, GA–SC	431	595	146	255	35	52	239	630	681	22
Austin–Round Rock, TX	340	406	168	199	72	80	226	334	206	13
Bakersfield, CA	126	147	98	103	67	71	66	73	35	4
Baltimore–Columbia–Towson, MD	2,508	3,570	4,515	4,837	471	533	3,478	4,857	2,893	273
Baton Rouge, LA	715	1,113	471	707	90	164	821	1,563	1,513	44
Birmingham–Hoover, AL	974	1,218	124	205	56	75	503	870	766	27
Boise City, ID	2	5	2	3	2	3	2	9	13	1
Boston–Cambridge–Newton, MA–NH ^d	695	1,011	534	1,093	90	122	932	2,081	1,943	120
Boston Division	538	743	413	768	71	93	607	1,262	1,168	83
Cambridge Division	153	262	120	322	19	29	313	803	766	36
Bridgeport–Stamford–Norwalk, CT	134	167	297	357	13	15	339	439	227	29
Buffalo–Cheektowaga–Niagara Falls, NY	303	319	163	194	46	48	301	341	120	12
Cape Coral–Fort Myers, FL	98	124	50	67	15	17	382	463	143	13
Charleston–North Charleston, SC	487	589	132	203	49	63	420	607	402	23
Charlotte–Concord–Gastonia, NC–SC	1,473	1,937	425	694	90	142	914	1,867	1,820	49
Chattanooga, TN–GA	163	198	43	52	14	17	109	181	136	4
Chicago–Naperville–Elgin, IL–IN–WI	5,625	6,885	2,190	2,710	691	785	2,808	4,026	2,916	299
Chicago Division	5,228	6,401	2,073	2,555	640	726	2,590	3,698	2,667	286
Elgin Division	51	58	33	34	6	6	43	53	18	2
Gary Division	246	299	45	69	30	35	119	182	155	7
Lake County Division	100	127	39	51	15	18	56	94	76	3
Cincinnati, OH–KY–IN	697	875	83	138	53	65	326	503	446	20
Cleveland–Elyria, OH	1,132	1,365	176	254	95	118	576	758	566	38
Colorado Springs, CO	73	82	12	16	8	10	38	48	30	4
Columbia, SC	1,116	1,305	230	366	93	124	827	1,144	709	24
Columbus, OH	718	943	132	215	48	69	447	689	595	19
Dallas–Fort Worth–Arlington, TX	3,420	4,149	619	916	271	337	1,794	2,883	2,069	89
Dallas Division	2,835	3,435	390	636	194	248	1,414	2,294	1,671	54
Fort Worth Division	585	714	229	280	77	89	380	589	398	36
Dayton, OH	321	372	34	50	22	26	157	226	157	17
Deltona–Daytona Beach–Ormond Beach, FL	190	201	92	101	31	32	217	250	77	20
Denver–Aurora–Lakewood, CO	540	601	132	161	85	96	407	456	164	10
Des Moines–West Des Moines, IA	29	37	7	10	3	4	38	68	44	2
Detroit–Warren–Dearborn, MI	3,025	3,503	658	877	209	253	965	1,681	1,706	97
Detroit Division	2,511	2,915	603	787	189	227	832	1,440	1,458	84
Warren Division	514	588	55	91	20	26	133	241	248	14
Durham–Chapel Hill, NC	425	552	162	244	35	52	265	528	519	19
El Paso, TX	33	45	17	20	5	6	15	25	24	0
Fresno, CA	96	100	83	84	19	19	45	48	8	5
Grand Rapids–Wyoming, MI	76	101	20	32	8	11	83	143	109	6
Greensboro–High Point, NC	560	701	115	225	35	54	231	600	667	18
Greenville–Anderson–Mauldin, SC	377	421	72	98	32	39	250	334	169	5
Harrisburg–Carlisle, PA	117	128	119	130	21	22	158	176	53	1
Hartford–West Hartford–East Hartford, CT	172	214	359	411	28	32	241	317	185	9
Honolulu (Urban), HI	50	55	9	11	10	11	19	23	14	1

Table 9a. Black/African American adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Houston—The Woodlands—Sugar Land, TX	3,398	4,328	1,242	1,596	388	473	3,633	4,777	2,588	151
Indianapolis—Carmel—Anderson, IN	828	959	128	167	72	83	461	596	342	22
Jackson, MS	930	1,245	116	310	45	90	481	1,028	1,174	33
Jacksonville, FL	1,213	1,232	391	394	110	111	2,088	2,103	123	61
Kansas City, MO—KS	923	1,015	113	138	81	90	303	442	285	13
Knoxville, TN	91	112	33	40	7	9	50	87	75	4
Lakeland—Winter Haven, FL	155	177	61	77	12	15	508	564	117	14
Lancaster, PA	13	18	24	29	3	4	44	69	41	3
Las Vegas—Henderson—Paradise, NV	689	742	157	190	72	82	353	436	210	22
Little Rock—North Little Rock—Conway, AR	467	522	73	91	28	34	229	278	120	9
Los Angeles—Long Beach—Anaheim, CA	4,853	5,868	570	891	545	643	981	1,770	2,188	117
Anaheim Division	152	161	52	54	15	16	81	87	20	5
Los Angeles Division	4,701	5,707	518	837	530	627	900	1,683	2,168	112
Louisville—Jefferson County, KY—IN	493	599	141	165	50	59	262	371	282	17
Madison, WI	36	49	22	26	7	9	48	71	46	2
McAllen—Edinburg—Mission, TX	5	5	4	4	0	0	2	2	0	0
Memphis, TN—MS—AR	2,161	2,792	199	327	93	144	1,941	2,507	1,564	66
Miami—Fort Lauderdale—West Palm Beach, FL	4,578	5,495	2,055	2,509	490	578	14,525	16,247	3,977	639
Fort Lauderdale Division	1,332	1,644	666	847	129	159	4,643	5,447	1,563	187
Miami Division	2,530	3,027	1,115	1,330	297	343	6,610	7,268	1,815	319
West Palm Beach Division	716	824	274	332	64	75	3,272	3,533	599	133
Milwaukee—Waukesha—West Allis, WI	688	813	165	210	71	82	298	423	328	14
Minneapolis—St. Paul—Bloomington, MN—WI	535	857	140	219	62	90	390	965	1,045	33
Modesto, CA	14	16	10	10	3	3	9	11	6	2
Nashville—Davidson—Murfreesboro—Franklin, TN	895	1,052	365	376	75	84	595	747	413	29
New Haven—Milford, CT	166	203	408	467	25	28	338	407	198	29
New Orleans—Metairie, LA	1,366	1,950	475	783	161	254	1,139	1,976	1,943	90
New York—Newark—Jersey City, NY—NJ—PA ^d	12,909	17,126	10,625	17,831	1,402	1,802	13,412	22,815	22,986	1,883
Nassau County Division	396	500	330	489	56	63	485	755	658	89
New York Division	11,131	14,528	8,089	14,015	1,127	1,440	10,799	18,288	18,684	1,499
Newark Division	1,330	2,028	2,051	3,135	193	269	2,027	3,649	3,549	286
North Port—Sarasota—Bradenton, FL	124	136	47	58	12	13	286	337	95	17
Ogden—Clearfield, UT	14	17	3	3	0	0	5	7	6	1
Oklahoma City, OK	330	395	44	66	45	57	99	176	169	7
Omaha—Council Bluffs, NE—IA	113	149	24	35	14	18	97	182	144	8
Orlando—Kissimmee—Sanford, FL	1,413	1,582	499	570	133	151	1,382	1,755	725	74
Oxnard—Thousand Oaks—Ventura, CA	18	23	3	3	2	2	10	13	9	2
Palm Bay—Melbourne—Titusville, FL	108	125	39	54	10	11	203	258	106	14
Philadelphia—Camden—Wilmington, PA—NJ—DE—MD	4,082	4,231	3,430	3,562	551	560	6,172	6,448	974	257
Camden Division	362	442	232	331	46	55	425	547	288	27
Montgomery Division	135	144	122	132	30	30	262	286	67	9
Philadelphia Division	3,241	3,282	2,599	2,616	400	398	4,910	5,021	540	197
Wilmington Division	344	363	477	483	75	77	575	594	79	24
Phoenix—Mesa—Scottsdale, AZ	411	473	134	154	79	88	222	299	194	19
Pittsburgh, PA	477	494	160	183	34	35	372	427	133	12
Portland—South Portland, ME	16	22	3	14	2	3	20	56	55	2
Portland—Vancouver—Hillsboro, OR—WA	133	150	31	35	24	26	105	124	51	8
Providence—Warwick, RI—MA	106	127	211	248	14	15	207	280	137	14
Provo—Orem, UT	1	2	0	0	1	1	1	2	2	0
Raleigh, NC	689	881	170	279	62	82	340	718	734	30

Table 9a. Black/African American adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Richmond, VA	1,203	1,359	434	517	141	155	808	1,092	596	41
Riverside–San Bernardino–Ontario, CA	510	597	183	217	58	67	307	393	207	15
Rochester, NY	268	316	293	399	42	49	215	368	352	17
Sacramento–Roseville–Arden–Arcade, CA	309	341	101	107	39	42	269	297	67	14
St. Louis, MO–IL	1,860	2,102	203	278	134	159	805	1,054	624	30
Salt Lake City, UT	37	45	21	27	5	6	44	76	52	4
San Antonio–New Braunfels, TX	263	337	65	96	33	43	114	208	197	4
San Diego–Carlsbad–San Marcos, CA	856	888	161	167	124	127	310	329	53	16
San Francisco–Oakland–Hayward, CA ^d	2,231	2,379	981	1,024	502	513	990	1,155	390	57
Oakland Division	1,294	1,404	412	449	114	121	750	873	271	41
San Francisco Division	885	912	502	506	355	356	220	256	98	15
San Jose–Sunnyvale–Santa Clara, CA	122	142	37	44	19	22	96	137	73	8
San Juan–Carolina–Caguas, PR ^e	—	—	—	—	—	—	—	—	—	—
Scranton–Wilkes-Barre–Hazleton, PA	24	26	35	36	9	9	40	49	19	4
Seattle–Tacoma–Bellevue, WA	482	605	111	150	52	63	327	559	452	42
Seattle Division	391	504	76	111	43	53	265	474	407	37
Tacoma Division	91	101	35	39	9	10	62	86	45	5
Spokane–Spokane Valley, WA	7	9	1	1	1	1	11	13	6	1
Springfield, MA	67	88	93	137	14	16	64	127	118	11
Stockton–Lodi, CA	91	97	94	98	17	18	77	85	17	4
Syracuse, NY	82	92	64	84	13	14	124	152	74	8
Tampa–St. Petersburg–Clearwater, FL	1,184	1,311	398	460	98	106	1,570	1,817	548	82
Toledo, OH	156	170	33	41	13	15	162	182	53	9
Tucson, AZ	64	71	27	29	13	14	51	65	30	5
Tulsa, OK	165	187	12	21	19	23	71	106	70	5
Virginia Beach–Norfolk–Newport News, VA–NC	1,859	2,216	424	580	134	167	942	1,581	1,268	58
Washington–Arlington–Alexandria, DC–VA–MD–WV	6,147	8,319	2,679	3,586	636	782	6,198	9,666	6,310	325
Silver Spring Division	362	615	110	204	31	48	980	1,541	863	41
Washington Division	5,785	7,704	2,569	3,383	605	734	5,218	8,125	5,447	284
Wichita, KS	73	82	11	13	16	17	71	85	30	4
Winston-Salem, NC	300	394	69	146	29	39	211	461	458	16
Worcester, MA–CT	41	63	78	123	6	8	103	238	186	6
Youngstown–Warren–Boardman, OH–PA	103	134	51	76	8	13	76	106	100	7
Subtotal for MSAs (population of ≥500,000)	98,654	122,462	42,628	58,495	10,553	12,702	87,440	124,681	83,535	6,027
Metropolitan areas (population of 50,000–499,999)	13,464	16,979	6,354	8,636	1,862	2,340	12,895	19,051	13,116	693
Nonmetropolitan areas	3,722	4,894	1,811	2,596	622	798	3,996	6,115	4,497	218
Total^f	116,873	145,707	51,210	70,360	13,172	16,010	104,836	150,749	102,104	7,031

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not report or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan–Carolina–Caguas, PR. The 2013 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 9b. Hispanic/Latino adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	12	13	2	2	0	0	4	5	3	1
Albany–Schenectady–Troy, NY	75	85	119	132	35	36	80	94	49	6
Albuquerque, NM	412	445	48	54	47	51	66	76	61	6
Allentown–Bethlehem–Easton, PA–NJ	74	91	198	224	12	14	171	212	114	17
Atlanta–Sandy Springs–Roswell, GA	1,465	1,880	96	171	108	128	392	549	591	22
Augusta–Richmond County, GA–SC	27	39	3	5	3	4	9	17	21	0
Austin–Round Rock, TX	898	1,020	84	108	80	94	173	241	201	10
Bakersfield, CA	250	290	194	207	110	114	119	138	69	8
Baltimore–Columbia–Towson, MD	180	254	91	103	19	23	148	186	113	3
Baton Rouge, LA	19	27	3	6	2	3	13	19	19	1
Birmingham–Hoover, AL	38	52	4	6	4	5	18	27	27	0
Boise City, ID	31	37	5	6	2	3	8	14	14	0
Boston–Cambridge–Newton, MA–NH ^d	773	1,017	660	864	78	93	442	734	658	49
Boston Division	495	628	332	430	51	60	212	346	317	20
Cambridge Division	268	378	323	427	27	33	227	383	336	29
Bridgeport–Stamford–Norwalk, CT	193	236	237	288	17	20	208	261	167	16
Buffalo–Cheektowaga–Niagara Falls, NY	84	95	125	136	29	30	91	99	40	2
Cape Coral–Fort Myers, FL	72	94	36	42	7	8	93	114	57	5
Charleston–North Charleston, SC	33	55	5	9	1	3	19	31	43	2
Charlotte–Concord–Gastonia, NC–SC	160	245	10	24	6	13	57	118	171	4
Chattanooga, TN–GA	23	33	1	3	1	1	10	18	21	0
Chicago–Naperville–Elgin, IL–IN–WI	3,036	3,622	492	606	284	323	881	1,097	857	83
Chicago Division	2,795	3,326	451	553	254	287	765	953	762	78
Elgin Division	86	98	16	18	14	15	49	58	20	0
Gary Division	59	73	16	19	8	9	17	20	25	4
Lake County Division	96	125	9	15	8	11	50	66	50	1
Cincinnati, OH–KY–IN	43	54	13	16	3	4	33	37	19	0
Cleveland–Elyria, OH	137	174	103	111	26	27	94	113	77	10
Colorado Springs, CO	72	77	12	16	6	7	10	14	16	1
Columbia, SC	43	70	5	12	4	6	30	45	51	0
Columbus, OH	93	117	19	22	8	10	36	40	36	3
Dallas–Fort Worth–Arlington, TX	2,939	3,433	189	280	159	194	533	767	761	28
Dallas Division	2,504	2,910	102	175	108	135	402	591	620	24
Fort Worth Division	435	522	87	106	51	59	131	176	141	5
Dayton, OH	21	23	0	1	1	1	3	3	3	0
Deltona–Daytona Beach–Ormond Beach, FL	72	76	29	32	9	9	35	41	21	7
Denver–Aurora–Lakewood, CO	1,120	1,224	128	152	155	169	164	207	195	6
Des Moines–West Des Moines, IA	30	36	3	4	4	5	11	14	11	0
Detroit–Warren–Dearborn, MI	183	219	33	40	8	10	54	73	77	7
Detroit Division	105	129	25	31	8	10	38	54	57	4
Warren Division	78	90	8	10	0	0	16	19	20	3
Durham–Chapel Hill, NC	48	93	1	8	3	7	36	74	94	0
El Paso, TX	1,006	1,093	89	109	64	74	228	277	146	18
Fresno, CA	532	550	67	68	58	59	87	95	16	7
Grand Rapids–Wyoming, MI	66	85	6	8	3	4	27	31	28	1
Greensboro–High Point, NC	47	67	3	6	1	2	14	30	40	0
Greenville–Anderson–Mauldin, SC	51	65	7	9	2	3	22	26	20	0
Harrisburg–Carlisle, PA	29	32	74	77	9	10	51	56	16	1
Hartford–West Hartford–East Hartford, CT	197	239	646	685	44	48	332	379	167	30
Honolulu (Urban), HI	106	108	16	17	16	16	4	6	10	4
Houston–The Woodlands–Sugar Land, TX	3,174	3,834	271	382	207	258	1,334	1,615	1,096	54

Table 9b. Hispanic/Latino adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Indianapolis–Carmel–Anderson, IN	132	163	17	21	16	17	83	94	48	0
Jackson, MS	21	35	4	8	3	4	8	18	30	0
Jacksonville, FL	127	129	35	36	14	14	110	112	9	4
Kansas City, MO–KS	263	307	26	32	33	37	59	79	78	4
Knoxville, TN	17	25	1	2	0	1	7	12	15	0
Lakeland–Winter Haven, FL	65	77	37	41	10	11	94	104	35	7
Lancaster, PA	38	52	69	84	2	3	75	95	64	9
Las Vegas–Henderson–Paradise, NV	1,022	1,071	64	73	85	92	167	191	101	6
Little Rock–North Little Rock–Conway, AR	39	48	4	6	6	7	3	8	16	0
Los Angeles–Long Beach–Anaheim, CA	14,117	16,653	784	1,154	976	1,166	1,836	2,858	3,939	234
Anaheim Division	2,023	2,113	208	218	118	124	370	393	104	27
Los Angeles Division	12,094	14,540	576	936	858	1,043	1,466	2,465	3,835	207
Louisville–Jefferson County, KY–IN	53	75	8	9	1	3	24	34	35	0
Madison, WI	37	46	2	3	4	5	10	14	16	2
McAllen–Edinburg–Mission, TX	457	560	56	82	19	30	207	267	185	12
Memphis, TN–MS–AR	62	87	11	13	4	6	54	61	38	1
Miami–Fort Lauderdale–West Palm Beach, FL	8,722	9,286	635	745	448	477	3,217	3,545	1,183	104
Fort Lauderdale Division	1,396	1,519	115	141	82	87	497	592	278	21
Miami Division	6,948	7,343	446	521	336	356	2,308	2,508	795	69
West Palm Beach Division	378	424	74	83	30	33	412	445	110	14
Milwaukee–Waukesha–West Allis, WI	171	207	62	65	20	22	88	102	63	5
Minneapolis–St. Paul–Bloomington, MN–WI	284	363	34	41	22	27	72	104	129	5
Modesto, CA	111	122	16	18	10	12	28	32	21	7
Nashville–Davidson–Murfreesboro–Franklin, TN	145	181	11	13	1	3	70	81	54	3
New Haven–Milford, CT	162	194	351	394	22	24	236	268	131	19
New Orleans–Metairie, LA	180	257	18	37	24	33	71	121	163	8
New York–Newark–Jersey City, NY–NJ–PA ^d	14,511	18,018	9,597	13,430	1,662	1,958	8,679	12,128	12,143	1,170
Nassau County Division	546	663	162	249	41	49	337	470	400	47
New York Division	13,217	16,281	8,616	12,068	1,508	1,765	7,723	10,745	10,820	1,064
Newark Division	687	996	621	889	87	116	557	846	863	54
North Port–Sarasota–Bradenton, FL	68	88	35	38	1	4	62	77	43	2
Ogden–Clearfield, UT	35	38	3	4	10	10	7	10	7	0
Oklahoma City, OK	105	135	25	30	16	19	44	60	50	1
Omaha–Council Bluffs, NE–IA	57	82	5	8	3	6	30	43	46	1
Orlando–Kissimmee–Sanford, FL	998	1,094	332	354	106	112	487	589	283	46
Oxnard–Thousand Oaks–Ventura, CA	264	285	20	25	14	16	63	74	36	5
Palm Bay–Melbourne–Titusville, FL	26	30	19	20	6	6	31	36	13	2
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	843	931	1,069	1,117	188	193	1,188	1,250	286	67
Camden Division	142	193	157	197	23	28	176	211	128	13
Montgomery Division	74	82	64	68	12	12	94	98	23	4
Philadelphia Division	568	596	793	796	142	143	858	879	129	49
Wilmington Division	59	60	55	56	11	11	60	62	6	1
Phoenix–Mesa–Scottsdale, AZ	1,657	1,823	280	314	210	233	327	391	308	15
Pittsburgh, PA	51	53	17	19	4	4	13	13	6	1
Portland–South Portland, ME	14	15	9	11	4	4	3	6	6	0
Portland–Vancouver–Hillsboro, OR–WA	315	360	36	41	23	26	49	62	69	1
Providence–Warwick, RI–MA	157	189	182	217	25	28	247	296	123	14
Provo–Orem, UT	21	23	3	3	2	2	9	10	6	2
Raleigh, NC	101	166	11	24	3	9	36	84	135	3
Richmond, VA	70	88	25	28	5	6	51	61	33	0
Riverside–San Bernardino–Ontario, CA	1,482	1,646	213	238	158	172	366	430	236	24

Table 9b. Hispanic/Latino adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Rochester, NY	113	140	211	263	18	20	92	156	161	8
Sacramento–Roseville–Arden–Arcade, CA	348	381	55	59	45	48	125	135	43	7
St. Louis, MO–IL	129	148	14	20	9	9	26	41	40	1
Salt Lake City, UT	177	195	55	59	41	43	44	57	41	3
San Antonio–New Braunfels, TX	1,944	2,224	243	303	115	144	334	462	438	19
San Diego–Carlsbad–San Marcos, CA	2,875	2,965	262	270	245	250	480	505	99	49
San Francisco–Oakland–Hayward, CA ^d	3,169	3,303	255	274	441	451	418	481	231	35
Oakland Division	871	931	88	98	62	67	198	222	84	14
San Francisco Division	2,222	2,284	142	150	357	361	194	227	128	20
San Jose–Sunnyvale–Santa Clara, CA	756	851	60	71	78	86	139	180	143	8
San Juan–Carolina–Caguas, PR ^e	—	—	—	—	—	—	—	—	—	—
Scranton–Wilkes-Barre–Hazleton, PA	21	23	22	27	5	5	37	44	17	2
Seattle–Tacoma–Bellevue, WA	639	708	66	79	80	86	93	133	135	5
Seattle Division	581	640	45	56	72	77	65	99	115	4
Tacoma Division	58	67	21	23	8	9	28	34	20	1
Spokane–Spokane Valley, WA	13	14	5	5	5	5	1	1	3	1
Springfield, MA	118	168	392	463	32	35	213	300	200	34
Stockton–Lodi, CA	189	197	54	56	31	32	88	93	10	2
Syracuse, NY	34	36	30	33	5	5	26	31	18	5
Tampa–St. Petersburg–Clearwater, FL	642	701	196	212	52	55	390	456	173	23
Toledo, OH	30	31	4	5	2	3	9	11	5	1
Tucson, AZ	391	414	71	75	50	54	69	75	46	6
Tulsa, OK	72	85	14	17	6	8	21	28	25	4
Virginia Beach–Norfolk–Newport News, VA–NC	97	123	28	34	7	8	61	82	60	4
Washington–Arlington–Alexandria, DC–VA–MD–WV	1,374	1,744	127	201	84	106	662	899	656	32
Silver Spring Division	170	256	17	31	13	18	170	225	140	4
Washington Division	1,204	1,488	110	171	71	88	492	674	516	28
Wichita, KS	58	66	10	11	9	10	27	29	12	1
Winston-Salem, NC	42	77	4	12	1	4	14	35	68	1
Worcester, MA–CT	72	96	273	303	26	28	130	176	94	16
Youngstown–Warren–Boardman, OH–PA	13	27	11	14	0	2	17	23	28	3
Subtotal for MSAs (population of ≥500,000)	78,180	91,015	20,715	26,721	7,182	8,189	27,867	36,242	29,124	2,473
Metropolitan areas (population of 50,000–499,999)	5,110	6,524	2,605	3,196	852	1,012	2,797	3,629	3,064	176
Nonmetropolitan areas	897	1,374	653	818	195	255	676	919	966	43
Total^f	84,682	99,495	24,236	31,067	8,313	9,548	31,511	41,024	33,377	2,723

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

Hispanics/Latinos can be of any race.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not report or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan–Carolina–Caguas, PR. The 2013 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 9c. White adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Akron, OH	280	331	19	26	12	14	55	71	80	3
Albany–Schenectady–Troy, NY	434	464	86	112	42	43	107	148	124	14
Albuquerque, NM	325	341	33	35	57	59	43	50	30	0
Allentown–Bethlehem–Easton, PA–NJ	219	241	77	93	18	20	129	151	79	9
Atlanta–Sandy Springs–Roswell, GA	3,284	4,065	167	240	316	345	218	413	1,082	28
Augusta–Richmond County, GA–SC	209	259	32	45	21	22	38	78	105	7
Austin–Round Rock, TX	1,537	1,661	126	143	180	190	108	147	161	10
Bakersfield, CA	203	229	138	144	94	96	47	56	44	10
Baltimore–Columbia–Towson, MD	1,155	1,500	520	561	107	119	371	506	516	41
Baton Rouge, LA	331	410	76	95	60	71	73	121	168	8
Birmingham–Hoover, AL	728	837	75	88	50	55	112	155	192	8
Boise City, ID	199	218	41	45	47	50	25	31	38	4
Boston–Cambridge–Newton, MA–NH ^d	3,470	3,909	695	870	283	315	319	454	611	78
Boston Division	2,190	2,427	331	412	163	181	136	196	287	38
Cambridge Division	1,147	1,338	344	430	108	122	150	220	295	38
Bridgeport–Stamford–Norwalk, CT	333	402	175	202	14	17	107	134	139	11
Buffalo–Cheektowaga–Niagara Falls, NY	422	431	77	85	44	44	114	133	59	10
Cape Coral–Fort Myers, FL	335	391	52	61	40	44	131	155	106	7
Charleston–North Charleston, SC	381	435	44	55	36	40	71	98	105	6
Charlotte–Concord–Gastonia, NC–SC	977	1,208	97	140	64	79	160	277	428	14
Chattanooga, TN–GA	382	414	31	38	23	25	65	105	100	12
Chicago–Naperville–Elgin, IL–IN–WI	5,843	6,451	450	519	398	430	564	687	754	109
Chicago Division	5,351	5,860	360	412	354	379	429	517	583	91
Elgin Division	124	144	27	30	11	12	31	37	31	6
Gary Division	198	239	44	53	21	24	71	88	79	7
Lake County Division	170	208	19	26	12	14	33	46	61	6
Cincinnati, OH–KY–IN	1,044	1,204	69	90	62	69	163	222	275	21
Cleveland–Elyria, OH	1,047	1,180	82	96	92	99	167	199	212	21
Colorado Springs, CO	311	347	42	50	47	55	28	37	69	5
Columbia, SC	425	481	47	59	38	43	110	150	124	5
Columbus, OH	1,787	2,120	86	119	91	109	227	288	478	26
Dallas–Fort Worth–Arlington, TX	5,922	6,409	451	514	446	481	435	585	668	61
Dallas Division	4,970	5,328	229	270	318	342	266	360	452	35
Fort Worth Division	952	1,081	222	244	128	139	169	224	216	26
Dayton, OH	443	489	27	33	23	25	80	92	80	12
Deltona–Daytona Beach–Ormond Beach, FL	396	410	68	72	33	35	102	113	44	9
Denver–Aurora–Lakewood, CO	4,266	4,449	263	296	622	639	233	274	330	39
Des Moines–West Des Moines, IA	261	276	22	23	31	32	45	49	27	4
Detroit–Warren–Dearborn, MI	1,731	1,878	136	156	119	124	185	244	325	50
Detroit Division	724	780	76	85	49	52	101	126	130	17
Warren Division	1,007	1,099	60	71	70	72	84	118	195	33
Durham–Chapel Hill, NC	238	279	12	22	15	19	23	47	87	6
El Paso, TX	85	95	9	11	9	10	14	17	16	2
Fresno, CA	330	340	68	70	48	49	34	36	11	4
Grand Rapids–Wyoming, MI	352	381	12	16	28	29	51	59	55	5
Greensboro–High Point, NC	336	409	22	38	14	22	45	92	154	6
Greenville–Anderson–Mauldin, SC	360	397	27	36	34	37	78	95	75	6
Harrisburg–Carlisle, PA	343	347	70	74	25	26	112	117	37	11
Hartford–West Hartford–East Hartford, CT	462	546	245	279	31	34	130	166	171	10
Honolulu (Urban), HI	574	595	52	58	46	47	43	57	52	5

Table 9c. White adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Houston–The Woodlands–Sugar Land, TX	3,796	4,215	376	442	427	450	538	679	662	38
Indianapolis–Carmel–Anderson, IN	1,618	1,718	99	112	166	172	244	269	179	24
Jackson, MS	206	275	37	47	34	41	29	56	126	8
Jacksonville, FL	988	997	180	182	121	121	376	383	42	12
Kansas City, MO–KS	1,761	1,857	110	115	222	227	170	196	173	26
Knoxville, TN	554	598	67	72	28	30	100	123	99	6
Lakeland–Winter Haven, FL	296	320	88	92	32	34	154	168	58	10
Lancaster, PA	171	188	40	53	11	14	53	67	57	4
Las Vegas–Henderson–Paradise, NV	1,908	2,036	244	268	262	277	238	273	240	17
Little Rock–North Little Rock–Conway, AR	541	601	53	57	56	58	84	101	83	8
Los Angeles–Long Beach–Anaheim, CA	13,860	14,903	722	829	1,246	1,314	539	762	1,326	101
Anaheim Division	2,358	2,423	240	246	174	180	196	207	75	25
Los Angeles Division	11,502	12,480	482	583	1,072	1,134	343	555	1,251	76
Louisville–Jefferson County, KY–IN	977	1,120	73	87	77	84	132	182	240	11
Madison, WI	290	318	16	21	29	32	27	38	57	9
McAllen–Edinburg–Mission, TX	26	34	5	7	2	3	4	7	13	0
Memphis, TN–MS–AR	634	720	62	73	56	58	128	165	166	15
Miami–Fort Lauderdale–West Palm Beach, FL	7,587	8,001	593	648	463	482	1,073	1,231	774	61
Fort Lauderdale Division	4,104	4,347	260	289	244	255	436	523	440	36
Miami Division	2,395	2,511	175	191	146	150	316	353	208	16
West Palm Beach Division	1,088	1,143	158	168	73	77	321	355	126	9
Milwaukee–Waukesha–West Allis, WI	704	753	50	59	61	64	72	88	96	15
Minneapolis–St. Paul–Bloomington, MN–WI	2,361	2,506	96	118	224	230	225	306	300	29
Modesto, CA	150	163	40	42	29	31	26	31	25	7
Nashville–Davidson–Murfreesboro–Franklin, TN	1,542	1,660	169	172	102	106	229	280	246	22
New Haven–Milford, CT	404	449	283	309	32	35	167	192	115	12
New Orleans–Metairie, LA	1,446	1,700	149	184	199	224	125	203	437	27
New York–Newark–Jersey City, NY–NJ–PA ^d	16,161	18,641	2,938	3,757	837	974	2,315	3,145	4,535	336
Nassau County Division	954	1,112	263	322	81	87	241	310	364	42
New York Division	14,211	16,270	2,303	2,952	685	798	1,817	2,448	3,653	260
Newark Division	846	1,093	309	412	56	72	209	330	471	27
North Port–Sarasota–Bradenton, FL	527	556	92	98	39	42	123	142	69	8
Ogden–Clearfield, UT	111	118	11	13	33	33	13	16	15	1
Oklahoma City, OK	860	953	124	138	176	185	103	130	149	22
Omaha–Council Bluffs, NE–IA	397	442	47	50	65	69	79	101	89	12
Orlando–Kissimmee–Sanford, FL	2,599	2,716	223	238	171	177	274	328	228	17
Oxnard–Thousand Oaks–Ventura, CA	250	280	42	47	23	25	35	41	47	9
Palm Bay–Melbourne–Titusville, FL	335	367	71	76	34	37	95	118	81	12
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	3,382	3,517	969	994	257	263	1,200	1,252	337	63
Camden Division	512	589	105	127	39	44	158	185	115	8
Montgomery Division	647	667	118	129	45	47	254	265	81	16
Philadelphia Division	1,904	1,927	638	630	148	147	634	642	113	33
Wilmington Division	319	333	108	107	25	26	154	160	28	6
Phoenix–Mesa–Scottsdale, AZ	3,691	3,888	455	489	477	495	359	409	379	48
Pittsburgh, PA	1,095	1,115	65	78	46	47	189	219	120	22
Portland–South Portland, ME	350	374	45	57	24	26	32	43	56	7
Portland–Vancouver–Hillsboro, OR–WA	2,325	2,406	235	245	298	302	226	256	166	24
Providence–Warwick, RI–MA	744	840	379	435	83	91	216	260	191	21
Provo–Orem, UT	58	61	6	7	11	11	9	11	11	5
Raleigh, NC	592	702	46	69	37	46	59	116	208	7
Richmond, VA	694	749	72	81	39	42	97	128	121	18

Table 9c. White adults and adolescents living with diagnosed HIV infection (prevalence), by transmission category and metropolitan statistical area of residence, year-end 2012—United States (cont)

MSA of residence	Male-to-male sexual contact		Injection drug use (IDU)		Male-to-male sexual contact/IDU		Heterosexual contact ^a		Other ^b	
	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c	No.	Est. No. ^c
Riverside–San Bernardino–Ontario, CA	2,862	2,980	284	306	371	378	259	303	165	27
Rochester, NY	554	596	82	109	49	52	109	152	140	11
Sacramento–Roseville–Arden-Arcade, CA	1,250	1,329	189	197	227	234	301	319	100	17
St. Louis, MO–IL	1,986	2,136	97	116	114	125	221	265	272	41
Salt Lake City, UT	819	847	132	139	206	208	74	87	69	16
San Antonio–New Braunfels, TX	776	906	98	114	65	73	87	128	178	9
San Diego–Carlsbad–San Marcos, CA	4,802	4,894	330	337	609	615	350	365	79	32
San Francisco–Oakland–Hayward, CA ^d	9,897	10,070	594	619	1,702	1,707	390	447	330	54
Oakland Division	1,855	1,950	149	164	196	203	195	222	141	30
San Francisco Division	7,754	7,820	381	391	1,441	1,438	154	181	170	20
San Jose–Sunnyvale–Santa Clara, CA	953	1,011	89	97	119	123	101	118	85	15
San Juan–Carolina–Caguas, PR ^e	—	—	—	—	—	—	—	—	—	—
Scranton–Wilkes-Barre–Hazleton, PA	144	157	39	49	12	14	75	88	53	6
Seattle–Tacoma–Bellevue, WA	4,070	4,206	261	285	597	605	293	352	297	39
Seattle Division	3,774	3,873	190	209	549	554	228	272	226	32
Tacoma Division	296	333	71	76	48	51	65	79	71	7
Spokane–Spokane Valley, WA	211	220	39	41	54	55	24	28	20	1
Springfield, MA	238	285	100	128	24	28	46	77	89	9
Stockton–Lodi, CA	178	184	109	111	53	54	64	66	10	5
Syracuse, NY	306	321	41	49	23	24	86	99	57	10
Tampa–St. Petersburg–Clearwater, FL	3,222	3,337	362	382	303	306	655	716	275	42
Toledo, OH	284	296	17	21	31	31	90	99	34	6
Tucson, AZ	712	742	104	109	84	87	90	101	75	17
Tulsa, OK	599	644	77	85	106	112	85	100	68	6
Virginia Beach–Norfolk–Newport News, VA–NC	865	1,060	106	133	69	78	163	230	334	27
Washington–Arlington–Alexandria, DC–VA–MD–WV	4,444	5,128	252	333	253	288	387	629	1,004	80
Silver Spring Division	409	576	44	68	23	30	84	177	292	28
Washington Division	4,035	4,551	208	264	230	257	303	452	712	52
Wichita, KS	281	293	33	34	56	56	41	44	24	6
Winston-Salem, NC	243	293	28	43	13	18	37	78	119	5
Worcester, MA–CT	303	355	203	238	32	37	94	122	113	21
Youngstown–Warren–Boardman, OH–PA	119	152	16	22	6	8	42	52	60	7
Subtotal for MSAs (population of ≥500,000)	157,869	172,125	17,875	20,665	15,467	16,328	19,483	24,491	24,577	2,301
Metropolitan areas (population of 50,000–499,999)	24,939	27,814	4,697	5,338	3,535	3,766	6,048	7,523	5,993	684
Nonmetropolitan areas	5,150	5,906	1,299	1,476	836	902	1,743	2,252	1,755	223
Total^f	189,728	207,849	24,100	27,763	20,075	21,254	27,488	34,565	32,732	3,261

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not report or not identified.

^c Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing transmission category, but not for incomplete reporting.

^d Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^e Data are not presented for San Juan–Carolina–Caguas, PR. The 2013 postcensal estimates do not include population denominators by race/ethnicity for Puerto Rico, thereby preventing assessment of the suppression rule for population denominators (i.e., cells suppressed when population denominator <100).

^f Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 10. Deaths of adults and adolescents with diagnosed HIV infection, by sex and metropolitan statistical area of residence, 2012—United States and Puerto Rico

MSA of residence	Males				Females			
	No.	Estimated ^a			No.	Estimated ^a		
		No.	Rate	Rank ^b		No.	Rate	Rank ^b
Akron, OH	13	14	4.9	83	1	1	0.3	—
Albany–Schenectady–Troy, NY	30	35	9.8	41	10	12	3.1	—
Albuquerque, NM	19	22	6	73	4	5	1.2	—
Allentown–Bethlehem–Easton, PA–NJ	13	16	4.8	84	4	5	1.4	—
Atlanta–Sandy Springs–Roswell, GA	200	303	14.2	21	73	111	4.8	19
Augusta–Richmond County, GA–SC	18	25	10.7	33	3	4	1.7	—
Austin–Round Rock, TX	61	65	8.7	49	17	18	2.5	35
Bakersfield, CA	23	27	7.9	59	3	4	1.1	—
Baltimore–Columbia–Towson, MD	274	357	32.4	1	136	176	14.6	1
Baton Rouge, LA	68	76	23.1	7	40	45	13.1	2
Birmingham–Hoover, AL	43	55	12.2	26	16	20	4.1	24
Boise City, ID	5	6	2.3	—	2	3	1	—
Boston–Cambridge–Newton, MA–NH ^c	102	115	6.1	72	38	43	2.1	40
Boston Division	55	61	7.7	—	20	23	2.7	—
Cambridge Division	42	48	5.1	—	17	19	1.9	—
Bridgeport–Stamford–Norwalk, CT	35	38	10.1	39	16	17	4.2	23
Buffalo–Cheektowaga–Niagara Falls, NY	34	41	8.8	48	11	13	2.5	—
Cape Coral–Fort Myers, FL	20	23	8.4	54	10	11	4	—
Charleston–North Charleston, SC	21	23	8.2	56	14	15	5.1	14
Charlotte–Concord–Gastonia, NC–SC	97	109	12.1	27	30	35	3.5	29
Chattanooga, TN–GA	15	23	10.6	34	6	9	3.9	—
Chicago–Naperville–Elgin, IL–IN–WI	313	360	9.5	44	88	103	2.5	34
Chicago Division	276	319	10.9	—	79	93	3	—
Elgin Division	8	9	3.6	—	2	3	1	—
Gary Division	20	23	8.2	—	3	3	1	—
Lake County Division	9	9	2.6	—	4	4	1.1	—
Cincinnati, OH–KY–IN	43	50	5.9	75	12	13	1.4	47
Cleveland–Elyria, OH	58	67	8.1	57	17	20	2.2	39
Colorado Springs, CO	14	16	6	74	1	2	0.6	—
Columbia, SC	51	56	17.7	10	17	19	5.7	13
Columbus, OH	60	68	8.7	50	11	13	1.5	—
Dallas–Fort Worth–Arlington, TX	276	303	11.5	29	56	63	2.3	38
Dallas Division	215	234	13.5	—	38	42	2.3	—
Fort Worth Division	61	68	7.7	—	18	20	2.2	—
Dayton, OH	16	18	5.6	79	2	2	0.6	—
Deltona–Daytona Beach–Ormond Beach, FL	17	19	7.6	61	12	13	5	16
Denver–Aurora–Lakewood, CO	57	66	6.1	71	7	8	0.7	—
Des Moines–West Des Moines, IA	7	8	3.3	—	1	1	0.5	—
Detroit–Warren–Dearborn, MI	139	185	10.7	32	53	70	3.7	27
Detroit Division	111	147	20.9	—	46	61	7.8	—
Warren Division	28	38	3.7	—	7	9	0.8	—
Durham–Chapel Hill, NC	23	28	13.6	22	9	11	4.5	—
El Paso, TX	21	22	7	67	5	6	1.7	—
Fresno, CA	21	24	6.5	68	5	6	1.5	—
Grand Rapids–Wyoming, MI	11	15	3.6	—	4	5	1.3	—
Greensboro–High Point, NC	26	30	10.3	36	7	9	2.6	—
Greenville–Anderson–Mauldin, SC	27	29	8.6	51	6	6	1.8	—
Harrisburg–Carlisle, PA	28	36	15.8	15	4	5	2.1	—
Hartford–West Hartford–East Hartford, CT	44	48	9.7	42	24	26	4.9	17
Honolulu (Urban), HI	9	11	2.6	—	3	4	0.9	—

Table 10. Deaths of adults and adolescents with diagnosed HIV infection, by sex and metropolitan statistical area of residence, 2012—United States and Puerto Rico (cont)

MSA of residence	Males				Females			
	No.	Estimated ^a			No.	Estimated ^a		
		No.	Rate	Rank ^b		No.	Rate	Rank ^b
Houston–The Woodlands–Sugar Land, TX	326	352	14.4	19	116	126	5	15
Indianapolis–Carmel–Anderson, IN	69	77	10.1	38	13	15	1.8	44
Jackson, MS	54	69	30.8	2	24	30	12.2	4
Jacksonville, FL	77	88	15.9	14	40	46	7.8	10
Kansas City, MO–KS	52	60	7.4	64	11	13	1.5	—
Knoxville, TN	22	33	9.4	45	0	0	0	—
Lakeland–Winter Haven, FL	23	26	10.4	35	19	22	8.4	9
Lancaster, PA	10	13	6.2	—	2	3	1.3	—
Las Vegas–Henderson–Paradise, NV	85	98	11.9	28	25	28	3.4	32
Little Rock–North Little Rock–Conway, AR	31	35	12.3	25	3	3	1	—
Los Angeles–Long Beach–Anaheim, CA	526	600	11.3	30	82	96	1.7	45
Anaheim Division	64	73	5.8	—	12	14	1.1	—
Los Angeles Division	462	527	13	—	70	83	2	—
Louisville–Jefferson County, KY–IN	53	66	13.1	23	11	13	2.5	—
Madison, WI	7	8	3.2	—	2	2	0.9	—
McAllen–Edinburg–Mission, TX	10	11	3.8	—	2	2	0.7	—
Memphis, TN–MS–AR	86	123	23.7	6	45	64	11.1	5
Miami–Fort Lauderdale–West Palm Beach, FL	575	658	27.9	3	281	322	12.7	3
Fort Lauderdale Division	183	212	28.7	—	94	108	13.6	—
Miami Division	303	344	32.5	—	136	155	13.6	—
West Palm Beach Division	89	103	18.3	—	51	59	9.7	—
Milwaukee–Waukesha–West Allis, WI	18	20	3.3	88	14	16	2.3	37
Minneapolis–St. Paul–Bloomington, MN–WI	61	72	5.2	80	13	15	1	50
Modesto, CA	10	12	5.7	—	2	2	1.1	—
Nashville–Davidson–Murfreesboro–Franklin, TN	68	98	14.2	20	24	35	4.8	20
New Haven–Milford, CT	42	44	12.7	24	14	15	4	25
New Orleans–Metairie, LA	107	120	24.4	5	50	56	10.6	6
New York–Newark–Jersey City, NY–NJ–PA ^c	1,573	1,814	22.8	8	777	894	10.3	7
Nassau County Division	66	77	6.7	—	43	50	4	—
New York Division	1,314	1,514	26.9	—	618	712	11.5	—
Newark Division	180	208	20.8	—	110	125	11.7	—
North Port–Sarasota–Bradenton, FL	16	18	5.9	76	10	11	3.4	—
Ogden–Clearfield, UT	2	2	1	—	0	0	0	—
Oklahoma City, OK	40	44	8.5	52	4	4	0.8	—
Omaha–Council Bluffs, NE–IA	9	11	3	—	4	5	1.3	—
Orlando–Kissimmee–Sanford, FL	135	154	17	11	37	42	4.4	22
Oxnard–Thousand Oaks–Ventura, CA	13	14	4.2	86	8	9	2.6	—
Palm Bay–Melbourne–Titusville, FL	18	21	9.1	47	8	10	4.2	—
Philadelphia–Camden–Wilmington, PA–NJ–DE–MD	332	402	16.7	12	142	168	6.4	12
Camden Division	45	54	10.7	—	13	14	2.7	—
Montgomery Division	41	51	6.5	—	7	9	1.1	—
Philadelphia Division	221	267	32.4	—	104	124	13.2	—
Wilmington Division	25	29	10.1	—	18	21	6.7	—
Phoenix–Mesa–Scottsdale, AZ	126	146	8.4	55	15	17	1	51
Pittsburgh, PA	37	48	4.9	82	7	9	0.9	—
Portland–South Portland, ME	4	5	2.2	—	1	1	0.5	—
Portland–Vancouver–Hillsboro, OR–WA	57	68	7.2	65	11	12	1.3	—
Providence–Warwick, RI–MA	28	30	4.6	85	16	17	2.4	36
Provo–Orem, UT	3	3	1.7	—	0	0	0	—
Raleigh, NC	24	26	5.6	78	15	17	3.5	31

Table 10. Deaths of adults and adolescents with diagnosed HIV infection, by sex and metropolitan statistical area of residence, 2012—United States and Puerto Rico (cont)

MSA of residence	Males				Females			
	No.	Estimated ^a			No.	Estimated ^a		
		No.	Rate	Rank ^b		No.	Rate	Rank ^b
Richmond, VA	46	55	11	31	21	24	4.5	21
Riverside–San Bernardino–Ontario, CA	130	147	8.5	53	29	33	1.9	43
Rochester, NY	38	45	10.1	37	15	17	3.7	28
Sacramento–Roseville–Arden–Arcade, CA	43	50	5.7	77	13	16	1.7	46
St. Louis, MO–IL	89	103	9.2	46	21	24	2	42
Salt Lake City, UT	14	16	3.6	87	1	1	0.2	—
San Antonio–New Braunfels, TX	63	67	7.6	62	22	24	2.6	33
San Diego–Carlsbad–San Marcos, CA	110	126	9.5	43	13	15	1.2	49
San Francisco–Oakland–Hayward, CA ^c	289	333	17.9	9	34	39	2	41
Oakland Division	67	76	7.1	—	15	17	1.5	—
San Francisco Division	199	230	33.7	—	19	22	3.2	—
San Jose–Sunnyvale–Santa Clara, CA	34	40	5.1	81	1	1	0.1	—
San Juan–Carolina–Caguas, PR	183	239	26.3	4	68	88	8.5	8
Scranton–Wilkes-Barre–Hazleton, PA	12	15	6.4	69	1	1	0.5	—
Seattle–Tacoma–Bellevue, WA	95	110	7.5	63	18	21	1.4	48
Seattle Division	82	96	8.4	—	13	15	1.3	—
Tacoma Division	13	15	4.5	—	5	5	1.6	—
Spokane–Spokane Valley, WA	8	9	4.2	—	1	1	0.5	—
Springfield, MA	13	15	6.1	70	10	11	4	—
Stockton–Lodi, CA	19	21	7.7	60	6	7	2.4	—
Syracuse, NY	18	21	7.9	58	4	5	1.8	—
Tampa–St. Petersburg–Clearwater, FL	147	170	14.6	18	54	61	4.9	18
Toledo, OH	11	13	5.4	—	6	6	2.4	—
Tucson, AZ	24	29	7.1	66	4	5	1.1	—
Tulsa, OK	34	38	10	40	5	6	1.4	—
Virginia Beach–Norfolk–Newport News, VA–NC	95	112	16.2	13	24	28	3.9	26
Washington–Arlington–Alexandria, DC–VA–MD–WV	285	359	15.3	16	139	178	7.1	11
Silver Spring Division	28	37	7.4	—	10	13	2.5	—
Washington Division	257	323	17.4	—	129	165	8.4	—
Wichita, KS	9	10	4.1	—	1	1	0.4	—
Winston-Salem, NC	32	38	14.9	17	4	5	1.9	—
Worcester, MA–CT	11	12	3.2	—	13	14	3.5	30
Youngstown–Warren–Boardman, OH–PA	8	10	4.2	—	6	7	2.7	—
Subtotal for MSAs (population of ≥500,000)	8,941	10,525	12.3	—	3,160	3,738	4.1	—
Metropolitan areas (population of 50,000–499,999)	1,597	1,882	6.2	—	571	683	2.2	—
Nonmetropolitan areas	413	486	3.8	—	167	202	1.6	—
Total^d	11,027	12,986	10.1	—	3,919	4,648	3.4	—

Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Deaths of persons with diagnosed HIV infection may be due to any cause. Because of the lack of U.S. census information for all U.S. dependent areas, table includes data for only the United States and Puerto Rico.

MSA, metropolitan statistical area.

MSA definitions for this report can be found at <http://www.census.gov/population/metro/>.

Reported numbers less than 12, as well as estimated numbers and accompanying rates based on these numbers, should be interpreted with caution because the numbers have underlying relative standard errors greater than 30% and are considered unreliable.

^a Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting. Rates are per 100,000 population.

^b Based on estimated rate. Ranks were not assigned to MSAs with estimated rates that were based on reported or estimated numbers less than 12.

^c Counts of diagnoses of HIV infection in the metropolitan divisions do not sum to the MSA total. MSA total includes data from 1 metropolitan division with population of <500,000.

^d Includes persons whose county of residence is unknown. Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.