




Trends in HIV Infection, Stage 3 (AIDS)


Stage 3 (AIDS) Classifications, Deaths, and Persons Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS) 1985–2015—United States and 6 Dependent Areas



Note. Deaths of persons with HIV infection, stage 3 (AIDS) may be due to any cause.




Stage 3 (AIDS) Classifications and Deaths of Persons with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS) among Adults and Adolescents, 1985–2015—United States and 6 Dependent Areas



Note. Deaths of persons with HIV infection, stage 3 (AIDS) may be due to any cause.




Stage 3 (AIDS) Classifications and Deaths of Persons with Stage 3 (AIDS) among Persons with Diagnosed HIV Infection Attributed to Male-to-Male Sexual Contact, 1985–2015—United States and 6 Dependent Areas



Note. Deaths of persons with HIV infection, stage 3 (AIDS) may be due to any cause. Data have been statistically adjusted to account for missing transmission category. Data do not include males with HIV infection attributed to male-to-male sexual contact *and* injection drug use.




Stage 3 (AIDS) Classifications and Deaths of Persons with Stage 3 (AIDS) among Persons with Diagnosed HIV Infection Attributed to Injection Drug Use, 1985–2015— United States and 6 Dependent Areas



Note. Deaths of persons with HIV infection, stage 3 (AIDS) may be due to any cause. Data have been statistically adjusted to account for missing transmission category. Data do not include males with HIV infection attributed to male-to-male sexual contact *and* injection drug use.




Stage 3 (AIDS) Classifications and Deaths of Persons with Stage 3 (AIDS) among Persons with Diagnosed HIV Infection Attributed to Male-to-Male Sexual Contact and Injection Drug Use, 1985–2015—United States and 6 Dependent Areas



Note. Deaths of persons with HIV infection, stage 3 (AIDS) may be due to any cause. Data have been statistically adjusted to account for missing transmission category.



Stage 3 (AIDS) Classifications and Deaths of Persons with Stage 3 (AIDS) among Persons with Diagnosed HIV Infection Attributed to Heterosexual Contact^a, 1985–2015—United States and 6 Dependent Areas




Note. Deaths of persons with HIV infection, stage 3 (AIDS) may be due to any cause. Data have been statistically adjusted to account for missing transmission category.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.




Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection, by Race/Ethnicity and Year of Classification, 1985–2015—United States and 6 Dependent Areas



^a Hispanics/Latinos can be of any race.




Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection, by Race/Ethnicity and Year of Classification, 1985–2015—United States and 6 Dependent Areas



^a Includes Asian/Pacific Islander legacy cases.



Stage 3 (AIDS) Classifications among Male Adults and Adolescents with Diagnosed HIV Infection Attributed to Male-to-Male Sexual Contact, by Race/Ethnicity, 1985–2015—United States and 6 Dependent Areas




Note. Data have been statistically adjusted to account for missing transmission category. Data do not include males with HIV infection attributed to male-to-male sexual contact and injection drug use.

^a Hispanics/Latinos can be of any race.



Stage 3 (AIDS) Classifications among Male Adults and Adolescents with Diagnosed HIV Infection Attributed to Male-to-Male Sexual Contact, by Race/Ethnicity, 1985–2015—United States and 6 Dependent Areas




Note. Data have been statistically adjusted to account for missing transmission category. Data do not include males with HIV infection attributed to male-to-male sexual contact and injection drug use.

^a Includes Asian/Pacific Islander legacy cases.



Stage 3 (AIDS) Classifications among Female Adults and Adolescents with Diagnosed HIV Infection Attributed to Heterosexual Contact^a, by Race/Ethnicity, 1985–2015

United States and 6 Dependent Areas




Note. Data have been statistically adjusted to account for missing transmission category.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Hispanics/Latinos can be of any race.




Stage 3 (AIDS) Classifications among Female Adults and Adolescents with Diagnosed HIV Infection Attributed to Heterosexual Contact^a, by Race/Ethnicity, 1985–2015— United States and 6 Dependent Areas




Note. Data have been statistically adjusted to account for missing transmission category.
^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection
^b Includes Asian/Pacific Islander legacy cases.



Stage 3 (AIDS) Classifications among Persons with Diagnosed HIV Infection Attributed to Perinatal Transmission, 1985–2015—United States and 6 Dependent Areas



Deaths of Adults and Adolescents with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Race/Ethnicity, 1985–2015—United States and 6 Dependent Areas




Note. Deaths of persons with diagnosed HIV may be due to any cause.

^aHispanics/Latinos can be of any race.



Deaths of Adults and Adolescents with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Race/Ethnicity, 1985–2015—United States and 6 Dependent Areas




Note. Deaths of persons with diagnosed HIV may be due to any cause.

^a Includes Asian/Pacific Islander legacy cases.



Deaths of Female Adults and Adolescents with Stage 3 (AIDS), among Females with Diagnosed HIV Infection Attributed to Heterosexual Contact^a, by Race/Ethnicity, 1985–2015—United States and 6 Dependent Areas




Note. Deaths of persons with diagnosed HIV may be due to any cause. Data have been statistically adjusted to account for missing transmission category.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection

^b Hispanics/Latinos can be of any race.



Deaths of Female Adults and Adolescents with Stage 3 (AIDS), among Females with Diagnosed HIV Infection Attributed to Heterosexual Contact^a, by Race/Ethnicity, 1985–2015—United States and 6 Dependent Areas




Note. Deaths of persons with diagnosed HIV may be due to any cause. Data have been statistically adjusted to account for missing transmission category.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection

^b Includes Asian/Pacific Islander legacy cases.




Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Transmission Category, 1985–2015—United States and 6 Dependent Areas



Note. Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises 1% or less of cases.
^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection..



Male Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Transmission Category, 1985–2015—United States and 6 Dependent Areas




Note. Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises 1% or less of cases.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection..



Female Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Transmission Category, 1985–2015—United States and 6 Dependent Areas



Note. Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises 1% or less of cases.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection..

