





Epidemiology of HIV Infection through 2016


Diagnoses of HIV Infection among Adults and Adolescents, by Sex 2010–2015—United States and 6 Dependent Areas



Rates of Diagnoses of HIV Infection among Adults and Adolescents by Age at Diagnosis, 2010–2015—United States




Diagnoses of HIV Infection among Adults and Adolescents, by Race/Ethnicity 2010–2015—United States and 6 Dependent Areas



^a Hispanics/Latinos can be of any race.



Diagnoses of HIV Infection among Adults and Adolescents, by Transmission Category, 2010–2015—United States and 6 Dependent Areas



Note. Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises less than 1% of cases.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



Deaths of Persons with Diagnosed HIV Infection by Race/Ethnicity, 2015—United States

Race/ethnicity	No.	Rate	%
American Indian/Alaska Native	58	2.4	0.4
Asian ^a	76	0.4	0.5
Black/African American	6,960	17.5	45.0
Hispanic/Latino ^b	2,481	4.4	16.0
Native Hawaiian/other Pacific Islander	6	1.1	<1
White	4,915	2.5	31.8
Multiple races	957	14.6	6.2
Total^c	15,458	4.7	100

Note. Deaths of persons with diagnosed HIV infection may be due to any cause. Rates are per 100,000 population.


^a Includes Asian/Pacific Islander legacy cases.

^b Hispanics/Latinos can be of any race.

^c Includes 5 persons whose race/ethnicity is unknown.



Adults and Adolescents Living with Diagnosed HIV Infection, by Sex and Race/Ethnicity, Year-end 2015—United States and 6 Dependent Areas



Note. Unknown race/ethnicity is not displayed because it comprises less than 1% of cases.


^a Includes Asian/Pacific Islander legacy cases.

^b Hispanics/Latinos can be of any race.




Adults and Adolescents Living with Diagnosed HIV Infection, by Sex and Transmission Category, Year-end 2015—United States and 6 Dependent Areas

Male
N = 750,921



Female
N = 238,034



Note. Data have been statistically adjusted to account for missing transmission category. "Other" transmission category not displayed as it comprises 1% or less of cases.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.




Rates of Adults and Adolescents Living with Diagnosed HIV Infection

Year-end 2015—United States and 6 Dependent Areas

N = 988,955

Total Rate = 364.3




Note. Data are based on address of residence as of December 31, 2015 (i.e., most recent known address).



Rates of Children Aged <13 Years Living with Diagnosed HIV Infection Year-end 2015—United States and 6 Dependent Areas

N = 2,334

Total Rate = 4.4




Note. Data are based on address of residence as of December 31, 2015 (i.e., most recent known address).



Stage 3 (AIDS) Classifications and Deaths of Persons with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), among Adults and Adolescents, 1985–2015


United States and 6 Dependent Areas



Note. Deaths of persons with HIV infection, stage 3 (AIDS) may be due to any cause.



Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection, by Race/Ethnicity and Year of Classification, 1985–2015—United States and 6 Dependent Areas




Note. Unknown race/ethnicity is not displayed because it comprises less than 1% of cases.

^a Hispanics/Latinos can be of any race.

^b Includes Asian/Pacific Islander legacy cases.



Percentages of Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection, by Race/Ethnicity and Year of Classification, 1985–2015—United States and 6 Dependent Areas



Note. Unknown race/ethnicity is not displayed because it comprises less than 1% of cases.


^a Hispanics/Latinos can be of any race.

^b Includes Asian/Pacific Islander legacy cases.



Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection, by Transmission Category and Year of Classification, 1985–2015

United States and 6 Dependent Areas




Note. Data have been statistically adjusted to account for missing transmission category.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.



Percentages of Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection, by Transmission Category and Year of Classification 1985–2015—United States and 6 Dependent Areas




Note. Data have been statistically adjusted to account for missing transmission category.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.


^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.



Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Sex, 1993–2015—United States and 6 Dependent Areas



Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Race/Ethnicity, 1993–2015—United States and 6 Dependent Areas



Note. Unknown race/ethnicity is not displayed because it comprises less than 1% of cases.

^a Hispanics/Latinos can be of any race.


^b Includes Asian/Pacific Islander legacy cases.




Rates of Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), Year-end 2015—United States and 6 Dependent Areas

N = 531,564

Total Rate = 195.8



American Samoa 2.3
 Guam 22.9
 Northern Mariana Islands 7.5
 Puerto Rico 309.5
 Republic of Palau 22.6
 U.S. Virgin Islands 351.9




Note. Data are based on address of residence as of December 31, 2015 (i.e., most recent known address).



Rates of Children Aged <13 Years Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), Year-end 2015—United States and 6 Dependent Areas

N = 278

Total Rate = 0.5



Note. Data are based on address of residence as of December 31, 2015 (i.e., most recent known address).



Diagnoses of HIV Infection among Male Adults and Adolescents by Race/Ethnicity, 2016—United States

Race/ethnicity	No.	Rate	%
American Indian/Alaska Native	198	20.9	0.6
Asian	824	11.6	2.6
Black/African American	12,890	82.8	40.1
Hispanic/Latino ^a	8,582	38.8	26.7
Native Hawaiian/other Pacific Islander	39	16.8	0.1
White	8,879	10.6	27.6
Multiple races	719	33.8	2.2
Total	32,131	24.3	100

Note. Data for the year 2016 are preliminary and based on 6 months reporting delay. Rates are per 100,000 population.

^a Hispanics/Latinos can be of any race.



Diagnoses of HIV Infection among Female Adults and Adolescents by Race/Ethnicity, 2016—United States

Race/ethnicity	No.	Rate	%
American Indian/Alaska Native	45	4.5	0.6
Asian	145	1.8	1.9
Black/African American	4,560	26.2	60.6
Hispanic/Latino ^a	1,168	5.3	15.5
Native Hawaiian/other Pacific Islander	9	3.9	0.1
White	1,450	1.7	19.3
Multiple races	152	6.7	2.0
Total	7,529	5.4	100


Note. Data for the year 2016 are preliminary and based on 6 months reporting delay. Rates are per 100,000 population.

^a Hispanics/Latinos can be of any race.



Diagnoses of HIV Infection among Adults and Adolescents by Age at Diagnosis, 2016—United States


N = 39,660



Note. Data for the year 2016 are preliminary and based on 6 months reporting delay.



Diagnoses of HIV Infection among Adults and Adolescents by Sex and Race/Ethnicity, 2016—United States and 6 Dependent Areas




Note. Data for the year 2016 are preliminary and based on 6 months reporting delay.

^a Hispanics/Latinos can be of any race.



Rates of Diagnoses of HIV Infection among Adults and Adolescents by Sex and Race/Ethnicity, 2016—United States




Note. Data for the year 2016 are preliminary and based on 6 months reporting delay.

^a Hispanics/Latinos can be of any race.



Diagnoses of HIV Infection among Adults and Adolescents, by Transmission Category, 2016—United States and 6 Dependent Areas

N = 40,202



Note. Data for the year 2016 are preliminary and based on 6 months reporting delay. Data have been statistically adjusted to account for missing transmission category. "Other" transmission category not displayed as it comprises less than 1% of cases.


^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



Diagnoses of HIV Infection among Adults and Adolescents, by Sex and Transmission Category, 2016—United States and 6 Dependent Areas

Male
N = 32,563

Female
N = 7,639



Note. Data for the year 2016 are preliminary and based on 6 months reporting delay. Data have been statistically adjusted to account for missing transmission category. "Other" transmission category not displayed as it comprises less than 1% of cases.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



Diagnoses of HIV Infection among Adults and Adolescents, by Transmission Category 2016—United States and 6 Dependent Areas

Transmission category	No.	%
Male-to-male sexual contact	26,844	66.8
Injection drug use (IDU)	2,285	5.7
Male-to-male sexual contact and IDU	1,210	3.0
Heterosexual contact ^a	9,776	24.3
Other ^b	87	0.2
Total^c	40,202	100

Note. Data for the year 2016 are preliminary and based on 6 months reporting delay. Data have been statistically adjusted to account for missing transmission category.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.

^c Because column totals for numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.



Diagnosed HIV Infections Attributed to Male-to-Male Sexual Contact by Race/Ethnicity, 2016—United States and 6 Dependent Areas

Race/ethnicity	No.	%
American Indian/Alaska Native	152	0.6
Asian	740	2.8
Black/African American	10,226	38.1
Hispanic/Latino ^a	7,689	28.6
Native Hawaiian/other Pacific Islander	35	0.1
White	7,392	27.5
Multiple races	610	2.3
Total^b	26,844	100

Note. Data for the year 2016 are preliminary and based on 6 months reporting delay. Data have been statistically adjusted to account for missing transmission category.

^a Hispanics/Latinos can be of any race.

^b Because column totals for numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.



Diagnosed HIV Infections Attributed to Injection Drug Use, by Sex and Race/Ethnicity, 2016—United States and 6 Dependent Areas

Race/ethnicity	Males		Females		Total	
	No.	%	No.	%	No.	%
American Indian/Alaska Native	17	1.3	14	1.5	31	1.4
Asian	17	1.3	7	0.7	24	1.1
Black/African American	471	35.3	338	35.5	809	35.4
Hispanic/Latino ^a	345	25.9	152	16.0	497	21.8
Native Hawaiian/other Pacific Islander	1	0.1	2	0.2	3	0.1
White	459	34.4	411	43.2	870	38.1
Multiple races	23	1.7	29	3.0	52	2.3
Total^b	1,333	100	952	100	2,285	100

Note. Data for the year 2016 are preliminary and based on 6 months reporting delay. Data have been statistically adjusted to account for missing transmission category.

^a Hispanics/Latinos can be of any race.

^b Because column totals for numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.



Diagnosed HIV Infections Attributed to Male-to-Male Sexual Contact and Injection Drug Use, by Race/Ethnicity, 2016—United States and 6 Dependent Areas

Race/ethnicity	No.	%
American Indian/Alaska Native	21	1.7
Asian	9	0.7
Black/African American	254	21.0
Hispanic/Latino ^a	278	23.0
Native Hawaiian/other Pacific Islander	6	0.7
White	597	49.3
Multiple races	46	3.8
Total^b	1,210	100

Note. Data for the year 2016 are preliminary and based on 6 months reporting delay. Data have been statistically adjusted to account for missing transmission category.

^a Hispanics/Latinos can be of any race.

^b Because column totals for numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.



Diagnosed HIV Infections Attributed to Heterosexual Contact^a, by Sex and Race/Ethnicity, 2016—United States and 6 Dependent Areas

Race/ethnicity	Males		Females		Total	
	No.	%	No.	%	No.	%
American Indian/Alaska Native	8	0.3	31	0.5	39	0.4
Asian	56	1.8	136	2.0	192	2.0
Black/African American	1,927	61.4	4,189	63.1	6,116	62.6
Hispanic/Latino ^b	680	21.7	1,121	16.9	1,801	18.4
Native Hawaiian/other Pacific Islander	3	0.1	7	0.1	10	0.1
White	424	13.5	1,033	15.6	1,457	14.9
Multiple races	40	1.3	121	1.8	161	1.6
Total^c	3,138	100	6,638	100	9,776	100

Note. Data for the year 2016 are preliminary and based on 6 months reporting delay. Data have been statistically adjusted to account for missing transmission category.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Hispanics/Latinos can be of any race.


^c Because column totals for numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.



Rates of Diagnoses of HIV Infection among Adults and Adolescents 2016—United States and 6 Dependent Areas

N = 40,202

Total Rate = 14.7



Note. Data for the year 2016 are preliminary and based on 6 months reporting delay.



Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection, by Race/Ethnicity, 2016—United States

Race/ethnicity	No.	Rate
American Indian/Alaska Native	101	5.2
Asian ^a	334	2.2
Black/African American	8,476	25.7
Hispanic/Latino ^b	4,109	9.3
Native Hawaiian/other Pacific Islander	15	3.3
White	4,437	2.6
Multiple races	650	14.8
Total	18,122	6.7


Note. Data for the year 2016 are preliminary and based on 6 months reporting delay. Rates are per 100,000 population.

^a Includes Asian/Pacific Islander legacy cases.

^b Hispanics/Latinos can be of any race.



Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection, by Sex and Transmission Category, 2016—United States and 6 Dependent Areas



Note. Data for the year 2016 are preliminary and based on 6 months reporting delay. Data have been statistically adjusted to account for missing transmission category.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.


^b Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.



Rates of Diagnosed HIV Infection Classified as Stage 3 (AIDS) 2016—United States and 6 Dependent Areas

N = 18,370

Total Rate = 5.6



Note. Data for the year 2016 are preliminary and based on 6 months reporting delay.

