




HIV Surveillance by Race/Ethnicity


Diagnoses of HIV Infection among Adults and Adolescents, by Race/Ethnicity 2010–2016—United States and 6 Dependent Areas



^a Hispanics/Latinos can be of any race.




Rates of Diagnoses of HIV Infection among Adults and Adolescents by Race/Ethnicity, 2010–2016—United States



^a Hispanics/Latinos can be of any race.



Diagnoses of HIV Infection among Black/African American Adults and Adolescents by Sex and Transmission Category, 2010–2016—United States




Note. Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises less than 1% of cases.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



Diagnoses of HIV Infection among Hispanic/Latino Adults and Adolescents, by Sex and Transmission Category, 2010–2016—United States




Note. Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises less than 1% of cases.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



Diagnoses of HIV Infection among White Adults and Adolescents by Sex and Transmission Category, 2010–2016—United States




Note. Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises less than 1% of cases.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



Rates of Deaths for Persons with Diagnosed HIV Infection, by Race/Ethnicity 2010–2016—United States



Note. Deaths of persons with diagnosed HIV may be due to any cause. Unknown race/ethnicity is not displayed because it comprises less than 1% of cases.

^a Hispanics/Latinos can be of any race.

^b Includes Asian/Pacific Islander legacy cases.



Deaths of Persons with Diagnosed HIV Infection by Race/Ethnicity, 2016—United States

Race/ethnicity	No.	Rate	%
American Indian/Alaska Native	46	1.9	0.3
Asian ^a	95	0.5	0.6
Black/African American	6,795	16.9	44.0
Hispanic/Latino ^b	2,497	4.3	16.2
Native Hawaiian/other Pacific Islander	12	2.1	<1
White	5,038	2.5	32.7
Multiple races	944	14.0	6.1
Total^c	15,428	4.8	100

Note. Deaths of persons with diagnosed HIV infection may be due to any cause. Rates are per 100,000 population.

^a Includes Asian/Pacific Islander legacy cases.

^b Hispanics/Latinos can be of any race.

^c Includes one person whose race/ethnicity is unknown.



Adults and Adolescents Living with Diagnosed HIV Infection by Race/Ethnicity Year-end 2016—United States

Race/Ethnicity	No.	Rate	%
American Indian/Alaska Native	2,953	152.3	0.3
Asian ^a	13,508	88.6	1.4
Black/African American	412,196	1,247.3	41.7
Hispanic/Latino ^b	214,553	458.2	21.7
Native Hawaiian/other Pacific Islander	848	184.2	0.1
White	301,996	176.3	30.5
Multiple races	42,271	962.5	4.3
Total^c	989,222	365.5	100

Note. Rates are per 100,000 population.


^a Includes Asian/Pacific Islander legacy cases.

^b Hispanics/Latinos can be of any race.

^c Includes persons 897 whose race/ethnicity is unknown.




Diagnosed HIV Infections Classified as Stage 3 (AIDS) among Racial/Ethnic Minorities, 1985–2016—United States and 6 Dependent Areas



Note. Includes American Indians/Alaska Natives, Asians, blacks/African Americans, Hispanics/Latinos, and Native Hawaiians/other Pacific Islanders. Hispanics/Latinos can be of any race.



Percentages of Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection, by Race/Ethnicity and Year of Classification 1985–2016—United States and 6 Dependent Areas




Note. Unknown race/ethnicity is not displayed because it comprises less than 1% of cases.

^a Hispanics/Latinos can be of any race.

^b Includes Asian/Pacific Islander legacy cases.



Rates of Diagnosed HIV Infection Classified as Stage 3 (AIDS) among Adults and Adolescents, by Race/Ethnicity, 2000–2016—United States




^a Hispanics/Latinos can be of any race.

^b Includes Asian/Pacific Islander legacy cases.



Survival after Classification of Stage 3 (AIDS) during 2000-2013, by Months Survived and Race/Ethnicity—United States and 6 Dependent Areas




Note. Data exclude persons whose month of diagnosis or month of death is unknown.

^a Includes Asian/Pacific Islander legacy cases.

^b Hispanics/Latinos can be of any race.



Rates of Deaths for Persons with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Race/Ethnicity, 2010–2016—United States



Note. Deaths of persons with diagnosed HIV may be due to any cause.

^a Hispanics/Latinos can be of any race.

^b Includes Asian/Pacific Islander legacy cases.



Deaths of Persons with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS) by Race/Ethnicity, 2016—United States

Race/Ethnicity	No.	Rate	%
American Indian/Alaska Native	37	1.6	0.3
Asian ^a	78	0.4	0.6
Black/African American	5,406	13.4	44.0
Hispanic/Latino ^b	2,074	3.6	16.9
Native Hawaiian/other Pacific Islander	8	1.4	0.1
White	3,895	2.0	31.7
Multiple races	789	11.7	6.4
Total	12,287	3.8	100

Note. Deaths of persons with diagnosed HIV may be due to any cause. Rates are per 100,000 population.

^a Includes Asian/Pacific Islander legacy cases.

^b Hispanics/Latinos can be of any race.



Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Race/Ethnicity, Year-end 2016—United States

Race/Ethnicity	No.	Rate	%
American Indian/Alaska Native	1,487	76.7	0.3
Asian ^a	6,338	41.6	1.2
Black/African American	216,883	656.3	41.3
Hispanic/Latino ^b	118,908	268.9	22.6
Native Hawaiian/other Pacific Islander	416	90.4	0.1
White	156,279	91.2	29.8
Multiple races	24,735	563.2	4.7
Total^c	525,087	194.0	100

Note. Rates are per 100,000 population.


^a Includes Asian/Pacific Islander legacy cases.

^b Hispanics/Latinos can be of any race.

^c Includes 41 persons whose race/ethnicity is unknown.



Diagnoses of HIV Infection and Population by Race/Ethnicity 2017—United States




Note. Data for the year 2017 are considered preliminary and based on 6 months reporting delay.

^a Hispanics/Latinos can be of any race.



Diagnoses of HIV Infection and Population among Male Adults and Adolescents, by Race/Ethnicity, 2017—United States



Note. Data for the year 2017 are considered preliminary and based on 6 months reporting delay.

^a Hispanics/Latinos can be of any race.



Diagnoses of HIV Infection among Male Adults and Adolescents by Race/Ethnicity, 2017—United States

Race/ethnicity	No.	Rate	%
American Indian/Alaska Native	167	17.4	0.5
Asian	819	11.1	2.7
Black/African American	12,235	77.6	39.6
Hispanic/Latino ^a	8,325	36.4	27.0
Native Hawaiian/other Pacific Islander	44	18.7	0.1
White	8,564	10.2	27.7
Multiple races	716	32.5	2.3
Total	30,870	23.1	100

Note. Data for the year 2017 are considered preliminary and based on 6 months reporting delay. Rates are per 100,000 population.

^a Hispanics/Latinos can be of any race.



Diagnoses of HIV Infection among Female Adults and Adolescents by Race/Ethnicity, 2017—United States


Race/ethnicity	No.	Rate	%
American Indian/Alaska Native	45	4.5	0.6
Asian	120	1.4	1.6
Black/African American	4,395	24.9	60.1
Hispanic/Latino ^a	1,117	5.0	15.3
Native Hawaiian/other Pacific Islander	12	5.1	0.2
White	1,474	1.7	20.2
Multiple races	149	6.4	2.0
Total	7,312	5.2	100

Note. Data for the year 2017 are considered preliminary and based on 6 months reporting delay. Rates are per 100,000 population.

^a Hispanics/Latinos can be of any race.



Diagnoses of HIV Infection among Black/African American Adults and Adolescents by Sex and Transmission Category, 2017—United States and 6 Dependent Areas




Note. Data for the year 2017 are considered preliminary and based on 6 months reporting delay. Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises 1% or less of cases.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



Diagnoses of HIV Infection among Hispanic/Latino^a Adults and Adolescents, by Sex and Transmission Category, 2017—United States and 6 Dependent Areas



Note. Data for the year 2017 are considered preliminary and based on 6 months reporting delay. Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises 1% or less of cases.

^a Hispanics/Latinos can be of any race.


^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



Diagnoses of HIV Infection among White Adults and Adolescents, by Sex and Transmission Category, 2017—United States and 6 Dependent Areas

Male
N = 8,564

Female
N = 1,475




Note. Data for the year 2017 are considered preliminary and based on 6 months reporting delay. Data have been statistically adjusted to account for missing transmission category. "Other" transmission category not displayed as it comprises 1% or less of cases.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



Diagnoses of HIV Infection among Adults and Adolescents by Region and Race/Ethnicity, 2017—United States




Note. Data for the year 2017 are considered preliminary and based on 6 months reporting delay.

^a Hispanics/Latinos can be of any race.



Diagnoses of HIV Infection among Hispanic/Latino^a Adults and Adolescents, by Sex and Place of Birth, 2017—United States and 6 Dependent Areas




Note. Data for the year 20178 are considered preliminary and based on 6 months reporting delay.
^aHispanics/Latinos can be of any race.



Rates of Diagnoses of HIV Infection among Black/African American Adults and Adolescents, 2017—United States

N = 16,630 Total Rate = 49.8




Note. Data for the year 2017 are considered preliminary and based on 6 months reporting delay.



Rates of Diagnoses of HIV Infection among Hispanic/Latino^a Adults and Adolescents, 2017—United States

N = 9,442 Total Rate = 20.8




Note. Data for the year 2017 are considered preliminary and based on 6 months reporting delay.
^a Hispanics/Latinos can be of any race.



Rates of Diagnoses of HIV Infection among White Adults and Adolescents, 2017—United States


N = 10,038 Total Rate = 5.9



Note. Data for the year 2017 are considered preliminary and based on 6 months reporting delay.



Stage 3 (AIDS) Classifications and Population by Race/Ethnicity 2017—United States




Note. Data for the year 2017 are considered preliminary and based on 6 months reporting delay.

^a Hispanics/Latinos can be of any race.



Rates of Diagnosed HIV Infections Classified as Stage 3 (AIDS) among Black/African American Adults and Adolescents, 2017—United States

N = 8,318 Total Rate = 24.9




Note. Data for the year 2017 are considered preliminary and based on 6 months reporting delay.



Rates of Diagnosed HIV Infections Classified as Stage 3 (AIDS) among Hispanic/Latino^a Adults and Adolescents, 2017—United States


N = 3,857 Total Rate = 8.5



Note. Data for the year 2017 are considered preliminary and based on 6 months reporting delay.
^a Hispanics/Latinos can be of any race.



Rates of Diagnosed HIV Infections Classified as Stage 3 (AIDS) among White Adults and Adolescents, 2017—United States



Note. Data for the year 2017 are considered preliminary and based on 6 months reporting delay.