




# HIV Surveillance by Race/Ethnicity

# Diagnoses of HIV Infection among Adults and Adolescents, by Race/Ethnicity 2010–2014—United States and 6 Dependent Areas




Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis.

<sup>a</sup> Hispanics/Latinos can be of any race.



# Rates of Diagnoses of HIV Infection among Adults and Adolescents by Race/Ethnicity, 2010–2014—United States




Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis.

<sup>a</sup>Hispanics/Latinos can be of any race.



# Rates of Deaths for Persons with Diagnosed HIV Infection, by Race/Ethnicity, 2010–2014—United States



Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Deaths of persons with diagnosed HIV may be due to any cause.

<sup>a</sup> Hispanics/Latinos can be of any race.

<sup>b</sup> Includes Asian/Pacific Islander legacy cases.



## Deaths of Persons with Diagnosed HIV Infection by Race/Ethnicity, 2014—United States

Race/Ethnicity	No.	Rate
American Indian/Alaska Native	55	2.3
Asian <sup>a</sup>	55	0.3
Black/African American	6,888	17.4
Hispanic/Latino <sup>b</sup>	2,525	4.6
Native Hawaiian/other Pacific Islander	7	1.3
White	4,722	2.4
Multiple races	867	13.6
<b>Total</b>	<b>15,119</b>	<b>4.7</b>

*Note.* Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Deaths of persons with diagnosed HIV may be due to any cause.

<sup>a</sup> Includes Asian/Pacific Islander legacy cases.

<sup>b</sup> Hispanics/Latinos can be of any race.



# Adults and Adolescents Living with Diagnosed HIV Infection by Race/Ethnicity Year-end 2014—United States

Race/Ethnicity	No.	Rate
American Indian/Alaska Native	2,898	152.5
Asian <sup>a</sup>	12,238	85.5
Black/African American	403,728	1,249.1
Hispanic/Latino <sup>b</sup>	198,137	470.1
Native Hawaiian/other Pacific Islander	856	193.5
White	299,824	175.3
Multiple races	34,923	849.8
<b>Total</b>	<b>952,604</b>	<b>357.8</b>


*Note.* Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Rates are per 100,000 population.

<sup>a</sup> Includes Asian/Pacific Islander legacy cases.

<sup>b</sup> Hispanics/Latinos can be of any race.




# Diagnosed HIV Infections Classified as Stage 3 (AIDS) among Racial/Ethnic Minorities, 1985–2014—United States and 6 Dependent Areas



Note. Includes American Indians/Alaska Natives, Asians, blacks/African Americans, Hispanics/Latinos, and Native Hawaiians/other Pacific Islanders. Hispanics/Latinos can be of any race.



# Percentages of Stage 3 (AIDS) Classifications among Adults and Adolescents with Diagnosed HIV Infection, by Race/Ethnicity and Year of Classification, 1985–2014—United States and 6 Dependent Areas




<sup>a</sup> Hispanics/Latinos can be of any race.

<sup>b</sup> Includes Asian/Pacific Islander legacy cases.



# Rates of Diagnosed HIV Infection Classified as Stage 3 (AIDS) among Adults and Adolescents, by Race/Ethnicity, 2000–2014—United States




<sup>a</sup> Hispanics/Latinos can be of any race.

<sup>b</sup> Includes Asian/Pacific Islander legacy cases.



# Survival after Classification of Stage 3 (AIDS) during 1998-2011, by Months Survived and Race/Ethnicity—United States and 6 Dependent Areas




Note. Data exclude persons whose month of diagnosis or month of death is unknown.

<sup>a</sup> Includes Asian/Pacific Islander legacy cases.

<sup>b</sup> Hispanics/Latinos can be of any race.



# Rates of Deaths for Persons with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Race/Ethnicity, 2010–2014—United States



Note. Deaths of persons with diagnosed HIV may be due to any cause.

<sup>a</sup> Hispanics/Latinos can be of any race.

<sup>b</sup> Includes Asian/Pacific Islander legacy cases.



# Deaths of Persons with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Race/Ethnicity, 2014—United States

Race/Ethnicity	No.	Rate
American Indian/Alaska Native	41	1.7
Asian <sup>a</sup>	44	0.3
Black/African American	5,614	14.2
Hispanic/Latino <sup>b</sup>	2,151	3.9
Native Hawaiian/other Pacific Islander	5	0.9
White	3,744	1.9
Multiple races	734	11.5
<b>Total</b>	<b>12,333</b>	<b>3.9</b>

*Note.* Deaths of persons with diagnosed HIV may be due to any cause. Rates are per 100,000 population.

<sup>a</sup> Hispanics/Latinos can be of any race.

<sup>b</sup> Includes Asian/Pacific Islander legacy cases.



# Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Race/Ethnicity, Year-end 2014—United States

Race/Ethnicity	No.	Rate
American Indian/Alaska Native	1,513	79.6
Asian <sup>a</sup>	6,160	43.0
Black/African American	217,841	674.0
Hispanic/Latino <sup>b</sup>	114,161	270.8
Native Hawaiian/other Pacific Islander	455	102.9
White	159,568	93.3
Multiple races	20,996	510.9
<b>Total</b>	<b>520,694</b>	<b>195.6</b>


*Note.* Rates are per 100,000 population.

<sup>a</sup> Includes Asian/Pacific Islander legacy cases.

<sup>b</sup> Hispanics/Latinos can be of any race.



# Diagnoses of HIV Infection and Population by Race/Ethnicity 2015—United States



*Note.* Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Data for the year 2015 are preliminary and based on 6 months reporting delay.

<sup>a</sup> Hispanics/Latinos can be of any race.







# Diagnoses of HIV Infection among Male Adults and Adolescents by Race/Ethnicity, 2015—United States

Race/ethnicity	No.	Rate
American Indian/Alaska Native	152	16.2
Asian	816	11.7
Black/African American	13,070	84.8
Hispanic/Latino <sup>a</sup>	8,147	37.4
Native Hawaiian/other Pacific Islander	71	31.2
White	9,060	10.8
Multiple races	675	32.9
<b>Total</b>	<b>31,991</b>	<b>24.4</b>

*Note.* Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Data for the year 2015 are preliminary and based on 6 months reporting delay. Rates are per 100,000 population.

<sup>a</sup> Hispanics/Latinos can be of any race.



# Diagnoses of HIV Infection among Female Adults and Adolescents by Race/Ethnicity, 2015—United States


Race/ethnicity	No.	Rate
American Indian/Alaska Native	55	5.6
Asian	132	1.7
Black/African American	4,524	26.2
Hispanic/Latino <sup>a</sup>	1,131	5.3
Native Hawaiian/other Pacific Islander	8	3.5
White	1,431	1.6
Multiple races	121	5.5
<b>Total</b>	<b>7,402</b>	<b>5.4</b>

*Note.* Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Data for the year 2015 are preliminary and based on 6 months reporting delay. Rates are per 100,000 population.

<sup>a</sup> Hispanics/Latinos can be of any race.



# Diagnoses of HIV Infection among Black/African American Adults and Adolescents, by Sex and Transmission Category, 2015—United States and 6 Dependent Areas




Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Data for the year 2015 are preliminary and based on 6 months reporting delay. Data have been statistically adjusted to account for missing transmission category. "Other" transmission category not displayed as it comprises 1% or less of cases.

<sup>a</sup> Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



# Diagnoses of HIV Infection among Hispanic/Latino<sup>a</sup> Adults and Adolescents, by Sex and Transmission Category, 2015—United States and 6 Dependent Areas




*Note.* Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Data for the year 2015 are preliminary and based on 6 months reporting delay. Data have been statistically adjusted to account for missing transmission category. “Other” transmission category not displayed as it comprises 1% or less of cases.

<sup>a</sup> Hispanics/Latinos can be of any race.

<sup>b</sup> Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



# Diagnoses of HIV Infection among White Adults and Adolescents, by Sex and Transmission Category, 2015—United States and 6 Dependent Areas




Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Data for the year 2015 are preliminary and based on 6 months reporting delay. Data have been statistically adjusted to account for missing transmission category. "Other" transmission category not displayed as it comprises 1% or less of cases.

<sup>a</sup> Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



# Diagnoses of HIV Infection among Adults and Adolescents by Region and Race/Ethnicity, 2015—United States




Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Data for the year 2015 are preliminary and based on 6 months reporting delay.

<sup>a</sup> Hispanics/Latinos can be of any race.



# Diagnoses of HIV Infection among Hispanic/Latino<sup>a</sup> Adults and Adolescents, by Sex and Place of Birth, 2015—United States and 6 Dependent Areas




Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Data for the year 2015 are preliminary and based on 6 months reporting delay.

<sup>a</sup>Hispanics/Latinos can be of any race.



# Rates of Diagnoses of HIV Infection among Black/African American Adults and Adolescents, 2015—United States

N = 17,594 Total Rate = 53.8




Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Data for the year 2015 are preliminary and based on 6 months reporting delay.



# Rates of Diagnoses of HIV Infection among Hispanic/Latino<sup>a</sup> Adults and Adolescents, 2015—United States

N = 9,278 Total Rate = 21.5




Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Data for the year 2015 are preliminary and based on 6 months reporting delay.

<sup>a</sup> Hispanics/Latinos can be of any race.



# Rates of Diagnoses of HIV Infection among White Adults and Adolescents, 2015—United States


N = 10,491 Total Rate = 6.1



Note. Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Data for the year 2015 are preliminary and based on 6 months reporting delay.



# Stage 3 (AIDS) Classifications and Population by Race/Ethnicity 2015—United States




*Note.* Data for the year 2015 are preliminary and based on 6 months reporting delay.

<sup>a</sup>Hispanics/Latinos can be of any race.



# Rates of Diagnosed HIV Infections Classified as Stage 3 (AIDS) among Black/African American Adults and Adolescents, 2015—United States

N = 8,683 Total Rate = 26.6




Note. Data for the year 2015 are preliminary and based on 6 months reporting delay.



# Rates of Diagnosed HIV Infections Classified as Stage 3 (AIDS) among Hispanic/Latino<sup>a</sup> Adults and Adolescents, 2015—United States

N = 3,865 Total Rate = 8.9




Note. Data for the year 2015 are preliminary and based on 6 months reporting delay.  
<sup>a</sup> Hispanics/Latinos can be of any race.



# Rates of Diagnosed HIV Infections Classified as Stage 3 (AIDS) among White Adults and Adolescents, 2015—United States

N = 4,666 Total Rate = 2.7



Note. Data for the year 2015 are preliminary and based on 6 months reporting delay.

