


Maps Based on Data from 2014 HIV Surveillance Report *(through 2014)*

National Center for HIV/AIDS, Viral Hepatitis, STD & TB Prevention
Division of HIV/AIDS Prevention



Rates of Diagnoses of HIV Infection Among Adults and Adolescents, by Area of Residence, 2014 — United States and 6 Dependent Areas N = 44,608



Per 100,000 population

- 0 - 5.9
- 6.0 - 9.9
- 10.0 - 17.9
- 18.0 - 66.9


Total rate = 16.6
Data classed using quartiles



Notes: Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting.
Data source: <http://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-surveillance-report-us.pdf>
Inset maps not to scale. Map colors based on www.colorbrewer2.org

Rates of Adults and Adolescents Living with Diagnosed HIV Infection, by Area of Residence, Year-end 2013 — United States and 6 Dependent Areas

N = 950,811



Per 100,000 population

- 2.4 - 105.9
- 106.0 - 199.9
- 200.0 - 339.9
- 340.0 - 2,695.8


Total rate = 355.9
Data classed using quartiles



Notes: Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting.
Data source: <http://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-surveillance-report-us.pdf>
Inset maps not to scale. Map colors based on www.colorbrewer2.org

Rates of American Indian/Alaska Native Adults and Adolescents Living with Diagnosed HIV Infection, by Area of Residence, Year-end 2013 — United States

N = 2,862



Per 100,000 American Indians/Alaska Natives

- 0.0 - 62.9
- 63.0 - 98.9
- 99.0 - 188.5
- 188.6 - 929.9


Total rate = 152.4
Data classed using quartiles



Notes: Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting.
Data source: <http://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-surveillance-report-us.pdf>
Inset maps not to scale. Map colors based on www.colorbrewer2.org

Rates of Black/African American Adults and Adolescents Living with Diagnosed HIV Infection, by Area of Residence, Year-end 2013 — United States

N = 397,067



**Per 100,000 Blacks/
African Americans**


173.6 - 660.1
660.2 - 904.7
904.8 - 1,108.1
1,108.2 - 4,247.2

Total rate = 1,243.8
Data classed using quartiles



Notes: Data include persons with a diagnosis of HIV infection regardless of stage of disease at diagnosis. Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting.
Data source: <http://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-surveillance-report-us.pdf>
Inset maps not to scale. Map colors based on www.colorbrewer2.org

Rates of Stage 3 (AIDS) Classifications among among Adults and Adolescents with HIV Infection, by Area of Residence, 2014 — United States and 6 Dependent Areas N = 21,214




Notes: Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting.
 Data source: <http://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-surveillance-report-us.pdf>
 Inset maps not to scale. Map colors based on www.colorbrewer2.org



Rates of Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence, Year-end 2013 — United States and 6 Dependent Areas

N = 527,170



Per 100,000 population


- 2.4 - 59.9
- 60.0 - 99.9
- 100.0 - 189.9
- 190.0 - 1,586.0

Total rate = 197.4
Data classed using quartiles



Notes: Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting.
Data source: <http://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-surveillance-report-us.pdf>
Inset maps not to scale. Map colors based on www.colorbrewer2.org


Rates of American Indian/Alaska Native Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence, Year-end 2013 — United States
 N = 1,506



Notes: Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting.
 Data source: <http://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-surveillance-report-us.pdf>
 Inset maps not to scale. Map colors based on www.colorbrewer2.org

Rates of Black/African American Adults and Adolescents Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence, Year-end 2013 — United States

N = 217,074



**Per 100,000 Blacks/
African Americans**

- 87.0 - 321.2
- 321.3 - 442.2
- 442.3 - 610.2
- 610.3 - 2,589.5


Total rate = 680.0
Data classed using quartiles



Notes: Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting.
Data source: <http://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-surveillance-report-us.pdf>
Inset maps not to scale. Map colors based on www.colorbrewer2.org

Rates of Adult and Adolescent Persons of Multiple Races Living with Diagnosed HIV Infection Ever Classified as Stage 3 (AIDS), by Area of Residence, Year-end 2013 — United States

N = 19,730



Per 100,000 Persons of Multiple Races

- 42.0 - 149.2
- 149.3 - 246.4
- 246.5 - 474.3
- 474.4 - 2,894.2

Total rate = 497.6
Data classed using quartiles



Notes: Estimated numbers resulted from statistical adjustment that accounted for reporting delays, but not for incomplete reporting.
Data source: <http://www.cdc.gov/hiv/pdf/library/reports/surveillance/cdc-hiv-surveillance-report-us.pdf>
Inset maps not to scale. Map colors based on www.colorbrewer2.org

