

**Medical Monitoring Project (MMP)
Medical Record Abstraction Form
Surveillance Period Inpatient Form (SPIF)
VERSION 2.0.4**

.....
OPTIONAL- FOR LOCAL USE ONLY
.....

MMP SPIF v2.0.4

MMP Participant ID:

Date of Admission: Date not documented
Mo. / Day / Year

Facility ID: (complete if abstraction performed at outpatient facility using discharge summary)

Inpatient facility ID: (complete if abstraction performed at inpatient facility
OR after abstraction performed at outpatient facility using discharge summary)

Inpatient medical record number: Medical record number not documented

Patient name:

Patient residence:

Street:

City/County: **State:**

ZIP code:

Physician name:



**Medical Monitoring Project (MMP)
Medical Record Abstraction Form
Surveillance Period Inpatient Form (SPIF) v2.0.4**



I. ABSTRACTION AND IDENTIFICATION

MMP Participant ID:

Surveillance Period (SP)

SP start date: (12 months prior to date of interview OR 1st contact attempt if no interview obtained)

SP end date: (date of interview OR 1st contact attempt if no interview obtained)

Facility ID:
(complete if abstraction performed at outpatient facility using discharge summary)

Inpatient facility ID:
(complete if abstraction performed at inpatient facility
OR after abstraction performed at outpatient facility using discharge summary)

Date of abstraction:

Abstractor ID:

Date of admission:
 Date not documented

Date of discharge:
 Date not documented

Patient's country of residence during this inpatient stay:
(select one)

- 1 U.S.
- 2 Canada
- 3 Mexico
- 4 Other, Specify:
- 5 Not documented/Could not be determined from residence address

II. CHIEF COMPLAINTS

Is there documentation of any chief complaints during this inpatient stay?

- Yes → Select all that are documented below.
- No

<input type="radio"/> 1 Abdominal pain	<input type="radio"/> 29 Excessive urination (polyuria)	<input type="radio"/> 56 Irregular menses	<input type="radio"/> 83 Sore throat
<input type="radio"/> 2 Arthritis, osteoarthritis	<input type="radio"/> 30 Eye redness	<input type="radio"/> 57 Leg cramps	<input type="radio"/> 84 Sore tongue
<input type="radio"/> 3 Backache	<input type="radio"/> 31 Fainting	<input type="radio"/> 58 Leg swelling (edema)	<input type="radio"/> 85 Sores on penis
<input type="radio"/> 4 Blackouts	<input type="radio"/> 32 Fatigue	<input type="radio"/> 59 Loss of sensation	<input type="radio"/> 86 Stiffness
<input type="radio"/> 5 Bleeding after intercourse	<input type="radio"/> 33 Fever	<input type="radio"/> 60 Menopausal symptoms	<input type="radio"/> 87 Suicidal attempts
<input type="radio"/> 6 Bleeding between periods	<input type="radio"/> 34 Follow-up	<input type="radio"/> 61 Menstrual pain (dysmenorrhea)	<input type="radio"/> 88 Suicidal ideation
<input type="radio"/> 7 Bloody urine (hematuria)	<input type="radio"/> 35 Food intolerance	<input type="radio"/> 62 Mood incongruence	<input type="radio"/> 89 Sweating
<input type="radio"/> 8 Bloody sputum (hemoptysis)	<input type="radio"/> 36 Forgetfulness	<input type="radio"/> 63 Muscle or joint pain	<input type="radio"/> 90 Swollen glands
<input type="radio"/> 9 Blurred vision	<input type="radio"/> 37 Frequency of bowel movements	<input type="radio"/> 64 Nausea	<input type="radio"/> 91 Tension
<input type="radio"/> 10 Breast lumps	<input type="radio"/> 38 Frequent menses	<input type="radio"/> 65 Nervousness	<input type="radio"/> 92 Testicular pain
<input type="radio"/> 11 Breast pain or discomfort	<input type="radio"/> 39 Genital discharge	<input type="radio"/> 66 Nipple discharge	<input type="radio"/> 93 Thrombosis (thrombophlebitis)
<input type="radio"/> 12 Chest pain or discomfort	<input type="radio"/> 40 Goiter	<input type="radio"/> 67 Nose bleeds (epistaxis)	<input type="radio"/> 94 Tingling or "pins and pricks"
<input type="radio"/> 13 Cold intolerance	<input type="radio"/> 41 Gum bleeding	<input type="radio"/> 68 Numbness	<input type="radio"/> 95 Tinnitus
<input type="radio"/> 14 Constipation	<input type="radio"/> 42 Head injury	<input type="radio"/> 69 Pain or stiffness in neck	<input type="radio"/> 96 Tremors or other involuntary movements
<input type="radio"/> 15 Cough	<input type="radio"/> 43 Headache	<input type="radio"/> 70 Painful urination (dysuria)	<input type="radio"/> 97 Trouble swallowing
<input type="radio"/> 16 Depression	<input type="radio"/> 44 Heartburn	<input type="radio"/> 71 Palpitations	<input type="radio"/> 98 Urgency, urinary

17 Diarrhea

45 Heat intolerance

72 Paralysis

99 Urination at night
(nocturia)

II. CHIEF COMPLAINTS cont'd

<input type="radio"/> 18 Dizziness	<input type="radio"/> 46 Hemorrhoids	<input type="radio"/> 73 Postmenstrual bleeding	<input type="radio"/> 100 Varicose veins
<input type="radio"/> 19 Double vision (diplopia)	<input type="radio"/> 47 Hernia	<input type="radio"/> 74 Premenstrual tension	<input type="radio"/> 101 Vertigo
<input type="radio"/> 20 Dribbling, urinary	<input type="radio"/> 48 Hesitancy, urinary	<input type="radio"/> 75 Prolonged menstrual flow	<input type="radio"/> 102 Vomiting
<input type="radio"/> 21 Dry mouth	<input type="radio"/> 49 Hoarseness	<input type="radio"/> 76 Regurgitation	<input type="radio"/> 103 Vomiting of blood (hematemesis)
<input type="radio"/> 22 Ear discharge	<input type="radio"/> 50 Hot flashes	<input type="radio"/> 77 Sexual satisfaction problems	<input type="radio"/> 104 Vulval itching
<input type="radio"/> 23 Earaches	<input type="radio"/> 51 Hunger	<input type="radio"/> 78 Seizures	<input type="radio"/> 105 Weakness
<input type="radio"/> 24 Easy bruising or bleeding	<input type="radio"/> 52 Impaired hearing	<input type="radio"/> 79 Shortness of breath (dyspnea)	<input type="radio"/> 106 Weight gain
<input type="radio"/> 25 Excessive belching	<input type="radio"/> 53 Incontinence	<input type="radio"/> 80 Shortness of breath at night (paroxysmal nocturnal dyspnea, PND)	<input type="radio"/> 107 Weight loss
<input type="radio"/> 26 Excessive menstrual flow	<input type="radio"/> 54 Indigestion	<input type="radio"/> 81 Shortness of breath when lying down (orthopnea)	<input type="radio"/> 108 Wheezing
<input type="radio"/> 27 Excessive tearing	<input type="radio"/> 55 Intermittent claudication	<input type="radio"/> 82 Sinus problems	<input type="radio"/> 109 Yellow eyes (jaundice)
<input type="radio"/> 28 Excessive thirst			
<input type="radio"/> 110 Other, Specify:			
<input type="radio"/> 111 Other, Specify:			
<input type="radio"/> 112 Other, Specify:			
<input type="radio"/> 113 Other, Specify:			

III. SURVEILLANCE PERIOD INPATIENT FORM SECTIONS - OPTIONAL

Is there documentation of any of the following during this inpatient stay?

- Yes → Select all that are documented below.
 No → This form is now complete except for optional section X (Remarks).

<input type="radio"/> Diagnosis of AIDS defining Opportunistic Illnesses (AIDS OI) → Complete section IV.	<input type="radio"/> Prescription or continuation of antiretroviral therapy (ART) <i>closest to discharge</i> → Complete section VII.
<input type="radio"/> Diagnosis of conditions other than AIDS OI → Complete section V.	<input type="radio"/> Prescription or continuation of medications other than ART → Complete this section and section VIII.
<input type="radio"/> Screening for hepatitis A, B or C → Complete section VI.	<input type="radio"/> Laboratory test results for CD4 cell count or percentage, HIV viral load, creatinine, or abnormal ALT (SGPT) or AST (SGOT) performed <i>closest to admission</i> → Complete section IX.
<input type="radio"/> Prescription or continuation of antiretroviral therapy (ART) <i>closest to admission</i> → Complete section VII.	<input type="radio"/> Laboratory test results for CD4 cell count or percentage, HIV viral load, creatinine, or abnormal ALT (SGPT) or AST (SGOT) performed <i>closest to discharge</i> → Complete section IX.

IV. AIDS DEFINING OPPORTUNISTIC ILLNESSES (AIDS OI)

Is there documentation that any AIDS defining opportunistic illnesses (AIDS OI) were diagnosed during this inpatient stay?

- Yes → Select all that are documented below.
 No

<input type="radio"/> 1 Candidiasis, bronchi, trachea, or lungs	<input type="radio"/> 14 Lymphoma, Burkitt's (or equivalent term)
<input type="radio"/> 2 Candidiasis, esophageal	<input type="radio"/> 15 Lymphoma, immunoblastic (IBL, or equivalent term)
<input type="radio"/> 3 Carcinoma, invasive cervical	<input type="radio"/> 16 Lymphoma, primary in brain
<input type="radio"/> 4 Coccidioidomycosis, disseminated or extrapulmonary	<input type="radio"/> 17 <i>Mycobacterium avium</i> complex or <i>M. kansasii</i> , disseminated or extrapulmonary
<input type="radio"/> 5 Cryptococcosis, extrapulmonary	<input type="radio"/> 18 <i>M. tuberculosis</i> , pulmonary
<input type="radio"/> 6 Cryptosporidiosis, chronic intestinal (>1 month duration)	<input type="radio"/> 19 <i>M. tuberculosis</i> , disseminated or extrapulmonary
<input type="radio"/> 7 Cytomegalovirus disease (other than in liver, spleen, or nodes)	<input type="radio"/> 20 <i>Mycobacterium</i> , of other species or unidentified species, disseminated or extrapulmonary
<input type="radio"/> 8 Cytomegalovirus retinitis (with loss of vision)	<input type="radio"/> 21 <i>Pneumocystis jiroveci</i> pneumonia (PCP)
<input type="radio"/> 9 HIV encephalopathy	<input type="radio"/> 22 Pneumonia, recurrent in 12 month period
<input type="radio"/> 10 Herpes simplex: chronic ulcer (>1 month duration) or bronchitis, pneumonitis, or esophagitis	<input type="radio"/> 23 Progressive multifocal leukoencephalopathy (PML)

<input type="checkbox"/> ¹¹ Histoplasmosis, disseminated or extrapulmonary	<input type="checkbox"/> ²⁴ Salmonella septicemia, recurrent
<input type="checkbox"/> ¹² Isosporiasis, chronic intestinal (>1 month duration)	<input type="checkbox"/> ²⁵ Toxoplasmosis of brain
<input type="checkbox"/> ¹³ Kaposi's sarcoma	<input type="checkbox"/> ²⁶ Wasting syndrome due to HIV

V. CONDITIONS OTHER THAN AIDS OI

Is there documentation that any conditions other than AIDS OI were diagnosed during this inpatient stay?

- Yes → Select all that are documented below.
 No

<input type="radio"/> 1 Abscess	<input type="radio"/> 22 Drug abuse, <u>not</u> IV/injection	<input type="radio"/> 43 Hypertension (high blood pressure)	<input type="radio"/> 64 Psoriasis
<input type="radio"/> 2 Alcoholism	<input type="radio"/> 23 Drug abuse, NOS	<input type="radio"/> 44 Hypertriglyceridemia	<input type="radio"/> 65 Psychosis, including schizophrenia
<input type="radio"/> 3 Anxiety disorder	<input type="radio"/> 24 Epilepsy (seizure disorder)	<input type="radio"/> 45 Hypogonadism (gonadal deficiency)	<input type="radio"/> 66 Pulmonary hypertension
<input type="radio"/> 4 Arthritis (osteoarthritis)	<input type="radio"/> 25 Erectile dysfunction	<input type="radio"/> 46 Hypothyroidism	<input type="radio"/> 67 Rape or other sexual abuse
<input type="radio"/> 5 Asthma	<input type="radio"/> 26 Erythema multiforme	<input type="radio"/> 46 Ischemic heart disease	<input type="radio"/> 68 Rash, drug-related
<input type="radio"/> 6 Attention deficit disorder (ADD); attention deficit hyperactive disorder (ADHD)	<input type="radio"/> 27 Erythroderma	<input type="radio"/> 48 Keratitis, eye	<input type="radio"/> 69 Renal failure
<input type="radio"/> 7 Avascular necrosis	<input type="radio"/> 28 Fatty liver	<input type="radio"/> 49 Lactic acidosis	<input type="radio"/> 70 Respiratory infection, lower
<input type="radio"/> 8 Buffalo hump	<input type="radio"/> 29 Fever, unexplained, >100°F for two weeks or more*	<input type="radio"/> 50 Lipatrophy	<input type="radio"/> 71 Respiratory infection, upper
<input type="radio"/> 9 Bronchitis	<input type="radio"/> 30 Folliculitis	<input type="radio"/> 51 Lipodystrophy	<input type="radio"/> 72 Respiratory infection, NOS
<input type="radio"/> 10 Cardiomyopathy, due to HIV or unknown cause	<input type="radio"/> 31 Gastroesophageal reflux Disease (GERD)	<input type="radio"/> 52 Mitochondrial disease	<input type="radio"/> 73 Seborrheic dermatitis
<input type="radio"/> 11 Cellulitis (skin infection, bacterial)	<input type="radio"/> 32 Guillain-Barre syndrome	<input type="radio"/> 53 Myelopathy (spinal cord disease/disorder)	<input type="radio"/> 74 Sinusitis
<input type="radio"/> 12 Constipation	<input type="radio"/> 33 Hearing loss, acquired	<input type="radio"/> 54 Myopathy (muscular weakness or changes)	<input type="radio"/> 75 Stevens-Johnson syndrome
<input type="radio"/> 13 Depression, diagnosed by physician	<input type="radio"/> 34 Hemorrhoids	<input type="radio"/> 55 Nasal ulceration	<input type="radio"/> 76 Stroke, ischemic, non-hemorrhagic
<input type="radio"/> 14 Diabetes mellitus (DM), Type 1	<input type="radio"/> 35 Hepatic (liver) failure	<input type="radio"/> 56 Neoplasm	<input type="radio"/> 77 Suicide attempt
<input type="radio"/> 15 Diabetes mellitus (DM), Type 2	<input type="radio"/> 36 Hepatitis, drug-induced	<input type="radio"/> 57 Nephrolithiasis (kidney stone)	<input type="radio"/> 78 Thrombocytopenia, idiopathic (ITP)
<input type="radio"/> 16 Diabetes mellitus (DM), NOS	<input type="radio"/> 37 Hepatitis, infectious, not drug-induced	<input type="radio"/> 58 Nephropathy (kidney damage)	<input type="radio"/> 79 Vision loss, moderate or severe; blindness
<input type="radio"/> 17 Diarrhea, allergic/colitis	<input type="radio"/> 38 Hodgkin's lymphoma (Hodgkin's disease)	<input type="radio"/> 59 Neuropathy, cranial	<input type="radio"/> 80 Warts, anal or genital
<input type="radio"/> 18 Diarrhea, infectious	<input type="radio"/> 39 Human papillomavirus (HPV) infection	<input type="radio"/> 60 Neuropathy, peripheral	<input type="radio"/> 81 Warts, non-anal, non-genital
<input type="radio"/> 19 Diarrhea, NOS	<input type="radio"/> 40 Hypercholesterolemia	<input type="radio"/> 61 Neuropathy, NOS	<input type="radio"/> 82 Weight loss
<input type="radio"/> 20 Diverticulitis	<input type="radio"/> 41 Hyperglycemia	<input type="radio"/> 62 Osteopenia or osteoporosis	
<input type="radio"/> 21 Drug abuse, IV/injection	<input type="radio"/> 42 Hypersomnolence (excessive sleepiness)	<input type="radio"/> 63 Prostatitis	<i>*in the absence of a known cause</i>

<input type="radio"/> 83 Other, Specify: _____	OR ICD code: _____
<input type="radio"/> 84 Other, Specify: _____	OR ICD code: _____
<input type="radio"/> 85 Other, Specify: _____	OR ICD code: _____
<input type="radio"/> 86 Other, Specify: _____	OR ICD code: _____

VI. HEPATITIS SCREENING

Is there documentation of screening for hepatitis A, B, or C during this inpatient stay?

- Yes → Select all that are documented below.
 No

<input type="radio"/> 1 Hepatitis A
<input type="radio"/> 2 Hepatitis B
<input type="radio"/> 3 Hepatitis C

VII. ANTIRETROVIRAL THERAPY (ART)

Is there documentation of prescription of antiretroviral therapy (ART) during this inpatient stay?

Yes → Select all that are documented below.

No

Prescription or continuation closest to:					
Admission	Discharge	Name	Abbreviation	Also Known As	Group
<input type="radio"/> 1	<input type="radio"/> 1	Abacavir	ABC	Ziagen	NRTI
<input type="radio"/> 2	<input type="radio"/> 2	Amprenavir	APV	Agenerase	PI
<input type="radio"/> 3	<input type="radio"/> 3	Atazanavir	ATV	Reyataz	PI
<input type="radio"/> 4	<input type="radio"/> 4	Atripla	EFV/FTC/TDF		
<input type="radio"/> 5	<input type="radio"/> 5	Combivir	AZT/3TC		CNRTI
<input type="radio"/> 6	<input type="radio"/> 6	Darunavir	TMC 114	Prezista	PI
<input type="radio"/> 7	<input type="radio"/> 7	Delavirdine	DLV	Rescriptor	NNRTI
<input type="radio"/> 8	<input type="radio"/> 8	Didanosine	ddl	Videx	NRTI
<input type="radio"/> 9	<input type="radio"/> 9	Efavirenz	EFV	Sustiva	NNRTI
<input type="radio"/> 10	<input type="radio"/> 10	Emtricitabine	FTC	Emtriva	NRTI
<input type="radio"/> 11	<input type="radio"/> 11	Enfuvirtide	T-20	Fuzeon	FI
<input type="radio"/> 12	<input type="radio"/> 12	Epzicom	ABC/3TC		CNRTI
<input type="radio"/> 13	<input type="radio"/> 13	Fosamprenavir	FPV	Lexiva	PI
<input type="radio"/> 14	<input type="radio"/> 14	Indinavir	IDV	Crixivan	PI
<input type="radio"/> 15	<input type="radio"/> 15	Lamivudine	3TC	Epivir	NRTI
<input type="radio"/> 16	<input type="radio"/> 16	Lopinavir/Ritonavir	LPV/RTV	Kaletra, Meltrex	CNRTI
<input type="radio"/> 17	<input type="radio"/> 17	Maraviroc			
<input type="radio"/> 18	<input type="radio"/> 18	Raltegravir	MK-0518		
<input type="radio"/> 19	<input type="radio"/> 19	Nelfinavir	NFV	Viracept	PI
<input type="radio"/> 20	<input type="radio"/> 20	Nevirapine	NVP	Viramune	NNRTI
<input type="radio"/> 21	<input type="radio"/> 21	Ritonavir	RTV	Norvir	PI
<input type="radio"/> 22	<input type="radio"/> 22	Saquinavir	SQV-HGC	Invirase	PI
<input type="radio"/> 23	<input type="radio"/> 23	Stavudine	d4T	Zerit	NRTI
<input type="radio"/> 24	<input type="radio"/> 24	Tenofovir	TDF	Viread	NRTI
<input type="radio"/> 25	<input type="radio"/> 25	Tipranavir	TPV	Aptivus	PI
<input type="radio"/> 26	<input type="radio"/> 26	TMC 125			
<input type="radio"/> 27	<input type="radio"/> 27	Trizivir	ABC/3TC/AZT		CNRTI
<input type="radio"/> 28	<input type="radio"/> 28	Truvada	FTC/TDF		CNRTI
<input type="radio"/> 29	<input type="radio"/> 29	Zalcitabine	ddC	Hivid	NRTI
<input type="radio"/> 30	<input type="radio"/> 30	Zidovudine	AZT	Retrovir	NRTI
<input type="radio"/> 31	<input type="radio"/> 31	Other, Specify:	<input style="width: 100%; height: 20px;" type="text"/>		
<input type="radio"/> 32	<input type="radio"/> 32	Other, Specify:	<input style="width: 100%; height: 20px;" type="text"/>		
<input type="radio"/> 33	<input type="radio"/> 33	Other, Specify:	<input style="width: 100%; height: 20px;" type="text"/>		
<input type="radio"/> 34	<input type="radio"/> 34	Other, Specify:	<input style="width: 100%; height: 20px;" type="text"/>		

VIII. OTHER MEDICATIONS

Is there documentation of prescription of medications other than ART during this inpatient stay?

Yes —> Select all that are documented below, except for "as needed" painkillers.

No

	Generic	Brand Name			
<input type="radio"/> 1	acarbose	Precose	Prandase		
<input type="radio"/> 2	acetaminophen/hydrocodone	Anexsia	Lorcet	Lortab	Vicodin
<input type="radio"/> 3	acetaminophen/oxycodone	Endocet	Percocet	Roxicet	Tylox
<input type="radio"/> 4	acyclovir	Zovirax			
<input type="radio"/> 5	adefovir	Hepsera			
<input type="radio"/> 6	albuterol	AccuNeb	ProAir	Proventil	Ventolin
<input type="radio"/> 7	albuterol/ipratropium	Combivent			
<input type="radio"/> 8	aldesleukin	Interleukin-2 (IL-2)	Proleukin		
<input type="radio"/> 9	alprazolam	Niravam	Xanax		
<input type="radio"/> 10	amikacin	Amikin			
<input type="radio"/> 11	amitriptyline	Elavil			
<input type="radio"/> 12	amitriptyline/chlordiazepoxide	Limbitrol			
<input type="radio"/> 13	amoxicillin	Amoxil	Dispermox	Polymox	Trimox
<input type="radio"/> 14	amoxicillin/clavulanate	Augmentin			
<input type="radio"/> 15	anapril	Vasotec			
<input type="radio"/> 16	aspirin (ASA)				
<input type="radio"/> 17	atenolol	Tenormin			
<input type="radio"/> 18	atorvastatin	Lipitor			
<input type="radio"/> 19	azithromycin	Zithromax	Zmax		
<input type="radio"/> 20	baclofen	Lioresal			
<input type="radio"/> 21	bupropion	Budeprion	Welbutrion	Zyban	
<input type="radio"/> 22	buspirone	BuSpar			
<input type="radio"/> 23	butalbital/aspirin	Axotal	Marnal		
<input type="radio"/> 24	butalbital/aspirin/caffeine (BAC)	Fiornal	Fiormax		
<input type="radio"/> 25	calcitrol	Rocaltrol			
<input type="radio"/> 26	ceterizine	Zyrtec			
<input type="radio"/> 27	chlorpropamide	Diabinese			
<input type="radio"/> 28	cimetidine	Tagamet			
<input type="radio"/> 29	ciprofloxacin	Cipro	Proquin		
<input type="radio"/> 30	citalopram	Celexa			
<input type="radio"/> 31	clonazepam	Klonopin			
<input type="radio"/> 32	cromolyn	Intal	NasalCrom		
<input type="radio"/> 33	cyclosporine	Gengraf	Neoral	Sandimmune	
<input type="radio"/> 34	dapsone (DDS)				
<input type="radio"/> 35	darifenacin	Enablex			
<input type="radio"/> 36	dexamethasone	Decadron	Dexone	Maxidex	Solurex
<input type="radio"/> 37	diphenhydramine	Benadryl			
<input type="radio"/> 38	difenoxylate/atropine	Lomotil	Lomocot	Lonox	
<input type="radio"/> 39	divalproex sodium	Depakote			
<input type="radio"/> 40	docusate sodium (DOS)	Colace	Dialose		
<input type="radio"/> 41	doxorubicin	Adriamycin	Rubex		
<input type="radio"/> 42	doxorubicin liposomal	Doxil			
<input type="radio"/> 43	doxycycline	Adoxa	Doryx	Doxycin	Monodox
<input type="radio"/> 44	dronabinol	Marinol			
<input type="radio"/> 45	enalapril	Vasotec			
<input type="radio"/> 46	enalapril/hydrochlorothiazide (HCT/Z)	Vaseretic			
<input type="radio"/> 47	entecavir	Baraclude			

VIII. OTHER MEDICATIONS cont'd

	Generic	Brand Name			
48	epoetin alfa (EPO)	Epogen	Procrit		
49	escitalopram	Lexapro			
50	esomeprazole	Nexium			
51	ethambutol	Myambutol			
52	ethionamide	Trecator			
53	famotidine	Pepcid			
54	fexofenadine	Allegra			
55	filgrastim	Neopogen			
56	folinic acid	Leucovorin	Wellcovorin		
57	fluconazole	Diflucan			
58	fludrocortisone	Florinef			
59	fluoxetine	Prozac	Sarafem		
60	fluphenazine	Prolixin			
61	fluticasone	Flonase			
62	fluticasone/salmeterol	Advair			
63	fluvastatin	Lescol			
64	foscarnet	Foscavir			
65	gabapentin	Gabarone	Neurontin		
66	gemfibrozil	Lopid			
67	hydrochlorothiazide (HCT/Z)	Esidrix	Oretic	Microzide	
68	hydrochlorothiazide (HCT/Z)/methyldopa	Aldoril			
69	hydrochlorothiazide (HCT/Z)/metoprolol	Lopressor			
70	hydrochlorothiazide (HCT/Z)/triamterene	Dyazide	Maxide		
71	ibuprofen	Advil	Midol	Motrin	Nuprin
72	imiquimod	Aldara			
73	insulin (inhaled)	Exubera			
74	insulin (injectible)	Humulin(alog)	Novolin(olog)	Levemir	Lantus
75	interferon alphacon-1	Infergen			
76	interferon alfa 2a	Referon A			
77	interferon alfa 2b	Intron A			
78	iodoquinol	Yodoxin			
79	isoniazid (INH)	Nydrazid			
80	isoniazid (INH)/pyrazinamide (PZA)/rifampin	Rifater			
81	isoniazid (INH)/rifampin	Rifamate			
82	kanamycin	Kantrex			
83	lansoprazole	Prevacid			
84	lansoprazole/amoxicillin/clarithromycin	Prevpac			
85	levofloxacin	Levaquin			
86	levothyroxine	Euthyrox	Levothyroid	Levoxyl	Synthroid
87	lisinopril	Prinivil	Zestril		
88	lithium	Eskalith	Lithobid		
89	loperamide	Imodium	Kaopectate	Maalox	
90	loxapine	Loxitane			
91	megestrol	Megace			
92	metformin	Fortamet	Glucophage	Riomet	
93	methadone	Dolophine	Methadose		
94	metoclopramide	Reglan			
95	metoprolol	Lopressor	Toprol		

VIII. OTHER MEDICATIONS cont'd

	Generic	Brand Name			
96	<input type="radio"/> mirtazapine	Remeron			
97	<input type="radio"/> nalbuphine	Nubain			
98	<input type="radio"/> naproxen	Naprosyn	Aleve	Anaprox	Naprelan
99	<input type="radio"/> niacin	Niaspan	Sio-Niacin	nicotinic acid	
100	<input type="radio"/> nifedipine	Procardia	Adalat	Nifedical	
101	<input type="radio"/> nizatidine	Axid			
102	<input type="radio"/> octreotide	Sandostatin			
103	<input type="radio"/> olanzapine	Zyprexa			
104	<input type="radio"/> omeprazole	Prilosec	Prilosec OTC		
105	<input type="radio"/> oxycodone	Endocodone	OxyContin	Percolone	Roxicodone
106	<input type="radio"/> palonosetron	Aloxi			
107	<input type="radio"/> pantoprazole	Protonix			
108	<input type="radio"/> paroxetine	Paxil	Pexeva		
109	<input type="radio"/> peginterferon alfa 2a	Pegasys			
110	<input type="radio"/> peginterferon alfa 2b	PEG-Intron			
111	<input type="radio"/> penicillin	Beepen	Veetids	Pen-Vee K	
112	<input type="radio"/> phenylephrine	Lusonal	Nasop	Neo-Synephrine	
113	<input type="radio"/> phenytoin	Dilantin	Phenytek		
114	<input type="radio"/> pioglitazone	Actos			
115	<input type="radio"/> podofilox topical	Condylox			
116	<input type="radio"/> podophyllin topical				
117	<input type="radio"/> pravastatin	Pravachol			
118	<input type="radio"/> prednisone	Sterapred			
119	<input type="radio"/> propranolol	Inderal	InnoPran		
120	<input type="radio"/> propranolol/hydrochlorothiazide (HCT/Z)	Inderide			
121	<input type="radio"/> pseudoephedrine	Decofed	Dimetapp	Ridafed	Sudafed
122	<input type="radio"/> pyrazinamide (PZA)				
123	<input type="radio"/> ranitidine	Zantac			
124	<input type="radio"/> ribavirin	Copegus	Rebetol	Tribavirin	Virazole
125	<input type="radio"/> rifabutin	Mycobutin			
126	<input type="radio"/> rifampin	Rifadin	Rimactane		
127	<input type="radio"/> rosiglitazone	Avandia			
128	<input type="radio"/> rosiglitazone/glimepiride	Avandaryl			
129	<input type="radio"/> rosuvastatin	Crestor			
130	<input type="radio"/> sertraline	Zoloft			
131	<input type="radio"/> sildenafil	Viagra			
132	<input type="radio"/> somatropin	Saizen	r-hGH (human growth hormone)	Serostim	Zorbtive
133	<input type="radio"/> tadalafil	Cialis			
134	<input type="radio"/> tamsulosin	Flomax			
135	<input type="radio"/> telbivudine	Tyzeka			
136	<input type="radio"/> testosterone topical/transdermal	AndroDerm	AndroGel		
137	<input type="radio"/> tinidazole	Tindamax			
138	<input type="radio"/> trazadone	Desyrel			
139	<input type="radio"/> triamcinolone nasal	Nasacort	Tri-Nasal		
140	<input type="radio"/> trichloroacetic acid (TCA) topical	Tri-Chlor			
141	<input type="radio"/> trimethoprim/sulfamethoxazole (TMP/SMZ)	Bactrim	Cotrimoxazole	Sepra	Sulfatrim
142	<input type="radio"/> valacyclovir	Valtrex			
143	<input type="radio"/> valproic acid	Depakene			

VIII. OTHER MEDICATIONS cont'd

Generic		Brand Name			
<input type="radio"/> 144	vancomycin	Lyphocin	Vancocin		
<input type="radio"/> 145	venlafaxine	Effexor			
<input type="radio"/> 146	warfarin	Coumadin			
<input type="radio"/> 147	zanamivir	Relenza			
<input type="radio"/> 148	zolpidem	Ambien			
<input type="radio"/> 149	Other, Specify: _____				
<input type="radio"/> 150	Other, Specify: _____				
<input type="radio"/> 151	Other, Specify: _____				
<input type="radio"/> 152	Other, Specify: _____				
<input type="radio"/> 153	Other, Specify: _____				
<input type="radio"/> 154	Other, Specify: _____				
<input type="radio"/> 155	Other, Specify: _____				
<input type="radio"/> 156	Other, Specify: _____				
<input type="radio"/> 157	Other, Specify: _____				
<input type="radio"/> 158	Other, Specify: _____				

X. LABORATORY TEST RESULTS

Is there documentation of laboratory test results for CD4 cell count or percentage, HIV viral load, creatinine, or abnormal ALT (SGPT) or AST (SGOT), for this inpatient stay?

- Yes → Enter all that are documented for each test below.
 No

Laboratory tests performed *closest to admission*: (select all that are documented and record results and limits)

Lab Test	Lab Result			Limits of Normal Result		Select if not documented	Select if not documented
	Undetectable	Value	Units	Lower Limit	Upper Limit documented		
<input type="radio"/> 1 ALT (SGPT)			units/L			<input type="radio"/>	<input type="radio"/>
<input type="radio"/> 2 AST (SGOT)			units/L			<input type="radio"/>	<input type="radio"/>
<input type="radio"/> 3 CD4 cell count			cells/ μ L				
<input type="radio"/> 4 CD4 cell percentage			%				
<input type="radio"/> 5 Creatinine (Creat)			mg/dL			<input type="radio"/>	<input type="radio"/>
<input type="radio"/> 6 HIV viral load	<input type="radio"/>		copies/mL			<input type="radio"/>	

Laboratory tests performed *closest to discharge*: (select all that are documented and record results and limits)

Lab Test	Lab Result			Limits of Normal Result		Select if not documented	Select if not documented
	Undetectable	Value	Units	Lower Limit	Upper Limit documented		
<input type="radio"/> 1 ALT (SGPT)			units/L			<input type="radio"/>	<input type="radio"/>
<input type="radio"/> 2 AST (SGOT)			units/L			<input type="radio"/>	<input type="radio"/>
<input type="radio"/> 3 CD4 cell count			cells/ μ L				
<input type="radio"/> 4 CD4 cell percentage			%				
<input type="radio"/> 5 Creatinine (Creat)			mg/dL			<input type="radio"/>	<input type="radio"/>
<input type="radio"/> 6 HIV viral load	<input type="radio"/>		copies/mL			<input type="radio"/>	

