2020-2005 CDC Manuscripts using NHBS Data

- 1. Adams M, Sionean C, Broz D, Lewis R, Wejnert C; NHBS Study Group. Serious mental illness among young people who inject drugs: An assessment of injection risks and healthcare use. J Infect Dis. 2020;222(Supplement_5):S401-S409.
- 2. An Q, Bernstein KT, Balaji AB, Wejnert C; for the NHBS-YMSM Study Group. Sexually transmitted infection screening and diagnosis among adolescent men who have sex with men, three US cities, 2015. International Journal of STD & AIDS. 2020;31(1):53–61.
- 3. Chapin-Bardales J, Johnson Jones ML, Kirkcaldy RD, Bernstein KT, Paz-Bailey G, Phillips C, Papp JR, Raymond HF, Opoku J, Braunstein SL, Spencer EC, Khuwaja S, Wejnert C; NHBS STI Study Group. Preexposure Prophylaxis Use and Detected Sexually Transmitted Infections Among Men Who Have Sex With Men in the United States-National HIV Behavioral Surveillance, 5 US Cities, 2017. J Acquir Immune Defic Syndr. 2020;85(4):430-435.
- 4. Doyle KE, Sionean C, Paz-Bailey G, Hollis ND, Kanny D, Wejnert C; NHBS Study Group. High prevalence of disability and HIV risk among low socioeconomic status urban adults, 17 U.S. cities. Disabil Health J. 2020;13(1):100834.
- 5. Elmes J, Silhol R, Hess KL, Gedge LM, Nordsletten A, Staunton R, Anton P, Shacklett B, McGowan I, Dang Q, Adimora AA, Dimitrov DT, Aral S, Handanagic S, Paz-Bailey G, Boily M, NHBS Study Group. Receptive anal sex contributes substantially to heterosexually-acquired HIV infections among at-risk women in Twenty US Cities: results from a modelling analysis. American Journal of Reproductive Immunology. 2020;84(2):e13263.
- 6. Ivy III W, Paz-Bailey G, for the NHBS Study Group. Changes in characteristics and behavior among African American men who have sex with men and women in the context of reductions in HIV diagnoses among women. AIDS and Behavior. 2020;24(3):960-966.
- 7. Lewis R, Baugher AR, Finlayson T, Wejnert C, Sionean C; National HIV Behavioral Surveillance (NHBS) Study Group. Healthcare Access and Utilization Among Persons Who Inject Drugs in Medicaid Expansion and Nonexpansion States: 22 United States Cities, 2018. J Infect Dis. 2020;222(Supplement_5):S420-S428.
- 8. Linton SL, Cooper HLF, Chen YT, Khan MA, Wolfe ME, Ross Z, Des Jarlais DC, Friedman SR, Tempalski B, Broz D, Semaan S, Wejnert C, Paz-Bailey G. Mortgage discrimination and racial/ethnic concentration are associated with same-race/ethnicity partnering among people who inject drugs in 19 US cities. J Urban Health. 2020;97(1):88-104.
- 9. McCree DH, Henny KD, Jeffries WL 4th, Hickey T, Sionean C. Sociodemographic characteristics of risk and receipt of prevention services associated with HIV testing history in heterosexually active black men at high risk for HIV infection in the United States, 2016. Prev Med. 2020;139:106232.
- 10. McClung N, Burnett J, Wejnert C, Markowitz LE, Meites E, NHBS Study Group. Human Papillomavirus Vaccination Coverage among Men Who Have Sex with Men—National HIV Behavioral Surveillance, United States, 2017. Vaccine. 2020;38(47):7417-7421.
- 11. Morris E, Balaji AB, Trujillo L, Rasberry CN, Mustanski B, Newcomb ME, Brady KA, Prachand NG. Family Factors and HIV-Related Risk Behaviors Among Adolescent Sexual Minority Males in Three United States Cities, 2015. LGBT Health. 2020;7(7):367-374.
- 12. Nerlander LM, Handanagic S, Hess KL, Lutnick A, Agnew-Brune CB, Hoots BE, Braunstein SL, Glick SN, Higgins E, Padgett P, Schuette SM, Broz D, Ivy W 3rd, Smith A, Thorson A, Paz-Bailey G; NHBS High Risk Women Study Group. HIV prevalence among women who exchange sex for money or drugs-4 U.S. Cities. J Acquir Immune Defic Syndr. 2020;84(4):345-354.

- 13. Robbins T, Wejnert C, Balaji AB, Hoots B, Paz-Bailey G, Bradley H for the NHBS-YMSM Study Group. Binge drinking, non-injection drug use, and sexual risk behaviors among adolescent sexual minority males, 3 US cities, 2015. J Urban Health. 2020;97(5):739-748.
- 14. Whitby S, Smith A, Rossetti R, Chapin-Bardales J, Martin A, Wejnert C, Masciotra S; NHBS Study Group. Evaluation of rapid testing algorithms for venue-based anonymous HIV testing among non-HIV-positive men who have sex with men, National HIV Behavioral Surveillance (NHBS), 2017. J Community Health. 2020;45(6):1228-1235.
- 15. Whiteman A, Burnett J, Handanagic S, Wejnert C, Broz D, for the NHBS Study Group. Distance matters: The association of proximity to syringe services programs with sharing of syringes and injecting equipment 17 U.S. cities, 2015. International Journal of Drug Policy. 2020;85:102923.

- 1. Abara W, Trujillo L, Broz D, Finlayson T, Teshale E, Paz-Bailey G, Glick S, Al-Tayyib AA, Robinson WT, Masiello-Schuette S, Sey EK, Anderson BJ, Poe J, Braunstein S. Age-related Differences in Past or Present HCV Infection among People Who Inject Drugs National HIV Behavioral Surveillance, Eight U.S. Cities, 2015. Journal of Infectious Diseases. 2019;220(3):377–385.
- 2. Adams M, An Q, Broz D, Burnett J, Wejnert C, Paz-Bailey G; NHBS Study Group. Distributive Syringe Sharing and Use of Syringe Services Programs (SSPs) Among Persons Who Inject Drugs. AIDS Behav. 2019;23(12):3306-3314.
- 3. Agnew-Brune C, Bailey G, Balaji A, Brady K, Braunstein S, Broz D, Hoots B, Musanski B, Newcomb M, Smith J. Mental health, social support, and HIV-related sexual risk behaviors among adolescent sexual minority males: Three U.S. cities, 2015. AIDS and Behavior. 2019;23(12):3419-3426.
- 4. An Q, Song R, Finlayson TJ, Sionean C, Wejnert C; NHBS Study Group. An Innovative Approach to Assess Similarity Between Sex Partners. AIDS Behav. 2019;23(8):2190-2198.
- 5. Hoots BE, Wejnert C, Martin A, Haaland R, Masciotra S, Sionean C, Smith A, Switzer WM, Paz-Bailey G; NHBS Study Group. Undisclosed HIV infection among men who have sex with men in a behavioral surveillance study. AIDS 2019; 33(5):913-918.
- 6. Chapin-Bardales J, Masciotra S, Smith A, Hoots BE, Martin A, Switzer WM, Luo W, Owen SM, Paz-Bailey G; for the NHBS Study Group. Characteristics of Persons Who Inject Drugs with Recent HIV Infection in the United States: National HIV Behavioral Surveillance, 2012. AIDS and Behavior. 2019;23(12):3277-3285.
- 7. Chapin-Bardales J, Bailey G, Jenness S, Rosenberg E, Sullivan P, for the NHBS Study Group. Trends in Number and Composition of Sex Partners among Men Who Have Sex with Men in the United States, National Behavioral Surveillance, 2008-2014. J Acquir Immune Defic Syndr. 2019;81(3):257–65.
- 8. Finlayson T, Cha S, Xia M, Trujillo L, Denson D, Prejean J, Kanny D, Wejnert C; for the National HIV Behavioral Surveillance Study Group. Changes in HIV Preexposure Prophylaxis Awareness and Use Among Men Who Have Sex with Men 20 Urban Areas, 2014 and 2017. Morb Mortal Wkly Rep 2019:68;597–603.
- 9. Johnson Jones ML, Chapin-Bardales J, Bizune D, Papp JR, Phillips C, Kirkcaldy RD, Wejnert C, Bernstein KT; National HIV Behavioral Surveillance Sexually Transmitted Infection Study Group. Extragenital Chlamydia and Gonorrhea Among Community Venue—Attending Men Who Have Sex with Men Five Cities, United States, 2017. MMWR Morb Mortal Wkly Rep. 2019;68:321–325.
- 10. Johnson Jones ML, Kirkcaldy RD, An Q, Gorwitz R, Bernstein K, Paz-Bailey G for the NHBS Study Group. Self-Reported History of Chlamydia or Gonorrhea Testing among Heterosexual Women at High Risk for HIV Infection, National HIV Behavioral Surveillance (NHBS), 2013. Sexually Transmitted Diseases. 2019;46(9):608-616.

- 11. Kanny D, Jeffries IV WL, Chapin-Bardales J, Denning P, Cha S, Finlayson T, Wejnert C, for the National HIV Behavioral Surveillance Study Group. Racial/ethnic disparities in HIV pre-exposure prophylaxis (PrEP) among men who have sex with men (MSM), 2017, 23 Urban Areas. MMWR Morb Mortal Wkly Rep. 2019;68:801-806.
- 12. Stein R, Xu S, Williams W, Marano M, Eke A, Finlayson T, Paz-Bailey G, Wejnert C; for the NHBS study group. Factors Associated with HIV Antiretroviral Therapy among Men who Have Sex with Men in 20 US Cities, 2014. Journal of Urban Health. J Urban Health. 2019;96(6):868-877.
- 13. Tempalski B, Cooper HLF, Kelley ME, Linton SL, Wolfe ME, Chen Y, Ross Z, Des Jarlais DC, Friedman SR, Williams LD, Semaan S, DiNenno E, Wejnert C, Broz D, Paz-Bailey G, for the NHBS Study Group. Identifying Which Place Characteristics are Associated with the Odds of Recent HIV Testing in a Large Sample of People Who Inject Drugs in 19 US Metropolitan Areas. AIDS and Behavior. 2019;23(2):318-335.
- 14. Trujillo L, Chapin-Bardales J, German EJ, Kanny D, Wejnert C; National HIV Behavioral Surveillance Study Group. Trends in sexual risk behaviors among Hispanic/Latino men who have sex with men—19 urban areas, 2011–2017. MMWR Morb Mortal WklyRep. 2019;68:873–9.
- 15. Wise A, Finlayson T, Sionean C, Paz-Bailey G. Incarceration, HIV Risk-Related Behaviors, and Partner Characteristics Among Heterosexual Men at Increased Risk of HIV Infection, 20 US Cities. Public Health Rep. 2019;134(1):63S-70S.

- Balaji AB, An Q, Smith JC, Newcomb ME, Mustanski B, Prachand NG, Brady KA, Braunstein S, Paz-Bailey G; for the National HIV Behavioral Surveillance for Young Men Who Have Sex with Men (NHBS-YMSM) Study Group. High Human Immunodeficiency Virus Incidence and Prevalence and Associated Factors Among Adolescent Sexual Minority Males-3 Cities, 2015. Clinical Infectious Diseases. 2018; 66(6): 936-944.
- 2. Burnett JC, Broz D, Spiller MW, Wejnert C, Paz-Bailey G. HIV Infection and HIV-Associated Behaviors Among Persons Who Inject Drugs 20 Cities, United States, 2015. MMWR. 2018; 67: 23-28.
- 3. Chen YT, Bowles K, An Q, DiNenno E, Finlayson T, Hoots B, Paz-Bailey G. Wejnert C. Surveillance Among Men Who have Sex with Men in the United States: A Comparison of Web-Based and Venue-Based Samples. AIDS and Behavior. 2018; 22: 2104.
- 4. Hoots BE, Torrone EA, Bernstein KT, Paz-Bailey G, for the NHBS study group. Self-Reported Chlamydia and Gonorrhea Testing and Diagnosis Among Men Who Have Sex With Men—20 US Cities, 2011 and 2014. Sexually Transmitted Diseases. 2018; 45(7): 469-475.
- 5. Mackesy-Amiti ME, Boodram B, Handanagic S, Paz-Bailey G, Prachand NG, Broz D, for the NHBS Study Group. Latent Classes of Sexual Risk Behavior and Engagement in Outreach, Intervention and Prevention Services Among Women who Inject Drugs Across 20 U.S. Cities. Journal of Acquired Immune Deficiency Syndrome. 2018;79(3):305-314.
- 6. Nerlander LMC, Hoots BE, Bradley H, Broz D, Thorson A, Paz-Bailey G, for the NHBS Group. HIV infection among MSM who inject methamphetamine in 8 US cities. Drug and Alcohol Dependence. 2018; 190: 216-223.
- 7. Wejnert C, Prejean J, Hoots B, Hall HI, McCray E, Mermin J, for the NHBS Study Group. Prevalence of Missed Opportunities for HIV Testing Among Persons Unaware of Their Infection. Journal of the American Medical Association. 2018; 319(24): 2555-2557.
- 8. Whitham HK, Sansom SL, Wejnert C, Finlayson T, Huang YA, An Q, Paz-Bailey G; NHBS Study Group. Sex Practices by HIV Awareness and Engagement in the Continuum of Care Among MSM: A National HIV Behavioral Surveillance Analysis in 21 U.S. Cities. AIDS Behav. 2018 Mar;22(3):840-847.

9. Zlotorzynska M, Weidle PJ, Paz-Bailey G, Broz D; NHBS Study Group. Factors associated with obtaining sterile syringes from pharmacies among persons who inject drugs in 20 US cities. Int J Drug Policy. 2018;62:51-58.

- 1. An Q, Wejnert C, Bernstein K, Paz-Bailey G, for the NHBS Study group. Syphilis Screening and Diagnosis Among Men Who Have Sex With Men, 2008-2014, 20 U.S. Cities. Journal of Acquired Immune Deficiency Syndrome. 2017; 75(S3): 363-369.
- 2. An Q, Song R, Finlayson TJ, Wejnert C, Paz-Bailey G for the NHBS Study Group. Estimated HIV Inter-test Interval Among People at High Risk for HIV Infection in the U.S. American Journal of Preventive Medicine. 2017; 53(3): 355-362.
- 3. Balaji AB, Bowles KE, Hess KL, Smith JC, Paz-Bailey G. Association between enacted stigma and HIV-related risk behavior among MSM, National HIV Behavioral Surveillance System, 2011. AIDS and Behavior. 2017; 21(1): 227-237.
- 4. Cooley LA, Hoots B, Wejnert C, Lewis R, Paz-Bailey G. Policy Changes and Improvement in Health Insurance Coverage Among MSM: 20 U.S. Cities, 2008-2014. AIDS and Behavior. 2017; 21(3): 615-618.
- 5. Dailey AF, Hoots BE, Hall HI, Song R, Hayes D, Fulton P, Prejean J, Hernandez AL, Koenig LJ, Valleroy LA. Vital Signs: Human immunodeficiency virus testing and diagnosis delays United States. MMWR. 2017;66:1300–1306.
- 6. Denson D, Padgett P, Pitts N, Paz-Bailey G, Bingham T, Carlos J, McCann P, Prachand N, Risser J. Health Care Use and HIV-Related Behaviors of Black and Latina Transgender Women in 3 US Metropolitan Areas: Results From the Transgender HIV Behavioral Survey. Journal of Acquired Immune Deficiency Syndrome. 2017; 75(S3): 268-275.
- 7. Hoots B, Finlayson T, Broz D, Paz-Bailey G. Antiretroviral Therapy Use Among HIV-Infected People Who Inject Drugs: 20 Cities, United States, 2009-2015. Journal of Acquired Immune Deficiency Syndrome. 2017; 75(S3): 392-396.
- 8. Hoots BE, Finlayson TJ, Wejnert C, Paz-Bailey G, for the NHBS Study Group. Updated Data on Linkage to Human Immunodeficiency Virus Care and Antiretroviral Treatment Among Men Who Have Sex With Men—20 Cities, United States. Journal of Infectious Diseases. 2017; 216(7): 808-812.
- 9. Ivy W, Nwangwu-Ike N, Paz-Bailey G. Reductions in HIV Diagnoses Among African American Women: A Search for Explanations. Journal of Acquired Immune Deficiency Syndrome. 2017; 75(S3): 253-260.
- 10. Linton SL, Cooper HL, Kelley ME, Karnes CC, Ross Z, Wolfe ME, Friedman SR, Jarlais DD, Semaan S, Tempalski B, Sionean C, DiNenno E, Wejnert C, Paz-Bailey G, for the NHBS Study Group. Cross-sectional association between ZIP code-level gentrification and homelessness among a large community-based sample of people who inject drugs in 19 US cities. BMC Public Health. 2017; 7(6).
- 11. Luo W, Davis G, Li L, Shriver MK, Mei J, Styer LM, Parker MM, Smith A, Paz-Bailey G, Ethridge S, Wesolowski L, Owen SM, Masciotra S. Evaluation of dried blood spot protocols with the Bio-Rad GS HIV Combo Ag/Ab EIA and Geenius™ HIV 1/2 Supplemental Assay. J Clin Virol. 2017 Jun;91:84-89.
- 12. Mackesy-Amiti M, Boodram B, Spiller M, Paz-Bailey G, Prachand N, Broz D. Injection-Related Risk Behavior and Engagement in Outreach, Intervention and Prevention Services Across 20 US Cities. Journal of Acquired Immune Deficiency Syndrome. 2017; 75(S3): 316-324.
- 13. Nerlander L, Hess K, Rose C, Sionean C, Thorson A, Broz D, Paz-Bailey G. Exchange Sex and HIV Infection Among Women Who Inject Drugs: 20 US Cities, 2009. Journal of Acquired Immune Deficiency Syndrome. 2017; 75(S3): 333-340.

- 14. Nerlander L, Hess KL, Sionean C, E Rose C, Thorson A, Broz D, Paz-Bailey G. Exchange Sex and HIV Infection Among Men Who Have Sex with Men: 20 US Cities, 2011. AIDS Behav. 2017 Aug;21(8):2283-2294.
- 15. Oliver S, Hoots B, Paz-Bailey G, Markowitz L, Meites E. Increasing Human Papillomavirus Vaccine Coverage Among Men Who Have Sex With Men -- National HIV Behavioral Surveillance, United States, 2014. Journal of Acquired Immune Deficiency Syndrome. 2017; 75(S3): 370-374.
- 16. Paz-Bailey G, Hoots B, Xia M, Finlayson T, Prejean J, Purcell D. Trends in Internet Use Among Men Who Have Sex With Men in the United States. Journal of Acquired Immune Deficiency Syndrome. 2017; 75(S3): 288-296.
- 17. Shadaker S, Magee M, Paz-Bailey G, Hoots B. Characteristics and Risk Behaviors of Men Who Have Sex With Men and Women Compared With Men Who Have Sex With Men: 20 US Cities, 2011 and 2014. 2017; 75(S3): 281-287.
- 18. Spiller MW, Gile KJ, Handcock MS, Mar CM, Wejnert C. Evaluating Variance Estimators for Respondent-Driven Sampling. Journal of Survey Statistics and Methodology. 2017.
- 19. Wejnert C, Raymond H, Robbins T, Prejean J, Irene H, McCray E, Paz-Bailey G. Achieving Greater HIV Prevention Impact Through CDC's National HIV Behavioral Surveillance System. Journal of Acquired Immune Deficiency Syndrome. 2017; 75(S3): 249-252.
- 20. Wise A, Finlayson T, Nerlander L, Sionean C, Paz-Bailey G. Incarceration, Sexual Risk-Related Behaviors, and HIV Infection Among Women at Increased Risk of HIV Infection, 20 United States Cities. Journal of Acquired Immune Deficiency Syndrome. 2017; 75(S3): 261-267.

- 1. Cooley LA, Wejnert C, Spiller MW, Broz D, Paz-Bailey G. Low HIV testing among persons who inject drugs-National HIV Behavioral Surveillance, 20 U.S. cities, 2012. Drug and Alcohol Dependence. 2016; 165: 270-274.
- 2. Cooper HL, Linton S, Kelley ME, Ross Z, Wolfe ME, Chen YT, Zlotorzynska M, Hunter-Jones J, Friedman SR, Des Jarlais D, Semaan S, Tempalski B, DiNenno E, Broz D, Wejnert C, Paz-Bailey G. Racialized risk environments in a large sample of people who inject drugs in the United States. International Journal of Drug Policy. 2016; 27: 43-55.
- 3. Cooper HL, Linton S, Kelley ME, Ross Z, Wolfe ME, Chen YT, Zlotorzynska M, Hunter-Jones J, Friedman SR, Des Jarlais DC, Tempalski B, DiNenno E, Broz D, Wejnert C, Paz-Bailey G. Risk environments, race/ethnicity, and HIV status in a large sample of people who inject drugs in the United States. PLoS One. 2016; 11(3).
- 4. Hess KL, DiNenno E, Sionean C, Ivy W, Paz-Bailey G. Prevalence and correlates of Heterosexual anal intercourse among men and women, 20 U.S. Cities. AIDS and Behavior. 2016 Dec;20(12):2966-2975.
- 5. Hoots BE, Finlayson T, Nerlander L, Paz-Bailey G. Willingness to take, use of, and indications for Preexposure Prophylaxis among Men who have Sex with Men- 20 U.S. Cities, 2014. Clinical Infectious Diseases. 2016; 63(5): 627-637.
- 6. Johnston LG, Hakim AJ, Dittrich S, Burnett J, Kim E, White G. A systematic review of published respondent-driven sampling surveys collecting behavioral and biologic Data. AIDS and Behavior. 2016; 20(8): 1754-1776.
- 7. Linley L, An Q, Song R, Valverde E, Oster A, Qian X, Hernandez A. HIV testing experience before HIV diagnosis among Men who have Sex with Men 21 Jurisdictions, United States, 2007–2013. MMWR. 2016; 65(37): 999-1003.
- 8. Linton SL, Cooper HL, Kelley ME, Karnes CC, Ross Z, Wolfe ME, Chen YT, Friedman SR, Des Jarlais D, Semaan S, Tempalski B, Sionean C, DiNenno E, Wejnert C, Paz-Bailey G. Associations of place

- characteristics with HIV and HCV risk behaviors among racial/ethnic groups of people who inject drugs in the United States. Annals of Epidemiology. 2016; 26(9): 619-630.
- 9. Paz-Bailey G, Mendoza M, Finlayson T, Wejnert C, Le B, Rose C, Raymond HF, Prejean J. Trends in condom use among Men who have Sex with Men in the United States: The role of Antiretroviral Therapy and sero-adaptive strategies. AIDS. 2016; 30(12): 1985-1990.
- 10. Wejnert C, Hess KL, Hall HI, Van Handel M, Hayes D, Fulton Jr P, An Q, Koenig LJ, Prejean J, Valleroy LA. Vital Signs: Trends in HIV Diagnoses, Risk Behaviors, and Prevention Among Persons Who Inject Drugs United States. MMWR. 2016; 65: 1336-1342.
- 11. Wejnert C, Hess KL, Rose CE, Balaji A, Smith JC, Paz-Bailey G. Age-specific race and ethnicity disparities in HIV infection and awareness among Men who have Sex with Men-20 US Cities, 2008-2014. Journal of Infectious Diseases. 2016; 213(5): 776-783.

- 1. Cooley LA, Wejnert C, Le B, Xia M, Paz-Bailey G. HIV infection, risk, prevention, and testing behaviors among Heterosexuals at increased risk of HIV Infection-National HIV Behavioral Surveillance, 20 U.S. Cities, 2013. HIV Surveillance Special Report. 2015; 13: 1-28.
- 2. Cooley LA, Wejnert C, Rose CE, Paz-Bailey G. Increases in recent HIV testing among Men who have Sex with Men coincide with the Centers for Disease Control and Prevention's expanded testing initiative. Clinical Infectious Diseases. 2015; 60(3): 483-485.
- 3. Cooley LA, Pearl ML, Flynn C, Ross C, Hart-Cooper G, Elmore K, Blythe D, Morgan J, Oster AM. Low viral suppression and high HIV diagnosis rate among men who have sex with men with syphilis Baltimore, Maryland. Sexually Transmitted Diseases. 2015; 42(4): 226-231.
- 4. Hess KL, Chavez PR, Kanny D, DiNenno E, Lansky A, Paz-Bailey G. Binge drinking and risky sexual behavior among HIV-negative and unknown HIV status Men who have Sex with Men, 20 US cities. Drug and Alcohol Dependence. 2015; 147: 46-52.
- 5. Hoots BE, Finlayson TJ, Wejnert C, Paz-Bailey G. Early Linkage to HIV Care and Antiretroviral Treatment among Men Who Have Sex with Men—20 Cities, United States, 2008 and 2011. 2015; 10(7).
- 6. Ivy W III, Wejnert C, Cooley L, Le B, Rhodes J, Paz-Bailey G. HIV Infection, Risk, Prevention, and Testing Behaviors among Persons Who Inject Drugs—National HIV Behavioral Surveillance: Injection Drug Use, 20 U.S. Cities, 2012. HIV Surveillance Report 11. 2015.
- 7. Linton SL, Cooper HLF, Kelly ME, Karnes CC, Ross Z, Wolfe ME, Des Jarlais D, Semaan S, Tempalski B, Finlayson T, Sionean C, DiNenno E, Wejnert C, Paz-Bailey G. HIV infection among people who inject drugs in the United States: Geographically explained variance across racial and ethnic groups. American Journal of Public Health. 2015; 105(12): 2457-2465.
- 8. Paz-Bailey G, Smith A, Masciotra S, Zhang W, Bingham T, Flynn C, German D, Al-Tayyib A, Magnus M, LaLota M, Rose CE, Owen SM. Early HIV infections among Men who have Sex with Men in five cities in the United States. AIDS and Behavior. 2015; 19(12): 2304-2310.
- 9. Skarbinski J, Rosenberg E, Paz-Bailey G, Hall IH, Rose CE, Viall AH, Fagan JL, Lansky A, Mermin JH. Human Immunodeficiency Virus Transmission at Each Step of the Care Continuum in the United States. 2015; 175(4): 588-596.
- 10. Spiller MW, Broz D, Wejnert C, Nerlander L, Paz-Bailey G, for the NHBS Study Group. HIV infection and HIV-associated behaviors among persons who inject drugs 20 Cities, United States, 2012. MMWR. 2015; 64(10): 270-275.

- 1. Batra N, Gray SC, Krishna N, Prachand N, Robinson WT, Wejnert C. Respondent-driven sampling of heterosexuals at increased risk of HIV Infection. Surv Pract. 2014; 7(1): 1-7.
- 2. Broz D, Pham H, Spiller M, Wejnert C, Le B, Neaigus A, Paz-Bailey G. Prevalence of HIV infection and risk behaviors among younger and older injecting drug users in the United States, 2009. AIDS and Behavior. 2014; 18(S3): 284-296.
- 3. Broz D, Wejnert C, Pham HT, DiNenno E, Heffelfinger JD, Cribbin M, Krishna N, Teshale EH, Paz-Bailey G, for the NHBS Study Group. HIV infection and risk, prevention, and testing behaviors among injecting drug users National HIV Behavioral Surveillance System, 20 U.S. Cities, 2009. MMWR. 2014; 63(SS6): 1-51.
- Centers for Disease Control and Prevention. HIV Infection Risk, Prevention, and Testing Behaviors among Men Who Have Sex With Men—National HIV Behavioral Surveillance, 20 U.S. Cities, 2014. HIV Surveillance Special Report 15.
- 5. Cooley LA, Oster AM Rose CE, Wejnert C Le BC, Paz-Bailey G. Increases in HIV Testing among Men Who Have Sex with Men National HIV Behavioral Surveillance System, 20 U.S. Metropolitan Statistical Areas, 2008 and 2011. 2014; 9(9).
- 6. Ivy WI, Miles I, Le B, Paz-Bailey G. Correlates of HIV infection among African American women from 20 Cities in the United States. AIDS and Behavior. AIDS Behav. 2014; 18(Suppl 3): 266–275.
- 7. Meites E, Markowitz LE, Paz-Bailey G, Oster AM. HPV vaccine coverage among men who have sex with men National HIV Behavioral Surveillance System, United States, 2011. Vaccine. 2014; 32(48): 6356-6359.
- 8. Morales-Alemán MM, Hageman K, Gaul ZJ, Le B, Paz-Bailey G, Sutton MY. Intimate partner violence and Human Immunodeficiency Virus risk among black and Hispanic women. American Journal of Preventive Medicine. 2014; 47(6): 689-702.
- 9. Oster AM, Johnson CH, Le BC, Balaji AB, Finlayson TJ, Lansky A, Mermin J, Valleroy L, Mackellar D, Behel S, Paz-Bailey G. Trends in HIV Prevalence and HIV Testing Among Young MSM: Five United States Cities, 1994-2011. AIDS and Behavior. 2014; 18(S3): 237-247.
- 10. Paz-Bailey G, Pham H, Oster AM, Lansky A, Bingham T, Wiegand RE, DiNenno E, Skarbinski J, Heffelfinger JD. Engagement in HIV care among HIV-positive Men who have Sex with Men from 21 cities in the United States. AIDS and Behavior. 2014; 18(S3): 348-358.
- 11. Paz-Bailey G, Raymond HF, Lansky A, Mermin J. Using the National HIV Behavioral Surveillance System to inform HIV prevention efforts in the United States. AIDS and Behavior. 2014; 18(S3): 233-236.
- 12. Sionean C, Le B, Hageman K, Oster AM, Wejnert C, Hess KL, Paz-Bailey G, for the NHBS Study Group. HIV risk, prevention, and testing behaviors among Heterosexuals at increased risk for HIV Infection National HIV Behavioral Surveillance System, 21 US Cities, 2010. MMWR. 2014; 63(SS14): 1-39.

- 1. Balaji AB, Bowles KE, Le BC, Paz-Bailey G, Oster AM. High HIV incidence and prevalence and associated factors among young MSM, 2008. AIDS. 2013; 27(2): 269-278.
- 2. Centers for Disease Control and Prevention (Harris N, Johnson C, Sionean C, Ivy W, Singh S, Wei S, Mizuno Y, Lansky A). Estimated percentages and characteristics of Men who have Sex with Men and use injection drugs United States, 1999-2011. MMWR. 2013; 62(37): 757-762.
- 3. Centers for Disease Control and Prevention (Johnson AS, Beer L, Sionean C, Hu X, Furlow-Parmley C, Le B Skarbinski J, Hall HI, Dean H). HIV Infection United States, 2008 and 2010. MMWR. 2013; 62(S3): 112-119.
- 4. Centers for Disease Control and Prevention (Miles I, Le B, Wejnert C, Oster A DiNenno E, Paz-Bailey G). HIV infection among heterosexuals at increased risk United States, 2010. MMWR. 2013; 62: 183-188.
- 5. Centers for Disease Control and Prevention (Paz-Bailey G, Hall HI, Wolitski RJ, Prejean J, Van Handel MM, Le B, LaFlam M, Koenig LJ, Mendoza M, Rose C, Valleroy LA). HIV Testing and Risk Behaviors Among Gay, Bisexual, and Other Men Who Have Sex with Men United States. MMWR. 2013; 62(47): 958-962.
- 6. Masciotra S, Smith AJ, Youngpairoj AS, Sprinkle P, Miles I, Sionean C, Paz-Bailey G, Johnson JA, Owen SM. Evaluation of the CDC proposed laboratory HIV testing algorithm among men who have sex with men (MSM) from five US metropolitan statistical areas using specimens collected in 2011. Journal of Clinical Virology. 2013; 58(S1): 8-12.
- 7. Meites E, Krishna NK, Markowitz LE, Oster AM. Health care use and opportunities for human papillomavirus vaccination among young men who have sex with men. Sexually Transmitted Diseases. 2013; 40(2): 154-157.
- 8. Oster AM, Russell K, Wiegand RE, Valverde E, Forrest DW, Cribbin M, Le BC, Paz-Bailey G, for the NHBS Study Group. HIV infection and testing among Latino men who have sex with men in the United States: the role of location of birth and other social determinants. PLoS One. 2013; 8(9).
- 9. Smith BD, Jewett A, Burt RD, Zibbell JE, Yartel AK, DiNenno E. To share or not to share? Serosorting by hepatitis C status in the sharing of drug injection equipment among NHBS-IDU2 participants. Journal of Infectious Diseases. 2013; 208(12): 1934-1942.
- 10. Wejnert C, Le B, Rose CE, Oster AM, Smith AJ, Zhu J, Paz-Bailey G. HIV infection and awareness among Men who have Sex with Men—20 cities, United States, 2008 and 2011. PLoS One. 2013; 8(10).

- Centers for Disease Control and Prevention (Lansky A, Wejnert C DiNenno E, Behel S Cribbin M, Drake A
 Finlayson TJ, Garfein RS Martin T, Pham H). Risk, prevention, and testing behaviors related to HIV and
 hepatitis infections National HIV Behavioral Surveillance System: Injecting drug users, May 2005

 February 2006. HIV Special Surveillance Report 7. 2011.
- 2. Centers for Disease Control and Prevention (Wejnert C, Pham H, Oster A, DiNenno E Smith A, Krishna N, Lansky A). HIV infection and HIV-associated behaviors among injecting drug users 20 cities, United States, 2009. MMWR. 2012; 61(8): 133-138.
- 3. DiNenno EA, Oster AM, Sionean C, Denning P, Lansky A. Piloting a system for behavioral surveillance among heterosexuals at increased risk of HIV in the United States. The Open AIDS Journal. 2012; 6: 169-176.
- 4. Lansky A, Drake A, Wejnert C, Pham H, Cribbin M, Heckathorn DD. Assessing the assumptions of respondent-driven sampling in the National HIV Behavioral Surveillance System among injecting drug users. The Open AIDS Journal. 2012; 6: 77-82.
- 5. Sanchez T, Smith A, Denson D, DiNenno E, Lansky A. Developing a Web-based HIV behavioral surveillance pilot project among men who have sex with men. The Open AIDS Journal. 2012; 6: 224-231.

- 6. Sanchez T, Smith A, Denson D, DiNenno E, Lansky A. Internet-based methods may reach higher-risk men who have sex with men not reached through venue-based sampling. The Open AIDS Journal. 2012; 6: 83-89.
- 7. Sorensen SW, Sansom SL, Brooks JT, Marks G, Begier EM, Buchacz K, DiNenno EA, Mermin JH, Kilmarx PH. A mathematical model of comprehensive test-and-treat services and HIV incidence among men who have sex with men in the United States. PLoS One. 2012; 7(2).
- 8. Voetsch AC, Lansky A, Drake AJ, MacKellar D, Bingham TA, Oster AM, Sullivan PS. Comparison of demographic and behavioral characteristics of men who have sex with men by enrollment venue type in the National HIV Behavioral Surveillance System. Sexually Transmitted Diseases. 2012; 39(3): 229-235.
- 9. Wejnert C, Pham H, Krishna N, Le B, DiNenno EA. Estimating design effect and calculating sample size for respondent-driven sampling studies of injection drug users in the United States. AIDS and Behavior. 2012; 16(4): 797-806.

- 1. Centers for Disease Control and Prevention (Denning P, DiNenno E, Wiegand R). Characteristics associated with HIV infection among heterosexuals in urban areas with high AIDS prevalence --- 24 cities, United States, 2006-2007. MMWR. 2011; 60(31): 1045-1049.
- 2. Centers for Disease Control and Prevention (Finlayson T, Le B, Smith A, Bowles K, Cribbin M, Miles I, Oster A, Martin T, Edwards A, DiNenno E). HIV risk, prevention, and testing behaviors among Men who have Sex with Men National HIV Behavioral Surveillance System, 21 U.S. Cities, United States, 2008. MMWR. 2011; 60(14): 1-34.
- 3. Centers for Disease Control and Prevention (Oster A, Miles I, Le B, DiNenno E, Wiegand R, Heffelfinger J, Wolitski R). HIV testing among men who have sex with men--21 cities, United States, 2008. MMWR. 2011; 60(21): 694-699.
- 4. Centers for Disease Control and Prevention (Rakhmanina N, Hader S, Gaur A, Mitchell C Henderson S, Paul M, Barton T, Herbert-Grant M, Perez E, Malachowski J, Dominguez K, Danner S, Nesheim S, Ivy W, Iuliano D). Premastication of food by caregivers of HIV-exposed children--Nine U.S. sites, 2009-2010. MMWR. 2011; 60(9): 273-275.
- 5. Centers for Disease Control and Prevention. HIV Risk, Prevention, and Testing Behaviors—National HIV Behavioral Surveillance System: Men Who Have Sex With Men, 20 U.S. Cities, 2011. HIV Surveillance Special Report 8.
- 6. Lim JR, Sullivan PS, Salazar L, Spaulding AC, DiNenno EA. History of arrest and associated factors among men who have sex with men. Journal of Urban Health. 2011; 88(4): 677-689.
- 7. Mackellar DA, Hou SI, Whalen CC, Samuelsen K, Sanchez T, Smith A, Denson D, Lansky A, Sullivan P. Reasons for not HIV testing, testing intentions, and potential use of an over-the-counter rapid HIV test in an internet sample of men who have sex with men who have never tested for HIV. Sexually Transmitted Diseases. 2011; 38(5): 419-428.
- 8. Oster AM, Wiegand RE, Sionean C, Miles IJ, Thomas PE, Melendez-Morales L, Le BC, Millett GA. Understanding disparities in HIV infection between black and white MSM in the United States. AIDS. 2011; 25(8): 1103-1112.
- 9. Oster AM, Wiegand RE, Sionean C, Miles IJ, Thomas PE, Le BC, Millett GA. Reply to 'Evaluation of sexual networks as a cause for disparate HIV prevalence between blacks and whites: more questions than answers'. AIDS. 2011.
- 10. Rosenberg ES, Sullivan PS, DiNenno EA, Salazar LF, Sanchez TH. Number of casual male sexual partners and associated factors among men who have sex with men: results from the National HIV Behavioral Surveillance system. BMC Public Health. 2011; 11: 189.

11. Smith BD, Teshale E, Jewett A, Weinbaum CM, Neaigus A, Hagan H, Jenness SM, Melville SK, Burt R, Thiede H, Al-Tayyib A, Pannala PR, Miles IW, Oster AM, Smith A, Finlayson T, Bowles KE, DiNenno EA. Performance of premarket rapid hepatitis C virus antibody assays in 4 National human immunodeficiency virus behavioral surveillance system sites. Clinical Infectious Diseases. 2011; 53(8): 780-786.

- 1. Centers for Disease Control and Prevention (Smith A, Miles I, Le B, Finlayson T, Oster A, DiNenno E). Prevalence and awareness of HIV infection among men who have sex with men --- 21 cities, United States, 2008. MMWR. 2010; 59(37): 1201-1207.
- 2. Lansky A, Brooks JT, DiNenno E, Heffelfinger J, Hall HI, Mermin J. Epidemiology of HIV in the United States. Journal of Acquired Immune Deficiency Syndrome. 2010; 55(S2): 64-68.

2009

- 1. Allen DR, Finlayson T, Abdul-Quader A, Lansky A. The role of formative research in the National HIV Behavioral Surveillance System. Public Health Reports. 2009; 124(1): 26-33.
- 2. Centers for Disease Control and Prevention (Lansky A, Drake A, Pham HT). HIV-associated behaviors among injecting-drug users--23 Cities, United States, May 2005-February 2006. MMWR. 2009; 58(13): 329-332.
- 3. Sullivan PS, Salazar L, Buchbinder S, Sanchez TH. Estimating the proportion of HIV transmissions from main sex partners among men who have sex with men in five US cities. AIDS. 2009; 23(9): 1153-1162.

2008

- 1. Lansky A, Mastro TD. Using respondent-driven sampling for behavioural surveillance: Response to Scott. International Journal of Drug Policy. 2008; 19(3): 241-247.
- 2. Tai E, Sanchez T, Lansky A, Mahle K, Heffelfinger J, Workowski K. Self-reported syphilis and gonorrhoea testing among men who have sex with men: National HIV Behavioural Surveillance System, 2003-5. Sexually Transmitted Infectious. 2008; 84(6): 478-482.

2007

- 1. Gallagher KM, Sullivan PS, Lansky A, Onorato IM. Behavioral surveillance among people at risk for HIV infection in the U.S.: The National HIV Behavioral Surveillance System. Public Health Reports. 2007; 122(S1): 32-38.
- 2. Lansky A, Abdul-Quader AS, Cribbin M, Hall T, Finlayson TJ, Garfein RS, Lin LS, Sullivan PS. Developing an HIV behavioral surveillance system for injecting drug users: The National HIV Behavioral Surveillance System. Public Health Reports. 2007; 122(S1): 48-55.
- 3. Lansky A, Sullivan PS, Gallagher KM, Fleming PL. HIV behavioral surveillance in the U.S.: A conceptual framework. Public Health Reports. 2007; 122(S1): 16-23.
- 4. MacKellar DA, Gallagher KM, Finlayson T, Sanchez T, Lansky A, Sullivan PS. Surveillance of HIV risk and prevention behaviors of men who have sex with men--a national application of venue-based, time-space sampling. Public Health Reports. 2007; 122(S1): 39-47.

- 1. Centers for Disease Control and Prevention (Sanchez T, Finlayson T, Drake A, Behel S, Cribbin M, DiNenno E, Hall T, Kramer S, Lansky A). Human Immunodeficiency Virus (HIV) risk, prevention, and testing behaviors--United States, National HIV Behavioral Surveillance System: Men who have sex with men, November 2003-April 2005. MMWR. 2006; 55(6): 1-16.
- 2. Lansky A, MacKellar D, Gallagher KM, Lin LS, Sullivan PS, Onorato IM. Evaluation of the new National HIV Behavioral Surveillance System (NHBS) is imperative. Sexually Transmitted Diseases. 2006; 33(4): 272-273.

1. Centers for Disease Control and Prevention (Sifakis F, Flynn CP, Metsch L, LaLota M, Murrill C, Koblin BA, Bingham T, McFarland W Raymond H, Behel S, Lansky A, Byers B, MacKellar D, Drake A, Gallagher K). HIV prevalence, unrecognized infection, and HIV testing among men who have sex with men--five U.S. cities, June 2004-April 2005. MMWR. 2005; 54(24): 597-601.